

CITATION REPORT

List of articles citing

A class of nonribosomal nucleolar components is located in chromosome periphery and in nucleolus-derived foci during anaphase and telophase

DOI: 10.1007/bf02510477

Chromosoma, 1997, 105, 407-17.

Source: <https://exaly.com/paper-pdf/28646163/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
79	ASE-1: a novel protein of the fibrillar centres of the nucleolus and nucleolus organizer region of mitotic chromosomes. <i>Chromosoma</i> , 1997 , 106, 493-502	2.8	37
78	Dyskeratosis and ribosomal rebellion. <i>Nature Genetics</i> , 1998 , 19, 6-7	36.3	58
77	Protein heterogeneity in the coiled body compartment. <i>Experimental Cell Research</i> , 1998 , 239, 60-8	4.2	20
76	Partially processed pre-rRNA is preserved in association with processing components in nucleolus-derived foci during mitosis. <i>Molecular Biology of the Cell</i> , 1998 , 9, 2407-22	3.5	78
75	Preferential cleavage in pre-ribosomal RNA by protein B23 endoribonuclease. <i>Nucleic Acids Research</i> , 1998 , 26, 4508-15	20.1	176
74	M phase phosphoprotein 10 is a human U3 small nucleolar ribonucleoprotein component. <i>Molecular Biology of the Cell</i> , 1998 , 9, 437-49	3.5	51
73	Functional modules in ribosomal protein L5 for ribonucleoprotein complex formation and nucleocytoplasmic transport. <i>Journal of Biological Chemistry</i> , 1999 , 274, 33951-8	5.4	39
72	Association of nonribosomal nucleolar proteins in ribonucleoprotein complexes during interphase and mitosis. <i>Molecular Biology of the Cell</i> , 1999 , 10, 77-90	3.5	90
71	C-terminal domain of the mitotic apparatus protein p62 targets the protein to the nucleolus during interphase. <i>Cytoskeleton</i> , 1999 , 44, 68-80		5
70	Mapping and characterization of the functional domains of the nucleolar protein RNA helicase II/Gu. <i>Experimental Cell Research</i> , 1999 , 247, 389-98	4.2	18
69	Interaction of the papillomavirus E2 protein with mitotic chromosomes. <i>Virology</i> , 2000 , 270, 124-34	3.6	106
68	The ribosomal RNA processing machinery is recruited to the nucleolar domain before RNA polymerase I during <i>Xenopus laevis</i> development. <i>Journal of Cell Biology</i> , 2000 , 149, 293-306	7.3	52
67	The dynamics of postmitotic reassembly of the nucleolus. <i>Journal of Cell Biology</i> , 2000 , 150, 433-46	7.3	219
66	Rev protein and its cellular partners. <i>Advances in Pharmacology</i> , 2000 , 48, 251-98	5.7	57
65	Maintenance of nucleolar machineries and pre-rRNAs in remnant nucleolus of erythrocyte nuclei and remodeling in <i>Xenopus</i> egg extracts. <i>Experimental Cell Research</i> , 2001 , 269, 23-34	4.2	13
64	Cdc2 phosphorylation of nucleolin demarcates mitotic stages and Alzheimer's disease pathology. <i>Neurobiology of Aging</i> , 2001 , 22, 517-28	5.6	79
63	Pigpen and endothelial cell differentiation. <i>Cell Biology International</i> , 2001 , 25, 577-84	4.5	11

62	Nopp 140 involvement in nucleogenesis of mouse preimplantation embryos. <i>Molecular Reproduction and Development</i> , 2001 , 59, 277-84	2.6	15
61	Nuclear localization of DEDD leads to caspase-6 activation through its death effector domain and inhibition of RNA polymerase I dependent transcription. <i>Cell Death and Differentiation</i> , 2001 , 8, 1157-68 ^{12.7}		50
60	Nucleolar assembly of the rRNA processing machinery in living cells. <i>Journal of Cell Biology</i> , 2001 , 153, 1097-110	7.3	134
59	A novel conserved RNA-binding domain protein, RBD-1, is essential for ribosome biogenesis. <i>Molecular Biology of the Cell</i> , 2002 , 13, 3683-95	3.5	11
58	Pescadillo is essential for nucleolar assembly, ribosome biogenesis, and mammalian cell proliferation. <i>Journal of Biological Chemistry</i> , 2002 , 277, 45347-55	5.4	90
57	Nucleolar changes in bovine nucleotransferred embryos. <i>Biology of Reproduction</i> , 2002 , 66, 534-43	3.9	15
56	Conventional and nonconventional roles of the nucleolus. <i>International Review of Cytology</i> , 2002 , 219, 199-266		154
55	Coiled body heterogeneity induced by G(1) arrest with amiloride + bumetanide. <i>Experimental Cell Research</i> , 2002 , 279, 111-7	4.2	2
54	P2P-R protein localizes to the nucleolus of interphase cells and the periphery of chromosomes in mitotic cells which show maximum P2P-R immunoreactivity. <i>Journal of Cellular Physiology</i> , 2002 , 191, 145-54	7	24
53	P2P-R protein overexpression restricts mitotic progression at prometaphase and promotes mitotic apoptosis. <i>Journal of Cellular Physiology</i> , 2002 , 193, 199-207	7	23
52	Isolation and characterization of a new nucleolar protein, Nrap, that is conserved from yeast to humans. <i>Genes To Cells</i> , 2002 , 7, 115-32	2.3	21
51	The step-wise assembly of a functional nucleolus in preimplantation mouse embryos involves the cajal (coiled) body. <i>Developmental Biology</i> , 2003 , 253, 66-83	3.1	80
50	Hypophosphorylated SR splicing factors transiently localize around active nucleolar organizing regions in telophase daughter nuclei. <i>Journal of Cell Biology</i> , 2004 , 167, 51-63	7.3	50
49	Cell and molecular biology of nucleolar assembly and disassembly. <i>International Review of Cytology</i> , 2004 , 239, 99-178		50
48	Expression and Localization Studies of hSDA, the Human Ortholog of the Yeast SDA1 Gene. <i>Cell Cycle</i> , 2004 , 3, 484-488	4.7	7
47	Meiosis and embryo technology: renaissance of the nucleolus. <i>Reproduction, Fertility and Development</i> , 2005 , 17, 3-14	1.8	29
46	Rbm19 is a nucleolar protein expressed in crypt/progenitor cells of the intestinal epithelium. <i>Gene Expression Patterns</i> , 2005 , 6, 45-56	1.5	13
45	EBP2 plays a key role in Epstein-Barr virus mitotic segregation and is regulated by aurora family kinases. <i>Molecular and Cellular Biology</i> , 2005 , 25, 4934-45	4.8	62

44	In vivo dynamics and kinetics of pKi-67: transition from a mobile to an immobile form at the onset of anaphase. <i>Experimental Cell Research</i> , 2005 , 308, 123-34	4.2	32
43	Tracking nucleolar dynamics with GFP-Nopp140 during <i>Drosophila</i> oogenesis and embryogenesis. <i>Cell and Tissue Research</i> , 2006 , 323, 105-15	4.2	16
42	Effects of interphase and mitotic phosphorylation on the mobility and location of nucleolar protein B23. <i>Journal of Cell Science</i> , 2006 , 119, 3676-85	5.3	83
41	Nucleolin functions in nucleolus formation and chromosome congression. <i>Journal of Cell Science</i> , 2007 , 120, 2091-105	5.3	101
40	The dynamics and mechanisms of nucleolar reorganization during mitosis. <i>Cell and Tissue Biology</i> , 2007 , 1, 277-292	0.4	4
39	Relationships between transcription, silver staining, and chromatin organization of nucleolar organizers in <i>Secale cereale</i> . <i>Protoplasma</i> , 2007 , 232, 55-9	3.4	21
38	Study of the nucleolar cycle and ribosomal RNA distribution during meiosis in triatomines (Triatominae, Heteroptera). <i>Micron</i> , 2008 , 39, 1020-6	2.3	7
37	The role of RNA polymerase I transcription and embryonic genome activation in nucleolar development in bovine preimplantation embryos. <i>Molecular Reproduction and Development</i> , 2008 , 75, 1095-103	2.6	12
36	Three-dimensional organization of interphase fibroblast nuclei in two closely related shrew species (<i>Sorex granarius</i> and <i>Sorex araneus</i>) differing in the structures of their chromosome termini. <i>Cell and Tissue Biology</i> , 2008 , 2, 222-231	0.4	1
35	Effect of roscovitine, a selective cyclin B-dependent kinase 1 inhibitor, on assembly of the nucleolus in mitosis. <i>Biochemistry (Moscow)</i> , 2008 , 73, 411-9	2.9	2
34	Mitotic chromosome interactions of Epstein-Barr nuclear antigen 1 (EBNA1) and human EBNA1-binding protein 2 (EBP2). <i>Journal of Cell Science</i> , 2009 , 122, 4341-50	5.3	43
33	Localization of Nopp140 within mammalian cells during interphase and mitosis. <i>Histochemistry and Cell Biology</i> , 2009 , 132, 129-40	2.4	18
32	PinX1 is recruited to the mitotic chromosome periphery by Nucleolin and facilitates chromosome congression. <i>Biochemical and Biophysical Research Communications</i> , 2009 , 384, 76-81	3.4	14
31	Nuclear matrix proteins (with molecular masses of 38 and 50 kDa) are transported by chromosomes in mitosis. <i>Cell and Tissue Biology</i> , 2010 , 4, 556-565	0.4	
30	The nucleolus: structure/function relationship in RNA metabolism. <i>Wiley Interdisciplinary Reviews RNA</i> , 2010 , 1, 415-31	9.3	161
29	Ultrastructural analysis of the nucleolar aspects at spermiogenesis in triatomines (Heteroptera, Triatominae). <i>Micron</i> , 2010 , 41, 791-6	2.3	3
28	AtTRB1, a telomeric DNA-binding protein from <i>Arabidopsis</i> , is concentrated in the nucleolus and shows highly dynamic association with chromatin. <i>Plant Journal</i> , 2010 , 61, 637-49	6.9	21
27	Meiotic chromosomes and nucleolar behavior in testicular cells of the grassland spittlebugs <i>Deois flavopicta</i> , <i>Mahanarva fimbriolata</i> and <i>Notozulia entreriana</i> (Hemiptera, Auchenorrhyncha). <i>Genetics and Molecular Biology</i> , 2010 , 33, 244-52	2	7

26	Structure and Function of Nopp140 and Treacle. 2011 , 253-278		2
25	The Nucleolus. 2011 ,		11
24	Structural Organization of the Nucleolus as a Consequence of the Dynamics of Ribosome Biogenesis. 2011 , 3-28		5
23	Ultrastructure of spermatogenesis in the white-lined broad-nosed bat, <i>Platyrrhinus lineatus</i> (Chiroptera: Phyllostomidae). <i>Micron</i> , 2011 , 42, 586-99	2.3	26
22	Assembly and disassembly of the nucleolus during the cell cycle. <i>Nucleus</i> , 2011 , 2, 189-94	3.9	180
21	Spermatogenesis of riffle bugs, <i>Rhagovelia whitei</i> and <i>Rhagovelia</i> sp (Veliidae), and backswimmers <i>Martarega</i> sp (Notonectidae). <i>Genetics and Molecular Research</i> , 2012 , 11, 2003-20	1.2	7
20	Occurrence of pre-nucleolar bodies and 45S rDNA location on the chromosomes of the ant <i>Mycocepurus goeldii</i> (Forel) (Formicidae, Myrmicinae, Attini). <i>Hereditas</i> , 2012 , 149, 50-4	2.4	7
19	Nucleolin level in plant root meristematic cells under chilling stress and recovery. <i>Micron</i> , 2012 , 43, 870-5.3		4
18	Involvement of phosphatidylinositol 4,5-bisphosphate in RNA polymerase I transcription. <i>Journal of Cell Science</i> , 2013 , 126, 2730-9	5.3	44
17	Excision repair of BPDE-adducts in human lymphocytes: diminished capacity associated with ERCC1 C8092A (rs3212986) polymorphism. <i>Archives of Toxicology</i> , 2013 , 87, 699-709	5.8	9
16	UBF complexes with phosphatidylinositol 4,5-bisphosphate in nucleolar organizer regions regardless of ongoing RNA polymerase I activity. <i>Nucleus</i> , 2013 , 4, 478-86	3.9	38
15	TRAIP is a regulator of the spindle assembly checkpoint. <i>Journal of Cell Science</i> , 2014 , 127, 5149-56	5.3	21
14	Growth arrest in the ribosomopathy, Bowen-Conradi syndrome, is due to dramatically reduced cell proliferation and a defect in mitotic progression. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2015 , 1852, 1029-37	6.9	6
13	An immunochemical study of localization of some nuclear matrix proteins in the composition of perinucleolar chromatin. <i>Cell and Tissue Biology</i> , 2015 , 9, 9-15	0.4	
12	RNA transcription modulates phase transition-driven nuclear body assembly. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, E5237-45	11.5	289
11	Telomere binding protein TRB1 is associated with promoters of translation machinery genes in vivo. <i>Plant Molecular Biology</i> , 2016 , 90, 189-206	4.6	11
10	Localization of Nopp140 within mammalian cells during interphase and mitosis. 2009 , 132, 129		1
9	Tracking nucleolar dynamics with GFP-Nopp140 during <i>Drosophila</i> oogenesis and embryogenesis. 2006 , 323, 105		1

8	The nucleolus is the site of Borna disease virus RNA transcription and replication. <i>Journal of Virology</i> , 1998 , 72, 7697-702	6.6	40
7	Effects of anti-fibrillar antibodies on building of functional nucleoli at the end of mitosis. <i>Journal of Cell Science</i> , 1998 , 111, 359-372	5.3	57
6	The nucleolar antigen Nop52, the human homologue of the yeast ribosomal RNA processing RRP1, is recruited at late stages of nucleologenesis. <i>Journal of Cell Science</i> , 1999 , 112, 1889-1900	5.3	64
5	The nucleolar phosphoprotein B23 redistributes in part to the spindle poles during mitosis. <i>Journal of Cell Science</i> , 1999 , 112, 455-466	5.3	53
4	Structure and functions of nucleolin. <i>Journal of Cell Science</i> , 1999 , 112, 761-772	5.3	523
3	Emerging concepts of nucleolar assembly. <i>Journal of Cell Science</i> , 2002 , 115, 2265-2270	5.3	99
2	Nucleologenesis in the <i>Caenorhabditis elegans</i> embryo. <i>PLoS ONE</i> , 2012 , 7, e40290	3.7	17
1	Functional Organization and Dynamic Aspects of Nucleoli During the Cell Cycle. 2007 , 107-122		