CITATION REPORT List of articles citing

C photosynthesis, atmospheric CO, and climate

DOI: 10.1007/s004420050311 Oecologia, 1997, 112, 285-299.

Source: https://exaly.com/paper-pdf/28651310/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1166	Late Pleistocene C4Plant Dominance and Summer Rainfall in the Southwestern United States from Isotopic Study of Herbivore Teeth. 1998 , 50, 179-193		96
1165	Do Stable Isotope Data from Calcrete Record Late Pleistocene Monsoonal Climate Variation in the Thar Desert of India?. 1998 , 50, 240-251		105
1164	Australian mulga ecosystems 1 3C and 15N natural abundances of biota components and their ecophysiological significance. 1998 , 21, 1231-1242		46
1163	Glacial/interglacial variations in carbon cycling revealed by molecular and isotope stratigraphy of Lake Nkunga, Mt. Kenya, East Africa. 1998 , 29, 1701-1719		83
1162	Carbon dioxide starvation, the development of C4 ecosystems, and mammalian evolution. 1998 , 353, 159-70; discussion 170-1		171
1161	Paleorecords of C4 Plants and Ecosystems. 1999 , 445-469		54
1160	C3and C4photosynthesis inCyperus(Cyperaceae) in temperate eastern North America. 1999 , 77, 209-2	18	5
1159	Elevated CO(2) studies: past, present and future. 1999 , 19, 211-220		112
1158	The Biogeography of C4 Photosynthesis: Patterns and Controlling Factors. 1999 , 313-I		171
1157	The Origins of C4 Genes and Evolutionary Pattern in the C4 Metabolic Phenotype. 1999 , 377-410		43
1156	C4 Plants and the Development of Human Societies. 1999 , 509-549		13
1155	The Origin of Grass-Dominated Ecosystems. 1999 , 86, 590		418
1154	Ancient latitudinal gradients of C3/C4 grasses interpreted from stable isotopes of New World Pleistocene horse (Equus) teeth. 1999 , 8, 137-149		73
1153	The functional significance of leaf structure: a search for generalizations. 1999 , 143, 213-219		48
1152	Responses of wild C4 and C3 grass (Poaceae) species to elevated atmospheric CO2 concentration: a meta-analytic test of current theories and perceptions. 1999 , 5, 723-741		488
1151	Comparative responses of model C3 and C4 plants to drought in low and elevated CO2. 1999 , 5, 857-86	57	137
1150	A large and abrupt fall in atmospheric CO2 concentration during Cretaceous times. 1999 , 399, 342-345		185

(2000-1999)

1149	Early pleistocene habitat in member 1 Olorgesailie based on paleosol stable isotopes. 1999 , 37, 721-46		53
1148	Physiological Significance of Low Atmospheric CO2 for Plantfilimate Interactions. 1999 , 52, 237-242		178
1147	Lacustrine Sedimentary Organic Matter Records of Late Quaternary Paleoclimates. 1999 , 21, 345-372		636
1146	Carbon isotope fractionation between diet and bioapatite in ungulate mammals and implications for ecological and paleoecological studies. <i>Oecologia</i> , 1999 , 120, 347-363	2.9	698
1145	Reconstructing and modelling Late Weichselian climates: the Younger Dryas in Europe as a case study. <i>Earth-Science Reviews</i> , 1999 , 48, 1-38	10.2	87
1144	Ancient diets, ecology, and extinction of 5-million-year-Old horses from florida. <i>Science</i> , 1999 , 283, 824-7	33.3	183
1143	PALEOECOLOGY:Plants and TemperatureCO2 Uncoupling. <i>Science</i> , 1999 , 285, 1500-1501	33.3	46
1142	Relationships between Pinus ponderosa forest structure, light characteristics, and understory graminoid species presence and abundance. 1999 , 124, 205-215		67
1141	A late Holocene climate record from a stalagmite, Cold Air Cave, Northern Province, South Africa. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1999 , 150, 269-277	2.9	26
1140	GlacialInterglacial environmental changes inferred from molecular and compound-specific II3C analyses of sediments from Sacred Lake, Mt. Kenya. 1999 , 63, 1383-1404		186
1139	The Taxonomic Distribution of C4 Photosynthesis. 1999 , 551-584		110
1138	Stable isotopes and soil-geomorphology as indicators of Holocene climate change, northern Chihuahuan Desert. 1999 , 43, 357-373		72
1137	Stress in Wildland Plants. 1999, 907-929		7
1136	A manual for the C4 fan club. 1999 , 86, 1502-1504		1
1135	Discussion: opportunities for redesigning rice photosynthesis. 2000 , 7, 269-288		
1134	Genetic modification and agriculture**Citation: Sheehy JE, Mitchell PL, Hardy B, editors. 2000. Redesigning rice photosynthesis to increase yield. Proceedings of the Workshop on The Quest to Reduce Hunger: Redesigning Rice Photosynthesis, 30 Nov3 Dec. 1999, Los Baês, Philippines.		4
1133	Elongated chambers for field studies across atmospheric CO2 gradients. <i>Functional Ecology</i> , 2000 , 14, 388-396	5.6	25
1132	Sensitivity of three grassland communities to simulated extreme temperature and rainfall events. 2000 , 6, 671-684		77

1131	A proposed CO2-controlled mechanism of woody plant invasion in grasslands and savannas. 2000 , 6, 865-869		364
1130	The growth response of C4 plants to rising atmospheric CO2 partial pressure: a reassessment. 2000 , 23, 931-942		229
1129	Evaluation of a Model Adaptable to Satellite Data for Estimating Daily Gross Photosynthesis. 2000 , 71, 133-140		1
1128	Vegetation variation within and among palustrine wetlands along an altitudinal gradient in KwaZulu-Natal, South Africa. 2000 , 146, 77-96		37
1127	Do Low CO2 Concentrations Affect Pollen-Based Reconstructions of LGM Climates? A Response to Physiological Significance of Low Atmospheric CO2 for Plant@limate Interactions@by Cowling and Sykes. 2000 , 53, 402-404		19
1126	C plants in the vegetation of Mongolia: their natural occurrence and geographical distribution in relation to climate. <i>Oecologia</i> , 2000 , 123, 15-31	2.9	163
1125	Potential growth and drought tolerance of eight desert grasses: lack of a trade-off?. <i>Oecologia</i> , 2000 , 123, 90-98	2.9	128
1124	Long-term Perspectives on Lagged Ecosystem Responses to Climate Change: Permafrost in Boreal Peatlands and the Grassland/Woodland Boundary. 2000 , 3, 534-544		72
1123	Welcome to the C4 World. 2000 , 6, 273-286		1
1122	The Physiological Ecology of C4 Photosynthesis. 2000 , 497-532		46
1121	Herbivore paleodiet and paleoenvironmental changes in Chad during the Pliocene using stable isotope ratios of tooth enamel carbonate. 2000 , 26, 294-309		115
1120	The effects of air pollution on vegetation from a geographic perspective. 2000 , 24, 53-74		3
1119	CARBON ISOTOPE RATIOS IN BELOWGROUND CARBON CYCLE PROCESSES. 2000 , 10, 412-422		568
1118	Cenozoic Mammalian Herbivores From the Americas: Reconstructing Ancient Diets and Terrestrial Communities. 2000 , 31, 33-59		113
1117	Canopy quantum yield in a mesocosm study. 2000 , 100, 35-48		41
1116	A sensitivity analysis of the radiation use efficiency for gross photosynthesis and net carbon accumulation by wheat. 2000 , 101, 217-234		54
1115	Size-related intraspecific variability in physiological traits of vascular epiphytes and its importance for plant physiological ecology. 2000 , 3, 19-28		9
1114	Evidence for environmental conditions during the last 20 000 years in Southern Africa from 13C in fossil hyrax dung. 2000 , 26, 207-215		39

(2001-2000)

1113	ColdIstage formation of calcrete nodules in the Chinese Loess Plateau: evidence from U-series dating and stable isotope analysis. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2000 , 157, 109-129	42
1112	Mapping of C4 plant input from North West Africa into North East Atlantic sediments. 2000 , 64, 3505-3513	128
1111	C3 versus C4 photosynthesis in rice: ecophysiological perspectives. 2000 , 7, 13-35	11
1110	C4 Plants. 2001 , 575-598	8
1109	Evolution of Modern Grasslands and Grazers. 106-108	
1108	Climate change as the dominant control on glacial-interglacial variations in C3 and C4 plant abundance. <i>Science</i> , 2001 , 293, 1647-51	327
1107	ISOPRENE EMISSION FROM PLANTS. 2001 , 52, 407-436	427
1106	Morphology and isotope heterogeneity of Late Quaternary pedogenic carbonates: Implications for paleosol carbonates as paleoenvironmental proxies. <i>Palaeogeography, Palaeoclimatology,</i> 2.9 <i>Palaeoecology,</i> 2001 , 166, 293-317	56
1105	Growth responses to elevated CO2 in NADP-ME, NAD-ME and PCK C4 grasses and a C3 grass from South Africa. 2001 , 28, 13	7
1104	Late Tertiary and Quaternary climate change and centres of endemism in the southern African flora. 2001 , 230-242	8
1103	Carbon Isotope Discrimination of Terrestrial Ecosystems [How Well Do Observed and Modeled Results Match?. 2001 , 253-266	11
1102	Photosynthetic Pathways and Climate. 2001 , 267-277	8
1101	Kranz Anatomy and the C4 Pathway. 2001 ,	
1100	Gas exchange and photosynthetic acclimation over subambient to elevated CO2 in a C3🗓4 grassland. 2001 , 7, 693-707	110
1099	Plant carbon balance, evolutionary innovation and extinction in land plants. 2001 , 7, 231-239	17
1098	Elemental 13C at Allen's Cave, Nullarbor Plain, Australia: assessing post-depositional disturbance and reconstructing past environments. 2001, 16, 779-784	23
1097	Morphology of Australopithecus anamensis from Kanapoi and Allia Bay, Kenya. 2001 , 41, 255-368	186
1096	Environmental and Evolutionary Preconditionsfor the Origin and Diversification of the C4 PhotosyntheticSyndrome. 2001 , 3, 202-213	200

1095	The role of dust in climate changes today, at the last glacial maximum and in the future. <i>Earth-Science Reviews</i> , 2001 , 54, 43-80	10.2	333
1094	High altitude C(4) grasslands in the northern Andes: relicts from glacial conditions?. 2001 , 115, 147-160		61
1093	Influence of carbonic anhydrase activity in terrestrial vegetation on the 18O content of atmospheric CO2. <i>Science</i> , 2001 , 291, 2584-7	33.3	143
1092	An Altitudinal And Stable Carbon Isotope Survey of C3 and C4 Graminoids On Mount Kenya. 2001 , 90, 69		20
1091	The response of the high altitude C(4) grass Muhlenbergia montana (Nutt.) A.S. Hitchc. to long- and short-term chilling. <i>Journal of Experimental Botany</i> , 2001 , 52, 829-38	7	54
1090	The high oxygen atmosphere toward the end-Cretaceous; a possible contributing factor to the K/T boundary extinctions and to the emergence of C(4) species. <i>Journal of Experimental Botany</i> , 2001 , 52, 801-9	7	12
1089	Biogeochemical Approaches to Paleodietary Analysis. 2002,		2
1088	New evidence for the lack of C4 grassland expansions during the early Pliocene at Langebaanweg, South Africa. 2002 , 28, 378-388		77
1087	Fossil grass cuticles from lacustrine sediments: a review of methods applicable to the analysis of tropical African lake cores. 2002 , 12, 97-105		22
1086	Are crassulacean acid metabolism and C4 photosynthesis incompatible?. 2002 , 29, 775-785		51
1085	Atmospheric CO2 as a Global Change Driver Influencing Plant-Animal Interactions. 2002 , 42, 424-30		58
1084	How terrestrial organisms sense, signal, and respond to carbon dioxide. 2002 , 42, 469-80		35
1083	Preservation of Biogenic Carbon Isotopic Signals in Plio-Pleistocene Bone and Tooth Mineral. 2002 , 89-7	115	13
1082	Occurrence and distribution of native and introduced C4 grasses in Tasmania. 2002 , 50, 667		6
1081	Response to elevated CO2 from a natural spring in a C4-dominated grassland depends on seasonal phenology. 2002 , 19, 81-91		6
1080	Contingent Predictability in Evolution: Key Traits and Diversification. 2002 , 51, 917-929		89
1079	Advantages of diffuse radiation for terrestrial ecosystem productivity. 2002 , 107, ACL 2-1-ACL 2-23		414
1078	MODELING VEGETATION AS A DYNAMIC COMPONENT IN SOIL-VEGETATION-ATMOSPHERE TRANSFER SCHEMES AND HYDROLOGICAL MODELS. 2002 , 40, 3-1		220

10	977	Climate and Diet in Fremont Prehistory: Economic Variability and Abandonment of Maize Agriculture in the Great Salt Lake Basin. 2002 , 67, 453-485		77
10	076	Environmental Change in the Great Plains: An Isotopic Record from Fossil Horses. 2002 , 110, 123-140		155
10	975	Serine 774 and amino acids 296 to 437 comprise the major C4 determinants of the C4 phosphoenolpyruvate carboxylase of Flaveria trinervia. 2002 , 524, 11-4		28
10	974	Grassland development under glacial and interglacial conditions in southern Africa: review of pollen, phytolith and isotope evidence. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2002 , 177, 47-57	2.9	106
10	973	Reconstruction of a subalpine grass-dominated ecosystem, Lake Rutundu, Mount Kenya: a novel multi-proxy approach. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2002 , 177, 137-149	2.9	95
10	072	CO2- and temperature-controlled altitudinal shifts of C4- and C3-dominated grasslands allow reconstruction of palaeoatmospheric pCO2. <i>Palaeogeography, Palaeoclimatology, Palaeoecology,</i> 2002 , 177, 151-168	2.9	91
10	071	Effects of charring on the carbon isotopic composition of grass (Poaceae) epidermis. Palaeogeography, Palaeoclimatology, Palaeoecology, 2002 , 177, 169-181	2.9	15
10	070	Frontiers in sexual selection. 2002 , 17, 107-108		
10	069	A.F.W. Schimper: from the Becology of plant distributionIto the Bunctional ecology of terrestrial ecosystemsII 2002 , 17, 106-107		1
10	o68	Carbon isotopic evidence from paleosols for mixed C3/C4 vegetation in the Bogota Basin, Colombia. <i>Quaternary Science Reviews</i> , 2002 , 21, 985-995	3.9	27
10	067	Elevated CO2 increases the leaf temperature of two glasshouse-grown C4 grasses. 2002 , 29, 1377-1385		20
10	o66	A.F.W. Schimper: from the 'oecology of plant distribution' to the 'functional ecology of terrestrial ecosystems'. 2002 , 26, 3-4		1
10	065	A simulation model of the carbon cycle in land ecosystems (Sim-CYCLE): a description based on dry-matter production theory and plot-scale validation. 2002 , 151, 143-176		185
10	064	Stable carbon and oxygen isotopic evidence for late Pleistocene to middle Holocene climatic fluctuations in the interior of southern Africa. 2002 , 17, 683-695		34
10	063	The non-photosynthetic phosphoenolpyruvate carboxylases of the C4 dicot Flaveria trinervia implications for the evolution of C4 photosynthesis. 2002 , 215, 448-56		43
10	062	Microsite characteristics of Muhlenbergia richardsonis (Trin.) Rydb., an alpine C grass from the White Mountains, California. <i>Oecologia</i> , 2002 , 132, 501-508	2.9	37
10	061	The Late Cenozoic uplift Itlimate change paradox. 2002 , 91, 746-774		93
	26.2	Atmospheric CO2, climate and evolution 🛘 essons from the past. 2002 , 154, 10-12		6
10	J60 	Trainospheric Co2, camace and evolution accessors from the past. 2002, 15 1, 10 12		

1059	Does hairiness matter in Harare? Resolving controversy in global comparisons of plant trait responses to ecosystem disturbance. 2002 , 154, 7-9	32
1058	Protocols for plant cell biologists. 2002 , 154, 13-13	1
1057	An accessible route to modern plant science?. 2002 , 154, 14-14	
1056	An orchid f ungus marriage [þhysical promiscuity, conflict and cheating. 2002 , 154, 4-7	23
1055	Hydrophobins in the lichen symbiosis. 2002 , 154, 1-4	21
1054	Stomatal acclimation over a subambient to elevated CO2 gradient in a C3/C4 grassland. 2002 , 25, 557-566	91
1053	Plant biomarkers in aerosols record isotopic discrimination of terrestrial photosynthesis. 2002 , 417, 639-41	87
1052	C4 Plant Productivity and Climate-CO2 Variations in South-Central Texas during the Late Quaternary. 2002 , 58, 182-188	76
1051	On the origin of northern and southern hemisphere grasslands. 2002 , 163, 209-229	96
1050	Photosynthetic Pathways, Life Forms, and Reproductive Types for Forage Species Along the Desertification Gradient on Hunshandake Desert, North China. 2002 , 40, 321-329	29
1049	Natural Occurrence and Backwater Infection of C4 Plants in the Vegetation of the Yangtze Hydropower Three Gorges Project Region. 2003 , 41, 43-48	7
1048	The C(4) pathway: an efficient CO(2) pump. 2003 , 77, 191-207	276
1047	Photosynthetic Pathway and Morphological Functional Types in the Steppe Vegetation from Inner Mongolia, North China. 2003 , 41, 143-150	34
1046	C4 Plants in the Vegetation of Tibet, China: Their Natural Occurrence and Altitude Distribution Pattern. 2003 , 41, 21-26	15
1045	Quo vadis C(4)? An ecophysiological perspective on global change and the future of C(4) plants. 2003 , 77, 209-25	165
1044	Climate as the dominant control on C3 and C4 plant abundance in the Loess Plateau: Organic carbon isotope evidence from the last glacial-interglacial loess-soil sequences. 2003 , 48, 1271-1276	82
1043	The contribution of C3 and C4 plants to the carbon cycle of a tallgrass prairie: an isotopic approach. <i>Oecologia</i> , 2003 , 136, 347-59	65
1042	Implications of interveinal distance for quantum yield in C4 grasses: a modeling and meta-analysis. Oecologia, 2003, 136, 532-42	41

(2003-2003)

1041	The influence of seasonal water availability on global C3 versus C4 grassland biomass and its implications for climate change research. 2003 , 163, 153-173	83
1040	Late Quaternary vegetation changes around Lake Rutundu, Mount Kenya, East Africa: evidence from grass cuticles, pollen and stable carbon isotopes. 2003 , 18, 3-15	62
1039	. 2003 , 55, 596-612	21
1038	Modelling the discrimination of 13CO2 above and within a temperate broad-leaved forest canopy on hourly to seasonal time scales. 2003 , 26, 231-244	91
1037	Stomatal sensitivity to vapour pressure difference over a subambient to elevated CO2 gradient in a C3/C4 grassland. 2003 , 26, 1297-1306	29
1036	The Arabidopsis mutant dct is deficient in the plastidic glutamate/malate translocator DiT2. 2003 , 35, 316-31	140
1035	The importance of low atmospheric CO2 and fire in promoting the spread of grasslands and savannas. 2003 , 9, 973-982	314
1034	Carbon sequestration in arid-land forest. 2003 , 9, 791-799	197
1033	Nonstomatal limitations are responsible for drought-induced photosynthetic inhibition in four C grasses. 2003 , 159, 599-608	84
1032	Extreme events as shaping physiology, ecology, and evolution of plants: toward a unified definition and evaluation of their consequences. 2003 , 160, 21-42	358
1031	Increasing CO from subambient to superambient concentrations alters species composition and increases above-ground biomass in a C/C grassland. 2003 , 160, 319-327	84
1030	The evolution of CAM in the subfamily Pitcairnioideae (Bromeliaceae). 2003 , 80, 261-268	12
1029	African vegetation controlled by tropical sea surface temperatures in the mid-Pleistocene period. 2003 , 422, 418-21	174
1028	Carbon dioxide and water vapor exchange over a Miscanthus-type grassland: Effects of development of the canopy. 2003 , 18, 661-675	22
1027	A new type of Kranz anatomy in Asteraceae. 2003 , 51, 217	18
1026	Gene Duplication, Neofunctionalization, and the Evolution of C4Photosynthesis. 2003, 164, S43-S54	89
1025	Evolution of CAM and C4Carbon-Concentrating Mechanisms. 2003, 164, S55-S77	161
1024	Sensitivity of carbon isotopic proxies to paleoclimatic forcing: A case study from Lake Bosumtwi, Ghana, over the last 32,000 years. 2003 , 17, n/a-n/a	10

1023 Global distribution of C3 and C4 vegetation: Carbon cycle implications. 2003 , 17, 6-1-6-14		548
1022 Evolution of C4 phosphoenolpyruvate carboxylase. 2003 , 414, 180-8		82
Reconstructing pathways of aeolian pollen transport to the marine sediments along the coastline of SW Africa. <i>Quaternary Science Reviews</i> , 2003 , 22, 157-174	3.9	110
Balancing the deglacial global carbon budget: the hydrate factor. <i>Quaternary Science Reviews</i> , 2003 , 22, 1729-1736	3.9	76
Persistent millennial-scale climatic variability over the past 25,000 years in Southern Africa. Quaternary Science Reviews, 2003, 22, 2311-2326	3.9	275
n-Alkane and pollen reconstruction of terrestrial climate and vegetation for N.W. Africa over the last 160 kyr. 2003 , 34, 131-143		48
Variations in organic matter composition in sediments from Lake Huguang Maar (Huguangyan), south China during the last 68 ka: implications for environmental and climatic change. 2003 , 34, 149	7-1515	52
A handbook of protocols for standardised and easy measurement of plant functional traits worldwide. 2003 , 51, 335		2483
Carbon isotope and C/N ratios of suspended matter in rivers: an indicator of seasonal change in C4/C3 vegetation. 2003 , 18, 1241-1249		52
1014 Chapter 12 The use of higher plants as bioindicators. 2003 , 6, 423-463		4
1013 The Stable Isotopic Composition of Atmospheric CO2. 2003 , 175-212		20
Paleoecological reconstruction of a lower Pleistocene large mammal community using biogeochemical (¶3C, ¶5N, ¶8O, Sr:Zn) and ecomorphological approaches. 2003 , 29, 205-229		115
1011 Chapter 14 Plant biodiversity and environmental stress. 2003 , 6, 501-525		6
Soil and plant water relations determine photosynthetic responses of C3 and C4 grasses in a semi-arid ecosystem under elevated CO2. 2003 , 92, 41-52		55
1009 PHOTOSYNTHESIS AND PARTITIONING C4 Plants. 2003, 680-688		
Stable isotopes, hypsodonty, and the paleodiet ofHemiauchenia(Mammalia: Camelidae): a morphological specialization creating ecological generalization. 2003 , 29, 230-242		46
1007 What controls South African vegetation Elimate or fire?. 2003, 69, 79-91		256
1006 Grazer-dominated Ecosystems. 2003,		

1005	2003, 168, 783-792	13
1004	Stable isotopes, hypsodonty, and the paleodiet of Hemiauchenia (Mammalia: Camelidae): a morphological specialization creating ecological generalization. 2003 , 29, 230-242	58
1003	Paleoecological reconstruction of a lower Pleistocene large mammal community using biogeochemical ([13C, [15N, [18O, Sr:Zn)]) and ecomorphological approaches. 2003 , 29, 205-229	121
1002	A global-scale simulation of the CO2 exchange between the atmosphere and the terrestrial biosphere with a mechanistic model including stable carbon isotopes, 1953¶999. 2003 , 55, 596-612	1
1001	The use of C3 and C4 plants to study natural enemy movement and ecology, and its application to pest management. 2004 , 50, 177-181	17
1000	Climatically driven glacial-interglacial variations in C3 and C4 plant proportions on the Chinese Loess Plateau. 2004 , 32, 337	73
999	Late Pleistocene mammoth herd structure, migration patterns, and Clovis hunting strategies inferred from isotopic analyses of multiple death assemblages. 2004 , 30, 129-145	96
998	Scaling up evolutionary responses to elevated CO2: lessons from Arabidopsis. 2004 , 7, 427-440	111
997	Distribution of South African C3 and C4 species of Cyperaceae in relation to climate and phylogeny. 2004 , 29, 313-319	56
996	Environmental regulation of photosynthetic metabolism in the amphibious sedge Eleocharis baldwinii and comparisons with related species. 2004 , 27, 627-639	23
995	Dynamic photo-inhibition and carbon gain in a C4 and a C3 grass native to high latitudes. 2004 , 27, 1424-1435	25
994	The evolution of C photosynthesis. 2004 , 161, 341-370	916
993	Phytolith evidence for C4-dominated grassland since the early Holocene at Long Pocket, northeast Queensland, Australia. 2004 , 61, 168-180	19
992	Direct and indirect climate change effects on photosynthesis and transpiration. 2004 , 6, 242-53	89
991	Miscanthus for Renewable Energy Generation: European Union Experience and Projections for Illinois. 2004 , 9, 433-451	206
990	C4 Species and their Response to Large-Scale Longitudinal Climate Variables Along the Northeast China Transect (NECT). 2004 , 42, 71-79	18
989	Photosynthetic Pathway Types in Rangeland Plant Species from Inner Mongolia, North China. 2004 , 42, 339-344	20
988	Structural and biochemical bases of photorespiration in C4 plants: quantification of organelles and glycine decarboxylase. 2004 , 220, 307-17	66

987	Discovery of C4 species at high altitude in Qinghai-Tibetan Plateau. 2004 , 49, 1392-1396		29
986	Colombian vegetation at the Last Glacial Maximum: a comparison of model- and pollen-based biome reconstructions. 2004 , 19, 721-732		26
985	12,000-Year, preliminary results of the stable nitrogen and carbon isotope record from the Empakai Crater lake sediments, Northern Tanzania. 2004 , 40, 293-303		16
984	The palaeoclimatic utility of terrestrial biomarkers in marine sediments. 2004 , 92, 239-261		208
983	A quantitative review comparing the yields of two candidate C4 perennial biomass crops in relation to nitrogen, temperature and water. 2004 , 27, 21-30		446
982	Stable Carbon Isotope Record of Holocene Environmental Change in the Central Great Plains. 2004 , 25, 170-190		19
981	Estimating photosynthetic 13C discrimination in terrestrial CO2 exchange from canopy to regional scales. 2004 , 18, n/a-n/a		35
980	Feeding ecology, dispersal, and extinction of South American Pleistocene gomphotheres (Gomphotheriidae, Proboscidea). 2004 , 30, 146-161		84
979	Geographic variation in the diet of hypsodont herbivores from the Rancholabrean of Florida. <i>Palaeogeography, Palaeoclimatology, Palaeoecology,</i> 2004 , 207, 359-369	2.9	40
978	The effects of late Quaternary climate and pCO2 change on C4 plant abundance in the south-central United States. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2004 , 207, 331-357	2.9	75
977	Rancho La Brea stable isotope biogeochemistry and its implications for the palaeoecology of late Pleistocene, coastal southern California. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2004 , 205, 199-219	2.9	129
976	Microscale 118O and 113C isotopic analysis of an ontogenetic series of the hadrosaurid dinosaur Edmontosaurus: implications for physiology and ecology. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2004 , 206, 257-287	2.9	34
975	The Late Miocene paleoenvironment of Afghanistan as inferred from dental microwear in artiodactyls. <i>Palaeogeography, Palaeoclimatology, Palaeoecology,</i> 2004 , 207, 143-163	2.9	127
974	Late Quaternary changes in carbon cycling on Mt. Kenya, East Africa: an overview of the 1 3C record in lacustrine organic matter. <i>Quaternary Science Reviews</i> , 2004 , 23, 861-879	3.9	63
973	Holocene climate and vegetation change in the Main Ethiopian Rift Valley, inferred from the composition (C/N and 🛮 3C) of lacustrine organic matter. <i>Quaternary Science Reviews</i> , 2004 , 23, 881-891	3.9	73
972	Sealing, whaling and caribou: the skeletal isotope chemistry of Eastern Arctic foragers. 2004 , 31, 39-57		77
971	Seasonal variation in carbon dioxide exchange over a Mediterranean annual grassland in California. 2004 , 123, 79-96		471
970	MODERN ANALOGS IN QUATERNARY PALEOECOLOGY: Here Today, Gone Yesterday, Gone Tomorrow?. 2004 , 32, 495-537		346

(2005-2004)

969	Amazonian paleoecological histories: one hill, three watersheds. <i>Palaeogeography</i> , <i>Palaeoclimatology, Palaeoecology</i> , 2004 , 214, 359-393	108
968	Higher plant vegetation changes during Pliocene sapropel formation. 2004 , 35, 1343-1353	7
967	Atmospheric CO2, Environmental Stress, and the Evolution of C4 Photosynthesis. 2005, 185-213	2
966	OzFACE: the Australian savanna free air CO2 enrichment facility and its relevance to carbon-cycling issues in a tropical savanna. 2005 , 53, 677	19
965	Nutrient Acquisition Strategies of Fungi and Their Relation to Elevated Atmospheric CO2. 2005, 713-731	15
964	Evolution and Growth of Plants in a Low CO2 World. 2005 , 232-257	9
963	Partitioning respiration of C3-C4 mixed communities using the natural abundance 13C approachtesting assumptions in a controlled environment. 2005 , 7, 592-600	29
962	The global distribution of ecosystems in a world without fire. 2005 , 165, 525-37	1272
961	New views on an old forest: assessing the longevity, resilience and future of the Amazon rainforest. 2005 , 30, 477-499	37
960	Fire and the Miocene expansion of C4 grasslands. 2005 , 8, 683-690	239
959	Pan-European 🛭 3C values of air and organic matter from forest ecosystems. 2005 , 11, 1065-1093	54
958	Africa's wild C4 plant foods and possible early hominid diets. 2005 , 48, 219-36	87
957	Environmental significance of 13C/12C and 18O/16O ratios of modern land-snail shells from the southern great plains of North America. 2005 , 63, 15-30	63
956	Diet and habitat of toxodont megaherbivores (Mammalia, Notoungulata) from the late Quaternary of South and Central America. 2005 , 64, 113-124	93
955	Evapotranspiration from a wet temperate grassland and its sensitivity to microenvironmental variables. 2005 , 19, 517-532	46
954	Phanerozoic evolution of plants on the African plate. 2005 , 43, 13-52	34
953	Stable isotope characteristics across narrow savanna/woodland ecotones in Wolfe Creek Meteorite Crater, Western Australia. <i>Oecologia</i> , 2005 , 145, 100-12	15
952	Long-term effects of elevated atmospheric CO2 on species composition and productivity of a southern African C4 dominated grassland in the vicinity of a CO2 exhalation. 2005 , 178, 211-224	19

951	C3 and C4 photosynthetic pathways and life form types for native species from agro-forestry region, Northeastern China. 2005 , 43, 535-549		10
950	On the origin of southern African subtropical thicket vegetation. 2005 , 71, 1-23		83
949	Variation in the activity of some enzymes of photorespiratory metabolism in C4 grasses. 2005 , 96, 863-9		33
948	Terrestrial Mammalian Herbivore Response to Declining Levels of Atmospheric CO2 During the Cenozoic: Evidence from North American Fossil Horses (Family Equidae). 2005 , 273-292		7
947	Cretaceous CO2 Decline and the Radiation and Diversification of Angiosperms. 2005, 133-165		18
946	Evolutionary Responses of Land Plants to Atmospheric CO2. 2005 , 114-132		5
945	The Effects of Elevated CO2 and Its Interaction with Water Stress on a C4 Pasture Species (Blepharis linariifolia) Native to Sudan. 2005 , 13, 213-237		
944	A History of Atmospheric CO2 and Its Effects on Plants, Animals, and Ecosystems. 2005,		3
943	Summer monsoon intensity controls C4/C3 plant abundance during the last 35 ka in the Chinese Loess Plateau: Carbon isotope evidence from bulk organic matter and individual leaf waxes. 2.9 Palaeogeography, Palaeoclimatology, Palaeoecology, 2005, 220, 243-254		128
942	The palaeoecology of the non-mammalian cynodonts Diademodon and Cynognathus from the Karoo Basin of South Africa, using stable light isotope analysis. <i>Palaeogeography,</i> 2.9 <i>Palaeoclimatology, Palaeoecology,</i> 2005 , 223, 303-316		14
941	Reconstruction of climate and landscape changes in a high mountain lake catchment in the Gorkha Himal, Nepal during the Late Glacial and Holocene as deduced from radiocarbon and compound-specific stable isotope analysis of terrestrial, aquatic and microbial biomarkers. 2005,		30
940	36, 1086-1098 Did an extensive forest ever develop on the Chinese Loess Plateau during the past 130 ka?: a test using soil carbon isotopic signatures. 2005 , 20, 519-527		26
939	Simulation of carbon isotope discrimination of the terrestrial biosphere. 2005 , 19,		126
938	The Influence of Atmospheric CO2, Temperature, and Water on the Abundance of C3/C4 Taxa. 2005 , 214-231		30
937	Modern and Future Semi-Arid and Arid Ecosystems. 2005 , 415-440		5
936	Effects of CO2 on Plants at Different Timescales. 2005 , 441-467		2
935	Herbivory in a World of Elevated CO2. 2005 , 468-486		4
934	Carbon starvation in glacial trees recovered from the La Brea tar pits, southern California. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 690-4	5	81

(2006-2005)

933	Dental microwear of the late Miocene bovids of northern Greece: Vallesian/Turolian environmental changes and disappearance of Ouranopithecus macedoniensis?. 2005 , 176, 475-484		18
932	Controls on the Carbon Isotopic Compositions of Lipids in Marine Environments. 209-249		9
931	Nature's green revolution: the remarkable evolutionary rise of C4 plants. 2006 , 361, 173-94		184
930	Seasonal and interannual variations of carbon and oxygen isotopes of respired CO2 in a tallgrass prairie: Measurements and modeling results from 3 years with contrasting water availability. 2006 , 111,		30
929	Origin and distribution of terrestrial organic matter in the NW Mediterranean (Gulf of Lions): Exploring the newly developed BIT index. 2006 , 7, n/a-n/a		88
928	Late Miocene carbon isotope records and marine biological productivity: Was there a (dusty) link?. 2006 , 21,		42
927	Geochemical record of chemical weathering and monsoon climate change since the early Miocene in the South China Sea. 2006 , 21,		117
926	ISOTOPES IN MARINE SEDIMENTS. 2006 , 227-290		22
925	Neogene climate change and emergence of C4 grasses in the Namib, southwestern Africa, as reflected in ratite 13C and 18O. 2006 , 244, 725-734		44
924	The variations of stable carbon isotope ratio of land plant-derived n-alkanes in deep-sea sediments from the Bering Sea and the North Pacific Ocean during the last 250,000 years. 2006 , 228, 197-208		31
923	Soil moisture regulates the biological response of elevated atmospheric CO2 concentrations in a coupled atmosphere biosphere model. 2006 , 54, 94-108		16
922	Study of the trace metal ion influence on the turnover of soil organic matter in cultivated contaminated soils. 2006 , 142, 521-9		54
921	Palaeoenvironments and palaeodiets of mid-Pliocene micromammals from Makapansgat Limeworks, South Africa: A stable isotope and dental microwear approach. <i>Palaeogeography,</i> <i>Palaeoclimatology, Palaeoecology</i> , 2006 , 233, 235-251	2.9	72
920	Bovid paleoecology and paleoenvironments from the Late Miocene of Bulgaria: Evidence from dental microwear and stable isotopes. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2006 , 241, 637-654	2.9	45
919	Up-regulation of photosynthesis and sucrose metabolism enzymes in young expanding leaves of sugarcane under elevated growth CO2. 2006 , 171, 123-131		53
918	Chemotaxonomic significance of distribution and stable carbon isotopic composition of long-chain alkanes and alkan-1-ols in C4 grass waxes. 2006 , 37, 1303-1332		203
917	Comparison of leaf structure and photosynthetic characteristics of C3 and C4 Alloteropsis semialata subspecies. 2006 , 29, 257-68		58
916	Carbon isotope evidence for CAM photosynthesis in the Mesozoic. 2006 , 18, 9-17		12

915	Canopy photosynthesis, evapotranspiration, leaf nitrogen, and transcription profiles of maize in response to CO2 enrichment. 2006 , 12, 588-600	92
914	The origin of the savanna biome. 2006 , 12, 2023-2031	257
913	Distribution of carbon 14 in the terrestrial environment close to French nuclear power plants. 2006 , 87, 246-59	39
912	Photosynthetic and morphological functional types for native species from mixed prairie in Southern Saskatchewan, Canada. 2006 , 44, 17-25	5
911	The occurrence of C4 photosynthesis in Yunnan province, a tropical region in South-western China. 2006 , 44, 286-292	6
910	The occurrence of C4 plants and their morphological functional types in the vegetation of Xinjiang, China. 2006 , 44, 293-298	5
909	Photosynthetic pathway and morphological functional types in the vegetation from North-Beijing agro-pastoral ecotone, China. 2006 , 44, 365-386	5
908	Natural recovery of steppe vegetation on vehicle tracks in central Mongolia. 2006 , 31, 85-93	16
907	A sand-fixing pioneer C3 species in sandland displays characteristics of C4 metabolism. 2006 , 57, 123-130	10
906	Geoarchaeology of the Boca Negra Wash Area, Albuquerque Basin, New Mexico, USA. 2006 , 21, 756-802	17
905	Is C4 photosynthesis less phenotypically plastic than C3 photosynthesis?. <i>Journal of Experimental Botany</i> , 2006 , 57, 303-17	143
904	Evolution and origin of the Central Grassland of North America: climate, fire, and mammalian grazers1. 2006 , 133, 626-647	182
903	Reconstructing grassland vegetation and paleotemperatures using carbon isotope ratios of bison tooth enamel. 2006 , 34, 649	25
902	Models developed from 🛘 3C and 🛈 5N of skin tissue indicate non-specific habitat use by the big brown bat (Eptesicus fuscus). 2006 , 13, 11-22	27
901	Leaf vascular systems in C(3) and C(4) grasses: a two-dimensional analysis. 2006, 97, 611-21	78
900	Molar microwear pattern and palaeoecology of ungulates from La Berbie (Dordogne, France): environment of Neanderthals and modern human populations of the Middle/Upper Palaeolithic. 2006 , 35, 272-278	20
899	Untranslated regions of FbRbcS1 mRNA mediate bundle sheath cell-specific gene expression in leaves of a C4 plant. 2006 , 281, 25485-91	41
898	Rubisco gene expression in C4 plants. <i>Journal of Experimental Botany</i> , 2008 , 59, 1625-34	44

(2007-2008)

897	Low temperature effects on leaf physiology and survivorship in the C3 and C4 subspecies of Alloteropsis semialata. <i>Journal of Experimental Botany</i> , 2008 , 59, 1743-54	7	35
896	The taxonomic distribution of C4 photosynthesis in Amaranthaceae sensu stricto. 2007 , 94, 1992-2003		64
895	Diversity of Kranz anatomy and biochemistry in C4 eudicots. 2007 , 94, 362-81		140
894	Linking Plant Invasions to Global Environmental Change. 2007 , 93-102		32
893	Late Quaternary temperature record from buried soils of the North American Great Plains. 2007 , 35, 159		45
892	Constraining past global tropospheric methane budgets with carbon and hydrogen isotope ratios in ice. 2007 , 365, 1793-828		53
891	The role of C4 grasses in New Zealand pastoral systems. 2007 , 50, 125-137		18
890	Variations in 🛮 3C values among major plant community types in the Xilin River Basin, Inner Mongolia, China. 2007 , 55, 48		14
889	Radiocarbon and 🗓 3C depth profiles of soil organic carbon in the U.S. Great Plains: A possible spatial record of paleoenvironment and paleovegetation. 2007 , 162-163, 21-34		26
888	Carbon isotope variation in modern soils of the tallgrass prairie: Analogues for the interpretation of isotopic records derived from paleosols. 2007 , 162-163, 3-20		17
887	Late Quaternary changes in ecosystems and carbon cycling on Mt. Kenya, East Africa: a landscape-ecological perspective based on multi-proxy lake-sediment influxes. <i>Quaternary Science Reviews</i> , 2007 , 26, 1838-1860	3.9	33
886	Comparative study of modern phytolith assemblages from inter-tropical Africa. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2007 , 246, 454-470	2.9	142
885	Modelling Late Oligocene C4 grasses and climate. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2007 , 251, 239-253	2.9	29
884	C3/C4 variations in salt-marsh sediments: An application of compound specific isotopic analysis of lipid biomarkers to late Holocene paleoenvironmental research. 2007 , 38, 474-484		20
883	The Early Origins of Terrestrial C4Photosynthesis. 2007 , 35, 435-461		199
882	Water fluxes and their control on the terrestrial carbon balance: Results from a stable isotope study on the Clyde Watershed (Scotland). 2007 , 22, 2684-2694		3
881	High- and low-latitude orbital forcing of early hominin habitats in South Africa. 2007 , 256, 419-432		42
880	Spatial and temporal expression of vegetation and atmospheric variability from stable carbon and nitrogen isotope analysis of bat guano in the southern United States. 2007 , 71, 3302-3310		40

879	Sources of carbon isotope variation in kangaroo bone collagen and tooth enamel. 2007 , 71, 3847-3858	28
878	A Late Quaternary Climate Record Based on Multi-Proxies Analysis from the Jiaochang Loess Section in the Eastern Tibetan Plateau, China. 2007 , 81, 1087-1096	7
877	Terrestrial Ecosystems in a Changing World. 2007,	43
876	The Stable- and Radio-Isotope Chemistry of Western Basketmaker Burials: Implications for Early Puebloan Diets and Origins. 2007 , 72, 301-321	82
875	CARBONATE STABLE ISOTOPES Terrestrial Teeth and Bones. 2007, 309-317	5
874	Evaluation of 14C doses since the end of the 1950s in metropolitan France. 2007 , 42, 297-313	3
873	Isotopic Study of the Biology of Modern and Fossil Vertebrates. 99-154	161
872	Shifting adaptive landscapes: progress and challenges in reconstructing early hominid environments. 2007 , Suppl 45, 20-58	135
871	Inferences about winter temperatures and summer rains from the late Quaternary record of C4 perennial grasses and C3 desert shrubs in the northern Chihuahuan Desert. 2007 , 22, 141-161	77
870	Seasonal water availability predicts the relative abundance of C3 and C4 grasses in Australia. 2007 , 16, 160-169	58
869	Atmosphere, ecology and evolution: what drove the Miocene expansion of C(4) grasslands?. 2008 , 96, 35-45	126
868	Photosynthetic pathway variation among C4 grasses along a precipitation gradient in Argentina. Journal of Biogeography, 2007 , 35, 070727014816001-??? 4.1	14
867	High temperature acclimation of C4 photosynthesis is linked to changes in photosynthetic biochemistry. 2007 , 30, 53-66	79
866	The effect of temperature on C(4)-type leaf photosynthesis parameters. 2007 , 30, 1191-204	63
865	Environmental change and carbon limitation in trees: a biochemical, ecophysiological and ecosystem appraisal. 2007 , 175, 11-28	203
864	Warming and free-air CO2 enrichment alter demographics in four co-occurring grassland species. 2007 , 176, 365-374	83
863	Late Quaternary dynamics of southern Africa's winter rainfall zone. <i>Earth-Science Reviews</i> , 2007 , 84, 103-1638	425
862	Temperature response of C4 species big bluestem (Andropogon gerardii) is modified by growing carbon dioxide concentration. 2007 , 61, 281-290	13

(2008-2007)

861	Tracking changing environments using stable carbon isotopes in fossil tooth enamel: an example from the South African hominin sites. 2007 , 53, 595-601		68
860	Timing of C4 grass expansion across sub-Saharan Africa. 2007 , 53, 549-59		134
859	Orbital forcing and the spread of C4 grasses in the late Neogene: stable isotope evidence from South African speleothems. 2007 , 53, 620-34		56
858	Quantum yield variation across the three pathways of photosynthesis: not yet out of the dark. Journal of Experimental Botany, 2008, 59, 1647-61	7	95
857	Partitioning European grassland net ecosystem CO2 exchange into gross primary productivity and ecosystem respiration using light response function analysis. 2007 , 121, 93-120		272
856	Ecophysiological traits of plant functional groups in forest and pasture ecosystems from eastern AmazBia, Brazil. 2007 , 193, 101-112		72
855	Primary production in papyrus (Cyperus papyrus L.) of Rubondo Island, Lake Victoria, Tanzania. 2007 , 15, 269-275		22
854	13C values, photosynthetic pathways, and plant functional types for some plants from saline meadows, Northeastern China. 2007, 45, 18-22		7
853	C4 plants in the deserts of China: occurrence of C4 photosynthesis and its morphological functional types. 2007 , 45, 167-171		18
852	Changes in Chlorophyll Fluorescence in Maize Plants with Imposed Rapid Dehydration at Different Leaf Ages. 2008 , 27, 83-92		47
851	Sub-millennial climate shifts in the western Mediterranean during the last glacial period recorded in a speleothem from Mallorca, Spain. 2008 , 23, 713-718		17
850	Species-specific response of photosynthesis to burning and nitrogen fertilization. 2008 , 50, 565-74		13
849	Effects of N on plant response to heat-wave: a field study with prairie vegetation. 2008 , 50, 1416-25		26
848	Physiological and growth responses of C3 and C4 plants to reduced temperature when grown at low CO2 of the last ice age. 2008 , 50, 1388-95		20
847	Environmental controls on the stable carbon isotopic composition of soil organic carbon: implications for modelling the distribution of C3 and C4 plants, Australia. 2008 , 60, 604-621		37
846	Global climate and trends of plant ecological evolution. 2008, 420, 176-179		
845	Molar microwear pattern and palaeoecology of ungulates from La Berbie (Dordogne, France): environment of Neanderthals and modern human populations of the Middle/Upper Palaeolithic. 2008 , 35, 272-278		3
844	ON ISOTOPES AND OLD BONES*. 2008 , 50, 925-950		441

843	Climate, phylogeny and the ecological distribution of C4 grasses. 2008 , 11, 266-76		129
842	Climate controls on C3 vs. C4 productivity in North American grasslands from carbon isotope composition of soil organic matter. 2008 , 14, 1141-1155		71
841	Expansion of gallery forests into central Brazilian savannas. 2008, 14, 2108-2118		112
840	The age of the grasses and clusters of origins of C4 photosynthesis. 2008 , 14, 2963-2977		242
839	The antiquity of Madagascar® grasslands and the rise of C4 grassy biomes. <i>Journal of Biogeography</i> , 2008 , 35, 1743-1758	4.1	105
838	Seasonal differences in photosynthesis between the C3 and C4 subspecies of Alloteropsis semialata are offset by frost and drought. 2008 , 31, 1038-50		32
837	Late Quaternary sedimentology and geochronology of small playas on the Southern High Plains, Texas and New Mexico, U.S.A 2008 , 70, 11-25		35
836	Effective precipitation in southern Spain (~ 266 To 46 Ka) based on a speleothem stable carbon isotope record. 2008 , 69, 447-457		46
835	Oligocene CO2 decline promoted C4 photosynthesis in grasses. 2008 , 18, 37-43		268
0			
834	C(4) photosynthesis: differentiating causation and coincidence. 2008 , 18, R167-8		16
834	C(4) photosynthesis: differentiating causation and coincidence. 2008 , 18, R167-8 Late Quaternary climatic changes, and associated human responses, during the last ~ 45 000 yr in the Eastern and adjoining Western Cape, South Africa. <i>Earth-Science Reviews</i> , 2008 , 88, 167-187	10.2	21
	Late Quaternary climatic changes, and associated human responses, during the last ~ 45 000 yr in	10.2	
833	Late Quaternary climatic changes, and associated human responses, during the last ~ 45 000 yr in the Eastern and adjoining Western Cape, South Africa. <i>Earth-Science Reviews</i> , 2008 , 88, 167-187	10.2	21
8 ₃₃ 8 ₃₂	Late Quaternary climatic changes, and associated human responses, during the last ~ 45 000 yr in the Eastern and adjoining Western Cape, South Africa. <i>Earth-Science Reviews</i> , 2008 , 88, 167-187 Past and present vegetation ecology of Laetoli, Tanzania. 2008 , 54, 78-98	10.2	21
833 832 831	Late Quaternary climatic changes, and associated human responses, during the last ~ 45 000 yr in the Eastern and adjoining Western Cape, South Africa. <i>Earth-Science Reviews</i> , 2008 , 88, 167-187 Past and present vegetation ecology of Laetoli, Tanzania. 2008 , 54, 78-98 Kranz Anatomy and the C4 Pathway. 2008 ,	10.2	21 39 3
833 832 831 830	Late Quaternary climatic changes, and associated human responses, during the last ~ 45 000 yr in the Eastern and adjoining Western Cape, South Africa. <i>Earth-Science Reviews</i> , 2008 , 88, 167-187 Past and present vegetation ecology of Laetoli, Tanzania. 2008 , 54, 78-98 Kranz Anatomy and the C4 Pathway. 2008 , High altitude plants, chemistry of acclimation and adaptation. 2008 , 34, 883-982 Potential glacial-interglacial changes in stable carbon isotope ratios of methane sources and sink	10.2	21 39 3
8 ₃₃ 8 ₃₂ 8 ₃₁ 8 ₃₀ 8 ₂₉	Late Quaternary climatic changes, and associated human responses, during the last ~ 45 000 yr in the Eastern and adjoining Western Cape, South Africa. <i>Earth-Science Reviews</i> , 2008 , 88, 167-187 Past and present vegetation ecology of Laetoli, Tanzania. 2008 , 54, 78-98 Kranz Anatomy and the C4 Pathway. 2008 , High altitude plants, chemistry of acclimation and adaptation. 2008 , 34, 883-982 Potential glacial-interglacial changes in stable carbon isotope ratios of methane sources and sink fractionation. 2008 , 22, n/a-n/a	10.2	213931620

(2009-2008)

825	Loess record of the Pleistocene Holocene transition on the northern and central Great Plains, USA. <i>Quaternary Science Reviews</i> , 2008 , 27, 1772-1783	3.9	51	
824	Geographic variation in diets of ancient populations of 5-million-year-old (early Pliocene) horses from southern North America. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2008 , 266, 83-94	2.9	17	
823	Influence of production variables and starting material on charcoal stable isotopic and molecular characteristics. 2008 , 72, 6090-6102		70	
822	Reconstructing palaeoenvironment from £13C and £15N values of soil organic matter: A calibration from arid and wetter elevation transects in Ethiopia. 2008 , 147, 197-210		24	
821	Phytolith indices as proxies of grass subfamilies on East African tropical mountains. 2008 , 61, 209-224		136	
820	Bunshade World[IA fully coupled GCM evaluation of the climatic impacts of geoengineering. <i>Geophysical Research Letters</i> , 2008 , 35, n/a-n/a	4.9	80	
819	Isotope Landscapes for Terrestrial Migration Research. 2008 , 2, 79-105		24	
818	C4 photosynthesis and water stress. 2009 , 103, 635-44		330	
817	Relationships between quantum yield for CO2 assimilation, activity of key enzymes and CO2 leakiness in Amaranthus cruentus, a C4 dicot, grown in high or low light. 2008 , 49, 19-29		59	
816	Photosynthetic properties of C4 plants growing in an African savanna/wetland mosaic. <i>Journal of Experimental Botany</i> , 2008 , 59, 3941-52	7	19	
815	Ecological changes in Miocene mammalian record show impact of prolonged climatic forcing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 12145-9	11.5	138	
814	The evolution of inorganic carbon concentrating mechanisms in photosynthesis. 2008 , 363, 2641-50		226	
813	Seasonal and inter-annual photosynthetic response of representative C4 species to soil water content and leaf nitrogen concentration across a tropical seasonal floodplain. 2008 , 24, 201-213		2	
812	Large regional-scale variation in C3/C4 distribution pattern of Inner Mongolia steppe is revealed by grazer wool carbon isotope composition. 2009 , 6, 795-805		47	
811	Climate and CO₂ modulate the C₃/C₄ balance and ¹³C signal in simulated vegetation. 2009 , 5, 431-440		5	
810	Ecosystem effects of CO₂ concentration: evidence from past climates. 2009 , 5, 297-307		93	
809	Phylogenomics of C(4) photosynthesis in sedges (Cyperaceae): multiple appearances and genetic convergence. 2009 , 26, 1909-19		115	
808	Integrating phylogeny into studies of C4 variation in the grasses. 2009 , 149, 82-7		67	

807	Evolutionary insights on C4 photosynthetic subtypes in grasses from genomics and phylogenetics. 2009 , 1, 221-30		53
806	Seasonal bias in the formation and stable isotopic composition of pedogenic carbonate in modern soils from central New Mexico, USA. 2009 , 121, 630-640		264
805	Agro-Ecological Indicators (AEIs) for Dairy and Mixed Farming Systems Classification: Identifying Alternatives for the Cuban Livestock Sector. 2009 , 33, 435-460		15
804	Ecological selection pressures for C4 photosynthesis in the grasses. 2009 , 276, 1753-60		123
803	Way out of Africa: Early Pleistocene paleoenvironments inhabited by Homo erectus in Sangiran, Java. 2009 , 56, 11-24		56
802	Late Quaternary vegetation dynamics in a biodiversity hotspot, the Uluguru Mountains of Tanzania. 2009 , 72, 111-122		64
801	Photosynthetic pathways, spatial distribution, isotopic ecology, and implications for pre-Hispanic human diets in central-western Argentina. 2009 , 19, 130-143		18
800	Grass (Poaceae) richness patterns across Chinal nature reserves. 2009 , 201, 531-551		6
799	Paleoenvironmental conditions in the Spanish Miocene-Pliocene boundary: isotopic analyses of Hipparion dental enamel. 2009 , 96, 503-11		17
798	Impacts of climate change on the vegetation of Africa: an adaptive dynamic vegetation modelling approach. 2009 , 15, 2224-2246		299
797	The role of terrestrial plants in limiting atmospheric CO(2) decline over the past 24 million years. 2009 , 460, 85-8		109
796	Photorespiratory metabolism: genes, mutants, energetics, and redox signaling. 2009 , 60, 455-84		436
795	Strengthened East Asian summer monsoons during a period of high-latitude warmth? Isotopic evidence from Mio-Pliocene fossil mammals and soil carbonates from northern China. 2009 , 277, 443-45	2	138
794	Late-Holocene paleoenvironmental change at mid-elevation on the Caribbean slope of the Cordillera Central, Dominican Republic: a multi-site, multi-proxy analysis. <i>Quaternary Science Reviews</i> , 2009 , 28, 2239-2260	3.9	39
793	Evolution of Ganges B rahmaputra western delta plain: Clues from sedimentology and carbon isotopes. <i>Quaternary Science Reviews</i> , 2009 , 28, 2564-2581	3.9	73
792	Reconstruction of environmental and climate changes at Braamhoek wetland, eastern escarpment South Africa, during the last 16,000 years with emphasis on the PleistoceneHolocene transition. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2009 , 271, 240-258	2.9	69
791	Late Quaternary vegetation history of southeast Africa: The molecular isotopic record from Lake Malawi. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2009 , 275, 100-112	2.9	89
790	Late Quaternary vegetation and fire dynamics on Mount Kenya. <i>Palaeogeography, Palaeoclimatology, Palaeoecology,</i> 2009 , 283, 1-14	2.9	46

(2010-2009)

789	organic carbon isotopic analyses of gully sediments. <i>Palaeogeography, Palaeoclimatology,</i> Palaeoecology, 2009 , 282, 67-80	2.9	24
788	Seasonal and geographic climate variabilities during the Last Glacial Maximum in North America: Applying isotopic analysis and macrophysical climate models. <i>Palaeogeography, Palaeoclimatology, Palaeoecology,</i> 2009 , 283, 15-27	2.9	18
787	Environmental impact of the 73ka Toba super-eruption in South Asia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2009 , 284, 295-314	2.9	142
786	Seasonal contribution of C3 and C4 species to ecosystem respiration and photosynthesis estimated from isotopic measurements of atmospheric CO2 at a grassland in Japan. 2009 , 149, 603-613		11
785	Influence of clouds and diffuse radiation on ecosystem-atmosphere CO2 and CO18O exchanges. 2009 , 114,		59
784	Fire ecology and fire politics in Mali and Madagascar. 2009 , 171-226		21
783	Linking precipitation and C3-C4 plant production to resource dynamics in higher-trophic-level consumers. 2010 , 91, 1628-38		40
782	Temporal and Spatial Variations in Freshwater 14C Reservoir Effects: Lake Mūatn, Northern Iceland. 2010 , 52, 1098-1112		53
781	Understanding complexity in savannas: climate, biodiversity and people. 2010 , 2, 101-108		34
780	How will warming affect the salt marsh foundation species Spartina patens and its ecological role?. <i>Oecologia</i> , 2010 , 164, 479-87	2.9	45
779	Climate change and human impact at Sacrower See (NE Germany) during the past 13,000 years: a geochemical record. 2010 , 43, 719-737		41
778	Would North American Paleoindians have Noticed Younger Dryas Age Climate Changes?. 2010 , 23, 1-41		85
777	Changes of the photosynthetic behaviour in annual C3 species at late successional stage under environmental drought conditions. 2010 , 48, 377-382		6
776	Not all forests are expanding over central Brazilian savannas. <i>Plant and Soil</i> , 2010 , 333, 431-442	4.2	23
775	Glacial cycling, large mammal community composition, and trophic adaptations in the Western Cape, South Africa. 2010 , 58, 90-102		28
774	Foraging ecology of Vicu â , Vicugna vicugna, in dry Puna of Argentina. 2010 , 88, 44-53		36
773	Productivity and nutrient cycling in salt marshes: Contribution to ecosystem health. 2010 , 87, 640-646		60
772	Recovery of organic matter from mineral-rich sediment and soils for stable isotope analyses using static dense media. 2010 , 24, 165-8		17

771	The climatic sensitivity of the forest, savanna and forest-savanna transition in tropical South America. 2010 , 187, 707-19	51
770	Fire and the spread of flowering plants in the Cretaceous. 2010 , 188, 1137-50	141
769	Plant responses to low [CO2] of the past. 2010 , 188, 674-95	140
768	Will global change improve grazing quality of grasslands? A call for a deeper understanding of the effects of shifts from C4 to C3 grasses for large herbivores. 2010 , 119, 1857-1861	11
767	Changes in the abundance of C3/C4 species of Inner Mongolia grassland: evidence from isotopic composition of soil and vegetation. 2010 , 16, 605-616	75
766	European plants with C4 photosynthesis: geographical and taxonomic distribution and relations to climate parameters. 2010 , 163, 283-304	68
765	Evidence for opal phytolith preservation in the Langebaanweg E IQuarry Varswater Formation and its potential for palaeohabitat reconstruction. 2010 , 105,	2
764	Siliceous microfossils as late-Quaternary paleo-environmental indicators at Braamhoek wetland, South Africa. 2010 , 20, 747-760	31
763	A global comparison of grassland biomass responses to CO2 and nitrogen enrichment. 2010 , 365, 2047-56	100
762	Effect of late Cenozoic aridification on sedimentation in the Eastern Cordillera of northwest Argentina (Angastaco basin). 2010 , 38, 235-238	37
761	Chapter 17 The Geologic History of C4 Plants. 2010 , 339-357	3
760	Chapter 10 C4 Photosynthesis and Temperature. 2010 , 161-195	9
759	Correlation between II3C and II5N in C4 and C3 plants of natural and artificial sand-binding microhabitats in the Tengger Desert of China. 2010 , 5, 177-186	11
758	Influence of C4 vegetation on 13CO2 discrimination and isoforcing in the upper Midwest, United States. 2010 , 24, n/a-n/a	30
757	The origins of C4 grasslands: integrating evolutionary and ecosystem science. <i>Science</i> , 2010 , 328, 587-91 _{33.3}	698
756	Beyond the forest edge: Ecology, diversity and conservation of the grassy biomes. 2010 , 143, 2395-2404	333
755	A 35Myr North American leaf-wax compound-specific carbon and hydrogen isotope record: Implications for C4 grasslands and hydrologic cycle dynamics. 2010 , 299, 250-262	97
754	A multi-proxy palaeoecological record of late-Holocene forest expansion in lowland Bolivia. Palaeogeography, Palaeoclimatology, Palaeoecology, 2010 , 293, 98-107	20

(2011-2010)

753	Understanding the ecology of mammalian carnivorans and herbivores from Valdegoba cave (Burgos, northern Spain) through stable isotope analysis. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010 , 297, 263-272	2.9	45
75 ²	Plio-Pleistocene vegetation changes in the North China Plain: Magnetostratigraphy, oxygen and carbon isotopic composition of pedogenic carbonates. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010 , 297, 502-510	2.9	18
751	Atmospheric methane isotope records covering the Holocene period. <i>Quaternary Science Reviews</i> , 2010 , 29, 213-221	3.9	59
750	A molecular perspective on Late Quaternary climate and vegetation change in the Lake Tanganyika basin, East Africa. <i>Quaternary Science Reviews</i> , 2010 , 29, 787-800	3.9	101
749	Loess and floods: High-resolution multi-proxy data of Last Glacial Maximum (LGM) slackwater deposition in the Flinders Ranges, semi-arid South Australia. <i>Quaternary Science Reviews</i> , 2010 , 29, 2673	- 2 2893	69
748	Geochemical and climate modeling evidence for Holocene aridification in Hawaii: dynamic response to a weakening equatorial cold tongue. <i>Quaternary Science Reviews</i> , 2010 , 29, 3057-3066	3.9	11
747	The function of the aerenchyma in arborescent lycopsids: evidence of an unfamiliar metabolic strategy. 2010 , 277, 2257-67		25
746	Isoscapes. 2010,		124
745	Continental-Scale Distributions of Vegetation Stable Carbon Isotope Ratios. 2010 , 179-193		35
744	Photosynthetic Response to Water Stress of Pigweed (Amaranthus retroflexus) in a Southern-Mediterranean Area. 2010 , 58, 126-131		13
743	Phylogenetic analyses reveal the shady history of C4 grasses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 2532-7	11.5	246
742	Historical and recent land-use impacts on the vegetation of Bathurst, a municipal commonage in the Eastern Cape, South Africa. 2011 , 28, 9-20		19
741	C4 Photosynthesis and Related CO2 Concentrating Mechanisms. 2011 ,		21
740	Paleontology and Geology of Laetoli: Human Evolution in Context. 2011 ,		5
739	Local variation in climate and land use during the time of the major kingdoms of the Tigray Plateau in Ethiopia and Eritrea. 2011 , 85, 130-143		19
738	A 20 million year record of planktic foraminiferal B/Ca ratios: Systematics and uncertainties in pCO2 reconstructions. 2011 , 75, 2582-2610		31
737	Speleothem calcite farmed in situ: Modern calibration of 🛮 80 and 🗓 3C paleoclimate proxies in a continuously-monitored natural cave system. 2011 , 75, 4929-4950		243
736	A 25,000-year record of climate-induced changes in lowland vegetation of eastern equatorial Africa revealed by the stable carbon-isotopic composition of fossil plant leaf waxes. 2011 , 302, 236-246		110

735	Long-term vegetation change and controlling factors in Donghae area, Korea, over the past 40,000years. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011 , 309, 291-297	2.9	3
734	Pleistocene sea-level fluctuations and human evolution on the southern coastal plain of South Africa. <i>Quaternary Science Reviews</i> , 2011 , 30, 506-527	3.9	130
733	Evidence for bias in C/N, II3C and II5N values of bulk organic matter, and on environmental interpretation, from a lake sedimentary sequence by pre-analysis acid treatment methods. <i>Quaternary Science Reviews</i> , 2011 , 30, 3076-3087	3.9	69
732	C4 grasses prosper as carbon dioxide eliminates desiccation in warmed semi-arid grassland. 2011 , 476, 202-5		370
731	The seasonal and inter-annual patterns of biomass accumulation and crude protein in kleingrass (Panicum coloratum) in the semiarid Pampean region of Argentina. 2011 , 38, 191-198		3
730	Molecular phylogeny of Camphorosmeae (Camphorosmoideae, Chenopodiaceae): Implications for biogeography, evolution of C4-photosynthesis and taxonomy. 2011 , 60, 51-78		63
729	C4 Plants Adaptation to High Levels of CO2 and to Drought Environments. 2011,		6
728	Effects of elevated CO2 and N addition on growth and N2 fixation of a legume subshrub (Caragana microphylla Lam.) in temperate grassland in China. 2011 , 6, e26842		19
727	Seasonal and interannual variability in 13C composition of ecosystem carbon fluxes in the U.S. Southern Great Plains. 2011 , 63, 181-195		19
726	Complex evolutionary transitions and the significance of c(3)-c(4) intermediate forms of photosynthesis in Molluginaceae. 2011 , 65, 643-60		97
7 2 5	Extended megadroughts in the southwestern United States during Pleistocene interglacials. 2011 , 470, 518-21		102
724	Reconstructing Mid-Pleistocene paleovegetation and paleoclimate in the Golan Heights using the [13]C values of modern vegetation and soil organic carbon of paleosols. 2011 , 60, 452-63		7
7 2 3	Late Holocene Neoglacial conditions from the Lesotho highlands, southern Africa: phytolith and stable carbon isotope evidence from the archaeological site of Likoaeng. 2011 , 122, 201-211		22
722	C4 cycles: past, present, and future research on C4 photosynthesis. 2011 , 23, 3879-92		136
721	Sedimentary stable carbon isotope evidence of late Quaternary vegetation and climate change in highland Costa Rica. 2011 , 45, 323-338		19
720	Greenhouse gas induced changes in the fire risk in Brazil in ECHAM5/MPI-OM coupled climate model. 2011 , 106, 285-302		11
719	15N fractionation between vegetation, soil, faeces and wool is not influenced by stocking rate. <i>Plant and Soil</i> , 2011 , 340, 25-33	4.2	16
718	Phylogenetic signals in the realized climate niches of Chinese grasses (Poaceae). 2011 , 212, 1733-1746		3

717	Developmental and cell type characterization of bundle sheath and mesophyll chloroplast transcript abundance in maize. 2011 , 57, 89-102	17
716	Application of stable isotope techniques in studies of carbon and nitrogen biogeochemical cycles of ecosystem. 2011 , 21, 129-148	10
715	Ancient feeding ecology inferred from stable isotopic evidence from fossil horses in South America over the past 3 Ma. 2011 , 11, 15	26
714	Isotopic evidence for Middle Horizon to 16th century camelid herding in the Osmore Valley, Peru. 2011 , 21, 544-567	56
713	Stable isotope ecology in the Omo-Turkana Basin. 2011 , 20, 228-37	23
712	Reconstructing landscape and vegetation through multiple proxy indicators: A geoarchaeological examination of the St. Louis site, Saskatchewan, Canada. 2011 , 26, 165-188	3
711	First passage time statistics of Brownian motion with purely time dependent drift and diffusion. 2011 , 390, 1841-1852	74
710	The path from C3 to C4 photosynthesis. 2011 , 155, 56-63	183
709	Panicum milioides (C(3)-C(4)) does not have improved water or nitrogen economies relative to C(3) and C(4) congeners exposed to industrial-age climate change. <i>Journal of Experimental Botany</i> , 2011 , 62, 3223-34	18
708	Sedimentology, isotopes and palynology of late Holocene cores from Lake Sibaya and the Kosi Bay system (KwaZulu-Natal, South Africa). 2011 , 93, 133-153	11
707	Variation in carbon isotope discrimination in Cleistogenes squarrosa (Trin.) Keng: patterns and drivers at tiller, local, catchment, and regional scales. <i>Journal of Experimental Botany</i> , 2011 , 62, 4143-52 7	13
706	Enhancing drought tolerance in C(4) crops. <i>Journal of Experimental Botany</i> , 2011 , 62, 3135-53	187
7°5	C(4) eudicots are not younger than C(4) monocots. <i>Journal of Experimental Botany</i> , 2011 , 62, 3171-81 7	86
704	Late Quaternary environmental reconstructions of playa-lunette system evolution on the central High Plains of Kansas, United States. 2012 , 124, 146-161	24
703	The Reforestation of Africa?. 2012 , 108,	
702	A broader model for Clphotosynthesis evolution in plants inferred from the goosefoot family (Chenopodiaceae s.s.). 2012 , 279, 3304-11	73
701	Carbon dioxide and the uneasy interactions of trees and savannah grasses. 2012 , 367, 601-12	287
700	Monitoring the distribution of C3 and C4 grasses in a temperate grassland in northern China using moderate resolution imaging spectroradiometer normalized difference vegetation index trajectories 2012 6 063535	6

699	Atmospheric CO2 forces abrupt vegetation shifts locally, but not globally. 2012, 488, 209-12		264
698	Multiple photosynthetic transitions, polyploidy, and lateral gene transfer in the grass subtribe Neurachninae. <i>Journal of Experimental Botany</i> , 2012 , 63, 6297-308	7	40
697	Evolution of C4 plants: a new hypothesis for an interaction of CO2 and water relations mediated by plant hydraulics. 2012 , 367, 583-600		132
696	Vegetation and soil carbon-13 isoscapes for South America: integrating remote sensing and ecosystem isotope measurements. 2012 , 3, art109		31
695	Asian monsoon precipitation changes and the Holocene methane anomaly. 2012, 22, 731-738		4
694	Pedogenic carbonate stable isotope record of environmental change during the Neogene in the southern Great Plains, southwest Kansas, USA: Carbon isotopes and the evolution of C4-dominated grasslands. 2012 , 124, 444-462		48
693	Changes in the balance between C3 and C4 plants expected in Poland with the global change. 2012 , 16,		
692	Giant deer: Origin, evolution, role in the biosphere. 2012 , 46, 643-775		32
691	Bibliography. 2012 , 531-621		
690	Influence of landscape evolution on the distribution of floristic patterns in northern Amazonia revealed by []3C data. 2012 , 27, 854-864		11
689	Molecular records of climate variability and vegetation response since the Late Pleistocene in the Lake Victoria basin, East Africa. <i>Quaternary Science Reviews</i> , 2012 , 55, 59-74	3.9	104
688	Rock hyrax middens: A palaeoenvironmental archive for southern African drylands. <i>Quaternary Science Reviews</i> , 2012 , 56, 107-125	3.9	68
687	Challenges and opportunities in the use of remote sensing for C3 and C4 grass species discrimination and mapping. 2012 , 29, 47-61		28
686	Oxygen and carbon isotopic composition of Quaternary meteoric carbonates from western and southern Europe: Their role in palaoenvironmental reconstruction. <i>Palaeogeography, Palaeoecology,</i> 2012 , 326-328, 1-11	2.9	29
685	High-resolution isotopic record of C4 photosynthesis in a Miocene grassland. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012 , 337-338, 88-98	2.9	30
684	Evidence of past environmental conditions during the evolution of a calcretised Wadi System in Southern Jordan using stable isotopes. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012 , 348-349, 1-12	2.9	7
683	Comparison of ROS formation and antioxidant enzymes in Cleome gynandra (Cland Cleome spinosa (Claunder drought stress. 2012 , 182, 59-70		108

681	Fire and the Angiosperm Revolutions. 2012 , 173, 569-583		48
680	Small mammal carbon isotope ecology across the Miocene P liocene boundary, northwestern Argentina. 2012 , 321-322, 177-188		51
679	Aeolian n-alkane isotopic evidence from North Pacific for a Late Miocene decline of C4 plant in the arid Asian interior. 2012 , 321-322, 32-40		21
678	Trends of the Herbs Ecological Evolution. 2012 , 189-212		
677	Sea surface temperatures in cooler climate stages bear more similarity with atmospheric CO2 forcing. 2012 , 117, n/a-n/a		12
676	Floristic Diversity, Composition, and Environmental Correlates on the Arid, Coralline Islands of the Farasan Archipelago, Red Sea, Saudi Arabia. 2012 , 26, 137-150		12
675	Evidence of coexistence of Cland Cland cland cland cland compared in a green-tide-forming alga, Ulva prolifera. 2012 , 7, e37438		57
674	Reconstructing Terrestrial Environments Using Stable Isotopes in Fossil Teeth and Paleosol Carbonates. 2012 , 18, 167-194		6
673	Climate and vegetation in a semi-arid savanna: Development of a climate legetation response model linking plant metabolic performance to climate and the effects on forage availability for large herbivores. 2012 , 54,		5
672	Evolutionary context for understanding and manipulating plant responses to past, present and future atmospheric [CO2]. 2012 , 367, 613-29		67
671	Photorespiration and the evolution of C4 photosynthesis. 2012 , 63, 19-47		455
670	Isotopic reconstruction of human diet and animal husbandry practices during the Classical-Hellenistic, imperial, and Byzantine periods at Sagalassos, Turkey. 2012 , 149, 157-71		55
669	Effects of low atmospheric CO2 and elevated temperature during growth on the gas exchange responses of C3, C3-C4 intermediate, and C4 species from three evolutionary lineages of C4 photosynthesis. <i>Oecologia</i> , 2012 , 169, 341-52	2.9	31
668	Did central Australian megafaunal extinction coincide with abrupt ecosystem collapse or gradual climate change?. 2012 , 21, 142-151		15
667	Environmental factors determining the phylogenetic structure of C4 grass communities. <i>Journal of Biogeography</i> , 2012 , 39, 232-246	4.1	31
666	Carbonic anhydrase and the molecular evolution of C4 photosynthesis. 2012 , 35, 22-37		35
665	Climate change and the invasion of California by grasses. 2012 , 18, 277-289		63
664	C4 abundance in an Inner Mongolia grassland system is driven by temperaturefhoisture interaction, not grazing pressure. 2012 , 13, 67-75		26

663	Neotropical C3/C4 grass distributions [present, past and future. 2012, 18, 2324-2334	40
662	Diet selection of African elephant over time shows changing optimization currency. 2012 , 121, 2110-2120	18
661	Biomass properties in association with plant species and assortments I: A synthesis based on literature data of energy properties. 2012 , 16, 3481-3506	85
660	Photosynthetic responses to salinity in two obligate halophytes: Sesuvium portulacastrum and Tecticornia indica. 2012 , 79, 39-47	44
659	New opportunities for the exploitation of energy crops by thermochemical conversion in Northern Europe and the UK. 2012 , 38, 138-155	96
658	Stable isotopes reflect the ecological stability of two high-elevation mammals from the late Quaternary of Colorado. 2012 , 77, 408-417	8
657	Deep Autotrophic Soil Respiration in Shrubland and Woodland Ecosystems in Central New Mexico. 2012 , 15, 83-96	22
656	C3 plants enhance rates of photosynthesis by reassimilating photorespired and respired CO2. 2013 , 36, 200-12	159
655	Photosynthetic gene expression in higher plants. 2013 , 117, 91-120	55
654	The recurrent assembly of C4 photosynthesis, an evolutionary tale. 2013 , 117, 163-75	35
653	Genomics and Breeding for Climate-Resilient Crops. 2013,	3
652	Review of optical-based remote sensing for plant trait mapping. 2013 , 15, 1-16	213
651	Evolutionary transition from C3 to C4 photosynthesis and the route to C4 rice. 2013 , 68, 577-586	4
650	Late Miocene threshold response of marine algae to carbon dioxide limitation. 2013 , 500, 558-62	112
649	Stable carbon isotope evidence for the abundance of C4 plants in the middle Miocene of southern California. <i>Palaeogeography, Palaeoclimatology, Palaeoecology,</i> 2013 , 388, 42-47	8
648	Interactive Effects of Elevated CO2, Drought, and Warming on Plants. 2013 , 32, 692-707	76
647	Independent variations of CH4 emissions and isotopic composition over the past 160,000 years. 2013 , 6, 885-890	44
646	Grassland expansion as an instrument of hydrologic change in Neogene western North America. 2013 , 377-378, 73-83	23

(2013-2013)

645	Holocene climate change in southernmost South Africa: rock hyrax middens record shifts in the southern westerlies. <i>Quaternary Science Reviews</i> , 2013 , 82, 199-205	3.9	52
644	NW African hydrology and vegetation during the Last Glacial cycle reflected in plant-wax-specific hydrogen and carbon isotopes. <i>Quaternary Science Reviews</i> , 2013 , 82, 56-67	3.9	27
643	Phylogenetic relationship and molecular taxonomy of African grasses of the genus Panicum inferred from four chloroplast DNA-barcodes and nuclear gene sequences. 2013 , 126, 363-71		12
642	Distribution and stable isotopes of plant wax derived n-alkanes in lacustrine, fluvial and marine surface sediments along an Eastern Italian transect and their potential to reconstruct the hydrological cycle. 2013 , 117, 16-32		33
641	Themeda triandra: a keystone grass species. 2013 , 30, 99-125		35
640	Carbon and nitrogen stable isotope analysis of huntergatherers from the Coleman site, a Late Prehistoric cemetery in Central Texas. 2013 , 40, 1369-1381		9
639	Isotopic values of diet of Blastocerus dichotomus (marsh deer) in Paran®asin, South America. 2013 , 40, 1382-1388		14
638	Late middle to late Pleistocene paleoecology and paleoenvironments in the coastal plain of Rio Grande do Sul State, Southern Brazil, from stable isotopes in fossils of Toxodon and Stegomastodon. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2013 , 369, 385-394	2.9	28
637	You're so vein: bundle sheath physiology, phylogeny and evolution in C3 and C4 plants. 2013 , 36, 249-6	51	108
636	Ungulate diets reveal patterns of grassland evolution in North America. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2013 , 369, 409-421	2.9	28
635	Kangaroo tooth enamel oxygen and carbon isotope variation on a latitudinal transect in southern Australia: implications for palaeoenvironmental reconstruction. <i>Oecologia</i> , 2013 , 171, 403-16	2.9	5
634	Stable isotope ecology of Miocene bovids from Northern Greece and the ape/monkey turnover in the Balkans. 2013 , 65, 185-98		17
633	A 70,000 year multiproxy record of climatic and environmental change from Rano Aroi peatland (Easter Island). 2013 , 108, 72-84		41
632	Pre-Hispanic agricultural decline prior to the Spanish Conquest in southern Central America. <i>Quaternary Science Reviews</i> , 2013 , 73, 196-200	3.9	10
631	Evolution of leaf anatomy and photosynthetic pathways in Portulacaceae. 2013 , 100, 2388-402		36
630	The evolution of autotrophy in relation to phosphorus requirement. <i>Journal of Experimental Botany</i> , 2013 , 64, 4023-46	7	35
629	Pollen-corrected leaf wax D/H reconstructions of northeast African hydrological changes during the late Miocene. <i>Palaeogeography, Palaeoclimatology, Palaeoecology,</i> 2013 , 374, 62-71	2.9	56
628	Paleoclimate variability in central Taiwan during the past 30Kyrs reflected by pollen, 1 3CTOC, and n-alkane- D records in a peat sequence from Toushe Basin. 2013 , 69, 166-176		18

627	Climatic and human controls on Holocene floodplain vegetation changes in eastern Pennsylvania based on the isotopic composition of soil organic matter. 2013 , 79, 377-390		11
626	Comment on B urrough, S.E., Breman, E., and Dodd, C., 2012. Can phytoliths provide an insight into past vegetation of the Middle Kalahari paleolakes during the late Quaternary? Journal of Arid Environments 82, 156¶64 □2013, 92, 113-116		3
625	Stable isotope analyses of tooth enamel carbonate of large herbivores from the Tugen Hills deposits: Palaeoenvironmental context of the earliest Kenyan hominids. 2013 , 381, 39-51		21
624	The stable and radio-isotope chemistry of southeastern Utah Basketmaker II burials: dietary analysis using the linear mixing model SISUS, age and sex patterning, geolocation and temporal patterning. 2013 , 40, 4711-4730		42
623	The fate of river organic carbon in coastal areas: A study in the Rh\(\text{le}\)e River delta using multiple isotopic (\(\text{II}\) 3 C, \(\text{II}\)4 C) and organic tracers. 2013 , 118, 33-55		60
622	Improving our understanding of environmental controls on the distribution of C3 and C4 grasses. 2013 , 19, 184-96		43
621	An algorithm to derive the fraction of photosynthetically active radiation absorbed by photosynthetic elements of the canopy (FAPAR(ps)) from eddy covariance flux tower data. 2013 , 197, 511-523		15
620	New handbook for standardised measurement of plant functional traits worldwide. 2013 , 61, 167		1983
619	Attaichnus kuenzelii revisited: A Miocene record of fungus-growing ants from Argentina. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2013 , 386, 349-363	2.9	25
618	Influence of competition and rainfall manipulation on the growth responses of savanna trees and grasses. 2013 , 94, 1155-64		128
617	Middle Pleistocene dynamics of southern Africa's winter rainfall zone from 🛭 3C and 🗓 8O values of Hoedjiespunt faunal enamel. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2013 , 374, 72-80	2.9	16
616	Next-generation dynamic global vegetation models: learning from community ecology. 2013 , 198, 957-9	69	300
615	The role of fire in Miocene to Pliocene C4 grassland and ecosystem evolution. 2013, 6, 1027-1030		109
614	Early herding at M¯ gura-Boldul lui Mollv¯ fiul(early sixth millennium BC, Romania): environments and seasonality from stable isotope analysis. 2013 , 16, 221-246		27
613	Effects of experimental warming on stomatal traits in leaves of maize (Zea may L.). 2013, 3, 3095-111		41
612	Connecting the Green and Brown Worlds: Allometric and Stoichiometric Predictability of Above-and Below-Ground Networks. 2013 , 49, 69-175		74
611	Differential freezing resistance and photoprotection in C3 and C4 eudicots and grasses. <i>Journal of Experimental Botany</i> , 2013 , 64, 2183-91	7	8
610	CARBONATE STABLE ISOTOPES Terrestrial Teeth and Bones. 2013 , 304-314		8

609	Palmer Amaranth (Amaranthus palmeri): A Review. 2013 , 27, 12-27		188
608	Photosynthetic acclimation and resource use by the C3 and C4 subspecies of Alloteropsis semialata in low CO2 atmospheres. 2013 , 19, 900-10		16
607	Developing a diagnostic model for estimating terrestrial vegetation gross primary productivity using the photosynthetic quantum yield and Earth Observation data. 2013 , 19, 2878-92		21
606	Effects of plant invasions on wildlife in desert grasslands. 2013 , 37, n/a-n/a		12
605	Diet of Theropithecus from 4 to 1 Ma in Kenya. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 10507-12	11.5	58
604	Stable carbon isotopic evidence for climate change across the late Pleistocene to early Holocene from Lesotho, southern Africa. 2013 , 28, 360-369		34
603	The relationship and different C4 Kranz anatomy of Bassia eriantha and Bassia eriophora, two often confused Irano-Turanian and Saharo-Sindian species. 2013 , 93, 1		10
602	Living the difference: alternative functional designs in five perennial herbs coexisting in a coastal dune environment. 2013 , 40, 1187-1198		14
601	References. 361-395		
600	Stable isotope and modelling evidence for CO₂ as a driver of glacial[hterglacial vegetation shifts in southern Africa. 2013 , 10, 2001-2010		25
599	POLLEN RECORDS, LATE PLEISTOCENE Africa. 2013 , 9-17		
			2
598	Patterns of plant biomass allocation in temperate grasslands across a 2500-km transect in northern China. 2013 , 8, e71749		39
598 597			
	China. 2013 , 8, e71749 C4 photosynthesis promoted species diversification during the Miocene grassland expansion. 2014 ,		39
597	C4 photosynthesis promoted species diversification during the Miocene grassland expansion. 2014 , 9, e97722		39 73
597 596	C4 photosynthesis promoted species diversification during the Miocene grassland expansion. 2014 , 9, e97722 Ecological consequences of shifting the timing of burning tallgrass prairie. 2014 , 9, e103423 Fire and grazing influences on rates of riparian woody plant expansion along grassland streams.		397323
597 596 595	C4 photosynthesis promoted species diversification during the Miocene grassland expansion. 2014, 9, e97722 Ecological consequences of shifting the timing of burning tallgrass prairie. 2014, 9, e103423 Fire and grazing influences on rates of riparian woody plant expansion along grassland streams. 2014, 9, e106922 Gene and genome duplications and the origin of C4 photosynthesis: Birth of a trait in the		39732325

591	Assessing the metabolic impact of nitrogen availability using a compartmentalized maize leaf genome-scale model. 2014 , 166, 1659-74	63
590	Upland Glaciation in Tropical Pangaea: Geologic Evidence and Implications for Late Paleozoic Climate Modeling. 2014 , 122, 137-163	28
589	Chenopodiaceae. 2014 , 65-256	
588	The impact of land use on woody plant cover and species composition on the Grahamstown municipal commonage: implications for South Africa's land reform programme. 2014 , 31, 123-133	6
587	Identifying the problem weeds of rice-based systems along the inland-valley catena in the southern Guinea Savanna, Africa. 2014 , 14, 121-132	7
586	Increasing atmospheric CO2 overrides the historical legacy of multiple stable biome states in Africa. 2014 , 201, 908-915	71
585	Climate Change and Plant Biosecurity: Implications for Policy. 2014 , 655-691	1
584	Physiological advantages of C4 grasses in the field: a comparative experiment demonstrating the importance of drought. 2014 , 20, 1992-2003	60
583	Late PliocenePleistocene expansion of C4 vegetation in semiarid East Asia linked to increased burning. 2014 , 42, 1067-1070	22
582	Alternative Interpretations of Intermediate and Positive d13C Isotope Signals in Prehistoric Human Remains from Southern Mendoza, Argentina. 2014 , 55, 822-831	9
581	Land surface skin temperature captures thermal environments of C3 and C4 grasses. 2014 , 23, 286-296	36
580	Using Models of Carbon Isotope Fractionation during Photosynthesis to Understand the Natural Fractionation Ratio. 2014 , 56, 29-38	3
579	The Stable Isotopic Composition of Atmospheric CO2. 2014 , 179-212	7
578	Biomarkers for Terrestrial Plants and Climate. 2014, 395-416	23
577	Vegetation of Northern Tanzania during the Plio-Pleistocene: A synthesis of the paleobotanical evidences from Laetoli, Olduvai, and Peninj hominin sites. 2014 , 322-323, 264-276	37
576	Multi-proxy evidence for tectonic control on the expansion of C4 grasses in northwest Argentina.	22
	2014 , 395, 41-50	23
575	2014, 395, 41-50 Differential Response of Plant and Soil Processes Under Climate Change: A Mini-review on Recent Understandings. 2014, 84, 201-214	6

573	Latitudinal gradient of C4 grass contribution to Black Soil organic carbon and correlation between 13C and the melanic index in Japanese forest stands. 2014 , 118, 339-355		4
572	Stopping the leaks: new insights into C4 photosynthesis at low light. 2014 , 37, 1037-41		20
571	Impact of monsoons, temperature, and CO2 on the rainfall and ecosystems of Mt. Kenya during the Common Era. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014 , 396, 17-25	2.9	29
57°	Ecophysiological aspects in 105 plants species of saline and arid environments in Tunisia. 2014 , 6, 762-77	0	8
569	Insolation and glacial[hterglacial control on southwestern African hydroclimate over the past 140 000 years. 2014 , 398, 1-10		37
568	The Handbook of Plant Biosecurity. 2014 ,		10
567	Long-term exposure to elevated CO2 enhances plant community stability by suppressing dominant plant species in a mixed-grass prairie. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 15456-61	11.5	48
566	Elevation-induced climate change as a dominant factor causing the late Miocene C(4) plant expansion in the Himalayan foreland. 2014 , 20, 1461-72		11
565	A redefinition of waste: Deconstructing shell and fish mound formation among coastal groups of southern Brazil. 2014 , 36, 211-227		26
564	The evolutionary ecology of C4 plants. 2014 , 204, 765-81		69
563	Late Quaternary vegetation dynamics and hydro-climate in the Drakensberg, South Africa. Quaternary Science Reviews, 2014 , 105, 48-65	3.9	42
562	Halophytes: An Integrative Anatomical Study. 2014 ,		30
561	Photosynthesis of C3, C3-C4, and C4 grasses at glacial CO2. <i>Journal of Experimental Botany</i> , 2014 , 65, 3669-81	7	52
560	Pastoral land-use of the Indus Civilization in Gujarat: faunal analyses and biogenic isotopes at Bagasra. 2014 , 50, 1-15		36
559	Climate and CO2 effects on the vegetation of southern tropical Africa over the last 37,000 years. 2014 , 403, 407-417		12
558	Stable carbon isotopic variation of long chain n-alkanoic acids in the equatorial Pacific sediments over the last 40 Ma: Implications for expansion of C4 grassland in South America. 2014 , 76, 62-71		3
557	Evolution of the Indian Summer Monsoon and terrestrial vegetation in the Bengal region during the past 18 ka. <i>Quaternary Science Reviews</i> , 2014 , 102, 133-148	3.9	8o
556	Hypersaline conditions during deposition of the Calcare di Base revealed from archaeal di- and tetraether inventories. 2014 , 77, 11-21		24

555	Disproportionate Contribution of Riparian Inputs to Organic Carbon Pools in Freshwater Systems. 2014 , 17, 974-989		21
554	Glacial forcing of central Indonesian hydroclimate since 60,000 y B.P. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 5100-5	11.5	91
553	Increasing water use efficiency along the C3 to C4 evolutionary pathway: a stomatal optimization perspective. <i>Journal of Experimental Botany</i> , 2014 , 65, 3683-93	7	66
552	Investigation of Late Pleistocene and Early Holocene palaeoenvironmental change at El Mirʿli cave (Cantabria, Spain): Insights from carbon and nitrogen isotope analyses of red deer. Palaeogeography, Palaeoclimatology, Palaeoecology, 2014, 414, 46-60	2.9	38
551	Savanna fire and the origins of the 'underground forests' of Africa. 2014 , 204, 201-214		143
550	The Late Pleistocene Belotinac section (southern Serbia) at the southern limit of the European loess belt: Environmental and climate reconstruction using grain size and stable C and N isotopes. 2014 , 334-335, 10-19		43
549	Abundant C4 plants on the Tibetan Plateau during the Lateglacial and early Holocene. <i>Quaternary Science Reviews</i> , 2014 , 87, 24-33	3.9	44
548	Characterization of the last deglacial transition in tropical East Africa: Insights from Lake Albert. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014 , 409, 1-8	2.9	22
547	Gas exchange and stand-level estimates of water use and gross primary productivity in an experimental pine and switchgrass intercrop forestry system on the Lower Coastal Plain of North Carolina, U.S.A. 2014 , 192-193, 27-40		22
546	Spatiotemporal variation in the origin of C4 grasses: 1 3C analysis of grass pollen from the southeastern United States. <i>Palaeogeography, Palaeoclimatology, Palaeoecology,</i> 2014 , 396, 227-231	2.9	4
545	An examination of the fidelity of n-alkanes as a palaeoclimate proxy from sediments of Palaeolake Tianyang, South China. 2014 , 333, 100-109		24
544	Canopy carbon budget of Siebold's beech (Fagus crenata) sapling under free air ozone exposure. 2014 , 184, 682-9		20
543	Composition and herbicidal effect of Heracleum sosnowskyi essential oil. 2015 , 10,		4
542	Effective use of high COlefflux at the soil surface in a tropical understory plant. 2015 , 5, 8991		3
541	Stable isotope evidence of late MIS 3 to middle Holocene palaeoenvironments from Sehonghong Rockshelter, eastern Lesotho. 2015 , 30, 805-816		23
540	On the assessment of aridity with changes in atmospheric CO2. 2015 , 51, 5450-5463		137
539	A macro-ecological perspective on crassulacean acid metabolism (CAM) photosynthesis evolution in Afro-Madagascan drylands: Eulophiinae orchids as a case study. 2015 , 208, 469-81		21
538	Climate-vegetation modelling and fossil plant data suggest low atmospheric CO₂ in the late Miocene. 2015 , 11, 1701-1732		18

537	Forests, savannas, and grasslands: bridging the knowledge gap between ecology and Dynamic Global Vegetation Models. 2015 , 12, 1833-1848		73
536	Stable Water Use Efficiency of Tibetan Alpine Meadows in Past Half Century: Evidence from Wool [13C Values. 2015 , 10, e0144752		О
535	Stable-Carbon Isotopes of U.S. Great Plains Soils and Climate Events during the Holocene. 2015 , 223-231		
534	Germination sensitivities to water potential among co-existing C3 and C4 grasses of cool semi-arid prairie grasslands. 2015 , 17, 583-7		5
533	Extraction of climatic signals from fossil organic compounds in marine sediments up to 11.7 Ma old (IODP-U1318). 2015 , 879, 1-9		5
532	Assessing the paleoenvironmental potential of Pliocene to Holocene tufa deposits along the Ghaap Plateau escarpment (South Africa) using stable isotopes. 2015 , 84, 133-143		7
531	Environment and Climate of Early Human Evolution. 2015 , 43, 405-429		92
530	Fossil Record and Dates of Diversification. 2015 , 103-107		2
529	Feedback of trees on nitrogen mineralization to restrict the advance of trees in C4 savannahs. 2015 , 11,		15
528	Temporal niche differentiation increases the land equivalent ratio of annual intercrops: A meta-analysis. 2015 , 184, 133-144		156
527	Temperature is the major driver of distribution patterns for C4 and C3 BEP grasses along tropical elevation gradients in Hawail and comparison with worldwide patterns. 2015 , 93, 9-22		7
526	Biogeochemical evidence of Holocene East Asian summer and winter monsoon variability from a tropical maar lake in southern China. <i>Quaternary Science Reviews</i> , 2015 , 111, 51-61	3.9	88
525	A late-Quaternary perspective, on atmospheric pCO2, climate, and fire as drivers of C4-grass abundance. 2015 , 96, 642-53		14
524	Interactions between fluvial and eolian geomorphic systems and processes: Examples from the Sahara and Australia. 2015 , 134, 4-13		60
523	Test stable carbon isotopic composition of soil organic matters as a proxy indicator of past precipitation: Study of the sand fields in northern China. 2015 , 372, 79-86		10
522	Inland California during the PleistoceneMegafaunal stable isotope records reveal new paleoecological and paleoenvironmental insights. <i>Palaeogeography, Palaeoclimatology, Palaeoecology,</i> 2015 , 437, 132-140	2.9	18
521	C4 bioenergy crops for cool climates, with special emphasis on perennial C4 grasses. <i>Journal of Experimental Botany</i> , 2015 , 66, 4195-212	7	36
520	Fires in the Cenozoic: a late flowering of flammable ecosystems. 2014 , 5, 749		43

519	Linkages between climate, fire and vegetation in southwest China during the last 18.5 ka based on a sedimentary record of black carbon and its isotopic composition. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015 , 435, 86-94	2.9	38
518	Compound-specific carbon isotope records of vegetation and hydrologic change in central Sulawesi, Indonesia, since 53,000 yr BP. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015 , 430, 47-56	2.9	15
517	Sedimentary Proxy Evidence of a Mid-Holocene Hypsithermal Event in the Location of a Current Warming Hole, North Carolina, USA. 2015 , 83, 315-323		12
516	Cooling Mediterranean Sea surface temperatures during the Late Miocene provide a climate context for evolutionary transitions in Africa and Eurasia. 2015 , 419, 71-80		36
515	Root biomass and soil 🛘 3C in C3 and C4 grasslands along a precipitation gradient. 2015 , 216, 615-627		18
514	Paleoenvironmental context of the Middle Stone Age record from Karungu, Lake Victoria Basin, Kenya, and its implications for human and faunal dispersals in East Africa. 2015 , 83, 28-45		63
513	Small mammal tooth enamel carbon isotope record of C4 grasses in late Neogene China. 2015 , 133, 288	-297	3
512	Effect of Nitrogen Application, Rice Planting Density, and Water Regime on the Morphological Plasticity and Biomass Partitioning of Chinese Sprangletop (Leptochloa chinensis). 2015 , 63, 448-460		3
511	Dietary changes of large herbivores in the Turkana Basin, Kenya from 4 to 1 Ma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 11467-72	11.5	152
510	Assisted colonization as a climate change adaptation tool. 2015 , 40, 12-20		39
509	Climate change and long-term fire management impacts on Australian savannas. 2015 , 205, 1211-1226		45
509 508	Climate change and long-term fire management impacts on Australian savannas. 2015 , 205, 1211-1226 Sustainable intensification of cultivated pastures using multiple herbivore species. 2015 , 32, 97-112		45 7
508	Sustainable intensification of cultivated pastures using multiple herbivore species. 2015 , 32, 97-112		7
508	Sustainable intensification of cultivated pastures using multiple herbivore species. 2015 , 32, 97-112 Photosynthetic innovation broadens the niche within a single species. 2015 , 18, 1021-9	3.9	7 52
508 507 506	Sustainable intensification of cultivated pastures using multiple herbivore species. 2015, 32, 97-112 Photosynthetic innovation broadens the niche within a single species. 2015, 18, 1021-9 Paleoenvironmental conditions in the late Paleogene, Sumatra, Indonesia. 2015, 111, 384-394 Influence of Late Pleistocene and Holocene climate on vegetation distributions in southwest Africa elucidated from sedimentary n-alkanes Differences between 12°S and 20°S. Quaternary Science	3.9	7 5 ² 3
508 507 506 505	Sustainable intensification of cultivated pastures using multiple herbivore species. 2015, 32, 97-112 Photosynthetic innovation broadens the niche within a single species. 2015, 18, 1021-9 Paleoenvironmental conditions in the late Paleogene, Sumatra, Indonesia. 2015, 111, 384-394 Influence of Late Pleistocene and Holocene climate on vegetation distributions in southwest Africa elucidated from sedimentary n-alkanes (Differences between 12°S and 20°S. Quaternary Science Reviews, 2015, 125, 160-171 Seasonal changes in stable carbon and nitrogen isotope compositions of bat guano (Guadeloupe).		7 52 3 10

501	Intercontinental divergence in the climate envelope of major plant biomes. 2015 , 24, 324-334	26
500	Effect of aridity on 🛮 3C and D values of C3 plant- and C4 graminoid-derived leaf wax lipids from soils along an environmental gradient in Cameroon (Western Central Africa). 2015 , 78, 99-109	48
499	Stable carbon isotope ratios in soil and vegetation shift with cultivation practices (Northern Laos). 2015 , 200, 161-168	15
498	Stable isotopes (carbon, nitrogen, sulfur), diet, and anthropometry in urban Colombian women: investigating socioeconomic differences. 2015 , 27, 207-18	14
497	Photorespiration and nitrate assimilation: a major intersection between plant carbon and nitrogen. 2015 , 123, 117-28	132
496	Review of feeding ecology data of Late Pleistocene mammalian herbivores from South America and discussions on niche differentiation. <i>Earth-Science Reviews</i> , 2015 , 140, 158-165	37
495	Photosynthetic diversity meets biodiversity: the C4 plant example. 2015 , 172, 104-19	46
494	Paleoclimate in continental northwestern Europe during the Eemian and early Weichselian (125B7 ka): insights from a Belgian speleothem. 2016 , 12, 1445-1458	23
493	MODIS vegetation products as proxies of photosynthetic potential along a gradient of meteorologically and biologically driven ecosystem productivity. 2016 , 13, 5587-5608	24
492	C4 Grasses: Resource Use, Ecology, and Global Change. 2016 , 15-50	3
491	Assessment of Fecal Contamination in Oklahoma Water Systems through the Use of Sterol Fingerprints. 2016 , 3, 28	5
491 490		
	Fingerprints. 2016 , 3, 28	
490	Fingerprints. 2016, 3, 28 Global Biogeography. 422-450	5
490 489	Global Biogeography. 422-450 Glyphosate Resistance of C3 and C4 Weeds under Rising Atmospheric CO2. 2016 , 7, 910	23
490 489 488	Global Biogeography. 422-450 Glyphosate Resistance of C3 and C4 Weeds under Rising Atmospheric CO2. 2016, 7, 910 Timing Effects of Heat-Stress on Plant Ecophysiological Characteristics and Growth. 2016, 7, 1629	5 23 32
490 489 488 487	Global Biogeography. 422-450 Glyphosate Resistance of C3 and C4 Weeds under Rising Atmospheric CO2. 2016, 7, 910 Timing Effects of Heat-Stress on Plant Ecophysiological Characteristics and Growth. 2016, 7, 1629 Multidimensional structure of grass functional traits among species and assemblages. 2016, 27, 1047-1060 Variations in nitrogen use efficiency reflect the biochemical subtype while variations in water use	5 23 32 19

483	Stable isotope ecology of the koala (Phascolarctos cinereus). 2016 , 64, 353		2
482	Evidence of Anomalously Low 🕻 of Marine Organic Matter in an Arctic Fjord. 2016 , 6, 36192		19
481	Late Quaternary environmental change in the Southern Cape, South Africa, from stable carbon and oxygen isotopes in faunal tooth enamel from Boomplaas Cave. 2016 , 31, 919-927		38
480	Divergent variations in concentrations of chemical elements among shrub organs in a temperate desert. 2016 , 6, 20124		15
479	Late-Quaternary variation in C3 and C4 grass abundance in southeastern Australia as inferred from <code>13C</code> analysis: Assessing the roles of climate, pCO2, and fire. <i>Quaternary Science Reviews</i> , 2016 , 139, 67-76	3.9	8
478	18O and 13C records from a Cenozoic sedimentary sequence in the Lanzhou Basin, Northwestern China: Implications for palaeoenvironmental and palaeoecological changes. 2016, 125, 22-36		7
477	The stable hydrogen isotopic composition of sedimentary plant waxes as quantitative proxy for rainfall in the West African Sahel. 2016 , 184, 55-70		39
476	A portrait of the C4 photosynthetic family on the 50th anniversary of its discovery: species number, evolutionary lineages, and Hall of Fame. <i>Journal of Experimental Botany</i> , 2016 , 67, 4039-56	7	89
475	Ecosystem management can mitigate vegetation shifts induced by climate change in West Africa. 2016 , 332, 19-27		21
474	Catastrophic drought in East Asian monsoon region during Heinrich event 1. <i>Quaternary Science Reviews</i> , 2016 , 141, 1-8	3.9	19
473	Spiny plants, mammal browsers, and the origin of African savannas. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, E5572-9	11.5	90
472	Examining Plant Physiological Responses to Climate Change through an Evolutionary Lens. 2016 , 172, 635-649		65
471	Monthly changes in chain length distributions and stable carbon isotope composition of leaf n-alkanes during growth of the bamboo Dendrocalamus ronganensis and the grass Setaria viridis. 2016 , 101, 72-81		13
470	Late Miocene global cooling and the rise of modern ecosystems. 2016 , 9, 843-847		359
469	Pollen-based biome reconstructions over the past 18,000 years and atmospheric CO2 impacts on vegetation in equatorial mountains of Africa. <i>Quaternary Science Reviews</i> , 2016 , 152, 93-103	3.9	18
468	Biological flora of Central Europe: Cyperus esculentus L 2016 , 23, 33-51		10
467	Bacterial Cells as Engineered Chassis. 2016 , 120-163		
466	Urban warming favours C4 plants in temperate European cities. 2016 , 104, 1618-1626		7

(2016-2016)

465	lizard. 2016 , 11, 60-75	7
464	Regional and seasonal variation in airborne grass pollen levels between cities of Australia and New Zealand. 2016 , 32, 289-302	23
463	Evolutionary Legacy Effects on Ecosystems: Biogeographic Origins, Plant Traits, and Implications for Management in the Era of Global Change. 2016 , 47, 433-462	45
462	Blueprints for green biotech: development and application of standards for plant synthetic biology. 2016 , 44, 702-8	8
461	Effects of abiotic stress on physiological plasticity and water use of Setaria viridis (L.). 2016 , 251, 128-138	39
460	Global change effects on humid tropical forests: Evidence for biogeochemical and biodiversity shifts at an ecosystem scale. 2016 , 54, 523-610	47
459	An Early Pleistocene Phytolith Record from Wonderwerk Cave, Northern Cape, South Africa. 2016 , 33, 251-263	8
458	Terrestrial biome distribution in the Late Neogene inferred from a black carbon record in the northeastern equatorial Pacific. 2016 , 6, 32847	5
457	C4 and CAM Photosynthesis in Land Plants, Evolution and Diversification of. 2016 , 254-259	O
456	C4 photosynthesis boosts growth by altering physiology, allocation and size. 2016 , 2, 16038	52
455	Dual mechanisms regulate ecosystem stability under decade-long warming and hay harvest. <i>Nature Communications</i> , 2016 , 7, 11973	42
454	CO2 and fire influence tropical ecosystem stability in response to climate change. 2016 , 6, 29587	15
453	Climate-driven C4 plant distributions in China: divergence in C4 taxa. 2016 , 6, 27977	10
452	Natural areas as a basis for assessing ecosystem vulnerability to climate change. 2016 , 7, e01563	2
451	Climate, CO2, and the history of North American grasses since the Last Glacial Maximum. 2016 , 2, e1501346	43
450	The complete chloroplast genome sequence of. 2016 , 1, 388-389	3
449	The record of Cenozoic horses in Mexico: current knowledge and palaeobiological implications. 2016 , 96, 305-331	6
448	Why are there no C forests?. 2016 , 203, 55-68	21

447	Holocene environmental change in the eastern Snake River Plain of Idaho, USA, as inferred from stable isotope analyses of small mammals. 2016 , 85, 358-370		8
446	Stable isotopes show resource partitioning among the early Late Miocene herbivore community at Rudabfiya II: Paleoenvironmental implications for the hominoid, Rudapithecus hungaricus. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016 , 454, 161-174	2.9	18
445	Greater bud outgrowth ofBromus inermisthanPascopyrum smithiiunder multiple environmental conditions. 2016 , rtw045		3
444	Large variation in the Rubisco kinetics of diatoms reveals diversity among their carbon-concentrating mechanisms. <i>Journal of Experimental Botany</i> , 2016 , 67, 3445-56	7	114
443	Stable isotope ecology of Cape dune mole-rats (Bathyergus suillus) from Elandsfontein, South Africa: Implications for C4 vegetation and hominin paleobiology in the Cape Floral Region. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016 , 457, 409-421	2.9	10
442	The stable isotope ecology of mycalesine butterflies: implications for plantIhsect´co-evolution. <i>Functional Ecology</i> , 2016 , 30, 1936-1946	5.6	15
441	Terminal Pleistocene and Holocene dynamics of southern Africa's winter rainfall zone based on carbon and oxygen isotope analysis of bovid tooth enamel from Elands Bay Cave. 2016 , 404, 57-67		9
440	An isotopic generation: four decades of stable isotope analysis in African archaeology. 2016 , 51, 88-114		6
439	Carbon and hydrogen isotopic effects of stomatal density in Arabidopsis thaliana. 2016 , 179, 275-286		3
438	Does plant size affect growth responses to water availability at glacial, modern and future CO2 concentrations?. 2016 , 31, 213-227		7
437	Changes in dominant moisture sources and the consequences for hydroclimate on the northeastern Tibetan Plateau during the past 32 kyr. <i>Quaternary Science Reviews</i> , 2016 , 131, 157-167	3.9	62
436	Can grass phytoliths and indices be relied on during vegetation and climate interpretations in the eastern Himalayas? Studies from Darjeeling and Arunachal Pradesh, India. <i>Quaternary Science Reviews</i> , 2016 , 134, 114-132	3.9	28
435	Late Quaternary environmental change in the interior South American tropics: new insight from leaf wax stable isotopes. 2016 , 438, 75-85		23
434	A Middle Pleistocene intense monsoonal episode from the Kapthurin Formation, Kenya: Stable isotopic evidence from bovid teeth and pedogenic carbonates. <i>Palaeogeography, Palaeoecology, Palaeoecology, 2016</i> , 449, 27-40	2.9	5
433	Pleistocene and Holocene herbivore diets and palaeoenvironments in the Gebel Akhdar (Libya): Implications for past human populations. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016 , 449, 62-78	2.9	4
432	Follow the Senqu: Maloti-Drakensberg Paleoenvironments and Implications for Early Human Dispersals into Mountain Systems. 2016 , 247-271		16
431	Variation in camelid 🛘 3C and 🛈 5N values in relation to geography and climate: Holocene patterns and archaeological implications in central western Argentina. 2016 , 66, 7-20		24
430	Carbon isotope analyses reveal relatively high abundance of C4 grasses during earlythiddle Miocene in southwestern Europe. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016 , 443, 10-17	2.9	7

429	Ecological conditions and isotopic diet (13 C and 15 N) of Holocene caviomorph rodents in Northern Patagonia. 2016 , 127, 44-52	9
428	The Celliforma ichnofacies in calcareous paleosols: An example from the late Miocene Cerro Azul Formation, La Pampa, Argentina. <i>Palaeogeography, Palaeoclimatology, Palaeoecology,</i> 2016 , 443, 203-215.9	10
427	Influence of life form, taxonomy, climate, and soil properties on shoot and root concentrations of 11 elements in herbaceous plants in a temperate desert. <i>Plant and Soil</i> , 2016 , 398, 339-350 4.2	27
426	Reduced streamflow in water-stressed climates consistent with CO2 effects on vegetation. 2016 , 6, 75-78	146
425	Carbon and nitrogen isotope composition of natural pastures in the dry Puna of Argentina: a baseline for the study of prehistoric herd management strategies. <i>Archaeological and</i> 1.8 <i>Anthropological Sciences</i> , 2017 , 9, 153-163	10
424	A quantitative method for determination of PPDK concentration in miscanthus leaves. 2017 , 9, 262-269	О
423	Reproductive efficiency and photosynthetic pathway in seed plants. 2017, 24, 48-60	4
422	Gazelle seasonal mobility in the Jordanian steppe: The use of dental isotopes and microwear as environmental markers, applied to Epipalaeolithic Kharaneh IV. 2017 , 11, 147-158	21
421	Hydrological and vegetation shifts in the Wallacean region of central Indonesia since the Last Glacial Maximum. <i>Quaternary Science Reviews</i> , 2017 , 157, 152-163	26
420	Determinants of woody encroachment and cover in African savannas. <i>Oecologia</i> , 2017 , 183, 939-951 2.9	61
419	Increased C3 productivity in Midwestern lawns since 1982 revealed by carbon isotopes in Amanita thiersii. 2017 , 122, 280-288	4
418	The loess deposits of Buca Dei Corvi section (Central Italy): Revisited. 2017 , 151, 225-237	12
417	Lipid Biomarkers as Organic Geochemical Proxies for the Paleoenvironmental Reconstruction of Estuarine Environments. 2017 , 173-212	2
416	Stable isotope composition of cave guano from eastern Borneo reveals tropical environments over the past 15,000 cal yr BP. <i>Palaeogeography, Palaeoclimatology, Palaeoecology,</i> 2017 , 473, 73-81	15
415	Elevated atmospheric CO2 negatively impacts photosynthesis through radiative forcing and physiology-mediated climate feedback. <i>Geophysical Research Letters</i> , 2017 , 44, 1956 4-9	14
414	C4 Plants. 2017 , 52-59	
413	Climatic variability in Mfabeni peatlands (South Africa) since the late Pleistocene. <i>Quaternary Science Reviews</i> , 2017 , 160, 57-66	9
412	The palaeoenvironment of the middle Miocene pliopithecid locality in Damiao, Inner Mongolia, China. 2017 , 108, 31-46	1

411	Stepped Holocene sea-level rise and its influence on sedimentation in a large marine embayment: Maputo Bay, Mozambique. 2017 , 193, 25-36		18
410	Preliminary evidence for the efficacy of the Canine Surrogacy Approach in the Great Lakes. 2017 , 13, 516-525		4
409	Greenhouse gas mitigation potential of annual and perennial dairy feed crop systems. 2017 , 245, 52-62		4
408	Mio-Pliocene aridity in the south-central Andes associated with Southern Hemisphere cold periods. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 6474-6479	11.5	27
407	Root Functional Diversity of Native and Nonnative C3 and C4 Grass Species in Hawaill. 2017, 71, 117		1
406	Ten years of barcoding at the African Centre for DNA Barcoding. 2017 , 60, 629-638		15
405	Divergent Patterns of Selection on Crassulacean Acid Metabolism Photosynthesis in Contrasting Environments. 2017 , 178, 398-405		2
404	A lower limit to atmospheric CO2 concentrations over the past 800,000 years. 2017 , 10, 295-298		16
403	Pieces of the puzzle: Lack of significant C4 in the late Miocene of southern California. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017 , 475, 70-79	2.9	6
402	Thinking locally: Environmental reconstruction of Middle and Later Stone Age archaeological sites in Ethiopia, Kenya, and Zambia based on ungulate stable isotopes. 2017 , 106, 19-37		10
401	Evolutionary origins of abnormally large shoot sodium accumulation in nonsaline environments within the Caryophyllales. 2017 , 214, 284-293		18
400	Bundle-sheath leakiness and intrinsic water use efficiency of a perennial C4 grass are increased at high vapour pressure deficit during growth. <i>Journal of Experimental Botany</i> , 2017 , 68, 321-333	7	15
399	A high-resolution temporal record of environmental changes in the Eastern Caribbean (Guadeloupe) from 40 to 10 ka BP. <i>Quaternary Science Reviews</i> , 2017 , 155, 198-212	3.9	10
398	Chemotaxonomy in some Mediterranean plants and implications for fossil biomarker records. 2017 , 219, 96-110		20
397	Kranz Anatomy. 2017 , 241-272		1
396	Historical vegetation nvironment patterns for assessing the impact of climatic change in the mountains of Lesotho. 2017 , 34, 45-51		15
395	Photobiology of Seagrasses: A Systems Biology Perspective. 2017 , 133-165		1
394	Altitudinal variations in the bulk organic carbon isotopic composition of topsoil in the Qilian Mountains area, NE Tibetan Plateau, and its environmental significance. 2017 , 454, 45-55		10

393	Frequency of Gly-210 Deletion Mutation among Protoporphyrinogen Oxidase Inhibitor R esistant Palmer Amaranth (Amaranthus palmeri) Populations. 2017 , 65, 718-731		24
392	How do weeds differ in their response to the timing of tillage? A study of 61 species across the northeastern United States. 2017 , 171, 340-352		6
391	Multi-century stasis in C3 and C4 grass distributions across the contiguous United States since the industrial revolution. <i>Journal of Biogeography</i> , 2017 , 44, 2564-2574	4.1	14
390	Diet of the prehistoric population of Rapa Nui (Easter Island, Chile) shows environmental adaptation and resilience. 2017 , 164, 343-361		42
389	A Dynamic Hydro-Mechanical and Biochemical Model of Stomatal Conductance for C Photosynthesis. 2017 , 175, 104-119		16
388	Elevated auxin biosynthesis and transport underlie high vein density in C leaves. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E6884-E6891	11.5	18
387	The role of land-marine teleconnections in the tropical proximal Permian-Triassic Marine Zone, Levant Basin, Israel: Insights from stable isotope pairing. 2017 , 154, 44-60		4
386	Sedimentology, stratigraphy, and paleoclimate at the late Miocene Coffee Ranch fossil site in the Texas Panhandle. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017 , 485, 361-376	2.9	7
385	Late Holocene palaeoenvironmental reconstruction from Mpumalanga Province (South Africa) inferred from geochemical and biogenic proxies. 2017 , 246, 264-277		7
384	Large mammal species richness and late Quaternary precipitation change in south-western Australia. 2017 , 32, 760-769		20
383	Predicting Yield Losses in Rice Mixed-Weed Species Infestations in California. 2017 , 65, 61-72		15
382	Application of Organosolv Pretreatment on Pennisetum Purpureum for Lignin Removal and Cellulose Recovery. 2017 ,		1
381	Despite phylogenetic effects, C3-C4 lineages bridge the ecological gap to C4 photosynthesis. Journal of Experimental Botany, 2017 , 68, 241-254	7	22
380	A portrait of the C4 photosynthetic family on the 50th anniversary of its discovery: species number, evolutionary lineages, and Hall of Fame. <i>Journal of Experimental Botany</i> , 2017 , 68, 4039-4056	7	25
379	Post-transcriptional regulation of photosynthetic genes is a key driver of C4 leaf ontogeny. <i>Journal of Experimental Botany</i> , 2017 , 68, 137-146	7	11
378	Mid-Miocene C4 expansion on the Chinese Loess Plateau under an enhanced Asian summer monsoon. 2018 , 158, 153-159		16
377	A Potential Oxygen Isotope Signature of Maize Beer Consumption: An Experimental Pilot Study. 2018 , 10, 56-67		7
376	CO2 availability influences hydraulic function of C3 and C4 grass leaves. <i>Journal of Experimental Botany</i> , 2018 , 69, 2731-2741	7	11

375	Unexpected reversal of C versus C grass response to elevated CO during a 20-year field experiment. <i>Science</i> , 2018 , 360, 317-320	33.3	151
374	The linkages with fires, vegetation composition and human activity in response to climate changes in the Chinese Loess Plateau during the Holocene. 2018 , 488, 18-29		8
373	Shade compromises the photosynthetic efficiency of NADP-ME less than that of PEP-CK and NAD-ME C4 grasses. <i>Journal of Experimental Botany</i> , 2018 , 69, 3053-3068	7	26
372	Steal the light: shade vs fire adapted vegetation in forest-savanna mosaics. 2018 , 218, 1419-1429		39
371	Responses of gross primary production of grasslands and croplands under drought, pluvial, and irrigation conditions during 2010\(2016\), Oklahoma, USA. 2018 , 204, 47-59		26
370	The Messinian diatomite deposition in the Mediterranean region and its relationships to the global silica cycle. <i>Earth-Science Reviews</i> , 2018 , 178, 154-176	10.2	22
369	Feeding ecology of Tragelaphini (Bovidae) from the Shungura Formation, Omo Valley, Ethiopia: Contribution of dental wear analyses. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018 , 496, 103-120	2.9	12
368	Biomass production of maize (Zea mays L.) cropping in exceptionally advantageous conditions in central Wielkopolska (Poland). 2018 , 110, 25-32		4
367	Variations of the Indian summer monsoon over the last 30 000 years inferred from a pyrogenic carbon record from south-west China. 2018 , 33, 131-138		13
366	Namib Desert primary productivity is driven by cryptic microbial community N-fixation. 2018 , 8, 6921		21
365	Isotopic evidence for ceremonial provisioning of Late Bronze age khirigsuurs with horses from diverse geographic locales. 2018 , 476, 70-81		11
364	Organic matter geochemical signatures (TOC, TN, C/N ratio, 🗓 and 🖺) of surface sediment from lakes distributed along a climatological gradient on the western side of the southern Andes. 2018 , 630, 878-888		23
363	The Seasonal Mobility of Prehistoric Gazelle Herds in the Azraq Basin, Jordan: Modelling Alternative Strategies Using Stable Isotopes. 2018 , 23, 187-199		8
362	Pollen in fossil hyrax dung from Marine Isotope Stages 2 and 3 reveals past environments in Namibia. 2018 , 464, 260-272		4
361	An historic account of the extinct high rainfall grasslands of the Soutpansberg, South Africa. 2018 , 73, 20-32		7
360	Photosynthetic pathway of grass fossils from the upper Miocene Dove Spring Formation, Mojave Desert, California. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018 , 490, 131-140	2.9	2
359	Highly Expressed Genes Are Preferentially Co-Opted for C4 Photosynthesis. 2018, 35, 94-106		25
358	Characteristics of modern biotic data and their relationship to vegetation of the Alpine zone of Chopta valley, North Sikkim, India: Implications for palaeovegetation reconstruction. 2018 , 28, 363-376		10

357	Soil organic carbon in savannas decreases with anthropogenic climate change. 2018 , 309, 7-16		16
356	A multi-century 1 3C record of the C4 grass Setaria macrostachya in the US Southwest: Identifying environmental causes of variability. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018 , 489, 129	-736	1
355	Temporal and spatial evolution of Holocene vegetation and lake hydrological status, China. 2018 , 28, 706-720		2
354	Dietary ecology of Pleistocene mammoths and mastodons as inferred from dental microwear textures. <i>Palaeogeography, Palaeoclimatology, Palaeoecology,</i> 2018 , 492, 10-25	2.9	15
353	Elevated CO leads to carbon sequestration by modulating C photosynthesis pathway enzyme (PPDK) in Suaeda monoica and S. fruticosa. 2018 , 178, 310-315		14
352	A Macroscopic Charcoal and Multiproxy Record from Peat Recovered from Depression Marshes in Longleaf Pine Sandhills, Florida, USA. 2018 , 1, 25		3
351	Epipalaeolithic and Neolithic gazelle hunting in the Badia of north-east Jordan. Reconstruction of seasonal movements of herds by stable isotope and dental microwear analyses. 2018 , 50, 127-172		3
350	The origins of nomadic pastoralism in the eastern Jordanian steppe: a combined stable isotope and chipped stone assessment. 2018 , 50, 281-304		8
349	Plio-Pleistocene decline of African megaherbivores: No evidence for ancient hominin impacts. <i>Science</i> , 2018 , 362, 938-941	33.3	42
348	C photosynthesis and climate through the lens of optimality. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 12057-12062	11.5	27
347	Changes of Grassland Rain Use Efficiency and NDVI in Northwestern China from 1982 to 2013 and Its Response to Climate Change. 2018 , 10, 1689		8
346	Spatiotemporal Variation Characteristics of Vegetative PUE in China from 2000 to 2015. 2018 , 2018, 1-19		O
345	Teeth and Life History. 2018 , 305-321		Ο
344	Stress in native grasses under ecologically relevant heat waves. 2018 , 13, e0204906		5
343	Evidence for carbon cycling in a large freshwater lake in the Balkans over the last 0.5 million years using the isotopic composition of bulk organic matter. <i>Quaternary Science Reviews</i> , 2018 , 202, 154-165	3.9	10
342	Grass Functional Traits Differentiate Forest and Savanna in the Madagascar Central Highlands. <i>Frontiers in Ecology and Evolution</i> , 2018 , 6,	3.7	21
341	Fire spread and the issue of community-level selection in the evolution of flammability. 2018, 15,		6
340	Reconstructing Terrestrial Paleoenvironments Using Sedimentary Organic Biomarkers. 2018 , 121-149		2

339	Emergence of Grassy Habitats during the GreenhouseLehouse Systems Transition in the Middle Eocene of Southern South America. 2018 , 55, 451		5
338	Dietary niches of terrestrial cercopithecines from the Plio-Pleistocene Shungura Formation, Ethiopia: evidence from Dental Microwear Texture Analysis. 2018 , 8, 14052		7
337	Climatic Controls on C4 Grassland Distributions During the Neogene: A Model-Data Comparison. <i>Frontiers in Ecology and Evolution</i> , 2018 , 6,	3.7	6
336	Leaf wax D inferring variable medieval hydroclimate and early initiation of Little Ice Age (LIA) dryness in southern Mozambique. 2018 , 170, 221-233		5
335	The palaeoecological context of the Oldowan-Acheulean in southern Africa. 2018, 2, 1080-1086		19
334	Successional change in species composition alters climate sensitivity of grassland productivity. 2018 , 24, 4993-5003		15
333	Distribution of C4 plants in sand habitats of different climatic regions. 2018 , 53, 201-211		1
332	Late-Holocene climate and vegetation dynamics in eastern Lesotho highlands. 2018 , 28, 1483-1494		10
331	Manganese binding to Rubisco could drive a photorespiratory pathway that increases the energy efficiency of photosynthesis. 2018 , 4, 414-422		39
330	Effects of nutrient supply on carbon and water economies of C grasses. 2018 , 45, 935-944		3
329	Temperature control of the distributional range of five C3 grass species in the uKhahlamba-Drakensberg Park, KwaZulu-Natal, South Africa. 2018 , 35, 45-54		5
328	Some like it hot: the physiological ecology of C plant evolution. <i>Oecologia</i> , 2018 , 187, 941-966	2.9	30
327	RNA-Seq transcriptome analysis of Amaranthus palmeri with differential tolerance to glufosinate herbicide. 2018 , 13, e0195488		23
326	Investigating the NAD-ME biochemical pathway within C grasses using transcript and amino acid variation in C photosynthetic genes. 2018 , 138, 233-248		7
325	Controls on Millennial-Scale Atmospheric CO2 Variability During the Last Glacial Period. <i>Geophysical Research Letters</i> , 2018 , 45, 7731-7740	4.9	22
324	Enamel isotopic data from the domesticated animals at Kotada Bhadli, Gujarat, reveals specialized animal husbandry during the Indus Civilization. 2018 , 21, 183-199		3
323	Seed traits and germination of native grasses and invasive forbs are largely insensitive to parental temperature and CO2 concentration. 2018 , 28, 303-311		4
322	The spatial structure of phylogenetic and functional diversity in the United States and Canada: An example using the sedge family (Cyperaceae). 2018 , 56, 449-465		17

(2021-2019)

321	Speleothem biomarker evidence for a negative terrestrial feedback on climate during Holocene warm periods. 2019 , 525, 115754		3	
320	Xylem conductivities in grasses. 2019 , 257, 151420		2	
319	Synchronous rise of African C4 ecosystems 10 million years ago in the absence of aridification. 2019 , 12, 657-660		48	
318	Emergence of the African savannah. 2019 , 12, 588-589		2	
317	Phytolith Formation in Plants: From Soil to Cell. 2019 , 8,		33	
316	Effects of atmospheric CO₂ variability of the past 800 kyr on the biomes of southeast Africa. 2019 , 15, 1083-1097		15	
315	Effect of High Temperature on Carbohydrate Metabolism in Plants. 2019 , 115-216		1	
314	Redundant genes pattern distinct cell layers in roots and leaves of maize. 2019 , 146,		16	
313	Sustained wood burial in the Bengal Fan over the last 19 My. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 22518-22525	11.5	15	
312	The future biogeography of C3 and C4 grasslands. 2019 , 234-252		1	
311	Water Limitation, Fire, and Savanna Persistence. 2019 , 643-659		2	
310	Evolution of Large Mammal Herbivores in Savannas. 2019 , 213-243			
309	Oral Health and Diet in Populations of Central Argentina during the Late Holocene: Bioarchaeological and Isotopic Evidence. 2019 , 30, 818-835		4	
308	Will climate change push grasslands past critical thresholds?. 2019 , 98-114		4	
307	Decoupling facilitative effects in a temperate subhumid grassland: photosynthetic metabolism matters. 2019 , 12, 63-73		2	
306	A critical reevaluation of palaeoclimate proxy records from loess in the Carpathian Basin. <i>Earth-Science Reviews</i> , 2019 , 190, 498-520	10.2	49	
305	Global vegetation distribution driving factors in two Dynamic Global Vegetation Models of contrasting complexities. 2019 , 180, 51-65		3	
304	The last glacial cycle of the southern Levant: Paleoenvironment and chronology of modern humans. 2021 , 160, 102609		15	

303	Differential hydro-climatic evolution of East Javanese ecosystems over the past 22,000 years. <i>Quaternary Science Reviews</i> , 2019 , 218, 49-60	3.9	5
302	Late Miocene rise and fall of C4 grasses in the western United States linked to aridification and uplift. 2019 , 131, 224-234		12
301	Coupling between the terrestrial carbon and water cycles review. 2019, 14, 083003		42
300	Holocene changes in biome size and tropical cyclone activity around the Northern South China Sea. <i>Quaternary Science Reviews</i> , 2019 , 215, 45-63	3.9	5
299	Phylogenetic signal analysis in the basicranium of Ursidae (Carnivora, Mammalia). 2019 , 7, e6597		1
298	Evolutionary trajectories, accessibility and other metaphors: the case of C and CAM photosynthesis. 2019 , 223, 1742-1755		46
297	Paleofloras, paleovegetation and human evolution. 2019 , 267, 32-38		4
296	A leaf-level biochemical model simulating the introduction of C and C photosynthesis in C rice: gains, losses and metabolite fluxes. 2019 , 223, 150-166		16
295	Early Miocene expansion of C4 vegetation on the northern Tibetan Plateau. 2019, 177, 173-185		3
294	The origin and role of biological rock crusts in rocky desert weathering. 2019 , 16, 1133-1145		15
293	Climate and lawn management interact to control C plant distribution in residential lawns across seven U.S. cities. 2019 , 29, e01884		6
292	Biome diversity in South Asia - How can we improve vegetation models to understand global change impact at regional level?. 2019 , 671, 1001-1016		13
291	Influence of starch deficiency on photosynthetic and post-photosynthetic carbon isotope fractionations. <i>Journal of Experimental Botany</i> , 2019 , 70, 1829-1841	7	6
290	Isoscapes for Terrestrial Migration Research. 2019 , 53-84		7
289	Life history is a key factor explaining functional trait diversity among subtropical grasses, and its influence differs between C3 and C4 species. <i>Journal of Experimental Botany</i> , 2019 , 70, 1567-1580	7	11
288	Why a Book on Paleoenvironmental Reconstruction from Faunal Remains?. 2019 , 1-11		
287	Fundamentals of Ecology and Biogeography. 2019 , 12-47		О
286	Analytical Assumptions. 2019 , 48-76		

285	Background of Select Paleozoological Samples. 2019 , 77-91	
284	Environmental Reconstructions Based on the Presence/Absence of Taxa. 2019 , 92-122	
283	Environmental Reconstruction Based on Taxonomic Abundances. 2019 , 123-154	
282	Taxon-Free Techniques. 2019 , 155-196	
281	Environmental Inferences Based on Taxonomic Diversity. 2019 , 197-233	
280	Transfer Functions and Quantitative Paleoenvironmental Reconstruction. 2019, 234-265	O
279	Size Clines as Paleoenvironmental Indicators. 2019 , 266-300	
278	Some Final Thoughts. 2019 , 301-310	
277	Glossary. 2019 , 311-318	
276	Index. 2019, 395-398	
275	Evolution of the relative abundance of C4 plants on the Chinese Loess Plateau since the Last Glacial Maximum and its implications. 2019 , 34, 101-111	1
274	Speleothem evidence for C3 dominated vegetation during the Late Miocene (Messinian) of South Africa. 2019 , 264, 75-89	3
273	Native Grasslands. 2019 , 517-548	
272	Response of simulated burned area to historical changes in environmental and anthropogenic factors: a comparison of seven fire models. 2019 , 16, 3883-3910	17
271	Savannas of North America. 2019 , 123-150	1
270	Prescribed fire maintains host plants of a rare grassland butterfly. 2019 , 9, 16826	2
269	. 2019,	4
268	. 2019,	2

267	Contributions of Quaternary botany to modern ecology and biogeography. 2019 , 12, 189-385		41
266	Greenhouse Gases: A Historical Perspective. 2019 , 31-41		
265	C4 savanna grasses fail to maintain assimilation in drying soil under low CO2 compared with C3 trees despite lower leaf water demand. <i>Functional Ecology</i> , 2019 , 33, 388-398	5.6	6
264	Reporter-based forward genetic screen to identify bundle sheath anatomy mutants in A. thaliana. 2019 , 97, 984-995		7
263	The molecular evolution of C4 photosynthesis: opportunities for understanding and improving the world's most productive plants. <i>Journal of Experimental Botany</i> , 2019 , 70, 795-804	7	16
262	Spatiotemporal changes in C4 plant abundance in China since the Last Glacial Maximum and their driving factors. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019 , 518, 10-21	2.9	9
261	Leaf traits of C3- and C4-plants indicating climatic adaptation along a latitudinal gradient in Southern Siberia and Mongolia. 2019 , 254, 122-134		7
260	Warming and water deficit impact leaf photosynthesis and decrease forage quality and digestibility of a C4 tropical grass. 2019 , 165, 383-402		30
259	Crop Responses. 2019 , 53-58		
258	High extinction rates and non-adaptive radiation explains patterns of low diversity and extreme morphological disparity in North American blister beetles (Coleoptera, Meloidae). 2019 , 130, 156-168		11
257	Patterns of Resource Use and Isotopic Niche Overlap Among Guanaco (Lama guanicoe), Pampas Deer (Ozotoceros bezoarticus) and Marsh Deer (Blastocerus dichotomus) in the Pampas. Ecological, Paleoenvironmental and Archaeological Implications. 2020 , 25, 411-444		11
256	Describing a drowned Pleistocene ecosystem: Last Glacial Maximum vegetation reconstruction of the Palaeo-Agulhas Plain. <i>Quaternary Science Reviews</i> , 2020 , 235, 105866	3.9	23
255	Volcanism and paleoenvironment of the pula maar complex: A pliocene terrestrial fossil site in Central Europe (Hungary). <i>Palaeogeography, Palaeoclimatology, Palaeoecology,</i> 2020 , 537, 109398	2.9	6
254	Climate and ecology of the palaeo-Agulhas Plain from stable carbon and oxygen isotopes in bovid tooth enamel from Nelson Bay Cave, South Africa. <i>Quaternary Science Reviews</i> , 2020 , 235, 105974	3.9	8
253	The Early Pliocene global expansion of C4 grasslands: A new organic carbon-isotopic dataset from the north China plain. <i>Palaeogeography, Palaeoclimatology, Palaeoecology,</i> 2020 , 538, 109454	2.9	5
252	Stable isotope proxy records in tropical terrestrial environments. <i>Palaeogeography, Palaeoclimatology, Palaeoecology,</i> 2020 , 538, 109445	2.9	7
251	A ~1000-year 13C Suess correction model for the study of past ecosystems. 2020 , 30, 474-478		8
250	Isotopic reconstruction of Proboscidean habitats and diets on Java since the Early Pleistocene: Implications for adaptation and extinction. <i>Quaternary Science Reviews</i> , 2020 , 228, 106007	3.9	9

(2020-2020)

249	Pedogenic carbonates archive modern and past precipitation change IA transect study from soils and loess-paleosol sequences from northern Iran. 2020 , 552, 79-90	3
248	Does a large delta-fan sedimentary archive faithfully record floodplain vegetation composition?. Quaternary Science Reviews, 2020 , 228, 106108	3
247	Modelling the effects of CO on C and C grass competition during the mid-Pleistocene transition in South Africa. 2020 , 10, 16234	1
246	Biofortification Under Climate Change: The Fight Between Quality and Quantity. 2020 , 173-227	6
245	Life Below Water. <i>Encyclopedia of the UN Sustainable Development Goals</i> , 2020 , 1-15	1
244	Late Pleistocene Mammals from Kibogo, Kenya: Systematic Paleontology, Paleoenvironments, and Non-Analog Associations. 2020 , 40, e1841781	6
243	Isotopic and elemental characterisation of Italian white truffle: A first exploratory study. 2020, 145, 111627	1
242	Savanna tree evolutionary ages inform the reconstruction of the paleoenvironment of our hominin ancestors. 2020 , 10, 12430	5
241	Stable isotopes in hair reveal dietary protein sources with links to socioeconomic status and health. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 20044-20051 11.5	7
240	Recent Constraints on MIS 3 Sea Level Support Role of Continental Shelf Exposure as a Control on Indo-Pacific Hydroclimate. 2020 , 35, e2020PA003998	4
239	Sources of particulate organic matter in the Chukchi and Siberian shelves: clues from carbon and nitrogen isotopes. 2020 , 39, 96-108	2
238	Historical legacies and ecological determinants of grass naturalizations worldwide. 2020 , 43, 1373-1385	9
237	Profile of James R. Ehleringer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 20348-20350	
236	Land management and climate change determine second-generation bioenergy potential of the US Northern Great Plains. 2020 , 12, 491-509	5
235	Lineage-based functional types: characterising functional diversity to enhance the representation of ecological behaviour in Land Surface Models. 2020 , 228, 15-23	2
234	High silicon concentrations in grasses are linked to environmental conditions and not associated with C photosynthesis. 2020 , 26, 7128-7143	8
233	Resolving the Dust Bowl paradox of grassland responses to extreme drought. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 22249-22255	23
232	New Insights on the Evolution of the Sweet Taste Receptor of Primates Adapted to Harsh Environments. 2020 , 10,	1

231	Holocene Hydroclimate Variability and Vegetation Response in the Ethiopian Highlands (Lake Dendi). 2020 , 8,		4
230	Pollen dispersal patterns differ among sites for a wind-pollinated species and an insect-pollinated species. 2020 , 107, 1504-1517		O
229	Miocene C4 Grassland Expansion as Recorded by the Indus Fan. 2020 , 35, e2020PA003856		12
228	Why is C4 photosynthesis so rare in trees?. <i>Journal of Experimental Botany</i> , 2020 , 71, 4629-4638	7	3
227	Air Pollution and Environmental Health. 2020,		5
226	Grass community responses to drought in an African savanna. 2020 , 37, 43-52		13
225	Using ratios in cave guano to assess past environmental changes. 2020 , SP507-2020-13		2
224	Reply to: Multiple drivers of Miocene C4 ecosystem expansions. 2020 , 13, 465-467		2
223	Laminated soil carbonate rinds as a paleoclimate archive of the Colorado Plateau. 2020 , 282, 227-244		2
222	The extinction of the Pleistocene megafauna in the Pampa of southern Brazil. <i>Quaternary Science Reviews</i> , 2020 , 242, 106428	3.9	7
221	Can ancient insect exoskeleton II3C values be used to infer past vegetation types?. <i>Palaeogeography, Palaeoclimatology, Palaeoecology,</i> 2020 , 555, 109857	2.9	0
220	Wildfire-Smoke Aerosols Lead to Increased Light Use Efficiency Among Agricultural and Restored Wetland Land Uses in California's Central Valley. 2020 , 125, e2019JG005380		19
219	Dietary resource partitioning among three coeval proboscidean taxa (Anancus capensis, Mammuthus subplanifrons, Loxodonta cookei) from the South African Early Pliocene locality of Langebaanweg E Quarry. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020 , 543, 109606	2.9	2
218	Carbon, nitrogen, and oxygen isotopes of ostrich eggshells provide site-scale Pleistocene-Holocene paleoenvironmental records for eastern African archaeological sites. <i>Quaternary Science Reviews</i> , 2020 , 230, 106142	3.9	3
217	Leaf wax n-alkane carbon isotope values vary among major terrestrial plant groups: Different responses to precipitation amount and temperature, and implications for paleoenvironmental reconstruction. <i>Earth-Science Reviews</i> , 2020 , 202, 103081	10.2	12
216	Proteomic changes may lead to yield alteration in maize under carbon dioxide enriched condition. 2020 , 10, 203		2
215	Higher risk for six endemic and endangered Lagochilus species in Central Asia under drying climate. 2021 , 48, 125586		1
214	Small anomalies in dry-season greenness and chlorophyll fluorescence for Amazon moist tropical forests during El Ni ô and La Ni â . 2021 , 253, 112196		7

(2021-2021)

213	The use of carbon isotopes (13C,14C) in different soil types and vegetation coverage in a montane atlantic forest region, Southeast Brazil. 2021 , 61, 101133		2
212	Kinetic variation in grass phosphoenolpyruvate carboxylases provides opportunity to enhance C photosynthetic efficiency. 2021 , 105, 1677-1688		1
211	Middle to Late Pleistocene environments based on stable organic carbon and nitrogen isotopes of loess-palaeosol sequences from the Carpathian Basin. 2021 , 50, 184-204		6
210	Variability and environmental significance of organic carbon isotopes in Ganzi loess since the last interglacial on the eastern Tibetan Plateau. 2021 , 196, 104866		6
209	Effects of Soil Water Deficit on Carbon Metabolism of Plants: A Review. 2021 , 99-192		
208	Hyperspectral imaging for rice cultivation: Applications, methods and challenges. 2021 , 6, 273-307		5
207	Chapter 8 Terrestrial CO2-Concentrating Mechanisms in a High CO2 World. 2021 , 193-250		О
206	Chapter 9 The Outlook for C4 Crops in Future Climate Scenarios. 2021 , 251-281		О
205	Seasonal temperature and moisture changes in interior semi-arid Spain from the last interglacial to the Late Holocene. 1-13		2
204	Role of Plant Growth Hormones During Soil Water Deficit: A Review. 2021 , 489-583		1
203	Chapter 12 With a Little Help from My Friends: The Central Role of Photorespiration and Related Metabolic Processes in the Acclimation and Adaptation of Plants to Oxygen and to Low-CO2 Stress. 2021 , 355-385		
202	Chapter 1 Leaf Carbon Flux Responses to Climate Change: Challenges and Opportunities. 2021 , 3-13		
201	A muted El Ni ô -like condition during late MIS 3. <i>Quaternary Science Reviews</i> , 2021 , 254, 106782	3.9	1
200	Investigating II3C values in stalagmites from tropical South America for the last two millennia. <i>Quaternary Science Reviews</i> , 2021 , 255, 106822	3.9	4
199	Low dispersal and ploidy differences in a grass maintain photosynthetic diversity despite gene flow and habitat overlap. 2021 , 30, 2116-2130		2
198	Contracting eastern African C grasslands during the extinction of Paranthropus boisei. 2021 , 11, 7164		2
197	Calibration Strategies for Detecting Macroscale Patterns in NEON Atmospheric Carbon Isotope Observations. 2021 , 126, e2020JG005862		0
196	Carbon isotope variations of modern soils in the eastern margin of the Tibetan Plateau and their controlling factors. 2021 , 18, 878-890		

195	Hydrologic Changes Drove the Late Miocene Expansion of C4 Grasslands on the Northern Indian Subcontinent. 2021 , 36, e2020PA004108		6
194	Some notes on the interpretation and reliability of malacological proxies in paleotemperature reconstructions from loess- comments to Obreht et al.'s A critical reevaluation of paleoclimate proxy records from loess in the Carpathian Basin Earth-Science Reviews, 2021, 221, 103675	10.2	3
193	Reduced resilience of terrestrial ecosystems locally is not reflected on a global scale. 2021 , 2,		3
192	Greening Rates and Photosynthetic Development of Etiolated Leaves in Four Crop Species. 2021 , 124,		
191	Comparative Transcriptome Profiling of (Rhodophyta, Solieriaceae) in Response to Light of Different Wavelengths and Carbon Dioxide Enrichment. 2021 , 10,		1
190	The Effect of Differential Weathering on The Magnetic Properties of Paleosols: A Case Study of Magnetic Enhancement vs. Magnetic Depletion in the Pleistocene Blackwater Draw Formation, Texas. 2021 , 9,		1
189	Annual precipitation explains variability in dryland vegetation greenness globally but not locally. 2021 , 27, 4367-4380		9
188	Tweaking Crassulacean Acid Metabolism (CAM)-Cycling Plants for Crop Productivity Improvement in View of a Bioenergy Crop, Jatropha curcas Linn. 437-469		
187	Sensitive Detection of Site-wise Convergent Evolution in Large Protein Alignments with ConDor.		
186	A multi-proxy reconstruction of the late Holocene climate evolution in the Kapsabet Swamp, Kenya (East Africa). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021 , 574, 110475	2.9	4
185	The reuse of avian samples: opportunities, pitfalls, and a solution. 2022,		1
184	Oryza coarctata is a triploid plant with initial events of C4 photosynthesis evolution. 2021 , 308, 110878		2
183	Intensified fire activity induced by aridification facilitated Late Miocene C4 plant expansion in the northeastern Tibetan Plateau, China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021 , 573, 110437	2.9	3
182	Gene co-expression reveals the modularity and integration of C4 and CAM in Portulaca.		O
181	Assessment of Different Water Use Efficiency Calculations for Dominant Forage Crops in the Great Lakes Basin. 2021 , 11, 739		1
~°°			
180	Micro-scale resolution of carbon turnover in soil - Insights from laser ablation isotope ratio mass spectrometry on water-glass embedded aggregates. 2021 , 159, 108279		1
179			1

(2010-2021)

177	Isotopic evidence for mammalian diets and environment in Early Pliocene Yepfhera, Mexico. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021 , 578, 110569	2.9	
176	Dry Matter Production, Partitioning, and Seed Yield Under Soil Water Deficit: A Review. 2021 , 585-702		
175	The causes and effects of indigenous C grass expansion into a hyper-diverse fynbos shrubland. <i>Oecologia</i> , 2021 , 195, 421-433	2.9	
174	Microbial Potential for Carbon Fixation and Stabilization. 2021 , 125-168		
173	Photorespiration. 1-9		2
172	CO2, Grasses, and Human Evolution. 2005 , 293-328		1
171	Desert Ecogeomorphology. 2009 , 21-66		21
170	Photosynthesis, Respiration, and Long-Distance Transport: Photosynthesis. 2019 , 11-114		2
169	Permafrost Carbon Quantities and Fluxes. 2020 , 179-274		1
168	9 Contribution of Stable Light Isotopes to Paleoenvironmental Reconstruction. 2007 , 289-310		2
167	Ecophysiological response of lowland tropical plants to Pleistocene climate. 2011 , 359-380		2
166	Tropical environmental dynamics: A modeling perspective. 2011 , 381-409		1
165	Designing Biomass Crops with Improved Calorific Content and Attributes for Burning: a UK Perspective. 2010 , 25-55		6
164	Carbon Sequestration. 2013, 415-455		3
163	Contribution of Stable Light Isotopes to Paleoenvironmental Reconstruction. 2015, 441-464		1
162	Competition and Coexistence in Terrestrial Plants. 2002, 165-206		21
161	liderungen in der Atmosphile in ihren Auswirkungen auf die Vegetation. 2001 , 175-289		1
160	Chapter 13 C4-Phosphoenolpyruvate Carboxylase. 2010 , 257-275		4

159	Chapter 3 Introduction. 2010 , 17-25	2
158	Chapter 8 Nitrogen and Water Use Efficiency of C4 Plants. 2010 , 129-146	19
157	Phytoliths and Pollen, the Microscopic Plant Remains in Pliocene Volcanic Sediments Around Laetoli, Tanzania. 2011 , 201-215	10
156	Diet and Ecology of Neanderthals: Implications from C and N Isotopes. 2011 , 73-85	19
155	Scaling against Environmental and Biological Variability: General Principles and A Case Study. 1999 , 309-331	3
154	Evaluation of Setaria viridis physiological and gene expression responses to distinct water-deficit conditions. 2019 , 3, 42-58	3
153	Pastoralism, climate change, and the transformation of the Indus Civilization in Gujarat: Faunal analyses and biogenic isotopes. 2020 , 59, 101173	8
152	Wetland expansion on the continental shelf of the northern South China Sea during deglacial sea level rise. <i>Quaternary Science Reviews</i> , 2020 , 231, 106202	4
151	Paleozoology and Paleoenvironments: Fundamentals, Assumptions, Techniques. 2019,	13
150	Spatial Considerations of Stable Isotope Analyses in Environmental Forensics. 36-53	13
149	Fine-scale variability in the dietary sources of grazing invertebrates in a temperate Australian saltmarsh. 2010 , 61, 615	17
148	Tropical Forests and Global Atmospheric Change. 2005,	26
147	Late twentieth-century patterns and trends in the climate of tropical forest regions. 2005, 3-16	13
146	Twenty-first century atmospheric change and deforestation: potential impacts on tropical forests. 2005 , 17-30	3
145	ForestEllimate interactions in fragmented tropical landscapes. 2005, 31-39	4
144	Predicting the impacts of global environmental changes on tropical forests. 2005 , 41-56	1
143	Ecophysiological and biogeochemical responses to atmospheric change. 2005 , 57-66	1
142	The effects of drought on tropical forest ecosystems. 2005 , 75-84	12

141	Late twentieth-century patterns and trends in Amazon tree turnover. 2005 , 107-128	2
140	Error propagation and scaling for tropical forest biomass estimates. 2005, 155-164	5
139	Climate change and speciation in neotropical seasonally dry forest plants. 2005, 199-214	2
138	The prospects for tropical forests in the twenty-first-century atmosphere. 2005 , 215-226	1
137	C4 photosynthesis with Kranz anatomy evolved in the Oryza coarctata Roxb.	1
136	Functional diversification enabled grassy biomes to fill global climate space.	6
135	Modeling Soil C Responses to Environmental Change in Grassland Systems. 2000,	3
134	Quantifying Growth Nondestructively Using Whole-Plant CO2 Exchange Is a Powerful Tool for Phenotyping. 2016 , 571-587	2
133	Utilization of sugarcane habitat by feral pig (Sus scrofa) in northern tropical Queensland: evidence from the stable isotope composition of hair. 2012 , 7, e43538	9
132	Desert tortoise (Gopherus agassizii) dietary specialization decreases across a precipitation gradient. 2013 , 8, e66505	12
131	Opportunistic feeding strategy for the earliest old world hypsodont equids: evidence from stable isotope and dental wear proxies. 2013 , 8, e74463	34
130	Phenology and productivity of C3 and C4 grasslands in Hawaii. 2014 , 9, e107396	10
129	Sediment biomarkers elucidate the Holocene ontogeny of a shallow lake. 2018 , 13, e0191073	4
128	Light reacclimatization of lower leaves in C4 maize canopies grown at two planting densities. 2020 , 58, 732-739	3
127	Anatomical Characteristics of C4 and C3 Photosynthetic-pathway Poaceae Plants in Hainan. 2011 , 46, 456-469	4
126	Study of Seed Dormancy Mechanisms; Causes and Control. 2002 , 1, 210-212	4
125	Effect of Water Stress on the Growth and Development of <i>Amaranthus spinosus, Leptochloa chinensis</i>, and Rice. 2013 , 04, 989-998	14
124	Forests, savannas and grasslands: bridging the knowledge gap between ecology and Dynamic Global Vegetation Models.	10

123	MODIS vegetation products as proxies of photosynthetic potential: a look across meteorological and biologic driven ecosystem productivity.	6
122	Large regional-scale variation in C3/C4 distribution pattern of Inner Mongolia steppe is revealed by grazer wool carbon isotope composition.	6
121	Terrestrial biosphere changes over the last 120 kyr. 2016 , 12, 51-73	31
120	ClimateDegetation modelling and fossil plant data suggest low atmospheric CO ₂ in the late Miocene.	1
119	Ecosystem effects of CO ₂ concentration: evidence from past climates.	2
118	Effects of Climate Change on C4Plant List and Distribution in South Korea:A Review. 2011 , 13, 123-139	8
117	Seasonal Change in C3/C4Mixed Vegetation Populations over Paddy Levees in South Korea. 2012 , 14, 196-206	1
116	Occurrence and Distribution of C4Plants under Diverse Agricultural Field Types in Korea. 2013 , 15, 85-101	4
115	Large mammal burrows in late Miocene calcic paleosols from central Argentina: paleoenvironment, taphonomy and producers. 2018 , 6, e4787	9
114	Natural versus urban global soil organic carbon stocks: A meta-analysis. 2021 , 807, 150999	1
113	Aridification and orbital forcing of eastern African climate during the Plio-Pleistocene. 2021, 208, 103684	2
112	Ecological responses of Amazonian forests to El Ni ô -induced surface fires. 2005 , 87-96	
111	Late twentieth-century trends in tree-community composition in an Amazonian forest. 2005, 97-106	1
110	Late twentieth-century trends in the biomass of Amazonian forest plots. 2005, 129-142	2
109	Late twentieth-century trends in the structure and dynamics of South American forests. 2005, 143-154	
108	The longevity and resilience of the Amazon rainforest. 2005 , 167-182	
107	Tropical forests dynamics in response to a CO2-rich atmosphere. 2005 , 67-74	
106	Amazonian ecosystems and atmospheric change since the last glacial maximum. 2005 , 183-190	

105	Modelling the past and the future fate of the Amazonian forest. 2005, 191-198		1
104	Grass (Poaceae) richness patterns across Chinal nature reserves. 2008, 167-187		
103	Growth and Photosynthetic Responses of One C3and Two C4Chenopodiaceae Plants to Three CO2Concentration Conditions. 2008 , 31, 261-267		2
102	Carbon Dioxide Compensation Points of Some Dicots of the Centrospermeae Species and Their Ecological Implications for Agroforestry. 2008 , 5, 67-75		
101	Stable isotope and modelling evidence that CO ₂ drives vegetation changes in the tropics.		1
100	Contribution of Stable Light Isotopes to Paleoenvironmental Reconstruction. 2013, 1-22		
99	C4 photosynthesis and climate through the lens of optimality.		
98	Comparison of gene expression patterns of Kappaphycus alvarezii (Rhodophyta, Solieriaceae) under different light wavelengths and CO2 enrichment.		
97	Carbon Relations. 2019 , 401-453		О
96	Crop Selection in Controlled Ecological Life Support Systems. 2019 , 1-14		
95	Redundant SCARECROW genes pattern distinct cell layers in roots and leaves of maize.		О
94	Reconstructed protein sequence evolution consistent with the evolution of C4 photosynthesis via a C2 ancestor in the Paniceae.		
93	Optimal coordination and reorganization of photosynthetic properties in C4 grasses.		О
92	The legacy of C4 evolution in the hydraulics of C3 and C4 grasses.		1
91	The limiting factors and regulatory processes that control the environmental responses of C, C-C intermediate, and C photosynthesis. <i>Oecologia</i> , 2021 , 197, 841-866	2.9	О
90	Characterization of organic matter in marine sediments to estimate age offset of bulk radiocarbon dating. 2022 , 67, 101242		O
89	The Biosphere. 2020 , 41-49		

87	Lineage Functional Types (LFTs): Characterizing functional diversity to enhance the representation of ecological behavior in Earth System Models.	
86	Chiral Organocatalyst Combined with Transition Metal Based Photoredox Catalyst. 2022 , 277-300	
85	CrossRef Listing of Deleted DOIs.	
84	Ecophysiological response of lowland plants to Pleistocene climate. 2007 , 333-349	
83	Tropical environmental dynamics: A modeling perspective. 2007 , 171-192	
82	Leaf pigments and photosystems stoichiometry underpin photosynthetic efficiency of related C3, C3-C4and C4grasses under shade.	
81	Analysis of the variation of stable carbon isotopes in macroalgae communities from shallow marine habitats in the Gulf of California ecoregion.	1
80	Home climate and habitat drive ecotypic stress response differences in an invasive grass. 2020 , 12, plaa062	2
79	Table_3.docx. 2018 ,	1
78	High resolution environmental conditions of the last interglacial (MIS5e) in the Levant from Sr, C and O isotopes from a Jerusalem stalagmite. <i>Palaeogeography, Palaeoclimatology, Palaeoecology,</i> 2.9 2022 , 586, 110761	1
77	Paleovegetation and paleo-pedogenic properties from the upper Miocene Coffee Ranch fossil site in the North American Great Plains. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022 , 586, 110768	1
76	Greater loss and fragmentation of savannas than forests over the last three decades in Yunnan Province, China.	
75	Coordination of stomata and vein patterns with leaf width underpins water-use efficiency in a C crop. 2021 ,	2
74	Indigenous impacts on north Australian savanna fire regimes over the Holocene. 2021 , 11, 23157	O
73	Effects of Atmospheric CO and Temperature on Wheat and Corn Susceptibility to and Deoxynivalenol Contamination 2021 , 10,	О
72	Climate change adaptation through ecological restoration. 2022, 151-172	O
71	A model of C 4 photosynthetic acclimation based on least-cost optimality theory suitable for Earth System Model incorporation.	2
70	Changes in obliquity drive tree cover shifts in eastern tropical South America. <i>Quaternary Science Reviews</i> , 2022 , 279, 107402	1

69	Estimate of the Current Condition of Populations of the <i>Lagochilus olgae</i> R.KAM. (Lamiaceae Lindl.) in Uzbekistan. 2022 , 13, 307-315		1
68	Gene co-expression reveals the modularity and integration of C4 and CAM in Portulaca 2022,		Ο
67	Isotopic evidence for a diet shift in a Pleistocene sub-adult mastodon from the Brazilian Pampa. <i>Historical Biology</i> , 1-15	1.1	O
66	C4 trees have broader niches than their close C3 relatives Journal of Experimental Botany, 2022,	7	О
65	Higher sea surface temperature in the Indian Ocean during the Last Interglacial weakened the South Asian monsoon <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022 , 119, e2107720119	11.5	Ο
64	Interaction between increased CO2 and temperature enhance plant growth but do not affect millet grain production. <i>Acta Scientiarum - Agronomy</i> , 44, e53515	0.6	О
63	Contrasting effects of arbuscular mycorrhizal fungi on nitrogen uptake in Leymus chinensis and Cleistogenes squarrosa grasses, dominants of the Inner Mongolian steppe. <i>Plant and Soil</i> , 1	4.2	1
62	Climatic control on the C3 and C4 plant abundance during the late Pleistocene [Holocene in the northern Gangetic Plain, India. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022 , 591, 110890	2.9	О
61	Precipitation temporal repackaging into fewer, larger storms delayed seasonal timing of peak photosynthesis in a semi-arid grassland. <i>Functional Ecology</i> , 2022 , 36, 646-658	5.6	0
60	Overestimate of C 4 Plant Abundance Caused by Soil Degradation-Induced Carbon Isotope Fractionation. <i>Geophysical Research Letters</i> , 2021 , 48,	4.9	О
59	Beyond the Tree-Line: The C3-C4 Ctrass-Line Can Track Global Change in the World Grassy Mountain Systems. <i>Frontiers in Ecology and Evolution</i> , 2021 , 9,	3.7	1
58	OUP accepted manuscript. Journal of Experimental Botany,	7	O
57	Investigating the palaeoenvironmental context of Late Pleistocene human dispersals into Southeast Asia: a review of stable isotope applications. <i>Archaeological and Anthropological Sciences</i> , 2022 , 14, 1	1.8	
56	Predicting global terrestrial biomes with the LeNet convolutional neural network. <i>Geoscientific Model Development</i> , 2022 , 15, 3121-3132	6.3	1
55	Global biogeography. 364-392		
54	Data_Sheet_1.XLSX. 2018,		
53	Data_Sheet_2.xlsx. 2018 ,		
52	lmage_1.tif. 2018 ,		

51 Image_2.tif. **2018**,

50	Image_3.tif. 2018 ,		
49	Table_1.DOCX. 2018 ,		
48	Table_2.XLSX. 2018 ,		
47	Clelts Lup and down the Alps. Insights on mobility patterns in the pre-Roman /Celtic population from Verona (NE Italy, 3rd Lst c. BCE): A multi-isotopic approach. <i>American Journal of Biological Anthropology</i> ,		
46	Earlier green-up and senescence of temperate United States rangelands under future climate. Modeling Earth Systems and Environment,	3.2	
45	A stronger role for long-term moisture change than for CO in determining tropical woody vegetation change <i>Science</i> , 2022 , 376, 653-656	33.3	1
44	The Pampean region (Argentina) underwent larger variation in aridity than in temperature during the late Pleistocene: New evidence from the isotopic analysis of mammalian taxa. <i>Quaternary Science Reviews</i> , 2022 , 286, 107555	3.9	O
43	Saltmarshes: Ecology, Opportunities, and Challenges. <i>Encyclopedia of the UN Sustainable Development Goals</i> , 2022 , 907-921	0.1	
42	Climate controls on evolution of grassland ecosystems since late Cenozoic: A phytolith perspective. <i>Earth-Science Reviews</i> , 2022 , 104059	10.2	O
41	Fire, climate and biotic interactions shape diversity patterns along an Afrotropical elevation gradient. <i>Journal of Biogeography</i> ,	4.1	0
40	Environmental inferences based on the dietary ecology of camelids from west-central Mexico during the Late Pleistocene. <i>Historical Biology</i> , 1-17	1.1	
39	Climate and anthropogenic drivers of changes in abundance of C4 annuals and perennials in grasslands on the Mongolian Plateau.		О
38	Pleistocene drivers of Northwest African hydroclimate and vegetation. <i>Nature Communications</i> , 2022 , 13,	17.4	1
37	Late Quaternary hydroclimate of the Levant: The leaf wax record from the Dead Sea. <i>Quaternary Science Reviews</i> , 2022 , 289, 107613	3.9	О
36	Preface. 2005 , v-viii		
35	Contributors. 2005 , xiii-xvi		
34	Copyright Page. 2005 , iv-iv		

Plant families exhibit unique geographic trends in C4 richness and cover in Australia. **2022**, 17, e0271603

32	Grassy Ecosystems in the Anthropocene. 2022 , 47,	O
31	Wildfire history and savanna expansion across southern Africa since the late Miocene. 2022 , 603, 111189	
30	Unexpected record of the aquatic sloth Thalassocnus (Mammalia, Xenarthra, Folivora) in the upper Neogene of the Puna (Jujuy, Argentina).	O
29	Coordination of leaf functional traits under climatic warming in an arid ecosystem. 2022, 22,	O
28	The leaf economics spectrum of triploid and tetraploid C 4 grass Miscanthus $ x $ giganteus .	O
27	Climate change challenges, plant science solutions.	O
26	C4 plant food loss probably influenced Paranthropus boisei's extinction: A reply to Patterson et al.'s commentary on Quinn and Lepre (2021). 2022 , 103269	O
25	Seasonality of precipitation in the southwestern United States during the late Pleistocene inferred from stable isotopes in herbivore tooth enamel. 2022 , 296, 107784	O
24	The responses of photosynthetic light response parameters to temperature among different seasons in a coniferous plantation of subtropical China. 2022 , 145, 109595	O
23	Last 10 millennial history of Indian summer monsoon in the Bengal region had multi-proxy reconstruction from a lacustrine archive. 2023 , 609, 111308	O
22	Leaf pigments and photosystems stoichiometry underpin photosynthetic efficiency of related C 3 , C 3 -C 4 and C 4 grasses under shade.	O
21	Research, development and adoption for the north Australian beef cattle breeding industry: an analysis of needs and gaps. 2022 ,	O
20	Optimal coordination and reorganization of photosynthetic properties in C 4 grasses.	O
19	Potential distribution prediction of Amaranthus palmeri S. Watson in China under current and future climate scenarios. 2022 , 12,	O
18	Assessment of the Current Condition of Populations of the Red List Species Salvia submutica Botsch. & VVED. (Lamiaceae Lindl.) In Nuratau Mountain Ridge, Uzbekistan. 2022 , 41, 322-328	O
17	Isotopic Evidence for the Geographic Origin, Movement and Diet of the Hofmeyr Individual. 2022, 47-68	O
16	Climate change during the last deglaciation at central equatorial African mountains. 2023, 302, 107951	O

15	Carbon isotope values for grasses in Madagascar's Central Highlands establish baselines for historical and paleoecological research.	О
14	Hydroclimate Variability in the Equatorial Western Indian Ocean for the Last 250,000 Years. 2023 , 38,	O
13	A paleothermometer for the northern Andes based on C3124 grass phytoliths. 1-17	O
12	Paleoenvironmental changes in the Brazilian Pampa based on carbon and oxygen stable isotope analysis of Pleistocene camelid tooth enamel.	О
11	Mixed models elucidate local- and regional-scale drivers of paleoenvironmental change in eastern Africa during the emergence of Paranthropus and Homo. 2023 , 616, 111479	О
10	Photosynthetic resource-use efficiency trade-offs triggered by vapour pressure deficit and nitrogen supply in a C4 species. 2023 , 197, 107666	O
9	Global C4 distribution estimate constrained by observations and optimality theory.	O
8	Plant response to arbuscular mycorrhizal fungi at CO2 and temperature levels of the past and present. 2023 , 89, 307-317	О
7	Nonlinear rainfall effects on savanna fire activity across the African Humid Period. 2023, 304, 107994	O
6	Early LGM environments accelerated the MSA/LSA transition in southern African highlands: the Robberg emergence at Melikane (Lesotho) .	O
5	Stable Isotope Composition (C and N) of Vegetation in Subtropical Andes: Piedmont Anomalyland its Implications for Paleo (Ecology) and Human Diet Reconstruction. 1-14	O
4	Transcriptomics and Metabolomics Analysis Provides Insight into Leaf Color and Photosynthesis Variation of the Yellow-Green Leaf Mutant of Hami Melon (Cucumis melo L.). 2023 , 12, 1623	O
3	Using the factors of soil formation to assess stable carbon isotope disequilibrium in late Pleistocene (MIS 3) buried soils of the Great Plains, North America. 2023 , 111574	O
2	Effects of native and invasive grasses on the survival and growth of tree seedlings in a neotropical savanna.	O
1	Ecological stability of Late Pleistocene-to-Holocene Lesotho, southern Africa, facilitated human upland habitation. 2023 , 4,	O