

CITATION REPORT

List of articles citing

Hsc66 and Hsc20, a new heat shock cognate molecular chaperone system from Escherichia coli

DOI: 10.1002/pro.5560060511
Protein Science, 1997, 6, 1047-56.

Source: <https://exaly.com/paper-pdf/28678690/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
93	13. Sensing the cellular Fe-S cluster demand: a structural, functional, and phylogenetic overview of Escherichia coli IscR.		2
92	Crystallization and preliminary X-ray crystallographic properties of Hsc20, a J-motif co-chaperone protein from Escherichia coli. <i>Protein Science</i> , 1997 , 6, 2028-30	6.3	6
91	Role of the DnaK and HscA homologs of Hsp70 chaperones in protein folding in E.coli. <i>EMBO Journal</i> , 1998 , 17, 4818-28	13	91
90	The J-domain family and the recruitment of chaperone power. <i>Trends in Biochemical Sciences</i> , 1998 , 23, 222-7	10.3	352
89	Proteolysis and chaperones: the destruction/reconstruction dilemma. <i>Current Opinion in Microbiology</i> , 1998 , 1, 204-9	7.9	27
88	Hsc62, a new DnaK homologue of Escherichia coli. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 250, 115-8	3.4	23
87	Suppressors of superoxide dismutase (SOD1) deficiency in Saccharomyces cerevisiae. Identification of proteins predicted to mediate iron-sulfur cluster assembly. <i>Journal of Biological Chemistry</i> , 1998 , 273, 31138-44	5.4	161
86	New insights into the phylogeny of eukaryotes based on ciliate Hsp70 sequences. <i>Molecular Biology and Evolution</i> , 1998 , 15, 943-56	8.3	54
85	Chaperone-mediated protein folding. <i>Physiological Reviews</i> , 1999 , 79, 425-49	47.9	844
84	Phylogenetic analysis of the third hsp70 homolog in Escherichia coli; a novel member of the Hsc66 subfamily and its possible co-chaperone. <i>DNA Research</i> , 1999 , 6, 299-305	4.5	22
83	Co-translational folding. <i>Current Opinion in Structural Biology</i> , 1999 , 9, 111-4	8.1	59
82	Regulation of the heat-shock response. <i>Current Opinion in Microbiology</i> , 1999 , 2, 153-8	7.9	196
81	Polypeptide flux through bacterial Hsp70: DnaK cooperates with trigger factor in chaperoning nascent chains. <i>Cell</i> , 1999 , 97, 755-65	56.2	344
80	Saccharomyces cerevisiae ISU1 and ISU2: members of a well-conserved gene family for iron-sulfur cluster assembly. <i>Journal of Molecular Biology</i> , 1999 , 294, 897-907	6.5	177
79	Interaction of the iron-sulfur cluster assembly protein IscU with the Hsc66/Hsc20 molecular chaperone system of Escherichia coli. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 7790-5	11.5	197
78	Kinetic characterization of the ATPase cycle of the molecular chaperone Hsc66 from Escherichia coli. <i>Journal of Biological Chemistry</i> , 2000 , 275, 7779-86	5.4	51
77	Role of Saccharomyces cerevisiae ISA1 and ISA2 in iron homeostasis. <i>Molecular and Cellular Biology</i> , 2000 , 20, 3918-27	4.8	154

76	Crystal structure of Hsc20, a J-type Co-chaperone from Escherichia coli. <i>Journal of Molecular Biology</i> , 2000 , 304, 835-45	6.5	59
75	The mitochondrial proteins Ssq1 and Jac1 are required for the assembly of iron sulfur clusters in mitochondria. <i>Journal of Molecular Biology</i> , 2001 , 307, 815-25	6.5	131
74	The two mitochondrial heat shock proteins 70, Ssc1 and Ssq1, compete for the cochaperone Mge1. <i>Journal of Molecular Biology</i> , 2001 , 313, 13-26	6.5	34
73	Cotranslational folding--omnia mea mecum porto?. <i>International Journal of Biochemistry and Cell Biology</i> , 2001 , 33, 541-53	5.6	60
72	HscA is involved in the dynamics of FtsZ-ring formation in Escherichia coli K12. <i>Genes To Cells</i> , 2001 , 6, 803-14	2.3	17
71	The Fe/S assembly protein IscU behaves as a substrate for the molecular chaperone Hsc66 from Escherichia coli. <i>Journal of Biological Chemistry</i> , 2001 , 276, 1696-700	5.4	86
70	Jac1, a mitochondrial J-type chaperone, is involved in the biogenesis of Fe/S clusters in Saccharomyces cerevisiae. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 1483-8	11.5	115
69	J-domain protein, Jac1p, of yeast mitochondria required for iron homeostasis and activity of Fe-S cluster proteins. <i>Journal of Biological Chemistry</i> , 2001 , 276, 17524-32	5.4	64
68	Transfer of sulfur from IscS to IscU during Fe/S cluster assembly. <i>Journal of Biological Chemistry</i> , 2001 , 276, 44521-6	5.4	212
67	DjlA is a third DnaK co-chaperone of Escherichia coli, and DjlA-mediated induction of colanic acid capsule requires DjlA-DnaK interaction. <i>Journal of Biological Chemistry</i> , 2001 , 276, 7906-12	5.4	53
66	Hsc66 substrate specificity is directed toward a discrete region of the iron-sulfur cluster template protein IscU. <i>Journal of Biological Chemistry</i> , 2002 , 277, 27353-9	5.4	88
65	A specialized mitochondrial molecular chaperone system: a role in formation of Fe/S centers. <i>Cellular and Molecular Life Sciences</i> , 2002 , 59, 1658-65	10.3	87
64	Bacterial cysteine desulfurases: their function and mechanisms. <i>Applied Microbiology and Biotechnology</i> , 2002 , 60, 12-23	5.7	217
63	Identification of a novel candidate gene in the iron-sulfur pathway implicated in ataxia-susceptibility: human gene encoding HscB, a J-type co-chaperone. <i>Journal of Human Genetics</i> , 2003 , 48, 415-419	4.3	24
62	The transmembrane domain of the DnaJ-like protein DjlA is a dimerisation domain. <i>Molecular Genetics and Genomics</i> , 2003 , 268, 761-70	3.1	18
61	Contributions of the LPPVK motif of the iron-sulfur template protein IscU to interactions with the Hsc66-Hsc20 chaperone system. <i>Journal of Biological Chemistry</i> , 2003 , 278, 37582-9	5.4	74
60	Xenorhabdus nematophila requires an intact iscRSUA-hscBA-fdx operon to colonize Steinernema carpocapsae nematodes. <i>Journal of Bacteriology</i> , 2003 , 185, 3678-82	3.5	15
59	Ssq1, a mitochondrial Hsp70 involved in iron-sulfur (Fe/S) center biogenesis. Similarities to and differences from its bacterial counterpart. <i>Journal of Biological Chemistry</i> , 2003 , 278, 29719-27	5.4	113

58	Regulation of the HscA ATPase reaction cycle by the co-chaperone HscB and the iron-sulfur cluster assembly protein IscU. <i>Journal of Biological Chemistry</i> , 2004 , 279, 53924-31	5.4	74
57	Preferential substrate binding orientation by the molecular chaperone HscA. <i>Journal of Biological Chemistry</i> , 2004 , 279, 28435-42	5.4	39
56	Crystal structure of the molecular chaperone HscA substrate binding domain complexed with the IscU recognition peptide ELPPVKIHC. <i>Journal of Molecular Biology</i> , 2004 , 342, 1265-78	6.5	83
55	IronSulfur Cluster Biogenesis in Archaea and Bacteria. 2004 , 1-27		2
54	Regulation of Hsp70 Chaperones by Co-chaperones. 516-562		2
53	Not all J domains are created equal: implications for the specificity of Hsp40-Hsp70 interactions. <i>Protein Science</i> , 2005 , 14, 1697-709	6.3	227
52	X-ray diffraction analysis of a crystal of HscA from Escherichia coli. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2005 , 61, 715-7		3
51	Structure, function, and formation of biological iron-sulfur clusters. <i>Annual Review of Biochemistry</i> , 2005 , 74, 247-81	29.1	1053
50	Sequence-dependent peptide binding orientation by the molecular chaperone DnaK. <i>Biochemistry</i> , 2005 , 44, 12307-15	3.2	20
49	How Escherichia coli and Saccharomyces cerevisiae build Fe/S proteins. <i>Advances in Microbial Physiology</i> , 2005 , 50, 41-101	4.4	84
48	Life at Low Temperatures. 2006 , 210-262		19
47	Structural determinants of HscA peptide-binding specificity. <i>Biochemistry</i> , 2006 , 45, 8058-66	3.2	14
46	Dangerous liaisons: The symbiosis of entomopathogenic nematodes and bacteria. <i>Biological Control</i> , 2006 , 38, 22-46	3.8	77
45	IscR-dependent gene expression links iron-sulphur cluster assembly to the control of O ₂ -regulated genes in Escherichia coli. <i>Molecular Microbiology</i> , 2006 , 60, 1058-75	4.1	222
44	Genetic Engineering. 2006 ,		
43	Fatty acyl benzamido antibacterials based on inhibition of DnaK-catalyzed protein folding. <i>Journal of Biological Chemistry</i> , 2007 , 282, 4437-4446	5.4	24
42	Controlled expression of nif and isc iron-sulfur protein maturation components reveals target specificity and limited functional replacement between the two systems. <i>Journal of Bacteriology</i> , 2007 , 189, 2854-62	3.5	64
41	Molecular chaperones HscA/Ssq1 and HscB/Jac1 and their roles in iron-sulfur protein maturation. <i>Critical Reviews in Biochemistry and Molecular Biology</i> , 2007 , 42, 95-111	8.7	144

40	The Hsp70 chaperone machines of Escherichia coli: a paradigm for the repartition of chaperone functions. <i>Molecular Microbiology</i> , 2007 , 66, 840-57	4.1	199
39	Diversifying selection and host adaptation in two endosymbiont genomes. <i>BMC Evolutionary Biology</i> , 2007 , 7, 68	3	27
38	The impact of O(2) on the Fe-S cluster biogenesis requirements of Escherichia coli FNR. <i>Journal of Molecular Biology</i> , 2008 , 384, 798-811	6.5	50
37	Solution structure of the iron-sulfur cluster cochaperone HscB and its binding surface for the iron-sulfur assembly scaffold protein IscU. <i>Biochemistry</i> , 2008 , 47, 9394-404	3.2	38
36	Studies on the mechanism of catalysis of iron-sulfur cluster transfer from IscU[2Fe2S] by HscA/HscB chaperones. <i>Biochemistry</i> , 2008 , 47, 12795-801	3.2	83
35	The human escort protein Hep binds to the ATPase domain of mitochondrial hsp70 and regulates ATP hydrolysis. <i>Journal of Biological Chemistry</i> , 2008 , 283, 26098-106	5.4	31
34	A complex between biotin synthase and the iron-sulfur cluster assembly chaperone HscA that enhances in vivo cluster assembly. <i>Biochemistry</i> , 2009 , 48, 10782-92	3.2	28
33	Facilitated transfer of IscU-[2Fe2S] clusters by chaperone-mediated ligand exchange. <i>Biochemistry</i> , 2011 , 50, 9641-50	3.2	71
32	A conserved histidine in human DNLZ/HEP is required for stimulation of HSPA9 ATPase activity. <i>Biochemical and Biophysical Research Communications</i> , 2011 , 408, 589-94	3.4	13
31	Iron-sulfur proteins are the major source of protein-bound dinitrosyl iron complexes formed in Escherichia coli cells under nitric oxide stress. <i>Free Radical Biology and Medicine</i> , 2011 , 50, 1582-90	7.8	38
30	Reconstructing genome-wide regulatory network of E. coli using transcriptome data and predicted transcription factor activities. <i>BMC Bioinformatics</i> , 2011 , 12, 233	3.6	40
29	Specialized Hsp70 chaperone (HscA) binds preferentially to the disordered form, whereas J-protein (HscB) binds preferentially to the structured form of the iron-sulfur cluster scaffold protein (IscU). <i>Journal of Biological Chemistry</i> , 2012 , 287, 31406-13	5.4	37
28	Identity and function of a large gene network underlying mutagenic repair of DNA breaks. <i>Science</i> , 2012 , 338, 1344-8	33.3	150
27	Selenate reductase activity in Escherichia coli requires Isc iron-sulfur cluster biosynthesis genes. <i>FEMS Microbiology Letters</i> , 2014 , 361, 138-43	2.9	8
26	The specialized Hsp70 (HscA) interdomain linker binds to its nucleotide-binding domain and stimulates ATP hydrolysis in both cis and trans configurations. <i>Biochemistry</i> , 2014 , 53, 7148-59	3.2	20
25	Nucleotide-dependent interactions within a specialized Hsp70/Hsp40 complex involved in Fe-S cluster biogenesis. <i>Journal of the American Chemical Society</i> , 2014 , 136, 11586-9	16.4	20
24	Tangled web of interactions among proteins involved in iron-sulfur cluster assembly as unraveled by NMR, SAXS, chemical crosslinking, and functional studies. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2015 , 1853, 1416-28	4.9	30
23	Response of Fe-S cluster assembly machinery of Escherichia coli to mechanical stress in a model of amino-acid crystal fermentation. <i>Journal of Bioscience and Bioengineering</i> , 2015 , 120, 287-93	3.3	2

22	RNA-Seq analysis of isolate- and growth phase-specific differences in the global transcriptomes of enteropathogenic <i>Escherichia coli</i> prototype isolates. <i>Frontiers in Microbiology</i> , 2015 , 6, 569	5.7	19
21	Auxiliary iron-sulfur cofactors in radical SAM enzymes. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2015 , 1853, 1316-34	4.9	71
20	How Is Fe-S Cluster Formation Regulated?. <i>Annual Review of Microbiology</i> , 2015 , 69, 505-26	17.5	41
19	Functional implications of the interaction between HscB and IscU in the biosynthesis of FeS clusters. <i>Journal of Biological Inorganic Chemistry</i> , 2015 , 20, 1039-48	3.7	11
18	A New Tessera into the Interactome of the Operon: A Novel Interaction between HscB and IscS. <i>Frontiers in Molecular Biosciences</i> , 2016 , 3, 48	5.6	7
17	Mammalian Fe-S proteins: definition of a consensus motif recognized by the co-chaperone HSC20. <i>Metallomics</i> , 2016 , 8, 1032-1046	4.5	21
16	4 Sensing the cellular Fe-S cluster demand: a structural, functional, and phylogenetic overview of <i>Escherichia coli</i> IscR. 2017 ,		
15	9 Delivery of iron-sulfur clusters to recipient proteins: the role of chaperone and cochaperone proteins. 2017 ,		1
14	Regulation of human Nfu activity in Fe-S cluster delivery-characterization of the interaction between Nfu and the HSPA9/Hsc20 chaperone complex. <i>FEBS Journal</i> , 2018 , 285, 391-410	5.7	6
13	Comparative analysis of microRNA expression profiles of adult <i>Schistosoma japonicum</i> isolated from water buffalo and yellow cattle. <i>Parasites and Vectors</i> , 2019 , 12, 196	4	2
12	The isc gene cluster expression ethanol tolerance associated improves its ethanol production by organic acids flux redirection in the ethanologenic <i>Escherichia coli</i> KO11 strain. <i>World Journal of Microbiology and Biotechnology</i> , 2019 , 35, 189	4.4	3
11	Biochemical Convergence of Mitochondrial Hsp70 System Specialized in Iron-Sulfur Cluster Biogenesis. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	4
10	Mitochondrial HSP70 Chaperone System-The Influence of Post-Translational Modifications and Involvement in Human Diseases. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	4
9	Molecular roles of chaperones in assisted folding and assembly of proteins. <i>Genetic Engineering</i> , 2006 , 27, 191-229		1
8	Assembly of the Bound IronSulfur Clusters in Photosystem I. 2006 , 529-548		8
7	The Role of Mortalin in Iron Homeostasis. 2012 , 31-54		1
6	The <i>Pseudomonas aeruginosa</i> hscA gene encodes Hsc66, a DnaK homologue. <i>Microbiology (United Kingdom)</i> , 2000 , 146 (Pt 6), 1429-1435	2.9	8
5	The Hsc66-Hsc20 chaperone system in <i>Escherichia coli</i> : chaperone activity and interactions with the DnaK-DnaJ-grpE system. <i>Journal of Bacteriology</i> , 1998 , 180, 6617-24	3.5	73

- 4 Linkage map of Escherichia coli K-12, edition 10: the traditional map. *Microbiology and Molecular Biology Reviews*, **1998**, 62, 814-984 13.2 178
- 3 Learning from Bacteria: Molecular Chaperones in Ribosomes and Thermophilic Adaptation. **2001**, 346-354
- 2 Mammalian iron sulfur cluster biogenesis: From assembly to delivery to recipient proteins with a focus on novel targets of the chaperone and co-chaperone proteins.. *IUBMB Life*, **2022**, 4.7 2
- 1 Cytoplasmic molecular chaperones in Pseudomonas species. **2022**, 60, 1049-1060 0