

# CITATION REPORT

List of articles citing

Induction of apoptosis in peripheral blood lymphocytes following treatment in vitro with hydroxychlor

DOI: 10.1002/art.1780400522

Arthritis and Rheumatism, 1997, 40, 927-35.

**Source:** <https://exaly.com/paper-pdf/28775530/citation-report.pdf>

**Version:** 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
50	An investigation of a possible role for mitochondrial nuclease in apoptosis. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , <b>1998</b> , 3, 395-405	5.4	4
49	Differential oncogene and TNF-alpha mRNA expression in bone marrow cells from systemic lupus erythematosus patients. <i>Scandinavian Journal of Immunology</i> , <b>1998</b> , 48, 551-6	3.4	19
48	Hydroxychloroquine: past, present, future. <i>Lupus</i> , <b>1998</b> , 7, 65-7	2.6	30
47	Plant alkaloid tetrandrine downregulates protein kinase C-dependent signaling pathway in T cells. <i>European Journal of Pharmacology</i> , <b>1999</b> , 367, 389-98	5.3	24
46	Antimalarials: unapproved uses or indications. <i>Clinics in Dermatology</i> , <b>2000</b> , 18, 17-35	3	42
45	Early induction of apoptosis in B-chronic lymphocytic leukaemia cells by hydroxychloroquine: activation of caspase-3 and no protection by survival factors. <i>British Journal of Haematology</i> , <b>2001</b> , 112, 344-52	4.5	17
44	Western and Chinese antirheumatic drug-induced T cell apoptotic DNA damage uses different caspase cascades and is independent of Fas/Fas ligand interaction. <i>Journal of Immunology</i> , <b>2001</b> , 166, 6914-24	5.3	48
43	Antimalarials in cutaneous lupus erythematosus: mechanisms of therapeutic benefit. <i>Lupus</i> , <b>2002</b> , 11, 71-81	2.6	53
42	Mitochondrial hyperpolarization and ATP depletion in patients with systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , <b>2002</b> , 46, 175-90		264
41	Hydroxychloroquine cardiotoxicity in systemic lupus erythematosus: a report of 2 cases and review of the literature. <i>Seminars in Arthritis and Rheumatism</i> , <b>2004</b> , 33, 336-51	5.3	94
40	Hypothesis links emergence of chloroquine-resistant malaria and other intracellular pathogens and suggests a new strategy for treatment of diseases caused by intracellular parasites. <i>Medical Hypotheses</i> , <b>2004</b> , 62, 354-7	3.8	14
39	Therapies for rheumatoid arthritis: hope springs eternal. <i>Drug Discovery Today</i> , <b>2005</b> , 10, 1598-606	8.8	20
38	Systemic lupus erythematosus in three ethnic groups: XVI. Association of hydroxychloroquine use with reduced risk of damage accrual. <i>Arthritis and Rheumatism</i> , <b>2005</b> , 52, 1473-80		261
37	Traitements immunomodulateurs et immunosuppresseurs classiques du lupus érythémateux systémique. <i>Revue Du Rhumatisme (Edition Française)</i> , <b>2005</b> , 72, 563-571	0.1	1
36	[Synthetic antimalarials]. <i>Annales De Dermatologie Et De Venereologie</i> , <b>2005</b> , 132, 665-74	0.3	5
35	Hydroxychloroquine potentiates Fas-mediated apoptosis of rheumatoid synoviocytes. <i>Clinical and Experimental Immunology</i> , <b>2006</b> , 144, 503-11	6.2	36
34	Immunomodulatory role of chloroquine and pyrimethamine in Plasmodium yoelii 17XL infected mice. <i>Scandinavian Journal of Immunology</i> , <b>2007</b> , 65, 54-62	3.4	14

33	New concepts in antimalarial use and mode of action in dermatology. <i>Dermatologic Therapy</i> , <b>2007</b> , 20, 160-74	2.2	185
32	Asexual blood stages of Plasmodium falciparum exhibit signs of secondary necrosis, but not classical apoptosis after exposure to febrile temperature (40 C). <i>Journal of Parasitology</i> , <b>2008</b> , 94, 473-80 <sup>0.9</sup>		19
31	Ototoxic effects of mefloquine in cochlear organotypic cultures. <i>Journal of Otology</i> , <b>2009</b> , 4, 76-85	1.9	5
30	Wild-type p53 in cancer cells: when a guardian turns into a blackguard. <i>Biochemical Pharmacology</i> , <b>2009</b> , 77, 11-20	6	67
29	Hydroxychloroquine induces autophagic cell death of human dermal fibroblasts: implications for treating fibrotic skin diseases. <i>Journal of Investigative Dermatology</i> , <b>2009</b> , 129, 2333-5	4.3	11
28	Hydroxychloroquine modulates metabolic activity and proliferation and induces autophagic cell death of human dermal fibroblasts. <i>Journal of Investigative Dermatology</i> , <b>2009</b> , 129, 2419-26	4.3	39
27	Pro-apoptotic effects of antimalarial drugs do not affect mature human erythrocytes. <i>Acta Tropica</i> , <b>2009</b> , 112, 236-8	3.2	7
26	PHARMACOLOGY AND DRUG THERAPY. <b>2011</b> , 71-126		18
25	Antimalarials and SLE. <b>2011</b> , 1061-1081		0
24	Effect of hydroxychloroquine treatment on pro-inflammatory cytokines and disease activity in SLE patients: data from LUMINA (LXXV), a multiethnic US cohort. <i>Lupus</i> , <b>2012</b> , 21, 830-5	2.6	113
23	[Conventional basis therapy of rheumatoid arthritis. Effects within and outside cells]. <i>Zeitschrift Fur Rheumatologie</i> , <b>2012</b> , 71, 468-72	1.9	
22	Multifaceted effects of hydroxychloroquine in human disease. <i>Seminars in Arthritis and Rheumatism</i> , <b>2013</b> , 43, 264-72	5.3	88
21	Peripheral CD24hi CD27+ CD19+ B cells subset as a potential biomarker in naïve systemic lupus erythematosus. <i>International Journal of Rheumatic Diseases</i> , <b>2013</b> , 16, 698-708	2.3	15
20	The biological and clinical activity of anti-malarial drugs in autoimmune disorders. <i>Current Rheumatology Reviews</i> , <b>2013</b> , 9, 45-62	1.6	27
19	Pharmacology of Chloroquine and Hydroxychloroquine. <b>2014</b> , 35-63		65
18	Chronic hydroxychloroquine improves endothelial dysfunction and protects kidney in a mouse model of systemic lupus erythematosus. <i>Hypertension</i> , <b>2014</b> , 64, 330-7	8.5	79
17	Hydroxychloroquine: a multifaceted treatment in lupus. <i>Presse Medicale</i> , <b>2014</b> , 43, e167-80	2.2	101
16	Potential Ebola prophylaxis. <i>Journal of Paediatrics and Child Health</i> , <b>2015</b> , 51, 743	1.3	

15 Pharmacology and Drug Therapy: Nonbiologic Therapies. **2016**, 140-160.e16

14	Ultraviolet-A1 irradiation therapy for systemic lupus erythematosus. <i>Lupus</i> , <b>2017</b> , 26, 1239-1251	2.6	24
13	Patients with Primary Sjögren's Syndrome Have Alterations in Absolute Quantities of Specific Peripheral Leucocyte Populations. <i>Scandinavian Journal of Immunology</i> , <b>2017</b> , 86, 491-502	3.4	15
12	Hydroxychloroquine inhibits CD154 expression in CD4 T lymphocytes of systemic lupus erythematosus through NFAT, but not STAT5, signaling. <i>Arthritis Research and Therapy</i> , <b>2017</b> , 19, 183	5.7	33
11	Novel function of hydroxychloroquine: Down regulation of T follicular helper cells in collagen-induced arthritis. <i>Biomedicine and Pharmacotherapy</i> , <b>2018</b> , 97, 838-843	7.5	8
10	Cardiac phenotype in mouse models of systemic autoimmunity. <i>DMM Disease Models and Mechanisms</i> , <b>2019</b> , 12,	4.1	11
9	Apoptosis in patients with primary antiphospholipid antibody syndrome. <i>International Journal of Rheumatic Diseases</i> , <b>2019</b> , 22, 677-685	2.3	4
8	Hydroxychloroquine might reduce risk of incident endometriosis in patients with systemic lupus erythematosus: A retrospective population-based cohort study. <i>Lupus</i> , <b>2021</b> , 30, 1609-1616	2.6	
7	Efficacy of hydroxychloroquine for treating annular erythema associated with Sjögren's syndrome. <i>Journal of Dermatology</i> , <b>2021</b> , 48, 1526-1532	1.6	0
6	PHARMACOLOGY AND DRUG THERAPY. <b>2005</b> , 76-141		9
5	Antimalarial drugs in systemic lupus erythematosus: use in pregnancy. <i>Drug Safety</i> , <b>2001</b> , 24, 1055-63	5.1	34
4	ANTIMALARIALS AND IMMUNOSUPPRESSIVE THERAPIES. <b>2004</b> , 1273-1293		
3	Effect of chloroquine on human immunodeficiency virus (HIV) vertical transmission. <i>African Health Sciences</i> , <b>2003</b> , 3, 61-7	1.1	15
2	The hydroxychloroquine drug reduction the cytokine and cortisol levels in mice. <b>2022</b> ,		0
1	KLRG1 is reduced on NK cells in SLE patients, inversely correlates with disease activity and is modulated by hydroxychloroquine in vitro. <b>2023</b> , 32, 549-559		0