

Slice location dependence of aortic regurgitation measurement mapping

Magnetic Resonance in Medicine

37, 545-551

DOI: 10.1002/mrm.1910370412

Citation Report

#	ARTICLE	IF	CITATIONS
1	Quantification of mitral regurgitation with MR phase-velocity mapping using a control volume method. Journal of Magnetic Resonance Imaging, 1998, 8, 577-582.	3.4	43
2	Quantification of aortic regurgitant volume by a newly developed automated cardiac flow measurement method: An in vitro study. Journal of the American Society of Echocardiography, 1998, 11, 874-881.	3.4	141
3	MRI techniques for cardiovascular imaging. Journal of Magnetic Resonance Imaging, 1999, 10, 590-601.	3.4	54
4	Heart motion adapted cine phase-contrast flow measurements through the aortic valve. Magnetic Resonance in Medicine, 1999, 42, 970-978.	3.0	128
5	Motion correction for the quantification of mitral regurgitation using the control volume method. Magnetic Resonance in Medicine, 2000, 43, 726-733.	3.0	14
6	Blood Flow Measurement by Magnetic Resonance Imaging in Congenital Heart Disease. Pediatric Cardiology, 2000, 21, 47-58.	1.3	100
7	Assessment of prosthetic aortic valve performance by magnetic resonance velocity imaging. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2000, 10, 18-26.	2.0	26
10	Quantification of flow volume with a new digital three-dimensional color Doppler flow approach: an in vitro study.. Journal of Ultrasound in Medicine, 2001, 20, 1303-1311.	1.7	12
11	Aortic and mitral regurgitation: Quantification using moving slice velocity mapping. Journal of Magnetic Resonance Imaging, 2001, 14, 106-112.	3.4	97
12	Accurate quantification of steady and pulsatile flow with segmented k-space magnetic resonance velocimetry. Experiments in Fluids, 2002, 33, 458-463.	2.4	5
13	The quantification of pulmonary valve haemodynamics using MRI. International Journal of Cardiovascular Imaging, 2002, 18, 217-225.	0.6	12
14	Ultrafast Flow Quantification With Segmented k-Space Magnetic Resonance Phase Velocity Mapping. Annals of Biomedical Engineering, 2002, 30, 120-128.	2.5	15
15	Clinical blood flow quantification with segmented k-space magnetic resonance phase velocity mapping. Journal of Magnetic Resonance Imaging, 2003, 17, 65-71.	3.4	26
16	Clinical Indications for Cardiovascular Magnetic Resonance (CMR): Consensus Panel Report #. Journal of Cardiovascular Magnetic Resonance, 2004, 6, 727-765.	3.3	200
17	Fast Measurements of Flow through Mitral Regurgitant Orifices with Magnetic Resonance Phase Velocity Mapping. Annals of Biomedical Engineering, 2004, 32, 1618-1627.	2.5	5
18	Clinical indications for cardiovascular magnetic resonance (CMR): Consensus Panel report?. European Heart Journal, 2004, 25, 1940-1965.	2.2	649
19	Applications of phase-contrast flow and velocity imaging in cardiovascular MRI. European Radiology, 2005, 15, 2172-2184.	4.5	281
20	Blood flow measurements with magnetic resonance phase velocity mapping. Measurement: Journal of the International Measurement Confederation, 2005, 37, 201-212.	5.0	4

#	ARTICLE	IF	CITATIONS
22	Reliable in-plane velocity measurements with magnetic resonance velocity imaging. Flow Measurement and Instrumentation, 2006, 17, 75-80.	2.0	1
23	Resonancia cardiaca en el estudio de las valvulopatías. Revista Espanola De Cardiologia Suplementos, 2006, 6, 15E-20E.	0.2	3
24	Flow Measurement by Magnetic Resonance: A Unique Asset Worth Optimising. Journal of Cardiovascular Magnetic Resonance, 2007, 9, 723-728.	3.3	178
25	Hemodynamic Evaluation of Aortic Regurgitation by Magnetic Resonance Imaging. Asian Cardiovascular and Thoracic Annals, 2008, 16, 278-283.	0.5	14
26	Refining the assessment of pulmonary regurgitation in adults after tetralogy of Fallot repair: should we be measuring regurgitant fraction or regurgitant volume?. European Heart Journal, 2008, 30, 356-361.	2.2	106
27	Phase-contrast magnetic resonance quantification of normal pulmonary venous return. Journal of Magnetic Resonance Imaging, 2009, 29, 588-594.	3.4	42
28	Calculations of cardiovascular shunts and regurgitation using magnetic resonance ventricular volume and aortic and pulmonary flow measurements. European Radiology, 2010, 20, 410-421.	4.5	57
29	Cardiovascular Magnetic Resonance of Simple Congenital Cardiovascular Defects. , 2010, , 395-407.		0
31	Aortic Regurgitation Quantification Using Cardiovascular Magnetic Resonance. Circulation, 2012, 126, 1452-1460.	1.6	187
32	Phase-contrast MRI and applications in congenital heart disease. Clinical Radiology, 2012, 67, 399-410.	1.1	17
33	Prospective Comparison of Valve Regurgitation Quantitation by Cardiac Magnetic Resonance Imaging and Transthoracic Echocardiography. Circulation: Cardiovascular Imaging, 2013, 6, 48-57.	2.6	200
34	The role of cardiovascular magnetic resonance in stratifying paravalvular leak severity after transcatheter aortic valve replacement: an observational outcome study. Journal of Cardiovascular Magnetic Resonance, 2014, 16, 93.	3.3	58
35	Imaging of congenital heart disease in adults: choice of modalities. European Heart Journal Cardiovascular Imaging, 2014, 15, 6-17.	1.2	44
36	Direct measurement of aortic regurgitation with phase-contrast magnetic resonance is inaccurate: proposal of an alternative method of quantification. Pediatric Radiology, 2014, 44, 1358-1369.	2.0	19
37	Assessment of Paravalvular Regurgitation Following Transcatheter Aortic Valve Replacement. Interventional Cardiology Clinics, 2015, 4, 53-66.	0.4	2
38	Cardiovascular magnetic resonance phase contrast imaging. Journal of Cardiovascular Magnetic Resonance, 2015, 17, 71.	3.3	184
39	Flow measurement at the aortic root - impact of location of through-plane phase contrast velocity mapping. Journal of Cardiovascular Magnetic Resonance, 2016, 18, 55.	3.3	26
40	Quantitating aortic regurgitation by cardiovascular magnetic resonance: significant variations due to slice location and breath holding. European Radiology, 2016, 26, 3180-3189.	4.5	25

#	ARTICLE	IF	CITATIONS
41	Recommendations for Noninvasive Evaluation of Native Valvular Regurgitation. Journal of the American Society of Echocardiography, 2017, 30, 303-371.	2.8	2,269
42	Role of Cardiac Magnetic Resonance Imaging in Valvular Heart Disease: Diagnosis, Assessment, and Management. Current Cardiology Reports, 2018, 20, 119.	2.9	36
43	New Imaging Markers of Clinical Outcome in Asymptomatic Patients with Severe Aortic Regurgitation. Journal of Clinical Medicine, 2019, 8, 1654.	2.4	4
44	Ex Vivo Pilot Study of Cardiac Magnetic Resonance Velocity Mapping for Quantification of Aortic Regurgitation in a Porcine Model in the Presence of a Transcatheter Heart Valve. Journal of Cardiovascular Translational Research, 2019, 12, 310-320.	2.4	3
45	Optimizing the Assessment of Aortic Regurgitation. JACC: Cardiovascular Imaging, 2019, 12, 1484-1486.	5.3	1
46	Investigation of phase-contrast magnetic resonance imaging underestimation of turbulent flow through the aortic valve phantom: experimental and computational study using lattice Boltzmann method. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2020, 33, 649-662.	2.0	7
47	Importance of complex blood flow in the assessment of aortic regurgitation severity using phase contrast magnetic resonance imaging. International Journal of Cardiovascular Imaging, 2021, 37, 3561-3572.	1.5	3
48	Optimal Management of Chronic Severe Aortic Regurgitation—How to Determine Cutoff Values for Surgical Intervention? •. Circulation Journal, 2022, 86, 1691-1698.	1.6	2
49	Importance of through-plane heart motion correction for the assessment of aortic regurgitation severity using phase contrast magnetic resonance imaging. Magnetic Resonance Imaging, 2021, 84, 69-75.	1.8	0
50	Valvular Regurgitation. , 2010, , 149-176.		4
51	Evaluation of the Precision of Magnetic Resonance Phase Velocity Mapping for Blood Flow Measurements. Journal of Cardiovascular Magnetic Resonance, 2001, 3, 11-19.	3.3	92
52	Tools for cardiovascular magnetic resonance imaging. Cardiovascular Diagnosis and Therapy, 2014, 4, 104-25.	1.7	24
53	Recommendations for Noninvasive Evaluation of Native Valvular Regurgitation. Journal of the Indian Academy of Echocardiography & Cardiovascular Imaging, 2020, 4, 58-121.	0.1	14
55	Hemodynamics. , 2002, , 138-150.		0
56	Thorax und GefÄÄße. , 2002, , 509-676.		0
57	Magnetic Resonance Imaging of Valvular Disease. , 2007, , 537-556.		0
60	Techniques and Clinical Applications of Phase-Contrast MRI in CHD. , 2021, , 471-498.		0
61	Assessment of Asymptomatic Severe Aortic Regurgitation by Doppler-Derived Echo Indices: Comparison with Magnetic Resonance Quantification. Journal of Clinical Medicine, 2022, 11, 152.	2.4	3

#	ARTICLE	IF	CITATIONS
62	Quantitative evaluation of aortic valve regurgitation in 4D flow cardiac magnetic resonance: at which level should we measure?. BMC Medical Imaging, 2022, 22, .	2.7	2
63	Assessment of the Severity of Aortic Regurgitation by Noninvasive Imaging. Current Cardiology Reports, 0, , .	2.9	0
64	Novel contouring method for optimizing MRI flow quantification in patients with aortic valve disease. International Journal of Cardiovascular Imaging, 2024, 40, 665-673.	1.5	0
65	Assessing Regurgitation Severity, Adverse Remodeling, and Fibrosis with CMR in Aortic Regurgitation. Current Cardiology Reports, 0, , .	2.9	0