

Spatial and temporal patterns of iceberg rafting (IRD) at  
68°N, over the last 14 cal.ka

Journal of Quaternary Science

12, 1-13

DOI: [10.1002/\(sici\)1099-1417\(199701/02\)12:1<1::aid-jqs288>3.0.co;2-t](https://doi.org/10.1002/(sici)1099-1417(199701/02)12:1<1::aid-jqs288>3.0.co;2-t)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Abrupt changes (Heinrich events) in late Quaternary North Atlantic marine environments: a history and review of data and concepts. <i>Journal of Quaternary Science</i> , 1998, 13, 3-16.	2.1	134
2	Late Quaternary iceberg-rafted detritus events on the Denmark Strait (65°N): related to North Atlantic Heinrich events?. <i>Marine Geology</i> , 1998, 149, 211-228.	2.1	49
3	Errors in generating time-series and in dating events at late quaternary millennial (radiocarbon) time-scales: Examples from Baffin Bay, NW Labrador Sea, and East Greenland. <i>Geophysical Monograph Series</i> , 1999, , 23-33.	0.1	30
4	Lake-Level fluctuations at Le Locle, Swiss Jura, from the Younger Dryas to the Mid-Holocene: A high-resolution record of climate oscillations during the final deglaciation. <i>Comptes Rendus de l'Académie des Sciences et des Lettres de Paris, Série II</i> , 1999, 339, 183-197.	0.2	15
5	An origin for laminated glacial marine sediments through sea-ice build-up and suppressed iceberg rafting. <i>Sedimentology</i> , 2000, 47, 557-576.	3.1	102
6	Sediment characteristics in iceberg dominated fjords, Kangerlussuaq region, East Greenland. <i>Sedimentary Geology</i> , 2000, 130, 11-25.	2.1	61
7	Icebergs and Iceberg Rafted Detritus (IRD) in the North Atlantic: Facts and Assumptions. <i>Oceanography</i> , 2000, 13, 100-108.	1.0	128
8	Late-Holocene terrestrial glacial history of Miki and I.C. Jacobsen Fjords, East Greenland. <i>Holocene</i> , 2000, 10, 123-134.	1.7	28
9	The N and W Iceland Shelf: insights into Last Glacial Maximum ice extent and deglaciation based on acoustic stratigraphy and basal radiocarbon AMS dates. <i>Quaternary Science Reviews</i> , 2000, 19, 619-631.	3.0	110
10	Icebergs and the Sea Floor of the East Greenland (Kangerlussuaq) Continental Margin. <i>Arctic, Antarctic, and Alpine Research</i> , 2001, 33, 52-61.	1.1	40
11	Abrupt Cooling of Antarctic Surface Waters and Sea Ice Expansion in the South Atlantic Sector of the Southern Ocean at 5000 cal yr B.P.. <i>Quaternary Research</i> , 2001, 56, 191-198.	1.7	174
12	A mid-Holocene shift in Arctic sea-ice variability on the East Greenland Shelf. <i>Holocene</i> , 2002, 12, 49-58.	1.7	183
13	Grain-size characteristics and provenance of ice-proximal glacial marine sediments. <i>Geological Society Special Publication</i> , 2002, 203, 305-324.	1.3	12
14	An early Holocene short climatic event in the northwest Iberian Peninsula inferred from pollen and diatoms. <i>Quaternary International</i> , 2002, 93-94, 3-12.	1.5	36
15	Holocene glacial marine sedimentary environments in fiords of Disko Bugt, West Greenland. <i>Quaternary Science Reviews</i> , 2002, 21, 947-963.	3.0	22
16	Chronology of the last recession of the Greenland Ice Sheet. <i>Journal of Quaternary Science</i> , 2002, 17, 211-219.	2.1	158
17	Holocene sediment properties of the East Greenland and Iceland continental shelves bordering Denmark Strait (64-68°N), North Atlantic. <i>Sedimentology</i> , 2002, 49, 5-24.	3.1	33
18	A 36 Ky record of iceberg rafting and sedimentation from north-west Iceland. <i>Polar Research</i> , 2002, 21, 291-298.	1.6	58

#	ARTICLE	IF	CITATIONS
19	Late Quaternary lithofacies, provenance, and depositional environments (12–30 cal ka), north and south of the Denmark Strait. <i>Marine Geology</i> , 2003, 199, 65-82.	2.1	12
20	Multi-proxy records showing significant Holocene environmental variability: the inner N. Iceland shelf (HÁnaflÁ³i). <i>Quaternary Science Reviews</i> , 2003, 22, 175-193.	3.0	94
21	Late Quaternary Ice Cap Extent and Deglaciation, HÁnaflÁ³i, Northwest Iceland: Evidence from Marine Cores. <i>Arctic, Antarctic, and Alpine Research</i> , 2003, 35, 218-232.	1.1	40
22	Middle and late quaternary glacial limits in greenland. <i>Developments in Quaternary Sciences</i> , 2004, 2, 425-430.	0.1	18
23	Nonuniform response of the major surface currents in the Nordic Seas to insolation forcing: Implications for the Holocene climate variability. <i>Paleoceanography</i> , 2004, 19, n/a-n/a.	3.0	234
24	Holocene thermal maximum in the western Arctic (0–180°W). <i>Quaternary Science Reviews</i> , 2004, 23, 529-560.	3.0	720
25	Early Holocene palaeoceanography and deglacial chronology of Disko Bugt, West Greenland. <i>Quaternary Science Reviews</i> , 2005, 24, 1741-1755.	3.0	93
26	X-Ray Radiographs of Sediment Cores: A Guide to Analyzing Diamicton. , 2005, , 165-185.		4
27	Abrupt Change in Earth's Climate System. <i>Annual Review of Environment and Resources</i> , 2006, 31, 1-31.	13.4	150
28	Holocene sea surface conditions in the western North Atlantic: Spatial and temporal heterogeneities. <i>Paleoceanography</i> , 2006, 21, n/a-n/a.	3.0	66
29	Holocene history of drift ice in the northern North Atlantic: Evidence for different spatial and temporal modes. <i>Paleoceanography</i> , 2006, 21, n/a-n/a.	3.0	110
30	Ice sheet action versus reaction: Distinguishing between Heinrich events and Dansgaard-Oeschger cycles in the North Atlantic. <i>Paleoceanography</i> , 2006, 21, n/a-n/a.	3.0	59
31	Palaeoenvironmental interpretation of an ice-contact glacial lake succession: an example from the late Devensian of southwest Wales, UK. <i>Quaternary Science Reviews</i> , 2006, 25, 739-762.	3.0	24
33	Late Holocene environmental change in Disko Bugt, west Greenland: interaction between climate, ocean circulation and Jakobshavn Isbrae. <i>Boreas</i> , 2006, 35, 35-49.	2.4	52
34	High-resolution alkenone sea surface temperature variability on the North Icelandic Shelf: implications for Nordic Seas palaeoclimatic development during the Holocene. <i>Holocene</i> , 2007, 17, 9-24.	1.7	76
35	Quantitative Mineralogy of Surface Sediments on the Iceland Shelf, and Application to Down-Core Studies of Holocene Ice-Rafted Sediments. <i>Journal of Sedimentary Research</i> , 2007, 77, 469-479.	1.6	33
36	Genesis of transverse kame trains in eastern Poland. <i>Sedimentary Geology</i> , 2007, 193, 59-69.	2.1	13
37	The late Miocene to Pleistocene ice rafting history of southeast Greenland. <i>Boreas</i> , 2002, 31, 28-35.	2.4	14

#	ARTICLE	IF	CITATIONS
38	Late Holocene environmental change in Disko Bugt, west Greenland: interaction between climate, ocean circulation and Jakobshavn Isbrae. <i>Boreas</i> , 2008, 35, 35-49.	2.4	8
40	Chapter Six Quaternary Variability of Palaeoenvironment and Its Sedimentary Record. <i>Developments in Marine Geology</i> , 2008, 2, 287-437.	0.4	4
41	A diatom-based reconstruction of Early Holocene hydrographic and climatic change in a southwest Greenland fjord. <i>Marine Micropaleontology</i> , 2009, 70, 166-176.	1.2	45
42	A robust, multisite Holocene history of drift ice off northern Iceland: implications for North Atlantic climate. <i>Holocene</i> , 2009, 19, 71-77.	1.7	65
43	Fluctuations of local glaciers in Greenland during latest Pleistocene and Holocene time. <i>Quaternary Science Reviews</i> , 2009, 28, 2088-2106.	3.0	86
44	Holocene variability of the North Atlantic Irminger current on the south- and northwest shelf of Iceland. <i>Marine Micropaleontology</i> , 2010, 77, 101-118.	1.2	68
45	History of the Greenland Ice Sheet: paleoclimatic insights. <i>Quaternary Science Reviews</i> , 2010, 29, 1728-1756.	3.0	177
46	History of sea ice in the Arctic. <i>Quaternary Science Reviews</i> , 2010, 29, 1757-1778.	3.0	343
47	Temperature and precipitation history of the Arctic. <i>Quaternary Science Reviews</i> , 2010, 29, 1679-1715.	3.0	226
48	Holocene variations in mineral and grain-size composition along the East Greenland glaciated margin (ca 67°â€“70°N): Local versus long-distance sediment transport. <i>Quaternary Science Reviews</i> , 2010, 29, 2619-2632.	3.0	30
49	Multipleâ€“stage deglacial retreat of the southern Greenland Ice Sheet linked with Irminger Current warm water transport. <i>Paleoceanography</i> , 2011, 26, .	3.0	50
50	Holocene environmental evolution of the SE Greenland Shelf North and South of the Denmark Strait: Irminger and East Greenland current interactions. <i>Quaternary Science Reviews</i> , 2011, 30, 980-998.	3.0	107
51	Centennial scale benthic foraminiferal record of late Holocene oceanographic variability in Disko Bugt, West Greenland. <i>Quaternary Science Reviews</i> , 2011, 30, 2815-2826.	3.0	46
52	The Greenland Ice Sheet During the Past 300,000 Years: A Review. <i>Developments in Quaternary Sciences</i> , 2011, , 699-713.	0.1	88
53	Chironomids as indicators of the Holocene climatic and environmental history of two lakes in Northeast Greenland. <i>Boreas</i> , 2011, 40, 116-130.	2.4	30
54	Northern Hemisphere ice-sheet responses to past climate warming. <i>Nature Geoscience</i> , 2012, 5, 607-613.	12.9	60
55	Environmental changes in Northern Iceland since the Younger Dryas inferred from periglacial slope deposits. <i>Holocene</i> , 2012, 22, 325-335.	1.7	3
56	Reconstruction of the late-Holocene changes in the Sub-Arctic Front position at the Reykjanes Ridge, north Atlantic. <i>Holocene</i> , 2012, 22, 877-886.	1.7	40

#	ARTICLE	IF	CITATIONS
57	Abrupt climate changes of Holocene. <i>Chinese Geographical Science</i> , 2013, 23, 1-12.	3.0	27
58	Abrupt Holocene climate transitions in the northern North Atlantic region recorded by synchronized lacustrine records in Iceland. <i>Quaternary Science Reviews</i> , 2013, 70, 48-62.	3.0	86
59	Biogeochemical evidence for hydrologic changes during the Holocene in a lake sediment record from southeast Greenland. <i>Holocene</i> , 2013, 23, 1428-1439.	1.7	35
60	Holocene palaeoceanographic evolution off West Greenland. <i>Holocene</i> , 2013, 23, 374-387.	1.7	71
61	Atlantic Water advection versus sea-level advances in the eastern Fram Strait during the last 9 ka: Multiproxy evidence for a two-phase Holocene. <i>Paleoceanography</i> , 2013, 28, 283-295.	3.0	95
62	Late Holocene ( $\sim 1/4$ 5 cal ka) Trends and Century-Scale Variability of N. Iceland Marine Records: Measures of Surface Hydrography, Productivity, and Land/Ocean Interactions. <i>Geophysical Monograph Series</i> , 0, 69-81.	0.1	7
63	Multidecadal to millennial marine climate oscillations across the Denmark Strait ( $\sim 66^\circ$ N) over the last 2000 cal yr BP. <i>Climate of the Past</i> , 2014, 10, 325-343.	3.4	16
64	Evidence for the asynchronous retreat of large outlet glaciers in southeast Greenland at the end of the last glaciation. <i>Quaternary Science Reviews</i> , 2014, 99, 244-259.	3.0	40
65	A model of Greenland ice sheet deglaciation constrained by observations of relative sea level and ice extent. <i>Quaternary Science Reviews</i> , 2014, 102, 54-84.	3.0	171
66	New glacial evidences at the Talacasto paleofjord (Paganzo basin, W-Argentina) and its implications for the paleogeography of the Gondwana margin. <i>Journal of South American Earth Sciences</i> , 2014, 56, 278-300.	1.4	29
67	Holocene ice-rafting and sediment transport from the glaciated margin of East Greenland ( $67^\circ$ – $70^\circ$ N) to the N Iceland shelves: detecting and modelling changing sediment sources. <i>Quaternary Science Reviews</i> , 2014, 91, 204-217.	3.0	32
68	Early deglacial onset of southwestern Greenland ice-sheet retreat on the continental shelf. <i>Quaternary Science Reviews</i> , 2015, 128, 117-126.	3.0	18
69	Changes in the strength of the Nordic Seas Overflows over the past 3000 years. <i>Quaternary Science Reviews</i> , 2015, 123, 134-143.	3.0	31
70	Rapid last-deglacial thinning and retreat of the marine-terminating southwestern Greenland ice sheet. <i>Earth and Planetary Science Letters</i> , 2015, 426, 1-12.	4.4	41
71	The Greenland Ice Sheet during the last glacial cycle: Current ice loss and contribution to sea-level rise from a palaeoclimatic perspective. <i>Earth-Science Reviews</i> , 2015, 150, 45-67.	9.1	58
72	Detrital carbonate peaks on the Labrador shelf, a 13–7ka template for freshwater forcing from the Hudson Strait outlet of the Laurentide Ice Sheet into the subpolar gyre. <i>Quaternary Science Reviews</i> , 2015, 107, 62-80.	3.0	110
73	Late Quaternary changes in sediment composition on the NE Greenland margin ( $\sim 73^\circ$ N) with a focus on the fjords and shelf. <i>Boreas</i> , 2016, 45, 381-397.	2.4	25
74	Internal ice-sheet variability as source for the multi-century and millennial-scale iceberg events during the Holocene? A model study. <i>Quaternary Science Reviews</i> , 2016, 138, 119-130.	3.0	6

#	ARTICLE	IF	CITATIONS
75	Holocene oscillations of Southwest Atlantic shelf circulation based on planktonic foraminifera from an upwelling system (off Cabo Frio, Southeastern Brazil). <i>Holocene</i> , 2016, 26, 1175-1187.	1.7	29
76	A Younger Dryas re-advance of local glaciers in north Greenland. <i>Quaternary Science Reviews</i> , 2016, 147, 47-58.	3.0	26
77	Variability in drift ice export from the Arctic Ocean to the North Icelandic Shelf over the last 8000 years: A multi-proxy evaluation. <i>Quaternary Science Reviews</i> , 2016, 146, 99-115.	3.0	66
78	Interaction between warm Atlantic-sourced waters and the East Greenland Current in northern Denmark Strait (68°N) during the last 10,600 cal a BP. <i>Journal of Quaternary Science</i> , 2016, 31, 472-483.	2.1	26
79	Lateglacial and Holocene environmental changes in the Southern Urals reflected in palynological, geochemical and diatom records from the Lake Syrytkul sediments. <i>Quaternary International</i> , 2016, 420, 65-75.	1.5	19
80	Timing and magnitude of early to middle Holocene warming in East Greenland inferred from chironomids. <i>Boreas</i> , 2017, 46, 678-687.	2.4	36
81	Holocene Cyclic Records of Ice-Rafted Debris and Sea Ice Variations on the East Greenland and Northwest Iceland Margins. <i>Arctic, Antarctic, and Alpine Research</i> , 2017, 49, 649-672.	1.1	8
82	Younger Dryas ice margin retreat triggered by ocean surface warming in central-eastern Baffin Bay. <i>Nature Communications</i> , 2017, 8, 1017.	12.8	24
83	Denmark Strait during the Late Glacial Maximum and Marine Isotope Stage 3: Sediment sources and transport processes. <i>Marine Geology</i> , 2017, 390, 181-198.	2.1	13
84	The 9.2ka event in Asian summer monsoon area: the strongest millennial scale collapse of the monsoon during the Holocene. <i>Climate Dynamics</i> , 2018, 50, 2767-2782.	3.8	37
85	Subarctic Front migration at the Reykjanes Ridge during the mid- to late Holocene: evidence from planktic foraminifera. <i>Boreas</i> , 2018, 47, 175-188.	2.4	8
86	Marine geomorphological record of Ice Sheet development in East Greenland since the Last Glacial Maximum. <i>Journal of Quaternary Science</i> , 2018, 33, 853-864.	2.1	11
87	Holocene history of the Helheim Glacier, southeast Greenland. <i>Quaternary Science Reviews</i> , 2018, 193, 145-158.	3.0	12
88	Tracking Holocene drift-ice limits on the northwest-southwest Iceland shelf: Comparing proxy data with observation and historical evidence. <i>Arctic, Antarctic, and Alpine Research</i> , 2019, 51, 96-114.	1.1	7
89	Is there evidence for a 4.2ka BP event in the northern North Atlantic region?. <i>Climate of the Past</i> , 2019, 15, 1665-1676.	3.4	40
90	Sea Surface Temperature Variability on the SE-Greenland Shelf (1796-2013 CE) and Its Influence on Thrym Glacier in Närke Skjoldungesund. <i>Paleoceanography and Paleoclimatology</i> , 2020, 35, e2019PA003692.	2.9	3
91	Glacier and ocean variability in Ata Sund, west Greenland, since 1400 CE. <i>Holocene</i> , 2020, 30, 1681-1693.	1.7	2
92	Fjords as Aquatic Critical Zones (ACZs). <i>Earth-Science Reviews</i> , 2020, 203, 103145.	9.1	104

#	ARTICLE	IF	CITATIONS
94	Probing the impact of Solar System dynamics on Holocene North Atlantic cold events at the millennial-scale. <i>Quaternary International</i> , 2021, 607, 1-1.	1.5	0
95	Semi-Automatic Ice-Rafted Debris Quantification With Computed Tomography. <i>Paleoceanography and Paleoclimatology</i> , 2021, 36, e2021PA004293.	2.9	5
96	Late glacial to holocene sedimentary facies of the Eirik Drift, southern Greenland margin: Spatial and temporal variability and paleoceanographic implications. <i>Marine Geology</i> , 2021, 440, 106568.	2.1	4
97	The late Miocene to Pleistocene ice-rafting history of southeast Greenland. <i>Boreas</i> , 2002, 31, 28-35.	2.4	77
98	Glacial-Marine or Subglacial Origin of Diamicton Units from the Southwest and North Iceland Shelf: Implications for the Glacial History of Iceland. <i>Journal of Sedimentary Research</i> , 2005, 75, 968-983.	1.6	23
99	Ectosymbiosis is a critical factor in the local benthic biodiversity of the Antarctic deep sea. <i>Marine Ecology - Progress Series</i> , 2008, 364, 67-76.	1.9	25
100	Unraveling Sediment Transport Along Glaciated Margins (the Northwestern Nordic Seas) Using Quantitative X-Ray Diffraction of Bulk (< 2mm) Sediment. , 0, , .		3
103	Understanding global monsoon precipitation changes during the 8.2Åka event and the current warm period. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 586, 110757.	2.3	7
104	Holocene palaeoceanography of the Northeast Greenland shelf. <i>Climate of the Past</i> , 2022, 18, 103-127.	3.4	16
105	Early Holocene palaeoceanographic and glaciological changes in southeast Greenland. <i>Holocene</i> , 2022, 32, 501-514.	1.7	2
106	Distribution and carbon isotopic composition of long-chain leaf wax n-alkanes from Holocene lake sediments in the Altai Mountains. <i>Quaternary International</i> , 2022, 625, 29-37.	1.5	2
107	Late Weichselian and Holocene behavior of the Greenland Ice Sheet in the Kejser Franz Josef Fjord system, NE Greenland. <i>Quaternary Science Reviews</i> , 2022, 284, 107504.	3.0	3
108	Marine conditions and development of the Sirius Water polynya on the North-East Greenland shelf during the Younger Dryas-Holocene. <i>Quaternary Science Reviews</i> , 2022, 291, 107647.	3.0	9
109	The discovery of the southernmost ultra-high-resolution Holocene paleoclimate sedimentary record in Antarctica. <i>Marine Geology</i> , 2024, 467, 107189.	2.1	0
110	Computed Laminography for the study of biogenic structures in sediment cores: A step between two- and three-dimensional imaging. <i>Marine Geology</i> , 2024, 470, 107267.	2.1	0