

CITATION REPORT

List of articles citing

Design of organic molecules with large two-photon absorption cross sections

DOI: 10.1126/science.281.5383.1653
Science, 1998, 281, 1653-6.

Source: <https://exaly.com/paper-pdf/28887057/citation-report.pdf>

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1930	Mechanisms for enhancement of two-photon absorption in donor-acceptor conjugated chromophores. 1998 , 298, 1-6		293
1929	Measurement of intracellular calcium. 1999 , 79, 1089-125		588
1928	Biological Applications of Chromophores With Large Two-Photon Cross Sections. 1999 , 5, 1062-1063		
1927	Brominated 7-hydroxycoumarin-4-ylmethyls: photolabile protecting groups with biologically useful cross-sections for two photon photolysis. 1999 , 96, 1193-200		525
1926	Large two-photon absorption cross sections in two-dimensional, charge-transfer, cumulene-containing aromatic molecules. 1999 , 111, 7758-7765		90
1925	Two-photon spectroscopy of symmetric donor/acceptor substituted conjugated molecules.		
1924	Optical-limiting properties of a push-pull diphenyl-butadiene. 1999 , 169, 325-332		22
1923	Electroactive polymers including non-linear optical polymers. 1999 , 4, 165-171		8
1922	Two-photon absorption in five-membered heteroaromatic oligomers. 1999 , 168, 297-303		26
1921	Two-photon polymerization initiators for three-dimensional optical data storage and microfabrication. 1999 , 398, 51-54		1832
1920	Two-photon induced fluorescence of novel dyes. 1999 , 315, 379-382		42
1919	On the nature of electronic excitations in poly(paraphenylenevinylene): A quantum-chemical investigation. 1999 , 111, 2829-2841		44
1918	Single molecule fluorescence spectroscopy at ambient temperature. 1999 , 99, 2929-56		296
1917	New Two-Photon Absorbing Fluorene Derivatives: Synthesis and Nonlinear Optical Characterization. 1999 , 1, 1575-1578		191
1916	Innovations in two-photon deep tissue microscopy. 1999 , 18, 23-30		31
1915	Adapting a compact confocal microscope system to a two-photon excitation fluorescence imaging architecture. 1999 , 47, 196-205		29
1914	Organometallic Complexes for Nonlinear Optics. 17.1 Synthesis, Third-Order Optical Nonlinearities, and Two-Photon Absorption Cross Section of an Alkynylruthenium Dendrimer. 1999 , 18, 5195-5197		144

1913	Two-photon polymerization initiators for efficient three-dimensional optical data storage and microfabrication.	1
1912	Molecular Environment Effects on Two-Photon-Absorbing Heterocyclic Chromophores. 1999 , 11, 2899-2906	64
1911	Cooperative Enhancement of Two-Photon Absorption in Multi-branched Structures. 1999 , 103, 10741-10745	394
1910	Two-photon polymerization initiators for efficient three-dimensional optical data storage and microfabrication.	
1909	Enhancement of two-photon excited fluorescence using one-dimensional photonic crystals. 1999 , 75, 3605-3607	34
1908	Highly Conjugated Molecules from Dibromonaphthyl Derivatives and 4-Vinylpyridine or 4-Acetoxy styrene by the Heck Reaction. 1999 , 64, 5603-5610	12
1907	Efficient detection of single DNA fragments in flowing sample streams by two-photon fluorescence excitation. 1999 , 71, 2108-16	38
1906	Multiphoton-excited fluorescence in bioanalytical chemistry. 1999 , 71, 598A-605A	38
1905	Design and Synthesis of Dendrimers with Enhanced Two-Photon Absorption. 1999 , 561, 63	2
1904	Optical Power Limiters for Nanosecond Pulses: Design of New Dendritic Chromophores with Exceptionally Large Two-Photon Cross-Sections. 1999 , 597, 339	1
1903	Ab Initio Design of Two-Photon Absorbing Materials. 1999 , 597, 313	
1902	Two-Photon Fluorescence Microscopy: A New Tool for Tissue Imaging and Spectroscopy. 2000 , 23, 221-228	5
1901	Second Harmonic Generation and Two-Photon Fluorescence as Nonlinear Optical Properties of Dipolar Mononuclear Sesquifulvalene Complexes. 2000 , 2000, 631-646	52
1900	Multiphoton-absorbing organic materials for microfabrication, emerging optical applications and non-destructive three-dimensional imaging. 2000 , 13, 837-849	222
1899	Spectral properties and effective upconverted lasing of new organic molecules. 2000 , 324, 349-353	18
1898	Simulations of vibronic profiles in two-photon absorption. 2000 , 330, 447-456	153
1897	Two-photon absorption properties of a new series of 2CT π chromophores. 2000 , 116, 605-608	3
1896	Novel fluorescent stilbene analogs involving a carbazole moiety. 2000 , 41, 8573-8576	17

1895	Two-photon excitation of fluorescence for three-dimensional optical imaging of biological structures. 2000 , 55, 1-8	87
1894	Theoretical studies on the one- and two-photon absorption of symmetrical stilbene derivatives. 2000 , 531, 169-174	10
1893	Two-photon excitation fluorescence microscopy. 2000 , 2, 399-429	760
1892	Molecular engineering of organic materials for nonlinear absorption in the visible range: the excited states of tetraphenyl-diamine derivatives. 2000 , 2, 268-271	12
1891	Theoretical molecular engineering for nonlinear absorption by two-photon absorption in the visible. 2000 , 2, 284-288	24
1890	Solvent-Induced Two-Photon Absorption of a PushPull Molecule 2000 , 104, 4718-4722	144
1889	Molecular engineering of pushpull dipolar and quadrupolar molecules for two-photon absorption: A multivalence-bond states approach. 2000 , 113, 3951-3959	165
1888	Real three-dimensional microstructures fabricated by photopolymerization of resins through two-photon absorption. 2000 , 25, 1110-2	126
1887	Two photon absorption properties of bis(n-carbazolyl)-poly-phenylenes. 2000 , 115, 269-273	22
1886	Nonlinear absorption spectra of transparent organic crystals for optical limiting applications at visible wavelengths. 2000 , 115, 265-268	15
1885	Two-photon and one-photon resonant third-order nonlinear optical properties of π -conjugated polymers. 2000 , 109, 79-83	22
1884	Optical power limiting properties of organic crystals and nanocrystals in an f/5 optical system. 2000 , 109, 215-218	7
1883	Probing single molecules in single living cells. 2000 , 72, 5606-11	78
1882	StructureProperty Relationships for Two-Photon Absorbing Chromophores: Bis-Donor Diphenylpolyene and Bis(styryl)benzene Derivatives. 2000 , 122, 9500-9510	768
1881	Sensitive measurement of absolute two-photon absorption cross sections. 2000 , 112, 9201-9205	48
1880	New Class of Two-Photon-Absorbing Chromophores Based on Dithienothiophene. 2000 , 12, 284-286	297
1879	Near-IR Two-Photon Photoinitiated Polymerization Using a Fluorone/Amine Initiating System. 2000 , 122, 1217-1218	178
1878	Electronic and vibronic contributions to two-photon absorption of molecules with multi-branched structures. 2000 , 113, 7055-7061	209

1877	Novel Two-Photon Absorbing Dendritic Structures. 2000 , 12, 2838-2841	167
1876	3-Dimensional Submicron Polymerization of Acrylamide by Multiphoton Excitation of Xanthene Dyes. 2000 , 33, 1511-1513	90
1875	High-throughput single-molecule spectroscopy in free solution. 2000 , 72, 4640-5	77
1874	Easy access to 3,8-Diaryldifurano[2,3-a:2',3'-f]naphthalenes. A new extended aromatic system. 2000 , 65, 8783-5	21
1873	Two-Photon Excitation and Optical Spatial-Profile Reshaping via a Nonlinear Absorbing Medium□ 2000 , 104, 4805-4810	96
1872	Preferential Cocrystallization among Distyrylbenzene Derivatives. 2000 , 12, 2311-2318	31
1871	Two-Photon Absorption and Second Hyperpolarizability of the Linear Quadrupolar Molecule. 2000 , 104, 11033-11040	55
1870	Electrically Switchable Gratings Formed Using Ultrafast Holographic Two-Photon-Induced Photopolymerization. 2000 , 12, 2842-2844	27
1869	High-throughput single-molecule DNA screening based on electrophoresis. 2000 , 72, 2879-85	74
1868	Synthesis of new two-photon absorbing fluorene derivatives via Cu-mediated Ullmann condensations. 2000 , 65, 4475-81	178
1867	Three-Dimensional Optical Data Storage Using Photochromic Materials. 2000 , 100, 1777-1788	1232
1866	Two photon absorption properties of 1,3,5-tricyano-2,4,6-tris(styryl)benzene derivatives. 2001 , 123, 10039-45	289
1865	Two-photon absorption and nonlinear optical properties of octupolar molecules. 2001 , 123, 10658-67	177
1864	Two-photon microscopy and spectroscopy based on a compact confocal scanning head. 2001 , 6, 300-10	31
1863	Optical microstructures fabricated by femtosecond laser two-photon polymerization. 2001 , 3, 489-492	14
1862	Two-Photon Absorption and Excited-State Energy-Transfer Properties of a New Multibranched Molecule. 2001 , 13, 4071-4076	135
1861	Dendrimer molecules with record large two-photon absorption cross section. 2001 , 26, 1081-3	205
1860	Fluorescence correlation spectroscopy: inception, biophysical experimentations, and prospectus. 2001 , 40, 3969-83	91

1859	Nonlinear optical refractive indices and absorption coefficients of β -unsaturated ketone derivatives. 2001 , 18, 1456	18
1858	Nanosecond reverse saturable absorption and optical limiting in (Me ₄ N) ₂ [Cd(dmit)(Sph) ₂]. 2001 , 18, 1464	12
1857	Efficient singlet oxygen generation upon two-photon excitation of new porphyrin with enhanced nonlinear absorption. 2001 , 7, 971-975	76
1856	Coherent scattering in multi-harmonic light microscopy. 2001 , 80, 1568-74	192
1855	Enhanced two-photon absorption with dimers of β -conjugated molecules. 2001 , 124, 237-239	16
1854	New dendrimer molecules with a record high intrinsic two-photon absorption cross-section. 2001 ,	
1853	. 2001 ,	
1852	Selective detection of individual DNA molecules by capillary polymerase chain reaction. 2001 , 73, 1537-43	26
1851	A synthetic strategy leading to monodisperse PPV oligomers by coupling reactions of vinyltrimethylsilanes. 2001 , 66, 3878-85	29
1850	Conformationally tuned large two-photon absorption cross sections in simple molecular chromophores. 2001 , 123, 7287-91	92
1849	Real-time dynamics of single-DNA molecules undergoing adsorption and desorption at liquid-solid interfaces. 2001 , 73, 1091-9	112
1848	Two-photon photosensitized production of singlet oxygen. 2001 , 123, 1215-21	247
1847	Diphenylaminofluorene-Based Two-Photon-Absorbing Chromophores with Various β -Electron Acceptors. 2001 , 13, 1896-1904	252
1846	Two-Photon Singlet Oxygen Sensitizers: Quantifying, Modeling, and Optimizing the Two-Photon Absorption Cross Section. 2001 , 105, 11488-11495	65
1845	Synthesis and Characterization of a Novel Charge Transfer Compound with Large Three-Photon Absorption Cross Section. 2001 , 30, 824-825	14
1844	Synthesis of New Symmetrically Substituted Stilbenes with Large Multi-Photon Absorption Cross Section and Strong Two-Photon-Induced Blue Fluorescence. 2001 , 74, 1977-1982	15
1843	Two-photon Fluorescence Light Microscopy. 2001 ,	3
1842	Theoretical study TPA properties of a series of two-dimensional charge-transfer derivatives. 2001 , 269, 441-445	8

1841	A quantum-chemical INDO/CI method for calculating two-photon cross sections. 2001 , 62, 1075-1079	2
1840	Studies on the lasing properties of a new two-photon absorbing material HEASPI. 2001 , 192, 315-322	3
1839	Multiphoton microscopy in biological research. 2001 , 5, 603-8	314
1838	Study on the electronic structure of phenylene vinylene dimers with different substituents. 2001 , 85, 165-168	13
1837	Multiphoton excited fluorescence spectroscopy of biomolecular systems. 2001 , 57, 2313-36	55
1836	Layer-by-layer self-assembled multilayer film of cationic oligo-(phenylene vinylene) and polyelectrolytes based on electrostatic interaction. 2001 , 141, 179-182	11
1835	Nonlinear microscopy. 2001 , 2, 1153-1160	1
1834	Energy deposition processes in biological tissue: nonthermal biohazards seem unlikely in the ultra-high frequency range. 2001 , 22, 97-105	20
1833	Nanoscale Push-Push Dihydrophenanthrene Derivatives as Novel Fluorophores for Two-Photon-Excited Fluorescence. 2001 , 113, 2156-2159	48
1832	Nanoscale Push-Push Dihydrophenanthrene Derivatives as Novel Fluorophores for Two-Photon-Excited Fluorescence. 2001 , 40, 2098-2101	191
1831	Photophysical properties and TPA optical limiting of two new organic compounds. 2001 , 333, 387-390	38
1830	Two-photon microstructure-polymerization initiated by a coumarin derivative/iodonium salt system. 2001 , 340, 444-448	47
1829	Two-photon absorption spectrum of poly(fluorene). 2001 , 343, 44-48	75
1828	Vibronic contributions to resonant NLO responses: two-photon absorption in push-pull chromophores. 2001 , 346, 470-478	38
1827	Ferrocenyl donor-organic acceptor complexes for second order nonlinear optics. 2001 , 265, 313-322	41
1826	Micro-tuning two-photon pumped lasing λ_{max} of novel dyes. 2001 , 62, 1145-1148	6
1825	Theoretical investigation on two-photon absorption properties of (dicyanomethylene)-pyran derivatives. 2001 , 545, 61-65	10
1824	Fluorene-Based Organic Molecule with High Two-Photon Absorption Activities. 2001 , 370, 155-159	4

1823	Synthesis of Two-Photon LC Materials. 2001 , 365, 33-42	2
1822	Two-Photon Absorption and Fluorescence of a Novel Compound Trans-1,3,5-tri-(4-N,N-Dimethylaminobenzylstyryl)-Acetylacetone. 2001 , 18, 205-207	7
1821	Quantitative dosing of surfaces with fluorescent molecules: characterization of fractional monolayer coverages by counting single molecules. 2001 , 73, 5030-7	36
1820	Absorption bleaching of squarylium dye J aggregates via a two-photon excitation process. 2001 , 79, 708-710	8
1819	Theoretical Two-Photon Absorption Cross-Sections of Dithienothiophene-Based Molecules. 2001 , 370, 173-176	
1818	Two-photon absorption and optical power limiting of bifluorene molecule. 2001 , 114, 5391-5396	137
1817	Effects of Centers and symmetry on two-photon absorption cross sections of organic chromophores. 2001 , 114, 9813-9820	178
1816	A quantum mechanical method for calculating nonlinear optical properties of condensed phase molecules coupled to a molecular mechanics field: A quadratic multiconfigurational self-consistent-field/molecular mechanics response method. 2001 , 115, 7843-7851	51
1815	Effects of dipole alignment and channel interference on two-photon absorption cross sections of two-dimensional charge-transfer systems. 2002 , 117, 11102-11106	66
1814	A linear response approach to second-order electronic transition intensities for multiconfigurational self-consistent field wave functions. 2002 , 117, 1010-1016	1
1813	A theoretical study of the 21Ag \leftarrow 11Ag two-photon transition and its vibronic band in trans-stilbene. 2002 , 100, 1791-1796	5
1812	Efficient singlet oxygen photosensitization upon two-photon excitation of porphyrins.	
1811	POLYMERIZATION AND NON-LINEAR PROPERTIES OF 1-(4?-SUBSTITUTED PHENYL)-4-(4?-METHYLPYRIDINIUM)BUTADIYNE TRIFLATE. 2002 , 39, 1393-1405	
1810	Vibration and two-photon absorption. 2002 , 116, 9729-9739	71
1809	3D Microengineering via Laser Direct-Write Processing Approaches. 2002 , 415-474	5
1808	Femtosecond Third-Order Optical Nonlinearity of Conjugated Polymers Consisting of Fluorene and Tetraphenyldiaminobiphenyl Units: StructureProperty Relationships. 2002 , 106, 1884-1888	29
1807	Introduction to multiphoton excitation imaging for the biological sciences. 2002 , 70, 129-48	3
1806	Two-Photon Photochromism of an Organic Material for Holographic Recording. 2002 , 14, 3663-3667	95

1805	Superradiance and lasing properties of new two-photon absorption dye DEASPS. 2002 , 49, 1515-1523	
1804	Assessment of fluorochromes for two-photon laser scanning microscopy of biofilms. 2002 , 68, 901-9	72
1803	Two-photon-pumped short-cavity lasing properties of the dye trans-4-[p-(N-hydroxyethyl-N-methylamino)styryl]-N-methylpyridinium p-toluene sulfonate. 2002 , 41, 1899	3
1802	New photoactivators for multiphoton excited three-dimensional submicron cross-linking of proteins: bovine serum albumin and type 1 collagen. 2002 , 76, 135-44	55
1801	A New Photosensitive Polymeric Material for WORM Optical Data Storage Using Multichannel Two-Photon Fluorescence Readout. 2002 , 14, 3656-3662	151
1800	Organometallic Complexes for Nonlinear Optics. 28.1 Dimensional Evolution of Quadratic and Cubic Optical Nonlinearities in Stilbenylethynylruthenium Complexes. 2002 , 21, 2024-2026	59
1799	In situ time-resolved fluorescence spectroscopy in the frequency domain in capillary electrochromatography. 2002 , 74, 1819-23	5
1798	Electrophoretic quantitation of nucleic acids without amplification by single-molecule imaging. 2002 , 74, 5033-8	48
1797	Isolated Building Blocks of Photonic Materials: High-Resolution Spectroscopy of Excited States of Jet-Cooled Push-Pull Stilbenes. 2002 , 106, 2446-2456	29
1796	Nanochannels on a fused-silica microchip and liquid properties investigation by time-resolved fluorescence measurements. 2002 , 74, 6170-6	169
1795	Solvent Effects on Conformationally Induced Enhancement of the Two-Photon Absorption Cross Section of a Pyridinium-N-Phenolate Betaine Dye. A Quantum Chemical Study. 2002 , 106, 4032-4037	78
1794	Dynamics of single-protein molecules at a liquid/solid interface: implications in capillary electrophoresis and chromatography. 2002 , 74, 6334-9	57
1793	General theory for pulse propagation in two-photon active media. 2002 , 117, 6214-6220	30
1792	Three-dimensional microfabrication by two-photon-initiated polymerization with a low-cost microlaser. 2002 , 27, 1348-50	102
1791	High third-order nonlinear optical susceptibility in new fluorinated poly(p-phenylenevinylene) copolymers measured with the Z-scan technique. 2002 , 27, 2176-8	51
1790	Contributions of permanent dipole moments to molecular multiphoton excitation cross sections. 2002 , 19, 2673	31
1789	Molecular Design for Third-Order Nonlinear Optics. 2002 , 123-191	44
1788	One- and Two-Photon Spectroscopy of Donor-Acceptor Donor Distyrylbenzene Derivatives: Effect of Cyano Substitution and Distortion from Planarity. 2002 , 106, 11470-11480	215

1787	Five Orders-of-Magnitude Enhancement of Two-Photon Absorption for Dyes on Silver Nanoparticle Fractal Clusters. 2002 , 106, 6853-6863	188
1786	Synthesis and photophysical properties of new conjugated fluorophores designed for two-photon-excited fluorescence. 2002 , 4, 719-22	250
1785	An efficient two-photon-generated photoacid applied to positive-tone 3D microfabrication. <i>Science</i> , 2002 , 296, 1106-9	33-3 646
1784	Anomalous radial migration of single DNA molecules in capillary electrophoresis. 2002 , 74, 4536-47	62
1783	Imaging solute distribution in capillary electrochromatography with laser scanning confocal microscopy. 2002 , 74, 1811-8	14
1782	Nonlinear Optical Polymeric Materials: From Chromophore Design to Commercial Applications. 2002 , 1-86	215
1781	Near-field two-photon nanolithography using an apertureless optical probe. 2002 , 81, 3663-3665	96
1780	Density matrix analysis and simulation of electronic excitations in conjugated and aggregated molecules. 2002 , 102, 3171-212	464
1779	Study of Two-Photon Absorption Spectral Property of a Novel Nonlinear Optical Chromophore Using Femtosecond Continuum. 2002 , 106, 11081-11084	33
1778	Trivalent boron as acceptor in D-pi-A chromophores: synthesis, structure and fluorescence following single- and two-photon excitation. 2002 , 2900-1	103
1777	Tuning the two-photon absorption response of quadrupolar organic molecules. 2002 , 116, 3646-3658	110
1776	Optimization of quadrupolar chromophores for molecular two-photon absorption. 2002 , 127, 17-21	50
1775	Novel heterocycle-based two-photon absorbing dyes. 2002 , 4, 1495-8	179
1774	3D Data Storage and Near-Field Recording. 2002 , 513-539	3
1773	Efficient Two-Photon Absorbing Chromophores with Fine-Tuned Bridges. 2002 , 725, 1	1
1772	Single molecule fluorescence and force microscopy. 2002 , 37, 1495-511	4
1771	New developments in multiphoton microscopy. 2002 , 12, 593-601	135
1770	Laser and Electron-Beam Induced Growth of Nanoparticles for 2D and 3D Metal Patterning. 2002 , 14, 194-198	174

1769	Multiphoton Imaging of Neurons in Living Tissue: Acquisition and Analysis of Time-Lapse Morphological Data. 2002 , 8, 175-188	31
1768	Dye-doped sol-gel materials for two-photon absorption induced fluorescence. 2002 , 18, 391-396	13
1767	Molecular engineering of NLO-phores for new NLO microscopies. 2002 , 3, 439-448	43
1766	Theoretical study of linear and nonlinear absorption in platinum-organic compounds. 2002 , 285, 207-220	43
1765	Investigation of TPP up-conversion lasing of stilbene derivatives. 2002 , 613, 91-94	8
1764	Organometallic complexes for nonlinear optics: Part 25. Quadratic and cubic hyperpolarizabilities of some dipolar and quadrupolar gold and ruthenium complexes. 2002 , 642, 259-267	90
1763	Linear and nonlinear optical properties of two-photon absorption dye doped linear copolymer. 2002 , 121, 339-344	2
1762	Electronic spectra and third-order nonlinear properties of new structures in carbon family. 2002 , 122, 307-310	20
1761	Observation of stimulated emission by direct three-photon excitation. 2002 , 415, 767-70	326
1760	Generalized few-state models for two-photon absorption of conjugated molecules. 2002 , 352, 262-269	111
1759	Two-photon absorption spectra of new organic compounds. 2002 , 352, 240-244	20
1758	Density analysis of imaginary part of $\chi^{(2)}$ related to two-photon absorption. 2002 , 356, 462-468	16
1757	A new strategy of enhancing two-photon absorption in conjugated molecules: introduction of charged defects. 2002 , 358, 435-441	21
1756	An AM1 study of the two-photon absorption in bis(styryl)benzene derivatives. 2002 , 361, 71-78	12
1755	Two-photon absorption in azoaromatic compounds. 2002 , 361, 209-213	44
1754	Drastic enhancement of two-photon absorption in porphyrins associated with symmetrical electron-accepting substitution. 2002 , 361, 504-512	89
1753	Efficient initiators for two-photon induced polymerization in the visible range. 2002 , 362, 291-295	41
1752	The studies on the two-photon absorption cross-sections and the second hyperpolarizabilities of multi-branched stilbene derivatives. 2002 , 362, 541-548	22

1751	Theoretical Studies Concerning the Optimization of Conjugated Molecules for Third-Order Nonlinear Optics. 2002 , 106, 5339-5347	15
1750	A comparative study of the two-photon absorption properties of a new octupolar molecule π -truxenone derivative and relative molecules. 2003 , 373, 167-175	11
1749	The one-photon and two-photon absorption properties for porphyrin-derived monomers and dimers. 2003 , 4, 991-7	23
1748	The influence of sigma and pi acceptors on two-photon absorption and solvatochromism of dipolar and quadrupolar unsaturated organic compounds. 2003 , 4, 249-59	183
1747	Linear and tri-branched copolymers for two-photon absorption and two-photon fluorescent materials. 2003 , 44, 6851-6855	37
1746	Time-resolved spectra of polarizable chromophores in solution. 2003 , 295, 35-46	16
1745	Optical limiting in the red-NIR range with soluble two-photon absorbing molecules. 2003 , 379, 74-80	59
1744	The third-order NLO properties of D-AA molecules with changing a primary amino group into pyrrole. 2003 , 367, 62-71	69
1743	Two-photon absorption properties of novel organic materials for three-dimensional optical memories. 2003 , 369, 264-268	72
1742	Two-photon absorption in perylene derivatives. 2003 , 371, 744-749	37
1741	Two-photon absorption properties of symmetric substituted diacetylene: drastic enhancement of the cross section near the one-photon absorption peak. 2003 , 372, 386-393	144
1740	Ab initio calculations of three-photon absorption. 2003 , 375, 233-239	54
1739	Two-photon properties of bis-1,4-(p-diarylamino)styryl)-2,5-dicyanobenzene derivatives: two-photon cross-section tendency in multi-branched structures. 2003 , 377, 210-216	16
1738	A convenient method for the synthesis of electron-rich phosphonates. 2003 , 44, 7989-7992	52
1737	Synthesis and two-photon absorption of highly soluble three-branched fluorenylene-vinylene derivatives. 2003 , 44, 8121-8125	99
1736	Organometallic complexes for nonlinear optics. Part 29. Quadratic and cubic hyperpolarizabilities of stilbenylethynylgold and -ruthenium complexes. 2003 , 350, 62-76	43
1735	Synthesis and nonlinear optical properties of new symmetrically substituted stilbenes. 2003 , 172, 364-369	8
1734	Two-photon isomerization and orientation of photoisomers in thin films of polymer. 2003 , 222, 269-276	32

1733	Synthesis and two-photon absorption of triphenylbenzene-cored dendritic chromophores. 2003 , 44, 2813-2816	93
1732	Synthesis and two-photon absorption property of phenylacetylene macrocycles. 2003 , 44, 5179-5182	13
1731	Synthesis of chiral polybinaphthyls with novel conjugated chromophores. 2003 , 59, 1703-1709	20
1730	Synthesis of oligo(p-phenylenevinylene)thienylene)s as potential red light-emitting materials. 2003 , 59, 5193-5198	12
1729	Theoretical study of the two-photon absorption in photochromic fulgides. 2003 , 105, 111-116	2
1728	Synthesis and structure-photophysical property relationships for two coumarinyl-based two-photon induced fluorescent molecules. 2003 , 657, 343-350	20
1727	Theoretical investigation of two-photon absorption properties for a series of bifluorene molecules. 2003 , 620, 177-188	5
1726	Design and application of high-sensitivity two-photon initiators for three-dimensional microfabrication. 2003 , 158, 163-170	98
1725	Enhanced two-photon absorption properties of weakly conjugated oligomers. 2003 , 21, 555-557	19
1724	Oligothiophene as photonic/electronic property modulator. 2003 , 21, 559-564	23
1723	Spectroscopic and thermal characterization in poly(p-phenylene vinylene)/sol-gel silica sample. 2003 , 24, 483-489	4
1722	Nonlinear magic: multiphoton microscopy in the biosciences. 2003 , 21, 1369-77	2884
1721	Towards nanoscale three-dimensional fabrication using two-photon initiated polymerization and near-field excitation. 2003 , 69, 459-465	9
1720	Synthesis and photophysical properties of new two-photon absorption chromophores containing a diacetylene moiety as the central bridge. 2003 , 13, 1575-1581	86
1719	Synthesis and spectroscopic properties of finite Ph ₂ N-containing oligo(arylenevinylene) derivatives that emit blue to red fluorescence. 2003 , 5, 1131-4	61
1718	Synthesis, characterization, photoluminescent and electroluminescent properties of new conjugated 2,2'-(arylenevinylene)bis-8-substituted quinolines. 2003 , 13, 1392-1399	25
1717	Spatially and temporally resolved delivery of stimuli to single cells. 2003 , 125, 3702-3	28
1716	Monitoring of Orientation in Molecular Ensembles by Polarization Sensitive Nonlinear Microscopy. 2003 , 107, 12403-12410	62

1715	Bis-1,4-(p-diarylaminostyryl)-2,5-dicyanobenzene derivatives with large two-photon absorption cross-sections. 2003 , 5, 645-8	148
1714	Adsorption and Diffusion of Single Molecules at Chromatographic Interfaces. 2003 , 107, 6258-6268	67
1713	Theoretical Study of Two-Photon Absorption Properties of a Series of Double-Layer Paracyclophane Derivatives. 2003 , 107, 1850-1858	13
1712	Calcium Photorelease from a Symmetrical Donor-Acceptor-Donor Bis-crown-fluoroionophore Evidenced by Ultrafast Absorption Spectroscopy. 2003 , 107, 2394-2402	21
1711	Strong two-photon absorption of self-assembled butadiyne-linked bisporphyrin. 2003 , 125, 13356-7	174
1710	Novel synthesis of protected thiol end-capped stilbenes and oligo(phenylenevinylene)s (OPVs). 2003 , 68, 1275-82	61
1709	Lateral Diffusion Dynamics for Single Molecules of Fluorescent Cyanine Dye at the Free and Surfactant-Modified Dodecane/Water Interface. 2003 , 19, 4197-4204	28
1708	Nanofluidic networks based on surfactant membrane technology. 2003 , 75, 2529-37	50
1707	Strong Cooperative Enhancement of Two-Photon Absorption in Dendrimers. 2003 , 107, 7540-7543	232
1706	Enhancement of two-photon absorption in tetrapyrrolic compounds. 2003 , 20, 321	127
1705	Nonlinear Optical Properties of Phthalocyanines. 2003 , 179-190	20
1704	Relation between bond-length alternation and two-photon absorption of a push-pull conjugated molecules: a quantum-chemical study. 2003 , 287, 103-112	53
1703	New initiator for two-photon absorption induced polymerization with a microlaser at 1.06 μm . 2003 , 138, 353-356	33
1702	Double-excitation dynamics in m-LPPP probed with sub-20 fs time resolution. 2003 , 139, 605-607	1
1701	(B) measurements in novel poly(2,5'-dioctyloxy-4,4',4'-terphenylenevinylene) using the Z-scan technique. 2003 , 139, 831-834	37
1700	Preparation of a Branched DNA Self-Assembled Monolayer toward Sensitive DNA Biosensors. 2003 , 3, 1083-1086	33
1699	Ultrabright supramolecular beacons based on the self-assembly of two-photon chromophores on metal nanoparticles. 2003 , 125, 328-9	82
1698	Solvent effects on the electronic structure of a newly synthesized two-photon polymerization initiator. 2003 , 119, 1208-1213	92

- 1697 Water-soluble quantum dots for multiphoton fluorescence imaging in vivo. *Science*, **2003**, 300, 1434-6 33,3 2048
- 1696 Two methods for amplifying the optical nonlinearity of a conjugated porphyrin polymer: transmetallation and self-assembly. **2003**, 13, 2796-2808 85
- 1695 Influence of electron-acceptor strength on the resonant two-photon absorption cross sections of diphenylaminofluorene-based chromophores. **2003**, 5, 3869-3873 35
- 1694 Optical limiting in the visible range: molecular engineering around N4,N4'-bis(4-methoxyphenyl)-N4,N4'-diphenyl-4,4'-diaminobiphenyl. **2003**, 13, 2157-2163 63
- 1693 Fundamental limits on two-photon absorption cross sections. **2003**, 119, 8327-8334 124
- 1692 Multiphoton excitation spectra in biological samples. **2003**, 8, 329-38 93
- 1691 Combinatorial discovery of two-photon photoremovable protecting groups. **2003**, 100, 12548-53 20
- 1690 Inclusion of non-orthogonality on the valence bond charge-transfer model for nonlinear optical properties of push-pull molecules. **2003**, 101, 1805-1811
- 1689 Resonant nonlinear polarizabilities in the time-dependent density functional theory. **2003**, 119, 8809-8823 137
- 1688 Supramolecular interactions in clusters of polar and polarizable molecules. **2003**, 68, 63
- 1687 Organics and Polymers with High Two-Photon Activities and their Applications. **2003**, 157-193 103
- 1686 Two-photon excitation microscopy. **2003**, 195-XII 9
- 1685 Recent Trends in the Molecular Design Towards Large Two-Photon Absorption Cross-Sections. **2003**, 31, 392-396
- 1684 Two-Photon Absorption and Optical Limiting Properties of Organic Salt trans-4-[p-(N-hydroxyethyl-N-methylamino)styryl]-N-methylpyridinium Iodide in Various Solvents. **2004**, 43, 1357-1361 3
- 1683 Extremely large nonlinear absorption cross-sections in organic polymeric chains. **2004**, 68, 426-432 5
- 1682 Ultrafast Optical Response from a Novel Tri-Branched Copolymer. **2004**, 21, 1730-1733 4
- 1681 Degenerate two-photon-absorption spectral studies of highly two-photon active organic chromophores. **2004**, 120, 5275-84 66
- 1680 One- and two-photon absorption of three-coordinate compounds with different centers (B,Al,N) and a 2,2'-dipyridyl nitrogen functional group. **2004**, 121, 8253-60 13

1679	Calculations on the octupolar molecules with enhanced two-photon absorption cross sections based on the Zn (II) and Cu (I) as centers. 2004 , 120, 11493-9	32
1678	Density functional response theory calculations of three-photon absorption. 2004 , 121, 9239-46	32
1677	One-, two-, and three-photon absorption induced fluorescence of a novel chromophore in chloroform solution. 2004 , 121, 7901-7	10
1676	Photorefractive polymer composite operating at the optical communication wavelength of 1550 nm. 2004 , 85, 4561-4563	39
1675	Chapter 5 Two-photon isomerization and orientation of photochromic chromophores in polymeric thin films. 2004 , 71-88	
1674	Strong Enhancement of the Two Photon Absorption Cross Section of Porphyrin J-Aggregates in water. 2004 , 846, DD2.7.1	
1673	Live optical imaging of nervous system development. 2004 , 66, 771-98	46
1672	TWO-PHOTON ABSORBING PHENYLENEVINYLENE DERIVATIVE HAVING SILYLOXY MOIETIES IN DONOR UNITS. 2004 , 13, 467-474	5
1671	TWO-PHOTON ABSORPTION AND FLUORESCENCE WITH QUADRUPOLEAR AND BRANCHED CHROMOPHORES EFFECT OF STRUCTURE AND BRANCHING. 2004 , 13, 451-460	7
1670	Syntheses of novel dipyrromethene-BF ₂ dyes and their performance as labels in two-photon excited fluoroimmunoassay. 2004 , 14, 129-38	22
1669	Dynamics of higher photoexcited states in m-LPPP probed with sub-20 fs time resolution. 2004 , 384, 251-255	17
1668	Synthesis, crystal structure and two-photon property studies on a series of complexes derived from a novel Schiff base ligand. 2004 , 29, 596-602	15
1667	Two-photon fluorescence properties of a styrylpyridinium derivative organic chromophore in different solvents. 2004 , 78, 397-400	16
1666	Measurement of two-photon absorption cross-section in organic molecular salt with linear and circular polarized radiation. 2004 , 79, 235-238	7
1665	Formation efficiency of radical cations of stilbene and methoxy-substituted stilbenes during resonant two-photon ionization with a XeCl excimer laser. 2004 , 162, 121-128	18
1664	An insight into a novel class of self-assembled porphyrins: geometric structure, electronic structure, one- and two-photon absorption properties. 2004 , 10, 5623-31	21
1663	Two-photon absorption and fluorescence in nanoscale multipolar chromophores: effect of dimensionality and charge-symmetry. 2004 , 704, 17-24	39
1662	One- and two-photon absorption properties of a series of derived pyrazolines. 2004 , 27, 315-321	14

1661	Two-photon absorption in diazobenzene compounds. 2004 , 27, 441-444	28
1660	Novel applications of 2-cyanoethylanilines in the synthesis of conjugated primary and secondary anilines. 2004 , 45, 1473-1475	1
1659	Two-photon absorption properties of star-shaped compounds based on 1,3,5-triazine and 1,3,5-trisubstituted benzene. 2004 , 668, 229-234	2
1658	Theoretical investigation on dendritic molecules with large two-photon absorption cross section. 2004 , 672, 175-182	5
1657	Two-photon absorption properties of porphyrin derivatives. 2004 , 679, 157-164	8
1656	Theoretical investigation on the two-photon absorption of C60. 2004 , 680, 237-242	16
1655	Two-photon absorption properties of multi-branched bis-(styryl)benzene based organic chromophores. 2004 , 682, 185-189	18
1654	Blue two-photon excited fluorescence of several D-ED, A-EA, and D-EA compounds featuring dimesitylboryl acceptor. 2004 , 689, 2201-2206	53
1653	Highly sensitive measurement in two-photon absorption cross section and investigation of the mechanism of two-photon-induced polymerization. 2004 , 110, 1-10	27
1652	Two-photon absorption properties of hyperbranched conjugated polymers with triphenylamine as the core. 2004 , 45, 7143-7149	104
1651	Isomeric orientation by two-photon excitation: a theoretical study. 2004 , 229, 291-303	26
1650	Synthesis, nonlinear optical properties and the possible mechanism of photopolymerization of two new two-photon absorption chromophores. 2004 , 177, 3007-3013	12
1649	Theoretical studies of one- and two-photon absorptions for a series of three-coordinate compounds with different centers (B, Al, N and P) and distyrylbenzenes as branching chromophores. 2004 , 307, 61-69	10
1648	Theoretical study on the one- and two-photon absorption properties of a series of octupolar oligofluorenes and dipolar analogs. 2004 , 385, 149-154	5
1647	A QSPR study on optical limiting of organic compounds. 2004 , 387, 238-242	15
1646	Two-photon absorption properties of star-shaped molecules containing peripheral diarylthienylamines. 2004 , 390, 433-439	19
1645	Three-photon absorption enhancement in a symmetrical charge transfer fluorene derivative. 2004 , 391, 22-26	58
1644	Two-photon absorption investigation in reduced and oxidized cytochrome c solutions. 2004 , 390, 506-510	32

1643	Ab initio fragment orbital theory (AFOT): application to some two-photon-absorbing (TPA) molecules. 2004 , 393, 76-80	2
1642	Calculations of the third-order nonlinear optical responses in push-pull chromophores with a time-dependent density functional theory. 2004 , 392, 444-451	38
1641	Structure-property relation in two-photon absorption for symmetric molecules involving diacetylene π -conjugated bridge. 2004 , 393, 437-441	22
1640	Theoretical studies on nonlinear optical properties of two newly synthesized compounds: PVPHC and DPVPA. 2004 , 394, 176-181	15
1639	Theoretical investigation on the one- and two-photon absorption properties of multi-branched oligomers with truxenone center and fluorene branches. 2004 , 397, 500-509	15
1638	Broadband optical limiting and nonlinear optical absorption properties of a novel hyperbranched conjugated polymer. 2004 , 400, 569-572	33
1637	Two-photon-absorption properties of multipolar molecules studied using femtosecond z-scan method. 2004 , 4, 573-576	4
1636	Two-Photon Absorption Cross Sections of trans-Stilbene, and 7,8-Disubstituted Stilbenes in Different Molecular Conformations: A Model Exact Study. 2004 , 108, 6279-6285	15
1635	Enhanced two-photon absorption with novel octupolar propeller-shaped fluorophores derived from triphenylamine. 2004 , 6, 47-50	231
1634	Y-shaped two-photon absorbing molecules with an imidazole-thiazole core. 2004 , 1178-80	34
1633	Two-photon 3D lithography: materials and applications.	
1632	Few-states models for three-photon absorption. 2004 , 121, 2020-9	39
1631	Measurement of normal and anomalous diffusion of dyes within protein structures fabricated via multiphoton excited cross-linking. 2004 , 5, 2347-57	39
1630	Zinc-induced switching of the nonlinear optical properties of a functionalized bis(styryl)benzene. 2004 , 126, 6238-9	29
1629	Triphenylamine derivatives with large two-photon cross-sections. 2004 , 6, 1389-92	80
1628	Nonlinear Absorption Spectrum in MEH-PPV/Chloroform Solution: A Competition between Two-Photon and Saturated Absorption Processes. 2004 , 108, 5221-5224	47
1627	Charge-Transfer States Determine Iron Porphyrin Film Third-Order Nonlinear Optical Properties in the near-IR Spectral Region. 2004 , 108, 12016-12023	48
1626	Direct observation of single native DNA molecules in a microchannel by differential interference contrast microscopy. 2004 , 76, 4459-64	16

1625	Synthesis, loading, and application of individual nanocapsules for probing single-cell signaling. 2004 , 20, 4614-20	34
1624	Strong modulation of two-photon excited fluorescence of quadrupolar dyes by (de)protonation. 2004 , 126, 16294-5	95
1623	Synthesis and Two-Photon Absorption Properties of 9,10-Bis(arylethynyl)anthracene Derivatives. 2004 , 16, 2783-2789	94
1622	Triaryl boron-based A-pi-A vs triaryl nitrogen-based D-pi-D quadrupolar compounds for single- and two-photon excited fluorescence. 2004 , 6, 2933-6	149
1621	Triphenylamine-Cored Bifunctional Organic Molecules for Two-Photon Absorption and Photorefraction. 2004 , 16, 456-465	178
1620	Substituent-dependent photoinduced intramolecular charge transfer in N-aryl-substituted trans-4-aminostilbenes. 2004 , 126, 12325-35	142
1619	Linear and Two-Photon Photophysical Properties of a Series of Symmetrical Diphenylaminofluorenes. 2004 , 16, 2267-2273	101
1618	Synthesis, Characterization, and Optical Properties of New Two-Photon-Absorbing Fluorene Derivatives. 2004 , 16, 4634-4641	130
1617	Metal-ion sensing fluorophores with large two-photon absorption cross sections: aza-crown ether substituted donor-acceptor-donor distyrylbenzenes. 2004 , 126, 9291-306	193
1616	Random lasing in human tissues. 2004 , 85, 1289-1291	350
1615	In situ diagnostics of the crystalline nature of single organic nanocrystals by nonlinear microscopy. 2004 , 92, 207401	113
1614	Understanding strong two-photon absorption in pi-conjugated porphyrin dimers via double-resonance enhancement in a three-level model. 2004 , 126, 15352-3	241
1613	Two-photon absorption in three-dimensional chromophores based on [2.2]-paracyclophane. 2004 , 126, 11529-42	156
1612	Polarization storage by nonlinear orientational hole burning in azo dye-containing polymer films. 2004 , 85, 351-353	58
1611	Density-functional theory calculations of optical rotatory dispersion in the nonresonant and resonant frequency regions. 2004 , 120, 5027-35	72
1610	Limitations of Essential-State Models for the Description of Two-Photon Absorption Processes: The Example of Bis(dioxaborine)-Substituted Chromophores \square 2004 , 108, 8641-8646	29
1609	Prediction of Two-Photon Absorption Properties for Organic Chromophores Using Time-Dependent Density-Functional Theory. 2004 , 108, 899-907	169
1608	Novel p-phenylene-vinylene-dithienylene type copolymer: potential red-emitting materials. 2004 , 145, 67-73	3

1607	Three- and four-photon absorption of a multiphoton absorbing fluorescent probe. 2004 , 43, 5394-8	43
1606	One-photon versus Two-photon Laser Scanning Microscopy and Digital Image Analysis of Microbial Biofilms. 2004 , 34, 89-136	18
1605	Enhanced Two-photon Properties of Tri-branched Styryl Derivatives Based on 1,3,5-Triazine. 2004 , 33, 470-471	44
1604	Quantitative determination of localized tissue oxygen concentration in vivo by two-photon excitation phosphorescence lifetime measurements. 2004 , 97, 1962-9	53
1603	Recent Progress of Lithographic Microfabrication by the TPA-Induced Photopolymerization. 2004 , 17, 385-392	14
1602	Synthesis, Characterization, and Non-Linear Optical Properties of Two New Symmetrical Two-Photon Photopolymerization Initiators. 2005 , 58, 29	4
1601	Cooperative Enhancement of Two-photon Absorption of Multibranched Compounds with Vinylenes Attaching to thes-Triazine Core. 2005 , 34, 644-645	44
1600	Synthesis, Structures, and Properties of Two New Two-Photon Photopolymerization Initiators. 2005 , 78, 300-306	13
1599	Luminescence as a tool to investigate dendrimer properties. 2005 , 30, 453-473	114
1598	Theoretical investigation on the one- and two-photon absorption properties of a series of porphyrazines with annulated 1,2,5-thiadiazole and 1,4-dimethoxybenzene moieties. 2005 , 172, 126-134	10
1597	One-, two- and three-photon spectroscopy of π -conjugated dendrimers: cooperative enhancement and coherent domains. 2005 , 111, 291-305	83
1596	The effects of donor acceptor end groups of heterocyclic molecules on two-photon absorption properties. 2005 , 748, 1-4	2
1595	Synthesis, X-ray crystal structures and linear and nonlinear optical characterization of a series of nickel(II) and copper(II) salicylaldiminato complexes. 2005 , 358, 3773-3785	27
1594	Synthesis, structure and two-photon absorption properties of a new multi-branched two-photon photopolymerization initiator. 2005 , 733, 83-87	5
1593	Theoretical investigation on a series of heterocycle-based compounds with large two-photon absorption cross-sections. 2005 , 719, 207-212	4
1592	Calculations of two-photon absorption cross-sections of stilbene and bis (styryl) benzene derivatives by means of TDDFT-SOS method. 2005 , 726, 61-65	18
1591	Theoretical study of two-photon absorption properties of a series of tetra-paracyclophane derivatives. 2005 , 756, 133-141	4
1590	Two- and three-photon excited fluorescence in Y-shaped molecules. 2005 , 402, 474-478	17

1589	One- and two-photon absorption properties of octupolar molecules with tetrahedral structure. 2005 , 403, 7-15	27
1588	Large three-photon absorption cross-section in a novel class of bis-(N-carbazolyl) fluorene derivatives. 2005 , 403, 405-409	17
1587	Enhancement of three-photon absorption cross-sections in a novel class of symmetrical charge transfer fluorene-based molecules. 2005 , 410, 282-287	8
1586	Novel multi-branched organic compounds with enhanced two-photon absorption benefiting from the strong electronic coupling. 2005 , 414, 253-258	21
1585	Two-photon absorption: from optical power limiting to 3D microfabrication. 2005 , 8, 1308-1316	45
1584	Two-photon absorption properties of self-assemblies of butadiyne-linked bis(imidazolylporphyrin). 2005 , 109, 22003-12	87
1583	Exocytosis and endocytosis of small vesicles in PC12 cells studied with TEPIQ (two-photon extracellular polar-tracer imaging-based quantification) analysis. 2005 , 568, 917-29	37
1582	A new multi-branched two-photon photopolymerization initiator: synthesis and non-linear optical properties of a 1,3,5-triazine-based octupolar molecule. 2005 , 90, 139-143	12
1581	Degenerate two-photon absorption spectra in azoaromatic compounds. 2005 , 6, 1121-5	60
1580	One- and two-photon photochemistry and photophysics of poly(arylenevinylene)s containing a biphenyl moiety. 2005 , 6, 267-76	11
1579	Two-photon absorption of bis[4-(N,N-diphenylamino)phenylethynyl]arenes. 2005 , 6, 893-6	29
1578	High-density data recording in an optoelectrical dual-responsive thin film. 2005 , 6, 1478-82	12
1577	Two-photon photochromism of diarylethene dimer derivatives. 2005 , 6, 2300-6	47
1576	Efficient two-photon-sensitized luminescence of a europium(III) complex. 2005 , 44, 747-50	152
1575	Efficient Two-Photon-Sensitized Luminescence of a Europium(III) Complex. 2005 , 117, 757-760	18
1574	Acrylate-Based Photopolymer for Two-Photon Microfabrication and Photonic Applications. 2005 , 15, 209-216	104
1573	Perylene Derivatives with Large Two-Photon-Absorption Cross-Sections for Application in Optical Limiting and Upconversion Lasing. 2005 , 17, 1890-1893	113
1572	Two-photon absorption properties of 2,6-bis(styryl)anthracene derivatives: effects of donor-acceptor substituents and the pi center. 2005 , 11, 4191-8	70

1571	Synthesis, spectroscopic and nonlinear optical properties of multiple [60]fullerene-oligo(p-phenylene ethynylene) hybrids. 2005 , 11, 3643-58	77
1570	Femtosecond response from two copolymers with intense two-photon absorption. 2005 , 80, 541-545	15
1569	Introduction to the intuitive engineering of homogeneous and isotropic two-photon absorbent molecular materials. 2005 , 8, 1226-1231	4
1568	Two new asymmetrical two-photon photopolymerization initiators: Synthesis, characterization and nonlinear optical properties. 2005 , 27, 1787-1792	8
1567	The Solitonic Nature of the Electronic Structure of the Ions of Linear Conjugated Systems. 2005 , 41, 139-164	22
1566	Synthesis, Crystal Structure and NLO Properties of a Novel Ruthenium(II) Complex with Unusual Coordination Mode. 2005 , 30, 778-785	23
1565	One- and two-photon fluorescence anisotropy of selected fluorene derivatives. 2005 , 15, 3-11	22
1564	Synthesis and characterization of novel rigid two-photon absorbing polymers. 2005 , 16, 150-155	24
1563	Optical properties of a novel nonlinear chromophore doped polymer and application for two-photon microfabrication. 2005 , 202, 2515-2520	6
1562	Two-photon induced three-dimensional optical data storage in PMMA films doped with a novel dye. 2005 , 202, R66-R68	3
1561	Non-linear absorption of 2,5-dialkynyl thiophenes. 2005 , 18, 426-433	9
1560	Multi-Photon Absorption of Molecules. 2005 , 1-21	23
1559	Determination of spatial distributions of zinc and active biomass in microbial biofilms by two-photon laser scanning microscopy. 2005 , 71, 4014-21	43
1558	Four-Photon Process Induced Upconversion Lasing. 2005 , 22, 1152-1154	2
1557	Two-photon absorption in solution by means of time-dependent density-functional theory and the polarizable continuum model. 2005 , 122, 244104	97
1556	Resonance hyper-Raman excitation profiles of a donor-acceptor substituted distyrylbenzene: one-photon and two-photon states. 2005 , 122, 184508	32
1555	Solvent effects on the vibronic one-photon absorption profiles of dioxaborine heterocycles. 2005 , 123, 194311	23
1554	Fundamental limits of the dispersion of the two-photon absorption cross section. 2005 , 123, 194101	68

1553	DENDRITIC FLUORENE OLIGOMERS FOR NONLINEAR ABSORPTION IN THE VISIBLE RANGE. 2005 , 14, 311-318	7
1552	Substituent effect on two-photon absorption properties of conjugated porphyrins. 2005 , 09, 735-744	12
1551	Development of Photochromic Two-Photon Absorption Dyes. 2005 , 430, 173-179	8
1550	Polyfluorene Based Coordination Compounds for Nonlinear Absorption. 2005 , 426, 197-204	2
1549	Water-Soluble Paracyclophane Fluorophores with Large Two-Photon Action Cross Sections. 2005 , 871, 1	
1548	Measurement and modeling of two-photon absorption spectrum in azoaromatic compounds.	
1547	Nonlinear absorption spectrum in perylene derivatives.	
1546	Three-Dimensional Microfabrication by Two-Photon Lithography. 2005 , 30, 976-982	39
1545	Nonlinear infrared and optical responses of a Holstein-Peirls-Hubbard dimer. 2005 , 109, 19082-9	3
1544	Surface plasmon enhancement of two- and three-photon absorption of Hoechst 33 258 dye in activated gold colloid solution. 2005 , 109, 14506-12	43
1543	Nonlinear transmission of highly conjugated (polypyridyl)metal-(porphinato)zinc(II) compounds. 2005 ,	
1542	Calculations of two-photon charge-transfer excitations using Coulomb-attenuated density-functional theory. 2005 , 123, 184108	97
1541	Two-and Three photon excited fluorescence in Y-shaped molecules.	
1540	Synthesis and properties of new two-photon absorption chromophores containing 3,5-dicyano-2,4,6-tristyrylpyridine as the core. 2005 , 29, 792	20
1539	Synthesis and two-photon absorption properties of novel heterocycle-based organic molecules. 2005 , 15, 4502	45
1538	Time-resolved emission upon two-photon excitation of bis-N-carbazolyl-distyrylbenzene: mapping of water molecule distribution in the mouse brain. 2005 , 29, 1044	4
1537	Investigation of two-photon absorption behavior in symmetrical acceptor-pi-acceptor derivatives with dimesitylboryl end-groups. Evidence of new engineering routes for TPA/transparency trade-off optimization. 2005 , 7, 600-6	127
1536	The ultrafast dynamics and nonlinear optical properties of tribranched styryl derivatives based on 1,3,5-triazine. 2005 , 109, 10705-10	81

1535	Excited state two photon absorption of a charge transfer radical dimer in the near infrared. 2005 , 109, 4643-5	17
1534	Single DNA molecules as probes of chromatographic surfaces. 2005 , 77, 3256-60	20
1533	Novel electroactive and photoactive molecular materials based on conjugated donor-acceptor structures for optoelectronic device applications. 2005 , 109, 10786-92	114
1532	Two-photon absorption in aqueous micellar solutions. 2005 , 127, 13794-5	79
1531	Dependence of the two-photon absorption cross section on the conjugation of the phenylacetylene linker in dipolar donor-bridge-acceptor chromophores. 2005 , 109, 9767-74	31
1530	6-(Arylvinylene)-3-bromopyridine Derivatives as Lego Building Blocks for Liquid Crystal, Nonlinear Optical, and Blue Light Emitting Chromophores. 2005 , 17, 502-513	37
1529	Effects of (multi)branching of dipolar chromophores on photophysical properties and two-photon absorption. 2005 , 109, 3024-37	311
1528	Synthesis of triphenylamine-cored dendritic two-photon absorbing chromophores. 2005 , 7, 3199-202	107
1527	Extremely strong near-IR two-photon absorption in conjugated porphyrin dimers: quantitative description with three-essential-states model. 2005 , 109, 7223-36	233
1526	Predication of second-order optical nonlinearity of [(Bu ₂ t Im)AuX] (X=halogen) using time-dependent density-functional theory combined with sum-over-states method. 2005 , 123, 134302	22
1525	New fluorophores based on trifluorenylamine with very large intrinsic three-photon absorption cross sections. 2005 , 7, 4807-10	48
1524	Full Emission Color Tuning in Bis-Dipolar Diphenylamino-Endcapped Oligoarylfluorenes. 2005 , 17, 5032-5040	115
1523	Solvatochromism of distyrylbenzene pairs bound together by [2.2]paracyclophane: evidence for a polarizable "through-space" delocalized state. 2005 , 127, 7435-43	80
1522	Core-modified expanded porphyrins with large third-order nonlinear optical response. 2005 , 127, 11608-9	163
1521	Bidirectional description of amplified spontaneous emission induced by three-photon absorption. 2005 , 22, 385	8
1520	Excited-state characterization and effective three-photon absorption model of two-photon-induced excited-state absorption in organic push-pull charge-transfer chromophores. 2005 , 22, 1939	118
1519	Two-photon absorption and two-photon excited fluorescence of triphenylamine-based multibranching chromophores. 2005 , 155, 464-473	33
1518	Theoretical study on two-photon absorption for symmetric molecular systems composed of charged groups linked with a π -conjugated bridge. 2005 , 154, 181-184	4

1517	Innovations in the imaging of brain functions using fluorescent proteins. 2005 , 48, 189-99	146
1516	Synthesis, photonic characteristics, and mesomorphism of an oligo biphenylene vinylene pi-electron system. 2005 , 7, 1505-8	41
1515	Two-photon photosensitized production of singlet oxygen in water. 2005 , 127, 255-69	160
1514	Structures and nonlinear optical properties of new symmetrical two-photon photopolymerization initiators. 2005 , 29, 479	7
1513	Fluorene-based fluorescent probes with high two-photon action cross-sections for biological multiphoton imaging applications. 2005 , 10, 051402	44
1512	Synthesis and characterization of water-soluble phenylene-vinylene-based singlet oxygen sensitizers for two-photon excitation. 2005 , 70, 7065-79	79
1511	Novel two-photon-absorbing, 1,10-phenanthroline-containing π -conjugated chromophores and their nickel(II) chelated complexes with quenched emissions. 2005 , 15, 579-587	62
1510	Strong, low-energy two-photon absorption in extended amine-terminated cyano-substituted phenylenevinylene oligomers. 2005 , 127, 10844-5	117
1509	Water-soluble [2.2]paracyclophane chromophores with large two-photon action cross sections. 2005 , 127, 820-1	116
1508	Role of donor-acceptor strengths and separation on the two-photon absorption response of cytotoxic dyes: a TD-DFT study. 2005 , 109, 7276-84	52
1507	Solvent effects on the two-photon absorption of distyrylbenzene chromophores. 2005 , 127, 14721-9	287
1506	Probing strong adsorption of solute onto C18-silica gel by fluorescence correlation imaging and single-molecule spectroscopy under RPLC conditions. 2005 , 77, 2303-10	39
1505	2,6-Bis[4-(p-dihexylaminostyryl)styryl]anthracene derivatives with large two-photon cross sections. 2005 , 7, 323-6	190
1504	Two-photon photosensitized production of singlet oxygen: sensitizers with phenylene-ethynylene-based chromophores. 2005 , 70, 1134-46	111
1503	Multi-photon excitation of intrinsic protein fluorescence and its application to pharmaceutical drug screening. 2005 , 3, 155-67	6
1502	TDDFT study of one- and two-photon absorption properties: donor-pi-acceptor chromophores. 2005 , 109, 1803-14	91
1501	Two-photon absorption at telecommunications wavelengths in a dipolar chromophore with a pyrrole auxiliary donor and thiazole auxiliary acceptor. 2005 , 127, 7282-3	142
1500	Two-photon photosensitized production of singlet oxygen: optical and optoacoustic characterization of absolute two-photon absorption cross sections for standard sensitizers in different solvents. 2006 , 110, 7375-85	86

1499	Upconverted emission from pyrene and di-tert-butylpyrene using Ir(ppy) ₃ as triplet sensitizer. 2006 , 110, 11440-5	137
1498	Theoretical investigation of one-photon and two-photon absorption properties for multiply N-confused porphyrins. 2006 , 110, 13956-65	10
1497	Synthesis, characterization and nonlinear optical effects of M4(μ ₄ -O) core complexes with large two-photon absorption cross-section. 2006 , 16, 3746-3752	16
1496	Degenerate two-/three-photon absorption and optical power-limiting properties in femtosecond regime of a multi-branched chromophore. 2006 , 16, 2490	90
1495	Two-Photon Photopolymerization and 3D Lithographic Microfabrication. 2006 , 169-273	202
1494	Theoretical study of two-photon absorption properties of a series of ferrocene-based chromophores. 2006 , 110, 12222-30	16
1493	Very large infrared two-photon absorption cross section of asymmetric zinc porphyrin aggregates: Role of intermolecular interaction and donor-acceptor strengths. 2006 , 110, 12342-7	50
1492	Novel multi-branched two-photon polymerization initiators of ketocoumarin derivatives. 2006 , 177, 12-16	23
1491	Investigation of the two-photon absorption cross-section in perylene tetracarboxylic derivatives: nonlinear spectra and molecular structure. 2006 , 110, 6433-8	49
1490	Conjugated chromophore near the quantum-confined cadmium sulfide cluster: quenched photoluminescence and enhanced two-photon absorption. 2006 , 110, 19711-6	7
1489	Ultra-high resolution imaging by fluorescence photoactivation localization microscopy. 2006 , 91, 4258-72	2548
1488	Organic nonlinear optical materials: where we have been and where we are going. 2006 , 131-4	417
1487	Kohn-Sham Time-Dependent Density Functional Theory with Applications to Linear and Nonlinear Properties. 2006 , 151-209	1
1486	Synthesis and characterization of new fluorescent two-photon absorption chromophores. 2006 , 16, 850-857	42
1485	Theoretical investigation of two-photon absorption allowed excited states in symmetrically substituted diacetylenes by ab initio molecular-orbital method. 2006 , 124, 124303	59
1484	Two-photon absorption properties of substituted porphyrins. 2006 , 10, 160-166	12
1483	Acceptor or donor (diaryl B or N) substituted octupolar truxene: synthesis, structure, and charge-transfer-enhanced fluorescence. 2006 , 71, 7858-61	44
1482	Multibranching benzylidene cyclopentanone dyes with large two-photon absorption cross-sections. 2006 , 30, 1098	46

1481	Investigation of two-photon absorption properties in branched alkene and alkyne chromophores. 2006 , 128, 11840-9	217
1480	Large Cross-Section Enhancement and Intramolecular Energy Transfer upon Multiphoton Absorption of Hindered Diphenylaminofluorene-C60 Dyads and Triads. 2006 , 18, 4065-4074	45
1479	Dications of bis-triarylamino-[2.2]paracyclophanes: Evaluation of excited state couplings by GMH analysis. 2006 , 110, 3495-504	15
1478	Dendron Decorated Platinum(II) Acetylides for Optical Power Limiting. 2006 , 39, 2238-2246	102
1477	Synthesis of Two-Photon Absorbing Unsymmetrical Fluorenyl-Based Chromophores. 2006 , 18, 4972-4980	41
1476	Zinc(II)- and copper(I)-mediated large two-photon absorption cross sections in a bis-cinnamaldiminato Schiff base. 2006 , 128, 402-3	136
1475	Ultrafast excited state relaxation dynamics of branched donor-pi-acceptor chromophore: evidence of a charge-delocalized state. 2006 , 110, 20872-8	60
1474	Charge instability in quadrupolar chromophores: symmetry breaking and solvatochromism. 2006 , 128, 15742-55	330
1473	Quantitative screening of single copies of human papilloma viral DNA without amplification. 2006 , 78, 6490-6	27
1472	Relationship between two-photon absorption and the pi-conjugation pathway in porphyrin arrays through dihedral angle control. 2006 , 128, 1700-4	193
1471	Palladium-catalyzed dimerization of conjugated diynes: synthesis of (E)-1,2-divinyldiethynylethenes having donor and acceptor chromophores at the terminus of alkyne. 2006 , 71, 1152-5	27
1470	Theoretical study on the electronic spectrum and the origin of remarkably large third-order nonlinear optical properties of organoimide derivatives of hexamolybdates. 2006 , 110, 23092-8	81
1469	Theoretical study of two-photon absorption in donor-acceptor chromophores tetraalkylammonium halide/carbon tetrabromide. 2006 , 110, 10330-5	6
1468	Excited mixed-valence states of symmetrical donor-acceptor-donor pi systems. 2006 , 110, 5204-14	86
1467	Nanofiber frequency doublers. 2006 , 6, 2656-9	58
1466	One- and two-photon absorption and emission properties of a Zn(II) chemosensor. 2006 , 110, 6459-64	28
1465	Hybrid organic semiconductors including chalcogen atoms in pi-conjugated skeletons. Tuning of optical, redox, and vibrational properties by heavy atom conjugation. 2006 , 110, 7422-30	23
1464	Aggregates of quadrupolar dyes: giant two-photon absorption from biexciton states. 2006 , 110, 25590-2	42

1463	Building symmetric two-dimensional two-photon materials. 2006 , 128, 13972-3	128
1462	Two-photon absorption in two-dimensional conjugated quadrupolar chromophores. 2006 , 31, 3315-7	38
1461	Peak two-photon molecular brightness of fluorophores is a robust measure of quantum efficiency and photostability. 2006 , 23, 1420	12
1460	Generalized theoretical treatment and numerical method of time-resolved radially dependent laser pulses interacting with multiphoton absorbers. 2006 , 23, 1894	8
1459	Principles of two-photon excitation microscopy and its applications to neuroscience. 2006 , 50, 823-39	737
1458	Synthesis and properties of a new two-photon absorbing chromophore. 2006 , 156, 141-145	6
1457	Photophysical properties and electroluminescent applications of donor-acceptor-donor functionalized red electroactive fluorescent materials. 2006 , 156, 1174-1181	8
1456	Theoretical studies on one- and two-photon absorption properties of rubrene and its derivatives. 2006 , 156, 1218-1224	7
1455	Optical limiters and photovoltaic devices based on C60, carbon nanotubes and their nanocomposites. 2006 , 611-631	4
1454	Synthesis, Structures, and Two-Photon Absorption Properties of Two New Heterocycle-Based Organic Chromophores. 2006 , 79, 1614-1619	8
1453	Two-photon Microscopy and Imaging. 2006 ,	2
1452	New Heterocycle-Based Organic Molecule with Two-Photon Induced Blue Fluorescent Emission. 2006 , 59, 49	12
1451	Recent developments in the use of two-photon polymerization in precise 2D and 3D microfabrications. 2006 , 17, 72-82	147
1450	(B) measurements and optical limiting in dibenzylideneacetone and its derivatives. 2006 , 324, 699-704	66
1449	Anharmonic contribution to the static vibrational second hyperpolarizability of linear quadrupolar molecules within the framework VB-2CT and AEEP. 2006 , 326, 363-370	3
1448	Contribution of two-photon and excited state absorption in axial-bonding-type hybrid porphyrin arrays under resonant electronic excitation. 2006 , 418, 442-447	25
1447	Theoretical studies on two-photon absorption properties of newly synthesized triaryl boron-based A-EA and triaryl nitrogen-based D-ED quadrupolar compounds. 2006 , 425, 10-15	15
1446	Two-photon absorption of new multibranched chromophore with dibenzothiophene core. 2006 , 424, 333-339	17

1445	Phosphorous atom induced intramolecular charge transfer fluorescence in 9-diphenylphosphinophenanthrene. 2006 , 427, 338-342	7
1444	Two-photon anisotropy: Analytical description and molecular modeling for symmetrical and asymmetrical organic dyes. 2006 , 321, 257-268	31
1443	A comparative study of the two-photon absorption properties of new three-branched molecules \square Sumanene and triphenylene derivatives. 2006 , 322, 269-278	12
1442	Fabrication and nonlinear optical properties of an ultrathin film with acceptor-donor periodically overlapping structure. 2006 , 324, 556-562	14
1441	Gradual change of one- and two-photon absorption properties in solution Protonation of 4-N,N-dimethylamino-4'-aminoazobenzene. 2006 , 181, 274-282	10
1440	Two-photon absorption properties of conjugated supramolecular porphyrins with electron donor and acceptor. 2006 , 178, 140-149	40
1439	Nonlinear absorption of new mesoionic compounds. 2006 , 264, 225-228	18
1438	Multi-photon absorption and optical limiting from six stilbazolium derivatives: donor influences. 2006 , 28, 289-293	17
1437	Two-photon absorption chromophores with a tunable [2,2']bithiophene core. 2006 , 62, 8467-8473	11
1436	Cell penetrating silica nanoparticles doped with two-photon absorbing fluorophores. 2006 , 62, 10434-10440	30
1435	Benzophenoxazine-based fluorescent dyes for labeling biomolecules. 2006 , 62, 11021-11037	165
1434	Theoretical study of two-photon absorption properties for triphenylamine (boron, aluminum)-cored dendritic compounds. 2006 , 764, 69-75	4
1433	A comparative study of two-photon properties of zinc(II)-porphyrin, meso-meso singly-linked zinc(II)-diporphyrin and zinc(II) meso,meso-coupled porphyrin dimer via hydrogen bonding interactions. 2006 , 767, 165-173	6
1432	Theoretical investigation on the one- and two-photon absorption properties for a series of symmetrical charge transfer fluorene-phenylene and fluorene-thiophene derivatives. 2006 , 772, 81-87	15
1431	Solvent effects on two-photon absorption cross sections of a newly synthesized polymerization initiator. 2006 , 772, 75-79	11
1430	Hyperpolarizabilities of para-nitroaniline and bis[4-(dimethylamino)phenyl] squaraine: The effects of functional/basis set based on TDDFT-BOS method. 2006 , 773, 9-14	16
1429	A new strategy of enhancing two-photon absorption in benzothiazole-containing fluorene molecules: Introduction of auxiliary donor-acceptor effects. 2006 , 774, 13-18	6
1428	One- and two-photon induced phase transition behavior of nematic liquid crystals containing bis-styryl benzene as a photoresponsive chromophore. 2006 , 509, 118-122	1

1427	Multi-Photon Molecular Excitation in Laser-Scanning Microscopy. 2006 , 535-549	23
1426	Fluorescence of styryl dyes-DNA complexes induced by single- and two-photon excitation. 2006 , 16, 783-91	33
1425	A comparative study of the two-photon absorption properties of a new three-branched molecule humanene 3O derivative and relative molecules. 2006 , 29, 199-205	1
1424	Crystal structures, optical properties and theoretical calculation of novel two-photon polymerization initiators. 2006 , 322, 459-470	26
1423	Novel 2,1,3-benzothiadiazole-based red-fluorescent dyes with enhanced two-photon absorption cross-sections. 2006 , 12, 2303-17	200
1422	Donor-substituted 1,1,4,4-tetracyanobutadienes (TCBDS): new chromophores with efficient intramolecular charge-transfer interactions by atom-economic synthesis. 2006 , 12, 1889-905	231
1421	Optical, redox, and NLO properties of tricyanovinyl oligothiophenes: comparisons between symmetric and asymmetric substitution patterns. 2006 , 12, 5458-70	37
1420	o-nitrobenzyl photolabile protecting groups with red-shifted absorption: syntheses and uncaging cross-sections for one- and two-photon excitation. 2006 , 12, 6865-79	233
1419	Boron-containing two-photon-absorbing chromophores: electronic interaction through the cyclodiborazane core. 2006 , 45, 6466-9	28
1418	Boron-Containing Two-Photon-Absorbing Chromophores: Electronic Interaction through the Cyclodiborazane Core. 2006 , 118, 6616-6619	5
1417	Aggregation-Enhanced Fluorescence and Two-Photon Absorption in Nanoaggregates of a 9,10-Bis[4-(4-aminostyryl)styryl]anthracene Derivative. 2006 , 16, 2317-2323	252
1416	Two-Photon Absorption Properties of Mn-Doped ZnS Quantum Dots. 2006 , 23, 3097-3100	12
1415	Z-scan and degenerate four wave mixing studies on newly synthesized copolymers containing alternating substituted thiophene and 1,3,4-oxadiazole units. 2006 , 39, 3747-3756	33
1414	Origin of the enhancement of the second hyperpolarizability of singlet diradical systems with intermediate diradical character. 2006 , 125, 074113	84
1413	Structure-property relationships for three-photon absorption in stilbene-based dipolar and quadrupolar chromophores. 2006 , 125, 44101	17
1412	Four-State Model for Three-Branch Molecule's Two-Photon Absorption Properties. 2006 , 23, 1154-1156	1
1411	Two-photon 3D microfabrication with polymer, metal nanocomposite and hybrid materials. 2006 ,	
1410	Multiphoton excitation of quantum dots by ultrashort and ultraintense laser pulses. 2006 , 88, 221114	12

1409	Two-photon absorption cross sections: an investigation of the accuracy of calculated absolute and relative values. 2006 , 124, 114108	21
1408	Theoretical study of one-, two-, and three-photon absorption properties for a series of Y-shaped molecules. 2006 , 124, 024704	7
1407	SOS Methods in Calculations of Electronic NLO Properties. 2006 , 129-150	5
1406	Two-photon absorption strength: a new tool for the quantification of two-photon absorption. 2006 , 124, 204104	6
1405	Two-photon absorption studies of polymethine and squaraine dyes with analogous structures. 2006 ,	
1404	Near-infrared two-photon absorption in phthalocyanines: enhancement of lowest gerade-gerade transition by symmetrical electron-accepting substitution. 2006 , 124, 224701	35
1403	Effects of conjugation length, electron donor and acceptor strengths on two-photon absorption cross sections of asymmetric zinc-porphyrin derivatives. 2006 , 124, 94310	53
1402	Transient absorption spectroscopy and quantum-chemical studies of matrix-isolated perylene derivatives. 2006 , 73,	33
1401	Improvement in the reduction of silver ions in aqueous solution using two-photon sensitive dye. 2006 , 89, 113102	80
1400	THEORETICAL STUDIES OF ONE- AND TWO-PHOTON ABSORPTION PROPERTIES FOR SYMMETRIC MOLECULES BASED ON BIS(STILBENE)DIETHYLENE. 2006 , 05, 535-542	0
1399	Two-photon absorption cross sections: an investigation of solvent effects. Theoretical studies on formaldehyde and water. 2006 , 125, 184501	30
1398	Commentary on the pleasures of solving impossible problems of experimental physiology. 2006 , 68, 1-28	8
1397	3D Micro- and Nanofabrication and Their Medical Application. 2006 , 97-143	
1396	Bifluorene Derivatives for Two-Photon Absorption in the Visible Range. 2006 , 446, 175-182	5
1395	Syntheses and nonlinear absorption properties of conjugated porphyrin supramolecules. 2007 , 11, 359-367	8
1394	Time and Space-Resolved Spectroscopy. 2007 , 185-213	
1393	Two-photon absorption of [2.2]paracyclophane derivatives in solution: a theoretical investigation. 2007 , 127, 244103	31
1392	Spectroscopic Characteristics of Hyperbranched Conjugated Polymers Studied by One- and Two-Photon Excitations. 2007 , 20, 500-508	4

1391	Theoretical study of the two-photon absorption properties of several asymmetrically substituted stilbenoid molecules. 2007 , 127, 084504	73
1390	Advances in Two-Photon 3D Microfabrication. 2007 ,	
1389	Solvent effects on two-photon absorption of dialkylamino substituted distyrylbenzene chromophore. 2007 , 126, 204509	62
1388	Synthesis, Structures, and Optical Properties of Two Novel Two-Photon Initiators Derived from 2,2':6',2'-Terpyridine. 2007 , 80, 986-993	26
1387	Strong two-photon absorption at telecommunications wavelengths in nickel bis(dithiolene) complexes. 2007 , 32, 671-3	22
1386	Molecular structureTwo-photon absorption property relations in polymethine dyes. 2007 , 24, 56	64
1385	Experimental and theoretical approaches to understanding two-photon absorption spectra in polymethine and squaraine molecules. 2007 , 24, 67	60
1384	Dynamic spatiotemporal pulse shaping in two-photon active biomolecular media. 2007 , 24, 522	1
1383	Design and synthesis of single-nanoparticle optical biosensors for imaging and characterization of single receptor molecules on single living cells. 2007 , 79, 7708-18	90
1382	Nonlinear Optical Properties of Polymers. 2007 , 795-822	4
1381	Materials for Multiphoton 3D Microfabrication. 2007 , 32, 561-565	34
1380	Design of high efficiency for two-photon polymerization initiator: combination of radical stabilization and large two-photon cross-section achieved by N-benzyl 3,6-bis(phenylethynyl)carbazole derivatives. 2007 , 17, 1433	45
1379	Conjugated polymer dots for multiphoton fluorescence imaging. 2007 , 129, 12904-5	271
1378	Spectral and photophysical characterization of donor-pi-acceptor arylthienyl- and bithienyl-benzothiazole derivatives in solution and solid state. 2007 , 111, 8574-8	32
1377	End-Capped Terfluorene Derivatives: Synthesis and Structure - Functional Property Relationships. 2007 , 60, 608	8
1376	Physical Properties of 8-Substituted 5,7-Dichloro-2-Styrylquinolines as Potential Light Emitting Materials. 2007 , 54, 1387-1394	9
1375	Dependence of Spurious Charge-Transfer Excited States on Orbital Exchange in TDDFT: Large Molecules and Clusters. 2007 , 3, 976-87	259
1374	Microscopic origins of band broadening in chromatography. Polarity distribution in C(18) stationary phase probed by confocal ratiometric imaging of Nile red. 2007 , 79, 6709-17	7

1373	Two-photon absorption of a series of V-shape molecules: the influence of acceptor's strength on two-photon absorption in a noncentrosymmetric D _{2d} system. 2007 , 17, 4685	45
1372	Novel pyrimidine-based amphiphilic molecules: synthesis, spectroscopic properties and applications in two-photon fluorescence microscopic imaging. 2007 , 17, 2921	44
1371	Charge transfer induced enhancement of near-IR two-photon absorption of 5,15-bis(azulenylethynyl) zinc(II) porphyrins. 2007 , 2479-81	61
1370	Two-photon absorption of Zn(II) octupolar molecules. 2007 , 9, 2999-3005	27
1369	One- and two-photon photosensitized singlet oxygen production: characterization of aromatic ketones as sensitizer standards. 2007 , 111, 5756-67	56
1368	High two-photon cross-sections in bis(diarylamino)styryl chromophores with electron-rich heterocycle and bis(heterocycle)vinylene bridges. 2007 , 1372-4	51
1367	Organic nanodots for multiphotonics: synthesis and photophysical studies. 2007 , 31, 1354	59
1366	Insight into the nonlinear absorbance of two related series of two-photon absorbing chromophores. 2007 , 111, 1899-906	25
1365	Synthesis and structure-linear and structure-nonlinear optical properties of multi-dipolar zigzag oligoaryleneethynyls. 2007 , 72, 6672-9	28
1364	Enhanced Two-Photon Absorption of Chromophores Confined in Two-Dimensional Nanospace. 2007 , 111, 11193-11198	37
1363	Three-photon absorption cross-section enhancement in two symmetrical fluorene-based molecules. 2007 , 111, 9013-8	6
1362	Quadratic Nonlinear Optical Response in Partially Charged Donor-Substituted Tetrathiafulvalene: From a Computational Investigation to a Rational Synthetic Feasibility. 2007 , 19, 805-815	36
1361	Excited-state deactivation of branched two-photon absorbing chromophores: a femtosecond transient absorption investigation. 2007 , 111, 993-1000	108
1360	Two-Photon Polymerization for Three-Dimensional Photonic Devices in Polymers and Nanocomposites. 2007 , 60, 484	31
1359	Investigation of the electronic spectra and excited-state geometries of poly(para-phenylene vinylene) (PPV) and poly(para-phenylene) (PP) by the symmetry-adapted cluster configuration interaction (SAC-CI) method. 2007 , 111, 5473-81	24
1358	Cross-Conjugated Polymers with Large Two-Photon Absorption Cross-Sections for Metal Ion Sensing. 2007 , 111, 10673-10681	36
1357	Effect of sensitizer protonation on singlet oxygen production in aqueous and nonaqueous media. 2007 , 111, 4573-83	24
1356	Single-molecule detection of surface-hybridized human papilloma virus DNA for quantitative clinical screening. 2007 , 79, 8083-9	33

1355	Design of emission ratiometric metal-ion sensors with enhanced two-photon cross section and brightness. 2007 , 129, 11888-9	114
1354	Photophysical properties of photoactive molecules with conjugated push-pull structures. 2007 , 111, 5806-12	62
1353	Enhanced two-photon absorption and ultrafast dynamics of a new multibranched chromophore with a dibenzothiophene core. 2007 , 111, 4188-94	33
1352	Enhancement of two-photon absorption cross-section in macrocyclic thiophenes with cavities in the nanometer regime. 2007 , 111, 946-54	76
1351	Design and synthesis of efficient fluorescent dyes for incorporation into DNA backbone and biomolecule detection. 2007 , 18, 1036-52	15
1350	Two-photon absorption dependence on the temperature for azoaromatic compounds: effect of molecular conformation. 2007 , 111, 6222-4	25
1349	Selective enrichment of glycopeptides from glycoprotein digests using ion-pairing normal-phase liquid chromatography. 2007 , 79, 8891-9	41
1348	Enhancement of Two-Photon Absorption via Oligomerization. A Route for the Engineering of Two-Photon Absorbers in the Visible Range. 2007 , 111, 2270-2279	23
1347	Second hyperpolarizabilities of singlet polycyclic diphenalenyl radicals: effects of the nature of the central heterocyclic ring and substitution to diphenalenyl rings. 2007 , 111, 9102-10	24
1346	Fluorescence Intermittency Limits Brightness in CdSe/ZnS Nanoparticles Quantified by Fluorescence Correlation Spectroscopy. 2007 , 111, 1695-1708	31
1345	Quantum Chemical Study of Structures, Electronic Spectrum, and Nonlinear Optical Properties of GoldPentacene Complexes. 2007 , 26, 2082-2087	33
1344	Novel organic materials through control of multichromophore interactions. 2007 , 72, 8615-35	159
1343	Energy and electron transfer in enhanced two-photon-absorbing systems with triplet cores. 2007 , 111, 6977-90	68
1342	Structure to property relationships for multiphoton absorption in covalently linked porphyrin dimers: a correction vector INDO/MRDCI study. 2007 , 111, 8509-18	19
1341	Theoretical study of one- and two-photon absorption properties of octupolar D _{2d} and D ₃ bipyridyl metal complexes. 2007 , 111, 1328-38	24
1340	Effects of donor/acceptor strengths on the multiphoton absorption: an EOM-CCSD correction vector study. 2007 , 111, 9291-8	13
1339	Elucidation of control mechanisms discovered during adaptive manipulation of [Ru(dpb) ₃](PF ₆) ₂ emission in the solution phase. 2007 , 111, 1426-33	16
1338	Platinum acetylide two-photon chromophores. 2007 , 46, 6483-94	144

1337	The symmetry of two-photon excited states as determined by time-resolved fluorescence depolarization experiments. 2007 , 111, 11531-9	8
1336	Two-photon absorbing block copolymer as a nanocarrier for porphyrin: energy transfer and singlet oxygen generation in micellar aqueous solution. 2007 , 129, 7220-1	71
1335	Carbazole-based 1D and 2D hemicyanines: synthesis, two-photon absorption properties and application for two-photon photopolymerization 3D lithography. 2007 , 31, 63-68	39
1334	Two-photon luminescence imaging of cancer cells using molecularly targeted gold nanorods. 2007 , 7, 941-5	769
1333	Influence of connectivity and porosity on ligand-based luminescence in zinc metal-organic frameworks. 2007 , 129, 7136-44	598
1332	Role of spatial distortions on the quadratic nonlinear optical properties of octupolar organic and metallo-organic molecules. 2007 , 126, 034312	18
1331	Peripheral fabrications of a bis-gold(III) complex of [26]hexaphyrin(1.1.1.1.1.1) and aromatic versus antiaromatic effect on two-photon absorption cross section. 2007 , 129, 11344-5	123
1330	Novel ruthenium(II) and zinc(II) complexes for two-photon absorption related applications. 2007 , 3421-6	50
1329	Photochromic Polymer Composites for Two-Photon 3D Optical Data Storage. 2007 , 19, 5165-5173	161
1328	Two-photon transitions in quadrupolar and branched chromophores: experiment and theory. 2007 , 111, 9468-83	111
1327	Vinyl-pyridinium triphenylamines: novel far-red emitters with high photostability and two-photon absorption properties for staining DNA. 2007 , 8, 424-33	105
1326	Synthesis, fluorescence, and two-photon absorption of a series of elongated rodlike and banana-shaped quadrupolar fluorophores: a comprehensive study of structure-property relationships. 2007 , 13, 1481-98	206
1325	Water-soluble self-assembled butadiyne-bridged bisporphyrin: a potential two-photon-absorbing photosensitizer for photodynamic therapy. 2007 , 13, 3491-500	58
1324	Multiphoton fabrication. 2007 , 46, 6238-58	466
1323	Strong two-photon absorption of singlet diradical hydrocarbons. 2007 , 46, 3544-6	241
1322	Mehrphotonen-Mikrofabrikation. 2007 , 119, 6352-6374	49
1321	Strong Two-Photon Absorption of Singlet Diradical Hydrocarbons. 2007 , 119, 3614-3616	46
1320	Diphenylamine-Substituted Cruciform Oligo(phenylene vinylene): Enhanced One- and Two-Photon Excited Fluorescence in the Solid State. 2007 , 17, 1551-1557	65

1319	Hydrophobic Chromophores in Aqueous Micellar Solution Showing Large Two-Photon Absorption Cross Sections. 2007 , 17, 1691-1697	64
1318	Quadrupolar Gels: Sol-Gel Tunable Red-Green-Blue Emission in Donor-Acceptor-Type Oligo(p-phenylenevinylene)s. 2007 , 19, 411-415	149
1317	Three- and Four-Photon Excitation of Poly(2-methoxy-5-(2-ethylhexyloxy)-1,4-phenylenevinylene) (MEH-PPV). 2007 , 19, 2653-2656	29
1316	Push-Pull Oligomers with 2,2-Dicyanovinyl Groups as Electron Acceptors. 2007 , 2007, 625-631	11
1315	Theoretical Study on One- and Two-Photon Absorption Properties of PPV Derivative with Electron-Donor Phenylanthracene as Pendant Group. 2007 , 25, 465-471	2
1314	Synthesis and Nonlinear Optical Properties of a New A- π -A Two-Photon Compound Utilizing Dibenzothiophene as Center. 2007 , 25, 1883-1886	1
1313	Effect of branching on two-photon absorption in triphenylbenzene derivatives. 2007 , 8, 723-34	100
1312	Multichromophores for nonlinear optics: designing the material properties by electrostatic interactions. 2007 , 8, 2433-44	69
1311	Two-photon absorption properties of Dehydrobenzo[12]annulenes and hexakis(phenylethynyl)benzenes: effect of edge-linkage. 2007 , 8, 2671-7	31
1310	A convenient route to synthesize 1,2,4-triazolo[1,5-a]pyrimidine derivatives and their one and two-photon absorption spectral properties. 2007 , 44, 993-997	4
1309	Synthesis of three-dimensionally arranged porphyrin arrays via intramolecular meso-meso coupling. 2007 , 63, 7916-7925	6
1308	Novel Y-type two-photon active fluorophore: synthesis and application in fluorescent sensor for cysteine and homocysteine. 2007 , 48, 2329-2333	92
1307	A comparative study of one- and two-photon absorption properties of meso-meso singly, meso- π - π doubly and meso-meso triply linked ZnII-porphyrin oligomers. 2007 , 804, 21-29	4
1306	Calculation on the one- and two-photon absorptions properties for two series of dimethylfluorene core derivatives. 2007 , 802, 67-74	2
1305	The photoinduced cleavage of coumarin dimers studied with femtosecond and nanosecond two-photon excitation. 2007 , 439, 308-312	13
1304	Two-photon absorption spectra of Salen dye complexes with azo dyes. 2007 , 441, 221-225	26
1303	A two-photon absorption study of fluorene and carbazole derivatives. The role of the central core and the solvent polarity. 2007 , 447, 300-304	48
1302	Molecular orientation effects on two-photon absorption spectra of dimer systems. 2007 , 448, 99-105	5

1301	Two-photon induced anisotropy in PMMA film doped with Disperse Red 13. 2007 , 273, 435-440	36
1300	Two-photon absorption and laser photolysis of trans-stilbene substitutes. 2007 , 280, 379-386	4
1299	Two-photon absorption of new multibranched chromophores based on bis(diphenylamino)stilbene. 2007 , 29, 1084-1090	28
1298	Two-photon absorption properties of malononitrile derivatives. 2007 , 29, 1206-1210	9
1297	Synthesis and spectroscopic properties of symmetrically substituted two-photon absorbing molecules with rigid elongated π -conjugation. 2007 , 833, 82-87	11
1296	Synthesis and optical properties of two 2,2':6,2'-Terpyridyl-based two-photon initiators. 2007 , 839, 50-57	29
1295	Nonlinear optical studies of 1-3-diaryl-propenones containing 4-methylthiophenyl moieties. 2007 , 269, 235-240	42
1294	Synthesis, characterization, and optical properties of two-photon-absorbing octupolar molecule with an s-triazine core. 2007 , 29, 723-727	40
1293	Theoretical study of two-photon absorption properties for donor/acceptor-functionalized tetrakis(phenylethynyl)benzenes and bis(dehydrobenzoannuleno)benzenes. 2007 , 29, 955-962	7
1292	Synthesis of new donor-fluorene-donor type organic dyes and their nonlinear absorption properties. 2007 , 29, 1518-1522	9
1291	Theoretical study of the two-photon absorption properties of octupolar complexes with Cu(I), Zn(II) and Al(III) as centers and bis-cinnamaldimine as ligands. 2007 , 692, 3778-3787	8
1290	Metal induced enhancement of fluorescence and modulation of two-photon absorption cross-section with a donor-acceptor-acceptor-donor receptor. 2007 , 692, 4969-4977	11
1289	Synthesis, optical and initiating properties of new two-photon polymerization initiators: 2,7-Bis(styryl)anthraquinone derivatives. 2007 , 189, 398-404	25
1288	Synthesis and two-photon optical characterization of DD type Schiff bases. 2007 , 127, 423-430	14
1287	Laser photolysis as applied to the determination of the two-photon absorption cross section of trans-stilbene. 2007 , 102, 872-877	2
1286	Investigation of Tetherable Distilbazolium Compounds as Fluorescent Probes in Nanostructured Silica Sol-gel Materials. 2007 , 81, 898-907	
1285	Two-Photon Absorption in Quadrupolar Bis(acceptor)-Terminated Chromophores with Electron-Rich Bis(heterocycle)vinylene Bridges. 2007 , 19, 432-442	62
1284	Investigations and facile synthesis of a series of novel multi-functional two-photon absorption materials. 2007 , 17, 3646	48

1283	Chapter 235 Lanthanide Near-Infrared Luminescence in Molecular Probes and Devices. 2007 , 37, 217-470	93
1282	New Photoactivators for Multiphoton Excited Three-dimensional Submicron Cross-linking of Proteins: Bovine Serum Albumin and Type 1 Collagen. 2007 , 76, 135-144	3
1281	Third order nonlinear optical properties and optical limiting in donor/acceptor substituted 4?-methoxy chalcone derivatives. 2007 , 88, 105-110	80
1280	Ultrafast dynamics of three novel oligomers with strong two-photon absorption properties. 2007 , 88, 249-254	6
1279	Synthesis and characterization of 2,5-bis[4-(2-arylvinyl)phenyl]-1,3,4-oxadiazoles with two-photon fluorescence properties. 2007 , 1, 381-384	2
1278	Spirosilabifluorene linked bistrisphenylamine: Synthesis and application in hole transporting and two-photon fluorescent imaging. 2007 , 73, 224-229	43
1277	Cooperative enhancement of two-photon absorption based on electron coupling in trisphenylamine-branching chromophore. 2008 , 79, 145-152	24
1276	The mechanism of benzothiazole styrylcyanine dyes binding with dsDNA: studies by spectral-luminescent methods. 2008 , 18, 139-47	16
1275	Two-photon absorption properties of 9,10-disubstituted 2,6-bis(p-dihexylaminostyryl)anthracene derivatives. Effect of 9,10-substituents. 2008 , 18, 403-11	19
1274	Electric field allowed molecular transitions for one and two photon excitation microscopy. 2008 , 37, 1073-6	1
1273	Two-photon absorption spectrum of the photoinitiator Lucirin TPO-L. 2008 , 90, 633-636	48
1272	Effects of the structure of the branches on the two-photon absorption properties for the multi-branched molecules with nitrogen (N) as coupling center. 2008 , 51, 92-96	1
1271	Synthesis and Photophysical Properties of 3,6-Diphenyl-9-hexyl-9H-carbazole Derivatives Bearing Electron Withdrawing Groups. 2008 , 139, 223-231	10
1270	Two-dimensionally extended porphyrin tapes: synthesis and shape-dependent two-photon absorption properties. 2008 , 14, 8279-89	77
1269	Electronic and vibronic contributions to two-photon absorption in donor-acceptor-donor squaraine chromophores. 2008 , 14, 11082-91	41
1268	Theoretical Studies on the One- and Two-Photon Absorption Properties of Double-bis(styryl)benzene Derivatives. 2008 , 26, 77-84	2
1267	Intramolecular Charge Transfer of Carotene-porphyrin-fullerene Triad: Sequential or Superexchange Mechanism. 2008 , 26, 1011-1018	2
1266	Star- and Banana-Shaped Oligomers with a Pyrimidine Core: Synthesis and Light-Emitting Properties. 2008 , 2008, 3129-3140	50

1265	2,5-Thienylene-bridged triangular and linear porphyrin trimers. 2008 , 47, 6004-7	58
1264	Molecular engineering of photoremovable protecting groups for two-photon uncaging. 2008 , 47, 9525-9	77
1263	Reversible Fluorescent On/Off Recording in a Highly Transparent Polymeric Material Utilizing Fluorescent Resonance Energy Transfer (FRET) Induced by Heat Treatment. 2008 , 18, 2869-2879	35
1262	Synthesis, Characterization, Two-Photon Absorption, and Optical Limiting Properties of Ladder-Type Oligo-p-phenylene-Cored Chromophores. 2008 , 18, 2770-2779	102
1261	Clusters of Closely Spaced Gold Nanoparticles as a Source of Two-Photon Photoluminescence at Visible Wavelengths. 2008 , 20, 26-30	151
1260	Two-Photon Absorption and Lasing in First-Generation Bisfluorene Dendrimers. 2008 , 20, 1940-1944	38
1259	Enhanced Two-Photon Absorption of Organic Chromophores: Theoretical and Experimental Assessments. 2008 , 20, 4641-4678	441
1258	2,5-Thienylene-Bridged Triangular and Linear Porphyrin Trimers. 2008 , 120, 6093-6096	27
1257	Molecular Engineering of Photoremovable Protecting Groups for Two-Photon Uncaging. 2008 , 120, 9667-9671	25
1256	Advances in 3D nano/microfabrication using two-photon initiated polymerization. 2008 , 33, 631-681	344
1255	Recent progress in second-order nonlinear optical polymers and dendrimers. 2008 , 33, 1013-1058	304
1254	Novel benzylidene cyclopentanone dyes for two-photon photopolymerization. 2008 , 195, 261-266	25
1253	A combined experimental and theoretical study on photoinduced intramolecular charge transfer in trans-ethyl p-(dimethylamino)cinamate. 2008 , 197, 295-305	40
1252	Various strategies for highly-efficient two-photon absorption in porphyrin arrays. 2008 , 9, 13-28	83
1251	3MLCT excited states in Ru(II) complexes: Reactivity and related two-photon absorption applications in the near-infrared spectral range. 2008 , 11, 709-715	25
1250	Synthesis, structure and photophysical properties of three new hemicyanine dyes. 2008 , 76, 118-124	20
1249	Two photon absorption of extended substituted phenylenevinylene oligomers: A TDDFT study. 2008 , 450, 322-328	11
1248	Theoretical study of the one- and two-photon absorption properties of two series of fluorene derivatives. 2008 , 453, 129-135	2

1247	Spiro-linked oligofluorenes and derivatives: Molecular design and theoretical study of one- and two-photon absorption properties. 2008 , 461, 9-15	6
1246	Ab initio study of one-photon and two-photon absorption properties of 2,5-bis[4-(2-arylvinyl)phenyl]-1,3,4-oxadiazoles. 2008 , 464, 9-15	4
1245	Two-photon absorption spectrum in diazoaromatic compounds. 2008 , 463, 360-363	13
1244	Dipicolinate as acceptor in D π A chromophores: synthesis, characterization and fluorescence following single- and two-photon excitation. 2008 , 49, 6819-6822	15
1243	Theoretical study of one-photon and two-photon absorption properties for 2,1,3-benzothiadiazole-based red-fluorescent dyes. 2008 , 848, 24-33	9
1242	Theoretical studies on one-photon and two-photon absorption properties of a series of dibenzothiophene derivatives. 2008 , 849, 116-121	3
1241	Cooperative enhancement of two-photon absorption cross sections in three-branched oligofluorene with boron center. 2008 , 855, 69-76	6
1240	DFT study of NLO properties of boroxine based octupolar molecules. 2008 , 866, 58-62	14
1239	The theoretical simulation for two-photon absorption properties of novel A-E π -A two-photon carbazole compounds. 2008 , 867, 53-58	6
1238	Two-photon recording of microholograms in photopolymer materials with new cationic thioxanthone photoinitiators. 2008 , 281, 4297-4301	7
1237	Silica Nanoparticle Architecture Determines Radiative Properties of Encapsulated Fluorophores. 2008 , 20, 2677-2684	205
1236	Effective two-photon absorption cross section of heteroaromatic quadrupolar dyes: dependence on measurement technique and laser pulse characteristics. 2008 , 112, 4224-34	39
1235	2-(2'-Hydroxyphenyl)benzoxazole-Containing Two-Photon-Absorbing Chromophores as Sensors for Zinc and Hydroxide Ions. 2008 , 20, 1977-1987	90
1234	Electroabsorption spectra of quadrupolar and octupolar dyes in solution: beyond the lityay formulation. 2008 , 112, 8697-705	5
1233	Two-photon absorption properties of alkynyl-conjugated pyrene derivatives. 2008 , 73, 5127-30	96
1232	Synthetic strategies to derivatizable triphenylamines displaying high two-photon absorption. 2008 , 73, 1732-44	111
1231	Ultrafast optical nonlinearities and figures of merit in acceptor-substituted 3,4,5-trimethoxy chalcone derivatives: Structure-property relationships. 2008 , 103, 103511	97
1230	Multiphoton Fluorescence Quenching of Conjugated Polymers for TNT Detection. 2008 , 112, 881-884	138

1229	The photophysical properties of expanded porphyrins: relationships between aromaticity, molecular geometry and non-linear optical properties. 2009 , 261-73	81
1228	Near infrared organic light-emitting devices based on donor-acceptor-donor oligomers. 2008 , 93, 163305	56
1227	Synthesis of a Nickel Bis(dithiolene) Complex with Strong Near-Infrared Two-Photon Absorption. 2008 , 485, 915-927	6
1226	Emissive terbium probe for multiphoton in vitro cell imaging. 2008 , 130, 3714-5	104
1225	Two-Photon Absorbing Materials and Two-Photon-Induced Chemistry. 2008 , 1-95	29
1224	Additive-Mediated Splitting of Lanthanide Orthovanadate Nanocrystals in Water: Morphological Evolution from Rods to Sheaves and to Spherulites. 2008 , 8, 4432-4439	82
1223	Controlled synthesis and upconverted avalanche luminescence of cerium(III) and neodymium(III) orthovanadate nanocrystals with high uniformity of size and shape. 2008 , 130, 2032-40	85
1222	Water-soluble Ag nanoclusters exhibit strong two-photon-induced fluorescence. 2008 , 130, 11602-3	146
1221	Structure-property relationship for two-photon absorbing multiporphyrins: supramolecular assembly of highly-conjugated multiporphyrinic ladders and prisms. 2008 , 112, 6563-70	31
1220	Visualizations of transition dipoles, charge transfer, and electron-hole coherence on electronic state transitions between excited states for two-photon absorption. 2008 , 128, 064106	59
1219	Oligothiophene dendrimers as new building blocks for optical applications. 2008 , 112, 2018-26	65
1218	One- and two-photon absorptions in asymmetrically substituted free-base porphyrins: a density functional theory study. 2008 , 128, 074302	5
1217	Studies of RyR function in situ. 2008 , 46, 183-93	8
1216	Enhancement of the simultaneous absorption of two photons for pulsed laser-molecule interactions. 2008 , 25, 865	4
1215	Blue organic light-emitting supramolecular microfibers: the self-assembly of a 1,2,4-triazolo[1,5-a]pyrimidine derivative. 2008 , 13, 855-63	1
1214	Fabrication approaches for generating complex micro- and nanopatterns on polymeric surfaces. 2008 , 108, 911-45	372
1213	Multiphoton absorbing materials: molecular designs, characterizations, and applications. 2008 , 108, 1245-330	1683
1212	Theoretical study of one-photon and two-photon absorption properties of perylene tetracarboxylic derivatives. 2008 , 129, 014301	21

1211	Two-photon Absorbing Photonic Materials: From Fundamentals to Applications. 2008 , 97-156	54
1210	Effects of conjugation length and resonance enhancement on two-photon absorption in phenylene-vinylene oligomers. 2008 , 10, 1177-91	41
1209	Novel fluorophore based on a multi-substituted olefin skeleton with enhanced three-photon absorption in the femtosecond regime. 2008 , 389-91	27
1208	Two-photon absorption enhancement induced by aggregation due to intermolecular hydrogen bonding in V-shaped 2-hydroxypyrimidine derivatives. 2008 , 2260-2	49
1207	Synthesis, and two photon absorption properties of 7,7'-(iminundecahydro-closo-dodecaborate)-9,9'-(dihexyl)-2,2'-bifluorene. 2008 , 3765-7	7
1206	Stepwise elongation effect on the two-photon absorption of self-assembled butadiyne porphyrins. 2008 , 3411-3	17
1205	Trinaphthylamines as robust organic materials for two-photon-induced fluorescence. 2008 , 130, 16836-7	76
1204	Two-photon absorption of hydrogen-bonded octupolar molecule clusters. 2008 , 112, 4387-92	34
1203	Two-photon absorption properties of azulenyl compounds having a conjugated ketone backbone. 2008 , 112, 5198-207	21
1202	Strong Two-Photon Circular Dichroism in Helicenes: A Theoretical Investigation. 2008 , 4, 457-67	38
1201	Photochemotherapy: Targeted Activation of Metal Anticancer Complexes. 2008 , 61, 669	65
1200	Two-Photon Absorption Cross-Sections from Electronic Structure Methods: Mesoionic Compounds. 2008 , 20, 4142-4155	5
1199	Effect of solvent on two-photon absorption by vinyl benzene derivatives. 2008 , 112, 7831-9	33
1198	Theoretical investigation of one- and two-photon absorption properties of platinum acetylide chromophores. 2008 , 47, 10841-50	34
1197	Strong two photon absorption and photophysical properties of symmetrical chromophores with electron accepting edge substituents. 2008 , 112, 4742-8	18
1196	Molecular engineering of torsional potentials in fluorogenic dyes via electronic substituent effects. 2008 , 112, 9692-701	12
1195	One- or Semi-Two-Dimensional Organic Nanocrystals Induced by Directional Supramolecular Interactions. 2008 , 112, 16264-16268	27
1194	Synthesis and properties of annulenic subunits of graphyne and graphdiyne nanoarchitectures. 2008 , 80, 519-532	335

1193	Synthesis and Structure-Property Investigation of Polyarenes with Conjugated Side Chains. 2008 , 41, 8473-8482	9
1192	Large blue-shift in the optical spectra of fluorinated polyphenylenevinylenes. A combined theoretical and experimental study. 2008 , 112, 2996-3004	36
1191	Branched Luminescent Multinuclear Platinum(II) Alkynyl Complexes: Candidates for Efficient Two-Photon Induced Luminescence. 2008 , 27, 5453-5458	39
1190	Tetrastylarene Derivatives: Comparison of One- and Two-Photon Spectroscopic Properties with Distylarene Analogues \square 2008 , 112, 8061-8071	36
1189	Molecules with Perfect Cubic Symmetry as Nanobuilding Blocks for 3-D Assemblies. Elaboration of Octavinylsilsesquioxane. Unusual Luminescence Shifts May Indicate Extended Conjugation Involving the Silsesquioxane Core. 2008 , 20, 5563-5573	111
1188	SYNTHESIS, FLUORESCENCE AND ELECTROCHEMICAL PROPERTIES OF SYMMETRICAL CHROMOPHORES WITH ELECTRON ACCEPTING OXADIAZOLE. 2008 , 17, 473-485	1
1187	Dynamics of cooperative emissions in a cascade three-level molecular system driven by an ultrashort laser pulse. 2008 , 17, 4211-4217	3
1186	Excitonically Coupled Oligomers and Dendrimers for Two-Photon Absorption. 2008 , 149-203	23
1185	Spectroscopic Properties and Three-photon Absorption Induced Optical Limiting of Series of Novel Nonlinear Chromophores. 2008 , 21, 227-232	
1184	Detection of TNT using a sensitive two-photon organic dendrimer for remote sensing. 2008 , 19, 115502	25
1183	Substituent Dependence of Third-Order Optical Nonlinearity in Chalcone Derivatives. 2008 , 47, 6312-6316	14
1182	Water-Soluble Two-Photon Fluorophores Based on Paracyclophane. 2008 , 485, 928-933	2
1181	Monodisperse nanocrystals of LnV04 (Ln = Ce, Nd): Controlled synthesis and upconverted avalanche luminescence. 2008 ,	
1180	Crystal Structures, Degree of Charge Transfer, and Non-Linear Optical Characteristics of Intramolecular Charge-Transfer Compounds: Indoline-Substituted Tricyanoquinodimethanes. 2008 , 81, 1131-1146	1
1179	Optical Biomedical Diagnostics: Sensors with Optical Response Based on Two-Photon Excited Luminescent Dyes for Biomolecules Detection. 2008 , 2008, 1-11	5
1178	A Quantitative Comparison of the Photophysical Properties of Selected Quantum Dots and Organic Fluorophores. 2008 , 222, 833-849	8
1177	Optimizing the hyperpolarizability tensor using external electromagnetic fields and nuclear placement. 2009 , 131, 064110	17
1176	Theoretical study of one- and two-photon absorption spectra of azoaromatic compounds. 2009 , 131, 244516	23

1175	Three-dimensional micronanofabrication via two-photon-excited photoisomerization. 2009 , 95, 083118	10
1174	Synthesis of Novel Donor-Acceptor Chromophores with Dipicolinate as Acceptor. 2009 , 39, 1472-1477	2
1173	Enhanced two-photon absorption of CdS nanocrystal rods. 2009 , 94, 103117	47
1172	Generalized Kramers-Heisenberg expressions for stimulated Raman scattering and two-photon absorption. 2009 , 79, 638271-6382712	15
1171	Two-photon patterning of a polymer containing Y-shaped azochromophores. 2009 , 94, 011115	23
1170	Predictions of Two Photon Absorption Profiles Using Time-Dependent Density Functional Theory Combined with SOS and CEO Formalisms. 2009 , 179-188	1
1169	Modeling two photon absorption cross sections of open-shell systems. 2009 , 130, 014103	8
1168	Solvent effects on resonance Raman and hyper-Raman scatterings for a centrosymmetric distyrylbenzene and relationship to two-photon absorption. 2009 , 130, 044501	11
1167	Electronic structure of liquid water from polarization-dependent two-photon absorption spectroscopy. 2009 , 130, 084501	49
1166	Two- and three-photon absorption of organic ionic pyrylium based materials. 2009 , 130, 174312	6
1165	Transition Dipole, Charge Transfer, and Electron-hole Coherence in Two-photon Absorption: Visualizations with Two Dimensional Site and Three Dimensional Cube Representations. 2009 , 22, 529-534	1
1164	Fabrication of a quantum well heterostructure based on plasma polymerized aniline and its characterization using STM/STS. 2009 , 42, 165309	5
1163	Two Photo-Absorption Property of Metal Complexes Tethered with Azo Dyes. 2009 ,	
1162	Estimation of molar absorptivities and pigment sizes for eumelanin and pheomelanin using femtosecond transient absorption spectroscopy. 2009 , 131, 181106	11
1161	Symmetric Versus Unsymmetric Platinum(II) Bis(aryleneethynylene)s with Distinct Electronic Structures for Optical Power Limiting/Optical Transparency Trade-off Optimization. 2009 , 19, 531-544	122
1160	A New Series of Quadrupolar Type Two-Photon Absorption Chromophores Bearing 11, 12-Dibutoxydibenzo[a,c]-phenazine Bridged Amines; Their Applications in Two-Photon Fluorescence Imaging and Two-Photon Photodynamic Therapy. 2009 , 19, 2388-2397	127
1159	Conjugated Polymer Nanoparticles for Two-Photon Imaging of Endothelial Cells in a Tissue Model. 2009 , 21, 3492-3496	121
1158	Nonblinking and Nonbleaching Upconverting Nanoparticles as an Optical Imaging Nanoprobe and T1 Magnetic Resonance Imaging Contrast Agent. 2009 , 21, 4467-4471	501

1157	Zweiphotonenabsorption und das Design von Zweiphotonenfarbstoffen. 2009 , 121, 3292-3316	238
1156	The synthesis and one- and two-photon optical properties of dipolar, quadrupolar and octupolar donor-acceptor molecules containing dimesitylboryl groups. 2009 , 15, 198-208	184
1155	Charge-transfer state and large first hyperpolarizability constant in a highly electronically coupled zinc and gold porphyrin dyad. 2009 , 15, 9058-67	34
1154	Versatile photophysical properties of meso-aryl-substituted subporphyrins: dipolar and octupolar charge-transfer interactions. 2009 , 15, 12005-17	45
1153	Theoretical Investigation on the One- and Two-photon Absorption Properties of Porphyrin-thiophene Chromophores. 2009 , 27, 1269-1279	6
1152	Utilization of micelles formed from poly(ethylene glycol)-block-poly(epsilon-caprolactone) block copolymers as nanocarriers to enable hydrophobic red two-photon absorbing emitters for cells imaging. 2010 , 93, 1068-79	12
1151	Two-photon absorption and the design of two-photon dyes. 2009 , 48, 3244-66	1443
1150	Uptake of diterbium transferrin, a potential multi-photon-excited microscopy probe, into human leukemia K562 cells via a transferrin-receptor-mediated process. 2009 , 14, 1243-51	4
1149	Push-pull structures with a pyrazine core and hexatriene chain: synthesis and light-emitting properties. 2009 , 65, 4190-4200	26
1148	Two-photon absorption of perylene derivatives: Interpreting the spectral structure. 2009 , 479, 52-55	9
1147	Diazobenzene chromophore-doped silica films with large two-photon absorption cross-section. 2009 , 82, 204-208	3
1146	Effect of excited state absorption on the transmissivity of organic-dye-based media under two-photon excitation. 2009 , 52, 661-667	1
1145	Morphology and size dependence of silver microstructures in fatty salts-assisted multiphoton photoreduction microfabrication. 2009 , 96, 453-458	27
1144	Studies on third-order nonlinear optical properties and reverse saturable absorption in polythiophene/poly (methylmethacrylate) composites. 2009 , 97, 117-124	51
1143	High quantum yield photoluminescence of new polyamides containing oligo-PPV amino derivatives and related oligomers. 2009 , 47, 2677-2689	25
1142	Synthesis and two-photon absorption properties of hyperbranched diketo-pyrrolo-pyrrole polymer with triphenylamine as the core. 2009 , 47, 4400-4408	61
1141	Nonlinear optical studies on 1,3-disubstituent chalcones doped polymer films. 2009 , 31, 854-859	58
1140	Long-wavelength boradiazaindacene derivatives with two-photon absorption activity and strong emission: versatile candidates for biological imaging applications. 2009 , 65, 8099-8103	52

1139	Synthesis and two-photon properties of a multipolar chromophore containing indenofluorenyl units. 2009 , 50, 182-185	31
1138	Synthesis and two-photon absorption property of novel salen complexes incorporated with two pendant azo dyes. 2009 , 50, 1371-1373	10
1137	Theoretical studies of one- and two-photon absorption properties for two series of three-branched fluorenylenevinylene compounds with different centers (B, N) and peripheral substituted groups. 2009 , 905, 113-118	
1136	Static electronic and vibrational first hyperpolarizability of meta-dinitrobenzene as studied by quantum chemical calculations. 2009 , 907, 46-50	31
1135	Acyclic donor-acceptor-donor chromophores for large enhancement of two-photon absorption cross-section in the presence of Mg(II), Ca(II) or Zn(II) ions. 2009 , 129, 256-262	9
1134	Theoretical studies of one- and two-photon absorption properties for three molecules with different centers (B and N) and peripheral substituted groups [N(CH ₃) ₂ and CN]. 2009 , 129, 807-811	
1133	Theoretical investigation of structures, electronic spectra and nonlinear optical properties of gold-pentacene (Au ₂ C ₂₂ H ₁₄) complexes. 2009 , 694, 1266-1272	12
1132	A water-soluble two-photon photopolymerization initiation system: Methylated- β -cyclodextrin complex of xanthene dye/aryliodonium salt. 2009 , 203, 211-215	20
1131	Solvent effect on two-photon absorption and fluorescence of rhodamine dyes. 2009 , 206, 188-197	65
1130	Branched carbon-rich luminescent multinuclear platinum(II) and palladium(II) alkynyl complexes with phosphine ligands. 2009 , 10, 130-140	41
1129	Uniform silica nanoparticles encapsulating two-photon absorbing fluorescent dye. 2009 , 182, 862-868	13
1128	Characterization and optical properties of oligoazomethines with triphenylamine moieties exhibiting blue, blue-green and green light. 2009 , 72, 1-10	32
1127	Effect of solvent hydrogen bonding on the photophysical properties of intramolecular charge transfer probe trans-ethyl p-(dimethylamino) cinamate and its derivative. 2009 , 73, 630-6	16
1126	Two novel π -conjugated carbazole derivatives with blue two-photon-excited fluorescence. 2009 , 355, 91-98	18
1125	Investigation of structure-property relationships of multi-branched two-photon absorption chromophores based on π -conjugation core. 2009 , 358, 39-44	16
1124	Using fundamental principles to understand and optimize nonlinear-optical materials. 2009 , 19, 7444	118
1123	π -Conjugation enlargement toward the creation of multi-porphyrinic systems with large two-photon absorption properties. 2009 , 4, 1172-82	114
1122	Chemistry as a prism: a review of light-emitting materials having tunable emission wavelengths. 2009 , 4, 1646-58	113

1121	Theoretical study of solvent effect on one- and two-photon absorption properties of starburst DCM derivatives. 2009 , 11, 11538-45	18
1120	Nonlinear absorption properties and excited state dynamics of ferrocene. 2009 , 113, 9286-94	25
1119	A bioaccumulative cyclometalated platinum(II) complex with two-photon-induced emission for live cell imaging. 2009 , 48, 872-8	87
1118	Bridged triphenylamine-based dendrimers: tuning enhanced two-photon absorption performance with locked molecular planarity. 2009 , 11, 1-4	97
1117	Two-photon excited fluorescent probes for calcium based on internal charge transfer. 2009 , 3883-5	44
1116	Synthesis and two-photon spectrum of a bis(porphyrin)-substituted squaraine. 2009 , 131, 7510-1	74
1115	Boron containing two-photon absorbing chromophores. 2. Fine tuning of the one- and two-photon photophysical properties of pyrazabole based fluorescent bioprobes. 2009 , 48, 9112-9	35
1114	Investigation of two-photon absorption induced excited state absorption in a fluorenyl-based chromophore. 2009 , 113, 15730-3	24
1113	Linear and nonlinear optical properties of [60]fullerene derivatives. 2009 , 113, 1159-70	98
1112	Donor- π -acceptor structure between Ag nanoparticles and azobenzene chromophore and its enhanced third-order optical non-linearity. 2009 , 823-31	18
1111	Study of electronic and vibronic contributions to cooperative enhancement of two-photon absorption in multibranched structures. 2009 , 33, 634-640	9
1110	Synthesis and nonlinear optical properties of several new two-photon photopolymerization initiators about dibenzothiophene derivatives. 2009 , 159, 2491-2496	15
1109	Synthesis and photophysical properties of donor- and acceptor-substituted 1,7-bis(aryalkynyl)perylene-3,4:9,10-bis(dicarboximide)s. 2009 , 113, 5585-93	78
1108	Phenothiazine-anthraquinone donor-acceptor molecules: synthesis, electronic properties and DFT-TDDFT computational study. 2009 , 113, 9997-10004	39
1107	Cationic Two-Photon Absorption Chromophores with Double- and Triple-Bond Cores in Symmetric/Asymmetric Arrangements. 2009 , 113, 11469-11474	36
1106	Molecular tuning of phenylene-vinylene derivatives for two-photon photosensitized singlet oxygen production. 2009 , 74, 9094-104	40
1105	Studies of two-photon property of intensely luminescent alkynyl-phosphine gold(I)-copper(I) complexes. 2009 , 113, 9270-6	15
1104	Two-photon materials with large two-photon cross sections. Structure-property relationship. 2009 , 153-64	82

1103	Syntheses, structures, two-photon absorption cross-sections and computed second hyperpolarisabilities of quadrupolar A ₂ A systems containing E-dimesitylborylethenyl acceptors. 2009 , 19, 7532	76
1102	Role of Boron in the Polymer Chemistry and Photophysical Properties of DifluoroboronDibenzoylmethane Polylactide. 2009 , 42, 8627-8633	68
1101	Design of two-photon absorbing materials for molecular optical memory and photodynamic therapy. 2009 , 7, 2241-6	63
1100	A TD-DFT investigation of two-photon absorption of fluorene derivatives. 2009 , 11, 694-702	25
1099	Nonlinear photochemistry squared: quartic light power dependence realized in photon upconversion. 2009 , 113, 9266-9	32
1098	Diphenylamine end-capped 1,4-diketo-3,6-diphenylpyrrolo[3,4-c]pyrrole (DPP) derivatives with large two-photon absorption cross-sections and strong two-photon excitation red fluorescence. 2009 , 5859-61	93
1097	A novel europium(III) complex with versatility in excitation ranging from infrared to ultraviolet. 2009 , 11, 5119-23	32
1096	Acidochromicity of bisarylethynylbenzenes: hydroxy versus dialkylamino substituents. 2009 , 74, 8909-13	10
1095	StructureActivity Relationship in D- π -A- π -D-Based Photoinitiators for the Two-Photon-Induced Photopolymerization Process. 2009 , 42, 6519-6528	75
1094	Two-photon plasma membrane imaging in live cells by an amphiphilic, water-soluble cyctometalated platinum(II) complex. 2009 , 48, 7501-3	52
1093	The synthesis of high coercivity cobalt-in-carbon nanotube hybrid structures and their optical limiting properties. 2009 , 20, 285702	31
1092	One- and two-photon excitation of beta-carbolines in aqueous solution: pH-dependent spectroscopy, photochemistry, and photophysics. 2009 , 113, 6648-56	53
1091	Controlling Platinum, Ruthenium and Osmium Reactivity for Anticancer Drug Design. 2009 , 61, 1-62	162
1090	Non-coplanar 9,9-diphenyl-substituted oligofluorenes with large two-photon absorption enhancement. 2009 , 5421-3	11
1089	Two-photon absorption and lasing properties of new fluorene derivatives. 2009 , 19, 7498	35
1088	Porphyrim dimers: A theoretical understanding of the impact of electronic coupling strength on the two-photon absorption properties. 2009 , 19, 7545	21
1087	Synthesis, characterization, two-photon absorption, and optical limiting properties of triphenylamine-based dendrimers. 2009 , 33, 2457	40
1086	Two-photon absorption and optical power limiting properties in femtosecond regime of novel multi-branched chromophores based on tri-substituted olefinic scaffolds. 2009 , 19, 7075	49

1085	Themed issue: nonlinear optics. The evolving field of nonlinear optics—personal perspective. 2009 , 19, 7392	24
1084	Photochemical tools to study dynamic biological processes. 2009 , 3, 255-64	61
1083	Design of new organic single crystals for ultrafast optical applications. 2009 ,	
1082	Remarkable two-photon absorption in open-shell singlet systems. 2009 , 131, 114316	49
1081	Synthesis, characterization, luminescence, and non-linear optical properties of oxadiazole- and truxene-containing platinum(II) alkynyl complexes with donor-acceptor functionalities. 2009 , 48, 2855-64	73
1080	Bridged triphenylamine based molecules with large two-photon absorption cross sections in organic and aqueous media. 2009 , 920-2	54
1079	V-shaped 4,6-bis(arylvinyl)pyrimidine oligomers: synthesis and optical properties. 2009 , 74, 3711-7	105
1078	Improved push-pull-push E-Bodipy fluorophores for two-photon cell-imaging. 2009 , 7, 3639-42	94
1077	Donor/acceptor effects on the nonlinear optical properties of 1,3 diphenyl propenones. 2009 , 56, 1853-1859	1
1076	One- and two-photon activated phototoxicity of conjugated porphyrin dimers with high two-photon absorption cross sections. 2009 , 7, 897-904	78
1075	Photophysical properties and intracellular imaging of water-soluble porphyrin dimers for two-photon excited photodynamic therapy. 2009 , 7, 889-96	123
1074	Facile synthesis and systematic investigations of a series of novel bent-shaped two-photon absorption chromophores based on pyrimidine. 2009 , 4, 668-80	61
1073	Molecular dynamics and quantum chemistry study on conformations and optical properties of hydrogen bonded dipolar merocyanine dyes. 2009 , 113, 10271-6	12
1072	Convenient methods for preparing pi-conjugated linkers as building blocks for modular chemistry. 2009 , 5, 11	20
1071	Synthesis and Optical Properties, Including Two-Photon Absorption Cross-Sections, of Differentially Functionalized Starburst-Type π -Conjugated Molecules. 2009 , 82, 1416-1425	1
1070	Two-photon Absorption Properties of Novel Conjugated Dyes Containing a Benzophenone Unit. 2010 , 39, 324-325	1
1069	Nanocomposites containing gold nanorods and porphyrin-doped mesoporous silica with dual capability of two-photon imaging and photosensitization. 2010 , 26, 14937-42	89
1068	Zwitterionic ladder bis(arylethenyl)benzenes with large two-photon absorption cross sections. 2010 , 5, 466-9	35

1067	Solution-processed bulk-heterojunction photovoltaic cells based on dendritic and star-shaped D-pi-A organic dyes. 2010 , 5, 1455-65	3
1066	Singlet oxygen: there is indeed something new under the sun. 2010 , 39, 3181-209	810
1065	A fullerene-distyrylbenzene photosensitizer for two-photon promoted singlet oxygen production. 2010 , 12, 4656-66	10
1064	Excited-state dynamics and two-photon absorption cross sections of fluorescent diphenyl-tin(IV) derivatives with schiff bases: a comparative study of the effect of chelation from the ultrafast to the steady-state time scale. 2010 , 114, 704-14	38
1063	Cooperative enhancement of TPA in cruciform double-chain DSB derivation: a femtosecond transient absorption spectra study. 2010 , 100, 773-777	8
1062	Two-photon absorption properties of a novel class of triarylamine compounds. 2010 , 498, 277-280	7
1061	3,3'-Benzene-1,4-diylbis[1-(substituted)phenylprop-2-en-1-one] derivatives: A new class of materials for third-order nonlinear optical applications. 2010 , 283, 1519-1527	35
1060	Two-photon absorption coefficient in relation to the typical pulse models of laser. 2010 , 283, 1924-1928	6
1059	Two-photon absorption and effective broadband optical power limiting properties of a multi-branched chromophore containing 2,3-diarylquinoxalanyl moieties as the electron-pulling units. 2010 , 66, 1375-1382	37
1058	Synthesis of novel diphenylamine-based fluorescent styryl colorants and study of their thermal, photophysical, and electrochemical properties. 2010 , 141, 1145-1151	14
1057	Multi-carbazole derivatives for two-photon absorption data storage: Synthesis, optical properties and theoretical calculation. 2010 , 53, 884-890	6
1056	Styryl dyes as two-photon excited fluorescent probes for DNA detection and two-photon laser scanning fluorescence microscopy of living cells. 2010 , 20, 865-72	25
1055	Several Organic Salts with High Two-Photon Active. 2010 , 19, 371-377	1
1054	Synthesis and Nonlinear Optical Characterization of a New Two-photon Absorbing Organic Dye: DMAHAS. 2010 , 21, 626-629	1
1053	Theoretical Studies on the Third-order Nonlinear Optical Properties and Two-photon Absorption of Stilbene Derivatives. 2010 , 22, 243-251	
1052	A relative study on two-photon absorption properties of C60 and C70. 2010 , 22, 653-657	4
1051	Squaraine Compounds: Tailored Design and Synthesis towards a Variety of Material Science Applications. 2010 , 2010, 1207-1225	259
1050	Cooperative infrared to visible up conversion in Tb ³⁺ , Eu ³⁺ , And Yb ³⁺ containing polymers. 2010 , 22, 5356-60	39

1049	Efficient intramolecular charge transfer in oligoene-linked donor-pi-acceptor molecules. 2010 , 16, 1470-9	49
1048	A triphenylphosphonium-functionalised cyclometalated platinum(II) complex as a nucleolus-specific two-photon molecular dye. 2010 , 16, 3942-50	59
1047	Strong Two-Photon Excited Fluorescence and Stimulated Emission from an Organic Single Crystal of an Oligo(Phenylene Vinylene). 2010 , 122, 744-747	26
1046	Strong two-photon excited fluorescence and stimulated emission from an organic single crystal of an oligo(phenylene vinylene). 2010 , 49, 732-5	112
1045	Organic ambipolar conjugated molecules for electronics: synthesis and structure-property relationships. 2010 , 31, 2007-34	46
1044	Photophysical properties and photostability of novel benzothiazole-based D- π -A systems. 2010 , 77, 984-93	
1043	9,10-Anthracene-centered oligo(p-phenyleneethynylene)s with end-capping didecylamines exhibiting enhanced two-photon fluorescence action cross-section. 2010 , 130, 527-530	6
1042	Facile synthesis, optical properties and theoretical calculation of two novel two-photon absorption chromophores. 2010 , 130, 654-659	2
1041	Optical properties of a donor-acceptor-substituted semi-cruciform catechol derivative. 2010 , 211, 147-151	1
1040	Coumarin derived chromophores in the donor-acceptor-donor format that gives fluorescence enhancement and large two-photon activity in presence of specific metal ions. 2010 , 363, 2824-2832	29
1039	A promising strategy for two-photon absorption materials by novel dicarbazole-conjugated C60/C70 fullerene derivatives. 2010 , 32, 637-642	6
1038	On the reactivity of isoindolo[2,1-a]quinazoline-5-ones. 2010 , 66, 8214-8222	10
1037	Synthesis and characterization of naphthalene diimide (NDI)-based near infrared chromophores with two-photon absorbing properties. 2010 , 66, 8629-8634	35
1036	A cationic triarylborane as water-tolerant fluorescent chemosensor for fluoride anions. 2010 , 149, 165-169	25
1035	Photon upconversion based on sensitized triplet-triplet annihilation. 2010 , 254, 2560-2573	971
1034	Recent advances in the sensitized luminescence of organic europium complexes. 2010 , 254, 972-990	163
1033	Designing novel chalcone single crystals with ultrafast nonlinear optical responses and large multi-photon absorption coefficients. 2010 , 10, 1290-1296	23
1032	A dark excited state of fluorescent protein chromophores, considered as Brooker dyes. 2010 , 492, 150-156	17

1031	TPA-active DD fluorophores with rigid, planar cores from phenylene to indenofluorene and indolocarbazole. 2010 , 86, 63-67	8
1030	Theoretical study of one- and two-photon absorption properties of expanded donor-acceptor calix[4]arenes. 2010 , 23, 126-133	7
1029	Condensed-matter physics: The dance of electrons and holes. 2010 , 466, 1047-8	2
1028	Theory and computations of two-photon absorbing photochromic chromophores. 2010 , 1, 142-161	16
1027	The theoretical studies on the two-photon absorption properties of symmetric 1,4-bis{2-[4-(2-aryl)phenyl]vinyl}-2,5-bisdialkoxybenzenes. 2010 , 19, 083102	1
1026	Polarization induced control of single and two-photon fluorescence. 2010 , 132, 154508	20
1025	Third-Order Nonlinear Optical Properties of a Series of Polythiophenes. 2010 , 27, 074201	1
1024	Two-photon absorption properties of aggregation systems on the basis of (E)-4-(2-nitrovinyl) benzenamine molecules. 2010 , 19, 103304	2
1023	Two-Photon Fluorescence Property and Ultrafast Dynamics of Two Dipolar Compounds with Dicolinate as Electron Acceptor. 2010 , 27, 038201	9
1022	Rod-Like Conjugated Molecules with Ethynylene Linkage and Pyridazines Moieties: Synthesis and Light Emitting Properties. 2010 , 81, 1445	4
1021	Synthesis, Light-Emitting, and Two-Photon Absorption Properties of Platinum-Containing Poly(arylene-ethynylene)s Linked by 1,3,4-Oxadiazole Units. 2010 , 43, 7936-7949	56
1020	Two-Photon Absorption in Near-IR Conjugated Molecules: Design Strategy and Structure-Property Relations. 2010 , 105-147	28
1019	Two-photon absorption property of a conjugated polymer: influence of solvent and concentration on its property. 2010 , 114, 22-7	36
1018	3D Stereolithography by Using Two-Photon Photopolymerization. 2010 , 298, 25-33	8
1017	First hyperpolarizability dispersion of the octupolar molecule crystal violet: multiple resonances and vibrational and solvation effects. 2010 , 132, 16467-78	54
1016	Two-photon fluorescence imaging of DNA in living plant turbid tissue with carbazole dicationic salt. 2010 , 8, 4582-8	61
1015	Predicting the Frequency Dispersion of Electronic Hyperpolarizabilities on the Basis of Absorption Data and Thomas-Kuhn Sum Rules. 2010 , 114, 2349-2359	46
1014	Simultaneous control of emission localization and two-photon absorption efficiency in dissymmetrical chromophores. 2010 , 114, 3152-69	45

1013	Effects of structural fluctuations on two-photon absorption activity of interacting dipolar chromophores. 2010 , 114, 10814-20	19
1012	Synthesis and characterization of fluorinated heterofluorene-containing donor-acceptor systems. 2010 , 75, 1871-87	34
1011	Photophysical properties of intramolecular charge transfer in two newly synthesized tribranched donor-pi-acceptor chromophores. 2010 , 114, 7345-52	57
1010	Modification of the optoelectronic properties of membranes via insertion of amphiphilic phenylenevinylene oligoelectrolytes. 2010 , 132, 10042-52	112
1009	Two-Photon Absorption by Fluorene Derivatives: Systematic Molecular Design. 2010 , 114, 6106-6116	19
1008	Dimers of quadrupolar chromophores in solution: electrostatic interactions and optical spectra. 2010 , 114, 882-93	21
1007	Synthesis and Tuning Optical Nonlinear Properties of Molecular Crystals of Benzothiadiazole. 2010 , 114, 15109-15115	47
1006	Photobehavior of the geometrical isomers of two 1,4-distyrylbenzene analogues with side groups of different electron donor/acceptor character. 2010 , 114, 10761-8	22
1005	Degenerate two-photon absorption in all-trans retinal: nonlinear spectrum and theoretical calculations. 2010 , 114, 3466-70	15
1004	Multifunctional Diarylamine-Substituted Benzo[k]fluoranthene Derivatives as Green Electroluminescent Emitters and Nonlinear Optical Materials. 2010 , 114, 11602-11606	32
1003	The effectiveness of essential-state models in the description of optical properties of branched push-pull chromophores. 2010 , 12, 11715-27	61
1002	Star-shaped donor-pi-acceptor conjugated molecules: synthesis, properties, and modification of their absorptions features. 2010 , 75, 3644-55	27
1001	Effects of coexisting isomers on two-photon absorption of organic molecules in solutions. 2010 , 114, 13167-72	12
1000	Optimizing simultaneous two-photon absorption and transient triplet-triplet absorption in platinum acetylide chromophores. 2010 , 114, 7003-13	44
999	Two-photon absorption: an overview of measurements and principles. 2010 , 2, 451	202
998	Linear and nonlinear optical properties of triphenylamine-functionalized C60: insights from theory and experiment. 2010 , 12, 373-81	39
997	Two-photon assisted poling. 2010 , 27, 132	3
996	Optical and electrochemical investigation of diamionaphthalene derivatives. 2010 , 160, 599-603	3

995	A new donor-acceptor type conjugative poly{2-[4-(1-cyanoethenyl)phenyl]-3-(3,4-didodecyloxythiophen-2-yl)prop-2-enenitrile}: Synthesis and NLO studies. 2010 , 160, 1712-1717	5
994	Ultra-sensitive fluorescent sensor for Hg ²⁺ based on a donor-acceptor-donor framework. 2010 , 114, 13370-5	24
993	Carbon Nanotubes for Optical Power Limiting Applications. 2010 , 101-129	2
992	Intense one- and two-photon excited fluorescent bis(BF ₂) core complex containing a 1,8-naphthyridine derivative. 2010 , 12, 2924-7	62
991	Mechanism of effective three-photon induced lasing. 2010 , 96, 021109	7
990	Donor-acceptor-donor fluorene derivatives for two-photon fluorescence lysosomal imaging. 2010 , 75, 3965-74	84
989	Two-photon luminescence from polar bis-terpyridyl-stilbene derivatives of Ir(III) and Ru(II). 2010 , 39, 10837-46	60
988	Synthesis and characterization of highly photoresponsive fullereryl dyads with a close chromophore antenna-C(60) contact and effective photodynamic potential. 2010 , 20, 5280-5293	44
987	The aggregation effects on the two-photon absorption properties of para-nitroaniline polymers by hydrogen-bond interactions. 2010 , 19, 044207	10
986	Aggregation-enhanced two-photon absorption and up-converted fluorescence of quadrupolar 1,4-bis(cyanostyryl)benzene derivatives showing solvatochromic fluorescence. 2010 , 20, 7422	67
985	Benzothiazole-based fluorophores of donor-pi-acceptor-pi-donor type displaying high two-photon absorption. 2010 , 75, 3053-68	126
984	Giant electric field effect on the second hyperpolarizability of symmetric singlet diradical molecules. 2010 , 133, 154302	35
983	[60]Fullerene metal complexes with large effective two-photon absorption cross-section. 2010 , 39, 11045-52	5
982	Fast photo-processes in triazole-based push-pull systems. 2010 , 12, 2706-15	23
981	Two-photon absorption properties of cationic 1,4-bis(styryl)benzene derivative and its inclusion complexes with cyclodextrins. 2010 , 114, 9684-90	10
980	Calculation of One- and Two-Photon Absorption Spectra of Thiolated Gold Nanoclusters using Time-Dependent Density Functional Theory. 2010 , 6, 2809-21	38
979	Two-photon spectroscopy of cyclometalated iridium complexes. 2011 , 40, 12765-70	46
978	Synthesis, characterization and photophysical properties of polyfunctional phenylsilsesquioxanes: [o-RPhSiO _{1.5}] ₈ , [2,5-R ₂ PhSiO _{1.5}] ₈ , and [R ₃ PhSiO _{1.5}] ₈ . compounds with the highest number of functional units/unit volume. 2011 , 21, 11177	28

977	Dimers of polar chromophores in solution: role of excitonic interactions in one- and two-photon absorption properties. 2011 , 13, 11099-109	37
976	Efficient Two-Photon Absorption Materials Consisting of Cationic Dyes and Clay Minerals. 2011 , 115, 20653-20661	34
975	Relation between two-photon absorption and dipolar properties in a series of fluorenyl-based chromophores with electron donating or electron withdrawing substituents. 2011 , 115, 4255-62	41
974	Holstein-Peirls-Hubbard trimer as a model for quadrupolar two-photon absorbing dyes. 2011 , 13, 230-9	2
973	Hybrid density functional theory/molecular mechanics calculations of two-photon absorption of dimethylamino nitro stilbene in solution. 2011 , 13, 12506-16	58
972	Photophysical properties of tribranched chromophores Based on 1,3,5-triazine core and 3,4-ethylenedioxythiophene electron-donating end-groups. 2011 ,	
971	Boron-containing two-photon-absorbing chromophores. 3. One- and two-photon photophysical properties of p-carborane-containing fluorescent bioprobes. 2011 , 50, 4272-8	34
970	Two-Photon Upconversion Laser (Scanning and Wide-Field) Microscopy Using Ln ³⁺ -Doped NaYF ₄ Upconverting Nanocrystals: A Critical Evaluation of their Performance and Potential in Bioimaging. 2011 , 115, 19054-19064	134
969	Donor-Acceptor-Donor-based π -Conjugated Oligomers for Nonlinear Optics and Near-IR Emission. 2011 , 23, 3805-3817	162
968	Photophysical properties of a series of electron-donating and -withdrawing platinum acetylide two-photon chromophores. 2011 , 115, 265-73	32
967	N-arylpyrrole-based chromophores of donor- π -donor type displaying high two-photon absorption. 2011 , 115, 4279-85	12
966	Star-Shaped Glycosylated Conjugated Oligomer for Two-Photon Fluorescence Imaging of Live Cells. 2011 , 23, 4428-4434	51
965	Principles of voxel refinement in optical direct write lithography. 2011 , 21, 14150	15
964	Two-Photon Induced Self-Structuring of Polymeric Films Based on Y-Shape Azobenzene Chromophore. 2011 , 115, 13566-13570	29
963	Self-assembly of an optically active conjugated oligoelectrolyte. 2011 , 133, 8380-7	35
962	Polar fluorenes and spirobifluorenes: fluorescence and fluorescence anisotropy spectra. 2011 , 115, 11420-30	13
961	Synthesis and characterizations of star-shaped octupolar triazatruxenes-based two-photon absorption chromophores. 2011 , 76, 780-90	103
960	Novel photoinitiator with a radical quenching moiety for confining radical diffusion in two-photon induced photopolymerization. 2011 , 21, 5650	65

- 959 Two-photon absorption properties of proquinoidal D-A-D and A-D-A quadrupolar chromophores. **2011**, 115, 5525-39 62
- 958 Chromophores for the Delivery of Bioactive Molecules with Two-Photon Excitation. **2011**, 57-92 24
- 957 Luminescent Metal-Organic Frameworks. **2011**, 267-308 5
- 956 Bright Luminescent Silica Nanoparticles for Two-Photon Microscopy Imaging via Controlled Formation of 4,4'-Diethylaminostyryl-2,2'-bipyridine Zn(II) Surface Complexes. **2011**, 23, 3228-3236 42
- 955 Benzothiazoles with tunable electron-withdrawing strength and reverse polarity: a route to triphenylamine-based chromophores with enhanced two-photon absorption. **2011**, 76, 8726-36 122
- 954 Linear and nonlinear optical properties of the thiophene/phenylene-based oligomer and polymer. **2011**, 115, 12687-93 27
- 953 The Proton Sensitivity of Fluorescent Proteins: Towards Intracellular pH Indicators. **2011**, 59-97
- 952 Multipolar symmetric squaraines with large two-photon absorption cross-sections in the NIR region. **2011**, 13, 12087-94 24
- 951 Optical nonlinearity of dye-doped polymer film using Z-scan technique. **2011**, 3
- 950 Structured Organic Non-Linear Optics. **2011**, 143-187 7
- 949 Metal Ion-Responsive Fluorescent Probes for Two-Photon Excitation Microscopy. **2011**, 23, 483-500 150
- 948 Functionalized dibenzoborepins as components of small molecule and polymeric π -conjugated electronic materials. **2011**, 76, 2227-39 40
- 947 Double lactonization in triarylamine-conjugated dimethyl diethynylfumarate: formation of intensely colored and luminescent quadrupolar molecules including a missing structural isomer of Pechmann dyes. **2011**, 133, 14518-21 26
- 946 Chromophores for Optical Power Limiting. **2011**, 619-654
- 945 Lewis acid adducts of narrow band gap conjugated polymers. **2011**, 133, 4632-44 182
- 944 UV/Vis Absorption, Emission Spectra and Two-Photon Absorption Cross Sections of 4-Dihydroquinolinone Derivatives. **2011**, 233-235, 2748-2754
- 943 Water-Soluble Conjugated Polymers for Amplification of One- and Two-photon Properties of Photosensitizers. **2011**, 44, 5373-5380 38
- 942 Multiple-time-scale dynamic studies of nonlinear transmission of pulsed lasers in a multiphoton-absorbing organic material. **2011**, 28, 1702 14

941	Efficient NIR emission from organic light-emitting devices based on acceptor-donor-acceptor (A-D-A) and donor-acceptor-donor (D-A-D) oligomers. 2011 , 19, 3619-26	7
940	Rapid, broadband two-photon-excited fluorescence spectroscopy and its application to red-emitting secondary reference compounds. 2011 , 1, 551	37
939	Near IR nonlinear absorption of an organic supermolecule [Invited]. 2011 , 1, 1383	3
938	Synthesis and photophysical properties of a new two-photon absorbing chromophore containing imidazo[4,5-f][1,10]phenanthroline. 2011 , 161, 354-359	13
937	Photophysical and two-photon absorption properties of protonation-induced tribranched chromophore having 1,3,5-triazine core and pyrrole end-groups. 2011 , 161, 783-788	4
936	The two-photon absorption property of stilbazolium derivative with ADA structure: Influence by counter-anion and aggregation. 2011 , 161, 1194-1198	6
935	Switchable Proteins and Channels. 2011 , 563-593	5
934	New design strategy for the two-photon active material based on push-pull substituted bisanthene molecule. 2011 , 115, 2607-14	17
933	Structured Organic Non-Linear Optics. 2011 , 261-296	0
932	Two-Photon Accessed Excited State Absorption in bis(terpyridyl Osmium)-(Porphinato)Zinc. 2011 ,	0
931	Arylethynylantraquinone and Bis(arylethynyl)anthraquinone: Strong Donor-Acceptor Interaction and Proton-induced Cyclization to Form Pyrylium and Dipyrylium Salts. 2011 , 40, 1316-1326	20
930	Three-Dimensional Microfabrication by Two-Photon Polymerization. 2011 , 107-140	1
929	[Nitric oxide donors activated by two-photon excitation]. 2011 , 131, 317-24	2
928	Optical properties of new 5-(4-phenylethynyl)-substituted-1,10-phenanthroline derivatives. 2011 , 131, 2668-2673	6
927	Novel triphenylamine-cored two-photon absorbing dyes for labeling of biomolecules. 2011 , 130, 897-902	16
926	Synthesis and photo-physical properties of fluorescent 1,3,5-triazine styryl derivatives. 2011 , 5, 77	15
925	Synthesis and photophysical properties of two Platinum(II) diimine diacetylides [A new approach for fluorescent two-photon absorption materials from organometallics. 2011 , 513, 103-107	6
924	Two-photon and three-photon absorption in dinaphthoporphycenes. 2011 , 514, 98-103	59

923	Synthesis, photophysical, and two-photon absorption properties of elongated phosphane oxide and sulfide derivatives. 2011 , 6, 1080-91	13
922	Two-photon-absorption technique for selective detection of copper(II) ions in aqueous solution using a dansyl-pyrene conjugate. 2011 , 6, 2246-50	13
921	Optimized Dyes for Protein and Nucleic Acid Detection. 2011 , 161-199	8
920	A comprehensive investigation on the cooperative branch effect on the optical properties of novel conjugated compounds. 2011 , 21, 545-54	6
919	Two-photon in vivo imaging of cells. 2011 , 26, 1483-9	15
918	A comparative study of one- and two-photon absorption properties of pyrene and perylene diimide derivatives. 2011 , 17, 1413-25	10
917	Investigation of third-order nonlinear optical properties of NNDC-doped PMMA thin films by Z-scan technique. 2011 , 105, 723-731	19
916	Theoretical study of one- and two-photon absorption properties of pyrene derivatives. 2011 , 128, 265-274	8
915	Theoretical investigation of one- and two-photon spectra of pyrazabole chromophores. 2011 , 130, 37-50	6
914	A theoretical study on magnesium ion-selective two-photon fluorescent probe based on benzo [h] chromene derivatives. 2011 , 130, 61-68	9
913	Anion controlled structural variation of silver(I) coordination polymers with a new donor-acceptor ligand. 2011 , 372, 425-428	2
912	A new fluorescent probe with stimulated emission and multiphoton absorption properties. 2011 , 382, 68-73	4
911	Strong two-photon-induced fluorescence from a highly soluble polythiophene. 2011 , 284, 3612-3614	12
910	Fluorene as the spacer for new two-photon absorption chromophores. 2011 , 67, 734-739	31
909	Crystal structures, two-photon absorption and theoretical calculation of a series of bis-vinylpyridine compounds synthesized by one-step solid state reaction. 2011 , 54, 730-736	4
908	Synthesis, two-photon absorption, and optical power limiting of new linear and hyperbranched conjugated polyynes based on bithiazole and triphenylamine. 2011 , 49, 1830-1839	37
907	Tuning the dual emission of photon-upconverting nanoparticles for ratiometric multiplexed encoding. 2011 , 23, 1652-5	142
906	Synthesis and Characterization of Highly Soluble Two-Photon-Absorbing Chromophores with Multi-Branched and Dendritic Architectures. 2011 , 2011, 912-921	27

905	Synthesis, Photophysical Properties of Tribranched Chromophores Based on 1,3,5-Triazine Core and Different Electro-donating End-groups. 2011 , 29, 2129-2133	4
904	One-photon photophysics and two-photon absorption of 4-[9,9-di(2-ethylhexyl)-7-diphenylaminofluoren-2-yl]-2,2':6',2''-terpyridine and their platinum chloride complexes. 2011 , 17, 2479-91	59
903	Starburst triarylamine donor-acceptor-donor quadrupolar derivatives based on cyano-substituted diphenylaminestyrylbenzene: tunable aggregation-induced emission colors and large two-photon absorption cross sections. 2011 , 17, 2647-55	215
902	Synthesis and properties of hybrid porphyrin tapes. 2011 , 17, 14400-12	61
901	Synthesis and characterization of a new chromophor with acid/base-sensitive fluorescence emission. 2011 , 22, 1051-1054	
900	Molecular design and theoretical study of one- and two-photon absorption properties for trinaphthylamine-centered pseudo octupolar molecules. 2011 , 966, 272-277	1
899	Excited-state relaxation processes of DPA-DSB: Investigation of the reason for high fluorescence quantum yield of symmetric D- π molecule. 2011 , 501, 296-299	12
898	Investigation of the ICT state of DPA-DSB using spectroscopic experiments and quantum chemical calculations. 2011 , 502, 184-186	5
897	Two-photon excited fluorescence properties and anions recognition of a trivalent organoboron compound. 2011 , 1000, 145-149	10
896	Enhancement of two-photon absorption and photoinduced birefringence in methyl orange by Au nanoparticles. 2011 , 43, 974-977	8
895	Near infrared organic light-emitting diodes based on acceptor-donor-acceptor (ADA) using novel conjugated isatin Schiff bases. 2011 , 131, 553-558	15
894	Photophysical Property of Photoactive Molecules with Multibranching Push-Pull Structures. 2011 , 24, 563-571	1
893	Experimental and theoretical study of two-photon absorption in nitrofurans derivatives: Promising compounds for photochemotherapy. 2011 , 134, 014509	19
892	The effect of electron interactions on the universal properties of systems with optimized off-resonant intrinsic hyperpolarizability. 2011 , 134, 094109	15
891	Three Asymmetrical Conjugated D- π -Sulfur-Containing Chromophores with a Focus on Two-Photon Absorption. 2011 , 64, 174	3
890	Optical limiting properties and ultrafast dynamics of six-branched styryl derivatives based on 1,3,5-triazine. 2011 , 110, 033518	18
889	One- and two-photon absorption properties of two metalloporphyrin complexes. 2011 , 20, 104204	4
888	Longitudinal near-infrared imaging of myelination. 2011 , 31, 2382-90	44

887	Quantum mechanical modelling and calculation of two-photon absorption properties of new class Bshaped conjugated molecules. 2011 , 37, 431-439	2
886	Theoretical studies on the second-order nonlinear optical properties of donor-acceptor-substituted hexaphyrins(1.1.1.1.1.1) and their redox-switchability. 2011 , 109, 2625-2632	2
885	Two-photon absorption spectra of carotenoids compounds. 2011 , 109, 103529	20
884	Biocatalytic Synthesis of Two-Photon Active Resveratrol Oligomer. 2011 , 48, 1061-1066	2
883	THEORETICAL STUDY OF ONE- AND TWO-PHOTON ABSORPTION PROPERTIES FOR THREE SERIES OF DIPHENYLAMINE AND DIFLUORENYLAMINE SUBSTITUTED CONJUGATED COMPOUNDS. 2012 , 11, 1033-1056	3
882	DFT STUDIES ON ELECTRONIC STRUCTURES AND THIRD-ORDER NONLINEAR OPTICAL PROPERTIES OF A SERIES OF PtPt BOND-CONTAINING METAL COMPLEXES. 2012 , 11, 403-419	5
881	Application of the quasi-variational coupled cluster method to the nonlinear optical properties of model hydrogen systems. 2012 , 137, 054301	20
880	Investigation of two-photon excited fluorescence increment via crosslinked bovine serum albumin. 2012 , 20, 13669-76	17
879	Universal properties of the optimized off-resonant intrinsic second hyperpolarizability. 2012 , 29, 1661	10
878	Study of phase conjugated wave in DASPB dye-doped polymer films. 2012 ,	2
877	Effect of intramolecular charge transfer on the two-photon absorption behavior of multibranched triphenylamine derivations. 2012 , 111, 053516	5
876	Vibronic coupling simulations for linear and nonlinear optical processes: simulation results. 2012 , 136, 064110	30
875	2,3-Dicyanopyrazines Substituted Styryl Electron-Donor Group and Its Application for OLED Emitting Materials. 2012 , 563, 238-245	2
874	Prolonging luminescent lifetimes by introducing bis(maleonitriledithiolato)metalate anions with a fluorescent organic cation. 2012 , 65, 87-103	6
873	Bistriphenylamine-substituted fluoranthene derivatives as electroluminescent emitters and dye-sensitized solar cells. 2012 , 68, 10372-10377	7
872	Engineering 3D cell-culture matrices: multiphoton processing technologies for biological and tissue engineering applications. 2012 , 9, 613-33	126
871	A new building block, bis(thiophene vinyl)-pyrimidine, for constructing excellent two-photon absorption materials: synthesis, crystal structure and properties. 2012 , 22, 4343	34
870	Theoretical insight into linear optical and two-photon absorption properties for a series of N-arylpyrrole-based dyes. 2012 , 10, 7527-35	8

- 869 Influence of bromine substitution pattern on the singlet oxygen generation efficiency of two-photon absorbing chromophores. **2012**, 10, 6275-8 17
- 868 Theoretical study of two-photon absorption properties and up-conversion efficiency of new symmetric organic π -conjugated molecules for photovoltaic devices. **2012**, 18, 3657-67 7
- 867 Molecular modeling of two-photon absorption and third-order nonlinearities of polymethine dyes for all-optical switching. **2012**, 18, 4141-9 5
- 866 Studies of excited-state properties of multibranched triarylamine end-capped triazines. **2012**, 116, 12339-48 26
- 865 Impact of electronic coupling, symmetry, and planarization on one- and two-photon properties of triarylamine with one, two, or three diarylboryl acceptors. **2012**, 116, 3781-93 79
- 864 Synthesis, optical properties and ultrafast dynamics of aza-boron-dipyrromethene compounds containing methoxy and hydroxy groups and two-photon absorption cross-section. **2012**, 247, 24-29 19
- 863 A new 2,2':6',2''-terpyridine-based ligand and its complexes: structures, photophysical properties and DFT calculations to evaluate the halogen effect on the TPA. **2012**, 14, 5613 19
- 862 Effect of alicyclic ring size on the photophysical and photochemical properties of bis(arylidene)cycloalkanone compounds. **2012**, 14, 11743-52 30
- 861 The impact of charge defects and resonance enhancement on the two-photon absorption activity of spirofluorene and ladder-type pentaphenylene derivatives. **2012**, 22, 185-191 7
- 860 pH-responsive water soluble smart vesicles containing a bis(styryl)benzene derivative for two-photon microscopy imaging. **2012**, 22, 1977-1984 10
- 859 Enhancement of twist angle dependent two-photon activity through the proper alignment of ground to excited state and excited state dipole moment vectors. **2012**, 116, 8067-73 17
- 858 A theoretical study of the ring size effect on one- and two-photon absorption properties of macrocyclic thiophene derivatives. **2012**, 36, 947 5
- 857 Phase conjugation in two photon absorbing dye films by degenerate four-wave mixing. **2012**, 2 2
- 856 Solvent induced channel interference in the two-photon absorption process--a theoretical study with a generalized few-state-model in three dimensions. **2012**, 14, 1156-65 57
- 855 Functionalized cyano-OPVs as melt-processable two-photon absorbers. **2012**, 22, 5190 15
- 854 Theoretical prediction of one- and two-photon absorption properties of N-annulated quaterrylenes as near-infrared chromophores. **2012**, 77, 585-97 10
- 853 Water-miscible organic J-aggregate nanoparticles as efficient two-photon fluorescent nano-probes for bio-imaging. **2012**, 22, 17737 52
- 852 Phenylene vinylene platinum(II) acetylides with prodigious two-photon absorption. **2012**, 134, 19346-9 73

851	A critical theoretical study on linear and nonlinear optical properties of macrocyclic thiophene derivatives with different connecting π conjugated bridge and ring size. 2012 , 53, 2991-3000	9
850	Structural changes in bacteriorhodopsin caused by two-photon-induced photobleaching. 2012 , 116, 7455-62	14
849	Localized emitting state and energy transfer properties of quadrupolar chromophores and (multi)branched derivatives. 2012 , 116, 8693-705	39
848	Luminogenic materials constructed from tetraphenylethene building blocks: Synthesis, aggregation-induced emission, two-photon absorption, light refraction, and explosive detection. 2012 , 22, 232-240	205
847	Theoretical studies on photo-triggered second-order nonlinear optical switches in a series of polyoxometalate-spiropyran compounds. 2012 , 716, 245-251	14
846	Octupolar metal complexes for third order nonlinear optical studies. 2012 , 542, 159-163	5
845	Electronic structures and second-order nonlinear optical properties of a series of functionalized Sc ₃ N@Ih \bar{h} 80 derivatives. 2012 , 996, 51-56	1
844	Theranostic probe based on lanthanide-doped nanoparticles for simultaneous in vivo dual-modal imaging and photodynamic therapy. 2012 , 24, 5755-61	334
843	Lipid-PEG-folate encapsulated nanoparticles with aggregation induced emission characteristics: cellular uptake mechanism and two-photon fluorescence imaging. 2012 , 8, 3655-63	128
842	Polymer Photonics. 2012 , 211-260	4
841	Photoprocesses of Relevance to Supramolecular Chemistry. 2012 ,	
840	Strong two-photon fluorescence enhanced jointly by dipolar and quadrupolar modes of a single plasmonic nanostructure. 2012 , 101, 051109	11
839	Influence of rotational isomerism on two-photon absorption properties of FTC chromophores. 2012 , 21, 118201	4
838	Pyrene-based water dispersible orange emitter for one- and two-photon fluorescence cellular imaging. 2012 , 3, 2464	11
837	On the relationship between bond-length alternation and many-electron self-interaction error. 2012 , 137, 124305	78
836	2.11 Fluorescence Correlation Spectroscopy. 2012 , 210-245	9
835	Theoretical study of electronic structure and third-order optical properties of beryllium π hydrocarbon complexes. 2012 , 996, 82-90	26
834	Study on third-order nonlinear optical properties of 4-methylsulfanyl chalcone derivatives using picosecond pulses. 2012 , 47, 3552-3557	85

- 833 Nonlinear Optical Properties of Fullerene Derivatives. **2012**, 49-97
- 832 Two-Photon Acid Generation Systems Based on Dibenzylidene Ketone Dyes Intermolecular Sensitization. **2012**, 24, 1371-1377 18
- 831 Micro-structured polymer scaffolds fabricated by direct laser writing for tissue engineering. **2012**, 17, 081405-1 61
- 830 Pluronic F-68 nanodots incorporating pyrimidine chromophores. **2012**, 290, 1353-1359 8
- 829 Nonlinear optical properties for a class of hexa-peri-hexabenzocoronene chromophores: a computational investigation. **2012**, 41, 12416-27 4
- 828 Preparation and Photophysical Properties of Two-Photon Absorption Materials Containing Quinoline Ring as Electron Acceptors. **2012**, 557-559, 755-760
- 827 The synthesis and photophysical studies of cyclometalated Pt(II) complexes with C,N,N-ligands containing imidazolyl donors. **2012**, 41, 1792-800 15
- 826 Cooperative effects to enhance two-photon absorption efficiency: intra- versus inter-molecular approach. **2012**, 14, 3725-36 68
- 825 Two-photon absorption-molecular structure investigation using a porphycene chromophore with potential in photodynamic therapy. **2012**, 116, 11818-28 16
- 824 Investigation of optical nonlinearities and transient dynamics in a stilbene derivative. **2012**, 116, 1221-5 12
- 823 The role of molecular conformation and polarizable embedding for one- and two-photon absorption of disperse orange 3 in solution. **2012**, 116, 8169-81 33
- 822 Optical Properties of a Two-Photon Chromophore in a Polymeric Nanostructure. **2012**, 554, 65-71
- 821 Ultra-bright and -stable red and near-infrared squaraine fluorophores for in vivo two-photon imaging. **2012**, 7, e51980 33
- 820 Two-photon absorption dyes with thiophene as π -electron bridge: Synthesis, photophysical properties and optical data storage. **2012**, 92, 633-641 44
- 819 A series of poly[N-(2-hydroxypropyl)methacrylamide] copolymers with anthracene-derived fluorophores showing aggregation-induced emission properties for bioimaging. **2012**, 50, 890-899 43
- 818 The emission enhancement of the NIR distyryl Bodipy dyes by the indirect $S_0 \rightarrow S_2$ excitation and their application towards a Hg^{2+} probe. **2012**, 22, 11475 22
- 817 Polymethine dyes for all-optical switching applications: a quantum-chemical characterization of counter-ion and aggregation effects on the third-order nonlinear optical response. **2012**, 3, 3103 67
- 816 Synthesis and characterization of new Y-shaped fluorophores with an imidazole core. **2012**, 22, 1159-64 6

815	Synthesis and Two-Photon Properties of Small Dendritic Chromophores with Symmetrical and Unsymmetrical Substituted Skeletons. 2012 , 2012, 1737-1745	13
814	Planar tetra-coordinate carbon resulting in enhanced third-order nonlinear optical response of metal-terminated graphene nanoribbons. 2012 , 22, 11303	23
813	Concise synthesis and two-photon-excited deep-blue emission of 1,8-diazapyrenes. 2012 , 7, 2090-5	25
812	An electron-deficient porphyrin tape. 2012 , 7, 1811-6	20
811	Malachite green derivatives for two-photon RNA detection. 2012 , 13, 1206-13	16
810	Design and synthesis of piezochromic materials based on push-pull chromophores: a mechanistic perspective. 2012 , 18, 4558-67	60
809	Octupolar merocyanine dyes: a new class of nonlinear optical chromophores. 2012 , 18, 9258-66	51
808	Enhanced Optical Nonlinearity in Noncovalently Functionalized Amphiphilic Graphene Composites. 2012 , 77, 688-693	22
807	Exploring control parameters of two photon processes in solutions. 2012 , 124, 281-289	1
806	Theoretical investigation of the two-photon absorption properties of 3,6-bis(4-vinylpyridinium) carbazole derivatives--new biological fluorescent probes. 2012 , 18, 2357-67	5
805	1, 3, 5-Triazine-cored derivatives dyes containing triphenylamine based two-photon absorption: Synthesis, optical characterization and bioimaging. 2012 , 94, 570-582	36
804	Third-order nonlinear optical response of newly synthesized acceptor/donor substituted propylidene aryloxy acet hydrazide. 2012 , 123, 21-25	11
803	Synthesis, characterization and two-photon absorption based broadband optical limiting in diarylideneacetone derivative. 2012 , 238, 20-23	29
802	measurements in Schiff base derivatives: Effect of metal nanoparticles. 2012 , 152, 268-272	11
801	Two-photon absorption and effective optical power-limiting properties of small dendritic chromophores derived from functionalized fluorene/oxadiazole units. 2012 , 68, 4935-4949	21
800	Structural, optical and electrical characteristics of a new NLO crystal. 2012 , 44, 1689-1697	40
799	Two-photon absorption in oxazole derivatives: An experimental and quantum chemical study. 2012 , 34, 1013-1018	11
798	Quantum confinement effects in highly conducting, ultrathin polyaniline films pursued through spectroscopic investigations. 2012 , 132, 801-805	8

797	Enhanced two-photon absorption of hypersensitive transitions induced by coordination field in europium(III) complex. 2012 , 132, 398-402	4
796	Fiber laser based two-photon FRET measurement of calmodulin and mCherry-E(0)GFP proteins. 2012 , 75, 837-43	2
795	Self-assembling of cholesterol-appended benzothiadiazole-triphenylamine two-photon absorption dye. 2013 , 99, 14-19	10
794	Comparison of TD-DFT Methods for the Calculation of Two-Photon Absorption Spectra of Oligophenylvinylenes. 2013 , 117, 18170-18189	50
793	Two-photon induced emissive thiophene donor-acceptor systems as molecular probes for in vitro bio-imaging: synthesis, crystal structure, and spectroscopic properties. 2013 , 3, 18835	10
792	Multi-photon absorption effect and intra-molecular charge transfer of donor-acceptor chromophore ethyl p-amino benzoate. 2013 , 108, 197-210	12
791	Effect of donor-acceptor orientation on solvent-dependent three-photon activity in through-space charge-transfer systems--case study of [2,2]-paracyclophane derivatives. 2013 , 15, 17570-6	6
790	Synthesis, one and two-photon optical properties of two asymmetrical and symmetrical carbazole derivatives containing quinoline ring. 2013 , 1051, 23-29	10
789	Dispersion studies of optical nonlinearity and excited state dynamics in cyclo[4]naphthobipyrroles. 2013 , 580, 73-77	16
788	Investigation of Linear and Nonlinear Raman Scattering for Isotopologues of Ru(bpy) ₃ ²⁺ . 2013 , 117, 20855-20866	14
787	Synthesis, crystal structure and photophysical properties of a series of metal complexes M ₂ L ₂ (M = Zn, Cd, Hg) from an imidazole derivative. 2013 , 139, 403-409	2
786	Nonlinear optical chemosensor for sodium ion based on rhodol chromophore. 2013 , 78, 11721-32	40
785	Third-order nonlinear optical responses in derivatives of phenylhydrazone by Z-scan and optical limiting studies-influence of noble metal nanoparticles. 2013 , 36, 304-309	35
784	Synthesis and Two-Photon Absorption Properties of Symmetrical Chromophores Derived from 2,3,5-Trisubstituted Quinoxaline Units. 2013 , 2013, 4262-4269	13
783	Frequency upconversion and two-photon absorption of salicylaldehyde azine 1. 2013 , 35, 2535-2539	1
782	pH-Induced Modulation of One- and Two-Photon Absorption Properties in a Naphthalene-Based Molecular Probe. 2013 , 9, 3660-9	10
781	Tuning two-photon absorption cross-sections for triphenylamine derivatives. 2013 , 3, 17914	15
780	Functionalization of Colored/Fluorescent Silkworm Silk Fibrous Materials. 2013 , 209-231	

779	Photon-induced intramolecular charge transfer with the influence of D/A group and mode: optical physical properties and bio-imaging. 2013 , 1, 7026	19
778	New thermally stable cyano-substituted D ₂ AD molecules with aggregation-induced emission and large two-photon absorption cross-sections. 2013 , 3, 3038	17
777	Shape-dependent two-photon absorption in two-dimensionally extended benzoporphyrin arrays. 2013 , 15, 10612-5	15
776	Large excited state two photon absorptions in the near infrared region of surprisingly stable radical cations of (ferrocenyl)indenes. 2013 , 15, 12971-6	11
775	Nonlinear optical response and biological applications of a series of pyrimidine-based molecules for copper(II) ion probe. 2013 , 42, 8848-53	14
774	Synthesis, crystal structure and two-photon excited fluorescence properties of three aurone derivatives. 2013 , 103, 120-4	9
773	Light-harvesting ytterbium(III)-porphyrinate-BODIPY conjugates: synthesis, excitation-energy transfer, and two-photon-induced near-infrared-emission studies. 2013 , 19, 739-48	44
772	Synthesis and Two-Photon Absorption Properties of Star-Shaped Chromophores Derived from Functionalized Fluorene Units. 2013 , 2013, 498-508	13
771	Design, synthesis, and structural and spectroscopic studies of push-pull two-photon absorbing chromophores with acceptor groups of varying strength. 2013 , 78, 1014-25	78
770	Self-assembled triphenylamine-hexaazatriphenylene two-photon absorption dyes. 2013 , 69, 29-37	19
769	A comparative study of semi-squaraine and squaraine dyes using computational techniques: tuning the charge transfer/biradicaloid character by substitution. 2013 , 19, 275-87	10
768	From one-photon to two-photon probes: "caged" compounds, actuators, and photoswitches. 2013 , 52, 4526-37	194
767	Synthesis and two-photon absorption property characterizations of small dendritic chromophores containing functionalized quinoxalinioid heterocycles. 2013 , 19, 749-60	28
766	Properties of Triarylamine Derivatives with AIE and Large Two-Photon Absorbing Cross-Sections. 2013 , 169-184	
765	AIE-Active Polymers. 2013 , 253-283	2
764	V-shaped, Strongly-emitting, Expanded Hydrophilic Azacyanines: Synthesis, Linear and Nonlinear Optical Properties. 2013 , 2, 669-673	10
763	Theoretical investigation of two-photon absorption and fluorescence properties of cypridina luciferin-based derivatives: 2,3,5-trisubstituted pyrazine compounds. 2013 , 26, 822-833	8
762	Anionic stilbene intercalated layered double hydroxide with two-photon excited polarized photoemission. 2013 , 225, 216-222	7

761	The effect of charge transfer on the ultrafast and two-photon absorption properties of newly synthesized boron-dipyrromethene compounds. 2013 , 99, 979-985	18
760	Bromine-substituted p-nitrostilbene derivatives: synthesis, crystal structural studies, photoluminescence and the heavy atom effect on the singlet oxygen generation by two-photon absorption. 2013 , 69, 2720-2732	2
759	Large two-photon absorption of terpyridine-based quadrupolar derivatives: towards their applications in optical limiting and biological imaging. 2013 , 8, 564-71	22
758	Frequency-upconverted stimulated emission by simultaneous five-photon absorption. 2013 , 7, 234-239	114
757	Synthesis and linear and nonlinear optical properties of low-melting β -extended porphyrins. 2013 , 1, 2044	36
756	Photon-upconverting nanoparticles for optical encoding and multiplexing of cells, biomolecules, and microspheres. 2013 , 52, 3584-600	352
755	Red emitting solid state fluorescent triphenylamine dyes: Synthesis, photo-physical property and DFT study. 2013 , 97, 429-439	51
754	Crystal structure, nonlinear optical and photophysical properties of a novel chromophore constructed with terpyridine, triphenylamine and ethyl cyanoacetate functional moieties. 2013 , 140, 200-207	7
753	Structural dependence of the optical properties of narrow bandgap semiconductors with orthogonal donor-acceptor geometries. 2013 , 4, 1807	32
752	Computational Study on Redox-Switchable Second-Order Nonlinear Optical Properties of Totally Inorganic Keggin-Type Polyoxometalate Complexes. 2013 , 117, 7776-7783	21
751	Synthesis and two-photon properties of a novel multi-branched chromophore with an unsymmetrically substituted scaffold derived from functionalized quinoxalinoid heterocycles. 2013 , 1, 2764	10
750	Bright, fluorescent dyes based on imidazo[1,2-a]pyridines that are capable of two-photon absorption. 2013 , 8, 1279-94	38
749	A water soluble probe with near infrared two-photon absorption and polarity-induced fluorescence for cerebral vascular imaging. 2013 , 4, 2833	61
748	New two-photon absorption organic chromophores containing imino and hydroxyl groups: synthesis, ESIPT and chemosensors. 2013 , 69, 5355-5366	10
747	New insights into two-photon absorption properties of functionalized aza-BODIPY dyes at telecommunication wavelengths: a theoretical study. 2013 , 15, 4666-76	25
746	Extending the bandwidth of reverse saturable absorption in platinum complexes using two-photon-initiated excited-state absorption. 2013 , 5, 565-72	24
745	Multiplex localization imaging and sub-diffraction limited measurement. 2013 , 60, 414-421	3
744	Influence of electronic effects on one- and two-photon absorption in porphyrin isomers. 2013 , 3, 9247	8

743	Optically Excited Entangled States in Organic Molecules Illuminate the Dark. 2013 , 4, 2046-52	61
742	Degenerate two-photon absorption and effective optical-power-limiting properties of multipolar chromophores derived from 2,3,8-trisubstituted indenoquinoline. 2013 , 8, 2102-10	10
741	Synthesis, chemical and optical characterization and solvent interaction effect of novel fluorene-chromophores with DAD structure. 2013 , 98, 31-41	23
740	Synthesis and two-photon absorption properties of unsymmetrical metallosalophen complexes. 2013 , 49, 121-128	10
739	Association dynamics and linear and nonlinear optical properties of an N-acetylaladanamide probe in a POPC membrane. 2013 , 135, 13590-7	24
738	Synthesis, linear and nonlinear optical properties of phosphonato-substituted bithiophenes derived from 2,2'-biphenol. 2013 , 42, 14281-97	17
737	Remarkable effect of iridium cyclometalation on the nonlinear absorption properties of a quadrupolar imine ligand. 2013 , 52, 10705-7	27
736	Two-photon absorption properties of chromophores in micelles: electrostatic interactions. 2013 , 117, 10484-91	13
735	Two-photon circular-linear dichroism of perylene in solution: a theoretical-experimental study. 2013 , 117, 2742-7	21
734	Recent Progress in the Development of New Acetylenic Polymers. 2013 , 214, 175-187	55
733	Red-emitting Materials Derived from 2,3-dicyanopyrazine for Organic Light Emitting Devices. 2013 , 37, 57-61	0
732	A novel ratiometric two-photon fluorescent probe for the detection of biothiols in solution and imaging of living cells. 2013 , 8, 2564-8	28
731	A theoretical investigation of two typical two-photon pH fluorescent probes. 2013 , 89, 300-9	16
730	Self-assembled organic microfibers for nonlinear optics. 2013 , 25, 2084-9	98
729	Distyrylbenzene oligoelectrolyte (DSBN+) for human cervical carcinoma cells imaging. 2013 , 1569, 207-211	1
728	Von Ein- zu Zwei-Photonen-Sonden: photoaktivierbare Reagentien, Aktuatoren und Photoschalter. 2013 , 125, 4622-4634	36
727	Photonen aufkonvertierende Nanopartikel zur optischen Codierung und zum Multiplexing von Zellen, Biomolekülen und Mikrosphären. 2013 , 125, 3668-3686	40
726	Structural and optical properties of furfurylidenemalononitrile thin films. 2013 , 61, 30202	1

725	Physicochemical Studies on Thienyl Chalcone Derivative for Nonlinear Optical Application. 2013 , 2013, 1-5	3
724	Optical Properties of Oligo(Fluorene-Vinylene) Functionalized Anthracene Linear Oligomers: Effect of Extension. 2013 , 26, 61-66	2
723	Effects of Rotational Isomerism and Bond Length Alternation on Optical Spectra of FTC Chromophore in Solution. 2014 , 27, 75-81	2
722	Two-photon injection of polaritons in semiconductor microstructures. 2014 , 39, 307-10	6
721	Femtosecond pulse train shaping improves two-photon excited fluorescence measurements. 2014 , 39, 5606-9	4
720	Analysis of nonlinear optical properties in donor-acceptor materials. 2014 , 140, 184308	28
719	Two-photon absorption and sensitivity to DNA of dye molecule-driven CdSe quantum dots. 2014 , 4, 19578	2
718	Two-photon absorption spectroscopy of rubrene single crystals. 2014 , 89,	5
717	trans/cis-Isomerization of fluorene-bridged azo chromophore with significant two-photon absorbability at near-infrared wavelength. 2014 , 9, 3390-6	12
716	Second- and third-order nonlinear optical properties of bis-chalcone derivatives. 2014 , 290, 38-42	49
715	Lifetime shortening and fast energy-transfer processes upon dimerization of a A-D-EA molecule. 2014 , 15, 310-9	
714	Two-Photon Absorbing Molecules as Potential Materials for 3D Optical Memory. 2014 , 4, 1-18	30
713	Tunable molecular configuration for significant enhancement of two-photon absorption based on novel octupolar benzoimidazole derivatives. 2014 , 290, 22-30	9
712	Design and fabrication strategies for high transparency polymer nanocomposites with dynamic tunable optical response. 2014 ,	1
711	Aggregation induced enhanced emission of conjugated dendrimers with a large intrinsic two-photon absorption cross-section. 2014 , 5, 479-488	45
710	Anharmonicity contributions to the vibrational first and second hyperpolarizability of para-disubstituted benzenes. 2014 , 595-596, 109-112	7
709	Study on nonlinear optical properties of 2,4,5-trimethoxy-4'-bromochalcone single crystal. 2014 , 55, 37-41	26
708	Nonlinear refractive and optical limiting measurements of 2-thienylchalcone derivatives under cw laser regime. 2014 , 116, 805-810	15

- 707 Study of Linear and Nonlinear Optical Properties of Four Derivatives of Substituted Aryl Hydrazones of 1,8-Naphthalimide. **2014**, 32, 205-211 9
- 706 First principles studies on one-, two-, and three-photon absorption properties of a symmetric carbazole derivative both in gas phase and solution. **2014**, 1027, 53-61 1
- 705 Computational study on second-order nonlinear optical properties of a series of axially substituted zinc porphyrin. **2014**, 1027, 26-32 6
- 704 Photodynamics of [26]- and [28]hexaphyrin-bodipy hybrids. **2014**, 20, 4574-82 9
- 703 A water soluble initiator prepared through host-guest chemical interaction for microfabrication of 3D hydrogels via two-photon polymerization. **2014**, 2, 4318-4323 41
- 702 Synthesis and characterization of two-photon chromophores based on a tetrasubstituted tetraethynylethylene scaffold. **2014**, 9, 1601-10 9
- 701 Aza-crown ether derivatives based on stilbene: Two-photon absorption and bioimaging. **2014**, 107, 133-139 5
- 700 Metabolic tumor profiling with pH, oxygen, and glucose chemosensors on a quantum dot scaffold. **2014**, 53, 1900-15 51
- 699 Expanded Ketocoumarins as Efficient, Biocompatible Initiators for Two-Photon-Induced Polymerization. **2014**, 26, 3175-3184 58
- 698 Symmetrical and unsymmetrical donor-acceptor-donor organic dyes: Design, synthesis and characterization. Engineering panchromic absorbance. **2014**, 108, 15-23 4
- 697 Optimizing Au/Ag core-shell nanorods: purification, stability, and surface modification. **2014**, 16, 1 8
- 696 Two-photon active polymeric nanoparticles for high contrast in vitro imaging. **2014**, 4, 1116-1119 1
- 695 Molybdenum(VI) tris(dithiolene) complexes as a new class of three-dimensional two-photon absorption chromophores at telecommunications wavelengths. **2014**, 2, 614-617 6
- 694 25th anniversary article: Design of polymethine dyes for all-optical switching applications: guidance from theoretical and computational studies. **2014**, 26, 68-83 84
- 693 Investigation of third-order nonlinear and optical power limiting properties of terphenyl derivatives. **2014**, 56, 425-429 53
- 692 Large cyano- and triazine-substituted D₂D structures as efficient AIEE solid emitters with large two-photon absorption cross sections. **2014**, 2, 1141 57
- 691 High-performance two-photon absorption luminophores: large action cross sections, free from fluorescence quenching and tunable emission of efficient non-doped organic light-emitting diodes. **2014**, 2, 3416 21
- 690 Efficient Triplet Sensitizers of Palladium(II) Tetraphenylporphyrins for Upconversion-Powered Photoelectrochemistry. **2014**, 118, 1417-1425 53

689	Two novel six-coordinated cadmium(II) and zinc(II) complexes from carbazate β -diketonate: crystal structures, enhanced two-photon absorption and biological imaging application. 2014 , 43, 599-608	31
688	Aggregation Enhancement on Two-Photon Optical Properties of AIE-Active D-TPE-A Molecules. 2014 , 118, 26981-26986	21
687	Synthesis and characterization of a highly two-photon active dendrimer derived from 2,3,8-trifunctionalized indenoquinoxaline units. 2014 , 2, 821-828	17
686	Non-classical donor-acceptor-donor chromophores. A strategy for high two-photon brightness. 2014 , 2, 4552	7
685	Chromophore design for large two-photon absorption. 2014 , 37, 750-755	3
684	Two-photon and time-resolved fluorescence spectroscopy as probes for structural determination in amyloid- β peptides and aggregates. 2014 , 118, 2351-9	19
683	Intramolecular charge transfer effects on the diradical character and second hyperpolarizabilities of open-shell singlet X-EX (X = donor/acceptor) systems. 2014 , 118, 3463-71	22
682	Theoretical investigations on one- and two-photon absorptions for a series of covalently functionalized hybrid materials based on graphene. 2014 , 38, 5391-5401	8
681	Designing Efficient Azobenzene and Azothiophene Nonlinear Optical Photochromes. 2014 , 118, 28831-28841	34
680	Quinoline-derived two-photon sensitive quadrupolar probes. 2014 , 12, 9899-908	15
679	Photoinduced symmetry-breaking intramolecular charge transfer in a quadrupolar pyridinium derivative. 2014 , 16, 13984-94	53
678	Effect of Bulky Substituents on Thiopyrylium Polymethine Aggregation in the Solid State: A Theoretical Evaluation of the Implications for All-Optical Switching Applications. 2014 , 26, 6439-6447	18
677	Designing two-photon fluorescent probes based on the target-induced enhancement of the absorption cross-section. 2014 , 50, 11139-42	21
676	Protonation induced shifting of electron-accepting centers in intramolecular charge transfer chromophores: a theoretical study. 2014 , 16, 20221-7	9
675	A series of triphenylamine-based two-photon absorbing materials with AIE property for biological imaging. 2014 , 2, 5430-5440	49
674	Two-photon-induced fluorescence in new β -expanded diketopyrrolopyrroles. 2014 , 20, 12493-501	55
673	A ratiometric fluorescent molecular probe with enhanced two-photon response upon Zn ²⁺ binding for in vitro and in vivo bioimaging. 2014 , 5, 3469-3474	63
672	Stimuli-Responsive Fluorescence of AIE Elastomer Based on PDMS and Tetraphenylethene. 2014 , 47, 6382-6388	53

- 671 Synthesis and crystal structure of a novel copper(ii) complex of curcumin-type and its application in in vitro and in vivo imaging. **2014**, 2, 3659-3666 12
- 670 Caged glutamates with Extended 1,2-dihydronaphthalene chromophore: design, synthesis, two-photon absorption property, and photochemical reactivity. **2014**, 79, 7822-30 28
- 669 Dynamic behavior, electrochromism, and two-photon absorption of dicyanomethylenated quinacridone. **2014**, 79, 9669-77 26
- 668 Computational design of two-photon fluorescent probes for intracellular free zinc ions. **2014**, 118, 10101-10 15
- 667 Multiphoton Harvesting in an Angular Carbazole-Containing Zn(II)-Coordinated Random Copolymer Mediated by Twisted Intramolecular Charge Transfer State. **2014**, 47, 1316-1324 20
- 666 Effects of torsional disorder and position isomerism on two-photon absorption properties of polar chromophore dimers. **2014**, 612, 151-156 9
- 665 Promising two-photon probes for in vivo detection of amyloid deposits. **2014**, 50, 11694-7 21
- 664 Linear and nonlinear optical properties of V-shaped D- π - π chromophores: effects of the incorporation of aromatic rings in the polyenic bridges of open-chain ketocyanines. **2014**, 16, 15576-89 7
- 663 A theoretical investigation on two latest two-photon pH fluorescent probes. **2014**, 293, 50-56 10
- 662 Recent development of two-photon fluorescent probes for bioimaging. **2014**, 12, 4550-66 155
- 661 Structural and optical properties of new organic crystal 1-[4-(methylsulfonyl) phenyl]-3-(2,4,5-trimethoxyphenyl) prop-2-en-1-One for optical limiting applications. **2014**, 1074, 653-659 32
- 660 Impact of Bulk Aggregation on the Electronic Structure of Streptocyanines: Implications for the Solid-State Nonlinear Optical Properties and All-Optical Switching Applications. **2014**, 118, 23575-23585 20
- 659 Ab initio study of solvent-dependent one-, two- and three-photon absorption properties of PRODAN-based chemo-sensors. **2014**, 126, 1217-1226 2
- 658 AIE macromolecules: syntheses, structures and functionalities. **2014**, 43, 4494-562 1025
- 657 Advances in Conceptual Electronic Nanodevices based on 0D and 1D Nanomaterials. **2014**, 6, 1-19 17
- 656 Synthesis and Two-Photon Absorption Properties of Ladder-Type Chromophores with Functionalized Pyrazine Units Fused as the End-Groups. **2014**, 2014, 6163-6174 4
- 655 Two-photon absorption in butadiyne-linked porphyrin dimers: torsional and substituent effects. **2014**, 2, 6802-6809 23
- 654 Thiophene-fused borepins as directly functionalizable boron-containing electron systems. **2014**, 136, 7132-9 86

653	Structural characterization, absorption and photoluminescence study of symmetrical azomethines with long aliphatic chains. 2014 , 1058, 130-135	24
652	Theoretical study of two-photon absorption properties of a series of platinum (II) acetylide complexes. 2014 , 105, 75-88	8
651	Chemical control of channel interference in two-photon absorption processes. 2014 , 47, 1604-12	54
650	Enhancement of Two-Photon Absorption Cross Section in CdSe Quantum Rods. 2014 , 118, 17914-17921	30
649	Multiphoton excited fluorescent materials for frequency upconversion emission and fluorescent probes. 2014 , 26, 5400-28	66
648	Quadrupolar, emission-tunable expanded 1,4-dihydropyrrolo[3,2-b]pyrroles--synthesis and optical properties. 2014 , 12, 2874-81	31
647	Two-photon probes for metal ions based on phenylaza[18]crown-6 ethers and 1,2,3-triazoles as linkers. 2014 , 15, 2436-9	1
646	Computational study on redox-switchable second-order nonlinear optical properties of ferrocene-tetrathiafulvalene hybrid. 2014 , 4, 38300-38309	7
645	Synthesis and two-photon up-conversion sensing property of pyridinylbenzothiadiazole-based chromophores. 2014 , 102, 133-141	7
644	All optical nonlinear and switching characteristics of a novel ruthenium complex. 2014 , 36, 1054-1059	17
643	Synthesis, singlet-oxygen photogeneration, two-photon absorption, photo-induced DNA cleavage and cytotoxic properties of an amphiphilic Schiff-base linked Ru(II) polypyridyl porphyrin conjugate. 2014 , 154, 356-361	14
642	Synthesis and photophysical properties of 2,1,3-benzothiadiazole-cored H-shaped conjugated compounds. 2014 , 36, 950-957	8
641	Synthesis of two-photon active cinnamoyl coumarins for high-contrast imaging of cancer cells and their photophysical characterization. 2014 , 280, 39-45	5
640	Four new two-photon polymerization initiators with varying donor and conjugated bridge: synthesis and two-photon activity. 2014 , 118, 538-42	22
639	Micelle/Silica Co-protected Conjugated Polymer Nanoparticles for Two-Photon Excited Brain Vascular Imaging. 2014 , 26, 1874-1880	58
638	Investigation of photophysical properties of new branched compounds with triazine and benzimidazole units. 2014 , 38, 3042	11
637	Axial ligand effects on the diradical characters and second hyperpolarizabilities of open-shell singlet transition-metal dinuclear complexes. 2014 , 608, 68-73	7
636	Oil-in-water microemulsion: an effective medium for triplet-triplet annihilated upconversion with efficient triplet acceptors. 2014 , 2, 8507-8514	29

635	Chelation-Induced Quenching of Two-Photon Absorption of Azacrown Ether Substituted Distyryl Benzene for Metal Ion Sensing. 2014 , 10, 778-88	9
634	New cyano-substituted organic dyes containing different electrophilic groups: aggregation-induced emission and large two-photon absorption cross section. 2014 , 70, 7050-7056	19
633	One- and two-photon absorption of fluorescein dianion in water: a study using S-QM/MM methodology and ZINDO method. 2014 , 119, 63-75	6
632	Laser nanofabrication in photoresists and azopolymers. 2014 , 8, 1-26	74
631	Two-photon Absorption of Lanthanide Complexes: from Fundamental Aspects to Biphotonic Imaging Applications. 2014 , 197-230	7
630	Two-photon Absorption (TPA) Spectra of Tris(4,7-diphenyl-1,10-phenanthroline)metal(II) Perchlorate: Drastic Effects of Central Metal(II) Ions on TPA Cross Section. 2014 , 43, 441-443	5
629	Red emissive AIE nanodots with high two-photon absorption efficiency at 1040 nm for deep-tissue in vivo imaging. 2015 , 6, 3783-94	54
628	Octamethoxy-Substituted 22 π and 26 π Stretched Porphycenes: Synthesis, Characterization, Photodynamics, and Nonlinear Optical Studies. 2015 , 21, 12129-35	17
627	Nonlinear optical microscopy: Endogenous signals and exogenous probes. 2015 , 527, 471-489	10
626	Optical nonlinearities of colloidal InP@ZnS core-shell quantum dots probed by Z-scan and two-photon excited emission. 2015 , 3, 116108	15
625	Luminescent Quadrupolar Borazine Oligomers: Synthesis, Photophysics, and Two-Photon Absorption Properties. 2015 , 21, 18237-47	39
624	Pyrrolo[3,2-b]pyrroles-From Unprecedented Solvatochromism to Two-Photon Absorption. 2015 , 21, 18364-74	76
623	New Aggregation-Induced Emitters: Tetraphenyldistyrylbenzenes. 2015 , 21, 16749-53	16
622	A Series of Imidazole Derivatives: Synthesis, Two-Photon Absorption, and Application for Bioimaging. 2015 , 2015, 965386	9
621	Molecular structure-optical property relationships for a series of non-centrosymmetric two-photon absorbing push-pull triarylamine molecules. 2014 , 4, 4447	40
620	Two-photon polymerization microfabrication of hydrogels: an advanced 3D printing technology for tissue engineering and drug delivery. 2015 , 44, 5031-9	355
619	Synthesis and characterization of novel symmetrical two-photon chromophores derived from bis(triphenylaminotetrathienoacenyl) and fused-thiophene units. 2015 , 5, 54003-54010	7
618	Novel ADA type molecules based on diphenylamine and carbazole with large two-photon absorption cross section and excellent aggregation-induced enhanced emission property. 2015 , 71, 2761-2767 ¹⁵	15

617	Molecular design of near infrared polymethine dyes: A review. 2015 , 121, 238-255	135
616	Computational design of a two-photon excited FRET-based ratiometric fluorescent Cu ²⁺ probe for living cell imaging. 2015 , 5, 98144-98153	11
615	Diketopyrrolopyrrole-Porphyrin Conjugates with High Two-Photon Absorption and Singlet Oxygen Generation for Two-Photon Photodynamic Therapy. 2015 , 127, 171-175	32
614	Unprecedentedly High Tissue Penetration Capability of Co-Assembled Nanosystems for Two-Photon Fluorescence Imaging In Vivo. 2015 , 3, 646-651	24
613	Comparison between theoretically and experimentally determined electronic properties: applications to two-photon singlet oxygen sensitizers. 2015 , 119, 1906-16	2
612	Theoretical Study on the Enhancement of the Second Hyperpolarizabilities of Si-, Ge-Disubstituted Quinodimethanes: Synergy Effects of Open-Shell Nature and Intramolecular Charge Transfer. 2015 , 119, 1188-1193	9
611	Two-photon absorption and two-photon circular dichroism of hexahelicene derivatives: a study of the effect of the nature of intramolecular charge transfer. 2015 , 5, 17429-17437	26
610	Zn ²⁺ responsive two-photon fluorescent probes based on branch structure: a computational investigation. 2015 , 113, 584-607	2
609	A fluorescent Arg-Gly-Asp (RGD) peptide-naphthalenediimide (NDI) conjugate for imaging integrin $\alpha_5\beta_1$ in vitro. 2015 , 51, 6901-4	19
608	Novel pyridinium inner salt dye and its complexes: synthesis, crystal structures and photophysical properties. 2015 , 25, 473-9	3
607	Synthesis of novel and diverse naphtho[1,2-b]furans by phosphine-catalyzed [3+2] annulation of activated 1,4-naphthoquinones and acetylenecarboxylates. 2015 , 19, 55-66	6
606	Synthesis, characterization and nonlinear optical studies of novel blue-light emitting room temperature truxene discotic liquid crystals. 2015 , 5, 26596-26603	22
605	Multiphoton Processes. 2015 , 279-320	2
604	Two-photon absorption and cell imaging of two multi-branched dyes based on curcumin. 2015 , 123, 267-273	9
603	HSA-based phosphorescent probe for two-photon in vitro visualization. 2015 , 149, 108-11	9
602	Multiphoton harvesting metal-organic frameworks. 2015 , 6, 7954	122
601	An ultrafast spectroscopic and quantum mechanical investigation of multiple emissions in push-pull pyridinium derivatives bearing different electron donors. 2015 , 17, 20981-9	27
600	Bringing Far-Field Subdiffraction Optical Imaging to Electronically Coupled Optoelectronic Molecular Materials Using Their Endogenous Chromophores. 2015 , 6, 2767-72	9

599	Theoretical Design of Open-Shell Singlet Molecular Systems for Nonlinear Optics. 2015 , 6, 3236-3256	116
598	Benchmarking two-photon absorption cross sections: performance of CC2 and CAM-B3LYP. 2015 , 17, 19306-14	104
597	Synthesis, linear optical, non-linear optical, thermal and mechanical characterizations of dye-doped semi-organic NLO crystals. 2015 , 2, 065010	3
596	The effect of heavy atom to two photon absorption properties and intersystem crossing mechanism in aza-boron-dipyrromethene compounds. 2015 , 122, 286-294	20
595	Novel s-tetrazine-based dyes with enhanced two-photon absorption cross-section. 2015 , 3, 8351-8357	16
594	Relation between Nonlinear Optical Properties of Push-Pull Molecules and Metric of Charge Transfer Excitations. 2015 , 11, 4182-8	32
593	A series of homoleptic bis(phthalocyaninato) rare earth sandwich complexes with large two-photon absorption cross-section. 2015 , 122, 346-350	17
592	Synthesis and Characterization of Nanobuilding Blocks [o-RStyrPhSiO _{1.5}] _{10,12} (R = Me, MeO, NBoc, and CN). Unexpected Photophysical Properties Arising from Apparent Asymmetric Cage Functionalization as Supported by Modeling Studies. 2015 , 119, 15846-15858	10
591	Donor's position-specific channel interference in substituted biphenyl molecules. 2015 , 17, 17571-6	4
590	Nonlinear Optical Properties of X(C ₆ H ₅) ₄ (X = B(-), C, N(+), P(+)): A New Class of Molecules with a Negative Third-Order Polarizability. 2015 , 137, 9635-42	17
589	Two-photon absorption and spectroscopy of the lowest two-photon transition in small donor-acceptor substituted organic molecules. 2015 , 91,	13
588	Synthesis and Characterization of Two-Photon Active Chromophores Based on Tetrathienoacene (TTA) and Dithienothiophene (DTT). 2015 , 10, 1640-6	11
587	Tunable two-photon absorption near-infrared materials containing different electron-donors and a bridge center with applications in bioimaging in live cells. 2015 , 3, 5580-5588	18
586	Experimental and computational study of solvent effects on one- and two-photon absorption spectra of chlorinated harmines. 2015 , 17, 12090-9	17
585	Multiphoton excitation of fluorescent probes. 2015 , 2015, 250-8	13
584	A curcumin-based TPA four-branched copper(II) complex probe for in vivo early tumor detection. 2015 , 46, 565-71	18
583	Red-emitting DPSB-based conjugated polymer nanoparticles with high two-photon brightness for cell membrane imaging. 2015 , 7, 6754-63	44
582	Structure and Characterization of a Novel Chalcone Crystal Having Nitro as an Acceptor Group. 2015 , 607, 200-214	18

581	Octakis(methylthio)porphycenes: synthesis, characterisation and third order nonlinear optical studies. 2015 , 51, 7705-8	28
580	Theoretical understanding of two-photon-induced fluorescence of isomorphous nucleoside analogs. 2015 , 17, 10053-8	19
579	Structure-property relation and third order nonlinear optical absorption study of a new organic crystal: 1-(3,4-Dimethoxyphenyl)-3-(2-fluorophenyl) prop-2-en-1-one. 2015 , 49, 279-285	10
578	Synthesis, crystal structures, and two-photon absorption of a series of cyanoacetic acid triphenylamine derivatives. 2015 , 150, 867-78	7
577	Shape and size effects on the optical properties of piezochromic organic nanoparticles. 2015 , 1099, 239-245	6
576	Aggregation-Induced Emission: Together We Shine, United We Soar!. 2015 , 115, 11718-940	4745
575	Ultralow-threshold up-converted lasing in oligofluorenes with tailored strong nonlinear absorption. 2015 , 3, 12018-12025	18
574	Molecular structure, spectral analysis and hydrogen bonding analysis of ampicillin trihydrate: a combined DFT and AIM approach. 2015 , 39, 9800-9812	40
573	Photophysical and Computational Analysis of a Symmetrical Fluorene-Based Janus Dione Derivative. 2015 , 119, 21053-21059	6
572	A theoretical study of a series of novel two-photon nitric oxide (NO) fluorescent probes based on BODIPY. 2015 , 39, 8342-8355	9
571	4-Diphenylamino-phenyl substituted pyrazine: nonlinear optical switching by protonation. 2015 , 3, 9191-9196	77
570	Solvent-dependent intramolecular charge transfer delocalization/localization in multibranched push-pull chromophores. 2015 , 143, 034309	36
569	Femtosecond laser internal manufacturing of three-dimensional microstructure devices. 2015 , 121, 163-177	8
568	Photostability enhancement of azoic dyes adsorbed and intercalated into MgAl-layered double hydroxide. 2015 , 74, 23-28	22
567	Solvent Effect and Two-Photon Optical Properties of Triphenylamine-Based Donor-Acceptor Fluorophores. 2015 , 119, 27630-27638	53
566	Sensitive ctDNA detection by a novel zinc(II) complex with two-photon absorption based on electrochemiluminescence. 2015 , 39, 1404-1409	5
565	Vat Photopolymerization Processes. 2015 , 63-106	23
564	Expanded unsaturated ketones: synthesis, optical properties, and two-photon-induced polymerization. 2015 , 16, 682-90	19

563	Rational design of small indolic squaraine dyes with large two-photon absorption cross section. 2015 , 6, 761-769	55
562	A novel pyrene-based two-photon active fluorescent dye efficiently excited and emitting in the 'tissue optical window (650-1100 nm)'. 2015 , 3, 184-190	58
561	Organized chromophoric assemblies for nonlinear optical materials: towards (sub)wavelength scale architectures. 2015 , 11, 1113-29	50
560	Diketopyrrolopyrrole-porphyrin conjugates with high two-photon absorption and singlet oxygen generation for two-photon photodynamic therapy. 2015 , 54, 169-73	180
559	Combined experimental and theoretical study of one- and two-photon absorption properties of DAD type bis(carbazolylfluorenylethynyl) arene derivatives: Influence of aromatic acceptor bridge. 2015 , 113, 682-691	28
558	On the second moment of a stochastic radiation field. 2015 , 75, 283-291	3
557	The Effect of the Substituent Position on the Two-Photon Absorption Performances of Dibenzylideneacetone-Based Isomers. 2016 , 9,	
556	Additive Manufacture of Three Dimensional Nanocomposite Based Objects through Multiphoton Fabrication. 2016 , 8,	17
555	Optimum conjugation length in donor-acceptor molecules for third-order nonlinear optics. 2016 , 33, E130	8
554	Record Multiphoton Absorption Cross-Sections by Dendrimer Organometalation. 2016 , 128, 2433-2437	10
553	Crystal structure and nonlinear optical absorption of a new chalcone derivative: a promising candidate for optical switching. 2016 , 122, 1	18
552	Boron Difluoride Curcuminoid Fluorophores with Enhanced Two-Photon Excited Fluorescence Emission and Versatile Living-Cell Imaging Properties. 2016 , 22, 5219-32	62
551	Record Multiphoton Absorption Cross-Sections by Dendrimer Organometalation. 2016 , 55, 2387-91	29
550	Establishing nonlinearity thresholds with ultraintense X-ray pulses. 2016 , 6, 33292	36
549	Two-photon absorption induced optical power limiting behavior of strong femtosecond hyper-Gaussian pulses. 2016 ,	1
548	Time-dependent density functional theory study on excited-state spectral and dynamic properties of hydrogen-bonded complexes formed by DMACA and water. 2016 , 6, 79196-79203	2
547	A series of novel dibenzothiophene-based two-photon fluorescent probes for cellular nucleus imaging. 2016 , 231, 811-829	8
546	Materials for third-order nonlinear optics. 2016 , 41, 53-62	9

545	Packing of Large Two- and Three-Photon Activity Into Smallest Possible Unsymmetrical Fluorene Chromophores. 2016 , 120, 2757-70	7
544	Theoretical investigation on the one- and two-photon responsive behavior of fluoride ion probes based on diketopyrrolopyrrole and its expanded derivatives. 2016 , 40, 4899-4910	10
543	Ultrafast broadband optical limiting in simple pyrene-based molecules with high transmittance from visible to infrared regions. 2016 , 4, 4647-4653	54
542	New AB2 type two-photon absorption dyes for well-separated dual-emission: molecular preorganization based approach to photophysical properties. 2016 , 72, 3040-3056	8
541	Enhancement of two photon absorption properties and intersystem crossing by charge transfer in pentaaryl boron-dipyrromethene (BODIPY) derivatives. 2016 , 18, 13546-53	28
540	Photoexcitation mechanisms of new D- π coumarin derivatives in linear and nonlinear optical processes. 2016 , 27, 7132-7140	9
539	Styrylpyridine salts-based red emissive two-photon turn-on probe for imaging the plasma membrane in living cells and tissues. 2016 , 141, 3228-32	24
538	Novel A(DA)1B branched fluorophores displaying high two-photon absorption. 2016 , 6, 46853-46863	5
537	New zinc(II) dyes with enhanced two-photon absorption cross sections based on the imidazolyl ligand. 2016 , 6, 77849-77853	1
536	3D Printing of Nanostructures. 2016 , 209-221	2
535	Uncovering the Intramolecular Emission and Tuning the Nonlinear Optical Properties of Organic Materials by Cocrystallization. 2016 , 128, 14229-14233	28
534	Influence of terminal group on sensing performance of a series of N-monoalkylated diketopyrrolopyrrole-based two-photon fluorescent fluoride anion probes. 2016 , 658, 125-129	5
533	Photoinitiators for Multiphoton Absorption Lithography. 2016 , 133-165	3
532	Synthesis, thermal analysis, and linear and nonlinear optical characterization of substituted polyphosphonates derived from 1,12-dodecanediol. 2016 , 54, 3663-3674	3
531	Photobehavior and Nonlinear Optical Properties of PushPull, Symmetrical, and Highly Fluorescent Benzothiadiazole Derivatives. 2016 , 120, 23726-23739	41
530	Functionalization of Silk Fibroin Materials at Mesoscale. 2016 , 26, 8885-8902	55
529	Uncovering the Intramolecular Emission and Tuning the Nonlinear Optical Properties of Organic Materials by Cocrystallization. 2016 , 55, 14023-14027	82
528	Elucidating the Mechanism of Zn(2+) Sensing by a Bipyridine Probe Based on Two-Photon Absorption. 2016 , 120, 9067-75	12

527	Optical limiting effects of cyano substituted distyrylbenzene derivatives. 2016 , 134, 368-374	7
526	Revisiting the classification of NIR-absorbing/emitting nanomaterials for in vivo bioapplications. 2016 , 8, e295-e295	105
525	Strong multiphoton absorption properties of one styrylpyridinium salt in a highly polar solvent. 2016 , 24, 11091-102	4
524	D-A conjugated polymers containing substituted thiophene, 1,3,4-oxadiazole and non-conjugation linkers: Synthesis and study of optical and electrochemical properties. 2016 , 128, 1423-1433	2
523	Synthesis, Fluorescence, and Two-Photon Absorption Properties of PushPull 5-Arylthieno[3,2-b]thiophene Derivatives. 2016 , 2016, 5263-5273	20
522	Ultrafast Investigation of Intramolecular Charge Transfer and Solvation Dynamics of Tetrahydro[5]-helicene-Based Imide Derivatives. 2016 , 6, 24313	58
521	Dimerization and Isomerism Effects on Two-Photon Absorption of Tetraphenylethene Derivatives and Molecular Design for Two-Photon Absorption Materials. 2016 , 120, 9708-15	6
520	Intramolecular Charge Transfer and Solvation of Photoactive Molecules with Conjugated Push-Pull Structures. 2016 , 17, 3245-3251	17
519	Simultaneous Two-Photon Absorption to Gerade Excited Singlet States of Diphenylacetylene and Diphenylbutadiyne Using Optical-Probing Photoacoustic Spectroscopy. 2016 , 120, 6137-45	4
518	Polarization-dependent Zeeman spectroscopy in the two-photon $^3S_1/2 \rightarrow ^4D_{3/2,5/2}$ transition in Na vapor. 2016 , 33, 1731	
517	Synthesis and two photon absorption of diphenylamino endcapped oligo(9,9-diphenyl)fluorenes with enhanced functional properties. 2016 , 220, 48-58	1
516	Symmetry-Breaking Charge Transfer and Hydrogen Bonding: Toward Asymmetrical Photochemistry. 2016 , 55, 15624-15628	81
515	Symmetry-Breaking Charge Transfer and Hydrogen Bonding: Toward Asymmetrical Photochemistry. 2016 , 128, 15853-15857	19
514	Laser Direct Writing of Silver Nanowire with Amino Acids-Assisted Multiphoton Photoreduction. 2016 , 120, 26532-26538	13
513	Excited-state symmetry breaking of linear quadrupolar chromophores: A transient absorption study. 2016 , 664, 56-62	17
512	Investigation into Biological Environments through (Non)linear Optics: A Multiscale Study of Laurdan Derivatives. 2016 , 12, 6169-6181	20
511	Combining intra- and intermolecular charge-transfer: a new strategy towards molecular ferromagnets and multiferroics. 2016 , 6, 19682	5
510	Ultrafast responses of dipolar and V-shaped dipicolinate derivatives with potential applications in the labeling of biomolecules. 2016 , 6, 025016	6

509	Trimeric and Tetrameric Electron-Deficient Porphyrin Tapes. 2016 , 11, 1454-63	6
508	Biocompatible Two-Photon Absorbing Dipyriddyldiketopyrrolopyrroles for Metal-Ion-Mediated Self-Assembly Modulation and Fluorescence Imaging. 2016 , 4, 746-755	23
507	A versatile two-photon fluorescent probe for ratiometric imaging <i>E. coli</i> galactosidase in live cells and in vivo. 2016 , 52, 8283-6	59
506	Highly Selective and Sensitive One- and Two-Photon Ratiometric Fluorescent Probe for Intracellular Hydrogen Polysulfide Sensing. 2016 , 88, 7206-12	82
505	Cooperative enhancement versus additivity of two-photon-absorption cross sections in linear and branched squaraine superchromophores. 2016 , 18, 16404-13	36
504	Optical Limiting Studies on Chalcone Doped PMMA Polymer Film. 2016 , 3, 2163-2168	2
503	Near-infrared wavelength-dependent nonlinear transmittance tailoring in glass ceramics containing Er ³⁺ :LaF ₃ nanocrystals. 2016 , 4, 6707-6712	17
502	One/two-photon cationic polymerization in visible and near infrared ranges using two-branched sulfonium salts as efficient photoacid generators. 2016 , 133, 363-371	18
501	New class of hyperpolarizable push-pull organic chromophores by applying a novel and convenient synthetic strategy. 2016 , 127, 73-77	11
500	A double branched photosensitive prodrug: synthesis and characterization of light triggered drug release. 2016 , 57, 959-963	2
499	Two-photon absorption of ligand-protected Ag ₁₅ nanoclusters. Towards a new class of nonlinear optics nanomaterials. 2016 , 18, 12404-8	27
498	Excitons in poly(para phenylene vinylene): a quantum-chemical perspective based on high-level ab initio calculations. 2016 , 18, 2548-63	47
497	D-A- π Synthetic approach for thienyl chalcones [NLO] structure activity study. 2016 , 324, 33-39	41
496	Direct Visualization of Excited-State Symmetry Breaking Using Ultrafast Time-Resolved Infrared Spectroscopy. 2016 , 138, 4643-9	126
495	Synthesis, crystal structures of a series of novel 2,2':6',2''-terpyridine derivatives: The influences of substituents on their photophysical properties and intracellular acid organelle targeting. 2016 , 128, 149-157	14
494	Multicomponent syntheses of functional chromophores. 2016 , 45, 2825-46	194
493	Two photon absorption properties of four coordinated transition metal complexes of tetraarylazadipyrromethene compounds. 2016 , 18, 4451-9	3
492	Photon upconversion: from two-photon absorption (TPA) to triplet-triplet annihilation (TTA). 2016 , 18, 10818-35	121

491	Calcium Uncaging with Visible Light. 2016 , 138, 3687-93	48
490	Effect of fluorophore on sensing NO for newly synthesized PET-based two-photon fluorescent probes. 2016 , 468, 37-43	10
489	Theoretical investigation on ratiometric two-photon fluorescent probe for Zn ²⁺ detection based on ICT mechanism. 2016 , 1114, 65-77	6
488	Triplet excited state properties in variable gap π -conjugated donor-acceptor-donor chromophores. 2016 , 7, 3621-3631	46
487	Small molecules of chalcone derivatives with high two-photon absorption activities in the near-IR region. 2016 , 4, 3256-3267	23
486	Enhanced two-photon excited fluorescence of mercury complexes with a conjugated ligand: Effect of the central metal ion. 2016 , 172, 264-269	9
485	Excited-state localization and energy transfer in pyrene core dendrimers with fluorene/carbazole as the dendrons and acetylene as the linkages. 2016 , 18, 4134-43	5
484	A novel D-A-D-A-D type molecule based on substituted dihydroindolo [3, 2-b] carbazole with large two-photon absorption cross section and excellent aggregation-induced enhanced emission property. 2016 , 72, 298-303	4
483	Influence of the oxazole ring connection on the fluorescence of oxazolyl-triphenylamine biphotonic DNA probes. 2016 , 14, 358-70	13
482	Two-photon luminescent metal complexes for bioimaging and cancer phototherapy. 2016 , 310, 16-40	172
481	Design and synthesis of a new chromophore, 2-(4-nitrophenyl)benzofuran, for two-photon uncaging using near-IR light. 2016 , 52, 331-4	29
480	Nonlinear absorption, optical limiting behavior and structural study of a new chalcone derivative-1-(3, 4-dimethylphenyl)-3-[4(methylsulfanyl) phenyl] prop-2-en-1-one. 2016 , 77, 23-30	34
479	In Silico Stark Effect: Determination of Excited-State Polarizabilities of Squaraine Dyes. 2017 , 121, 1587-1596	5
478	Optimized Photoinitiator for Fast Two-Photon Absorption Polymerization of Polyester-Macromers for Tissue Engineering . 2017 , 19, 1600686	15
477	Two-photon absorption of BF-carrying compounds: insights from theory and experiment. 2017 , 19, 5705-5708	12
476	Spectroscopic, DFT and Z-scan supported investigation of dicyanoisophorone based push-pull NLOphoric styryl dyes. 2017 , 66, 494-511	33
475	Nonlinear optical properties of a one-dimensional coordination polymer. 2017 , 5, 2936-2941	34
474	Two-photon absorption in penicillamine capped CdS tetrapods. 2017 , 5, 1724-1729	10

473	Near-Infrared Photoluminescent Polymer-Carbon Nanodots with Two-Photon Fluorescence. 2017 , 29, 1603443	478
472	Recent progress on intramolecular charge-transfer compounds as photoelectric active materials. 2017 , 60, 1093-1101	49
471	Two-photon absorption of the spatially confined LiH molecule. 2017 , 19, 7568-7575	8
470	Symmetry Breaking in Pyrrolo[3,2-b]pyrroles: Synthesis, Solvatochromism and Two-photon Absorption. 2017 , 12, 1736-1748	35
469	Bright long-lived luminescence of silicon nanocrystals sensitized by two-photon absorbing antenna. 2017 , 2, 550-560	17
468	Absorption and fluorescence solvatochromic behaviors of centrosymmetric D-D molecules with TTF/dimethylamino electron donors and polyenic bridge. 2017 , 187, 352-359	6
467	Bioimaging and biodetection assisted with TTA-UC materials. 2017 , 22, 1400-1411	33
466	Pyrene derivatives as broadband nonlinear optical material: Magnitude and mechanism of transient refraction. 2017 , 143, 165-172	30
465	Synthesis and photophysical properties of cyclometalated 4?-phenyl-2,2':6',2'-terpyridyl Pt(II) chloride complexes with different aryl substituents. 2017 , 80, 65-68	0
464	Giant five-photon absorption from multidimensional core-shell halide perovskite colloidal nanocrystals. 2017 , 8, 15198	124
463	Coordination coupling enhanced two-photon absorption of a ZnS-based microhybrid for two-photon microscopy imaging in HepG2. 2017 , 9, 7901-7910	3
462	Intermolecular Charge-Transfer Interactions Facilitate Two-Photon Absorption in Styrylpyridine-Tetracyanobenzene Cocrystals. 2017 , 56, 7831-7835	102
461	Design and Synthesis of a Caged Carboxylic Acid with a Donor-Donor Coumarin Structure: One-photon and Two-photon Uncaging Reactions Using Visible and Near-Infrared Lights. 2017 , 19, 2622-2625	26
460	Stellar Multi-Photon Absorption Materials: Beyond the Telecommunication Wavelength Band. 2017 , 23, 8395-8399	9
459	Two-photon absorption spectroscopy of stilbene and phenanthrene: Excited-state analysis and comparison with ethylene and toluene. 2017 , 146, 174102	16
458	Nonlinear optical properties, upconversion and lasing in metal-organic frameworks. 2017 , 46, 4976-5004	348
457	Theoretical Study on the Open-Shell Singlet Nature and the Second Hyperpolarizabilities of Corannulene Derivatives with Two Phenoxy Radicals. 2017 , 121, 4171-4179	3
456	Intermolecular Charge-Transfer Interactions Facilitate Two-Photon Absorption in Styrylpyridine-Tetracyanobenzene Cocrystals. 2017 , 129, 7939-7943	27

- 455 Influence of electronic acceptor on the excited state properties of push-pull chromophores. **2017**, 346, 221-224 4
- 454 4-N, N -bis(4-methoxyphenyl) aniline substituted anthraquinone: X-ray crystal structures, theoretical calculations and third-order nonlinear optical properties. **2017**, 70, 131-137 16
- 453 Effect of side groups on two-photon absorption of soluble polythiophenes. **2017**, 50, 375-380
- 452 Assessment of Front-Substituted Zwitterionic Cyanine Polymethines for All-Optical Switching Applications. **2017**, 121, 14166-14175 8
- 451 D-A dyad and D-A-D triad incorporating triphenylamine, benzanthrone and perylene diimide: Synthesis, electrochemical, linear and nonlinear optical properties. **2017**, 682, 133-139 19
- 450 New quinacridone derivatives: Structure-function relationship exploration to enhance third-order nonlinear optical responses. **2017**, 146, 251-262 15
- 449 Fluorescence and confocal imaging of mammalian cells using conjugated oligoelectrolytes with phenylenevinylene core. **2017**, 170, 40-48 8
- 448 Green synthesis and photophysical properties of novel 1 H -imidazo[4,5- f][1,10]phenanthroline derivatives with blue/cyan two-photon excited fluorescence. **2017**, 73, 2886-2893 3
- 447 Replacing Two Chlorido Ligands by a Bipyridine Ligand in Ruthenium Nitrosyl Complexes with NO-Release Capabilities: A Comparative Study. **2017**, 2017, 1446-1456 14
- 446 A theoretical investigation of a series of novel two-photon zinc ion fluorescent probes based on bipyridine. **2017**, 341, 20-30 6
- 445 Enhancement of laser machining resolution using the two photon absorption effect. **2017**,
- 444 Asymmetric charge separation and recombination in symmetrically functionalized TiO_2 hybrid oligosilanes. **2017**, 46, 8716-8726 16
- 443 Benzoinolic squaraine dyes with a large two-photon absorption cross-section. **2017**, 5, 1224-1230 20
- 442 Molecular engineering of a mitochondrial-targeting two-photon in and near-infrared out fluorescent probe for gaseous signal molecules HS in deep tissue bioimaging. **2017**, 91, 699-705 60
- 441 A Theoretical Investigation of the Structure and Optical Properties of a Silver Cluster in Solid Form and in Solution. **2017**, 121, 326-333 7
- 440 Quinoline-Derived Two-Photon Sensitive Quadrupolar Probes. **2017**, 23, 1860-1868 14
- 439 A small-structure two-photon platform equipped with weak electron donor: Development of permeable two-photon probes for lysosomes and mitochondria in living cells. **2017**, 243, 955-962 11
- 438 Intra- and Intermolecular Charge Transfer in a Novel Dimer: Cooperatively Enhancing Second-Order Optical Nonlinearity. **2017**, 121, 25472-25478 15

437	Photosensitizers for Two-Photon Excited Photodynamic Therapy. 2017 , 27, 1704079	58
436	A Dual-Signaling Ferrocene-Pyrene Dyad: Triple-Mode Recognition of the Cu(II) Ions in Aqueous Medium. 2017 , 27, 2279-2286	4
435	Superlinear amplification of the first hyperpolarizability of linear aggregates of DANS molecules. 2017 , 19, 24979-24984	10
434	Tuning Two-Photon Absorption Cross Section in Metal Organic Frameworks. 2017 , 29, 7424-7430	23
433	Two-Photon Absorption in Pentacene Dimers: The Importance of the Spacer Using Upconversion as an Indirect Route to Singlet Fission. 2017 , 139, 14017-14020	20
432	Multi-Photon Absorption in Metal-Organic Frameworks. 2017 , 56, 14743-14748	50
431	Multiphotonenabsorption in Metall-organischen Gerüstverbindungen. 2017 , 129, 14938-14943	9
430	Two-photon spectroscopy of tungsten(0) arylisocyanides using nanosecond-pulsed excitation. 2017 , 46, 13188-13193	4
429	Responsive mechanism of three novel hypochlorous acid fluorescent probes and solvent effect on their sensing performance *. 2017 , 26, 083102	1
428	Structure property relationship of a new nonlinear optical organic crystal: 1-(3,4-Dimethoxyphenyl)-3-(3-fluorophenyl)prop-2-en-1-one for optical power limiting applications. 2017 , 7, 2550-2556	17
427	A series of water-soluble pyridinium derivatives with two-photon absorption in the near infrared region for mitochondria targeting under stimulated emission depletion (STED) nanoscopy. 2017 , 147, 90-98	13
426	Synthesis, Linear, and Nonlinear Optical Properties of Phosphonato-Substituted Bithiophenes Derived from 2,2-Dimethyl-1,3-propanediol. 2017 , 2017, 4077-4093	
425	Impact of position of electron withdrawing cyano groups on nonlinear optical properties of centrosymmetric donor-acceptor system. 2017 , 117, e25441	2
424	Solute-Solvent Interactions and Excited-State Symmetry Breaking: Beyond the Dipole-Dipole and the Hydrogen-Bond Interactions. 2017 , 8, 3927-3932	60
423	A theoretical investigation of the two-photon absorption and fluorescent properties of coumarin-based derivatives for Pd ²⁺ detection. 2017 , 7, 49505-49517	8
422	Visualizing the Contributions of Virtual States to Two-Photon Absorption Cross Sections by Natural Transition Orbitals of Response Transition Density Matrices. 2017 , 8, 3256-3265	25
421	Forbidden Chemistry: Two-Photon Pathway in [2+2] Cycloaddition of Maleimides. 2017 , 139, 10184-10187	10
420	All-optical switching and limiting properties of a Ru (II) Schiff-base complex for nonlinear optical applications. 2017 , 27, 085401	6

4 ¹⁹	Expanded Dipyrrolonaphthyridinediones with Large Two-Photon Absorption Cross-Section Values. 2017 , 82, 7254-7264	27
4 ¹⁸	Recent developments in and perspectives on three-coordinate boron materials: a bright future. 2017 , 8, 846-863	382
4 ¹⁷	Spindle-Type Conjugated Compounds Containing Twistacene Unit: Synthesis and Ultrafast Broadband Reverse Saturable Absorption. 2017 , 5, 1600712	38
4 ¹⁶	A Two-Photon Dye with Favorable Photophysical Properties and Ultrahigh Polarity Sensitivity Designed by Utilizing the Tautomerism of β -Diketone. 2017 , 5, 1600696	2
4 ¹⁵	pH Effect on Two-Photon Cross Section of Highly Fluorescent Dyes Using Femtosecond Two-Photon Induced Fluorescence. 2017 , 27, 339-356	2
4 ¹⁴	Lipophilic phosphorescent gold(I) clusters as selective probes for visualization of lipid droplets by two-photon microscopy. 2017 , 332, 122-130	14
4 ¹³	Probe for simultaneous membrane and nucleus labeling in living cells and bioimaging using a two-photon absorption water-soluble Zn(II) terpyridine complex with a reduced β -conjugation system. 2017 , 8, 142-149	48
4 ¹²	Neodymium-doped yttrium aluminium garnet (Nd:YAG) 1064-nm picosecond laser vs. Nd:YAG 1064-nm nanosecond laser in tattoo removal: a randomized controlled single-blind clinical trial. 2017 , 176, 457-464	41
4 ¹¹	Effect of carbon-layer rearrangement on one- and two-photon absorption properties in the alternative graphene-like hybrids: A theoretical investigation. 2017 , 138, 213-222	
4 ¹⁰	Synthesis, crystals of centrosymmetric triphenylamine chromophores bearing prodigious two-photon absorption cross-section and biological imaging. 2017 , 173, 871-879	7
4 ⁰⁹	Strong two-photon absorptions in heteroleptic bis(phthalocyaninato) rare earth sandwich complexes. 2017 , 136, 553-558	5
4 ⁰⁸	Solvent Effects on Two-Photon Absorption of Alkyne and Alkene β -bridging Chromophores. 2017 , 30, 63-70	1
4 ⁰⁷	Nonlinear optical characterization of multinuclear iridium compounds containing tricycloquinazoline. 2017 , 56, B179-B183	3
4 ⁰⁶	Theoretical study of chromophores for biological sensing: Understanding the mechanism of rhodol based multi-chromophoric systems. 2018 , 198, 123-135	1
4 ⁰⁵	Novel up-conversion photoluminescent materials: noncoherent excitation by near-infrared sunlight. 2018 , 6, 3074-3078	2
4 ⁰⁴	Insights into the effect of donor ability on photophysical properties of dihydroindeno[2,1-c]fluorene-based imide derivatives. 2018 , 20, 7514-7522	16
4 ⁰³	Giant multiphoton absorption for THz resonances in silicon hydrogenic donors. 2018 , 12, 179-184	23
4 ⁰²	Two-Photon-Absorption Properties of Pyrene-Based Dipolar D- π -A Fluorophores. 2018 , 2, 749-756	8

401	Azabuckybowl-Based Molecular Tweezers as C and C Receptors. 2018 , 140, 6336-6342	66
400	Two-photon processes based on quantum commutators. 2018 , 97,	3
399	Nonlinear Optical Response of ICT Molecules. 2018 , 149-195	1
398	Oxazole Dyes with Potential for Photoluminescence Bioprobes: A Two-Photon Absorption Study. 2018 , 122, 10526-10534	8
397	Synthesis, crystal structures, one/two-photon optical properties and bioimaging application of two organic molecules with D _A and D _A models containing 6-phenyl-2,2'-bipyridine. 2018 , 42, 3947-3952	4
396	New conjugated meso-tetrathienylporphyrin-cored derivatives as two-photon photosensitizers for singlet oxygen generation. 2018 , 153, 248-255	14
395	Two-photon fluorescent polysiloxane-based films with thermally responsive self switching properties achieved by a unique reversible spirocyclization mechanism. 2018 , 9, 2774-2781	16
394	pH-Independent two-photon fluorescent lysotrackers for real-time monitoring autophagy. 2018 , 6, 1764-1770	12
393	A reversible frequency upconversion probe for real-time intracellular lysosome-pH detection and subcellular imaging. 2018 , 6, 1322-1327	18
392	Organogels composed of trifluoromethyl anthryl cyanostyrenes: enhanced emission and self-assembly. 2018 , 17, 395-403	8
391	Multifunctional Magnetic Materials of Organic Origin for Biomedical Applications: A Theoretical Study. 2018 , 3, 933-939	3
390	Strong fluorescence following two-photon excitation in fully conjugated oxadiazole-based oligoaryl. 2018 , 196, 69-75	2
389	Theoretical Study on Third-Order Nonlinear Optical Property of One-Dimensional Cyclic Thiazyl Radical Aggregates: Intermolecular Distance, Open-Shell Nature, and Spin State Dependences. 2018 , 122, 6779-6785	10
388	Photoinduced ICT vs. excited rotamer interconversion in two quadrupolar polyaromatic N-methylpyridinium cations. 2018 , 20, 2851-2864	14
387	In-silico analysis of substituent effect on the static first order hyperpolarizability of electron donating mono substituted Chalcone derivatives. 2018 , 24, 126	1
386	Diradical Character and Second Hyperpolarizability of Alkaline Earth Metal Inverse Sandwich Complexes Involving Cyclopentadienyl and Cyclooctatetraene Ligands. 2018 , 2018, 2894-2899	3
385	Two-photon absorption properties of 1,10-phenanthroline-based Ru(II) complexes and related functionalized nanoparticles for potential application in two-photon excitation photodynamic therapy and optical power limiting. 2018 , 368, 1-12	30
384	Dynamic Formation of Bipolaron-Exciton Complexes in Conducting Polymers. 2018 , 122, 3866-3872	1

- 383 Enantiopure distorted ribbon-shaped nanographene combining two-photon absorption-based upconversion and circularly polarized luminescence. **2018**, 9, 3917-3924 86
- 382 Solution processed blue-emitting and hole-transporting materials from truxene-carbazole-pyrene triads. **2018**, 57, 352-358 10
- 381 Open-Shell Character Dependences of the Second Hyperpolarizability in Two-Dimensional Tetraradicaloids. **2018**, 122, 3680-3687 1
- 380 Tumor-Targeted Graphitic Carbon Nitride Nanoassembly for Activatable Two-Photon Fluorescence Imaging. **2018**, 90, 4649-4656 36
- 379 Role of tert-butyl in the linear and nonlinear optical property of push-pull chromophores. **2018**, 351, 240-244 4
- 378 A simple mitochondrial targeting AIEgen for image-guided two-photon excited photodynamic therapy. **2018**, 6, 2557-2565 55
- 377 Contribution of excited state absorption to optical limiting properties in multi-branched structures. **2018**, 355, 226-232
- 376 Discriminating Live and Dead Cells in Dual-Color Mode with a Two-Photon Fluorescent Probe Based on ESIPT Mechanism. **2018**, 90, 998-1005 55
- 375 Bulky Counterions: Enhancing the Two-Photon Excited Fluorescence of Gold Nanoclusters. **2018**, 19, 165-168 21
- 374 Structure-property relation and third-order nonlinear optical studies of two new halogenated chalcones. **2018**, 233, 349-360 12
- 373 Crystal structure of 2-(4-(dimethylamino)phenyl)-10-methylacridin-9(10H)-one, C₂₂H₂₀N₂O. **2018**, 234, 187-188 1
- 372 Fluorescent NLOphoric Coumarins: A Short Review. **2018**, 123-144 4
- 371 Crystal structure of 2-bromo-7-(4-(dimethylamino)phenyl)-10-methylacridin-9 (10H)-one, C₂₂H₁₉BrN₂O. **2018**, 234, 71-72 1
- 370 State of the Art of Boron and Tin Complexes in Second- and Third-Order Nonlinear Optics §. **2018**, 6, 131 11
- 369 Two-Photon Excitable Iridium Complex Containing Dipyrzolyltriazine as Cellular Imaging Dyes. **2018**, 2018, 4533-4542
- 368 Investigations of Thienoacene Molecules for Classical and Entangled Two-Photon Absorption. **2018**, 122, 8167-8182 14
- 367 A Discrete Interaction Model/Quantum Mechanical Method for Simulating Plasmon-Enhanced Two-Photon Absorption. **2018**, 14, 5896-5903 4
- 366 Birefringence, Photo luminous, Optical Limiting and Third Order Nonlinear Optical Properties of Glycinium Phosphite (GIP) Single Crystal: A potential Semi Organic Crystal for Laser and Photonics Applications. **2018**, 21, 3

- 365 The remarkable enhancement of two-photon absorption in pyrene based chalcone derivatives. **2018**, 86, 331-337 8
- 364 Conjugated Carbazole-Based Schiff Bases as Photoinitiators: From Facile Synthesis to Efficient Two-Photon Polymerization. **2018**, 56, 2692-2700 19
- 363 Predicting and Controlling Entangled Two-Photon Absorption in Diatomic Molecules. **2018**, 122, 8198-8212 21
- 362 Optical oxygen sensing with quantum dot conjugates. **2018**, 90, 1359-1377 3
- 361 Benchmarking the Performance of Exchange-Correlation Functionals for Predicting Two-Photon Absorption Strengths. **2018**, 14, 3677-3685 30
- 360 The influence of aggregation on the third-order nonlinear optical property of π -conjugated chromophores: the case of cyanine dyes. **2018**, 20, 16777-16785 7
- 359 Impact of electronegative character on ultrafast nonlinear optical absorption of azine derivatives. **2018**, 83, 300-305 5
- 358 Ultrafast Broad-Band Optical Limiting in Simple Hydrazone Derivatives with a π -Conjugated System: Effect of Two-Photon-Induced Singlet-State Absorption. **2018**, 122, 16234-16241 18
- 357 Two-Photon Spectroscopy of Organic Materials. **2018**, 165-191 3
- 356 Caged Compounds for Two-Photon Uncaging. **2018**, 3 3
- 355 Photoinduced charge transfer by one and two-photon absorptions: physical mechanisms and applications. **2018**, 20, 19720-19743 23
- 354 Theoretical Design of a Two-Photon Fluorescent Probe for Nitric Oxide with Enhanced Emission Induced by Photoninduced Electron Transfer. **2018**, 18, 10 10
- 353 Bis(phenyltriazolyl)nitroaniline: Click-derived functional materials with highly-transparent and stable two-photon absorption property. **2018**, 707, 80-85 4
- 352 EGFR-targeted photodynamic therapy by curcumin-encapsulated chitosan/TPP nanoparticles. **2018**, 13, 903-916 62
- 351 Ultrafast optical nonlinearity of blue-emitting perovskite nanocrystals. **2018**, 6, 554 30
- 350 Donor-Acceptor Styrylisoaxazoles: Solvatochromism and Large First Hyperpolarizability. **2018**, 3, 7416-7421 3
- 349 Helicenes Grafted with 1,1,4,4-Tetracyanobutadiene Moieties: π -Helical Push-Pull Systems with Strong Electronic Circular Dichroism and Two-Photon Absorption. **2018**, 24, 14484-14494 19
- 348 Enhanced nonlinear characteristics with the assistance of a [Formula: see text]-symmetric trimer system. **2018**, 8, 2933 9

- 347 Molecular cocrystals: design, charge-transfer and optoelectronic functionality. **2018**, 20, 6009-6023 109
- 346 Growth of thiophene based oligomers using Stille and direct arylation methods for optoelectronic applications. **2018**, 159, 367-377 2
- 345 A theoretical study of a series of water-soluble triphenylamine photosensitizers for two-photon photodynamic therapy. **2018**, 203, 229-235 3
- 344 The nonlinear and linear photo-physical properties of π -conjugated extensions based on difluoroboron β -diketonate complexes with terminal triphenylamines: The role of vinyl unit. **2018**, 364, 400-405 4
- 343 Two-photon absorbing 8-hydroxy-benzo[g]coumarins with giant Stokes shifts: an environment-insensitive dye platform for probing biomolecules. **2018**, 6, 4446-4452 22
- 342 Seven-Photon-Excited Upconversion Lasing at Room Temperature. **2018**, 6, 1800518 9
- 341 Efficient Two-Photon Excited Fluorescence from Charge-Transfer Cocrystals Based on Centrosymmetric Molecules. **2019**, 7, 1900838 15
- 340 Facile field emission characteristics of polyaniline doped with MgB₂ nanowires. **2019**, 6, 105315
- 339 Excited-State Symmetry Breaking in an Aza-Nanographene Dye. **2019**, 25, 13930-13938 9
- 338 Quadrupolar Cyclopenta[hi]aceanthrylene-Based Electron Donor-Acceptor-Donor Conjugates: Charge Transfer versus Charge Separation. **2019**, 58, 14644-14652 11
- 337 Regulation of optical properties for fluorescent triphenylamine-silver hybrid based on SPR effect. **2019**, 223, 117338 2
- 336 Dendrimer Conjugation Enables Multiphoton Chemical Neurophysiology Studies with an Extended π -Electron Caging Chromophore. **2019**, 131, 12214-12218 1
- 335 Modified Isoindoliones as Bright Fluorescent Probes for Cell and Tissue Imaging. **2019**, 25, 13354-13362 5
- 334 Aggregation-Induced Nonlinear Optical Effects of AIEgen Nanocrystals for Ultradeep In Vivo Bioimaging. **2019**, 31, e1904799 77
- 333 Quadrupolar Cyclopenta[hi]aceanthrylene-Based Electron Donor-Acceptor-Donor Conjugates: Charge Transfer versus Charge Separation. **2019**, 131, 14786-14794 3
- 332 Third-order nonlinear optical properties of three chlorinated thienyl chalcones derivatives: synthesis, structural determination and Hirshfeld surface analysis. **2019**, 234, 685-696 2
- 331 Phenothiazine-based derivatives for optoelectronic applications: A review. **2019**, 257, 116189 32
- 330 Ultra-stable near-infrared Tm³⁺-doped upconversion nanoparticles for in vivo wide-field two-photon angiography with a low excitation intensity. **2019**, 12, 1950013 5

329	Extended Alkenyl and Alkynyl Benzotriazoles with Enhanced Two-Photon Absorption Properties as a Promising Alternative to Benzothiadiazoles. 2019 , 25, 15572-15579	4
328	N-Ethyl Carbazole Derived D- π -A- π D Based Fluorophores: Consolidated Spectroscopic, Viscosity and DFT Studies. 2019 , 4, 11966-11978	2
327	Two-photon absorption property of Cl-substituted diphenylacetylenes by optical-probing photoacoustic spectroscopy. 2019 , 151, 134304	3
326	Excited-state relaxation processes of three newly synthesized multi-branched alkyl-triphenylamine end-capped triazines. 2019 , 736, 136800	
325	Signatures of Through-Space Charge Transfer in Two-Photon Absorption of Paracyclophane Derivatives. 2019 , 40, 1076-1086	1
324	Coherent Energy and Charge Transport Processes in Oligothiophene Dendrimers Probed in Solution and in the Solid State with Time-Resolved Spectroscopy and Microscopy Methods. 2019 , 123, 23419-23426	3
323	Solvent-induced symmetry-breaking charge transfer in an octupolar triphenylamine derivative resolved with transient fluorescence spectroscopy 2019 , 32, 59-66	9
322	Extended Four-Coordinate Organoboron N,C-Chelates as Two-Photon Absorbing Chromophores. 2019 , 84, 13384-13393	6
321	Multistate Multiconfiguration Quantum Chemical Computation of the Two-Photon Absorption Spectra of Bovine Rhodopsin. 2019 , 10, 6293-6300	8
320	Laser assisted tattoo removal - state of the art and new developments. 2019 , 18, 349-358	17
319	Design, luminescence and non-linear optical properties of truxene-containing alkynylplatinum(II) terpyridine complexes. 2019 , 488, 214-218	5
318	Effect of aggregation behavior on linear and nonlinear photophysical properties of lipid-water amphiphilic photosensitizers. 2019 , 372, 206-211	1
317	Thermosensitive nanocomposite gel for intra-tumoral two-photon photodynamic therapy. 2019 , 298, 99-109	20
316	Two-Photon Uncaging of Glutamate. 2018 , 10, 48	27
315	NLOphoric Triphenylamine Derived Donor-Acceptor-Donor Based Colorants: Synthesis, Spectroscopic, Density Functional Theory and Z-scan Studies. 2019 , 95, 931-945	7
314	Time-frequency analysis of ultrafast dynamics in cascade three-level system driven by hyper-Gaussian pulses. 2019 , 438, 25-33	2
313	Excited-State Symmetry Breaking of a Symmetrical Donor-Donor Quadrupolar Molecule at a Polymer/Glass Interface. 2019 , 123, 14564-14572	8
312	Biomaterials for Interfacing Cell Imaging and Drug Delivery: An Overview. 2019 , 35, 12285-12305	24

311	Dendrimer Conjugation Enables Multiphoton Chemical Neurophysiology Studies with an Extended Electron Caging Chromophore. 2019 , 58, 12086-12090	10
310	Photo-polymerization. 2019 , 1-52	0
309	Direct synthesis of covalent triazine-based frameworks (CTFs) through aromatic nucleophilic substitution reactions.. 2019 , 9, 18008-18012	10
308	Rational design of novel fluorescent analogues of cholesterol: a "step-by-step" computational study. 2019 , 21, 15487-15503	5
307	Coumarin-Quinazolinone conjugate with large two photon action cross-section assisted by intramolecular hydrogen bond for bioimaging. 2019 , 297, 126720	5
306	Synthesis and application of near-infrared substituted rhodamines. 2019 , 30, 1682-1688	27
305	Fully Polarizable QM/Fluctuating Charge Approach to Two-Photon Absorption of Aqueous Solutions. 2019 , 15, 4056-4068	14
304	Nitrofurantoin-melamine monohydrate (cocrystal hydrate): Probing the role of H-bonding on the structure and properties using quantum chemical calculations and vibrational spectroscopy. 2019 , 221, 117170	6
303	Impact of the Subunit Arrangement on the Nonlinear Absorption Properties of Organometallic Complexes with Ruthenium(II) Acetylide and Benzothiadiazole as Building Units §. 2019 , 7, 67	2
302	Third-Order Nonlinear Optical Properties of Ag Nanoclusters: Connecting Molecule-like and Nanoparticle-like Behavior. 2019 , 31, 6850-6859	15
301	Impact of tunable 2-(1-indol-3-yl)acetonitrile based fluorophores towards optical, thermal and electroluminescence properties.. 2019 , 9, 14544-14557	1
300	Ultrafast pump-probe and time-resolved fluorescence anisotropy study of the intramolecular interaction of branched styryl derivatives based on 1,3,5-triazine. 2019 , 28, 1950003	1
299	Solvatochromic behavior of D-πA bithiophene carbonitrile derivatives. 2019 , 286, 110856	7
298	Visualization of Photoinduced Charge Transfer and Electron-Hole Coherence in Two-Photon Absorption. 2019 , 123, 14132-14143	58
297	Ground-State Structural Disorder and Excited-State Symmetry Breaking in a Quadrupolar Molecule. 2019 , 10, 2944-2948	30
296	Multi-photon properties in various condensed phases of dendritic chromophores derived from carbazole and indenoquinoxaline units: Synthesis and characterization. 2019 , 168, 140-150	2
295	Donor-πAcceptor-πDonor class of 2,5-dibenzylidenecyclopentan-1-one analogues as efficient third order nonlinear optical and photoluminescent materials πAn experimental investigation. 2019 , 117, 304-315	7
294	Design of Two-Photon-Excited Fluorescent Dyes Containing Fluoroborylene Groups. 2019 , 3, 719-726	4

293	A two-photon mitochondria-targeted fluorescent probe for the detection of pH fluctuation in tumor and living cells. 2019 , 166, 92-97	14
292	Carbon nanodot-based heterostructures for improving the charge separation and the photocurrent generation. 2019 , 11, 7414-7423	16
291	Pyridazine-Containing Diazatwistanthracene and Tetraazatwisttetracene: Synthesis, Crystal Structures and Third Order Non-linear Optical Properties. 2019 , 4, 2810-2814	1
290	Highly fluorescent triazolopyridine-thiophene D-A-D oligomers for efficient pH sensing both in solution and in the solid state. 2019 , 21, 7174-7182	12
289	Diaminodicyanoquinones: Fluorescent Dyes with High Dipole Moments and Electron-Acceptor Properties. 2019 , 58, 8235-8239	18
288	Intramolecular Cooperative and Anti-Cooperative Effect on the Two-Photon Absorption Cross Section in Triphenylamine Derivatives. 2019 , 10, 2214-2219	12
287	Multi-Photon Excitation Based Nonlinear Optical Effects and Applications. 2019 , 64, 155-278	2
286	Diaminodicyanochinone [Fluoreszenzfarbstoffe mit hohem Dipolmoment und Elektronenakzeptor-Eigenschaften. 2019 , 131, 8321-8326	2
285	Breaking the 1,2-HOPO barrier with a cyclen backbone for more efficient sensitization of Eu(III) luminescence and unprecedented two-photon excitation properties. 2019 , 10, 4550-4559	15
284	Synthesis and properties of four new two-photon polymerization initiators with expanded conjugated structures. 2019 , 479, 012109	3
283	Advances in Light-Emitting Dendrimers. 2019 , 40, e1800711	20
282	Enhanced photostability and optical nonlinearity of nickel and cobalt organometallic complexes. 2019 , 89, 494-497	7
281	Theoretical Study on Second Hyperpolarizabilities of Intramolecular Pancake-Bonded Diradicaloids with Helical Scaffolds. 2019 , 4, 2741-2749	2
280	Arylamine-coumarin based donor-acceptor dyads: Unveiling the relationship between two-photon absorption cross-section and lifetime of singlet excited state intramolecular charge separation. 2019 , 165, 301-307	9
279	Isobenzothiophene-bridged molecules for significantly enhanced two photon absorption properties. 2019 , 375, 132-140	2
278	Towards efficient initiators for two-photon induced polymerization: fine tuning of the donor/acceptor properties. 2019 , 4, 437-448	7
277	A two-photon excited red-emissive probe for imaging mitochondria with high fidelity and its application in monitoring mitochondrial depolarization via FRET. 2019 , 144, 2387-2392	8
276	Computational and experimental studies on third-order optical nonlinearities of novel D-EA-EA type chalcone derivatives: (1E,4E)-1-(4-substituted)-5-phenylpenta-1,4-dien-3-one. 2019 , 28, 1950024	3

- 275 Simplified Sum-Over-States Model Applied to Ultrafast Nonlinear Optical Measurements of Two-Photon Absorbing Chromophores. **2019**,
- 274 Polymers for Regenerative Medicine Structures Made via Multiphoton 3D Lithography. **2019**, 2019, 1-23 12
- 273 Biomaterial-based microstructures fabricated by two-photon polymerization microfabrication technology.. **2019**, 9, 34472-34480 18
- 272 cRGD functionalized 2,1,3-benzothiadiazole (BTD)-containing two-photon absorbing red-emitter-conjugated amphiphilic poly(ethylene glycol)-block-poly(-caprolactone) for targeted bioimaging. **2019**, 9, 34235-34243 7
- 271 Second and third order nonlinear optical studies of a novel thiophene substituted chalcone derivative. **2019**, 555, 125-132 24
- 270 Computational study of new 1,2,3-triazole derivative of lithocholic acid: Structural aspects, non-linear optical properties and molecular docking studies as potential PTP 1B enzyme inhibitor. **2019**, 78, 144-152 4
- 269 A curcumin-based NIR fluorescence probe for detection of amyloid-beta (A β) plaques in Alzheimer's disease. **2019**, 163, 509-515 13
- 268 AIEgen Nanoparticles of Arylamino Fumaronitrile Derivative with High Near-Infrared Emission for Two-Photon Imaging and in Vivo Cell Tracking.. **2019**, 2, 430-436 6
- 267 Photo-polymerization. **2019**, 1-53
- 266 Design, synthesis, luminescence and non-linear optical properties of 1,3,5-triethynylbenzene-based alkynylplatinum(II) terpyridine complexes. **2019**, 881, 13-18 3
- 265 Bromo-and chloro-derivatives of dibenzylideneacetone: Experimental and theoretical study of the first molecular hyperpolarizability and two-photon absorption. **2019**, 369, 70-76 11
- 264 Chalcone-based molecules: Experimental and theoretical studies on the two-photon absorption and molecular first hyperpolarizability. **2020**, 227, 117772 11
- 263 Covalent Organic Framework for Improving Near-Infrared Light Induced Fluorescence Imaging through Two-Photon Induction. **2020**, 132, 10173-10180 10
- 262 Covalent Organic Framework for Improving Near-Infrared Light Induced Fluorescence Imaging through Two-Photon Induction. **2020**, 59, 10087-10094 41
- 261 Modeling Infrared Spectral Dynamics upon Symmetry Breaking of a Photo-Excited Quadrupolar Dye. **2020**, 124, 2357-2369 10
- 260 Controlling the structure and photophysics of fluorophore dimers using multiple cucurbit[8]uril clampings. **2019**, 11, 812-825 25
- 259 Carbon based Y-type molecules for application in nonlinear optics. **2020**, 8, 1879-1886 7
- 258 Synthesis, spectroscopic characterization, one and two-photon absorption properties and electrochemistry of expanded BODIPYs dyes. **2020**, 175, 108173 13

257	Effect of a Hydrogen Bond on Molecular Probing Properties in the Solvent. 2020 , 124, 520-528	3
256	Switching of Two-Photon Optical Properties by Anion Binding of Pyrrole-Based Boron Diketonates through Conformation Change. 2020 , 26, 3404-3410	9
255	Solvent-dependent ultrafast optical response of conjugated push-pull chromophores. 2020 , 35, 572-579	1
254	Biological applications of near infrared fluorescence dye probes in monitoring Alzheimer's disease. 2020 , 187, 111982	19
253	Metal-free carbazole scaffold dyes as potential nonlinear optical phores: molecular engineering. 2020 , 8, 16188-16197	5
252	The Substituent-Induced Symmetry-Forbidden Electronic Transition Allows Significant Optical Limiting under Weak Sky-Blue Irradiance. 2020 , 11, 8675-8681	4
251	Incorporation of Planar Blocks into Twisted Skeletons: Boosting Brightness of Fluorophores for Bioimaging beyond 1500 Nanometer. 2020 , 14, 14228-14239	33
250	Useful Caged Compounds for Cell Physiology. 2020 , 53, 1593-1604	15
249	Structural Transformation of the 2-(p-Aminophenyl)-1-hydroxyinden-3-ylmethyl Chromophore as a Photoremovable Protecting Group. 2020 , 4, 5392-5398	1
248	First-order hyperpolarizability of organic molecules: hyper-Rayleigh scattering and applications. 2020 , 275-314	
247	Two-photon absorption and two-photon-induced isomerization of azobenzene compounds.. 2020 , 10, 40489-40507	8
246	Nonstationary Theory of Excited State Charge Transfer Symmetry Breaking Driven by Polar Solvent. 2020 , 124, 10787-10801	3
245	Synthesis of (2E)-3-(4-bromophenyl)-1-(3, 4-dichlorophenyl) prop-2-en-1-one and characterization. 2020 ,	
244	Giant and Broadband Multiphoton Absorption Nonlinearities of a 2D Organometallic Perovskite Ferroelectric. 2020 , 32, e2002972	26
243	Anion-Responsive Molecules That Exhibit Switching of Two-Photon Optical Properties. 2020 , 85, 1719-1729	2
242	Non-Cytotoxic Dibenzyl and Difluoroborate Curcuminoid Fluorophores Allow Visualization of Nucleus or Cytoplasm in Bioimaging. 2020 , 25,	0
241	Butterfly-Shaped Thiophene-Pyridine Hybrids: Green Electroluminescence and Large Third-Order Optical Nonlinearities. 2020 , 85, 1762-1777	1
240	Toward Two-Photon Absorbing Dyes with Unusually Potentiated Nonlinear Fluorescence Response. 2020 , 142, 14854-14858	8

239	Multi-photon fluorescence microscopy imaging of mitochondria in living cells excited by Yb-doped femtosecond fiber laser utilizing two- and three-photon competitive absorption. 2020 , 10, 095219	1
238	Fused polycyclic compounds: Synthesize, enhancing TPA cross-section by modifying torsional multiple ring. 2020 , 110, 110417	0
237	Photoinduced charge transfer in quasi-one-dimensional polymers in two-photon absorption.. 2020 , 10, 33288-33298	3
236	Pillar[5]arene-Based Solid-State Supramolecular Polymers with Suppressed Aggregation-Caused Quenching Effects and Two-Photon Excited Emission. 2020 , 142, 16557-16561	26
235	Enhanced Two-Photon Absorption of Cross-Conjugated Chalcone Derivatives: Modulation of the Effective Conjugated Structure. 2020 , 124, 10808-10816	7
234	An insight into the imaging potential of curcumin analogues as fluorescence probes. 2021 , 16, 419-431	3
233	Change of Quadrupole Moment upon Excitation and Symmetry Breaking in Multibranching Donor-Acceptor Dyes. 2020 , 21, 1718-1730	13
232	Highly Conjugated, Fused-Ring, Quadrupolar Organic Chromophores with Large Two-Photon Absorption Cross-Sections in the Near-Infrared. 2020 , 124, 4367-4378	12
231	ACQ-to-AIE Transformation: Tuning Molecular Packing by Regioisomerization for Two-Photon NIR Bioimaging. 2020 , 59, 12822-12826	62
230	ACQ-to-AIE Transformation: Tuning Molecular Packing by Regioisomerization for Two-Photon NIR Bioimaging. 2020 , 132, 12922-12926	8
229	Efficient Modeling of Organic Chromophores for Entangled Two-Photon Absorption. 2020 , 142, 10446-10458	20
228	Computational design of two-photon active organic molecules for infrared responsive materials. 2020 , 8, 9867-9873	1
227	Multipolar Porphyrin-Triazatruxene Arrays for Two-Photon Fluorescence Cell Imaging. 2020 , 26, 13842-13848	3
226	Experimental and calculated second harmonic generation of a guanidinium salt in the solid state. 2020 , 314-315, 113853	
225	Solvatochromic and solid-state emissive azlactone-based AIEE-active organic dye: Synthesis, photophysical properties and color-conversion LED application. 2020 , 313, 113482	2
224	The Two-Photon Absorption Cross-Section Studies of CsPbX (X = I, Br, Cl) Nanocrystals. 2020 , 10,	8
223	Water-Soluble Red-Fluorescent Dyes for Two-Photon Deep-Tissue Imaging. 2020 , 93, 1226-1233	2
222	Synthesis and structural studies on ()-3-(2,6-difluorophenyl)-1-(4-fluorophenyl)prop-2-en-1-one: a promising nonlinear optical material.. 2020 , 10, 22542-22555	6

221	Predictions of High-Order Electric Properties of Molecules: Can We Benefit from Machine Learning?. 2020 , 5, 5318-5325	6
220	Membrane Environment Enables Ultrafast Isomerization of Amphiphilic Azobenzene. 2020 , 7, 1903241	14
219	Sensing Performance Investigations on Two-Photon Fluorescent Probes for Detecting β -Amyloid in Alzheimer's Disease. 2020 , 20,	3
218	Structure-property correlations of the nonlinear optical properties of a few bipodal D π A molecules: An experimental and theoretical approach. 2020 , 44, 6142-6150	10
217	Multibranched Octupolar Module Embedded Covalent Organic Frameworks Enable Efficient Two-Photon Fluorescence. 2020 , 30, 2000516	19
216	Ground- and Excited-State Symmetry Breaking and Solvatochromism in Centrosymmetric Pyrrolo[3,2-b]pyrroles Possessing two Nitro Groups. 2020 , 4, 508-519	11
215	Optical limiting property and ultrafast pump-probe study of two X-shaped oligomers with anthracene unit as a core. 2020 , 206, 164330	1
214	Tetrathiafulvalene-Fused Heterabuckybowl: Protonation-Induced Electron Transfer and Self-Sensitized Photooxidation. 2020 , 26, 7083-7091	7
213	Dipole-Dipole Interaction in Two-Photon Spectroscopy of Metallic Nanohybrids. 2020 , 124, 6311-6320	18
212	Triphenylamine two-photon photoinitiators for 3D laser microfabrication. 2020 , 101-141	2
211	Mask-directed micro-3D printing. 2020 , 251-269	
210	Aggregation-Induced Emission Photosensitizers: From Molecular Design to Photodynamic Therapy. 2020 , 63, 1996-2012	91
209	Vibrational Spectroscopy Reveals Effects of Electron Push-Pull and Solvent Polarity on Electron Delocalization in Radical Anions of Donor-Acceptor Compounds. 2020 , 124, 1543-1549	4
208	The theory of cysteine two-photon fluorescence probes of coumarinocoumarin derivatives and kinetics of ICT and PET mechanisms of probe molecules. 2020 , 397, 112525	3
207	A material odyssey for 3D nano/microstructures: two photon polymerization based nanolithography in bioapplications. 2020 , 19, 100635	30
206	Effect of the phosphonemethylene moiety on the structural, vibrational, energetic, thermodynamic and optical properties of ((Phenylcarbamoylmethyl-phosphonemethyl-amino)-methyl)-phosphonic acid: DFT investigation. 2020 , 1215, 128193	4
205	Recent progress in efficient organic two-photon dyes for fluorescence imaging and photodynamic therapy. 2020 , 8, 6342-6349	41
204	Facile synthesis and exploration of excited state assisted two-photon absorption properties of D-A-D type thiophene-pyridine derivatives. 2020 , 19, 726-736	3

203	Solvent tuning of photochemistry upon excited-state symmetry breaking. 2020 , 11, 1925	27
202	Ultrafast broadband nonlinear optical properties and excited-state dynamics of two bis-chalcone derivatives.. 2020 , 10, 15199-15205	5
201	Novel hemicyanine sensitizers based on benzothiazole-indole for dye-sensitized solar cells: Synthesis, optoelectrical characterization and efficiency of solar cell. 2021 , 1224, 128836	3
200	Fluorescent Chromophores Containing the Nitro Group: Relatively Unexplored Emissive Properties. 2021 , 86, 11-27	16
199	Solvent polarity indicators based on bithiophene carboxamidine hydrochloride salt derivatives. 2021 , 404, 112933	0
198	Theoretical insights into sensing performances of rhodamine-contained two-photon fluorescent probes for mercury ion. 2021 , 121, e26435	1
197	Synthesis, characterization and structure-activity relationship of non-linear optical response of chalcone derivatives with in silico insights. 2021 , 75, 2603-2615	0
196	Excited-state symmetry breaking in 9,10-dicyanoanthracene-based quadrupolar molecules: the effect of donor-acceptor branch length. 2021 , 23, 15150-15158	4
195	Discovery of and insights into one-photon and two-photon excited ACQ-to-AIE conversion via positional isomerization. 2021 , 9, 11679-11689	6
194	Molecular engineering for optical properties of 5-substituted-1,10-phenanthroline-based Ru(II) complexes. 2021 , 50, 10119-10132	1
193	Red and Near-IR Fluorescent Two-Photon Absorption Dyes. 2021 , 283-307	
192	Efficient implementation of isotropic cubic response functions for two-photon absorption cross sections within the self-consistent field approximation. 2021 , 154, 024111	1
191	Syntheses, structures, and one- and two-photon excited fluorescence of dimesitylboryl-ended quadrupolar hybrid oligothiophenes. 2021 , 45, 15035-15042	0
190	Photoisomerization of a biomimetic cyclocurcumin analogue rationalized by molecular modelling. 2021 , 23, 12842-12849	5
189	Four orders-of-magnitude enhancement in the two-photon excited photoluminescence of homoleptic gold thiolate nanoclusters following zinc ion-induced aggregation. 2021 , 13, 4439-4443	5
188	Metal-organic framework. 2021 , 279-387	2
187	Substituted Thioxanthone-Based Photoinitiators for Efficient Two-Photon Direct Laser Writing Polymerization with Two-Color Resolution. 2021 , 3, 1426-1435	8
186	Enhanced Two-Photon Absorption in Two Triphenylamine-Based All-Organic Compounds. 2021 , 125, 1870-1879	1

185	A Substituent Effect on Two-Photon Absorption of Diphenylacetylene Derivatives with an Electron-Donating/Withdrawing Group. 2021 , 125, 1688-1695	0
184	Two-Photon Absorption Activity of BOPHY Derivatives: Insights from Theory. 2021 , 125, 2581-2587	2
183	Organic J-Aggregate Nanodots with Enhanced Light Absorption and Near-Unity Fluorescence Quantum Yield. 2021 , 21, 2840-2847	6
182	A Review of Many-Body Interactions in Linear and Nonlinear Plasmonic Nanohybrids. 2021 , 13, 445	2
181	Two-Photon Absorption Properties in Push-Pull Ruthenium Nitrosyl Complexes with various Fluorenylterpyridine-Based Ligands. 2021 , 2021, 1670-1684	1
180	Frequency-Upconverted Stimulated Emission by Up to Six-Photon Excitation from Highly Extended Spiro-Fused Ladder-Type Oligo(p-phenylene)s. 2021 , 133, 10095-10103	0
179	Frequency-Upconverted Stimulated Emission by Up to Six-Photon Excitation from Highly Extended Spiro-Fused Ladder-Type Oligo(p-phenylene)s. 2021 , 60, 10007-10015	21
178	Excited-State Symmetry Breaking and the Laporte Rule. 2021 , 12, 4067-4071	6
177	Enhanced Two-Photon Absorption and Promising Broad Energy Range Optical Power Limiting Properties of Transoid and Cisoid Benzodipyrroline-Fused Squaraine Dimers. 2021 , 33, 3121-3131	1
176	Responsive mechanism of 2-fluoro-5-nitrobenzoate based two-photon fluorescent probes for HS detection: A theoretical perspective. 2021 , 250, 119244	0
175	Enhanced two-photon-excited fluorescence from electron donor-acceptor exciplex. 2021 , 188, 109249	7
174	Polymorphic donor-acceptor substituted chalcone: structural, spectral, dielectric and nonlinear optical properties for optical limiting applications. 2021 , 75, 4749	
173	Synthesis, characterization and DFT investigation of new metal complexes of Ni(II), Mn(II) and VO(IV) containing N,O-donor Schiff base ligand. 2021 , 1231, 129923	8
172	Two-photon uncaging of bioactive compounds: Starter guide to an efficient IR light switch. 2021 , 48, 100423	6
171	The Challenge of Accurate Computation of Two-Photon Absorption Properties of Organic Chromophores in the Condensed Phase. 2021 , 17, 3652-3665	1
170	Tuning the nonlinear optical properties by engineering donor-acceptor configurations in nitrochalcone derivatives. 2021 , 115, 111024	3
169	N-aryl pyrido cyanine derivatives are nuclear and organelle DNA markers for two-photon and super-resolution imaging. 2021 , 12, 2650	9
168	Synthesis and Photoswitching Properties of Bioinspired Dissymmetric Pyrone, an Analogue of Cyclocurcumin. 2021 , 86, 8112-8126	4

167	Recent progress in covalent organic frameworks as light-emitting materials. 2021 , 20, 100635	39
166	Imaging and SERS Study of the Au Nanoparticles Interaction with HPV and Carcinogenic Cervical Tissues. 2021 , 26,	2
165	Synthesis and third-order nonlinear optical properties of low band gap 3,4-ethylenedioxythiophene-thiophene copolymers. 2021 ,	
164	Design, Fabrication, and Applications of Liquid Crystal Microlenses. 2021 , 9, 2100370	7
163	Physical Mechanism of Photoinduced Charge Transfer in One- and Two-Photon Absorption in D-D-EA Systems. 2021 , 14,	1
162	Two-photon absorption characterization and comparison of Au(I) fluorenyl benzothiazole complexes in the visible wavelength regime. 2021 , 60, G199-G206	0
161	Symmetry Breaking in an Excited Quadrupolar Acridine-Dione Derivative Driven by Hydrogen Bonding. 2021 , 125, 8117-8124	2
160	Octupolar Acrylonitrile-Bridged 2D-Conjugated Polymers Enable Bright Far-Red Emission with Intense Two-Photon Absorption via Alkoxylation Chemistry. 2021 , 17, e2100955	2
159	Impact of five-membered heterocyclic rings on photophysical properties including two-photon absorption character.	0
158	Excited-State Symmetry Breaking in a Multiple Multipolar Chromophore Probed by Single-Molecule Fluorescence Imaging and Spectroscopy. 2021 , 125, 9950-9959	2
157	Quantum computational, spectroscopic, Hirshfeld surface, electronic state and molecular docking studies on sulfanilic acid: An anti-bacterial drug. 2021 , 117150	10
156	Visible-Light Photoinitiation of (Meth)acrylate Polymerization with Autonomous Post-conversion. 2021 , 54, 7702-7715	
155	Solvent Effects on Linear and Multi-branched Bithiazole-based Derivatives Fluorescence Studied by Steady-state and Time-resolved Spectroscopy. 2021 , 95, 1641-1645	
154	Local recovery of cardiac calcium-induced calcium release interrogated by ultra-effective, two-photon uncaging of calcium. 2021 , 599, 3841-3852	0
153	Multiphoton Laser Fabrication of Hybrid Photo-Activable Biomaterials. 2021 , 21,	5
152	Rational design, facile synthesis, and linear/nonlinear optical properties of novel two-photon absorption stilbene derivatives with different configurations. 2021 , 96, 132359	0
151	New Organic Materials Based on Multitask 2H-benzo[d]1,2,3-triazole Moiety. 2021 , 9, 267	0
150	Photofluorochromic water-dispersible nanoparticles for single-photon-absorption upconversion cell imaging. 2021 , 32,	0

149	Electronic, reactivity and third order nonlinear optical properties of thermally-stable push-pull chalcones for optoelectronic interest: Experimental and DFT assessments. 2021 , 159, 110276	0
148	Quantum Chemical, experimental spectroscopic, Hirshfeld surface and molecular docking studies of the anti-microbial drug Sulfathiazole. 2021 , 1245, 131118	12
147	Experimental spectroscopic and quantum computational analysis of pyridine-2,6-dicarboxylic acid with molecular docking studies. 2021 , 1245, 131046	2
146	Crystal structure elucidation, experimental and computational optical properties of novel acceptor-donor-acceptor organic material: A suitable candidate for nonlinear applications. 2022 , 1248, 131492	2
145	Near-infrared dyes for two-photon absorption in the short-wavelength infrared: strategies towards optical power limiting. 2021 , 50, 6613-6658	22
144	Tailoring the nonlinear absorption of fluorescent dyes by substitution at a boron center.	0
143	Preparation, Two-Photon Absorption, and Bioimaging Application of a Curcumin-Based Copper(II) Complex. 2021 , 47, 66-74	0
142	The design strategies and applications for organic multi-branched two-photon absorption chromophores with novel cores and branches: a recent review. 2021 , 9, 1520-1536	16
141	Fluorescent Probes for Two-Photon Excitation Microscopy. 2009 , 249-269	2
140	Photopolymerization Processes. 2010 , 78-119	12
139	Building a Two-Photon Microscope Using a Laser Scanning Confocal Architecture. 2001 , 162-179	10
138	Basic Principles of Multiphoton Excitation Microscopy. 2001 , 147-161	2
137	Fluorescence Microscopy. 2019 , 1039-1088	4
136	Fluorescence Correlation Spectroscopy: Genesis, Evolution, Maturation and Prognosis. 2001 , 305-330	9
135	New Organic Dendrimers with Greatly Enhanced Multi-Photon Absorption for Photonics Applications. 2003 , 139-153	2
134	One- and two-photon absorption properties of quadrupolar A-ED-EA dyes with donors of varying strengths. 2020 , 230, 118015	6
133	Poly(fluorenone--thiophene)-based nanoparticles for two-photon fluorescence imaging in living cells and tissues.. 2020 , 10, 12373-12377	1
132	Exploring Fungal Activity with Confocal and Multiphoton Microscopy. 2005 , 307-329	1

131	Fluorescent Calcium Indicators Based on BAPTA. 2005 , 1-50	3
130	Polymer dots enable deep multiphoton fluorescence imaging of microvasculature. 2019 , 10, 584-599	10
129	Concentration dependence of two-photon absorption in PMMA polymeric films doped with rhodamine laser dyes. 2020 , 37, 3108	1
128	Investigation of Tetherable Distilbazolium Compounds as Fluorescent Probes in Nanostructured Silica Sol-gel Materials. 2005 , 81, 898	2
127	Isoindole and isomeric heterocyclic donating substituents in ruthenium(II)nitrosyl complexes with large first hyperpolarizabilities and potential two-photon absorption capabilities: a computational approach. 2017 , 5, 8-23	1
126	Photon entanglement for life-science imaging: rethinking the limits of the possible. 2020 , 63, 698-707	4
125	Photon entanglement for life-science imaging: rethinking the limits of the possible. 2020 , 190, 749-761	3
124	Nonlinear Optical Properties and Optical Limiting Measurements of {(1Z)-[4-(Dimethylamino)Phenyl]Methylene} 4-Nitrobenzocaroxy Hydrazone Monohydrate under CW Laser Regime. 2014 , 04, 182-188	27
123	Collective Electronic Oscillator Method: Application to Conjugated Organic Molecules. 2003 , 24, 780-784	3
122	Optimization of Emulsion Polymerization for Submicron-Sized Polymer Colloids towards Tunable Synthetic Opals. 2010 , 31, 1891-1896	32
121	Chemistry of Phenalenyl-based Delocalized Singlet Biradicals. 2010 , 68, 64-74	5
120	Synthetic Study of Novel π -Electron Materials Containing Boron, Nitrogen, and Phosphorus as Key Main Group Elements. 2011 , 69, 661-670	6
119	Advances in Conceptual Electronic Nanodevices based on 0D and 1D Nanomaterials. 2014 , 6, 1	3
118	N-alkylaryl styrylcyanine dyes as fluorescent probes for nucleic acids detection. 2018 , 34, 374-386	2
117	Designing light-driven rotary molecular motors.. 2021 , 12, 14964-14986	9
116	Polymer Architectures for Optical and Photonic Applications.	
115	Polymer Dots with Enhanced Photostability, Quantum Yield, and Two-Photon Cross-Section using Structurally Constrained Deep-Blue Fluorophores. 2021 , 143, 16976-16992	6
114	Prospects for More Efficient Multi-Photon Absorption Photosensitizers Exhibiting Both Reactive Oxygen Species Generation and Luminescence. 2021 , 26,	3

- 113 Two-Photon Processes: Dynamics and Applications. **2000**, 21-30
- 112 Multiphoton Laser Scanning Microscopy and Dynamic Imaging in Embryos. **2001**, 200-215
- 111 New Materials Design. **2001**, 1108-1116
- 110 A Theoretical Insight into Organic Interfaces in Electro-Optic Devices. **2001**,
- 109 Multiphoton fluorescence microscopy for functional imaging of biomolecules. **2002**,
- 108 Nonlinear Microscopy with Ultrashort Pulse Lasers. **2002**,
- 107 Highly Efficient Multiphoton Absorption in a New Quadrupolar Heterocyclic Dye. **2003**, 231-240
- 106 Novel Heterocycle-Based Two-Photon Absorbing Dyes. **2003**, 385-393
- 105 Double-Excitation Dynamics in m-LPPP probed with sub-20 fs Time Resolution. **2003**, 771, 561
- 104 Exploring Fungal Activity with Confocal and Multiphoton Microscopy. **2005**, 327-350
- 103 Fluorene Derivative Doped Organic Modified Silica Nanoparticles as Biological Imaging Contrast Agents. **2006**,
- 102 Light-Emitting Organic Nanoaggregates from Functionalized para-Quaterphenylenes. 185-213
- 101 Near IR Nonlinear Optics of an Organic Supermolecule. **2011**,
- 100 Applications of molecular dynamics simulation in nonlinear optics. **2011**, 60, 124216
- 99 Introduction. **2014**, 1-7
- 98 Multiphoton Absorption: Three-Dimensional Nanofabrication. 2821-2830
- 97 In vivo multiphoton fluorescence imaging with polymer dots.
- 96 Polymer dots enable deep in vivo multiphoton fluorescence imaging of cerebrovascular architecture. **2018**,

95	Perarylation as a Strategy Toward Aggregation-Induced Emitters: Will They Ever Be Stable?. 2019 , 1-25	
94	3D printing functional nano-phonic devices by multi-photon lithography. 2019 ,	1
93	Phototoxicity and luminescence of the upconversion nanoparticles embedded in the cells. 2019 ,	
92	N-Aryl Pyrido Cyanine derivatives: nuclear and organelle DNA markers for two-photon and super-resolution imaging.	1
91	Selective isomer emission via funneling of exciton polaritons. 2021 , 7, eabj0997	6
90	Effect of the bifunctionalization of aminomethylphosphonic acid on the structural, electronic, vibrational, thermodynamic and antioxidant activity: Microwave-assisted synthesis, Density Functional Theory studies and DPPH radical scavenging activity. 2022 , 1250, 131714	3
89	New 1,4-divinylbenzene conjugated truxene dyes possessing D-ED structure: Synthesis, linear photophysics and two-photon absorption. 2022 , 242, 118579	0
88	Conjugated Polymers and Polymer Dots for Cell Imaging. 2020 , 155-180	1
87	Photomechanical Effects in Crosslinked Liquid-Crystalline Polymers with Photosynergetic Processes. 2020 , 479-492	
86	Effect of substitution site on two-photon absorption and excited states properties of Lipid droplets detection NAPBr dyes: A theoretical perspective.	
85	Variation of photostability of DNA-sensitive styrylcyanine dyes caused by N-alkyl functionalization. 2020 , 36, 146-160	
84	The Appeal of Small Molecules for Practical Nonlinear Optics. 2021 ,	5
83	The Influence of Asymmetric Charge Transfer on IR Spectra of Excited Quadrupole Molecules. 2020 , 128, 1707-1714	1
82	Vat Photopolymerization. 2021 , 77-124	1
81	Theoretical assessment of the influences of aromatic bridges on molecular second order nonlinear optical responses of Donor-Bridge-Acceptor types of molecular organic chromophores. 2022 , 1207, 113522	1
80	Spin-coating thermal-pressed strategy for the preparation of inorganic perovskite quasi-single-crystal thin films with giant single-/two-photon responses. 2022 , 92, 106719	3
79	Two-photon excited fluorescence from ground-state charge-transfer cocrystals of acridine and 1,2,4,5-tetracyano-benzene. 2022 , 198, 109965	2
78	Ultrabright Red to NIR Emitting Fluorescent Organic Nanoparticles Made from Quadrupolar Dyes with Giant Two-Photon Absorption (2PA) in the NIR Region. Confinement Effect on Fluorescence and 2PA and Tuning of Surface Properties. 2021 , 125, 25695-25705	0

77	Impact ionization and multiple photon absorption in the two-dimensional photoexcited Hubbard model. 2022 , 105,	0
76	Roles of various bridges on intramolecular charge Transfers, dipole moments and first hyperpolarizabilities of Donor-Bridge-Acceptor types of organic Chromophores: Theoretical assessment using Two-State model. 2022 , 1209, 113583	1
75	Quantum chemical, spectroscopic, hirshfeld surface and molecular docking studies on 2-aminobenzothiazole. 2022 , 1253, 132254	0
74	On the road for more efficient biocompatible two-photon excitable fluorophores.. 2022 ,	0
73	Theoretical study and application of 2-phenyl-1,3,4-thiadiazole derivatives with optical and inhibitory activity against SHP1.. 2021 ,	0
72	Choosing Bad versus Worse: Predictions of Two-Photon-Absorption Strengths Based on Popular Density Functional Approximations.. 2022 ,	4
71	Organic complexes as upconversion phosphors. 2022 , 203-250	
70	Is Heralded Two-Photon Excited Fluorescence with Single Absorbers Possible with Current Technology?. 2022 , 9, 52	
69	Synthesis, Characterization, Crystal Structure, Hirshfeld Surface, Electronic Excitation, Molecular Docking, and DFT Studies on 2-Amino Thiophene Derivative. 1-32	0
68	Photophysical investigation of a donor-acceptor based Schiff base in solvents of varying polarities. 2022 , 1255, 132435	0
67	Probing effect of solvation on photoexcited quadrupolar donor-acceptor-donor molecule via ultrafast Raman spectroscopy. 2022 , 35, 69-76	
66	Determination of two-photon absorption in nucleobase analogues: a QR-DFT perspective.. 2022 , 1	
65	From light to structure:Photo initiators in two-photon polymerization.. 2022 ,	4
64	Two-Photon Absorption Cooperative Effects within Multi-Dipolar Ruthenium Complexes: The Decisive Influence of Charge Transfers.. 2022 , 27,	
63	Harnessing Electron Spin Hyperpolarization in Chromophore-Radical Spin Probes for Subcellular Resolution in Electron Paramagnetic Resonance Imaging: Concept and Feasibility.. 2022 ,	1
62	Super-Exchange Charge Transfer in One-Photon and Two-Photon Absorption of Multibranched Compounds.. 2022 , 7, 9743-9753	
61	Stealth Luminescent Organic Nanoparticles Made from Quadrupolar Dyes for Two-Photon Bioimaging: Effect of End-Groups and Core.. 2022 , 27,	
60	Near-infrared light photocatalysis enabled by a ruthenium complex-integrated metal-organic framework via two-photon absorption.. 2022 , 25, 104064	0

59	Solvent Effects on the Photophysical Properties of a Donor-acceptor Based Schiff Base.. 2022 , 1	0
58	High contrast 3-D optical bioimaging using molecular and nanoprobe optically responsive to IR light. 2022 , 962, 1-107	0
57	Graphene near infrared-I/II probe in two-photon excitation-wavelength-independent photoluminescence and photoinactivation. 2022 , 193, 205-215	0
56	Effect of Symmetry Breaking in Excited Quadrupole Molecules on Transition Dipole Moment.. 2021 , 125, 13778-13788	2
55	Recent advances of luminogens with aggregation-induced emission in multi-photon theranostics. 2021 , 8, 041328	1
54	Nonlinear plexitons: excitons coupled with plasmons in two-photon absorption.. 2022 , 14, 7269-7279	1
53	Design, Photophysical Properties, and Applications of Fluorene-Based Fluorophores in Two-Photon Fluorescence Bioimaging: a Review. 2022 , 100529	4
52	Femtosecond response from two copolymers with intense two-photon absorption. 2005 , 80, 541	
51	Ultralow-threshold six-photon-excited upconversion lasing in a plasmonic microcavity.. 2022 ,	
50	Effect of spatial folding of molecules on two-photon absorption and nonlinear refraction in foldamers.	0
49	Two-photon-absorbing ruthenium complexes enable near infrared light-driven photocatalysis.. 2022 , 13, 2288	3
48	Inverse molecular design from first principles: Tailoring organic chromophore spectra for optoelectronic applications.. 2022 , 156, 180901	1
47	Methyl Viologens of Bis-(4'-pyridylethynyl)arenes - Structures, Photophysical and Electrochemical Studies, and their Potential Application in Biology.. 2022 ,	1
46	Study of ultrafast nonlinear optical response and transient dynamics of pyrene derivatives with intramolecular charge transfer characteristics. 2022 , 128, 112378	2
45	Reverse Saturable Absorption in Substituted Hydrazones and Its Structure-Property Relationship for Photonic Applications. 2022 , 2022, 1-8	
44	A Modified Oxazolone Dye Dedicated to Spectroscopy and Optoelectronics.. 2022 ,	1
43	How do structural factors determine the linear and non-linear optical properties of fluorene-containing quadrupolar fluorophores? A theoretical answer.	1
42	IN SILICO SCREENING OF TWO-PHOTON ABSORPTION PROPERTIES OF A LARGE SET OF BIS-DIFLUOROBORATE-DYES.	

- 41 Development, synthesis, computational and in silico investigations of Pd(II)-catalyzed aryl fluorinated and hydroxylated sulfonamides. **2022**, 1266, 133481 0
- 40 Bis-borylated arylisoquinoline-derived dyes with a central aromatic core: towards efficient fluorescent singlet-oxygen photosensitizers. 4
- 39 Synthesis and Emergent Photophysical Properties of Diketopyrrolopyrrole-Based Supramolecular Self-Assembly. **2022**, 7, 23179-23188 0
- 38 Bimetallic Ruthenium Nitrosyl Complexes with Enhanced Two-Photon Absorption Properties for Nitric Oxide Delivery. 1
- 37 Bright Near-Infrared π -Conjugated Oligomer Nanoparticles for Deep-Brain Three-Photon Microscopy Excited at the 1700 nm Window in Vivo. **2022**, 16, 12480-12487 4
- 36 Two-photon polymerization for 3D biomedical scaffolds: Overview and updates. 10, 1
- 35 Physical, chemical and antibacterial properties of 1-methyl-3-(4-vinylbenzyl) imidazol-3-ium chloride ionic liquid: Experimental and ab-initio analysis. **2022**, 133955 0
- 34 Designing a Propellane-Based Nonlinear Optically Active System Absorbing in Three Different Wavelength Regions. 1
- 33 Distinctive Excited State Symmetry Breaking Dynamics in Typical Donor-Acceptor-Donor Fluorophore: Strong Photoluminescence and Ultrafast Charge Separation from a Partial Charge Transfer State. **2022**, 13, 7547-7552 1
- 32 Enhancement of ultrafast nonlinear absorption by different substituted positions in pyrene-containing twistacenes isomers. **2022**, 156, 108563 0
- 31 Theoretical study on a series of naphthalimide-contained two-photon fluorescent hypochlorite probe targeting endoplasmic reticulum: response mechanism and receptor effect. **2022**, 28, 0
- 30 Synthesis, spectroscopic characterization, density functional theory study, antimicrobial and antioxidant activities of curcumin and alanine-curcumin Schiff base. 1-16 1
- 29 Controlling Aggregation-Induced Two-Photon Absorption Enhancement via Intermolecular Interactions. 0
- 28 Manipulating Two-Photon Absorption of Molecules through Efficient Optimization of Entangled Light. **2022**, 13, 10140-10146 0
- 27 Bioorganic Two-Photon Nanoprobes with a Photo-Oxidation Enhanced Emission Mechanism. 0
- 26 Recent advances on benzylidene cyclopentanones as visible light photoinitiators of polymerization. **2022**, 181, 111639 1
- 25 Tris(4?-Nitrobiphenyl)amine-An Octupolar Chromophore with High Two-Photon Absorption Cross-Section and Its Application for Uncaging of Calcium Ions in the Near-Infrared Region. 0
- 24 Efficient four-wave mixing wavelength conversion in hybrid silicon and polymer microring resonator. 0

23	AIE nanocrystals: Emerging nanolights with ultra-high brightness for biological application. 2023 , 477, 214944	1
22	Photophysical and optical properties of 4-(4'-(diphenylamino)benzylidene)-2-phenyloxazol-5(4H)-ones induced by the peripheral substituent. 2023 , 255, 119584	0
21	Red fluorescent benzothiadiazole derivative loaded in different nanoformulations: Optical properties and their use in bio-imaging. 2023 , 290, 122250	0
20	AutoDeconJ: a GPU-accelerated ImageJ plugin for 3D light-field deconvolution with optimal iteration numbers predicting.	0
19	Multiscale Modeling Unravels the Influence of Biomembranes on the Photochemical Properties of Embedded Anti-Oxidative Polyphenolic and Phenanthroline Chelating Dyes.	0
18	Evaluation of experimental, computational, molecular docking and dynamic simulation of flucytosine. 1-20	0
17	Crystal Structure, Hirshfeld Analyses, Spectral, Thermal, Two-Photon Absorption Properties and Optical Limiting Applications of Novel 4-Fluoro-N-[4-(diethylamino)benzylidene]aniline (FDEABA).	0
16	Reverse Engineering Caged Compounds: Design Principles for their Application in Biology.	0
15	Reverse Engineering Caged Compounds: Design Principles for their Application in Biology.	0
14	Introduction. 2015 , 1-12	0
13	Enhancing the Nlo Response of the Benzodiazepine Derivative with Different Solvents: Theoretical and Experimental Approach.	0
12	Derivatized Benzothiazoles as Two-Photon-Absorbing Organic Photosensitizers Active under Near Infrared Light Irradiation.	7
11	Molecular Design and Synthesis of Photofunctional Materials. 2012 , 245-286	0
10	Photoactive Multinuclear Metal-Containing Polymeric Systems. 2012 , 199-244	0
9	Comparing two-photon absorption of chalcone, dibenzylideneacetone and thiosemicarbazone derivatives. 2023 , 137, 113510	0
8	Difluoroborate-based bichromophores: Symmetry relaxation and two-photon absorption. 2023 , 295, 122600	0
7	Carbazole-based Anion Ionic Water-Soluble Two-Photon Initiator for Achieving 3D Hydrogel Structures. 2300293	0
6	Research Progress on Organic Cocrystals Nonlinear Optics Materials and Applications. 2023 , 81, 191	0

- 5 Multiphoton Lithography as a Promising Tool for Biomedical Applications. 2212641 ○
- 4 Two decades of two-photon lithography: Materials science perspective for additive manufacturing of 2D/3D nano-microstructures. **2023**, 26, 106374 ○
- 3 Ketocoumarin-Based Photoinitiators for High-Sensitivity Two-Photon Lithography. **2023**, 5, 2956-2963 ○
- 2 Fabrication of Two-Dimensional Platelets with Heat-Resistant Luminescence and Large Two-Photon Absorption Cross Sections via Cooperative Solution/Solid Self-Assembly. ○
- 1 The effect of energy level degeneracy on symmetry-breaking charge transfer: Excited octupolar dyes. **2023**, 158, ○