

CITATION REPORT

List of articles citing

Function of the chemokine receptor CXCR4 in haematopoiesis and in cerebellar development

DOI: 10.1038/31269

Nature, 1998, 393, 595-9.

Source: <https://exaly.com/paper-pdf/28892679/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2205	Chemokines beyond inflammation. <i>Nature</i> , 1998 , 393, 524-5	50.4	60
2204	Human quality control. <i>Nature</i> , 1998 , 393, 525-525	50.4	
2203	HIV. Setting death in motion. <i>Nature</i> , 1998 , 395, 117, 119	50.4	17
2202	The elusive coldfinger. <i>Nature</i> , 1998 , 395, 119-120	50.4	5
2201	Is Wiskott--Aldrich syndrome a cell trafficking disorder?. 1998 , 19, 537-9		38
2200	Role of cytokines and extracellular matrix in the regulation of haemopoietic stem cells. 1998 , 10, 721-6		47
2199	Chemokines: au-delà de leur implication dans l'inflammation. 1998 , 9, 191-210		
2198	Chemokines regulate hippocampal neuronal signaling and gp120 neurotoxicity. 1998 , 95, 14500-5		614
2197	Impaired B-lymphopoiesis, myelopoiesis, and derailed cerebellar neuron migration in CXCR4- and SDF-1-deficient mice. 1998 , 95, 9448-53		1418
2196	Expression of functional CXCR4 chemokine receptors on human colonic epithelial cells. 1999 , 104, 1061-9		139
2195	Chemokines, renal disease, and HIV infection. 1999 , 81, 5-16		4
2194	Neuregulin activation of ErbB receptors in vascular endothelium leads to angiogenesis. 1999 , 277, H2205-11		80
2193	The chemokine SDF-1 triggers CXCR4 receptor dimerization and activates the JAK/STAT pathway. 1999 , 13, 1699-1710		416
2192	Essential role for the p53 tumor necrosis factor receptor in regulating hematopoiesis at a stem cell level. 1999 , 190, 1493-504		83
2191	Stromal Derived Factor-1 Induced Chemokinesis of Cord Blood CD34+ Cells (Long-Term Culture-Initiating Cells) Through Endothelial Cells Is Mediated by E-Selectin. 1999 , 94, 4011-4019		85
2190	A Synthetic Peptide Derived From Human Immunodeficiency Virus Type 1 gp120 Downregulates the Expression and Function of Chemokine Receptors CCR5 and CXCR4 in Monocytes by Activating the 7-Transmembrane G-Protein-Coupled Receptor FPRL1/LXA4R. 1999 , 94, 1165-1173		112
2189	Chronic Lymphocytic Leukemia B Cells Express Functional CXCR4 Chemokine Receptors That Mediate Spontaneous Migration Beneath Bone Marrow Stromal Cells. 1999 , 94, 3658-3667		391

2188	SDF-1 Responsiveness Does Not Correlate With CXCR4 Expression Levels of Developing Human Bone Marrow B Cells. 1999 , 94, 2990-2998	109
2187	Role of chemokine receptors in HIV-1 infection and pathogenesis. 1999 , 52, 233-67	22
2186	Chemokine and chemokine receptor expression in the central nervous system. 1999 , 5, 13-26	254
2185	The role of chemokine receptors in HIV infection. 1999 , 75, 148-51	4
2184	Anti-HIV agent trichosanthin enhances the capabilities of chemokines to stimulate chemotaxis and G protein activation, and this is mediated through interaction of trichosanthin and chemokine receptors. 1999 , 190, 101-11	71
2183	Stromal cell-derived factor-1alpha associates with heparan sulfates through the first beta-strand of the chemokine. 1999 , 274, 23916-25	270
2182	Activity of different bicyclam derivatives against human immunodeficiency virus depends on their interaction with the CXCR4 chemokine receptor. 1999 , 55, 67-73	100
2181	B cell antigen receptor engagement inhibits stromal cell-derived factor (SDF)-1alpha chemotaxis and promotes protein kinase C (PKC)-induced internalization of CXCR4. 1999 , 189, 1461-6	88
2180	Bicyclam derivatives as HIV inhibitors. 1999 , 3, 161-229	14
2179	Chemokine receptors and virus entry in the central nervous system. 1999 , 5, 643-58	68
2178	Chemokines and their receptors in lymphocyte traffic and HIV infection. 2000 , 74, 127-80	135
2177	The therapeutic potential of CXC chemokine blockade in acute inflammation in the brain. 1999 , 8, 363-71	3
2176	Trafficking of the HIV coreceptor CXCR4. Role of arrestins and identification of residues in the c-terminal tail that mediate receptor internalization. 1999 , 274, 31076-86	208
2175	Abnormal chemokine-induced responses of immature and mature hematopoietic cells from motheaten mice implicate the protein tyrosine phosphatase SHP-1 in chemokine responses. 1999 , 190, 681-90	85
2174	The growth-related gene product beta induces sphingomyelin hydrolysis and activation of c-Jun N-terminal kinase in rat cerebellar granule neurones. 1999 , 274, 36537-43	22
2173	Stromal cell-derived factor 1 (SDF-1) and antenatal human B cell lymphopoiesis: expression of SDF-1 by mesothelial cells and biliary ductal plate epithelial cells. 1999 , 96, 8585-90	103
2172	Chemokines and chemokine receptors: biology and clinical relevance in inflammation and AIDS. 1999 , 50, 425-40	245
2171	A cell-autonomous requirement for CXCR4 in long-term lymphoid and myeloid reconstitution. 1999 , 96, 5663-7	194

2170	Distinct biological effects of macrophage inflammatory protein-1alpha and stroma-derived factor-1alpha on CD34+ hemopoietic cells. 1999 , 17, 62-71	10
2169	The role of cytokine receptor signaling in lymphocyte development. 1999 , 11, 157-66	102
2168	Host genetic influences on HIV-1 pathogenesis. 1999 , 11, 466-74	88
2167	Megakaryocyte precursors, megakaryocytes and platelets express the HIV co-receptor CXCR4 on their surface: determination of response to stromal-derived factor-1 by megakaryocytes and platelets. 1999 , 104, 220-9	116
2166	Allo-immunization elicits CD8+ T cell-derived chemokines, HIV suppressor factors and resistance to HIV infection in women. 1999 , 5, 1004-9	101
2165	The neuropathogenesis of HIV-1 infection. 1999 , 26, 233-41	55
2164	Expression of chemokine receptors in the rat brain. 1999 , 876, 201-9	62
2163	Searching for stem cell regulatory molecules. Some general thoughts and possible approaches. 1999 , 872, 274-87; discussion 287-8	15
2162	Chemokine receptor trafficking and viral replication. 1999 , 168, 33-49	70
2161	Overexpression of the chemokine receptor CXCR4 in B cell chronic lymphocytic leukemia is associated with increased functional response to stromal cell-derived factor-1 (SDF-1). 1999 , 13, 1954-9	148
2160	HIV-1 and chemokines in the brain: location, location--location?. 1999 , 4, 203-5, 202	1
2159	New Thoughts on Pathogenesis and Diagnosis of Encephalitis. 1999 , 1, 178-186	
2158	Intracellular CXCR4 signaling, neuronal apoptosis and neuropathogenic mechanisms of HIV-1-associated dementia. 1999 , 98, 185-200	275
2157	It's a knockout!. 1999 , 15, 379-80	2
2156	Regulation of hematopoiesis in a sea of chemokine family members with a plethora of redundant activities. 1999 , 27, 1113-23	128
2155	Increased migration of cord blood-derived CD34+ cells, as compared to bone marrow and mobilized peripheral blood CD34+ cells across uncoated or fibronectin-coated filters. 1999 , 27, 1806-14	74
2154	Homing and mobilization in the stem cell niche. 1999 , 9, 233-8	197
2153	Expression of CXCR4, the receptor for stromal cell-derived factor-1 on fetal and adult human lympho-hematopoietic progenitors. 1999 , 29, 1823-31	158

2152	Wiskott-Aldrich syndrome: a disorder of haematopoietic cytoskeletal regulation. 1999 , 47, 107-13	6
2151	Chemokines: extracellular messengers for all occasions?. 1999 , 21, 17-28	104
2150	Dependence of human stem cell engraftment and repopulation of NOD/SCID mice on CXCR4. 1999 , 283, 845-8	1462
2149	The promise of comparative genomics in mammals. 1999 , 286, 458-62, 479-81	372
2148	Chemokines and cell migration in secondary lymphoid organs. 1999 , 286, 2098-102	875
2147	The chemokine receptor CXCR4 is required for the retention of B lineage and granulocytic precursors within the bone marrow microenvironment. 1999 , 10, 463-71	595
2146	Chemokines and chemokine receptors in the CNS: a possible role in neuroinflammation and patterning. 1999 , 20, 73-8	221
2145	Multiple chemotactic factors: fine control or redundancy?. 1999 , 20, 151-6	74
2144	Complement anaphylatoxin receptors on neurons: new tricks for old receptors?. 1999 , 22, 397-402	136
2143	Chemokines in the CNS: plurifunctional mediators in diverse states. 1999 , 22, 504-12	315
2142	AIDS and the brain: is there a chemokine connection?. 1999 , 22, 471-9	128
2141	Microglia as mediators of inflammatory and degenerative diseases. 1999 , 22, 219-40	863
2140	Chemokines and allergic disease. 1999 , 104, 723-42	136
2139	Chemokine receptor expression by human intestinal epithelial cells. 1999 , 117, 359-67	212
2138	Stromal-cell derived factor is expressed by dendritic cells and endothelium in human skin. 1999 , 155, 1577-86	214
2137	Chemokine receptors as HIV-1 coreceptors: roles in viral entry, tropism, and disease. 1999 , 17, 657-700	1868
2136	Embryonic expression and function of the chemokine SDF-1 and its receptor, CXCR4. 1999 , 213, 442-56	397
2135	Chemokines: signal lamps for trafficking of T and B cells for development and effector function. 1999 , 65, 6-15	273

2134	Modulation of CXCR4 expression and SDF-1alpha functional activity during differentiation of human monocytes and macrophages. 1999 , 66, 135-43	50
2133	Maturation decreases responsiveness of human bone marrow B lineage cells to stromal-derived factor 1 (SDF-1). 1999 , 66, 667-73	49
2132	Chemokine immunobiology in HIV-1 pathogenesis. 1999 , 65, 552-65	26
2131	Adhesion and homing of blood-borne cells in bone marrow microvessels. 1999 , 66, 25-32	94
2130	SLC/exodus2/6Ckine/TCA4 induces chemotaxis of hematopoietic progenitor cells: differential activity of ligands of CCR7, CXCR3, or CXCR4 in chemotaxis vs. suppression of progenitor proliferation. 1999 , 66, 455-61	54
2129	Inflammatory agents regulate in vivo expression of fractalkine in endothelial cells of the rat heart. 1999 , 66, 937-44	66
2128	The murine chemokine receptor CXCR4 is tightly regulated during T cell development and activation. 1999 , 66, 996-1004	38
2127	Chemokines in chronic progressive neurological diseases: HTLV-1 associated myelopathy and multiple sclerosis. 1999 , 5, 102-8	23
2126	Virally encoded chemokines and chemokine receptors: genetic embezzlement of host DNA. 1999 , 72, 161-80	8
2125	SDF-1 has costimulatory effects on human T cells: possible involvement of MAPK (ERK2) activation. 2000 , 44, 135-41	12
2124	The role of inflammation in neurologic disease. 2000 , 6, 98-109	9
2123	Regulation of cytokine signaling by B cell antigen receptor and CD40-controlled expression of heparan sulfate proteoglycans. 2000 , 192, 1115-24	43
2122	Fibroblast growth factor modulates HIV coreceptor CXCR4 expression by neural cells. HNRC Group. 2000 , 59, 671-9	50
2121	TGF β selectively up-regulates CCR1 expression in primary murine astrocytes. 2000 , 30, 1-10	44
2120	Differential effects of stromal derived factor-1 alpha (SDF-1 alpha) on early and late stages of human megakaryocytic development. 2000 , 260, 141-7	20
2119	Characterization of a <i>Xenopus laevis</i> CXC chemokine receptor 4: implications for hematopoietic cell development in the vertebrate embryo. 2000 , 30, 2924-34	49
2118	Cloning and characterization of SDF-1gamma, a novel SDF-1 chemokine transcript with developmentally regulated expression in the nervous system. 2000 , 12, 1857-66	110
2117	SDF-1alpha-mediated modulation of synaptic transmission in rat cerebellum. 2000 , 12, 2497-504	101

2116	Differential signalling of the chemokine receptor CXCR4 by stromal cell-derived factor 1 and the HIV glycoprotein in rat neurons and astrocytes. 2000 , 12, 117-25	127
2115	The in vitro effects of cytokines on expansion and migration of megakaryocyte progenitors. 2000 , 109, 776-84	21
2114	Functional response of leukaemic blasts to stromal cell-derived factor-1 correlates with preferential expression of the chemokine receptor CXCR4 in acute myelomonocytic and lymphoblastic leukaemia. 2000 , 110, 563-72	123
2113	CXC chemokine receptor 4 expression and stromal cell-derived factor-1alpha-induced chemotaxis in CD4+ T lymphocytes are regulated by interleukin-4 and interleukin-10. 2000 , 99, 402-10	41
2112	The chemokine/chemokine-receptor family: potential and progress for therapeutic intervention. 2000 , 4, 420-7	82
2111	Chemokines and their receptors in allograft rejection. 2000 , 12, 511-6	153
2110	Chemokines, chemokine receptors and hematopoiesis. 2000 , 177, 150-74	110
2109	Chemokines and chemokine receptors in inflammation of the nervous system: manifold roles and exquisite regulation. 2000 , 177, 52-67	210
2108	The effect of genetic variation in chemokines and their receptors on HIV transmission and progression to AIDS. 2000 , 177, 99-111	221
2107	CXCR4: chemokine receptor extraordinaire. 2000 , 177, 175-84	237
2106	The strategy of blocking the chemokine system to combat disease. 2000 , 177, 246-56	71
2105	Absence of marginal zone B cells in Pyk-2-deficient mice defines their role in the humoral response. 2000 , 1, 31-6	438
2104	Biological significance of the expression of HIV-related chemokine coreceptors (CCR5 and CXCR4) and their ligands by human hematopoietic cell lines. 2000 , 14, 1821-32	24
2103	New targets for inhibitors of HIV-1 replication. 2000 , 1, 40-9	142
2102	Stroma-derived factor 1 induces a selective inhibition of human erythroid development via the functional upregulation of Fas/CD95 ligand. 2000 , 111, 432-440	
2101	HIV-1 entry - an expanding portal for drug discovery. 2000 , 5, 183-194	65
2100	Chemokine receptors. 2000 , 1, 105-125	9
2099	Binding of stromal derived factor-1alpha (SDF-1alpha) to CXCR4 chemokine receptor in normal human megakaryoblasts but not in platelets induces phosphorylation of mitogen-activated protein kinase p42/44 (MAPK), ELK-1 transcription factor and serine/threonine kinase AKT. 2000 , 64, 164-72	62

2098	Expression of the chemokine receptor CXCR3 on neurons and the elevated expression of its ligand IP-10 in reactive astrocytes: in vitro ERK1/2 activation and role in Alzheimer's disease. 2000 , 108, 227-35	195
2097	Astrocytes express functional chemokine receptors. 2000 , 111, 109-21	157
2096	Chemokines and their receptors in neurobiology: perspectives in physiology and homeostasis. 2000 , 104, 92-7	115
2095	Neuroprotective activity of chemokines against N-methyl-D-aspartate or beta-amyloid-induced toxicity in culture. 2000 , 399, 117-21	101
2094	The CXCR4 agonist ligand stromal derived factor-1 maintains high affinity for receptors in both Galpha(i)-coupled and uncoupled states. 2000 , 409, 143-54	22
2093	Chemokines and viruses: the dearest enemies. 2000 , 273, 228-40	58
2092	Immunohistochemical analysis of CCR2, CCR3, CCR5, and CXCR4 in the human brain: potential mechanisms for HIV dementia. 2000 , 69, 192-201	147
2091	Function and regulation of chemoattractant receptors. 2000 , 22, 271-9	39
2090	The role of HIV-related chemokine receptors and chemokines in human erythropoiesis in vitro. 2000 , 18, 128-38	31
2089	Characterization of chemokine receptors expressed in primitive blood cells during human hematopoietic ontogeny. 2000 , 18, 374-81	30
2088	Immune chemokines and their receptors: the key elements in the genesis, homeostasis and function of the immune system. 2000 , 22, 371-91	24
2087	Gene targeting of chemokines and their receptors. 2000 , 22, 417-32	4
2086	Stromal cell-derived factor-1 stimulates tyrosine phosphorylation of multiple focal adhesion proteins and induces migration of hematopoietic progenitor cells: roles of phosphoinositide-3 kinase and protein kinase C. 2000 , 95, 2505-2513	221
2085	Stromal cell-derived factor-1 and macrophage-derived chemokine: 2 chemokines that activate platelets. 2000 , 96, 50-57	118
2084	I-309 binds to and activates endothelial cell functions and acts as an angiogenic molecule in vivo. 2000 , 96, 4039-4045	80
2083	Stromal-derived factor 1 and thrombopoietin regulate distinct aspects of human megakaryopoiesis. 2000 , 96, 4142-4151	128
2082	Kinetics of CXCR4 and CCR5 up-regulation and human immunodeficiency virus expansion after antigenic stimulation of primary CD4+ T lymphocytes. 2000 , 96, 1853-1856	15
2081	Expression of VEGFR-2 and AC133 by circulating human CD34+ cells identifies a population of functional endothelial precursors. 2000 , 95, 952-958	1896

2080	HIV-1 gp120- and gp160-induced apoptosis in cultured endothelial cells is mediated by caspases. 2000 , 96, 1438-1442	91
2079	Blood-derived nurse-like cells protect chronic lymphocytic leukemia B cells from spontaneous apoptosis through stromal cell-derived factor-1. 2000 , 96, 2655-2663	582
2078	Cell polarization: a comparative cell biology and immunological view. 2000 , 7, 51-65	19
2077	A syndrome involving intrauterine growth retardation, microcephaly, cerebellar hypoplasia, B lymphocyte deficiency, and progressive pancytopenia. 2000 , 105, E39	23
2076	Impairment of lymphopoiesis and myelopoiesis in mice reconstituted with bone marrow hematopoietic progenitor cells expressing SDF-1 α transgene. 2000 , 96, 2074-2080	90
2075	C-C chemokine receptor 3 antagonism by the beta-chemokine macrophage inflammatory protein 4, a property strongly enhanced by an amino-terminal alanine-methionine swap. 2000 , 164, 1488-97	103
2074	The human hematopoietic stem cell compartment is heterogeneous for CXCR4 expression. 2000 , 97, 14626-31	99
2073	Murine CCR9, a chemokine receptor for thymus-expressed chemokine that is up-regulated following pre-TCR signaling. 2000 , 164, 639-48	90
2072	CXCR4 receptor expression on human retinal pigment epithelial cells from the blood-retina barrier leads to chemokine secretion and migration in response to stromal cell-derived factor 1 alpha. 2000 , 165, 4372-8	68
2071	Regulator of G protein signaling 1 (RGS1) markedly impairs Gi alpha signaling responses of B lymphocytes. 2000 , 164, 1829-38	99
2070	Critical involvement of the chemotactic axis CXCR4/stromal cell-derived factor-1 alpha in the inflammatory component of allergic airway disease. 2000 , 165, 499-508	169
2069	Neuronal fractalkine expression in HIV-1 encephalitis: roles for macrophage recruitment and neuroprotection in the central nervous system. 2000 , 164, 1333-9	172
2068	Stromal cell-derived factor-1-CXC chemokine receptor 4 interactions play a central role in CD4+ T cell accumulation in rheumatoid arthritis synovium. 2000 , 165, 6590-8	382
2067	Signal transduction by CXC chemokine receptor 4. Stromal cell-derived factor 1 stimulates prolonged protein kinase B and extracellular signal-regulated kinase 2 activation in T lymphocytes. 2000 , 192, 313-24	186
2066	Identification of residues of CXCR4 critical for human immunodeficiency virus coreceptor and chemokine receptor activities. 2000 , 275, 23736-44	193
2065	The use of Envelope for HIV therapeutics: from vaccines to co-receptors. 2000 , 4, 423-437	1
2064	Downregulation of CXCR4 gene expression in primary human endothelial cells following infection with E1(-)E4(+) adenovirus gene transfer vectors. 2000 , 2, 381-6	8
2063	Generation and characterization of a recombinant human CCR5-specific antibody. A phage display approach for rabbit antibody humanization. 2000 , 275, 36073-8	51

2062	Anti-human immunodeficiency virus activity of novel aminoglycoside-arginine conjugates at early stages of infection. 2000 , 16, 627-34	32
2061	Lineage, development and morphogenesis of cerebellar interneurons. 2000 , 124, 51-68	24
2060	Mammalian G-protein function in vivo: new insights through altered gene expression. 2000 , 140, 63-133	18
2059	Activation-dependent modulation of B lymphocyte migration to chemokines. 2000 , 12, 1285-92	75
2058	Cutting edge: stromal cell-derived factor-1 is a costimulator for CD4+ T cell activation. 2000 , 164, 5010-4	162
2057	Expression of CX3CR1 chemokine receptors on neurons and their role in neuronal survival. 2000 , 97, 8075-80	310
2056	Current evidence and future directions for targeting HIV entry: therapeutic and prophylactic strategies. 2000 , 284, 215-22	71
2055	The stromal cell-derived factor-1 chemokine is a potent platelet agonist highly expressed in atherosclerotic plaques. 2000 , 86, 131-8	280
2054	CCR11 is a functional receptor for the monocyte chemoattractant protein family of chemokines. 2000 , 275, 9550-6	62
2053	Solubilization of the chemokine receptor CXCR4. 2000 , 274, 153-6	15
2052	Experimental gliosarcoma induces chemokine receptor expression in rat brain. 2000 , 161, 85-95	31
2051	MIP-1alpha induces binding of nuclear factors to the kappaB DNA element in human B cells. 2000 , 4, 15-9	4
2050	Role of chemokines in thymocyte development. 2000 , 12, 445-55	60
2049	Cell migration and the anatomic control of thymocyte precursor differentiation. 2000 , 12, 435-44	46
2048	Combinatorial gene expression using multiple episomal vectors. 2000 , 243, 187-94	18
2047	Expression of multiple functional chemokine receptors and monocyte chemoattractant protein-1 in human neurons. 2000 , 97, 591-600	189
2046	CXCR4 on human endothelial cells can serve as both a mediator of biological responses and as a receptor for HIV-2. 2000 , 1500, 227-40	45
2045	Chemokines: a new classification system and their role in immunity. 2000 , 12, 121-7	3179

2044	Rac2 stimulates Akt activation affecting BAD/Bcl-XL expression while mediating survival and actin function in primary mast cells. 2000 , 12, 557-68	138
2043	Expression of the G protein-coupled receptor kinase 2 during early mouse embryogenesis. 2000 , 98, 127-31	11
2042	Are chemokines essential or secondary participants in allergic responses?. 2000 , 84, 569-79; quiz 579-81	53
2041	The role of chemokine receptors in primary, effector, and memory immune responses. 2000 , 18, 593-620	891
2040	Mice transgenic for monocyte-tropic HIV type 1 produce infectious virus and display plasma viremia: a new in vivo system for studying the postintegration phase of HIV replication. 2000 , 16, 481-92	20
2039	Chemokine stromal cell-derived factor 1alpha activates basophils by means of CXCR4. 2000 , 106, 313-20	30
2038	Adhesion molecules involved in transendothelial migration of human hematopoietic progenitor cells. 2000 , 18, 435-43	64
2037	Mechanisms of viral membrane fusion and its inhibition. 2001 , 70, 777-810	1113
2036	The SDF-1-CXCR4 axis stimulates VEGF secretion and activates integrins but does not affect proliferation and survival in lymphohematopoietic cells. 2001 , 19, 453-66	191
2035	Current concepts in lymphocyte homing and recirculation. 2001 , 38, 1-31	33
2034	Investigation into an engraftment defect induced by culturing primitive hematopoietic cells with cytokines. 2001 , 3, 307-20	12
2033	HIV-1 envelope is a neutral antagonist to CXCR4 in T-cells. 2001 , 280, 1003-7	8
2032	Target genes downregulated by the BCL-6/LAZ3 oncoprotein in mouse Ba/F3 cells. 2001 , 283, 563-8	15
2031	Allosteric regulation of CCR5 by guanine nucleotides and HIV-1 envelope. 2001 , 286, 41-7	14
2030	MIP-1alpha induces activation of phosphatidylinositol-3 kinase that associates with Pyk-2 and is necessary for B-cell migration. 2001 , 268, 77-83	16
2029	The beta-chemokine receptor D6 is expressed by lymphatic endothelium and a subset of vascular tumors. 2001 , 158, 867-77	237
2028	Chemokine expression dynamics in mycobacterial (type-1) and schistosomal (type-2) antigen-elicited pulmonary granuloma formation. 2001 , 158, 1503-15	112
2027	Chemokines control fat accumulation and leptin secretion by cultured human adipocytes. 2001 , 175, 81-92	262

2026	Cellular expression of functional chemokine receptor CCR5 and CXCR4 in human embryonic neurons. 2001 , 311, 105-8	40
2025	Chemokines and lymphopoiesis in human thymus. 2001 , 22, 277-81	57
2024	Chemokine receptors. 2001 , 12, 313-35	343
2023	The earliest stages of B cell development require a chemokine stromal cell-derived factor/pre-B cell growth-stimulating factor. 2001 , 15, 323-34	164
2022	Ephrin-B reverse signaling is mediated by a novel PDZ-RGS protein and selectively inhibits G protein-coupled chemoattraction. 2001 , 105, 69-79	337
2021	Signaling downstream of Eph receptors and ephrin ligands. 2001 , 105, 701-4	86
2020	AGAMMAGLOBULINEMIA CAUSED BY DEFECTS OTHER THAN BTK. 2001 , 21, 45-63	3
2019	Fusion/entry inhibitors as therapies for HIV. 2001 , 6, 209-24	2
2018	Cytokine and chemokine based control of HIV infection and replication. 2001 , 7, 993-1013	34
2017	Elevated plasma stromal cell-derived factor 1 protein level in the progression of HIV type 1 infection/AIDS. 2001 , 17, 587-95	32
2016	Chemokine receptors as anti-retroviral targets. 2001 , 2, 21-39	6
2015	Pharmacological properties of peptides derived from stromal cell-derived factor 1: study on human polymorphonuclear cells. 2001 , 59, 1418-25	17
2014	HIV-1 entry and how to block it. 2001 , 15 Suppl 5, S3-11	10
2013	The role of CXC chemokines in the regulation of tumor angiogenesis. 2001 , 19, 732-8	25
2012	Expression pattern of CXCR3, CXCR4, and CCR3 chemokine receptors in the developing human brain. 2001 , 60, 25-32	35
2011	A novel regulator of G-protein signaling bearing GAP activity for G α hi and G α q in megakaryocytes. 2001 , 97, 3051-60	47
2010	SHP2 and cbl participate in alpha-chemokine receptor CXCR4-mediated signaling pathways. 2001 , 97, 608-15	73
2009	Numerous growth factors, cytokines, and chemokines are secreted by human CD34(+) cells, myeloblasts, erythroblasts, and megakaryoblasts and regulate normal hematopoiesis in an autocrine/paracrine manner. 2001 , 97, 3075-85	421

2008	Plasma elevation of stromal cell-derived factor-1 induces mobilization of mature and immature hematopoietic progenitor and stem cells. 2001 , 97, 3354-60	460
2007	Chemotaxis and transendothelial migration of CD34(+) hematopoietic progenitor cells induced by the inflammatory mediator leukotriene D4 are mediated by the 7-transmembrane receptor CysLT1. 2001 , 97, 3433-40	98
2006	Chemokine stromal cell-derived factor-1alpha modulates VLA-4 integrin-mediated multiple myeloma cell adhesion to CS-1/fibronectin and VCAM-1. 2001 , 97, 346-51	210
2005	In vitro migratory capacity of CD34+ cells is related to hematopoietic recovery after autologous stem cell transplantation. 2001 , 97, 799-804	95
2004	Stromal cell-derived factor 1alpha increases polyploidization of megakaryocytes generated by human hematopoietic progenitor cells. 2001 , 97, 2587-95	61
2003	Platelet-derived microparticles bind to hematopoietic stem/progenitor cells and enhance their engraftment. 2001 , 98, 3143-9	269
2002	[Cytokines and chemokines: mediators for intercellular communication in the brain]. 2001 , 121, 875-85	5
2001	Attractions and migrations of lymphoid cells in the organization of humoral immune responses. 2001 , 78, 111-68	5
2000	Chemokines and viral diseases of the central nervous system. 2001 , 56, 127-73	22
1999	The transient expression of C-C chemokine receptor 8 in thymus identifies a thymocyte subset committed to become CD4+ single-positive T cells. 2001 , 166, 218-25	41
1998	Regulation of hematopoiesis by chemokine family members. 2001 , 74, 9-17	78
1997	Pharmacological evidence for complex and multiple site interaction of CXCR4 with SDF-1alpha: implications for development of selective CXCR4 antagonists. 2001 , 78, 29-34	71
1996	Adhesion receptors on haematopoietic progenitor cells. 2001 , 112, 541-57	84
1995	Association between the SDF1-3'A allele and high levels of CD34(+) progenitor cells mobilized into peripheral blood in humans. 2001 , 113, 247-50	56
1994	High expression of the chemokine receptor CXCR4 predicts extramedullary organ infiltration in childhood acute lymphoblastic leukaemia. 2001 , 115, 545-53	150
1993	Stromal cell-derived factor-1alpha induces astrocyte proliferation through the activation of extracellular signal-regulated kinases 1/2 pathway. 2001 , 77, 1226-36	166
1992	Platelet chemokines and their receptors: what is their relevance to platelet storage and transfusion practice?. 2001 , 11, 403-17	113
1991	Pluripotent hematopoietic stem cell development during embryogenesis. 2001 , 13, 166-71	78

1990	Chemokines in lymphopoiesis and lymphoid organ development. 2001 , 13, 172-9	161
1989	Developmental pattern of expression of the alpha chemokine stromal cell-derived factor 1 in the rat central nervous system. 2001 , 13, 845-56	114
1988	Isolated human astrocytes are not susceptible to infection by M- and T-tropic HIV-1 strains despite functional expression of the chemokine receptors CCR5 and CXCR4. 2001 , 34, 165-177	47
1987	The role of chemoattraction in cancer metastases. 2001 , 23, 674-6	110
1986	Production of stromal cell-derived factor 1 by mesothelial cells and effects of this chemokine on peritoneal B lymphocytes. 2001 , 31, 350-9	57
1985	Rapid inactivation of stromal cell-derived factor-1 by cathepsin G associated with lymphocytes. 2001 , 31, 699-707	133
1984	Stimulation of T-Cell activation by CXCL12/stromal cell derived factor-1 involves a G-protein mediated signaling pathway. 2001 , 214, 145-54	23
1983	Chemokines and their receptors in the central nervous system. 2001 , 22, 147-84	294
1982	Cloning and relative expression analysis of rat stromal cell derived factor-1 (SDF-1): SDF-1 alpha mRNA is selectively induced in rat model of myocardial infarction. 2001 , 25, 293-300	143
1981	Developmental expression of heterotrimeric G-proteins in the murine cerebellar cortex. 2001 , 116, 149-59	15
1980	Lymphocyte traffic control by chemokines. 2001 , 2, 123-8	1025
1979	Chemokines: immunology's high impact factors. 2001 , 2, 95-101	694
1978	A chemokine-glutamate connection. 2001 , 4, 676-8	26
1977	CXCR4-activated astrocyte glutamate release via TNFalpha: amplification by microglia triggers neurotoxicity. 2001 , 4, 702-10	876
1976	Chemokines: back to the future?. 2001 , 3, E53-4	7
1975	Involvement of chemokine receptors in breast cancer metastasis. <i>Nature</i> , 2001 , 410, 50-6	50.4 4315
1974	TNF-alpha down-regulates CXCR4 expression in primary murine astrocytes. 2001 , 888, 1-10	51
1973	Loss of chemokine SDF-1alpha-mediated CXCR4 signalling and receptor internalization in human hepatoma cell line HepG2. 2001 , 13, 311-9	34

1972	Chemokine stromal cell-derived factor-1alpha modulates VLA-4 integrin-dependent adhesion to fibronectin and VCAM-1 on bone marrow hematopoietic progenitor cells. 2001 , 29, 345-55	103
1971	SDF-1-induced actin polymerization and migration in human hematopoietic progenitor cells. 2001 , 29, 1456-64	52
1970	The chemokine receptor CXCR4 enhances integrin-mediated in vitro adhesion and facilitates engraftment of leukemic precursor-B cells in the bone marrow. 2001 , 29, 1439-47	114
1969	Definition of a novel cellular constituent of the bone marrow that regulates the response of immature B cells to B cell antigen receptor engagement. 2001 , 166, 5935-44	34
1968	Diverse transcriptional response of CD4+ T cells to stromal cell-derived factor SDF-1: cell survival promotion and priming effects of SDF-1 on CD4+ T cells. 2001 , 167, 3064-73	140
1967	The diverse role of chemokines in tumor progression: prospects for intervention (Review). 2001 , 8, 235-44	15
1966	Simian immunodeficiency virus model of HIV-induced central nervous system dysfunction. 2001 , 56, 435-68	37
1965	A coordinated change in chemokine responsiveness guides plasma cell movements. 2001 , 194, 45-56	512
1964	Role of tyrosine phosphorylation in ligand-independent sequestration of CXCR4 in human primary monocytes-macrophages. 2001 , 276, 49236-43	64
1963	Optimal inhibition of X4 HIV isolates by the CXC chemokine stromal cell-derived factor 1 alpha requires interaction with cell surface heparan sulfate proteoglycans. 2001 , 276, 26550-8	59
1962	Stromal cell-derived factor 1 alpha-induced chemotaxis in T cells is mediated by nitric oxide signaling pathways. 2001 , 166, 3067-74	77
1961	Cytokine-responsive gene-2/IFN-inducible protein-10 expression in multiple models of liver and bile duct injury suggests a role in tissue regeneration. 2001 , 167, 399-406	73
1960	CXC chemokine receptor 4 expression and function in human astrogloma cells. 2001 , 166, 2695-704	98
1959	Structural and functional characterization of human CXCR4 as a chemokine receptor and HIV-1 co-receptor by mutagenesis and molecular modeling studies. 2001 , 276, 42826-33	106
1958	CXCR-4 desensitization is associated with tissue localization of hemopoietic progenitor cells. 2001 , 166, 5027-33	132
1957	Neuronal expression of a functional receptor for the C5a complement activation fragment. 2001 , 166, 4154-62	125
1956	Increased chemokine receptor expression and the infiltration of lymphoid organs. 2001 , 42, 1221-8	
1955	Chemokines in immunity. 2001 , 78, 57-110	347

1954	Expression of stromal-derived factor-1 is decreased by IL-1 and TNF and in dermal wound healing. 2001 , 166, 5749-54	118
1953	A possible role for CXCR4 and its ligand, the CXC chemokine stromal cell-derived factor-1, in the development of bone marrow metastases in neuroblastoma. 2001 , 167, 4747-57	342
1952	Unique monoclonal antibody recognizing the third extracellular loop of CXCR4 induces lymphocyte agglutination and enhances human immunodeficiency virus type 1-mediated syncytium formation and productive infection. 2001 , 75, 11534-43	22
1951	Homing of human hematopoietic stem and progenitor cells: new insights, new challenges?. 2001 , 10, 725-38	41
1950	Chemokine receptors: emerging opportunities for new anti-HIV therapies. 2001 , 5, 303-326	5
1949	Safe use of the CXCR4 inhibitor ALX40-4C in humans. 2001 , 17, 475-86	111
1948	Stromal cell-derived factor 1alpha activates LIM kinase 1 and induces cofilin phosphorylation for T-cell chemotaxis. 2002 , 22, 774-83	118
1947	RGS13 regulates germinal center B lymphocytes responsiveness to CXC chemokine ligand (CXCL)12 and CXCL13. 2002 , 169, 2507-15	102
1946	Disruption of a single Pten allele augments the chemotactic response of B lymphocytes to stromal cell-derived factor-1. 2002 , 169, 49-54	39
1945	Interleukin-6 and cAMP induce stromal cell-derived factor-1 chemotaxis in astroglia by up-regulating CXCR4 cell surface expression. Implications for brain inflammation. 2002 , 277, 39801-8	57
1944	Heterologous desensitization of opioid receptors by chemokines inhibits chemotaxis and enhances the perception of pain. 2002 , 99, 10276-81	213
1943	A point mutation that confers constitutive activity to CXCR4 reveals that T140 is an inverse agonist and that AMD3100 and ALX40-4C are weak partial agonists. 2002 , 277, 24515-21	199
1942	Stromal-derived factor 1 expression in the human thymus. 2002 , 168, 2609-17	35
1941	Src kinase, but not the src kinase family member p56lck, mediates stromal cell-derived factor 1alpha/CXCL12-induced chemotaxis of a T cell line. 2002 , 11, 923-8	13
1940	RNA-based anti-HIV-1 gene therapeutic constructs in SCID-hu mouse model. 2002 , 6, 770-82	41
1939	Molecular basis of cell migration in the fish lateral line: role of the chemokine receptor CXCR4 and of its ligand, SDF1. 2002 , 99, 16297-302	252
1938	Xenopus laevis Stromal cell-derived factor 1: conservation of structure and function during vertebrate development. 2002 , 168, 2340-7	38
1937	Beta-arrestin2 is critically involved in CXCR4-mediated chemotaxis, and this is mediated by its enhancement of p38 MAPK activation. 2002 , 277, 49212-9	301

1936	RANTES-mediated chemokine transcription in astrocytes involves activation and translocation of p90 ribosomal S6 protein kinase (RSK). 2002 , 277, 19042-8	24
1935	Exploring the stereochemistry of CXCR4-peptide recognition and inhibiting HIV-1 entry with D-peptides derived from chemokines. 2002 , 277, 17476-85	99
1934	Structure, function and modulation of chemokine receptors: members of the g-protein-coupled receptor superfamily. 2002 , 2, 373-83	4
1933	HIV-1 infection in individuals with the CCR5-Delta32/Delta32 genotype: acquisition of syncytium-inducing virus at seroconversion. 2002 , 29, 307-13	70
1932	Chemokine receptors in the brain: their role in HIV infection and pathogenesis. 2002 , 16, 1709-30	40
1931	Survival of B lineage leukemic cells: signals from the bone marrow microenvironment. 2002 , 43, 19-27	33
1930	Efficient mobilization and recruitment of marrow-derived endothelial and hematopoietic stem cells by adenoviral vectors expressing angiogenic factors. 2002 , 9, 631-41	154
1929	Migratory behavior of leukemic cells from acute myeloid leukemia patients. 2002 , 16, 650-7	82
1928	Plasma stromal cell-derived factor (SDF)-1 levels, SDF1-3'A genotype, and expression of CXCR4 on T lymphocytes: their impact on resistance to human immunodeficiency virus type 1 infection and its progression. 2002 , 186, 922-31	102
1927	Neuronal migration and molecular conservation with leukocyte chemotaxis. 2002 , 16, 2973-84	27
1926	Pleiotropic effects of chemokines in vascular lesion development. 2002 , 22, 528-9	7
1925	Up-regulation of HIV coreceptor CXCR4 expression in human T lymphocytes is mediated in part by a cAMP-responsive element. 2002 , 16, 354-64	38
1924	Crosstalk between BCR/ABL oncoprotein and CXCR4 signaling through a Src family kinase in human leukemia cells. 2002 , 196, 667-78	86
1923	A role for the Rho-p160 Rho coiled-coil kinase axis in the chemokine stromal cell-derived factor-1alpha-induced lymphocyte actomyosin and microtubular organization and chemotaxis. 2002 , 168, 400-10	94
1922	Leukocyte elastase negatively regulates Stromal cell-derived factor-1 (SDF-1)/CXCR4 binding and functions by amino-terminal processing of SDF-1 and CXCR4. 2002 , 277, 15677-89	167
1921	Identification of amino acid residues critical for LD78beta, a variant of human macrophage inflammatory protein-1alpha, binding to CCR5 and inhibition of R5 human immunodeficiency virus type 1 replication. 2002 , 277, 4649-55	12
1920	Abnormal development of the hippocampal dentate gyrus in mice lacking the CXCR4 chemokine receptor. 2002 , 99, 7090-5	375
1919	HIV-1 Infection in Individuals With the CCR5-B2/B2 Genotype: Acquisition of Syncytium-Inducing Virus at Seroconversion. 2002 , 29, 307-313	55

1918	Suppression of chemokine receptor expression by RNA interference allows for inhibition of HIV-1 replication. 2002 , 16, 2385-90	176
1917	Enhancement of intracellular signaling associated with hematopoietic progenitor cell survival in response to SDF-1/CXCL12 in synergy with other cytokines. 2002 , 99, 4307-17	128
1916	Stromal cell-derived factor 1/CXCR4 signaling is critical for early human T-cell development. 2002 , 99, 546-54	102
1915	Stromal-derived factor 1 inhibits the cycling of very primitive human hematopoietic cells in vitro and in NOD/SCID mice. 2002 , 99, 792-9	117
1914	Regulation of endothelial cell branching morphogenesis by endogenous chemokine stromal-derived factor-1. 2002 , 99, 2703-11	299
1913	Signaling through ZAP-70 is required for CXCL12-mediated T-cell transendothelial migration. 2002 , 99, 3111-8	86
1912	Human CD34(+)CXCR4(-) sorted cells harbor intracellular CXCR4, which can be functionally expressed and provide NOD/SCID repopulation. 2002 , 100, 2778-86	138
1911	CXCR4-SDF-1 signaling is active in rhabdomyosarcoma cells and regulates locomotion, chemotaxis, and adhesion. 2002 , 100, 2597-606	271
1910	The role of post-translational modifications of the CXCR4 amino terminus in stromal-derived factor 1 alpha association and HIV-1 entry. 2002 , 277, 29484-9	163
1909	A kinetics and modeling study of RANTES(9-68) binding to heparin reveals a mechanism of cooperative oligomerization. 2002 , 41, 14779-89	67
1908	Hematopoietic stem cells are uniquely selective in their migratory response to chemokines. 2002 , 195, 1145-54	407
1907	Total body irradiation causes profound changes in endothelial traffic molecules for hematopoietic progenitor cell recruitment to bone marrow. 2002 , 99, 4182-91	72
1906	Structure, function, and inhibition of chemokines. 2002 , 42, 469-99	492
1905	A role for CCR9 in T lymphocyte development and migration. 2002 , 168, 2811-9	266
1904	The chemokine receptor CXCR2 controls positioning of oligodendrocyte precursors in developing spinal cord by arresting their migration. 2002 , 110, 373-83	295
1903	Guidance of primordial germ cell migration by the chemokine SDF-1. 2002 , 111, 647-59	549
1902	Stem-cell origin of metastasis and heterogeneity in solid tumours. 2002 , 3, 508-13	130
1901	Extracellular factors that regulate neuronal migration in the central nervous system. 2002 , 20, 349-57	56

1900	Opportunities and challenges in targeting HIV entry. 2002 , 2, 529-33	10
1899	Stromal cell-derived factor 1 is secreted by meningeal cells and acts as chemotactic factor on neuronal stem cells of the cerebellar external granular layer. 2002 , 115, 295-305	155
1898	Chemokines in health and disease. 2002 , 86, 127-36	67
1897	HIV-1 entry and entry inhibitors as therapeutic agents. 2002 , 22, 681-701	28
1896	Efficacious immunomodulatory activity of the chemokine stromal cell-derived factor 1 (SDF-1): local secretion of SDF-1 at the tumor site serves as T-cell chemoattractant and mediates T-cell-dependent antitumor responses. 2002 , 100, 1551-1558	61
1895	Fusion mediated by the HIV-1 envelope protein. 2000 , 34, 457-81	3
1894	A dual role for the SDF-1/CXCR4 chemokine receptor system in adult brain: isoform-selective regulation of SDF-1 expression modulates CXCR4-dependent neuronal plasticity and cerebral leukocyte recruitment after focal ischemia. 2002 , 22, 5865-78	337
1893	Functional inactivation of CXC chemokine receptor 4-mediated responses through SOCS3 up-regulation. 2002 , 196, 311-21	58
1892	Developmental expression patterns of CCR5 and CXCR4 in the rhesus macaque brain. 2002 , 122, 146-58	71
1891	Expression of functional chemokine receptors by rat cerebellar neurons. 2002 , 124, 16-28	56
1890	Expression of stromal cell-derived factor 1alpha protein in HIV encephalitis. 2002 , 127, 115-26	59
1889	Stimulation of chemokine CXC receptor 4 induces synaptic depression of evoked parallel fibers inputs onto Purkinje neurons in mouse cerebellum. 2002 , 127, 30-6	59
1888	Ephrins in reverse, park and drive. 2002 , 12, 339-46	143
1887	Somatostatin is a selective chemoattractant for primitive (CD34(+)) hematopoietic progenitor cells. 2002 , 30, 116-25	28
1886	Treatment of circulating CD34(+) cells with SDF-1alpha or anti-CXCR4 antibody enhances migration and NOD/SCID repopulating potential. 2002 , 30, 1061-9	48
1885	Current understanding of stem cell mobilization: the roles of chemokines, proteolytic enzymes, adhesion molecules, cytokines, and stromal cells. 2002 , 30, 973-81	662
1884	Axon guidance: the cytoplasmic tail. 2002 , 14, 221-9	68
1883	Characterization of mouse CCX-CKR, a receptor for the lymphocyte-attracting chemokines TECK/mCCL25, SLC/mCCL21 and MIP-3beta/mCCL19: comparison to human CCX-CKR. 2002 , 32, 1230-41	82

1882	Systemic administration of kainic acid in adult rat stimulates expression of the chemokine receptor CCR5 in the forebrain. 2002 , 37, 124-38	23
1881	Expression of beta-chemokines and chemokine receptors in human fetal astrocyte and microglial co-cultures: potential role of chemokines in the developing CNS. 2002 , 37, 64-75	109
1880	Cytokine and chemokine networks influencing stem cell proliferation, differentiation, and marrow homing. 2002 , 38, 29-38	51
1879	C2PA is a nuclear protein implicated in the heat shock response. 2002 , 87, 65-74	2
1878	Chemokine receptor antagonism as an approach to anti-inflammatory therapy: 'just right' or plain wrong?. 2002 , 6, 510-25	64
1877	Characterization of chemokines and their receptors in the central nervous system: physiopathological implications. 2002 , 82, 1311-29	228
1876	Microarray analysis of selected genes in neural stem and progenitor cells. 2002 , 83, 1481-97	94
1875	Neuroanatomical distribution of CXCR4 in adult rat brain and its localization in cholinergic and dopaminergic neurons. 2002 , 16, 1661-71	156
1874	Glial and neuronal cells express functional chemokine receptor CXCR4 and its natural ligand stromal cell-derived factor 1. 1999 , 73, 2348-57	178
1873	The essential roles of the chemokine SDF-1 and its receptor CXCR4 in human stem cell homing and repopulation of transplanted immune-deficient NOD/SCID and NOD/SCID/B2m(null) mice. 2002 , 16, 1992-2003	361
1872	G-CSF induces stem cell mobilization by decreasing bone marrow SDF-1 and up-regulating CXCR4. 2002 , 3, 687-94	1117
1871	Role of the chemokine SDF-1 as the meningeal attractant for embryonic cerebellar neurons. 2002 , 5, 719-20	202
1870	Nerve growth cone guidance mediated by G protein-coupled receptors. 2002 , 5, 843-8	192
1869	Chemokine receptors: multifaceted therapeutic targets. 2002 , 2, 106-15	578
1868	The hare and the tortoise: an embryonic haematopoietic race. 2002 , 2, 593-604	191
1867	CXCR4/CXCL12 expression and signalling in kidney cancer. 2002 , 86, 1250-6	218
1866	Expression of the chemokine receptor CXCR4 and its ligand stromal cell-derived factor 1 in human brain tumors and their involvement in glial proliferation in vitro. 2002 , 973, 60-9	84
1865	Primary isolated human brain microvascular endothelial cells express diverse HIV/SIV-associated chemokine coreceptors and DC-SIGN and L-SIGN. 2002 , 297, 78-88	56

1864	Chemokine receptors and stromal cells in the homing and homeostasis of chronic lymphocytic leukemia B cells. 2002 , 43, 461-6	119
1863	Immature leukemic CD34+CXCR4+ cells from CML patients have lower integrin-dependent migration and adhesion in response to the chemokine SDF-1. 2002 , 20, 259-66	69
1862	Stem cells for myocardial regeneration. 2002 , 91, 1092-102	258
1861	Tumors and inflammatory infiltrates: friends or foes?. 2002 , 19, 247-58	171
1860	SDF-1alpha/CXCR4: a mechanism for hepatic oval cell activation and bone marrow stem cell recruitment to the injured liver of rats. 2002 , 4, 339-51	207
1859	CXC chemokine receptors in the central nervous system: Role in cerebellar neuromodulation and development. 2002 , 8, 559-72	51
1858	Fractalkine (CX3CL1) and brain inflammation: Implications for HIV-1-associated dementia. 2002 , 8, 585-98	83
1857	Slit proteins, potential endogenous modulators of inflammation. 2002 , 8, 486-95	3
1856	Chemokine receptors and neural function. 2002 , 8, 573-84	49
1855	Cellular and molecular mechanisms of cerebellar granule cell migration. 2003 , 37, 213-34	72
1854	Complement: structure, functions, evolution, and viral molecular mimicry. 2003 , 27, 367-86	48
1853	CXCR4-SDF-1 signalling, locomotion, chemotaxis and adhesion. 2004 , 35, 233-45	527
1852	The chemokine receptor CXCR4 regulates cell-cycle proteins in neurons. 2003 , 9, 300-14	63
1851	Expression of functional CXCR4 by muscle satellite cells and secretion of SDF-1 by muscle-derived fibroblasts is associated with the presence of both muscle progenitors in bone marrow and hematopoietic stem/progenitor cells in muscles. 2003 , 21, 363-71	208
1850	[Chemokine--possible new options for the treatment of multiple sclerosis]. 2003 , 74, 850-7	
1849	Chemokine signaling: rules of attraction. 2003 , 13, R192-4	43
1848	Ex vivo manipulation of umbilical cord blood-derived hematopoietic stem/progenitor cells with recombinant human stem cell factor can up-regulate levels of homing-essential molecules to increase their trans migratory potential. 2003 , 31, 1237-46	45
1847	Expression of AMPA-type glutamate receptors in HEK cells and cerebellar granule neurons impairs CXCL2-mediated chemotaxis. 2003 , 134, 61-71	19

1846	Signalling pathways involved in the chemotactic activity of CXCL12 in cultured rat cerebellar neurons and CHP100 neuroepithelioma cells. 2003 , 135, 38-46	48
1845	Structure-activity relationship of neomycin, paromomycin, and neamine-arginine conjugates, targeting HIV-1 gp120-CXCR4 binding step. 2003 , 60, 181-92	22
1844	Chemokine receptors in the brain: a developing story. 2003 , 457, 1-6	42
1843	Developmental changes in the expression of chemokine receptor CCR1 in the rat cerebellum. 2003 , 457, 7-23	42
1842	Role of the alpha-chemokine stromal cell-derived factor (SDF-1) in the developing and mature central nervous system. 2003 , 42, 139-48	257
1841	Quinolinic acid upregulates chemokine production and chemokine receptor expression in astrocytes. 2003 , 41, 371-81	125
1840	Expression of chemokines and their receptors in human and simian astrocytes: evidence for a central role of TNF alpha and IFN gamma in CXCR4 and CCR5 modulation. 2003 , 41, 354-70	141
1839	Post-translational and cell type-specific regulation of CXCR4 expression by cytokines. 2003 , 33, 3028-37	44
1838	Schwann cell chemokine receptors mediate HIV-1 gp120 toxicity to sensory neurons. 2003 , 54, 287-96	154
1837	CCR1 is an early and specific marker of Alzheimer's disease. 2003 , 54, 638-46	40
1836	Availability of drugs should be disclosed by manufacturers. 2003 , 48, 2389	1
1835	Lymphomas after tumor necrosis factor antagonist therapy: comment on the article by Brown et al. 2003 , 48, 2389	2
1834	Expression of the interferon-gamma-inducible 10-kd protein and CXC receptor 3 in the salivary gland lesions of patients with Sjögren's syndrome: comment on the article by Ogawa et al. 2003 , 48, 2390-1; author reply 2391-2	3
1833	Reply. 2003 , 48, 2391-2392	
1832	Homing of antibody secreting cells. 2003 , 194, 48-60	170
1831	Thymic generation and regeneration. 2003 , 195, 28-50	111
1830	Increased transmigration of G-CSF-mobilized peripheral blood CD34+ cells after overnight storage at 37 degrees C. 2003 , 43, 1575-86	3
1829	Highly regionalized distribution of stromal cell-derived factor-1/CXCL12 in adult rat brain: constitutive expression in cholinergic, dopaminergic and vasopressinergic neurons. 2003 , 18, 1593-606	137

1828	CXCR4 chemokine receptors (CD184) and alpha4beta1 integrins mediate spontaneous migration of human CD34+ progenitors and acute myeloid leukaemia cells beneath marrow stromal cells (pseudoemperipolesis). 2003 , 122, 579-89		63
1827	Stromal-derived factor 1 and matrix metalloproteinase 9 levels in bone marrow and peripheral blood of patients mobilized by granulocyte colony-stimulating factor and chemotherapy. Relationship with mobilizing capacity of haematopoietic progenitor cells. 2003 , 122, 918-26		35
1826	Signalling mechanisms mediating neuronal responses to guidance cues. 2003 , 4, 941-56		234
1825	SAP is required for generating long-term humoral immunity. <i>Nature</i> , 2003 , 421, 282-7	50.4	346
1824	A zebrafish homologue of the chemokine receptor Cxcr4 is a germ-cell guidance receptor. <i>Nature</i> , 2003 , 421, 279-82	50.4	347
1823	Proteoglycans on bone marrow endothelial cells bind and present SDF-1 towards hematopoietic progenitor cells. 2003 , 17, 175-84		76
1822	Effects of inhibitors of the chemokine receptor CXCR4 on acute lymphoblastic leukemia cells in vitro. 2003 , 17, 1294-300		173
1821	Developmental biology: Germ-cell attraction. <i>Nature</i> , 2003 , 421, 226-7	50.4	34
1820	A genetic approach to inactivating chemokine receptors using a modified viral protein. 2003 , 21, 1321-7		29
1819	Mutations in the chemokine receptor gene CXCR4 are associated with WHIM syndrome, a combined immunodeficiency disease. 2003 , 34, 70-4		542
1818	Primordial germ-cell development: the zebrafish perspective. 2003 , 4, 690-700		218
1817	Cell migration and the control of post-natal T-cell lymphopoiesis in the thymus. 2003 , 3, 859-66		149
1816	Chemokine receptors: signposts to brain development and disease. 2003 , 4, 444-55		259
1815	Chemokines and their receptors in the CNS: expression of CXCL12/SDF-1 and CXCR4 and their role in astrocyte proliferation. 2003 , 139, 181-9		81
1814	Stromal cell-derived factor-1 (SDF-1) recruits osteoclast precursors by inducing chemotaxis, matrix metalloproteinase-9 (MMP-9) activity, and collagen transmigration. 2003 , 18, 1404-18		189
1813	Directional guidance of interneuron migration to the cerebral cortex relies on subcortical Slit1/2-independent repulsion and cortical attraction. 2003 , 130, 1889-901		122
1812	The use of suppression subtractive hybridization for the study of SDF-1alpha induced gene-expression in human endothelial cells. 2003 , 17, 245-52		4
1811	Chemokines as organizers of primary and secondary lymphoid organs. 2003 , 15, 249-55		31

1810	Cell surface peptidase CD26/DPPIV mediates G-CSF mobilization of mouse progenitor cells. 2003 , 101, 4680-6	169
1809	The regulation of hematopoietic stem cell and progenitor mobilization by chemokine SDF-1. 2003 , 44, 575-82	100
1808	Lipid bilayer simulations of CXCR4 with inverse agonists and weak partial agonists. 2003 , 278, 47136-44	98
1807	Toward cell replacement therapy: promises and caveats. 2003 , 184, 61-77	31
1806	HIV coreceptors: role of structure, posttranslational modifications, and internalization in viral-cell fusion and as targets for entry inhibitors. 2003 , 1614, 51-61	57
1805	Effect of stromal-cell-derived factor 1 on stem-cell homing and tissue regeneration in ischaemic cardiomyopathy. 2003 , 362, 697-703	1080
1804	Regulation of CXCR4 expression in human T lymphocytes by calcium and calcineurin. 2003 , 40, 539-53	19
1803	Expression of chemokine receptors, CXCR4 and CXCR5, and chemokines, BLC and SDF-1, in the eyes of patients with primary intraocular lymphoma. 2003 , 110, 421-6	79
1802	Cyclic AMP and tumor necrosis factor-alpha regulate CXCR4 gene expression in Schwann cells. 2003 , 24, 1-9	21
1801	Long-term hematopoietic stem cells require stromal cell-derived factor-1 for colonizing bone marrow during ontogeny. 2003 , 19, 257-67	264
1800	Molecular evolution of CXC chemokines: extant CXC chemokines originate from the CNS. 2003 , 24, 307-13	87
1799	Critical role for CXCR4 signaling in progenitor localization and T cell differentiation in the postnatal thymus. 2003 , 171, 4521-7	187
1798	Transforming growth factor-beta1 down-regulates expression of chemokine stromal cell-derived factor-1: functional consequences in cell migration and adhesion. 2003 , 102, 1978-84	89
1797	Fractalkine. 2003 , 1101-1116	1
1796	Interleukin-8 and other CXC chemokines. 2003 , 1049-1081	9
1795	Biology of hematopoietic stem cells and progenitors: implications for clinical application. 2003 , 21, 759-806	770
1794	CXC Chemokines. 2003 , 351-362	0
1793	Recent advances in cerebellar granule cell migration. 2003 , 60, 1084-98	101

1792	Identification of allosteric peptide agonists of CXCR4. 2003 , 278, 896-907	106
1791	Ligand-independent dimerization of CXCR4, a principal HIV-1 coreceptor. 2003 , 278, 3378-85	173
1790	A novel cyclic peptide immunization strategy for preventing HIV-1/AIDS infection and progression. 2003 , 278, 32335-43	18
1789	Differential regulation of CXCR4-mediated T-cell chemotaxis and mitogen-activated protein kinase activation by the membrane tyrosine phosphatase, CD45. 2003 , 278, 9536-43	72
1788	Distinct requirements for IL-7 in development of TCR gamma delta cells during fetal and adult life. 2003 , 170, 4087-94	25
1787	A role of CXC chemokine ligand 12/stromal cell-derived factor-1/pre-B cell growth stimulating factor and its receptor CXCR4 in fetal and adult T cell development in vivo. 2003 , 170, 4649-55	140
1786	CXCR4/CD184 immunoreactivity in T-cell non-Hodgkin lymphomas with an overall Th1- Th2+ immunophenotype. 2003 , 119, 424-30	19
1785	Gated importation of prothymocytes by adult mouse thymus is coordinated with their periodic mobilization from bone marrow. 2003 , 171, 3568-75	48
1784	Multiple roles of ephrins in morphogenesis, neuronal networking, and brain function. 2003 , 17, 1429-50	213
1783	Stromal cell-derived factor-1 effects on ex vivo expanded endothelial progenitor cell recruitment for ischemic neovascularization. 2003 , 107, 1322-8	998
1782	Sustained activation of cell adhesion is a differentially regulated process in B lymphopoiesis. 2003 , 197, 461-73	77
1781	Serum inactivation contributes to the failure of stromal-derived factor-1 to block HIV-1 infection in vivo. 2003 , 74, 880-8	30
1780	Impaired colonization of the gonads by primordial germ cells in mice lacking a chemokine, stromal cell-derived factor-1 (SDF-1). 2003 , 100, 5319-23	257
1779	The chemokine SDF1/CXCL12 and its receptor CXCR4 regulate mouse germ cell migration and survival. 2003 , 130, 4279-86	344
1778	Circulating levels of stromal cell-derived factor 1alpha and interleukin 7 in HIV type 1 infection and pulmonary tuberculosis are reciprocally related to CXCR4 expression on peripheral blood leukocytes. 2003 , 19, 461-8	16
1777	HIV type 1 infection alters cytokine mRNA expression in thymus. 2003 , 19, 1-12	11
1776	A duodenally absorbable CXC chemokine receptor 4 antagonist, KRH-1636, exhibits a potent and selective anti-HIV-1 activity. 2003 , 100, 4185-90	146
1775	Transgenic expression of stromal cell-derived factor-1/CXC chemokine ligand 12 enhances myeloid progenitor cell survival/antiapoptosis in vitro in response to growth factor withdrawal and enhances myelopoiesis in vivo. 2003 , 170, 421-9	147

1774	The stromal derived factor-1/CXCL12-CXC chemokine receptor 4 biological axis in non-small cell lung cancer metastases. 2003 , 167, 1676-86	393
1773	Control of axon elongation via an SDF-1alpha/Rho/mDia pathway in cultured cerebellar granule neurons. 2003 , 161, 381-91	161
1772	Increased immunoreactivity of stromal cell-derived factor-1 and angiogenesis in asthma. 2003 , 21, 804-9	41
1771	A small-molecule antagonist of CXCR4 inhibits intracranial growth of primary brain tumors. 2003 , 100, 13513-8	537
1770	The stromal cell-derived factor-1alpha/CXCR4 ligand-receptor axis is critical for progenitor survival and migration in the pancreas. 2003 , 163, 859-69	94
1769	Stromal cell-derived factor-1/CXCL12 directly enhances survival/antiapoptosis of myeloid progenitor cells through CXCR4 and G(alpha)i proteins and enhances engraftment of competitive, repopulating stem cells. 2003 , 73, 630-8	147
1768	CCL27/PESKY: a novel paradigm for chemokine function. 2003 , 3, 15-22	18
1767	Quinolinic acid up-regulates chemokine production and chemokine receptor expression in astrocytes. 2003 , 527, 37-45	23
1766	SDF-1alpha is expressed in astrocytes and neurons in the AIDS dementia complex: an in vivo and in vitro study. 2003 , 62, 617-26	68
1765	CD26 is essential for normal G-CSF-induced progenitor cell mobilization as determined by CD26 ^{-/-} mice. 2003 , 31, 1126-1134	99
1764	WHIM syndrome: a genetic disorder of leukocyte trafficking. 2003 , 3, 443-50	53
1763	Heterologous cells cooperate to augment stem cell migration, homing, and engraftment. 2003 , 101, 45-51	45
1762	A defect in hematopoietic stem cell migration explains the nonrandom X-chromosome inactivation in carriers of Wiskott-Aldrich syndrome. 2003 , 102, 1282-9	70
1761	CXCL12 expression by invasive trophoblasts induces the specific migration of CD16 ⁻ human natural killer cells. 2003 , 102, 1569-77	268
1760	Selective expression of stromal-derived factor-1 in the capillary vascular endothelium plays a role in Kaposi sarcoma pathogenesis. 2003 , 102, 3900-5	53
1759	Chemokines in the pathogenesis of liver disease: so many players with poorly defined roles. 2003 , 104, 47-63	35
1758	Chemokines in the pathogenesis of liver disease: so many players with poorly defined roles. 2003 , 104, 47	49
1757	The chemokine stromal cell-derived factor-1 promotes the survival of embryonic retinal ganglion cells. 2003 , 23, 4601-12	84

1756	Dynamic expression of RGS4 in the developing nervous system and regulation by the neural type-specific transcription factor Phox2b. 2003 , 23, 10613-21	44
1755	CXCR4 regulates interneuron migration in the developing neocortex. 2003 , 23, 5123-30	379
1754	A chemokine, SDF-1, reduces the effectiveness of multiple axonal repellents and is required for normal axon pathfinding. 2003 , 23, 1360-71	195
1753	Frequency modulation of synchronized Ca ²⁺ spikes in cultured hippocampal networks through G-protein-coupled receptors. 2003 , 23, 4156-63	57
1752	[Zebrafish, a model for migration of cancer cells?]. 2003 , 19, 780-2	
1751	The chemokine network in cancer--much more than directing cell movement. 2004 , 48, 489-96	159
1750	. 2004 ,	3
1749	Chemokines and their receptors as therapeutic targets: the role of the SDF-1/CXCR4 axis. 2004 , 10, 1245-59	90
1748	Stromal-derived factor-1alpha/CXCL12-CXCR 4 axis is involved in the dissemination of NSCLC cells into pleural space. 2004 , 30, 671-7	73
1747	Stromal cell-derived factor-1 (SDF-1) signalling regulates human placental trophoblast cell survival. 2004 , 10, 901-9	59
1746	Recent advances in understanding the molecular mechanisms of HIV-1 entry and fusion: revisiting current targets and considering new options for therapeutic intervention. 2004 , 2, 223-34	46
1745	The role of CXCR4 in maintaining peripheral B cell compartments and humoral immunity. 2004 , 200, 1145-56	274
1744	STAT5 activation underlies IL7 receptor-dependent B cell development. 2004 , 172, 4770-8	119
1743	G-Protein Coupled Receptors as Allosteric Machines. 2004 , 10, 51-60	9
1742	HUMAN PREGNANCY: THE ROLE OF CHEMOKINE NETWORKS AT THE FETAL/MATERNAL INTERFACE. 2004 , 11, 87-103	2
1741	Synergy between proinflammatory ligands of G protein-coupled receptors in neutrophil activation and migration. 2004 , 76, 185-94	89
1740	Molecular mechanisms governing thymocyte migration: combined role of chemokines and extracellular matrix. 2004 , 75, 951-61	102
1739	The expression of CXCR4/CXCL12 in first-trimester human trophoblast cells. 2004 , 70, 1877-85	88

1738	Vitreous levels of vascular endothelial growth factor and stromal-derived factor 1 in patients with diabetic retinopathy and cystoid macular edema before and after intraocular injection of triamcinolone. 2004 , 122, 1801-7	175
1737	Proinflammatory chemokines, such as C-C chemokine ligand 3, desensitize mu-opioid receptors on dorsal root ganglia neurons. 2004 , 173, 594-9	109
1736	Characterization of Nef-CXCR4 interactions important for apoptosis induction. 2004 , 78, 11084-96	39
1735	G-protein coupled receptors as allosteric machines. 2004 , 10, 51-60	40
1734	Handbook of Cancer Vaccines. 2004 ,	5
1733	GRK6 deficiency is associated with enhanced CXCR4-mediated neutrophil chemotaxis in vitro and impaired responsiveness to G-CSF in vivo. 2004 , 75, 698-704	74
1732	Immunobiology of Organ Transplantation. 2004 ,	2
1731	Molecular mechanism of AMD3100 antagonism in the CXCR4 receptor: transfer of binding site to the CXCR3 receptor. 2004 , 279, 3033-41	188
1730	CCR7 directs the migration of thymocytes into the thymic medulla. 2004 , 172, 3999-4007	140
1729	Abnormal B-cell responses to chemokines, disturbed plasma cell localization, and distorted immune tissue architecture in Rgs1 ^{-/-} mice. 2004 , 24, 5767-75	85
1728	CXCR4 regulates migration and development of human acute myelogenous leukemia stem cells in transplanted NOD/SCID mice. 2004 , 64, 2817-24	287
1727	Rapid mobilization of CD34 ⁺ cells following administration of the CXCR4 antagonist AMD3100 to patients with multiple myeloma and non-Hodgkin's lymphoma. 2004 , 22, 1095-102	372
1726	PECAM-1, apoptosis and CD34 ⁺ precursors. 2004 , 45, 2205-13	12
1725	Gene expression profiles during human CD4 ⁺ T cell differentiation. 2004 , 16, 1109-24	62
1724	CXCR4-mediated suppressor of cytokine signaling up-regulation inactivates growth hormone function. 2004 , 279, 44460-6	17
1723	Mucosal angiogenesis regulation by CXCR4 and its ligand CXCL12 expressed by human intestinal microvascular endothelial cells. 2004 , 286, G1059-68	54
1722	Inflammation controls B lymphopoiesis by regulating chemokine CXCL12 expression. 2004 , 199, 47-58	201
1721	Three novel carp CXC chemokines are expressed early in ontogeny and at nonimmune sites. 2004 , 271, 4094-106	66

1720	Positioning the immune system: unexpected roles for alpha6-integrins. 2004 , 111, 381-3	12
1719	Mechanisms of selection mediated by interleukin-7, the preBCR, and hemokinin-1 during B-cell development. 2004 , 197, 75-88	46
1718	Germinal center dark and light zone organization is mediated by CXCR4 and CXCR5. 2004 , 5, 943-52	535
1717	Progenitor cell trafficking is regulated by hypoxic gradients through HIF-1 induction of SDF-1. 2004 , 10, 858-64	2166
1716	Cancer and the chemokine network. 2004 , 4, 540-50	1852
1715	SDF-1alpha/CXCL12 enhances retroviral-mediated gene transfer into immature subsets of human and murine hematopoietic progenitor cells. 2004 , 11, 61-9	5
1714	Inhibition of HIV-1 fusion with small interfering RNAs targeting the chemokine coreceptor CXCR4. 2004 , 11, 1703-12	53
1713	Stem cell plasticity revisited: CXCR4-positive cells expressing mRNA for early muscle, liver and neural cells 'hide out' in the bone marrow. 2004 , 18, 29-40	286
1712	Transplantation studies in C3-deficient animals reveal a novel role of the third complement component (C3) in engraftment of bone marrow cells. 2004 , 18, 1482-90	85
1711	The chemokine CXCL10 modulates excitatory activity and intracellular calcium signaling in cultured hippocampal neurons. 2004 , 156, 74-87	61
1710	The significance of cancer cell expression of the chemokine receptor CXCR4. 2004 , 14, 171-9	612
1709	Mutant G-protein-coupled receptors as a cause of human diseases. 2004 , 104, 173-206	230
1708	Differential expression of CXCR4 receptor in early and term human placenta. 2004 , 25, 347-51	28
1707	Identification of genes differentially expressed in T cells following stimulation with the chemokines CXCL12 and CXCL10. 2004 , 5, 17	8
1706	Expression of the chemokine receptor Cxcr4 mRNA during mouse brain development. 2004 , 149, 63-71	95
1705	High-level expression of functional chemokine receptor CXCR4 on human neural precursor cells. 2004 , 152, 159-69	66
1704	In search of "stemness". 2004 , 32, 585-98	144
1703	Upregulation of CXCR4 is essential for HER2-mediated tumor metastasis. 2004 , 6, 459-69	443

1702	Guidance of primordial germ cell migration. 2004 , 16, 169-73	80
1701	Hypoxic gene expression and metastasis. 2004 , 23, 293-310	185
1700	Chemokines promote quiescence and survival of human neural progenitor cells. 2004 , 22, 109-18	133
1699	Intracellular localization and constitutive endocytosis of CXCR4 in human CD34+ hematopoietic progenitor cells. 2004 , 22, 1015-29	88
1698	Differential chemotactic potential of mouse platelet basic protein for thymocyte subsets. 2004 , 61, 1935-45	5
1697	Analysis of leukocyte extravasation across the blood-brain barrier: conceptual and technical aspects. 2004 , 4, 65-73	24
1696	Prospects of HIV-1 entry inhibitors as novel therapeutics. 2004 , 14, 255-70	62
1695	Effects of chemokines on proliferation and apoptosis of human mesangial cells. 2004 , 5, 8	33
1694	Reciprocal chemokine receptor and ligand expression in the human placenta: implications for cytotrophoblast differentiation. 2004 , 229, 877-85	55
1693	Chemokine receptors are expressed widely by embryonic and adult neural progenitor cells. 2004 , 76, 20-34	212
1692	Stromal cell-derived factor 1-mediated CXCR4 signaling in rat and human cortical neural progenitor cells. 2004 , 76, 35-50	142
1691	Gene expression profile activated by the chemokine CCL5/RANTES in human neuronal cells. 2004 , 78, 371-82	38
1690	Thymic T cell development and progenitor localization depend on CCR7. 2004 , 200, 481-91	166
1689	HIV-1 entry inhibitors: closing the front door. 2004 , 8, 65-78	8
1688	The CCR5 and CXCR4 coreceptors--central to understanding the transmission and pathogenesis of human immunodeficiency virus type 1 infection. 2004 , 20, 111-26	382
1687	Enhancement of cell survival by stromal cell-derived factor-1/CXCL12 involves activation of CREB and induction of Mcl-1 and c-Fos in factor-dependent human cell line MO7e. 2004 , 13, 563-70	26
1686	MIP-1alpha induces differential MAP kinase activation and IkappaB gene expression in human B lymphocytes. 2004 , 24, 403-10	4
1685	HIV entry and fusion inhibitors. 2004 , 9, 1-7	9

1684	Dexamethasone downregulates chemokine receptor CXCR4 and exerts neuroprotection against hypoxia/ischemia-induced brain injury in neonatal rats. 2004 , 11, 404-13	60
1683	Apoptosis of uninfected cells induced by HIV envelope glycoproteins. 2004 , 1, 12	68
1682	Transgenic Models in Pharmacology. 2004 ,	1
1681	Chemokine receptors: understanding their role in asthmatic disease. 2004 , 24, 667-83, vii	13
1680	Growth factors mobilize CXCR4 low/negative primitive hematopoietic stem/progenitor cells from the bone marrow of nonhuman primates. 2004 , 10, 681-90	10
1679	Tissue-specific muscle, neural and liver stem/progenitor cells reside in the bone marrow, respond to an SDF-1 gradient and are mobilized into peripheral blood during stress and tissue injury. 2004 , 32, 52-7	183
1678	Temporal regulation of cerebellar EGL migration through a switch in cellular responsiveness to the meninges. 2004 , 267, 153-64	13
1677	Primordial germ cell migration in the chick and mouse embryo: the role of the chemokine SDF-1/CXCL12. 2004 , 272, 351-61	157
1676	Umbilical cord blood stem cells can expand hematopoietic and neuroglial progenitors in vitro. 2004 , 295, 350-9	108
1675	Cellular niches controlling B lymphocyte behavior within bone marrow during development. 2004 , 20, 707-18	606
1674	Immune and nervous system CXCL12 and CXCR4: parallel roles in patterning and plasticity. 2004 , 25, 306-14	93
1673	Regulation of lymphoid and myeloid leukemic cell survival: role of stromal cell adhesion molecules. 2004 , 45, 35-48	23
1672	Origins of mammalian hematopoiesis: in vivo paradigms and in vitro models. 2004 , 60, 127-96	48
1671	Co-receptor antagonists as HIV-1 entry inhibitors. 2004 , 17, 7-16	69
1670	Novel strategies for hematopoietic stem cell mobilization. 2004 , 9, 54-63	
1669	SDF-1 involvement in endothelial phenotype and ischemia-induced recruitment of bone marrow progenitor cells. 2004 , 104, 3472-82	449
1668	Unique SDF-1-induced activation of human precursor-B ALL cells as a result of altered CXCR4 expression and signaling. 2004 , 103, 2900-7	124
1667	Mobilization studies in mice deficient in either C3 or C3a receptor (C3aR) reveal a novel role for complement in retention of hematopoietic stem/progenitor cells in bone marrow. 2004 , 103, 2071-8	154

1666	Differential processing of stromal-derived factor-1alpha and stromal-derived factor-1beta explains functional diversity. 2004 , 103, 2452-9	173
1665	Homeostatic chemokines drive migration of malignant B cells in patients with non-Hodgkin lymphomas. 2004 , 104, 502-8	125
1664	Relation between CXCR-4 expression, Flt3 mutations, and unfavorable prognosis of adult acute myeloid leukemia. 2004 , 104, 550-7	233
1663	Chemokine inhibition--why, when, where, which and how?. 2004 , 32, 366-77	82
1662	Chemokines and Central Nervous System Physiology. 2005 , 55, 159-187	1
1661	CXCL12 activation of CXCR4 regulates mucosal host defense through stimulation of epithelial cell migration and promotion of intestinal barrier integrity. 2005 , 288, G316-26	62
1660	Chemokines and Their Receptors in Hematopoietic Cell Development and Functioning. 2005 , 115-142	1
1659	Effects of HIV-1 Nef, a cytotoxic viral protein, on the growth of primary colorectal cancer. 2005 , 4, 65-9	12
1658	Influence of low level laser radiation on migration of stem cells. 2005 , 5968, 58	3
1657	Host Defence: An Interaction of Neuroendocrine-, Metabolic- and Immune Mechanisms in the Interest of Survival. 2005 , 3-25	6
1656	Molecular Control of Leukocyte Trafficking Internal Regulatory Circuits of the Immune System: Leukocyte Circulation and Homing. 2005 , 5, 185-214	
1655	Stromal cell-derived factor-1alpha/CXCL12-induced chemotaxis of T cells involves activation of the RasGAP-associated docking protein p62Dok-1. 2005 , 105, 474-80	50
1654	Incorporation of CXCR4 into membrane lipid rafts primes homing-related responses of hematopoietic stem/progenitor cells to an SDF-1 gradient. 2005 , 105, 40-8	201
1653	WHIM syndromes with different genetic anomalies are accounted for by impaired CXCR4 desensitization to CXCL12. 2005 , 105, 2449-57	231
1652	The role of CXCL12 in the organ-specific process of artery formation. 2005 , 105, 3155-61	83
1651	Identification of a human B-cell/myeloid common progenitor by the absence of CXCR4. 2005 , 105, 3488-92	37
1650	Control of lymphocyte shape and the chemotactic response by the GTP exchange factor Vav. 2005 , 105, 3026-34	63
1649	Leukocyte migration and graft-versus-host disease. 2005 , 105, 4191-9	248

1648	RGS16 is a negative regulator of SDF-1-CXCR4 signaling in megakaryocytes. 2005 , 106, 2962-8	80
1647	Identification of carboxypeptidase N as an enzyme responsible for C-terminal cleavage of stromal cell-derived factor-1alpha in the circulation. 2005 , 105, 4561-8	83
1646	Trafficking of normal stem cells and metastasis of cancer stem cells involve similar mechanisms: pivotal role of the SDF-1-CXCR4 axis. 2005 , 23, 879-94	647
1645	SDF-1/CXCL12 enhances survival and chemotaxis of murine embryonic stem cells and production of primitive and definitive hematopoietic progenitor cells. 2005 , 23, 1324-32	120
1644	Renal SDF-1 signals mobilization and homing of CXCR4-positive cells to the kidney after ischemic injury. 2005 , 67, 1772-84	305
1643	The SDF-1/CXCR4 pathway and the development of the cerebellar system. 2005 , 22, 1831-9	57
1642	The ins and outs of HIV replication. 2005 , 7, 621-6	38
1641	Stromal cells attract B-cell progenitors to promote B-cell-B-cell contact and maturation. 2005 , 62 Suppl 1, 67-72	5
1640	Chemokine control of lymphocyte trafficking: a general overview. 2005 , 116, 1-12	180
1639	Increased number of CD34+ cells in nasal mucosa of allergic rhinitis patients: inhibition by a local corticosteroid. 2005 , 35, 34-8	37
1638	Eosinophils and rhinitis. 2005 , 5, 55-63	2
1637	Clinical investigation: increased serum stromal derived factor 1 alpha levels in pulmonary tuberculosis. 2005 , 139, 490-7	4
1636	Chemokine receptor CXCR4-dependent internalization and resecretion of functional chemokine SDF-1 by bone marrow endothelial and stromal cells. 2005 , 6, 1038-46	293
1635	Chemokines: integrators of pain and inflammation. 2005 , 4, 834-44	199
1634	New concepts in drug discovery: collateral efficacy and permissive antagonism. 2005 , 4, 919-27	254
1633	HIV-1 infection and AIDS: consequences for the central nervous system. 2005 , 12 Suppl 1, 878-92	283
1632	CXCR4 knockdown by small interfering RNA abrogates breast tumor growth in vivo. 2005 , 12, 84-9	149
1631	Bone marrow as a home of heterogenous populations of nonhematopoietic stem cells. 2005 , 19, 1118-27	158

1630	The chemokine SDF-1/CXCL12 contributes to T lymphocyte recruitment in human pre-ovulatory follicles and coordinates with lymphocytes to increase granulosa cell survival and embryo quality. 2005 , 54, 270-83	43
1629	CXCR4 mutations in WHIM syndrome: a misguided immune system?. 2005 , 203, 235-43	81
1628	Diverse signaling pathways through the SDF-1/CXCR4 chemokine axis in prostate cancer cell lines leads to altered patterns of cytokine secretion and angiogenesis. 2005 , 17, 1578-92	152
1627	Expression analysis and potential functional role of the CXCR4 chemokine receptor in bladder cancer. 2005 , 47, 111-7	34
1626	The CXCR4 agonist peptide, CTCE-0021, rapidly mobilizes polymorphonuclear neutrophils and hematopoietic progenitor cells into peripheral blood and synergizes with granulocyte colony-stimulating factor. 2005 , 33, 295-307	80
1625	Are bone marrow stem cells plastic or heterogenous--that is the question. 2005 , 33, 613-23	81
1624	Homing to hypoxia: HIF-1 as a mediator of progenitor cell recruitment to injured tissue. 2005 , 15, 57-63	263
1623	The HIV-1 coat protein gp120 regulates CXCR4-mediated signaling in neural progenitor cells. 2005 , 160, 68-76	31
1622	Chemokine CX3CL1 protects rat hippocampal neurons against glutamate-mediated excitotoxicity. 2005 , 166, 19-28	116
1621	Andrograpanin, a compound isolated from anti-inflammatory traditional Chinese medicine <i>Andrographis paniculata</i> , enhances chemokine SDF-1alpha-induced leukocytes chemotaxis. 2005 , 95, 970-8	35
1620	Subtype-specific expression and genetic alterations of the chemokinereceptor gene CXCR4 in medulloblastomas. 2005 , 117, 82-9	44
1619	Expression of chemokine receptor CXCR4 during chick embryo development. 2005 , 210, 35-41	34
1618	HIV-1, chemokines and neurogenesis. 2005 , 8, 149-58	32
1617	Experimental and potential future therapeutic approaches for HIV-1 associated dementia targeting receptors for chemokines, glutamate and erythropoietin. 2005 , 8, 167-86	28
1616	WHIM syndrome: a defect in CXCR4 signaling. 2005 , 5, 350-5	56
1615	New chemokine targets for asthma therapy. 2005 , 5, 155-60	50
1614	Primordial Germ Cell Migration in Zebrafish. 2005 , 173-189	
1613	. 2005 ,	2

1612	Chemokine Signaling: The Functional Importance of Stabilizing Receptor Conformations. 2005 , 153-170	
1611	Defective p38 mitogen-activated protein kinase signaling impairs chemotactic but not proliferative responses to stromal-derived factor-1alpha in acute lymphoblastic leukemia. 2005 , 65, 3290-8	50
1610	The chemokine stromal cell-derived factor-1 regulates the migration of sensory neuron progenitors. 2005 , 25, 3995-4003	185
1609	Stromal derived growth factor-1alpha as a beacon for stem cell homing in development and injury. 2005 , 2, 319-29	22
1608	Targeting chemoattractant receptors in allergic inflammation. 2005 , 4, 163-7	3
1607	The chemokine SDF-1 differentially regulates axonal elongation and branching in hippocampal neurons. 2005 , 118, 1071-80	109
1606	Suppression of multiclade R5 and X4 human immunodeficiency virus type-1 infections by a coreceptor-based anti-HIV strategy. 2005 , 138, 571-82	3
1605	Cortisol-induced CXCR4 augmentation mobilizes T lymphocytes after acute physical stress. 2005 , 288, R591-9	42
1604	Inflammation and the reciprocal production of granulocytes and lymphocytes in bone marrow. 2005 , 201, 1771-80	261
1603	Engineering chemokines to develop optimized HIV inhibitors. 2005 , 6, 207-19	30
1602	Chemokines and brain functions. 2005 , 4, 387-99	67
1601	Cell-specific deletion of glucosylceramide synthase in brain leads to severe neural defects after birth. 2005 , 102, 12459-64	153
1600	Complex determinants in human immunodeficiency virus type 1 envelope gp120 mediate CXCR4-dependent infection of macrophages. 2005 , 79, 13250-61	37
1599	Cytokine Receptor Heterogeneity. 2005 , 23-34	1
1598	Stromal cell-derived factor-1/CXCL12 selectively counteracts inhibitory effects of myelosuppressive chemokines on hematopoietic progenitor cell proliferation in vitro. 2005 , 14, 199-203	22
1597	Elevated serum levels of stromal-derived factor-1alpha are associated with increased osteoclast activity and osteolytic bone disease in multiple myeloma patients. 2005 , 65, 1700-9	174
1596	Transactivation of CXCR4 by the insulin-like growth factor-1 receptor (IGF-1R) in human MDA-MB-231 breast cancer epithelial cells. 2005 , 280, 39701-8	86
1595	A CXCR4-dependent chemorepellent signal contributes to the emigration of mature single-positive CD4 cells from the fetal thymus. 2005 , 175, 5115-25	49

1594	The chemokine SDF-1/CXCL12 binds to and signals through the orphan receptor RDC1 in T lymphocytes. 2005 , 280, 35760-6	772
1593	Integration/Interaction of Oncologic Growth. 2005 ,	3
1592	Postnatal stem cell survival: does the niche, a rare harbor where to resist the ebb tide of differentiation, also provide lineage-specific instructions?. 2005 , 78, 836-44	15
1591	Novel monoclonal antibodies detect elevated levels of the chemokine CCL18/DC-CK1 in serum and body fluids in pathological conditions. 2005 , 77, 739-47	15
1590	p210BCR-ABL inhibits SDF-1 chemotactic response via alteration of CXCR4 signaling and down-regulation of CXCR4 expression. 2005 , 65, 2676-83	50
1589	Inhibition of atherogenesis in BLT1-deficient mice reveals a role for LTB4 and BLT1 in smooth muscle cell recruitment. 2005 , 112, 578-86	117
1588	Blockade of the stromal cell-derived factor-1/CXCR4 axis attenuates in vivo tumor growth by inhibiting angiogenesis in a vascular endothelial growth factor-independent manner. 2005 , 65, 5864-71	162
1587	Are chemokines the third major system in the brain?. 2005 , 78, 1204-9	100
1586	Adult bone marrow-derived stem cells and the injured heart: just the beginning?. 2005 , 28, 665-76	15
1585	Monokine induced by interferon-gamma acts as a neurotrophic factor on PC12 cells and rat primary sympathetic neurons. 2005 , 280, 34268-77	5
1584	CXCR4 and Gab1 cooperate to control the development of migrating muscle progenitor cells. 2005 , 19, 2187-98	142
1583	Identification of the cytoplasmic domains of CXCR4 involved in Jak2 and STAT3 phosphorylation. 2005 , 280, 6692-700	55
1582	Genetic manipulation of stromal cell-derived factor-1 attests the pivotal role of the autocrine SDF-1-CXCR4 pathway in the aggressiveness of breast cancer cells. 2005 , 26, 1429	7
1581	Crosstalk between chemokines and neuronal receptors bridges immune and nervous systems. 2005 , 78, 1210-4	54
1580	Stromal cell-derived factor-1alpha (SDF-1alpha/CXCL12) stimulates ovarian cancer cell growth through the EGF receptor transactivation. 2005 , 308, 241-53	139
1579	Chemokine receptor CXCR4-beta1 integrin axis mediates tumorigenesis of osteosarcoma HOS cells. 2005 , 83, 36-48	23
1578	CXCR4 chemokine receptors, histone deacetylase inhibitors and acute lymphoblastic leukemia. 2005 , 46, 1545-51	20
1577	Different stereochemical requirements for CXCR4 binding and signaling functions as revealed by an anti-HIV, D-amino acid-containing SMM-chemokine ligand. 2005 , 48, 7923-4	17

1576	Distinct functional sites for human immunodeficiency virus type 1 and stromal cell-derived factor 1alpha on CXCR4 transmembrane helical domains. 2005 , 79, 12667-73	61
1575	Unique ligand binding sites on CXCR4 probed by a chemical biology approach: implications for the design of selective human immunodeficiency virus type 1 inhibitors. 2005 , 79, 15398-404	64
1574	Overview and History of Chemokines and Their Receptors. 2005 , 55, 1-47	
1573	The Biology of CXC Chemokines and Their Receptors. 2005 , 55, 49-71	5
1572	Functional characterization of SDF-1 proximal promoter. 2005 , 348, 43-62	66
1571	Role of cytokines and chemokines in the regulation of innate immunity and HIV infection. 2005 , 42, 161-82	96
1570	HIV-infection of the central nervous system: the tightrope walk of innate immunity. 2005 , 42, 213-28	60
1569	Mice deficient in the chemokine receptor CXCR4 exhibit impaired limb innervation and myogenesis. 2005 , 30, 494-505	68
1568	Perturbation of chemokine networks by gene deletion alters the reinforcing actions of ethanol. 2005 , 165, 110-25	116
1567	HIV chemokine receptor inhibitors as novel anti-HIV drugs. 2005 , 16, 659-77	38
1566	Isolation and characterization of CXC receptor genes in a range of elasmobranchs. 2005 , 29, 229-42	8
1565	Stromal cell-derived factor-1 binding to its chemokine receptor CXCR4 on precursor cells promotes the chemotactic recruitment, development and survival of human osteoclasts. 2005 , 36, 840-53	175
1564	Chemokine receptors in the central nervous system: role in brain inflammation and neurodegenerative diseases. 2005 , 48, 16-42	371
1563	Signaling factors in stem cell-mediated repair of infarcted myocardium. 2005 , 39, 363-76	202
1562	Assembly of trigeminal sensory ganglia by chemokine signaling. 2005 , 47, 653-66	77
1561	A Cxcl12-CXCR4 chemokine signaling pathway defines the initial trajectory of mammalian motor axons. 2005 , 47, 667-79	139
1560	Chemokinetics. 2005 , 47, 621-3	10
1559	The monomer-dimer equilibrium of stromal cell-derived factor-1 (CXCL 12) is altered by pH, phosphate, sulfate, and heparin. 2005 , 14, 1071-81	143

1558	Bone marrow as a source of circulating CXCR4+ tissue-committed stem cells. 2005 , 97, 133-46	136
1557	Emerging drug targets for antiretroviral therapy. 2005 , 65, 1747-66	90
1556	Sporadic case of warts, hypogammaglobulinemia, immunodeficiency, and myelokathexis syndrome. 2005 , 116, 1101-5	35
1555	Chemokines and inflammatory skin diseases. 2005 , 21, 251-77	13
1554	B-cell recovery following rituximab-based therapy is associated with perturbations in stromal derived factor-1 and granulocyte homeostasis. 2005 , 106, 795-802	98
1553	Stromal cell derived factor-1: its influence on invasiveness and migration of breast cancer cells in vitro, and its association with prognosis and survival in human breast cancer. 2005 , 7, R402-10	132
1552	The chemokine and chemokine receptor superfamilies and their molecular evolution. 2006 , 7, 243	432
1551	Cardiovascular Disease. 2006 ,	
1550	Chemokines and Viral Infection. 2006 ,	
1549	Current Topics in Complement. 2006 ,	1
1548	Transmembrane Signaling Protocols. 2006 ,	
1547	CXCR4: a key receptor in the crosstalk between tumor cells and their microenvironment. 2006 , 107, 1761-7	956
1546	CD26 inhibition enhances allogeneic donor-cell homing and engraftment after in utero hematopoietic-cell transplantation. 2006 , 108, 4268-74	87
1545	AMD3465, a novel CXCR4 receptor antagonist, abrogates schistosomal antigen-elicited (type-2) pulmonary granuloma formation. 2006 , 169, 424-32	23
1544	Oval cell response in 2-acetylaminofluorene/partial hepatectomy rat is attenuated by short interfering RNA targeted to stromal cell-derived factor-1. 2006 , 169, 2066-74	25
1543	Modulation of neuronal CXCR4 by the micro-opioid agonist DAMGO. 2006 , 12, 492-500	52
1542	Homing genes, cell therapy and stroke. 2006 , 11, 899-907	73
1541	Migration of bone marrow and cord blood mesenchymal stem cells in vitro is regulated by stromal-derived factor-1-CXCR4 and hepatocyte growth factor-c-met axes and involves matrix metalloproteinases. 2006 , 24, 1254-64	544

1540	WIP and WASP play complementary roles in T cell homing and chemotaxis to SDF-1alpha. 2006 , 18, 221-32	80
1539	Stromal derived factor-1 (SDF-1/CXCL12) and CXCR4 in renal cell carcinoma metastasis. 2006 , 5, 56	138
1538	Modeling human germ cell development with embryonic stem cells. 2006 , 1, 85-93	15
1537	Characterization of serum-free ex vivo-expanded hematopoietic stem cells derived from human umbilical cord blood CD133(+) cells. 2006 , 15, 70-8	57
1536	In vivo migration: a germ cell perspective. 2006 , 22, 237-65	101
1535	Chemokines and chemokine receptors: Large and small therapeutic strategies for inflammatory diseases. 2006 , 3, 381-388	6
1534	Prostanoid- and interleukin-1-induced primary genes in cementoblastic cells. 2006 , 77, 1362-70	4
1533	Canine retinal angioblasts are multipotent. 2006 , 83, 183-93	11
1532	Activation of the hypothalamic-pituitary-adrenal axis and autonomic nervous system during inflammation and altered programming of the neuroendocrine-immune axis during fetal and neonatal development: lessons learned from the model inflammagen, lipopolysaccharide. 2006 , 20, 144-58	101
1531	Identification and expression of novel isoforms of human stromal cell-derived factor 1. 2006 , 374, 174-9	161
1530	Functions of CXCL12 and CXCR4 in breast cancer. 2006 , 238, 30-41	225
1529	The many roles of chemokines and chemokine receptors in inflammation. 2006 , 354, 610-21	1888
1528	Dendrite-selective redistribution of the chemokine receptor CXCR4 following agonist stimulation. 2006 , 33, 160-9	17
1527	Recognition of a CXCR4 sulfotyrosine by the chemokine stromal cell-derived factor-1alpha (SDF-1alpha/CXCL12). 2006 , 359, 1400-9	99
1526	Cannabinoid receptor CB2 modulates the CXCL12/CXCR4-mediated chemotaxis of T lymphocytes. 2006 , 43, 2169-79	95
1525	Expression of CXC chemokine receptors 1-5 and their ligands in human glioma tissues: role of CXCR4 and SDF1 in glioma cell proliferation and migration. 2006 , 49, 423-32	125
1524	Chemokine receptor CCR5 expression in in vitro differentiating human fetal neural stem/progenitor and glioblastoma cells. 2006 , 394, 22-7	8
1523	Differences in CXCR4-mediated signaling in B cells. 2006 , 211, 377-89	36

1522	CXCR4 physically associates with the T cell receptor to signal in T cells. 2006 , 25, 213-24	185
1521	Maintenance of the hematopoietic stem cell pool by CXCL12-CXCR4 chemokine signaling in bone marrow stromal cell niches. 2006 , 25, 977-88	1707
1520	Reverse genetic analysis of neurogenesis in the zebrafish retina. 2006 , 293, 330-47	40
1519	CXCR4/SDF1 interaction inhibits the primordial to primary follicle transition in the neonatal mouse ovary. 2006 , 293, 449-60	86
1518	CXCR4 modulates contractility in adult cardiac myocytes. 2006 , 41, 834-44	70
1517	In vitro reconstitution and preparative purification of complexes between the chemokine receptor CXCR4 and its ligands SDF-1alpha, gp120-CD4 and AMD3100. 2006 , 50, 203-14	10
1516	Chemokines and Their Receptors: Biochemical, Structural and Biological Properties. 2006 , 36-67	1
1515	HIV Therapeutics, Biochemistry of. 2006 ,	
1514	Reduced retention of radioprotective hematopoietic cells within the bone marrow microenvironment in CXCR4-/- chimeric mice. 2006 , 107, 2243-51	95
1513	cAMP-induced PKCzeta activation increases functional CXCR4 expression on human CD34+ hematopoietic progenitors. 2006 , 107, 870-9	73
1512	Integrin inhibition through Lyn-dependent cross talk from CXCR4 chemokine receptors in normal human CD34+ marrow cells. 2006 , 107, 4234-9	39
1511	CD99 expressed on human mobilized peripheral blood CD34+ cells is involved in transendothelial migration. 2006 , 108, 2578-86	40
1510	SOCS up-regulation mobilizes autologous stem cells through CXCR4 blockade. 2006 , 108, 3928-37	24
1509	EphB2 and EphB4 receptors forward signaling promotes SDF-1-induced endothelial cell chemotaxis and branching remodeling. 2006 , 108, 2914-22	74
1508	Gene silencing of HIV chemokine receptors using ribozymes and single-stranded antisense RNA. 2006 , 394, 511-8	11
1507	Lymphoproliferative disorders and chemokines. 2006 , 7, 81-90	11
1506	Modulation of rat oligodendrocyte precursor cells by the chemokine CXCL12. 2006 , 17, 1187-90	52
1505	Chemokines and Their Receptors and the Neuropathogenesis of HIV-1 Infection. 2006 , 45-80	1

1504	CXCR4 expression is associated with lymph-node metastasis of oral squamous cell carcinoma. 2006 , 28, 61	5
1503	Virus-Cell Interactions. 2006 ,	
1502	Trafficking from the bone marrow to the thymus: a prerequisite for thymopoiesis. 2006 , 209, 47-57	60
1501	Time-lapse analysis reveals different modes of primordial germ cell migration in the medaka <i>Oryzias latipes</i> . 2006 , 48, 209-21	85
1500	SDF-1 expression is elevated in chronic human renal allograft rejection. 2006 , 20, 712-8	14
1499	HIV-1 gp120 enhances giant depolarizing potentials via chemokine receptor CXCR4 in neonatal rat hippocampus. 2006 , 23, 1120-8	20
1498	Role of chemokine SDF-1/PBSF and its receptor CXCR4 in blood vessel development. 2001 , 947, 112-5; discussion 115-6	17
1497	Nuclear magnetic resonance studies of CXC chemokine receptor 4 allosteric peptide agonists in solution. 2006 , 66, 12-21	3
1496	Transendothelial migration of hematopoietic progenitor cells. Role of chemotactic factors. 2001 , 938, 26-34; discussion 34-5	32
1495	Mobilization of endothelial and hematopoietic stem and progenitor cells by adenovector-mediated elevation of serum levels of SDF-1, VEGF, and angiopoietin-1. 2001 , 938, 36-45; discussion 45-7	222
1494	Mechanism of human stem cell migration and repopulation of NOD/SCID and B2mnull NOD/SCID mice. The role of SDF-1/CXCR4 interactions. 2001 , 938, 83-95	166
1493	Can gene delivery close the door to HIV-1 entry after escape?. 2006 , 35, 236-47	8
1492	Location, movement and survival: the role of chemokines in haematopoiesis and malignancy. 2006 , 132, 255-67	34
1491	Differential effect of leukaemogenic tyrosine kinases on cell motility is governed by subcellular localisation. 2006 , 133, 345-52	5
1490	Mature monocyte-derived dendritic cells respond more strongly to CCL19 than to CXCL12: consequences for directional migration. 2006 , 117, 238-47	36
1489	Cytokine-mediated deployment of SDF-1 induces revascularization through recruitment of CXCR4+ hemangiocytes. 2006 , 12, 557-67	567
1488	Meninges control tangential migration of hem-derived Cajal-Retzius cells via CXCL12/CXCR4 signaling. 2006 , 9, 1284-93	216
1487	Bone-marrow haematopoietic-stem-cell niches. 2006 , 6, 93-106	1045

1486	Microenvironmental niches in the bone marrow required for B-cell development. 2006 , 6, 107-16	347
1485	The stem-cell niche as an entity of action. <i>Nature</i> , 2006 , 441, 1075-9	50.4 1453
1484	HIV and the chemokine system: 10 years later. 2006 , 25, 447-56	172
1483	CISK attenuates degradation of the chemokine receptor CXCR4 via the ubiquitin ligase AIP4. 2006 , 25, 3738-49	59
1482	Stromal cell-derived factor 1alpha mediates neural progenitor cell motility after focal cerebral ischemia. 2006 , 26, 125-34	265
1481	Involvement of the CXCL12/CXCR4 pathway in the recovery of skin following burns. 2006 , 126, 468-76	102
1480	The pleiotropic effects of the SDF-1-CXCR4 axis in organogenesis, regeneration and tumorigenesis. 2006 , 20, 1915-24	354
1479	Silencing of epithelial CXCL12 expression by DNA hypermethylation promotes colonic carcinoma metastasis. 2006 , 25, 4986-97	120
1478	SMM-chemokines: a class of unnatural synthetic molecules as chemical probes of chemokine receptor biology and leads for therapeutic development. 2006 , 13, 69-79	27
1477	Influence of laser radiation on migration of stem cells. 2006 , 6140, 173	1
1476	Human mesenchymal stem cells modulate B-cell functions. 2006 , 107, 367-72	1372
1475	Human immunodeficiency virus gp120-induced apoptosis of human neuroblastoma cells in the absence of CXCR4 internalization. 2006 , 12, 211-8	37
1474	Backbone dynamics of SDF-1alpha determined by NMR: interpretation in the presence of monomer-dimer equilibrium. 2006 , 15, 2568-78	33
1473	The migration of bone marrow-derived non-hematopoietic tissue-committed stem cells is regulated in an SDF-1-, HGF-, and LIF-dependent manner. 2006 , 54, 121-35	73
1472	Hemopoietic stem cell engraftment. 2006 , 34, 123-9	17
1471	CXCR4 and CCR5 mediate homing of primitive bone marrow-derived hematopoietic cells to the postnatal thymus. 2006 , 34, 308-19	19
1470	Modulation of the SDF-1-CXCR4 axis by the third complement component (C3)--implications for trafficking of CXCR4+ stem cells. 2006 , 34, 986-95	71
1469	Mutual, reciprocal SDF-1/CXCR4 interactions between hematopoietic and bone marrow stromal cells regulate human stem cell migration and development in NOD/SCID chimeric mice. 2006 , 34, 967-75	281

1468	Mechanisms of hematopoietic stem cell mobilization: when innate immunity assails the cells that make blood and bone. 2006 , 34, 996-1009	108
1467	Characterization of the molecular pharmacology of AMD3100: a specific antagonist of the G-protein coupled chemokine receptor, CXCR4. 2006 , 72, 588-96	176
1466	Role of Clast1 in development of cerebellar granule cells. 2006 , 1104, 18-26	12
1465	SDF-1alpha-mediated tissue repair by stem cells: a promising tool in cardiovascular medicine?. 2006 , 16, 103-8	63
1464	Differential effects of chemokines on oligodendrocyte precursor proliferation and myelin formation in vitro. 2006 , 174, 133-46	61
1463	A role for CXCL12 (SDF-1alpha) in the pathogenesis of multiple sclerosis: regulation of CXCL12 expression in astrocytes by soluble myelin basic protein. 2006 , 177, 27-39	128
1462	Oligodendrocyte precursor cells express a functional chemokine receptor CCR3: implications for myelination. 2006 , 178, 17-23	20
1461	Differential expression of stromal cell-derived factor 1 and its receptor CXCR4 in the skin and endothelial cells of systemic sclerosis patients: Pathogenetic implications. 2006 , 54, 3022-33	59
1460	Genomic profiling of mixer and Sox17beta targets during Xenopus endoderm development. 2006 , 235, 368-81	16
1459	HIV-1-infected and/or immune activated macrophages regulate astrocyte SDF-1 production through IL-1beta. 2006 , 54, 619-29	83
1458	Chemokines and cancer. 2006 , 119, 2026-9	322
1457	Adenosine upregulates CXCR4 and enhances the proliferative and migratory responses of human carcinoma cells to CXCL12/SDF-1alpha. 2006 , 119, 2044-53	36
1456	Characterization of constitutively active mutants of G protein-coupled receptors. 2006 , 332, 129-39	
1455	EBNA-3B- and EBNA-3C-regulated cellular genes in Epstein-Barr virus-immortalized lymphoblastoid cell lines. 2006 , 80, 10139-50	42
1454	Collateral efficacy as a pharmacological problem applied to new drug discovery. 2006 , 1, 635-52	22
1453	Anti-HIV therapy: Current and future directions. 2006 , 12, 2031-55	37
1452	HIV-1 entry inhibitors: classes, applications and factors affecting potency. 2006 , 4, 387-400	12
1451	Differential effects of Th1, monocyte/macrophage and Th2 cytokine mixtures on early gene expression for immune-related molecules by central nervous system mixed glial cell cultures. 2006 , 12, 149-68	29

1450	Mechanisms of neuronal injury and death in HIV-1 associated dementia. 2006 , 4, 307-18	147
1449	Stem cells in cardiovascular disease: methods and protocols. 2006 , 129, 329-51	6
1448	Advances in HIV-1 entry inhibitors: strategies to interfere with receptor and coreceptor engagement. 2006 , 12, 1105-19	18
1447	Cellular entry of HIV: Evaluation of therapeutic targets. 2006 , 12, 1963-73	21
1446	Novel anti-viral therapy: drugs that block HIV entry at different target sites. 2006 , 6, 557-62	3
1445	Molecular Advances Toward the Understanding of the Patho-Biology of Idiopathic Myelofibrosis. 2006 , 2, 169-186	1
1444	Involvement of chemokine receptors in organ-specific metastasis. 2006 , 13, 191-199	114
1443	The neuronal chemokine CX3CL1/fractalkine selectively recruits NK cells that modify experimental autoimmune encephalomyelitis within the central nervous system. 2006 , 20, 896-905	225
1442	The chemokine CX3CL1 reduces migration and increases adhesion of neurons with mechanisms dependent on the beta1 integrin subunit. 2006 , 177, 7599-606	41
1441	A transient microenvironment loaded mainly with macrophages in the early developing human pancreas. 2006 , 188, 467-80	38
1440	Deletion of the COOH-terminal domain of CXC chemokine receptor 4 leads to the down-regulation of cell-to-cell contact, enhanced motility and proliferation in breast carcinoma cells. 2006 , 66, 5665-75	52
1439	Stromal-derived factor-1 (CXCL12) regulates laminar position of Cajal-Retzius cells in normal and dysplastic brains. 2006 , 26, 9404-12	107
1438	Defining the origins and evolution of the chemokine/chemokine receptor system. 2006 , 176, 401-15	201
1437	Chemokine stromal cell-derived factor 1alpha induces proliferation and growth hormone release in GH4C1 rat pituitary adenoma cell line through multiple intracellular signals. 2006 , 69, 539-46	44
1436	RGS1 and RGS13 mRNA silencing in a human B lymphoma line enhances responsiveness to chemoattractants and impairs desensitization. 2006 , 79, 1357-68	54
1435	A novel chemokine receptor for SDF-1 and I-TAC involved in cell survival, cell adhesion, and tumor development. 2006 , 203, 2201-13	1005
1434	Stromal cell-derived factor-1 (chemokine C-X-C motif ligand 12) and chemokine C-X-C motif receptor 4 are required for migration of gonadotropin-releasing hormone neurons to the forebrain. 2006 , 26, 6834-40	66
1433	Fetal spleen stroma drives macrophage commitment. 2006 , 133, 3619-28	35

1432	CXCL12 induces tyrosine phosphorylation of cortactin, which plays a role in CXC chemokine receptor 4-mediated extracellular signal-regulated kinase activation and chemotaxis. 2006 , 281, 30081-93	32
1431	An immunoglobulin fusion protein based on the gp120-CD4 receptor complex potently inhibits human immunodeficiency virus type 1 in vitro. 2006 , 22, 477-90	10
1430	Chemokine CXC receptor 4: an evolutionary approach. 2006 , 28, 715-38	5
1429	Determining the potency and molecular mechanism of action of insurmountable antagonists. 2006 , 319, 710-23	149
1428	The Galpha13-Rho signaling axis is required for SDF-1-induced migration through CXCR4. 2006 , 281, 39542-9	115
1427	Molecular interaction between projection neuron precursors and invading interneurons via stromal-derived factor 1 (CXCL12)/CXCR4 signaling in the cortical subventricular zone/intermediate zone. 2006 , 26, 13273-8	152
1426	Chemokines regulate the migration of neural progenitors to sites of neuroinflammation. 2006 , 26, 3182-91	274
1425	Axonal transport of human immunodeficiency virus type 1 envelope protein glycoprotein 120 is found in association with neuronal apoptosis. 2006 , 26, 6771-80	77
1424	A multistep adhesion cascade for lymphoid progenitor cell homing to the thymus. 2006 , 103, 7006-11	131
1423	Developmental switch of mouse hematopoietic stem cells from fetal to adult type occurs in bone marrow after birth. 2006 , 103, 17852-7	77
1422	Chemokine CXCL12 induces binding of ferritin heavy chain to the chemokine receptor CXCR4, alters CXCR4 signaling, and induces phosphorylation and nuclear translocation of ferritin heavy chain. 2006 , 281, 37616-27	86
1421	CXCL12 limits inflammation by localizing mononuclear infiltrates to the perivascular space during experimental autoimmune encephalomyelitis. 2006 , 177, 8053-64	195
1420	Local delivery of protease-resistant stromal cell derived factor-1 for stem cell recruitment after myocardial infarction. 2007 , 116, 1683-92	304
1419	Arrestin-2 interacts with the ubiquitin-protein isopeptide ligase atrophin-interacting protein 4 and mediates endosomal sorting of the chemokine receptor CXCR4. 2007 , 282, 36971-9	158
1418	Protein phosphatase 2A plays an important role in stromal cell-derived factor-1/CXC chemokine ligand 12-mediated migration and adhesion of CD34+ cells. 2007 , 179, 3075-85	31
1417	Haplotype-independent costimulation of IL-10 secretion by SDF-1/CXCL12 proceeds via AP-1 binding to the human IL-10 promoter. 2007 , 178, 1581-8	30
1416	Dual effect of AMD3100, a CXCR4 antagonist, on bleomycin-induced lung inflammation. 2007 , 178, 5888-98	12
1415	Role of stromal cell-derived factor 1 (SDF1/CXCL12) in regulating anterior pituitary function. 2007 , 38, 383-9	38

1414	Effect of fibroblast growth factor 2 on stromal cell-derived factor 1 production by bone marrow stromal cells and hematopoiesis. 2007 , 99, 223-35	25
1413	Allosteric theory: taking therapeutic advantage of the malleable nature of GPCRs. 2007 , 5, 149-56	35
1412	A novel regulatory role for stromal-derived factor-1 signaling in bone morphogenic protein-2 osteogenic differentiation of mesenchymal C2C12 cells. 2007 , 282, 18676-85	85
1411	CXC chemokine receptor 4 regulates neuronal migration and axonal pathfinding in the developing nervous system: implications for neuronal regeneration in the adult brain. 2007 , 38, 377-82	112
1410	Stroma-derived factor (SDF-1/CXCL12) and human tumor pathogenesis. 2007 , 292, C987-95	251
1409	Identification of putative stem cell markers, CD133 and CXCR4, in hTERT-immortalized primary nonmalignant and malignant tumor-derived human prostate epithelial cell lines and in prostate cancer specimens. 2007 , 67, 3153-61	316
1408	Slit-2/Robo-1 modulates the CXCL12/CXCR4-induced chemotaxis of T cells. 2007 , 82, 465-76	84
1407	Expression of SDF-1 and CXCR4 during reorganization of the postnatal dentate gyrus. 2007 , 29, 48-58	55
1406	Plexin-B2 controls the development of cerebellar granule cells. 2007 , 27, 3921-32	63
1405	Clinical importance and therapeutic implications of the pivotal CXCL12-CXCR4 (chemokine ligand-receptor) interaction in cancer cell migration. 2007 , 28, 123-31	65
1404	Gonadotropin-releasing hormone neuronal migration. 2007 , 25, 305-12	47
1403	Chemokines, chemokine receptors and CD4+CD25+ regulatory T cells. 2007 , 3, 343-9	3
1402	Role of the SDF-1/CXCR4 axis in the pathogenesis of lung injury and fibrosis. 2007 , 37, 291-9	139
1401	Platelets and stromal cell-derived factor-1 in progenitor cell recruitment. 2007 , 33, 159-64	66
1400	Novel inhibitors of the early steps of the HIV-1 life cycle. 2007 , 16, 11-23	7
1399	SDF-1/CXCL12 enhances in vitro replating capacity of murine and human multipotential and macrophage progenitor cells. 2007 , 16, 589-96	26
1398	Cutting Edge: Acute and chronic exposure of immature B cells to antigen leads to impaired homing and SHIP1-dependent reduction in stromal cell-derived factor-1 responsiveness. 2007 , 178, 3353-7	33
1397	The chemokine SDF1 controls multiple steps of myogenesis through atypical PKCzeta. 2007 , 120, 4050-9	50

1396	Disrupted cardiac development but normal hematopoiesis in mice deficient in the second CXCL12/SDF-1 receptor, CXCR7. 2007 , 104, 14759-64	466
1395	Age decreases endothelial progenitor cell recruitment through decreases in hypoxia-inducible factor 1alpha stabilization during ischemia. 2007 , 116, 2818-29	180
1394	CXCR4 and SDF1 expression in human meningiomas: a proliferative role in tumoral meningothelial cells in vitro. 2007 , 9, 3-11	43
1393	Stromal cell-derived factor 1 promotes angiogenesis via a heme oxygenase 1-dependent mechanism. 2007 , 204, 605-18	209
1392	Multiple actions of the chemokine stromal cell-derived factor-1alpha on neuronal activity. 2007 , 38, 365-76	107
1391	Molecular mechanism of action of monocyclam versus bicyclam non-peptide antagonists in the CXCR4 chemokine receptor. 2007 , 282, 27354-27365	93
1390	Association of nucleophosmin negatively regulates CXCR4-mediated G protein activation and chemotaxis. 2007 , 72, 1310-21	11
1389	Markers in normal and cancer stem cells. 2007 , 3, 211-31	25
1388	Endolyn (CD164) modulates the CXCL12-mediated migration of umbilical cord blood CD133+ cells. 2007 , 109, 1825-33	59
1387	CXCR4 is a prognostic marker in acute myelogenous leukemia. 2007 , 109, 786-91	252
1386	FGF2 posttranscriptionally down-regulates expression of SDF1 in bone marrow stromal cells through FGFR1 IIIc. 2007 , 109, 1363-72	25
1385	Development of plasmacytoid dendritic cells in bone marrow stromal cell niches requires CXCL12-CXCR4 chemokine signaling. 2007 , 110, 4153-60	54
1384	Homing of Stem Cells and Tissue Injury. 2007 , 5-10	
1383	Preferential expression of chemokine receptor CXCR4 by highly malignant human gliomas and its association with poor patient survival. 2007 , 61, 570-8; discussion 578-9	97
1382	Immunoreactive cycloimmunogen design based on conformational epitopes derived from human immunodeficiency virus type 1 coreceptors: cyclic dodecapeptides mimic undecapeptidyl arches of extracellular loop-2 in chemokine receptor and inhibit human immunodeficiency virus type 1 infection. 2007 , 7, 141-52	
1381	Modulation of chemokines by staphylococcal superantigen in atopic dermatitis. 2007 , 93, 181-194	28
1380	Signals from both sides: Control of cardiac development by the endocardium and epicardium. 2007 , 18, 84-9	48
1379	Identification of interventricular septum precursor cells in the mouse embryo. 2007 , 302, 195-207	23

1378	Chemoattractant action and molecular signaling pathways of Kit ligand on mouse primordial germ cells. 2007 , 306, 572-83	82
1377	Distinct populations of cancer stem cells determine tumor growth and metastatic activity in human pancreatic cancer. 2007 , 1, 313-23	2194
1376	On-column refolding of recombinant chemokines for NMR studies and biological assays. 2007 , 52, 202-9	27
1375	Rapid heterologous desensitization of antinociceptive activity between mu or delta opioid receptors and chemokine receptors in rats. 2007 , 88, 36-41	72
1374	HIV envelope protein gp120-triggered CD4+ T-cell adhesion to vascular endothelium is regulated via CD4 and CXCR4 receptors. 2007 , 1772, 549-55	12
1373	Regulation of CXCR4 signaling. 2007 , 1768, 952-63	413
1372	Insulin-like growth factor 1 enhances the migratory capacity of mesenchymal stem cells. 2007 , 356, 780-4	159
1371	CXCR4 engagement promotes dendritic cell survival and maturation. 2007 , 361, 1012-6	40
1370	Cytokines and chemokines shaping the B-cell compartment. 2007 , 18, 73-83	24
1369	RNA interference-mediated knockdown of DNMT1 and DNMT3B induces CXCL12 expression in MCF-7 breast cancer and AsPC1 pancreatic carcinoma cell lines. 2007 , 255, 153-9	29
1368	Evidence for a role of glycosphingolipids in CXCR4-dependent cell migration. 2007 , 581, 2641-6	7
1367	Crystal structure and structural mechanism of a novel anti-human immunodeficiency virus and D-amino acid-containing chemokine. 2007 , 81, 11489-98	16
1366	CXCL12-CXCR4 engagement is required for migration of cutaneous dendritic cells. 2007 , 171, 1249-57	193
1365	Chemokine Biology [Basic Research and Clinical Application. 2007 ,	2
1364	Regulation of CXCR4 expression in human mesenchymal stem cells by cytokine treatment: role in homing efficiency in NOD/SCID mice. 2007 , 92, 897-904	269
1363	Isolation, sequence analysis and expression profile of a novel porcine gene, CXCL10, differentially expressed in the Longissimus dorsi muscle tissues from Meishan, Meishan x Large White cross and Large White pigs. 2007 , 18, 415-22	3
1362	Formyl peptide receptor expression in birds. 2007 , 29, 1-16	14
1361	Fate decisions regulating bone marrow and peripheral B lymphocyte development. 2007 , 95, 1-50	79

1360	Osteoimmunology. 2007 ,	1
1359	Platelets as immune cells: bridging inflammation and cardiovascular disease. 2007 , 100, 27-40	519
1358	Chapter 19 Small Molecule CCR5 and CXCR4-Based Viral Entry Inhibitors for Anti-HIV Therapy Currently in Development. 2007 , 301-320	23
1357	Neuronal Migration. 2007 , 169-186	1
1356	Targeting protein-protein interactions for HIV therapeutics. 2007 , 1, 369-385	9
1355	Sdf1/Cxcr4 Chemotaxis is Disrupted within the Splotch Mouse Mutant Cardiovascular System. 2007 , 141-144	
1354	Animal Models. 2007 , 587-610	1
1353	Regenerative Therapy for Stroke. 2007 , 16, 171-181	77
1352	Basic and Translational Research of Chemokine Ligands and Receptors and Development of Novel Therapeutics. 300-335	2
1351	Towards in situ tissue repair: human mesenchymal stem cells express chemokine receptors CXCR1, CXCR2 and CCR2, and migrate upon stimulation with CXCL8 but not CCL2. 2007 , 101, 135-46	277
1350	Chemokine receptor expression by neural progenitor cells in neurogenic regions of mouse brain. 2007 , 500, 1007-33	198
1349	Patterns of SDF-1alpha and SDF-1gamma mRNAs, migration pathways, and phenotypes of CXCR4-expressing neurons in the developing rat telencephalon. 2007 , 502, 382-99	77
1348	Chemokines and chemokine receptors in neurological disease: raise, retain, or reduce?. 2007 , 4, 590-601	130
1347	Stromal derived factor-1 exerts differential regulation on distinct cortical cell populations in vitro. 2007 , 7, 31	7
1346	The chemokine Sdf-1 and its receptor Cxcr4 are required for formation of muscle in zebrafish. 2007 , 7, 54	55
1345	Expression and activation of alpha v beta 3 integrins by SDF-1/CXC12 increases the aggressiveness of prostate cancer cells. 2007 , 67, 61-73	150
1344	Homing, proliferation and survival sites of human leukemia cells in vivo in immunodeficient mice. 2007 , 21, 136-42	88
1343	CXCR4 antagonists mobilize childhood acute lymphoblastic leukemia cells into the peripheral blood and inhibit engraftment. 2007 , 21, 1249-57	121

1342	Neuregulin1-induced cell migration is impaired in schizophrenia: association with neuregulin1 and catechol-o-methyltransferase gene polymorphisms. 2007 , 12, 946-57	62
1341	The central role of the chemokine receptor, CXCR4, in haemopoietic stem cell transplantation: will CXCR4 antagonists contribute to the treatment of blood disorders?. 2008 , 94, 18-32	24
1340	Biphasic expression of stromal cell-derived factor-1 during human wound healing. 2007 , 157, 1148-54	46
1339	The CXCR4 chemokine receptor in acute and chronic leukaemia: a marrow homing receptor and potential therapeutic target. 2007 , 137, 288-96	127
1338	Separate elements are required for ligand-dependent and -independent internalization of metastatic potentiator CXCR4. 2007 , 98, 373-9	22
1337	The chemokine stromal cell-derived factor-1/CXCL12 activates the nigrostriatal dopamine system. 2007 , 102, 1175-83	67
1336	Apelin, an endogenous neuronal peptide, protects hippocampal neurons against excitotoxic injury. 2007 , 102, 1905-1917	88
1335	Structure-function relationship of novel X4 HIV-1 entry inhibitors - L- and D-arginine peptide-aminoglycoside conjugates. 2007 , 274, 6523-36	17
1334	Expansion of normal and leukemic human hematopoietic stem/progenitor cells requires rac-mediated interaction with stromal cells. 2007 , 35, 782-92	19
1333	The chemokine SDF1a coordinates tissue migration through the spatially restricted activation of Cxcr7 and Cxcr4b. 2007 , 17, 1026-31	258
1332	Secretion of antiretroviral chemokines by human cells cultured with acyclic nucleoside phosphonates. 2007 , 574, 77-84	8
1331	CCL19 is constitutively expressed in the CNS, up-regulated in neuroinflammation, active and also inactive multiple sclerosis lesions. 2007 , 190, 72-9	101
1330	Chemokine antagonists as therapeutics: focus on HIV-1. 2007 , 58, 445-59	57
1329	Identification of CXCR4 as a new nitric oxide-regulated gene in human CD34+ cells. 2007 , 25, 211-9	39
1328	Adult hippocampal neurogenesis: regulation by HIV and drugs of abuse. 2007 , 64, 2120-32	43
1327	The pivotal role of CXCL12 (SDF-1)/CXCR4 axis in bone metastasis. 2006 , 25, 573-87	181
1326	Uterine smooth muscle cells increase invasive ability of endometrial carcinoma cells through tumor-stromal interaction. 2007 , 24, 423-9	20
1325	Stem cells tropism for malignant gliomas. 2007 , 23, 363-9	16

1324	Differential expression of CXCL12 and CXCR4 during human fetal neural progenitor cell differentiation. 2007 , 2, 251-8	54
1323	The bone microenvironment in metastasis; what is special about bone?. 2008 , 27, 41-55	218
1322	Organ selectivity in metastasis: regulation by chemokines and their receptors. 2008 , 25, 345-56	212
1321	The long road to the thymus: the generation, mobilization, and circulation of T-cell progenitors in mouse and man. 2008 , 30, 371-82	28
1320	GTPgammaS incorporation in the rat brain: a study on mu-opioid receptors and CXCR4. 2008 , 3, 26-34	15
1319	Expression of SDF-1/CXCR4 in injured human kidneys. 2008 , 23, 71-7	25
1318	New insights on the role of CXCR4 in cancer metastasis. 2008 , 215, 211-3	111
1317	Regional and cellular localization of the CXCL12/SDF-1 chemokine receptor CXCR7 in the developing and adult rat brain. 2008 , 510, 207-20	112
1316	CXCR4/SDF-1 system modulates development of GnRH-1 neurons and the olfactory system. 2008 , 68, 487-503	51
1315	Chemokines and chemokine receptors in mucosal homeostasis at the intestinal epithelial barrier in inflammatory bowel disease. 2008 , 14, 1000-11	94
1314	Ligand stabilization of CXCR4/delta-opioid receptor heterodimers reveals a mechanism for immune response regulation. 2008 , 38, 537-49	118
1313	TPO-independent megakaryocytopoiesis. 2008 , 65, 212-22	32
1312	CXCR4+/FLK-1+ biomarkers select a cardiopoietic lineage from embryonic stem cells. 2008 , 26, 1464-73	99
1311	Hypermethylation of CXCR4 promoter in CD34+ cells from patients with primary myelofibrosis. 2008 , 26, 1920-30	82
1310	CXCR4, inhibitors and mechanisms of action. 2008 , 72, 97-110	30
1309	Insight into the mechanisms of aminoglycoside derivatives interaction with HIV-1 entry steps and viral gene transcription. 2008 , 275, 5236-57	16
1308	The bone marrow niche: habitat to hematopoietic and mesenchymal stem cells, and unwitting host to molecular parasites. 2008 , 22, 941-50	171
1307	Epigenetic silencing of CXCL12 increases the metastatic potential of mammary carcinoma cells. 2008 , 27, 1461-71	95

1306	Chemokines and leukocyte traffic. 2008 , 9, 949-52	243
1305	Uncertainty in the niches that maintain haematopoietic stem cells. 2008 , 8, 290-301	482
1304	Antagonism of the chemokine receptors CXCR3 and CXCR4 reduces the pathology of experimental autoimmune encephalomyelitis. 2008 , 18, 504-16	71
1303	Type 2 and type 3 inositol 1,4,5-trisphosphate (IP3) receptors promote the differentiation of granule cell precursors in the postnatal cerebellum. 2008 , 105, 1153-64	9
1302	Road most traveled: gut-specific migration signals and leucocyte entry to the intestine. 2008 , 23, 1775-6	2
1301	Neurotrophins modulate monocyte chemotaxis without affecting macrophage function. 2008 , 151, 476-86	39
1300	Stem molecular signature of adipose-derived stromal cells. 2008 , 314, 603-15	94
1299	Plectin regulates the signaling and trafficking of the HIV-1 co-receptor CXCR4 and plays a role in HIV-1 infection. 2008 , 314, 590-602	17
1298	Elevated CXCL12 expression in the bone marrow of NOD mice is associated with altered T cell and stem cell trafficking and diabetes development. 2008 , 9, 51	31
1297	Altered SDF-1/CXCR4 axis in patients with primary myelofibrosis and in the Gata1 low mouse model of the disease. 2008 , 36, 158-71	45
1296	Rapid and recurrent neutrophil mobilization regulated by T134, a CXCR4 peptide antagonist. 2008 , 36, 1098-109	9
1295	Functional response to SDF1 alpha through over-expression of CXCR4 on adult subventricular zone progenitor cells. 2008 , 1226, 18-26	33
1294	Global profiling of influence of intra-ischemic brain temperature on gene expression in rat brain. 2008 , 58, 171-91	20
1293	CXCL12/CXCR4 signalling in neuronal cell migration. 2008 , 18, 237-44	91
1292	Chemokines and chemokine receptors in the nervous system Rome, 27/28 October, 2007. 2008 , 198, 1-8	2
1291	CXCR4 signaling in the regulation of stem cell migration and development. 2008 , 198, 31-8	134
1290	Enhanced expression of the CXCL12/SDF-1 chemokine receptor CXCR7 after cerebral ischemia in the rat brain. 2008 , 198, 39-45	90
1289	CXCR7, CXCR4 and CXCL12: an eccentric trio?. 2008 , 198, 9-13	200

1288	Bi-directional heterologous desensitization between the major HIV-1 co-receptor CXCR4 and the kappa-opioid receptor. 2008 , 197, 114-23	55
1287	Chemokines and neuromodulation. 2008 , 198, 62-8	124
1286	Anti-apoptosis mechanisms in malignant gliomas. 2008 , 26, 493-500	82
1285	Orally bioavailable isothioureas block function of the chemokine receptor CXCR4 in vitro and in vivo. 2008 , 51, 7915-20	102
1284	Constitutive CXCL12 expression induces anoikis in colorectal carcinoma cells. 2008 , 135, 508-17	39
1283	TNF inhibits production of stromal cell-derived factor 1 by bone stromal cells and increases osteoclast precursor mobilization from bone marrow to peripheral blood. 2008 , 10, R37	57
1282	Autism. 2008 ,	11
1281	Attenuation of obliterative bronchiolitis by a CXCR4 antagonist in the murine heterotopic tracheal transplant model. 2008 , 27, 1302-10	17
1280	S1P(1) overexpression stimulates S1P-dependent chemotaxis of human CD34+ hematopoietic progenitor cells but strongly inhibits SDF-1/CXCR4-dependent migration and in vivo homing. 2008 , 46, 166-71	41
1279	Regulation of immunoglobulin light-chain recombination by the transcription factor IRF-4 and the attenuation of interleukin-7 signaling. 2008 , 28, 335-45	144
1278	Communications between bone cells and hematopoietic stem cells. 2008 , 473, 193-200	57
1277	Multiple roles of chemokine CXCL12 in the central nervous system: a migration from immunology to neurobiology. 2008 , 84, 116-31	273
1276	Over-expression of CXCR4 on mesenchymal stem cells augments myoangiogenesis in the infarcted myocardium. 2008 , 44, 281-92	233
1275	AMD070, a CXCR4 Chemokine Receptor Antagonist: Practical Large-Scale Laboratory Synthesis. 2008 , 12, 823-830	22
1274	Role of mesenchymal stem cells in regenerative medicine: application to bone and cartilage repair. 2008 , 8, 255-68	133
1273	Forkhead transcription factors regulate expression of the chemokine receptor CXCR4 in endothelial cells and CXCL12-induced cell migration. 2008 , 367, 584-9	70
1272	Control of chemokine-guided cell migration by ligand sequestration. 2008 , 132, 463-73	490
1271	Stem cell trafficking in tissue development, growth, and disease. 2008 , 132, 612-30	264

1270	Chemotaxis, chemokine receptors and human disease. 2008 , 44, 1-8	184
1269	Targeting HIV attachment and entry for therapy. 2008 , 56, 93-120	8
1268	Hematopoietic stem cell homing: The long, winding and adhesive road to the bone marrow. 2008 , 27, 22-35	3
1267	Expression of SDF-1 alpha and nuclear CXCR4 predicts lymph node metastasis in colorectal cancer. 2008 , 98, 1682-9	97
1266	Chemokines in and out of the central nervous system: much more than chemotaxis and inflammation. 2008 , 84, 587-94	79
1265	Chemokine signaling controls intracortical migration and final distribution of GABAergic interneurons. 2008 , 28, 1613-24	180
1264	Chemokines and cancer: migration, intracellular signalling and intercellular communication in the microenvironment. 2008 , 409, 635-49	205
1263	Imaging CXCR4 signaling with firefly luciferase complementation. 2008 , 80, 5565-73	54
1262	Sequential tyrosine sulfation of CXCR4 by tyrosylprotein sulfotransferases. 2008 , 47, 11251-62	62
1261	A future perspective on the development of chemokine receptor CXCR4 antagonists. 2008 , 3, 1155-66	5
1260	The critical role of SDF-1/CXCR4 axis in cancer and cancer stem cells metastasis. 2008 , 31, 809-19	87
1259	Inhibition of gluconeogenesis in primary hepatocytes by stromal cell-derived factor-1 (SDF-1) through a c-Src/Akt-dependent signaling pathway. 2008 , 283, 30642-9	17
1258	First in vivo evidence for a functional interaction between chemokine and cannabinoid systems in the brain. 2008 , 325, 641-5	24
1257	Reelin Glycoprotein. 2008 ,	6
1256	Tre1 GPCR initiates germ cell transepithelial migration by regulating Drosophila melanogaster E-cadherin. 2008 , 183, 157-68	61
1255	Establishment of a normal hematopoietic and leukemia stem cell hierarchy. 2008 , 73, 439-49	105
1254	Altered development of the brain after focal herpesvirus infection of the central nervous system. 2008 , 205, 423-35	60
1253	Regulation of axonal elongation and pathfinding from the entorhinal cortex to the dentate gyrus in the hippocampus by the chemokine stromal cell-derived factor 1 alpha. 2008 , 28, 8344-53	24

1252	Chemokine action in the nervous system. 2008 , 28, 11792-5	103
1251	Heme oxygenase-1 and carbon monoxide in vascular pathobiology: focus on angiogenesis. 2008 , 117, 231-41	228
1250	Lymphocyte Trafficking. 2008 , 449-482	3
1249	Update on the development of HIV entry inhibitors. 2008 , 2, 479-507	2
1248	Stromal-derived factor 1 signalling regulates radial and tangential migration in the developing cerebral cortex. 2008 , 30, 117-31	32
1247	Modulation of network-driven, GABA-mediated giant depolarizing potentials by SDF-1alpha in the developing hippocampus. 2008 , 30, 285-92	13
1246	Regional distribution of cortical interneurons and development of inhibitory tone are regulated by Cxcl12/Cxcr4 signaling. 2008 , 28, 1085-98	147
1245	CXCR4 is required for the quiescence of primitive hematopoietic cells. 2008 , 205, 777-83	296
1244	Stage-specific gene expression is a fundamental characteristic of rat spermatogenic cells and Sertoli cells. 2008 , 105, 8315-20	114
1243	Stromal cell-derived factor-1 alpha promotes neuroprotection, angiogenesis, and mobilization/homing of bone marrow-derived cells in stroke rats. 2008 , 324, 834-49	123
1242	Regulation of myoblast motility and fusion by the CXCR4-associated sialomucin, CD164. 2008 , 283, 8301-9	56
1241	Culturing of human mesenchymal stem cells as three-dimensional aggregates induces functional expression of CXCR4 that regulates adhesion to endothelial cells. 2008 , 283, 13100-7	137
1240	Small neutralizing molecules to inhibit actions of the chemokine CXCL12. 2008 , 283, 23189-99	76
1239	Tonic activation of CXC chemokine receptor 4 in immature granule cells supports neurogenesis in the adult dentate gyrus. 2008 , 28, 4488-500	67
1238	A crosstalk between intracellular CXCR7 and CXCR4 involved in rapid CXCL12-triggered integrin activation but not in chemokine-triggered motility of human T lymphocytes and CD34+ cells. 2008 , 84, 1130-40	177
1237	Mutation patterns in the chemokine CXC receptor 4 gene subfamily. 2008 , 30, 475-88	1
1236	Structural basis of CXCR4 sulfotyrosine recognition by the chemokine SDF-1/CXCL12. 2008 , 1, ra4	215
1235	Exogenous stromal cell-derived factor-1 induces modest leukocyte recruitment in vivo. 2008 , 294, H2524-34	9

1234	The chemokine stromal cell-derived factor-1 regulates GABAergic inputs to neural progenitors in the postnatal dentate gyrus. 2008 , 28, 6720-30	122
1233	Platelet-derived stromal cell-derived factor-1 regulates adhesion and promotes differentiation of human CD34+ cells to endothelial progenitor cells. 2008 , 117, 206-15	233
1232	Translating an Antagonist of Chemokine Receptor CXCR4: from bench to bedside. 2008 , 14, 7975-80	152
1231	Blockade of CXCL12/CXCR4 axis ameliorates murine experimental colitis. 2008 , 327, 383-92	66
1230	Overexpression of stromal cell-derived factor 1 and its receptor CXCR4 induces autocrine/paracrine cell proliferation in human pituitary adenomas. 2008 , 14, 5022-32	78
1229	Inhibition of human immunodeficiency virus-1 entry using vectors expressing a multimeric hammerhead ribozyme targeting the CCR5 mRNA. 2008 , 89, 2252-2261	20
1228	Cyclophilin A is required for CXCR4-mediated nuclear export of heterogeneous nuclear ribonucleoprotein A2, activation and nuclear translocation of ERK1/2, and chemotactic cell migration. 2008 , 283, 623-637	79
1227	Vascular precursors in developing human retina. 2008 , 49, 2178-92	40
1226	Cerebellar granule cell migration and the effects of alcohol. 2008 , 30, 7-23	34
1225	Lymphocyte Trafficking. 2008 , 449-482	1
1224	Chemokines, their Receptors and Significance in Brain Function. 2008 , 242-273	3
1223	The CXCR4/SDF-1 chemokine receptor axis: a new target therapeutic for non-small cell lung cancer. 2008 , 3, 1379-83	49
1222	Cross-talk between RhoH and Rac1 in regulation of actin cytoskeleton and chemotaxis of hematopoietic progenitor cells. 2008 , 111, 2597-605	61
1221	Rac1 is essential for intraembryonic hematopoiesis and for the initial seeding of fetal liver with definitive hematopoietic progenitor cells. 2008 , 111, 3313-21	52
1220	BCR-ABL1 alters SDF-1alpha-mediated adhesive responses through the beta2 integrin LFA-1 in leukemia cells. 2008 , 111, 5182-6	21
1219	A critical role of Rap1b in B-cell trafficking and marginal zone B-cell development. 2008 , 111, 4627-36	36
1218	Overview of Adult Stem Cell Therapy in Cardiac Disease. 2008 , 7-27	
1217	Phenotypic and functional characterization of hematopoietic stem cells. 2008 , 15, 293-300	51

1216	Hematopoietic niche and bone meet. 2008 , 2, 211-7	28
1215	Mobilization of hematopoietic stem cells: state of the art. 2008 , 13, 53-8	57
1214	Stromal-derived factor-1 (SDF-1) expression during early chick development. 2008 , 52, 87-92	34
1213	The CXCL12gamma chemokine displays unprecedented structural and functional properties that make it a paradigm of chemoattractant proteins. 2008 , 3, e2543	58
1212	CXCR4 in Cancer and Its Regulation by PPARgamma. 2008 , 2008, 769413	13
1211	Chemokines: coded messages for T-cell missions. 2008 , 13, 6341-53	24
1210	Bioluminescent CXCL12 fusion protein for cellular studies of CXCR4 and CXCR7. 2009 , 47, 625-32	50
1209	A chemokine targets the nucleus: Cxcl12-gamma isoform localizes to the nucleolus in adult mouse heart. 2009 , 4, e7570	20
1208	Impaired recruitment of Grk6 and beta-Arrestin 2 causes delayed internalization and desensitization of a WHIM syndrome-associated CXCR4 mutant receptor. 2009 , 4, e8102	49
1207	The CXCL12 (SDF-1)/CXCR4 axis is essential for the development of renal vasculature. 2009 , 20, 1714-23	127
1206	SDF-1alpha stimulates JNK3 activity via eNOS-dependent nitrosylation of MKP7 to enhance endothelial migration. 2009 , 106, 5675-80	71
1205	CCR5 ligands modulate CXCL12-induced chemotaxis, adhesion, and Akt phosphorylation of human cord blood CD34+ cells. 2009 , 183, 7478-88	21
1204	Structural basis of the interaction between chemokine stromal cell-derived factor-1/CXCL12 and its G-protein-coupled receptor CXCR4. 2009 , 284, 35240-50	118
1203	CXCR4/CXCL12 hyperexpression plays a pivotal role in the pathogenesis of lupus. 2009 , 182, 4448-58	92
1202	Deubiquitination of CXCR4 by USP14 is critical for both CXCL12-induced CXCR4 degradation and chemotaxis but not ERK activation. 2009 , 284, 5742-52	69
1201	Citrullination of CXCL12 differentially reduces CXCR4 and CXCR7 binding with loss of inflammatory and anti-HIV-1 activity via CXCR4. 2009 , 182, 666-74	75
1200	CXCR4 and matrix metalloproteinase-1 are elevated in breast carcinoma-associated fibroblasts and in normal mammary fibroblasts exposed to factors secreted by breast cancer cells. 2009 , 7, 1033-44	63
1199	Signal-transducing adaptor protein-2 regulates stromal cell-derived factor-1 alpha-induced chemotaxis in T cells. 2009 , 183, 7966-74	21

1198	Masitinib (AB1010), a potent and selective tyrosine kinase inhibitor targeting KIT. 2009 , 4, e7258	268
1197	The novel CXCR4 antagonist KRH-3955 is an orally bioavailable and extremely potent inhibitor of human immunodeficiency virus type 1 infection: comparative studies with AMD3100. 2009 , 53, 2940-8	56
1196	HIV-1 Nef-mediated inhibition of T cell migration and its molecular determinants. 2009 , 86, 1171-8	26
1195	Renal Cell Carcinoma. 2009 ,	3
1194	The relationship between SDF-1alpha/CXCR4 and neural stem cells appearing in damaged area after traumatic brain injury in rats. 2009 , 31, 90-102	65
1193	Bone marrow CXCR4 induction by cultivation enhances therapeutic angiogenesis. 2009 , 81, 169-77	25
1192	Persistent fetal infection with bovine viral diarrhea virus differentially affects maternal blood cell signal transduction pathways. 2009 , 36, 129-39	23
1191	Hypoxic preconditioning enhances the benefit of cardiac progenitor cell therapy for treatment of myocardial infarction by inducing CXCR4 expression. 2009 , 104, 1209-16	305
1190	Targeting CXCR4 in HIV cell-entry inhibition. 2009 , 9, 1605-21	21
1189	The E3 ubiquitin ligase atrophin interacting protein 4 binds directly to the chemokine receptor CXCR4 via a novel WW domain-mediated interaction. 2009 , 20, 1324-39	73
1188	Characterization and application of two novel monoclonal antibodies against human CXCR4: cell proliferation and migration regulation for glioma cell line in vitro by CXCR4/SDF-1alpha signal. 2009 , 28, 33-41	7
1187	Release of Trophic Factors and Immune Molecules from Astrocytes. 2009 , 351-381	2
1186	Use of senescence-accelerated mouse model in bleomycin-induced lung injury suggests that bone marrow-derived cells can alter the outcome of lung injury in aged mice. 2009 , 64, 731-9	64
1185	Expression of CXCR4, a G-protein-coupled receptor for CXCL12 in yeast identification of new-generation inverse agonists. 2009 , 460, 399-412	14
1184	Regulation of CXCL12 and CXCR4 expression by human brain endothelial cells and their role in CD4+ and CD8+ T cell adhesion and transendothelial migration. 2009 , 215, 49-64	37
1183	Chemokine signaling in cancer: one hump or two?. 2009 , 19, 116-22	61
1182	Chemokines in neuroectodermal cancers: the crucial growth signal from the soil. 2009 , 19, 103-10	20
1181	The roles of chemokine CXCL12 in embryonic and brain tumor angiogenesis. 2009 , 19, 111-5	59

1180	Chemokines in neuroectodermal development and their potential implication in cancer stem cell-driven metastasis. 2009 , 19, 68-75	8
1179	Chemokine receptor CXCR4 as a therapeutic target for neuroectodermal tumors. 2009 , 19, 123-34	25
1178	Interplay between the heterotrimeric G-protein subunits Galphaq and Galphai2 sets the threshold for chemotaxis and TCR activation. 2009 , 10, 27	18
1177	Extracellular calcium increases CXCR4 expression on bone marrow-derived cells and enhances pro-angiogenesis therapy. 2009 , 13, 3764-73	55
1176	Aryl hydrocarbon receptor biology and xenobiotic responses in hematopoietic progenitor cells. 2009 , 77, 521-35	24
1175	The role of stromal-derived factor-1--CXCR7 axis in development and cancer. 2009 , 625, 31-40	96
1174	Alteration of CXCR4 expression and Th1/Th2 balance of peripheral CD4-positive T cells can be a biomarker for leukocytapheresis therapy for patients with refractory ulcerative colitis. 2009 , 15, 963-4	11
1173	Defining a role for Sonic hedgehog pathway activation in desmoplastic medulloblastoma by identifying GLI1 target genes. 2009 , 124, 109-19	59
1172	A novel role for the chemokine receptor Cxcr4 in kidney morphogenesis: an in vitro study. 2009 , 238, 1083-91	27
1171	D6 and the atypical chemokine receptor family: novel regulators of immune and inflammatory processes. 2009 , 39, 342-51	97
1170	FGF2 stimulates SDF-1 expression through the Erm transcription factor in Sertoli cells. 2009 , 220, 245-56	25
1169	HIV entry inhibitors and their potential in HIV therapy. 2009 , 29, 369-93	85
1168	Developmental expression profile of the CXCL12gamma isoform: insights into its tissue-specific role. 2009 , 292, 891-901	4
1167	Gene expression profiling of human mesenchymal stem cells chemotactically induced with CXCL12. 2009 , 336, 225-36	34
1166	Microarray analysis of gene expression in rat cortical neurons exposed to hyperbaric air and oxygen. 2009 , 34, 1047-56	22
1165	Marginal expression of CXCR4 on c-kit(+)/Sca-1 (+)/Lineage (-) hematopoietic stem/progenitor cells. 2009 , 90, 553-560	6
1164	The role of SDF-1/CXCR4 axis in ovarian cancer metastasis. 2009 , 29, 363-7	25
1163	Stromal cell-derived factor-1 promotes survival of pancreatic beta cells by the stabilisation of beta-catenin and activation of transcription factor 7-like 2 (TCF7L2). 2009 , 52, 1589-98	47

1162	Regenerative effects of transplanted mesenchymal stem cells in fracture healing. 2009 , 27, 1887-98	411
1161	Implanted adult human dental pulp stem cells induce endogenous axon guidance. 2009 , 27, 2229-37	121
1160	Activation of signal transducers and activators of transcription 3 and focal adhesion kinase by stromal cell-derived factor 1 is required for migration of human mesenchymal stem cells in response to tumor cell-conditioned medium. 2009 , 27, 857-65	163
1159	Monomeric structure of the cardioprotective chemokine SDF-1/CXCL12. 2009 , 18, 1359-69	61
1158	Mechanism of primitive duct formation in the pancreas and submandibular glands: a role for SDF-1. 2009 , 9, 66	48
1157	Ligand-independent higher-order multimerization of CXCR4, a G-protein-coupled chemokine receptor involved in targeted metastasis. 2009 , 100, 95-102	47
1156	Efficient inhibition of SDF-1alpha-mediated chemotaxis and HIV-1 infection by novel CXCR4 antagonists. 2009 , 100, 778-81	16
1155	Stromal cell-derived factor 1 expression in various skin tumours. 2009 , 160, 710-3	3
1154	CXCR4 mediates the homing of B cell progenitor acute lymphoblastic leukaemia cells to the bone marrow via activation of p38MAPK. 2009 , 145, 491-9	35
1153	Detection of selection signatures within candidate regions underlying trypanotolerance in outbred cattle populations. 2009 , 18, 1801-13	34
1152	CXCR4 antagonists: targeting the microenvironment in leukemia and other cancers. 2009 , 23, 43-52	376
1151	SDF-1 and PDGF enhance alphavbeta5-mediated ERK activation and adhesion-independent growth of human pre-B cell lines. 2009 , 23, 1807-17	9
1150	Cannabinoid receptor 2 mediates the retention of immature B cells in bone marrow sinusoids. 2009 , 10, 403-11	163
1149	CD34+ cell responsiveness to stromal cell-derived factor-1alpha underlies rate of engraftment after peripheral blood stem cell transplantation. 2009 , 49, 161-9	11
1148	Physiological evidence for interaction between the HIV-1 co-receptor CXCR4 and the cannabinoid system in the brain. 2009 , 157, 1225-31	19
1147	CXCL12 increases human neural progenitor cell proliferation through Akt-1/FOXO3a signaling pathway. 2009 , 109, 1157-67	102
1146	SDF1/CXCL12 (-801GA) polymorphism is a prognostic factor after treatment initiation in Waldenstrom macroglobulinemia. 2009 , 33, 1204-7	13
1145	Chemokines and chemokine receptors: standing at the crossroads of immunobiology and neurobiology. 2009 , 31, 711-21	279

1144	64Cu-AMD3100--a novel imaging agent for targeting chemokine receptor CXCR4. 2009 , 17, 1486-93	88
1143	CXCR4 chemokine receptor antagonists: perspectives in SCLC. 2009 , 18, 481-90	54
1142	Chemokines in Lung Cancer Metastasis. 2009 , 155-172	
1141	G protein signaling controls the differentiation of multiple cell lineages. 2009 , 35, 232-8	12
1140	Molecular regulation of tumor angiogenesis and perfusion via redox signaling. 2009 , 109, 3099-124	92
1139	In vivo target validation using gene invalidation, RNA interference and protein functional knockout models: it is the time to combine. 2009 , 9, 669-76	18
1138	The chemokine SDF-1/CXCL12 regulates the migration of melanocyte progenitors in mouse hair follicles. 2009 , 77, 395-411	51
1137	Cerebellar granule cells: insights into proliferation, differentiation, and role in medulloblastoma pathogenesis. 2009 , 41, 435-45	65
1136	Plasma levels of FL and SDF-1 and expression of FLT-3 and CXCR4 on CD34+ cells assessed pre and post hematopoietic stem cell mobilization in patients with hematologic malignancies and in healthy donors. 2009 , 40, 159-67	9
1135	Immune influence on adult neural stem cell regulation and function. 2009 , 64, 79-92	172
1134	Cytokines and CNS development. 2009 , 64, 61-78	579
1133	Modulation of cocaine-induced activity by intracerebral administration of CXCL12. 2009 , 161, 13-22	25
1132	Autonomous turning of cerebellar granule cells in vitro by intrinsic programs. 2009 , 326, 237-49	17
1131	Four distinct phases of basket/stellate cell migration after entering their final destination (the molecular layer) in the developing cerebellum. 2009 , 332, 309-24	32
1130	Shp2 acts downstream of SDF-1alpha/CXCR4 in guiding granule cell migration during cerebellar development. 2009 , 334, 276-84	34
1129	Notch signal is sufficient to direct an endothelial conversion from non-endothelial somitic cells conveyed to the aortic region by CXCR4. 2009 , 335, 33-42	11
1128	Chemokine signaling in embryonic cell migration: a fisheye view. 2009 , 136, 1223-9	92
1127	CXCR4 expression heterogeneity in neuroblastoma cells due to ligand-independent regulation. 2009 , 8, 126	31

1126	CXCR4 and mobilization of hematopoietic precursors. 2009 , 460, 57-90	21
1125	Allosteric Drug Antagonism. 2009 , 129-147	1
1124	Biology of Stem Cells and the Molecular Basis of the Stem State. 2009 ,	15
1123	Clinical evidence that very small embryonic-like stem cells are mobilized into peripheral blood in patients after stroke. 2009 , 40, 1237-44	173
1122	Targeting the CXCR4/CXCL12 axis in systemic lupus erythematosus. 2009 , 13, 1147-53	47
1121	Chapter 5. Multiple approaches to the study of chemokine receptor homo- and heterodimerization. 2009 , 461, 105-22	3
1120	Imaging ligand-dependent activation of CXCR7. 2009 , 11, 1022-35	84
1119	CXCL12/SDF-1 alpha activates NF-kappaB and promotes oral cancer invasion through the Carma3/Bcl10/Malt1 complex. 2009 , 1, 105-18	75
1118	WHIM syndrome: congenital immune deficiency disease. 2009 , 16, 20-6	154
1117	Molecular phenotype of CXCL12beta 3'UTR G801A polymorphism (rs1801157) associated to HIV-1 disease progression. 2009 , 7, 384-9	19
1116	Dexamethasone augments CXCR4-mediated signaling in resting human T cells via the activation of the Src kinase Lck. 2009 , 113, 575-84	35
1115	CXCR4 is a key regulator of neutrophil release from the bone marrow under basal and stress granulopoiesis conditions. 2009 , 113, 4711-9	201
1114	CXCR7 heterodimerizes with CXCR4 and regulates CXCL12-mediated G protein signaling. 2009 , 113, 6085-93	460
1113	Parsing the niche code: the molecular mechanisms governing hematopoietic stem cell adhesion and differentiation. 2009 , 94, 1477-81	29
1112	Role of chemokines and their receptors in cancer. 2009 , 15, 3396-416	51
1111	The Novel Role for Lyn in Integrin Signaling in Human Disease. 2009 , 4, 59-65	1
1110	Expression of chemokines and their receptors by human brain endothelium: implications for multiple sclerosis. 2009 , 68, 227-40	77
1109	Skeletal myoblasts for heart regeneration and repair: state of the art and perspectives on the mechanisms for functional cardiac benefits. 2010 , 16, 915-28	14

1108	Peptide-based inhibitors of the HIV envelope protein and other class I viral fusion proteins. 2010 , 16, 1143-58	46
1107	β -Adrenergic receptor signaling in the cardiac myocyte is modulated by interactions with CXCR4. 2010 , 56, 548-59	55
1106	Role of cardiac myocyte CXCR4 expression in development and left ventricular remodeling after acute myocardial infarction. 2010 , 107, 667-76	53
1105	Low-dose radiation augments vasculogenesis signaling through HIF-1-dependent and -independent SDF-1 induction. 2010 , 116, 3669-76	56
1104	Microarray analysis of retinal endothelial tip cells identifies CXCR4 as a mediator of tip cell morphology and branching. 2010 , 115, 5102-10	209
1103	Role of the SDF-1/CXCR4 system in myocardial infarction. 2010 , 74, 418-23	66
1102	Anti-chemokine small molecule drugs: a promising future?. 2010 , 19, 345-55	86
1101	The role of chemokines in B cell chronic lymphocytic leukaemia: pathophysiological aspects and clinical impact. 2010 , 89, 437-46	20
1100	The essential functions of adipo-osteogenic progenitors as the hematopoietic stem and progenitor cell niche. 2010 , 33, 387-99	588
1099	SDF1-3' a gene polymorphism is associated with laryngeal cancer. 2010 , 16, 223-7	11
1098	Protein therapeutics for cardiac regeneration after myocardial infarction. 2010 , 3, 469-77	89
1097	SDF-1-enhanced cardiogenesis requires CXCR4 induction in pluripotent stem cells. 2010 , 3, 674-82	16
1096	Hypothesis: human umbilical cord blood-derived stromal cells promote megakaryocytopoiesis through the influence of SDF-1 and PECAM-1. 2010 , 58, 25-30	6
1095	G-protein coupled receptors in stem cell self-renewal and differentiation. 2010 , 6, 351-66	19
1094	Neural stem cells and new neurons in the cerebral cortex of stroke-prone spontaneously hypertensive rats after stroke. 2010 , 41, 55-65	8
1093	CXCL12 / CXCR4 / CXCR7 chemokine axis and cancer progression. 2010 , 29, 709-22	543
1092	Role of the CXCR4/CXCL12 signaling axis in breast cancer metastasis to the brain. 2010 , 27, 97-105	87
1091	Ligand-guided optimization of CXCR4 homology models for virtual screening using a multiple chemotype approach. 2010 , 24, 1023-33	21

1090	SDF1-3' G801A polymorphisms in Polish patients with systemic lupus erythematosus. 2010 , 37, 3121-5	13
1089	G-CSF enhanced SDF-1 gradient between bone marrow and liver associated with mobilization of peripheral blood CD34+ cells in rats with acute liver failure. 2010 , 55, 285-91	19
1088	CXCR4-mediated glutamate exocytosis from astrocytes. 2010 , 224, 13-21	38
1087	Disruption of neuronal CXCR4 function by opioids: preliminary evidence of ferritin heavy chain as a potential etiological agent in neuroAIDS. 2010 , 224, 66-71	17
1086	Expression and function of CXCR7 in the mouse forebrain. 2010 ,	32
1085	Neutralizing endogenous chemokines with small molecules. Principles and potential therapeutic applications. 2010 , 126, 39-55	26
1084	Can inhibition of the SDF-1/CXCR4 axis eradicate acute leukemia?. 2010 , 20, 178-85	44
1083	CXCL12: a new player in coronary disease identified through human genetics. 2010 , 20, 204-9	37
1082	Genomics based analysis of interactions between developing B-lymphocytes and stromal cells reveal complex interactions and two-way communication. 2010 , 11, 108	7
1081	CXCR4 and cancer. 2010 , 60, 497-505	217
1080	Entry inhibitors in the treatment of HIV-1 infection. 2010 , 85, 91-100	167
1079	Thymocyte selection: chemokine signaling is not only about the destination. 2010 , 20, R316-8	5
1078	Animal behaviour: ultraviolet fish faces. 2010 , 20, R318-20	7
1077	Chemokine-like factor 1, a novel cytokine, induces nerve cell migration through the non-extracellular Ca ²⁺ -dependent tyrosine kinases pathway. 2010 , 1308, 24-34	15
1076	Localization of CXCR4 in the forebrain of the adult rat. 2010 , 1315, 53-62	17
1075	Clusterin induces CXCR4 expression and migration of cardiac progenitor cells. 2010 , 316, 3435-42	16
1074	CXCR7: a new SDF-1-binding receptor in contrast to normal CD34(+) progenitors is functional and is expressed at higher level in human malignant hematopoietic cells. 2010 , 85, 472-83	73
1073	Inhibition of HIV-1 entry: multiple keys to close the door. 2010 , 5, 1825-35	15

1072	Cxcr4 and Cxcl12 expression in radial glial cells of the brain of adult zebrafish. 2010 , 518, 4855-76	51
1071	CXCL12 is a constitutive and inflammatory chemokine in the intestinal immune system. 2010 , 16, 583-92	74
1070	Neural tube defects and impaired neural progenitor cell proliferation in Gbeta1-deficient mice. 2010 , 239, 1089-101	46
1069	A novel role of CXCR4 and SDF-1 during migration of cloacal muscle precursors. 2010 , 239, 1622-31	16
1068	Comparative expression pattern analysis of the highly conserved chemokines SDF1 and CXCL14 during amniote embryonic development. 2010 , 239, 2769-77	19
1067	Pathogenic role of CXCR7 in rheumatoid arthritis. 2010 , 62, 3211-20	56
1066	Dysregulated expression of CXCR4/CXCL12 in subsets of patients with systemic lupus erythematosus. 2010 , 62, 3436-46	65
1065	Establishment and regulation of the HSC niche: Roles of osteoblastic and vascular compartments. 2010 , 90, 229-42	27
1064	Identification of a potential modification site in human stromal cell-derived factor-1. 2010 , 94, 771-8	16
1063	Stromal cell-derived factor-1 promotes migration of cells from the upper rhombic lip in cerebellar development. 2010 , 88, 2775-86	10
1062	Induction of myogenic differentiation by SDF-1 via CXCR4 and CXCR7 receptors. 2010 , 41, 828-35	33
1061	Immunohistochemical expression of CXCR4 in thyroid carcinomas and thyroid benign lesions. 2010 , 206, 712-5	16
1060	B-cell stage and context-dependent requirements for survival signals from BAFF and the B-cell receptor. 2010 , 237, 205-25	136
1059	versus fate choice: counting the T-cell lineages at the branch point. 2010 , 238, 169-81	48
1058	Functional differences between myeloid leukemia-initiating and transient leukemia cells in Down's syndrome. 2010 , 24, 1012-7	9
1057	Adopting autologous hematopoietic stem cells with non-functional CCR5 and CXCR4 against HIV. 2010 , 45, 770-1	1
1056	CXCR4 acts as a costimulator during thymic beta-selection. 2010 , 11, 162-70	128
1055	Synaptotagmin-mediated vesicle fusion regulates cell migration. 2010 , 11, 495-502	85

1054	Stem cells on the move. 2010 , 16, 1073-4	2
1053	Alterations of CXCR4 function in Epioid receptor-deficient glia. 2010 , 32, 1278-88	21
1052	. 2010 ,	1
1051	CXCL12/CXCR4-Axis Dysfunctions: Markers of the Rare Immunodeficiency Disorder WHIM Syndrome. 2010 , 29, 189-198	35
1050	CXCR7 functions as a scavenger for CXCL12 and CXCL11. 2010 , 5, e9175	330
1049	CXCR4 mediated chemotaxis is regulated by 5T4 oncofetal glycoprotein in mouse embryonic cells. 2010 , 5, e9982	45
1048	Elucidating the CXCL12/CXCR4 signaling network in chronic lymphocytic leukemia through phosphoproteomics analysis. 2010 , 5, e11716	58
1047	An essential role of the cytoplasmic tail of CXCR4 in G-protein signaling and organogenesis. 2010 , 5, e15397	14
1046	Gene Expression Signatures of Lymph Node Metastasis in Oral Cancer: Molecular Characteristics and Clinical Significances. 2010 , 6, 294-307	13
1045	[New prospects for chemokines]. 2010 , 204, 267-72	1
1044	Hypoxia stimulates CXCR4 signalling in ileal carcinoids. 2010 , 17, 303-16	33
1043	Intrahypothalamic injection of the HIV-1 envelope glycoprotein induces fever via interaction with the chemokine system. 2010 , 332, 549-53	12
1042	Matrix-binding vascular endothelial growth factor (VEGF) isoforms guide granule cell migration in the cerebellum via VEGF receptor Flk1. 2010 , 30, 15052-66	68
1041	S1P1 receptor directs the release of immature B cells from bone marrow into blood. 2010 , 207, 1113-24	122
1040	Atoh1 inhibits neuronal differentiation and collaborates with Gli1 to generate medulloblastoma-initiating cells. 2010 , 70, 5618-27	72
1039	CXCL12-CXCR4 axis in angiogenesis, metastasis and stem cell mobilization. 2010 , 16, 3903-20	157
1038	Thymic development beyond beta-selection requires phosphatidylinositol 3-kinase activation by CXCR4. 2010 , 207, 247-61	119
1037	The deubiquitinating enzyme USP8 promotes trafficking and degradation of the chemokine receptor 4 at the sorting endosome. 2010 , 285, 37895-908	57

1036	Stromal cell-derived CXCL12 and CCL8 cooperate to support increased development of regulatory dendritic cells following Leishmania infection. 2010 , 185, 2360-71	21
1035	Impact of the hypoxic tumor microenvironment on the regulation of cancer stem cell characteristics. 2010 , 9, 949-56	86
1034	Inhibitory effect of CXC chemokine receptor 4 antagonist AMD3100 on bleomycin induced murine pulmonary fibrosis. 2010 , 42, 465-72	75
1033	CXCL12-3' G801A polymorphism is not a risk factor for breast cancer. 2010 , 29, 423-7	17
1032	Probing the role of CXC motif in chemokine CXCL8 for high affinity binding and activation of CXCR1 and CXCR2 receptors. 2010 , 285, 29262-9	33
1031	AMSH interacts with ESCRT-0 to regulate the stability and trafficking of CXCR4. 2010 , 285, 13990-4004	51
1030	CXCR7 is an active component of SDF-1 signalling in astrocytes and Schwann cells. 2010 , 123, 1081-8	92
1029	B-cell energy is maintained in anti-DNA transgenic NZB/NZW mice. 2010 , 22, 101-11	4
1028	CXCR4-CXCL12-dependent inflammatory network and endothelial progenitors. 2010 , 17, 3019-29	17
1027	Human aging and CD31+ T-cell number, migration, apoptotic susceptibility, and telomere length. 2010 , 109, 1756-61	19
1026	Role of CXCR4 in HIV infection and its potential as a therapeutic target. 2010 , 5, 1025-39	14
1025	Role of the SDF-1-CXCR4 axis in stem cell-based therapies for ischemic cardiomyopathy. 2010 , 10, 321-35	97
1024	Analysis of SDF-1/CXCR4 signaling in primordial germ cell migration and survival or differentiation in <i>Xenopus laevis</i> . 2010 , 127, 146-58	35
1023	Prolyl hydroxylase domain inhibitors: a route to HIF activation and neuroprotection. 2010 , 12, 459-80	82
1022	Structures of the CXCR4 chemokine GPCR with small-molecule and cyclic peptide antagonists. 2010 , 330, 1066-71	1432
1021	Differentiation and migration of Sca1+/CD31- cardiac side population cells in a murine myocardial ischemic model. 2010 , 138, 40-9	73
1020	Stromal cell-derived factor 1 and CXCR4: newly defined requirements for efficient thymic selection. 2010 , 31, 370-6	25
1019	Cxcl10 enhances blood cells migration in the sub-ventricular zone of mice affected by experimental autoimmune encephalomyelitis. 2010 , 43, 268-80	30

1018	Stromal derived factor-1 regulates bone morphogenetic protein 2-induced osteogenic differentiation of primary mesenchymal stem cells. 2010 , 42, 1132-41	108
1017	Host proteins involved in HIV infection: new therapeutic targets. 2010 , 1802, 313-21	66
1016	Insights into the regulation of chemokine receptors by molecular signaling pathways: functional roles in neuropathic pain. 2010 , 24, 859-65	24
1015	A synergistic approach for neural repair: cell transplantation and induction of endogenous precursor cell activity. 2010 , 58, 835-44	28
1014	Inhibition of cerebellar granule cell turning by alcohol. 2010 , 170, 1328-44	20
1013	Adult SVZ lineage cells home to and leave the vascular niche via differential responses to SDF1/CXCR4 signaling. 2010 , 7, 163-73	302
1012	Expression of CXCR6 on CD8(+) T cells was up-regulated in allograft rejection. 2010 , 22, 179-83	7
1011	Gene manipulated peritoneal cell patch repairs infarcted myocardium. 2010 , 48, 702-12	28
1010	Chronic AMD3100 antagonism of SDF-1alpha-CXCR4 exacerbates cardiac dysfunction and remodeling after myocardial infarction. 2010 , 49, 587-97	63
1009	CXCL12 and CXCR4 in bone marrow physiology. 2010 , 3, 315-22	74
1008	Chemokines and Chemokine Receptors. 2010 , 157-161	
1007	The role of chemokine receptor CXCR4 in lung cancer. 2010 , 9, 409-16	49
1006	Effects of CXCR4 gene transfer on cardiac function after ischemia-reperfusion injury. 2010 , 176, 1705-15	73
1005	Rituximab-associated neutropenia. 2010 , 47, 180-6	66
1004	Stem Cell Biology in Health and Disease. 2010 ,	
1003	Expression of the chemokine receptor CXCR4 in human hepatocellular carcinoma and its role in portal vein tumor thrombus. 2010 , 29, 156	22
1002	Chemokine receptor CXCR7 regulates the invasion, angiogenesis and tumor growth of human hepatocellular carcinoma cells. 2010 , 29, 31	139
1001	CXC chemokine receptor 4 expressed in T cells plays an important role in the development of collagen-induced arthritis. 2010 , 12, R188	46

1000	Expression of migration-related genes is progressively upregulated in murine Lineage-Sca-1+c-Kit+ population from the fetal to adult stages of development. 2010 , 1, 14	22
999	Mobilization of hematopoietic stem cells from the bone marrow niche to the blood compartment. 2011 , 2, 13	46
998	Nuocytes: expanding the innate cell repertoire in type-2 immunity. 2011 , 90, 867-74	50
997	CXCR4 promotes oral squamous cell carcinoma migration and invasion through inducing expression of MMP-9 and MMP-13 via the ERK signaling pathway. 2011 , 9, 161-72	97
996	Targeting the bone marrow in Waldenstrom macroglobulinemia. 2011 , 11 Suppl 1, S65-9	5
995	Stem Cells Signaling Pathways in the Heart. 2011 , 407-429	
994	Inflammation and wound healing. 2011 , 24, 26-38	18
993	The successes and failures of HIV drug discovery. 2011 , 6, 1067-90	17
992	Cytomegalovirus. 2011 , 706-755	24
991	Inflammation. 2011 , 15-100	4
990	Targeting the protein-protein interactions of the HIV lifecycle. 2011 , 40, 1337-46	17
989	Male Germline Stem Cells: Developmental and Regenerative Potential. 2011 ,	4
988	Molecular Basis of Health and Disease. 2011 ,	27
987	Targeting chemokine receptors in allergic disease. 2011 , 434, 11-24	48
986	Trafficking of stem cells. 2011 , 750, 3-24	23
985	Chemokine-mediated migration of mesencephalic neural crest cells. 2011 , 56, 760-8	21
984	Sema4C-Plexin B2 signalling modulates ureteric branching in developing kidney. 2011 , 81, 81-91	23
983	Pre-eclampsia is associated with elevated CXCL12 levels in placental syncytiotrophoblasts and maternal blood. 2011 , 157, 32-7	25

982	Monomeric and dimeric CXCL12 inhibit metastasis through distinct CXCR4 interactions and signaling pathways. 2011 , 108, 17655-60	151
981	Computational analysis of the structural mechanism of inhibition of chemokine receptor CXCR4 by small molecule antagonists. 2011 , 236, 844-50	22
980	Biology and clinical relevance of chemokines and chemokine receptors CXCR4 and CCR5 in human diseases. 2011 , 236, 637-47	38
979	Stromal-derived factor-1/CXCR4 signaling: indispensable role in homing and engraftment of hematopoietic stem cells in bone marrow. 2011 , 20, 933-46	97
978	Control of hematopoietic stem cells by the bone marrow stromal niche: the role of reticular cells. 2011 , 32, 315-20	110
977	Hematopoietic stem and progenitor cell trafficking. 2011 , 32, 493-503	119
976	Immunohistochemical localization of chemokine CXCL14 in rat hypothalamic neurons. 2011 , 487, 335-40	20
975	Robo4 cooperates with CXCR4 to specify hematopoietic stem cell localization to bone marrow niches. 2011 , 8, 72-83	103
974	Cxcr7 controls neuronal migration by regulating chemokine responsiveness. 2011 , 69, 77-90	221
973	Granulocyte-derived cationic Peptide enhances homing and engraftment of bone marrow stem cells after transplantation. 2011 , 27, 133-40	1
972	Trafficking of Acute Leukemia Cells [Chemokine Receptor Pathways that Modulate Leukemia Cell Dissemination. 2011 ,	2
971	CXCL14 expression during chick embryonic development. 2011 , 55, 335-40	11
970	The haematopoietic stem cell niche: new insights into the mechanisms regulating haematopoietic stem cell behaviour. 2011 , 2011, 274564	28
969	Neutropenia associated with rituximab therapy. 2011 , 18, 49-54	22
968	Many mechanisms mediating mobilization: an alliterative review. 2011 , 18, 231-8	49
967	Predifferentiated brain-derived adult human progenitor cells migrate toward ischemia after transplantation to the adult rat brain. 2011 , 68, 213-22; discussion 222	16
966	CXCL12-CXCR4 chemokine signaling is essential for NK-cell development in adult mice. 2011 , 117, 451-8	84
965	The tetraspanin CD9 regulates migration, adhesion, and homing of human cord blood CD34+ hematopoietic stem and progenitor cells. 2011 , 117, 1840-50	49

964	SDF-1 keeps HSC quiescent at home. 2011 , 117, 373-4	21
963	Bone marrow dendritic cell progenitors sense pathogens via Toll-like receptors and subsequently migrate to inflamed lymph nodes. 2011 , 118, 4829-40	56
962	The CXCR4 antagonist plerixafor corrects panleukopenia in patients with WHIM syndrome. 2011 , 118, 4957-62	116
961	Cancer stem cells and markers: new model of tumorigenesis with therapeutic implications. 2010 , 9, 65-99	10
960	Regulatory effect of cannabinoid receptor agonist on chemokine-induced lymphocyte chemotaxis. 2011 , 34, 1090-3	6
959	Neurochemokines: a menage a trois providing new insights on the functions of chemokines in the central nervous system. 2011 , 118, 680-94	102
958	Homeostatic chemokine receptors and organ-specific metastasis. 2011 , 11, 597-606	396
957	Mechanisms of G-CSF-mediated hematopoietic stem and progenitor mobilization. 2011 , 25, 211-7	168
956	Rapid mobilization of hematopoietic progenitors by AMD3100 and catecholamines is mediated by CXCR4-dependent SDF-1 release from bone marrow stromal cells. 2011 , 25, 1286-1296	158
955	Hematopoietic progenitor migration to the adult thymus. 2011 , 1217, 122-38	56
954	Growth factors in ischemic stroke. 2011 , 15, 1645-87	64
953	AMD3100 is a potent antagonist at CXCR4(R334X), a hyperfunctional mutant chemokine receptor and cause of WHIM syndrome. 2011 , 15, 2071-81	48
952	SDF-1 is a therapeutic stem cell homing factor in myocardial infarction. 2011 , 129, 97-108	162
951	Receptor oligomerization: a pivotal mechanism for regulating chemokine function. 2011 , 131, 351-8	17
950	Chemokines and chemokine receptors: new actors in neuroendocrine regulations. 2011 , 32, 10-24	66
949	Gonadotropin-releasing hormone (GnRH) neuron migration: initiation, maintenance and cessation as critical steps to ensure normal reproductive function. 2011 , 32, 43-52	114
948	Genes expressed in Atoh1 neuronal lineages arising from the r1/isthmus rhombic lip. 2011 , 11, 349-59	22
947	Loss of Cxcl12/Sdf-1 in adult mice decreases the quiescent state of hematopoietic stem/progenitor cells and alters the pattern of hematopoietic regeneration after myelosuppression. 2011 , 117, 429-39	207

946	Making Germ Cells from Human Embryonic Stem Cells. 2011 , 49-86	
945	Polymorphism of intron 2 of the SDF1 gene in Galloway, Hereford, and Russian Black Pied cattle. 2011 , 47, 247-250	1
944	Gut-brain chemokine changes in portal hypertensive rats. 2011 , 56, 2309-17	8
943	Near-infrared molecular imaging of tumors via chemokine receptors CXCR4 and CXCR7. 2011 , 28, 713-20	26
942	CXCR4 positive cells from Lewis lung carcinoma cell line have cancer metastatic stem cell characteristics. 2011 , 355, 241-8	25
941	Implication de l'immunité innée au-delà de la réponse à l'infection et de l'inflammation dans l'hypertension artérielle pulmonaire: chimiokines et remodelage vasculaire. 2011 , 20, 358-367	
940	The roles of SDF-1/CXCR4 axis and its relationship with apoptosis in the myelodysplastic syndromes. 2011 , 28 Suppl 1, S494-500	19
939	Regulation of neuronal ferritin heavy chain, a new player in opiate-induced chemokine dysfunction. 2011 , 6, 466-76	11
938	SDF1 in the dorsal corticospinal tract promotes CXCR4+ cell migration after spinal cord injury. 2011 , 8, 16	42
937	Genome-wide profiling of G protein-coupled receptors in cerebellar granule neurons using high-throughput, real-time PCR. 2011 , 12, 241	4
936	Signaling pathways in early cardiac development. 2011 , 3, 191-205	14
935	Chemokine receptor CXCR4 signaling modulates the growth factor-induced cell cycle of self-renewing and multipotent neural progenitor cells. 2011 , 59, 108-18	35
934	The chemokine receptor CXCR7 functions to regulate cardiac valve remodeling. 2011 , 240, 384-93	52
933	Mutant SOD1 and mitochondrial damage alter expression and splicing of genes controlling neurogenesis in models of neurodegeneration. 2011 , 32, 168-82	30
932	Gene expression patterns in bone following mechanical loading. 2011 , 26, 100-12	120
931	The Immune System and the Developing Brain. 2011 , 2, 1-128	4
930	Clinical and genetic features of Warts, Hypogammaglobulinemia, Infections and Myelokathexis (WHIM) syndrome. 2011 , 11, 317-25	65
929	Cxcl12 evolution--subfunctionalization of a ligand through altered interaction with the chemokine receptor. 2011 , 138, 2909-14	25

928	Three chemokine receptors cooperatively regulate homing of hematopoietic progenitors to the embryonic mouse thymus. 2011 , 108, 7517-22	77
927	Transcriptional regulation of the major HIV-1 coreceptor, CXCR4, by the kappa opioid receptor. 2011 , 90, 111-21	15
926	Stromal cell-derived factor-1 retention and cardioprotection for ischemic myocardium. 2011 , 4, 509-18	63
925	Extracellular ubiquitin: immune modulator and endogenous opponent of damage-associated molecular pattern molecules. 2011 , 89, 205-19	75
924	Expression of the G-CSF receptor in monocytic cells is sufficient to mediate hematopoietic progenitor mobilization by G-CSF in mice. 2011 , 208, 251-60	251
923	The novel atherosclerosis locus at 10q11 regulates plasma CXCL12 levels. 2011 , 32, 963-71	57
922	Conditional inactivation of the CXCR4 receptor in osteoprecursors reduces postnatal bone formation due to impaired osteoblast development. 2011 , 286, 26794-805	66
921	Functional regeneration of ischemic myocardium by transplanted cells overexpressing stromal cell-derived factor-1 (SDF-1): intramyocardial injection versus scaffold-based application. 2011 , 40, e135-41	6
920	LPS promotes pre-osteoclast activity by up-regulating CXCR4 via TLR-4. 2011 , 90, 157-62	32
919	Role of SDF-1 as a regulatory chemokine in renal regeneration after acute kidney injury. 2011 , 1, 87-89	26
918	CXCR4 as a Therapeutic Target. 2011 , 239-278	
917	Chemokines and Cancer Metastasis. 2011 , 167-175	
916	Role of stromal cell-derived factor-1 expression in the injured mouse auditory nerve. 2011 , 145, 1007-15	9
915	SDF-1/CXCR4 mediates acute protection of cardiac function through myocardial STAT3 signaling following global ischemia/reperfusion injury. 2011 , 301, H1496-505	67
914	Endoderm and mesoderm reciprocal signaling mediated by CXCL12 and CXCR4 regulates the migration of angioblasts and establishes the pancreatic fate. 2011 , 138, 1947-55	32
913	Expression of chemokine CXCL12 and its receptor CXCR4 in folliculostellate (FS) cells of the rat anterior pituitary gland: the CXCL12/CXCR4 axis induces interconnection of FS cells. 2012 , 153, 1717-24	36
912	Role of SDF1/CXCR4 interaction in experimental hemiplegic models with neural cell transplantation. 2012 , 13, 2636-49	16
911	Homeostatic and tissue reparation defaults in mice carrying selective genetic invalidation of CXCL12/proteoglycan interactions. 2012 , 126, 1882-95	45

910	Structure-based ligand discovery for the protein-protein interface of chemokine receptor CXCR4. 2012 , 109, 5517-22	123
909	The CXCL12-CXCR4 chemokine pathway: a novel axis regulates lymphangiogenesis. 2012 , 18, 5387-98	73
908	Mobilization of hematopoietic stem and progenitor cells using inhibitors of CXCR4 and VLA-4. 2012 , 26, 34-53	138
907	The IKK β -dependent NF- κ B p52/RelB noncanonical pathway is essential to sustain a CXCL12 autocrine loop in cells migrating in response to HMGB1. 2012 , 188, 2380-6	61
906	Dynamic expression of the Robo ligand Slit2 in bone marrow cell populations. 2012 , 11, 675-82	20
905	Concise review: the potential of stromal cell-derived factor 1 and its receptors to promote stem cell functions in spinal cord repair. 2012 , 1, 732-9	28
904	The SDF-1/CXCR4 axis in stem cell preconditioning. 2012 , 94, 400-7	96
903	Targeting chemokines in proteinuria-induced renal disease. 2012 , 16, 833-45	19
902	Stromal Cell-Derived Factor 1 Induces Accumulation of Intravenously Administered Marrow-Derived Stromal Cells in the Partially Obstructed Rat Bladder. 2012 , 4, 154-60	2
901	Modulation of stromal cell-derived factor-1/CXC chemokine receptor 4 axis enhances rhBMP-2-induced ectopic bone formation. 2012 , 18, 860-9	24
900	Inflammation and Perinatal Brain Injury. 2012 , 1079-1086	
899	CXCR4 inhibitors selectively eliminate CXCR4-expressing human acute myeloid leukemia cells in NOG mouse model. 2012 , 3, e396	47
898	Progenitor cell mobilization and recruitment: SDF-1, CXCR4, α -integrin, and c-kit. 2012 , 111, 243-64	52
897	Rapid uptake and degradation of CXCL12 depend on CXCR7 carboxyl-terminal serine/threonine residues. 2012 , 287, 28362-77	63
896	Extramedullary hematopoiesis: a new look at the underlying stem cell niche, theories of development, and occurrence in animals. 2012 , 49, 508-23	120
895	Targeting CXCR4 in Chronic Lymphocytic Leukemia: Preclinical Rationale and Early Clinical Experience. 2012 , 369-385	
894	CCR5-targeted hematopoietic stem cell gene approaches for HIV disease: current progress and future prospects. 2012 , 7, 310-7	12
893	Angiotensin-converting enzyme (CD143) specifies emerging lympho-hematopoietic progenitors in the human embryo. 2012 , 119, 3712-23	45

892	Regulation of CXCR4 conformation by the small GTPase Rac1: implications for HIV infection. 2012 , 119, 2024-32	18
891	Design of a novel cyclotide-based CXCR4 antagonist with anti-human immunodeficiency virus (HIV)-1 activity. 2012 , 55, 10729-34	104
890	Successful transplantation of reduced-sized rat alcoholic fatty livers made possible by mobilization of host stem cells. 2012 , 12, 3246-56	8
889	Embryonic development of hematopoietic stem cells: implications for clinical use. 2012 , 7, 349-68	5
888	Novel roles for the E3 ubiquitin ligase atrophin-interacting protein 4 and signal transduction adaptor molecule 1 in G protein-coupled receptor signaling. 2012 , 287, 9013-27	32
887	Nuclear (PET/SPECT) and optical imaging probes targeting the CXCR4 chemokine receptor. 2012 , 3, 1039	8
886	Inhibition of stromal CXCR4 impairs development of lung metastases. 2012 , 61, 1713-20	50
885	Spatiotemporal expression and functional implication of CXCL14 in the developing mice cerebellum. 2012 , 34, 289-93	9
884	CD26 protease inhibition improves functional response of unfractionated cord blood, bone marrow, and mobilized peripheral blood cells to CXCL12/SDF-1. 2012 , 40, 945-52	9
883	Tetralogy of fallot is an uncommon manifestation of warts, hypogammaglobulinemia, infections, and myelokathexis syndrome. 2012 , 161, 763-5	29
882	The immune system and developmental programming of brain and behavior. 2012 , 33, 267-86	358
881	Attractive guidance: how the chemokine SDF1/CXCL12 guides different cells to different locations. 2012 , 23, 333-40	45
880	Expression and function of the SDF-1 chemokine receptors CXCR4 and CXCR7 during mouse limb muscle development and regeneration. 2012 , 318, 2178-90	33
879	Unexpected developments in immune organs in WHIM syndrome. 2012 , 119, 5610-2	4
878	Development of novel CXCR4-based therapeutics. 2012 , 21, 341-53	67
877	Migration of cardiomyocytes is essential for heart regeneration in zebrafish. 2012 , 139, 4133-42	105
876	The biochemistry and biology of the atypical chemokine receptors. 2012 , 145, 30-8	124
875	Intravital imaging of thymopoiesis reveals dynamic lympho-epithelial interactions. 2012 , 36, 298-309	64

874	SDF-1/CXCL12: its role in spinal cord injury. 2012 , 44, 452-6	23
873	Chemokine CXCL12 and its receptors in the developing central nervous system: emerging themes and future perspectives. 2012 , 72, 1349-62	37
872	New perspectives on central and peripheral immune responses to acute traumatic brain injury. 2012 , 9, 236	169
871	CXCR4 expression in feline mammary carcinoma cells: evidence of a proliferative role for the SDF-1/CXCR4 axis. 2012 , 8, 27	14
870	Directed migration of human neural progenitor cells to interleukin-1 β s promoted by chemokines stromal cell-derived factor-1 and monocyte chemoattractant factor-1 in mouse brains. 2012 , 1, 15	7
869	Genetically manipulated progenitor/stem cells restore function to the infarcted heart via the SDF-1/CXCR4 signaling pathway. 2012 , 111, 265-84	20
868	Cardiovascular biology of the incretin system. 2012 , 33, 187-215	403
867	Dipeptidyl peptidase-4 inhibitor improves neovascularization by increasing circulating endothelial progenitor cells. 2012 , 167, 1506-19	64
866	Imputation of exome sequence variants into population-based samples and blood-cell-trait-associated loci in African Americans: NHLBI GO Exome Sequencing Project. 2012 , 91, 794-808	103
865	Regulatory role of stromal cell-derived factor-1 in bone morphogenetic protein-2-induced chondrogenic differentiation in vitro. 2012 , 44, 1825-33	24
864	Stromal cell-derived factor-1 alpha (SDF-1 α) improves neural recovery after spinal cord contusion in rats. 2012 , 1473, 214-26	32
863	Cloning, expression and characterization of CCL21 and CCL25 chemokines in zebrafish. 2012 , 38, 203-14	20
862	The CXCL12 G801A polymorphism and cancer risk: evidence from 17 case-control studies. 2012 , 509, 228-31	14
861	Chemokine CXCL12 in neurodegenerative diseases: an SOS signal for stem cell-based repair. 2012 , 35, 619-28	72
860	Dipeptidyl peptidase 4 as a therapeutic target in ischemia/reperfusion injury. 2012 , 136, 267-82	49
859	Interferon stimulated genes, CXCR4 and immune cell responses in peripheral blood mononuclear cells infected with bovine viral diarrhoea virus. 2012 , 93, 1081-8	12
858	Overexpression of CXCR4 in mesenchymal stem cells promotes migration, neuroprotection and angiogenesis in a rat model of stroke. 2012 , 316, 141-9	83
857	The differences in CXCR4 protein expression are significant for the five molecular subtypes of breast cancer. 2012 , 36, 381-6	21

856	From blood islands to blood vessels: morphologic observations and expression of key molecules during hyaloid vascular system development. 2012 , 53, 7912-27	24
855	CXCL12 signaling in the development of the nervous system. 2012 , 7, 820-34	40
854	Targeting host cofactors to inhibit viral infection. 2012 , 7, 445-458	
853	Stromal cell-derived factor 1 β mediates resistance to mTOR-directed therapy in pancreatic cancer. 2012 , 14, 690-701	40
852	Inflammatory monocytes and the pathogenesis of viral encephalitis. 2012 , 9, 270	84
851	Proteolytic processing of SDF-1 β by matrix metalloproteinase-2 impairs CXCR4 signaling and reduces neural progenitor cell migration. 2012 , 3, 875-82	29
850	Selective loss of chemokine receptor expression on leukocytes after cell isolation. 2012 , 7, e31297	27
849	CXCL12 mediates trophic interactions between endothelial and tumor cells in glioblastoma. 2012 , 7, e33005	52
848	CCL21/CCR7 prevents apoptosis via the ERK pathway in human non-small cell lung cancer cells. 2012 , 7, e33262	34
847	The chemokine CXCL12 is essential for the clearance of the filaria <i>Litomosoides sigmodontis</i> in resistant mice. 2012 , 7, e34971	15
846	Aberrant Otx2 expression enhances migration and induces ectopic proliferation of hindbrain neuronal progenitor cells. 2012 , 7, e36211	11
845	Stromal cell-derived factor 1 regulates the actin organization of chondrocytes and chondrocyte hypertrophy. 2012 , 7, e37163	22
844	CXCL12/CXCR4 axis triggers the activation of EGF receptor and ERK signaling pathway in CsA-induced proliferation of human trophoblast cells. 2012 , 7, e38375	27
843	The SDF-1 α /CXCR4 axis is required for proliferation and maturation of human fetal pancreatic endocrine progenitor cells. 2012 , 7, e38721	18
842	CXC chemokine receptor 7 (CXCR7) regulates CXCR4 protein expression and capillary tuft development in mouse kidney. 2012 , 7, e42814	32
841	Bile salt-stimulated lipase plays an unexpected role in arthritis development in rodents. 2012 , 7, e47006	6
840	Calcium signaling as a regulator of hematopoiesis. 2012 , E4, 1375-1384	12
839	Cerebellum: links between development, developmental disorders and motor learning. 2012 , 6, 1	51

838	The expanding family of bone marrow homing factors for hematopoietic stem cells: stromal derived factor 1 is not the only player in the game. 2012 , 2012, 758512	25
837	Bone marrow niches for hematopoietic stem cells and immune cells. 2012 , 11, 201-6	70
836	Initial assessment of the role of CXC chemokine receptor 4 after polytrauma. 2012 , 18, 1056-66	14
835	Gene Expression in Chronic Fatigue Syndrome. 2012 ,	
834	Tumor-stroma interactions in tumorigenesis: lessons from stem cell biology. 2012 , 4, 1871-87	8
833	HMGB1 promotes recruitment of inflammatory cells to damaged tissues by forming a complex with CXCL12 and signaling via CXCR4. 2012 , 209, 551-63	443
832	Molecular mechanisms of HIV entry. 2012 , 726, 223-42	145
831	Drug discovery research targeting the CXC chemokine receptor 4 (CXCR4). 2012 , 55, 977-94	88
830	Proper desensitization of CXCR4 is required for lymphocyte development and peripheral compartmentalization in mice. 2012 , 119, 5722-30	84
829	CXCR4 Antagonists. 2012 , 303-332	
828	G-protein-coupled receptors in adult neurogenesis. 2012 , 64, 645-75	42
827	A functionally selective synthetic mimic of the HIV-1 co-receptor CXCR4. 2012 , 18, 8292-5	21
826	Regulation of neutrophil trafficking from the bone marrow. 2012 , 69, 1415-23	63
825	Genetic knockouts suggest a critical role for HIV co-receptors in models of HIV gp120-induced brain injury. 2012 , 7, 306-18	20
824	Stem cells, including a population of very small embryonic-like stem cells, are mobilized into peripheral blood in patients after skin burn injury. 2012 , 8, 184-94	75
823	CXCL12 in control of neuroinflammation. 2012 , 52, 53-63	24
822	Role of chemokine receptor CXCR7 in bladder cancer progression. 2012 , 84, 204-14	67
821	The genetic variation of CCR5, CXCR4 and SDF-1 in three Chinese ethnic populations. 2012 , 12, 1072-8	6

820	CXCL12 as a biological marker for the diagnosis of tuberculous pleurisy. 2012 , 92, 248-52	10
819	The cytokine macrophage migration inhibitory factor (MIF) acts as a neurotrophin in the developing inner ear of the zebrafish, <i>Danio rerio</i> . 2012 , 363, 84-94	22
818	The presumed atypical chemokine receptor CXCR7 signals through G(i/o) proteins in primary rodent astrocytes and human glioma cells. 2012 , 60, 372-81	94
817	CXCL12 β isoform is expressed on endothelial and dendritic cells in rheumatoid arthritis synovium and regulates T cell activation. 2012 , 64, 409-17	14
816	Sprouting of nervous fibers and upregulation of C-X-C chemokine receptor type 4 expression in hippocampal formation of rats with enhanced spatial learning and memory. 2012 , 295, 121-6	7
815	How to find your way through the thymus: a practical guide for aspiring T cells. 2012 , 69, 663-82	18
814	Macrophages are important mediators of either tumor- or inflammation-induced lymphangiogenesis. 2012 , 69, 897-914	96
813	Down-regulation of CXCL12 by DNA hypermethylation and its involvement in gastric cancer metastatic progression. 2012 , 57, 650-9	31
812	CXCL12 G801A polymorphism and breast cancer risk: a meta-analysis. 2012 , 39, 2039-44	14
811	Stromal cell-derived factor-1 β potentiates bone morphogenetic protein-2-stimulated osteoinduction of genetically engineered bone marrow-derived mesenchymal stem cells in vitro. 2013 , 19, 1-13	35
810	Expression of CXCL12 and CXCL14 during eye development in chick and mouse. 2013 , 13, 303-10	13
809	Interactions between B lymphocytes and the osteoblast lineage in bone marrow. 2013 , 93, 261-8	34
808	CXCR4 and CXCR7 form a functional receptor unit for SDF-1/CXCL12 in primary rodent microglia. 2013 , 39, 667-80	31
807	Viral Entry into Host Cells. 2013 ,	12
806	Cellular entry of retroviruses. 2013 , 790, 128-49	15
805	Stromal cell-derived factor-1 enhances wound healing through recruiting bone marrow-derived mesenchymal stem cells to the wound area and promoting neovascularization. 2013 , 197, 103-13	93
804	Understanding the role of the microenvironment during definitive hemopoietic development. 2013 , 41, 761-8	25
803	Dipeptidyl peptidase-4 inhibitors in cardioprotection: a promising therapeutic approach. 2013 , 50, 827-35	14

802	CXCL12 N-terminal end is sufficient to induce chemotaxis and proliferation of neural stem/progenitor cells. 2013 , 11, 913-25	36
801	[¹²⁵ I]AMD3100 as a SPECT tracer for CXCR4 receptor imaging. 2013 , 40, 507-17	23
800	CXC chemokine receptor 4 expression, CXC chemokine receptor 4 activation, and wild-type nucleophosmin are independently associated with unfavorable prognosis in patients with acute myeloid leukemia. 2013 , 13, 686-92	15
799	Targeting the CD20 and CXCR4 pathways in non-hodgkin lymphoma with rituximab and high-affinity CXCR4 antagonist BKT140. 2013 , 19, 3495-507	48
798	Immune regulation by atypical chemokine receptors. 2013 , 13, 815-29	232
797	Discovery of tetrahydroisoquinoline-based CXCR4 antagonists. 2013 , 4, 1025-30	46
796	Haematopoietic stem cell niches: new insights inspire new questions. 2013 , 32, 2535-47	52
795	Sulfopeptide probes of the CXCR4/CXCL12 interface reveal oligomer-specific contacts and chemokine allostery. 2013 , 8, 1955-63	41
794	Heparin oligosaccharides inhibit chemokine (CXC motif) ligand 12 (CXCL12) cardioprotection by binding orthogonal to the dimerization interface, promoting oligomerization, and competing with the chemokine (CXC motif) receptor 4 (CXCR4) N terminus. 2013 , 288, 737-46	65
793	BMS-936564/MDX-1338: a fully human anti-CXCR4 antibody induces apoptosis in vitro and shows antitumor activity in vivo in hematologic malignancies. 2013 , 19, 357-66	161
792	A review on CXCR4/CXCL12 axis in oncology: no place to hide. 2013 , 49, 219-30	428
791	Stromal cell-derived factor-1 overexpression induces gastric dysplasia through expansion of stromal myofibroblasts and epithelial progenitors. 2013 , 62, 192-200	54
790	Grk2 is an essential regulator of CXCR7 signalling in astrocytes. 2013 , 33, 111-8	21
789	Migration of resident cardiac stem cells in myocardial infarction. 2013 , 296, 184-91	17
788	Biomechanical force in blood development: extrinsic physical cues drive pro-hematopoietic signaling. 2013 , 86, 92-103	33
787	Germinal center centroblasts transition to a centrocyte phenotype according to a timed program and depend on the dark zone for effective selection. 2013 , 39, 912-24	171
786	The migration of hematopoietic progenitors from the fetal liver to the fetal bone marrow: lessons learned and possible clinical applications. 2013 , 41, 411-23	42
785	Chemokine receptor CXCR4: role in gastrointestinal cancer. 2013 , 88, 696-705	44

784	CXCR7 impact on CXCL12 biology and disease. 2013 , 19, 12-22	157
783	Stromal derived growth factor-1 (CXCL12) modulates synaptic transmission to immature neurons during post-ischemic cerebral repair. 2013 , 248, 246-53	25
782	Lack of CCR5 modifies glial phenotypes and population of the nigral dopaminergic neurons, but not MPTP-induced dopaminergic neurodegeneration. 2013 , 49, 159-68	28
781	Current status of chemokines in the adult CNS. 2013 , 104, 67-92	154
780	CXCR7 mediates SDF1-induced melanocyte migration. 2013 , 26, 58-66	38
779	Chemokines and the hippocampus: a new perspective on hippocampal plasticity and vulnerability. 2013 , 30, 186-94	79
778	Analysis by substituted cysteine scanning mutagenesis of the fourth transmembrane domain of the CXCR4 receptor in its inactive and active state. 2013 , 85, 541-50	5
777	The molecular mechanism of hypertrophic scar. 2013 , 7, 239-52	90
776	Targeting survival pathways in chronic myeloid leukaemia stem cells. 2013 , 169, 1693-707	56
775	Defects of leukocyte migration in primary immunodeficiencies. 2013 , 43, 1436-40	18
774	The potential role of T cell migration and chemotaxis as targets of glucocorticoids in multiple sclerosis and experimental autoimmune encephalomyelitis. 2013 , 380, 99-107	23
773	Native adipose stromal cells egress from adipose tissue in vivo: evidence during lymph node activation. 2013 , 31, 1309-20	38
772	A novel application for a 3-dimensional timelapse assay that distinguishes chemotactic from chemokinetic responses of hematopoietic CD133(+) stem/progenitor cells. 2013 , 11, 707-20	18
771	CXCL12-mediated murine neural progenitor cell movement requires PI3K β activation. 2013 , 48, 217-31	8
770	Age-related CXC chemokine receptor-4-deficiency impairs osteogenic differentiation potency of mouse bone marrow mesenchymal stromal stem cells. 2013 , 45, 1813-20	35
769	Inflammation and Wound Healing. 2013 , 39-56	1
768	GPCRs in stem cell function. 2013 , 115, 175-216	16
767	Gallic acid: molecular rival of cancer. 2013 , 35, 473-85	196

766	The role of the CXCR4 cell surface chemokine receptor in glioma biology. 2013 , 113, 153-62	25
765	Cxcl12/Cxcr4 signaling controls the migration and process orientation of A9-A10 dopaminergic neurons. 2013 , 140, 4554-64	53
764	Biochemistry and biology: heart-to-heart to investigate cardiac progenitor cells. 2013 , 1830, 2459-69	6
763	CXCR4 promotes B cell egress from Peyer's patches. 2013 , 210, 1099-107	57
762	Diabetes impairs the interactions between long-term hematopoietic stem cells and osteopontin-positive cells in the endosteal niche of mouse bone marrow. 2013 , 305, C693-703	14
761	Arrest Functions of the MIF Ligand/Receptor Axes in Atherogenesis. 2013 , 4, 115	71
760	The Activity of CCL18 is Principally Mediated through Interaction with Glycosaminoglycans. 2013 , 4, 193	19
759	CXCL12/CXCR4 signaling and other recruitment and homing pathways in fracture repair. 2013 , 2, 300	87
758	The SDF-1 β A genetic variation is correlated with susceptibility of asthma in Iranian patients. 2013 , 2013, 759361	
757	CXC chemokine receptor 7 (CXCR7) affects the migration of GnRH neurons by regulating CXCL12 availability. 2013 , 33, 17527-37	25
756	Emerging targets in cancer management: role of the CXCL12/CXCR4 axis. 2013 , 6, 1347-61	131
755	Misregulation of SDF1-CXCR4 signaling impairs early cardiac neural crest cell migration leading to conotruncal defects. 2013 , 113, 505-16	61
754	An antedrug of the CXCL12 neutraligand blocks experimental allergic asthma without systemic effect in mice. 2013 , 288, 11865-76	29
753	MIP-1 β /CCL3-mediated maintenance of leukemia-initiating cells in the initiation process of chronic myeloid leukemia. 2013 , 210, 2661-73	41
752	SDF-1 promotes ox-LDL induced vascular smooth muscle cell proliferation. 2013 , 37, 988-94	10
751	On the road to tolerance--generation and migration of gut regulatory T cells. 2013 , 43, 1422-5	11
750	Neural tube defects, folate, and immune modulation. 2013 , 97, 602-609	23
749	Targeting cells in motion: migrating toward improved therapies. 2013 , 43, 1430-5	29

748	Alarmin-induced cell migration. 2013 , 43, 1412-8	22
747	CCRL2, a fringe member of the atypical chemoattractant receptor family. 2013 , 43, 1418-22	28
746	CXCR4 signaling regulates radial glial morphology and cell fate during embryonic spinal cord development. 2013 , 61, 1288-305	21
745	Emerging aspects of leukocyte migration. 2013 , 43, 1404-6	8
744	The chemokine CXCL12 generates costimulatory signals in T cells to enhance phosphorylation and clustering of the adaptor protein SLP-76. 2013 , 6, ra65	21
743	MMP-2 suppression abrogates irradiation-induced microtubule formation in endothelial cells by inhibiting α ₅ β ₁ -mediated SDF-1/CXCR4 signaling. 2013 , 42, 1279-88	20
742	Platelet-derived stromal cell-derived factor-1 is required for the transformation of circulating monocytes into multipotential cells. 2013 , 8, e74246	13
741	Stroma cell-derived factor-1 signaling enhances calcium transients and beating frequency in rat neonatal cardiomyocytes. 2013 , 8, e56007	15
740	Chemokines induce axon outgrowth downstream of Hepatocyte Growth Factor and TCF/ β catenin signaling. 2013 , 7, 52	15
739	The role of CXCL12-CXCR4 signaling pathway in pancreatic development. 2013 , 3, 11-7	27
738	Involvement of CXCR4/CXCR7/CXCL12 Interactions in Inflammatory bowel disease. 2013 , 3, 40-6	64
737	CXCR4 in Central and Peripheral Lymphoid Niches [Physiology, Pathology and Therapeutic Perspectives in Immune Deficiencies and Malignancies. 2014 ,	
736	Ectopic cerebellar cell migration causes maldevelopment of Purkinje cells and abnormal motor behaviour in Cxcr4 null mice. 2014 , 9, e86471	23
735	Oversulfated chondroitin sulfate binds to chemokines and inhibits stromal cell-derived factor-1 mediated signaling in activated T cells. 2014 , 9, e94402	12
734	Chemokines Referee Inflammation within the Central Nervous System during Infection and Disease. 2014 , 2014, 806741	9
733	CXCL12 chemokine and its receptors as major players in the interactions between immune and nervous systems. 2014 , 8, 65	98
732	Glial response during cuprizone-induced de- and remyelination in the CNS: lessons learned. 2014 , 8, 73	202
731	CXCL12 modulation of CXCR4 and CXCR7 activity in human glioblastoma stem-like cells and regulation of the tumor microenvironment. 2014 , 8, 144	107

730	Allosteric Modulation. 2014 , 155-180	2
729	Retrograde migration of pectoral girdle muscle precursors depends on CXCR4/SDF-1 signaling. 2014 , 142, 473-88	24
728	Mesenchymal stem cells markedly suppress inflammatory bone destruction in rats with adjuvant-induced arthritis. 2014 , 94, 286-96	45
727	The role of novel and known extracellular matrix and adhesion molecules in the homeostatic and regenerative bone marrow microenvironment. 2014 , 8, 563-77	60
726	Emerging Targets in Pituitary Adenomas: Role of the CXCL12/CXCR4-R7 System. 2014 , 2014, 753524	17
725	The CXCL12/CXCR4 chemokine ligand/receptor axis in cardiovascular disease. 2014 , 5, 212	161
724	HIV-1 Entry Inhibitor Resistance. 2014 , 1-21	
723	The role of chemokines in hepatitis C virus-mediated liver disease. 2014 , 15, 4747-79	18
722	Neural progenitor cells orchestrate microglia migration and positioning into the developing cortex. 2014 , 5, 5611	128
721	Deletion of CXCR4 in cardiomyocytes exacerbates cardiac dysfunction following isoproterenol administration. 2014 , 21, 496-506	22
720	Mechanisms of autoimmunity in the central nervous system: Disturbance of natural autoimmunity, infectious agents, cell contribution and antibody signatures. 2014 , 5, 340-361	
719	Stoichiometry and geometry of the CXC chemokine receptor 4 complex with CXC ligand 12: molecular modeling and experimental validation. 2014 , 111, E5363-72	53
718	CXCR7 stimulates MAPK signaling to regulate hepatocellular carcinoma progression. 2014 , 5, e1488	56
717	Inhibitors of CXC chemokine receptor type 4: putative therapeutic approaches in inflammatory diseases. 2014 , 21, 29-36	30
716	Posttranscriptional control of the chemokine receptor CXCR4 expression in cancer cells. 2014 , 35, 1983-92	25
715	CXCR4 expression in bladder transitional cell carcinoma and its relationship with clinicopathological features. 2014 , 92, 157-63	8
714	Multiple levels of chemokine receptor regulation in the control of mouse natural killer cell development. 2014 , 5, 44	11
713	Roles of the chemokine system in development of obesity, insulin resistance, and cardiovascular disease. 2014 , 2014, 181450	57

712	Stem cell and gene therapy for cardiac regeneration. 2014 , 347-379	1
711	The therapeutic potential of a C-X-C chemokine receptor type 4 (CXCR-4) antagonist on hypertrophic scarring in vivo. 2014 , 22, 622-30	23
710	Polymorphism of stromal cell-derived factor-1 selectively upregulates gene expression and is associated with increased susceptibility to coronary artery disease. 2014 , 443, 932-7	7
709	Distinct molecular basis for endothelial differentiation: gene expression profiles of human mesenchymal stem cells versus umbilical vein endothelial cells. 2014 , 289, 7-14	9
708	Pathomechanisms: homeostatic chemokines in health, tissue regeneration, and progressive diseases. 2014 , 20, 154-65	52
707	The effect of simvastatin on chemotactic capability of SDF-1 β and the promotion of bone regeneration. 2014 , 35, 4489-98	84
706	Regulation of hematopoiesis by activators and inhibitors of Wnt signaling from the niche. 2014 , 1310, 32-43	20
705	The role of CXCR4 in highly malignant human gliomas biology: current knowledge and future directions. 2014 , 62, 1015-23	44
704	A phase 1 clinical trial of long-term, low-dose treatment of WHIM syndrome with the CXCR4 antagonist plerixafor. 2014 , 123, 2308-16	96
703	The peculiarities of the SDF-1/CXCL12 system: in some cells, CXCR4 and CXCR7 sing solos, in others, they sing duets. 2014 , 355, 239-53	43
702	CXCR4 as biomarker for radioresistant cancer stem cells. 2014 , 90, 687-99	59
701	Bone marrow-on-a-chip replicates hematopoietic niche physiology in vitro. 2014 , 11, 663-9	293
700	CXC chemokine ligand 12 (CXCL12) and its receptor CXCR4. 2014 , 92, 433-9	117
699	Combination of imatinib with CXCR4 antagonist BKT140 overcomes the protective effect of stroma and targets CML in vitro and in vivo. 2014 , 13, 1155-69	55
698	High-level expression of CXCR4 in breast cancer is associated with early distant and bone metastases. 2014 , 35, 1581-8	26
697	The bone marrow niche for haematopoietic stem cells. <i>Nature</i> , 2014 , 505, 327-34	50.4 1479
696	The chemokine system, and its CCR5 and CXCR4 receptors, as potential targets for personalized therapy in cancer. 2014 , 352, 36-53	106
695	Binding of fusion protein FLSC IgG1 to CCR5 is enhanced by CCR5 antagonist Maraviroc. 2014 , 112, 80-90	4

694	Genetics on a WHIM. 2014 , 164, 15-23	37
693	Chemokine signaling in development and disease. 2014 , 141, 4199-205	83
692	Ex vivo microperfusion system of the adipose organ: a new approach to studying the mobilization of adipose cell populations. 2014 , 38, 1255-62	3
691	G protein-coupled receptors as oncogenic signals in glioma: emerging therapeutic avenues. 2014 , 278, 222-36	24
690	Decoy receptor CXCR7 modulates adrenomedullin-mediated cardiac and lymphatic vascular development. 2014 , 30, 528-40	57
689	Interactions of HIV and drugs of abuse: the importance of glia, neural progenitors, and host genetic factors. 2014 , 118, 231-313	39
688	International Union of Basic and Clinical Pharmacology. [corrected]. LXXXIX. Update on the extended family of chemokine receptors and introducing a new nomenclature for atypical chemokine receptors. 2014 , 66, 1-79	555
687	The intricate role of CXCR4 in cancer. 2014 , 124, 31-82	319
686	Cutting edge: CXCR4 is critical for CD8+ memory T cell homeostatic self-renewal but not rechallenge self-renewal. 2014 , 193, 1013-6	39
685	Expression of stromal cell-derived factor-1 receptors CXCR4 and CXCR7 on circulating platelets of patients with acute coronary syndrome and association with left ventricular functional recovery. 2014 , 35, 386-94	50
684	A review of CXCR4/CXCL12 axis in colorectal cancer. 2014 , 4, 285-290	4
683	CXCR7 prevents excessive CXCL12-mediated downregulation of CXCR4 in migrating cortical interneurons. 2014 , 141, 1857-63	60
682	The role of CXCL12 and CCL7 chemokines in immune regulation, embryonic development, and tissue regeneration. 2014 , 69, 277-83	35
681	Haematopoietic stem cell induction by somite-derived endothelial cells controlled by meox1. <i>Nature</i> , 2014 , 512, 314-8	50.4 81
680	HIV cell fusion assay: phenotypic screening tool for the identification of HIV entry inhibitors via CXCR4. 2014 , 19, 108-18	2
679	CXCL12-CXCR4 contributes to the implication of bone marrow in cancer metastasis. 2014 , 10, 749-59	25
678	The role of polymorphisms of genes CXCL12/CXCR4 and MIF in the risk development IBD the Polish population. 2014 , 41, 4639-52	11
677	Targeting CXCR7/ACKR3 as a therapeutic strategy to promote remyelination in the adult central nervous system. 2014 , 211, 791-9	48

676	The cellular mechanisms and regulation of metastasis formation. 2014 , 48, 165-180	13
675	Constitutively active chemokine CXC receptors. 2014 , 70, 265-301	18
674	Metabolomic analysis of amino acid and fat metabolism in rats with L-tryptophan supplementation. 2014 , 46, 2681-91	35
673	A Blk-p190RhoGAP signaling module downstream of activated Gβ3 functionally opposes CXCL12-stimulated RhoA activation and cell invasion. 2014 , 26, 2551-61	7
672	Neutralising properties of peptides derived from CXCR4 extracellular loops towards CXCL12 binding and HIV-1 infection. 2014 , 1843, 1031-41	17
671	The dose-effect relationship in extracorporeal shock wave therapy: the optimal parameter for extracorporeal shock wave therapy. 2014 , 186, 484-92	44
670	Chemokines and chemokine receptors: update on utility and challenges for the clinician. 2014 , 155, 961-73	44
669	The effect of delivering the chemokine SDF-1β in a matrix-bound manner on myogenesis. 2014 , 35, 4525-4535	33
668	Stromal derived factor 1β a chemokine that delivers a two-pronged defence of the myocardium. 2014 , 143, 305-15	67
667	CXCR4: a virus's best friend?. 2014 , 25, 146-56	18
666	Neurobiology of microglial action in CNS injuries: receptor-mediated signaling mechanisms and functional roles. 2014 , 119-120, 60-84	94
665	Increased levels of plasma CXC-Chemokine Ligand 10, 12 and 16 are associated with right ventricular function in patients with idiopathic pulmonary arterial hypertension. 2014 , 43, 322-7	27
664	Stromal cell-derived factor-1 (SDF-1)/CXCR4 axis enhances cellular invasion in ovarian carcinoma cells via integrin α and β expressions. 2013 , 21, 217-25	9
663	CXCR7 participates in CXCL12-induced CD34+ cell cycling through β-arrestin-dependent Akt activation. 2014 , 123, 191-202	31
662	SDF-1/CXCR4 axis in Tie2-lineage cells including endothelial progenitor cells contributes to bone fracture healing. 2015 , 30, 95-105	61
661	CXCR4 antagonist AMD3100 redistributes leukocytes from primary immune organs to secondary immune organs, lung, and blood in mice. 2015 , 45, 1855-67	48
660	Mild Heat Treatment Primes Human CD34(+) Cord Blood Cells for Migration Toward SDF-1β and Enhances Engraftment in an NSG Mouse Model. 2015 , 33, 1975-84	30
659	Stromal cell-derived factor-1 G801A polymorphism and the risk factors for cervical cancer. 2015 , 11, 4633-8	4

658	CXCR4 expression on pathogenic T cells facilitates their bone marrow infiltration in a mouse model of aplastic anemia. 2015 , 125, 2087-94	23
657	MRTF-SRF signaling is required for seeding of HSC/Ps in bone marrow during development. 2015 , 125, 1244-55	16
656	Identification of a distinct population of CD133(+)CXCR4(+) cancer stem cells in ovarian cancer. 2015 , 5, 10357	70
655	Lack of an Association between the SDF-1 rs1801157 Polymorphism and Coronary Heart Disease: A Meta-Analysis. 2015 , 5, 11803	9
654	CXCR7 Mediates Neural Progenitor Cells Migration to CXCL12 Independent of CXCR4. 2015 , 33, 2574-85	47
653	Positron emission tomographic imaging of CXCR4 in cancer: challenges and promises. 2014 , 13,	14
652	Progressive Chromatin Condensation and H3K9 Methylation Regulate the Differentiation of Embryonic and Hematopoietic Stem Cells. 2015 , 5, 728-740	79
651	Aging Effects on Cardiac Progenitor Cell Physiology. 2015 , 5, 1775-814	13
650	SDF-1/CXCR4/CXCR7 is pivotal for vascular smooth muscle cell proliferation and chronic allograft vasculopathy. 2015 , 28, 1426-35	11
649	Evidence for the involvement of sphingosine-1-phosphate in the homing and engraftment of hematopoietic stem cells to bone marrow. 2015 , 6, 18819-28	34
648	Generation and characterization of mice harboring a conditional CXCL12 allele. 2015 , 59, 205-9	4
647	CXCL12/SDF-1 and CXCR4. 2015 , 6, 301	67
646	Dipeptidyl Peptidase-4 Regulation of SDF-1/CXCR4 Axis: Implications for Cardiovascular Disease. 2015 , 6, 477	49
645	Systematic Review of the Neurobiological Relevance of Chemokines to Psychiatric Disorders. 2015 , 9, 357	94
644	Making Blood: The Haematopoietic Niche throughout Ontogeny. 2015 , 2015, 571893	20
643	Construction of a CXCL12-KDEL fusion gene to inhibit head and neck squamous cell carcinoma metastasis by intracellular sequestration of CXCR4. 2015 , 2015, 195828	2
642	Targeting the Hedgehog Pathway in Pediatric Medulloblastoma. 2015 , 7, 2110-23	33
641	CD44, Hyaluronan, the Hematopoietic Stem Cell, and Leukemia-Initiating Cells. 2015 , 6, 235	87

640	Serum chemokine network correlates with chemotherapy in non-small cell lung cancer. 2015 , 365, 57-67	15
639	Androgen receptor and chemokine receptors 4 and 7 form a signaling axis to regulate CXCL12-dependent cellular motility. 2015 , 15, 204	17
638	Development and trafficking function of haematopoietic stem cells and myeloid cells during fetal ontogeny. 2015 , 107, 352-63	10
637	Concise Review: CXCR4/CXCL12 Signaling in Immature Hematopoiesis--Lessons From Pharmacological and Genetic Models. 2015 , 33, 2391-9	60
636	The protective effects of polyherbal extracts of soybeans, coconut water, and brown rice (EMSA eritin) on stromal cell-derived factor 1 production in radiated mice. 2015 , 7, 147-153	
635	Interactions of Streptococcus iniae with phagocytic cell line. 2015 , 17, 258-65	5
634	GPCR crystal structures: Medicinal chemistry in the pocket. 2015 , 23, 3880-906	88
633	ROBO4-mediated vascular integrity regulates the directionality of hematopoietic stem cell trafficking. 2015 , 4, 255-68	39
632	Postconditioning attenuates renal ischemia-reperfusion injury by mobilization of stem cells. 2015 , 28, 289-98	10
631	Self-organization of polarized cerebellar tissue in 3D culture of human pluripotent stem cells. 2015 , 10, 537-50	369
630	Chromothriptic cure of WHIM syndrome. 2015 , 160, 686-699	120
629	Multifaceted role of the ubiquitin ligase Itch in immune regulation. 2015 , 93, 452-60	25
628	Structural biology. Crystal structure of the chemokine receptor CXCR4 in complex with a viral chemokine. 2015 , 347, 1117-22	262
627	Role of ECM/peptide coatings on SDF-1 α -triggered mesenchymal stromal cell migration from microcarriers for cell therapy. 2015 , 18, 59-67	35
626	Stromal cell-derived factor 1 (SDF-1) accelerated skin wound healing by promoting the migration and proliferation of epidermal stem cells. 2015 , 51, 578-85	29
625	Cell therapies for treatment of human immunodeficiency virus infection. 2015 , 25, 156-74	3
624	The role of B cells in the early onset of the first demyelinating event of acute optic neuritis. 2015 , 56, 1349-56	6
623	Generation of knock-in primary human T cells using Cas9 ribonucleoproteins. 2015 , 112, 10437-42	454

622	CXCL12 Signaling Is Essential for Maturation of the Ventricular Coronary Endothelial Plexus and Establishment of Functional Coronary Circulation. 2015 , 33, 469-77	59
621	CCR5 β 2 mutation and HIV infection: basis for curative HIV therapy. 2015 , 14, 24-9	40
620	A prototypic modified risk tobacco product exhibits reduced effects on chemotaxis and transendothelial migration of monocytes compared with a reference cigarette. 2015 , 80, 277-286	13
619	Chemokine-guided cell migration and motility in zebrafish development. 2015 , 34, 1309-18	38
618	The duality of chemokines in heart failure. 2015 , 11, 523-36	1
617	Discovery and characterization of an endogenous CXCR4 antagonist. 2015 , 11, 737-47	56
616	Resistance against inhibitors of HIV-1 entry into target cells. 2015 , 10, 97-112	1
615	Discovery of novel N-aryl piperazine CXCR4 antagonists. 2015 , 25, 4950-4955	17
614	The dynamics of adult haematopoiesis in the bone and bone marrow environment. 2015 , 170, 472-86	24
613	Primordial germ cell migration in the yellowtail kingfish (<i>Seriola lalandi</i>) and identification of stromal cell-derived factor 1. 2015 , 213, 16-23	15
612	Exendin-4 enhances the migration of adipose-derived stem cells to neonatal rat ventricular cardiomyocyte-derived conditioned medium via the phosphoinositide 3-kinase/Akt-stromal cell-derived factor-1/CXC chemokine receptor 4 pathway. 2015 , 11, 4063-72	47
611	Regulation of Hematopoiesis by CXCL12/CXCR4 Signaling. 2015 , 593-605	1
610	The endosomal sorting complex required for transport pathway mediates chemokine receptor CXCR4-promoted lysosomal degradation of the mammalian target of rapamycin antagonist DEPTOR. 2015 , 290, 6810-24	20
609	Mesenchymal cell contributions to the stem cell niche. 2015 , 16, 239-53	332
608	Identification of a sustained neurogenic zone at the dorsal surface of the adult mouse hippocampus and its regulation by the chemokine SDF-1. 2015 , 25, 1224-41	12
607	Preclinical discovery and development of maraviroc for the treatment of HIV. 2015 , 10, 671-84	10
606	ANGPTL2 increases bone metastasis of breast cancer cells through enhancing CXCR4 signaling. 2015 , 5, 9170	36
605	CXCR4/CXCL12 signaling impacts enamel progenitor cell proliferation and motility in the dental stem cell niche. 2015 , 362, 633-42	4

604	Platelet surface expression of stromal cell-derived factor-1 receptors CXCR4 and CXCR7 is associated with clinical outcomes in patients with coronary artery disease. 2015 , 13, 719-28	23
603	Tissue-Specific Stem Cell Niche. 2015 ,	3
602	Skeletal Stem Cell Niche of the Bone Marrow. 2015 , 245-279	1
601	Zic2 Controls the Migration of Specific Neuronal Populations in the Developing Forebrain. 2015 , 35, 11266-80	18
600	Applications of stripe assay in the study of CXCL12-mediated neural progenitor cell migration and polarization. 2015 , 72, 163-171	11
599	Stromal-Derived Factor-1 and Interleukin-7 Treatment Improves Homeostatic Proliferation of Naïve CD4(+) T Cells after Allogeneic Stem Cell Transplantation. 2015 , 21, 1721-31	12
598	Decreased CXCL12 is associated with impaired alveolar epithelial cell migration and poor lung healing after lung resection. 2015 , 158, 1073-80; discussion 1080-2	7
597	The CXCL12/CXCR4 Axis Plays a Critical Role in Coronary Artery Development. 2015 , 33, 455-68	73
596	Chromothriptic cure of WHIM syndrome: Implications for bone marrow transplantation. 2015 , 3, e1073430	11
595	Significance of CXCL12 in type 2 diabetes mellitus and its associated complications. 2015 , 38, 710-7	17
594	Hologram quantitative structure activity relationship, docking, and molecular dynamics studies of inhibitors for CXCR4. 2015 , 85, 119-36	16
593	SDF-1 controls the muscle and blood vessel formation of the somite. 2016 , 60, 29-38	8
592	Trafficking of Osteoclast Precursors. 2016 , 25-40	0
591	Prospects for Foamy Viral Vector Anti-HIV Gene Therapy. 2016 , 4,	2
590	Neutropenic Mice Provide Insight into the Role of Skin-Infiltrating Neutrophils in the Host Protective Immunity against Filarial Infective Larvae. 2016 , 10, e0004605	28
589	Impact of a CXCL12/CXCR4 Antagonist in Bleomycin (BLM) Induced Pulmonary Fibrosis and Carbon Tetrachloride (CCl4) Induced Hepatic Fibrosis in Mice. 2016 , 11, e0151765	23
588	Somite-Derived Retinoic Acid Regulates Zebrafish Hematopoietic Stem Cell Formation. 2016 , 11, e0166040	7
587	Homing and migration of mesenchymal stromal cells: How to improve the efficacy of cell therapy?. 2016 , 8, 73-87	268

586	SDF1-CXCR4 signaling: A new player involved in DiGeorge/22q11-deletion syndrome. 2016 , 4, e1195050	5
585	CXCR4 signaling in health and disease. 2016 , 177, 6-15	118
584	Twist-1 Enhances Bone Marrow Mesenchymal Stromal Cell Support of Hematopoiesis by Modulating CXCL12 Expression. 2016 , 34, 504-9	13
583	Stem cell homing using local delivery of plerixafor and stromal derived growth factor-1alpha for improved bone regeneration around Ti-implants. 2016 , 104, 2466-75	7
582	CXCL12/CXCR4 signaling pathway regulates cochlear development in neonatal mice. 2016 , 13, 4357-64	0
581	Hematopoietic Stem Cell Niches Produce Lineage-Instructive Signals to Control Multipotent Progenitor Differentiation. 2016 , 45, 1219-1231	141
580	Enhanced in utero allogeneic engraftment in mice after mobilizing fetal HSCs by μ /7 inhibition. 2016 , 128, 2457-2461	20
579	CXCL12/SDF-1 and Hematopoiesis. 2016 , 624-631	3
578	Identification of gene expression patterns crucially involved in experimental autoimmune encephalomyelitis and multiple sclerosis. 2016 , 9, 1211-1220	14
577	Mechanisms of T cell organotropism. 2016 , 73, 3009-33	31
576	Stromal Cell-Derived Factor 1 Increases Tetrodotoxin-Resistant Sodium Currents Nav1.8 and Nav1.9 in Rat Dorsal Root Ganglion Neurons via Different Mechanisms. 2016 , 41, 1587-603	9
575	Clinical Validation of a CXCR4 Mutation Screening Assay for Waldenstrom Macroglobulinemia. 2016 , 16, 395-403.e1	13
574	Chemokine Receptor Type 4 Regulates Migration and Invasion of Trophectoderm Cell in the Human Blastocyst. 2016 , 95, 21	4
573	Drug design strategies focusing on the CXCR4/CXCR7/CXCL12 pathway in leukemia and lymphoma. 2016 , 11, 1093-1109	20
572	Stromal cell-derived factor-1 (SDF-1) as a target in liver diseases. 2016 , 311, G203-9	51
571	Inflammation and Perinatal Brain Injury. 2016 , 1-12	
570	Marrow Microenvironment and Biology of Mobilization of Stem Cells. 2016 , 50-67	
569	Role of CXCL12 and CXCR4 in normal cerebellar development and medulloblastoma. 2016 , 138, 10-3	22

568	Development of the shoulder girdle musculature. 2016 , 245, 342-50	11
567	Comparison of gene expression profiles in drug-withdrawn rats. 2016 , 12, 197-207	1
566	Engineering hematopoietic stem cells toward a functional cure of human immunodeficiency virus infection. 2016 , 18, 1370-1381	9
565	Targeted positron emission tomography imaging of CXCR4 expression in patients with acute myeloid leukemia. 2016 , 101, 932-40	37
564	A Cas9 Ribonucleoprotein Platform for Functional Genetic Studies of HIV-Host Interactions in Primary Human T Cells. 2016 , 17, 1438-1452	110
563	βArrestin1 and Signal-transducing Adaptor Molecule 1 (STAM1) Cooperate to Promote Focal Adhesion Kinase Autophosphorylation and Chemotaxis via the Chemokine Receptor CXCR4. 2016 , 291, 26083-26097	19
562	CXCL12/CXCR4 axis regulates neovascularization and lymphangiogenesis in sutured corneas in mice. 2016 , 13, 4987-94	13
561	The CXCR4 antagonist plerixafor enhances the effect of rituximab in diffuse large B-cell lymphoma cell lines. 2016 , 4, 12	27
560	Mechanical Control of Epithelial-to-Mesenchymal Transitions in Development and Cancer. 2016 , 32, 527-554	85
559	Protein phosphatase 2A plays an important role in migration of bone marrow stroma cells. 2016 , 412, 173-80	7
558	Cardiomyocyte-derived CXCL12 is not involved in cardiogenesis but plays a crucial role in myocardial infarction. 2016 , 94, 1005-14	11
557	Synthesis and evaluation of an (18)F-labeled pyrimidine-pyridine amine for targeting CXCR4 receptors in gliomas. 2016 , 43, 606-11	9
556	Growth factor therapy sequesters inflammation in affording neuroprotection in cerebrovascular diseases. 2016 , 16, 915-26	14
555	Pattern of CXCR7 Gene Expression in Mouse Brain Under Normal and Inflammatory Conditions. 2016 , 11, 26-35	32
554	Construction and Quantitative Validation of Chicken CXCR4 Expression Reporter. 2016 , 58, 202-11	0
553	Oligodendrocyte precursors migrate along vasculature in the developing nervous system. 2016 , 351, 379-84	213
552	A promiscuous recognition mechanism between GPR17 and SDF-1: Molecular insights. 2016 , 28, 631-42	9
551	Systemic inflammation induces anxiety disorder through CXCL12/CXCR4 pathway. 2016 , 56, 352-62	70

550	SDF-1/CXCL12 modulates mitochondrial respiration of immature blood cells in a bi-phasic manner. 2016 , 58, 13-8	10
549	Förster resonance energy transfer analysis of quantum dots and peptide self-assembly inside a capillary. 2016 , 227, 619-625	16
548	Proteolytic processing of human serum albumin generates EPI-X4, an endogenous antagonist of CXCR4. 2016 , 99, 863-8	19
547	MIM regulates the trafficking of bone marrow cells via modulating surface expression of CXCR4. 2016 , 30, 1327-34	15
546	Therapeutic Delivery of Stromal Cell-Derived Factor-1 for Injury Repair. 2016 , 06, 1530001	
545	Strategies to target long-lived plasma cells for treating hemophilia A inhibitors. 2016 , 301, 65-73	11
544	Autologous cell sources in therapeutic vasculogenesis: In vitro and in vivo comparison of endothelial colony-forming cells from peripheral blood and endothelial cells isolated from adipose tissue. 2016 , 18, 242-52	11
543	Molecular basis for the antagonistic activity of an anti-CXCR4 antibody. 2016 , 8, 163-75	13
542	Inhibition of CXCL12-mediated chemotaxis of Jurkat cells by direct immunotoxins. 2016 , 90, 1685-94	9
541	Microglia in Health and Disease. 2015 , 8, a020560	160
540	Critical Dietary Factors in Cancer Chemoprevention. 2016 ,	2
539	Pivotal Role of Chemokine Receptor Signaling Axis and Natural Bioactive Chemopreventive Agents in Metastasis of Breast Cancer. 2016 , 285-305	
538	The chemokine receptor CCR7 promotes mammary tumorigenesis through amplification of stem-like cells. 2016 , 35, 105-15	27
537	Single-Molecule Imaging Demonstrates Ligand Regulation of the Oligomeric Status of CXCR4 in Living Cells. 2017 , 121, 1466-1474	18
536	Possible Muscle Repair in the Human Cardiovascular System. 2017 , 13, 170-191	26
535	Stem Cells and Neurogenesis for Brain Development, Degeneration and Therapy. 2017 , 217-243	
534	CXCL12/CXCR4/CXCR7 Chemokine Axis in the Central Nervous System: Therapeutic Targets for Remyelination in Demyelinating Diseases. 2017 , 23, 627-648	29
533	Development of platelets during steady state and inflammation. 2017 , 101, 1109-1117	14

532	CXCL12a/CXCR4b acts to retain neutrophils in caudal hematopoietic tissue and to antagonize recruitment to an injury site in the zebrafish larva. 2017 , 69, 341-349	8
531	Discordant mRNA and protein expression of CXCR4 under in vitro CoCl-induced hypoxic conditions. 2017 , 484, 285-291	4
530	Resveratrol activates endogenous cardiac stem cells and improves myocardial regeneration following acute myocardial infarction. 2017 , 15, 1188-1194	20
529	Genetic variation, biological structure, sources, and fundamental parts played by CXCL12 in pathophysiology of type 1 diabetes mellitus. 2017 , 37, 229-239	2
528	Monomeric CXCL12 outperforms its dimeric and wild type variants in the promotion of human endothelial progenitor cells' function. 2017 , 488, 303-310	10
527	Vascular CXCR4 Limits Atherosclerosis by Maintaining Arterial Integrity: Evidence From Mouse and Human Studies. 2017 , 136, 388-403	83
526	Influence of chain length on the activity of tripeptidomimetic antagonists for CXC chemokine receptor 4 (CXCR4). 2017 , 25, 646-657	6
525	Molecular characterization of sdf1 and cxcr4 in the Mozambique tilapia, <i>Oreochromis mossambicus</i> . 2017 , 176, 51-63	7
524	Using nanoBRET and CRISPR/Cas9 to monitor proximity to a genome-edited protein in real-time. 2017 , 7, 3187	33
523	Adult haematopoietic stem cell niches. 2017 , 17, 573-590	379
522	The chemokine receptor CXCR4 promotes granuloma formation by sustaining a mycobacteria-induced angiogenesis programme. 2017 , 7, 45061	18
521	The Cerebellum and Its Wrapping Meninge: Developmental Interplay between Two Major Structures. 2017 , 48, 329-339	4
520	Harnessing bone marrow resident regulatory T cells to improve allogeneic stem cell transplant outcomes. 2017 , 105, 153-161	5
519	Early pancreatic cancer lesions suppress pain through CXCL12-mediated chemoattraction of Schwann cells. 2017 , 114, E85-E94	36
518	Odd skipped-related 1 identifies a population of embryonic fibro-adipogenic progenitors regulating myogenesis during limb development. 2017 , 8, 1218	46
517	Biological/pathological functions of the CXCL12/CXCR4/CXCR7 axes in the pathogenesis of bladder cancer. 2017 , 22, 991-1000	36
516	Pathogenesis, diagnosis and therapeutic strategies in WHIM syndrome immunodeficiency. 2017 , 5, 813-825	23
515	CXCL12 enhances angiogenesis through CXCR7 activation in human umbilical vein endothelial cells. 2017 , 7, 8289	51

514	Cancer Stem Cells and Metastasis. 2017 , 151, 137-176	32
513	Molecular characterization and expression analysis of the large yellow croaker (<i>Larimichthys crocea</i>) chemokine receptors CXCR2, CXCR3, and CXCR4 after bacterial and poly I:C challenge. 2017 , 70, 228-239	16
512	Astrocytic expression of the CXCL12 receptor, CXCR7/ACKR3 is a hallmark of the diseased, but not developing CNS. 2017 , 85, 105-118	12
511	Drebrin in Neuronal Migration and Axonal Growth. 2017 , 1006, 141-155	6
510	Non-oxidizable HMGB1 induces cardiac fibroblasts migration via CXCR4 in a CXCL12-independent manner and worsens tissue remodeling after myocardial infarction. 2017 , 1863, 2693-2704	20
509	CXCR4 and CXCR7 play distinct roles in cardiac lineage specification and pharmacologic βadrenergic response. 2017 , 23, 77-86	14
508	Dynamics and function of CXCR4 in formation of the granule cell layer during hippocampal development. 2017 , 7, 5647	6
507	Chemotactic synthetic vesicles: Design and applications in blood-brain barrier crossing. 2017 , 3, e1700362	152
506	CXCL12/SDF-1β induces migration via SRC-mediated CXCR4-EGFR cross-talk in gastric cancer cells. 2017 , 14, 2103-2110	23
505	The chemokines CXCL12 and CXCL14 differentially regulate connective tissue markers during limb development. 2017 , 7, 17279	12
504	New neurons in adult brain: distribution, molecular mechanisms and therapies. 2017 , 141, 4-22	40
503	Progressive Changes in CXCR4 Expression That Define Thymocyte Positive Selection Are Dispensable For Both Innate and Conventional T-cell Development. 2017 , 7, 5068	12
502	Contrast Media-Induced Renal Inflammation Is Mediated Through HMGB1 and Its Receptors in Human Tubular Cells. 2017 , 36, 67-76	14
501	Chemokine receptors in allergic diseases. 2017 , 72, 682-690	31
500	CXCR4 polymorphism predicts progression-free survival in metastatic colorectal cancer patients treated with first-line bevacizumab-based chemotherapy. 2017 , 17, 543-550	9
499	Survival and Proliferation of Neural Progenitor-Derived Glioblastomas Under Hypoxic Stress is Controlled by a CXCL12/CXCR4 Autocrine-Positive Feedback Mechanism. 2017 , 23, 1250-1262	34
498	Hyaluronic acid-laminin hydrogels increase neural stem cell transplant retention and migratory response to SDF-1β 2017 , 60-61, 206-216	33
497	Contribution and underlying mechanisms of CXCR4 overexpression in patients with systemic lupus erythematosus. 2017 , 14, 842-849	26

496	CXCR4 inhibitors could benefit to HER2 but not to triple-negative breast cancer patients. 2017 , 36, 1211-1222	40
495	G-CSF-mobilized Bone Marrow Mesenchymal Stem Cells Replenish Neural Lineages in Alzheimer's Disease Mice via CXCR4/SDF-1 Chemotaxis. 2017 , 54, 6198-6212	28
494	Canonical and Noncanonical Signaling Roles of β Arrestins in Inflammation and Immunity. 2017 , 136, 279-313	5
493	Molecular Regulation of Sprouting Angiogenesis. 2017 , 8, 153-235	29
492	New monogenic disorders identify more pathways to neutropenia: from the clinic to next-generation sequencing. 2017 , 2017, 172-180	4
491	Chemokines as a Conductor of Bone Marrow Microenvironment in Chronic Myeloid Leukemia. 2017 , 18,	23
490	G Protein-Coupled Receptors at the Crossroad between Physiologic and Pathologic Angiogenesis: Old Paradigms and Emerging Concepts. 2017 , 18,	21
489	Angiogenic Capacity of Dental Pulp Stem Cell Regulated by SDF-1-CXCR4 Axis. 2017 , 2017, 8085462	19
488	SDF-1/CXCR4 Signaling Maintains Stemness Signature in Mouse Neural Stem/Progenitor Cells. 2017 , 2017, 2493752	25
487	Proteomic Analysis of Liver Proteins in a Rat Model of Chronic Restraint Stress-Induced Depression. 2017 , 2017, 7508316	7
486	Epithelial-to-mesenchymal transition in FHC-silenced cells: the role of CXCR4/CXCL12 axis. 2017 , 36, 104	31
485	A novel CXCR4 antagonist IgG1 antibody (PF-06747143) for the treatment of hematologic malignancies. 2017 , 1, 1088-1100	24
484	CD34+ Cell Mobilization in Autologous and Allogeneic Hematopoietic Cell Transplants. 79-96	
483	Heightened CXCR4 and CXCL12 expression in NF1-associated neurofibromas. 2018 , 34, 877-882	8
482	Inhibition of HIV Fusion by Small Molecule Agonists through Efficacy-Engineering of CXCR4. 2018 , 13, 881-886	7
481	Multisystem multitasking by CXCL12 and its receptors CXCR4 and ACKR3. 2018 , 109, 2-10	36
480	T-cell egress from the thymus: Should I stay or should I go?. 2018 , 104, 275-284	24
479	STAT-3 regulation of CXCR4 is necessary for the prenylflavonoid Icaritin to enhance mesenchymal stem cell proliferation, migration and osteogenic differentiation. 2018 , 1862, 1680-1692	22

478	CXCR4 involvement in neurodegenerative diseases. 2018 , 8, 73	36
477	Niches for Hematopoietic Stem Cells and Their Progeny. 2018 , 48, 632-648	185
476	Separating Actin-Dependent Chemokine Receptor Nanoclustering from Dimerization Indicates a Role for Clustering in CXCR4 Signaling and Function. 2018 , 70, 106-119.e10	33
475	A guide to chemokines and their receptors. 2018 , 285, 2944-2971	336
474	Label-Free Quantification of Small-Molecule Binding to Membrane Proteins on Single Cells by Tracking Nanometer-Scale Cellular Membrane Deformation. 2018 , 12, 2056-2064	6
473	Chemokines in homeostasis and diseases. 2018 , 15, 324-334	73
472	Role of negative regulation of immune signaling pathways in neutrophil function. 2017 , 103, 1029	12
471	The C-X-C signalling system in the rodent vs primate testis: impact on germ cell niche interaction. 2018 , 155, R211-R219	7
470	CXCR4-CXCL12 interaction is important for plasma cell homing and survival in NZB/W mice. 2018 , 48, 1020-1029	23
469	Different contributions of chemokine N-terminal features attest to a different ligand binding mode and a bias towards activation of ACKR3/CXCR7 compared with CXCR4 and CXCR3. 2018 , 175, 1419-1438	30
468	The good and bad faces of the CXCR4 chemokine receptor. 2018 , 95, 121-131	44
467	Human Cytomegalovirus UL111A and US27 Gene Products Enhance the CXCL12/CXCR4 Signaling Axis via Distinct Mechanisms. 2018 , 92,	13
466	Critical involvement of atypical chemokine receptor CXCR7 in allergic airway inflammation. 2018 , 154, 274-284	16
465	Homing Genes Expression in Fucosyltransferase VI-Treated Umbilical Cord Blood CD133+ Cells which Expanded on Protein-Coated Nanoscaffolds. 2018 , 60, 455-467	5
464	Endogenous Membrane Receptor Labeling by Reactive Cytokines and Growth Factors to Chase Their Dynamics in Live Cells. 2018 , 4, 1451-1464	8
463	Development of Mimokines, chemokine N terminus-based CXCR4 inhibitors optimized by phage display and rational design. 2018 , 104, 343-357	3
462	Effect of chemical immobilization of SDF-1 α into muscle-derived scaffolds on angiogenesis and muscle progenitor recruitment. 2018 , 12, e438-e450	14
461	Therapeutic strategies utilizing SDF-1 α in ischaemic cardiomyopathy. 2018 , 114, 358-367	26

460	MicroRNA-381-induced down-regulation of CXCR4 promotes the proliferation of renal tubular epithelial cells in rat models of renal ischemia reperfusion injury. 2018 , 119, 3149-3161	9
459	Leveraging the IncuCyte Technology for Higher-Throughput and Automated Chemotaxis Assays for Target Validation and Compound Characterization. 2018 , 23, 122-131	3
458	The gp130 Cytokine Interleukin-11 Regulates Engraftment of Vav1 Hematopoietic Stem and Progenitor Cells in Lethally Irradiated Recipients. 2018 , 36, 446-457	3
457	SDF-1 induces TNF-mediated apoptosis in cardiac myocytes. 2018 , 23, 79-91	30
456	Harnessing CXCR4 antagonists in stem cell mobilization, HIV infection, ischemic diseases, and oncology. 2018 , 38, 1188-1234	23
455	Loss of CXCL12/CXCR4 signalling impacts several aspects of cardiovascular development but does not exacerbate Tbx1 haploinsufficiency. 2018 , 13, e0207251	7
454	The impact of cancer-associated fibroblasts on major hallmarks of pancreatic cancer. 2018 , 8, 5072-5087	91
453	Targeting Chemokines and Chemokine Receptors in Melanoma and Other Cancers. 2018 , 9, 2480	35
452	Potential Role of CXCR4 Targeting in the Context of Radiotherapy and Immunotherapy of Cancer. 2018 , 9, 3018	68
451	Cardiovascular Development. 2018 , 1-28	
450	Gene Editing of HIV-1 Co-receptors to Prevent and/or Cure Virus Infection. 2018 , 9, 2940	35
449	Divergent Expression Patterns and Function of Two cxcr4 Paralogs in Hermaphroditic Epinephelus coioides. 2018 , 19,	5
448	CCL25 chemokine-guided stem cell attraction: an assessment of possible benefits and risks. 2018 , 13, 833-844	4
447	Inflammation and Perinatal Brain Injury. 2018 , 2019-2030	
446	Neutrophils: Beneficial and Harmful Cells in Septic Arthritis. 2018 , 19,	19
445	Murine Bone Marrow Niches from Hematopoietic Stem Cells to B Cells. 2018 , 19,	21
444	Potential use of CXCL12/CXCR4 and sonic hedgehog pathways as therapeutic targets in medulloblastoma. 2018 , 57, 1134-1142	8
443	Stroma cell-derived factor 1 and connexins (37 and 43) are preserved after vitrification and in vitro culture of goat ovarian cortex. 2018 , 116, 83-88	9

442	HIV glycoprotein gp120 enhances mesenchymal stem cell migration by upregulating CXCR4 expression. 2018 , 1862, 1790-1800	7
441	MicroRNA-9 inhibits growth and invasion of head and neck cancer cells and is a predictive biomarker of response to plerixafor, an inhibitor of its target CXCR4. 2018 , 12, 2023-2041	25
440	CXCR7 Targeting and Its Major Disease Relevance. 2018 , 9, 641	45
439	Effects of concentrated growth factors on the angiogenic properties of dental pulp cells and endothelial cells: an in vitro study. 2018 , 32, e48	9
438	Design, Synthesis, and Pharmacological Evaluation of Second-Generation Tetrahydroisoquinoline-Based CXCR4 Antagonists with Favorable ADME Properties. 2018 , 61, 7168-7188	14
437	Chemokines and Hematopoietic Cell Trafficking. 2018 , 135-144.e6	
436	Associations between polymorphisms of the CXCL12 and CNM2 gene and hypertension risk: A case-control study. 2018 , 675, 185-190	1
435	Moving into shape: cell migration during the development and histogenesis of the cerebellum. 2018 , 150, 13-36	11
434	CXCR4-directed theranostics in oncology and inflammation. 2018 , 32, 503-511	61
433	Dual Targeting of Acute Leukemia and Supporting Niche by CXCR4-Directed Theranostics. 2018 , 8, 369-383	42
432	Discovery of a Locally and Orally Active CXCL12 Neutraligand (LIT-927) with Anti-inflammatory Effect in a Murine Model of Allergic Airway Hypereosinophilia. 2018 , 61, 7671-7686	14
431	Secretome within the bone marrow microenvironment: A basis for mesenchymal stem cell treatment and role in cancer dormancy. 2018 , 155, 92-103	17
430	Emerging roles of atypical chemokine receptor 3 (ACKR3) in normal development and physiology. 2018 , 109, 17-23	25
429	Embryology. 2018 , 154, 29-44	15
428	How post-translational modifications influence the biological activity of chemokines. 2018 , 109, 29-51	24
427	Role of CXCL12 and CXCR4 in the pathogenesis of hematological malignancies. 2018 , 109, 11-16	44
426	A mouse model for evaluation of efficacy and concomitant toxicity of anti-human CXCR4 therapeutics. 2018 , 13, e0194688	6
425	Design and evaluation of a CXCR4 targeting peptide 4DV3 as an HIV entry inhibitor and a ligand for targeted drug delivery. 2019 , 138, 11-22	8

424	Harnessing CXCL12 signaling to protect and preserve functional β cell mass and for cell replacement in type 1 diabetes. 2019 , 193, 63-74	8
423	Induced Expression of Endogenous CXCR4 in iPSCs by Targeted CpG Demethylation Enhances Cell Migration Toward the Ligand CXCL12. 2019 , 42, 20-34	5
422	Notch/CXCR4 Partnership in Acute Lymphoblastic Leukemia Progression. 2019 , 2019, 5601396	10
421	Influence of neonatal gender on cord blood CD34 cell amplification and gene expression. 2019 , 18, 105-118	1
420	WHIM Syndrome: from Pathogenesis Towards Personalized Medicine and Cure. 2019 , 39, 532-556	32
419	SDF1/CXCR4 axis plays a role in angiogenesis during the degeneration of intervertebral discs. 2019 , 20, 1203-1211	4
418	Development of Cerebellar Nuclei. 2019 , 1-27	
417	Stromal cell-derived factor-1 (CXCL12) and its role in bone and muscle biology. 2019 , 123, 154783	12
416	Prospective non-invasive evaluation of CXCR4 expression for the diagnosis of MALT lymphoma using [Ga]Ga-Pentixafor-PET/MRI. 2019 , 9, 3653-3658	26
415	An Overview of Novel Unconventional Mechanisms of Hematopoietic Development and Regulators of Hematopoiesis - a Roadmap for Future Investigations. 2019 , 15, 785-794	15
414	CXCR4-gerichtete Endoradiotherapie von hämatologischen Erkrankungen. 2019 , 42, 36-45	0
413	The role of CXC receptors signaling in early stages of mouse embryonic stem cell differentiation. 2019 , 41, 101636	1
412	The Role of the CXCL12/CXCR4/ACKR3 Axis in Autoimmune Diseases. 2019 , 10, 585	55
411	Chemokines in Physiological and Pathological Bone Remodeling. 2019 , 10, 2182	44
410	An Agonist of the CXCR4 Receptor Strongly Promotes Regeneration of Degenerated Motor Axon Terminals. 2019 , 8,	6
409	Adhesion Deregulation in Acute Myeloid Leukaemia. 2019 , 8,	26
408	Inhibition of mesenchymal stromal cells' chemotactic effect to ameliorate paraquat-induced pulmonary fibrosis. 2019 , 307, 1-10	4
407	Role of chemokines in Parkinson's disease. 2019 , 152, 11-18	9

406	Chemokines in Alzheimer's Disease: New Insights Into Prokineticins, Chemokine-Like Proteins. 2019 , 10, 622	22
405	Fibrotic liver microenvironment promotes DLL4 and SDF-1-dependent T-cell lineage development. 2019 , 10, 440	
404	Clathrin Heavy Chain Knockdown Impacts CXCR4 Signaling and Post-translational Modification. 2019 , 7, 77	4
403	The Role of Chemokines in the Pathophysiology of Major Depressive Disorder. 2019 , 20,	59
402	CXCL12-CXCR4 pathway activates brown adipocytes and induces insulin resistance in CXCR4-deficient mice under high-fat diet. 2019 , 9, 6165	10
401	Functional mimetic of the G-protein coupled receptor CXCR4 on a soluble antibody scaffold. 2019 , 11, 725-734	2
400	Amniotic fluid, an effective factor for umbilical cord blood hematopoietic stem cells in cell culture: An approach for bone marrow transplantation. 2019 , 58, 169-173	1
399	Cerebellar involvement in warts Hypogammaglobulinemia immunodeficiency myelokathexis patients: neuroimaging and clinical findings. 2019 , 14, 61	3
398	Cell circuits and niches controlling B cell development. 2019 , 289, 142-157	26
397	Effect of CXCL12-expressing viral hemorrhagic septicemia virus replicon particles on leukocytes migration and vaccine efficacy in olive flounder (<i>Paralichthys olivaceus</i>). 2019 , 89, 378-383	5
396	Involvement of CXCR4 in Normal and Abnormal Development. 2019 , 8,	58
395	PPI-Detect: A support vector machine model for sequence-based prediction of protein-protein interactions. 2019 , 40, 1233-1242	32
394	Stromal cell-derived factor-1 signals via the endothelium to protect the heart against ischaemia-reperfusion injury. 2019 , 128, 187-197	13
393	Haematopoietic stem cell activity and interactions with the niche. 2019 , 20, 303-320	318
392	Characterization, Dynamics, and Mechanism of CXCR4 Antagonists on a Constitutively Active Mutant. 2019 , 26, 662-673.e7	7
391	Optimal design, anti-tumour efficacy and tolerability of anti-CXCR4 antibody drug conjugates. 2019 , 9, 2443	11
390	A CXCR4 receptor agonist strongly stimulates axonal regeneration after damage. 2019 , 6, 2395-2402	5
389	ETV2/ER71 regulates the generation of FLK1 cells from mouse embryonic stem cells through miR-126-MAPK signaling. 2019 , 10, 328	4

388	Adaptive Immunodeficiency in WHIM Syndrome. 2018 , 20,	17
387	Dual Regulatory Functions of SUFU and Targetome of GLI2 in SHH Subgroup Medulloblastoma. 2019 , 48, 167-183.e5	23
386	Stromal Cell-Derived Factor 1 Promotes Cell Migration to Enhance Bone Regeneration After Hypoxic Preconditioning. 2019 , 25, 1300-1309	4
385	WHIM syndrome: Immunopathogenesis, treatment and cure strategies. 2019 , 287, 91-102	25
384	Hematopoiesis. 2019 , 5-13	
383	Plerixafor for the Treatment of WHIM Syndrome. 2019 , 380, 163-170	43
382	Tumor microenvironmental plasmacytoid dendritic cells contribute to breast cancer lymph node metastasis via CXCR4/SDF-1 axis. 2019 , 174, 679-691	22
381	Allosteric Modulation. 2019 , 173-205	0
380	Tetrahydroisoquinoline CXCR4 Antagonists Adopt a Hybrid Binding Mode within the Peptide Subpocket of the CXCR4 Receptor. 2019 , 10, 67-73	3
379	Activity-dependent neuronal Klotho enhances astrocytic aerobic glycolysis. 2019 , 39, 1544-1556	17
378	Cu PET Imaging of the CXCR4 Chemokine Receptor Using a Cross-Bridged Cyclam Bis-Tetraazamacrocyclic Antagonist. 2020 , 61, 123-128	10
377	Chemokines: Key Molecules that Orchestrate Communication among Neurons, Microglia and Astrocytes to Preserve Brain Function. 2020 , 439, 230-240	30
376	Positron Emission Tomography (PET) Radiopharmaceuticals in Multiple Myeloma. 2019 , 25,	7
375	The molecular biology of medulloblastoma metastasis. 2020 , 30, 691-702	11
374	Cardiac progenitors and paracrine mediators in cardiogenesis and heart regeneration. 2020 , 100, 29-51	16
373	Small molecule and peptide-based CXCR4 modulators as therapeutic agents. A patent review for the period from 2010 to 2018. 2020 , 30, 87-101	17
372	Humanized zebrafish enhance human hematopoietic stem cell survival and promote acute myeloid leukemia clonal diversity. 2020 , 105, 2391-2399	19
371	The Chemokine Receptor CXCR4 in Cell Proliferation and Tissue Regeneration. 2020 , 11, 2109	37

370	Microtiter plate-based antibody-competition assay to determine binding affinities and plasma/blood stability of CXCR4 ligands. 2020 , 10, 16036	5
369	CXCR4 Signaling Has a CXCL12-Independent Essential Role in Murine MLL-AF9-Driven Acute Myeloid Leukemia. 2020 , 31, 107684	17
368	Enhanced recruitment and hematopoietic reconstitution of bone marrow-derived mesenchymal stem cells in bone marrow failure by the SDF-1/CXCR4. 2020 , 14, 1250-1260	4
367	Hematopoietic Stem Cell Niches and Signals Controlling Immune Cell Development and Maintenance of Immunological Memory. 2020 , 11, 600127	10
366	Marginal Zone Formation Requires ACKR3 Expression on B Cells. 2020 , 32, 107951	3
365	Relevance of the CXCR4/CXCR7-CXCL12 axis and its effect in pathophysiological conditions. 2020 , 161, 105092	17
364	Identification of latent core genes and pathways associated with myelodysplastic syndromes based on integrated bioinformatics analysis. 2020 , 25, 299-308	4
363	Regulation of Neurogenesis in Mouse Brain by HMGB1. 2020 , 9,	9
362	Physiological Cues Involved in the Regulation of Adhesion Mechanisms in Hematopoietic Stem Cell Fate Decision. 2020 , 8, 611	7
361	Signals Orchestrating Peripheral Nerve Repair. 2020 , 9,	9
360	The Role of Immune Factors in Shaping Fetal Neurodevelopment. 2020 , 36, 441-468	5
359	Revisiting Cell Death Responses in Fibrotic Lung Disease: Crosstalk between Structured and Non-Structured Cells. 2020 , 10,	1
358	Multidirectional Strategies for Targeted Delivery of Oncolytic Viruses by Tumor Infiltrating Immune Cells. 2020 , 161, 105094	4
357	Development of a Novel SPR Assay to Study CXCR4-Ligand Interactions. 2020 , 10,	4
356	Dynamic and Differential Expression of Duplicated Cxcr4/Cxcl12 Genes Facilitates Antiviral Response in Hexaploid Gibel Carp. 2020 , 11, 2176	8
355	Molecular Modulation of Fetal Liver Hematopoietic Stem Cell Mobilization into Fetal Bone Marrow in Mice. 2020 , 2020, 8885154	0
354	Towards a Comprehensive Understanding of UA-ADRCs (Uncultured, Autologous, Fresh, Unmodified, Adipose Derived Regenerative Cells, Isolated at Point of Care) in Regenerative Medicine. 2020 , 9,	11
353	Paracrine CCL17 and CCL22 signaling regulates hematopoietic stem/progenitor cell migration and retention in mouse fetal liver. 2020 , 527, 730-736	

352	CXCR4 antagonist AMD3100 (plerixafor): From an impurity to a therapeutic agent. 2020 , 159, 105010	22
351	Molecular characterization and expression analysis of chemokine (CXCL12) from Nile tilapia (<i>Oreochromis niloticus</i>). 2020 , 104, 314-323	7
350	The Posterior Signaling Center Is an Important Microenvironment for Homeostasis of the Lymph Gland. 2020 , 8, 382	3
349	Methylation in HT22 cells and primary hippocampal neurons with and without isoflurane exposure whether isoflurane causes. 2020 , 20, 66	3
348	Analysis of lung stromal expression of the atypical chemokine receptor ACKR2 reveals unanticipated expression in murine blood endothelial cells. 2020 , 50, 666-675	1
347	Cxcr4 and Sdf-1 are critically involved in the formation of facial and non-somitic neck muscles. 2020 , 10, 5049	4
346	The multifarious roles of the chemokine CXCL14 in cancer progression and immune responses. 2020 , 59, 794-806	20
345	CXCR4 in Tumor Epithelial Cells Mediates Desmoplastic Reaction in Pancreatic Ductal Adenocarcinoma. 2020 , 80, 4058-4070	7
344	A Zika virus primary isolate induces neuroinflammation, compromises the blood-brain barrier and upregulates CXCL12 in adult macaques. 2020 , 30, 1017-1027	6
343	Cxcr4 distinguishes HSC-derived monocytes from microglia and reveals monocyte immune responses to experimental stroke. 2020 , 23, 351-362	58
342	Medicinal chemistry strategies toward host targeting antiviral agents. 2020 , 40, 1519-1557	36
341	CXCR4-Targeted PET Imaging of Central Nervous System B-Cell Lymphoma. 2020 , 61, 1765-1771	21
340	Hematopoiesis and Cardiovascular Disease. 2020 , 126, 1061-1085	37
339	GPRASP proteins are critical negative regulators of hematopoietic stem cell transplantation. 2020 , 135, 1111-1123	1
338	The bone marrow hematopoietic niche and its adaptation to infection. 2021 , 112, 37-48	5
337	Refinement of Cerebellar Network Organization by Extracellular Signaling During Development. 2021 , 462, 44-55	1
336	Metabolic Flexibility Assists Reprogramming of Central and Peripheral Innate Immunity During Neurodevelopment. 2021 , 58, 703-718	2
335	The CXCL12/CXCR4/ACKR3 Axis in the Tumor Microenvironment: Signaling, Crosstalk, and Therapeutic Targeting. 2021 , 61, 541-563	13

334	Chemokine signaling is required for homeostatic and injury-induced neurogenesis in the olfactory epithelium. 2021 , 39, 617-635	2
333	Drebrin regulates cytoskeleton dynamics in migrating neurons through interaction with CXCR4. 2021 , 118,	5
332	WT1-specific CD8 + cytotoxic T cells with the capacity for antigen-specific expansion accumulate in the bone marrow in MDS. 2021 , 113, 723-734	0
331	. 2021 , 9, 12473-12490	5
330	Mitigating oxygen stress enhances aged mouse hematopoietic stem cell numbers and function. 2021 , 131,	9
329	Strategies and Progress in CXCR4-Targeted Anti-Human Immunodeficiency Virus (HIV) Therapeutic Development. 2021 , 73, 919-924	2
328	CXCR4 inhibition with AMD3100 attenuates amphetamine induced locomotor activity in adolescent Long Evans male rats. 2021 , 16, e0247707	2
327	Polyfunctionality of the CXCR4/CXCL12 axis in health and disease: Implications for therapeutic interventions in cancer and immune-mediated diseases. 2021 , 35, e21260	9
326	Differential Expression of the Tetraspanin CD9 in Normal and Leukemic Stem Cells. 2021 , 10,	
325	Mycobacterial infection-induced miR-206 inhibits protective neutrophil recruitment via the CXCL12/CXCR4 signalling axis. 2021 , 17, e1009186	3
324	ZnO-based micromotors fueled by CO: the first example of self-reorientation-induced biomimetic chemotaxis. 2021 , 8, nwab066	15
323	Angiogenic Properties of Concentrated Growth Factors (CGFs): The Role of Soluble Factors and Cellular Components. 2021 , 13,	6
322	Role of CXCR4 in the progression and therapy of acute leukaemia. 2021 , 54, e13076	6
321	Tumor microenvironment immune-related lncRNA signature for patients with melanoma. 2021 , 9, 857	3
320	Smooth Muscle Specific Ablation of CXCL12 in Mice Downregulates CXCR7 Associated with Defective Coronary Arteries and Cardiac Hypertrophy. 2021 , 22,	2
319	CRISPR/Cas9-mediated gene disruption of endogenous co-receptors confers broad resistance to HIV-1 in human primary cells and humanized mice.	0
318	Fetal hematopoietic stem cell homing is controlled by VEGF regulating the integrity and oxidative status of the stromal-vascular bone marrow niches. 2021 , 36, 109618	2
317	Sclerostin Depletion Induces Inflammation in the Bone Marrow of Mice. 2021 , 22,	1

316	Systemic delivery of a CXCR4-CXCL12 signaling inhibitor encapsulated in synthetic protein nanoparticles for glioma immunotherapy.	0
315	Cell-Based Therapies for Trabecular Meshwork Regeneration to Treat Glaucoma. 2021 , 11,	3
314	Nanogold-Carried Graphene Oxide: Anti-Inflammation and Increased Differentiation Capacity of Mesenchymal Stem Cells. 2021 , 11,	3
313	Expansion of cord blood stem cells in fibronectin-coated microfluidic bioreactor. 2021 ,	
312	The CXCL12gamma chemokine immobilized by heparan sulfate on stromal niche cells controls adhesion and mediates drug resistance in multiple myeloma. 2021 , 14, 11	3
311	Niche derived netrin-1 regulates hematopoietic stem cell dormancy via its receptor neogenin-1. 2021 , 12, 608	12
310	Origins, Development, and Compartmentation of the Granule Cells of the Cerebellum. 2020 , 14, 611841	17
309	Chemokine and Cytokine Modulators. 2003 , 119-192	1
308	The role of third complement component (C3) in homing of hematopoietic stem/progenitor cells into bone marrow. 2006 , 586, 35-51	19
307	At the interface of the immune system and the nervous system: how neuroinflammation modulates the fate of neural progenitors in vivo. 2005 , 83-114	14
306	The Brain Immune System: Chemistry and Biology of the Signal Molecules. 2008 , 153-195	5
305	Neuroinflammation and Excitotoxicity in Neurobiology of HIV-1 Infection and AIDS: Targets for Neuroprotection. 2007 , 281-308	1
304	The chemokine CXCL12 and regulation of HSC and B lymphocyte development in the bone marrow niche. 2007 , 602, 69-75	49
303	Reelin and the Cerebellum. 2008 , 141-158	4
302	Hematopoietic Stem Cell Niches. 2009 , 47-71	2
301	Chemokines as Neuromodulators: Regulation of Glutamatergic Transmission by CXCR4-Mediated Glutamate Release From Astrocytes. 2010 , 271-300	2
300	AlcoholChemokine Interaction and Neurotransmission. 2013 , 387-424	2
299	Cardiovascular Gene Therapy. 2013 , 737-751	2

298	Chemokines in experimental autoimmune encephalomyelitis and multiple sclerosis. 2003 , 520, 120-32	17
297	Cytokines and Soluble Molecules in CLL. 2004 , 123-142	1
296	The Structural Biology of Chemokines. 2007 , 9-30	4
295	Chemokine Receptors and Neutrophil Trafficking. 2007 , 71-86	4
294	Chemokines in Trafficking of Hematopoietic Stem and Progenitor Cells and Hematopoiesis. 2007 , 119-138	1
293	Can Neuroinflammation Influence the Development of Autism Spectrum Disorders?. 2008 , 329-346	4
292	Stem Cell Niches. 2009 , 109-150	1
291	Chemokine receptor dimerization and chemotaxis. 2009 , 571, 179-98	3
290	Megakaryopoiesis and thrombopoiesis: an update on cytokines and lineage surface markers. 2012 , 788, 291-303	34
289	The fine balance of chemokines during disease: trafficking, inflammation, and homeostasis. 2013 , 1013, 1-16	26
288	Phage Interaction with the Mammalian Immune System. 2019 , 91-122	1
287	Hematopoietic Stem and Progenitor Cells (HSPCs). 2019 , 1201, 49-77	8
286	Interleukin-8 in the Tumor Immune Niche: Lessons from Comparative Oncology. 2020 , 1240, 25-33	11
285	Hematopoietic Stem Cells in Vascular Development and Ocular Neovascularization. 2007 , 78-96	1
284	HIV-1 coreceptors and their inhibitors. 2006 , 303, 97-120	80
283	HIV-1 entry and its inhibition. 2003 , 281, 1-27	86
282	HIV Neuropathogenesis. 2000 , 3-10	3
281	Cytokines and chemokines as mediators of protection and injury in the central nervous system assessed in transgenic mice. 2002 , 265, 23-48	51

280	The mechanisms of neuronal damage in retroviral infections of the nervous system. 2001 , 253, 179-201	4
279	Recruitment of skeletal muscle progenitors to secondary sites: a role for CXCR4/SDF-1 signalling in skeletal muscle development. 2015 , 56, 1-23	13
278	Chemokine axes in hematopoietic stem cell mobilization. 2007 , 125-144	3
277	Screening and characterization of cyclic pentapeptide CXCR4 antagonists/inverse agonists using a pheromone responsive reporter gene in <i>Saccharomyces cerevisiae</i> : Utility of G protein coupled receptor constitutively active mutants. 2007 , 61-77	3
276	Development of Cerebellar Nuclei. 2013 , 179-205	7
275	Rodent Zic Genes in Neural Network Wiring. 2018 , 1046, 209-230	3
274	Cytomegalovirus Infections. 2006 , 739-781	26
273	Cardiovascular Development. 2010 , 3-33	1
272	Meninges and Vasculature. 2013 , 835-849	2
271	Chemokines in Cell Movement and Allergic Inflammation. 2009 , 181-201	2
270	Chemokines. 2014 , 98-112	3
269	Chemokines: A New Peptide Family of Neuromodulators. 2006 , 559-565	2
268	Allosteric Drug Antagonism. 2006 , 127-146	2
267	Chemokine Receptor Signal Transduction. 2002 , 99-117	1
266	Development and Function of the Hemato-lymphopoietic System. 2002 , 119-128	2
265	CXC Chemokines in Angiogenesis. 2002 , 129-148	4
264	Insights from Transgenic and Knockout Mice. 2002 , 225-233	1
263	Constitutive Roles for SDF-1/CXCR4 and Fractalkine/CX3CR1 in the CNS. 2002 , 237-244	1

262	Chemokine Interactions with Astrocytes. 2002 , 257-272	4
261	Why Do Neurons Express Chemokine Receptors?. 2002 , 273-288	3
260	HIV-1-Associated Dementia. 2002 , 345-360	1
259	Progenitor cell trafficking is regulated by hypoxic gradients through HIF-1 induction of SDF-1.	2
258	CXCR4/CXCL12 expression and signalling in kidney cancer.	1
257	Migratory behavior of leukemic cells from acute myeloid leukemia patients.	1
256	Combination of SDF-1 and bFGF promotes bone marrow stem cell-mediated periodontal ligament regeneration. 2019 , 39,	10
255	Stroma-derived factor 1alpha induces a selective inhibition of human erythroid development via the functional upregulation of Fas/CD95 ligand. 2000 , 111, 432-40	17
254	The chemokine receptor CXCR4 regulates cell-cycle proteins in neurons. 2003 , 9, 300	6
253	Cell surface receptors, virus entry and tropism of primate lentiviruses. 2002 , 83, 1809-1829	161
252	Chemotactic synthetic vesicles: design and applications in blood brain barrier crossing.	1
251	Mycobacterial infection-induced miR-206 inhibits protective neutrophil recruitment via the CXCL12/CXCR4 signalling axis.	2
250	The equine herpesvirus 2 E1 open reading frame encodes a functional chemokine receptor. 1999 , 73, 9843-8	27
249	Identification of CXCR4 domains that support coreceptor and chemokine receptor functions. 1999 , 73, 2752-61	187
248	Opposite effects of SDF-1 on human immunodeficiency virus type 1 replication. 1999 , 73, 3608-15	38
247	Shift of clinical human immunodeficiency virus type 1 isolates from X4 to R5 and prevention of emergence of the syncytium-inducing phenotype by blockade of CXCR4. 1999 , 73, 5577-85	85
246	Akt activation, but not extracellular signal-regulated kinase activation, is required for SDF-1alpha/CXCR4-mediated migration of epitheloid carcinoma cells. 2005 , 3, 227-36	86
245	Thymocyte emigration is mediated by active movement away from stroma-derived factors. 2002 , 109, 1101-1110	82

244	Chemorepulsion and thymocyte emigration. 2002 , 109, 1011-1012	16
243	Induction of the chemokine stromal-derived factor-1 following DNA damage improves human stem cell function. 2000 , 106, 1331-9	467
242	Retention of CXCR4 in the endoplasmic reticulum blocks dissemination of a T cell hybridoma. 2001 , 108, 269-77	45
241	TNF-alpha mediates SDF-1 alpha-induced NF-kappa B activation and cytotoxic effects in primary astrocytes. 2001 , 108, 425-35	92
240	Thymocyte emigration is mediated by active movement away from stroma-derived factors. 2002 , 109, 1101-10	32
239	Disruption of the CXCR4/CXCL12 chemotactic interaction during hematopoietic stem cell mobilization induced by GCSF or cyclophosphamide. 2003 , 111, 187-96	572
238	Atypical PKC- ζ regulates SDF-1-mediated migration and development of human CD34+ progenitor cells. 2005 , 115, 168-176	120
237	Atypical PKC-zeta regulates SDF-1-mediated migration and development of human CD34+ progenitor cells. 2005 , 115, 168-76	49
236	CXCR2 and CXCR4 antagonistically regulate neutrophil trafficking from murine bone marrow. 2010 , 120, 2423-31	444
235	Chemotaxis of primitive hematopoietic cells in response to stromal cell-derived factor-1. 2000 , 105, 101-11	196
234	Chronic Lymphocytic Leukemia B Cells Express Functional CXCR4 Chemokine Receptors That Mediate Spontaneous Migration Beneath Bone Marrow Stromal Cells. 1999 , 94, 3658-3667	23
233	Stromal Derived Factor-1-Induced Chemokinesis of Cord Blood CD34+ Cells (Long-Term Culture-Initiating Cells) Through Endothelial Cells Is Mediated by E-Selectin. 1999 , 94, 4011-4019	4
232	SDF-1 Responsiveness Does Not Correlate With CXCR4 Expression Levels of Developing Human Bone Marrow B Cells. 1999 , 94, 2990-2998	40
231	Stromal cell-derived factor-1 stimulates tyrosine phosphorylation of multiple focal adhesion proteins and induces migration of hematopoietic progenitor cells: roles of phosphoinositide-3 kinase and protein kinase C. 2000 , 95, 2505-2513	16
230	Stromal cell-derived factor-1 and macrophage-derived chemokine: 2 chemokines that activate platelets. 2000 , 96, 50-57	6
229	Stromal-derived factor 1 and thrombopoietin regulate distinct aspects of human megakaryopoiesis. 2000 , 96, 4142-4151	3
228	HIV-1 gp120- and gp160-induced apoptosis in cultured endothelial cells is mediated by caspases. 2000 , 96, 1438-1442	2
227	Kinetics of CXCR4 and CCR5 up-regulation and human immunodeficiency virus expansion after antigenic stimulation of primary CD4+ T lymphocytes. 2000 , 96, 1853-1856	2

226	Impairment of lymphopoiesis and myelopoiesis in mice reconstituted with bone marrow hematopoietic progenitor cells expressing SDF-1 α trakin. 2000 , 96, 2074-2080	8
225	Blood-derived nurse-like cells protect chronic lymphocytic leukemia B cells from spontaneous apoptosis through stromal cell derived factor-1. 2000 , 96, 2655-2663	18
224	Presentation of chemokine SDF-1 α by fibronectin mediates directed migration of T cells. 2000 , 96, 2682-2690	95
223	Presentation of chemokine SDF-1 α by fibronectin mediates directed migration of T cells. 2000 , 96, 2682-2690	8
222	CXC chemokines in angiogenesis. 2000 , 68, 1-8	142
221	Mononuclear phagocytes mediate blood-brain barrier compromise and neuronal injury during HIV-1-associated dementia. 2000 , 68, 413-422	16
220	Stromal derived factor-1 α (SDF-1 α) induces CD4 + T cell apoptosis via the functional up-regulation of the Fas (CD95)/Fas ligand (CD95L) pathway. 2001 , 69, 263-270	13
219	Cloning, mRNA distribution, and functional expression of an avian counterpart of the chemokine receptor/HIV coreceptor CXCR4. 2001 , 69, 297-305	6
218	CXCR4 undergoes complex lineage and inducing agent-dependent dissociation of expression and functional responsiveness to SDF-1 α during myeloid differentiation. 2001 , 70, 431-438	5
217	Proteoglycans guide SDF-1-induced migration of hematopoietic progenitor cells. 2002 , 72, 353-362	21
216	Inflammation and Neuroimmunity in the Pathogenesis of Autism. 2009 , 225-244	6
215	CXC Chemokines in Angiogenesis Related to Pulmonary Fibrosis. 2003 , 321-340	2
214	SDF-1 α induces chemotaxis and enhances Sonic hedgehog-induced proliferation of cerebellar granule cells. 2001 , 128, 1971-1981	222
213	The chemokine SDF1 regulates migration of dentate granule cells. 2002 , 129, 4249-4260	292
212	Differential regulation of CXCR4 and CCR5 endocytosis. 1998 , 111, 2819-2830	117
211	Past, present, and future efforts to enhance the efficacy of cord blood hematopoietic cell transplantation. 2019 , 8,	26
210	Dextran sulfate and stromal cell derived factor-1 promote CXCR4 expression and improve bone marrow homing efficiency of infused hematopoietic stem cells. 2009 , 76, 198-208	16
209	Cell Trafficking in Multiple Myeloma. 2012 , 3,	8

208	Circulation and chemotaxis of fetal hematopoietic stem cells. 2004 , 2, E75	223
207	Neuregulin-1 regulates cell adhesion via an ErbB2/phosphoinositide-3 kinase/Akt-dependent pathway: potential implications for schizophrenia and cancer. 2007 , 2, e1369	50
206	SDF1 gene variation is associated with circulating SDF1alpha level and endothelial progenitor cell number: the Bruneck Study. 2008 , 3, e4061	49
205	MiR-886-3p down regulates CXCL12 (SDF1) expression in human marrow stromal cells. 2010 , 5, e14304	49
204	Single-cell analysis of murine long-term hematopoietic stem cells reveals distinct patterns of gene expression during fetal migration. 2012 , 7, e30542	11
203	Hypoxic preconditioning improves survival of cardiac progenitor cells: role of stromal cell derived factor-1/CXCR4 axis. 2012 , 7, e37948	54
202	Analysis of genes expression of Spodoptera exigua larvae upon AcMNPV infection. 2012 , 7, e42462	32
201	PGK1 as predictor of CXCR4 expression, bone marrow metastases and survival in neuroblastoma. 2013 , 8, e83701	18
200	CXCL12 chemokine expression suppresses human pancreatic cancer growth and metastasis. 2014 , 9, e90400	57
199	CXCR4 is dispensable for T cell egress from chronically inflamed skin via the afferent lymph. 2014 , 9, e95626	17
198	CXCR7 controls competition for recruitment of β arrestin 2 in cells expressing both CXCR4 and CXCR7. 2014 , 9, e98328	42
197	Chemokine receptor CXCR7 is a functional receptor for CXCL12 in brain endothelial cells. 2014 , 9, e103938	18
196	Ectopic microRNA-150-5p transcription sensitizes glucocorticoid therapy response in MM1S multiple myeloma cells but fails to overcome hormone therapy resistance in MM1R cells. 2014 , 9, e113842	31
195	Upregulation of stromal cell-derived factor 1 (SDF-1) is associated with macrophage infiltration in renal ischemia-reperfusion injury. 2014 , 9, e114564	24
194	Downregulation of CXCR4 in Metastasized Breast Cancer Cells and Implication in Their Dormancy. 2015 , 10, e0130032	29
193	Chemokine and chemokine receptor expression in a novel human mesangial cell line. 1999 , 10, 2314-22	87
192	Chemokines, chemokine receptors, and renal disease: from basic science to pathophysiologic and therapeutic studies. 2000 , 11, 152-176	365
191	Spatial and temporally restricted expression of chemokines and chemokine receptors in the developing human kidney. 2002 , 13, 957-967	43

190	Brain tumor stem cell multipotency correlates with nanog expression and extent of passaging in human glioblastoma xenografts. 2013 , 4, 792-801	34
189	CXCR4 antagonists suppress small cell lung cancer progression. 2016 , 7, 85185-85195	36
188	Distinct mobilization of leukocytes and hematopoietic stem cells by CXCR4 peptide antagonist LY2510924 and monoclonal antibody LY2624587. 2017 , 8, 94619-94634	16
187	Combined VEGF and CXCR4 antagonism targets the GBM stem cell population and synergistically improves survival in an intracranial mouse model of glioblastoma. 2014 , 5, 9811-22	32
186	Small molecule CXCR4 antagonists block the HIV-1 Nef/CXCR4 axis and selectively initiate the apoptotic program in breast cancer cells. 2018 , 9, 16996-17013	5
185	Nef-M1, a peptide antagonist of CXCR4, inhibits tumor angiogenesis and epithelial-to-mesenchymal transition in colon and breast cancers. 2015 , 6, 27763-77	21
184	Fragment-based optimization of small molecule CXCL12 inhibitors for antagonizing the CXCL12/CXCR4 interaction. 2012 , 12, 2727-40	18
183	Targeting chemokine receptor CXCR4 for treatment of HIV-1 infection, tumor progression, and metastasis. 2014 , 14, 1574-89	36
182	Bioinformatic analysis of HIV-1 entry and pathogenesis. 2014 , 12, 132-61	19
181	Role of Chemokines and Trafficking of Immune Cells in Parasitic Infections. 2013 , 9, 157-168	22
180	CCR7 and CXCR4 Expression in Primary Head and Neck Squamous Cell Carcinomas and Nodal Metastases: A Clinical and Immunohistochemical Study. 2017 , 18, 1093-1104	7
179	An optimization of hematopoietic stem and progenitor cell isolation for scientific and clinical purposes by the application of a new parameter determining the hematopoietic graft efficacy. 2008 , 46, 299-305	9
178	SDF1/CXCR4 contributes to neural regeneration in hemiplegic mice with a monkey ES-cell-derived neural graft. 2010 , 30, 193-205	5
177	HIV's double strike at the brain: neuronal toxicity and compromised neurogenesis. 2008 , 13, 2484-94	67
176	CCR5 Inhibitors and HIV-1 Infection. 2019 , 1, 1-5	3
175	The Role of Selected Chemokines and Their Receptors in the Development of Gliomas. 2020 , 21,	26
174	CXCR4 antagonist AMD3100 attenuates colonic damage in mice with experimental colitis. 2010 , 16, 2873-80	25
173	Atonal bHLH transcription factor 1 is an important factor for maintaining the balance of cell proliferation and differentiation in tumorigenesis. 2020 , 20, 2595-2605	3

172	Targeting G protein-coupled receptor for pain management. 2017 , 3, 109-113	3
171	High Cytoplasmic CXCR4 Expression Predicts Prolonged Survival in Triple-Negative Breast Cancer Patients Treated with Adjuvant Chemotherapy. 2018 , 52, 369-377	6
170	Nef-M1, a CXCR4 Peptide Antagonist, Enhances Apoptosis and Inhibits Primary Tumor Growth and Metastasis in Breast Cancer. 2013 , 4, 898-906	12
169	HIV Nef-M1 Effects on Colorectal Cancer Growth in Tumor-induced Splens and Hepatic Metastasis. 2009 , 1, 85-91	8
168	Role of the CXC12-CXCR4 Axis and CXCL16 in Inflammatory Bowel Disease. 2012 , 10, 125	4
167	CHEMOKINE RECEPTORS. 2000 , 144, 9-18	2
166	Foxc1 dependent mesenchymal signalling drives embryonic cerebellar growth. 2014 , 3,	31
165	Phenotypic outcomes in Mouse and Human dependent Dandy-Walker cerebellar malformation suggest shared mechanisms. 2017 , 6,	23
164	Spatio-temporal regulation of concurrent developmental processes by generic signaling downstream of chemokine receptors. 2018 , 7,	9
163	Identification of microenvironmental niches for hematopoietic stem cells and lymphoid progenitors-bone marrow fibroblastic reticular cells with salient features. 2021 , 33, 821-826	2
162	Atypical opioid receptors: unconventional biology and therapeutic opportunities. 2021 , 108014	0
161	Amino-Heterocycle Tetrahydroisoquinoline CXCR4 Antagonists with Improved ADME Profiles via Late-Stage Buchwald Couplings. 2021 , 12, 1605-1612	1
160	I-309 binds to and activates endothelial cell functions and acts as an angiogenic molecule in vivo. 2000 , 96, 4039-4045	1
159	Chemokines and Chemokine Receptors. 2001 , 90-110	
158	Formation and Differentiation of Leukocytes. 2001 , 11-51	0
157	Platelet-derived microparticles bind to hematopoietic stem/progenitor cells and enhance their engraftment. 2001 , 98, 3143-3149	2
156	Stromal Cell-Derived Factor 1 (SDF-1).	
155	Chemokines.	

154 The Role of the Chemokine GRO-1 in the Development of Vertebrate CNS Glial Cells. **2002**, 245-255

153 Chemokines in the Central Nervous System and Alzheimer's Disease. **2002**, 333-344

152 Therapeutic Targeting of Chemokines and Chemokine Receptors. **2002**, 167-209

151 Chemokines and Chemokine Receptors: Structure and Function. **2003**, 149-153

150 Chemokine Receptors. **2003**, 11-36

149 Chemokines: Role as Immunomodulators and Potential as Adjuvants for DNA Vaccines. **2003**, 316-334

148 The Roles of the Chemokine SDF-1 and its Receptor CXCR4 in Human Stem Cell Migration and Repopulation of NOD/SCID and B2mnull NOD/SCID mice. **2003**, 11-24

147 Targeting the Chemokine System. **2003**, 269-294

146 Functional expression of CXCR4 in *S. cerevisiae*: development of tools for mechanistic and pharmacologic studies. **2004**, 125-52

145 Chemokine Receptors. **2004**, 545-572

144 Gene-Modified Tumor-Cell Vaccines. **2004**, 253-273

143 Chemokines as plurifunctional mediators in the CNS: implications for the pathogenesis of stroke. **2004**, 31-51 1

142 Chemokines and Transplantation. **2004**, 437-455

141 Cytokines and Development of the Nervous System. **2005**, 93-112

140 Komórki macierzyste i możliwości wykorzystania do regeneracji tkanek. **2005**, 3, 109-115

139 Characteristics of Allosterism in Drug Action. **2006**, 19-37 2

138 CXCR4 Chemokine Receptor. **2007**, 1-10

137 CXC Chemokine Receptors. **2007**, 1-3 1

136 Molecular Neurology of HIV-1 Infection and AIDS. **2007**, 553-571

135 Effect of Adult Bone Marrow Stem Cells on Myocardial Regeneration in Doxorubicin-Induced Mouse Cardiomyopathy. **2008**, 38, 110

1

134 Chemokines in Renal Cell Carcinoma: Implications for Tumor Angiogenesis and Metastasis. **2009**, 249-265

133 CXCR4 and Cancer. **2009**, 31-45

2

132 Modulation of Hematopoietic Stem/Progenitor Cell Migration. **2009**, 57-77

131 Targeting CXCR4 in Brain Tumors. **2009**, 813-845

130 Adaptive Immunity including Organization of Lymphoid Tissues. **2009**, 291-303

129 Chemokines and Chemokine Receptors in Cancer Progression. **2009**, 1-30

128 Effect of tissue microenvironment on development and progression of cancer. **2009**, 28, 1239-1243

127 Chemokine Signaling in the Nervous System and Its Role in Development and Neuropathology. **2010**, 191-220

126 Chemokines and Primary Brain Tumors. **2010**, 253-270

125 Regulation of Neuronal Chemokine Receptor CXCR4 by μ Opioid Agonists and Its Involvement in NeuroAIDS. **2010**, 379-397

124 HIV Coreceptors and Their Roles in Leukocyte Trafficking During Neuroinflammatory Diseases. **2010**, 119-146

123 Modulation of Neuronal Cell Cycle Proteins by Chemokine Receptors and Its Role in the Survival of Postmitotic Neurons. **2010**, 221-251

122 High Throughput Molecular Profiling Approaches for the Identifications of Genomic Alterations and Therapeutic Targets in Oral Cancer. **2011**, 431-452

121 The SDF-1-Rich Tumour Microenvironment Provides a Niche for Carcinoma Cells. **2011**, 245-255

120 Mouse Models of G-CSF Signaling in Hematopoiesis. **2012**, 25-40

119 Role of the CXCR4/CXCL12 Axis in Hematopoietic Stem Cell Trafficking. **2012**, 71-85

- 118 Migration and Homing in Multiple Myeloma. **2013**, 215-239
- 117 Emerging Concepts in Myocardial Pharmacoregeneration. **2013**, 637-664
- 116 The Role of CXCR4 as a Mediator of Glioma-Tropic Neural Precursor Cell Migration. 11-19
- 115 AIDS. **2014**, 1115-1153
- 114 Neuroimmunology and the Pathogenesis of HIV-1 Encephalitis in the HAART Era: Implications for Neuroprotective Treatment. 137-149
- 113 Understanding Chemokine Biology Through Mouse Genetics. **1999**, 41-51
- 112 Immunodeficiency due to a unique protracted developmental delay in the B-cell lineage. **1999**, 6, 161-7
- 111 A Synthetic Peptide Derived From Human Immunodeficiency Virus Type 1 gp120 Downregulates the Expression and Function of Chemokine Receptors CCR5 and CXCR4 in Monocytes by Activating the 7-Transmembrane G-Protein-Coupled Receptor FPRL1/LXA4R. **1999**, 94, 1165-1173 8
- 110 Chemokines and the Neuropathogenesis of HIV-1 Infection. 151-171 1
- 109 Blood Induction and Embryonic Formation. **2015**, 451-467
- 108 Chemokines as Mediators of Leukocyte Trafficking and Activation at the Blood-Brain Barrier. **2015**, 331-355
- 107 CCR5: A Cellular Doorway for HIV-1 Entry. **2015**, 2,
- 106 Encyclopedia of Signaling Molecules. **2016**, 1-6
- 105 Myocardial Pharmacoregeneration. **2016**, 111-143
- 104 HIV-1 Entry Inhibitor Resistance. **2017**, 499-521
- 103 CXCR4 involvement in neurodegenerative diseases.
- 102 Encyclopedia of Signaling Molecules. **2018**, 4854-4859
- 101 Development of the Central Nervous System. **2019**, 1-99

100	CHAPTER 12:Advances and Challenges of RNAi-Based Anti-HIV Therapeutics. 2019 , 266-291	
99	Stromal Cell-Derived Factor 1 (SDF-1) Signaling and Tissue Homeostasis. 2019 , 47-59	
98	Genetic factors influencing HIV entry into target cells. 2019 , 18, 131-141	
97	A novel methodology for defining stromal expression of atypical chemokine receptors in vivo.	
96	A Zika Virus Primary Isolate Induces Neuroinflammation, Compromises the Blood-Brain Barrier, and Upregulates CXCL12 in Adult Macaques.	0
95	Development of the Central Nervous System. 2020 , 3-77	
94	Errestin mediates communication between plasma membrane and intracellular GPCRs to regulate signaling.	
93	The Isl1/Shh/Wnt5a cascade controls the invasion of myoblasts by tuning the CXCL12/CXCR4 axis during tongue morphogenesis.	
92	A fish with no sex: gonadal and adrenal functions partition between zebrafish NR5A1 co-orthologs. 2021 , 217,	1
91	Errestin mediates communication between plasma membrane and intracellular GPCRs to regulate signaling. 2020 , 3, 789	1
90	Identification of ZG16B as a prognostic biomarker in breast cancer. 2021 , 16, 1-13	11
89	Microtiter plate-based antibody-competition assay to determine binding affinities and plasma/blood stability of CXCR4 ligands.	1
88	The Role of Chemokine Receptors, in Particular CXCR4, in Lymphoma and Carcinoma Metastasis. 2005 , 233-244	
87	Crosstalk between chemokine, opioid, and vanilloid receptors. 2006 , 137-150	
86	From CXCR4 mutations to WHIM syndrome. 2006 , 233-242	
85	Chemorepulsion and thymocyte emigration. 2002 , 109, 1011-2	9
84	Chemokine and Homing Factor Expression in Acute Myocardial Infarction and Chronic Heart Failure. 2007 , 117-134	
83	CXCR4/CD184 Immunoreactivity in T-Cell Non-Hodgkin Lymphomas With an Overall Th1- Th2+ Immunophenotype. 2003 , 119, 0-0	

- 82 T-20-Nachfolger, Attachment-Inhibitoren, CXCR4-Inhibitoren. **2008**, 87-91
- 81 The CXCL12gamma chemokine immobilized by heparan sulfate on stromal niche cells controls adhesion and mediates drug resistance in multiple myeloma.
- 80 Sclerostin depletion induces inflammation in the bone marrow of mice.
- 79 Analysis of endogenous and exogenous tumor upregulated promoter expression in canine tumors. **2020**, 15, e0240807
- 78 SDF-1 and CXCR4 as therapeutic targets in cardiovascular disease. **2012**, 2, 20-8 23
- 77 Meninges: from protective membrane to stem cell niche. **2012**, 1, 92-105 59
- 76 CXCL12 chemokine expression suppresses human breast cancer growth and metastasis in vitro and in vivo. **2014**, 7, 6671-8 11
- 75 Celiac disease microarray analysis based on System Biology Approach. **2018**, 11, 216-224 12
- 74 Inhibition of CXCR4 ameliorates hypoxia-induced pulmonary arterial hypertension in rats. **2021**, 13, 1458-1470 2
- 73 Hyaluronic acid-based hydrogels loaded with chemoattractant and anticancer drug - new formulation for attracting and tackling glioma cells. **2021**, 1
- 72 SDF-1 expression after preoperative chemoradiotherapy is associated with prognosis in patients with advanced lower rectal cancer. **2021**, 68, 309-314
- 71 CXCR4+ Treg cells control serum IgM levels and natural IgM autoantibody production by B1 cells in the bone marrow.
- 70 Stem Cell Markers CXCR-4 and CD133 Predict Aggressive Phenotype and Their Double Positivity Indicates Poor Prognosis of Oral Squamous Cell Carcinoma. **2021**, 13, 1
- 69 Development of Cerebellar Nuclei. **2022**, 207-233
- 68 Mesenchymal Hematopoietic Stem Cell Axis: Applications for Induction of Hematopoietic Chimerism and Therapies for Malignancies. **2021**, 35-57
- 67 Cellular Niches for Hematopoietic Stem Cells and Lympho-Hematopoiesis in Bone Marrow During Homeostasis and Blood Cancers. **2021**, 434, 33-54
- 66 Multifaceted role of chemokines in solid tumors: From biology to therapy.. **2022**, 5
- 65 CRISPR-Cas9-mediated gene disruption of HIV-1 co-receptors confers broad resistance to infection in human T cells and humanized mice.. **2022**, 24, 321-331 0

- 64 CXCL12/Stromal Cell-Derived Factor-1 and Hematopoiesis. **2022,**
- 63 Chemokine C-X-C receptor 4 (CXCR4) mediates recruitment of bone marrow-derived nonhematopoietic and immune cells to the pregnant uterus.. **2022,** 0
- 62 Synthesis and Evaluation of Novel Tetrahydronaphthyridine CXCR4 Antagonists with Improved Drug-like Profiles.. **2022,** 65, 4058-4084 0
- 61 Intravenous injection of SDF-1 β overexpressing bone marrow mesenchymal stem cells has a potential protective effect on myocardial ischemia in mice.. **2022,**
- 60 Plasma proteome changes linked to late phase response after inhaled allergen challenge in asthmatics.. **2022,** 23, 50 1
- 59 Colorectal Cancer: The Contribution of CXCL12 and Its Receptors CXCR4 and CXCR7.. **2022,** 14, 2
- 58 SIRT1 regulates cardiomyocyte alignment during maturation.. **2022,** 0
- 57 High-Throughput Sequencing Reveals CXCR4 and IGF1 Behave Different Roles in Weightlessness Osteoporosis.. **2022,** 2022, 5719077
- 56 Niche Regulation of Hematopoiesis: The Environment Is Micro, but the Influence Is Large.. **2022,** 101161ATVBA12131
- 55 Image_1.pdf. **2019,**
- 54 Image_1.TIF. **2020,**
- 53 Image_2.TIF. **2020,**
- 52 Image_3.TIF. **2020,**
- 51 Image_4.TIF. **2020,**
- 50 Image_5.TIF. **2020,**
- 49 Image_6.TIF. **2020,**
- 48 Table_1.XLSX. **2020,**
- 47 Table_2.XLSX. **2020,**

46	Integrins, anchors and signal transducers of hematopoietic stem cells during development and in adulthood. 2022,	0
45	The CXCR4-CXCL12 axis promotes T-cell reconstitution via efficient hematopoietic immigration.. 2022,	
44	Neuronal Polarity Pathways as Central Integrators of Cell-Extrinsic Information During Interactions of Neural Progenitors With Germinal Niches. 2022, 15,	0
43	Single-cell transcriptomics identifies premature aging features of TERC-deficient mouse brain and bone marrow.. 2022, 1	1
42	Current insights into the bone marrow niche: From biology in vivo to bioengineering ex vivo.. 2022, 286, 121568	3
41	Involvement of the Chemokine Receptor CXCR4 and Its Ligand Stromal Cell-Derived Factor 1 α n Breast Cancer Cell Migration Through Human Brain Microvascular Endothelial Cells. 2004, 2, 327-338	202
40	Systemic Delivery of an Adjuvant CXCR4/CXCL12 Signaling Inhibitor Encapsulated in Synthetic Protein Nanoparticles for Glioma Immunotherapy.	3
39	CXCR4+ Treg cells control serum IgM levels and natural IgM autoantibody production by B-1 cells in the bone marrow. 2022, 219,	0
38	Emerging Roles of the Atypical Chemokine Receptor 3 (ACKR3) in Cardiovascular Diseases. 13,	0
37	CXCR4 antagonist inhibits stromal cell-derived factor 1-induced migration and invasion of human pancreatic cancer. 2004, 3, 29-37	22
36	Low Expression Levels of CXCL12, CXCR4, and CXCR 7 in Peripheral Blood and Decidual Tissues are Associated with Miscarriage in Women. 1-13	0
35	Stem cell-based therapy for human diseases. 2022, 7,	10
34	Expression profile and prognostic value of CXCR family members in head and neck squamous cell carcinoma. 2022, 20,	
33	Cxcr4 and Ackr3 regulate allocation of caudal ganglionic eminence-derived interneurons to superficial cortical layers. 2022, 40, 111157	0
32	S100a16 deficiency prevents hepatic stellate cells activation and liver fibrosis via inhibiting CXCR4 expression. 2022, 135, 155271	0
31	Allosteric modulation. 2022, 233-267	0
30	MARVEL-domain containing CMTM4 affects CXCR4 trafficking.	0
29	HIV-1 gp120-CXCR4 recognition probed with synthetic nanomolar affinity D-peptides containing fragments of gp120 V3 loop. 2022, 114797	0

28	Expression profiling of mRNA and functional network analyses of genes regulated by human papilloma virus E6 and E7 proteins in HaCaT cells. 13,	0
27	Aberrant regulation of CXCR4 in cancer via deviant microRNA-targeted interactions. 1-14	0
26	Inhibition of SRC-mediated integrin signaling in bone marrow niche enhances hematopoietic stem cell function. 2022 , 25, 105171	0
25	How cell migration helps immune sentinels. 10,	0
24	Identifying ISL1/SHH/CXCL12 signaling regulating myogenic cells migration.	0
23	PIM3 kinase promotes tumor metastasis in hepatoblastoma by upregulating cell surface expression of chemokine receptor cxcr4.	0
22	CXCR4 mediates the effects of IGF-1R signaling in rodent bone homeostasis and fracture repair. 2022 , 116600	0
21	Programming cell-surface signaling by phase-separation-controlled compartmentalization.	0
20	The Role of the Chemokine CXCL12 on the Pathogenesis of Several Diseases. 2022 , 18, 419-426	0
19	Pertussis Toxin-Sensitive Signal Controls the Trafficking of Thymocytes Across the Corticomedullary Junction in the Thymus. 1999 , 162, 5981-5985	27
18	Chemokine Receptor Expression and Signaling in Macaque and Human Fetal Neurons and Astrocytes: Implications for the Neuropathogenesis of AIDS. 1999 , 163, 1636-1646	20
17	Cutting Edge: CXCR4-Lo: Molecular Cloning and Functional Expression of a Novel Human CXCR4 Splice Variant. 1999 , 163, 2368-2372	16
16	Involvement of Phosphatidylinositol 3-Kinase in Stromal Cell-Derived Factor-1 β -Induced Lymphocyte Polarization and Chemotaxis. 1999 , 163, 4001-4012	16
15	Expression of Stromal Cell-Derived Factor-1/Pre-B Cell Growth-Stimulating Factor Receptor, CXC Chemokine Receptor 4, on CD34+ Human Bone Marrow Cells Is a Phenotypic Alteration for Committed Lymphoid Progenitors. 1999 , 163, 3612-3620	6
14	The CXC Chemokine Stromal Cell-Derived Factor Activates a Gi-Coupled Phosphoinositide 3-Kinase in T Lymphocytes. 1999 , 163, 5954-5963	35
13	The Monocytic Cell Line THP-1 as a Validated and Robust Surrogate Model for Human Dendritic Cells. 2023 , 24, 1452	0
12	ACKR3 promotes CXCL12/CXCR4-mediated cell-to-cell-induced lymphoma migration through LTB4 production. 13,	0
11	Ablation of CXCR4 expression in cardiomyocytes exacerbates isoproterenol-induced cell death and heart failure. 2022 , 51,	0

- 10 Discovery of Bis-Imidazoline Derivatives as New CXCR4 Ligands. **2023**, 28, 1156 ○
- 9 Analysis of Genetic Differences in Genes Associated with Immune Response Among Purebred and Crossbreed Sistani and Montebeliarde Cow Populations using RNA-Seq Data. **2021**, 12, 134-145 ○
- 8 Targeting the chemokine ligand 2hemokine receptor 2 axis provides the possibility of immunotherapy in chronic pain. **2023**, 947, 175646 ○
- 7 Chemokine Dysregulation and Neuroinflammation in Schizophrenia: A Systematic Review. **2023**, 24, 2215 3
- 6 Mice Knockouts for Chemokines and Chemokine Receptors. **2003**, 323-345 ○
- 5 An expression and function analysis of the CXCR4/SDF-1 signalling axis during pituitary gland development. **2023**, 18, e0280001 ○
- 4 A miRNA/CXCR4 signaling axis impairs monopoiesis and angiogenesis in diabetic critical limb ischemia. **2023**, 8, ○
- 3 Small-Molecule Fluorescent Ligands for the CXCR4 Chemokine Receptor. **2023**, 66, 5208-5222 ○
- 2 CXCR4 and CXCL12 signaling regulates the development of extrinsic innervation to the colorectum. **2023**, 150, ○
- 1 Engineering GliaTrap: a biodegradable non-swelling hydrogel with tuned release of CXCL12 to attract migrating glioblastoma cells. ○