

CITATION REPORT

List of articles citing

Potent and specific genetic interference by double-stranded RNA in *Caenorhabditis elegans*

DOI: 10.1038/35888
Nature, 1998, 391, 806-11.

Source: <https://exaly.com/paper-pdf/28893998/citation-report.pdf>

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2194	Real-time integral imaging system for light field microscopy. 2014 , 22, 10210		
2193	Real-time integral imaging system for light field microscopy. 2014 , 22, 10210		
2192	Real-time integral imaging system for light field microscopy. 2014 , 22, 10210		
2191	Strategies for gene transfer to solid organs: viral vectors. 2006 , 333, 175-200		3
2190	RNA interference and its role in the inhibition and cure of HIV/AIDS. 1970 , 5, 1-10		
2189	De novo methylation and co-suppression induced by a cytoplasmically replicating plant RNA virus. 1998 , 17, 6385-93		148
2188	Viral pathogenicity determinants are suppressors of transgene silencing in <i>Nicotiana benthamiana</i> . 1998 , 17, 6739-46		856
2187	Double-stranded RNA poses puzzle. <i>Nature</i> , 1998 , 391, 744-5	50.4	116
2186	Liquid crystals New designs in cholesteric colour. <i>Nature</i> , 1998 , 391, 745-746	50.4	82
2185	Unaltered cosmic spherules in a 1.4-Gyr-old sandstone from Finland. <i>Nature</i> , 1998 , 395, 146-8	50.4	18
2184	Preserving tardigrades under pressure. <i>Nature</i> , 1998 , 395, 853-854	50.4	108
2183	Specific interference by ingested dsRNA. <i>Nature</i> , 1998 , 395, 854	50.4	1385
2182	Double-stranded RNA as a mediator in sequence-specific genetic silencing and co-suppression. 1998 , 14, 255-8		197
2181	Changing styles in <i>C. elegans</i> genetics. 1998 , 14, 352-7		16
2180	<i>C. elegans</i> neuroscience: genetics to genome. 1998 , 14, 506-12		30
2179	A divergent multi-domain cyclophilin is highly conserved between parasitic and free-living nematode species and is important in larval muscle development. 1998 , 95, 215-27		25
2178	Importance of the basement membrane protein SPARC for viability and fertility in <i>Caenorhabditis elegans</i> . 1998 , 8, 1285-8		61

2177	The dynactin complex is required for cleavage plane specification in early <i>Caenorhabditis elegans</i> embryos. 1998 , 8, 1110-6	179
2176	A nematode kinesin required for cleavage furrow advancement. 1998 , 8, 1133-6	158
2175	Lethal mutations defining 112 complementation groups in a 4.5 Mb sequenced region of <i>Caenorhabditis elegans</i> chromosome III. 1998 , 260, 280-8	21
2174	Transgene-induced gene silencing in plants. 1998 , 16, 651-9	358
2173	The maternal-to-zygotic transition in embryonic patterning of <i>Caenorhabditis elegans</i> . 1998 , 8, 472-80	28
2172	PGL-1, a predicted RNA-binding component of germ granules, is essential for fertility in <i>C. elegans</i> . 1998 , 94, 635-45	298
2171	A counterdefensive strategy of plant viruses: suppression of posttranscriptional gene silencing. 1998 , 95, 461-70	667
2170	<i>lin-35</i> and <i>lin-53</i> , two genes that antagonize a <i>C. elegans</i> Ras pathway, encode proteins similar to Rb and its binding protein RbAp48. 1998 , 95, 981-91	275
2169	Use of dsRNA-mediated genetic interference to demonstrate that <i>frizzled</i> and <i>frizzled 2</i> act in the wingless pathway. 1998 , 95, 1017-26	949
2168	Systemic spread of sequence-specific transgene RNA degradation in plants is initiated by localized introduction of ectopic promoterless DNA. 1998 , 95, 177-87	587
2167	A model of elegance. 1998 , 63, 955-61	17
2166	Confocal Microscopy Methods and Protocols. 1998 ,	5
2165	A novel class of evolutionarily conserved genes defined by <i>piwi</i> are essential for stem cell self-renewal. 1998 , 12, 3715-27	763
2164	RNAi in <i>C. elegans</i> : soaking in the genome sequence. 1998 , 282, 430-1	456
2163	The taxonomy of developmental control in <i>Caenorhabditis elegans</i> . 1998 , 282, 2033-41	243
2162	Cytokinesis and midzone microtubule organization in <i>Caenorhabditis elegans</i> require the kinesin-like protein ZEN-4. 1998 , 9, 2037-49	240
2161	RNA as a target of double-stranded RNA-mediated genetic interference in <i>Caenorhabditis elegans</i> . 1998 , 95, 15502-7	480
2160	<i>Caenorhabditis elegans</i> Akt/PKB transduces insulin receptor-like signals from AGE-1 PI3 kinase to the DAF-16 transcription factor. 1998 , 12, 2488-98	509

2159	Virus resistance and gene silencing in plants can be induced by simultaneous expression of sense and antisense RNA. 1998 , 95, 13959-64	897
2158	Early patterning of the <i>C. elegans</i> embryo. 1998 , 32, 521-45	155
2157	Reprogramming of early embryonic blastomeres into endodermal progenitors by a <i>Caenorhabditis elegans</i> GATA factor. 1998 , 12, 3809-14	121
2156	Characterization of a <i>Caenorhabditis elegans</i> recA-like gene <i>Ce-rdh-1</i> involved in meiotic recombination. 1998 , 5, 373-7	33
2155	Analysis of a <i>Caenorhabditis elegans</i> Twist homolog identifies conserved and divergent aspects of mesodermal patterning. 1998 , 12, 2623-35	140
2154	Confocal methods for <i>Caenorhabditis elegans</i> . 1999 , 122, 141-51	21
2153	Homology-dependent maternal inhibition of developmental excision of internal eliminated sequences in <i>Paramecium tetraurelia</i> . 1998 , 18, 7075-85	99
2152	Double-stranded RNA induces mRNA degradation in <i>Trypanosoma brucei</i> . 1998 , 95, 14687-92	581
2151	AIR-2: An Aurora/Ipl1-related protein kinase associated with chromosomes and midbody microtubules is required for polar body extrusion and cytokinesis in <i>Caenorhabditis elegans</i> embryos. 1998 , 143, 1635-46	263
2150	A CBP/p300 homolog specifies multiple differentiation pathways in <i>Caenorhabditis elegans</i> . 1998 , 12, 943-55	119
2149	Neuronal expression of neural nitric oxide synthase (nNOS) protein is suppressed by an antisense RNA transcribed from an NOS pseudogene. 1999 , 19, 7711-20	237
2148	Cell Lineages in <i>Caenorhabditis elegans</i> Development. 1999 , 77-95	1
2147	Splicing factor SF1 from <i>Drosophila</i> and <i>Caenorhabditis</i> : presence of an N-terminal RS domain and requirement for viability. 1999 , 5, 1615-31	32
2146	U2AF35 is encoded by an essential gene clustered in an operon with RRM/cyclophilin in <i>Caenorhabditis elegans</i> . 1999 , 5, 487-94	60
2145	RNA-DNA Interactions and DNA Methylation in Post-Transcriptional Gene Silencing. 1999 , 11, 2291	4
2144	<i>Caenorhabditis elegans</i> mediator complexes are required for developmental-specific transcriptional activation. 1999 , 96, 14990-5	52
2143	High-throughput isolation of <i>Caenorhabditis elegans</i> deletion mutants. 1999 , 9, 859-67	145
2142	Myotactin, a novel hypodermal protein involved in muscle-cell adhesion in <i>Caenorhabditis elegans</i> . 1999 , 146, 659-72	98

2141	CLC chloride channels in <i>Caenorhabditis elegans</i> . 1999 , 274, 34238-44	47
2140	Long RNA hairpins that contain inosine are present in <i>Caenorhabditis elegans</i> poly(A) ⁺ RNA. 1999 , 96, 6048-53	129
2139	Receptor-mediated endocytosis in the <i>Caenorhabditis elegans</i> oocyte. 1999 , 10, 4311-26	461
2138	GERp95, a membrane-associated protein that belongs to a family of proteins involved in stem cell differentiation. 1999 , 10, 3357-72	82
2137	p24 proteins and quality control of LIN-12 and GLP-1 trafficking in <i>Caenorhabditis elegans</i> . 1999 , 145, 1165-75	77
2136	Posttranscriptional gene silencing in transgenic sugarcane. Dissection Of homology-dependent virus resistance in a monocot that has a complex polyploid genome. 1999 , 119, 1187-98	126
2135	The <i>Caenorhabditis elegans</i> orthologue of the human gene responsible for spinal muscular atrophy is a maternal product critical for germline maturation and embryonic viability. 1999 , 8, 2133-43	103
2134	HCP-1, a protein involved in chromosome segregation, is localized to the centromere of mitotic chromosomes in <i>Caenorhabditis elegans</i> . 1999 , 147, 471-80	74
2133	Cloning of karyopherin-alpha3 from <i>Drosophila</i> through its interaction with the nuclear localization sequence of germ cell-less protein. 1999 , 380, 1263-72	15
2132	The nonmuscle myosin regulatory light chain gene <i>mlc-4</i> is required for cytokinesis, anterior-posterior polarity, and body morphology during <i>Caenorhabditis elegans</i> embryogenesis. 1999 , 146, 439-51	169
2131	A conserved LIM protein that affects muscular adherens junction integrity and mechanosensory function in <i>Caenorhabditis elegans</i> . 1999 , 144, 45-57	174
2130	Dissection of cell division processes in the one cell stage <i>Caenorhabditis elegans</i> embryo by mutational analysis. 1999 , 144, 927-46	138
2129	Cytoplasmic dynein is required for distinct aspects of MTOC positioning, including centrosome separation, in the one cell stage <i>Caenorhabditis elegans</i> embryo. 1999 , 147, 135-50	362
2128	Functional genomics. 1999 , 96, 8825-6	58
2127	Targeted disruption of gene function in <i>Drosophila</i> by RNA interference (RNA-i): a role for nautilus in embryonic somatic muscle formation. 1999 , 96, 1451-6	291
2126	Double-stranded RNA specifically disrupts gene expression during planarian regeneration. 1999 , 96, 5049-54	434
2125	An exon that prevents transport of a mature mRNA. 1999 , 96, 3813-8	25
2124	RNA aptamers as effective protein antagonists in a multicellular organism. 1999 , 96, 10033-8	111

2123	Silencing of an aleurone-specific gene in transgenic rice is caused by a rearranged transgene. 1999 , 17, 275-85		59
2122	Sequences throughout the basic beta-1,3-glucanase mRNA coding region are targets for homology dependent post-transcriptional gene silencing. 1999 , 20, 143-152		18
2121	kel-1, a novel Kelch-related gene in <i>Caenorhabditis elegans</i> , is expressed in pharyngeal gland cells and is required for the feeding process. 1999 , 4, 325-37		11
2120	Using RNAi to investigate orthologous homeotic gene function during development of distantly related insects. 1999 , 1, 11-5		126
2119	Caveolin, cholesterol and Ras signalling. 1999 , 1, E35-7		55
2118	Cholesterol: stuck in traffic. 1999 , 1, E37-8		29
2117	Involvement of caveolin-1 in meiotic cell-cycle progression in <i>Caenorhabditis elegans</i> . 1999 , 1, 127-9		97
2116	Gene silencing in <i>Neurospora crassa</i> requires a protein homologous to RNA-dependent RNA polymerase. <i>Nature</i> , 1999 , 399, 166-9	50.4	554
2115	Emergence of vancomycin tolerance in <i>Streptococcus pneumoniae</i> . <i>Nature</i> , 1999 , 399, 590-3	50.4	275
2114	MAP kinase and Wnt pathways converge to downregulate an HMG-domain repressor in <i>Caenorhabditis elegans</i> . <i>Nature</i> , 1999 , 399, 793-7	50.4	244
2113	The cell-surface proteoglycan Dally regulates Wingless signalling in <i>Drosophila</i> . <i>Nature</i> , 1999 , 400, 276-80	50.4	344
2112	Plant viruses. New tool for Swiss army knife. <i>Nature</i> , 1999 , 397, 25	50.4	5
2111	Recruitment in space and time. <i>Nature</i> , 1999 , 397, 25-27	50.4	15
2110	The molecular mechanism of programmed cell death in <i>C. elegans</i> . 1999 , 887, 92-104		66
2109	Casein kinase I transduces Wnt signals. <i>Nature</i> , 1999 , 401, 345-50	50.4	384
2108	A histone-H3-like protein in <i>C. elegans</i> . <i>Nature</i> , 1999 , 401, 547-8	50.4	204
2107	A class of porous metallic nanostructures. <i>Nature</i> , 1999 , 401, 548-548	50.4	412
2106	RNA interference. Policing rogue genes. <i>Nature</i> , 1999 , 402, 128-9	50.4	11

2105	Hershey heaven and Caenorhabditis elegans. 1999 , 21, 63-4	10
2104	Less from more: cosuppression of transposable elements. 1999 , 21, 148-9	18
2103	CUL-2 is required for the G1-to-S-phase transition and mitotic chromosome condensation in Caenorhabditis elegans. 1999 , 1, 486-92	108
2102	Components of the spindle-assembly checkpoint are essential in Caenorhabditis elegans. 1999 , 1, 514-21	110
2101	Bazooka recruits Inscuteable to orient asymmetric cell divisions in Drosophila neuroblasts. <i>Nature</i> , 1999 , 402, 548-51	50.4 316
2100	C. elegans vulval development as a model system to study the cancer biology of EGFR signaling. 1999 , 18, 203-13	29
2099	Programmed cell death in C. elegans. 1999 , 18, 285-94	13
2098	Expression pattern and functional significance of a divergent nematode cyclophilin in Caenorhabditis elegans. 1999 , 99, 301-6	7
2097	A Caenorhabditis elegans wee1 homolog is expressed in a temporally and spatially restricted pattern during embryonic development. 1999 , 1445, 99-109	19
2096	RNA-triggered gene silencing. 1999 , 15, 358-63	519
2095	Genetic manipulation of kinetoplastida. 1999 , 15, 372-8	109
2094	Control of cell migration during Caenorhabditis elegans development. 1999 , 11, 608-13	49
2093	Amorphous no longer: the centrosome comes into focus. 1999 , 11, 122-8	117
2092	Rapid epithelial-sheet sealing in the Caenorhabditis elegans embryo requires cadherin-dependent filopodial priming. 1999 , 9, 1139-46	166
2091	Developmental evolution: going beyond the 'just so'. 1999 , 9, R942-5	5
2090	Activation of systemic acquired silencing by localised introduction of DNA. 1999 , 9, 59-66	88
2089	Caenorhabditis elegans inhibitor of apoptosis protein (IAP) homologue BIR-1 plays a conserved role in cytokinesis. 1999 , 9, 292-301	208
2088	Regulation of dauer larva development in Caenorhabditis elegans by daf-18, a homologue of the tumour suppressor PTEN. 1999 , 9, 329-32	181

2087	Genetics: a touch of elegance with RNAi. 1999 , 9, R440-2	60
2086	Depletion of syntaxins in the early <i>Caenorhabditis elegans</i> embryo reveals a role for membrane fusion events in cytokinesis. 1999 , 9, 738-45	139
2085	Gene silencing: RNA makes RNA makes no protein. 1999 , 9, R599-601	78
2084	NANOS-3 and FBF proteins physically interact to control the sperm-oocyte switch in <i>Caenorhabditis elegans</i> . 1999 , 9, 1009-18	222
2083	ETR-1, a homologue of a protein linked to myotonic dystrophy, is essential for muscle development in <i>Caenorhabditis elegans</i> . 1999 , 9, 1243-6	28
2082	Integrin-linked kinase (ILK): a regulator of integrin and growth-factor signalling. 1999 , 9, 319-23	214
2081	unc-45 gene of <i>Caenorhabditis elegans</i> encodes a muscle-specific tetratricopeptide repeat-containing protein. 1999 , 42, 163-77	45
2080	The year of the worm. 1999 , 21, 105-9	12
2079	G proteins, chemosensory perception, and the <i>C. elegans</i> genome project: An attractive story. 1999 , 21, 713-7	4
2078	Genetics of chemotaxis and thermotaxis in the nematode <i>Caenorhabditis elegans</i> . 1999 , 33, 399-422	134
2077	A species of small antisense RNA in posttranscriptional gene silencing in plants. 1999 , 286, 950-2	2362
2076	Plant paralog to viral movement protein that potentiates transport of mRNA into the phloem. 1999 , 283, 94-8	397
2075	Plant functional genomics. 1999 , 285, 380-3	238
2074	Assessing the function of the Ro ribonucleoprotein complex using <i>Caenorhabditis elegans</i> as a biological tool. 1999 , 77, 349-354	5
2073	RNA-DNA interactions and DNA methylation in post-transcriptional gene silencing. 1999 , 11, 2291-301	406
2072	Molecular pathology and future developments. 1999 , 35, 1895-904	19
2071	Genetic approaches to TGFbeta signaling pathways. 1999 , 10, 179-86	10
2070	Homology-dependent gene silencing in plants and fungi: a number of variations on the same theme. 1999 , 2, 657-62	94

2069	Transvection and other homology effects. 1999 , 9, 237-46	115
2068	MOM-4, a MAP kinase kinase kinase-related protein, activates WRM-1/LIT-1 kinase to transduce anterior/posterior polarity signals in <i>C. elegans</i> . 1999 , 4, 275-80	101
2067	HAC-1, a <i>Drosophila</i> homolog of APAF-1 and CED-4 functions in developmental and radiation-induced apoptosis. 1999 , 4, 745-55	183
2066	Internuclear gene silencing in <i>Phytophthora infestans</i> . 1999 , 3, 339-48	141
2065	Ribozymes and the anti-gene therapy: how a catalytic RNA can be used to inhibit gene function. 1999 , 237, 303-10	36
2064	Stu-7/air-2 is a <i>C. elegans</i> aurora homologue essential for chromosome segregation during embryonic and post-embryonic development. 1999 , 82, 95-108	23
2063	Sex and the single worm: sex determination in the nematode <i>C. elegans</i> . 1999 , 83, 3-15	24
2062	<i>C. elegans</i> dynamin-related protein DRP-1 controls severing of the mitochondrial outer membrane. 1999 , 4, 815-26	517
2061	Control of organ shape by a secreted metalloprotease in the nematode <i>Caenorhabditis elegans</i> . <i>Nature</i> , 1999 , 399, 586-90	50.4 159
2060	Cosuppression of nonhomologous transgenes in <i>Drosophila</i> involves mutually related endogenous sequences. 1999 , 99, 35-46	75
2059	Dissecting the mechanisms of posttranscriptional gene silencing: divide and conquer. 1999 , 96, 303-6	97
2058	Discs Lost, a novel multi-PDZ domain protein, establishes and maintains epithelial polarity. 1999 , 96, 833-45	251
2057	WRM-1 activates the LIT-1 protein kinase to transduce anterior/posterior polarity signals in <i>C. elegans</i> . 1999 , 97, 717-26	226
2056	A novel class of eukaryotic zinc-binding proteins is required for disease resistance signaling in barley and development in <i>C. elegans</i> . 1999 , 99, 355-66	314
2055	The <i>rde-1</i> gene, RNA interference, and transposon silencing in <i>C. elegans</i> . 1999 , 99, 123-32	1026
2054	Mut-7 of <i>C. elegans</i> , required for transposon silencing and RNA interference, is a homolog of Werner syndrome helicase and RNaseD. 1999 , 99, 133-41	610
2053	Plasmodesmata and Cell-to-Cell Communication in Plants. 1999 , 251-316	58
2052	THE CAENORHABDITIS ELEGANS GENOME: A Guide in The Post Genomics Age. 1999 , 37, 247-65	38

2051	Mechanism-based screening: discovery of the next generation of anthelmintics depends upon more basic research. 1999 , 29, 105-12; discussion 113-4	50
2050	CLK-1 controls respiration, behavior and aging in the nematode <i>Caenorhabditis elegans</i> . 1999 , 18, 1783-92	211
2049	Chapter 17 <i>C. elegans</i> Members of the DEG/ENaC Channel Superfamily: Form and Function. 1999 , 47, 297-314	
2048	Double-stranded RNA induces specific developmental defects in zebrafish embryos. 1999 , 263, 156-61	157
2047	A <i>Caenorhabditis elegans</i> homologue of hunchback is required for late stages of development but not early embryonic patterning. 1999 , 205, 240-53	56
2046	RNA-Mediated interference of a <i>cdc25</i> homolog in <i>Caenorhabditis elegans</i> results in defects in the embryonic cortical membrane, meiosis, and mitosis. 1999 , 206, 15-32	42
2045	ELT-3: A <i>Caenorhabditis elegans</i> GATA factor expressed in the embryonic epidermis during morphogenesis. 1999 , 208, 265-80	77
2044	The <i>Caenorhabditis elegans</i> <i>mel-11</i> myosin phosphatase regulatory subunit affects tissue contraction in the somatic gonad and the embryonic epidermis and genetically interacts with the Rac signaling pathway. 1999 , 209, 111-27	96
2043	Ultrastructural features of the adult hermaphrodite gonad of <i>Caenorhabditis elegans</i> : relations between the germ line and soma. 1999 , 212, 101-23	246
2042	Silencing of developmental genes in <i>Hydra</i> . 1999 , 214, 211-4	156
2041	Expression and function of members of a divergent nuclear receptor family in <i>Caenorhabditis elegans</i> . 1999 , 215, 314-31	100
2040	The coronin-like protein <i>POD-1</i> is required for anterior-posterior axis formation and cellular architecture in the nematode <i>Caenorhabditis elegans</i> . 1999 , 13, 2838-51	103
2039	Chapter 3.3.7 Analyzing neuropeptide function in <i>Caenorhabditis elegans</i> by reverse genetics. 1999 , 585-601	
2038	The centrosome of the early <i>C. elegans</i> embryo: inheritance, assembly, replication, and developmental roles. 2000 , 49, 365-84	8
2037	A <i>PDK1</i> homolog is necessary and sufficient to transduce <i>AGE-1</i> PI3 kinase signals that regulate diapause in <i>Caenorhabditis elegans</i> . 1999 , 13, 1438-52	307
2036	Targeted mRNA degradation by double-stranded RNA in vitro. 1999 , 13, 3191-7	616
2035	A <i>PP2A</i> regulatory subunit positively regulates Ras-mediated signaling during <i>Caenorhabditis elegans</i> vulval induction. 1999 , 13, 2562-9	72
2034	Post-Transcriptional Gene Silencing In Plants: Pain Or Delight In Transgene Research?. 2000 , 6, 67-74	

2033	Concerted Efforts To Develop Handles For Plant Parasitic Nematode Control. 2000 , 6, 159-167	
2032	Virus recovery is induced in Brome mosaic virus p2 transgenic plants showing synchronous complementation and RNA-2-specific silencing. 2000 , 13, 247-58	9
2031	HSP43, a small heat-shock protein localized to specific cells of the vulva and spermatheca in the nematode <i>Caenorhabditis elegans</i> . 2000 , 349, 409-12	7
2030	HSP43, a small heat-shock protein localized to specific cells of the vulva and spermatheca in the nematode <i>Caenorhabditis elegans</i> . 2000 , 349, 409-412	8
2029	Post-transcriptional gene-silencing: RNAs on the attack or on the defense?. 2000 , 22, 520-31	83
2028	The <i>Caenorhabditis elegans</i> gonad: a test tube for cell and developmental biology. 2000 , 218, 2-22	170
2027	When cells tell their neighbors which direction to divide. 2000 , 218, 23-9	21
2026	Fusomorphogenesis: cell fusion in organ formation. 2000 , 218, 30-51	55
2025	Nematode functional genomics. 2000 , 17, 43-7	1
2024	Genetics, genomics, and drug discovery. 2000 , 20, 203-11	18
2023	The polo-like kinase PLK-1 is required for nuclear envelope breakdown and the completion of meiosis in <i>Caenorhabditis elegans</i> . 2000 , 26, 26-41	105
2022	Temperature-dependent gene silencing by an expressed inverted repeat in <i>Drosophila</i> . 2000 , 26, 240-4	128
2021	Post-transcriptional gene-silencing and RNA interference: genetic immunity, mechanisms and applications. 2000 , 75, 869-882	4
2020	A diverse approach to arthropod development. 2000 , 2, 6-8	18
2019	Characterization of the Hox cluster from the mosquito <i>Anopheles gambiae</i> (Diptera: Culicidae). 2000 , 2, 311-25	37
2018	The conserved nuclear receptor Ftz-F1 is required for embryogenesis, moulting and reproduction in <i>Caenorhabditis elegans</i> . 2000 , 5, 711-23	81
2017	Distinct features of post-transcriptional gene silencing by antisense transgenes in single copy and inverted T-DNA repeat loci. 2000 , 21, 27-42	69
2016	Rotation and asymmetry of the mitotic spindle direct asymmetric cell division in the developing central nervous system. 2000 , 2, 7-12	273

2015	Heritable and inducible genetic interference by double-stranded RNA encoded by transgenes. 2000 , 24, 180-3		360
2014	Tracheal development and the von Hippel-Lindau tumor suppressor homolog in <i>Drosophila</i> . 2000 , 19, 2803-11		52
2013	Sequence and functional properties of Ets genes in the model organism <i>Drosophila</i> . 2000 , 19, 6409-16		57
2012	Genetic analysis of ETS genes in <i>C. elegans</i> . 2000 , 19, 6400-8		23
2011	Specific interference with gene function by double-stranded RNA in early mouse development. 2000 , 2, 70-5		587
2010	RNA interference: genetic wand and genetic watchdog. 2000 , 2, E31-6		246
2009	CED-2/CrkII and CED-10/Rac control phagocytosis and cell migration in <i>Caenorhabditis elegans</i> . 2000 , 2, 131-6		353
2008	A genetic link between co-suppression and RNA interference in <i>C. elegans</i> . <i>Nature</i> , 2000 , 404, 296-8	50.4	176
2007	A silence that speaks volumes. <i>Nature</i> , 2000 , 404, 804-8	50.4	58
2006	LAG-3 is a putative transcriptional activator in the <i>C. elegans</i> Notch pathway. <i>Nature</i> , 2000 , 405, 364-8	50.4	156
2005	The evolutionarily conserved BMP-binding protein Twisted gastrulation promotes BMP signalling. <i>Nature</i> , 2000 , 405, 757-63	50.4	238
2004	Proteomics to study genes and genomes. <i>Nature</i> , 2000 , 405, 837-46	50.4	1907
2003	LET-413 is a basolateral protein required for the assembly of adherens junctions in <i>Caenorhabditis elegans</i> . 2000 , 2, 415-22		156
2002	Total silencing by intron-spliced hairpin RNAs. <i>Nature</i> , 2000 , 407, 319-20	50.4	783
2001	Mobile elements and the human genome. 2000 , 1, 134-44		126
2000	Conservation of the sequence and temporal expression of let-7 heterochronic regulatory RNA. <i>Nature</i> , 2000 , 408, 86-9	50.4	1850
1999	Functional genomic analysis of <i>C. elegans</i> chromosome I by systematic RNA interference. <i>Nature</i> , 2000 , 408, 325-30	50.4	1402
1998	Functional genomic analysis of cell division in <i>C. elegans</i> using RNAi of genes on chromosome III. <i>Nature</i> , 2000 , 408, 331-6	50.4	753

1997	Sorting and transport in <i>C. elegans</i> : a model system with a sequenced genome. 2000 , 12, 517-23	27
1996	EGO-1 is related to RNA-directed RNA polymerase and functions in germ-line development and RNA interference in <i>C. elegans</i> . 2000 , 10, 169-78	447
1995	Gene silencing: shrinking the black box of RNAi. 2000 , 10, R137-40	40
1994	NURD-complex genes antagonise Ras-induced vulval development in <i>Caenorhabditis elegans</i> . 2000 , 10, 223-6	133
1993	Double-stranded RNA interference shows that Engrailed controls the synaptic specificity of identified sensory neurons. 2000 , 10, 289-92	49
1992	Inducible expression of double-stranded RNA directs specific genetic interference in <i>Drosophila</i> . 2000 , 10, 957-63	129
1991	The aurora-related kinase AIR-2 recruits ZEN-4/CeMKLP1 to the mitotic spindle at metaphase and is required for cytokinesis. 2000 , 10, 1162-71	205
1990	Incenp and an aurora-like kinase form a complex essential for chromosome segregation and efficient completion of cytokinesis. 2000 , 10, 1172-81	264
1989	Evidence that processed small dsRNAs may mediate sequence-specific mRNA degradation during RNAi in <i>Drosophila</i> embryos. 2000 , 10, 1191-200	200
1988	Depletion of a Cks homolog in <i>C. elegans</i> embryos uncovers a post-metaphase role in both meiosis and mitosis. 2000 , 10, 1471-4	21
1987	RNAi analysis of genes expressed in the ovary of <i>Caenorhabditis elegans</i> . 2000 , 10, 1619-22	188
1986	Wnt signalling in <i>Caenorhabditis elegans</i> : regulating repressors and polarizing the cytoskeleton. 2000 , 10, 10-7	87
1985	Meeting report: XIIIth meeting of the International Society for Evolutionary Protistology, Česká Budejovice, Czech Republic, July 31-August 4, 2000. 2000 , 151, 299-305	
1984	NuRD and SIN3 histone deacetylase complexes in development. 2000 , 16, 351-6	324
1983	RNAi—prospects for a general technique for determining gene function. 2000 , 16, 347-9	61
1982	Double-stranded RNA interference in <i>Trypanosoma brucei</i> using head-to-head promoters. 2000 , 111, 67-76	153
1981	Secretion of a novel class of iFABPs in nematodes: coordinate use of the <i>Ascaris</i> / <i>Caenorhabditis</i> model systems. 2000 , 105, 223-36	43
1980	Analysis of antisense and double stranded RNA downregulation of A2 protein expression in <i>Leishmania donovani</i> . 2000 , 107, 315-9	23

1979	Genomics: from novel genes to new therapeutics in parasitology. 2000 , 30, 247-52	21
1978	Genomic and genetic research on bursate nematodes: significance, implications and prospects. 2000 , 30, 509-34	101
1977	Altered behaviour following RNA interference knockdown of a <i>C. elegans</i> G-protein coupled receptor by ingested double stranded RNA. 2000 , 397, R3-5	3
1976	Transgene silencing in monocots. 2000 , 43, 323-46	111
1975	RNA viruses as inducers, suppressors and targets of post-transcriptional gene silencing. 2000 , 43, 295-306	91
1974	Expression of a yeast RNase III gene in transgenic tobacco silences host nitrite reductase genes. 2000 , 44, 53-60	2
1973	RNA-directed DNA methylation. 2000 , 43, 203-20	187
1972	Role of inverted DNA repeats in transcriptional and post-transcriptional gene silencing. 2000 , 43, 243-60	127
1971	Post-transcriptional gene silencing mutants. 2000 , 43, 275-84	15
1970	The efficacy of RNAi in the study of the plant cytoskeleton. 2000 , 19, 371-84	21
1969	The Organism: A Crucial Genomic Context in Molecular Epigenetics?. 2000 , 119, 187-208	3
1968	<i>Caenorhabditis elegans</i> has a single pathway to target matrix proteins to peroxisomes. 2000 , 1, 40-6	97
1967	Phosphorylation status of the SCR homeodomain determines its functional activity: essential role for protein phosphatase 2A,B'. 2000 , 19, 2946-57	57
1966	<i>Caenorhabditis elegans</i> SOS-1 is necessary for multiple RAS-mediated developmental signals. 2000 , 19, 3283-94	55
1965	Expression of <i>ram-5</i> in the structural cell is required for sensory ray morphogenesis in <i>Caenorhabditis elegans</i> male tail. 2000 , 19, 3542-55	27
1964	Transcriptional silencing and promoter methylation triggered by double-stranded RNA. 2000 , 19, 5194-201	728
1963	Functional characterization of SR and SR-related genes in <i>Caenorhabditis elegans</i> . 2000 , 19, 1625-37	118
1962	Suppression of post-transcriptional gene silencing by a plant viral protein localized in the nucleus. 2000 , 19, 1672-80	179

1961	Methods of double-stranded RNA-mediated gene inactivation in Arabidopsis and their use to define an essential gene in methionine biosynthesis. 2000 , 44, 759-75	31
1960	A mutation in the Arabidopsis HYL1 gene encoding a dsRNA binding protein affects responses to abscisic acid, auxin, and cytokinin. 2000 , 12, 2351-2366	411
1959	AGO1, QDE-2, and RDE-1 are related proteins required for post-transcriptional gene silencing in plants, quelling in fungi, and RNA interference in animals. 2000 , 97, 11650-4	417
1958	The organism: A crucial genomic context in molecular epigenetics?. 2000 , 119, 187-208	23
1957	Acetabularia: A Unicellular Model for Understanding Subcellular Localization and Morphogenesis during Development. 2000 , 19, 253-264	23
1956	Both sense and antisense RNAs are targets for the sense transgene-induced posttranscriptional silencing mechanism. 2000 , 263, 995-1002	24
1955	Two engrailed-related genes in the cockroach: cloning, phylogenetic analysis, expression and isolation of splice variants. 2000 , 210, 436-48	22
1954	Characterization of Ce-atl-1, an ATM-like gene from Caenorhabditis elegans. 2000 , 264, 119-26	17
1953	Analysis of the fit-1 gene encoding a ECM protein, flectin, in Caenorhabditis elegans. 2000 , 10, 226-31	1
1952	Model organisms: comparative physiology or just physiology?. 2000 , 279, C2050-1	4
1951	Genetic interference in Trypanosoma brucei by heritable and inducible double-stranded RNA. 2000 , 6, 1069-76	151
1950	Detailed characterization of the posttranscriptional gene-silencing-related small RNA in a GUS gene-silenced tobacco. 2000 , 6, 1445-54	49
1949	The mRNA export in Caenorhabditis elegans is mediated by Ce-NXF-1, an ortholog of human TAP/NXF and Saccharomyces cerevisiae Mex67p. 2000 , 6, 1762-72	84
1948	Determination of preferential binding sites for anti-dsRNA antibodies on double-stranded RNA by scanning force microscopy. 2000 , 6, 563-70	63
1947	A role for Caenorhabditis elegans in understanding the function and interactions of human disease genes. 2000 , 9, 869-77	173
1946	The mechanism of ran import into the nucleus by nuclear transport factor 2. 2000 , 275, 28575-82	35
1945	ROP-1, an RNA quality-control pathway component, affects Caenorhabditis elegans dauer formation. 2000 , 97, 13233-8	26
1944	Specific and heritable genetic interference by double-stranded RNA in Arabidopsis thaliana. 2000 , 97, 4985-90	573

1943	Prolyl 4-hydroxylase is required for viability and morphogenesis in <i>Caenorhabditis elegans</i> . 2000 , 97, 4736-41	61
1942	Function of bicoid and hunchback homologs in the basal cyclorrhaphan fly <i>Megaselia</i> (Phoridae). 2000 , 97, 10844-9	59
1941	CPEB proteins control two key steps in spermatogenesis in <i>C. elegans</i> . 2000 , 14, 2596-609	121
1940	HSP25, a small heat shock protein associated with dense bodies and M-lines of body wall muscle in <i>Caenorhabditis elegans</i> . 2000 , 275, 9510-7	33
1939	LIN-5 is a novel component of the spindle apparatus required for chromosome segregation and cleavage plane specification in <i>Caenorhabditis elegans</i> . 2000 , 148, 73-86	78
1938	Use of double-stranded RNA interference in <i>Drosophila</i> cell lines to dissect signal transduction pathways. 2000 , 97, 6499-503	741
1937	Requirement of V-ATPase for ovulation and embryogenesis in <i>Caenorhabditis elegans</i> . 2000 , 275, 29556-61	55
1936	Essential roles for <i>Caenorhabditis elegans</i> lamin gene in nuclear organization, cell cycle progression, and spatial organization of nuclear pore complexes. 2000 , 11, 3937-47	333
1935	spr-2, a suppressor of the egg-laying defect caused by loss of sel-12 presenilin in <i>Caenorhabditis elegans</i> , is a member of the SET protein subfamily. 2000 , 97, 14524-9	30
1934	Evolution of cyclin-dependent kinases (CDKs) and CDK-activating kinases (CAKs): differential conservation of CAKs in yeast and metazoa. 2000 , 17, 1061-74	85
1933	A Mutation in the Arabidopsis HYL1 Gene Encoding a dsRNA Binding Protein Affects Responses to Abscisic Acid, Auxin, and Cytokinin. 2000 , 12, 2351	10
1932	Therapeutic target discovery using <i>Caenorhabditis elegans</i> . 2000 , 1, 203-17	30
1931	Viral double-stranded RNA, cytokines, and the flu. 2000 , 20, 259-72	85
1930	Inhibition of <i>Trypanosoma brucei</i> gene expression by RNA interference using an integratable vector with opposing T7 promoters. 2000 , 275, 40174-9	437
1929	Medical significance of <i>Caenorhabditis elegans</i> . 2000 , 32, 23-30	40
1928	Identification of potential vaccine and drug target candidates by expressed sequence tag analysis and immunoscreening of <i>Onchocerca volvulus</i> larval cDNA libraries. 2000 , 68, 3491-501	87
1927	<i>Caenorhabditis elegans</i> embryonic axial patterning requires two recently discovered posterior-group Hox genes. 2000 , 97, 4499-503	67
1926	Functional characterization of <i>Caenorhabditis elegans</i> DNA topoisomerase IIIalpha. 2000 , 28, 2012-7	16

1925	CYK-4: A Rho family gtpase activating protein (GAP) required for central spindle formation and cytokinesis. 2000 , 149, 1391-404	309
1924	The novel peptide HEADY specifies apical fate in a simple radially symmetric metazoan. 2000 , 14, 2771-7	41
1923	Functional characterization of five eIF4E isoforms in <i>Caenorhabditis elegans</i> . 2000 , 275, 10590-6	112
1922	Hyper-resistance of meiotic cells to radiation due to a strong expression of a single recA-like gene in <i>Caenorhabditis elegans</i> . 2000 , 28, 4232-6	36
1921	A <i>C. elegans</i> mediator protein confers regulatory selectivity on lineage-specific expression of a transcription factor gene. 2000 , 14, 2161-72	71
1920	<i>Caenorhabditis elegans</i> beta-G spectrin is dispensable for establishment of epithelial polarity, but essential for muscular and neuronal function. 2000 , 149, 915-30	89
1919	Genetic Engineering. 2000 ,	
1918	Plant Gene Silencing. 2000 ,	2
1917	Prolyl 4-hydroxylase is an essential procollagen-modifying enzyme required for exoskeleton formation and the maintenance of body shape in the nematode <i>Caenorhabditis elegans</i> . 2000 , 20, 4084-93	93
1916	SEL-8, a nuclear protein required for LIN-12 and GLP-1 signaling in <i>Caenorhabditis elegans</i> . 2000 , 97, 7877-81	54
1915	Gene-specific silencing by expression of parallel complementary RNA in <i>Escherichia coli</i> . 2000 , 275, 26523-9	29
1914	EMB-30: an APC4 homologue required for metaphase-to-anaphase transitions during meiosis and mitosis in <i>Caenorhabditis elegans</i> . 2000 , 11, 1401-19	106
1913	cDNA cloning and expression of a C-terminus motor kinesin-like protein KLP-17, involved in chromosomal movement in <i>Caenorhabditis elegans</i> . 2000 , 267, 643-50	4
1912	Characterization of mutations induced by ethyl methanesulfonate, UV, and trimethylpsoralen in the nematode <i>Caenorhabditis elegans</i> . 2000 , 269, 64-9	167
1911	RNA interference for the organizer-specific gene Xlim-1 in <i>Xenopus</i> embryos. 2000 , 274, 434-9	48
1910	A novel member of the tob family of proteins controls sexual fate in <i>Caenorhabditis elegans</i> germ cells. 2000 , 217, 77-90	64
1909	Double-stranded RNA injection produces null phenotypes in zebrafish. 2000 , 217, 394-405	135
1908	mag-1, a homolog of <i>Drosophila mago nashi</i> , regulates hermaphrodite germ-line sex determination in <i>Caenorhabditis elegans</i> . 2000 , 218, 172-82	48

1907	nhr-25, the <i>Caenorhabditis elegans</i> ortholog of ftz-f1, is required for epidermal and somatic gonad development. 2000 , 221, 259-72	116
1906	The MADS-Box factor CeMEF2 is not essential for <i>Caenorhabditis elegans</i> myogenesis and development. 2000 , 223, 431-40	32
1905	Too much interference: injection of double-stranded RNA has nonspecific effects in the zebrafish embryo. 2000 , 224, 20-8	120
1904	The <i>Caenorhabditis elegans</i> Ldb/NLI/Clim orthologue ldb-1 is required for neuronal function. 2000 , 226, 45-56	21
1903	The NED-8 conjugating system in <i>Caenorhabditis elegans</i> is required for embryogenesis and terminal differentiation of the hypodermis. 2000 , 226, 152-65	44
1902	The let-268 locus of <i>Caenorhabditis elegans</i> encodes a procollagen lysyl hydroxylase that is essential for type IV collagen secretion. 2000 , 227, 690-705	49
1901	RNA interference demonstrates a role for nautilus in the myogenic conversion of Schneider cells by daughterless. 2000 , 228, 239-55	28
1900	gon-4, a cell lineage regulator required for gonadogenesis in <i>Caenorhabditis elegans</i> . 2000 , 228, 350-62	32
1899	DNA replication defects delay cell division and disrupt cell polarity in early <i>Caenorhabditis elegans</i> embryos. 2000 , 228, 225-38	107
1898	C21orf5, a novel human chromosome 21 gene, has a <i>Caenorhabditis elegans</i> ortholog (pad-1) required for embryonic patterning. 2000 , 68, 30-40	17
1897	The <i>C. elegans</i> apoptotic nuclease NUC-1 is related in sequence and activity to mammalian DNase II. 2000 , 252, 147-54	36
1896	dsRNA-mediated gene silencing in cultured <i>Drosophila</i> cells: a tissue culture model for the analysis of RNA interference. 2000 , 252, 95-105	207
1895	Two isoforms of sarco/endoplasmic reticulum calcium ATPase (SERCA) are essential in <i>Caenorhabditis elegans</i> . 2000 , 261, 211-9	39
1894	Episomal expression of a hammerhead ribozyme directed against plum pox virus. 2000 , 68, 15-23	9
1893	RIC-8 (Synembryn): a novel conserved protein that is required for G(q)alpha signaling in the <i>C. elegans</i> nervous system. 2000 , 27, 289-99	108
1892	Highwire regulates synaptic growth in <i>Drosophila</i> . 2000 , 26, 313-29	338
1891	ARK-1 Inhibits EGFR Signaling in <i>C. elegans</i> . 2000 , 6, 65-75	92
1890	Silencing genes silencing genes. 2000 , 5, 405-6	4

1889	Caenorhabditis elegans: a model genetic host to study Pseudomonas aeruginosa pathogenesis. 2000 , 3, 29-34	116
1888	The survivin-like C. elegans BIR-1 protein acts with the Aurora-like kinase AIR-2 to affect chromosomes and the spindle midzone. 2000 , 6, 211-23	223
1887	Components of the SWI/SNF complex are required for asymmetric cell division in C. elegans. 2000 , 6, 617-24	76
1886	TBP-like factor is required for embryonic RNA polymerase II transcription in C. elegans. 2000 , 6, 715-22	90
1885	Functional anatomy of a dsRNA trigger: differential requirement for the two trigger strands in RNA interference. 2000 , 6, 1077-87	349
1884	A conserved checkpoint pathway mediates DNA damage--induced apoptosis and cell cycle arrest in C. elegans. 2000 , 5, 435-43	416
1883	Making noise about silence: repression of repeated genes in animals. 2000 , 10, 211-6	70
1882	Cytoplasmic flow and the establishment of polarity in C. elegans 1-cell embryos. 2000 , 10, 414-20	23
1881	Evolution of nematode development. 2000 , 10, 443-8	30
1880	The silence of the genes. 2000 , 10, 562-7	79
1879	Post-transcriptional gene silencing across kingdoms. 2000 , 10, 638-43	245
1878	Mitotic phosphorylation of histone H3 is governed by Ipl1/aurora kinase and Glc7/PP1 phosphatase in budding yeast and nematodes. 2000 , 102, 279-91	721
1877	RNAi: double-stranded RNA directs the ATP-dependent cleavage of mRNA at 21 to 23 nucleotide intervals. 2000 , 101, 25-33	2137
1876	Arabidopsis SGS2 and SGS3 genes are required for posttranscriptional gene silencing and natural virus resistance. 2000 , 101, 533-42	869
1875	An RNA-dependent RNA polymerase gene in Arabidopsis is required for posttranscriptional gene silencing mediated by a transgene but not by a virus. 2000 , 101, 543-53	859
1874	Double-stranded RNA as a template for gene silencing. 2000 , 101, 235-8	351
1873	A novel C-terminal kinesin subfamily may be involved in chromosomal movement in caenorhabditis elegans. 2000 , 470, 70-6	4
1872	Sensitive assay of RNA interference in Drosophila and Chinese hamster cultured cells using firefly luciferase gene as target. 2000 , 479, 79-82	85

1871	Caenorhabditis elegans Chk2-like gene is essential for meiosis but dispensable for DNA repair. 2000 , 485, 35-9	25
1870	Barrier-to-autointegration factor (BAF) bridges DNA in a discrete, higher-order nucleoprotein complex. 2000 , 97, 8997-9002	187
1869	Unique and redundant functions of SR proteins, a conserved family of splicing factors, in Caenorhabditis elegans development. 2000 , 95, 67-76	28
1868	Neural hyperplasia induced by RNA interference with m4/malpa gene activity. 2000 , 98, 19-28	7
1867	SPK-1, a C. elegans SR protein kinase homologue, is essential for embryogenesis and required for germline development. 2000 , 99, 51-64	32
1866	Protein interaction mapping in C. elegans using proteins involved in vulval development. 2000 , 287, 116-22	659
1865	Molecular biology. RNA interference. 2000 , 287, 2431-3	88
1864	Genetic requirements for inheritance of RNAi in C. elegans. 2000 , 287, 2494-7	363
1863	A link between RNA interference and nonsense-mediated decay in Caenorhabditis elegans. 2000 , 289, 1928-31	122
1862	Molecular biology. Unwinding RNA silencing. 2000 , 290, 1108-9	40
1861	Fungal Pathology. 2000 ,	6
1860	Effectiveness of specific RNA-mediated interference through ingested double-stranded RNA in Caenorhabditis elegans. 2001 , 2, RESEARCH0002	734
1859	A conserved mechanism for post-transcriptional gene silencing?. 2000 , 1, REVIEWS1018	18
1858	Nematode Parasitism Genes. 2000 , 38, 365-396	234
1857	Analysis of programmed cell death in the nematode Caenorhabditis elegans. 2000 , 322, 76-88	10
1856	GATEWAY recombinational cloning: application to the cloning of large numbers of open reading frames or ORFeomes. 2000 , 328, 575-92	496
1855	Targeting induced local lesions IN genomes (TILLING) for plant functional genomics. 2000 , 123, 439-42	684
1854	View of life sciences in the 21st century. 2000 , 24 Suppl 1, S1-14	

1853	An efficient cDNA-AFLP-based strategy for the identification of putative pathogenicity factors from the potato cyst nematode <i>Globodera rostochiensis</i> . 2000 , 13, 830-6	93
1852	Phytophthora. 2000 , 237-265	12
1851	Viral and cellular mRNA capping: past and prospects. 2000 , 55, 135-84	291
1850	Ovarian differentiation and human embryo quality. 1. Molecular and morphogenetic homologies between oocytes and embryos in <i>Drosophila</i> , <i>C. elegans</i> , <i>Xenopus</i> and mammals. 2001 , 3, 138-160	22
1849	The germline in <i>C. elegans</i> : origins, proliferation, and silencing. 2001 , 203, 139-85	68
1848	RNA: guiding gene silencing. 2001 , 293, 1080-3	283
1847	RNA interference: mechanisms and applications. 2001 , 7, 31-57	63
1846	Functional and phylogenetic analysis of the ubiquitylation system in <i>Caenorhabditis elegans</i> : ubiquitin-conjugating enzymes, ubiquitin-activating enzymes, and ubiquitin-like proteins. 2002 , 3, RESEARCH0002	90
1845	A rapid method to map mutations in <i>Drosophila</i> . 2001 , 2, RESEARCH0036	32
1844	Acetylcholinesterase genes in the nematode <i>Caenorhabditis elegans</i> . 2001 , 209, 207-39	38
1843	Molecular aspects of sexual development and reproduction in nematodes and schistosomes. 2001 , 50, 153-98	36
1842	A new pathway for heavy metal detoxification in animals. Phytochelatin synthase is required for cadmium tolerance in <i>Caenorhabditis elegans</i> . 2001 , 276, 20817-20	173
1841	Programmed cell death in the ovary: insights and future prospects using genetic technologies. 2001 , 15, 845-53	86
1840	Identification of in vivo mRNA targets of GLD-1, a maxi-KH motif containing protein required for <i>C. elegans</i> germ cell development. 2001 , 15, 2408-20	135
1839	A new approach to decoding life: systems biology. 2001 , 2, 343-72	1187
1838	Genetic dissection of proteoglycan function in <i>Drosophila</i> and <i>C. elegans</i> . 2001 , 12, 127-34	63
1837	Embryonic X Mab2112 expression is required for gastrulation and subsequent neural development. 2001 , 280, 1378-84	21
1836	A Novel mRNA-cDNA interference phenomenon for silencing <i>bcl-2</i> expression in human LNCaP cells. 2001 , 281, 639-44	29

1835	RNAi in mouse oocytes and preimplantation embryos: effectiveness of hairpin dsRNA. 2001 , 287, 1099-104	115
1834	Important role of junctophilin in nematode motor function. 2001 , 289, 234-9	14
1833	Zonula adherens formation in <i>Caenorhabditis elegans</i> requires <i>dlg-1</i> , the homologue of the <i>Drosophila</i> gene <i>discs large</i> . 2001 , 230, 29-42	130
1832	Glue secretion in the <i>Drosophila</i> salivary gland: a model for steroid-regulated exocytosis. 2001 , 231, 234-51	75
1831	The <i>Caenorhabditis elegans</i> <i>peb-1</i> gene encodes a novel DNA-binding protein involved in morphogenesis of the pharynx, vulva, and hindgut. 2001 , 229, 480-93	30
1830	Double-stranded RNA injection produces nonspecific defects in zebrafish. 2001 , 229, 215-23	111
1829	Regulation of cell fate in <i>Caenorhabditis elegans</i> by a novel cytoplasmic polyadenylation element binding protein. 2001 , 229, 537-53	58
1828	The <i>Caenorhabditis elegans</i> <i>Six/sine oculis</i> class homeobox gene <i>ceh-32</i> is required for head morphogenesis. 2001 , 236, 289-303	36
1827	RNAi As a tool for understanding germline development in <i>Caenorhabditis elegans</i> : uses and cautions. 2001 , 239, 177-89	21
1826	DAF-16-dependent and independent expression targets of DAF-2 insulin receptor-like pathway in <i>Caenorhabditis elegans</i> include FKBP. 2001 , 314, 1017-28	56
1825	The third and fourth tropomyosin isoforms of <i>Caenorhabditis elegans</i> are expressed in the pharynx and intestines and are essential for development and morphology. 2001 , 313, 525-37	41
1824	Double-stranded RNA interference in the spider <i>Cupiennius salei</i> : the role of <i>Distal-less</i> is evolutionarily conserved in arthropod appendage formation. 2001 , 211, 76-82	97
1823	The tissue polarity gene <i>nemo</i> carries out multiple roles in patterning during <i>Drosophila</i> development. 2001 , 101, 119-32	39
1822	Differential expression and function of the <i>Drosophila</i> <i>Pax6</i> genes <i>eyeless</i> and <i>twin of eyeless</i> in embryonic central nervous system development. 2001 , 103, 71-8	59
1821	Ingestion of bacterially expressed dsRNAs can produce specific and potent genetic interference in <i>Caenorhabditis elegans</i> . 2001 , 263, 103-12	1353
1820	Regulated expression of myosin II heavy chain and <i>RacB</i> using an inducible tRNA suppressor gene. 2001 , 277, 187-97	4
1819	Genetic model organisms in the study of N-glycans. 2001 , 83, 703-12	95
1818	Suppression of gene expression by RNA interference in cultured plant cells. 2001 , 11, 359-67	21

1817	Plant viruses and the recent discovery of unforeseen basic cellular processes. 2001 , 324, 935-41	0
1816	Two zinc finger proteins, OMA-1 and OMA-2, are redundantly required for oocyte maturation in <i>C. elegans</i> . 2001 , 1, 187-99	142
1815	The <i>Drosophila</i> neuregulin vein maintains glial survival during axon guidance in the CNS. 2001 , 1, 679-90	85
1814	Specification of thermosensory neuron fate in <i>C. elegans</i> requires <i>txx-1</i> , a homolog of <i>otd/Otx</i> . 2001 , 31, 943-56	122
1813	Genetic interference in protozoa. 2001 , 152, 123-9	15
1812	Of flies and men--studying human disease in <i>Drosophila</i> . 2001 , 11, 274-8	55
1811	The <i>C. elegans</i> E2F- and DP-related proteins are required for embryonic asymmetry and negatively regulate Ras/MAPK signaling. 2001 , 7, 451-60	84
1810	<i>dpl-1</i> DP and <i>efl-1</i> E2F act with <i>lin-35</i> Rb to antagonize Ras signaling in <i>C. elegans</i> vulval development. 2001 , 7, 461-73	150
1809	Restriction of mesendoderm to a single blastomere by the combined action of SKN-1 and a GSK-3beta homolog is mediated by MED-1 and -2 in <i>C. elegans</i> . 2001 , 7, 475-85	151
1808	The <i>C. elegans</i> <i>zyg-1</i> gene encodes a regulator of centrosome duplication with distinct maternal and paternal roles in the embryo. 2001 , 105, 547-58	241
1807	RNAi as random degradative PCR: siRNA primers convert mRNA into dsRNAs that are degraded to generate new siRNAs. 2001 , 107, 297-307	327
1806	ATP requirements and small interfering RNA structure in the RNA interference pathway. 2001 , 107, 309-21	832
1805	On the role of RNA amplification in dsRNA-triggered gene silencing. 2001 , 107, 465-76	1049
1804	A short primer on RNAi: RNA-directed RNA polymerase acts as a key catalyst. 2001 , 107, 415-8	156
1803	Meiotic silencing by unpaired DNA. 2001 , 107, 905-16	359
1802	Complementary signaling pathways regulate the unfolded protein response and are required for <i>C. elegans</i> development. 2001 , 107, 893-903	555
1801	RNA-mediated interference as a tool for identifying drug targets. 2001 , 1, 45-53	14
1800	Rnai: a new technology in the post-genomic sequencing era. 2001 , 15, 193-204	23

1799	RNA interference is mediated by 21- and 22-nucleotide RNAs. 2001 , 15, 188-200	2382
1798	Regulation of Photosynthesis. 2001 ,	19
1797	The cDNA Sequence and Expression of the AAA-family Peroxin Genes pex-1 and pex-6 from the Nematode <i>Caenorhabditis elegans</i> . 2001 , 18, 675-681	2
1796	RNA interference--2001. 2001 , 15, 485-90	557
1795	RNA-based immunity in insects. 2001 , 63-74	2
1794	Replication of Tomato spotted wilt virus After Ingestion by Adult Thrips <i>setosus</i> is Restricted to Midgut Epithelial Cells. 2001 , 91, 1149-55	15
1793	Reverse Genetics. 2001 , 1706-1709	
1792	RuNAway Disease: A two cycle model for transmissible spongiform encephalopathies (TSEs) wherein SINE proliferation drives PrP overproduction. 2001 , 2, Preprint 0006	6
1791	The evolution of controlled multitasked gene networks: the role of introns and other noncoding RNAs in the development of complex organisms. 2001 , 18, 1611-30	335
1790	Molecular insights into the novel aspects of diatom biology. 2001 , 58, 1666-73	42
1789	Evolutionarily conserved nuclear migration genes required for early embryonic development in <i>Caenorhabditis elegans</i> . 2001 , 211, 434-41	45
1788	The contribution of molecular biology to the development of vaccines against nematode and trematode parasites of domestic ruminants. 2001 , 101, 311-35	41
1787	A cGMP-dependent protein kinase is implicated in wild-type motility in <i>C. elegans</i> . 2001 , 76, 1177-87	25
1786	Size constraints for targeting post-transcriptional gene silencing and for RNA-directed methylation in <i>Nicotiana benthamiana</i> using a potato virus X vector. 2001 , 25, 417-25	182
1785	Construct design for efficient, effective and high-throughput gene silencing in plants. 2001 , 27, 581-90	1191
1784	High copy arrays containing a sequence upstream of <i>mec-3</i> alter cell migration and axonal morphology in <i>C. elegans</i> . 2001 , 1, 2	5
1783	Regulation of gene expression, cellular localization, and in vivo function of <i>Caenorhabditis elegans</i> DNA topoisomerase I. 2001 , 6, 303-12	11
1782	BIP, a BRAM-interacting protein involved in TGF-beta signalling, regulates body length in <i>Caenorhabditis elegans</i> . 2001 , 6, 599-606	22

1781	A deubiquitinating enzyme, UCH/CeUBP130, has an essential role in the formation of a functional microtubule-organizing centre (MTOC) during early cleavage in <i>C. elegans</i> . 2001 , 6, 899-911	8
1780	Sindbis virus-induced silencing of dengue viruses in mosquitoes. 2001 , 10, 265-73	101
1779	Viral suppressors of RNA silencing. 2001 , 12, 150-4	198
1778	Genome-wide RNAi. 2001 , 5, 63-6	53
1777	Studies of synaptic vesicle endocytosis in the nematode <i>C. elegans</i> . 2001 , 2, 597-605	22
1776	Targeted disruption of a pupal hemocyte protein of <i>Sarcophaga</i> by RNA interference. 2001 , 268, 5295-9	19
1775	Royal Society discussion meeting: utilising the genome sequence of parasitic protozoa. 2001 , 2, 257-62	0
1774	The <i>Caenorhabditis elegans</i> distal-less ortholog <i>ceh-43</i> is required for development of the anterior hypodermis. 2001 , 222, 403-9	15
1773	Molecular characterization of Cephalothorax, the <i>Tribolium</i> ortholog of Sex combs reduced. 2001 , 30, 12-20	34
1772	Comparative insect developmental genetics: phenotypes without mutants. 2001 , 23, 379-82	6
1771	It ain't over till it's ova: germline sex determination in <i>C. elegans</i> . 2001 , 23, 596-604	23
1770	RNA interference and small interfering RNAs. 2001 , 2, 239-45	229
1769	RNA-Interferenz: ein neuer Weg zur Analyse von Proteinfunktionen. 2001 , 113, 2503-2505	2
1768	RNA Interference: A New Way to Analyze Protein Function. 2001 , 40, 2437-2439	5
1767	<i>Caenorhabditis elegans</i> p53: role in apoptosis, meiosis, and stress resistance. 2001 , 294, 591-5	381
1766	Inhibition of Gene Expression by Homologous Double-Stranded RNA in a <i>Drosophila melanogaster</i> Cell Culture. 2001 , 37, 639-642	1
1765	The use of functional genomics in <i>C. elegans</i> for studying human development and disease. 2001 , 24, 127-38	52
1764	Transgene silencing of invertedly repeated transgenes is released upon deletion of one of the transgenes involved. 2001 , 46, 433-45	48

1763	[RNA interference-- a novel mechanism of gene expression regulation and a novel method for study of their functions]. 2001 , 27, 237-40	3
1762	Co-suppression mediated virus resistance in transgenic tobacco plants harboring the 3'-untranslated region of Andean potato mottle virus. 2001 , 10, 489-99	5
1761	Ran binding protein RanBP1 in zebrafish embryonic development. 2001 , 59, 235-48	18
1760	The ortholog of human ataxin-2 is essential for early embryonic patterning in <i>C. elegans</i> . 2000 , 15, 231-41	46
1759	A POP-1 repressor complex restricts inappropriate cell type-specific gene transcription during <i>Caenorhabditis elegans</i> embryogenesis. 2001 , 20, 7197-208	73
1758	RNAi is antagonized by A→I hyper-editing. 2001 , 2, 1107-11	113
1757	Roles for 147 embryonic lethal genes on <i>C.elegans</i> chromosome I identified by RNA interference and video microscopy. 2001 , 20, 3984-92	101
1756	RNA interference of a trypanosome topoisomerase II causes progressive loss of mitochondrial DNA. 2001 , 20, 4674-83	115
1755	jkk-1 and mek-1 regulate body movement coordination and response to heavy metals through jnk-1 in <i>Caenorhabditis elegans</i> . 2001 , 20, 5114-28	50
1754	Distinct requirements for <i>C.elegans</i> TAF(II)s in early embryonic transcription. 2001 , 20, 5269-79	42
1753	Functional anatomy of siRNAs for mediating efficient RNAi in <i>Drosophila melanogaster</i> embryo lysate. 2001 , 20, 6877-88	1073
1752	Modulation of <i>Drosophila</i> heat shock transcription factor activity by the molecular chaperone DROJ1. 2001 , 20, 499-509	63
1751	A family of snail-related zinc finger proteins regulates two distinct and parallel mechanisms that mediate <i>Drosophila</i> neuroblast asymmetric divisions. 2001 , 20, 1704-14	96
1750	SDE3 encodes an RNA helicase required for post-transcriptional gene silencing in <i>Arabidopsis</i> . 2001 , 20, 2069-78	271
1749	RNA interference: listening to the sound of silence. 2001 , 8, 746-50	286
1748	Cooperative regulation of AJM-1 controls junctional integrity in <i>Caenorhabditis elegans</i> epithelia. 2001 , 3, 983-91	241
1747	Regulation of endocytosis by CUP-5, the <i>Caenorhabditis elegans</i> mucolipin-1 homolog. 2001 , 28, 64-8	185
1746	Intra-abdominal injection of double-stranded RNA into anesthetized adult <i>Drosophila</i> triggers RNA interference in the central nervous system. 2001 , 6, 665-70	104

1745	Protein interaction maps for model organisms. 2001 , 2, 55-62		118
1744	Post-transcriptional gene silencing by double-stranded RNA. 2001 , 2, 110-9		649
1743	RNA silencing. Diced defence. <i>Nature</i> , 2001 , 409, 295-6	50.4	86
1742	Pulsars crash the magnetar party. <i>Nature</i> , 2001 , 409, 296-7, 299	50.4	1
1741	Adherens junctions inhibit asymmetric division in the <i>Drosophila</i> epithelium. <i>Nature</i> , 2001 , 409, 522-5	50.4	212
1740	Complexes of MADS-box proteins are sufficient to convert leaves into floral organs. <i>Nature</i> , 2001 , 409, 525-9	50.4	898
1739	Polarity controls forces governing asymmetric spindle positioning in the <i>Caenorhabditis elegans</i> embryo. <i>Nature</i> , 2001 , 409, 630-3	50.4	409
1738	<i>Caenorhabditis elegans</i> auxilin: a J-domain protein essential for clathrin-mediated endocytosis in vivo. 2001 , 3, 215-9		85
1737	Distinct roles for Galpha and Gbetagamma in regulating spindle position and orientation in <i>Caenorhabditis elegans</i> embryos. 2001 , 3, 297-300		221
1736	RNA interference. The short answer. <i>Nature</i> , 2001 , 411, 428-9	50.4	82
1735	Chemistry. Synthetic lessons from quinine. <i>Nature</i> , 2001 , 411, 429, 431	50.4	11
1734	Evidence that RME-1, a conserved <i>C. elegans</i> EH-domain protein, functions in endocytic recycling. 2001 , 3, 573-9		218
1733	Round-trip ticket: recycling to the plasma membrane requires RME-1. 2001 , 3, E133-5		7
1732	Passage through the nuclear pore. 2001 , 3, E135		6
1731	Genome annotation: from sequence to biology. 2001 , 2, 493-503		249
1730	Gene silencing as an adaptive defence against viruses. <i>Nature</i> , 2001 , 411, 834-42	50.4	801
1729	Mitochondrial endonuclease G is important for apoptosis in <i>C. elegans</i> . <i>Nature</i> , 2001 , 412, 90-4	50.4	359
1728	The Eps15 <i>C. elegans</i> homologue EHS-1 is implicated in synaptic vesicle recycling. 2001 , 3, 755-60		62

1727	Http://C. elegans: mining the functional genomic landscape. 2001 , 2, 681-9	20
1726	Control of developmental timing in animals. 2001 , 2, 690-701	103
1725	Functional analysis of leucine aminopeptidase in Caenorhabditis elegans. 2001 , 113, 223-32	21
1724	Nuclear receptors in nematodes: themes and variations. 2001 , 17, 206-13	117
1723	Broadcast interference - functional genomics. 2001 , 17, 297-9	13
1722	RNA silencing as a plant immune system against viruses. 2001 , 17, 449-59	591
1721	Stop making nonSense: the C. elegans smg genes. 2001 , 17, 646-53	52
1720	Antibody fusions with fluorescent proteins: a versatile reagent for profiling protein expression. 2001 , 257, 175-84	55
1719	Bancroft--Mackerras oration. Molecular taxonomic, diagnostic and genetic studies of parasitic helminths. 2001 , 31, 860-4	12
1718	RNA interference in African trypanosomes. 2001 , 152, 103-11	17
1717	Functional genomics: the worm scores a knockout. 2001 , 11, R85-7	18
1716	CLH-3, a CLC-2 anion channel ortholog activated during meiotic maturation in C. elegans oocytes. 2001 , 11, 161-70	61
1715	Large-scale analysis of gene function in Caenorhabditis elegans by high-throughput RNAi. 2001 , 11, 171-6	599
1714	CDC-42 regulates PAR protein localization and function to control cellular and embryonic polarity in C. elegans. 2001 , 11, 474-81	137
1713	CDC-42 controls early cell polarity and spindle orientation in C. elegans. 2001 , 11, 482-8	187
1712	RNA-directed transcriptional gene silencing in plants can be inherited independently of the RNA trigger and requires Met1 for maintenance. 2001 , 11, 747-57	324
1711	A C. elegans orphan nuclear receptor contributes to xenobiotic resistance. 2001 , 11, 864-8	70
1710	A reverse genetic analysis of components of the Toll signaling pathway in Caenorhabditis elegans. 2001 , 11, 809-21	328

1709	The OLD-1 positive regulator of longevity and stress resistance is under DAF-16 regulation in <i>Caenorhabditis elegans</i> . 2001 , 11, 1517-23	69
1708	RNA interference: it's a small RNA world. 2001 , 11, R772-5	40
1707	<i>C. elegans</i> clk-2, a gene that limits life span, encodes a telomere length regulator similar to yeast telomere binding protein Tel2p. 2001 , 11, 1706-10	37
1706	Short 5'-phosphorylated double-stranded RNAs induce RNA interference in <i>Drosophila</i> . 2001 , 11, 1776-80	90
1705	Separase is required for chromosome segregation during meiosis I in <i>Caenorhabditis elegans</i> . 2001 , 11, 1825-35	119
1704	Multiple interactions between SRm160 and SR family proteins in enhancer-dependent splicing and development of <i>C. elegans</i> . 2001 , 11, 1923-33	35
1703	Regulation of <i>C. elegans</i> DAF-16 and its human ortholog FKHL1 by the daf-2 insulin-like signaling pathway. 2001 , 11, 1950-7	385
1702	Microarrays go live--new prospects for proteomics. 2001 , 26, 639-41	18
1701	Crystallographic and modeling studies of RNase III suggest a mechanism for double-stranded RNA cleavage. 2001 , 9, 1225-36	188
1700	Gene silencing by double-stranded RNA. 2001 , 13, 244-8	195
1699	Virus-mediated reprogramming of gene expression in plants. 2001 , 4, 181-5	33
1698	Identification of filarial vaccine and drug target candidates by EST analysis. 2001 , 17, 204-206	1
1697	<i>Caenorhabditis elegans</i> and the study of gene function in parasites. 2001 , 17, 387-93	47
1696	A <i>Caenorhabditis elegans</i> cohesion protein with functions in meiotic chromosome pairing and disjunction. 2001 , 15, 1349-60	255
1695	Nonsense-mediated decay of mutant waxy mRNA in rice. 2001 , 125, 1388-95	88
1694	WormBase: network access to the genome and biology of <i>Caenorhabditis elegans</i> . 2001 , 29, 82-6	238
1693	Replicating potato spindle tuber viroid RNA is accompanied by short RNA fragments that are characteristic of post-transcriptional gene silencing. 2001 , 29, 2395-400	182
1692	Sense- and antisense-mediated gene silencing in tobacco is inhibited by the same viral suppressors and is associated with accumulation of small RNAs. 2001 , 98, 6506-10	51

1691	Nuclear hormone receptor CHR3 is a critical regulator of all four larval molts of the nematode <i>Caenorhabditis elegans</i> . 2001 , 98, 7360-5	99
1690	The sarco-endoplasmic reticulum Ca ²⁺ ATPase is required for development and muscle function in <i>Caenorhabditis elegans</i> . 2001 , 276, 43557-63	42
1689	LAD-1, the <i>Caenorhabditis elegans</i> L1CAM homologue, participates in embryonic and gonadal morphogenesis and is a substrate for fibroblast growth factor receptor pathway-dependent phosphotyrosine-based signaling. 2001 , 154, 841-55	97
1688	<i>mua-3</i> , a gene required for mechanical tissue integrity in <i>Caenorhabditis elegans</i> , encodes a novel transmembrane protein of epithelial attachment complexes. 2001 , 154, 415-26	47
1687	Spindle dynamics and the role of gamma-tubulin in early <i>Caenorhabditis elegans</i> embryos. 2001 , 12, 1751-64	195
1686	A role for the RNase III enzyme DCR-1 in RNA interference and germ line development in <i>Caenorhabditis elegans</i> . 2001 , 293, 2269-71	718
1685	Essential roles for four cytoplasmic intermediate filament proteins in <i>Caenorhabditis elegans</i> development. 2001 , 98, 7863-8	99
1684	Hox and ParaHox Genes in Flatworms: Characterization and Expression. 2001 , 41, 652-663	3
1683	Mitochondrial respiratory chain deficiency in <i>Caenorhabditis elegans</i> results in developmental arrest and increased life span. 2001 , 276, 32240-6	120
1682	RNA interference of gene expression (RNAi) in cultured <i>Drosophila</i> cells. 2001 , 2001, pl1	81
1681	Efficient and heritable functional knock-out of an adult phenotype in <i>Drosophila</i> using a GAL4-driven hairpin RNA incorporating a heterologous spacer. 2001 , 29, E55-5	83
1680	A splicing factor, Prp8: preferential localization in the testis and ovary in adult mice. 2001 , 129, 599-606	5
1679	Analysis of <i>smu-1</i> , a gene that regulates the alternative splicing of <i>unc-52</i> pre-mRNA in <i>Caenorhabditis elegans</i> . 2001 , 21, 4985-95	40
1678	Activation of hypodermal differentiation in the <i>Caenorhabditis elegans</i> embryo by GATA transcription factors ELT-1 and ELT-3. 2001 , 21, 2533-44	87
1677	Dicer functions in RNA interference and in synthesis of small RNA involved in developmental timing in <i>C. elegans</i> . 2001 , 15, 2654-9	1333
1676	Homology-dependent gene silencing mechanisms in fungi. 2001 , 55, 381-406	90
1675	Four subunit a isoforms of <i>Caenorhabditis elegans</i> vacuolar H ⁺ -ATPase. Cell-specific expression during development. 2001 , 276, 33079-85	96
1674	HCP-4, a CENP-C-like protein in <i>Caenorhabditis elegans</i> , is required for resolution of sister centromeres. 2001 , 153, 1199-208	94

1673	Argonaute2, a link between genetic and biochemical analyses of RNAi. 2001 , 293, 1146-50	1207
1672	HC-Pro suppression of transgene silencing eliminates the small RNAs but not transgene methylation or the mobile signal. 2001 , 13, 571-83	257
1671	Identification of critical staphylococcal genes using conditional phenotypes generated by antisense RNA. 2001 , 293, 2266-9	361
1670	Critical role of <i>Caenorhabditis elegans</i> homologs of Cds1 (Chk2)-related kinases in meiotic recombination. 2001 , 21, 1329-35	28
1669	A novel C-terminal kinesin is essential for maintaining functional acidocalcisomes in <i>Trypanosoma brucei</i> . 2001 , 276, 49117-24	17
1668	Hox and ParaHox Genes in Flatworms: Characterization and Expression1. 2001 , 41, 652-663	15
1667	RME-8, a conserved J-domain protein, is required for endocytosis in <i>Caenorhabditis elegans</i> . 2001 , 12, 2011-21	133
1666	Centrin is necessary for the formation of the motile apparatus in spermatids of <i>Marsilea</i> . 2001 , 12, 761-76	74
1665	The <i>Caenorhabditis elegans</i> homolog of FGD1, the human Cdc42 GEF gene responsible for faciogenital dysplasia, is critical for excretory cell morphogenesis. 2001 , 10, 3049-62	26
1664	Tyrosine cross-linking of extracellular matrix is catalyzed by Duox, a multidomain oxidase/oxidoreductase with homology to the phagocyte oxidase subunit gp91phox. 2001 , 154, 879-91	311
1663	Specific double-stranded RNA interference in undifferentiated mouse embryonic stem cells. 2001 , 21, 7807-16	210
1662	Isolation and characterization of the activated B-cell factor 1 homolog in <i>Caenorhabditis elegans</i> . 2001 , 29, 4423-32	8
1661	HIM-10 is required for kinetochore structure and function on <i>Caenorhabditis elegans</i> holocentric chromosomes. 2001 , 153, 1227-38	109
1660	Double-stranded RNA-mediated interference with plant virus infection. 2001 , 75, 12288-97	155
1659	MUP-4 is a novel transmembrane protein with functions in epithelial cell adhesion in <i>Caenorhabditis elegans</i> . 2001 , 154, 403-14	53
1658	Nuclear reorganization and homologous chromosome pairing during meiotic prophase require <i>C. elegans</i> chk-2. 2001 , 15, 1674-87	167
1657	Transgene-mediated post-transcriptional gene silencing is inhibited by 3' non-coding sequences in <i>Paramecium</i> . 2001 , 29, 4387-94	35
1656	The NC1/endostatin domain of <i>Caenorhabditis elegans</i> type XVIII collagen affects cell migration and axon guidance. 2001 , 152, 1219-32	139

1655	Here, there, and everywhere: kinetochore function on holocentric chromosomes. 2001 , 153, F33-8	98
1654	Complementary expression patterns of six nonessential <i>Caenorhabditis elegans</i> core 2/I N-acetylglucosaminyltransferase homologues. 2001 , 11, 979-88	18
1653	Overexpression of and RNA interference with the CCAAT enhancer-binding protein on long-term facilitation of <i>Aplysia</i> sensory to motor synapses. 2001 , 8, 220-6	65
1652	A trypanosome structure involved in transmitting cytoplasmic information during cell division. 2001 , 294, 610-2	128
1651	Cytoplasmic dynein light intermediate chain is required for discrete aspects of mitosis in <i>Caenorhabditis elegans</i> . 2001 , 12, 2921-33	52
1650	The <i>Drosophila</i> homolog of mammalian zinc finger factor MTF-1 activates transcription in response to heavy metals. 2001 , 21, 4505-14	126
1649	DLG-1 is a MAGUK similar to SAP97 and is required for adherens junction formation. 2001 , 12, 3465-75	95
1648	Use of cDNA subtraction and RNA interference screens in combination reveals genes required for germ-line development in <i>Caenorhabditis elegans</i> . 2001 , 98, 8686-91	61
1647	On the evolution of early development in the Nematoda. 2001 , 356, 1521-31	37
1646	A RHO GTPase-mediated pathway is required during P cell migration in <i>Caenorhabditis elegans</i> . 2001 , 98, 13132-7	54
1645	Patterning and lineage specification in the amphibian embryo. 2001 , 51, 1-67	34
1644	. 2001 , 28, 64-68	75
1643	Future technologies for control of nematodes of sheep. 2001 , 49, 247-51	13
1642	Comparative analysis of antisense RNA, double-stranded RNA, and delta ribozyme-mediated gene regulation in <i>Toxoplasma gondii</i> . 2002 , 12, 275-81	27
1641	ARGONAUTE1 is required for efficient RNA interference in <i>Drosophila</i> embryos. 2002 , 99, 6889-94	148
1640	Potent and specific inhibition of human immunodeficiency virus type 1 replication by RNA interference. 2002 , 76, 9225-31	376
1639	Ancient pathways programmed by small RNAs. 2002 , 296, 1265-9	300
1638	Functional requirement for histone deacetylase 1 in <i>Caenorhabditis elegans</i> gonadogenesis. 2002 , 22, 3024-34	62

1637	Prevention of HIV-1 infection in human peripheral blood mononuclear cells by specific RNA interference. 2002 , 30, 4830-5	100
1636	Cell cycle- and swelling-induced activation of a <i>Caenorhabditis elegans</i> CLC channel is mediated by CeGLC-7alpha/beta phosphatases. 2002 , 158, 435-44	43
1635	Functional role of epsilon-tubulin in the assembly of the centriolar microtubule scaffold. 2002 , 158, 1183-93	69
1634	Characterization of HCP-6, a <i>C. elegans</i> protein required to prevent chromosome twisting and merotelic attachment. 2002 , 16, 1498-508	67
1633	Heparan sulfate proteoglycan-dependent induction of axon branching and axon misrouting by the Kallmann syndrome gene <i>kal-1</i> . 2002 , 99, 6346-51	139
1632	A <i>Drosophila</i> fragile X protein interacts with components of RNAi and ribosomal proteins. 2002 , 16, 2497-508	453
1631	Tissue-specific RNA interference in postimplantation mouse embryos with endoribonuclease-prepared short interfering RNA. 2002 , 99, 14236-40	134
1630	Regulation of hypoxic death in <i>C. elegans</i> by the insulin/IGF receptor homolog DAF-2. 2002 , 296, 2388-91	207
1629	hpRNA-mediated targeting of the <i>Arabidopsis</i> FAD2 gene gives highly efficient and stable silencing. 2002 , 129, 1723-31	144
1628	Recruitment of cell groups through Delta/Notch signalling during spider neurogenesis. 2002 , 129, 5339-48	63
1627	A single Hox3 gene with composite bicoid and <i>zerknüllt</i> expression characteristics in non-Cyclorrhaphan flies. 2002 , 99, 274-9	151
1626	Mechanisms of AIF-mediated apoptotic DNA degradation in <i>Caenorhabditis elegans</i> . 2002 , 298, 1587-92	333
1625	Regulation of sex-specific differentiation and mating behavior in <i>C. elegans</i> by a new member of the DM domain transcription factor family. 2002 , 16, 2390-402	79
1624	RNAi is activated during <i>Drosophila</i> oocyte maturation in a manner dependent on aubergine and spindle-E. 2002 , 16, 1884-9	155
1623	A cytosine methyltransferase homologue is essential for repeat-induced point mutation in <i>Neurospora crassa</i> . 2002 , 99, 8802-7	188
1622	CD8 T cell-mediated killing of <i>Cryptococcus neoformans</i> requires granulysin and is dependent on CD4 T cells and IL-15. 2002 , 169, 5787-95	117
1621	Small interfering RNA-mediated gene silencing in T lymphocytes. 2002 , 169, 5754-60	204
1620	Using RNA interference to identify genes required for RNA interference. 2002 , 99, 4191-6	102

1619	Retroviral delivery of small interfering RNA into primary cells. 2002 , 99, 14943-5	247
1618	Fertile hypomorphic ARGONAUTE (ago1) mutants impaired in post-transcriptional gene silencing and virus resistance. 2002 , 14, 629-39	499
1617	RNA silencing of dengue virus type 2 replication in transformed C6/36 mosquito cells transcribing an inverted-repeat RNA derived from the virus genome. 2002 , 76, 12925-33	128
1616	Quelling in <i>Neurospora crassa</i> . 2002 , 46, 277-303	41
1615	Inhibition of viral gene expression and replication in mosquito cells by dsRNA-triggered RNA interference. 2002 , 6, 243-51	69
1614	Effects on RNA interference in gene expression (RNAi) in cultured mammalian cells of mismatches and the introduction of chemical modifications at the 3'-ends of siRNAs. 2002 , 12, 301-9	86
1613	miRNPs: a novel class of ribonucleoproteins containing numerous microRNAs. 2002 , 16, 720-8	808
1612	Formation of Tap/NXT1 heterodimers activates Tap-dependent nuclear mRNA export by enhancing recruitment to nuclear pore complexes. 2002 , 22, 245-56	107
1611	Replicating hepatitis delta virus RNA is edited in the nucleus by the small form of ADAR1. 2002 , 99, 15118-23	135
1610	Suppressors of the egg-laying defective phenotype of sel-12 presenilin mutants implicate the CoREST corepressor complex in LIN-12/Notch signaling in <i>C. elegans</i> . 2002 , 16, 2713-28	57
1609	The GEX-2 and GEX-3 proteins are required for tissue morphogenesis and cell migrations in <i>C. elegans</i> . 2002 , 16, 620-32	99
1608	Molecular dissection of the gibberellin/abscisic acid signaling pathways by transiently expressed RNA interference in barley aleurone cells. 2002 , 14, 2289-301	101
1607	Induction of RNA interference in <i>Caenorhabditis elegans</i> by RNAs derived from plants exhibiting post-transcriptional gene silencing. 2002 , 30, 1688-94	28
1606	Alpha spectrin is essential for morphogenesis and body wall muscle formation in <i>Caenorhabditis elegans</i> . 2002 , 157, 665-77	66
1605	RNAi in <i>Dictyostelium</i> : the role of RNA-directed RNA polymerases and double-stranded RNase. 2002 , 13, 445-53	145
1604	APH-1 is a multipass membrane protein essential for the Notch signaling pathway in <i>Caenorhabditis elegans</i> embryos. 2002 , 99, 775-9	367
1603	Elovl1 and p55Cdc genes are localized in a tail-to-tail array and are co-expressed in proliferating cells. 2002 , 277, 18494-500	6
1602	Insulin receptor substrate and p55 orthologous adaptor proteins function in the <i>Caenorhabditis elegans</i> daf-2/insulin-like signaling pathway. 2002 , 277, 49591-7	86

1601	Characterization of Arabidopsis AtAMT2, a high-affinity ammonium transporter of the plasma membrane. 2002 , 130, 1788-96	112
1600	A role for Caenorhabditis elegans importin IMA-2 in germ line and embryonic mitosis. 2002 , 13, 3138-47	43
1599	Reverse genetic analysis of the Caenorhabditis elegans 26S proteasome subunits by RNA interference. 2002 , 383, 1263-6	29
1598	Dominant genetic screen for cofactors that enhance antisense RNA-mediated gene silencing in fission yeast. 2002 , 30, 2546-54	12
1597	Combined functional genomic maps of the C. elegans DNA damage response. 2002 , 295, 127-31	253
1596	An easily dissociated 26 S proteasome catalyzes an essential ubiquitin-mediated protein degradation pathway in Trypanosoma brucei. 2002 , 277, 15486-98	54
1595	The role of genomics in the discovery of novel targets for antibiotic therapy. 2002 , 3, 315-23	20
1594	RNA interference directed against viral and cellular targets inhibits human immunodeficiency Virus Type 1 replication. 2002 , 76, 12963-73	183
1593	RNA-mediated gene regulation system: Now and the future (Review). 2002 , 10, 355	1
1592	A vacuolar-type H ⁺ -pyrophosphatase governs maintenance of functional acidocalcisomes and growth of the insect and mammalian forms of Trypanosoma brucei. 2002 , 277, 37369-76	80
1591	The CeCDC-14 phosphatase is required for cytokinesis in the Caenorhabditis elegans embryo. 2002 , 158, 901-14	82
1590	fzr-1 and lin-35/Rb function redundantly to control cell proliferation in C. elegans as revealed by a nonbiased synthetic screen. 2002 , 16, 503-17	108
1589	Multiple regulatory changes contribute to the evolution of the Caenorhabditis lin-48 ovo gene. 2002 , 16, 2345-9	50
1588	Biochemical and molecular characterization of two cytidine deaminases in the nematode Caenorhabditis elegans. 2002 , 365, 99-107	4
1587	Gene silencing. 2002 , 219, 61-113	25
1586	Manganese(II) induces apoptotic cell death in NIH3T3 cells via a caspase-12-dependent pathway. 2002 , 277, 20135-8	60
1585	The Geohelminths: Ascaris, Trichuris and Hookworm. 2002 ,	6
1584	Identification of essential genes in Staphylococcus aureus using inducible antisense RNA. 2002 , 358, 123-8	21

1583	Glucocorticoids prolong Ca(2+) transients in hippocampal-derived H19-7 neurons by repressing the plasma membrane Ca(2+)-ATPase-1. 2002 , 16, 1629-37	35
1582	Flexible and frozen sugar-modified nucleic acids--modulation of biological activity through furanose ring dynamics in the antisense strand. 2002 , 2, 1147-71	16
1581	RNA interference reveals a requirement for myocyte enhancer factor 2A in activity-dependent neuronal survival. 2002 , 277, 46442-6	91
1580	Positional effects of short interfering RNAs targeting the human coagulation trigger Tissue Factor. 2002 , 30, 1757-66	535
1579	<i>C. elegans</i> condensin promotes mitotic chromosome architecture, centromere organization, and sister chromatid segregation during mitosis and meiosis. 2002 , 16, 729-42	238
1578	CDK-9/cyclin T (P-TEFb) is required in two postinitiation pathways for transcription in the <i>C. elegans</i> embryo. 2002 , 16, 2135-46	170
1577	cdk-7 is required for mRNA transcription and cell cycle progression in <i>Caenorhabditis elegans</i> embryos. 2002 , 99, 5527-32	73
1576	Analysis of <i>Drosophila</i> 26 S proteasome using RNA interference. 2002 , 277, 6188-97	85
1575	High molecular weight RNAs and small interfering RNAs induce systemic posttranscriptional gene silencing in plants. 2002 , 99, 11981-6	146
1574	A novel conserved RNA-binding domain protein, RBD-1, is essential for ribosome biogenesis. 2002 , 13, 3683-95	11
1573	Dicer is required for chromosome segregation and gene silencing in fission yeast cells. 2002 , 99, 16648-53	109
1572	<i>C. elegans</i> EOR-1/PLZF and EOR-2 positively regulate Ras and Wnt signaling and function redundantly with LIN-25 and the SUR-2 Mediator component. 2002 , 16, 1815-27	64
1571	RNA interference: advances and questions. 2002 , 357, 65-70	43
1570	ARACHNE: a whole-genome shotgun assembler. 2002 , 12, 177-89	378
1569	Post-transcriptional suppression of gene expression in <i>Xenopus</i> embryos by small interfering RNA. 2002 , 30, 1664-9	55
1568	The T-box factor MLS-1 acts as a molecular switch during specification of nonstriated muscle in <i>C. elegans</i> . 2002 , 16, 257-69	41
1567	Effect of RNA silencing of polo-like kinase-1 (PLK1) on apoptosis and spindle formation in human cancer cells. 2002 , 94, 1863-77	284
1566	Fragile X-related protein and VIG associate with the RNA interference machinery. 2002 , 16, 2491-6	485

1565	Rescue of polyglutamine-mediated cytotoxicity by double-stranded RNA-mediated RNA interference. 2002 , 11, 175-84	86
1564	Role of ANC-1 in tethering nuclei to the actin cytoskeleton. 2002 , 298, 406-9	334
1563	Efficient isolation of targeted <i>Caenorhabditis elegans</i> deletion strains using highly thermostable restriction endonucleases and PCR. 2002 , 30, e110	20
1562	Cathepsin L is essential for embryogenesis and development of <i>Caenorhabditis elegans</i> . 2002 , 277, 3477-86	89
1561	RNA interference-mediated silencing of Sod2 in <i>Drosophila</i> leads to early adult-onset mortality and elevated endogenous oxidative stress. 2002 , 99, 16162-7	175
1560	Spreading of RNA targeting and DNA methylation in RNA silencing requires transcription of the target gene and a putative RNA-dependent RNA polymerase. 2002 , 14, 857-67	383
1559	RNA interference in human cells is restricted to the cytoplasm. 2002 , 8, 855-60	191
1558	Genomics and cancer. 2002 , 14, 79-85	19
1557	Protein kinase C isotypes in <i>C. elegans</i> . 2002 , 132, 519-22	14
1556	Suppression of chemokine receptor expression by RNA interference allows for inhibition of HIV-1 replication. 2002 , 16, 2385-90	176
1555	Isoform-specific knockdown and expression of adaptor protein ShcA using small interfering RNA. 2002 , 363, 1-5	50
1554	Isoform-specific knockdown and expression of adaptor protein ShcA using small interfering RNA. 2002 , 363, 1-5	74
1553	Ingestion of double-stranded RNA by preparasitic juvenile cyst nematodes leads to RNA interference. 2002 , 15, 747-52	291
1552	[RNA interference for mammalian cells]. 2002 , 120, 91-5	7
1551	Is X-chromosome inactivation a homology effect?. 2002 , 46, 25-48	5
1550	<i>Agrobacterium</i> Genetics. 323-347	2
1549	Multiple ribonuclease H-encoding genes in the <i>Caenorhabditis elegans</i> genome contrasts with the two typical ribonuclease H-encoding genes in the human genome. 2002 , 19, 1910-9	6
1548	Control of developmental timing by micrnas and their targets. 2002 , 18, 495-513	278

1547	MicroRNAs in plants. 2002 , 16, 1616-26	1607
1546	RNAi (Nematodes: <i>Caenorhabditis elegans</i>). 2002 , 46, 339-60	60
1545	RNA silencing and the mobile silencing signal. 2002 , 14 Suppl, S289-301	197
1544	RNA-mediated RNA degradation in transgene- and virus-induced gene silencing. 2002 , 383, 1483-9	9
1543	Malignant worms: what cancer research can learn from <i>C. elegans</i> . 2002 , 20, 264-75	13
1542	Systemic RNAi in <i>C. elegans</i> requires the putative transmembrane protein SID-1. 2002 , 295, 2456-9	648
1541	Isolation of the interacting molecules with GEX-3 by a novel functional screening. 2002 , 292, 697-701	30
1540	ced-10 Rac and mig-2 function redundantly and act with unc-73 trio to control the orientation of vulval cell divisions and migrations in <i>Caenorhabditis elegans</i> . 2002 , 241, 339-48	42
1539	The <i>Caenorhabditis elegans</i> EGL-26 protein mediates vulval cell morphogenesis. 2002 , 241, 247-58	26
1538	The expression of the let-7 small regulatory RNA is controlled by ecdysone during metamorphosis in <i>Drosophila melanogaster</i> . 2002 , 244, 170-9	114
1537	Making worm guts: the gene regulatory network of the <i>Caenorhabditis elegans</i> endoderm. 2002 , 246, 68-85	150
1536	Tissue-specific regulation of the LIM homeobox gene lin-11 during development of the <i>Caenorhabditis elegans</i> egg-laying system. 2002 , 247, 102-15	38
1535	The <i>Caenorhabditis elegans</i> presenilin sel-12 is required for mesodermal patterning and muscle function. 2002 , 251, 178-92	11
1534	<i>Caenorhabditis elegans</i> cog-1 locus encodes GTX/Nkx6.1 homeodomain proteins and regulates multiple aspects of reproductive system development. 2002 , 252, 202-13	36
1533	Cross-species infections and their analysis. 2002 , 56, 539-65	31
1532	The genetics of RNA silencing. 2002 , 36, 489-519	246
1531	HAT activity is essential for CBP-1-dependent transcription and differentiation in <i>Caenorhabditis elegans</i> . 2002 , 3, 50-5	29
1530	Double-stranded nef RNA interferes with human immunodeficiency virus type 1 replication. 2002 , 46, 809-17	45

1529	Epi-alleles in plants: inheritance of epigenetic information over generations. 2002 , 43, 1106-11	110
1528	RNA silencing: the genome's immune system. 2002 , 296, 1263-5	338
1527	Novel antisense and peptide nucleic acid strategies for controlling gene expression. 2002 , 41, 4503-10	230
1526	Gene silencing--principles and application. 2002 , 24, 239-56	1
1525	Genetic Engineering. 2002 ,	
1524	Tombusvirus P19-mediated suppression of virus-induced gene silencing is controlled by genetic and dosage features that influence pathogenicity. 2002 , 15, 269-80	126
1523	Annexins: from structure to function. 2002 , 82, 331-71	1544
1522	Homology-dependent gene silencing and host defense in plants. 2002 , 46, 235-75	67
1521	Knock-down of the type 3 ryanodine receptor impairs sustained Ca ²⁺ signaling via the T cell receptor/CD3 complex. 2002 , 277, 50636-42	49
1520	Silencing of midgut aminopeptidase N of <i>Spodoptera litura</i> by double-stranded RNA establishes its role as <i>Bacillus thuringiensis</i> toxin receptor. 2002 , 277, 46849-51	244
1519	The effectiveness of double-stranded short inhibitory RNAs (siRNAs) may depend on the method of transfection. 2002 , 12, 411-8	24
1518	A DNA vector-based RNAi technology to suppress gene expression in mammalian cells. 2002 , 99, 5515-20	1003
1517	The dsRNA binding protein RDE-4 interacts with RDE-1, DCR-1, and a DExH-box helicase to direct RNAi in <i>C. elegans</i> . 2002 , 109, 861-71	391
1516	Single-stranded antisense siRNAs guide target RNA cleavage in RNAi. 2002 , 110, 563-74	1151
1515	Characterization of CeHDA-7, a class II histone deacetylase interacting with MEF-2 in <i>Caenorhabditis elegans</i> . 2002 , 293, 1295-300	13
1514	Successful inactivation of endogenous Oct-3/4 and c-mos genes in mouse preimplantation embryos and oocytes using short interfering RNAs. 2002 , 296, 1372-7	45
1513	The <i>Caenorhabditis elegans</i> ortholog of human PHF5a shows a muscle-specific expression domain and is essential for <i>C. elegans</i> morphogenetic development. 2002 , 297, 1049-57	14
1512	Subtype- and species-specific knockdown of PKC using short interfering RNA. 2002 , 298, 738-43	42

1511	The gene expression and deficiency phenotypes of Cockayne syndrome B protein in <i>Caenorhabditis elegans</i> . 2002 , 522, 47-51	20
1510	U6 promoter-driven siRNAs with four uridine 3' overhangs efficiently suppress targeted gene expression in mammalian cells. 2002 , 20, 497-500	643
1509	Femcoat, a novel eggshell protein in <i>Drosophila</i> : functional analysis by double stranded RNA interference. 2002 , 110, 61-70	11
1508	MRG-1, a mortality factor-related chromodomain protein, is required maternally for primordial germ cells to initiate mitotic proliferation in <i>C. elegans</i> . 2002 , 114, 61-9	25
1507	Inducible RNA interference uncovers the <i>Drosophila</i> protein Bx42 as an essential nuclear cofactor involved in Notch signal transduction. 2002 , 117, 151-62	22
1506	MTD-1, a touch-cell-specific membrane protein with a subtle effect on touch sensitivity. 2002 , 119, 3-7	6
1505	Analysis of gene function in somatic mammalian cells using small interfering RNAs. 2002 , 26, 199-213	874
1504	Control of cell polarity by noncanonical Wnt signaling in <i>C. elegans</i> . 2002 , 13, 233-41	31
1503	RNAi related mechanisms affect both transcriptional and posttranscriptional transgene silencing in <i>Drosophila</i> . 2002 , 9, 315-27	325
1502	RNAi targeting an animal virus: news from the front. 2002 , 9, 925-7	33
1501	Both natural and designed micro RNAs can inhibit the expression of cognate mRNAs when expressed in human cells. 2002 , 9, 1327-33	713
1500	Evidence that siRNAs function as guides, not primers, in the <i>Drosophila</i> and human RNAi pathways. 2002 , 10, 537-48	395
1499	RNAi in human cells: basic structural and functional features of small interfering RNA. 2002 , 10, 549-61	336
1498	Cellular RNA-dependent RNA polymerase involved in posttranscriptional gene silencing has two distinct activity modes. 2002 , 10, 1417-27	157
1497	Novel genomic cDNA hybrids produce effective RNA interference in adult <i>Drosophila</i> . 2002 , 33, 177-84	193
1496	wishful thinking encodes a BMP type II receptor that regulates synaptic growth in <i>Drosophila</i> . 2002 , 33, 545-58	418
1495	A primary culture system for functional analysis of <i>C. elegans</i> neurons and muscle cells. 2002 , 33, 503-14	175
1494	Dynactin is necessary for synapse stabilization. 2002 , 34, 729-41	203

1493	RNA interference of HIV replication. 2002 , 23, 559-61	69
1492	RNA interference: a promising approach to antiviral therapy?. 2002 , 8, 505-8	37
1491	The <i>C. elegans</i> <i>evl-20</i> gene is a homolog of the small GTPase ARL2 and regulates cytoskeleton dynamics during cytokinesis and morphogenesis. 2002 , 2, 579-91	54
1490	SRC-1 and Wnt signaling act together to specify endoderm and to control cleavage orientation in early <i>C. elegans</i> embryos. 2002 , 3, 113-25	126
1489	Centrosome maturation and mitotic spindle assembly in <i>C. elegans</i> require SPD-5, a protein with multiple coiled-coil domains. 2002 , 3, 673-84	212
1488	Viral suppression of systemic silencing. 2002 , 10, 306-8	82
1487	Genomic analysis using conditional phenotypes generated by antisense RNA. 2002 , 5, 330-3	22
1486	RNAi: nature abhors a double-strand. 2002 , 12, 225-32	402
1485	Transgenic tilapia and the tilapia genome. 2002 , 295, 265-77	56
1484	Genetic evidence for a dystrophin-glycoprotein complex (DGC) in <i>Caenorhabditis elegans</i> . 2002 , 294, 77-86	44
1483	Genomic approaches to early development of <i>C. elegans</i> . 2002 , 1246, 111-115	
1482	A conserved p38 MAP kinase pathway in <i>Caenorhabditis elegans</i> innate immunity. 2002 , 297, 623-6	591
1481	Development and application of siRNA expression vector. 2002 , 113-4	32
1480	Short hairpin RNAs (shRNAs) induce sequence-specific silencing in mammalian cells. 2002 , 16, 948-58	1158
1479	Persistent engrailed expression is required to determine sensory axon trajectory, branching, and target choice. 2002 , 22, 832-41	19
1478	Crustacean blood cell cultures; a new tool for immune studies and parasite-host interactions. 2002 , 68, 1116-1118	1
1477	ARN interférence dans les cellules de mammifères. 2002 , 18, 665-667	0
1476	Customized microinjection glass capillary needles for P-element transformations in <i>Drosophila melanogaster</i> . 2002 , 33, 366-7, 369-70, 372 passim	31

1475	Traditional and transgenic strategies for controlling tomato-infecting begomoviruses. 2002 , 27, 437-449	8
1474	Suppression of nitric oxide (NO)-dependent behavior by double-stranded RNA-mediated silencing of a neuronal NO synthase gene. 2002 , 22, RC227	37
1473	Secrets in secretions: genes that control nematode parasitism of plants. 2002 , 14, 183-194	50
1472	Opportunities and Prospects for Investigating Developmentally Regulated and Sex-Specific Genes and Their Expression in Intestinal Nematodes of Humans. 2002 , 235-268	4
1471	The MEP-1 zinc-finger protein acts with MOG DEAH box proteins to control gene expression via the fem-3 3' untranslated region in <i>Caenorhabditis elegans</i> . 2002 , 8, 725-39	36
1470	Reducing hypothalamic AGRP by RNA interference increases metabolic rate and decreases body weight without influencing food intake. 2002 , 3, 18	120
1469	Characterisation of guanylyl cyclase genes in the soybean cyst nematode, <i>Heterodera glycines</i> . 2002 , 32, 65-72	12
1468	Antisense RNAs in plasmids: control of replication and maintenance. 2002 , 48, 165-73	39
1467	RNA interference (RNAi) inhibits growth of <i>Plasmodium falciparum</i> . 2002 , 119, 273-8	115
1466	Tetracycline-regulated RNA interference in <i>Trypanosoma congolense</i> . 2002 , 120, 309-13	35
1465	Development and applications of transgenesis in the yellow fever mosquito, <i>Aedes aegypti</i> . 2002 , 121, 1-10	46
1464	A cathepsin L protease essential for <i>Caenorhabditis elegans</i> embryogenesis is functionally conserved in parasitic nematodes. 2002 , 122, 21-33	87
1463	Suppression of secreted acetylcholinesterase expression in <i>Nippostrongylus brasiliensis</i> by RNA interference. 2002 , 122, 91-4	113
1462	Antisense-RNA regulation and RNA interference. 2002 , 1575, 15-25	159
1461	A new approach to the inhibition of gene expression. 2002 , 20, 49-51	25
1460	RNA interference by feeding in <i>Paramecium</i> . 2002 , 18, 11-2	140
1459	Antisense RNAs everywhere?. 2002 , 18, 223-6	82
1458	RNA silencing: small RNAs as ubiquitous regulators of gene expression. 2002 , 5, 444-51	118

1457	Target validation through protein-domain knockout applications of intracellularly stable single-chain antibodies. 2002 , 1, 37-44	7
1456	Using RNA interference to modulate gene expression. 2002 , 1, 102-108	6
1455	RNA interference: the new somatic cell genetics?. 2002 , 2, 17-23	196
1454	Treatment with Myf5-morpholino results in somite patterning and brain formation defects in zebrafish. 2002 , 70, 447-56	37
1453	The <i>C. elegans</i> hmr-1 gene can encode a neuronal classic cadherin involved in the regulation of axon fasciculation. 2002 , 12, 59-63	64
1452	Multiple Skp1-related proteins in <i>Caenorhabditis elegans</i> : diverse patterns of interaction with Cullins and F-box proteins. 2002 , 12, 267-75	60
1451	Parental RNAi in <i>Tribolium</i> (Coleoptera). 2002 , 12, R85-6	391
1450	The <i>Caenorhabditis elegans</i> Skp1-related gene family: diverse functions in cell proliferation, morphogenesis, and meiosis. 2002 , 12, 277-87	97
1449	<i>C. elegans</i> ksr-1 and ksr-2 have both unique and redundant functions and are required for MPK-1 ERK phosphorylation. 2002 , 12, 427-33	106
1448	MicroRNAs: hidden in the genome. 2002 , 12, R138-40	98
1447	The GTPase Ran regulates chromosome positioning and nuclear envelope assembly in vivo. 2002 , 12, 503-7	96
1446	A conserved interaction between beta1 integrin/PAT-3 and Nck-interacting kinase/MIG-15 that mediates commissural axon navigation in <i>C. elegans</i> . 2002 , 12, 622-31	72
1445	A branched pathway for transgene-induced RNA silencing in plants. 2002 , 12, 684-8	213
1444	<i>C. elegans</i> PAT-4/ILK functions as an adaptor protein within integrin adhesion complexes. 2002 , 12, 787-97	263
1443	The aurora B kinase AIR-2 regulates kinetochores during mitosis and is required for separation of homologous Chromosomes during meiosis. 2002 , 12, 798-812	199
1442	Embryonic development: a new SPN on cell fate specification. 2002 , 12, R396-8	7
1441	Loss of the putative RNA-directed RNA polymerase RRF-3 makes <i>C. elegans</i> hypersensitive to RNAi. 2002 , 12, 1317-9	469
1440	PPW-1, a PAZ/PIWI protein required for efficient germline RNAi, is defective in a natural isolate of <i>C. elegans</i> . 2002 , 12, 1535-40	115

1439	Integrating interactome, phenome, and transcriptome mapping data for the <i>C. elegans</i> germline. 2002 , 12, 1952-8	157
1438	Gene clustering based on RNAi phenotypes of ovary-enriched genes in <i>C. elegans</i> . 2002 , 12, 1959-64	209
1437	Rapid coevolution of the nematode sex-determining genes <i>fem-3</i> and <i>tra-2</i> . 2002 , 12, 2035-41	83
1436	A Formin Homology protein and a profilin are required for cytokinesis and Arp2/3-independent assembly of cortical microfilaments in <i>C. elegans</i> . 2002 , 12, 2066-75	169
1435	The large GTPase dynamin associates with the spindle midzone and is required for cytokinesis. 2002 , 12, 2111-7	122
1434	Global high-throughput screens for cellular function. 2002 , 30, 381-7	12
1433	Applications of antisense and siRNAs during preclinical drug development. 2002 , 7, 912-7	40
1432	RNAi: gene-silencing in therapeutic intervention. 2002 , 7, 1040-6	155
1431	Aptamers as tools for target prioritization and lead identification. 2002 , 7, 1221-8	46
1430	SINEs and LINEs: the art of biting the hand that feeds you. 2002 , 14, 343-50	131
1429	Kurze interferierende RNA und ihre chemische Synthese. 2002 , 114, 2369-2373	19
1428	Small interfering RNAs and their chemical synthesis. 2002 , 41, 2265-9	88
1427	Regeneration in planarians and other worms: New findings, new tools, and new perspectives. 2002 , 292, 528-39	95
1426	Meeting Review: ESF workshop on 'Impact of nucleic acid chemistry on gene function analysis: antisense, aptamers, ribozymes and RNAi'. 2002 , 3, 441-6	2
1425	Efficient delivery of dsRNA into zona-enclosed mouse oocytes and preimplantation embryos by electroporation. 2002 , 32, 269-76	69
1424	Splice-activated UAS hairpin vector gives complete RNAi knockout of single or double target transcripts in <i>Drosophila melanogaster</i> . 2002 , 34, 160-4	36
1423	Two-color GFP imaging demonstrates cell-autonomy of GAL4-driven RNA interference in <i>Drosophila</i> . 2002 , 34, 170-3	24
1422	Effects of exogenous double-stranded RNA on the basonuclin gene expression in mouse oocytes. 2002 , 45, 593-603	6

1421 Guest editorial. **2002**, 30, 221-223

1420 Evolution of the PP2C family in *Caenorhabditis*: rapid divergence of the sex-determining protein FEM-2. **2002**, 54, 267-82 23

1419 The influence of inverted repeats on the production of small antisense RNAs involved in gene silencing. **2002**, 267, 629-35 26

1418 Ecology meets molecular genetics in *Arabidopsis*. **2002**, 44, 221-233 37

1417 Deciphering endocytosis in *Caenorhabditis elegans*. **2002**, 3, 11-9 56

1416 Metazoan motor models: kinesin superfamily in *C. elegans*. **2002**, 3, 20-8 38

1415 RNAi and related mechanisms and their potential use for therapy. **2002**, 6, 829-34 86

1414 RNomics: identification and function of small, non-messenger RNAs. **2002**, 6, 835-43 118

1413 Tackling both sides of the host-pathogen equation with *Caenorhabditis elegans*. **2002**, 4, 247-56 90

1412 Novel family of CCCH-type zinc-finger proteins, MOE-1, -2 and -3, participates in *C. elegans* oocyte maturation. **2002**, 7, 933-47 37

1411 Induction of the white egg 3 mutant phenotype by injection of the double-stranded RNA of the silkworm white gene. **2002**, 11, 217-22 89

1410 Specific developmental gene silencing in the honey bee using a homeobox motif. **2002**, 11, 527-32 87

1409 Double-stranded RNA-mediated gene silencing of cysteine proteases (falcipain-1 and -2) of *Plasmodium falciparum*. **2002**, 45, 1245-54 111

1408 Identification, subcellular localization and some properties of a cysteine-rich suppressor of gene silencing encoded by peanut clump virus. **2002**, 29, 555-67 114

1407 Specific interference with gene expression and gene function mediated by long dsRNA in neural cells. **2002**, 121, 151-7 52

1406 Selective silencing of viral gene expression in HPV-positive human cervical carcinoma cells treated with siRNA, a primer of RNA interference. **2002**, 21, 6041-8 316

1405 Short interfering RNA confers intracellular antiviral immunity in human cells. *Nature*, **2002**, 418, 430-4 50.4 506

1404 E3 ubiquitin ligase that recognizes sugar chains. *Nature*, **2002**, 418, 438-42 50.4 298

1403	Modulation of HIV-1 replication by RNA interference. <i>Nature</i> , 2002 , 418, 435-8	50.4	724
1402	FGFR-related gene <i>nou-darake</i> restricts brain tissues to the head region of planarians. <i>Nature</i> , 2002 , 419, 620-4	50.4	211
1401	The polycomb group protein EZH2 is involved in progression of prostate cancer. <i>Nature</i> , 2002 , 419, 624-30	50.4	2085
1400	Specific aspartyl and calpain proteases are required for neurodegeneration in <i>C. elegans</i> . <i>Nature</i> , 2002 , 419, 939-44	50.4	241
1399	IRE1 couples endoplasmic reticulum load to secretory capacity by processing the XBP-1 mRNA. <i>Nature</i> , 2002 , 415, 92-6	50.4	2111
1398	A blue-light-activated adenylyl cyclase mediates photoavoidance in <i>Euglena gracilis</i> . <i>Nature</i> , 2002 , 415, 1047-51	50.4	383
1397	RNA interference. <i>Nature</i> , 2002 , 418, 244-51	50.4	3415
1396	Efficient delivery of siRNA for inhibition of gene expression in postnatal mice. 2002 , 32, 107-8		511
1395	RNA interference: antiviral defense and genetic tool. 2002 , 3, 597-9		108
1394	RNA interference meets HIV-1: will silence be golden?. 2002 , 8, 659-60		25
1393	Shared receptors in axon guidance: SAX-3/Robo signals via UNC-34/Enabled and a Netrin-independent UNC-40/DCC function. 2002 , 5, 1147-54		135
1392	Novel animal-health drug targets from ligand-gated chloride channels. 2002 , 1, 427-36		86
1391	From sequence to phenotype: reverse genetics in <i>Drosophila melanogaster</i> . 2002 , 3, 189-98		102
1390	Not your father's planarian: a classic model enters the era of functional genomics. 2002 , 3, 210-9		397
1389	The art and design of genetic screens: <i>Caenorhabditis elegans</i> . 2002 , 3, 356-69		310
1388	Gene silencing in mammals by small interfering RNAs. 2002 , 3, 737-47		1174
1387	Genomic effects of polyamide/DNA interactions on mRNA expression. 2002 , 9, 821-7		26
1386	Sequence variation and the biological function of genes: methodological and biological considerations. 2002 , 782, 3-25		12

1385	Role of Double-Stranded RNA in Eukaryotic Gene Silencing. 2002 , 36, 180-188	10
1384	The tomato RNA-directed RNA polymerase has no effect on gene silencing by RNA interference in transgenic mice. 2002 , 11, 305-10	6
1383	Molecular Evolution of Tandemly Repeated Heterochromatic Gene Clusters Involving a Switch of Their Function in the Genome of <i>Drosophila melanogaster</i> . 2002 , 38, 586-593	3
1382	Geminivirus sequences as bidirectional transcription termination/polyadenylation signals for economic construction of stably expressed transgenes. 2002 , 10, 107-117	4
1381	Gene silencing-based disease resistance. 2002 , 11, 639-53	15
1380	RNA interference: applicability in tick research. 2002 , 28, 89-96	31
1379	The nematode <i>Caenorhabditis elegans</i> as a model to study the roles of proteoglycans. 2002 , 19, 325-30	10
1378	Two classes of short interfering RNA in RNA silencing. 2002 , 21, 4671-9	748
1377	RNA Interference and Development. 2002 , 33, 284-294	2
1376	Sex determination in flies, fruitflies and butterflies. 2002 , 116, 15-23	86
1375	A heterochromatin protein 1 homologue in <i>Caenorhabditis elegans</i> acts in germline and vulval development. 2002 , 3, 235-41	94
1374	Reverse genetics in the mosquito <i>Anopheles gambiae</i> : targeted disruption of the Defensin gene. 2002 , 3, 852-6	298
1373	Oncogenic potential of a <i>C.elegans</i> <i>cdc25</i> gene is demonstrated by a gain-of-function allele. 2002 , 21, 665-74	31
1372	A <i>Caenorhabditis elegans</i> TGF-beta, DBL-1, controls the expression of LON-1, a PR-related protein, that regulates polyploidization and body length. 2002 , 21, 1063-73	70
1371	Ribonuclease activity and RNA binding of recombinant human Dicer. 2002 , 21, 5864-74	352
1370	An active role for endogenous beta-1,3-glucanase genes in transgene-mediated co-suppression in tobacco. 2002 , 21, 5824-32	25
1369	Cleavage stage porcine embryos may have differing developmental requirements for karyopherins alpha2 and alpha3. 2003 , 64, 292-301	28
1368	Comparison of the suppressive effects of antisense oligonucleotides and siRNAs directed against the same targets in mammalian cells. 2003 , 13, 1-7	138

1367	Testing the efficiency of dsRNAi constructs in vivo: a transient expression assay based on two fluorescent proteins. 2003 , 30, 135-40	16
1366	Functional analysis of the rice AP3 homologue OsMADS16 by RNA interference. 2003 , 52, 957-66	82
1365	Crown-gall-resistant transgenic apple trees that Silence <i>Agrobacterium tumefaciens</i> oncogenes. 2003 , 12, 283-295	29
1364	Genetic and molecular analysis of synaptic vesicle recycling in <i>Drosophila</i> . 2003 , 32, 567-89	12
1363	Dissecting mitosis by RNAi in <i>Drosophila</i> tissue culture cells. 2003 , 5, 153-161	32
1362	Inhibition of hepatitis B virus expression and replication by RNA interference. 2003 , 37, 764-70	198
1361	Transitivity-dependent and -independent cell-to-cell movement of RNA silencing. 2003 , 22, 4523-33	442
1360	Short interfering RNA (siRNA)-mediated RNA interference (RNAi) in human cells. 2003 , 1002, 56-62	66
1359	<i>Caenorhabditis elegans</i> Ce-rdh-1/rad-51 functions after double-strand break formation of meiotic recombination. 2003 , 11, 125-35	21
1358	Structure, regulation and evolution of the crystal-Stellate system of <i>Drosophila</i> . 2003 , 117, 247-57	15
1357	<i>Caenorhabditis elegans</i> ubiquinone biosynthesis genes. 2003 , 18, 237-44	9
1356	Gene silencing through RNA interference: Potential for therapeutics and functional genomics. 2003 , 10, 361-372	
1355	Ribozymes: a modern tool in medicine. 2003 , 10, 457-67	20
1354	Inhibition of virus replication by RNA interference. 2003 , 10, 607-616	83
1353	RNA interference: from an ancient mechanism to a state of the art therapeutic application?. 2003 , 90, 345-59	41
1352	Highly efficient production and characterization of T-DNA plants for rice (<i>Oryza sativa</i> L.) functional genomics. 2003 , 106, 1396-408	189
1351	Genetic transformation of conifers and its application in forest biotechnology. 2003 , 22, 1-15	60
1350	Post-transcriptional gene silencing in plants by RNA. 2003 , 22, 167-74	31

1349	Genetic and cytological characterization of the recombination protein RAD-51 in <i>Caenorhabditis elegans</i> . 2003 , 112, 6-16	185
1348	A simple "soaking method" for RNA interference in the planarian <i>Dugesia japonica</i> . 2003 , 213, 138-41	50
1347	Use of RNAi technology to confer enhanced resistance to BmNPV on transgenic silkworms. 2004 , 149, 1931-40	55
1346	siRNA als Plattform für die Entwicklung innovativer Therapeutika in der Onkologie. 2003 , 9, 1121-1129	
1345	Maintenance of chromatin states: an open-and-shut case. 2003 , 15, 266-74	113
1344	Short-interfering-RNA-mediated gene silencing in mammalian cells requires Dicer and eIF2C translation initiation factors. 2003 , 13, 41-6	179
1343	Dedifferentiation of primary spermatocytes into germ cell tumors in <i>C. elegans</i> lacking the pumilio-like protein PUF-8. 2003 , 13, 134-9	104
1342	PAR proteins regulate microtubule dynamics at the cell cortex in <i>C. elegans</i> . 2003 , 13, 707-14	76
1341	Differential activation of the DNA replication checkpoint contributes to asynchrony of cell division in <i>C. elegans</i> embryos. 2003 , 13, 819-27	136
1340	Claudins in <i>Caenorhabditis elegans</i> : their distribution and barrier function in the epithelium. 2003 , 13, 1042-6	56
1339	<i>Caenorhabditis elegans</i> TAC-1 and ZYG-9 form a complex that is essential for long astral and spindle microtubules. 2003 , 13, 1506-11	88
1338	Fluorescence imaging of signaling networks. 2003 , 13, 101-6	54
1337	Centrosome size is controlled by centriolar SAS-4. 2003 , 13, 340-3	7
1336	RNAi: an ever-growing puzzle. 2003 , 28, 196-201	258
1335	Introduction: RNA interference in cancer biology and treatment. 2003 , 13, 249-251	
1334	RNA interference: gene silencing in the fast lane. 2003 , 13, 259-65	36
1333	Ras interference as cancer therapy. 2003 , 13, 267-73	39
1332	Applications of RNA interference for studies in DNA damage processing, genome stability, mutagenesis, and cancer. 2003 , 13, 301-8	2

1331	Gene transfer strategies to inhibit neointima formation. 2003 , 13, 102-6	18
1330	What constitutes target validation?. 2003 , 2, 125-127	6
1329	siRNA agents inhibit oncogene expression and attenuate human tumor cell growth. 2003 , 3, 194-204	52
1328	Functional analysis of the single calmodulin gene in the nematode <i>Caenorhabditis elegans</i> by RNA interference and 4-D microscopy. 2003 , 82, 557-63	11
1327	The use of RNAi to analyze gene function in spirotrichous ciliates. 2003 , 39, 449-454	21
1326	The microRNA world: small is mighty. 2003 , 28, 534-40	261
1325	Integrating 'omic' information: a bridge between genomics and systems biology. 2003 , 19, 551-60	363
1324	Identification of a novel <i>Drosophila</i> gene, beltless, using injectable embryonic and adult RNA interference (RNAi). 2003 , 4, 33	22
1323	microRNAs: runts of the genome assert themselves. 2003 , 13, R925-36	217
1322	Suppression of cathepsin B expression in <i>Schistosoma mansoni</i> by RNA interference. 2003 , 33, 363-9	150
1321	Sense and antisense transcripts in the histone H1 (HIS-1) locus of <i>Leishmania major</i> . 2003 , 33, 965-75	15
1320	Gene manipulation in parasitic helminths. 2003 , 33, 1259-68	35
1319	Trehalose metabolism genes in <i>Caenorhabditis elegans</i> and filarial nematodes. 2003 , 33, 1195-206	85
1318	Use of an antisense gene to characterize glutathione S-transferase functions in transformed suspension-cultured rice cells and calli. 2003 , 75, 27-37	6
1317	Mammalian RNAi for the masses. 2003 , 19, 9-12	259
1316	Duplexes of 21-nucleotide RNAs mediate RNA interference in differentiated mouse ES cells. 2003 , 95, 365-71	31
1315	Model systems in drug discovery: chemical genetics meets genomics. 2003 , 99, 183-220	37
1314	Efficiency and specificity of RNA interference generated by intra- and intermolecular double stranded RNA in <i>Trypanosoma brucei</i> . 2003 , 129, 11-21	47

1313	Using RNA interference to manipulate endogenous gene expression in <i>Schistosoma mansoni</i> sporocysts. 2003 , 128, 205-15	142
1312	Improvements in transfection efficiency and tests of RNA interference (RNAi) approaches in the protozoan parasite <i>Leishmania</i> . 2003 , 128, 217-28	216
1311	Use of RNA interference to investigate gene function in the human filarial nematode parasite <i>Brugia malayi</i> . 2003 , 129, 41-51	128
1310	Knockdown stands up. 2003 , 21, 2-4	31
1309	RNA interference: potentials for the prevention of HIV infections and the challenges ahead. 2003 , 21, 306-11	9
1308	Functional genomics in virology and antiviral drug discovery. 2003 , 21, 452-7	29
1307	Tachykinin dysfunction attenuates monocrotaline-induced pulmonary hypertension. 2003 , 187, 178-85	4
1306	RNA interference prevents lipopolysaccharide-induced preprotachykinin gene expression. 2003 , 193, 47-54	3
1305	Construction and evaluation of a transgenic hsp16-GFP-lacZ <i>Caenorhabditis elegans</i> strain for environmental monitoring. 2003 , 22, 111-118	37
1304	Transient RNA interference in hematopoietic progenitors with functional consequences. 2003 , 36, 203-8	41
1303	RNA inhibition of BMP-4 gene expression in postimplantation mouse embryos. 2003 , 37, 12-7	17
1302	Changes in the abundance and distribution of conserved centrosomal, cytoskeletal and ciliary proteins during spermiogenesis in <i>Marsilea vestita</i> . 2003 , 56, 57-73	15
1301	Inhibition of HBV replication by siRNA in a stable HBV-producing cell line. 2003 , 38, 842-850	89
1300	Toward therapy for DYT1 dystonia: allele-specific silencing of mutant TorsinA. 2003 , 53, 781-7	83
1299	<i>Drosophila</i> \bar{w} Model System for Targets and Lead Identification in Cancer and Metabolic Disorders. 119-152	1
1298	Invertebrate models of drug abuse. 2003 , 54, 161-78	162
1297	Molecular characterization, functional expression, and developmental profile of an ether \bar{w} go-go K ⁺ channel in the tobacco hornworm <i>Manduca sexta</i> . 2003 , 55, 73-85	6
1296	<i>Caenorhabditis elegans</i> -applications to nematode genomics. 2003 , 4, 194-202	2

1295	RNA-interference-based silencing of mammalian gene expression. 2003 , 4, 1033-9	4
1294	Oligonucleotide-based knockdown technologies: antisense versus RNA interference. 2003 , 4, 928-35	45
1293	Sex-determination gene and pathway evolution in nematodes. 2003 , 25, 221-31	36
1292	Detection of unpaired DNA at meiosis results in RNA-mediated silencing. 2003 , 25, 99-103	10
1291	Visualization of molecular and cellular events with green fluorescent proteins in developing embryos: a review. 2003 , 18, 1-18	26
1290	Short interfering RNAs (siRNAs) for reducing dopaminergic phenotypic markers. 2003 , 131, 51-6	11
1289	RNA interference as a metabolic engineering tool: potential for in vivo control of protein expression in an insect larval model. 2003 , 5, 183-90	19
1288	Antisense technology in molecular and cellular bioengineering. 2003 , 14, 505-11	55
1287	Progress and new technologies for developing vaccines against gastrointestinal nematode parasites of sheep. 2003 , 25, 283-96	68
1286	Inverted repeat of a heterologous 3'-untranslated region for high-efficiency, high-throughput gene silencing. 2003 , 33, 793-800	40
1285	An enhanced transient expression system in plants based on suppression of gene silencing by the p19 protein of tomato bushy stunt virus. 2003 , 33, 949-56	1326
1284	A chemical-regulated inducible RNAi system in plants. 2003 , 34, 383-92	173
1283	The transthyretin-related protein family. 2003 , 270, 518-32	61
1282	Antisense technologies. Improvement through novel chemical modifications. 2003 , 270, 1628-44	768
1281	Efficient inhibition of beta-secretase gene expression in HEK293 cells by tRNA ^{Val} -driven and CTE-helicase associated hammerhead ribozymes. 2003 , 270, 3962-70	8
1280	RNA interference may be more potent than antisense RNA in human cancer cell lines. 2003 , 30, 96-102	73
1279	Gene silencing in chick embryos with a vector-based small interfering RNA system. 2003 , 45, 361-7	83
1278	Disruption of vitellogenin gene function in adult honeybees by intra-abdominal injection of double-stranded RNA. 2003 , 3, 1	212

1277	Expressing functional siRNAs in mammalian cells using convergent transcription. 2003 , 3, 21		35
1276	Crude extracts of bacterially expressed dsRNA can be used to protect plants against virus infections. 2003 , 3, 3		126
1275	Expression of self-complementary hairpin RNA under the control of the rolC promoter confers systemic disease resistance to plum pox virus without preventing local infection. 2003 , 3, 7		43
1274	TbAGO1, an argonaute protein required for RNA interference, is involved in mitosis and chromosome segregation in <i>Trypanosoma brucei</i> . 2003 , 1, 2		66
1273	<i>Caenorhabditis elegans</i> RBX1 is essential for meiosis, mitotic chromosomal condensation and segregation, and cytokinesis. 2003 , 8, 857-72		29
1272	RNA interference in ticks: a study using histamine binding protein dsRNA in the female tick <i>Amblyomma americanum</i> . 2003 , 12, 299-305		84
1271	Transcriptional outputs of the <i>Caenorhabditis elegans</i> forkhead protein DAF-16. 2003 , 2, 111-21		346
1270	Lack of efficacy of 'naked' small interfering RNA applied directly to rat brain. 2003 , 179, 173-7		28
1269	A genomics approach to crop pest and disease research. 2003 , 59, 143-8		6
1268	Enzymatic strategies for the characterization of nucleic acids by electrospray ionization mass spectrometry. 2003 , 17, 2699-706		15
1267	Applications of nucleic acid technology in the CNS. 2004 , 88, 257-65		14
1266	The crystal structure of the Argonaute2 PAZ domain reveals an RNA binding motif in RNAi effector complexes. 2003 , 10, 1026-32		424
1265	Systematic functional analysis of the <i>Caenorhabditis elegans</i> genome using RNAi. <i>Nature</i> , 2003 , 421, 231-7	50.4	2758
1264	Genome-wide RNAi analysis of <i>Caenorhabditis elegans</i> fat regulatory genes. <i>Nature</i> , 2003 , 421, 268-72	50.4	824
1263	PAC1 phosphatase is a transcription target of p53 in signalling apoptosis and growth suppression. <i>Nature</i> , 2003 , 422, 527-31	50.4	129
1262	The voltage dependence of NADPH oxidase reveals why phagocytes need proton channels. <i>Nature</i> , 2003 , 422, 531-4	50.4	246
1261	The genes <i>orthodenticle</i> and <i>hunchback</i> substitute for <i>bicoid</i> in the beetle <i>Tribolium</i> . <i>Nature</i> , 2003 , 422, 621-5	50.4	171
1260	The BMP antagonist <i>noggin</i> regulates cranial suture fusion. <i>Nature</i> , 2003 , 422, 625-9	50.4	268

1259	RecBCD enzyme is a DNA helicase with fast and slow motors of opposite polarity. <i>Nature</i> , 2003 , 423, 889-93	50.4	169
1258	Hes1 is a target of microRNA-23 during retinoic-acid-induced neuronal differentiation of NT2 cells. <i>Nature</i> , 2003 , 423, 838-42	50.4	78
1257	CUL-4 ubiquitin ligase maintains genome stability by restraining DNA-replication licensing. <i>Nature</i> , 2003 , 423, 885-9	50.4	262
1256	Exclusion of germ plasm proteins from somatic lineages by cullin-dependent degradation. <i>Nature</i> , 2003 , 424, 685-9	50.4	144
1255	An NS3 protease inhibitor with antiviral effects in humans infected with hepatitis C virus. <i>Nature</i> , 2003 , 426, 186-9	50.4	777
1254	Transposon silencing in the <i>Caenorhabditis elegans</i> germ line by natural RNAi. <i>Nature</i> , 2003 , 426, 310-4	50.4	357
1253	Structure and conserved RNA binding of the PAZ domain. <i>Nature</i> , 2003 , 426, 468-74	50.4	337
1252	Correction: Corrigendum: An NS3 protease inhibitor with antiviral effects in humans infected with hepatitis C virus. <i>Nature</i> , 2003 , 426, 314-314	50.4	10
1251	Recognition of small interfering RNA by a viral suppressor of RNA silencing. <i>Nature</i> , 2003 , 426, 874-8	50.4	326
1250	RNA interference is a functional pathway with therapeutic potential in human myeloid leukemia cell lines. 2003 , 10, 125-33		99
1249	The mbk-2 kinase is required for inactivation of MEI-1/katanin in the one-cell <i>Caenorhabditis elegans</i> embryo. 2003 , 4, 1175-81		60
1248	Specific HIV-1 env gene silencing by small interfering RNAs in human peripheral blood mononuclear cells. 2003 , 10, 2046-50		50
1247	siRNA targeting of the viral E6 oncogene efficiently kills human papillomavirus-positive cancer cells. 2003 , 22, 5938-45		268
1246	Induction of G0/G1 cell cycle arrest in ovarian carcinoma cells by the anti-inflammatory drug NS-398, but not by COX-2-specific RNA interference. 2003 , 22, 8653-61		85
1245	Induction of apoptosis in tumor cells by siRNA-mediated silencing of the livin/ML-IAP/KIAP gene. 2003 , 22, 8330-6		89
1244	Antisense oligonucleotide-based therapeutics for cancer. 2003 , 22, 9087-96		198
1243	Candidate genes for alcohol dependence: animal studies. 2003 , 27, 880-8		28
1242	Functional genomics: RNA sets the standard. <i>Nature</i> , 2003 , 421, 220-1	50.4	61

1241	Palaeoclimatology: Cooling a continent. <i>Nature</i> , 2003 , 421, 221-3	50.4	42
1240	Gene regulation: RNA to the rescue?. <i>Nature</i> , 2003 , 425, 10-2	50.4	22
1239	Screening for gene function in chicken embryo using RNAi and electroporation. 2003 , 21, 93-6		177
1238	Transgenic RNA interference in ES cell-derived embryos recapitulates a genetic null phenotype. 2003 , 21, 559-61		255
1237	Metabolic labeling of <i>C. elegans</i> and <i>D. melanogaster</i> for quantitative proteomics. 2003 , 21, 927-31		362
1236	Approaches for the sequence-specific knockdown of mRNA. 2003 , 21, 1457-65		393
1235	iASPP oncoprotein is a key inhibitor of p53 conserved from worm to human. 2003 , 33, 162-7		295
1234	Tailoring the genome: the power of genetic approaches. 2003 , 33 Suppl, 276-84		62
1233	Local gene knockdown in the brain using viral-mediated RNA interference. 2003 , 9, 1539-44		299
1232	New tools for functional mammalian cancer genetics. 2003 , 3, 781-9		247
1231	Exploring plant genomes by RNA-induced gene silencing. 2003 , 4, 29-38		267
1230	Dissecting HIV-1 through RNA interference. 2003 , 3, 851-8		61
1229	Killing the messenger: short RNAs that silence gene expression. 2003 , 4, 457-67		960
1228	RNA interference: applicability in tick research. 2003 , 89-96		
1227	Ticks and Tick-Borne Pathogens. 2003 ,		
1226	Inhibition of hepatitis B virus replication in vivo by nucleoside analogues and siRNA. 2003 , 125, 9-18		167
1225	Exportin-5 mediates the nuclear export of pre-microRNAs and short hairpin RNAs. 2003 , 17, 3011-6		2037
1224	Novel roles for the flagellum in cell morphogenesis and cytokinesis of trypanosomes. 2003 , 22, 5336-46		189

1223	P-glycoprotein in helminths: function and perspectives for anthelmintic treatment and reversal of resistance. 2003 , 22, 332-46	101
1222	RNAi microarray analysis in cultured mammalian cells. 2003 , 13, 2341-7	153
1221	RNA interference: biology, mechanism, and applications. 2003 , 67, 657-85	686
1220	Electron transport and life span in <i>C. elegans</i> . 2003 , 14, 177-195	1
1219	mRNA capping enzyme requirement for <i>Caenorhabditis elegans</i> viability. 2003 , 278, 14168-73	15
1218	A rapid method for detection of putative RNAi target genes in genomic data. 2003 , 19 Suppl 2, ii73-80	8
1217	Inhibition of HIV-1 by lentiviral vector-transduced siRNAs in T lymphocytes differentiated in SCID-hu mice and CD34+ progenitor cell-derived macrophages. 2003 , 8, 62-71	144
1216	Short hairpin type of dsRNAs that are controlled by tRNA(Val) promoter significantly induce RNAi-mediated gene silencing in the cytoplasm of human cells. 2003 , 31, 700-7	207
1215	Negative-strand tospoviruses and tenuiviruses carry a gene for a suppressor of gene silencing at analogous genomic positions. 2003 , 77, 1329-36	193
1214	OptiRNAi, a Web-based program to select siRNA sequences.	
1213	The <i>Caenorhabditis elegans</i> mRNA 5'-capping enzyme. In vitro and in vivo characterization. 2003 , 278, 14174-84	18
1212	Expression profiling in ovarian clear cell carcinoma: identification of hepatocyte nuclear factor-1 beta as a molecular marker and a possible molecular target for therapy of ovarian clear cell carcinoma. 2003 , 163, 2503-12	264
1211	RNA interference and human disease. 2003 , 80, 121-8	58
1210	Injection of exogenous RNA in amphibian oocytes leads to RNA level fluctuations which are sensitive to cordycepin, an RNA chain elongation terminator. 2003 , 326, 1135-47	2
1209	Cationic liposome-mediated delivery of siRNAs in adult mice. 2003 , 312, 1220-5	256
1208	RNA interference in biology and medicine. 2003 , 55, 629-48	102
1207	siRNAs can function as miRNAs. 2003 , 17, 438-42	935
1206	Sequence, chemical, and structural variation of small interfering RNAs and short hairpin RNAs and the effect on mammalian gene silencing. 2003 , 13, 83-105	365

1205	Gene silencing through RNA interference: Potential for therapeutics and functional genomics. 2003 , 10, 361-372	2
1204	TAK1 is critical for I κ B kinase-mediated activation of the NF- κ B pathway. 2003 , 326, 105-15	320
1203	Gene silencing by systemic delivery of synthetic siRNAs in adult mice. 2003 , 327, 761-6	440
1202	Disabled-2 small interfering RNA modulates cellular adhesive function and MAPK activity during megakaryocytic differentiation of K562 cells. 2003 , 541, 21-7	57
1201	Short interfering RNA-directed inhibition of hepatitis B virus replication. 2003 , 543, 51-4	107
1200	Enhanced gene silencing by the application of multiple specific small interfering RNAs. 2003 , 552, 247-52	51
1199	Essential role of the low density lipoprotein receptor-related protein in vascular smooth muscle cell migration. 2003 , 555, 346-50	33
1198	Asymmetry in the assembly of the RNAi enzyme complex. 2003 , 115, 199-208	2208
1197	Functional siRNAs and miRNAs exhibit strand bias. 2003 , 115, 209-16	2053
1196	Double-stranded RNA can mediate the suppression of uracil phosphoribosyltransferase expression in <i>Toxoplasma gondii</i> . 2003 , 302, 316-23	22
1195	The maintenance of neuromuscular function requires UBC-25 in <i>Caenorhabditis elegans</i> . 2003 , 305, 691-9	19
1194	Effective small interfering RNAs and phosphorothioate antisense DNAs have different preferences for target sites in the luciferase mRNAs. 2003 , 306, 712-7	56
1193	A novel TBP-interacting zinc finger protein functions in early development of <i>Xenopus laevis</i> . 2003 , 306, 1106-11	3
1192	RNA interference-mediated reduction in GLUT1 inhibits serum-induced glucose transport in primary human skeletal muscle cells. 2003 , 307, 127-32	24
1191	Cyclin E expression during development in <i>Caenorhabditis elegans</i> . 2003 , 254, 102-15	45
1190	The <i>Caenorhabditis elegans</i> innexin INX-3 is localized to gap junctions and is essential for embryonic development. 2003 , 256, 403-17	39
1189	tcl-2 encodes a novel protein that acts synergistically with Wnt signaling pathways in <i>C. elegans</i> . 2003 , 256, 276-89	6
1188	Essential embryonic roles of the CKI-1 cyclin-dependent kinase inhibitor in cell-cycle exit and morphogenesis in <i>C. elegans</i> . 2003 , 260, 273-86	42

1187	The hernandez and fernandez genes of <i>Drosophila</i> specify eye and antenna. 2003 , 260, 465-83	31
1186	Small interfering RNAs suppress the expression of endogenous and GFP-fused epidermal growth factor receptor (erbB1) and induce apoptosis in erbB1-overexpressing cells. 2003 , 285, 39-49	83
1185	Role of <i>Caenorhabditis elegans</i> protein phosphatase type 1, CeGLC-7 beta, in metaphase to anaphase transition during embryonic development. 2003 , 287, 350-60	8
1184	The <i>Caenorhabditis elegans</i> SCC-3 homologue is required for meiotic synapsis and for proper chromosome disjunction in mitosis and meiosis. 2003 , 289, 245-55	40
1183	Isolation of null alleles of the <i>Caenorhabditis elegans</i> gly-12, gly-13 and gly-14 genes, all of which encode UDP-GlcNAc: alpha-3-D-mannoside beta1,2-N-acetylglucosaminyltransferase I activity. 2003 , 85, 391-401	10
1182	Resistance mechanisms to plant viruses: an overview. 2003 , 92, 207-12	160
1181	The forkhead gene family of <i>Caenorhabditis elegans</i> . 2003 , 304, 43-55	35
1180	Vacuolar-type H ⁺ -ATPase E subunit is required for embryogenesis and yolk transfer in <i>Caenorhabditis elegans</i> . 2003 , 311, 13-23	18
1179	Specific gene inhibition by adenovirus-mediated expression of small interfering RNA. 2003 , 316, 137-41	71
1178	Silencing the <i>Drosophila</i> ribosomal protein L14 gene using targeted RNA interference causes distinct somatic anomalies. 2003 , 320, 41-8	23
1177	In vivo analysis of the RNA interference mechanism in <i>Trypanosoma brucei</i> . 2003 , 30, 304-12	19
1176	Genome-wide RNAi screening in <i>Caenorhabditis elegans</i> . 2003 , 30, 313-21	950
1175	In vitro analysis of RNA interference in <i>Drosophila melanogaster</i> . 2003 , 30, 330-6	89
1174	Analysis of the 3'(-)-hydroxyl group in <i>Drosophila</i> siRNA function. 2003 , 30, 337-47	5
1173	Functional genomic analysis of apoptotic DNA degradation in <i>C. elegans</i> . 2003 , 11, 987-96	115
1172	Parkin suppresses dopaminergic neuron-selective neurotoxicity induced by Pael-R in <i>Drosophila</i> . 2003 , 37, 911-24	317
1171	Selective regulation of neurite extension and synapse formation by the beta but not the alpha isoform of CaMKII. 2003 , 39, 283-97	278
1170	A putative <i>Drosophila</i> pheromone receptor expressed in male-specific taste neurons is required for efficient courtship. 2003 , 39, 1019-29	221

1169	The role of mitochondria in the life of the nematode, <i>Caenorhabditis elegans</i> . 2003 , 1638, 91-105	87
1168	Interfering with disease: opportunities and roadblocks to harnessing RNA interference. 2003 , 9, 397-403	83
1167	<i>C. elegans</i> : a model for exploring the genetics of fat storage. 2003 , 4, 131-42	241
1166	Annexin I is an endogenous ligand that mediates apoptotic cell engulfment. 2003 , 4, 587-98	338
1165	Characterization of RNA interference in an <i>Anopheles gambiae</i> cell line. 2003 , 33, 949-57	65
1164	Prevention of allograft rejection by in vitro generated tolerogenic dendritic cells. 2003 , 11, 295-306	38
1163	Human viruses under attack by small inhibitory RNA. 2003 , 11, 345-7	23
1162	R2D2, a bridge between the initiation and effector steps of the <i>Drosophila</i> RNAi pathway. 2003 , 301, 1921-5	575
1161	An essential role in molting and morphogenesis of <i>Caenorhabditis elegans</i> for ACN-1, a novel member of the angiotensin-converting enzyme family that lacks a metallopeptidase active site. 2003 , 278, 52340-6	55
1160	daf-28 encodes a <i>C. elegans</i> insulin superfamily member that is regulated by environmental cues and acts in the DAF-2 signaling pathway. 2003 , 17, 844-58	257
1159	Transport of dsRNA into cells by the transmembrane protein SID-1. 2003 , 301, 1545-7	424
1158	Advances in Microbial Control of Insect Pests. 2003 ,	5
1157	Engineering plants for nematode resistance. 2003 , 41, 615-39	88
1156	The <i>Caenorhabditis elegans</i> dopaminergic system: opportunities for insights into dopamine transport and neurodegeneration. 2003 , 43, 521-44	89
1155	Potent suppression of HIV type 1 infection by a short hairpin anti-CXCR4 siRNA. 2003 , 19, 699-706	67
1154	The draft genome sequence of the nematode <i>Caenorhabditis briggsae</i> , a companion to <i>C. elegans</i> . 2003 , 4, 238	25
1153	Analysis and functional classification of transcripts from the nematode <i>Meloidogyne incognita</i> . 2003 , 4, R26	116
1152	Killing cancer by targeting genes that cancer cells have lost: allele-specific inhibition, a novel approach to the treatment of genetic disorders. 2003 , 60, 834-43	10

1151	RNA-mediated gene silencing. 2003 , 60, 871-82	88
1150	Generation of cDNA Libraries. 2003 ,	1
1149	Bispecific short hairpin siRNA constructs targeted to CD4, CXCR4, and CCR5 confer HIV-1 resistance. 2003 , 13, 303-12	94
1148	Ingestion of bacterially expressed double-stranded RNA inhibits gene expression in planarians. 2003 , 100 Suppl 1, 11861-5	226
1147	An Arabidopsis Callose Synthase, GSL5, Is Required for Wound and Papillary Callose Formation. 2003 , 15, 2503-13	365
1146	Drosophila Cytogenetics Protocols. 2003 ,	2
1145	G Protein Signaling. 2003 ,	
1144	Sphingosine phosphate lyase expression is essential for normal development in <i>Caenorhabditis elegans</i> . 2003 , 278, 22341-9	56
1143	Modeling human peroxisome biogenesis disorders in the nematode <i>Caenorhabditis elegans</i> . 2003 , 116, 1797-804	34
1142	A novel human protein of the maternal centriole is required for the final stages of cytokinesis and entry into S phase. 2003 , 161, 535-45	222
1141	Expression and function of the <i>Trypanosoma brucei</i> major surface protease (GP63) genes. 2003 , 278, 24658-64	58
1140	Functional conservation between members of an ancient duplicated transcription factor family, LSF/Grainyhead. 2003 , 31, 4304-16	72
1139	Gene silencing in <i>Caenorhabditis elegans</i> by transitive RNA interference. 2003 , 9, 25-32	92
1138	Inhibition of <i>Escherichia coli</i> RNase P by oligonucleotide directed misfolding of RNA. 2003 , 9, 1437-45	16
1137	LET-99 opposes Galpha/GPR signaling to generate asymmetry for spindle positioning in response to PAR and MES-1/SRC-1 signaling. 2003 , 130, 5717-30	78
1136	The dsRNA binding protein family: critical roles, diverse cellular functions. 2003 , 17, 961-83	300
1135	RNA interference and chemically modified siRNAs. 2003 , 115-6	17
1134	A reduction in intestinal cell pHi due to loss of the <i>Caenorhabditis elegans</i> Na ⁺ /H ⁺ exchanger NHX-2 increases life span. 2003 , 278, 44657-66	89

1133	Caenorhabditis elegans UNC-98, a C2H2 Zn finger protein, is a novel partner of UNC-97/PINCH in muscle adhesion complexes. 2003 , 14, 2492-507	51
1132	Mechanisms of hepatitis C virus infection. 2003 , 14, 285-97	35
1131	Loss of SEC-23 in Caenorhabditis elegans causes defects in oogenesis, morphogenesis, and extracellular matrix secretion. 2003 , 14, 4414-26	49
1130	Small RNAs with imperfect match to endogenous mRNA repress translation. Implications for off-target activity of small inhibitory RNA in mammalian cells. 2003 , 278, 44312-9	314
1129	Stable and heritable gene silencing in the malaria vector Anopheles stephensi. 2003 , 31, e85	46
1128	The mitochondrial prohibitin complex is essential for embryonic viability and germline function in Caenorhabditis elegans. 2003 , 278, 32091-9	150
1127	Embryonic handedness choice in C. elegans involves the Galpha protein GPA-16. 2003 , 130, 5731-40	55
1126	Repetitive elements in genomes of parasitic protozoa. 2003 , 67, 360-75, table of contents	60
1125	Nucleotide sequence homology requirements of HIV-1-specific short hairpin RNA. 2003 , 31, 6444-9	57
1124	Sex peptide and the sperm effect in Drosophila melanogaster. 2003 , 100, 9643-4	15
1123	Daxx silencing sensitizes cells to multiple apoptotic pathways. 2003 , 23, 7108-21	91
1122	Short interfering RNA-mediated interference of gene expression and viral DNA accumulation in cultured plant cells. 2003 , 100, 9632-6	109
1121	Modulation of Gene Expression by Lentiviral-Mediated Delivery of Small Interfering RNA. 2003 , 2, 250-256	63
1120	Similar behaviour of single-strand and double-strand siRNAs suggests they act through a common RNAi pathway. 2003 , 31, 2401-7	92
1119	The Ref/Aly proteins are dispensable for mRNA export and development in Caenorhabditis elegans. 2003 , 9, 881-91	85
1118	Identification of Hedgehog pathway components by RNAi in Drosophila cultured cells. 2003 , 299, 2039-45	454
1117	Double-stranded RNA-mediated gene silencing in fission yeast. 2003 , 31, 4481-9	37
1116	Inducible shRNA expression for application in a prostate cancer mouse model. 2003 , 31, e127	133

1115	Absence of transitive and systemic pathways allows cell-specific and isoform-specific RNAi in <i>Drosophila</i> . 2003 , 9, 299-308	197
1114	Mutations in a beta-tubulin disrupt spindle orientation and microtubule dynamics in the early <i>Caenorhabditis elegans</i> embryo. 2003 , 14, 4512-25	40
1113	Inhibition of gammaherpesvirus replication by RNA interference. 2003 , 77, 3301-6	79
1112	Lipoprotein receptors and a disabled family cytoplasmic adaptor protein regulate EGL-17/FGF export in <i>C. elegans</i> . 2003 , 17, 2798-811	37
1111	Molecular correlates of genes exhibiting RNAi phenotypes in <i>Caenorhabditis elegans</i> . 2003 , 13, 2651-7	26
1110	Small nucleolar RNA interference induced by antisense or double-stranded RNA in trypanosomatids. 2003 , 100, 7521-6	36
1109	Human centromere chromatin protein hMis12, essential for equal segregation, is independent of CENP-A loading pathway. 2003 , 160, 25-39	204
1108	PAR-dependent and geometry-dependent mechanisms of spindle positioning. 2003 , 160, 845-55	67
1107	Composition and dynamics of the <i>Caenorhabditis elegans</i> early embryonic transcriptome. 2003 , 130, 889-900	205
1106	Telomeric position effect variegation in <i>Saccharomyces cerevisiae</i> by <i>Caenorhabditis elegans</i> linker histones suggests a mechanistic connection between germ line and telomeric silencing. 2003 , 23, 3681-91	18
1105	<i>Caenorhabditis elegans</i> EVL-14/PDS-5 and SCC-3 are essential for sister chromatid cohesion in meiosis and mitosis. 2003 , 23, 7698-707	51
1104	Polarization of the <i>C. elegans</i> zygote proceeds via distinct establishment and maintenance phases. 2003 , 130, 1255-65	208
1103	The actin-binding protein UNC-115 is an effector of Rac signaling during axon pathfinding in <i>C. elegans</i> . 2003 , 130, 693-704	70
1102	Translational control of maternal glp-1 mRNA by POS-1 and its interacting protein SPN-4 in <i>Caenorhabditis elegans</i> . 2003 , 130, 2495-503	77
1101	lin-35/Rb and ubc-18, an E2 ubiquitin-conjugating enzyme, function redundantly to control pharyngeal morphogenesis in <i>C. elegans</i> . 2003 , 130, 3319-30	47
1100	Talin loss-of-function uncovers roles in cell contractility and migration in <i>C. elegans</i> . 2003 , 116, 3871-8	94
1099	Comparative analysis of DNA vectors at mediating RNAi in <i>Anopheles</i> mosquito cells and larvae. 2003 , 206, 1817-23	15
1098	Adenoviral vectors expressing siRNAs for discovery and validation of gene function. 2003 , 13, 2325-32	79

1097	RNA target sequences promote spreading of RNA silencing. 2003 , 131, 245-53	67
1096	Limitations on geminivirus genome size imposed by plasmodesmata and virus-encoded movement protein: insights into DNA trafficking. 2003 , 15, 2578-91	64
1095	Gamma-aminobutyric acid B receptor 1 mediates behavior-impairing actions of alcohol in <i>Drosophila</i> : adult RNA interference and pharmacological evidence. 2003 , 100, 5485-90	105
1094	Allele-specific silencing of dominant disease genes. 2003 , 100, 7195-200	331
1093	Insulin signaling through Akt/protein kinase B analyzed by small interfering RNA-mediated gene silencing. 2003 , 100, 7569-74	304
1092	Identification and molecular characterization of the G alpha12-Rho guanine nucleotide exchange factor pathway in <i>Caenorhabditis elegans</i> . 2003 , 100, 14748-53	38
1091	Specific and potent RNA interference in terminally differentiated myotubes. 2003 , 278, 934-9	28
1090	siRNAs: a new wave of RNA-based therapeutics. 2003 , 51, 753-6	20
1089	Simple and rapid synthesis of siRNA derived from in vitro transcribed shRNA. 2003 , 249-50	15
1088	Silencing of ubiquinone biosynthesis genes extends life span in <i>Caenorhabditis elegans</i> . 2003 , 17, 1135-7	62
1087	Allele-specific silencing of a pathogenic mutant acetylcholine receptor subunit by RNA interference. 2003 , 12, 2637-44	55
1086	Independent combinatorial effect of antisense oligonucleotides and RNAi-mediated specific inhibition of the recombinant rat P2X3 receptor. 2003 , 31, 2117-26	58
1085	RNAi as a gene therapy approach. 2003 , 3, 575-86	54
1084	BIR-1, a <i>Caenorhabditis elegans</i> homologue of Survivin, regulates transcription and development. 2003 , 100, 5240-5	10
1083	Therapeutic gene silencing in the nervous system. 2003 , 12 Spec No 2, R279-84	34
1082	Expression of the B56delta subunit of protein phosphatase 2A and Mea1 in mouse spermatogenesis. Identification of a new B56gamma subunit (B56gamma4) specifically expressed in testis. 2003 , 103, 345-51	8
1081	Control of dendritic development by the <i>Drosophila</i> fragile X-related gene involves the small GTPase Rac1. 2003 , 130, 5543-52	190
1080	UAP56 levels affect viability and mRNA export in <i>Caenorhabditis elegans</i> . 2003 , 9, 847-57	74

1079	Developmental defects observed in hypomorphic anaphase-promoting complex mutants are linked to cell cycle abnormalities. 2003 , 130, 1605-20	53
1078	Transient expression of homologous hairpin RNA causes interference with plant virus infection and is overcome by a virus encoded suppressor of gene silencing. 2003 , 16, 149-58	29
1077	Inhibition of GM-CSF receptor function by stable RNA interference in a NOD/SCID mouse hematopoietic stem cell transplantation model. 2003 , 13, 353-63	30
1076	Oligonucleotides and derivatives as gene-specific control agents. 2003 , 22, 489-505	7
1075	Cellular uptake and localization of a Cy3-labeled siRNA specific for the serine/threonine kinase Pim-1. 2003 , 13, 345-52	27
1074	Long endogenous dsRNAs can induce complete gene silencing in mammalian cells and primary cultures. 2003 , 13, 381-92	23
1073	RNA interference of influenza virus production by directly targeting mRNA for degradation and indirectly inhibiting all viral RNA transcription. 2003 , 100, 2718-23	432
1072	RNA interference in <i>Caenorhabditis elegans</i> . 2003 , Chapter 26, Unit 26.3	6
1071	A transient RNA interference assay system using <i>Arabidopsis</i> protoplasts. 2003 , 67, 2674-7	22
1070	Specific killing of Ph ⁺ chronic myeloid leukemia cells by a lentiviral vector-delivered anti-bcr/abl small hairpin RNA. 2003 , 13, 401-9	28
1069	Enzymes involved in the biogenesis of the nematode cuticle. 2003 , 53, 85-148	42
1068	The coat protein of turnip crinkle virus suppresses posttranscriptional gene silencing at an early initiation step. 2003 , 77, 511-22	244
1067	Antisense transcripts with FANTOM2 clone set and their implications for gene regulation. 2003 , 13, 1324-34	192
1066	RNA-based therapeutic strategies for cancer. 2003 , 13, 627-638	2
1065	Specific RNA interference in psbP genes encoded by a multigene family in <i>Nicotiana tabacum</i> with a short 3'-untranslated sequence. 2003 , 67, 107-13	13
1064	siRNAs generated by recombinant human Dicer induce specific and significant but target site-independent gene silencing in human cells. 2003 , 31, 981-7	95
1063	Oncogenomics: prospects for the future. 2003 , 3, 891-901	6
1062	Small interfering RNAs expressed from a Pol III promoter suppress the EWS/Fli-1 transcript in an Ewing sarcoma cell line. 2003 , 7, 811-6	78

1061	Tumor Suppressor Genes. 2003,	
1060	Cloning and characterization of a <i>Caenorhabditis elegans</i> cDNA encoding a new insulin/IGF-like peptide. 2003, 67, 2678-82	3
1059	Strategies for generation of an siRNA expression library directed against the human genome. 2003, 13, 325-33	78
1058	New tools for gene manipulation in chicken embryos. 2003, 13, 411-9	13
1057	Targeting CCR5 with siRNAs: using recombinant SV40-derived vectors to protect macrophages and microglia from R5-tropic HIV. 2003, 13, 281-94	43
1056	A broad but restricted requirement for TAF-5 (human TAFII100) for embryonic transcription in <i>Caenorhabditis elegans</i> . 2003, 278, 6181-6	9
1055	MAN1 and emerin have overlapping function(s) essential for chromosome segregation and cell division in <i>Caenorhabditis elegans</i> . 2003, 100, 4598-603	171
1054	RNA interference machinery regulates chromosome dynamics during mitosis and meiosis in fission yeast. 2003, 100, 193-8	268
1053	Regulation of intermuscular electrical coupling by the <i>Caenorhabditis elegans</i> innexin <i>inx-6</i> . 2003, 14, 2630-44	30
1052	The Snail-like CES-1 protein of <i>C. elegans</i> can block the expression of the BH3-only cell-death activator gene <i>egl-1</i> by antagonizing the function of bHLH proteins. 2003, 130, 4057-71	82
1051	Laminin alpha subunits and their role in <i>C. elegans</i> development. 2003, 130, 3343-58	103
1050	Genomewide view of gene silencing by small interfering RNAs. 2003, 100, 6343-6	249
1049	Distinct developmental function of two <i>Caenorhabditis elegans</i> homologs of the cohesin subunit <i>Scc1/Rad21</i> . 2003, 14, 2399-409	30
1048	MicroRNAs and small interfering RNAs can inhibit mRNA expression by similar mechanisms. 2003, 100, 9779-84	725
1047	The <i>Drosophila</i> selenoprotein BthD is required for survival and has a role in salivary gland development. 2003, 23, 8495-504	13
1046	Silencing of Toll pathway components by direct injection of double-stranded RNA into <i>Drosophila</i> adult flies. 2003, 31, 6619-23	59
1045	Tolerance for mutations and chemical modifications in a siRNA. 2003, 31, 589-95	413
1044	Structural variations and stabilising modifications of synthetic siRNAs in mammalian cells. 2003, 31, 2705-16	481

1043	Interference of hepatitis C virus RNA replication by short interfering RNAs. 2003 , 100, 2014-8	336
1042	Expression of siRNA from a single transcript that includes multiple ribozymes in mammalian cells. 2003 , 13, 335-43	11
1041	The specifics of small interfering RNA specificity. 2003 , 100, 6289-91	70
1040	Immune modulation by silencing IL-12 production in dendritic cells using small interfering RNA. 2003 , 171, 691-6	115
1039	Inducible systemic RNA silencing in <i>Caenorhabditis elegans</i> . 2003 , 14, 2972-83	115
1038	Myosin and the PAR proteins polarize microfilament-dependent forces that shape and position mitotic spindles in <i>Caenorhabditis elegans</i> . 2003 , 161, 21-6	86
1037	Mathematical models of RNA silencing: unidirectional amplification limits accidental self-directed reactions. 2003 , 100, 11511-6	41
1036	Plastocyanin is indispensable for photosynthetic electron flow in <i>Arabidopsis thaliana</i> . 2003 , 278, 31286-9	126
1035	The sex peptide of <i>Drosophila melanogaster</i> : female post-mating responses analyzed by using RNA interference. 2003 , 100, 9923-8	380
1034	Inhibition of aquaporin-4 expression in astrocytes by RNAi determines alteration in cell morphology, growth, and water transport and induces changes in ischemia-related genes. 2003 , 17, 1508-10	107
1033	Inhibition of human immunodeficiency virus type 1 replication in primary macrophages by using Tat- or CCR5-specific small interfering RNAs expressed from a lentivirus vector. 2003 , 77, 11964-72	125
1032	The <i>Caenorhabditis elegans</i> vab-10 spectraplakin isoforms protect the epidermis against internal and external forces. 2003 , 161, 757-68	115
1031	Translation start sequences affect the efficiency of silencing of <i>Agrobacterium tumefaciens</i> T-DNA oncogenes. 2003 , 133, 966-77	21
1030	Embryological, Genetic, and Molecular Tools for Investigating Embryonic Kidney Development. 2003 , 119-137	
1029	Inhibition of virus replication by RNA interference. 2003 , 10, 607-16	73
1028	Characterization and quantitation of differential Tsix transcripts: implications for Tsix function. 2003 , 12, 125-36	59
1027	Handbook of Proteomic Methods. 2003 ,	
1026	A complex of LIN-5 and GPR proteins regulates G protein signaling and spindle function in <i>C. elegans</i> . 2003 , 17, 1225-39	177

1025	Stable RNA interference (RNAi) in mammalian cells. 2003 , 2, 211-2	20
1024	Analyzing the function of tumor suppressor genes using a Drosophila model. 2003 , 223, 349-82	13
1023	The efficacy of small interfering RNAs targeted to the type 1 insulin-like growth factor receptor (IGF1R) is influenced by secondary structure in the IGF1R transcript. 2003 , 278, 15991-7	190
1022	Running interference for hedgehog signaling. 2003 , 2003, PE30	2
1021	Therapeutic potential of antisense nucleic acid molecules. 2003 , 2003, pe47	4
1020	The Caenorhabditis elegans nonmuscle myosin genes nmy-1 and nmy-2 function as redundant components of the let-502/Rho-binding kinase and mel-11/myosin phosphatase pathway during embryonic morphogenesis. 2003 , 130, 5695-704	73
1019	For the insect pathogen Photorhabdus luminescens, which end of a nematode is out?. 2003 , 69, 1890-7	160
1018	Ribozymes as tools for suppression of G protein gamma subunits. 2004 , 237, 169-80	4
1017	RNA interference: analyzing the function of glycoproteins and glycosylating proteins in mammalian cells. 2003 , 363, 173-90	1
1016	Future perspectives. 2003 , 221, 311-29	
1015	Development of molecular agents for IGF receptor targeting. 2003 , 35, 843-9	26
1014	Biochemie und Molekularbiologie 2002. 2003 , 51, 316-323	
1013	RNAi in cultured Drosophila cells. 2004 , 247, 443-57	18
1012	Alternative Splicing: Genetic Complexity in Cancer. 2003 , 277-297	1
1011	Virus-based vectors for gene expression in mammalian cells: Semliki Forest virus. 2003 , 38, 207-230	2
1010	RNA interference: a potential tool against Kaposi's sarcoma-associated herpesvirus. 2003 , 16, 593-600	5
1009	Targeting the type 1 insulin-like growth factor receptor as anti-cancer treatment. 2003 , 14, 669-82	60
1008	Nucleic acid-based techniques for post-transcriptional regulation of molecular targets. 2003 , 12, 415-21	6

1007	From genes to integrative physiology: ion channel and transporter biology in <i>Caenorhabditis elegans</i> . 2003 , 83, 377-415	60
1006	RNA interference with small hairpin RNAs transcribed from a human U6 promoter-driven DNA vector. 2003 , 93, 214-7	17
1005	RNA Silencing in <i>Drosophila</i> . 2003 , 36, 123-134	3
1004	Nucleic Acid Drugs. 2003 , 153-178	1
1003	Chapter 26. RNAi: When interfering is a plus. 2003 , 38, 261-274	2
1002	Super models. 2003 , 13, 15-24	61
1001	Methods to characterize <i>Drosophila</i> nuclear receptor activation and function in vivo. 2003 , 364, 475-90	8
1000	Specific inhibition of Huntington's disease gene expression by siRNAs in cultured cells.. 2003 , 79B, 293-298	7
999	RNA silencing in the phytopathogenic fungus <i>Magnaporthe oryzae</i> . 2003 , 16, 769-76	140
998	<i>Caenorhabditis elegans</i> as an Experimental Organism. 2003 ,	
997	A/T-rich inverted DNA repeats are destabilized by chaotrope-containing buffer during purification using silica gel membrane technology. 2003 , 35, 698-700, 702	3
996	. 2003 ,	5
995	. 2003 ,	18
994	Differential roles of engrailed paralogs in determining sensory axon guidance and synaptic target recognition. 2003 , 23, 7854-62	17
993	TECHNOLOGIES FOR MANIPULATING QUALITY AND PRODUCTIVITY TRAITS IN HORTICULTURAL CROPS. 2003 , 293-305	4
992	Integrative physiology and functional genomics of epithelial function in a genetic model organism. 2003 , 83, 687-729	108
991	Genome-wide RNAi of <i>C. elegans</i> using the hypersensitive <i>rrf-3</i> strain reveals novel gene functions. 2003 , 1, E12	463
990	RNA interference in functional genomics and medicine. 2003 , 18, 309-18	40

989	RNAi technology and its use in studying the function of nuclear receptors and coregulators. 2003 , 1, e008	2
988	Le flagelle du trypanosome : de la mobilité à la morphogénèse cellulaire. 2003 , 197, 379-387	2
987	Modulation of early olfactory processing by an octopaminergic reinforcement pathway in the honeybee. 2003 , 23, 5370-80	227
986	[Mechanisms of cell division: lessons from a nematode]. 2003 , 19, 735-42	0
985	[Role of animal models in cell biology]. 2003 , 19, 248-51	0
984	Squeezing an egg into a worm: C. elegans embryonic morphogenesis. 2003 , 3, 1370-81	13
983	RNA interference by production of short hairpin dsRNA in ES cells, their differentiated derivatives, and in somatic cell lines. 2003 , 34, 734-6, 739-44	7
982	Aspects of Antisense Oligodeoxynucleotide, Ribozyme, DNA Enzyme and RNAi Design. 2004 , 4, 1-15	1
981	Novel Drugs for Inflammatory Lung Diseases. 2004 , 3, 39-52	1
980	Decoding the riddle: the dawn of RNAi for the study of gene-gene and gene-environment interactions. 2004 , 112, A210-1	2
979	[Regulation of the expression of repeated sequences and RNA interference]. 2004 , 20, 767-72	1
978	[RNA interference: towards a functional genomics in mammalian cells?]. 2004 , 20, 815-9	0
977	RNAi: finding the elusive endonuclease. 2004 , 10, 1675-9	27
976	Improved silencing vector co-expressing GFP and small hairpin RNA. 2004 , 36, 74-9	62
975	Insulin stimulates double-stranded RNA uptake in Drosophila S2 cells. 2004 , 37, 898, 900	4
974	A new vector, based on the PolII promoter for the U1 snRNA gene, for the expression of siRNAs in mammalian cells. 2004 , 10, 191	1
973	. 2004 ,	1
972	. 2004 ,	17

971	[Gene silencing with RNA interference: a novel tool for the study of physiology and pathophysiology of adrenal cortex]. 2004 , 48, 612-9	1
970	Targeted gene silencing by small interfering RNA-based knock-down technology. 2004 , 5, 1-7	25
969	Hairpin Formation in Polynucleotides: A Simple Folding Problem?. 2004 , 99-147	1
968	Genetically engineered mouse models for drug discovery: new chemical genetic approaches. 2004 , 1, 13-26	13
967	Genetic dissection of learning and memory in mice. 2004 , 11, 217-40	7
966	Sequence-specific inhibition of small RNA function. 2004 , 2, E98	530
965	Mechanism of Gene Expression Reprogramming during Meiotic Maturation and Pre-Implantation Development. 2004 , 21, 89-96	4
964	RNA interference. 2004 , 328, 1245-8	66
963	RNA interference: historical overview and significance. 2004 , 265, 3-21	38
962	Systemic delivery of synthetic siRNAs. 2004 , 252, 515-22	14
961	RNA interference (RNAi) with RNase III-prepared siRNAs. 2004 , 252, 471-82	17
960	Natural, synthetic and semisynthetic glycolipid inhibitors of glioma growth. 2004 , 14, 487-97	3
959	Methods for analyzing checkpoint responses in <i>Caenorhabditis elegans</i> . 2004 , 280, 257-74	44
958	Use of siRNA to study the function of MDC1 in DNA damage responses. 2004 , 281, 179-87	5
957	siRNAs: mechanism of RNA interference, in vivo and potential clinical applications. 2004 , 3, 1069-74	37
956	Role of uncoupling protein-2 up-regulation and triglyceride accumulation in impaired glucose-stimulated insulin secretion in a beta-cell lipotoxicity model overexpressing sterol regulatory element-binding protein-1c. 2004 , 145, 3566-77	68
955	Mechanistic dissection of pain: from DNA to animal models. 2004 , 99, 1-10	4
954	Anti-HIV-1 gene expressing lentiviral vectors as an adjunctive therapy for HIV-1 infection. 2004 , 2, 185-91	27

953	Analysis of germline chromatin silencing by double-stranded RNA-mediated interference (RNAi) in <i>Caenorhabditis elegans</i> . 2004 , 254, 35-48	2
952	Potential design rules and enzymatic synthesis of siRNAs. 2004 , 252, 457-69	7
951	Manipulation of gene expression in megakaryocytes. 2004 , 273, 33-56	
950	<i>Caenorhabditis elegans</i> as a model system for triplet repeat diseases. 2004 , 277, 141-60	10
949	Loss of srf-3-encoded nucleotide sugar transporter activity in <i>Caenorhabditis elegans</i> alters surface antigenicity and prevents bacterial adherence. 2004 , 279, 30440-8	63
948	Iron-sulfur protein maturation in human cells: evidence for a function of frataxin. 2004 , 13, 3007-15	170
947	Nucleic Acid Therapeutics in Cancer. 2004 ,	1
946	Epsin potentiates Notch pathway activity in <i>Drosophila</i> and <i>C. elegans</i> . 2004 , 131, 5807-15	78
945	Linearity versus cross-talk: biological models and the role of the Society for Pediatric Research in the 21st century. 2004 , 56, 177-83	
944	RNA interference by short hairpin RNAs expressed in vertebrate cells. 2004 , 257, 255-66	52
943	RNA interference: from model organisms towards therapy for neural and neuromuscular disorders. 2004 , 13 Spec No 2, R275-88	50
942	Methods in Endothelial Cell Biology. 2004 ,	13
941	Sequence-specific cleavage activities of DNA enzymes targeted against HIV-1 Gag and Nef regions. 2004 , 14, 41-7	17
940	Poly-2'-DNP-RNAs with enhanced efficacy for inhibiting cancer cell growth. 2004 , 14, 90-9	10
939	Ribozymes and siRNA Protocols. 2004 ,	4
938	Expression of PACT and EIF2C2, Implicated in RNAi and MicroRNA pathways, in various human cell lines. 2004 , 8, 213-220	
937	Metalloproteases with EGF, CUB, and thrombospondin-1 domains function in molting of <i>Caenorhabditis elegans</i> . 2004 , 385, 565-8	37
936	Gel-based application of siRNA to human epithelial cancer cells induces RNAi-dependent apoptosis. 2004 , 14, 239-48	38

935	Double-stranded RNA mediates selective gene silencing of protein phosphatase type 1 delta isoform in HEK-293 cells. 2004 , 19, 327-31	3
934	Reversal of multidrug resistance of gastric cancer cells by downregulation of TSG101 with TSG101siRNA. 2004 , 3, 561-5	13
933	RNA Interference, Editing, and Modification. 2004 ,	1
932	Technique review: how to use RNA interference. 2004 , 3, 68-83	15
931	Heat shock protein 27 increases after androgen ablation and plays a cytoprotective role in hormone-refractory prostate cancer. 2004 , 64, 6595-602	254
930	Toward improving <i>Caenorhabditis elegans</i> phenome mapping with an ORFeome-based RNAi library. 2004 , 14, 2162-8	645
929	Duplicate genes and robustness to transient gene knock-downs in <i>Caenorhabditis elegans</i> . 2004 , 271, 89-96	114
928	The <i>Caenorhabditis elegans</i> nuclear receptor gene <i>nhr-25</i> regulates epidermal cell development. 2004 , 24, 7345-58	40
927	A new gene-finding tool: using the <i>Caenorhabditis elegans</i> operons for identifying functional partner proteins in human cells. 2004 , 279, 7136-46	7
926	Small interfering double-stranded RNAs as therapeutic molecules to restore chemosensitivity to thymidylate synthase inhibitor compounds. 2004 , 64, 1431-5	39
925	The <i>Caenorhabditis elegans</i> kinetochore reorganizes at prometaphase and in response to checkpoint stimuli. 2004 , 15, 5187-96	10
924	The use of gene therapy in cancer research and treatment. 2004 , 3, 479-90	9
923	RNA interference and mRNA silencing, 2004: how far will they reach?. 2004 , 15, 407-10	11
922	"siRNAs and miRNAs": a meeting report on RNA silencing. 2004 , 10, 1165-73	10
921	Chromosome-wide regulation of meiotic crossover formation in <i>Caenorhabditis elegans</i> requires properly assembled chromosome axes. 2004 , 168, 1275-92	78
920	A library of siRNA duplexes targeting the phosphoinositide 3-kinase pathway: determinants of gene silencing for use in cell-based screens. 2004 , 32, 893-901	173
919	Distinct roles for Argonaute proteins in small RNA-directed RNA cleavage pathways. 2004 , 18, 1655-66	619
918	The identities of <i>sym-2</i> , <i>sym-3</i> and <i>sym-4</i> , three genes that are synthetically lethal with <i>mec-8</i> in <i>Caenorhabditis elegans</i> . 2004 , 168, 1293-306	14

917	Antisense Inhibition. 2005 , 011-034	0
916	Gene silencing of HIV-1 by RNA interference. 2004 , 15, 57-65	7
915	RNA interference-mediated silencing of mutant superoxide dismutase rescues cyclosporin A-induced death in cultured neuroblastoma cells. 2004 , 101, 3178-83	55
914	Direct role of a viroid RNA motif in mediating directional RNA trafficking across a specific cellular boundary. 2004 , 16, 1741-52	119
913	The RNA-dependent RNA polymerase, QDE-1, is a rate-limiting factor in post-transcriptional gene silencing in <i>Neurospora crassa</i> . 2004 , 32, 2123-8	35
912	Rotavirus replication: plus-sense templates for double-stranded RNA synthesis are made in viroplasm. 2004 , 78, 7763-74	175
911	Quantitative analysis of highly parallel transfection in cell microarrays. 2004 , 32, e77	63
910	Divergent segmentation mechanism in the short germ insect <i>Tribolium</i> revealed by giant expression and function. 2004 , 131, 1729-40	88
909	EGF receptor signalling protects smooth-cuticle cells from apoptosis during <i>Drosophila</i> ventral epidermis development. 2004 , 131, 1835-45	27
908	Kruppel is a gap gene in the intermediate germband insect <i>Oncopeltus fasciatus</i> and is required for development of both blastoderm and germband-derived segments. 2004 , 131, 4567-79	62
907	Maternally expressed and partially redundant beta-tubulins in <i>Caenorhabditis elegans</i> are autoregulated. 2004 , 117, 457-64	23
906	Relative gene-silencing efficiencies of small interfering RNAs targeting sense and antisense transcripts from the same genetic locus. 2004 , 32, 4609-17	37
905	Joining of long double-stranded RNA molecules through controlled overhangs. 2004 , 32, e140	10
904	Ribozyme- and siRNA-mediated suppression of RGS-containing RhoGEF proteins. 2004 , 389, 244-65	10
903	Inhibition of foot-and-mouth disease virus replication by small interfering RNA. 2004 , 85, 3213-3217	61
902	Interferon antagonist proteins of influenza and vaccinia viruses are suppressors of RNA silencing. 2004 , 101, 1350-5	342
901	Trends in the geographic distribution of human embryonic stem-cell research. 2004 , 23, 40-5	14
900	<i>Caenorhabditis elegans</i> atx-2 promotes germline proliferation and the oocyte fate. 2004 , 168, 817-30	35

899	Dissection of a natural RNA silencing process in the <i>Drosophila melanogaster</i> germ line. 2004 , 24, 6742-50	146
898	Silencing of the aleurone-specific <i>Ltp2-gus</i> gene in transgenic rice is reversed by transgene rearrangements and loss of aberrant transcripts. 2004 , 45, 1500-8	7
897	<i>ago1</i> and <i>dcr1</i> , two core components of the RNA interference pathway, functionally diverge from <i>rdp1</i> in regulating cell cycle events in <i>Schizosaccharomyces pombe</i> . 2004 , 15, 1425-35	36
896	The adaptor protein <i>shb</i> binds to tyrosine 1175 in vascular endothelial growth factor (VEGF) receptor-2 and regulates VEGF-dependent cellular migration. 2004 , 279, 22267-75	187
895	Coupled amplification and degradation of exogenous RNA injected in amphibian oocytes. 2004 , 32, 2957-65	2
894	Preservation of immunoreactivity and fine structure of adult <i>C. elegans</i> tissues using high-pressure freezing. 2004 , 52, 1-12	96
893	<i>Caenorhabditis elegans</i> <i>lin-35/Rb</i> , <i>efl-1/E2F</i> and other synthetic multivulva genes negatively regulate the anaphase-promoting complex gene <i>mat-3/APC8</i> . 2004 , 167, 663-72	15
892	An adenovirus vector for efficient RNA interference-mediated suppression of target genes in insulinoma cells and pancreatic islets of langerhans. 2004 , 53, 2190-4	69
891	Inducible silencing of <i>KILLER/DR5</i> in vivo promotes bioluminescent colon tumor xenograft growth and confers resistance to chemotherapeutic agent 5-fluorouracil. 2004 , 64, 6666-72	101
890	The 5'-3' exoribonuclease <i>xrn-1</i> is essential for ventral epithelial enclosure during <i>C. elegans</i> embryogenesis. 2004 , 10, 59-65	39
889	A systemic small RNA signaling system in plants. 2004 , 16, 1979-2000	444
888	MOLECULAR BIOLOGY: Enjoy the Silence. 2004 , 303, 1978-1979	2
887	Effects of length and location on the cellular response to double-stranded RNA. 2004 , 68, 432-52, table of contents	86
886	The <i>Caenorhabditis elegans</i> microtubule-severing complex <i>MEI-1/MEI-2</i> katanin interacts differently with two superficially redundant beta-tubulin isoforms. 2004 , 15, 142-50	53
885	ORFeome cloning and systems biology: standardized mass production of the parts from the parts-list. 2004 , 14, 2001-9	63
884	Multiple genetic pathways involving the <i>Caenorhabditis elegans</i> Bloom's syndrome genes <i>him-6</i> , <i>rad-51</i> , and <i>top-3</i> are needed to maintain genome stability in the germ line. 2004 , 24, 5016-27	66
883	Long dsRNA and silent genes strike back:RNAi in mouse oocytes and early embryos. 2004 , 105, 422-34	33
882	Small RNA-mediated chromatin modification and transcriptional gene silencing. 2004 , 2, 351-367	1

881	Antisense derivatives of U7 and other small nuclear RNAs as tools to modify pre-mRNA splicing patterns. 2004 , 2, 321-349	10
880	A regulatory network of T-box genes and the even-skipped homologue vab-7 controls patterning and morphogenesis in <i>C. elegans</i> . 2004 , 131, 2373-85	33
879	Maternal UNC-45 is involved in cytokinesis and colocalizes with non-muscle myosin in the early <i>Caenorhabditis elegans</i> embryo. 2004 , 117, 5313-21	40
878	In vivo activity of nuclease-resistant siRNAs. 2004 , 10, 766-71	421
877	A database search for double-strand containing RNAs in <i>Dictyostelium discoideum</i> . 2004 , 385, 961-5	4
876	RNA Interference Technology in Drug Validation and Development: RNomics Approach. 2004 , 5, 19-23	2
875	Targeted gene knockout reveals a role in meiotic recombination for ZHP-3, a Zip3-related protein in <i>Caenorhabditis elegans</i> . 2004 , 24, 7998-8006	89
874	Disease-related myotubularins function in endocytic traffic in <i>Caenorhabditis elegans</i> . 2004 , 15, 189-96	83
873	<i>Caenorhabditis elegans</i> functional genomics: omic resonance. 2004 , 3, 26-34	
872	Genome-wide RNAi as a route to gene function in <i>Drosophila</i> . 2004 , 3, 168-76	41
871	Gene specific siRNA selector. 2004 , 20, 430-2	25
870	RNA interference suggests a primary role for monoacylglycerol lipase in the degradation of the endocannabinoid 2-arachidonoylglycerol. 2004 , 66, 1260-4	198
869	Academia-industry collaboration: an integral element for building "omic" resources. 2004 , 14, 2010-4	1
868	Patterning of virus-infected <i>Glycine max</i> seed coat is associated with suppression of endogenous silencing of chalcone synthase genes. 2004 , 16, 807-18	118
867	Hypothesis testing in evolutionary developmental biology: a case study from insect wings. 2004 , 95, 382-96	36
866	RNAiDB and PhenoBlast: web tools for genome-wide phenotypic mapping projects. 2004 , 32, D406-10	49
865	Control of siRNA expression using the Cre-loxP recombination system. 2004 , 32, e66	41
864	Atelocollagen-mediated synthetic small interfering RNA delivery for effective gene silencing in vitro and in vivo. 2004 , 32, e109	272

863	Inhibition of influenza virus production in virus-infected mice by RNA interference. 2004 , 101, 8676-81	385
862	Ancestral role of caudal genes in axis elongation and segmentation. 2004 , 101, 17711-5	140
861	The <i>Caenorhabditis elegans</i> cathepsin Z-like cysteine protease, Ce-CPZ-1, has a multifunctional role during the worms' development. 2004 , 279, 6035-45	45
860	Localization to the proteasome is sufficient for degradation. 2004 , 279, 21415-20	86
859	Targeted knockdown of the RNA-binding protein CRD-BP promotes cell proliferation via an insulin-like growth factor II-dependent pathway in human K562 leukemia cells. 2004 , 279, 48716-24	43
858	Anaphase-promoting complex in <i>Caenorhabditis elegans</i> . 2004 , 24, 2215-25	10
857	Quantifying the benefits of translation regulation in the unfolded protein response. 2004 , 1, 159-65	8
856	Human Rad51C deficiency destabilizes XRCC3, impairs recombination, and radiosensitizes S/G2-phase cells. 2004 , 279, 42313-20	52
855	Inhibition of human cytomegalovirus replication by small interfering RNAs. 2004 , 85, 179-184	69
854	RNAi knock-down mice: an emerging technology for post-genomic functional genetics. 2004 , 105, 412-21	42
853	Rice Blast: Interaction with Rice and Control. 2004 ,	1
852	Comparative genomics of gene expression in the parasitic and free-living nematodes <i>Strongyloides stercoralis</i> and <i>Caenorhabditis elegans</i> . 2004 , 14, 209-20	81
851	The long processes of short interfering RNAs--RNA interference and its implications in neuronal cells. 2004 , 1, 3-8	3
850	Molecular therapy versus standard treatment in allergy (Review). 2004 , 14, 3	
849	Bcl-2 targeting siRNA expressed by a T7 vector system inhibits human tumor cell growth in vitro. 2004 , 24, 615	
848	The emerging role of RNA interference in the design of novel therapeutics in oncology. 2004 , 3, 1398-401	10
847	An Effective Method for Selecting siRNA Target Sequences in Mammalian Cells. 2004 , 3, 788-793	54
846	Antisense RNA regulation by stable complex formation in the <i>Enterococcus faecalis</i> plasmid pAD1 par addiction system. 2004 , 186, 6400-8	26

845	Efficient RNA interference depends on global context of the target sequence: quantitative analysis of silencing efficiency using Eulerian graph representation of siRNA. 2004 , 32, 1469-79	27
844	chk-1 is an Essential Gene and is Required for an S-M Checkpoint During Early Embryogenesis. 2004 , 3, 1194-1198	28
843	Disruption of Ixodes scapularis anticoagulation by using RNA interference. 2004 , 101, 1141-6	111
842	Caenorhabditis elegans VEM-1, a novel membrane protein, regulates the guidance of ventral nerve cord-associated axons. 2004 , 24, 9015-26	33
841	NK cells use perforin rather than granulysin for anticryptococcal activity. 2004 , 173, 3357-65	89
840	Homologous gene targeting in Caenorhabditis elegans by biolistic transformation. 2004 , 32, e40	65
839	Nematode chondroitin polymerizing factor showing cell-/organ-specific expression is indispensable for chondroitin synthesis and embryonic cell division. 2004 , 279, 53755-61	58
838	Argonaute protein in the early divergent eukaryote Trypanosoma brucei: control of small interfering RNA accumulation and retroposon transcript abundance. 2004 , 24, 420-7	102
837	RNA interference reveals that ligand-independent met activity is required for tumor cell signaling and survival. 2004 , 64, 7962-70	93
836	Gene interactions in Caenorhabditis elegans define DPY-31 as a candidate procollagen C-proteinase and SQT-3/ROL-4 as its predicted major target. 2004 , 168, 1259-73	34
835	Drosophila glucosylceramide synthase: a negative regulator of cell death mediated by proapoptotic factors. 2004 , 279, 35995-6002	76
834	The LIM domain protein UNC-95 is required for the assembly of muscle attachment structures and is regulated by the RING finger protein RNF-5 in C. elegans. 2004 , 165, 857-67	38
833	The Caenorhabditis elegans IMPAS gene, imp-2, is essential for development and is functionally distinct from related presenilins. 2004 , 101, 14955-60	52
832	CUL-2 and ZYG-11 promote meiotic anaphase II and the proper placement of the anterior-posterior axis in C. elegans. 2004 , 131, 3513-25	71
831	Genes required for Drosophila nervous system development identified by RNA interference. 2004 , 101, 16216-21	50
830	Designing transcription factor architectures for drug discovery. 2004 , 66, 1361-71	152
829	An extensive requirement for transcription factor IID-specific TAF-1 in Caenorhabditis elegans embryonic transcription. 2004 , 279, 15339-47	15
828	Biochemical identification of Argonaute 2 as the sole protein required for RNA-induced silencing complex activity. 2004 , 101, 14385-9	248

827	Reversal of cystic fibrosis phenotype in a cultured Delta508 cystic fibrosis transmembrane conductance regulator cell line by oligonucleotide insertion. 2004 , 101, 8150-5	29
826	Selective degradation of cyclin B1 mRNA in rat oocytes by RNA interference (RNAi). 2004 , 33, 73-85	22
825	Molecular genetic approaches to studying fertilization in model systems. 2004 , 127, 409-16	15
824	Evolution of dnmt-2 and mbd-2-like genes in the free-living nematodes <i>Pristionchus pacificus</i> , <i>Caenorhabditis elegans</i> and <i>Caenorhabditis briggsae</i> . 2004 , 32, 6388-96	39
823	Inhibition of MDR1 gene expression by chimeric HNA antisense oligonucleotides. 2004 , 32, 4411-9	39
822	ZIP kinase is responsible for the phosphorylation of myosin II and necessary for cell motility in mammalian fibroblasts. 2004 , 165, 243-54	77
821	Ion trafficking through T-type Ca ²⁺ channels: a way to look at channel gating position. 2004 , 124, 619-22	4
820	FGF and PI3 kinase signaling pathways antagonistically modulate sex muscle differentiation in <i>C. elegans</i> . 2004 , 131, 5381-92	10
819	Short interfering RNA-mediated inhibition of herpes simplex virus type 1 gene expression and function during infection of human keratinocytes. 2004 , 78, 10276-81	50
818	Cofactor-independent phosphoglycerate mutase has an essential role in <i>Caenorhabditis elegans</i> and is conserved in parasitic nematodes. 2004 , 279, 37185-90	29
817	Small interfering RNA production by enzymatic engineering of DNA (SPEED). 2004 , 101, 5494-9	101
816	A functional genomic screen for cardiogenic genes using RNA interference in developing <i>Drosophila</i> embryos. 2004 , 101, 159-64	89
815	Genetic Engineering: Principles and Methods. 2004 ,	0
814	Probing the microRNA and small interfering RNA pathways with virus-encoded suppressors of RNA silencing. 2004 , 16, 1235-50	393
813	Adenovirus-mediated transfer of siRNA against survivin induced apoptosis and attenuated tumor cell growth in vitro and in vivo. 2004 , 10, 162-71	165
812	Rapid assessment of anti-HIV siRNA efficacy using PCR-derived Pol III shRNA cassettes. 2004 , 10, 597-603	23
811	Use of antisense oligonucleotides in functional genomics and target validation. 2004 , 14, 49-64	27
810	Germ Cell Protocols. 2004 ,	0

809	Exploring the genetic basis of disease using RNA interference. 2004 , 4, 645-51	5
808	Epigenetic epidemiology. 2004 , 33, 929-35	58
807	Trinucleotide Repeat Protocols. 2004 ,	3
806	Molecular networks in model systems. 2004 , 5, 177-87	18
805	Guidelines for the selection of highly effective siRNA sequences for mammalian and chick RNA interference. 2004 , 32, 936-48	561
804	Methods for delivery of double-stranded RNA into <i>Caenorhabditis elegans</i> . 2004 , 265, 23-58	21
803	Inhibition of Epstein-Barr virus (EBV) reactivation by short interfering RNAs targeting p38 mitogen-activated protein kinase or c-myc in EBV-positive epithelial cells. 2004 , 78, 11798-806	33
802	Silencing lamin A/C in human endometrial stromal cells: a model to investigate endometrial gene function and regulation. 2004 , 10, 705-11	9
801	Suppression of bcl-2 gene by RNA interference increases chemosensitivity to cisplatin in nasopharyngeal carcinoma cell line CNE1. 2004 , 36, 749-53	7
800	RNAi therapeutics: how likely, how soon?. 2004 , 2, E28	30
799	fog-2 and the evolution of self-fertile hermaphroditism in <i>Caenorhabditis</i> . 2005 , 3, e6	79
798	EGF signal propagation during <i>C. elegans</i> vulval development mediated by ROM-1 rhomboid. 2004 , 2, e334	44
797	Genetic models of mechanotransduction: the nematode <i>Caenorhabditis elegans</i> . 2004 , 84, 1097-153	106
796	RNA interference-mediated silencing of the S100A10 gene attenuates plasmin generation and invasiveness of Colo 222 colorectal cancer cells. 2004 , 279, 2053-62	79
795	Silencing of c-myc expression in tumor cells by siRNA. 2004 , 23, 867-72	7
794	Developing RNase P ribozymes for gene-targeting and antiviral therapy. 2004 , 6, 499-508	22
793	RNA interference in protozoan parasites. 2004 , 6, 509-19	217
792	Muscle differentiation in tentacles of <i>Sepia officinalis</i> (Mollusca) is regulated by muscle regulatory factors (MRF) related proteins. 2004 , 46, 83-95	17

791	RNA-mediated gene silencing: mechanisms and its therapeutic applications. 2004 , 29, 395-404	9
790	Spreading of post-transcriptional gene silencing along the target gene promotes systemic silencing. 2004 , 38, 594-602	56
789	High throughput T-DNA insertion mutagenesis in rice: a first step towards in silico reverse genetics. 2004 , 39, 450-64	217
788	Applications and advantages of virus-induced gene silencing for gene function studies in plants. 2004 , 39, 734-46	530
787	Caenorhabditis elegans T-box genes tbx-9 and tbx-8 are required for formation of hypodermis and body-wall muscle in embryogenesis. 2004 , 9, 331-44	26
786	Viral suppression of RNA silencing in plants. 2004 , 5, 71-82	134
785	RNA interference--small RNAs effectively fight viral hepatitis. 2004 , 24, 526-31	9
784	Gene silencing with RNA interference in the human pathogenic fungus <i>Aspergillus fumigatus</i> . 2004 , 237, 317-324	91
783	The use of a double subgenomic Sindbis virus expression system to study mosquito gene function: effects of antisense nucleotide number and duration of viral infection on gene silencing efficiency. 2004 , 13, 595-602	24
782	Combined administration of basic fibroblast growth factor protein and the hepatocyte growth factor gene enhances the regeneration of dermis in acute incisional wounds. 2004 , 12, 67-79	46
781	Cloning and characterization of cellulose synthase-like gene, PtrCSLD2 from developing xylem of aspen trees. 2004 , 120, 631-641	19
780	RNA silencing: no mercy for viruses?. 2004 , 198, 285-303	79
779	Invertebrate immune systems--not homogeneous, not simple, not well understood. 2004 , 198, 10-24	503
778	Negative feedback inhibition of HIV-1 by TAT-inducible expression of siRNA. 2004 , 22, 1573-8	76
777	The four Rs of RNA-directed evolution. 2004 , 36, 19-25	63
776	Restriction enzyme-generated siRNA (REGS) vectors and libraries. 2004 , 36, 183-9	129
775	Enzymatic production of RNAi libraries from cDNAs. 2004 , 36, 190-6	148
774	SUMO modification is required for in vivo Hox gene regulation by the <i>Caenorhabditis elegans</i> Polycomb group protein SOP-2. 2004 , 36, 507-11	71

773	Caenorhabditis elegans ABL-1 antagonizes p53-mediated germline apoptosis after ionizing irradiation. 2004 , 36, 906-12	66
772	BDNF is necessary and sufficient for spinal respiratory plasticity following intermittent hypoxia. 2004 , 7, 48-55	367
771	A vision for the National Cancer Program in the United States. 2004 , 4, 820-8	39
770	siRNAs: applications in functional genomics and potential as therapeutics. 2004 , 3, 318-29	718
769	Systematic genome-wide screens of gene function. 2004 , 5, 11-22	261
768	Maximizing the potential of functional genomics. 2004 , 5, 190-201	79
767	The double-stranded-RNA-binding motif: interference and much more. 2004 , 5, 1013-23	197
766	RNAi, a new therapeutic strategy against viral infection. 2004 , 14, 460-6	74
765	Modulation of KSR activity in Caenorhabditis elegans by Zn ions, PAR-1 kinase and PP2A phosphatase. 2004 , 23, 111-9	55
764	What's new about RNAi? Meeting on siRNAs and miRNAs. 2004 , 5, 762-5	4
763	Inhibition of HIV-1 fusion with small interfering RNAs targeting the chemokine coreceptor CXCR4. 2004 , 11, 1703-12	53
762	RNA-mediated gene silencing of the RON receptor tyrosine kinase alters oncogenic phenotypes of human colorectal carcinoma cells. 2004 , 23, 8464-74	60
761	Genome-wide RNAi screens in Caenorhabditis elegans: impact on cancer research. 2004 , 23, 8340-5	53
760	Genomic instability and cancer: scanning the Caenorhabditis elegans genome for tumor suppressors. 2004 , 23, 8366-75	12
759	High-throughput gene silencing using cell arrays. 2004 , 23, 8353-8	44
758	Towards full employment: using RNAi to find roles for the redundant. 2004 , 23, 8346-52	10
757	Oncology studies using siRNA libraries: the dawn of RNAi-based genomics. 2004 , 23, 8384-91	46
756	RNA-interference-based functional genomics in mammalian cells: reverse genetics coming of age. 2004 , 23, 8401-9	95

755	RNAi and HTS: exploring cancer by systematic loss-of-function. 2004 , 23, 8392-400		49
754	Kinetic analysis of the RNAi enzyme complex. 2004 , 11, 599-606		424
753	Structural basis for overhang-specific small interfering RNA recognition by the PAZ domain. <i>Nature</i> , 2004 , 429, 318-322	50.4	543
752	Retraction: Unaltered cosmic spherules in a 1.4-Gyr-old sandstone from Finland. <i>Nature</i> , 2004 , 429, 322	50.4	4
751	Unlocking the potential of the human genome with RNA interference. <i>Nature</i> , 2004 , 431, 371-8	50.4	914
750	Revealing the world of RNA interference. <i>Nature</i> , 2004 , 431, 338-42	50.4	744
749	Mechanisms of gene silencing by double-stranded RNA. <i>Nature</i> , 2004 , 431, 343-9	50.4	1943
748	Induction of DNA methylation and gene silencing by short interfering RNAs in human cells. <i>Nature</i> , 2004 , 431, 211-7	50.4	313
747	Retinoblastoma promotes definitive erythropoiesis by repressing Id2 in fetal liver macrophages. <i>Nature</i> , 2004 , 432, 1040-5	50.4	119
746	An endoribonuclease-prepared siRNA screen in human cells identifies genes essential for cell division. <i>Nature</i> , 2004 , 432, 1036-40	50.4	339
745	Knockdown by RNAi-proceed with caution. 2004 , 22, 280-2		22
744	RNA interference: human genes hit the big screen. <i>Nature</i> , 2004 , 428, 375-8	50.4	16
743	The RNAi revolution. <i>Nature</i> , 2004 , 430, 161-4	50.4	575
742	Medicine: a cholesterol connection in RNAi. <i>Nature</i> , 2004 , 432, 155-6	50.4	21
741	Earth science: mantle mapped in the desert. <i>Nature</i> , 2004 , 432, 156-7	50.4	4
740	Neuropeptides: implications for alcoholism. 2004 , 89, 273-85		36
739	Inhibition of HLA-G production in JEG-3 choriocarcinoma cells by RNA interference. 2004 , 51, 189-91		5
738	Exposure to cAMP and beta-adrenergic stimulation recruits Ca(V)3 T-type channels in rat chromaffin cells through Epac cAMP-receptor proteins. 2004 , 558, 433-49		66

737	RNA interference: a potent tool for gene-specific therapeutics. 2004 , 4, 1227-36	77
736	Toxicology of antisense therapeutics. 2004 , 201, 66-83	134
735	Picking a winner: new mechanistic insights into the design of effective siRNAs. 2004 , 22, 451-4	31
734	Tests of cytoplasmic RNA interference (RNAi) and construction of a tetracycline-inducible T7 promoter system in <i>Trypanosoma cruzi</i> . 2004 , 133, 175-86	112
733	Genomic organization and gene expression in a chromosomal region of <i>Leishmania major</i> . 2004 , 134, 233-43	21
732	RNA interference of <i>Trypanosoma brucei</i> topoisomerase IB: both subunits are essential. 2004 , 136, 249-55	45
731	Transgene expression in <i>Schistosoma mansoni</i> : introduction of RNA into schistosomula by electroporation. 2004 , 137, 75-9	55
730	Double-stranded RNA mediates homology-dependent gene silencing of gamma-tubulin in the human parasite <i>Entamoeba histolytica</i> . 2004 , 138, 21-8	64
729	RNA interference targeting cathepsin L and Z-like cysteine proteases of <i>Onchocerca volvulus</i> confirmed their essential function during L3 molting. 2004 , 138, 165-70	134
728	Effective intracellular delivery of oligonucleotides in order to make sense of antisense. 2004 , 97, 189-209	85
727	Octopamine receptors in the honeybee (<i>Apis mellifera</i>) brain and their disruption by RNA-mediated interference. 2004 , 50, 701-13	84
726	Getting to the roots of parasitism by nematodes. 2004 , 20, 134-41	239
725	Functional genomics for parasitic nematodes and platyhelminths. 2004 , 20, 178-84	24
724	Genomic filtering: an approach to discovering novel antiparasitics. 2004 , 20, 462-8	58
723	RNA molecules as anti-cancer agents. 2004 , 14, 223-30	28
722	Inhibition of NF-kappaB mediated inflammation by siRNA expressed by recombinant adeno-associated virus. 2004 , 120, 119-22	31
721	Most genes encoding cytoplasmic intermediate filament (IF) proteins of the nematode <i>Caenorhabditis elegans</i> are required in late embryogenesis. 2004 , 83, 457-68	29
720	RNA interference as a new strategy against viral hepatitis. 2004 , 323, 173-81	59

719	Attenuation of SARS coronavirus by a short hairpin RNA expression plasmid targeting RNA-dependent RNA polymerase. 2004 , 324, 84-9	48
718	Inhibition of human immunodeficiency virus type 1 replication by siRNA targeted to the highly conserved primer binding site. 2004 , 330, 221-32	31
717	Determinants of interferon-stimulated gene induction by RNAi vectors. 2004 , 72, 103-11	145
716	Tissue-specific RNA interference in post-implantation mouse embryos using directional electroporation and whole embryo culture. 2004 , 72, 92-102	26
715	Managing the genome: microRNAs in Drosophila. 2004 , 72, 74-80	20
714	High-throughput RNAi in Caenorhabditis elegans: genome-wide screens and functional genomics. 2004 , 72, 81-91	79
713	RNA silencing in plants: a shortcut to functional analysis. 2004 , 72, 65-73	25
712	OptiRNAi, an RNAi design tool. 2004 , 75, 67-73	25
711	Post-transcriptional gene silencing in neurons. 2004 , 14, 654-9	14
710	BRCA1/BARD1 orthologs required for DNA repair in Caenorhabditis elegans. 2004 , 14, 33-9	137
709	Plant RNAi: How a viral silencing suppressor inactivates siRNA. 2004 , 14, R198-200	63
708	Vulval development: the battle between Ras and Notch. 2004 , 14, R311-3	24
707	Control of embryonic spindle positioning and Galpha activity by C. elegans RIC-8. 2004 , 14, 1871-6	83
706	RNAi: ancient mechanism with a promising future. 2004 , 39, 985-98	37
705	Small interfering RNA molecules as potential anti-human rhinovirus agents: in vitro potency, specificity, and mechanism. 2004 , 61, 49-55	55
704	Trypanosomatid flagellum biogenesis: ARL-3A is involved in several species. 2004 , 108, 126-33	16
703	Dirofilaria immitis: identification of a novel ligand-gated ion channel-related polypeptide. 2004 , 108, 182-5	9
702	miRNAs on the move: miRNA biogenesis and the RNAi machinery. 2004 , 16, 223-9	314

701	Gene silencing of selected calcium-signalling molecules in a <i>Drosophila</i> cell line using double-stranded RNA interference. 2004 , 35, 131-9	10
700	Small interfering RNA (siRNA) targetted to Smad3 inhibits transforming growth factor-beta signaling. 2004 , 26, 699-703	7
699	RNA interference silencing the transcriptional message: aspects and applications. 2004 , 119, 1-12	6
698	Sense and antisense: therapeutic potential of oligonucleotides and interference RNA in asthma and allergic disorders. 2004 , 27, 207-17	25
697	Tracking dendritic cells in vivo: insights into DC biology and function. 2004 , 29, 69-80	14
696	Induction of RNA interference in dendritic cells. 2004 , 30, 215-30	19
695	Knockdown of mouse adult beta-globin gene expression in MEL cells by retrovirus vector-mediated RNA interference. 2004 , 28, 195-9	4
694	miRNA and Biogenesis.	
693	Establishing RNAi for basic research and pest control and identification of the most efficient target genes for pest control: a brief guide. 2021 , 18, 60	0
692	Long non-coding RNAs as possible therapeutic targets in protozoa, and in <i>Schistosoma</i> and other helminths. 2021 , 1	0
691	Study on RNAi-based herbicide for .. 2021 , 6, 437-445	0
690	Single-cell RNA-seq profiling of individual <i>Biomphalaria glabrata</i> immune cells with a focus on immunologically relevant transcripts. 2021 , 1	2
689	Explaining inter-lab variance in <i>C. elegans</i> N2 lifespan: Making a case for standardized reporting to enhance reproducibility. 2021 , 156, 111622	0
688	Biogenic Action of <i>Lactobacillus plantarum</i> SBT2227 Promotes Sleep in <i>Drosophila melanogaster</i> .	
687	Primary hyperoxaluria type 1: novel therapies at a glance.. 2022 , 15, i17-i22	1
686	Interspecies Effectors of a Transgenerational Memory of Bacterial Infection in <i>C. Elegans</i> .	
685	Chapter 4. Small-molecule and Synthetically Derived Antivirals for Ebola Virus and Other Filoviruses. 2021 , 61-90	
684	Glial Fibrillary Acidic Protein: A Biomarker and Drug Target for Alzheimer's Disease.	

683	RNA Interference Technology as a Novel and Potential Alternative for Plant Improvement. 2021 , 433-461	
682	Surface morphology and molecular aggregation state of the organized molecular films of cyclic moiety-containing polyguanamine derivatives with a flexible linker moiety. 1	0
681	Microneedle systems for delivering nucleic acid drugs.. 2022 , 1-20	2
680	RNAi for Western Corn Rootworm Management: Lessons Learned, Challenges, and Future Directions.. 2022 , 13,	3
679	Transgenic plants expressing immunosuppressive dsRNA improve entomopathogen efficacy against <i>Spodoptera littoralis</i> larvae. 1	2
678	Biogenesis and Mechanisms of miRNA-Mediated Gene Regulation.. 2022 ,	6
677	siRNA Seed Region Is Divided into Two Functionally Different Domains in RNA Interference in Response to 2'-OMe Modifications.. 2022 , 7, 2398-2410	1
676	Using transcriptome Shannon entropy to evaluate the off-target effects and safety of insecticidal siRNAs. 2022 , 21, 170-177	0
675	Analyse von Krebsgenen: Schnelle Suche nach der Nadel im Heuhaufen□	
674	RNA Interference and Its Potential Applications in Aquatic Animal Health Management. 2021 , 25-41	
673	RNA Interference Technology. 2021 , 185-207	
672	Development of efficient RNAi methods in the corn leafhopper <i>Dalbulus maidis</i> , a promising application for pest control.	
671	Liposomal bionanomaterials for nucleic acid delivery. 2022 , 327-362	
670	Oligonucleotide Therapeutics: From Discovery and Development to Patentability.. 2022 , 14,	7
669	Causes of and Molecular Targets for the Treatment of Intervertebral Disc Degeneration: A Review.. 2022 , 11,	2
668	Molecular mechanisms of transgenerational epigenetic inheritance.. 2022 ,	19
667	Biotechnological Interventions for Improving Cottonseed Oil Attributes. 2022 , 481-490	
666	RNAi therapy with givosiran significantly reduces attack rates in acute intermittent porphyria.. 2022 ,	0

665	Knockdown of FLT4, Nup98, and Nup205 cellular genes as a suppressor for the viral activity of Influenza A/WSN/33 (H1N1) in A549 cell culture. 2022 , 16, 476-489	2
664	Targeted siRNA nanotherapeutics against breast and ovarian metastatic cancer: a comprehensive review of the literature.. 2022 , 17, 41-64	0
663	Caenorhabditis elegans ETR-1/CELF has broad effects on the muscle cell transcriptome, including genes that regulate translation and neuroblast migration.. 2022 , 23, 13	
662	Drug delivery systems for RNA therapeutics.. 2022 ,	30
661	The roles of transcription, chromatin organisation and chromosomal processes in holocentromere establishment and maintenance.. 2022 ,	0
660	Generation of oligonucleotide conjugates one-pot diselenide-selenoester ligation-deselenization/alkylation.. 2022 , 13, 410-420	0
659	Target-dependent siRNA suppression distinguishes self from non-self endogenous siRNAs in C. elegans germline.	0
658	Southern pine beetle-specific RNA interference exhibits no effect on model nontarget insects. 1	2
657	Long dsRNA mediated RNA interference (dsRNAi) is antiviral in interferon competent mammalian cells.	
656	Exploring clinical implications and role of non-coding RNAs in lung carcinogenesis.. 2022 , 1	2
655	Pathogen infection and cholesterol deficiency activate the p38 immune pathway through a TIR-1/SARM1 phase transition.. 2022 , 11,	2
654	Temnopleurus reevesii as a new sea urchin model in genetics.. 2021 ,	2
653	Pharmacological Modulation and (Patho)Physiological Roles of TRPM4 Channel-Part 1: Modulation of TRPM4.. 2022 , 15,	2
652	Host delivered-RNAi of effector genes for imparting resistance against root-knot and cyst nematodes in plants. 2022 , 118, 101802	0
651	Selection and evaluation of reference genes for quantitative real-time PCR analysis in lac insect (Kerria lacca).	0
650	Induced Systemic Resistance for Improving Plant Immunity by Beneficial Microbes.. 2022 , 11,	13
649	Editorial: Innate Immunity in Early Diverging Metazoans.. 2022 , 13, 816550	
648	Bacterially expressed dsRNA induces Varroa destructor gene knockdown by honey bee-mediated oral administration. 1-8	

- 647 siRNA nanohybrid systems: false hope or feasible answer in cancer management.. **2022**, 13, 109-133 2
- 646 Chemically modified dsRNA induces RNAi effects in insects in vitro and in vivo: A potential new tool for improving RNA-based plant protection.
- 645 17th Annual Meeting of the Oligonucleotide Therapeutics Society: A Tribute to Bob Letsinger, Progress in = 1 Treatments, and Successful First In-Humans CRISPR Trials.. **2022**,
- 644 Delivery strategies of RNA therapeutics to leukocytes.. **2022**, 342, 362-371 1
- 643 Challenges and Opportunities for Nucleic Acid Therapeutics.. **2021**, 5
- 642 Hydrogen sulfide treatment retrieves the inhibition of growth and development characteristics in silkworm (*Bombyx mori*) via phosphoacetyl glucosamine mutase gene knock down.. **2022**, e21873
- 641 RNA- and miRNA-interference to enhance abiotic stress tolerance in plants. 1 2
- 640 Dynamic motions of ice-binding proteins in living using diffracted X-ray blinking and tracking.. **2022**, 29, 101224
- 639 RNAi-based therapeutics and tumor targeted delivery in cancer.. **2022**, 182, 114113 7
- 638 An Overview of Databases and Tools for lncRNA Genomics Advancing Precision Medicine. **2022**, 49-67 0
- 637 Efficient in vitro and in vivo RNA editing via recruitment of endogenous ADARs using circular guide RNAs.. **2022**, 3
- 636 Glucosamine-6-phosphate N-acetyltransferase gene silencing by parental RNA interference in rice leaf folder, *Cnaphalocrocis medinalis* (Lepidoptera: Pyralidae).. **2022**, 12, 2141 0
- 635 Reprogramming the piRNA pathway for multiplexed and transgenerational gene silencing in *C. elegans*.. **2022**, 19, 187-194 0
- 634 Harnessing Intronic microRNA Structures to Improve Tolerance and Expression of shRNAs in Animal Cells.. **2022**, 5, 1
- 633 Exploring the Common Mechanism of Fungal sRNA Transboundary Regulation of Plants Based on Ensemble Learning Methods.. **2022**, 13, 816478
- 632 Treatment of bladder cancer by geoinspired synthetic chrysolite nanocarrier-delivered circPRMT5 siRNA.. **2022**, 26, 6 2
- 631 HYL1-CLEAVAGE SUBTILASE 1 (HCS1) suppresses miRNA biogenesis in response to light-to-dark transition.. **2022**, 119, 2
- 630 RNA silencing: From discovery and elucidation to application and perspectives.. **2021**, 1

629	Chemically modified DNA nanostructures for drug delivery.. 2022 , 3, 100217	1
628	The siRNA Off-Target Effect Is Determined by Base-Pairing Stabilities of Two Different Regions with Opposite Effects.. 2022 , 13,	0
627	The Role of Sulfation in Nematode Development and Phenotypic Plasticity.. 2022 , 9, 838148	1
626	Evidence for RNA or protein transport from somatic tissues to the male reproductive tract in mouse.	
625	Hairpin-like siRNA-Based Spherical Nucleic Acids.. 2022 ,	6
624	Inhibition of RGNNV by dsRNA in the orange-spotted grouper. 2022 , 23, 101035	
623	The stability and sequence cleavage preference of dsRNA are key factors differentiating RNAi efficiency between migratory locust and Asian corn borer.. 2022 , 143, 103738	2
622	Advances in our understanding of nematode ion channels as potential anthelmintic targets.. 2021 , 18, 52-86	0
621	In Vitro Cellular Uptake and Transfection of Oligoarginine-Conjugated Glycol Chitosan/siRNA Nanoparticles. 2021 , 13,	2
620	Transgenic refractory <i>Aedes aegypti</i> lines are resistant to multiple serotypes of dengue virus.. 2021 , 11, 23865	1
619	Characterizing the Role of Glutamine synthetase Gene on Ammonia Nitrogen Detoxification Metabolism of the Razor Clam <i>Sinonovacula constricta</i> . 2021 , 8,	0
618	Next-Generation Cell Engineering Platform for Improving Recombinant Protein Production in Mammalian Cells. 2021 , 189-224	0
617	Vitamin B and predatory behavior in nematodes.. 2022 , 119, 471-489	
616	Strategies for prevention and management of QT interval prolongation and torsades de pointes. 2022 , 303-333	
615	RNA Interference: A Versatile Tool to Augment Plant Protection Strategies in Potato. 2022 , 369-388	
614	Potato resistance against insect herbivores. 2022 , 277-296	0
613	Development of RNA-Based Medicine for Colorectal Cancer: Current Scenario. 2022 , 339-360	
612	Delivery of siRNA to Macrophages: Challenges and Opportunities. 2022 , 469-487	

- 611 The Use and Predictability of *C. elegans* as an Alternative and Complementary Model in Neurotoxicological Studies: Focus on the Dopaminergic System. **2022**, 1-18
- 610 Determination of Optimum Ratio of Cationic Polymers and Small Interfering RNA with Agarose Gel Retardation Assay.. **2022**, 2434, 117-128
- 609 Fine-Tuning Plant Gene Expression with Synthetic Trans-Acting Small Interfering RNAs.. **2022**, 2408, 227-242
- 608 Insecticidal RNA interference (RNAi) for control of potato pests. **2022**, 219-229
- 607 Reactive oxygen species-responsive RNA interference.. **2022**, 0
- 606 Recent Advances in Plant Gene Silencing Methods.. **2022**, 2408, 1-22 0
- 605 Optimization of cationic polymer-mediated transfection for RNA interference.. **2022**, 45, e20210237 1
- 604 Space Experiments Using *C. elegans* as a Model Organism. **2022**, 647-677
- 603 Delivery of Oligonucleotide Therapeutics for Macrophage Reprogramming in Inflammatory Diseases. **2022**, 357-378
- 602 Mineralizing Gelatin Microparticles as Cell Carrier and Drug Delivery System for siRNA for Bone Tissue Engineering.. **2022**, 14, 0
- 601 A novel concept of human antiviral protection: It's all about RNA (Review).. **2022**, 16, 29
- 600 Invertebrate Model Organisms as a Platform to Investigate Rare Human Neurological Diseases.. **2022**, 31, 1-16 0
- 599 RNAi-Based Antiviral Innate Immunity in Plants.. **2022**, 14, 3
- 598 RNA interference as a novel treatment strategy for chronic hepatitis B infection.. **2022**, 6
- 597 Genomic stability and epigenetic inheritance in holocentric *Caenorhabditis elegans* and insects.. **2022**,
- 596 Systemic RNA interference-defective (SID) genes modulate dopaminergic neurodegeneration in *C. elegans*. 0
- 595 Targeting coat protein II complex genes via RNA interference inhibits female adult feeding and reproductive development in the cabbage beetle *Colaphellus bowringi*.. **2022**, 0
- 594 Nematode-Applied Technology for Human Tumor Microenvironment Research and Development. **2022**, 44, 988-997 2

593	A first greenhouse application of bacteria-expressed and nanocarrier-delivered RNA pesticide for <i>Myzus persicae</i> control. 1	5
592	Inhibiting mutant KRAS G12D gene expression using novel peptide nucleic acid-based antisense: A potential new drug candidate for pancreatic cancer.. 2022, 23, 130	1
591	Nanoparticle Delivery Platforms for RNAi Therapeutics Targeting COVID-19 Disease in the Respiratory Tract.. 2022, 23,	0
590	microRNAs and Their Roles in Plant Development.. 2022, 13, 824240	3
589	Cross-species microRNA transmission modulates flavivirus growth in mosquitoes.. 2022,	
588	RNA meets toxicology: Efficacy indicators from the experimental design of RNAi studies for insect pest management.. 2022,	2
587	Characteristics of Transfer RNA-Derived Fragments Expressed during Human Renal Cell Development: The Role of Dicer in tRF Biogenesis.. 2022, 23,	0
586	Retinoic Acid-Inducible Gene I-Mediated Innate Immune Stimulation by Chemically Synthesized Long Double-Stranded RNAs Is Structure and Sequence Dependent.. 2022,	
585	Research and development of oligonucleotide therapeutics in Japan for rare diseases. 2022, 2,	0
584	Redox-Responsive Disulfide Cyclic Peptides: A New Strategy for siRNA Delivery.. 2022,	1
583	Exogenous application of dsRNA for the control of viruses in cucurbits.	1
582	Chromatin-Remodelling ATPases and Are Essential for Reproduction in the Destructive Pest .. 2022, 23,	
581	Targeting COPD with PLGA-Based Nanoparticles: Current Status and Prospects.. 2022, 2022, 5058121	3
580	Visualization of the process of a nanocarrier-mediated gene delivery: stabilization, endocytosis and endosomal escape of genes for intracellular spreading.. 2022, 20, 124	8
579	Modification of Lipid-Based Nanoparticles: An Efficient Delivery System for Nucleic Acid-Based Immunotherapy.. 2022, 27,	1
578	Feasibility of Systemically Applied dsRNAs for Pest-Specific RNAi-Induced Gene Silencing in White Oak.. 2022, 13, 830226	1
577	Principles for the design of multicellular engineered living systems.. 2022, 6, 010903	0
576	Use of cell cultures in vitro to assess the uptake of long dsRNA in plant cells. 1	0

575	siRNAs with Neutral Phosphate Triester Hydrocarbon Tails Exhibit Carrier-Free Gene-Silencing Activity.. 2022 , 13, 695-700	1
574	The Role of Non-Coding RNAs in Autophagy During Carcinogenesis.. 2022 , 10, 799392	0
573	Enclosure of siRNA in Alternately HydrophilicHydrophobic Double-Layered Nanoarchitectures for Promoted RNAi. 2022 , 4, 2262-2268	
572	Clinical Applications of Short Non-Coding RNA-Based Therapies in the Era of Precision Medicine.. 2022 , 14,	3
571	RNA Interference-Based Pesticides and Antiviral Agents: Microbial Overproduction Systems for Double-Stranded RNA for Applications in Agriculture and Aquaculture. 2022 , 12, 2954	0
570	Inheritance and maintenance of small RNA-mediated epigenetic effects.. 2022 , e2100284	
569	Small RNAs couple embryonic developmental programs to gut microbes.. 2022 , 8, eabl7663	0
568	Increased RNAi Efficiency by ds-Induced Up-Regulation of Two Core RNAi Pathway Genes (and) in the Asian Corn Borer ().. 2022 , 13,	0
567	Optimization in Chemical Modification of Single-Stranded siRNA Encapsulated by Neutral Cytidinyl/Cationic Lipids.. 2022 , 10, 843181	
566	Bionanoparticles in cancer imaging, diagnosis, and treatment. 20200027	2
565	FMRFamid-like neuropeptides as modulators of locomotory reactions in plant parasitic cyst nematodes. 2022 , 16, 50-62	
564	Editorial: Mechanisms and Strategies of Arthropod Adaptation to the Chemical Environment.. 2022 , 13, 889757	1
563	Current Advances in RNA Therapeutics for Human Diseases.. 2022 , 23,	7
562	Neuron-epidermal attachment protects hyper-fragile axons from mechanical strain.. 2022 , 38, 110501	0
561	Novel Polymer Systems for Gene Therapy. 1-40	
560	Toxicity of a Novel dsRNA-based Insecticide to the Colorado Potato Beetle in Laboratory and Field Trials.. 2022 ,	2
559	Functional Characterization of Allatostatin C (PISCF/AST) and Juvenile Hormone Acid O-Methyltransferase in .. 2022 , 23,	1
558	Advances in siRNA therapeutics and synergistic effect on siRNA activity using emerging dual ribose modifications.. 2022 , 19, 452-467	6

557	Therapeutic Approaches to Amyotrophic Lateral Sclerosis from the Lab to the Clinic.. 2022,	0
556	Dual pH-Responsive and Tumor-Targeted Nanoparticle-Mediated Anti-Angiogenesis siRNA Delivery for Tumor Treatment.. 2022, 17, 953-967	0
555	Efficacy of RNA interference using nanocarrier-based transdermal dsRNA delivery system in the woolly apple aphid, <i>Eriosoma lanigerum</i> .. 2022, e21888	0
554	<i>C. elegans</i> BLMP-1 controls apical epidermal cell morphology by repressing expression of mannosyltransferase bus-8 and molting signal mlt-8.. 2022,	
553	Plastid Transformation of Micro-Tom Tomato with a Hemipteran Double-Stranded RNA Results in RNA Interference in Multiple Insect Species.. 2022, 23,	0
552	RNA Therapeutics: the Next Generation of Drugs for Cardiovascular Diseases.. 2022, 1	1
551	Resistance to RNA interference by plant-derived double-stranded RNAs but not plant-derived short interfering RNAs in <i>Helicoverpa armigera</i> .. 2022,	0
550	Centrosome maturation requires phosphorylation-mediated sequential domain interactions of SPD-5.. 2022,	0
549	The Multiverse of Plant Small RNAs: How Can We Explore It?. 2022, 23,	0
548	Silencing of Chitin-Binding Protein with PYPV-Rich Domain Impairs Cuticle and Wing Development in the Asian Citrus Psyllid, .. 2022, 13,	1
547	Circulating microRNAs in Medicine.. 2022, 23,	1
546	Flock house virus as a vehicle for aphid Virus-induced gene silencing and a model for aphid biocontrol approaches. 1	
545	A gene and drug co-delivery application helps to solve the short life disadvantage of RNA drug. 2022, 43, 101452	7
544	Development of an Organ-Directed Exosome-Based siRNA-Carrier Derived from Autologous Serum for Lung Metastases and Testing in the B16/BL6 Spontaneous Lung Metastasis Model.. 2022, 14,	0
543	Identification and Characterization of a Double-Stranded RNA Degrading Nuclease Influencing RNAi Efficiency in the Rice Leaf Folder .. 2022, 23,	0
542	The great small organisms of developmental genetics: <i>Caenorhabditis elegans</i> and <i>Drosophila melanogaster</i> .. 2022,	2
541	Synthetic RNA-based post-transcriptional expression control methods and genetic circuits.. 2022, 114196	0
540	Genetically modified rabbit models for cardiovascular medicine.. 2022, 174890	1

- 539 Invited review: Unearthing the mechanisms of age-related neurodegenerative disease using *Caenorhabditis elegans*.. **2022**, 267, 111166 0
- 538 Early developmental, meiosis-specific proteins - Spo11, Msh4-1, and Msh5 - Affect subsequent genome reorganization in *Paramecium tetraurelia*.. **2022**, 1869, 119239 0
- 537 -targeting miR-agshRNAs combine efficacy with specificity and safety for retinal gene therapy.. **2022**, 28, 58-76 0
- 536 A cyovirus encoded microRNA negatively regulates the NF- κ B pathway to enhance viral multiplication in Silkworm, *Bombyx mori*.. **2022**, 104382 0
- 535 The diffusion-driven microfluidic process to manufacture lipid-based nanotherapeutics with stealth properties for siRNA delivery.. **2022**, 215, 112476 0
- 534 Risk assessment of RNAi-based pesticides to non-target organisms: Evaluating the effects of sequence similarity in the parasitoid wasp *Telenomus podisi*.. **2022**, 154746 1
- 533 Environmental RNAi-mediated gene silencing in spider mites and its application to pest control. **2021**, 46, 92-99 0
- 532 Recursive Genome Function of the Cerebellum: Geometric Unification of Neuroscience and Genomics. **2022**, 1559-1602 1
- 531 Bitki Paraziti Nematodlarla Mədəlede Biyoteknolojik Yaklaşımlar. 0
- 530 Geosmin synthase *ges1* knock-down by siRNA in the dikaryotic fungus *Tricholoma vaccinum*.. **2021**, 1 1
- 529 Transformation systems, gene silencing and gene editing technologies in oomycetes. **2021**, 0
- 528 An unexpected role for the conserved ADAM-family metalloprotease ADM-2 in *Caenorhabditis elegans* molting. 0
- 527 Host-Induced Gene Silencing of a G Protein β Subunit Gene Involved in Pathogen Appressoria Formation and Virulence Improves Tobacco Resistance to .. **2021**, 7, 1
- 526 Nanoenabled Delivery of RNA Molecules for Prolonged Antiviral Protection in Crop Plants: A Review. **2021**, 4, 12891-12904 1
- 525 Recent Molecular Tools for the Genetic Manipulation of Highly Industrially Important Mucoromycota Fungi.. **2021**, 7, 1
- 524 The auxin-inducible degron 2 (AID2) system enables controlled protein knockdown during embryogenesis and development in *Caenorhabditis elegans*. **2021**, 2
- 523 Effect of Src tyrosine kinase on a rat model of asthma.. **2022**, 23, 172 0
- 522 Vertical transmission of tissue microbiota in *Caenorhabditis elegans*. 0

521	Synthesis, gene silencing activity, thermal stability, and serum stability of siRNA containing four ()-5'-aminopropyl-2'-methyl nucleosides (A, adenosine; U, uridine; G, guanosine; and C, cytidine).. 2022 , 12, 11454-11476	
520	Combinatorial RNA therapies in cancer immunotherapy: Challenges and directions. 2022 , 425-449	
519	Mutation Mapping and Identification by Whole-Genome Sequencing.. 2022 , 2468, 257-269	
518	Moving Toward Global Strategies for Managing Invasive Alien Species. 2022 , 331-360	0
517	Making and Using Genetically Modified Organisms. 2022 , 259-289	
516	RNA delivery for cancer gene therapy. 2022 , 375-424	
515	CMC and regulatory aspects of oligonucleotide therapeutics. 2022 , 263-320	
514	Antiviral Potency of Small Interfering RNA Molecules. 2022 , 603-640	
513	Multifunctional nanoparticles co-loaded with Adriamycin and MDR-targeting siRNAs for treatment of chemotherapy-resistant esophageal cancer.. 2022 , 20, 166	1
512	Asymmetric inheritance of RNA toxicity in expressing CTG repeats.. 2022 , 25, 104246	1
511	Oleyl Conjugated Histidine-Arginine Cell-Penetrating Peptides as Promising Agents for siRNA Delivery.. 2022 , 14,	3
510	Nanodelivery of nucleic acids.. 2022 , 2,	11
509	RNA therapy: rich history, various applications and unlimited future prospects.. 2022 ,	5
508	Noncoding RNAs and their therapeutics in paclitaxel chemotherapy: Mechanisms of initiation, progression, and drug sensitivity.. 2022 ,	1
507	Development of efficient RNAi methods in the corn leafhopper <i>Dalbulus maidis</i> , a promising application for pest control.. 2022 ,	0
506	Deregulated signaling networks in lung cancer. 421-442	
505	RNAi in Embryonic Stem Cells. 2006 , 2, 11-18	
504	Table_1.xlsx. 2018 ,	

503 Table_1.XLSX. 2020,

502 Table_2.XLSX. 2020,

501 Image_1.JPEG. 2019,

500 Image_2.JPEG. 2019,

499 Image_3.PNG. 2019,

498 Image_4.JPEG. 2019,

497 Table_1.XLSX. 2019,

496 Table_2.XLS. 2019,

495 Table_3.XLS. 2019,

494 Table_4.XLSX. 2019,

493 Table_5.XLSX. 2019,

492 Table_6.XLS. 2019,

491 Data_Sheet_1.pdf. 2019,

490 Table_1.docx. 2019,

489 Table_2.docx. 2019,

488 Table_3.docx. 2019,

487 Data_Sheet_1.docx. 2018,

486 Image_1.JPEG. 2018,

485 Image_2.TIF. 2018,

484 Data_Sheet_1.DOCX. 2018,

483 Table_1.DOCX. 2019,

482 Table_1.DOCX. 2018,

481 Table_1.pdf. 2019,

480 Table_1.DOC. 2019,

479 Table_1.XLSX. 2018,

478 Table_2.XLSX. 2018,

477 Table_3.XLSX. 2018,

476 Table_4.XLSX. 2018,

475 Table_5.XLSX. 2018,

474 Table_6.pdf. 2018,

473 Image_1.tif. 2020,

472 Video_1.mp4. 2020,

471 Video_2.mp4. 2020,

470 Video_3.mp4. 2020,

469 Video_4.mp4. 2020,

468 Data_Sheet_1.pdf. 2019,

- 467 Table_1.docx. **2019**,
- 466 DataSheet_1.docx. **2019**,
- 465 Prophylactic and Therapeutic Effects of Small Interfering Rna Targeting Sars-Coronavirus. **2004**, 9, 365-374 60
- 464 Symbiont-Mediated RNA Interference (SMR): Using Symbiotic Bacteria as Vectors for Delivering RNAi to Insects. **2022**, 2360, 295-306 0
- 463 Guiding RNAi Design Through Characterization of Endogenous Small RNA Pathways. **2022**, 2360, 33-47
- 462 RNAi Feeding Bioassay: A Protocol for dsRNA Screening Against Asian Citrus Psyllid and Related Hemipteran Insects. **2022**, 2360, 85-90
- 461 A Random-Screening Approach to Identify RNAi Targets for the Control of Western Corn Rootworm (*Diabrotica. virgifera virgifera* Le Conte). **2022**, 2360, 91-103
- 460 Silencing a *Myzus persicae* Macrophage Inhibitory Factor by Plant-Mediated RNAi Induces Enhanced Aphid Mortality Coupled with Boosted RNAi Efficacy in Transgenic Potato Lines.. **2022**, 1 1
- 459 Oral RNAi for Gene Silencing in Mosquitoes: From the Bench to the Field.. **2022**,
- 458 An inducible T7 RNA polymerase-dependent plasmid system. **2006**, 33, 13-21 2
- 457 Construction and Evaluation of Short Hairpin RNAs for Knockdown of Metadherin mRNA.. **2021**, 13, 217-222
- 456 Modern Approaches for the Management of Cereal Cyst Nematodes in Wheat and Barley. **2022**, 321-336
- 455 Current Scenario of RNA Interference-Based Control of Insect and Mite Pests of Fruit Crops. **2022**, 43-86
- 454 In-silico identification of small RNAs: a tiny silent tool against agriculture pest. **2022**, 221-229
- 453 Host-Induced Gene Silencing: Approaches in Plant Disease Management. **2022**, 33-50
- 452 RNAi as a tool for weed management: challenges and opportunities. **2022**, 40, 1
- 451 Molecular Genetics of Biotic Stress Management for Crop Improvement. **2022**, 323-353
- 450 Antixenosis and Antibiosis Mechanisms of Resistance to Turnip Aphid, *Lipaphis erysimi* (Kaltenbach) in Brassica: Conventional and Biotechnological Approaches. **2022**, 215-237

- 449 RNA Interference (RNAi) as a Tool for High-Resolution Phenotypic Screening of the Pathogenic Yeast *Candida glabrata*.. **2022**, 2477, 313-330
- 448 DNA Origami for Synthetic Biology. **2022**, 281-296
- 447 Influenza A Virus Production in Mouse Lung Is Inhibited by Inhalation of Aerosol Polyethylenimine/Short Hairpin RNA Plasmid Complexes.. **2022**, 2022, 7404813
- 446 CRISPR/Cas9-Mediated Knockout of the and Genes in BHK-21 Cell Promoted Seneca Virus A Replication and Enhanced Autophagy.. **2022**, 12, 865744
- 445 Network Approaches for Charting the Transcriptomic and Epigenetic Landscape of the Developmental Origins of Health and Disease. **2022**, 13, 764 0
- 444 RNA interference method in plant protection against insect pests. **2022**, 105, 28-39
- 443 Clinical advances of RNA therapeutics for treatment of neurological and neuromuscular diseases.. **2022**, 19, 594-608 2
- 442 RNAi-based modulation of IFN- β signaling in skin.. **2022**, 0
- 441 Forward Genetics in Apicomplexa Biology: The Host Side of the Story. **2022**, 12,
- 440 Protection of Double-Stranded RNA Complexation with Double Hydrophilic Block Copolymers: Influence of Neutral Block Length in Biologically Relevant Environments.. **2022**, 0
- 439 Biotechnological Evolution of siRNA Molecules: From Bench Tool to the Refined Drug. **2022**, 15, 575 1
- 438 Role of c-Jun NH₂-terminal kinase-mediated mitogen-activated protein kinase pathway in response to pesticides in *Apis cerana cerana*.. **2022**, 0
- 437 New weapons to fight malaria transmission: A historical view.
- 436 The Progress and Promise of RNA Medicine-An Arsenal of Targeted Treatments.. **2022**, 3
- 435 Reflections on Alnylam.. **2022**, 40, 641-650 0
- 434 Hotspot siRNA Confers Plant Resistance against Viral Infection. **2022**, 11, 714 0
- 433 Identification and antioxidant capacity of 4-hydroxyphenylpyruvate dioxygenase (HPPD), a new favored herbicide target, in *Apis cerana cerana*. **2022**, 105110 0
- 432 Natural Bioactive Products and Alzheimer's Disease Pathology: Lessons from *Caenorhabditis elegans* Transgenic Models. **2022**, 10, 28 0

431	Discovery and Use of Long dsRNA Mediated RNA Interference to Stimulate Antiviral Protection in Interferon Competent Mammalian Cells. 2022 , 13,	0
430	Sustained inhibition of ENaC in CF: Potential RNA-based therapies for mutation-agnostic treatment.. 2022 , 64, 102209	1
429	Characteristics of glutathione peroxidase gene and its responses to ammonia-N stress in razor clam <i>Sinonovacula constricta</i> .. 2022 , 261, 110752	1
428	Virus-like siRNA construct dynamically responsive to sequential microenvironments for potent RNA interference.. 2022 , 622, 938-949	
427	<i>C. elegans</i> Longevity Genes. 2022 , 115-123	
426	RNA Interference for Improving Disease Resistance in Plants and Its Relevance in This Clustered Regularly Interspaced Short Palindromic Repeats-Dominated Era in Terms of dsRNA-Based Biopesticides. 2022 , 13,	1
425	Termicin silencing enhances the toxicity of <i>Serratia marcescens</i> Bizio (SM1) to <i>Odontotermes formosanus</i> (Shiraki). 2022 , 105120	1
424	Protection from HIV-1 Infection of Primary Cd4 T Cells by Ccr5 Silencing is Effective for the Full Spectrum of Ccr5 Expression. 2003 , 8, 373-377	26
423	Novel Approaches to New Therapies for Hepatitis B Virus Infection. 2006 , 11, 1-15	5
422	Introduction to Target Validation. 2022 , 61-82	
421	A TIL-Type Serine Protease Inhibitor Involved in Humoral Immune Response of Asian Corn Borer <i>Ostrinia furnaculis</i> . 2022 , 13,	
420	Advances in nanotechnology-based platforms for survivin-targeted drug discovery.. 2022 ,	0
419	RNA in cancer immunotherapy: unlocking the potential of the immune system.. 2022 ,	1
418	Dicer and PKR as Novel Regulators of Embryonic Stem Cell Fate and Antiviral Innate Immunity.. 2022 , 208, 2259-2266	0
417	Small Interfering RNA (siRNA). 2022 , 6490-6492	
416	Introduction to Emerging Technologies in Biomedical Sciences. 2022 , 1-22	
415	A Method to Produce vsiRNAs in Plants with Cross-Kingdom Gene Silencing Capacity. 2022 , 12, 5329	
414	Redox modulation of stress resilience by <i>Crocus Sativus</i> L. for potential neuroprotective and anti-neuroinflammatory applications in brain disorders: From molecular basis to therapy. 2022 , 111686	0

- 413 A plant immune protein enables broad antitumor response by rescuing microRNA deficiency. **2022**, 185, 1888-1904.e24 0
- 412 Biopesticidal potentials of nanobiopesticides. **2022**, 195-205
- 411 RNA Interference Technology in Plants: Mechanisms and Applications in Crop Improvement. **2022**, 265-290
- 410 Improving the Quality of Medicinal and Aromatic Plants Through Metabolic Engineering. **2022**, 321-339
- 409 Transcriptomics in Plant. **2022**, 99-127
- 408 Editorial: New Applications of Insecticidal RNAi. **2022**, 4,
- 407 RNAi Efficiency through dsRNA Injection Is Enhanced by Knockdown of dsRNA Nucleases in the Fall Webworm, *Hyphantria cunea* (Lepidoptera: Arctiidae). **2022**, 23, 6182 0
- 406 Ingestion of single guide RNAs induces gene overexpression and extends lifespan in *C. elegans* via CRISPR activation. **2022**, 102085 0
- 405 Perspectives of using microRNA-loaded nanocarriers for epigenetic reprogramming of drug resistant colorectal cancers. **2022**, 0
- 404 The Role of Viruses in Identifying and Analyzing RNA Silencing. **2022**, 9, 1
- 403 Multifunctional peptide carrier-modified polymer micelle accelerates oral siRNA-delivery to the colon and improves gene silencing-mediated therapeutic effects in ulcerative colitis. **2022**, 103481 0
- 402 Novel molecular approaches to combat vectors and vector-borne viruses: Special focus on RNA interference (RNAi) mechanisms. **2022**, 233, 106539
- 401 Development of dsRNA as a Sustainable Bioinsecticide: From Laboratory to Field. 65-82 2
- 400 Gene Therapy: Introduction and Current Status. **2022**, 504-513
- 399 Identification and profiling of stable microRNAs in hemolymph of young and old *Locusta migratoria* fifth instars. **2022**, 2, 100041 1
- 398 Historical DNA Manipulation Overview. **2022**, 3-28
- 397 Mitochondria is involved in combination of blueberry and apple peel extracts synergistically ameliorating lifespan and oxidative stress in *Caenorhabditis elegans*. 1
- 396 Virus Induced Gene Silencing: A Tool to Study Gene Function in Wheat. **2022**, 107-155

- 395 RNA Interference Vaccines for Disease Control in Aquaculture. **2022**, 167-180
- 394 An unexpected role for the conserved ADAM-family metalloprotease ADM-2 in *Caenorhabditis elegans* molting. **2022**, 18, e1010249 0
- 393 Current Strategies for the Treatment of Hepatocellular Carcinoma by Modulating the Tumor Microenvironment via Nano-Delivery Systems: A Review. Volume 17, 2335-2352 3
- 392 ??????????????????????. **2022**,
- 391 Interspecies effectors of a transgenerational memory of bacterial infection in *C. elegans*.. **2022**, 104627
- 390 3D Genome Organization as an Epigenetic Determinant of Transcription Regulation in T Cells. 13, 2
- 389 Efficient Cloning and Sequence Validation of Repetitive and High GC-Content shRNAs.
- 388 Spotlight on Givosiran as a Treatment Option for Adults with Acute Hepatic Porphyria: Design, Development, and Place in Therapy. Volume 16, 1827-1845 0
- 387 Chemical Optimization of siRNA for Safe and Efficient Silencing of Placental sFLT1. **2022**, 0
- 386 Knockdown of Hexokinase in *Diaphorina citri* Kuwayama (Hemiptera: Liviidae) by RNAi Inhibits Chitin Synthesis and leads to abnormal phenotypes. 1
- 385 CRISPR/Cas9 a simple, inexpensive and effective technique for gene editing. 0
- 384 Application of CRISPR-Mediated Gene Editing for Crop Improvement. 2
- 383 Lipid Nanoparticle Technologies for Nucleic Acid Delivery: A Nanoarchitectonics Perspective. 2203669 5
- 382 Microfluidics for understanding model organisms. **2022**, 13, 2
- 381 Molecular Mechanisms of Phenylpropane-Synthesis-Related Genes Regulating the Shoot Blight Resistance of *Bambusa pervariabilis* [Dendrocalamopsis grandis]. **2022**, 23, 6760
- 380 Biogenic action of *Lactobacillus plantarum* SBT2227 promotes sleep in *Drosophila melanogaster*. **2022**, 104626 0
- 379 Potentiation of paraquat toxicity by inhibition of the antioxidant defenses and protective effect of the natural antioxidant, 4-hydroxyisophthalic acid in *Drosophila melanogaster*. **2022**, 109399
- 378 Progress with RNA Interference for the Treatment of Primary Hyperoxaluria.

377	Carbon-based Nanomaterials for delivery of small RNA molecules: a focus on potential cancer treatment applications. 2022 , 10,	0
376	The conserved helicase ZNFX-1 memorializes silenced RNAs in perinuclear condensates.	2
375	<i>C. elegans</i> as an Animal Model to Study the Intersection of DNA Repair, Aging and Neurodegeneration. 3,	0
374	Comparative Analysis of Transcriptomes of <i>Ophiostoma novo-ulmi</i> ssp. <i>americana</i> Colonizing Resistant or Sensitive Genotypes of American Elm. 2022 , 8, 637	0
373	Recent Advances in Microscale Electroporation.	0
372	Silencing of multiple target genes via ingestion of dsRNA and PMRi affects development and survival in <i>Helicoverpa armigera</i> . 2022 , 12,	1
371	Conserved Viral Transcription Plays a Key Role in Virus-Like Particle Production of the Parasitoid Wasp <i>Venturia canescens</i> .	0
370	RNAi as a Foliar Spray: Efficiency and Challenges to Field Applications. 2022 , 23, 6639	3
369	Beyond GalNAc! Drug delivery systems comprising complex oligosaccharides for targeted use of nucleic acid therapeutics. 2022 , 12, 20432-20446	1
368	Robotic cell injection. 2022 , 51-105	
367	Natural and engineered host resistance for geminivirus management. 2022 , 513-530	
366	Genetic transformation via plant tissue culture techniques: Current and future approaches. 2022 , 131-156	
365	Integrated Regulation of Dopaminergic and Epigenetic Effectors of Neuroprotection in Parkinson's Disease Models.	
364	Knockdown of 15-bp Deletion-Type v-raf Murine Sarcoma Viral Oncogene Homolog B1 mRNA in Pancreatic Ductal Adenocarcinoma Cells Repressed Cell Growth In Vitro and Tumor Volume In Vivo. 2022 , 14, 3162	0
363	Emerging Approaches for Enabling RNAi Therapeutics.	
362	Exogenous Application of dsRNA for the Control of Viruses in Cucurbits. 13,	1
361	RNAi Mediated Gene Silencing of Detoxification Related Genes in the <i>Ectropis oblique</i> . 2022 , 13, 1141	0
360	Glial Fibrillary Acidic Protein: A Biomarker and Drug Target for Alzheimer's Disease. 2022 , 14, 1354	1

359	RNAi Based Therapeutics and Novel RNA Bioengineering Technologies. JPET-MR-2022-001234	0
358	CRISPR/Cas- and Topical RNAi-Based Technologies for Crop Management and Improvement: Reviewing the Risk Assessment and Challenges Towards a More Sustainable Agriculture. 10,	0
357	JNJ-73763989 pharmacokinetics and safety: Liver-targeted siRNAs against hepatitis B virus, in Japanese and non-Japanese healthy adults, and combined with JNJ-56136379 and a nucleos(t)ide analogue in patients with chronic hepatitis B. 2022 , 27, 135965352210938	1
356	PIWI Proteins Play an Antiviral Role in Lepidopteran Cell Lines. 2022 , 14, 1442	2
355	The Big Picture of Neurodegeneration: A Meta Study to Extract the Essential Evidence on Neurodegenerative Diseases in a Network-Based Approach. 14,	0
354	Don't put all your epigenetic eggs in one basket. 2022 , 24, 1016-1018	
353	Advantages of Noncoding RNAs in Molecular Diagnosis.	
352	Bacterial pattern recognition in <i>C. elegans</i> by a nuclear hormone receptor.	
351	RNA therapeutics in the clinic.	2
350	Current Status of Regulatory Non-Coding RNAs Research in the Tritryp. 2022 , 8, 54	1
349	Molecular Landscape of LncRNAs in Prostate Cancer: A focus on pathways and therapeutic targets for intervention. 2022 , 41,	4
348	Invertebrate neurones, genomes, phenotypic and target-based screening: Their contributions to the search for new chemical leads and new molecular targets for the control of pests, parasites and disease vectors. 2022 , 105175	
347	Impact of Machine Perfusion on the Immune Response After Liver Transplantation [A Primary Treatment or Just a Delivery Tool]. 13,	1
346	Chemical engineering of therapeutic siRNAs for allele-specific gene silencing in vivo in CNS.	
345	The Past, Present, and Future of Host Plant Resistance in Cotton: An Australian Perspective. 13,	0
344	Message in hand: the application of CRISPRi, RNAi, and LncRNA in adenocarcinoma. 2022 , 39,	
343	Genetic Diseases and Nanotechnology-Based Theranostics. 2022 , 277-302	
342	Developmental genetics with model organisms. 2022 , 119,	7

341	Suppression of SARS-CoV-2 Replication with Stabilized and Click-Chemistry Modified siRNAs.	1
340	RNA-targeting strategies as a platform for ocular gene therapy. 2022 , 101110	1
339	Adaptor-Specific Antibody Fragment Inhibitors for the Intracellular Modulation of p97 (VCP) Protein-Protein Interactions.	0
338	Small Interfering RNA for Gliomas Treatment: Overcoming Hurdles in Delivery. 10,	
337	Suppression of SARS-CoV-2 Replication with Stabilized and Click-Chemistry Modified siRNAs.	
336	Pharmacokinetic and Pharmacodynamic Modeling of siRNA Therapeutics  Minireview.	2
335	AGO2 silences mobile transposons in the nucleus of quiescent cells.	
334	Construction of Magnetic Resonance Imaging Visible Polymeric Vector for Efficient Tumor Targeted siRNA Delivery.	0
333	RNA solutions to treat inborn errors of metabolism. 2022 , 136, 289-295	0
332	Nebulization of siRNA for inhalation therapy based on a microfluidic surface acoustic wave platform. 2022 , 88, 106088	0
331	Why is oral-induced RNAi inefficient in <i>Diatraea saccharalis</i> ? A possible role for DsREase and other nucleases. 2022 , 186, 105166	
330	Silencing of CXCR4 Blocks Breast Cancer Metastasis. 2005 , 65, 967-971	87
329	RNA-based therapeutics: an overview and prospectus. 2022 , 13,	6
328	Nanoparticle facilitated stacked-dsRNA improves suppression of the Lepidopteran pest <i>Chilo suppressalis</i> . 2022 , 105183	1
327	Photochemical Internalization of siRNA for Cancer Therapy. 2022 , 14, 3597	2
326	Epigenomics as Potential Tools for Enhancing Magnitude of Breeding Approaches for Developing Climate Resilient Chickpea. 13,	0
325	The Impact of RNA Interference in Tick Research. 2022 , 11, 827	0
324	Delivering the Promise of Gene Therapy with Nanomedicines in Treating Central Nervous System Diseases. 2201740	2

- 323 Advances, Prospects and Limitations of Genetic Tools for Pest Management Strategies in Sri Lanka. **2022**, 285-302
- 322 The application of a drug-poly(lactic-co-glycolic acid) hybrid micellar system for drug delivery. **2022**, 497-513
- 321 Nematodes as Models for Symbiosis. **2022**, 58-81
- 320 Detection of Proteins with Viral Suppressor of RNA Interference Activities from Insect-transmitted Viruses Using *Drosophila* S2 Cells. **2022**, 56, 245-250
- 319 Gene Silencing RNAi Technology: Uses in Plants. **2022**, 1, 7-14
- 318 Chemically-modified dsRNA induces RNAi effects in insects in vitro and in vivo: A potential new tool for improving RNA-based plant protection.. **2022**, 102311 0
- 317 Functional genomic tools for emerging model species. **2022**, 1 1
- 316 Site-specific analysis reveals candidate cross-kingdom small RNAs, tRNA and rRNA fragments, and signs of fungal RNA phasing in the barley-powdery mildew interaction. 0
- 315 A comprehensive review on different approaches for tumor targeting using nanocarriers and recent developments with special focus on multifunctional approaches. 0
- 314 RISC-y Business: Limitations of Short Hairpin RNA-Mediated Gene Silencing in the Brain and a Discussion of CRISPR/Cas-Based Alternatives. 15, 0
- 313 The Medicinal Chemistry of Artificial Nucleic Acids and Therapeutic Oligonucleotides. **2022**, 15, 909 3
- 312 Synthesis, derivatization and photochemical control of an ortho-functionalized tetrafluorinated azobenzene-modified siRNA. 0
- 311 Functional Role of ASAP in the Reproduction of *Adelphocoris suturalis* (Hemiptera: Miridae). **2022**, 13, 755
- 310 Counting the cost of public and philanthropic R&D funding: the case of olaparib. **2022**, 15,
- 309 RNAi Suppression of Hormone Receptor HR3 Blocks Larval Molting and Metamorphosis in the Cigarette Beetle, *Lasioderma serricorne*. **2022**, 12, 1257 0
- 308 RNA-As-Graphs Motif Atlas: Dual Graph Library of RNA Modules and Viral Frameshifting-Element Applications. **2022**, 23, 9249 0
- 307 Flavonol glycoside complanatoside A requires FOXO/DAF-16, NRF2/SKN-1, and HSF-1 to improve stress resistances and extend the life span of *Caenorhabditis elegans*. 13,
- 306 Internal Ribosome Entry Site (IRES)-Mediated Translation and Its Potential for Novel mRNA-Based Therapy Development. **2022**, 10, 1865 1

- 305 The discovery and development of RNA-based therapies for treatment of HIV-1 infection.
- 304 Delineating mechanisms and design principles of *Caenorhabditis elegans* embryogenesis using in toto high-resolution imaging data and computational modeling. **2022**,
- 303 New Insights on the Integrated Management of Plant Diseases by RNA Strategies: Mycoviruses and RNA Interference. **2022**, 23, 9236 1
- 302 Cloning and Sequencing Eukaryotic Small RNAs. **2022**, 2, 1
- 301 Targeting RNA structures with small molecules. 6
- 300 Transcript-Targeted Therapy Based on RNA Interference and Antisense Oligonucleotides: Current Applications and Novel Molecular Targets. **2022**, 23, 8875 2
- 299 ZNFX-1 keeps RNAi in the loop. **2022**, 57, 1920-1921
- 298 Development of siRNA Delivery System by Lipid Nanoparticles Modified with Functional Materials for Cancer Treatment. **2022**, 45, 972-977 0
- 297 Systemic RNA Interference Defective (SID) genes modulate dopaminergic neurodegeneration in *C. elegans*. **2022**, 18, e1010115 0
- 296 Therapeutic siRNA: State-of-the-Art and Future Perspectives. 1
- 295 Silencing of Glycogen Synthase Kinase 3 Significantly Inhibits Chitin and Fatty Acid Metabolism in Asian Citrus Psyllid, *Diaphorina citri*. **2022**, 23, 9654
- 294 PIWI-Interacting RNA (piRNA) and Epigenetic Editing in Environmental Health Sciences. 1
- 293 Application progress of plant-mediated RNAi in pest control. 10, 0
- 292 Assessment of a zinc finger protein gene (MPZC3H10) as potential RNAi target for green peach aphid *Myzus persicae* control. 1
- 291 Development of RNAi Methods for the Mormon Cricket, *Anabrus simplex* (Orthoptera: Tettigoniidae). **2022**, 13, 739 0
- 290 Short interfering RNA: a rapidly developing drug class.
- 289 Target-dependent suppression of siRNA production modulates the levels of endogenous siRNAs in the *Caenorhabditis elegans* germline. **2022**, 149, 0
- 288 Destabilized 3'UTR ARE therapeutically degrades ERBB2 in drug-resistant ERBB2+ cancer models.

- 287 Endogenous RNAi silences a burgeoning sex chromosome arms race. 1
- 286 Harnessing nucleic acid technologies for human health on earth and in space. **2022**, 0
- 285 The Synergistic Effect of Thiamethoxam and Synapsin dsRNA Targets Neurotransmission to Induce Mortality in *Aphis gossypii*. **2022**, 23, 9388 2
- 284 Barley GRIK1-SnRK1 kinases subvert a viral virulence protein to upregulate antiviral RNAi and inhibit infection. 0
- 283 A tRNA-derived fragment of ginseng protects heart against ischemia/reperfusion injury via targeting the lncRNA MIAT/VEGFA pathway. **2022**, 29, 672-688 0
- 282 Polymeric nanoparticles-siRNA as an emerging nano-polyplexes against ovarian cancer. **2022**, 218, 112766 4
- 281 Spherplexes: Hybrid PLGA-cationic lipid nanoparticles, for in vitro and oral delivery of siRNA. **2022**, 350, 228-243 0
- 280 Nucleic acid-based therapy for brain cancer: Challenges and strategies. **2022**, 350, 80-92 2
- 279 Mesoporous silica nanoparticle-modified electrode arrays of cochlear implants for delivery of siRNA-TGF β into the inner ear. **2022**, 218, 112753 0
- 278 A 2'-modified uridine analog, 2'-O-(methylthiomethoxy)methyl uridine, for siRNA applications. **2022**, 74, 128939 0
- 277 Application of RNAi technology: a novel approach to navigate abiotic stresses. 0
- 276 RNA interference (RNAi) applications to the management of fall armyworm, *Spodoptera frugiperda* (Lepidoptera: Noctuidae): Its current trends and future prospects. 9, 0
- 275 Treatment of Acquired Transthyretin Amyloidosis in Domino Liver Transplantation. 0
- 274 Combination treatment of hepatitis C virus-associated hepatocellular carcinoma by simultaneously blocking genes in multiple organelles via functionally engineered graphene oxide. **2023**, 452, 139279 0
- 273 Adoption of Molecular Tools for Combatting the Arthropod Pests. **2022**, 655-669 0
- 272 Invertebrate model organisms for aging research. **2022**, 353-382 0
- 271 Post-transcriptional gene regulation in solid tumors. **2022**, 119-148 0
- 270 Management of Noctuid Pests Using Genetic Tools. **2022**, 409-434 0

- 269 Maturation of microRNAs. **2022**, 19-30 ○
- 268 Small RNA-omics: Decoding the regulatory networks associated with horticultural traits. **2022**, 15-25 ○
- 267 Effect of the array of amines on the transfection efficiency of cationic peptidomimetic lipid molecules into neural cells. **2022**, 12, 21567-21573 ○
- 266 A Need for Reverse Genetics to Study Coral Biology and Inform Conservation Efforts. **2022**, 167-178 ○
- 265 Management of Pests Using Genetic Tools in Africa. **2022**, 303-326 ○
- 264 Polymeric micelles for drug delivery in oncology with an emphasis on siRNA conveyance. **2022**, 199-284 ○
- 263 Biomaterials in Their Role in Creating New Approaches for the Delivery of Drugs, Proteins, Nucleic Acids, and Mammalian Cells in Safety Pharmacology. **2022**, 1-27 ○
- 262 Clinical applications of microRNAs. **2022**, 601-612 ○
- 261 Advances in nanobiotechnology-propelled multidrug resistance circumvention of cancer. **2022**, 14, 12984-12998 ○
- 260 Genetic Tools for Integrated Management of Pests on Honeybees in the Tropics. **2022**, 89-125 ○
- 259 Synthesis and properties of oligodiaminogalactoses that bind to A-type oligonucleotide duplexes. 1
- 258 Under the hood: The molecular biology driving gene therapy for the treatment of sickle cell disease. **2022**, 103566 ○
- 257 Rethinking hereditary relations: the reconstitutor as the evolutionary unit of heredity. **2022**, 200, ○
- 256 Hepatitis B Virus Research in South Africa. **2022**, 14, 1939 ○
- 255 Plasma and Liver Pharmacokinetics of the N-Acetylgalactosamine Short Interfering RNA JNJ-73763989 in Recombinant Adeno-Associated Hepatitis B Virus Infected Mice. **2022**, 383, 70-79 ○
- 254 Localized efficacy of environmental RNAi in *Tetranychus urticae*. **2022**, 12, 1
- 253 Nucleic acid strategies for infectious disease treatments: The nanoparticle-based oral delivery route. 13, 1
- 252 Control of aging by the renin-angiotensin system: a review of *C. elegans*, *Drosophila*, and mammals. 13, 1

251	RNA therapeutics: updates and future potential.	1
250	Influence of diverse storage conditions of double-stranded RNA in vitro on the RNA interference efficiency in vivo insect <i>Tribolium castaneum</i> .	0
249	SID-4/NCK-1 is important for dsRNA import in <i>Caenorhabditis elegans</i> .	0
248	RNA-Based Vaccination of Plants for Control of Viruses. 2022 , 9, 521-548	1
247	Influence of Sugar Modifications on the Nucleoside Conformation and Oligonucleotide Stability: A Critical Review.	0
246	Identification and function analysis of two fibroblast growth factor receptor (FGFR) from <i>Scylla paramamosain</i> : The evidence of FGFR involved in innate immunity in crustacean. 2022 ,	0
245	Adaptive immunity or evolutionary adaptation? Transgenerational immune systems at the crossroads. 2022 , 37,	0
244	Association of Polymorphic Variants in Argonaute Genes with Depression Risk in a Polish Population. 2022 , 23, 10586	1
243	Lipid-based nucleic acid therapeutics with in vivo efficacy.	1
242	Recent Advances in Molecular Improvement for Potato Tuber Traits. 2022 , 23, 9982	0
241	Effects of writers, erasers and readers within miRNA-related m6A modification in cancers.	0
240	RNA Interference of Chitin Synthase 2 Gene in <i>Liriomyza trifolii</i> through Immersion in Double-Stranded RNA. 2022 , 13, 832	1
239	Splicing-dependent transcriptional activation.	0
238	The role of microRNAs in neurodegenerative diseases: a review.	1
237	MiR-31 improves spinal cord injury in mice by promoting the migration of bone marrow mesenchymal stem cells. 2022 , 17, e0272499	0
236	Aberrant regulation of CXCR4 in cancer via deviant microRNA-targeted interactions. 1-14	0
235	SPARC plays an important role in the oviposition and nymphal development in <i>Nilaparvata lugens</i> Stål 2022 , 23,	0
234	Can immune gene silencing via dsRNA feeding promote pathogenic viruses to control the globally invasive Argentine ant?.	0

- 233 Multigenerational downregulation of insulin/IGF-1 signalling in adulthood improves lineage survival, reproduction, and fitness in *C. elegans* supporting the developmental theory of ageing. 0
- 232 Recent advances in targeted delivery of non-coding RNA-based therapeutics for atherosclerosis. **2022**, 30, 3118-3132 0
- 231 A novel sustainable platform for scaled manufacturing of double-stranded RNA biopesticides. **2022**, 9, 1
- 230 Chemical engineering of therapeutic siRNAs for allele-specific gene silencing in Huntington's disease models. **2022**, 13, 0
- 229 The nuclear Argonaute HRDE-1 directs target gene re-localization and shuttles to nuage to promote small RNA mediated inherited silencing. 0
- 228 Micromechanical valve-operated needle-on-a-chip microinjection module for microfluidic large-scale integration. 0
- 227 Molecular characterization of an arginine kinase from *Lasioderma serricorne* and the effect of gene silencing on larval survival. **2022**, 99, 102032 0
- 226 Genomic Designing for Abiotic Stress Resistance in *Jute*. **2022**, 119-155 0
- 225 Light-responsive RNA delivery. **2022**, 37, 229-236 0
- 224 Broadening the Horizons of RNA Delivery Strategies in Cancer Therapy. **2022**, 9, 576 0
- 223 The circular RNA Edis regulates neurodevelopment and innate immunity. **2022**, 18, e1010429 1
- 222 Molecular characterization of enolase from *Haemaphysalis longicornis*. 0
- 221 Molecular Biology, Genetics, and Translational Models of Human Cancer. 1-34 0
- 220 Nucleic acid nanoassembly-enhanced RNA therapeutics and diagnosis. **2022**, 0
- 219 Silencing Asian Seabass *gab3* Inhibits Nervous Necrosis Virus Replication. 0
- 218 In Vivo Visualization of RNAi Efficiency Using a Pumilio/FBF Protein-Based Reporter. 0
- 217 RNA interference cannot be operated in lepidopteran insect? A nanocarrier breaks bottlenecks at all developmental stages of *Spodoptera frugiperda*. 2
- 216 A perspective on oligonucleotide therapy: Approaches to patient customization. 13, 2

215	Knockdown of a Nicotinic Acetylcholine Receptor Subunit Gene <i>Bdor1</i> Decreases Susceptibility to Oxa-Bridged trans- instead of cis-Nitromethylene Neonicotinoid Insecticides in <i>Bactrocera dorsalis</i> . 2022 , 70, 13554-13562	0
214	Identification of the neuropeptide gene family and feeding regulation by neuropeptide Y in <i>Mythimna separata</i> (Lepidoptera: Noctuidae). 2022 ,	0
213	In vitro synergistic activity of cisplatin and EGFR-targeted nanomedicine of anti-Bcl-xL siRNA in a non-small lung cancer cell line model. 2022 , 122335	0
212	Contaminating transfection complexes can masquerade as small extracellular vesicles and impair their delivery of RNA. 2022 , 11,	1
211	Strategies for the production of dsRNA biocontrols as alternatives to chemical pesticides. 10,	0
210	<i>Caenorhabditis elegans</i> as a model system to evaluate neuroprotective potential of nano formulations. 4,	0
209	Small interfering RNA (siRNA): discovery, pharmacology and clinical development 1 An introductory review.	2
208	Modified nucleotides for chemical and enzymatic synthesis of therapeutic RNA. 2022 , 30,	1
207	Exon-dependent transcriptional adaptation by exon-junction complex proteins Y14/RNP-4 and MAGOH/MAG-1 in <i>Caenorhabditis elegans</i> . 2022 , 18, e1010488	0
206	Nucleic Acid Delivery to the Vascular Endothelium.	0
205	A Tale of Two Lobsters 1 Transcriptomic Analysis Reveals a Potential Gap in the RNA Interference Pathway in the Tropical Rock Lobster <i>Panulirus ornatus</i> . 2022 , 23, 11752	0
204	An introduction to PIWI-interacting RNAs (piRNAs) in the context of metazoan small RNA silencing pathways. 2022 , 19, 1094-1102	0
203	Identification of the Extracellular Nuclease Influencing Soaking RNA Interference Efficiency in <i>Bursaphelenchus xylophilus</i> . 2022 , 23, 12278	0
202	Nanosheet-Facilitated Spray Delivery of dsRNAs Represents a Potential Tool to Control <i>Rhizoctonia solani</i> Infection. 2022 , 23, 12922	1
201	SiRNA Molecules as Potential RNAi Therapeutics to Silence RdRP Region and N-Gene of SARS-CoV-2: An In Silico Approach.	0
200	RNA interference (RNAi)-based therapeutics for treatment of rare neurologic diseases. 2022 , 101148	0
199	Identification of proteomic landscape of drug-binding proteins in live cells by proximity-dependent target ID. 2022 ,	0
198	Functional characterization of chitin synthesis pathway genes, HaAGM and HaUAP, reveal their crucial roles in ecdysis and survival of <i>Helicoverpa armigera</i> (Hbner). 2022 , 105273	0

- 197 The unfolded protein response reverses the effects of glucose on lifespan in chemically-sterilized *C. elegans*. **2022**, 13, ○
- 196 RNAi-Based Biocontrol of Pests to Improve the Productivity and Welfare of Livestock Production. **2022**, 1, 229-243 1
- 195 *Caenorhabditis elegans* as a Model for the Effects of Phytochemicals on Mitochondria and Aging. **2022**, 12, 1550 ○
- 194 Gold Nanoparticle-Mediated Gene Therapy. **2022**, 14, 5366 ○
- 193 Low-Molecular Weight Small Molecules Can Potently Bind RNA and Affect Oncogenic Pathways in Cells. ○
- 192 RNA interference of vATPase subunits A and E affects survival of larvae and adults in *Plagioderia versicolora* (Coleoptera: Chrysomelidae). **2022**, 105275 ○
- 191 Role of RNA silencing in plant-viroid interactions and in viroid pathogenesis. **2023**, 323, 198964 ○
- 190 Transcriptomics and genetic engineering. **2023**, 43-65 ○
- 189 Silencing of the mitochondrial ribosomal protein L-24 gene activates the oxidative stress response in *Caenorhabditis elegans*. **2023**, 1867, 130255 ○
- 188 Role of genetic engineering in improving potato production. **2023**, 303-315 ○
- 187 Functional Engineering of Synthetic RNA Through Circularization. **2022**, 1-48 ○
- 186 RNA interference is the basis of human antiviral defense. **2022**, 24, 1065-1074 ○
- 185 Alternative plant protection strategies for tomorrow's coffee. ○
- 184 Potential dsRNAs can be delivered to aquatic for defense pathogens. 10, ○
- 183 Post-transcriptional micro-RNAs in diagnostics and personalization of treatment in patients with thyroid tumors: literary review. **2022**, 39, 80-92 ○
- 182 Orsay Virus Infection of *Caenorhabditis elegans* Is Modulated by Zinc and Dependent on Lipids. ○
- 181 Surface Design Options in Polymer- and Lipid-Based siRNA Nanoparticles Using Antibodies. **2022**, 23, 13929 ○
- 180 An Initial miRNA Profile of Persons With Persisting Neurobehavioral Impairments and States of Disordered Consciousness After Severe Traumatic Brain Injury. Publish Ahead of Print, 1

- 179 Gall-specific promoter, an alternative to the constitutive CaMV35S promoter, drives host-derived RNA interference targeting Mi-*msp2* gene to confer effective nematode resistance. **13**, ○
- 178 tRNA-derived fragments as new players in regulatory processes in yeast. ○
- 177 A history of the genetic and molecular identification of genes and their functions controlling insect sex determination. **2022**, 103873 ○
- 176 Preparation, characterization, and in-vitro cytotoxicity of nanoliposomes loaded with anti-tubercular drugs and TGF- β siRNA for improving spinal tuberculosis therapy. **2022**, 22, ○
- 175 RNAi-mediated knockdown of juvenile hormone esterase causes mortality and malformation in *Tribolium castaneum* . ○
- 174 Using long, sequence-specific dsRNA to knockdown inducible protein expression and virus production via an RNAi-like mechanism. **2022**, 131, 945-957 ○
- 173 In vitro synergistic activity of cisplatin and EGFR-targeted nanomedicine of anti-Bcl-xL siRNA in a non-small lung cancer cell line model. **2022**, 4, 100139 ○
- 172 Challenges to perform an efficiently gene therapy adopting non-viral vectors: Melanoma landscape. **2022**, 78, 103964 ○
- 171 Topical delivery of dsRNA in two hemipteran species: Evaluation of RNAi specificity and non-target effects. **2022**, 105295 ○
- 170 Engineering poly- and micelleplexes for nucleic acid delivery [A reflection on their endosomal escape. **2023**, 353, 518-534 ○
- 169 RNA interference and gene editing. **2023**, 375-408 ○
- 168 Effects of length and sequence of long double-stranded RNAs targeting ribonucleotide reductase 2 of white spot syndrome virus (WSSV) on protective efficacy against WSSV. **2023**, 196, 107869 ○
- 167 The long and short: Non-coding RNAs in the mammalian inner ear. **2023**, 428, 108666 ○
- 166 Back to Chromatin: ENCODE and the Dynamic Epigenome. **2022**, 17, 235-242 ○
- 165 Biocatalytic Synthesis of Antiviral Nucleosides, Cyclic Dinucleotides, and Oligonucleotide Therapies. **1**
- 164 Developing New Tools to Fight Human Pathogens: A Journey through the Advances in RNA Technologies. **2022**, 10, 2303 ○
- 163 Effect of antiviral siRNAs on the production of cytokines in vitro. **2022**, 17, 384-393 ○
- 162 MetalOrganic Frameworks as Intelligent Drug Nanocarriers for Cancer Therapy. **2022**, 14, 2641 **1**

- 161 Effective delivery and selective insecticidal activity of double-stranded RNA via complexation with diblock copolymer varies with polymer block composition. ○
- 160 Do heritable immune responses extend physiological individuality?. **2022**, 44, ○
- 159 A robotic system for automated genetic manipulation and analysis of *Caenorhabditis elegans* on agar media. ○
- 158 Extending the Degradation Toolkit [mRNA Targeting as an Alternative Means to Affect Protein Levels. **2023**, 245-272 ○
- 157 Transgenic Improvement for Biotic Resistance of Crops. **2022**, 23, 14370 ○
- 156 Small RNA Targets: Advances in Prediction Tools and High-Throughput Profiling. **2022**, 11, 1798 1
- 155 RNA out of the mist. **2022**, ○
- 154 A Brief History of the Discovery of RNA-Mediated Antiviral Immune Defenses in Vector Mosquitoes. 1
- 153 Common Assays in Mammalian Golgi Studies. **2023**, 303-332 ○
- 152 Physiological Consequences of Targeting 14-3-3 and Its Interacting Partners in Neurodegenerative Diseases. **2022**, 23, 15457 1
- 151 Neurogenetic Analysis in *Caenorhabditis elegans*. **2023**, 13-46 ○
- 150 ER-associated RNA silencing promotes ER quality control. **2022**, 24, 1714-1725 ○
- 149 RNA-Interference-Mediated Aphid Control in Crop Plants: A Review. **2022**, 12, 2108 ○
- 148 RNA therapeutics for improving CAR T cell safety and efficacy. ○
- 147 In silico prediction of siRNA ionizable-lipid nanoparticles In vivo efficacy: Machine learning modeling based on formulation and molecular descriptors. 9, ○
- 146 RNAi as a tool to enhance crop yield and biotic stress management in the plants. ○
- 145 Silencing of juvenile hormone epoxide hydrolase gene in *Spodoptera litura* (Lepidoptera: Noctuidae) by oral delivery of double-stranded RNA. ○
- 144 Synthesis and Application of Low Molecular Weight PEI-Based Copolymers for siRNA Delivery with Smart Polymer Blends. 2200409 ○

143	The trigger for RNA interference to silence essential genes in southern pine beetle, <i>Dendroctonus frontalis</i> , demonstrates no lethal effects on pine-associated nontarget insects.	1
142	Gene Therapy and Cardiovascular Diseases. 2023 , 235-254	0
141	Alternative splicing of a carboxyl/choline esterase gene enhances the fenpropathrin tolerance of <i>Tetranychus cinnabarinus</i> .	0
140	Modifying enzyme replacement therapy [A perspective.	0
139	Bacteria-mediated RNAi for managing fall webworm, <i>Hyphantria cunea</i> : Screening target genes and analyzing lethal effect.	1
138	Strategies for Controlling the Sporulation in <i>Fusarium</i> spp. 2023 , 9, 10	2
137	RNA and nanocarriers: next generation drug and delivery platform take center stage. 2023 ,	0
136	Molecular Mechanisms, Diagnosis, and Rational Approaches to Management of and Therapy for Charcot-Marie-Tooth Disease and Related Peripheral Neuropathies. 2003 , 51, 261-283	1
135	Deciphering the Potential of RNAi Technology as Modulator of Plant Secondary Metabolites with Biomedical Significance. 2022 , 591-604	0
134	Identification of potent siRNA targeting complement C5 and its robust activity in pre-clinical models of myasthenia gravis and collagen-induced arthritis. 2023 ,	0
133	Fluorescent Nanoparticle-RNAi-Mediated Silencing of Sterol Carrier Protein-2 Gene Expression Suppresses the Growth, Development, and Reproduction of <i>Helicoverpa armigera</i> . 2023 , 13, 245	0
132	Editorial: Functional analysis of species-specific non-coding RNAs in plants. 13,	0
131	Synergism of Feeding and Digestion Regulated by the Neuropeptide F System in <i>Ostrinia furnacalis</i> Larvae. 2023 , 12, 194	0
130	Structural Modifications of siRNA Improve Its Performance In Vivo. 2023 , 24, 956	1
129	Origins and diversification of animal innate immune responses against viral infections.	0
128	Recent approaches for enhancing the performance of dissolving microneedles in drug delivery applications. 2023 ,	0
127	Self-Assembled Oleic Acid-Modified Polyallylaminates for Improved siRNA Transfection Efficiency and Lower Cytotoxicity.	0
126	Constructing artificial nucleobase compilation to enable precise molecular medicine.	0

- 125 Dual-effect recombinant baculovirus mediated RNA interference with V-ATPase of fall armyworm, *Spodoptera frugiperda*. ○
- 124 Simple cost-effective larval injection method for dsRNA delivery to induce RNAi response in *Helicoverpa armigera* (Hübner). ○
- 123 Current advances in antiviral RNA interference in mammals. ○
- 122 Epigenetic inheritance of gene silencing is maintained by a self-tuning mechanism based on resource competition. **2023**, 14, 24-40.e11 ○
- 121 Effective carrier-free gene-silencing activity of sphingosine-modified siRNAs. ○
- 120 siRNAs pools generated in *Escherichia coli* exhibit strong RNA-interference activity against influenza virus genomic sequences. **2023**, 579, 38-45 ○
- 119 Inhibition of WNT signaling by conjugated microRNA nano-carriers: A new therapeutic approach for treating triple-negative breast cancer a perspective review. **2023**, 182, 103901 ○
- 118 Liver cancer cells as the model for developing liver-targeted RNAi therapeutics. **2023**, 644, 85-94 ○
- 117 Supramolecular peptide hydrogel doped with nanoparticles for local siRNA delivery and diabetic wound healing. **2023**, 457, 141244 ○
- 116 pferNAs- A Novel Class of Small Non-Coding RNAs With Real Translational Potential. **2023**, 284, 237-244 ○
- 115 Relevance for mRNA Vaccine Safety. **2023**, 41-85 ○
- 114 MicroRNA 200a as a histologically independent marker for meningioma recurrence: Results of a four microRNA panel analysis in meningiomas. ○
- 113 RNA Interference Applications for Machado-Joseph Disease. ○
- 112 Dissecting Functional Biological Interactions Using Modular RNA Nanoparticles. **2023**, 28, 228 ○
- 111 Time Is a Critical Factor When Evaluating Oligonucleotide Therapeutics in Human Ether-a-Go-Go-Related Gene Assays. ○
- 110 RNA Interference Approach Is a Good Strategy against SARS-CoV-2. **2023**, 15, 100 ○
- 109 Molecular Variation and Genomic Function of Citrus Vein Enation Virus. **2023**, 24, 412 ○
- 108 Petits ARN interférents : applications potentielles pour les néphrologues Small interfering RNA: potential applications for nephrologists. **2022**, 18, 6S1-6S6 ○

107	Molecular elements: novel approaches for molecular building. 2023 , 378,	1
106	Host Plant Resistance: An Eco-Friendly Approach for Crop Disease Management. 2021 , 395-449	0
105	AmAtg2B-Mediated Lipophagy Regulates Lipolysis of Pupae in <i>Apis mellifera</i> . 2023 , 24, 2096	0
104	cgNA+web : A visual interface to the cgNA+ sequence-dependent statistical mechanics model of double-stranded nucleic acids. 2023 , 167978	0
103	Silencing of the immune gene BmPGRP-L4 in the midgut affects the growth of silkworm (<i>Bombyx mori</i>) larvae.	0
102	Utilizing the FLP-Out System for Clonal RNAi Analysis in the Adult <i>Drosophila</i> Ovary. 2023 , 69-87	0
101	A modERN Resource: Identification of <i>Drosophila</i> Transcription Factor candidate target genes using RNAi..	0
100	Mesyl Phosphoramidate Oligonucleotides: A New Promising Type of Antisense Agents. 2023 , 1-41	0
99	Factors Affecting Arbovirus Midgut Escape in Mosquitoes. 2023 , 12, 220	1
98	Passive, active and endogenous organ-targeted lipid and polymer nanoparticles for delivery of genetic drugs.	2
97	Development and Perspective of <i>Rhodotorula toruloides</i> as an Efficient Cell Factory. 2023 , 71, 1802-1819	0
96	Characterization, expression analysis and RNAi-mediated knockdown of two aquaporin genes in the cotton leafworm, <i>Spodoptera littoralis</i> (Lepidoptera: Noctuidae). 120, 15-25	0
95	Genetic manipulations in helminth parasites.	0
94	Inclisiran Safety and Effectiveness of Small Interfering RNA in Inhibition of PCSK-9. 2023 , 15, 323	0
93	Lipid and Peptide-Oligonucleotide Conjugates for Therapeutic Purposes: From Simple Hybrids to Complex Multifunctional Assemblies. 2023 , 15, 320	1
92	Paternal and maternal environmental influences on offspring health: inter- and transgenerational epigenetic inheritance. 2023 , 299-325	0
91	Gene cargo delivery aspects of carbon nanotubes. 2023 , 157-173	0
90	MicroRNAs associated with <i>Helicobacter pylori</i> and Epstein-Barr virus infections in gastric cancer. 2023 , 71-94	0

- 89 Spatial-Temporal Genome Regulation in Stress-Response and Cell-Fate Change. **2023**, 24, 2658 1
- 88 Groundnut bud necrosis virus (GBNV) and the management of peanut bud necrosis disease (PBND). **2023**, 557-589 0
- 87 RNA interference against RNA viruses in plants. **2023**, 607-625 0
- 86 Genetic engineering of algae material. **2023**, 355-382 0
- 85 Nanotechnology for DNA and RNA delivery. **2023**, 81-111 0
- 84 Delivery of Methoprene-Tolerant dsRNA to Improve RNAi Efficiency by Modified Liposomes for Pest Control. **2023**, 15, 13576-13588 0
- 83 Controlling protein stability with SUL1, a highly sensitive tag for stabilization upon light induction. **2023**, 14, 0
- 82 Science fact vs science fiction: A ChatGPT immunological review experiment gone awry. **2023**, 256-257, 42-47 0
- 81 Fox transcription factor AccGRF1 in response to glyphosate stress in *Apis cerana cerana*. **2023**, 192, 105419 0
- 80 Solid-phase synthesis and properties of stereocontrolled boranophosphate/phosphate and phosphorothioate/phosphate chimeric oligouridylates. **2023**, 10, 0
- 79 Aberrant Cyclin D1 splicing in cancer: from molecular mechanism to therapeutic modulation. **2023**, 14, 0
- 78 Optochemical Control of mRNA Translation in Eukaryotes. 0
- 77 siRNA Loaded in Drug Delivery Nanosystems as a Strategy for Breast Cancer Treatment. **2022**, 0
- 76 The Current Status of Antisense Gene Therapies for Bacteria-caused Diseases Challenges and Opportunities. **2023**, 29, 272-282 0
- 75 Gene Nanovector for Genome Therapy. **2022**, 1-36 0
- 74 Silenciamiento genético: una herramienta molecular para el estudio de la función génica. **2014**, 3, 13-14 0
- 73 Acyclic (S)-glycol nucleic acid (S-GNA) modification of siRNAs improves the safety of RNAi therapeutics while maintaining potency. **2023**, 29, 402-414 0
- 72 DNA Nanogel for Cancer Therapy. **2023**, 6, 0

- 71 CoreShell Polymeric Nanostructures with Intracellular ATP-Fueled dsRNA Delivery toward Genetic Control of Insect Pests. **2023**, 71, 2762-2772 ○
- 70 LDLR-mediated targeting and productive uptake of siRNA-peptide ligand conjugates in vitro and in vivo. ○
- 69 Tweaking the Small Non-Coding RNAs to Improve Desirable Traits in Plant. **2023**, 24, 3143 ○
- 68 Target-specific requirements for RNA interference can be explained by a single regulatory network. ○
- 67 Using RNAi to Examine the Connection between Phenotype and Genotype in *Caenorhabditis elegans* to Enhance the Undergraduate Research Experience. **2023**, 85, 111-116 ○
- 66 Gene Silencing of laccase 1 Induced by Double-Stranded RNA in *Callosobruchus maculatus* (Fabricius 1775) (Coleoptera: Chrysomelidae) Suggests RNAi as a Potential New Biotechnological Tool for Bruchid Control. **2023**, 13, 412 ○
- 65 Knockdown of Dcr1 and Dcr2 limits the lethal effect of C-factor in *Chilo suppressalis*. **2023**, 113, ○
- 64 Genome-wide identification and characterization of major RNAi genes highlighting their regulatory factors in Cowpea (*Vigna unguiculata*(L.) Walp.). ○
- 63 Modified Linear Peptides Effectively Silence STAT-3 in Breast Cancer and Ovarian Cancer Cell Lines. **2023**, 15, 666 ○
- 62 Non-canonical pattern recognition of a pathogen-derived metabolite by a nuclear hormone receptor identifies virulent bacteria in *C. elegans*. **2023**, 56, 768-782.e9 ○
- 61 Mécanismes d'action et brevetabilité des oligonucléotides thérapeutiques. **2023**, 39, 111-118 ○
- 60 PLGA-Based Micro/Nanoparticles: An Overview of Their Applications in Respiratory Diseases. **2023**, 24, 4333 ○
- 59 Responses of sorghum to cold stress: A review focused on molecular breeding. 14, ○
- 58 Hacking hematopoiesis: Emerging tools for examining variant effects. **2023**, 16, ○
- 57 The challenge of balancing fungicide use and pollinator health. **2023**, ○
- 56 Active zone protein SYD-2/Liprin-β acts downstream of LRK-1/LRRK2 to regulate polarized trafficking of synaptic vesicle precursors through clathrin adaptor protein complexes. ○
- 55 MOF as nanoscale drug delivery devices: Synthesis and recent progress in biomedical applications. **2023**, 81, 104285 1
- 54 Inclisiran: new era of lipid-lowering therapy?. **2023**, 65, 69-75 ○

- 53 The third barrier to transgenerational inheritance in animals: somatic epigenetic resetting. **2023**, 24, ○
- 52 BioMOF-Based Anti-Cancer Drug Delivery Systems. **2023**, 13, 953 ○
- 51 Mechanisms of transgenerational epigenetic inheritance: lessons from animal model organisms. **2023**, 79, 102024 ○
- 50 Polysaccharide-Based Stimulus-Responsive Nanomedicines for Combination Cancer Immunotherapy. 2206211 ○
- 49 Advances in Injectable Hydrogel Strategies for Heart Failure Treatment. ○
- 48 Site-specific analysis reveals candidate cross-kingdom small RNAs, tRNA and rRNA fragments, and signs of fungal RNA phasing in the barley powdery mildew interaction. ○
- 47 Co-infection of TYLCV and ToCV increases cathepsin B and promotes ToCV transmission by Bemisia tabaci MED. 14, ○
- 46 Evaluation of the anti-viral efficacy of three different dsRNA nanoparticles against potato virus Y using various delivery methods. **2023**, 255, 114775 ○
- 45 Optochemical Control of mRNA Translation in Eukaryotes. ○
- 44 Microbial Biopesticides: Diversity, Scope, and Mechanisms Involved in Plant Disease Control. **2023**, 15, 457 ○
- 43 Establishment, optimization, and application of genetic technology in Aspergillus spp.. 14, ○
- 42 Cancer-related hypercalcemia and potential treatments. 14, ○
- 41 What Counts as an Immune Response? On the Role of Abiotic Stress in Immunology. ○
- 40 The Role of miR-128 in Neurodegenerative Diseases. **2023**, 24, 6024 ○
- 39 The Small RNA Landscape in NSCLC: Current Therapeutic Applications and Progresses. **2023**, 24, 6121 ○
- 38 RNA interference of PHB1 enhances virulence of Vip3Aa to Sf9 cells and Spodoptera frugiperda larvae. ○
- 37 Beyond the reference: gene expression variation and transcriptional response to RNAi in C. elegans. ○
- 36 A neurotransmitter histamine mediating phototransduction and photopreference in Callosobruchus maculatus. ○

- 35 Evidence for RNA or protein transport from somatic tissues to the male reproductive tract in mouse. **12**, ○
- 34 Oral delivery of RNAi for cancer therapy. ○
- 33 Aptamer-Based Targeted Delivery of Functional Nucleic Acids. **2023**, 145, 7677-7691 ○
- 32 Plant-Derived Biomaterials and Their Potential in Cardiac Tissue Repair. ○
- 31 Phosphorothioate Nucleic Acids: Artificial Modification Envisaged by Nature. **2023**, 1-26 ○
- 30 Transgenesis and Genome Engineering: A Historical Review. **2023**, 1-32 ○
- 29 Weed Science and Weed Management. **2023**, 713-758 ○
- 28 Novel insights into virus-host interactions using the model organism *C. elegans*. **2023**, ○
- 27 Greenhouse test of spraying dsRNA to control the western flower thrips, *Frankliniella occidentalis*, infesting hot peppers. **2023**, 23, ○
- 26 Epigenetic inheritance of gene-silencing is maintained by a self-tuning mechanism based on resource competition. ○
- 25 Review: Recent Applications of Gene Editing in Fish Species and Aquatic Medicine. **2023**, 13, 1250 ○
- 24 A Dual-Function Cre-Lox System for Genetic Deletion or Reversible, Titratable, and Near-Complete Downregulation of Cathepsin D. **2023**, 24, 6745 ○
- 23 Understanding the principles of transitive silencing. **2023**, 425-444 ○
- 22 RNAi-based pesticides: A magic bullet to deal with plant viruses. **2023**, 525-555 ○
- 21 Advances in molecular targeted therapies to increase efficacy of (chemo)radiation therapy. ○
- 20 The RNA interactome in the Hallmarks of Cancer. ○
- 19 Targeting miRNAs and Other Non-Coding RNAs as a Therapeutic Approach: An Update. **2023**, 9, 27 ○
- 18 Infection Defects of RNA and DNA Viruses Induced by Antiviral RNA Interference. ○

- 17 Editorial: dsRNA-based pesticides: production, development, and application technology. 11, ○
- 16 Differential Expression of Non-Coding RNAs in Stem Cell Development and Therapeutics of Bone Disorders. **2023**, 12, 1159 ○
- 15 An Overview of Targeted Genome Editing Strategies for Reducing the Biosynthesis of Phytic Acid: an Anti-nutrient in Crop Plants. ○
- 14 Genetically Encoded DNA Origami for Gene Therapy In Vivo. ○
- 13 Terminal bridging of siRNA duplex at the ribose 2' position controls strand bias and target sequence preference. **2023**, ○
- 12 A small RNA system ensures accurate homologous pairing and unpaired silencing of meiotic chromosomes. ○
- 11 The nuclear Argonaute HRDE-1 directs target gene re-localization and shuttles to nuage to promote small RNA-mediated inherited silencing. **2023**, 42, 112408 ○
- 10 Small RNA transgenesis for abiotic stress tolerant food crops. **2023**, 507-543 ○
- 9 Development of RNAi-based biopesticides, regulatory constraints, and commercial prospects. **2023**, 149-171 ○
- 8 Peeking into plant-microbe interactions during plant defense. **2023**, 167-200 ○
- 7 Methodologies for the development of cereals and pseudocereals for improved quality and nutritional value. **2023**, 205-231 ○
- 6 Regulation of morphogenesis and development in food crops: role of small RNA. **2023**, 215-232 ○
- 5 RNAi for the Treatment of People with Hemophilia: Current Evidence and Patient Selection. Volume 14, 317-327 ○
- 4 A concise review on miRNAs as regulators of colon cancer stem cells and associated signalling pathways. ○
- 3 Cardiac performance and heart gene network provide dynamic responses of bay scallop *Argopecten irradians* to marine heatwaves. **2023**, 163594 ○
- 2 Reproductive-Toxicity-Related Endpoints in *C. elegans* Are Consistent with Reduced Concern for Dimethylarsinic Acid Exposure Relative to Inorganic Arsenic. **2023**, 11, 18 ○
- 1 Auxin-inducible degron system: an efficient protein degradation tool to study protein function. **2023**, 74, 186-198 ○