

CITATION REPORT

List of articles citing

IKK-gamma is an essential regulatory subunit of the IkappaB kinase complex

DOI: 10.1038/26261

Nature, 1998, 395, 297-300.

Source: <https://exaly.com/paper-pdf/28895999/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
885	Identification of the receptor component of the I κ B kinase. <i>Nature</i> , 1998 , 396, 590-4	50.4	591
884	Regulation of activity of the transcription factor GATA-1 by acetylation. <i>Nature</i> , 1998 , 396, 594-8	50.4	638
883	Signal transduction. Docking I κ B kinases. <i>Nature</i> , 1998 , 395, 225-6	50.4	62
882	Nuclear glue. <i>Nature</i> , 1998 , 395, 226-226	50.4	
881	Ionizing radiation and short wavelength UV activate NF- κ B through two distinct mechanisms. 1998 , 95, 13012-7		385
880	Is NF- κ B the sensor of oxidative stress?. 1999 , 13, 1137-1143		729
879	Abstracts 242047. 1999 , 22, 295-305		1
878	Reactive oxygen intermediate-dependent NF- κ B activation by interleukin-1 β requires 5-lipoxygenase or NADPH oxidase activity. 1999 , 19, 1950-60		208
877	Direct association and nuclear import of the hepatitis B virus X protein with the NF- κ B inhibitor I κ B. 1999 , 19, 6345-54		119
876	The NF- κ B activation pathway: a paradigm in information transfer from membrane to nucleus. <i>Science Signaling</i> , 1999 , 1999, RE1	8.8	295
875	Cell specific effects of glucocorticoid treatment on the NF- κ B/p65/I κ B system in patients with Crohn's disease. 1999 , 45, 693-704		61
874	Inhibition of NF- κ B potentiates amyloid β -mediated neuronal apoptosis. 1999 , 96, 9409-14		264
873	Nuclear factor κ B in liver disease. 1999 , 45, 170-1		5
872	I κ B γ mediates the interaction of cellular I κ B kinases with the tax transforming protein of human T cell leukemia virus type 1. <i>Journal of Biological Chemistry</i> , 1999 , 274, 15297-300	5.4	149
871	Functional interactions of transforming growth factor β -activated kinase 1 with I κ B kinases to stimulate NF- κ B activation. <i>Journal of Biological Chemistry</i> , 1999 , 274, 10641-8	5.4	189
870	The human T-cell leukemia virus type-1 Tax protein regulates the activity of the I κ B kinase complex. <i>Journal of Biological Chemistry</i> , 1999 , 274, 34417-24	5.4	32
869	Identification of the ubiquitin carrier proteins, E2s, involved in signal-induced conjugation and subsequent degradation of I κ B. <i>Journal of Biological Chemistry</i> , 1999 , 274, 14823-30	5.4	99

868	Nuclear I κ B maintains persistent NF- κ B activation in HIV-1-infected myeloid cells. <i>Journal of Biological Chemistry</i> , 1999 , 274, 13010-6	5-4	47
867	Role of adapter function in oncoprotein-mediated activation of NF- κ B. Human T-cell leukemia virus type I Tax interacts directly with I κ B kinase gamma. <i>Journal of Biological Chemistry</i> , 1999 , 274, 17402-5	5-4	188
866	The beginning of the end: I κ B kinase (IKK) and NF- κ B activation. <i>Journal of Biological Chemistry</i> , 1999 , 274, 27339-42	5-4	542
865	Interleukin-10 signaling blocks inhibitor of κ B kinase activity and nuclear factor κ B DNA binding. <i>Journal of Biological Chemistry</i> , 1999 , 274, 31868-74	5-4	384
864	The IKKbeta subunit of I κ B kinase (IKK) is essential for nuclear factor κ B activation and prevention of apoptosis. 1999 , 189, 1839-45		829
863	Pyropheophorbide-a methyl ester-mediated photosensitization activates transcription factor NF- κ B through the interleukin-1 receptor-dependent signaling pathway. <i>Journal of Biological Chemistry</i> , 1999 , 274, 2988-3000	5-4	67
862	Kinase targets in inflammation. 1999 , 3, 1-25		1
861	beta-TrCP mediates the signal-induced ubiquitination of I κ Bbeta. <i>Journal of Biological Chemistry</i> , 1999 , 274, 29591-4	5-4	54
860	IKKgamma serves as a docking subunit of the I κ B kinase (IKK) and mediates interaction of IKK with the human T-cell leukemia virus Tax protein. <i>Journal of Biological Chemistry</i> , 1999 , 274, 22911-4	5-4	197
859	Common pathway for the ubiquitination of I κ Balpha, I κ Bbeta, and I κ Bepsilon mediated by the F-box protein FWD1. <i>Journal of Biological Chemistry</i> , 1999 , 274, 28169-74	5-4	73
858	Molecular dissection of the interactions among I κ Balpha, FWD1, and Skp1 required for ubiquitin-mediated proteolysis of I κ Balpha. <i>Journal of Biological Chemistry</i> , 1999 , 274, 29641-7	5-4	36
857	CLAP, a novel caspase recruitment domain-containing protein in the tumor necrosis factor receptor pathway, regulates NF- κ B activation and apoptosis. <i>Journal of Biological Chemistry</i> , 1999 , 274, 17948-54	5-4	91
856	Ubiquitin-dependent degradation of I κ Balpha is mediated by a ubiquitin ligase Skp1/Cul1/F-box protein FWD1. 1999 , 96, 3859-63		179
855	Peptides corresponding to the N and C termini of I κ B-alpha, -beta, and -epsilon as probes of the two catalytic subunits of I κ B kinase, IKK-1 and IKK-2. <i>Journal of Biological Chemistry</i> , 1999 , 274, 36146-52	5-4	14
854	Regulation of nuclear localization: a key to a door. 1999 , 15, 291-339		267
853	NF- κ B as a primary regulator of the stress response. 1999 , 18, 6163-71		354
852	How NF- κ B is activated: the role of the I κ B kinase (IKK) complex. 1999 , 18, 6867-74		984
851	Persistent activation of NF- κ B by the tax transforming protein of HTLV-1: hijacking cellular I κ B kinases. 1999 , 18, 6948-58		168

850	The proinflammatory transcription factor NF-kappaB: a potential target for novel therapeutical strategies. 1999 , 15, 341-4	79
849	The F-box: a new motif for ubiquitin dependent proteolysis in cell cycle regulation and signal transduction. 1999 , 72, 299-328	223
848	Multiple signals converging on NF-kappaB. 1999 , 11, 226-32	418
847	Transformation of leukocytes by Theileria parva and T. annulata. 1999 , 53, 1-42	139
846	IkappaB kinases: kinsmen with different crafts. 1999 , 284, 271-3	120
845	Positive and negative regulation of IkappaB kinase activity through IKKbeta subunit phosphorylation. 1999 , 284, 309-13	768
844	Abnormal morphogenesis but intact IKK activation in mice lacking the IKKalpha subunit of IkappaB kinase. 1999 , 284, 316-20	745
843	Severe liver degeneration in mice lacking the IkappaB kinase 2 gene. 1999 , 284, 321-5	892
842	NF-B as an emerging target in atopy. 1999 , 3, 213-228	2
841	SUMO/sentrin: protein modifiers regulating important cellular functions. 1999 , 77, 299-309	34
840	New insights into the roles of Rel/NF-kappa B transcription factors in immune function, hemopoiesis and human disease. 1999 , 31, 1209-19	64
839	NF-kappaB activation and HIV-1 induced apoptosis. 1999 , 10, 235-53	29
838	The NF-kappaB/Rel family of transcription factors in oncogenic transformation and apoptosis. 1999 , 437, 231-43	61
837	Embryonic lethality, liver degeneration, and impaired NF-kappa B activation in IKK-beta-deficient mice. 1999 , 10, 421-9	512
836	JNK2 and IKKbeta are required for activating the innate response to viral infection. 1999 , 11, 721-31	342
835	Hormonal regulation of the NF-kappaB signaling pathway. 1999 , 157, 1-9	52
834	Differential effects of lipopolysaccharide and tumor necrosis factor on monocytic IkappaB kinase signalsome activation and IkappaB proteolysis. <i>Journal of Biological Chemistry</i> , 1999 , 274, 24625-32	5-4 60
833	A complex containing betaTrCP recruits Cdc34 to catalyse ubiquitination of IkappaBalpha. 1999 , 455, 311-4	17

832	The kinetics of association and phosphorylation of IkappaB isoforms by IkappaB kinase 2 correlate with their cellular regulation in human endothelial cells. 1999 , 38, 6231-8		25
831	Control of NF-kappa B transcriptional activation by signal induced proteolysis of I kappa B alpha. 1999 , 354, 1601-9		70
830	NF-kappaB p105 is a target of IkappaB kinases and controls signal induction of Bcl-3-p50 complexes. 1999 , 18, 4766-78		167
829	The SCFbeta-TRCP-ubiquitin ligase complex associates specifically with phosphorylated destruction motifs in IkappaBalpha and beta-catenin and stimulates IkappaBalpha ubiquitination in vitro. <i>Genes and Development</i> , 1999 , 13, 270-83	12.6	735
828	Regulation of RelA subcellular localization by a putative nuclear export signal and p50. 1999 , 19, 7088-95		85
827	RelB modulation of IkappaBalpha stability as a mechanism of transcription suppression of interleukin-1alpha (IL-1alpha), IL-1beta, and tumor necrosis factor alpha in fibroblasts. 1999 , 19, 7688-96		66
826	Induction of interleukin-8 synthesis integrates effects on transcription and mRNA degradation from at least three different cytokine- or stress-activated signal transduction pathways. 1999 , 19, 6742-53		263
825	Mutant cells that do not respond to interleukin-1 (IL-1) reveal a novel role for IL-1 receptor-associated kinase. 1999 , 19, 4643-52		201
824	Bridging the gap: composition, regulation, and physiological function of the IkappaB kinase complex. 1999 , 19, 4547-51		311
823	Signaling by proinflammatory cytokines: oligomerization of TRAF2 and TRAF6 is sufficient for JNK and IKK activation and target gene induction via an amino-terminal effector domain. <i>Genes and Development</i> , 1999 , 13, 1297-308	12.6	384
822	IKK1-deficient mice exhibit abnormal development of skin and skeleton. <i>Genes and Development</i> , 1999 , 13, 1322-8	12.6	408
821	Protein kinase calpha but not p44/42 mitogen-activated protein kinase, p38, or c-Jun NH(2)-terminal kinase is required for intercellular adhesion molecule-1 expression mediated by interleukin-1beta: involvement of sequential activation of tyrosine kinase, nuclear factor-kappa B, and phosphoinositide 3-kinase. 2000 , 50, 1470-80		64
820	Toll-like receptors: a growing family of immune receptors that are differentially expressed and regulated by different leukocytes. 2000 , 67, 450-6		131
819	NF-kappaB signaling proteins as therapeutic targets for inflammatory bowel diseases. 2000 , 6, 206-13		86
818	Mitogen-activated kinase kinase kinase 1 regulates T cell receptor- and CD28-mediated signaling events which lead to NF-kappaB activation. 2000 , 30, 2445-54		31
817	Transcription factor NF-B in glomerulonephritis. 2000 , 5, 71-82		9
816	NF-kappaB activation through IKK-i-dependent I-TRAF/TANK phosphorylation. 2000 , 5, 191-202		86
815	NF-kappaB and the innate immune response. 2000 , 12, 52-8		305

814	Anti-inflammatory cyclopentenone prostaglandins are direct inhibitors of I κ B kinase. <i>Nature</i> , 2000 , 403, 103-8	50.4	1225
813	Nuclear pore complexes in the organization of silent telomeric chromatin. <i>Nature</i> , 2000 , 403, 108-12	50.4	266
812	Signal transduction on the fly. 2000 , 1, 279-81		2
811	Role of <i>Drosophila</i> IKK gamma in a toll-independent antibacterial immune response. 2000 , 1, 342-7		213
810	Somatic mutagenesis studies of NF-kappa B signaling in human T cells: evidence for an essential role of IKK gamma in NF-kappa B activation by T-cell costimulatory signals and HTLV-I Tax protein. 2000 , 19, 1448-56		101
809	Activation of NF-kappa B by the dsRNA-dependent protein kinase, PKR involves the I kappa B kinase complex. 2000 , 19, 1369-78		116
808	Activation of death-inducing signaling complex (DISC) by pro-apoptotic C-terminal fragment of RIP. 2000 , 19, 4491-9		81
807	Activation of IKKalpha and IKKbeta through their fusion with HTLV-I tax protein. 2000 , 19, 5198-203		53
806	Genomic rearrangement in NEMO impairs NF-kappaB activation and is a cause of incontinentia pigmenti. The International Incontinentia Pigmenti (IP) Consortium. <i>Nature</i> , 2000 , 405, 466-72	50.4	607
805	Toll-like receptors. 2000 , 2, 251-5		61
804	Protein kinase C-alpha is an upstream activator of the I κ B kinase complex in the TPA signal transduction pathway to NF-kappaB in U2OS cells. 2000 , 12, 759-68		77
803	The IKK complex: an integrator of all signals that activate NF-kappaB?. 2000 , 10, 129-33		362
802	Oxidative stress interference with the nuclear factor-kappa B activation pathways. 2000 , 60, 1075-83		194
801	A20 and A20-binding proteins as cellular inhibitors of nuclear factor-kappa B-dependent gene expression and apoptosis. 2000 , 60, 1143-51		259
800	Oxidative stress and nuclear factor-kappaB activation: a reassessment of the evidence in the light of recent discoveries. 2000 , 59, 13-23		799
799	Heat shock factors and the control of the stress response. 2000 , 59, 55-63		435
798	I κ B/NF-kappaB mediated cisplatin resistance in HeLa cells after low-dose gamma-irradiation is associated with altered SODD expression. 2000 , 5, 255-63		25
797	NF-kappa B regulates the LPS-induced expression of interleukin 12 p40 in murine peritoneal macrophages: roles of PKC, PKA, ERK, p38 MAPK, and proteasome. 2000 , 204, 38-45		45

796	Deficiency of T2K leads to apoptotic liver degeneration and impaired NF-kappaB-dependent gene transcription. 2000 , 19, 4976-85		294
795	Phosphorylation meets ubiquitination: the control of NF-[kappa]B activity. 2000 , 18, 621-63		3979
794	Nucleocytoplasmic shuttling of transcription factors. 2000 , 57, 1193-206		42
793	The I kappa B/NF-kappa B system: a key determinant of mucosal inflammation and protection. 2000 , 278, C451-62		330
792	The mitochondrial permeability transition augments Fas-induced apoptosis in mouse hepatocytes. <i>Journal of Biological Chemistry</i> , 2000 , 275, 11814-23	5-4	121
791	Enhanced DNA binding and activation of transcription factors NF-kappa B and AP-1 by acetaldehyde in HEPG2 cells. <i>Journal of Biological Chemistry</i> , 2000 , 275, 14684-90	5-4	49
790	Topoisomerase II is required for mitoxantrone to signal nuclear factor kappa B activation in HL60 cells. <i>Journal of Biological Chemistry</i> , 2000 , 275, 25231-8	5-4	50
789	A functional role of I kappa B-epsilon in endothelial cell activation. 2000 , 164, 3316-22		57
788	Activation of the Ikappa B kinases by RIP via IKKgamma /NEMO-mediated oligomerization. <i>Journal of Biological Chemistry</i> , 2000 , 275, 37966-77	5-4	143
787	Regulation of the NF-kappaB activation pathway by isolated domains of FIP3/IKKgamma, a component of the IkappaB-alpha kinase complex. <i>Journal of Biological Chemistry</i> , 2000 , 275, 9882-9	5-4	74
786	Vitamin C inhibits NF-kappa B activation by TNF via the activation of p38 mitogen-activated protein kinase. 2000 , 165, 7180-8		238
785	Inhibition of NF-kappa B activation by arsenite through reaction with a critical cysteine in the activation loop of Ikappa B kinase. <i>Journal of Biological Chemistry</i> , 2000 , 275, 36062-6	5-4	300
784	Activation of NF-kappa B by XIAP, the X chromosome-linked inhibitor of apoptosis, in endothelial cells involves TAK1. <i>Journal of Biological Chemistry</i> , 2000 , 275, 22064-8	5-4	181
783	Phosphatidylinositol 3-kinase as a mediator of TNF-induced NF-kappa B activation. 2000 , 164, 1355-63		165
782	MEK kinase 1 is critically required for c-Jun N-terminal kinase activation by proinflammatory stimuli and growth factor-induced cell migration. 2000 , 97, 5243-8		240
781	TNF-alpha-induced cyclooxygenase-2 expression in human lung epithelial cells: involvement of the phospholipase C-gamma 2, protein kinase C-alpha, tyrosine kinase, NF-kappa B-inducing kinase, and I-kappa B kinase 1/2 pathway. 2000 , 165, 2719-28		168
780	A Drosophila IkappaB kinase complex required for Relish cleavage and antibacterial immunity. <i>Genes and Development</i> , 2000 , 14, 2461-71	12.6	240
779	The physical association of protein kinase C theta with a lipid raft-associated inhibitor of kappa B factor kinase (IKK) complex plays a role in the activation of the NF-kappa B cascade by TCR and CD28. 2000 , 165, 6933-40		120

778	Functional isoforms of IkappaB kinase alpha (IKKalpha) lacking leucine zipper and helix-loop-helix domains reveal that IKKalpha and IKKbeta have different activation requirements. 2000 , 20, 2635-49		14
777	Activation of I-kappaB kinase by the HTLV type 1 Tax protein: mechanistic insights into the adaptor function of IKKgamma. 2000 , 16, 1591-6		33
776	NF-kappaB activation by double-stranded-RNA-activated protein kinase (PKR) is mediated through NF-kappaB-inducing kinase and IkappaB kinase. 2000 , 20, 1278-90		290
775	IL-1 signaling cascade in liver cells and the involvement of a soluble form of the IL-1 receptor accessory protein. 2000 , 164, 5277-86		99
774	An induced proximity model for NF-kappa B activation in the Nod1/RICK and RIP signaling pathways. <i>Journal of Biological Chemistry</i> , 2000 , 275, 27823-31	5-4	429
773	The I kappa B kinase (IKK) complex is tripartite and contains IKK gamma but not IKAP as a regular component. <i>Journal of Biological Chemistry</i> , 2000 , 275, 29779-87	5-4	99
772	Detection and purification of a multiprotein kinase complex from mammalian cells. IKK signalsome. 2000 , 99, 109-25		5
771	LPS and cytokine-activated endothelium. 2000 , 26, 571-87		79
770	Mechanisms of NF-kappaB activation by the HTLV type 1 tax protein. 2000 , 16, 1583-90		35
769	Scaffold proteins may biphasically affect the levels of mitogen-activated protein kinase signaling and reduce its threshold properties. 2000 , 97, 5818-23		387
768	Photosensitization and redox signaling. 2000 , 2, 301-15		10
767	Simvastatin modulates cytokine-mediated endothelial cell adhesion molecule induction: involvement of an inhibitory G protein. 2000 , 165, 2712-8		114
766	p21-activated kinase 1 activates the nuclear factor kappa B (NF-kappa B)-inducing kinase-Ikappa B kinases NF-kappa B pathway and proinflammatory cytokines in Helicobacter pylori infection. <i>Journal of Biological Chemistry</i> , 2000 , 275, 39779-85	5-4	86
765	A phosphatidylinositol 3-kinase/Akt pathway, activated by tumor necrosis factor or interleukin-1, inhibits apoptosis but does not activate NFkappaB in human endothelial cells. <i>Journal of Biological Chemistry</i> , 2000 , 275, 15458-65	5-4	173
764	Characterization of the recombinant IKK1/IKK2 heterodimer. Mechanisms regulating kinase activity. <i>Journal of Biological Chemistry</i> , 2000 , 275, 25883-91	5-4	51
763	The NF-kappa B signaling pathway is not required for Fas ligand gene induction but mediates protection from activation-induced cell death. <i>Journal of Biological Chemistry</i> , 2000 , 275, 25222-30	5-4	42
762	Protein kinase C-theta participates in NF-kappaB activation induced by CD3-CD28 costimulation through selective activation of IkappaB kinase beta. 2000 , 20, 2933-40		238
761	Domain-specific interaction with the I kappa B kinase (IKK)regulatory subunit IKK gamma is an essential step in tax-mediated activation of IKK. <i>Journal of Biological Chemistry</i> , 2000 , 275, 34060-7	5-4	85

760	PKR stimulates NF-kappaB irrespective of its kinase function by interacting with the IkappaB kinase complex. 2000 , 20, 4532-42		169
759	Requirement of tumor necrosis factor receptor-associated factor (TRAF)6 in interleukin 17 signal transduction. 2000 , 191, 1233-40		285
758	Stimulation of NFkappa B activity by multiple signaling pathways requires PAK1. <i>Journal of Biological Chemistry</i> , 2000 , 275, 19693-9	5-4	158
757	Analysis of domains in the IKKalpha and IKKbeta proteins that regulate their kinase activity. <i>Journal of Biological Chemistry</i> , 2000 , 275, 14752-9	5-4	42
756	It's got you covered. NF-kappaB in the epidermis. 2000 , 149, 999-1004		106
755	IkappaB kinase alpha (IKKalpha) regulation of IKKbeta kinase activity. 2000 , 20, 3655-66		50
754	Role of the IkappaB kinase complex in oncogenic Ras- and Raf-mediated transformation of rat liver epithelial cells. 2000 , 20, 5381-91		105
753	Activation of the heterodimeric IkappaB kinase alpha (IKKalpha)-IKKbeta complex is directional: IKKalpha regulates IKKbeta under both basal and stimulated conditions. 2000 , 20, 1170-8		106
752	Mixed-lineage kinase 3 delivers CD3/CD28-derived signals into the IkappaB kinase complex. 2000 , 20, 2556-68		102
751	Raf induces NF-kappaB by membrane shuttle kinase MEKK1, a signaling pathway critical for transformation. 2000 , 97, 4615-20		151
750	CIKS, a connection to Ikappa B kinase and stress-activated protein kinase. 2000 , 97, 10494-9		138
749	Inhibition of IkappaB kinase activity by sodium salicylate in vitro does not reflect its inhibitory mechanism in intact cells. <i>Journal of Biological Chemistry</i> , 2000 , 275, 10925-9	5-4	35
748	Synergistic activation of NF-kappa B by functional cooperation between vav and PKCtheta in T lymphocytes. <i>Journal of Biological Chemistry</i> , 2000 , 275, 24547-51	5-4	40
747	Inhibition of mineralocorticoid-mediated transcription by NF-kappaB. 2000 , 383, 38-45		17
746	Both amino- and carboxyl-terminal domains of TRAF3 negatively regulate NF-kappaB activation induced by OX40 signaling. 2000 , 272, 856-63		31
745	The I kappa B kinase (IKK) and NF-kappa B: key elements of proinflammatory signalling. 2000 , 12, 85-98		773
744	A novel X-linked disorder of immune deficiency and hypohidrotic ectodermal dysplasia is allelic to incontinentia pigmenti and due to mutations in IKK-gamma (NEMO). 2000 , 67, 1555-62		431
743	Recruitment of the IKK signalosome to the p55 TNF receptor: RIP and A20 bind to NEMO (IKKgamma) upon receptor stimulation. 2000 , 12, 301-11		404

742	The distinct roles of TRAF2 and RIP in IKK activation by TNF-R1: TRAF2 recruits IKK to TNF-R1 while RIP mediates IKK activation. 2000 , 12, 419-29		379
741	TAB2, a novel adaptor protein, mediates activation of TAK1 MAPKKK by linking TAK1 to TRAF6 in the IL-1 signal transduction pathway. 2000 , 5, 649-58		493
740	Female mice heterozygous for IKK gamma/NEMO deficiencies develop a dermatopathy similar to the human X-linked disorder incontinentia pigmenti. 2000 , 5, 969-79		357
739	NEMO/IKK gamma-deficient mice model incontinentia pigmenti. 2000 , 5, 981-92		388
738	IKKepsilon is part of a novel PMA-inducible I kappa B kinase complex. 2000 , 5, 513-22		285
737	NF-kappaB/rel/IkappaB: implications in gastrointestinal diseases. 2000 , 118, 1208-28		128
736	Cactin, a conserved protein that interacts with the Drosophila I kappa B protein cactus and modulates its function. 2000 , 94, 57-65		27
735	Selective inhibition of NF-kappaB activation by a peptide that blocks the interaction of NEMO with the I kappa B kinase complex. 2000 , 289, 1550-4		614
734	Thiol-reactive metal compounds inhibit NF-kappa B activation by blocking I kappa B kinase. 2000 , 164, 5981-9		183
733	Phorbol esters and cytokines regulate the expression of the NEMO-related protein, a molecule involved in a NF-kappa B-independent pathway. <i>Journal of Biological Chemistry</i> , 2000 , 275, 22780-9	5-4	78
732	Invasive <i>Shigella flexneri</i> activates NF-kappa B through a lipopolysaccharide-dependent innate intracellular response and leads to IL-8 expression in epithelial cells. 2000 , 165, 903-14		216
731	NF-kappaB stimulates inducible nitric oxide synthase to protect mouse hepatocytes from TNF-alpha- and Fas-mediated apoptosis. 2001 , 120, 1251-62		134
730	Nuclear factor kappa-B and the heart. 2001 , 38, 307-14		376
729	Toll-like receptors as sensors of pathogens. 2001 , 50, 315-21		100
728	Nitric Oxide and Inflammation. 2001 ,		3
727	5-Fluorouracil suppression of NF-KappaB is mediated by the inhibition of IKappab kinase activity in human salivary gland cancer cells. 2001 , 282, 292-6		30
726	Sites on FIP-3 (NEMO/IKKgamma) essential for its phosphorylation and NF-kappaB modulating activity. 2001 , 285, 555-60		13
725	NF-kappaB p50 is increased in neurons surviving hippocampal injury. 2001 , 172, 307-19		40

724	Role of the oncogenic Raf-1 in orchestration of discrete nuclear factor-kappaB-activating pathways. 2001 , 4, 381-9	7
723	Atypical forms of incontinentia pigmenti in male individuals result from mutations of a cytosine tract in exon 10 of NEMO (IKK-gamma). 2001 , 68, 765-71	125
722	Survival of male patients with incontinentia pigmenti carrying a lethal mutation can be explained by somatic mosaicism or Klinefelter syndrome. 2001 , 69, 1210-7	123
721	NEMO/IKK gamma: linking NF-kappa B to human disease. 2001 , 7, 427-30	65
720	Ethanol activates NFkappaB DNA binding and p56lck protein tyrosine kinase in human osteoblast-like cells. 2001 , 28, 167-73	24
719	NF-kappaB and cell-cycle regulation: the cyclin connection. 2001 , 12, 73-90	317
718	Functional activities of the human T-cell leukemia virus type I Tax oncoprotein: cellular signaling through NF-kappa B. 2001 , 12, 207-17	124
717	NF-kappaB signaling and human disease. 2001 , 11, 300-6	73
716	IKKbeta is essential for protecting T cells from TNFalpha-induced apoptosis. 2001 , 14, 217-30	186
715	Blocking caspase-3-mediated proteolysis of IKKbeta suppresses TNF-alpha-induced apoptosis. 2001 , 8, 1005-16	97
714	CSN3 interacts with IKKgamma and inhibits TNF- but not IL-1-induced NF-kappaB activation. 2001 , 499, 133-6	30
713	NF-kappaB activation and IkappaB alpha dynamism involved in iNOS and chemokine induction in astroglial cells. 2001 , 68, 1695-701	84
712	Signal Transduction Events Elicited by Natural Products that Function as Cancer Chemopreventive Agents. 2001 , 39, 83-107	8
711	NF-kappaB: a therapeutic target in inflammatory diseases. 2001 , 5, 197-204	3
710	Transcriptional mechanisms of acute lung injury. 2001 , 281, L1037-50	191
709	Activation of NF-kappaB by hepatitis B virus X protein through an IkappaB kinase-independent mechanism. 2001 , 280, G669-77	15
708	Functional analysis of the interleukin-1-receptor-associated kinase (IRAK-1) in interleukin-1 beta-stimulated nuclear factor kappa B (NF-kappa B) pathway activation: IRAK-1 associates with the NF-kappa B essential modulator (NEMO) upon receptor stimulation. 2001 , 359, 403-10	20
707	Functional analysis of the interleukin-1-receptor-associated kinase (IRAK-1) in interleukin-1-stimulated nuclear factor B (NF-B) pathway activation: IRAK-1 associates with the NF-B essential modulator (NEMO) upon receptor stimulation. 2001 , 359, 403-410	32

706	Roles of nuclear factor kappaB in neuronal survival and plasticity. 2000 , 74, 443-56	377
705	Tyrosine phosphorylation-dependent activation of NF-kappa B. Requirement for p56 LCK and ZAP-70 protein tyrosine kinases. 2001 , 268, 1508-15	103
704	Presence of a genistein-responsive inhibitory mechanism on interleukin-1alpha-induced NF-kappaB activation. 2001 , 268, 6526-33	7
703	Cross-talk between pro-inflammatory transcription factors and glucocorticoids. 2001 , 79, 376-84	233
702	The Toll receptor family. 2001 , 56, 103-8	20
701	Incontinentia pigmenti in a surviving male is accompanied by hypohidrotic ectodermal dysplasia and recurrent infection. 2001 , 99, 172-7	106
700	Inhibitor of nuclear factor kappaB kinase beta is a key regulator of synovial inflammation. 2001 , 44, 1897-907	217
699	Selenium: a key element that controls NF-kappa B activation and I kappa B alpha half life. 2001 , 14, 117-25	62
698	Oxidative stress and gene expression: the AP-1 and NF-kappaB connections. 2001 , 15, 87-9	133
697	Hypoestoxide, a novel anti-inflammatory natural diterpene, inhibits the activity of IkappaB kinase. 2001 , 209, 149-57	40
696	Adenovirus immunoregulatory genes and their cellular targets. 2001 , 279, 1-8	77
695	Disruption of NF-kappa B signaling and chemokine gene activation by retroviral mediated expression of IKK gamma/NEMO mutants. 2001 , 286, 422-33	5
694	Differential role of I kappa B kinase 1 and 2 in primary rat hepatocytes. 2001 , 33, 81-90	41
693	Roles of Akt/PKB and IKK complex in constitutive induction of NF-kappaB in hepatocellular carcinomas of transforming growth factor alpha/c-myc transgenic mice. 2001 , 34, 32-41	54
692	Mechanism of measles virus failure to activate NF-kappaB in neuronal cells. 2001 , 7, 25-34	10
691	The anti-inflammatory natural product parthenolide from the medicinal herb Feverfew directly binds to and inhibits IkappaB kinase. 2001 , 8, 759-66	404
690	X-linked anhidrotic ectodermal dysplasia with immunodeficiency is caused by impaired NF-kappaB signaling. 2001 , 27, 277-85	681
689	The NOD: a signaling module that regulates apoptosis and host defense against pathogens. 2001 , 20, 6473-81	194

688	IKKalpha controls formation of the epidermis independently of NF-kappaB. <i>Nature</i> , 2001 , 410, 710-4	50.4	315
687	NF-kappa B signaling pathway as a target for human tumor radiosensitization. 2001 , 11, 346-51		74
686	Tumor necrosis factor alpha-induced activation of downstream NF-kappaB site of the promoter mediates epithelial ICAM-1 expression and monocyte adhesion. Involvement of PKCalpha, tyrosine kinase, and IKK2, but not MAPKs, pathway. 2001 , 13, 543-53		89
685	A new family of IKK-related kinases may function as I kappa B kinase kinases. 2001 , 1471, M57-62		32
684	IL-1-induced NFkappa B and c-Jun N-terminal kinase (JNK) activation diverge at IL-1 receptor-associated kinase (IRAK). 2001 , 98, 4461-5		146
683	vCLAP, a caspase-recruitment domain-containing protein of equine Herpesvirus-2, persistently activates the Ikappa B kinases through oligomerization of IKKgamma. <i>Journal of Biological Chemistry</i> , 2001 , 276, 3183-7	5.4	24
682	Tumor suppressor MMAC/PTEN inhibits cytokine-induced NFkappaB activation without interfering with the IkappaB degradation pathway. <i>Journal of Biological Chemistry</i> , 2001 , 276, 11402-8	5.4	74
681	Activation of I kappa b kinase by herpes simplex virus type 1. A novel target for anti-herpetic therapy. <i>Journal of Biological Chemistry</i> , 2001 , 276, 28759-66	5.4	98
680	IKKgamma /NEMO facilitates the recruitment of the IkappaB proteins into the IkappaB kinase complex. <i>Journal of Biological Chemistry</i> , 2001 , 276, 36327-36	5.4	46
679	Regulation of beta-catenin function by the IkappaB kinases. <i>Journal of Biological Chemistry</i> , 2001 , 276, 42276-86	5.4	108
678	CARDINAL, a novel caspase recruitment domain protein, is an inhibitor of multiple NF-kappa B activation pathways. <i>Journal of Biological Chemistry</i> , 2001 , 276, 44069-77	5.4	85
677	Defective lymphotoxin-beta receptor-induced NF-kappaB transcriptional activity in NIK-deficient mice. 2001 , 291, 2162-5		360
676	The PTEN tumor suppressor protein inhibits tumor necrosis factor-induced nuclear factor kappa B activity. <i>Journal of Biological Chemistry</i> , 2001 , 276, 27740-4	5.4	88
675	B-cell receptor- and phorbol ester-induced NF-kappaB and c-Jun N-terminal kinase activation in B cells requires novel protein kinase CN. 2001 , 21, 6640-50		71
674	The Src-protein tyrosine kinase Lck is required for IL-1-mediated costimulatory signaling in Th2 cells. 2001 , 167, 6827-33		20
673	The nuclear factor kappa B (NF-kappa B): a potential therapeutic target for estrogen receptor negative breast cancers. 2001 , 98, 10386-91		145
672	The cytoprotective effects of the glycoprotein 130 receptor-coupled cytokine, cardiotrophin-1, require activation of NF-kappa B. <i>Journal of Biological Chemistry</i> , 2001 , 276, 37621-9	5.4	73
671	Proteinase-activated receptor-2-mediated activation of stress-activated protein kinases and inhibitory kappa B kinases in NCTC 2544 keratinocytes. <i>Journal of Biological Chemistry</i> , 2001 , 276, 31657-65	5.4	93

670	Dbl and the Rho GTPases activate NF kappa B by I kappa B kinase (IKK)-dependent and IKK-independent pathways. <i>Journal of Biological Chemistry</i> , 2001 , 276, 25876-82	5-4	72
669	Novel NEMO/IkappaB kinase and NF-kappa B target genes at the pre-B to immature B cell transition. <i>Journal of Biological Chemistry</i> , 2001 , 276, 18579-90	5-4	125
668	NF-kappaB-inducing kinase is dispensable for activation of NF-kappaB in inflammatory settings but essential for lymphotoxin beta receptor activation of NF-kappaB in primary human fibroblasts. 2001 , 167, 5895-903		74
667	Raf kinase inhibitor protein interacts with NF-kappaB-inducing kinase and TAK1 and inhibits NF-kappaB activation. 2001 , 21, 7207-17		330
666	Complete reconstitution of human IkappaB kinase (IKK) complex in yeast. Assessment of its stoichiometry and the role of IKKgamm on the complex activity in the absence of stimulation. <i>Journal of Biological Chemistry</i> , 2001 , 276, 36320-6	5-4	55
665	IkappaB kinase, a molecular target for inhibition by 4-hydroxy-2-nonenal. <i>Journal of Biological Chemistry</i> , 2001 , 276, 18223-8	5-4	158
664	Role of IKKgamm/nemo in assembly of the Ikappa B kinase complex. <i>Journal of Biological Chemistry</i> , 2001 , 276, 4494-500	5-4	64
663	Activation of NF-kappa B is required for hypertrophic growth of primary rat neonatal ventricular cardiomyocytes. 2001 , 98, 6668-73		276
662	Multiple pathogenic and benign genomic rearrangements occur at a 35 kb duplication involving the NEMO and LAGE2 genes. 2001 , 10, 2557-67		66
661	IRAK-mediated translocation of TRAF6 and TAB2 in the interleukin-1-induced activation of NFkappa B. <i>Journal of Biological Chemistry</i> , 2001 , 276, 41661-7	5-4	166
660	The NF-kappaB pathway in human endometrium and first trimester decidua. 2001 , 7, 175-83		95
659	Invited review: Lipopolysaccharide recognition, internalisation, signalling and other cellular effects. 2001 , 7, 335-348		4
658	Identification of a novel A20-binding inhibitor of nuclear factor-kappa B activation termed ABIN-2. <i>Journal of Biological Chemistry</i> , 2001 , 276, 30216-23	5-4	82
657	The alpha and beta subunits of IkappaB kinase (IKK) mediate TRAF2-dependent IKK recruitment to tumor necrosis factor (TNF) receptor 1 in response to TNF. 2001 , 21, 3986-94		133
656	Interleukin-1 (IL-1) receptor-associated kinase leads to activation of TAK1 by inducing TAB2 translocation in the IL-1 signaling pathway. 2001 , 21, 2475-84		163
655	A recurrent deletion in the ubiquitously expressed NEMO (IKK-gamma) gene accounts for the vast majority of incontinentia pigmenti mutations. 2001 , 10, 2171-9		135
654	SIMPL is a tumor necrosis factor-specific regulator of nuclear factor-kappaB activity. <i>Journal of Biological Chemistry</i> , 2001 , 276, 7859-66	5-4	26
653	NFkappa B-dependent transcriptional activation during heat shock recovery. Thermolability of the NF-kappaB.Ikappa B complex. <i>Journal of Biological Chemistry</i> , 2001 , 276, 43723-33	5-4	32

652	Role of the NF-kappaB pathway in the pathogenesis of human disease states. 2001 , 1, 287-96		248
651	IRF-4 activities in HTLV-I-induced T cell leukemogenesis. 2002 , 22, 135-43		25
650	The human herpes virus 8-encoded viral FLICE inhibitory protein physically associates with and persistently activates the Ikappa B kinase complex. <i>Journal of Biological Chemistry</i> , 2002 , 277, 13745-51	5.4	195
649	NEMO trimerizes through its coiled-coil C-terminal domain. <i>Journal of Biological Chemistry</i> , 2002 , 277, 17464-75	5.4	67
648	The absence of NF-kappaB-mediated inhibition of c-Jun N-terminal kinase activation contributes to tumor necrosis factor alpha-induced apoptosis. 2002 , 22, 8571-9		124
647	Regulation of Ikappa B kinase (IKK)gamma /NEMO function by IKKbeta -mediated phosphorylation. <i>Journal of Biological Chemistry</i> , 2002 , 277, 24331-9	5.4	48
646	I-kappa B kinase beta is critical for B cell proliferation and antibody response. 2002 , 168, 577-87		20
645	A20 inhibits tumor necrosis factor (TNF) alpha-induced apoptosis by disrupting recruitment of TRADD and RIP to the TNF receptor 1 complex in Jurkat T cells. 2002 , 22, 6034-45		163
644	A novel zinc finger protein interacts with receptor-interacting protein (RIP) and inhibits tumor necrosis factor (TNF)- and IL1-induced NF-kappa B activation. <i>Journal of Biological Chemistry</i> , 2002 , 277, 15985-91	5.4	47
643	Characterization of the Ikappa B-kinase NEMO binding domain. <i>Journal of Biological Chemistry</i> , 2002 , 277, 45992-6000	5.4	127
642	Kinetic mechanisms of IkappaB-related kinases (IKK) inducible IKK and TBK-1 differ from IKK-1/IKK-2 heterodimer. <i>Journal of Biological Chemistry</i> , 2002 , 277, 12550-8	5.4	19
641	Protein kinase C-associated kinase (PKK) mediates Bcl10-independent NF-kappa B activation induced by phorbol ester. <i>Journal of Biological Chemistry</i> , 2002 , 277, 31871-6	5.4	32
640	Association of the adaptor TANK with the I kappa B kinase (IKK) regulator NEMO connects IKK complexes with IKK epsilon and TBK1 kinases. <i>Journal of Biological Chemistry</i> , 2002 , 277, 37029-36	5.4	126
639	Nuclear transcription factor-kappaB as a target for cancer drug development. 2002 , 16, 1053-68		389
638	Activation of nuclear factor-kappaB is necessary for myotrophin-induced cardiac hypertrophy. 2002 , 159, 1019-28		110
637	The NF-kappaB signalling pathway in human diseases: from incontinentia pigmenti to ectodermal dysplasias and immune-deficiency syndromes. 2002 , 11, 2371-5		205
636	Inhibition of tumor necrosis factor alpha-induced NF-kappa B activation by the adenovirus E3-10.4/14.5K complex. <i>Journal of Virology</i> , 2002 , 76, 5515-21	6.6	51
635	IKK-i and TBK-1 are enzymatically distinct from the homologous enzyme IKK-2: comparative analysis of recombinant human IKK-i, TBK-1, and IKK-2. <i>Journal of Biological Chemistry</i> , 2002 , 277, 13840-7	5.4	109

- 634 I-kappa B kinases alpha and beta have distinct roles in regulating murine T cell function. **2002**, 168, 3721-31 25
- 633 Iron activates NF-kappaB in Kupffer cells. **2002**, 283, G719-26 81
- 632 Modulation of the vascular endothelium during infection--the role of NF-kappa B activation. **2003**, 10, 86-105 14
- 631 Signaling to gene activation and cell death by tumor necrosis factor receptors and Fas. **2002**, 214, 225-72 38
- 630 Heat shock inhibits tnf-induced ICAM-1 expression in human endothelial cells via I kappa kinase inhibition. **2002**, 17, 91-7 50
- 629 The zinc finger domain of NEMO is selectively required for NF-kappa B activation by UV radiation and topoisomerase inhibitors. **2002**, 22, 5813-25 97
- 628 The IKK/NF-B pathway. **2002**, 30, S18-S26 235
- 627 Characterization of a novel mammalian phosphatase having sequence similarity to Schizosaccharomyces pombe PHO2 and Saccharomyces cerevisiae PHO13. **2002**, 41, 7841-8 9
- 626 The carboxyl-terminal region of IkappaB kinase gamma (IKKgamma) is required for full IKK activation. **2002**, 22, 6573-81 75
- 625 Lack of NF-kappaB p50 exacerbates degeneration of hippocampal neurons after chemical exposure and impairs learning. **2002**, 176, 277-88 83
- 624 How are the regulators regulated? The search for mechanisms that impose specificity on induction of cell death and NF-kappaB activation by members of the TNF/NGF receptor family. **2002**, 4 Suppl 3, S189-96 33
- 623 Isolation, Selection and Characteristics of Lactobacillus paracasei subsp. paracasei F19. **2002**, 14, 4-6 32
- 622 Hydrogen peroxide activates IkappaB kinases through phosphorylation of serine residues in the activation loops. **2002**, 519, 231-7 130
- 621 A recessive mutant cell line with a constitutive IkappaB kinase activity. **2002**, 531, 553-60 7
- 620 Lymphotoxin-beta receptor mediates NEMO-independent NF-kappaB activation. **2002**, 532, 45-51 52
- 619 Molecular mechanism of signaling by tumor necrosis factor. **2002**, 45, 113-9 5
- 618 Incontinentia pigmenti: a review and update on the molecular basis of pathophysiology. **2002**, 47, 169-87; quiz 188-90 210
- 617 The lymphotoxin-beta receptor induces different patterns of gene expression via two NF-kappaB pathways. **2002**, 17, 525-35 778

616	TNF-induced recruitment and activation of the IKK complex require Cdc37 and Hsp90. 2002 , 9, 401-10	346
615	Small-molecule inhibitors of NF-kappaB for the treatment of inflammatory joint disease. 2002 , 2, 316-21	59
614	The IkappaB kinase inhibitor sulfasalazine impairs long-term memory in the crab Chasmagnathus. 2002 , 112, 161-72	85
613	Characterization of the bovine IkappaB kinases (IKK)alpha and IKKbeta, the regulatory subunit NEMO and their substrate IkappaBalpha. 2002 , 299, 293-300	13
612	Differential requirement for NF-kappaB-inducing kinase in the induction of NF-kappaB by IL-1beta, TNF-alpha, and Fas. 2002 , 283, C347-57	32
611	Measurement of IKK activity in primary rat T cells: rapid activation and inactivation. 2002 , 266, 155-64	7
610	Is NF-kappaB2/p100 a direct activator of programmed cell death?. 2002 , 2, 431-3	37
609	Molecular exploration of age-related NF-kappaB/IKK downregulation by calorie restriction in rat kidney. 2002 , 32, 991-1005	65
608	Regulation of gene expression by oxygen: NF-kappaB and HIF-1, two extremes. 2002 , 33, 1231-42	166
607	Arsenite stabilizes IkappaBalpha and prevents NF-kappaB activation in IL-1 beta-stimulated Caco-2 cells independent of the heat shock response. 2002 , 84, 687-98	17
606	Signaling by the Mpl receptor involves IKK and NF-kappaB. 2002 , 85, 523-35	22
605	Cyclooxygenase-2 is a neuronal target gene of NF-kappaB. 2002 , 3, 16	73
604	Blocking NF-kappaB activation in Jurkat leukemic T cells converts the survival agent and tumor promoter PMA into an apoptotic effector. 2002 , 21, 3213-24	41
603	Differential production of cytokines and activation of NF-kappaB in HPV-transformed keratinocytes. 2002 , 298, 271-85	35
602	Characterization of Ad5 E3-14.7K, an adenoviral inhibitor of apoptosis: structure, oligomeric state, and metal binding. 2002 , 11, 1117-28	11
601	NF-kappaB and virus infection: who controls whom. 2003 , 22, 2552-60	288
600	An LKB1-interacting protein negatively regulates TNFalpha-induced NF-kappaB activation. 2003 , 10, 242-52	5
599	Adverse drug reactions, transcription factors and transcriptomics. 2003 , 12, 1-10	2

598	NF-kappaB activation in cancer: a challenge for ubiquitination- and proteasome-based therapeutic approach. 2003 , 13, 15-28	127
597	Activation of NF-kappaB nuclear transcription factor by flow in human endothelial cells. 2003 , 1642, 33-44	32
596	The tumour suppressor CYLD negatively regulates NF-kappaB signalling by deubiquitination. <i>Nature</i> , 2003 , 424, 801-5	50.4 843
595	Tumor necrosis factor signaling. 2003 , 10, 45-65	1787
594	Segregation of NF-kappaB activation through NEMO/IKKgamma by Tax and TNFalpha: implications for stimulus-specific interruption of oncogenic signaling. 2003 , 22, 8912-23	54
593	Epstein-Barr virus-encoded latent infection membrane protein 1 regulates the processing of p100 NF-kappaB2 to p52 via an IKKgamma/NEMO-independent signalling pathway. 2003 , 22, 7557-69	95
592	Aspirin prevents apoptosis and NF-kappaB activation induced by H2O2 in hela cells. 2003 , 37, 1267-76	37
591	Identification of a nuclear protein that promotes NF-kappaB activation. 2003 , 310, 720-4	47
590	TAK1 is critical for IkappaB kinase-mediated activation of the NF-kappaB pathway. 2003 , 326, 105-15	320
589	NF-kappa B p65 transactivation domain is involved in the NF-kappa B-inducing kinase pathway. 2003 , 301, 583-90	51
588	Role of the adaptor protein CIKS in the activation of the IKK complex. 2003 , 309, 84-90	21
587	Genomic structure and characterization of the promoter region of the human NAK gene. 2003 , 304, 57-64	2
586	Promoter identification of CIKS, a novel NF-kappaB activating gene, and regulation of its expression. 2003 , 307, 99-109	1
585	NF-kappa B activation in vivo in both host and tumour cells by the antivasular agent 5,6-dimethylxanthenone-4-acetic acid (DMXAA). 2003 , 39, 1176-83	17
584	Modulation of NF-kappaB activity by exchange of dimers. 2003 , 11, 1563-74	257
583	Inflammation Protocols. 2003 ,	22
582	The interplay between the glucocorticoid receptor and nuclear factor-kappaB or activator protein-1: molecular mechanisms for gene repression. 2003 , 24, 488-522	707
581	KSHV vFLIP binds to IKK-gamma to activate IKK. <i>Journal of Cell Science</i> , 2003 , 116, 3721-8	5.3 198

580	Signaling role of intracellular iron in NF-kappaB activation. <i>Journal of Biological Chemistry</i> , 2003 , 278, 17646-54	5-4	130
579	Phosphorylation of serine 337 of NF-kappaB p50 is critical for DNA binding. <i>Journal of Biological Chemistry</i> , 2003 , 278, 45994-8	5-4	71
578	Heat shock protein 27 association with the I kappa B kinase complex regulates tumor necrosis factor alpha-induced NF-kappa B activation. <i>Journal of Biological Chemistry</i> , 2003 , 278, 35272-8	5-4	156
577	Identification of NAP1, a regulatory subunit of IkappaB kinase-related kinases that potentiates NF-kappaB signaling. 2003 , 23, 7780-93		145
576	Glycogen synthase kinase 3beta-mediated apoptosis of primary cortical astrocytes involves inhibition of nuclear factor kappaB signaling. 2003 , 23, 4649-62		123
575	A role for NF-kappaB essential modifier/IkappaB kinase-gamma (NEMO/IKKgamma) ubiquitination in the activation of the IkappaB kinase complex by tumor necrosis factor-alpha. <i>Journal of Biological Chemistry</i> , 2003 , 278, 37297-305	5-4	170
574	Differential phosphorylation of the signal-responsive domain of I kappa B alpha and I kappa B beta by I kappa B kinases. <i>Journal of Biological Chemistry</i> , 2003 , 278, 31980-7	5-4	39
573	Tetrameric oligomerization of IkappaB kinase gamma (IKKgamma) is obligatory for IKK complex activity and NF-kappaB activation. 2003 , 23, 2029-41		114
572	Lysyl oxidase inhibits ras-mediated transformation by preventing activation of NF-kappa B. 2003 , 23, 2251-63		89
571	The NF-kappa B activation in lymphotoxin beta receptor signaling depends on the phosphorylation of p65 at serine 536. <i>Journal of Biological Chemistry</i> , 2003 , 278, 919-26	5-4	146
570	IRAK-dependent phosphorylation of Stat1 on serine 727 in response to interleukin-1 and effects on gene expression. 2003 , 23, 183-92		38
569	Impaired NF-kappa B activation and increased production of tumor necrosis factor alpha in transgenic mice expressing keratin K10 in the basal layer of the epidermis. <i>Journal of Biological Chemistry</i> , 2003 , 278, 13422-30	5-4	20
568	The role of nuclear factor-kappaB essential modulator (NEMO) in B cell development and survival. 2003 , 100, 1203-8		33
567	p47phox participates in activation of RelA in endothelial cells. <i>Journal of Biological Chemistry</i> , 2003 , 278, 17210-7	5-4	19
566	Two carboxyl-terminal activation regions of Epstein-Barr virus latent membrane protein 1 activate NF-kappaB through distinct signaling pathways in fibroblast cell lines. <i>Journal of Biological Chemistry</i> , 2003 , 278, 46565-75	5-4	60
565	Protection of islets by in situ peptide-mediated transduction of the Ikappa B kinase inhibitor Nemo-binding domain peptide. <i>Journal of Biological Chemistry</i> , 2003 , 278, 9862-8	5-4	83
564	Disruption of HSP90 function reverts tumor necrosis factor-induced necrosis to apoptosis. <i>Journal of Biological Chemistry</i> , 2003 , 278, 5622-9	5-4	127
563	In vivo identification of inducible phosphoacceptors in the IKKgamma/NEMO subunit of human IkappaB kinase. <i>Journal of Biological Chemistry</i> , 2003 , 278, 19642-8	5-4	28

562	c-Src-dependent tyrosine phosphorylation of IKKbeta is involved in tumor necrosis factor-alpha-induced intercellular adhesion molecule-1 expression. <i>Journal of Biological Chemistry</i> , 2003 , 278, 9944-52	5-4	108
561	A selective IKK-2 inhibitor blocks NF-kappa B-dependent gene expression in interleukin-1 beta-stimulated synovial fibroblasts. <i>Journal of Biological Chemistry</i> , 2003 , 278, 32861-71	5-4	233
560	Epstein-Barr virus latent membrane protein 1 activation of NF-kappaB through IRAK1 and TRAF6. 2003 , 100, 15595-600		108
559	RelB/p50 dimers are differentially regulated by tumor necrosis factor-alpha and lymphotoxin-beta receptor activation: critical roles for p100. <i>Journal of Biological Chemistry</i> , 2003 , 278, 23278-84	5-4	127
558	Late recurrence of inflammatory first-stage lesions in incontinentia pigmenti: an unusual phenomenon and a fascinating pathologic mechanism. 2003 , 139, 201-4		31
557	Seizing of T cells by human T-cell leukemia/lymphoma virus type 1. 2003 , 89, 69-132		63
556	Chemokine-cytokine cross-talk. The ELR+ CXC chemokine LIX (CXCL5) amplifies a proinflammatory cytokine response via a phosphatidylinositol 3-kinase-NF-kappa B pathway. <i>Journal of Biological Chemistry</i> , 2003 , 278, 4675-86	5-4	79
555	Tumor necrosis factor-induced nuclear factor kappaB activation is impaired in focal adhesion kinase-deficient fibroblasts. <i>Journal of Biological Chemistry</i> , 2003 , 278, 29359-65	5-4	50
554	An LKB1-Interacting Protein Negatively Regulates TNFα-Induced NF-κB Activation. 2003 , 10, 242-252		6
553	Alpha-melanocyte stimulating hormone prevents lipopolysaccharide-induced vasculitis by down-regulating endothelial cell adhesion molecule expression. 2003 , 144, 360-70		75
552	IkappaB kinase and NF-kappaB signaling in response to pro-inflammatory cytokines. 2003 , 225, 7-17		7
551	Thiopental inhibits tumor necrosis factor alpha-induced activation of nuclear factor kappaB through suppression of kappaB kinase activity. 2003 , 99, 360-7		35
550	NF-B: A Key Signaling Pathway in Asthma. 23-69		
549	Pathologies humaines associées à des dysfonctionnements de la voie de signalisation NF-B. 2004 , 198, 93-96		0
548	LPS signal transduction: the picture is becoming more complex. 2004 , 4, 1115-26		37
547	Bone Formation. 2004 ,		9
546	TNF signaling: key protocols. 2004 , 98, 81-100		1
545	Activation of transcription factor NF-kappaB requires ELKS, an IkappaB kinase regulatory subunit. 2004 , 304, 1963-7		188

544	Inhibition of ICAM-1 gene expression, monocyte adhesion and cancer cell invasion by targeting IKK complex: molecular and functional study of novel alpha-methylene-gamma-butyrolactone derivatives. 2004 , 25, 1925-34		72
543	Pro-apoptotic proteins released from the mitochondria regulate the protein composition and caspase-processing activity of the native Apaf-1/caspase-9 apoptosome complex. <i>Journal of Biological Chemistry</i> , 2004 , 279, 19665-82	5.4	83
542	Human models of inherited immunoglobulin class switch recombination and somatic hypermutation defects (hyper-IgM syndromes). 2004 , 82, 295-330		26
541	Inhibition of NF-kappa B activation by peptides targeting NF-kappa B essential modulator (nemo) oligomerization. <i>Journal of Biological Chemistry</i> , 2004 , 279, 54248-57	5.4	49
540	Oncogenic and anti-apoptotic activity of NF-kappa B in human thyroid carcinomas. <i>Journal of Biological Chemistry</i> , 2004 , 279, 54610-9	5.4	82
539	Herbimycin A abrogates nuclear factor-kappaB activation by interacting preferentially with the IkappaB kinase beta subunit. 2004 , 65, 1344-51		21
538	Molecular analysis of the genetic defect in a large cohort of IP patients and identification of novel NEMO mutations interfering with NF-kappaB activation. 2004 , 13, 1763-73		109
537	Activation of the IkappaB kinase complex and nuclear factor-kappaB contributes to mutant huntingtin neurotoxicity. 2004 , 24, 7999-8008		168
536	Specific Inhibition of IkappaB kinase reduces hyperalgesia in inflammatory and neuropathic pain models in rats. 2004 , 24, 1637-45		134
535	Activation of the NF-kappaB pathway in human cytomegalovirus-infected cells is necessary for efficient transactivation of the major immediate-early promoter. <i>Journal of Virology</i> , 2004 , 78, 4498-507 ^{6.6}		118
534	Nitric oxide represses inhibitory kappaB kinase through S-nitrosylation. 2004 , 101, 8945-50		319
533	Epstein-Barr virus latent infection membrane protein 1 TRAF-binding site induces NIK/IKK alpha-dependent noncanonical NF-kappaB activation. 2004 , 101, 141-6		148
532	Protein phosphatase 2Cbeta association with the IkappaB kinase complex is involved in regulating NF-kappaB activity. <i>Journal of Biological Chemistry</i> , 2004 , 279, 1739-46	5.4	74
531	Cell type-specific expression of the IkappaB kinases determines the significance of phosphatidylinositol 3-kinase/Akt signaling to NF-kappa B activation. <i>Journal of Biological Chemistry</i> , 2004 , 279, 1615-20	5.4	151
530	Tumor necrosis factor-alpha inhibits endothelial nitric-oxide synthase gene promoter activity in bovine aortic endothelial cells. <i>Journal of Biological Chemistry</i> , 2004 , 279, 963-9	5.4	125
529	Human T-cell lymphotropic virus type 1 tax induction of biologically Active NF-kappaB requires IkappaB kinase-1-mediated phosphorylation of RelA/p65. <i>Journal of Biological Chemistry</i> , 2004 , 279, 18137-45	5.4	89
528	CARD proteins as therapeutic targets in cancer. 2004 , 5, 367-74		35
527	A novel ubiquitin-like domain in IkappaB kinase beta is required for functional activity of the kinase. <i>Journal of Biological Chemistry</i> , 2004 , 279, 45528-39	5.4	44

526	Restoration of NF-kappaB activation by tumor necrosis factor alpha receptor complex-targeted MEKK3 in receptor-interacting protein-deficient cells. 2004 , 24, 10757-65		38
525	Nuclear role of I kappa B Kinase-gamma/NF-kappa B essential modulator (IKK gamma/NEMO) in NF-kappa B-dependent gene expression. <i>Journal of Biological Chemistry</i> , 2004 , 279, 3509-15	5-4	67
524	ZNF216 Is an A20-like and IkappaB kinase gamma-interacting inhibitor of NFkappaB activation. <i>Journal of Biological Chemistry</i> , 2004 , 279, 16847-53	5-4	83
523	Inhibition of tumor necrosis factor (TNF) signal transduction by the adenovirus group C RID complex involves downregulation of surface levels of TNF receptor 1. <i>Journal of Virology</i> , 2004 , 78, 13113-21	6-6	20
522	NF-kappaB promotes survival during mitotic cell cycle arrest. <i>Journal of Biological Chemistry</i> , 2004 , 279, 1482-90	5-4	43
521	The trimerization domain of NEMO is composed of the interacting C-terminal CC2 and LZ coiled-coil subdomains. <i>Journal of Biological Chemistry</i> , 2004 , 279, 27861-9	5-4	58
520	CD28 delivers a unique signal leading to the selective recruitment of RelA and p52 NF-kappaB subunits on IL-8 and Bcl-xL gene promoters. 2004 , 101, 6098-103		67
519	Hsp70 promotes TNF-mediated apoptosis by binding IKK gamma and impairing NF-kappa B survival signaling. <i>Genes and Development</i> , 2004 , 18, 1466-81	12.6	197
518	Tumor Necrosis Factor. 2004 ,		1
517	Myocyte hypertrophy and apoptosis: a balancing act. 2004 , 63, 487-99		114
516	Incontinentia pigmenti with NEMO mutation in a Turkish family. 2004 , 43, 527-9		3
515	The IKK NF-kappa B system: a treasure trove for drug development. 2004 , 3, 17-26		1125
514	A requirement for NF-kappaB induction in the production of replication-competent HHV-8 virions. 2004 , 23, 5770-80		34
513	Inhibition of nuclear factor kappaB activity by viral interferon regulatory factor 3 of Kaposi's sarcoma-associated herpesvirus. 2004 , 23, 6146-55		52
512	The CAP-Gly domain of CYLD associates with the proline-rich sequence in NEMO/IKKgamm. 2004 , 12, 1719-28		82
511	The Crohn's disease protein, NOD2, requires RIP2 in order to induce ubiquitinylation of a novel site on NEMO. 2004 , 14, 2217-27		315
510	Signaling to NF-kappaB. <i>Genes and Development</i> , 2004 , 18, 2195-224	12.6	3083
509	A beginner's guide to NF-kappaB signaling pathways. 2004 , 1030, 1-13		85

508	Signal transduction through nuclear factor kappa B in ischemia-reperfusion and heart failure. 2004 , 99, 1-7	81
507	Nuclear factor-kappaB: its role in health and disease. 2004 , 82, 434-48	709
506	Nuclear factor-kappaB modulation as a therapeutic approach in hematologic malignancies. 2004 , 100, 1578-89	89
505	Function of adenovirus E3 proteins and their interactions with immunoregulatory cell proteins. 2004 , 6 Suppl 1, S172-83	78
504	Cardiovascular Signaling Pathways. 2004 , 123-174	
503	"The stress of dying": the role of heat shock proteins in the regulation of apoptosis. <i>Journal of Cell Science</i> , 2004 , 117, 2641-51	5-3 510
502	Aspirin inhibits TNFalpha- and IL-1-induced NF-kappaB activation and sensitizes HeLa cells to apoptosis. 2004 , 25, 229-37	29
501	Adrenomedullin signals through NF-kappaB in epithelial cells. 2004 , 577, 249-54	14
500	Cytokine-induced upregulation of NF-kappaB, IL-8, and ICAM-1 is dependent on colonic cell polarity: implication for PKCdelta. 2004 , 297, 165-85	27
499	The two NF-kappaB activation pathways and their role in innate and adaptive immunity. 2004 , 25, 280-8	2540
498	Genetic dissection of antigen receptor induced-NF-kappaB activation. 2004 , 41, 701-14	40
497	Molecular aspects of medicine: from experimental to clinical hepatology. 2004 , 25, 221-360	49
496	Functions and mechanisms of action of the adenovirus E3 proteins. 2004 , 23, 75-111	141
495	The inhibitor ABIN-2 disrupts the interaction of receptor-interacting protein with the kinase subunit IKKgammagamma to block activation of the transcription factor NF-kappaB and potentiate apoptosis. 2004 , 378, 867-76	28
494	The range of defects associated with nuclear factor kappaB essential modulator. 2005 , 5, 513-8	31
493	Oncogenic beta-catenin signaling networks in colorectal cancer. 2005 , 4, 1522-39	101
492	Pomegranate Fruit Extract Modulates UV-B-mediated Phosphorylation of Mitogen-activated Protein Kinases and Activation of Nuclear Factor Kappa B in Normal Human Epidermal Keratinocytes. 2005 , 81, 38	118
491	The inhibitory effect of alendronate, a nitrogen-containing bisphosphonate on the PI3K-Akt-NFkappaB pathway in osteosarcoma cells. 2005 , 146, 633-41	41

490	Proapoptotic regimes for HTLV-I-transformed cells: targeting Tax and the NF-kappaB pathway. 2005 , 12 Suppl 1, 871-7	31
489	Defects in the interferon-gamma and interleukin-12 pathways. 2005 , 203, 38-47	178
488	Zebrafish IkappaB kinase 1 negatively regulates NF-kappaB activity. 2005 , 15, 1291-5	69
487	Photochemoprevention of ultraviolet B signaling and photocarcinogenesis. 2005 , 571, 153-73	227
486	Proliferation and cornification during development of the mammalian epidermis. 2005 , 75, 314-29	61
485	Role of the NF-kappaB signaling cascade and NF-kappaB-targeted genes in failing human hearts. 2005 , 83, 993-1004	25
484	A new mutation in exon 7 of NEMO gene: late skewed X-chromosome inactivation in an incontinentia pigmenti female patient with immunodeficiency. 2005 , 118, 458-65	48
483	NF-kappaB in the survival and plasticity of neurons. 2005 , 30, 883-93	217
482	NF-B. 2005 , 341-352	
481	Inhibition of NF-kappaB induces regression of cardiac hypertrophy, independent of blood pressure control, in spontaneously hypertensive rats. 2005 , 289, H20-9	73
480	Melatonin reduces inflammatory injury through inhibiting NF-kappaB activation in rats with colitis. 2005 , 2005, 185-93	104
479	Interleukin-1, Neutrophil Elastase, and Lipopolysaccharide: Key Pro- Inflammatory Stimuli Regulating Inflammation in Cystic Fibrosis. 2005 , 1, 43-67	5
478	Identifying components of the NF-kappaB pathway in the beneficial Euprymna scolopes-Vibrio fischeri light organ symbiosis. 2005 , 71, 6934-46	123
477	NF- κ B is transported into the nucleus by importin α 3 and importin α 4. <i>Journal of Biological Chemistry</i> , 2005 , 280, 15942-51	5-4 219
476	Transcription factors as modulators of stress responsivity. 2005 , 15, 679-698	2
475	Baicalein, a component of Scutellaria radix from Huang-Lian-Jie-Du-Tang (HLJDT), leads to suppression of proliferation and induction of apoptosis in human myeloma cells. 2005 , 105, 3312-8	136
474	Nitric oxide and redox signaling in allergic airway inflammation. 2005 , 7, 129-43	31
473	Apoptotic Pathways as Targets for Novel Therapies in Cancer and Other Diseases. 2005 ,	5

472	Iron-mediated H ₂ O ₂ production as a mechanism for cell type-specific inhibition of tumor necrosis factor alpha-induced but not interleukin-1beta-induced I kappa B kinase complex/nuclear factor-kappaB activation. <i>Journal of Biological Chemistry</i> , 2005 , 280, 2912-23	5.4	33
471	Constitutive nuclear expression of the I kappa B kinase complex and its activation in human neutrophils. 2005 , 175, 1834-42		50
470	Positive regulation of I kappa B kinase signaling by protein serine/threonine phosphatase 2A. <i>Journal of Biological Chemistry</i> , 2005 , 280, 35974-82	5.4	66
469	Respiratory syncytial virus influences NF-kappaB-dependent gene expression through a novel pathway involving MAP3K14/NIK expression and nuclear complex formation with NF-kappaB2. <i>Journal of Virology</i> , 2005 , 79, 8948-59	6.6	64
468	Tid1 negatively regulates the migratory potential of cancer cells by inhibiting the production of interleukin-8. 2005 , 65, 8784-91		37
467	X-linked inhibitor of apoptosis (XIAP) inhibits c-Jun N-terminal kinase 1 (JNK1) activation by transforming growth factor beta1 (TGF-beta1) through ubiquitin-mediated proteosomal degradation of the TGF-beta1-activated kinase 1 (TAK1). <i>Journal of Biological Chemistry</i> , 2005 , 280, 38599-608	5.4	72
466	Activity of hypoxia-inducible factor 2alpha is regulated by association with the NF-kappaB essential modulator. <i>Journal of Biological Chemistry</i> , 2005 , 280, 14240-51	5.4	55
465	Muscle fiber specific apoptosis and TNF-alpha signaling in sarcopenia are attenuated by life-long calorie restriction. 2005 , 19, 668-70		213
464	Molecular mechanism of hTid-1, the human homolog of Drosophila tumor suppressor l(2)Tid, in the regulation of NF-kappaB activity and suppression of tumor growth. 2005 , 25, 44-59		37
463	Inducible I kappa B kinase/I kappa B kinase epsilon expression is induced by CK2 and promotes aberrant nuclear factor-kappaB activation in breast cancer cells. 2005 , 65, 11375-83		107
462	I kappa B kinase alpha regulates subcellular distribution and turnover of cyclin D1 by phosphorylation. <i>Journal of Biological Chemistry</i> , 2005 , 280, 33945-52	5.4	55
461	The anti-inflammatory compound curcumin inhibits Neisseria gonorrhoeae-induced NF-kappaB signaling, release of pro-inflammatory cytokines/chemokines and attenuates adhesion in late infection. 2005 , 386, 481-90		42
460	Distinct I kappa B kinase regulation in adult T cell leukemia and HTLV-I-transformed cells. 2005 , 308, 29-40		7
459	Recruitment of tumor necrosis factor receptor-associated factor family proteins to apoptosis signal-regulating kinase 1 signalosome is essential for oxidative stress-induced cell death. <i>Journal of Biological Chemistry</i> , 2005 , 280, 37033-40	5.4	173
458	Hepatitis C virus core protein suppresses NF-kappaB activation and cyclooxygenase-2 expression by direct interaction with I kappa B kinase beta. <i>Journal of Virology</i> , 2005 , 79, 7648-57	6.6	80
457	Reduced cGMP signaling activates NF-kappaB in hypertrophied hearts of mice lacking natriuretic peptide receptor-A. 2005 , 327, 106-11		21
456	Alternative and accessory pathways in the regulation of IFN-beta-mediated gene expression. 2005 , 25, 788-98		49
455	Induction of nuclear factor-kappaB activation through TAK1 and NIK by diesel exhaust particles in L2 cell lines. 2005 , 155, 337-42		12

454	NF- κ B in Neurons. 2006 , 147-161	1
453	NF- κ B Signal Transduction by IKK Complexes. 2006 , 12-25	1
452	NF- κ B: a stress-regulated switch for cell survival. 2006 , 8, 478-86	129
451	NEMO, NF κ B signaling and incontinentia pigmenti. 2006 , 16, 282-8	74
450	Regulation and function of IKK and IKK-related kinases. 2006 , 2006, re13	882
449	Activation of IKK by TNF α requires site-specific ubiquitination of RIP1 and polyubiquitin binding by NEMO. 2006 , 22, 245-57	799
448	Gastrointestinal manifestations of primary immunodeficiency. 2006 , 601-616	
447	Life and Death Decisions in Response to Stress. 757-776	
446	Impaired dendritic-cell function in ectodermal dysplasia with immune deficiency is linked to defective NEMO ubiquitination. 2006 , 108, 2324-31	29
445	TNF α - and IKK β -mediated TANK/I-TRAF phosphorylation: implications for interaction with NEMO/IKK γ and NF- κ B activation. 2006 , 394, 593-603	28
444	Nuclear Factor- κ B: A Holy Grail in Cancer Prevention and Therapy. 2006 , 1, 25-52	51
443	Circuitry of nuclear factor κ B signaling. 2006 , 210, 171-86	720
442	Evaluation of the role of nuclear factor- κ B signaling in liver injury using genetic animal models. 2006 , 21 Suppl 3, S43-6	22
441	Intracellular survival pathways in the liver. 2006 , 26, 1163-74	78
440	Differentiation of the HaCaT keratinocyte cell line: modulation by adrenomedullin. 2006 , 154, 602-8	6
439	Sensing of Lys 63-linked polyubiquitination by NEMO is a key event in NF- κ B activation [corrected]. 2006 , 8, 398-406	513
438	The CARMA1 signalosome links the signalling machinery of adaptive and innate immunity in lymphocytes. 2006 , 6, 799-812	156
437	I κ B kinase complexes: gateways to NF- κ B activation and transcription. 2006 , 25, 6685-705	527

436	Manipulation of the nuclear factor-kappaB pathway and the innate immune response by viruses. 2006 , 25, 6844-67	208
435	The NF-kappaB regulatory network. 2006 , 6, 111-30	398
434	Pathophysiology and treatment of pain in joint disease. 2006 , 58, 323-42	71
433	NF-kappaB, AP-1, Zinc-deficiency and aging. 2006 , 7, 409-19	47
432	Induction of HSP70 is dispensable for anti-inflammatory action of heat shock or NSAIDs in mast cells. 2006 , 34, 414-23	14
431	The N-terminus of PKR is responsible for the activation of the NF-kappaB signaling pathway by interacting with the IKK complex. 2006 , 18, 1865-75	51
430	Deregulated NF-kappaB activity in haematological malignancies. 2006 , 72, 1069-80	45
429	NF-kappaB activation by double-strand breaks. 2006 , 72, 1132-41	119
428	20 years of NF-kappaB. 2006 , 72, 1051-3	11
427	Posttranslational modifications of NEMO and its partners in NF-kappaB signaling. 2006 , 16, 569-77	81
426	The TFG protein, involved in oncogenic rearrangements, interacts with TANK and NEMO, two proteins involved in the NF-kappaB pathway. 2006 , 208, 154-60	38
425	NEMO binding domain of IKK-2 encompasses amino acids 735-745. 2006 , 19, 227-33	9
424	Adenoviral vector expressing CYLD augments antitumor activity of TRAIL by suppression of NF-kappaB survival signaling in hepatocellular carcinoma. 2006 , 5, 615-22	30
423	Epidermal growth factor reduces hepatic sequelae in experimental necrotizing enterocolitis. 2006 , 89, 227-35	20
422	Signal transduction pathways of inflammatory gene expressions and therapeutic implications. 2006 , 12, 3497-508	27
421	Dimerization of the I kappa B kinase-binding domain of NEMO is required for tumor necrosis factor alpha-induced NF-kappa B activity. 2006 , 26, 9209-19	39
420	Inducible phosphorylation of NF-kappa B p65 at serine 468 by T cell costimulation is mediated by IKK epsilon. <i>Journal of Biological Chemistry</i> , 2006 , 281, 6175-83	5-4 90
419	NF-B/Rel Transcription Factor Family. 2006 ,	3

418	An alternative splice product of IkappaB kinase (IKKgamma), IKKgamma-delta, differentially mediates cytokine and human T-cell leukemia virus type 1 tax-induced NF-kappaB activation. <i>Journal of Virology</i> , 2006 , 80, 4227-41	6.6	12
417	Gene therapy as a therapeutic approach for the treatment of rheumatoid arthritis: innovative vectors and therapeutic genes. 2006 , 45, 656-68		49
416	Binding of manumycin A inhibits IkappaB kinase beta activity. <i>Journal of Biological Chemistry</i> , 2006 , 281, 2551-61	5.4	38
415	Molecular mediators of alphavbeta3-induced endothelial cell survival. 2006 , 43, 422-36		25
414	Hepatitis C virus nonstructural 5B protein regulates tumor necrosis factor alpha signaling through effects on cellular IkappaB kinase. 2006 , 26, 3048-59		38
413	A critical role for I kappaB kinase alpha in the development of human and mouse squamous cell carcinomas. 2006 , 103, 17202-7		79
412	Helicobacter pylori induces IkappaB kinase alpha nuclear translocation and chemokine production in gastric epithelial cells. 2006 , 74, 1452-61		36
411	Vaccine Adjuvants. 2006 ,		6
410	A point mutation in NEMO associated with anhidrotic ectodermal dysplasia with immunodeficiency pathology results in destabilization of the oligomer and reduces lipopolysaccharide- and tumor necrosis factor-mediated NF-kappa B activation. <i>Journal of Biological Chemistry</i> , 2006 , 281, 6334-48	5.4	30
409	Achieving Transcriptional Specificity in NF-B-Dependent Inflammatory Gene Expression. 2006 , 39-48		
408	Dynamic redox control of NF-kappaB through glutaredoxin-regulated S-glutathionylation of inhibitory kappaB kinase beta. 2006 , 103, 13086-91		343
407	Induction of apoptosis in estrogen receptor-negative breast cancer cells by natural and synthetic cyclopentenones: role of the IkappaB kinase/nuclear factor-kappaB pathway. 2006 , 70, 1812-21		49
406	IkappaB kinase epsilon interacts with p52 and promotes transactivation via p65. <i>Journal of Biological Chemistry</i> , 2006 , 281, 34973-81	5.4	24
405	Regulation of IkappaB kinase (IKK) complex by IKKgamma-dependent phosphorylation of the T-loop and C terminus of IKKbeta. <i>Journal of Biological Chemistry</i> , 2006 , 281, 15268-76	5.4	32
404	ABIN-1 binds to NEMO/IKKgamma and co-operates with A20 in inhibiting NF-kappaB. <i>Journal of Biological Chemistry</i> , 2006 , 281, 18482-8	5.4	200
403	Torque teno virus (SANBAN isolate) ORF2 protein suppresses NF-kappaB pathways via interaction with IkappaB kinases. <i>Journal of Virology</i> , 2007 , 81, 11917-24	6.6	55
402	A transgenic model reveals important roles for the NF-kappa B alternative pathway (p100/p52) in mammary development and links to tumorigenesis. <i>Journal of Biological Chemistry</i> , 2007 , 282, 10028-10035	5.4	37
401	IkappaB kinase subunits alpha and gamma are required for activation of NF-kappaB and induction of apoptosis by mammalian reovirus. <i>Journal of Virology</i> , 2007 , 81, 1360-71	6.6	49

400	Cellular and Molecular Regulation of Inflammatory Pain, Nociception and Hyperalgesia - The Role of the Transcription Factor NF- κ B as the Lynchpin Nocisensor: Hyperalgesic or Analgesic Effect?. 2007 , 3, 117-131	2
399	Transcription factor profiling shows new ways towards new treatment options of cutaneous T cell lymphomas. 2007 , 4, 24-30	16
398	The IKK inhibitor BMS-345541 affects multiple mitotic cell cycle transitions. 2007 , 6, 2531-40	13
397	Sustained activation of protein kinase C downregulates nuclear factor-kappaB signaling by dissociation of IKK-gamma and Hsp90 complex in human colonic epithelial cells. 2007 , 28, 71-80	39
396	Adipocyte enhancer-binding protein-1 promotes macrophage inflammatory responsiveness by up-regulating NF-kappaB via IkappaBalpha negative regulation. 2007 , 18, 930-42	40
395	Signal responsiveness of IkappaB kinases is determined by Cdc37-assisted transient interaction with Hsp90. <i>Journal of Biological Chemistry</i> , 2007 , 282, 32311-9	5-4 64
394	SDX-308, a nonsteroidal anti-inflammatory agent, inhibits NF-kappaB activity, resulting in strong inhibition of osteoclast formation/activity and multiple myeloma cell growth. 2007 , 109, 2130-8	49
393	Transactivation from Gal4-VP16 transgenic insertions for tissue-specific cell labeling and ablation in zebrafish. 2007 , 304, 811-24	285
392	Convergence of the NF-kappaB and IRF pathways in the regulation of the innate antiviral response. 2007 , 18, 483-90	199
391	NF-kappa B as a target for cancer therapy. 2007 , 11, 133-44	79
390	Cardiac hypertrophy: mechanisms and therapeutic opportunities. 2007 , 9, 623-52	82
389	NF-kappa B as a therapeutic target in neurodegenerative diseases. 2007 , 11, 123-32	133
388	TNF Receptor Associated Factors (TRAFs). <i>Advances in Experimental Medicine and Biology</i> , 2007 ,	3.6 4
387	Inhibitor kappaB kinase beta binding by inhibitor kappaB kinase gamma. 2007 , 46, 12482-90	19
386	Targeting Strategies to Modulate the NF- κ B and JNK Signal Transduction Network. 2007 , 6, 71-84	3
385	Signaling Chains. 2007 , 189-214	
384	A20 inhibits human salivary adenoid cystic carcinoma cells invasion via blocking nuclear factor- κ B activation. 2007 , 120, 1830-1835	12
383	Apoptosis-Based Drug Discovery for Cancer. 408-438	

382	The Interleukin-6 inflammation pathway from cholesterol to aging--role of statins, bisphosphonates and plant polyphenols in aging and age-related diseases. 2007 , 4, 1	52
381	Phosphorylation and ubiquitination of the I κ B kinase complex by two distinct signaling pathways. 2007 , 26, 1794-805	91
380	SINTBAD, a novel component of innate antiviral immunity, shares a TBK1-binding domain with NAP1 and TANK. 2007 , 26, 3180-90	145
379	Pomegranate Fruit Extract Modulates UV-B-mediated Phosphorylation of Mitogen-activated Protein Kinases and Activation of Nuclear Factor Kappa B in Normal Human Epidermal Keratinocytes. 2007 , 81, 38-45	3
378	Clinical and molecular analysis of NF-kappaB essential modulator in Chinese incontinentia pigmenti patients. 2007 , 46, 1017-22	13
377	Bridging the gap between in silico and cell-based analysis of the nuclear factor-kappaB signaling pathway by in vitro studies of IKK2. 2007 , 274, 1678-90	20
376	NEMO oligomerization in the dynamic assembly of the I κ B kinase core complex. 2007 , 274, 2540-51	31
375	Structure-based design of small peptide inhibitors of protein kinase CK2 subunit interaction. 2007 , 408, 363-73	79
374	Inhibition of NF-kappaB activation with designed ankyrin-repeat proteins targeting the ubiquitin-binding/oligomerization domain of NEMO. 2007 , 16, 2013-22	9
373	Studies on interactions of programmed cell death 5 (PDCD5) and its related peptides with heparin by capillary zone electrophoresis. 2007 , 387, 909-16	6
372	A case of incontinentia pigmenti in Japan and its genetic examination. 2007 , 51, 142-5	5
371	IKK gamma (NEMO) is involved in the coordination of the AP-1 and NF-kappa B pathways. 2008 , 310, 181-90	9
370	TLR-4, IL-1R and TNF-R signaling to NF-kappaB: variations on a common theme. 2008 , 65, 2964-78	303
369	The I κ B kinase complex: master regulator of NF-kappaB signaling. 2008 , 42, 3-18	164
368	IKKalpha, a critical regulator of epidermal differentiation and a suppressor of skin cancer. 2008 , 27, 2639-47	70
367	Conjugated linoleic acids produced by Lactobacillus dissociates IKK-gamma and Hsp90 complex in Helicobacter pylori-infected gastric epithelial cells. 2008 , 88, 541-52	31
366	Inhibition of the NF-kappaB survival pathway via caspase-dependent cleavage of the IKK complex scaffold protein and NF-kappaB essential modulator NEMO. 2008 , 15, 152-60	21
365	Are the IKKs and IKK-related kinases TBK1 and IKK-epsilon similarly activated?. 2008 , 33, 171-80	172

364	Toll-Like Receptors (TLRs) and Innate Immunity. 2008,	7
363	Oxidants in Biology. 2008,	6
362	Gleditsia sinensis thorns inhibit the production of NO through NF-kappaB suppression in LPS-stimulated macrophages. 2008, 118, 429-34	18
361	Solution structure of NEMO zinc finger and impact of an anhidrotic ectodermal dysplasia with immunodeficiency-related point mutation. 2008, 377, 1419-32	40
360	Mutations in the zinc finger domain of IKK gamma block the activation of NF-kappa B and the induction of IL-2 in stimulated T lymphocytes. 2008, 45, 1633-45	8
359	NF-kappaB and cancer-identifying targets and mechanisms. 2008, 18, 19-26	496
358	Shared principles in NF-kappaB signaling. 2008, 132, 344-62	3368
357	IkappaB kinase beta (IKKbeta/IKK2/IKBKB)--a key molecule in signaling to the transcription factor NF-kappaB. 2008, 19, 157-65	178
356	Signalling, inflammation and arthritis: NF-kappaB and its relevance to arthritis and inflammation. 2008, 47, 584-90	269
355	High-affinity interaction between IKKbeta and NEMO. 2008, 47, 3109-16	16
354	IKKalpha is a critical coregulator of a Smad4-independent TGFbeta-Smad2/3 signaling pathway that controls keratinocyte differentiation. 2008, 105, 2487-92	128
353	Signalling of toll-like receptors. 2008, 21-50	104
352	Expanding role of cyclin dependent kinases in cytokine inducible gene expression. 2008, 7, 2661-6	25
351	Signal processing by its coil zipper domain activates IKK gamma. 2008, 105, 1279-84	53
350	Lymphotoxin-alpha 1 beta 2 and LIGHT induce classical and noncanonical NF-kappa B-dependent proinflammatory gene expression in vascular endothelial cells. 2008, 180, 3467-77	63
349	Regulation of I(kappa)B kinase complex by phosphorylation of (gamma)-binding domain of I(kappa)B kinase (beta) by Polo-like kinase 1. <i>Journal of Biological Chemistry,</i> 2008, 283, 35354-67	5-4 10
348	Essential cytoplasmic translocation of a cytokine receptor-assembled signaling complex. 2008, 321, 663-8	180
347	Inhibition of IkappaB kinase by vaccinia virus virulence factor B14. 2008, 4, e22	120

346	The ability of Warburgia salutaris extracts to protect against crystalline silica-induced cell injury. 2008 , 27, 827-35		2
345	The apolipoprotein E-mimetic peptide COG112 inhibits the inflammatory response to <i>Citrobacter rodentium</i> in colonic epithelial cells by preventing NF-kappaB activation. <i>Journal of Biological Chemistry</i> , 2008 , 283, 16752-61	5-4	45
344	Inherited proliferative vitreoretinopathies of childhood. 2008 , 48, 159-74		1
343	Bridging innate immunity and myocardial ischemia/reperfusion injury: the search for therapeutic targets. 2008 , 14, 1205-16		69
342	Neutrophils in cystic fibrosis display a distinct gene expression pattern. 2008 , 14, 36-44		55
341	Expression of an IKKgamma splice variant determines IRF3 and canonical NF-kappaB pathway utilization in ssRNA virus infection. <i>PLoS ONE</i> , 2009 , 4, e8079	3-7	22
340	Rethinking Leucine Zipper as a ubiquitous signal transduction motif. 2009 ,		5
339	TBK1-targeted suppression of TRIF-dependent signaling pathway of Toll-like receptors by 6-shogaol, an active component of ginger. 2009 , 73, 1474-8		32
338	NEMO-binding domains of both IKKalpha and IKKbeta regulate I kappa B kinase complex assembly and classical NF-kappaB activation. <i>Journal of Biological Chemistry</i> , 2009 , 284, 27596-608	5-4	29
337	A structural guide to proteins of the NF-kappaB signaling module. 2009 , 1, a000075		77
336	Splicing of mRNA mediated by tRNA sequences in mouse cells. 2009 , 15, 2122-8		4
335	Inhibitor kappaB Kinase beta deficiency in primary nociceptive neurons increases TRP channel sensitivity. 2009 , 29, 12919-29		24
334	The NF-kappaB-independent functions of IKK subunits in immunity and cancer. 2009 , 19, 404-13		146
333	PPM1A and PPM1B act as IKKbeta phosphatases to terminate TNFalpha-induced IKKbeta-NF-kappaB activation. 2009 , 21, 95-102		81
332	Ectodermal dysplasias: an overview and update of clinical and molecular-functional mechanisms. 2009 , 149A, 2003-13		28
331	Hepatitis delta virus large antigen sensitizes to TNF-alpha-induced NF-kappaB signaling. 2009 , 28, 49-55		24
330	Old target new approach: an alternate NF-kappaB activation pathway via translation inhibition. 2009 , 328, 9-16		9
329	Inflammatory pathways in liver homeostasis and liver injury. 2009 , 36, 4-12		286

328	5,7-dihydroxy-3,4,6-trimethoxyflavone inhibits the inflammatory effects induced by <i>Bacteroides fragilis</i> enterotoxin via dissociating the complex of heat shock protein 90 and I kappaB alpha and I kappaB kinase-gamma in intestinal epithelial cell culture. 2009 , 155, 541-51	18
327	Cloning and characterization of DULP, a novel ubiquitin-like molecule from human dendritic cells. 2009 , 6, 27-33	6
326	Absence of somatic mutations of NEMO in keratoacanthoma. 2009 , 129, 2518-20	
325	Requirement for NF-kappaB signalling in a mouse model of lung adenocarcinoma. <i>Nature</i> , 2009 , 462, 104-7	50.4 431
324	NEMO/IKKgamma regulates an early NF-kappaB-independent cell-death checkpoint during TNF signaling. 2009 , 16, 1279-88	89
323	Regulation of tissue homeostasis by NF-kappaB signalling: implications for inflammatory diseases. 2009 , 9, 778-88	418
322	Tumor necrosis factor receptor 1 induces interleukin-6 upregulation through NF-kappaB in a rat neuropathic pain model. 2009 , 13, 794-806	54
321	Role of reactive oxygen species in low level light therapy. 2009 ,	14
320	The Pellino family: IRAK E3 ligases with emerging roles in innate immune signalling. 2009 , 30, 33-42	112
319	<i>Dichroa febrifuga</i> Lour. inhibits the production of IL-1beta and IL-6 through blocking NF-kappaB, MAPK and Akt activation in macrophages. 2009 , 125, 246-51	14
318	Pathogen recognition and inflammatory signaling in innate immune defenses. 2009 , 22, 240-73, Table of Contents	1892
317	NF-B Mechanism, Tumor Biology, and Inhibitors. 569-623	
316	A mechanism for the suppression of interleukin-1-induced nuclear factor kappaB activation by protein phosphatase 2Ceta-2. 2009 , 423, 71-8	25
315	NEMO oligomerization and its ubiquitin-binding properties. 2009 , 421, 243-51	45
314	Gene therapy targeting nuclear factor-kappaB: towards clinical application in inflammatory diseases and cancer. 2009 , 9, 160-70	50
313	Relationship among human papillomavirus infection, p16(INK4a), p53 and NF-B activation in penile cancer from northern Thailand. 2010 , 1, 599-603	7
312	STZ-induced skeletal muscle atrophy is associated with increased p65 content and downregulation of insulin pathway without NF-B canonical cascade activation. 2010 , 47, 315-23	12
311	Regulation of lipopolysaccharide-induced inflammatory response by heat shock protein 27 in THP-1 cells. 2010 , 264, 127-34	20

310	USP11 negatively regulates TNF α -induced NF- κ B activation by targeting on I κ B α . 2010 , 22, 386-94		78
309	The zinc finger domain of IKK β (NEMO) protein in health and disease. 2010 , 14, 2404-14		20
308	Inhibition of NF- κ B signaling by fasudil as a potential therapeutic strategy for rheumatoid arthritis. 2010 , 62, 82-92		44
307	Protein-protein interactions involving IKK γ (NEMO) that promote the activation of NF- κ B. 2010 , 223, 558-61		24
306	A homogeneous time-resolved fluorescence-based high-throughput screening system for discovery of inhibitors of IKK β -NEMO interaction. 2010 , 405, 19-27		13
305	NF κ B: a promising target for natural products in cancer chemoprevention. 2010 , 24, 949-63		148
304	Genetic variations associated with psoriasis and psoriatic arthritis found by genome-wide association. 2010 , 23, 101-13		28
303	Differential signaling circuits in regulation of ultraviolet C light-induced early- and late-phase activation of NF- κ B. 2010 , 86, 995-9		9
302	Genetic susceptibility in tuberculosis. 2010 , 15, 241-56		97
301	NFB. 2010 , 2069-2076		1
300	IKK α and IKK β each function to regulate NF- κ B activation in the TNF-induced/canonical pathway. <i>PLoS ONE</i> , 2010 , 5, e9428	3-7	75
299	WDR5 is essential for assembly of the VISA-associated signaling complex and virus-triggered IRF3 and NF- κ B activation. 2010 , 107, 815-20		80
298	Abrogation of NF- κ B signaling in human neutrophils induces neutrophil survival through sustained p38-MAPK activation. 2010 , 88, 655-64		24
297	Peptidylarginine deiminase 2 suppresses inhibitory κ B kinase activity in lipopolysaccharide-stimulated RAW 264.7 macrophages. <i>Journal of Biological Chemistry</i> , 2010 , 285, 39655-62		33
296	Phosphorylation of Thr-516 and Ser-520 in the kinase activation loop of MEKK3 is required for lysophosphatidic acid-mediated optimal I κ B kinase beta (IKK β)/nuclear factor- κ B (NF- κ B) activation. <i>Journal of Biological Chemistry</i> , 2010 , 285, 7911-8	5-4	9
295	The IKK complex, a central regulator of NF- κ B activation. 2010 , 2, a000158		489
294	Protein phosphatase 2A acts as a mitogen-activated protein kinase kinase kinase 3 (MEKK3) phosphatase to inhibit lysophosphatidic acid-induced I κ B kinase beta/nuclear factor- κ B activation. <i>Journal of Biological Chemistry</i> , 2010 , 285, 21341-8	5-4	14
293	Ubiquitin-specific peptidase 21 inhibits tumor necrosis factor alpha-induced nuclear factor κ B activation via binding to and deubiquitinating receptor-interacting protein 1. <i>Journal of Biological Chemistry</i> , 2010 , 285, 969-78	5-4	87

292	The IKK Kinases: Operators of Antiviral Signaling. 2010 , 2, 55-72	14
291	Regulation of IkappaBalpha function and NF-kappaB signaling: AEBP1 is a novel proinflammatory mediator in macrophages. 2010 , 2010, 823821	61
290	Regulation of IκBβ by NF-κB 2010 , 9, 4841-7	20
289	Control of NF-κB activity by proteolysis. 2011 , 349, 97-114	17
288	IKK regulation and human genetics. 2011 , 349, 73-95	22
287	Vinpocetine inhibits NF-kappaB-dependent inflammation via an IKK-dependent but PDE-independent mechanism. 2010 , 107, 9795-800	163
286	Interleukin-1 (IL-1) pathway. <i>Science Signaling</i> , 2010 , 3, cm1	8.8 462
285	The fixed structure of Licochalcone A by alpha, beta-unsaturated ketone is necessary for anti-inflammatory activity through the inhibition of NF-kappaB activation. 2010 , 10, 562-71	34
284	DARPin-assisted crystallography of the CC2-LZ domain of NEMO reveals a coupling between dimerization and ubiquitin binding. 2010 , 395, 89-104	35
283	Role of NF-kappaB in thyroid cancer. 2010 , 321, 29-35	96
282	Proteins that bind to IKKgamma (NEMO) and down-regulate the activation of NF-kappaB. 2010 , 396, 585-9	16
281	NLRC5 negatively regulates the NF-kappaB and type I interferon signaling pathways. 2010 , 141, 483-96	312
280	NIK and IKKbeta interdependence in NF-kappaB signalling--flux analysis of regulation through metabolites. 2010 , 99, 140-9	7
279	Aurora-a contributes to radioresistance by increasing NF-kappaB DNA binding. 2010 , 174, 265-73	9
278	NF-κB in Health and Disease. 2011 ,	0
277	Nuclear factor-kappa B inhibitors; a patent review (2006-2010). 2011 , 21, 1897-910	39
276	Tumor necrosis factor-α in liver ischemia/reperfusion injury. 2011 , 24, 178-88	80
275	The emerging role of nuclear factor kappa B in renal cell carcinoma. 2011 , 43, 1537-49	60

274	Global gene expression analysis of chicken caecal response to <i>Campylobacter jejuni</i> . 2011 , 142, 64-71	15
273	Hepatic ischemia-reperfusion injury and therapeutic strategies to alleviate cellular damage. 2011 , 41, 103-17	27
272	Maintenance of IKK β activity is necessary to protect lung grafts from acute injury. 2011 , 91, 624-31	10
271	Phosphorylation-dependent association of the G4-1/G5PR regulatory subunit with IKK β negatively modulates NF- κ B activation through recruitment of protein phosphatase 5. 2011 , 433, 187-96	7
270	How do pleiotropic kinase hubs mediate specific signaling by TNFR superfamily members?. 2011 , 244, 29-43	22
269	Deubiquitinases in the regulation of NF- κ B signaling. 2011 , 21, 22-39	194
268	Structural studies of NF- κ B signaling. 2011 , 21, 183-95	88
267	NF- κ B signaling pathways regulated by CARMA family of scaffold proteins. 2011 , 21, 55-70	152
266	Crystal structure of inhibitor of κ B kinase \square <i>Nature</i> , 2011 , 472, 325-30	50.4 145
265	Tumor necrosis factor β stimulates endothelin-1 synthesis in rat hepatic stellate cells in hepatic wound healing through a novel IKK/JNK pathway. 2011 , 317, 1040-8	19
264	Gastrointestinal Manifestations of Primary Immunodeficiency. 2011 , 435-446.e4	
263	Nuclear factor- κ B: a key regulator in health and disease of lungs. 2011 , 59, 335-51	40
262	Post-formulation peptide drug loading of nanostructures for metered control of NF- κ B signaling. 2011 , 32, 231-8	16
261	Tyrosine kinases in rheumatoid arthritis. 2011 , 8, 21	23
260	The critical protein interactions and structures that elicit growth deregulation in cancer and viral replication. 2011 , 3, 48-73	12
259	NF- κ B family of transcription factors: biochemical players of CD28 co-stimulation. 2011 , 135, 1-9	35
258	A novel association between filamin A and NF- κ B inducing kinase couples CD28 to inhibitor of NF- κ B kinase β and NF- κ B activation. 2011 , 136, 203-12	20
257	IKK β regulates essential functions of the vascular endothelium through kinase-dependent and -independent pathways. 2011 , 2, 318	28

256	Cells lacking IKK β show nuclear cyclin D1 overexpression and a neoplastic phenotype: role of IKK β as a tumor suppressor. 2011 , 9, 341-9		19
255	NF- κ B-inducing kinase increases renal tubule epithelial inflammation associated with diabetes. 2011 , 2011, 192564		12
254	Mapping the IkappaB kinase beta (IKKbeta)-binding interface of the B14 protein, a vaccinia virus inhibitor of IKKbeta-mediated activation of nuclear factor kappaB. <i>Journal of Biological Chemistry</i> , 2011 , 286, 20727-35	5-4	43
253	A20-binding inhibitor of nuclear factor-kappaB (NF-kappaB)-2 (ABIN-2) is an activator of inhibitor of NF-kappaB (IkappaB) kinase alpha (IKKalpha)-mediated NF-kappaB transcriptional activity. <i>Journal of Biological Chemistry</i> , 2011 , 286, 32277-88	5-4	24
252	Exogenous signal-independent nuclear IkappaB kinase activation triggered by Nkx3.2 enables constitutive nuclear degradation of IkappaB-alpha in chondrocytes. 2011 , 31, 2802-16		10
251	Polyubiquitination events mediate polymethylmethacrylate (PMMA) particle activation of NF-kappaB pathway. <i>Journal of Biological Chemistry</i> , 2011 , 286, 23735-41	5-4	19
250	Incontinentia pigmenti--ophthalmological observation of a series of cases and review of the literature. 2011 , 95, 11-6		34
249	Intrinsic proinflammatory signaling in podocytes contributes to podocyte damage and prolonged proteinuria. 2012 , 303, F1473-85		54
248	No one can whistle a symphony alone - how different ubiquitin linkages cooperate to orchestrate NF- κ B activity. <i>Journal of Cell Science</i> , 2012 , 125, 549-59	5-3	46
247	Fibroblast growth factor homologous factor 1 interacts with NEMO to regulate NF- κ B signaling in neurons. <i>Journal of Cell Science</i> , 2012 , 125, 6058-70	5-3	19
246	Nitric oxide modulates sodium vitamin C transporter 2 (SVCT-2) protein expression via protein kinase G (PKG) and nuclear factor- κ B (NF- κ B). <i>Journal of Biological Chemistry</i> , 2012 , 287, 3860-72	5-4	34
245	Novel Phosphorylations of IKK γ /NEMO. 2012 , 3, e00411-12		11
244	Structural insights into the assembly of large oligomeric signalosomes in the Toll-like receptor-interleukin-1 receptor superfamily. <i>Science Signaling</i> , 2012 , 5, re3	8.8	56
243	Frequent somatic mosaicism of NEMO in T cells of patients with X-linked anhidrotic ectodermal dysplasia with immunodeficiency. 2012 , 119, 5458-66		21
242	NF- κ B, the first quarter-century: remarkable progress and outstanding questions. <i>Genes and Development</i> , 2012 , 26, 203-34	12.6	1135
241	Inhibition of type I interferon production via suppressing IKK-gamma expression: a new strategy for counteracting host antiviral defense by influenza A viruses?. 2012 , 11, 217-23		7
240	CHAPTER 9:IKK β as a Therapeutic Intervention Point for Diseases Related to Inflammation. 2012 , 255-296		7
239	Cordycepin suppresses TNF- α -induced NF- κ B activation by reducing p65 transcriptional activity, inhibiting IKK β phosphorylation, and blocking IKK β ubiquitination. 2012 , 14, 698-703		37

238	New insight into the oncogenic mechanism of the retroviral oncoprotein Tax. 2012 , 3, 581-9	36
237	Tissue specific deletion of inhibitor of kappa B kinase 2 with OX40-Cre reveals the unanticipated expression from the OX40 locus in skin epidermis. <i>PLoS ONE</i> , 2012 , 7, e32193	3-7 4
236	Liver Regeneration. 2012 , 20-35	
235	Hyperglycemia exacerbates burn-induced liver inflammation via noncanonical nuclear factor- κ B pathway activation. 2012 , 18, 948-56	14
234	Inhibitory kappa B Kinases as targets for pharmacological regulation. 2012 , 165, 802-19	75
233	Viral interference with innate immunity by preventing NF- κ B activity. 2012 , 14, 168-81	39
232	NF- κ B and the link between inflammation and cancer. 2012 , 246, 379-400	1038
231	It takes two to tango: IBs, the multifunctional partners of NF- κ B. 2012 , 246, 59-76	109
230	IKK biology. 2012 , 246, 239-53	162
229	Atypical IB proteins - nuclear modulators of NF- κ B signaling. 2013 , 11, 23	54
228	Structural basis of signal transduction in the TNF receptor superfamily. 2013 , 119, 135-53	79
227	Characterization of the inhibitor of kappaB kinase (IKK) complex in granulosa cell tumors of the ovary and granulosa cell tumor-derived cell lines. 2013 , 4, 277-92	10
226	Anti-inflammatory activity of ethanolic extract of <i>Sargassum sagamianum</i> in RAW 264.7 cells. 2013 , 22, 1113-1120	11
225	Molecular control of the NEMO family of ubiquitin-binding proteins. 2013 , 14, 673-85	85
224	Dynamic regulation of innate immunity by ubiquitin and ubiquitin-like proteins. 2013 , 24, 559-70	48
223	Ectodermal dysplasias: a clinical and molecular review. 2013 , 104, 451-70	19
222	Ectodermal Dysplasias: A Clinical and Molecular Review. 2013 , 104, 451-470	5
221	Identifying post-translational modifications of NEMO by tandem mass spectrometry after high affinity purification. 2013 , 92, 48-53	4

220	The role of Act1, a NF- κ B-activating protein, in IL-6 and IL-8 levels induced by IL-17 stimulation in SW982 cells. 2013 , 51, 1444-50	8
219	Cellular stress response and innate immune signaling: integrating pathways in host defense and inflammation. 2013 , 94, 1167-84	192
218	Anti-inflammatory properties of a triterpenoidal glycoside from <i>Momordica cochinchinensis</i> in LPS-stimulated macrophages. 2013 , 35, 8-14	23
217	TBK1-targeted suppression of TRIF-dependent signaling pathway of Toll-like receptors by helenalin. 2013 , 93, 847-54	6
216	Solubility, Miscibility, and the Impact on Solid-State Morphology. 2013 , 1-38	1
215	Signalling by the β family of cytokines. 2013 , 24, 189-201	62
214	Molecular basis of NF- κ B signaling. 2013 , 42, 443-68	588
213	Mutation of nonessential cysteines shows that the NF- κ B essential modulator forms a constitutive noncovalent dimer that binds I κ B kinase- α with high affinity. 2013 , 52, 9141-54	12
212	A structural basis for I κ B kinase 2 activation via oligomerization-dependent trans auto-phosphorylation. 2013 , 11, e1001581	73
211	Negative regulation of TLR inflammatory signaling by the SUMO-deconjugating enzyme SENP6. 2013 , 9, e1003480	57
210	Loss of PIDD limits NF- κ B activation and cytokine production but not cell survival or transformation after DNA damage. 2013 , 20, 546-57	17
209	Concordance of gene expression in human protein complexes reveals tissue specificity and pathology. 2013 , 41, e171	19
208	Targeting of NF-kappaB signaling pathway, other signaling pathways and epigenetics in therapy of multiple myeloma. 2013 , 13, 16-34	33
207	NF- κ B and cancer. 336-352	
206	Hepatitis B virus polymerase suppresses NF- κ B signaling by inhibiting the activity of IKKs via interaction with Hsp90. <i>PLoS ONE</i> , 2014 , 9, e91658	3-7 33
205	Incontinentia pigmenti. 2014 , 89, 26-36	31
204	Macrophage Defects. 2014 , 649-663	1
203	An unexpected twist to the activation of IKK α TAK1 primes IKK β for activation by autophosphorylation. 2014 , 461, 531-7	67

202	NF- κ B-induced KIAA1199 promotes survival through EGFR signalling. 2014 , 5, 5232		72
201	Seeking genes responsible for developmental origins of health and disease from the fetal mouse liver following maternal food restriction. 2014 , 54, 195-219		12
200	Allopurinol in renal ischemia. 2014 , 27, 304-16		21
199	IFN- γ or IFN- β ameliorates chronic proliferative dermatitis by inducing expression of linear ubiquitin chain assembly complex. 2014 , 192, 3793-804		10
198	Chronic inflammation and cancer: potential chemoprevention through nuclear factor kappa B and p53 mutual antagonism. 2014 , 11, 23		83
197	NLRC5 mediates cytokine secretion in RAW264.7 macrophages and modulated by the JAK2/STAT3 pathway. 2014 , 37, 835-47		24
196	NF- κ B activation induced by hepatitis A virus and Newcastle disease virus occurs by different pathways depending on the structural pattern of viral nucleic acids. 2014 , 159, 1723-33		4
195	The TLR and IL-1 signalling network at a glance. <i>Journal of Cell Science</i> , 2014 , 127, 2383-90	5.3	102
194	Noncanonical NF- κ B signaling is limited by classical NF- κ B activity. <i>Science Signaling</i> , 2014 , 7, ra13	8.8	38
193	Porcine reproductive and respiratory syndrome virus nonstructural protein 4 antagonizes beta interferon expression by targeting the NF- κ B essential modulator. <i>Journal of Virology</i> , 2014 , 88, 10934-45 ^{6.6}		90
192	Probing kinase activation and substrate specificity with an engineered monomeric IKK2. 2014 , 53, 2064-73		4
191	New paradigms in inflammatory signaling in vascular endothelial cells. 2014 , 306, H317-25		104
190	Aspirin augments the expression of Adenomatous Polyposis Coli protein by suppression of IKK α 2014 , 446, 460-4		5
189	Maternal control of the <i>Drosophila</i> dorsal-ventral body axis. 2014 , 3, 301-30		35
188	Human S100A9 potentiates IL-8 production in response to GM-CSF or fMLP via activation of a different set of transcription factors in neutrophils. 2014 , 588, 2141-6		28
187	The I κ B kinase complex in NF- κ B regulation and beyond. 2014 , 15, 46-61		302
186	Downregulation of osteopontin enhances the sensitivity of glioma U251 cells to temozolomide and cisplatin by targeting the NF- κ B/Bcl-2 pathway. 2015 , 11, 1951-5		11
185	AMAP1 as a negative-feedback regulator of nuclear factor- κ B under inflammatory conditions. 2014 , 4, 5094		9

184	Synthesis and Biological Evaluation of 2-Phenylimino-5((5-phenylfuran-2-yl)methylene)thiazolidin-4-ones as IKK2 Inhibitors. 2015 , 36, 2621-2626	1
183	Roles of linear ubiquitylation, a crucial regulator of NF- κ B and cell death, in the immune system. 2015 , 266, 175-89	78
182	Withaferin A disrupts ubiquitin-based NEMO reorganization induced by canonical NF- κ B signaling. 2015 , 331, 58-72	20
181	HTLV-1 Tax deregulates autophagy by recruiting autophagic molecules into lipid raft microdomains. 2015 , 34, 334-45	39
180	Novel CARD11 Mutations in Human Cutaneous Squamous Cell Carcinoma Lead to Aberrant NF- κ B Regulation. 2015 , 185, 2354-63	13
179	Ubiquitin Chains: Degradation and Beyond. <i>Springer Theses</i> , 2015 ,	0.1
178	Intestinal immune function, antioxidant status and tight junction proteins mRNA expression in young grass carp (<i>Ctenopharyngodon idella</i>) fed riboflavin deficient diet. 2015 , 47, 470-84	66
177	Polyglucosan storage myopathies. 2015 , 46, 85-100	48
176	Novel hypomorphic mutation in IKBKG impairs NEMO-ubiquitylation causing ectodermal dysplasia, immunodeficiency, incontinentia pigmenti, and immune thrombocytopenic purpura. 2015 , 160, 163-71	10
175	Familial exudative vitreoretinopathy and related retinopathies. 2015 , 29, 1-14	141
174	Non-conventional functions for NF- κ B members: the dark side of NF- κ B. 2015 , 34, 2279-87	20
173	The Ubiquitination of NF- κ B Subunits in the Control of Transcription. 2016 , 5,	54
172	LASSBio-1829 Hydrochloride: Development of a New Orally Active N-Acylhydrazone IKK2 Inhibitor with Anti-inflammatory Properties. 2016 , 11, 234-44	7
171	GSK-3 β controls NF- κ B activity via IKK γ /NEMO. 2016 , 6, 38553	36
170	MSX1 Modulates RLR-Mediated Innate Antiviral Signaling by Facilitating Assembly of TBK1-Associated Complexes. 2016 , 197, 199-207	21
169	High Estradiol Concentrations Induce Heat Shock Protein 70 Expression and Suppress Nuclear Factor Kappa B Activation in Human Endometrial Epithelial Cells. 2016 , 95, 87	4
168	Klotho Prevents Translocation of NF κ B. 2016 , 101, 119-50	23
167	Distinct microenvironmental cues stimulate divergent TLR4-mediated signaling pathways in macrophages. <i>Science Signaling</i> , 2016 , 9, ra86	8.8 48

166	Super-resolution microscopy reveals a preformed NEMO lattice structure that is collapsed in incontinentia pigmenti. 2016 , 7, 12629	13
165	A mechanistic review on plant-derived natural compounds as dietary supplements for prevention of inflammatory bowel disease. 2016 , 10, 745-58	30
164	TNF- α Modulation of Intestinal Tight Junction Permeability Is Mediated by NIK/IKK- β Axis Activation of the Canonical NF- κ B Pathway. 2016 , 186, 1151-65	106
163	A novel pVHL-independent but NEMO-driven pathway in renal cancer promotes HIF stabilization. 2016 , 35, 3125-38	8
162	Targeting IKK and NF- κ B for Therapy. 2017 , 107, 77-115	57
161	SMN1 functions as a novel inhibitor for TRAF6-mediated NF- κ B signaling. 2017 , 1864, 760-770	12
160	Inducible Rubicon facilitates viral replication by antagonizing interferon production. 2017 , 14, 607-620	29
159	The role of hybrid ubiquitin chains in the MyD88 and other innate immune signalling pathways. 2017 , 24, 1153-1159	51
158	Molluscum Contagiosum Virus MC159 Abrogates cIAP1-NEMO Interactions and Inhibits NEMO Polyubiquitination. <i>Journal of Virology</i> , 2017 , 91, 6.6	9
157	Enhancing the Cell Permeability and Metabolic Stability of Peptidyl Drugs by Reversible Bicyclization. 2017 , 56, 1525-1529	40
156	Enhancing the Cell Permeability and Metabolic Stability of Peptidyl Drugs by Reversible Bicyclization. 2017 , 129, 1547-1551	3
155	NF- κ B as a Potential Molecular Target for Therapy of Gastrointestinal Cancers. 2017 , 189-212	1
154	Evidence for M1-Linked Polyubiquitin-Mediated Conformational Change in NEMO. 2017 , 429, 3793-3800	17
153	Spontaneous activation of a MAVS-dependent antiviral signaling pathway determines high basal interferon- β expression in cardiac myocytes. 2017 , 111, 102-113	9
152	NEMO Links Nuclear Factor- κ B to Human Diseases. 2017 , 23, 1138-1155	38
151	Inhibition of IKK-NF κ B pathway sensitizes lung cancer cell lines to radiation. 2017 , 14, 293-301	11
150	Integrity of IKK/NF- κ B Shields Thymic Stroma That Suppresses Susceptibility to Autoimmunity, Fungal Infection, and Carcinogenesis. 2018 , 40, e1700131	1
149	Role of IB kinase β in regulating the remodeling of the CARMA1-Bcl10-MALT1 complex. 2018 , 500, 268-274	1

148	Molecular mechanisms of cell death: recommendations of the Nomenclature Committee on Cell Death 2018. 2018 , 25, 486-541	2160
147	MicroRNA-107 Targets IKBKG and Sensitizes A549 Cells to Parthenolide. 2018 , 38, 6309-6316	5
146	A Guide to Production, Crystallization, and Structure Determination of Human IKK1/ β 2018 ,	
145	Constitutive Activation of the Canonical NF- κ B Pathway Leads to Bone Marrow Failure and Induction of Erythroid Signature in Hematopoietic Stem Cells. 2018 , 25, 2094-2109.e4	17
144	Constitutive Activation of NF- κ B Pathway in Hematopoietic Stem Cells Causes Loss of Quiescence and Deregulated Transcription Factor Networks. 2018 , 6, 143	18
143	Apoptosis. 2018 , 362-403	1
142	Monogenic Defects of Toll-Like Receptor Signaling and Primary Immunodeficiency. 2018 , 165-174	
141	Targeting IKK β in Cancer: Challenges and Opportunities for the Therapeutic Utilisation of IKK β Inhibitors. 2018 , 7,	47
140	Does NEMO/IKK β protein have a role in determining prognostic significance in uveal melanoma?. 2018 , 20, 1592-1603	2
139	Decoding inflammation, its causes, genomic responses, and emerging countermeasures. 2019 , 90, e12812	24
138	Oyster Versatile IKK β Are Involved in Toll-Like Receptor and RIG-I-Like Receptor Signaling for Innate Immune Response. <i>Frontiers in Immunology</i> , 2019 , 10, 1826	8.4 7
137	NF- κ B/Rel Transcription Factors in Pancreatic Cancer: Focusing on RelA, c-Rel, and RelB. 2019 , 11,	18
136	IKK β like plays an important role in the innate immune signaling of the Pacific oyster (<i>Crassostrea gigas</i>). 2019 , 93, 551-558	3
135	Repression of eEF2K transcription by NF- κ B tunes translation elongation to inflammation and dsDNA-sensing. 2019 , 116, 22583-22590	5
134	Microbial recognition by GEF-H1 controls IKK β mediated activation of IRF5. 2019 , 10, 1349	9
133	Innate Immune Signaling and Its Role in Metabolic and Cardiovascular Diseases. 2019 , 99, 893-948	39
132	PAI-1 secreted from metastatic ovarian cancer cells triggers the tumor-promoting role of the mesothelium in a feedback loop to accelerate peritoneal dissemination. 2019 , 442, 181-192	23
131	Hepatitis B e Antigen Inhibits NF- κ B Activity by Interrupting K63-Linked Ubiquitination of NEMO. <i>Journal of Virology</i> , 2019 , 93,	6.6 17

130	SNW1, a Novel Transcriptional Regulator of the NF- κ B Pathway. 2019 , 39,	9
129	Targeting I κ B kinase for cancer therapy. 2019 , 56, 12-24	27
128	Could the inhibition of IL-17 or IL-18 be a potential therapeutic opportunity for gastric cancer?. 2019 , 118, 8-18	11
127	Viral antigens elicit augmented immune responses in primary Sjögren's syndrome. 2020 , 59, 1651-1661	10
126	A novel immune checkpoint-related seven-gene signature for predicting prognosis and immunotherapy response in melanoma. 2020 , 87, 106821	10
125	Structurally plastic NEMO and oligomerization prone IKK2 subunits define the behavior of human IKK2:NEMO complexes in solution. 2020 , 1868, 140526	2
124	I κ B kinase β 1 and -2 regulate cytokine expression in the orange-spotted grouper (<i>Epinephelus coioides</i>). 2020 , 101, 291-301	1
123	Ghrelin inhibits IKK γ /NF- κ B activation and reduces pro-inflammatory cytokine production in pancreatic acinar AR42J cells treated with cerulein. 2021 , 20, 366-375	3
122	Macrophage defects. 2020 , 849-868	1
121	DNA-PK: gatekeeper for IKK γ /NEMO nucleocytoplasmic shuttling in genotoxic stress-induced NF-kappaB activation. 2020 , 77, 4133-4142	4
120	Binding Nemo: Article highlight based on "SNW1 interacts with IKK α to positively regulate antiviral innate immune responses against influenza A virus infection" by Qiao et al. 2020 , 23, 104770-104770	
119	TRIM22 activates NF- κ B signaling in glioblastoma by accelerating the degradation of I κ B. 2021 , 28, 367-381	19
118	Matriptase generates a tissue damage response via promoting Gq signalling, leading to RSK and DUOX activation.	
117	Deletion of IKK2 in haematopoietic cells of adult mice leads to elevated interleukin-6, neutrophilia and fatal gastrointestinal inflammation. 2021 , 12, 28	
116	Epsins 1 and 2 promote NEMO linear ubiquitination via LUBAC to drive breast cancer development. <i>Journal of Clinical Investigation</i> , 2021 , 131,	15.9 2
115	SARS-CoV-2 ORF9b inhibits RIG-I-MAVS antiviral signaling by interrupting K63-linked ubiquitination of NEMO. 2021 , 34, 108761	72
114	Importance of extracutaneous organ involvement in determining the clinical severity and prognosis of incontinentia pigmenti caused by mutations in the IKBKG gene. 2021 , 30, 676-683	0
113	Aldose reductase deficiency inhibits LPS-induced M1 response in macrophages by activating autophagy. 2021 , 11, 61	0

112	Intestinal immunoregulation: lessons from human mendelian diseases. 2021 , 14, 1017-1037		2
111	Matriptase activation of Gq drives epithelial disruption and inflammation via RSK and DUOX. 2021 , 10,		
110	MAP3K7-IKK Inflammatory Signaling Modulates AR Protein Degradation and Prostate Cancer Progression. 2021 , 81, 4471-4484		0
109	The Transcription Factor NF- κ B in Stem Cells and Development. 2021 , 10,		5
108	A Review: Mechanism of in Cancers-NF- κ B, P13K/AKT, and MAPKs Signaling Activation. 2021 , 2021, 4514342		0
107	NF- κ B: At the Borders of Autoimmunity and Inflammation. <i>Frontiers in Immunology</i> , 2021 , 12, 716469	8.4	31
106	The NF- κ B Pathway: Modulation by and Other Protozoan Parasites. 2021 , 11, 748404		1
105	MEST promotes lung cancer invasion and metastasis by interacting with VCP to activate NF- κ B signaling. 2021 , 40, 301		2
104	Defining the structure of the NF- κ B pathway in human immune cells using quantitative proteomic data. 2021 , 88, 110154		
103	Gastrointestinal Manifestations of Immunodeficiency. 2021 , 429-450.e7		
102	The Ubiquitin-Proteasome System in Immune Cells. 2021 , 11,		12
101	NF- κ B Signaling Proteins as Therapeutic Targets for Inflammatory Bowel Diseases.		20
100	LMP1 TRAFFicking activates growth and survival pathways. <i>Advances in Experimental Medicine and Biology</i> , 2007 , 597, 173-87	3.6	108
99	The Role of Reactive Nitrogen Species (RNS) in the Activation of Nuclear Factor Kappa B (NF κ B) and Its Implications for Biological Systems: The Question of Balance. 2008 , 67-109		2
98	Dissecting NF- κ B signaling induced by genotoxic agents via genetic complementation of NEMO-deficient 1.3E2 cells. 2015 , 1280, 197-215		2
97	Cellular signaling to NF- κ B: Role in inflammation and therapeutic promise. 2000 , 23-37		2
96	HIV and apoptosis: a complex interaction between cell death and virus survival. 2004 , 36, 117-49		3
95	NF- κ B. 2010 , 201-214		1

94	The Pro-Inflammatory Cytokine Cascade. 2002 , 37-66		5
93	CD40-CD154 interactions in B-cell signaling. 2000 , 245, 73-99		49
92	Mechanisms of E3 modulation of immune and inflammatory responses. 2004 , 273, 113-35		27
91	Introduction and Overview of Alterations in Cell Signaling. 2010 , 447-471		2
90	Liver Regeneration. 2006 , 23-36		1
89	ECSIT is an evolutionarily conserved intermediate in the Toll/IL-1 signal transduction pathway. <i>Genes and Development</i> , 1999 , 13, 2059-71	12.6	244
88	Severe liver degeneration and lack of NF- κ B activation in NEMO/IKK ϵ deficient mice. <i>Genes and Development</i> , 2000 , 14, 854-862	12.6	305
87	Protein-protein interactions define specificity in signal transduction. <i>Genes and Development</i> , 2000 , 14, 1027-1047	12.6	368
86	The I kappa B kinase: a master regulator of NF-kappa B, innate immunity, and epidermal differentiation. 1999 , 64, 491-503		25
85	The NF- κ B Activation Pathway:A Paradigm in Information Transfer from Membrane to Nucleus. <i>Science Signaling</i> , 1999 , 1999, re1-re1	8.8	39
84	The Nuclear Factor- κ B Signaling Network: Insights from Systems Approaches. 119-135		2
83	Innate Immune Response and Inflammation: Roles in Pathogenesis and Protection (Rickettsiaceae). 243-269		1
82	IkappaB-mediated inhibition of virus-induced beta interferon transcription. <i>Journal of Virology</i> , 1999 , 73, 2694-702	6.6	27
81	Rescue of recurrent deep intronic mutation underlying cell type-dependent quantitative NEMO deficiency. <i>Journal of Clinical Investigation</i> , 2019 , 129, 583-597	15.9	25
80	Maturation differences in lung NF-kappaB activation and their role in tolerance to hyperoxia. <i>Journal of Clinical Investigation</i> , 2004 , 114, 669-78	15.9	57
79	Maturation differences in lung NF- κ B activation and their role in tolerance to hyperoxia. <i>Journal of Clinical Investigation</i> , 2004 , 114, 669-678	15.9	91
78	Deletion of IKK2 in hepatocytes does not sensitize these cells to TNF-induced apoptosis but protects from ischemia/reperfusion injury. <i>Journal of Clinical Investigation</i> , 2005 , 115, 849-59	15.9	140
77	Multi-parameter analysis of the kinetics of NF- κ B signalling and transcription in single living cells. <i>Journal of Cell Science</i> , 2002 , 115, 1137-1148	5.3	89

76	IB kinase regulates epithelium migration during corneal wound healing. <i>PLoS ONE</i> , 2011 , 6, e16132	3.7	22
75	Regulation of NF- κ B activation through a novel PI-3K-independent and PKA/Akt-dependent pathway in human umbilical vein endothelial cells. <i>PLoS ONE</i> , 2012 , 7, e46528	3.7	19
74	Critical role of IkappaB kinase alpha in embryonic skin development and skin carcinogenesis. <i>Histology and Histopathology</i> , 2009 , 24, 265-71	1.4	17
73	Tumor suppressor BLU promotes TRAIL-induced apoptosis by downregulating NF- κ B signaling in nasopharyngeal carcinoma. <i>Oncotarget</i> , 2017 , 8, 43853-43865	3.3	6
72	Expression and significance of nuclear factor kappaB p65 in colon tissues of rats with TNBS-induced colitis. <i>World Journal of Gastroenterology</i> , 2005 , 11, 1759-63	5.6	5
71	Inhibitory Effect of Sargauum fulvellum Ethanolic Extract on LPS-Induced Inflammatory Reaction in RAW 264.7 Mouse Macrophages. <i>Journal of Applied Biological Chemistry</i> , 2013 , 56, 249-255	0.7	5
70	Porcine epidemic diarrhea virus nsp14 inhibits NF- κ B pathway activation by targeting the IKK complex and p65. <i>Animal Diseases</i> , 2021 , 1, 24		1
69	Activation of Nuclear Factor- κ B. 2001 , 203-227		
68	Therapeutic Regulation of Leukocyte Adhesion Molecule Expression. 2001 , 263-301		
67	Nitric oxide regulation of leukocyte adhesion molecule expression. 2001 , 99-116		
66	Incontinentia pigmenti: the first single gene disorder due to disrupted NF-kappa B function. <i>Ernst Schering Research Foundation Workshop</i> , 2002 , 95-107		
65	The Role of Ubiquitin In NF- κ B-Signaling. 2003 , 137-158		
64	NF- κ B Activation by Card Proteins. 2003 , 69-88		
63	NF- κ B-in Genetic Disorders. 2003 , 325-334		
62	The IB-Kinase (IKK) Complex. 2003 , 115-135		
61	Delineation of NF- κ B-Signaling by Gene Targeting. 2003 , 265-294		
60	Interaction of STAT Signals with Other Signaling Pathways. 2003 , 285-298		
59	Bacillus of Calmette and Guerin modulates nuclear factor kappa beta in two urothelial carcinoma cell lines. <i>Advances in Experimental Medicine and Biology</i> , 2003 , 539, 599-621	3.6	1

- 58 **NFB: A Key Integrator of Cell Signaling. 2003**, 107-114
- 57 Diseases of Excess Bone Formation. **2004**, 120-137
- 56 NFkB and Neurotoxicity. **2004**, 65-86
- 55 Effects of Antioxidants on Gene Expression in Endothelial Cells. *Oxidative Stress and Disease*, **2005**, 141-180
- 54 Regulation of IKK. **2006**, 25-51
- 53 NF- κ B and Associated Human Genetic Pathologies. **2006**, 183-194
- 52 Incontinentia Pigmenti. **2008**, 391-406 1
- 51 NF- κ B in Brain Diseases. *Advances in Neurobiology*, **2011**, 293-317 2.1
- 50 Innate Immune Responses Elicited by Reovirus and Rotavirus. 403-422
- 49 Immune Homeostasis: Activation and Downregulation of NF- κ B. *Springer Theses*, **2015**, 1-44 0.1
- 48 Encyclopedia of Signaling Molecules. **2017**, 1-11
- 47 Disorders of Pigmentation. **2017**, 347-367
- 46 Encyclopedia of Signaling Molecules. **2018**, 2520-2529
- 45 Hypopigmentary Skin Disorders. **2022**, 183-221
- 44 Hypopigmentary Skin Disorders. **2020**, 1-39
- 43 Protective and proliferative effect of *Aesculus indica* extract on stressed human adipose stem cells via downregulation of NF- κ B pathway. *PLoS ONE*, **2021**, 16, e0258762 3-7 1
- 42 Nuclear Transcription Factor- κ B: A Drug Target for all Seasons. **2005**, 297-322 1
- 41 Acute liver failure [mechanisms of liver cell destruction. 253-263

40 Inflammatory pathways in liver homeostasis and liver injury. 32-41

39 Severe liver degeneration and lack of NF-kappaB activation in NEMO/IKKgamma-deficient mice. *Genes and Development*, **2000**, 14, 854-62 12.6 391

38 Complete lack of NF-kappaB activity in IKK1 and IKK2 double-deficient mice: additional defect in neurulation. *Genes and Development*, **2000**, 14, 1729-33 12.6 74

37 Balance of inflammatory pathways and interplay of immune cells in the liver during homeostasis and injury. *EXCLI Journal*, **2014**, 13, 67-81 2.4 16

36 Regulation of NF-kappaB by the HTLV-1 Tax protein. *Gene Expression*, **1999**, 7, 233-45 3.4 12

35 Complete lack of NF-B activity in IKK1 and IKK2 double-deficient mice: additional defect in neurulation. *Genes and Development*, **2000**, 14, 1729-1733 12.6 157

34 Roles of IB kinases and TANK-binding kinase 1 in hepatic lipid metabolism and nonalcoholic fatty liver disease. *Experimental and Molecular Medicine*, **2021**, 53, 1697-1705 12.8 5

33 Low Density Granulocytes and Dysregulated Neutrophils Driving Autoinflammatory Manifestations in NEMO Deficiency.. *Journal of Clinical Immunology*, **2022**, 1 5.7

32 The NOD/RIPK2 signaling pathway contributes to osteoarthritis susceptibility. 0

31 Scallop IKK1 Responds to Bacterial and Virus-Related Pathogen Stimulation and Interacts With MyD88 Adaptor of Toll-Like Receptor Pathway Signaling.. *Frontiers in Immunology*, **2022**, 13, 869845 8.4 0

30 Regulatory subunit NEMO promotes polyubiquitin-dependent induction of NF-B through a targetable second interaction with upstream activator IKK2.. *Journal of Biological Chemistry*, **2022**, 101864 5.4 0

29 Scallop NEMO interacts with IKK1 and regulates host innate immunity against PAMPs. *Aquaculture*, **2022**, 553, 738099 4.4 0

28 SPOCK1 promotes metastasis in pancreatic cancer via NF-B-dependent epithelial-mesenchymal transition by interacting with IB-β *Cellular Oncology (Dordrecht)*, **2021**, 45, 69 7.2 4

27 Diagnosing and mitigating method-based avidity artifacts that confound polyubiquitin-binding assays. *Biophysical Reports*, **2021**, 1, 100033

26 Image_1.TIFF. **2018**,

25 Table_1.XLSX. **2018**,

24 Table_2.XLSX. **2018**,

23 Data_Sheet_1.docx. **2019**,

22	Induced Pluripotent Stem Cell-Derived Monocytes/Macrophages in Autoinflammatory Diseases. <i>Frontiers in Immunology</i> , 2022 , 13,	8.4	1
21	Antiviral Activity of Proteasome Inhibitors in Herpes Simplex Virus-1 Infection: Role of Nuclear Factor- κ B. <i>Antiviral Therapy</i> , 2006 , 11, 995-1004	1.6	32
20	IKK γ /NEMO Localization into Multivesicular Bodies. <i>International Journal of Molecular Sciences</i> , 2022 , 23, 6778	6.3	0
19	NOD/RIPK2 signalling pathway contributes to osteoarthritis susceptibility. <i>Annals of the Rheumatic Diseases</i> , annrheumdis-2022-222497	2.4	3
18	Monocyte biomarkers define sargramostim treatment outcomes for Parkinson's disease. <i>Clinical and Translational Medicine</i> , 2022 , 12,	5.7	1
17	Post-Transcriptional Control of mRNA Metabolism and Protein Secretion: The Third Level of Regulation within the NF- κ B System. 2022 , 10, 2108		0
16	RIOK3 and Its Alternatively Spliced Isoform Have Disparate Roles in the Innate Immune Response to Rift Valley Fever Virus (MP12) Infection. 2022 , 14, 2064		0
15	Signaling pathways and therapeutic interventions in gastric cancer. 2022 , 7,		0
14	Resvega, a Nutraceutical Preparation, Affects NF κ B Pathway and Prolongs the Anti-VEGF Effect of Bevacizumab in Undifferentiated ARPE-19 Retina Cells. 2022 , 23, 11704		1
13	Scaffold Proteins as Dynamic Integrators of Biological Processes. 2022 , 102628		0
12	Research Progress on the Interaction between DCs and IDO in Alveolar Echinococcosis Infection. 2022 , 12, 10678-10685		0
11	Tripartite motif containing 23 functions as a critical regulator in macrophages to control the pathological feature of diabetic nephropathy.		0
10	Dysregulated inflammasome activity in intestinal inflammation – Insights from patients with very early onset IBD. 13,		1
9	Analyzing the postulated inhibitory effect of Manumycin A on farnesyltransferase. 10,		0
8	Primary Human CD4 ⁺ T Cells Contain Heterogeneous I κ B Kinase Complexes: Role in Activation of the IL-2 Promoter. 1999 , 163, 5444-5452		12
7	The Antiinflammatory Sesquiterpene Lactone Parthenolide Inhibits NF- κ B by Targeting the I κ B Kinase Complex. 1999 , 163, 5617-5623		55
6	Distinct Subcellular Localization and Substrate Specificity of Extracellular Signal-Regulated Kinase in B Cells upon Stimulation with IgM and CD40. 1999 , 163, 6589-6597		5
5	Deletion of African Swine Fever Virus (ASFV) H240R Gene Attenuates the Virulence of ASFV by Enhancing NLRP3-Mediated Inflammatory Responses.		1

- 4 Genome-wide identification and functional characterization of inhibitor of nuclear factor- κ B (IKK) in turbot (*Scophthalmus maximus*). **2023**, 134, 108619
- 3 Transcriptional Regulation during Aberrant Activation of NF- κ B Signalling in Cancer. **2023**, 12, 788
- 2 Neonatal Dermatitis. **2023**, 947-966
- 1 Pre-Protection and Mechanism of Crude Extracts from *Dioscorea alata* L. on H₂O₂-Induced IPEC-J2 Cells Oxidative Damage. **2023**, 13, 1401