ISCHAEMIAâ€REPERFUSION INJURY TO THE INTESTI

ANZ Journal of Surgery 68, 554-561 DOI: 10.1111/j.1445-2197.1998.tb02099.x

Citation Report

#	Article	IF	CITATIONS
1	The Role of Enterocytes in Gut Dysfunction. Pathology Research and Practice, 1998, 194, 741-751.	1.0	6
2	Nutrition in the intensive care unit. Critical Care, 1999, 3, R67.	2.5	43
3	Effects of Î ² -carotene on antioxidant enzyme activity, intracellular reactive oxygen and membrane integrity within post confluent Caco-2 intestinal cells. Biochimica Et Biophysica Acta - General Subjects, 2000, 1474, 47-55.	1.1	37
4	A Method Using Laser Doppler Flowmetry to Study Intestinal and Pancreatic Perfusion during an Acute Intestinal Ischaemic Injury in Rats with Pancreatitis. European Surgical Research, 2001, 33, 361-369.	0.6	10
5	EFFECTS OF FK409 ON INTESTINAL ISCHEMIA-REPERFUSION INJURY AND ISCHEMIA-INDUCED CHANGES IN THE RAT MUCOSAL VILLUS MICROCIRCULATION1. Transplantation, 2001, 72, 1875-1880.	0.5	21
6	Small bowel review: diseases of the small intestine. Digestive Diseases and Sciences, 2001, 46, 2555-2566.	1.1	38
7	Alteration of culture regime modifies antioxidant defenses independent of intracellular reactive oxygen levels and resistance to severe oxidative stress within confluent Caco-2 "intestinal cells". , 2001, 46, 417-423.		8
8	Heparin-Binding EGF-Like Growth Factor Decreases Inducible Nitric Oxide Synthase and Nitric Oxide Production After Intestinal Ischemia/Reperfusion Injury. Antioxidants and Redox Signaling, 2001, 3, 919-930.	2.5	30
10	Effects of Hypothermia and Rewarming on the Mucosal Villus Microcirculation and Survival After Rat Intestinal Ischemia–Reperfusion Injury. Annals of Surgery, 2002, 236, 67-74.	2.1	26
11	Prophylactic Use of Epidermal Growth Factor Reduces Ischemia/Reperfusion Intestinal Damage. American Journal of Pathology, 2002, 161, 373-379.	1.9	73
12	Ischemia–Reperfusion Injury Following Superior Mesenteric Artery Occlusion and Strangulation Obstruction. Journal of Surgical Research, 2002, 108, 39-43.	0.8	21
13	Heparin-binding EGF-like growth factor preserves crypt cell proliferation and decreases bacterial translocation after intestinal ischemia/reperfusion injury. Journal of Pediatric Surgery, 2002, 37, 1081-1087.	0.8	40
14	Attenuation of internal organ damages by exogenously administered epidermal growth factor (EGF) in burned rodents. Burns, 2002, 28, 435-442.	1.1	18
15	Ethanol modulates gut ischemia/reperfusion-induced liver injury in rats. American Journal of Physiology - Renal Physiology, 2002, 282, G640-G646.	1.6	30
16	FK409 inhibits both local and remote organ damage after intestinal ischaemia. Journal of Pathology, 2002, 197, 595-602.	2.1	32
17	Use of intravenous lidocaine to prevent reperfusion injury and subsequent multiple organ dysfunction syndrome. Journal of Veterinary Emergency and Critical Care, 2003, 13, 137-148.	0.4	44
18	Ischémie–reperfusion mésentérique lors des états de chocÂ: principaux aspects physiopathologiquesSplanchnic ischemia–reperfusion in shock: pathophysiology. Reanimation: Journal De La Societe De Reanimation De Langue Francaise, 2003, 12, 441-448.	0.1	3
19	Mucosal Villus Microcirculatory Disturbances Associated with Rat Intestinal Ischaemia-Reperfusion Injury Are Not Prevented by Tacrolimus. Digestion, 2003, 67, 154-160.	1.2	5

LATION REDO

#	ARTICLE	IF	CITATIONS
20	Experimental models of small bowel transplantation. Current Opinion in Organ Transplantation, 2003, 8, 209-216.	0.8	9
21	lL-10 Increases Tissue Injury After Selective Intestinal Ischemia/Reperfusion. Annals of Surgery, 2003, 238, 49-58.	2.1	36
22	Depletion of intestinal resident macrophages prevents ischaemia reperfusion injury in gut. Gut, 2004, 53, 1772-1780.	6.1	58
23	Vascular ischaemia and reperfusion injury. British Medical Bulletin, 2004, 70, 71-86.	2.7	360
24	Reduction in heat-induced gastrointestinal hyperpermeability in rats by bovine colostrum and goat milk powders. Journal of Applied Physiology, 2004, 96, 650-654.	1.2	73
25	A PPAR-γligand, 15-deoxy-Δ12,14-prostaglandin J2, inhibited gastric mucosal injury induced by ischemia–reperfusion in rats. Redox Report, 2004, 9, 376-381.	1.4	19
26	Infarcted intestine: a diagnostic void. ANZ Journal of Surgery, 2004, 74, 260-265.	0.3	29
27	REVIEW: Ischemia–Reperfusion Injury of the Intestine and Protective Strategies Against Injury. Digestive Diseases and Sciences, 2004, 49, 1359-1377.	1.1	552
28	Administration of nitric oxide with caspase inhibitors minimizes bacterial translocation in experimental intestinal transplantation. Transplantation, 2004, 77, 177-183.	0.5	6
29	Limiting deleterious cross-talk between failing organs*. Critical Care Medicine, 2004, 32, 2358-2359.	0.4	20
30	Intestinal permeability and systemic infections in critically ill patients: Effect of glutamine*. Critical Care Medicine, 2005, 33, 1125-1135.	0.4	305
31	Apoptosis inhibition during preservation by fructose-1,6-diphosphate and theophylline in rat intestinal transplantation. Critical Care Medicine, 2005, 33, 827-834.	0.4	9
32	The role of macronutrients in gastrointestinal blood flow. Current Opinion in Clinical Nutrition and Metabolic Care, 2005, 8, 552-556.	1.3	22
33	Protective Effects of Ischemic Preconditioning on the Intestinal Mucosal Microcirculation Following Ischemia–Reperfusion of the Intestine. Microcirculation, 2005, 12, 615-625.	1.0	32
34	Ketotifen abrogates local and systemic consequences of rat intestinal ischemia–reperfusion injury. Journal of Gastroenterology and Hepatology (Australia), 2005, 20, 1032-1038.	1.4	34
35	Pathophysiology of polytrauma. Injury, 2005, 36, 691-709.	0.7	1,012
36	Apoptosis inhibition plays a greater role than necrosis inhibition in decreasing bacterial translocation in experimental intestinal transplantation. Surgery, 2005, 137, 85-91.	1.0	20
37	Ischaemic preconditioning improves microvascular perfusion and oxygenation following reperfusion injury of the intestine. British Journal of Surgery, 2005, 92, 1169-1176.	0.1	32

#	Article	IF	CITATIONS
38	The importance of the gastrointestinal system in the pathogenesis of heart failure. European Heart Journal, 2005, 26, 2368-2374.	1.0	230
39	Analysis of Bacteremia Occurring in the Presence of Obstruction of the Left Colon in Rats Submitted to Transoperative Antegrade Mechanical Lavage. Journal of Investigative Surgery, 2005, 18, 233-240.	0.6	1
40	Effect of N-methyl-d-aspartate receptor blockade on neuronal plasticity and gastrointestinal transit delay induced by ischemia/reperfusion in rats. Neuroscience, 2005, 134, 39-49.	1.1	42
41	Oxygen supplementation during airway instrumentation improves intestinal barrier dysfunction. Journal of Pediatric Surgery, 2006, 41, 1386-1391.	0.8	4
42	Intraluminal injection of short chain fatty acids diminishes intestinal mucosa injury in experimental ischemia-reperfusion. Acta Cirurgica Brasileira, 2006, 21, 21-25.	0.3	18
43	Antioxidant Activity of a Novel Extract from Bamboo Grass (AHSS) against Ischemia-Reperfusion Injury in Rat Small Intestine. Biological and Pharmaceutical Bulletin, 2006, 29, 2301-2303.	0.6	40
44	Use of growth-hormone-releasing peptide-6 (GHRP-6) for the prevention of multiple organ failure. Clinical Science, 2006, 110, 563-573.	1.8	17
45	Pyrrolidine dithiocarbamate protects the small bowel from warm ischaemia/reperfusion injury of the intestine: the role of haem oxygenase. Clinical Science, 2006, 111, 373-380.	1.8	14
46	JNK (c-Jun NH2 Terminal Kinase) and p38 during Ischemia Reperfusion Injury in the Small Intestine. Transplantation, 2006, 81, 1325-1330.	0.5	20
47	Chronic Wound Pathogenesis and Current Treatment Strategies: A Unifying Hypothesis. Plastic and Reconstructive Surgery, 2006, 117, 35S-41S.	0.7	459
48	Altered responsiveness of the guinea-pig isolated ileum to smooth muscle stimulants and to electrical stimulation after in situ ischemia. British Journal of Pharmacology, 2006, 147, 371-378.	2.7	14
49	Mibefradil, a T-Type Ca2+ Channel Blocker, Protects Against Mesenteric Ischemia-Reperfusion-Induced Oxidative Injury and Histologic Alterations in Intestinal Mucosa in Rats. Digestive Diseases and Sciences, 2006, 51, 1454-1460.	1.1	5
50	CV-11974, angiotensin II type I receptor antagonist, protects against ischemia–reperfusion injury of the small intestine in rats. European Journal of Pharmacology, 2006, 535, 283-290.	1.7	20
51	Role of the thrombin/protease-activated receptor 1 pathway in intestinal ischemia-reperfusion injury in rats. American Journal of Physiology - Renal Physiology, 2007, 292, G678-G683.	1.6	23
52	Cerebral hyperperfusion syndrome following carotid endarterectomy. QJM - Monthly Journal of the Association of Physicians, 2007, 100, 239-244.	0.2	65
53	Immune Modulation after Total Hip Surgery. European Surgical Research, 2007, 39, 296-302.	0.6	4
54	Reconstruction of central lacteals in the murine jejunum following ischemia-reperfusion injury. Archives of Histology and Cytology, 2007, 70, 135-146.	0.2	3
55	Heparin-Binding EGF-like Growth Factor Decreases Inflammatory Cytokine Expression After Intestinal Ischemia/Reperfusion Injury. Journal of Surgical Research, 2007, 139, 269-273.	0.8	46

#	Article	IF	CITATIONS
56	PROTECTIVE EFFECTS OF ASCORBIC ACID PRETREATMENT IN A RAT MODEL OF INTESTINAL ISCHEMIA-REPERFUSION INJURY: A HISTOMORPHOMETRIC STUDY. Clinics, 2007, 62, 315-320.	0.6	29
57	Acute morphological changes in guinea-pig ileum myenteric neurons after ischemia in situ with superfusion in vitro. Pathology Research and Practice, 2008, 204, 121-127.	1.0	9
58	Erythropoietin and its derivative protect the intestine from severe ischemia/reperfusion injury in the rat. Surgery, 2008, 143, 556-565.	1.0	49
59	Cytokine patterns after tourniquetâ€induced skeletal muscle ischaemia reperfusion in total knee replacement. Scandinavian Journal of Clinical and Laboratory Investigation, 2008, 68, 154-159.	0.6	20
60	Carbohydrate Supplementation Before Operation Retains Intestinal Barrier Function and Lowers Bacterial Translocation in a Rat Model of Major Abdominal Surgery. Journal of Parenteral and Enteral Nutrition, 2008, 32, 247-253.	1.3	9
61	The Patient With Circulatory Shock: To Feed or Not to Feed?. Nutrition in Clinical Practice, 2008, 23, 501-509.	1.1	43
62	Early enteral supplementation with key pharmaconutrients improves Sequential Organ Failure Assessment score in critically ill patients with sepsis: Outcome of a randomized, controlled, double-blind trial*. Critical Care Medicine, 2008, 36, 131-144.	0.4	182
63	Systemic evaluation on ischemia and reperfusion injury of splanchnic organs in rats. Acta Cirurgica Brasileira, 2009, 24, 290-295.	0.3	9
64	A Natural Tetrahydropyrimidine Protects Small Bowel from Cold Ischemia and Subsequent Warm in vitro Reperfusion Injury. Pathobiology, 2009, 76, 212-220.	1.9	23
65	In vitro and in vivo antioxidant properties of ferulic acid: A comparative study with other natural oxidation inhibitors. Food Chemistry, 2009, 114, 466-471.	4.2	177
66	Tempol reduces bacterial translocation after ischemia/reperfusion injury in a rat model of superior mesenteric artery occlusion. Surgery Today, 2009, 39, 407-413.	0.7	11
67	Curcumin Nutrition for the Prevention of Mesenteric Ischemia–Reperfusion Injury: An Experimental Rodent Model. Transplantation Proceedings, 2009, 41, 3611-3616.	0.3	28
68	Immunmodulation of Serum in Orthopaedic Trauma. Journal of Trauma, 2009, 67, 624-627.	2.3	1
69	Hydrogen Sulfide Attenuates Ischemia-Reperfusion Injury in In Vitro and In Vivo Models of Intestine Free Tissue Transfer. Plastic and Reconstructive Surgery, 2010, 125, 1670-1678.	0.7	32
70	Reduction of Oxygenation and Blood Flow in Pedicled Bowel Segments in the Rat and Its Consequences for Anastomotic Healing. Diseases of the Colon and Rectum, 2010, 53, 93-100.	0.7	13
71	Ketamine reduces intestinal injury and inflammatory cell infiltration after ischemia/reperfusion in rats. Surgery Today, 2010, 40, 1055-1062.	0.7	20
72	Antioxidant and anticytokine effects of bovine colostrum in intestinal ischemia/reperfusion injured rat model. Food Science and Biotechnology, 2010, 19, 1295-1301.	1.2	10
73	Ectoines in cell stress protection: Uses and biotechnological production. Biotechnology Advances, 2010, 28, 782-801.	6.0	296

		CITATION REPORT		
#	ARTICLE Current theories on the pathophysiology of multiple organ failure after trauma. Injury, 2	2010 41 21-26	IF 0.7	Citations
74	Current theories on the pathophysiology of multiple organitalitie after trauma. Injury,	2010, 41, 21-20.	0.7	108
75	Protective effects of quercetin-3-rhamnoglucoside (rutin) on ischemia-reperfusion injur intestine. Food Chemistry, 2010, 118, 426-429.	y in rat small	4.2	30
76	Toll-like receptors: a novel target for therapeutic intervention in intestinal and hepatic ischemia–reperfusion injury?. Expert Opinion on Therapeutic Targets, 2010, 14, 839-	853.	1.5	9
77	Bacterial Translocation in a Rat Model of Large Volume Hepatic Radiofrequency Ablatio Surgical Research, 2010, 161, 250-258.	n. Journal of	0.8	12
78	Two-Day Fasting Prior to Intestinal Ischemia-Reperfusion Injury on Bacterial Translocati Journal of Investigative Surgery, 2011, 24, 262-266.	on in Rats.	0.6	3
79	Comparative Effects of Triflusal, S-Adenosylmethionine, and Dextromethorphan over In Ischemia/Reperfusion Injury. Scientific World Journal, The, 2011, 11, 1886-1892.	testinal	0.8	4
80	NADPH-diaphorase expression in the rat jejunum after intestinal ischemia/reperfusion. J Journal of Histochemistry, 2011, 55, 23.	European	0.6	11
81	Protective Effect of Soy Isoflavone Genistein on Ischemia-Reperfusion in the Rat Small I Biological and Pharmaceutical Bulletin, 2011, 34, 1448-1454.	ntestine.	0.6	23
82	Lactobacillus plantarum Prevents Bacterial Translocation in Rats Following Ischemia an Injury. Digestive Diseases and Sciences, 2011, 56, 3187-3194.	d Reperfusion	1.1	31
83	The role of curcumin on intestinal oxidative stress, cell proliferation and apoptosis after ischemia/reperfusion injury in rats. Journal of Molecular Histology, 2011, 42, 579-587.		1.0	59
84	Protective effect of lutein after ischemia-reperfusion in the small intestine. Food Chemi 893-898.	stry, 2011, 127,	4.2	21
85	In vitro and in vivo antioxidant properties of chlorogenic acid and caffeic acid. Internati of Pharmaceutics, 2011, 403, 136-138.	onal Journal	2.6	719
86	Protection from Glycine at Low Doses in Ischemia-Reperfusion Injury of the Rat Small Ir European Surgical Research, 2011, 46, 180-187.	itestine.	0.6	25
87	The Effects of Amlodipine on the Biochemical and Histopathological Changes in the Ra Subjected to Ischemia-Reperfusion. Eurasian Journal of Medicine, 2011, 43, 33-38.	bbit lleum	0.2	11
88	Anti-inflammatory and antioxidant effects of infliximab in a rat model of intestinal ischemia/reperfusion injury. Toxicology and Industrial Health, 2012, 28, 923-932.		0.6	30
89	Role of high mobility group box chromosomal protein 1 in ischemia-reperfusion injury in intestine. Journal of Surgical Research, 2012, 178, 466-471.	h the rat small	0.8	25
90	The pig as a preclinical model for intestinal ischemia-reperfusion and transplantation st of Surgical Research, 2012, 178, 807-819.	udies. Journal	0.8	31
91	Vasoactive Substances and Their Effects on Nutrition in the Critically III Patient. Nutritic Practice, 2012, 27, 335-339.	on in Clinical	1.1	30

#	Article	IF	CITATIONS
92	Intestinal Ischemia-Reperfusion Increases Efflux for Uric Acid Via Paracellular Route in the Intestine, but Decreases that Via Transcellular Route Mediated by BCRP. Journal of Pharmacy and Pharmaceutical Sciences, 2012, 15, 295.	0.9	12
93	Mesenteric ischemia–reperfusion injury: Specific impact on different cell populations within the jejunal wall in rats. Acta Histochemica, 2012, 114, 276-284.	0.9	17
94	Heparin-binding epidermal growth factor–like growth factor (HB-EGF) preserves gut barrier function by blocking neutrophil-endothelial cell adhesion after hemorrhagic shock and resuscitation in mice. Surgery, 2012, 151, 594-605.	1.0	15
95	Remifentanil ameliorates intestinal ischemia-reperfusion injury. BMC Gastroenterology, 2013, 13, 69.	0.8	47
96	Deletion of regulatory T cells supports the development of intestinal ischemia-reperfusion injuries. Journal of Surgical Research, 2013, 184, 832-837.	0.8	13
97	Lycium barbarum polysaccharides reduce intestinal ischemia/reperfusion injuries in rats. Chemico-Biological Interactions, 2013, 204, 166-172.	1.7	44
98	Activation of NF-κB pathway in oral buccal mucosa during small intestinal ischemia-reperfusion injury. Journal of Surgical Research, 2013, 179, 99-105.	0.8	13
99	In vitro effects of lidocaine on contractility of circular and longitudinal equine intestinal smooth muscle. Veterinary Journal, 2013, 198, 170-175.	0.6	16
100	Bupropion Reduces the Inflammatory Response and Intestinal Injury Due to Ischemia-Reperfusion. Transplantation Proceedings, 2013, 45, 2502-2505.	0.3	8
101	The role of allopurinol′s timing in the ischemia reperfusion injury of small intestine. Journal of Emergencies, Trauma and Shock, 2013, 6, 203.	0.3	13
102	R-spondin3 prevents mesenteric ischemia/reperfusion-induced tissue damage by tightening endothelium and preventing vascular leakage. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 14348-14353.	3.3	36
103	Protective effects of montelukast and Hypericum perforatum against intestinal ischemia-reperfusion injury in hamsters. Turkish Journal of Medical Sciences, 2014, 44, 381-386.	0.4	7
104	Salutary effect of calcium channel blockade following hypoxic and septic insult. Journal of Trauma and Acute Care Surgery, 2014, 77, 40-46.	1.1	1
105	The effects of sulforaphane in the rat model of experimental intestinal ischemia reperfusion. European Surgery - Acta Chirurgica Austriaca, 2015, 47, 70-74.	0.3	2
106	Phyto-Niosomes: <i>In Vitro</i> Assessment of the Novel Nanovesicles Containing Marigold Extract. International Journal of Polymeric Materials and Polymeric Biomaterials, 2015, 64, 927-937.	1.8	37
107	The effect of melatonin on bacterial translocation following ischemia/reperfusion injury in a rat model of superior mesenteric artery occlusion. BMC Surgery, 2015, 15, 18.	0.6	11
108	Inflammatory Changes and Coagulopathy in Multiply Injured Patients. , 2016, , 23-39.		0
109	Alterations in Intestinal Permeability: The Role of the "Leaky Gut―in Health and Disease. Journal of Equine Veterinary Science, 2017, 52, 10-22.	0.4	51

#	Article	IF	CITATIONS
110	Neutrophil macroaggregates promote widespread pulmonary thrombosis after gut ischemia. Science Translational Medicine, 2017, 9, .	5.8	56
111	IL-17A Produced by Innate Lymphoid Cells Is Essential for Intestinal Ischemia-Reperfusion Injury. Journal of Immunology, 2017, 199, 2921-2929.	0.4	14
112	Therapeutic targeting of extracellular DNA improves the outcome of intestinal ischemic reperfusion injury in neonatal rats. Scientific Reports, 2017, 7, 15377.	1.6	37
113	The New World Health Organization Recommendations on Perioperative Administration of Oxygen to Prevent Surgical Site Infections: A Dangerous Reductionist Approach?. Anesthesia and Analgesia, 2017, 125, 682-687.	1.1	32
114	miR-381-3p knockdown improves intestinal epithelial proliferation and barrier function after intestinal ischemia/reperfusion injury by targeting nurr1. Cell Death and Disease, 2018, 9, 411.	2.7	48
115	MicroRNAâ€21 is upregulated during intestinal barrier dysfunction induced by ischemia reperfusion. Kaohsiung Journal of Medical Sciences, 2018, 34, 556-563.	0.8	29
116	Dietary chlorogenic acid supplementation affects gut morphology, antioxidant capacity and intestinal selected bacterial populations in weaned piglets. Food and Function, 2018, 9, 4968-4978.	2.1	76
117	Recombinant Thrombomodulin on Neutrophil Extracellular Traps in Murine Intestinal Ischemia–Reperfusion. Anesthesiology, 2019, 131, 866-882.	1.3	33
118	Morphological analysis of ischemia-reperfusion injury in a cold ischemia model of jejunal free flap for hypopharyngeal reconstruction. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2020, 73, 103-110.	0.5	0
119	Intraluminal fluid infusion in a rat jejunum ischemia/reperfusion model is associated with improved tissue perfusion and less mucosal damage. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2020, 73, 590-597.	0.5	4
120	Human Small Intestine Transplantation: Segmental Susceptibility to Ischemia Using Different Preservation Solutions and Conditions. Transplantation Proceedings, 2020, 52, 2934-2940.	0.3	12
121	Pretreatment with Propofol Reduces Pulmonary Injury in a Pig Model of Intestinal Ischemia-Reperfusion via Suppressing the High-Mobility Group Box 1 Protein (HMGB1)/Toll-Like Receptor 4 (TLR4)/Protein Kinase R (PKR) Signaling Pathway. Medical Science Monitor, 2021, 27, e930478.	0.5	1
122	Orexigenic Hormone Ghrelin Attenuates Local and Remote Organ Injury after Intestinal Ischemia-Reperfusion. PLoS ONE, 2008, 3, e2026.	1.1	80
123	The Effect of Air Tourniquet on Interleukin-6 Levels in Total Knee Arthroplasty. The Open Orthopaedics Journal, 2017, 11, 20-28.	0.1	17
124	Pyrrolidine dithiocarbamate reduces ischemia-reperfusion injury of the small intestine. World Journal of Gastroenterology, 2005, 11, 7308.	1.4	29
125	Local infiltration analgesia for total knee arthroplasty: Does a mixture of ropivacaine and epinephrine have an impact on hemodynamics? An observational cohort study. Saudi Journal of Anaesthesia, 2020, 14, 335.	0.2	4
126	Clinical Trials in Brain Injury After Cardiac Arrest. , 2006, , 159-178.		0
127	Nutrition and Metabolic Control. , 2010, , 2923-2956.		1

8

#	Article	IF	CITATIONS
128	Local Inflammatory Changes Induced by Fractures and Soft Tissue Injuries. , 2011, , 19-31.		0
129	Changes in vascular reactivity of mesenteric arteries following hyperbaric oxygen treatment. FASEB Journal, 2012, 26, lb634.	0.2	0
130	Vasoactive Substances and Nutrition in Critical Care. , 2014, , 1-11.		0
131	Vasoactive Substances and Nutrition in Critical Care. , 2015, , 473-482.		0
132	Cytoprotective Potential of Rutin and Quercetin in Swiss Mice Exposed to Gamma Radiation. , 2017, 3, 1322-1328.		1
133	Brief topical and intraluminal use of Carolina rinse solution does not attenuate experimental ischemia and reperfusion injury in rabbit jejunum. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2020, 72, 1321-1328.	0.1	0
134	Probiotic Saccharomyces boulardii Alleviates Lung Injury by Reduction of Oxidative Stress and Cytokine Response Induced by Supraceliac Aortic Ischemia-Reperfusion Injury in Rats. Brazilian Journal of Cardiovascular Surgery, 2021, 36, 515-521.	0.2	4
135	2021 SSAT Debate: Selective Approach to Resection of the Superior Mesenteric Artery in Pancreatic Cancer vs Superior Mesenteric Artery Encasement Is Not an Absolute Contraindication for Surgery in Pancreatic Cancer. Journal of Gastrointestinal Surgery, 2022, 26, 523-531.	0.9	3
137	ISCHEMIA-REPERFUSION SYNDROME AND RESULTS OF OPEN AND ENDOVASCULAR REPAIR OF INFRARENAL ABDOMINAL AORTIC ANEURYSM. Ekologiya Cheloveka (Human Ecology), 2015, 22, 25-32.	0.2	0
138	The Effect of Genistein on Anastomotic Healing inÂIntestinal Ischemia/Reperfusion Injury. Journal of Surgical Research, 2022, 280, 389-395.	0.8	2
139	Protective effects of curcumin on ischemia/reperfusion injury. Phytotherapy Research, 2022, 36, 4299-4324.	2.8	10
140	Prehabilitation Ameliorates Gut Ischemia Reperfusion Injury in Mice. Journal of Surgical Research, 2023, 282, 71-83.	0.8	0
141	Carbon monoxide-releasing molecule 2 inhibits inflammation associated with intestinal ischemia-reperfusion injury in a rat model of hemorrhagic shock. International Immunopharmacology, 2022, 113, 109441.	1.7	2
142	Endotoxemia in Acute Heart Failure and Cardiogenic Shock: Evidence, Mechanisms and Therapeutic Options. Journal of Clinical Medicine, 2023, 12, 2579.	1.0	2