

Tunable alignment of macromolecules by filamentous p interactions

Nature Structural Biology

5, 1065-1074

DOI: 10.1038/4176

Citation Report

#	ARTICLE	IF	CITATIONS
2	Biomolecular NMR: recent advances in liquids, solids and screening. Current Opinion in Chemical Biology, 1999, 3, 530-536.	6.1	23
3	NMR structure and mutagenesis of the inhibitor-of-apoptosis protein XIAP. Nature, 1999, 401, 818-822.	27.8	332
4	Induced alignment and measurement of dipolar couplings of an SH2 domain through direct binding with filamentous phage. Journal of Biomolecular NMR, 1999, 14, 175-179.	2.8	18
5	Title is missing!. Journal of Biomolecular NMR, 1999, 14, 333-343.	2.8	122
6	Recognition of protein folds via dipolar couplings. Journal of Biomolecular NMR, 1999, 14, 223-230.	2.8	83
7	Line narrowing in spectra of proteins dissolved in a dilute liquid crystalline phase by band-selective adiabatic decoupling: application to ^1H - ^{15}N residual dipolar coupling measurements. Journal of Biomolecular NMR, 1999, 15, 335-338.	2.8	27
8	NMR spectroscopy of large molecules and multimolecular assemblies in solution. Current Opinion in Structural Biology, 1999, 9, 594-601.	5.7	210
9	Establishing a degree of order: obtaining high-resolution NMR structures from molecular alignment. Structure, 1999, 7, R205-R211.	3.3	53
10	Order Matrix Analysis of Residual Dipolar Couplings Using Singular Value Decomposition. Journal of Magnetic Resonance, 1999, 138, 334-342.	2.1	544
11	A JCH-Modulated 2D (HACACO)NH Pulse Scheme for Quantitative Measurement of ^{13}C - ^1H Couplings in ^{15}N , ^{13}C -Labeled Proteins. Journal of Magnetic Resonance, 1999, 140, 281-284.	2.1	13
12	$\text{HN}(\hat{I}^2/\hat{I}^2\text{-COCA-J})$ Experiment for Measurement of $^1\text{J}_{\text{C}\hat{\text{C}}^2\text{C}}^2$ Couplings from Two-Dimensional [^{15}N , ^1H] Correlation Spectrum. Journal of Magnetic Resonance, 1999, 141, 44-51.	2.1	22
13	Incorporating residual dipolar couplings into the NMR solution structure determination of nucleic acids. Biopolymers, 1999, 52, 168-180.	2.4	38
14	Determination of the structure of the RNA complex of a double-stranded RNA-binding domain from <i>Drosophila</i> Staufen protein. Biopolymers, 1999, 52, 181-196.	2.4	22
15	Solution structure of human GAIP ($\text{G}\hat{\text{I}}^2$ interacting protein): a regulator of G protein signaling. Journal of Molecular Biology, 1999, 291, 927-939.	4.2	65
16	Refining the overall structure and subdomain orientation of ribosomal protein S4 $\hat{\text{I}}^{41}$ with dipolar couplings measured by NMR in uniaxial liquid crystalline phases 1 Edited by P. E. Wright. Journal of Molecular Biology, 1999, 292, 375-387.	4.2	36
17	Residual dipolar coupling derived orientational constraints on ligand geometry in a 53 kDa protein-ligand complex. Journal of Molecular Biology, 1999, 293, 107-115.	4.2	89
19	NMR spectroscopy: a multifaceted approach to macromolecular structure. Quarterly Reviews of Biophysics, 2000, 33, 29-65.	5.7	224
20	NMR structures of biomolecules using field oriented media and residual dipolar couplings. Quarterly Reviews of Biophysics, 2000, 33, 371-424.	5.7	400

#	ARTICLE	IF	CITATIONS
21	Molecular Symmetry as an Aid to Geometry Determination in Ligand Protein Complexes. Journal of Magnetic Resonance, 2000, 142, 153-158.	2.1	65
22	Evaluation of Cross-Correlation Effects and Measurement of One-Bond Couplings in Proteins with Short Transverse Relaxation Times. Journal of Magnetic Resonance, 2000, 143, 184-196.	2.1	142
23	Direct Refinement against Proton-Proton Dipolar Couplings in NMR Structure Determination of Macromolecules. Journal of Magnetic Resonance, 2000, 142, 393-396.	2.1	70
24	Magnetization Transfer via Residual Dipolar Couplings: Application to Proton-Proton Correlations in Partially Aligned Proteins. Journal of Magnetic Resonance, 2000, 143, 435-439.	2.1	13
25	Protein Backbone ¹⁵ N Relaxation Rates as a Tool for the Diagnosis of Structure Quality. Journal of Magnetic Resonance, 2000, 144, 367-371.	2.1	9
26	Dipolar Interactions in Molecules Aligned by Strong AC Electric Fields. Journal of Magnetic Resonance, 2000, 147, 104-109.	2.1	11
27	Lanthanide Ions Bind Specifically to an Added α -EF-Hand and Orient a Membrane Protein in Micelles for Solution NMR Spectroscopy. Journal of Magnetic Resonance, 2000, 146, 381-384.	2.1	132
28	Conformations of the regulatory domain of cardiac troponin C examined by residual dipolar couplings. FEBS Journal, 2000, 267, 6665-6672.	0.2	21
29	Protein NMR spectroscopy in structural genomics. Nature Structural Biology, 2000, 7, 982-985.	9.7	186
30	NMR solution structure determination of RNAs. Current Opinion in Structural Biology, 2000, 10, 298-302.	5.7	49
31	Characterization of surfactant liquid crystal phases suitable for molecular alignment and measurement of dipolar couplings. Journal of Biomolecular NMR, 2000, 16, 329-337.	2.8	87
32	Measurement of one-bond ¹⁵ N- ¹³ C dipolar couplings in medium sized proteins. Journal of Biomolecular NMR, 2000, 18, 101-105.	2.8	56
33	Transverse relaxation optimised spin-state selective NMR experiments for measurement of residual dipolar couplings. , 2000, 16, 221-227.		53
34	A set of HNC0-based experiments for measurement of residual dipolar couplings in ¹⁵ N, ¹³ C, (² H)-labeled proteins. Journal of Biomolecular NMR, 2000, 17, 43-54.	2.8	84
35	Direct measurement of ¹ H- ¹ H dipolar couplings in proteins: a complement to traditional NOE measurements. Journal of Biomolecular NMR, 2000, 18, 23-31.	2.8	33
36	Solution structure of DinI provides insight into its mode of RecA inactivation. Protein Science, 2000, 9, 2161-2169.	7.6	72
37	An approach for high-throughput structure determination of proteins by NMR spectroscopy. Journal of Biomolecular NMR, 2000, 18, 229-238.	2.8	58
38	Pf1 Filamentous Phage as an Alignment Tool for Generating Local and Global Structural Information in Nucleic Acids. Journal of Biomolecular Structure and Dynamics, 2000, 17, 365-369.	3.5	10

#	ARTICLE	IF	CITATIONS
39	Heparin-binding Growth-associated Molecule Contains Two Heparin-binding β^2 -Sheet Domains That Are Homologous to the Thrombospondin Type I Repeat. <i>Journal of Biological Chemistry</i> , 2000, 275, 13564-13570.	3.4	100
40	Molecular Alignment of Proteins in Bicellar Solutions: Quantitative Evaluation of Effects Induced in 2D COSY Spectra. <i>Biochemical and Biophysical Research Communications</i> , 2000, 272, 694-698.	2.1	9
41	NMR structure of tissue inhibitor of metalloproteinases-1 implicates localized induced fit in recognition of matrix metalloproteinases. <i>Journal of Molecular Biology</i> , 2000, 295, 257-268.	4.2	40
42	Orienting domains in proteins using dipolar couplings measured by liquid-state NMR: differences in solution and crystal forms of maltodextrin binding protein loaded with β^2 -cyclodextrin. <i>Journal of Molecular Biology</i> , 2000, 295, 1265-1273.	4.2	197
43	Structure, stability and function of RNA pseudoknots involved in stimulating ribosomal frameshifting. <i>Journal of Molecular Biology</i> , 2000, 298, 167-185.	4.2	220
44	De novo determination of protein structure by NMR using orientational and long-range order restraints. <i>Journal of Molecular Biology</i> , 2000, 298, 927-936.	4.2	157
45	Global folds of proteins with low densities of NOEs using residual dipolar couplings: application to the 370-residue maltodextrin-binding protein. <i>Journal of Molecular Biology</i> , 2000, 300, 197-212.	4.2	165
46	The three-dimensional structure of the nudix enzyme diadenosine tetraphosphate hydrolase from <i>Lupinus angustifolius</i> L 1 Edited by M. F. Summers. <i>Journal of Molecular Biology</i> , 2000, 302, 1165-1177.	4.2	49
47	Rapid determination of protein folds using residual dipolar couplings. <i>Journal of Molecular Biology</i> , 2000, 304, 447-460.	4.2	106
48	Structure of Bax. <i>Cell</i> , 2000, 103, 645-654.	28.9	1,008
49	Recent Advances in RNA Structure Determination by NMR. <i>Current Protocols in Nucleic Acid Chemistry</i> , 2000, 2, Unit 7.7.	0.5	5
50	Extracting Residual NMR Coupling Constants From Electrically Aligned Liquids. <i>Journal of Physical Chemistry A</i> , 2000, 104, 3326-3331.	2.5	12
51	[15] Filamentous bacteriophage for aligning RNA, DNA, and proteins for measurement of nuclear magnetic resonance dipolar coupling interactions. <i>Methods in Enzymology</i> , 2000, 317, 220-240.	1.0	129
52	Nuclear Magnetic Resonance Methods for High Molecular Weight Proteins: A Study Involving a Complex of Maltose Binding Protein and β^2 -Cyclodextrin. <i>Methods in Enzymology</i> , 2001, 339, 174-203.	1.0	51
53	Dipolar Couplings in Macromolecular Structure Determination. <i>Methods in Enzymology</i> , 2001, 339, 127-174.	1.0	388
54	Solution structure of an A-tract DNA bend. <i>Journal of Molecular Biology</i> , 2001, 306, 1081-1098.	4.2	150
55	A-like guanine-guanine stacking in the aqueous DNA duplex of d(GGGGCCCC)11 Edited by I. Tinoco. <i>Journal of Molecular Biology</i> , 2001, 307, 513-524.	4.2	60
56	Ligand-induced structural changes to maltodextrin-binding protein as studied by solution NMR spectroscopy. <i>Journal of Molecular Biology</i> , 2001, 309, 961-974.	4.2	126

#	ARTICLE	IF	CITATIONS
57	Solution structure and function of a conserved protein SP14.3 encoded by an essential <i>Streptococcus pneumoniae</i> gene 11 Edited by M. F. Summers. <i>Journal of Molecular Biology</i> , 2001, 311, 593-604.	4.2	22
58	Nuclear Magnetic Resonance of Membrane-Associated Peptides and Proteins. <i>Methods in Enzymology</i> , 2001, 339, 285-313.	1.0	72
59	Nuclear Magnetic Resonance Methods to Study Structure and Dynamics of RNA-Protein Complexes. <i>Methods in Enzymology</i> , 2001, 339, 357-376.	1.0	16
60	Partial alignment of biomolecules: an aid to NMR characterization. <i>Current Opinion in Chemical Biology</i> , 2001, 5, 584-590.	6.1	94
61	Superposition of Scalar and Residual Dipolar Couplings: Analytical Transfer Functions for Three Spins 1/2 under Cylindrical Mixing Conditions. <i>Journal of Magnetic Resonance</i> , 2001, 148, 169-181.	2.1	23
62	¹³ C Chemical Shift and ¹³ C- ¹⁴ N Dipolar Coupling Tensors Determined by ¹³ C Rotary Resonance Solid-State NMR. <i>Journal of Magnetic Resonance</i> , 2001, 148, 298-308.	2.1	11
63	Characterization of the Cholesteric Phase of Filamentous Bacteriophage fd for Molecular Alignment. <i>Journal of Magnetic Resonance</i> , 2001, 149, 154-158.	2.1	21
64	A Maximum Likelihood Method for Determining DaPQ and R for Sets of Dipolar Coupling Data. <i>Journal of Magnetic Resonance</i> , 2001, 149, 271-275.	2.1	61
65	Measurement of Homonuclear Proton Couplings Based on Cross-Peak Nulling in CT-COSY. <i>Journal of Magnetic Resonance</i> , 2001, 151, 242-252.	2.1	26
66	Accurate Measurement of Small Spin-Spin Couplings in Partially Aligned Molecules Using a Novel J-Mismatch Compensated Spin-State-Selection Filter. <i>Journal of Magnetic Resonance</i> , 2001, 151, 332-338.	2.1	36
67	S3E-E.COSY Methods for the Measurement of ¹⁹ F Associated Scalar and Dipolar Coupling Constants. <i>Journal of Magnetic Resonance</i> , 2001, 152, 179-184.	2.1	28
68	Two Simple NMR Experiments for Measuring Dipolar Couplings in Asparagine and Glutamine Side Chains. <i>Journal of Magnetic Resonance</i> , 2001, 153, 267-272.	2.1	14
69	Motional smearing of electrically recovered couplings measured from multipulse transients. <i>Concepts in Magnetic Resonance</i> , 2001, 13, 171-189.	1.3	1
70	Residual dipolar couplings in protein NMR. <i>Concepts in Magnetic Resonance</i> , 2001, 13, 238-259.	1.3	39
71	Measurement and application of ¹ H- ¹⁹ F dipolar couplings in the structure determination of 2'-fluorolabeled RNA. , 2001, 20, 39-47.		37
72	Application of dipolar coupling data to the refinement of the solution structure of the sarcin-ricin loop RNA. , 2001, 20, 311-323.		40
73	Domain orientation in beta-cyclodextrin-loaded maltose binding protein: diffusion anisotropy measurements confirm the results of a dipolar coupling study. <i>Journal of Biomolecular NMR</i> , 2001, 20, 83-88.	2.8	40
74	Multiplet component separation for measurement of methyl ¹³ C- ¹ H dipolar couplings in weakly aligned proteins. , 2001, 20, 77-82.		44

#	ARTICLE	IF	CITATIONS
75	Quantitative conformational analysis of the core region of N-glycans using residual dipolar couplings, aqueous molecular dynamics, and steric alignment. , 2001, 20, 351-363.		31
76	Measurement of ^1H - ^{31}P dipolar couplings in a DNA oligonucleotide by constant-time NOESY difference spectroscopy. Journal of Biomolecular NMR, 2001, 19, 367-370.	2.8	32
77	Measurement of one-bond ^1H - ^{13}C , couplings in backbone-labelled proteins. Journal of Biomolecular NMR, 2001, 19, 255-260.	2.8	10
78	Calmodulin tagging provides a general method of using lanthanide induced magnetic field orientation to observe residual dipolar couplings in proteins in solution. Journal of Biomolecular NMR, 2001, 21, 41-48.	2.8	47
79	Controlling residual dipolar couplings in high-resolution NMR of proteins by strain induced alignment in a gel. Journal of Biomolecular NMR, 2001, 21, 141-151.	2.8	94
80	Measurement of small scalar and dipolar couplings in purine and pyrimidine bases. Journal of Biomolecular NMR, 2001, 21, 153-160.	2.8	33
81	An easy way to include weak alignment constraints into NMR structure calculations. Journal of Biomolecular NMR, 2001, 21, 275-280.	2.8	47
82	Protein backbone structure determination using only residual dipolar couplings from one ordering medium. Journal of Biomolecular NMR, 2001, 21, 335-347.	2.8	69
83	A simple apparatus for generating stretched polyacrylamide gels, yielding uniform alignment of proteins and detergent micelles. Journal of Biomolecular NMR, 2001, 21, 377-382.	2.8	223
84	Simple multidimensional NMR experiments to obtain different types of one-bond dipolar couplings simultaneously. Journal of Biomolecular NMR, 2001, 19, 63-67.	2.8	19
85	Multidimensional NMR Methods for Protein Structure Determination. IUBMB Life, 2001, 52, 291-302.	3.4	110
86	Solution structure of the constant region of nuclear envelope protein LAP2 reveals two LEM-domain structures: one binds BAF and the other binds DNA. EMBO Journal, 2001, 20, 4399-4407.	7.8	186
87	Solution structure of Ca^{2+} -calmodulin reveals flexible hand-like properties of its domains. Nature Structural Biology, 2001, 8, 990-997.	9.7	305
88	Solution structure of the antiapoptotic protein bcl-2. Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 3012-3017.	7.1	404
89	A model for the abrogation of the SOS response by an SOS protein: a negatively charged helix in DinI mimics DNA in its interaction with RecA. Genes and Development, 2001, 15, 415-427.	5.9	71
90	Functional dynamics in the active site of the ribonuclease binase. Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 7684-7689.	7.1	106
91	High-voltage pulse switching hardware for electro-optic studies of conducting aqueous solutions. Review of Scientific Instruments, 2002, 73, 3080-3084.	1.3	4
92	Ordering of alkali halide salts dissolved in bacteriophage Pf1 solutions: A nuclear magnetic resonance study. Journal of Chemical Physics, 2002, 116, 7109-7115.	3.0	5

#	ARTICLE	IF	CITATIONS
93	The Use of Dipolar Couplings for the Structure Refinement of a Pair of Calcium-Binding EGF Domains. , 2002, 173, 301-316.		0
94	Resonance Assignment and Structure Determination for RNA. Methods in Enzymology, 2002, 338, 371-399.	1.0	54
95	Protein Structure Refinement using Residual Dipolar Couplings. , 2002, , 231-253.		1
96	Solution Structure of the Orphan PABC Domain from <i>Saccharomyces cerevisiae</i> Poly(A)-binding Protein. Journal of Biological Chemistry, 2002, 277, 22822-22828.	3.4	30
97	NMR spectroscopy of large proteins. Annual Reports on NMR Spectroscopy, 2002, 48, 31-69.	1.5	3
98	NMR Spectroscopy of Encapsulated Proteins Dissolved in Low Viscosity Fluids. , 2002, , 121-160.		4
99	Measurement of Long-Range ^1H - ^1H Dipolar Couplings in Weakly Aligned Proteins. Journal of the American Chemical Society, 2002, 124, 9672-9673.	13.7	33
100	Concerted motions in HIV-1 TAR RNA may allow access to bound state conformations: RNA dynamics from NMR residual dipolar couplings 1 Edited by M. F. Summers. Journal of Molecular Biology, 2002, 315, 95-102.	4.2	141
101	Solution structure of a phage-derived peptide antagonist in complex with vascular endothelial growth factor. Journal of Molecular Biology, 2002, 316, 769-787.	4.2	72
102	Derivation of structural restraints using a thiol-reactive chelator. FEBS Letters, 2002, 528, 189-192.	2.8	67
103	Towards Structural Genomics of RNA: Rapid NMR Resonance Assignment and Simultaneous RNA Tertiary Structure Determination Using Residual Dipolar Couplings. Journal of Molecular Biology, 2002, 318, 637-649.	4.2	63
104	Solution Structure of the DFF-C Domain of DFF45/ICAD. A Structural Basis for the Regulation of Apoptotic DNA Fragmentation. Journal of Molecular Biology, 2002, 321, 317-327.	4.2	40
105	Calcium-dependent Homoassociation of E-cadherin by NMR Spectroscopy: Changes in Mobility, Conformation and Mapping of Contact Regions. Journal of Molecular Biology, 2002, 324, 823-839.	4.2	90
106	Quaternary Structure Built from Subunits Combining NMR and Small-Angle X-Ray Scattering Data. Biophysical Journal, 2002, 83, 1177-1183.	0.5	57
107	The importance of being ordered: improving NMR structures using residual dipolar couplings. Comptes Rendus - Biologies, 2002, 325, 957-966.	0.2	7
108	Theoretical and computational advances in biomolecular NMR spectroscopy. Current Opinion in Structural Biology, 2002, 12, 146-153.	5.7	46
109	Residual dipolar couplings in nucleic acid structure determination. Current Opinion in Structural Biology, 2002, 12, 337-343.	5.7	49
110	Temperature dependence of proton-proton residual dipolar couplings in adenosine dissolved in charged phospholipid bicelles. Application of a two-dimensional selective refocusing method. Magnetic Resonance in Chemistry, 2002, 40, 225-230.	1.9	3

#	ARTICLE	IF	CITATIONS
111	J-modulated 1D directed COSY for precise measurement of proton-proton residual dipolar coupling constants of oligosaccharides. <i>Magnetic Resonance in Chemistry</i> , 2002, 40, 729-732.	1.9	11
112	Using Conjoined Rigid Body/Torsion Angle Simulated Annealing to Determine the Relative Orientation of Covalently Linked Protein Domains from Dipolar Couplings. <i>Journal of Magnetic Resonance</i> , 2002, 154, 329-335.	2.1	61
113	Assignment Strategy for Proteins with Known Structure. <i>Journal of Magnetic Resonance</i> , 2002, 157, 119-123.	2.1	48
114	Capture and manipulation of magnetically aligned Pf1 with an aqueous polymer gel. <i>Journal of Magnetic Resonance</i> , 2002, 159, 82-86.	2.1	9
115	Ribosome-associated factor Y adopts a fold resembling a double-stranded RNA binding domain scaffold. <i>FEBS Journal</i> , 2002, 269, 5182-5191.	0.2	27
116	Current approaches for the study of large proteins by NMR. <i>Journal of Molecular Structure</i> , 2002, 602-603, 275-292.	3.6	22
117	NMR dipolar couplings for the structure determination of biopolymers in solution. <i>Progress in Nuclear Magnetic Resonance Spectroscopy</i> , 2002, 40, 175-197.	7.5	145
118	¹³ C NMR studies of liquid crystals. <i>Progress in Nuclear Magnetic Resonance Spectroscopy</i> , 2002, 41, 171-186.	7.5	71
119	Characterization of polyacrylamide-stabilized Pfl phage liquid crystals for protein NMR spectroscopy. <i>Journal of Biomolecular NMR</i> , 2002, 22, 83-87.	2.8	21
120	Solution structure determination of the two DNA-binding domains in the <i>Schizosaccharomyces pombe</i> Abp1 protein by a combination of dipolar coupling and diffusion anisotropy restraints. <i>Journal of Biomolecular NMR</i> , 2002, 22, 333-347.	2.8	17
121	Structure-independent cross-validation between residual dipolar couplings originating from internal and external orienting media. <i>Journal of Biomolecular NMR</i> , 2002, 22, 365-368.	2.8	14
122	Effect of deuteration on some structural parameters of methyl groups in proteins as evaluated by residual dipolar couplings. <i>Journal of Biomolecular NMR</i> , 2002, 23, 35-45.	2.8	28
123	Determination of residual dipolar couplings in homonuclear MOCCA-SIAM experiments. <i>Journal of Biomolecular NMR</i> , 2002, 23, 211-219.	2.8	8
124	Complete protein structure determination using backbone residual dipolar couplings and sidechain rotamer prediction. <i>Journal of Structural and Functional Genomics</i> , 2002, 2, 103-111.	1.2	36
125	Measurement of H2'-C2' and H3'-C3' dipolar couplings in RNA molecules. <i>Journal of Biomolecular NMR</i> , 2002, 24, 63-66.	2.8	11
126	Charged acrylamide copolymer gels as media for weak alignment. <i>Journal of Biomolecular NMR</i> , 2002, 24, 351-356.	2.8	60
127	The structure of the Dead ringer-DNA complex reveals how AT-rich interaction domains (ARIDs) recognize DNA. <i>EMBO Journal</i> , 2002, 21, 1197-1209.	7.8	59
128	Overall structure and sugar dynamics of a DNA dodecamer from homo- and heteronuclear dipolar couplings and ³¹ P chemical shift anisotropy. <i>Journal of Biomolecular NMR</i> , 2003, 26, 297-315.	2.8	129

#	ARTICLE	IF	CITATIONS
129	Measurement of residual dipolar couplings from ^1H to ^{13}C and ^{15}N using a simple HNCA-based experiment. <i>Journal of Biomolecular NMR</i> , 2003, 27, 341-349.	2.8	23
130	Structural basis for antibiotic recognition by the TipA class of multidrug-resistance transcriptional regulators. <i>EMBO Journal</i> , 2003, 22, 1824-1834.	7.8	44
131	Determination of protein global folds using backbone residual dipolar coupling and long-range NOE restraints. <i>Journal of Biomolecular NMR</i> , 2003, 25, 63-71.	2.8	35
132	NMR Spectroscopy of RNA. <i>ChemBioChem</i> , 2003, 4, 936-962.	2.6	428
133	Use of residual dipolar couplings as restraints in ab initio protein structure prediction. <i>Biopolymers</i> , 2003, 70, 548-562.	2.4	16
134	A high sensitivity 3D experiment for measuring ^1H residual dipolar coupling constants. <i>Journal of Magnetic Resonance</i> , 2003, 165, 248-252.	2.1	8
135	^{15}N chemical shift anisotropy in protein structure refinement and comparison with NH residual dipolar couplings. <i>Journal of Magnetic Resonance</i> , 2003, 164, 171-176.	2.1	41
136	Recoupling of residual dipolar couplings in single-domain polymer-stabilized liquid crystals undergoing magic-angle spinning. <i>Journal of Magnetic Resonance</i> , 2003, 164, 329-337.	2.1	5
137	NMR solution structure of calyculin, an EF-hand calcium-binding protein from <i>Saccharopolyspora erythraea</i> . <i>FEBS Journal</i> , 2003, 270, 2505-2512.	0.2	24
138	Structure of HCV IRES domain II determined by NMR. <i>Nature Structural and Molecular Biology</i> , 2003, 10, 1033-1038.	8.2	260
139	Weak alignment offers new NMR opportunities to study protein structure and dynamics. <i>Protein Science</i> , 2003, 12, 1-16.	7.6	396
140	Automated protein fold determination using a minimal NMR constraint strategy. <i>Protein Science</i> , 2003, 12, 1232-1246.	7.6	53
141	Solution structure of the C-terminal domain from poly(A)-binding protein in <i>Trypanosoma cruzi</i> : A vegetal PABC domain. <i>Protein Science</i> , 2003, 12, 1925-1933.	7.6	15
142	Modeling of Macromolecular Alignment in Nematic Virus Suspensions. Application to the Prediction of NMR Residual Dipolar Couplings. <i>Journal of Physical Chemistry B</i> , 2003, 107, 7923-7931.	2.6	23
143	Using Sodium Cation Organization To Study the Phase Behavior of Bicelle Solutions. <i>Journal of Physical Chemistry B</i> , 2003, 107, 10956-10961.	2.6	5
144	Probing the Diastereotopicity of Methylene Protons in Strychnine Using Residual Dipolar Couplings. <i>Organic Letters</i> , 2003, 5, 705-708.	4.6	152
145	The Solution Structure of the Loop E Region of the 5S rRNA from Spinach Chloroplasts. <i>Journal of Molecular Biology</i> , 2003, 325, 843-856.	4.2	29
146	Structure of the Intact Stem and Bulge of HIV-1 Ψ -RNA Stem-Loop SL1. <i>Journal of Molecular Biology</i> , 2003, 326, 529-542.	4.2	72

#	ARTICLE	IF	CITATIONS
147	Refined Solution Structure of the Iron-responsive Element RNA Using Residual Dipolar Couplings. Journal of Molecular Biology, 2003, 326, 1037-1050.	4.2	64
148	Quantitative NMR Studies of High Molecular Weight Proteins: Application to Domain Orientation and Ligand Binding in the 723 Residue Enzyme Malate Synthase G. Journal of Molecular Biology, 2003, 327, 1121-1133.	4.2	97
149	The Effects of Mutations on Motions of Side-chains in Protein L Studied by 2H NMR Dynamics and Scalar Couplings. Journal of Molecular Biology, 2003, 329, 551-563.	4.2	59
150	Mg2+-induced Variations in the Conformation and Dynamics of HIV-1 TAR RNA Probed Using NMR Residual Dipolar Couplings. Journal of Molecular Biology, 2003, 329, 867-873.	4.2	67
151	Quaternary structure of hemoglobin in solution. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 517-520.	7.1	197
152	The energetic cost of domain reorientation in maltose-binding protein as studied by NMR and fluorescence spectroscopy. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 12700-12705.	7.1	103
153	Solution Structure of Human Proguanylin. Journal of Biological Chemistry, 2003, 278, 24118-24124.	3.4	18
154	NMR Studies of Biomolecular Dynamics and Structural Plasticity Using Residual Dipolar Couplings. Annual Reports on NMR Spectroscopy, 2003, 51, 105-166.	1.5	14
155	Peptide Binding Induces Large Scale Changes in Inter-domain Mobility in Human Pin1. Journal of Biological Chemistry, 2003, 278, 26174-26182.	3.4	87
156	Direct observation of dipolar couplings between distant protons in weakly aligned nucleic acids. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 11333-11338.	7.1	34
157	The energetics of structural change in maltose-binding protein. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 12529-12530.	7.1	6
158	Origins of PDZ Domain Ligand Specificity. Journal of Biological Chemistry, 2003, 278, 7645-7654.	3.4	134
159	Utilizing NMR to Study the Structure of Growth-Inhibitory Proteins. , 2003, 223, 3-16.		1
160	Prospects for High-Throughput Structure Determination of Proteins by NMR Spectroscopy. , 2003, , 95-139.		0
161	NMR structural analysis of vascular endothelial growth factor in complex with a phage-derived peptide antagonist. Spectroscopy, 2003, 17, 169-181.	0.8	2
162	Nuclear magnetic resonance studies of ribonucleic acids. Spectroscopy, 2003, 17, 537-547.	0.8	2
163	Projection Angle Restraints for Studying Structure and Dynamics of Biomolecules. , 2004, 278, 107-122.		4
164	Media for Studies of Partially Aligned States. , 2004, 278, 079-088.		6

#	ARTICLE	IF	CITATIONS
165	DNA A-tract bending in three dimensions: Solving the dA4T4 vs. dT4A4 conundrum. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 1177-1182.	7.1	140
166	NMR Structure of the Î±-Hemoglobin Stabilizing Protein. Journal of Biological Chemistry, 2004, 279, 34963-34970.	3.4	52
167	Structural basis of ligand recognition by PABC, a highly specific peptide-binding domain found in poly(A)-binding protein and a HECT ubiquitin ligase. EMBO Journal, 2004, 23, 272-281.	7.8	96
168	Specific interaction of ERp57 and calnexin determined by NMR spectroscopy and an ER two-hybrid system. EMBO Journal, 2004, 23, 1020-1029.	7.8	114
169	Structure and DNA-binding properties of the cytolysin regulator CylR2 from Enterococcus faecalis. EMBO Journal, 2004, 23, 3632-3642.	7.8	37
170	Recognition of the mRNA AU-rich element by the zinc finger domain of TIS11d. Nature Structural and Molecular Biology, 2004, 11, 257-264.	8.2	320
171	Structural basis for redox regulation of Yap1 transcription factor localization. Nature, 2004, 430, 917-921.	27.8	148
172	Phage Like It HOT. Structure, 2004, 12, 2221-2231.	3.3	12
173	Residual Dipolar Couplings in NMR Structure Analysis. Annual Review of Biophysics and Biomolecular Structure, 2004, 33, 387-413.	18.3	193
174	The response of internal dynamics to hydrophobic core mutations in the SH3 domain from the Fyn tyrosine kinase. Protein Science, 2004, 13, 1088-1099.	7.6	38
175	Structure of the archaeal translation initiation factor aIF2Â from Methanobacterium thermoautotrophicum: Implications for translation initiation. Protein Science, 2004, 13, 659-667.	7.6	27
176	Improvement of hydrogen bond geometry in protein NMR structures by residual dipolar couplings â€“ an assessment of the interrelation of NMR restraints. Journal of Biomolecular NMR, 2004, 28, 31-41.	2.8	3
177	Application of Correlated Residual Dipolar Couplings to the Determination of the Molecular Alignment Tensor Magnitude of Oriented Proteins and Nucleic Acids. Journal of Biomolecular NMR, 2004, 28, 273-287.	2.8	28
179	Measurement of Scaled Residual Dipolar Couplings in Proteins Using Variable-angle Sample Spinning. Journal of Biomolecular NMR, 2004, 29, 259-269.	2.8	17
180	Measurements of residual dipolar couplings in peptide inhibitors weakly aligned by transient binding to peptide amyloid fibrils**. Journal of Biomolecular NMR, 2004, 29, 525-530.	2.8	10
181	Backbone assignment of proteins with known structure using residual dipolar couplings. Journal of Biomolecular NMR, 2004, 30, 25-35.	2.8	35
182	The contractile apparatus as a target for drugs against heart failure: Interaction of levosimendan, a calcium sensitiser, with cardiac troponin c. Molecular and Cellular Biochemistry, 2004, 266, 87-107.	3.1	90
183	Improved detection of long-range residual dipolar couplings in weakly aligned samples by Lee?Goldburg decoupling of homonuclear dipolar truncation. Journal of Biomolecular NMR, 2004, 30, 443-450.	2.8	6

#	ARTICLE	IF	CITATIONS
184	Resolution-optimized NMR measurement of 1DCH, 1DCC and 2DCH residual dipolar couplings in nucleic acid bases. <i>Journal of Biomolecular NMR</i> , 2004, 30, 287-301.	2.8	28
185	Solution structure of hypothetical nudix hydrolase DR0079 from extremely radiation-resistant <i>Deinococcus radiodurans</i> bacterium. <i>Proteins: Structure, Function and Bioinformatics</i> , 2004, 56, 28-39.	2.6	5
186	NMR Spectroscopic Determination of the Solution Structure of a Branched Nucleic Acid from Residual Dipolar Couplings by Using Isotopically Labeled Nucleotides. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 187-192.	13.8	30
187	An Easy and Scalable Method for the Partial Alignment of Organic Molecules for Measuring Residual Dipolar Couplings. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 1092-1094.	13.8	119
190	Residual dipolar coupling constants: An elementary derivation of key equations. <i>Concepts in Magnetic Resonance</i> , 2004, 21A, 10-21.	1.3	113
191	Weakly aligned biological macromolecules in dilute aqueous liquid crystals. <i>Concepts in Magnetic Resonance</i> , 2004, 23A, 22-37.	1.3	21
192	Macromolecular crowding in biological systems: hydrodynamics and NMR methods. <i>Journal of Molecular Recognition</i> , 2004, 17, 397-407.	2.1	47
193	The absolute sign of coupling constants determined using the order matrix calculation. <i>Magnetic Resonance in Chemistry</i> , 2004, 42, 962-967.	1.9	7
194	Weak alignment of membrane proteins in stressed polyacrylamide gels. <i>Journal of Magnetic Resonance</i> , 2004, 171, 258-269.	2.1	38
195	Comparison of the solution structures of a DNA dodecamer using NOE and residual dipolar coupling data. <i>Comptes Rendus Chimie</i> , 2004, 7, 259-263.	0.5	3
196	Line shape analyses for water 17O NMR quintet observed in a bacteriophage Pf1 solution at different temperatures. <i>Biophysical Chemistry</i> , 2004, 107, 255-262.	2.8	1
197	Nuclear Magnetic Resonance Spectroscopy in the Study of Hemoglobin Cooperativity. <i>Methods in Enzymology</i> , 2004, 379, 28-54.	1.0	7
198	Global structure of a DNA three-way junction by solution NMR: towards prediction of 3H fold. <i>Nucleic Acids Research</i> , 2004, 32, 3228-3239.	14.5	41
199	Advances in NMR Studies of Liquid Crystals. <i>Annual Reports on NMR Spectroscopy</i> , 2004, , 67-155.	1.5	25
200	The Structure-Function Relationship of Hemoglobin in Solution at Atomic Resolution. <i>Chemical Reviews</i> , 2004, 104, 1219-1230.	47.7	150
201	Nuclear Magnetic Resonance Spectroscopy of High-Molecular-Weight Proteins. <i>Annual Review of Biochemistry</i> , 2004, 73, 107-146.	11.1	247
202	NMR Studies of Protein-Nucleic Acid Interactions. , 2004, 278, 289-312.		15
203	Validation of helical tilt angles in the solution NMR structure of the Z domain of Staphylococcal protein A by combined analysis of residual dipolar coupling and NOE data. <i>Protein Science</i> , 2004, 13, 549-554.	7.6	49

#	ARTICLE	IF	CITATIONS
204	Residual Dipolar Couplings in Protein Structure Determination. , 2004, 278, 089-106.		24
205	Prediction of Charge-Induced Molecular Alignment of Biomolecules Dissolved in Dilute Liquid-Crystalline Phases. Biophysical Journal, 2004, 86, 3444-3460.	0.5	111
206	Residual Dipolar Couplings in Structure Determination of Biomolecules. Chemical Reviews, 2004, 104, 3519-3540.	47.7	387
207	Determination of a high-precision NMR structure of the minicollagen cysteine rich domain from Hydra and characterization of its disulfide bond formation. FEBS Letters, 2004, 569, 112-116.	2.8	15
208	The Solution Structure of Ribosomal Protein L18 from Bacillus stearothermophilus. Journal of Molecular Biology, 2004, 335, 679-684.	4.2	9
209	Solution Structure, Dynamics, and Hydrodynamics of the Calcium-bound Cross-reactive Birch Pollen Allergen Bet v 4 Reveal a Canonical Monomeric Two EF-Hand Assembly with a Regulatory Function. Journal of Molecular Biology, 2004, 336, 1141-1157.	4.2	45
210	NMR Structure of the 101-nucleotide Core Encapsidation Signal of the Moloney Murine Leukemia Virus. Journal of Molecular Biology, 2004, 337, 427-442.	4.2	125
211	Argininamide Binding Arrests Global Motions in HIV-1 TAR RNA: Comparison with Mg ²⁺ -induced Conformational Stabilization. Journal of Molecular Biology, 2004, 338, 7-16.	4.2	76
212	Structural Characterization of Unfolded States of Apomyoglobin using Residual Dipolar Couplings. Journal of Molecular Biology, 2004, 340, 1131-1142.	4.2	165
213	Solution Structure of Subunit F6 from the Peripheral Stalk Region of ATP Synthase from Bovine Heart Mitochondria. Journal of Molecular Biology, 2004, 342, 593-603.	4.2	23
214	Diversity in Structure and Function of the Ets Family PNT Domains. Journal of Molecular Biology, 2004, 342, 1249-1264.	4.2	63
215	Application of Liquid Crystalline NMR Solvents to a Mixture of Ketones. Journal of the Chinese Chemical Society, 2005, 52, 1-4.	1.4	0
216	Measuring ¹ H- ¹ H and ¹ H- ¹³ C RDCs in methyl groups: example of pulse sequences with numerically optimized coherence transfer schemes. Journal of Magnetic Resonance, 2005, 172, 36-47.	2.1	3
217	Simultaneous measurement of protein one-bond residual dipolar couplings without increased resonance overlap. Journal of Magnetic Resonance, 2005, 174, 245-253.	2.1	14
218	Recent progress in the study of biomolecular structure and dynamics in solution from residual dipolar couplings. Progress in Nuclear Magnetic Resonance Spectroscopy, 2005, 46, 23-61.	7.5	268
219	NMR structure of HI0004, a putative essential gene product from Haemophilus influenzae, and comparison with the X-ray structure of an Aquifex aeolicus homolog. Protein Science, 2005, 14, 424-430.	7.6	8
220	The E. coli NusA carboxy-terminal domains are structurally similar and show specific RNAP- and σ^{70} interaction. Protein Science, 2005, 14, 2018-2029.	7.6	25
221	Solution structure of β S-crystallin by molecular fragment replacement NMR. Protein Science, 2005, 14, 3101-3114.	7.6	41

#	ARTICLE	IF	CITATIONS
222	Stretched Poly(vinyl acetate) Gels as NMR Alignment Media for the Measurement of Residual Dipolar Couplings in Polar Organic Solvents. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 423-426.	13.8	93
223	A DMSO-Compatible Orienting Medium: Towards the Investigation of the Stereochemistry of Natural Products. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 427-429.	13.8	104
224	Evidence that Electrostatic Interactions Dictate the Ligand-Induced Arrest of RNA Global Flexibility. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 3412-3415.	13.8	29
225	Stretched Poly(vinyl acetate) Gels as NMR Alignment Media for the Measurement of Residual Dipolar Couplings in Polar Organic Solvents. <i>Angewandte Chemie</i> , 2005, 117, 427-430.	2.0	39
228	Application of residual dipolar couplings in organic compounds. <i>Magnetic Resonance in Chemistry</i> , 2005, 43, 53-64.	1.9	32
229	NMR Methods for Studying the Structure and Dynamics of RNA. <i>ChemBioChem</i> , 2005, 6, 1492-1505.	2.6	140
230	Structure Refinement of Cyclosporin A in Chloroform by Using RDCs Measured in a Stretched PDMS-Gel. <i>ChemBioChem</i> , 2005, 6, 1672-1678.	2.6	91
231	Backbone-only restraints for fast determination of the protein fold: The role of paramagnetism-based restraints. Cytochrome b562 as an example. <i>Journal of Magnetic Resonance</i> , 2005, 172, 191-200.	2.1	4
232	Residual dipolar couplings and some specific models for motional averaging. <i>Journal of Magnetic Resonance</i> , 2005, 172, 118-132.	2.1	15
233	Structure of calmodulin complexed with an olfactory CNG channel fragment and role of the central linker: Residual dipolar couplings to evaluate calmodulin binding modes outside the kinase family. <i>Journal of Biomolecular NMR</i> , 2005, 31, 185-199.	2.8	42
234	Measurement of eight scalar and dipolar couplings for methine/methylene pairs in proteins and nucleic acids. <i>Journal of Biomolecular NMR</i> , 2005, 31, 201-216.	2.8	32
235	Accurate measurement of $^{15}\text{N}/^{13}\text{C}$ residual dipolar couplings in nucleic acids. <i>Journal of Biomolecular NMR</i> , 2005, 31, 231-241.	2.8	23
236	Accurate Determination of Leucine and Valine Side-chain Conformations using $\text{U-}[^{15}\text{N}/^{13}\text{C}/2\text{H}]/[^{1}\text{H}-(\text{methine/methyl})\text{-Leu/Val}]$ Isotope Labeling, NOE Pattern Recognition, and Methine $\text{C}^{\alpha}\text{-H}^{\beta}/\text{C}^{\alpha}\text{-H}^{\gamma}$ Residual Dipolar Couplings: Application to the 34-kDa Enzyme II AChitobiose. <i>Journal of Biomolecular NMR</i> , 2005, 33, 105-121.	2.8	12
237	Identification of slow correlated motions in proteins using residual dipolar and hydrogen-bond scalar couplings. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 13885-13890.	7.1	220
238	The structure of an enzyme-activating fragment of human telomerase RNA. <i>Rna</i> , 2005, 11, 394-403.	3.5	41
239	Determination of Protein Backbone Structures from Residual Dipolar Couplings. <i>Methods in Enzymology</i> , 2005, 394, 175-209.	1.0	64
240	NMR Experiments on Aligned Samples of Membrane Proteins. <i>Methods in Enzymology</i> , 2005, 394, 350-382.	1.0	72
241	Changes in DNA bending induced by restricting nucleotide ring pucker studied by weak alignment NMR spectroscopy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 24-28.	7.1	26

#	ARTICLE	IF	CITATIONS
242	Novel Structure of the N Terminus in Yeast Fis1 Correlates with a Specialized Function in Mitochondrial Fission. <i>Journal of Biological Chemistry</i> , 2005, 280, 21444-21452.	3.4	65
243	Release of long-range tertiary interactions potentiates aggregation of natively unstructured β -synuclein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 1430-1435.	7.1	708
244	Familial Mutants of β -Synuclein with Increased Neurotoxicity Have a Destabilized Conformation. <i>Journal of Biological Chemistry</i> , 2005, 280, 30649-30652.	3.4	164
245	Pre-organized structure of viral DNA at the binding-processing site of HIV-1 integrase. <i>Nucleic Acids Research</i> , 2005, 33, 1970-1981.	14.5	23
246	Novel Solution Structure of Porcine β 2-Microseminoprotein. <i>Journal of Molecular Biology</i> , 2005, 346, 1071-1082.	4.2	11
247	NMR Investigations of Allosteric Processes in a Two-domain <i>Thermus thermophilus</i> Hsp70 Molecular Chaperone. <i>Journal of Molecular Biology</i> , 2005, 349, 163-183.	4.2	70
248	RNA Helical Packing in Solution: NMR Structure of a 30kDa GAAA Tetraloop- α -Receptor Complex. <i>Journal of Molecular Biology</i> , 2005, 351, 371-382.	4.2	142
249	Structure and Dynamics of the Homodimeric Dynein Light Chain km23. <i>Journal of Molecular Biology</i> , 2005, 352, 338-354.	4.2	34
250	Molecular Fragment Replacement Approach to Protein Structure Determination by Chemical Shift and Dipolar Homology Database Mining. <i>Methods in Enzymology</i> , 2005, 394, 42-78.	1.0	49
251	Structure Determination of Large Biological RNAs. <i>Methods in Enzymology</i> , 2005, 394, 399-416.	1.0	53
252	NMR Sample Preparation. , 2005, , 89-100.		0
253	Macromolecular Structure Determination by NMR Spectroscopy. <i>Methods of Biochemical Analysis</i> , 2005, , 89-113.	0.2	11
254	NMR TECHNIQUES FOR VERY LARGE PROTEINS AND RNAs IN SOLUTION. <i>Annual Review of Biophysics and Biomolecular Structure</i> , 2006, 35, 319-342.	18.3	95
255	NMR Residual Dipolar Couplings as Probes of Biomolecular Dynamics. <i>Chemical Reviews</i> , 2006, 106, 1720-1736.	47.7	235
256	Induced Fit and α -Lock and Key-Recognition of 5S RNA by Zinc Fingers of Transcription Factor IIIA. <i>Journal of Molecular Biology</i> , 2006, 357, 275-291.	4.2	72
257	DNA Recognition by the Brinker Repressor α - An Extreme Case of Coupling Between Binding and Folding. <i>Journal of Molecular Biology</i> , 2006, 361, 659-672.	4.2	49
258	Variable Dimerization of the Ly49A Natural Killer Cell Receptor Results in Differential Engagement of its MHC Class I Ligand. <i>Journal of Molecular Biology</i> , 2006, 362, 102-113.	4.2	27
259	The Structure of FADD and Its Mode of Interaction with Procaspase-8. <i>Molecular Cell</i> , 2006, 22, 599-610.	9.7	154

#	ARTICLE	IF	CITATIONS
260	Single scan TROSY and E.COSY suite of experiments for the measurement of residual dipolar couplings in proteins. <i>Spectroscopy</i> , 2006, 20, 153-167.	0.8	2
261	Modern High Resolution NMR for the Study of Structure, Dynamics and Interactions of Biological Macromolecules. <i>Zeitschrift Fur Physikalische Chemie</i> , 2006, 220, 567-613.	2.8	14
262	Nuclear spin relaxation of sodium cations in bacteriophage Pf1 solutions. <i>Journal of Chemical Physics</i> , 2006, 125, 244509.	3.0	7
263	Residual Dipolar Couplings: Measurements and Applications to Biomolecular Studies. <i>Annual Reports on NMR Spectroscopy</i> , 2006, , 231-303.	1.5	13
264	NMR spectroscopy of ribonucleic acids. <i>Progress in Nuclear Magnetic Resonance Spectroscopy</i> , 2006, 48, 137-159.	7.5	53
265	Solution structure of a single-domain thiosulfate sulfurtransferase from <i>Arabidopsis thaliana</i> . <i>Protein Science</i> , 2006, 15, 2836-2841.	7.6	9
266	NMR Structure of the p63 SAM Domain and Dynamical Properties of G534V and T537P Pathological Mutants, Identified in the AEC Syndrome. <i>Cell Biochemistry and Biophysics</i> , 2006, 44, 475-489.	1.8	19
267	A Refined Model for the Structure of Acireductone Dioxygenase from <i>Klebsiella</i> ATCC 8724 Incorporating Residual Dipolar Couplings. <i>Journal of Biomolecular NMR</i> , 2006, 34, 117-127.	2.8	40
268	Prediction of molecular alignment of nucleic acids in aligned media. <i>Journal of Biomolecular NMR</i> , 2006, 35, 103-115.	2.8	25
269	Solution structure of calponin homology domain of Human MICAL-1. <i>Journal of Biomolecular NMR</i> , 2006, 36, 295-300.	2.8	18
270	EF-hand protein dynamics and evolution of calcium signal transduction: an NMR view. <i>Journal of Biological Inorganic Chemistry</i> , 2006, 11, 949-962.	2.6	56
271	Prediction of charge-induced molecular alignment: residual dipolar couplings at pH 3 and alignment in surfactant liquid crystalline phases. <i>European Biophysics Journal</i> , 2006, 35, 170-180.	2.2	11
272	Insight into the CSA tensors of nucleobase carbons in RNA polynucleotides from solution measurements of residual CSA: Towards new long-range orientational constraints. <i>Journal of Magnetic Resonance</i> , 2006, 179, 299-307.	2.1	56
273	Measurement of one-bond $^{13}\text{C}\text{--}^1\text{H}$ residual dipolar coupling constants in proteins by selective manipulation of $^{13}\text{C}\text{--}^1\text{H}$ spins. <i>Journal of Magnetic Resonance</i> , 2006, 180, 127-136.	2.1	15
274	Charge-Induced Molecular Alignment of Intrinsically Disordered Proteins. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 7012-7015.	13.8	17
275	Ultrahigh-Resolution Backbone Structure of Perdeuterated Protein GB1 Using Residual Dipolar Couplings from Two Alignment Media. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 8166-8169.	13.8	30
276	Simultaneous determination of one- and two-bond scalar and residual dipolar couplings between ^{13}C , ^{13}C and ^{15}N spins in proteins. <i>Magnetic Resonance in Chemistry</i> , 2006, 44, S168-S176.	1.9	9
277	NMR assessment of the global shape of a non-labelled DNA dodecamer containing a tandem of C/T mismatches. <i>Magnetic Resonance in Chemistry</i> , 2006, 44, 1081-1089.	1.9	13

#	ARTICLE	IF	CITATIONS
280	Recognition of T-rich single-stranded DNA by the cold shock protein Bs-CspB in solution. <i>Nucleic Acids Research</i> , 2006, 34, 4561-4571.	14.5	47
281	Solution structure of an informationally complex high-affinity RNA aptamer to GTP. <i>Rna</i> , 2006, 12, 567-579.	3.5	64
282	Structure and stability of 2S albumin-type peanut allergens: implications for the severity of peanut allergic reactions. <i>Biochemical Journal</i> , 2006, 395, 463-472.	3.7	202
283	NMR Structure of the Full-length Linear Dimer of Stem-Loop-1 RNA in the HIV-1 Dimer Initiation Site*. <i>Journal of Biological Chemistry</i> , 2006, 281, 16168-16177.	3.4	44
284	Structural plasticity and Mg ²⁺ binding properties of RNase P P4 from combined analysis of NMR residual dipolar couplings and motionally decoupled spin relaxation. <i>Rna</i> , 2006, 13, 251-266.	3.5	43
286	A GCUA tetranucleotide loop found in the poliovirus orfL by in vivo SELEX (un)expectedly forms a YNMG-like structure: Extending the YNMG family with GYYA. <i>Rna</i> , 2006, 12, 1671-1682.	3.5	16
287	DNA-nanotube-induced alignment of membrane proteins for NMR structure determination. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 6644-6648.	7.1	447
288	Measurement of bond vector orientations in invisible excited states of proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 18473-18477.	7.1	172
289	Residual Dipolar Couplings Report on the Active Conformation of Rhodopsin-Bound Protein Fragments. , 2006, , 187-215.		2
290	Resolving fast and slow motions in the internal loop containing stem-loop 1 of HIV-1 that are modulated by Mg ²⁺ binding: role in the kissing duplex structural transition. <i>Nucleic Acids Research</i> , 2007, 35, 1698-1713.	14.5	51
291	Solution structure and mutational analysis of pituitary adenylate cyclase-activating polypeptide binding to the extracellular domain of PAC1-R _S. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 7875-7880.	7.1	133
292	Breaking pseudo-twofold symmetry in the poliovirus 3'-UTR Y-stem by restoring Watson-Crick base pairs. <i>Rna</i> , 2007, 13, 781-792.	3.5	14
293	NMR Studies of Encapsulated Macromolecules. <i>Annual Reports on NMR Spectroscopy</i> , 2007, , 179-219.	1.5	7
294	Structural Basis for the Interaction of the Myosin Light Chain Mlc1p with the Myosin V Myo2p IQ Motifs. <i>Journal of Biological Chemistry</i> , 2007, 282, 667-679.	3.4	13
295	Visiting order on membrane proteins by using nanotechnology. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 6502-6503.	7.1	4
296	Solution Structure of YaeO, a Rho-specific Inhibitor of Transcription Termination. <i>Journal of Biological Chemistry</i> , 2007, 282, 23348-23353.	3.4	27
298	HETERONUCLEAR NMR EXPERIMENTS. , 2007, , 533-678.		11
299	Structural Characterization of the Intrinsically Unfolded Protein Î ² -Synuclein, a Natural Negative Regulator of Î±-Synuclein Aggregation. <i>Journal of Molecular Biology</i> , 2007, 372, 708-722.	4.2	102

#	ARTICLE	IF	CITATIONS
300	The Cytoplasmic Domain of the Chloride Channel ClC-0: Structural and Dynamic Characterization of Flexible Regions. <i>Journal of Molecular Biology</i> , 2007, 369, 1163-1169.	4.2	17
301	Structure of the Wilms Tumor Suppressor Protein Zinc Finger Domain Bound to DNA. <i>Journal of Molecular Biology</i> , 2007, 372, 1227-1245.	4.2	91
303	Basic Principles of RNA NMR Spectroscopy. , 2007, , 65-80.		3
304	Elucidation of Protein-Protein and Protein-Ligand Interactions by NMR Spectroscopy. , 2007, , 189-229.		0
307	Review NMR studies of RNA dynamics and structural plasticity using NMR residual dipolar couplings. <i>Biopolymers</i> , 2007, 86, 384-402.	2.4	95
308	Measurement of ^1H - ^1H Residual Dipolar Coupling Constants for Structural Studies of Medium Size Molecules. <i>ChemPhysChem</i> , 2007, 8, 1228-1235.	2.1	13
309	Simultaneous Definition of High Resolution Protein Structure and Backbone Conformational Dynamics using NMR Residual Dipolar Couplings. <i>ChemPhysChem</i> , 2007, 8, 1901-1909.	2.1	44
310	Assessment of solvent effects: do weak alignment media affect the structure of the solute?. <i>Magnetic Resonance in Chemistry</i> , 2007, 45, 557-563.	1.9	7
311	Analyses, extensions and comparison of three experimental schemes for measuring $(\text{n})\text{CH}+\text{DCH}$ -couplings at natural abundance. <i>Journal of Magnetic Resonance</i> , 2007, 186, 131-141.	2.1	59
312	Characterizing the relative orientation and dynamics of RNA A-form helices using NMR residual dipolar couplings. <i>Nature Protocols</i> , 2007, 2, 1536-1546.	12.0	56
313	HCV and CSFV IRES domain II mediate eIF2 release during 80S ribosome assembly. <i>EMBO Journal</i> , 2007, 26, 795-805.	7.8	132
314	Visualizing spatially correlated dynamics that directs RNA conformational transitions. <i>Nature</i> , 2007, 450, 1263-1267.	27.8	236
315	The structure of receptor-associated protein (RAP). <i>Protein Science</i> , 2007, 16, 1628-1640.	7.6	23
316	NMR structure of the N-terminal domain of the replication initiator protein DnaA. <i>Journal of Structural and Functional Genomics</i> , 2007, 8, 11-17.	1.2	9
317	J-Spectroscopy in the presence of residual dipolar couplings: determination of one-bond coupling constants and scalable resolution. <i>Journal of Biomolecular NMR</i> , 2007, 37, 231-243.	2.8	45
318	Top-down approach in protein RDC data analysis: de novo estimation of the alignment tensor. <i>Journal of Biomolecular NMR</i> , 2007, 38, 303-313.	2.8	6
319	Theoretical framework for NMR residual dipolar couplings in unfolded proteins. <i>Journal of Biomolecular NMR</i> , 2007, 39, 1-16.	2.8	29
320	HIFI-C: a robust and fast method for determining NMR couplings from adaptive 3D to 2D projections. <i>Journal of Biomolecular NMR</i> , 2007, 38, 341-351.	2.8	13

#	ARTICLE	IF	CITATIONS
321	Magnetic field induced residual dipolar couplings of imino groups in nucleic acids from measurements at a single magnetic field. <i>Journal of Biomolecular NMR</i> , 2007, 39, 91-96.	2.8	18
322	J-ONLY-TOCSY: Efficient suppression of RDC-induced transfer in homonuclear TOCSY experiments using JESTER-1-derived multiple pulse sequences. <i>Journal of Magnetic Resonance</i> , 2007, 189, 217-227.	2.1	10
323	Comparison of alignment tensors generated for native tRNA ^{Val} using magnetic fields and liquid crystalline media. <i>Journal of Biomolecular NMR</i> , 2008, 40, 83-94.	2.8	30
324	Murine Itk SH3 domain. <i>Journal of Biomolecular NMR</i> , 2008, 40, 285-290.	2.8	9
325	Protein backbone motions viewed by intraresidue and sequential ^1H - ^1H residual dipolar couplings. <i>Journal of Biomolecular NMR</i> , 2008, 41, 17-28.	2.8	27
326	Analysis of the structure of human apo-S100B at low temperature indicates a unimodal conformational distribution is adopted by calcium-free S100 proteins. <i>Proteins: Structure, Function and Bioinformatics</i> , 2008, 73, 28-42.	2.6	23
327	Conformational Analysis of a Dermatan Sulfate-Derived Tetrasaccharide by NMR, Molecular Modeling, and Residual Dipolar Couplings. <i>ChemBioChem</i> , 2008, 9, 240-252.	2.6	34
328	Assignment-free solution NMR method reveals CesT as an unswapped homodimer. <i>Protein Science</i> , 2008, 17, 2015-2019.	7.6	6
329	RDC-assisted modeling of symmetric protein homo-oligomers. <i>Protein Science</i> , 2008, 17, 899-907.	7.6	36
330	NMR: prediction of molecular alignment from structure using the PALES software. <i>Nature Protocols</i> , 2008, 3, 679-690.	12.0	332
331	A comparison of BRCT domains involved in nonhomologous end-joining: Introducing the solution structure of the BRCT domain of polymerase lambda. <i>DNA Repair</i> , 2008, 7, 1340-1351.	2.8	33
332	Interactions between the Three CIN85 SH3 Domains and Ubiquitin: Implications for CIN85 Ubiquitination. <i>Biochemistry</i> , 2008, 47, 8937-8949.	2.5	33
333	The Solution Structure of the Adhesion Protein Bd37 from <i>Babesia divergens</i> Reveals Structural Homology with Eukaryotic Proteins Involved in Membrane Trafficking. <i>Journal of Molecular Biology</i> , 2008, 375, 409-424.	4.2	19
334	Minicollagen-15, a Novel Minicollagen Isolated from Hydra, Forms Tubule Structures in Nematocysts. <i>Journal of Molecular Biology</i> , 2008, 376, 1008-1020.	4.2	38
335	A Ligand-Induced Switch in the Periplasmic Domain of Sensor Histidine Kinase CitA. <i>Journal of Molecular Biology</i> , 2008, 377, 512-523.	4.2	110
336	Solution Structure of a Cyanobacterial Phytochrome GAF Domain in the Red-Light-Absorbing Ground State. <i>Journal of Molecular Biology</i> , 2008, 383, 403-413.	4.2	53
337	Solution Structure and Dynamics of the Wild-type Pseudoknot of Human Telomerase RNA. <i>Journal of Molecular Biology</i> , 2008, 384, 1249-1261.	4.2	91
338	Atomic Structure of the KEOPS Complex: An Ancient Protein Kinase-Containing Molecular Machine. <i>Molecular Cell</i> , 2008, 32, 259-275.	9.7	87

#	ARTICLE	IF	CITATIONS
339	RNA Structure Determination by NMR. <i>Methods in Molecular Biology</i> , 2008, 452, 29-61.	0.9	69
340	Solution structure of stem-loop 1 \pm of the hepatitis B virus post-transcriptional regulatory element. <i>Nucleic Acids Research</i> , 2008, 36, 1681-1689.	14.5	30
341	Structural Analysis of B-Box 2 from MuRF1: Identification of a Novel Self-Association Pattern in a RING-like Fold. <i>Biochemistry</i> , 2008, 47, 10722-10730.	2.5	36
342	The Periplasmic Domain of TolR from <i>Haemophilus influenzae</i> Forms a Dimer with a Large Hydrophobic Groove: NMR Solution Structure and Comparison to SAXS Data ^{<sup>1</sup>} . <i>Biochemistry</i> , 2008, 47, 3131-3142.	2.5	38
343	Weak Alignment of Biomacromolecules in Collagen Gels: An Alternative Way to Yield Residual Dipolar Couplings for NMR Measurements. <i>Journal of the American Chemical Society</i> , 2008, 130, 16148-16149.	13.7	30
344	Quantifying Two-Bond ^{1<sup>1</sup><sup>1</sup>HN$\hat{\alpha}$^{13<sup>13</sup>CO and One-Bond ^{1<sup>1</sup>H$\hat{\alpha}$^{13<sup>13</sup>C$\hat{\alpha}$^{13<sup>13</sup>C Dipolar Couplings of Invisible Protein States by Spin-State Selective Relaxation Dispersion NMR Spectroscopy. <i>Journal of the American Chemical Society</i>, 2008, 130, 8397-8405.}}}}}	13.7	34
345	Residual Dipolar Coupling Measurements of Transmembrane Proteins Using Aligned Low-qBicelles and High-Resolution Magic Angle Spinning NMR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2008, 130, 13294-13300.	13.7	13
346	Solution Conformations and Dynamics of ABL Kinase-Inhibitor Complexes Determined by NMR Substantiate the Different Binding Modes of Imatinib/Nilotinib and Dasatinib. <i>Journal of Biological Chemistry</i> , 2008, 283, 18292-18302.	3.4	183
347	Solution structure of Phl p 3, a major allergen from timothy grass pollen. <i>Biological Chemistry</i> , 2008, 389, 919-23.	2.5	11
348	REDOR recoupling in polymer-stabilized liquid crystals undergoing MAS $\hat{\alpha}$ Two-dimensional NMR applications with strongly aligned proteins. <i>Canadian Journal of Chemistry</i> , 2008, 86, 608-615.	1.1	1
349	DNA mimicry by a high-affinity anti-NF- $\hat{\alpha}$ B RNA aptamer. <i>Nucleic Acids Research</i> , 2008, 36, 1227-1236.	14.5	43
350	Liquid-crystal NMR structure of HIV TAR RNA bound to its SELEX RNA aptamer reveals the origins of the high stability of the complex. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 9210-9215.	7.1	44
351	Impact of Phosphorylation on Structure and Thermodynamics of the Interaction between the N-terminal Domain of Enzyme I and the Histidine Phosphocarrier Protein of the Bacterial Phosphotransferase System. <i>Journal of Biological Chemistry</i> , 2008, 283, 18980-18989.	3.4	30
352	Structures of invisible, excited protein states by relaxation dispersion NMR spectroscopy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 11766-11771.	7.1	186
353	Solution structure of a let-7 miRNA: lin-41 mRNA complex from <i>C. elegans</i> . <i>Nucleic Acids Research</i> , 2008, 36, 2330-2337.	14.5	27
354	Conformational distributions of unfolded polypeptides from novel NMR techniques. <i>Journal of Chemical Physics</i> , 2008, 128, 052204.	3.0	88
355	Anisotropic Nuclear Spin Interactions for the Morphology Analysis of Proteins in Solution by NMR Spectroscopy. <i>Analytical Sciences</i> , 2008, 24, 39-50.	1.6	11
357	Residual Dipolar Couplings for the Configurational and Conformational Analysis of Organic Molecules. <i>Annual Reports on NMR Spectroscopy</i> , 2009, 68, 193-232.	1.5	148

#	ARTICLE	IF	CITATIONS
358	Structure and Function of the Two Tandem WW Domains of the Pre-mRNA Splicing Factor FBP21 (Formin-binding Protein 21). Journal of Biological Chemistry, 2009, 284, 25375-25387.	3.4	42
359	Structure and Interdomain Dynamics of Apoptosis-associated Speck-like Protein Containing a CARD (ASC). Journal of Biological Chemistry, 2009, 284, 32932-32941.	3.4	122
360	A structural basis for H-NOX signaling in <i>Shewanella oneidensis</i> by trapping a histidine kinase inhibitory conformation. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 19753-19760.	7.1	70
361	Quantitative Determination of the Conformational Properties of Partially Folded and Intrinsically Disordered Proteins Using NMR Dipolar Couplings. Structure, 2009, 17, 1169-1185.	3.3	160
362	Observing biological dynamics at atomic resolution using NMR. Trends in Biochemical Sciences, 2009, 34, 601-611.	7.5	295
363	Orientational Properties of Poly(α -benzyl-L-glutamate: Influence of Molecular Weight and Solvent on Order Parameters of the Solute. Chemistry - A European Journal, 2009, 15, 254-260.	3.3	78
364	How different are diastereomorphous orientations of enantiomers in the liquid crystalline phases of PBLG and PBDG: a case study. Magnetic Resonance in Chemistry, 2009, 47, 734-740.	1.9	37
365	Measurement of imino ^1H - ^1H residual dipolar couplings in RNA. Journal of Biomolecular NMR, 2009, 43, 121-129.	2.8	6
366	Improved accuracy of ^{15}N - ^1H scalar and residual dipolar couplings from gradient-enhanced IPAP-HSQC experiments on protonated proteins. Journal of Biomolecular NMR, 2009, 43, 161-170.	2.8	73
367	Solution structure of the GUCT domain from human RNA helicase II/Gu 2 reveals the RRM fold, but implausible RNA interactions. Proteins: Structure, Function and Bioinformatics, 2009, 74, 133-144.	2.6	11
368	Solution structure and glycoporphin C binding studies of the protein 4.1R FERM \pm lobe domain. Proteins: Structure, Function and Bioinformatics, 2009, 76, 255-260.	2.6	3
369	Solution structure of the AT-rich interaction domain of Jumonji/JARID2. Proteins: Structure, Function and Bioinformatics, 2009, 76, 1023-1028.	2.6	9
370	The structural analysis of protein-protein interactions by NMR spectroscopy. Proteomics, 2009, 9, 5224-5232.	2.2	75
371	Residual dipolar couplings as a tool in determining the structure of organic molecules. TrAC - Trends in Analytical Chemistry, 2009, 28, 483-493.	11.4	159
372	Longitudinal-Relaxation-Enhanced NMR Experiments for the Study of Nucleic Acids in Solution. Journal of the American Chemical Society, 2009, 131, 8571-8577.	13.7	90
373	Deuterium Spin Probes of Backbone Order in Proteins: ^2H NMR Relaxation Study of Deuterated Carbon \pm Sites. Journal of the American Chemical Society, 2009, 131, 15853-15865.	13.7	41
374	Disorder and Structure in the Rab11 Binding Domain of Rab11 Family Interacting Protein 2. Biochemistry, 2009, 48, 549-557.	2.5	9
375	Measurement of Methyl Axis Orientations in Invisible, Excited States of Proteins by Relaxation Dispersion NMR Spectroscopy. Journal of the American Chemical Society, 2009, 131, 11939-11948.	13.7	33

#	ARTICLE	IF	CITATIONS
376	Periplasmic Loop P2 of the MalF Subunit of the Maltose ATP Binding Cassette Transporter Is Sufficient To Bind the Maltose Binding Protein MalE. <i>Biochemistry</i> , 2009, 48, 2216-2225.	2.5	27
377	The Unstable Part of the Apical Stem of Duck Hepatitis B Virus Epsilon Shows Enhanced Base Pair Opening but Not Pico- to Nanosecond Dynamics and Is Essential for Reverse Transcriptase Binding. <i>Biochemistry</i> , 2009, 48, 10499-10508.	2.5	12
378	Structural Convergence between Cryo-EM and NMR Reveals Intersubunit Interactions Critical for HIV-1 Capsid Function. <i>Cell</i> , 2009, 139, 780-790.	28.9	241
379	Constructing atomic-resolution RNA structural ensembles using MD and motionally decoupled NMR RDCs. <i>Methods</i> , 2009, 49, 167-173.	3.8	23
380	The Conformational Properties of the Glc3Man Unit Suggest Conformational Biasing within the Chaperone-assisted Glycoprotein Folding Pathway. <i>Journal of Molecular Biology</i> , 2009, 387, 335-347.	4.2	22
381	Allostery in Hsp70 Chaperones Is Transduced by Subdomain Rotations. <i>Journal of Molecular Biology</i> , 2009, 388, 475-490.	4.2	93
382	Proline Isomerization Preorganizes the Itk SH2 Domain for Binding to the Itk SH3 Domain. <i>Journal of Molecular Biology</i> , 2009, 387, 726-743.	4.2	37
383	Chapter 4 Analyses of Proton NMR Spectra of Strongly and Weakly Dipolar Coupled Spins: Special Emphasis on Spectral Simplification, Chiral Discrimination, and Discerning of Degenerate Transitions. <i>Annual Reports on NMR Spectroscopy</i> , 2009, 67, 331-423.	1.5	17
384	Chemical Shift Anisotropy of Imino ¹⁵ N Nuclei in Watson-Crick Base Pairs from Magic Angle Spinning Liquid Crystal NMR and Nuclear Spin Relaxation. <i>Journal of the American Chemical Society</i> , 2009, 131, 9490-9491.	13.7	24
385	Site-Specific Backbone Amide ¹⁵ N Chemical Shift Anisotropy Tensors in a Small Protein from Liquid Crystal and Cross-Correlated Relaxation Measurements. <i>Journal of the American Chemical Society</i> , 2010, 132, 4295-4309.	13.7	79
386	MQ-HNCO-TROSY for the measurement of scalar and residual dipolar couplings in larger proteins: application to a 557-residue IgFLNa16-21. <i>Journal of Biomolecular NMR</i> , 2010, 47, 183-194.	2.8	9
387	Protein alignment using cellulose nanocrystals: practical considerations and range of application. <i>Journal of Biomolecular NMR</i> , 2010, 47, 195-204.	2.8	30
388	Major groove width variations in RNA structures determined by NMR and impact of ¹³ C residual chemical shift anisotropy and ¹ H- ¹³ C residual dipolar coupling on refinement. <i>Journal of Biomolecular NMR</i> , 2010, 47, 205-219.	2.8	77
389	Structure and Flexibility of the Complete Periplasmic Domain of BamA: The Protein Insertion Machine of the Outer Membrane. <i>Structure</i> , 2010, 18, 1492-1501.	3.3	114
391	NMR studies of dextromethorphan in both isotropic and anisotropic states. <i>Chirality</i> , 2010, 22, 42-49.	2.6	10
392	Structure and function of G protein-coupled receptors using NMR spectroscopy. <i>Progress in Nuclear Magnetic Resonance Spectroscopy</i> , 2010, 57, 159-180.	7.5	38
393	Variable helix elongation as a tool to modulate RNA alignment and motional couplings. <i>Journal of Magnetic Resonance</i> , 2010, 202, 117-121.	2.1	19
394	Solution structure and dynamics of human ubiquitin conjugating enzyme Ube2g2. <i>Proteins: Structure, Function and Bioinformatics</i> , 2010, 78, 1291-1301.	2.6	26

#	ARTICLE	IF	CITATIONS
395	NMR structure of the let-7 miRNA interacting with the site LCS1 of lin-41 mRNA from <i>Caenorhabditis elegans</i> . <i>Nucleic Acids Research</i> , 2010, 38, 7814-7821.	14.5	28
396	High-resolution NMR structure of an RNA model system: the 14-mer cUUCGg tetraloop hairpin RNA. <i>Nucleic Acids Research</i> , 2010, 38, 683-694.	14.5	176
397	NMR structure and dynamics of the Specifier Loop domain from the <i>Bacillus subtilis</i> tyrS T box leader RNA. <i>Nucleic Acids Research</i> , 2010, 38, 3388-3398.	14.5	28
398	Solution Structure of the IIAChitobiose-IIBChitobiose Complex of the N,N ⁶ -Diacetylchitobiose Branch of the <i>Escherichia coli</i> Phosphotransferase System. <i>Journal of Biological Chemistry</i> , 2010, 285, 4173-4184.	3.4	8
399	BclxL Changes Conformation upon Binding to Wild-type but Not Mutant p53 DNA Binding Domain. <i>Journal of Biological Chemistry</i> , 2010, 285, 3439-3450.	3.4	70
400	High Resolution Measurement of Methyl ¹³ C _m and ¹ H _m ¹³ C _m Residual Dipolar Couplings in Large Proteins. <i>Journal of the American Chemical Society</i> , 2010, 132, 13984-13987.	13.7	11
401	Alanine Methyl Groups as NMR Probes of Molecular Structure and Dynamics in High-Molecular-Weight Proteins. <i>Journal of the American Chemical Society</i> , 2010, 132, 18340-18350.	13.7	56
402	Solution Structure of the 128 kDa Enzyme I Dimer from <i>Escherichia coli</i> and Its 146 kDa Complex with HPr Using Residual Dipolar Couplings and Small- and Wide-Angle X-ray Scattering. <i>Journal of the American Chemical Society</i> , 2010, 132, 13026-13045.	13.7	118
403	Parallel-Stacked Aromatic Hosts for Orienting Small Molecules in a Magnetic Field: Induced Residual Dipolar Coupling by Encapsulation. <i>Journal of the American Chemical Society</i> , 2010, 132, 3670-3671.	13.7	40
404	A new member of the ribbon-helix-helix transcription factor superfamily from the plant pathogen <i>Xanthomonas axonopodis</i> pv. <i>citri</i> . <i>Journal of Structural Biology</i> , 2010, 170, 21-31.	2.8	6
405	Novel Protein-Protein Contacts Facilitate mRNA 3'-Processing Signal Recognition by Rna15 and Hrp1. <i>Journal of Molecular Biology</i> , 2010, 401, 334-349.	4.2	58
406	Preformed Protein-binding Motifs in 7SK snRNA: Structural and Thermodynamic Comparisons with Retroviral TAR. <i>Journal of Molecular Biology</i> , 2010, 404, 555-567.	4.2	27
407	Rapid global structure determination of large RNA and RNA complexes using NMR and small-angle X-ray scattering. <i>Methods</i> , 2010, 52, 180-191.	3.8	44
408	Determination of Three-Dimensional Structures of Nucleic Acids by NMR. , 2010, , 247-278.		0
409	Determination of the Structures of Symmetric Protein Oligomers from NMR Chemical Shifts and Residual Dipolar Couplings. <i>Journal of the American Chemical Society</i> , 2011, 133, 6288-6298.	13.7	65
410	Combined Use of Residual Dipolar Couplings and Solution X-ray Scattering To Rapidly Probe Rigid-Body Conformational Transitions in a Non-phosphorylatable Active-Site Mutant of the 128 kDa Enzyme I Dimer. <i>Journal of the American Chemical Society</i> , 2011, 133, 424-427.	13.7	37
412	Contemporary Methods in Structure Determination of Membrane Proteins by Solution NMR. <i>Topics in Current Chemistry</i> , 2011, 326, 123-185.	4.0	19
413	Structural analysis of the interaction between Hsp90 and the tumor suppressor protein p53. <i>Nature Structural and Molecular Biology</i> , 2011, 18, 1086-1093.	8.2	116

#	ARTICLE	IF	CITATIONS
414	Arginine Kinase: Joint Crystallographic and NMR RDC Analyses Link Substrate-Associated Motions to Intrinsic Flexibility. <i>Journal of Molecular Biology</i> , 2011, 405, 479-496.	4.2	35
415	Solution Structure of the K-Turn and Specifier Loop Domains from the <i>Bacillus subtilis</i> tyrS T-Box Leader RNA. <i>Journal of Molecular Biology</i> , 2011, 408, 99-117.	4.2	36
416	Structure of the BamC Two-Domain Protein Obtained by Rosetta with a Limited NMR Data Set. <i>Journal of Molecular Biology</i> , 2011, 411, 83-95.	4.2	47
417	The T ¹ _{RH} Pre-Helix Extension Is Structurally Ordered in the Unbound Form and Its Flanking Prolines Are Essential for Binding. <i>Journal of Molecular Biology</i> , 2011, 412, 601-618.	4.2	20
418	Characterizing RNA dynamics at atomic resolution using solution-state NMR spectroscopy. <i>Nature Methods</i> , 2011, 8, 919-931.	19.0	131
419	The Use of Residual Dipolar Coupling in Studying Proteins by NMR. <i>Topics in Current Chemistry</i> , 2011, 326, 47-67.	4.0	100
420	Complementary Use of NMR to X-Ray Crystallography for the Analysis of Protein Morphological Change in Solution. , 2011, , .		0
422	The Structure of MESD45â€“184 Brings Light into the Mechanism of LDLR Family Folding. <i>Structure</i> , 2011, 19, 337-348.	3.3	8
423	Expanding the utility of NMR restraints with paramagnetic compounds: Background and practical aspects. <i>Progress in Nuclear Magnetic Resonance Spectroscopy</i> , 2011, 59, 360-389.	7.5	159
424	RDC derived protein backbone resonance assignment using fragment assembly. <i>Journal of Biomolecular NMR</i> , 2011, 49, 85-98.	2.8	8
425	Simultaneous measurement of ¹ Hâ€“ ¹⁵ N and Methyl ¹ Hmâ€“ ¹³ Cm residual dipolar couplings in large proteins. <i>Journal of Biomolecular NMR</i> , 2011, 51, 191-198.	2.8	2
426	Characterizing weak proteinâ€“protein complexes by NMR residual dipolar couplings. <i>European Biophysics Journal</i> , 2011, 40, 1371-1381.	2.2	10
427	Structures of domains I and IV from YbbR are representative of a widely distributed protein family. <i>Protein Science</i> , 2011, 20, 396-405.	7.6	16
432	pHâ€“Dependent Dimerization and Saltâ€“Dependent Stabilization of the Nâ€“terminal Domain of Spider Dragline Silkâ€“Implications for Fiber Formation. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 310-313.	13.8	123
433	Solution structure of an alternate conformation of helix27 from <i>Escherichia coli</i> 16S rRNA. <i>Biopolymers</i> , 2011, 95, 653-668.	2.4	0
434	Structure determination and dynamics of proteinâ€“RNA complexes by NMR spectroscopy. <i>Progress in Nuclear Magnetic Resonance Spectroscopy</i> , 2011, 58, 1-61.	7.5	91
435	Recognition of Multivalent Histone States Associated with Heterochromatin by UHRF1 Protein. <i>Journal of Biological Chemistry</i> , 2011, 286, 24300-24311.	3.4	177
436	Intra- and intermolecular translocation of the bi-domain transcription factor Oct1 characterized by liquid crystal and paramagnetic NMR. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, E169-76.	7.1	37

#	ARTICLE	IF	CITATIONS
437	NMR structure of the A730 loop of the Neurospora VS ribozyme: insights into the formation of the active site. <i>Nucleic Acids Research</i> , 2011, 39, 4427-4437.	14.5	20
438	Solution Structure of a Repeated Unit of the ABA-1 Nematode Polyprotein Allergen of <i>Ascaris</i> Reveals a Novel Fold and Two Discrete Lipid-Binding Sites. <i>PLoS Neglected Tropical Diseases</i> , 2011, 5, e1040.	3.0	26
439	Unraveling the structural complexity in a single-stranded RNA tail: implications for efficient ligand binding in the prequeuosine riboswitch. <i>Nucleic Acids Research</i> , 2012, 40, 1345-1355.	14.5	52
440	Structural Basis for Sequence-specific DNA Recognition by an Arabidopsis WRKY Transcription Factor. <i>Journal of Biological Chemistry</i> , 2012, 287, 7683-7691.	3.4	95
441	Conformational Selection and Substrate Binding Regulate the Monomer/Dimer Equilibrium of the C-terminal domain of <i>Escherichia coli</i> Enzyme I. <i>Journal of Biological Chemistry</i> , 2012, 287, 26989-26998.	3.4	28
442	Structure and Dynamic Properties of Membrane Proteins using NMR. , 2012, 2, 1491-1539.		5
443	Asymmetrical roles of zinc fingers in dynamic DNA-scanning process by the inducible transcription factor Egr-1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, E1724-E1732.	7.1	90
444	The First Structure of a Lantibiotic Immunity Protein, Spal from <i>Bacillus subtilis</i> , Reveals a Novel Fold. <i>Journal of Biological Chemistry</i> , 2012, 287, 35286-35298.	3.4	20
445	Polyisocyanides As a New Alignment Medium To Measure Residual Dipolar Couplings for Small Organic Molecules. <i>Organic Letters</i> , 2012, 14, 241-243.	4.6	36
446	Very large residual dipolar couplings from deuterated ubiquitin. <i>Journal of Biomolecular NMR</i> , 2012, 54, 53-67.	2.8	6
447	APOBEC2 Is a Monomer in Solution: Implications for APOBEC3G Models. <i>Biochemistry</i> , 2012, 51, 2008-2017.	2.5	28
448	Structure of a Specialized Acyl Carrier Protein Essential for Lipid A Biosynthesis with Very Long-Chain Fatty Acids in Open and Closed Conformations. <i>Biochemistry</i> , 2012, 51, 7239-7249.	2.5	14
449	Structural Basis for the Activation of Platelet Integrin $\alpha\text{IIb}\beta\text{3}$ by Calcium- and Integrin-Binding Protein 1. <i>Journal of the American Chemical Society</i> , 2012, 134, 3864-3872.	13.7	23
450	NMR insights into protein allostery. <i>Archives of Biochemistry and Biophysics</i> , 2012, 519, 223-231.	3.0	73
451	High-definition NMR structure of PED/PEA-15 death effector domain reveals details of key polar side chain interactions. <i>Biochemical and Biophysical Research Communications</i> , 2012, 424, 141-146.	2.1	11
452	Measurement and Analysis of NMR Residual Dipolar Couplings for the Study of Intrinsically Disordered Proteins. <i>Methods in Molecular Biology</i> , 2012, 895, 115-125.	0.9	11
453	Three-Dimensional Structure and Determinants of Stability of the Iron-Sulfur Cluster Scaffold Protein IscU from <i>Escherichia coli</i> . <i>Biochemistry</i> , 2012, 51, 5557-5563.	2.5	40
454	NMR in natural products: understanding conformation, configuration and receptor interactions. <i>Natural Product Reports</i> , 2012, 29, 536.	10.3	33

#	ARTICLE	IF	CITATIONS
455	Assessing and refining molecular dynamics simulations of proteins with nuclear magnetic resonance data. Biophysical Reviews, 2012, 4, 189-203.	3.2	9
456	Polyacetylenes as a new alignment medium to measure residual dipolar couplings for chiral organic molecules. Tetrahedron Letters, 2012, 53, 6439-6442.	1.4	27
457	Model of a Six Immunoglobulin-Like Domain Fragment of Filamin A (16â€“21) Built Using Residual Dipolar Couplings. Journal of the American Chemical Society, 2012, 134, 6660-6672.	13.7	21
458	Structure of an Intermediate State in Protein Folding and Aggregation. Science, 2012, 336, 362-366.	12.6	339
460	Multiâ€“Timescale Conformational Dynamics of the SH3 Domain of CD2â€“Associated Protein using NMR Spectroscopy and Accelerated Molecular Dynamics. Angewandte Chemie - International Edition, 2012, 51, 6103-6106.	13.8	33
461	Weakly ordered chiral alignment medium derived from 5â€“ ² -GMPâ€“â€“guanosine. Chemical Communications, 2013, 49, 2049.	4.1	18
462	DNA Nanotechnology. , 2013, , .		5
463	Electron Crystallography of Soluble and Membrane Proteins. Methods in Molecular Biology, 2013, , .	0.9	8
464	Solution Nuclear Magnetic Resonance Spectroscopy. Methods in Molecular Biology, 2013, 955, 495-517.	0.9	2
465	Partial alignment and measurement of residual dipolar couplings of proteins under high hydrostatic pressure. Journal of Biomolecular NMR, 2013, 56, 353-357.	2.8	14
466	Modulating alignment of membrane proteins in liquid-crystalline and oriented gel media by changing the size and charge of phospholipid bicelles. Journal of Biomolecular NMR, 2013, 55, 369-377.	2.8	13
467	Molecular Biophysics for the Life Sciences. , 2013, , .		2
468	Structure and Dynamics of Full-Length HIV-1 Capsid Protein in Solution. Journal of the American Chemical Society, 2013, 135, 16133-16147.	13.7	114
469	NMR studies of nucleic acid dynamics. Journal of Magnetic Resonance, 2013, 237, 191-204.	2.1	40
470	Equivalence between Euler angle conventions for the description of tensorial interactions in liquid NMR: application to different software programs. Journal of Biomolecular NMR, 2013, 57, 305-311.	2.8	1
471	Flagella as a novel alignment medium for the measurement of residual dipolar couplings in proteins. Chemical Communications, 2013, 49, 11403.	4.1	5
472	Ionic liquid crystals as alignment medium to measure residual dipolar couplings for carbohydrates. Carbohydrate Research, 2013, 377, 44-47.	2.3	10
473	DNA nanotubes for NMR structure determination of membrane proteins. Nature Protocols, 2013, 8, 755-770.	12.0	58

#	ARTICLE	IF	CITATIONS
474	A General Method for Constructing Atomic-Resolution RNA Ensembles using NMR Residual Dipolar Couplings: The Basis for Interhelical Motions Revealed. <i>Journal of the American Chemical Society</i> , 2013, 135, 5457-5466.	13.7	94
475	NMR Sample Preparation. , 2013, , 103-116.		1
476	Structural Basis for Enzyme I Inhibition by γ -Ketoglutarate. <i>ACS Chemical Biology</i> , 2013, 8, 1232-1240.	3.4	26
477	Structure, phosphorylation and U2AF65 binding of the N-terminal domain of splicing factor 1 during 3'-splice site recognition. <i>Nucleic Acids Research</i> , 2013, 41, 1343-1354.	14.5	61
478	Structures of apo- and ssDNA-bound YdbC from <i>Lactococcus lactis</i> uncover the function of protein domain family DUF2128 and expand the single-stranded DNA-binding domain proteome. <i>Nucleic Acids Research</i> , 2013, 41, 2756-2768.	14.5	10
479	Role of the Two Structural Domains from the Periplasmic <i>Escherichia coli</i> Histidine-binding Protein HisJ. <i>Journal of Biological Chemistry</i> , 2013, 288, 31409-31422.	3.4	28
480	The Maturation Refolding of the β -Hairpin Motif of Equine Infectious Anemia Virus Capsid Protein Extends Its Helix β 1 at Capsid Assembly Locus. <i>Journal of Biological Chemistry</i> , 2013, 288, 1511-1520.	3.4	12
481	Crosslinked Poly(ethylene oxide) as a Versatile Alignment Medium for the Measurement of Residual Anisotropic NMR Parameters. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 10309-10312.	13.8	51
482	Crosslinked Poly(ethylene oxide) as a Versatile Alignment Medium for the Measurement of Residual Anisotropic NMR Parameters. <i>Angewandte Chemie</i> , 2013, 125, 10499-10502.	2.0	19
483	Structural analysis of autoinhibition in the Ras-specific exchange factor RasGRP1. <i>ELife</i> , 2013, 2, e00813.	6.0	78
484	Measuring Dynamic and Kinetic Information in the Previously Inaccessible Supra- μ s Window of Nanoseconds to Microseconds by Solution NMR Spectroscopy. <i>Molecules</i> , 2013, 18, 11904-11937.	3.8	35
486	Solution structure of a C-terminal fragment (175-257) of CV_0373 protein from <i>Chromobacterium violaceum</i> adopts a winged helix-turn-helix (wHTH) fold. <i>Journal of Biomolecular NMR</i> , 2014, 60, 197-202.	2.8	0
487	Solution structure of the free Z β domain of human DLM-1 (ZBP1/DAI), a Z-DNA binding domain. <i>Journal of Biomolecular NMR</i> , 2014, 60, 189-195.	2.8	4
489	Structural insight into SUMO chain recognition and manipulation by the ubiquitin ligase RNF4. <i>Nature Communications</i> , 2014, 5, 4217.	12.8	37
490	Pf1 bacteriophage hydration by magic angle spinning solid-state NMR. <i>Journal of Chemical Physics</i> , 2014, 141, 22D533.	3.0	20
491	Characterization of the Conformational Fluctuations in the Josephin Domain of Ataxin-3. <i>Biophysical Journal</i> , 2014, 107, 2932-2940.	0.5	15
493	NMR of glycans: Shedding new light on old problems. <i>Progress in Nuclear Magnetic Resonance Spectroscopy</i> , 2014, 79, 48-68.	7.5	61
494	Homocoupling for enhancing resolution and sensitivity in NOE and RDC measurements of peptides and proteins. <i>Journal of Magnetic Resonance</i> , 2014, 241, 97-102.	2.1	105

#	ARTICLE	IF	CITATIONS
495	Measuring residual dipolar couplings at high hydrostatic pressure: robustness of alignment media to high pressure. <i>Journal of Biomolecular NMR</i> , 2014, 58, 9-16.	2.8	8
496	Optimized ratiometric calcium sensors for functional in vivo imaging of neurons and T lymphocytes. <i>Nature Methods</i> , 2014, 11, 175-182.	19.0	319
497	Structure and assembly of filamentous bacteriophages. <i>Progress in Biophysics and Molecular Biology</i> , 2014, 114, 80-122.	2.9	111
498	Trapping the dynamic acyl carrier protein in fatty acid biosynthesis. <i>Nature</i> , 2014, 505, 427-431.	27.8	216
499	A Mechanism for the Auto-inhibition of Hyperpolarization-activated Cyclic Nucleotide-gated (HCN) Channel Opening and Its Relief by cAMP. <i>Journal of Biological Chemistry</i> , 2014, 289, 22205-22220.	3.4	67
500	Structural Insights Into Substrate Recognition by the <i>Neurospora</i> Varkud Satellite Ribozyme: Importance of U-Turns at the Kissing-Loop Junction. <i>Biochemistry</i> , 2014, 53, 258-269.	2.5	21
501	NMR characterization of the conformational fluctuations of the human lymphocyte function-associated antigen-1 α domain. <i>Protein Science</i> , 2014, 23, 1596-1606.	7.6	8
503	Insights into Domain Motions in Proteins and RNA from Solution NMR. <i>Accounts of Chemical Research</i> , 2014, 47, 3118-3126.	15.6	39
504	A structure-based mechanism for tRNA and retroviral RNA remodelling during primer annealing. <i>Nature</i> , 2014, 515, 591-595.	27.8	29
505	Advances in the Determination of Nucleic Acid Conformational Ensembles. <i>Annual Review of Physical Chemistry</i> , 2014, 65, 293-316.	10.8	84
506	Exploring Free-Energy Landscapes of Intrinsically Disordered Proteins at Atomic Resolution Using NMR Spectroscopy. <i>Chemical Reviews</i> , 2014, 114, 6632-6660.	47.7	252
507	Elucidating Molecular Motion through Structural and Dynamic Filters of Energy-Minimized Conformer Ensembles. <i>Journal of Physical Chemistry B</i> , 2014, 118, 1726-1742.	2.6	7
508	The Solution Structure, Binding Properties, and Dynamics of the Bacterial Siderophore-binding Protein FepB. <i>Journal of Biological Chemistry</i> , 2014, 289, 29219-29234.	3.4	29
509	Indirect use of deuterium in solution NMR studies of protein structure and hydrogen bonding. <i>Progress in Nuclear Magnetic Resonance Spectroscopy</i> , 2014, 77, 49-68.	7.5	8
510	NMR approaches for structural analysis of multidomain proteins and complexes in solution. <i>Progress in Nuclear Magnetic Resonance Spectroscopy</i> , 2014, 80, 26-63.	7.5	164
511	Solution structure of the major factor VIII binding region on von Willebrand factor. <i>Blood</i> , 2014, 123, 4143-4151.	1.4	41
512	Diversity in the structures and ligand-binding sites of nematode fatty acid and retinol-binding proteins revealed by Na-FAR-1 from <i>Necator americanus</i> . <i>Biochemical Journal</i> , 2015, 471, 403-414.	3.7	27
513	Structure-Free Validation of Residual Dipolar Coupling and Paramagnetic Relaxation Enhancement Measurements of Disordered Proteins. <i>Biochemistry</i> , 2015, 54, 6876-6886.	2.5	19

#	ARTICLE	IF	CITATIONS
514	Beyond phage display: non-traditional applications of the filamentous bacteriophage as a vaccine carrier, therapeutic biologic, and bioconjugation scaffold. <i>Frontiers in Microbiology</i> , 2015, 6, 755.	3.5	82
516	Solution Structure of Yeast Rpn9. <i>Journal of Biological Chemistry</i> , 2015, 290, 6878-6889.	3.4	11
517	Investigating protein conformational energy landscapes and atomic resolution dynamics from NMR dipolar couplings: a review. <i>Reports on Progress in Physics</i> , 2015, 78, 126601.	20.1	23
518	Measuring Residual Dipolar Couplings in Excited Conformational States of Nucleic Acids by CEST NMR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2015, 137, 13480-13483.	13.7	35
519	Modulation and Functional Role of the Orientations of the N- and P-Domains of Cu ⁺ -Transporting ATPase along the Ion Transport Cycle. <i>Biochemistry</i> , 2015, 54, 5095-5102.	2.5	4
520	Magic angle spinning NMR of viruses. <i>Progress in Nuclear Magnetic Resonance Spectroscopy</i> , 2015, 86-87, 21-40.	7.5	23
521	Magic-angle spinning NMR of intact bacteriophages: Insights into the capsid, DNA and their interface. <i>Journal of Magnetic Resonance</i> , 2015, 253, 80-90.	2.1	19
522	NMR Spectra of Glycine Isotopomers in Anisotropic Media: Subtle Chiral Interactions. <i>Analytical Chemistry</i> , 2015, 87, 10437-10442.	6.5	4
523	Modulating RNA Alignment Using Directional Dynamic Kinks: Application in Determining an Atomic-Resolution Ensemble for a Hairpin using NMR Residual Dipolar Couplings. <i>Journal of the American Chemical Society</i> , 2015, 137, 12954-12965.	13.7	31
524	Side Chain Conformational Distributions of a Small Protein Derived from Model-Free Analysis of a Large Set of Residual Dipolar Couplings. <i>Journal of the American Chemical Society</i> , 2015, 137, 14798-14811.	13.7	25
525	Information content of long-range NMR data for the characterization of conformational heterogeneity. <i>Journal of Biomolecular NMR</i> , 2015, 62, 353-371.	2.8	19
526	Ensemble Calculation for Intrinsically Disordered Proteins Using NMR Parameters. <i>Advances in Experimental Medicine and Biology</i> , 2015, 870, 123-147.	1.6	18
527	Solution NMR Experiment for Measurement of ¹⁵ N- ¹ H Residual Dipolar Couplings in Large Proteins and Supramolecular Complexes. <i>Journal of the American Chemical Society</i> , 2015, 137, 11242-11245.	13.7	10
528	High Accuracy of Karplus Equations for Relating Three-Bond J Couplings to Protein Backbone Torsion Angles. <i>ChemPhysChem</i> , 2015, 16, 572-578.	2.1	30
529	A self-assembled, π -stacked complex as a finely-tunable magnetic aligner for biomolecular NMR applications. <i>Chemical Communications</i> , 2015, 51, 2540-2543.	4.1	7
530	Structural characterization of eRF1 mutants indicate a complex mechanism of stop codon recognition. <i>Scientific Reports</i> , 2016, 6, 18644.	3.3	1
531	Protein dynamics and function from solution state NMR spectroscopy. <i>Quarterly Reviews of Biophysics</i> , 2016, 49, e6.	5.7	123
532	Structure of the NPR:EIN ^{tr} Complex: Mechanism for Specificity in Paralogous Phosphotransferase Systems. <i>Structure</i> , 2016, 24, 2127-2137.	3.3	16

#	ARTICLE	IF	CITATIONS
533	Biophysical characterization of the domain association between cytosolic A and B domains of the mannitol transporter enzymes Mtl ⁺ in the presence and absence of a connecting linker. Protein Science, 2016, 25, 1803-1811.	7.6	0
534	Recent excitements in protein NMR: Large proteins and biologically relevant dynamics. Journal of Biosciences, 2016, 41, 787-803.	1.1	7
535	Structural studies of the yeast DNA damage-inducible protein Ddi1 reveal domain architecture of this eukaryotic protein family. Scientific Reports, 2016, 6, 33671.	3.3	44
536	On the properties of residual dipolar coupling alignment tensors: Simulations illuminate how residual dipolar couplings depend on the relative orientations of the magnetic field, the director of the alignment phase and the bond vectors. Concepts in Magnetic Resonance Part A: Bridging Education and Research, 2016, 45A, .	0.5	0
537	Structural Analysis of Multi-Helical RNAs by NMR-SAXS/WAXS: Application to the U4/U6 di-snRNA. Journal of Molecular Biology, 2016, 428, 777-789.	4.2	45
538	The intrinsic mechanics of B-DNA in solution characterized by NMR. Nucleic Acids Research, 2016, 44, 3432-3447.	14.5	20
539	How to tackle protein structural data from solution and solid state: An integrated approach. Progress in Nuclear Magnetic Resonance Spectroscopy, 2016, 92-93, 54-70.	7.5	27
540	Solution NMR Spectroscopy for the Study of Enzyme Allostery. Chemical Reviews, 2016, 116, 6323-6369.	47.7	106
541	Hybrid Approaches to Structural Characterization of Conformational Ensembles of Complex Macromolecular Systems Combining NMR Residual Dipolar Couplings and Solution X-ray Scattering. Chemical Reviews, 2016, 116, 6305-6322.	47.7	43
542	The PRE-Derived NMR Model of the 38.8-kDa Tri-Domain IsdH Protein from Staphylococcus aureus Suggests That It Adaptively Recognizes Human Hemoglobin. Journal of Molecular Biology, 2016, 428, 1107-1129.	4.2	20
543	¹⁹ F-Site-Specific-Labeled Nucleotides for Nucleic Acid Structural Analysis by NMR. Methods in Enzymology, 2016, 566, 59-87.	1.0	24
544	The two domains of Mycobacterium tuberculosis NusG protein are dynamically independent. Journal of Biomolecular Structure and Dynamics, 2016, 34, 352-361.	3.5	6
545	Structure and folding of the Tetrahymena telomerase RNA pseudoknot. Nucleic Acids Research, 2017, 45, 482-495.	14.5	75
546	Conformational Dynamics and Allostery in E2:E3 Interactions Drive Ubiquitination: gp78 and Ube2g2. Structure, 2017, 25, 794-805.e5.	3.3	24
547	Modern Technologies of Solution Nuclear Magnetic Resonance Spectroscopy for Three-dimensional Structure Determination of Proteins Open Avenues for Life Scientists. Computational and Structural Biotechnology Journal, 2017, 15, 328-339.	4.1	57
548	Insights into Watson-Crick/Hoogsteen breathing dynamics and damage repair from the solution structure and dynamic ensemble of DNA duplexes containing m1A. Nucleic Acids Research, 2017, 45, 5586-5601.	14.5	57
549	Methods of probing the interactions between small molecules and disordered proteins. Cellular and Molecular Life Sciences, 2017, 74, 3225-3243.	5.4	56
550	Ubiquitin S65 phosphorylation engenders a pH-sensitive conformational switch. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 6770-6775.	7.1	40

#	ARTICLE	IF	CITATIONS
551	Structure, High Affinity, and Negative Cooperativity of the Escherichia coli Holo-(Acyl Carrier) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 747 3763-3775.	4.2	18
552	A Self-Assembled Oligopeptide as a Versatile NMR Alignment Medium for the Measurement of Residual Dipolar Couplings in Methanol. Angewandte Chemie, 2017, 129, 13037-13041.	2.0	6
553	A Self-Assembled Oligopeptide as a Versatile NMR Alignment Medium for the Measurement of Residual Dipolar Couplings in Methanol. Angewandte Chemie - International Edition, 2017, 56, 12857-12861.	13.8	46
554	Insight into the molecular recognition mechanism of the coactivator NCoA1 by STAT6. Scientific Reports, 2017, 7, 16845.	3.3	10
555	Molecular modeling of biomolecules by paramagnetic NMR and computational hybrid methods. Biochimica Et Biophysica Acta - Proteins and Proteomics, 2017, 1865, 1654-1663.	2.3	9
556	Structural Effects of Single Mutations in a Filamentous Viral Capsid Across Multiple Length Scales. Biomacromolecules, 2017, 18, 2258-2266.	5.4	13
557	Protein folding by NMR. Progress in Nuclear Magnetic Resonance Spectroscopy, 2017, 100, 52-77.	7.5	48
558	A practical strategy for the accurate measurement of residual dipolar couplings in strongly aligned small molecules. Journal of Magnetic Resonance, 2018, 291, 63-72.	2.1	21
559	Automated NMR resonance assignments and structure determination using a minimal set of 4D spectra. Nature Communications, 2018, 9, 384.	12.8	31
560	NMR Studies on RNA. , 2018, , 439-459.		5
561	Protein Structure and Dynamics Determination by Residual Anisotropic Spin Interactions. , 2018, , 601-636.		0
562	Structural characterization of the Asf1-Rtt109 interaction and its role in histone acetylation. Nucleic Acids Research, 2018, 46, 2279-2289.	14.5	16
563	Mitosis-specific acetylation tunes Ran effector binding for chromosome segregation. Journal of Molecular Cell Biology, 2018, 10, 18-32.	3.3	32
564	Structural Study of Proteins by Paramagnetic Lanthanide Probe Methods. , 2018, , 227-252.		1
565	Assembly of phospholipid nanodiscs of controlled size for structural studies of membrane proteins by NMR. Nature Protocols, 2018, 13, 79-98.	12.0	159
567	The Structure of Melanoregulin Reveals a Role for Cholesterol Recognition in the Protein's Ability to Promote Dynein Function. Structure, 2018, 26, 1373-1383.e4.	3.3	6
568	Accurate Measurement of Residual Dipolar Couplings in Large RNAs by Variable Flip Angle NMR. Journal of the American Chemical Society, 2018, 140, 6978-6983.	13.7	16
569	Enhanced Sampling of Interdomain Motion Using Map-Restrained Langevin Dynamics and NMR: Application to Pin1. Journal of Molecular Biology, 2018, 430, 2164-2180.	4.2	12

#	ARTICLE	IF	CITATIONS
570	Nuclear Magnetic Resonance Solution Structure of the Recombinant Fragment Containing Three Fibrin-Binding Cysteine-Rich Domains of the Very Low Density Lipoprotein Receptor. <i>Biochemistry</i> , 2018, 57, 4395-4403.	2.5	7
571	Characterization of intrinsically disordered proteins and their dynamic complexes: From in vitro to cell-like environments. <i>Progress in Nuclear Magnetic Resonance Spectroscopy</i> , 2018, 109, 79-100.	7.5	67
572	Structure and nucleic acid binding properties of KOW domains 4 and 6 of human transcription elongation factor DSIF. <i>Scientific Reports</i> , 2018, 8, 11660.	3.3	9
573	Partial alignment, residual dipolar couplings and molecular symmetry in solution NMR. <i>Journal of Biomolecular NMR</i> , 2019, 73, 477-491.	2.8	2
574	Assessing Structural Preferences of Unstructured Protein Regions by NMR. <i>Biophysical Journal</i> , 2019, 117, 1948-1953.	0.5	4
575	Remarkable Rigidity of the Single α -Helical Domain of Myosin-VI As Revealed by NMR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2019, 141, 9004-9017.	13.7	42
576	Maximizing accuracy of RNA structure in refinement against residual dipolar couplings. <i>Journal of Biomolecular NMR</i> , 2019, 73, 117-139.	2.8	7
577	Advances that facilitate the study of large RNA structure and dynamics by nuclear magnetic resonance spectroscopy. <i>Wiley Interdisciplinary Reviews RNA</i> , 2019, 10, e1541.	6.4	30
578	Opportunities and Challenges of Backbone, Sidechain, and RDC Experiments to Study Membrane Protein Dynamics in a Detergent-Free Lipid Environment Using Solution State NMR. <i>Frontiers in Molecular Biosciences</i> , 2019, 6, 103.	3.5	7
579	Refining RNA solution structures with the integrative use of label-free paramagnetic relaxation enhancement NMR. <i>Biophysics Reports</i> , 2019, 5, 244-253.	0.8	4
580	Generating Five Independent Molecular Alignments for Simultaneous Protein Structure and Dynamics Determination Using Nuclear Magnetic Resonance Spectroscopy. <i>Analytical Chemistry</i> , 2020, 92, 15263-15269.	6.5	9
581	Hierarchical Conformational Dynamics Confers Thermal Adaptability to preQ1 RNA Riboswitches. <i>Journal of Molecular Biology</i> , 2020, 432, 4523-4543.	4.2	1
582	HERMES – A Software Tool for the Prediction and Analysis of Magnetic-Field-Induced Residual Dipolar Couplings in Nucleic Acids. <i>ChemPlusChem</i> , 2020, 85, 2177-2185.	2.8	0
583	Water-Soluble Glycosylated Resveratrol for Measuring Residual Dipolar Coupling in NMR. <i>Natural Product Communications</i> , 2020, 15, 1934578X2094723.	0.5	0
584	A missense mutation in the CSTF2 gene that impairs the function of the RNA recognition motif and causes defects in 3' end processing is associated with intellectual disability in humans. <i>Nucleic Acids Research</i> , 2020, 48, 9804-9821.	14.5	10
585	Aromatic Interactions Drive the Coupled Folding and Binding of the Intrinsically Disordered <i>Sesbania mosaic</i> Virus VPg Protein. <i>Biochemistry</i> , 2020, 59, 4663-4680.	2.5	4
586	Solution NMR spectroscopy of membrane proteins. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2020, 1862, 183356.	2.6	19
587	Different views of the dynamic landscape covered by the 5'-hairpin of the 7SK small nuclear RNA. <i>Rna</i> , 2020, 26, 1184-1197.	3.5	10

#	ARTICLE	IF	CITATIONS
588	Current approaches for integrating solution NMR spectroscopy and small-angle scattering to study the structure and dynamics of biomolecular complexes. <i>Journal of Molecular Biology</i> , 2020, 432, 2890-2912.	4.2	17
589	Slow-Motion Self-Assembly: Access to Intermediates with Heterochiral Peptides to Gain Control over Alignment Media Development. <i>ACS Nano</i> , 2020, 14, 3344-3352.	14.6	6
590	Amide additives improve RDC measurements in polyacrylamide. <i>Journal of Biomolecular NMR</i> , 2020, 74, 119-124.	2.8	4
591	Modulating the Stiffness of the Myosin VI Single α -Helical Domain. <i>Biophysical Journal</i> , 2020, 118, 1119-1128.	0.5	2
592	NMR Methods for Structural Characterization of Protein-Protein Complexes. <i>Frontiers in Molecular Biosciences</i> , 2020, 7, 9.	3.5	35
593	Residual Dipolar Couplings for Resolving Cysteine Bridges in Disulfide-Rich Peptides. <i>Frontiers in Chemistry</i> , 2019, 7, 889.	3.6	9
594	Solution structures of the <i>Shewanella woodyi</i> α -NOX protein in the presence and absence of soluble guanylyl cyclase stimulator α -IWP. <i>Protein Science</i> , 2021, 30, 448-463.	7.6	4
595	Macromolecular crystallization: basics and advanced methodologies. <i>Journal of the Iranian Chemical Society</i> , 2021, 18, 543-565.	2.2	3
596	Unveiling the "invisible" druggable conformations of GDP-bound inactive Ras. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	16
597	NMR solution structures of <i>Runella slithyformis</i> RNA 2'-phosphotransferase Tpt1 provide insights into NAD ⁺ binding and specificity. <i>Nucleic Acids Research</i> , 2021, 49, 9607-9624.	14.5	2
598	Structural Insights into the Interaction of the Intrinsically Disordered Co-activator TIF2 with Retinoic Acid Receptor Heterodimer (RXR/RAR). <i>Journal of Molecular Biology</i> , 2021, 433, 166899.	4.2	14
599	A mechanistic model may explain the dissimilar biological efficiency of the fungal elicitors cerato-platanin and cerato-populin. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2021, 1865, 129843.	2.4	2
600	Hsp40s play complementary roles in the prevention of tau amyloid formation. <i>ELife</i> , 2021, 10, .	6.0	29
601	Angular Restraints from Residual Dipolar Couplings for Structure Refinement. , 2002, , 163-229.		7
603	Observation and Interpretation of Residual Dipolar Couplings in Biomolecules. , 2003, , 163-190.		2
604	High-Resolution 3D Structure Determination of Kalitoxin by Solid-State NMR Spectroscopy. <i>PLoS ONE</i> , 2008, 3, e2359.	2.5	32
605	Structural Basis of the Association of HIV-1 Matrix Protein with DNA. <i>PLoS ONE</i> , 2010, 5, e15675.	2.5	20
606	Substantial Conformational Change Mediated by Charge-Triad Residues of the Death Effector Domain in Protein-Protein Interactions. <i>PLoS ONE</i> , 2013, 8, e83421.	2.5	12

#	ARTICLE	IF	CITATIONS
607	An order-to-disorder structural switch activates the FoxM1 transcription factor. <i>ELife</i> , 2019, 8, .	6.0	34
608	Protein Structure and Dynamics by NMR in Solution. , 2000, , 91-116.		0
610	Chapter 8. Solution NMR Spectroscopy in Characterizing Structure, Dynamics and Intermolecular Interactions of Retroviral Structural Proteins. <i>RSC Biomolecular Sciences</i> , 2010, , 135-159.	0.4	0
611	Investigating RNAs Involved in Translational Control by NMR and SAXS. , 2012, , 141-172.		0
613	DNA-Nanotube-Enabled NMR Structure Determination of Membrane Proteins. , 2013, , 335-352.		0
615	A New On-Axis Multimode Spectrometer for the Macromolecular Crystallography Beamlines of the Swiss Light Source. , 2016, , 103-124.		0
616	Analyses of RNA Structure and Dynamics. , 2017, , 1-10.		0
617	Current Solution NMR Techniques for Structure-Function Studies of Proteins and RNA Molecules. <i>Advances in Experimental Medicine and Biology</i> , 2018, 1105, 43-58.	1.6	1
618	Analyses of RNA Structure and Dynamics. , 2018, , 727-736.		0
619	Advances in NMR Methods to Identify Allosteric Sites and Allosteric Ligands. <i>Advances in Experimental Medicine and Biology</i> , 2019, 1163, 171-186.	1.6	4
621	NMR Spectroscopy of Large Biological Macromolecules in Solution. , 2006, , 89-128.		1
625	Quantifying Protein Electrostatic Interactions in Cells by Nuclear Magnetic Resonance Spectroscopy. <i>Journal of the American Chemical Society</i> , 2021, 143, 19606-19613.	13.7	9
626	Advances in NMR Spectroscopy of Weakly Aligned Biomolecular Systems. <i>Chemical Reviews</i> , 2022, 122, 9307-9330.	47.7	27
627	Retroviral RNase H: Structure, mechanism, and inhibition. <i>The Enzymes</i> , 2021, 50, 227-247.	1.7	4
628	A fast microfluidic mixer enabling rapid preparation of homogeneous PEG and bicelle media for RDC in NMR analysis. <i>Chemical Engineering Journal</i> , 2022, 431, 133817.	12.7	5
629	Analysis of structure and dynamics of intrinsically disordered regions in proteins using solution NMR methods. , 2022, , 535-550.		1
630	Measurement of Residual Dipolar Couplings Using Magnetically Aligned and Flipped Nanodiscs. <i>Langmuir</i> , 2022, 38, 244-252.	3.5	7
631	Mimotopes for Mycotoxins Diagnosis Based on Random Peptides or Recombinant Antibodies from Phage Library. <i>Molecules</i> , 2021, 26, 7652.	3.8	6

#	ARTICLE	IF	CITATIONS
634	Structural Insights into the Intrinsically Disordered GPCR C-Terminal Region, Major Actor in Arrestin-GPCR Interaction. <i>Biomolecules</i> , 2022, 12, 617.	4.0	7
635	Williams-Beuren Syndrome Related Methyltransferase WBSCR27: From Structure to Possible Function. <i>Frontiers in Molecular Biosciences</i> , 0, 9, .	3.5	1
636	Polymer-Nanodiscs as a Novel Alignment Medium for High-Resolution NMR-Based Structural Studies of Nucleic Acids. <i>Biomolecules</i> , 2022, 12, 1628.	4.0	7
637	5-Formylcytosine weakens the Gâ€C pair and imparts local conformational fluctuations to DNA duplexes. <i>Physical Chemistry Chemical Physics</i> , 2022, 25, 241-254.	2.8	1
638	Plant Defense Elicitation by the Hydrophobin Cerato-Ulmin and Correlation with Its Structural Features. <i>International Journal of Molecular Sciences</i> , 2023, 24, 2251.	4.1	1
639	Characterising RNA Dynamics using NMR Residual Dipolar Couplings. , 2012, , 184-215.		1
640	Residual Dipolar Couplings as a Tool for the Study of Protein Conformation and Conformational Flexibility. , 2012, , 166-183.		0
642	Magnetic control of self-assembly and disassembly in organic materials. <i>Nature Communications</i> , 2023, 14, .	12.8	1
643	Elongated Bacterial Pili as a Versatile Alignment Medium for NMR Spectroscopy. <i>Angewandte Chemie</i> , 2023, 135, .	2.0	0
644	Elongated Bacterial Pili as a Versatile Alignment Medium for NMR Spectroscopy. <i>Angewandte Chemie - International Edition</i> , 2023, 62, .	13.8	0
645	Validation of X-ray Crystal Structure Ensemble Representations of SARS-CoV-2 Main Protease by Solution NMR Residual Dipolar Couplings. <i>Journal of Molecular Biology</i> , 2023, 435, 168067.	4.2	1
646	The application of solution NMR spectroscopy to study dynamics of two-domain calcium-binding proteins. <i>Journal of Magnetic Resonance Open</i> , 2023, 16-17, 100120.	1.1	0
647	Conformational Plasticity of Parallel G-Quadruplexâ€Implications on Duplexâ€Quadruplex Motifs. <i>Journal of the American Chemical Society</i> , 2023, 145, 15370-15380.	13.7	5
648	Synergism between x-ray crystallography and NMR residual dipolar couplings in characterizing protein dynamics. <i>Structural Dynamics</i> , 2023, 10, .	2.3	0
649	Effects of the Magnetic Orientation of M13 Bacteriophage on Phage Display Selection. <i>Chemistry - A European Journal</i> , 2023, 29, .	3.3	1
650	Intracellular environment can change protein conformational dynamics in cells through weak interactions. <i>Science Advances</i> , 2023, 9, .	10.3	3
651	Phosphorylation motif dictates GPCR C-terminal domain conformation and arrestin interaction. <i>Structure</i> , 2023, , .	3.3	1
652	Improving the Resolution of MPM Recovered Relaxometry Parameters with Proper Time Domain Sampling. <i>Applied Magnetic Resonance</i> , 0, , .	1.2	0

#	ARTICLE	IF	CITATIONS
653	Kinetic Resolution of the Atomic 3D Structures Formed by Ground and Excited Conformational States in an RNA Dynamic Ensemble. Journal of the American Chemical Society, 2023, 145, 22964-22978.	13.7	2
654	An RNA excited conformational state at atomic resolution. Nature Communications, 2023, 14, .	12.8	0
655	External Media for Inducing Weak Alignment in Biomacromolecules. , 2024, , 23-54.		0
656	RDC for Membrane Proteins. , 2024, , 159-180.		0
657	RNA Conformational Ensembles from NMR Residual Dipolar Couplings. , 2024, , 206-251.		0