

CITATION REPORT

List of articles citing

Crystal structure of a plant catechol oxidase containing a dicopper center

DOI: 10.1038/4193

Nature Structural Biology, 1998, 5, 1084-90.

Source: <https://exaly.com/paper-pdf/28916773/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
702	Copper-containing oxidases. 1999 , 3, 138-44		104
701	Synthesis, structure and properties of the first dinuclear copper(II) complex as a structural model for the phenolic intermediate in tyrosinase/resolase activity. 1999 , 2, 334-337		32
700	Cloning and comparative protein modeling of two purple acid phosphatase isozymes from sweet potatoes (<i>Ipomoea batatas</i>). 1999 , 1434, 202-9		23
699	Catechol oxidase - structure and activity. 1999 , 9, 677-83		190
698	Paper Alert. 1999 , 7, R37-R41		
697	Kupfer Die biochemische Bedeutung eines Metalls. 1999 , 33, 334-341		14
696	Mechanistic, Structural, and Spectroscopic Studies on the Catecholase Activity of a Dinuclear Copper Complex by Dioxygen. 1999 , 38, 5359-5369		131
695	Anorganische Chemie 1999. 2000 , 48, 236-253		0
694	Biochemie und Molekulargenetik 1999. 2000 , 48, 291-300		1
693	Neue Bausteine zum Design von Mehrkern-Kupferkomplexen auf der Basis von Aminokohlenhydraten. 2000 , 112, 608-612		9
692	Wie funktioniert die Tyrosinase? Neue Einblicke aus Modellchemie und Strukturbiologie. 2000 , 112, 1656-1660		31
691	μ -Peroxo- versus Bis(μ -hydroxo)-Einheiten in strukturell analogen Tetrakupfer(II)-Komplexen. 2000 , 112, 2199-2202		12
690	New functional models for catechol oxidases. 2000 , 300-302, 442-452		112
689	Kinetic characterization of the substrate specificity and mechanism of mushroom tyrosinase. 2000 , 267, 1270-9		171
688	Biomimetic modeling of copper oxidase reactivity. 2000 , 4, 228-34		121
687	Novel cofactors via post-translational modifications of enzyme active sites. 2000 , 7, R159-71		78
686	Kinetic study of the oxidation of 3-hydroxyanisole catalysed by tyrosinase. 2000 , 84, 65-76		7

685	Combining structural genomics and enzymology: completing the picture in metabolic pathways and enzyme active sites. 2000 , 10, 719-30	46
684	Tyrosinase/catecholoxidase activity of hemocyanins: structural basis and molecular mechanism. 2000 , 25, 392-7	285
683	Aureusidin synthase: a polyphenol oxidase homolog responsible for flower coloration. 2000 , 290, 1163-6	186
682	Inhibition of the catecholase activity of biomimetic dinuclear copper complexes by kojic acid. 2000 , 5, 262-8	147
681	EPR study of the dinuclear active copper site of tyrosinase from <i>Streptomyces antibioticus</i> . 2000 , 474, 228-32	36
680	Specificity analysis and mechanism of aurone synthesis catalyzed by aureusidin synthase, a polyphenol oxidase homolog responsible for flower coloration. 2001 , 499, 107-11	80
679	Hemocyanins and invertebrate evolution. 2001 , 276, 15563-6	237
678	Synthesis of a novel acetate bridged dinuclear Cu(II) complex as model compound for the active site of tyrosinase: crystal structure, magnetic properties and catecholase activity. 2001 , 4, 753-756	24
677	Chemisch modifizierte Aminosäuren in O ₂ -bindenden oder -aktivierenden Kupferproteinen. 2001 , 113, 358-362	1
676	Kupferproteine: Koordination und Aktivierung von Sauerstoff und seine Reduktion zu Wasser. 2001 , 113, 4702-4724	101
675	Copper(II) complexes of aminocarbohydrate beta-ketoenaminic ligands: efficient catalysts in catechol oxidation. 2001 , 7, 2143-57	121
674	Chemically Modified Amino Acids in Copper Proteins That Bind or Activate Dioxygen. 2001 , 40, 346-349	49
673	Oxygen Binding, Activation, and Reduction to Water by Copper Proteins. 2001 , 40, 4570-4590	691
672	Synthesis, crystal structure, spectral studies, and catechol oxidase activity of trigonal bipyramidal Cu(II) complexes derived from a tetradentate diamide bisbenzimidazole ligand. 2001 , 40, 878-85	93
671	Isozymes of <i>Ipomoea batatas</i> catechol oxidase differ in catalase-like activity. 2001 , 1548, 94-105	21
670	Tyrosinase action on monophenols: evidence for direct enzymatic release of o-diphenol. 2001 , 1548, 238-56	68
669	Posttranslationally modified tyrosines from galactose oxidase and cytochrome c oxidase. 2001 , 58, 387-436	12
668	Functional conversion of hemocyanin to phenoloxidase by horseshoe crab antimicrobial peptides. 2001 , 276, 27166-70	152

- 667 Crystal structure of the precursor of galactose oxidase: an unusual self-processing enzyme. **2001**, 98, 12932-7 97
- 666 Structural basis and mechanism of the inhibition of the type-3 copper protein tyrosinase from *Streptomyces antibioticus* by halide ions. **2002**, 277, 30436-44 39
- 665 Synthesis and X-ray crystal structure determination of the first Copper(II) complexes of tetraazamacrocyclic-glyoxal condensates. **2002**, 41, 7006-14 5
- 664 Modeling Copper(I) Complexes: SIBFA Molecular Mechanics versus ab Initio Energetics and Geometrical Arrangements. **2002**, 106, 5660-5670 33
- 663 Kinetic characterisation of the reaction mechanism of mushroom tyrosinase on tyramine/dopamine and L-tyrosine methyl ester/L-dopa methyl ester. **2002**, 34, 1594-1607 31
- 662 Enzymology of aurone biosynthesis. **2002**, 94, 487-91 51
- 661 Sequence and structural differences between enzyme and nonenzyme homologs. **2002**, 10, 1435-51 112
- 660 Biokatalytisch relevante rautenförmige Bis(μ -oxo)dimetall-Kerne in Kupfer- und Eisenkomplexen. **2002**, 114, 1160-1185 74
- 659 Tuning the activity of catechol oxidase model complexes by geometric changes of the dicopper core. **2002**, 8, 247-58 204
- 658 Bis(μ -oxo)dimetal "diamond" cores in copper and iron complexes relevant to biocatalysis. **2002**, 41, 1114-37 350
- 657 Supramolecular Assembly with Calix[6]arene and Copper Ions [Formation of a Novel Tetranuclear Core Exhibiting Unusual Redox Properties and Catecholase Activity. **2002**, 2002, 2007-2014 40
- 656 Zymography of monophenolase and o-diphenolase activities of polyphenol oxidase. **2002**, 306, 336-9 14
- 655 Molecular anatomy of tyrosinase and its related proteins: beyond the histidine-bound metal catalytic center. **2002**, 15, 162-73 192
- 654 Cloning and molecular characterization of a SDS-activated tyrosinase from *Marinomonas mediterranea*. **2002**, 15, 104-11 40
- 653 Comparative modeling of the latent form of a plant catechol oxidase using a molluscan hemocyanin structure. **2002**, 89, 155-8 45
- 652 Applications of laccases and tyrosinases (phenoloxidases) immobilized on different supports: a review. **2002**, 31, 907-931 605
- 651 Structure, magnetic properties and catecholase activity study of oxo-bridged dinuclear copper(II) complexes. **2002**, 340, 105-113 56
- 650 Catecholase activity of dinuclear copper(II) complexes with variable endogenous and exogenous bridge. **2002**, 337, 429-438 154

- 649 Catalytic oxidation of 3,5-Di-tert-butylcatechol by a series of mononuclear manganese complexes: synthesis, structure, and kinetic investigation. **2003**, 42, 6274-83 106
- 648 The catalytic cycle of tyrosinase: peroxide attack on the phenolate ring followed by O[bond]O cleavage. **2003**, 8, 567-576 74
- 647 Effect of thiohydroxyl compounds on tyrosinase: inactivation and reactivation study. **2003**, 22, 613-23 14
- 646 The Dicopper(II) Complex of the Novel Asymmetric Dinucleating Ligand Hpy3asym as a Structural Model of Catechol Oxidase. **2003**, 2003, 1669-1674 52
- 645 Asymmetry in Bridged Binuclear Metalloenzymes: Lessons for the Chemist. **2003**, 2003, 4137-4146 74
- 644 Catalytic activation of dioxygen by oximatocobalt(II) and oximatoiron(II) complexes for catecholase-mimetic oxidations of o-substituted phenols. **2003**, 245, 85-93 97
- 643 Synthesis, crystal structure and spectral studies of Cu(II)/Cu(I) complexes derived from diamide bisbenzimidazole ligand. **2003**, 353, 197-205 15
- 642 Dinuclear copper(II) complexes of four new pyrazole-containing macrocyclic ligands are active catalysts in the oxidative coupling of 2,6-dimethylphenol. **2003**, 355, 374-385 19
- 641 Mechanism of intramolecular C-H bond activation in $[(LCu)_2(EO)_2]^{2+}$ (L=1,4,7-trialkyl-1,4,7-triazacyclononane): quantum mechanical/molecular mechanical modeling. **2003**, 632, 111-120 15
- 640 Catechol oxidase model compounds based on aminocarbohydrates: new structure types and investigations on the catalytic reaction. **2003**, 201, 93-118 30
- 639 Purification, characterization and molecular cloning of tyrosinase from the cephalopod mollusk, *Illex argentinus*. **2003**, 270, 4026-38 40
- 638 Tyrosinases from crustaceans form hexamers. **2003**, 371, 515-23 75
- 637 Resonance raman investigation of equatorial ligand donor effects on the $Cu(2)O(2)(2+)$ core in end-on and side-on μ -peroxo-dicopper(II) and bis- μ -oxo-dicopper(III) complexes. **2003**, 125, 5186-92 83
- 636 Syntheses and characterization of two dioxygen-reactive dinuclear macrocyclic schiff-base copper(I) complexes. **2003**, 42, 1430-6 33
- 635 Biological radical sulfur insertion reactions. **2003**, 103, 2149-66 157
- 634 Copper. **2003**, 747-910 16
- 633 The Tat protein translocation pathway and its role in microbial physiology. **2003**, 47, 187-254 210
- 632 Dicopper Enzymes. **2003**, 369-393 14

631	(+)-Larreatricin hydroxylase, an enantio-specific polyphenol oxidase from the creosote bush (<i>Larrea tridentata</i>). 2003 , 100, 10641-6	72
630	Spectroscopic characterization of the electronic changes in the active site of <i>Streptomyces antibioticus</i> tyrosinase upon binding of transition state analogue inhibitors. 2003 , 278, 7381-9	31
629	Cu(I)-dependent biogenesis of the galactose oxidase redox cofactor. 2003 , 278, 22090-101	80
628	Copper-dioxygen complexes and their roles in biomimetic oxidation reactions. 2003 , 79-121	22
627	Mechanism for Aerobic Oxidation of 3,5-Di-tert-butylcatechol to 3,5-Di-tert-butyl-o-benzoquinone Catalyzed by Di- η -hydroxo-dicopper(II) Complexes of Peralkylated Ethylenediamine Ligands. 2003 , 76, 1957-1964	43
626	A new stilbene with tyrosinase inhibitory activity from <i>Chlorophora excelsa</i> . 2003 , 51, 318-9	26
625	Role of Tyr-288 at the dioxygen reduction site of cytochrome bo studied by stable isotope labeling and resonance raman spectroscopy. 2004 , 279, 53613-20	18
624	Cloning and characterization of red clover polyphenol oxidase cDNAs and expression of active protein in <i>Escherichia coli</i> and transgenic alfalfa. 2004 , 136, 3234-44	97
623	Controlling the texture of fruit and vegetables: the role of oxidising enzymes. 2004 , 295-320	1
622	Stopped-flow fluorescence studies of inhibitor binding to tyrosinase from <i>Streptomyces antibioticus</i> . 2004 , 279, 13425-34	20
621	Synthetic models for heme-copper oxidases. 2004 , 104, 1077-133	362
620	The catalytic cycle of catechol oxidase. 2004 , 9, 577-90	52
619	Mechanistic insight into the catechol oxidase activity by a biomimetic dinuclear copper complex. 2004 , 9, 903-13	62
618	Functional changes in the family of type 3 copper proteins during evolution. 2004 , 5, 163-9	46
617	New dinuclear Co(II) and Mn(II) complexes of the phenol-based compartmental ligand containing formyl and amine functions: structural, spectroscopic and magnetic properties. 2004 , 357, 294-300	30
616	Structural, electrochemical and spectroscopic characterization of a new $[\text{Cu}_2\text{L}_2(\text{EC})_2]_2[\text{CuCl}_4]_2$ dimer complex. 2004 , 694, 193-198	3
615	Binuclear copper(II) complexes of 5-N-(beta-ketoen)amino-5-deoxy-1,2-O-isopropylidene-alpha-D-glucofuranoses: synthesis, structure, and catecholoxidase activity. 2004 , 339, 1941-52	20
614	Dinuclear and mononuclear manganese(IV)-radical complexes and their catalytic catecholase activity. 2004 , 3842-53	134

613	Recent findings on phenoloxidase activity and antimicrobial activity of hemocyanins. 2004 , 28, 673-87	150
612	Interaction of mushroom tyrosinase with aromatic amines, o-diamines and o-aminophenols. 2004 , 1673, 170-7	40
611	Processing of crayfish hemocyanin subunits into phenoloxidase. 2004 , 322, 490-6	95
610	Tyrosinase kinetics: discrimination between two models to explain the oxidation mechanism of monophenol and diphenol substrates. 2004 , 36, 235-46	56
609	Dinuclear CuII Complexes with a New Phenol-Based Ligand Bearing Pyridine and Thiophene Substituents: Synthesis, Characterization and Interaction with Catechol Substrates. 2004 , 2004, 4036-4045	40
608	Coordination properties of a dicompartmental ligand with tetra- and hexadentate coordination sites towards copper (II) and nickel (II) ions. 2005 , 24, 113-120	70
607	Synthesis, structure and catecholase-like activity of a new dicopper(II) complex with benzoylacetate ligand. 2005 , 235, 81-87	23
606	Comparative analysis of <i>Phytophthora infestans</i> induced gene expression in potato cultivars with different levels of resistance. 2005 , 7, 686-93	16
605	Direct Electrochemistry of Proteins and Enzymes. 2005 , 517-598	45
604	Degradation of tyrosinase induced by phenylthiourea occurs following Golgi maturation. 2005 , 18, 122-9	59
603	Tuning of Copper(I) Dioxygen Reactivity by Bis(guanidine) Ligands. 2005 , 2005, 3815-3824	86
602	Catechol Oxidation with Dinuclear Copper Complexes of Aliphatic Tripodal Amino Alcohols. 2005 , 2005, 4914-4923	16
601	Copper(II) Complexes of Schiff-Base and Reduced Schiff-Base Ligands: Influence of Weakly Coordinating Sulfonate Groups on the Structure and Oxidation of 3,5-DTBC. 2005 , 2005, 4635-4645	110
600	Less symmetrical dicopper(II) complexes as catechol oxidase models--an adjacent thioether group increases catecholase activity. 2005 , 11, 1201-9	110
599	Direct electron transfer between copper-containing proteins and electrodes. 2005 , 20, 2517-54	518
598	Characterization of the monophenolase activity of tyrosinase on betaxanthins: the tyramine-betaxanthin/dopamine-betaxanthin pair. 2005 , 222, 307-18	34
597	Catecholase activity of a μ -hydroxodicopper(II) macrocyclic complex: structures, intermediates and reaction mechanism. 2005 , 10, 739-50	53
596	Geometric preferences of crosslinked protein-derived cofactors reveal a high propensity for near-sequence pairs. 2005 , 59, 64-71	1

595	Evidence for a common regulation in the activation of a polyphenol oxidase by trypsin and sodium dodecyl sulfate. 2005 , 386, 601-7	24
594	Solution chemical properties and catecholase-like activity of the copper(II)-Ac-His-His-Gly-His-OH system, a relevant functional model for copper containing oxidases. 2005 , 3187-94	46
593	Oxygen binding and activation by the complexes of PY2- and TPA-appended diphenylglycoluril receptors with copper and other metals. 2005 , 3522-34	23
592	Characterization and biomimetic study of a hydroxo-bridged dinuclear phenanthroline cupric complex encapsulated in mesoporous silica: models for catechol oxidase. 2005 , 109, 775-84	65
591	The inhibition effect of some n-alkyl dithiocarbamates on mushroom tyrosinase. 2005 , 20, 393-9	32
590	Opposite effects of peroxidase in the initial stages of tyrosinase-catalysed melanin biosynthesis. 2005 , 37, 1179-96	9
589	A new type of uncompetitive inhibition of tyrosinase induced by Cl ⁻ binding. 2005 , 87, 931-7	23
588	Biomimetic metal-radical reactivity: aerial oxidation of alcohols, amines, aminophenols and catechols catalyzed by transition metal complexes. 2005 , 386, 1023-33	96
587	Green oxidation of alcohols using biomimetic Cu complexes and Cu enzymes as catalysts. 2006 , 235-279	29
586	The inhibitory effect of benzenethiol on the cresolase and catecholase activities of mushroom tyrosinase. 2006 , 21, 711-7	12
585	Crystallographic evidence that the dinuclear copper center of tyrosinase is flexible during catalysis. 2006 , 281, 8981-90	595
584	Biomimetic Oxidations by Dinuclear and Trinuclear Copper Complexes. 2006 , 185-233	59
583	Controlling aggregation of copper(II)-based coordination compounds: From mononuclear to dinuclear, tetranuclear, and polymeric copper complexes. 2006 , 45, 2886-95	47
582	A novel o-aminophenol oxidase responsible for formation of the phenoxazinone chromophore of grixazone. 2006 , 281, 824-33	47
581	Catechol oxidase. 2006 , 105-114	1
580	Synthetic models of the active site of catechol oxidase: mechanistic studies. 2006 , 35, 814-40	414
579	Synthesis and Structure of a Binuclear Cu(II) Complex of 1,3- bis [N,N-bis(2-picolyl)amino]propan-2-ol. 2006 , 7, 179-185	2
578	Catechol Oxidase. 2006 ,	

577	Metal-Mediated Protein Modification. 2006,	
576	A new Mad2-interacting domain of Cdc20 is critical for the function of Mad2-Cdc20 complex in the spindle assembly checkpoint. 2006, 396, 243-53	15
575	Copper Proteins with Dinuclear Active Sites Based in part on the article Copper Proteins with Dinuclear Active Sites by Konrad Lerch which appeared in the Encyclopedia of Inorganic Chemistry, First Edition.. 2006,	1
574	Altering the Activity of Catechol Oxidase Model Compounds by Electronic Influence on the Copper Core. 2006, 632, 1057-1066	32
573	A tyrosinase with an abnormally high tyrosine hydroxylase/dopa oxidase ratio. 2006, 273, 257-70	78
572	Tyrosinase maturation through the mammalian secretory pathway: bringing color to life. 2006, 19, 3-18	165
571	Fungal tyrosinases: new prospects in molecular characteristics, bioengineering and biotechnological applications. 2006, 100, 219-32	275
570	Calculating molar absorptivities for quinones: application to the measurement of tyrosinase activity. 2006, 351, 128-38	76
569	Penicillamine determination using a tyrosinase micro-rotating biosensor. 2006, 580, 136-42	15
568	Thiophene-containing dinucleating ligands for the copper-catalyzed oxidative coupling of 2,6-dimethylphenol. 2006, 359, 1786-1794	13
567	Magnetostructural correlations and catecholase-like activities of μ -alkoxo- μ -carboxylato double bridged dinuclear and tetranuclear copper(II) complexes. 2006, 359, 2029-2040	50
566	Comments on the nature of the bonding in oxygenated dinuclear copper enzyme models. 2006, 764, 77-86	18
565	Synthesis and crystal structure of a copper coordination polymer $[(\text{Cu}(\text{btapo})_2\text{BrCH}_3\text{OH})+\text{Br}]_n$ (btapo=1,3-bis(benzotriazol-1-yl) propan-2-ol). 2006, 37, 63-67	1
564	Reduction of dioxygen by enzymes containing copper. 2006, 11, 539-47	70
563	Catecholase activity of dicopper(II)-bispidine complexes: stabilities and structures of intermediates, kinetics and reaction mechanism. 2007, 12, 36-48	41
562	The hemocyanin from a living fossil, the cephalopod Nautilus pompilius: protein structure, gene organization, and evolution. 2006, 62, 362-74	47
561	New unsymmetric dinuclear Cu(II)Cu(II) complexes and their relevance to copper(II) containing metalloenzymes and DNA cleavage. 2006, 100, 992-1004	46
560	Activation of peroxy and molecular oxygen using bis-benzimidazole diamide copper (II) compounds. 2006, 118, 553-568	2

559	Structural insights into dioxygen-activating copper enzymes. 2006 , 16, 729-35	99
558	Bacterial tyrosinases. 2006 , 29, 3-14	272
557	Mechanistic insight into the activity of tyrosinase from variable-temperature studies in an aqueous/organic solvent. 2006 , 12, 2504-14	28
556	Paramagnetic properties of the halide-bound derivatives of oxidised tyrosinase investigated by ¹ H NMR spectroscopy. 2006 , 12, 7668-75	11
555	Catecholase activity of a copper(II) complex with a macrocyclic ligand: unraveling catalytic mechanisms. 2006 , 12, 6138-50	94
554	The first crystal structure of tyrosinase: all questions answered?. 2006 , 45, 4546-50	249
553	Synthesis, Structures and Catecholase Activity of a New Series of Dicopper(II) Complexes of Reduced Schiff Base Ligands. 2006 , 2006, 2656-2670	79
552	Synthesis, Structure and Magnetic Properties of a Tetranuclear Copper(II) Complex on the Basis of a 2-Substituted Glucopyranoside Schiff Base Ligand. 2006 , 2006, 3400-3406	22
551	Synthesis and Characterization of PY2- and TPA-Appended Diphenylglycoluril Receptors and Their Bis-CuI Complexes. 2006 , 2006, 2281-2295	9
550	Die erste Kristallstruktur von Tyrosinase: alle Fragen beantwortet?. 2006 , 118, 4658-4663	46
549	The conformational state of polyphenol oxidase from field bean (<i>Dolichos lablab</i>) upon SDS and acid-pH activation. 2006 , 395, 551-62	46
548	Complex inhibition of tyrosinase by thiol-composed Cu ²⁺ chelators: a clue for designing whitening agents. 2006 , 24, 131-8	27
547	Homogeneous Copper-Catalyzed Oxidations. 2007 , 191-240	38
546	Minireview: Recent progress in hemocyanin research. 2007 , 47, 631-44	115
545	Schistosome egg production is dependent upon the activities of two developmentally regulated tyrosinases. 2007 , 21, 823-35	62
544	Expression of the <i>Trichoderma reesei</i> tyrosinase 2 in <i>Pichia pastoris</i> : isotopic labeling and physicochemical characterization. 2007 , 55, 147-58	17
543	Conformational stabilization at the active site of molluscan (<i>Rapana thomasiana</i>) hemocyanin by a cysteine-histidine thioether bridge A study by mass spectrometry and molecular modeling. 2007 , 28, 790-7	10
542	Effect of detergents, trypsin and unsaturated fatty acids on latent loquat fruit polyphenol oxidase: basis for the enzyme's activity regulation. 2007 , 464, 295-305	21

541	X-ray absorption analysis of the active site of <i>Streptomyces antibioticus</i> Tyrosinase upon binding of transition state analogue inhibitors. 2007 , 465, 320-7	16
540	Similar enzyme activation and catalysis in hemocyanins and tyrosinases. 2007 , 398, 183-91	119
539	Comparison of the characteristics of fungal and plant tyrosinases. 2007 , 130, 471-80	112
538	Acid activation of protyrosinase from <i>Aspergillus oryzae</i> : homo-tetrameric protyrosinase is converted to active dimers with an essential intersubunit disulfide bond at acidic pH. 2008 , 21, 89-96	9
537	The first complete cDNA sequence of the hemocyanin from a bivalve, the protobranch <i>Nucula</i> nucleus. 2007 , 64, 500-10	24
536	New functional model complexes of intradiol-cleaving catechol dioxygenases: properties and reactivity of CuII(L)(O2Ncat). 2007 , 46, 4660-6	20
535	Structure-catalytic function relationship of SiO2-immobilized mononuclear Cu complexes: an EPR study. 2007 , 23, 10407-18	61
534	Scaffolded amino acids as a close structural mimic of type-3 copper binding sites. 2007 , 4895-7	18
533	Monoxygenase activity of type 3 copper proteins. 2007 , 40, 592-600	192
532	A state-of-the-art cyanation of aryl bromides: a novel and versatile copper catalyst system inspired by Nature. 2007 , 13, 6249-54	124
531	Synthesis, structural characterization and catalytic activities of dicopper(II) complexes derived from tridentate pyrazole-based N2O ligands. 2007 , 21, 1059-1065	5
530	Structure-activity correlations in highly preorganized dicopper catechol oxidase model systems. 2007 , 10, 421-432	49
529	Chemical tools for mechanistic studies related to catechol oxidase activity. 2007 , 10, 271-283	34
528	Asymmetric dinuclear metal complexes as models for active sites in hydrolases and redox enzymes. 2007 , 10, 433-462	46
527	Hemocyanin conformational changes associated with SDS-induced phenol oxidase activation. 2007 , 1774, 1380-94	62
526	Synthesis and structure of copper (II) complexes with LDH (LDH = 2,6-bis-[N-(2-pyridylethyl)-formidoyl]-4-methyl-phenol). 2007 , 26, 115-122	22
525	Gel electrophoresis of polyphenol oxidase with instant identification by in situ blotting. 2007 , 849, 331-6	10
524	The oxygenase-peroxidase theory of Bach and Chodat and its modern equivalents: change and permanence in scientific thinking as shown by our understanding of the roles of water, peroxide, and oxygen in the functioning of redox enzymes. 2007 , 72, 1039-46	2

523	Ascorbic acid and 4-hexylresorcinol effects on pear PPO and PPO catalyzed browning reaction. 2007 , 72, C422-9	48
522	Functional interaction of diphenols with polyphenol oxidase. Molecular determinants of substrate/inhibitor specificity. 2007 , 274, 4177-87	22
521	Tyrosinase and ocular diseases: some novel thoughts on the molecular basis of oculocutaneous albinism type 1. 2007 , 26, 323-58	66
520	A review on spectrophotometric methods for measuring the monophenolase and diphenolase activities of tyrosinase. 2007 , 55, 9739-49	110
519	Synthesis, properties, and catecholase-like activity of the [1,4-di(6?-methyl-2?-pyridyl)aminophthalazine]dimanganese(II) complex, Mn ₂ (6?Me ₂ PAP) ₂ Cl ₄ . 2007 , 32, 1047-1050	25
518	Theoretical study of the catalytic mechanism of catechol oxidase. 2007 , 12, 1251-64	32
517	Catechol oxidase and phenoxazinone synthase activity of a manganese(II) isoindoline complex. 2008 , 102, 773-80	103
516	Bio-inspired copper catalysts for the formation of diaryl ethers. 2008 , 49, 1851-1855	33
515	Structural and spectroscopic studies of a model for catechol oxidase. 2008 , 13, 499-510	49
514	The prophenoxidase system is activated during the tunic inflammatory reaction of <i>Ciona intestinalis</i> . 2008 , 333, 481-92	35
513	Oxidative double dehalogenation of tetrachlorocatechol by a bio-inspired CuII complex: formation of chloranilic acid. 2008 , 14, 5567-76	22
512	Bispidine Coordination Chemistry. 2008 , 613-704	82
511	A dicopper complex with distant metal centers. Structure, magnetic properties, electrochemistry and catecholase activity. 2008 , 102, 1227-35	47
510	Copper(II), nickel(II) and zinc(II) complexes of N-acetyl-His-Pro-His-His-NH ₂ : equilibria, solution structure and enzyme mimicking. 2008 , 102, 1438-48	28
509	Proteolytic processing of polyphenol oxidase from plants and fungi. 2008 , 102, 2160-70	73
508	Analogues of N-hydroxy-N'-phenylthiourea and N-hydroxy-N'-phenylurea as inhibitors of tyrosinase and melanin formation. 2008 , 18, 3607-10	53
507	Kinetic properties of catecholoxidase activity of tarantula hemocyanin. 2008 , 275, 1518-1528	29
506	Kinetic properties of hexameric tyrosinase from the crustacean <i>Palinurus elephas</i> . 2008 , 84, 692-9	9

505	Switch between tyrosinase and catecholoxidase activity of scorpion hemocyanin by allosteric effectors. 2008 , 582, 749-54	35
504	TRP-2 expression protects HEK cells from dopamine- and hydroquinone-induced toxicity. 2008 , 45, 1002-10	17
503	Kurarinol, tyrosinase inhibitor isolated from the root of <i>Sophora flavescens</i> . 2008 , 15, 612-8	27
502	Dissection of lignin macromolecular configuration and assembly: comparison to related biochemical processes in allyl/propenyl phenol and lignan biosynthesis. 2008 , 25, 1015-90	146
501	Quantum chemical approach to the mechanism for the biological conversion of tyrosine to dopaquinone. 2008 , 130, 16890-7	59
500	Selective benzylic C-C coupling catalyzed by a bioinspired dicopper complex. 2008 , 1005-7	23
499	Kinetic characterization of the enzymatic and chemical oxidation of the catechins in green tea. 2008 , 56, 9215-24	26
498	Catechol oxidase activity of a series of new dinuclear copper(II) complexes with 3,5-DTBC and TCC as substrates: syntheses, X-ray crystal structures, spectroscopic characterization of the adducts and kinetic studies. 2008 , 47, 7083-93	156
497	Role of the tertiary structure in the diphenol oxidase activity of <i>Octopus vulgaris</i> hemocyanin. 2008 , 471, 159-67	13
496	o-Diphenol oxidase activity of molluscan hemocyanins. 2008 , 149, 439-46	21
495	Copper(ii) complexes of a polydentate imidazole-based ligand. pH effect on magnetic coupling and catecholase activity. 2008 , 1857-63	33
494	Stabilizing the elusive ortho-quinone/copper(I) oxidation state combination through pi/pi interaction in an isolated complex. 2008 , 130, 15230-1	63
493	Trinuclear Copper(II) Endomacrocyclic Complex with a New Nonazamacrocyclic Ligand Showing a Trapped Perchlorate Anion. 2008 , 8, 3924-3926	3
492	New pyrazole-based ligands with two tripodal binding pockets: potential scaffolds for metallobiosite modeling. 2008 , 47, 5278-92	18
491	Binuclear copper(II) complexes with N4O3 coordinating heptadentate ligand: synthesis, structure, magnetic properties, density-functional theory study, and catecholase activity. 2008 , 47, 4023-31	95
490	Molecular basis of the Bohr effect in arthropod hemocyanin. 2008 , 283, 31941-8	12
489	Biomimetic modeling of copper complexes: a study of enantioselective catalytic oxidation on d-(+)-catechin and L-(-)-epicatechin with copper complexes. 2008 , 762029	6
488	Independent losses of function in a polyphenol oxidase in rice: differentiation in grain discoloration between subspecies and the role of positive selection under domestication. 2008 , 20, 2946-59	58

487	Evidence consistent with the requirement of cresolase activity for suicide inactivation of tyrosinase. 2008 , 216, 231-8	26
486	Mimicking Nature: Bio-Inspired Models of Copper Proteins. 101-127	1
485	. 2009 ,	18
484	Crystal structure of <i>Manduca sexta</i> prophenoloxidase provides insights into the mechanism of type 3 copper enzymes. 2009 , 106, 17002-6	140
483	Synthesis, structures and polyphenol oxidase activities of dicopper and dicobalt complexes. 2009 , 62, 876-885	7
482	Geometric and electronic structure differences between the type 3 copper sites of the multicopper oxidases and hemocyanin/tyrosinase. 2009 , 106, 6585-90	73
481	Crystal Structures, Magnetic Properties and Catecholase-Like Activities of β -Alkoxo- β -Carboxylato Double Bridged Dinuclear and Tetranuclear Copper(II) Complexes. 2009 , 56, 89-97	15
480	Diphenoxo-Bridged Copper(II) Complexes of Reduced Schiff Base Ligands as Functional Models for Catechol Oxidase. 2009 , 62, 968	22
479	Structural mechanism of SDS-induced enzyme activity of scorpion hemocyanin revealed by electron cryomicroscopy. 2009 , 17, 749-58	56
478	The unique enzymatic function of field bean (<i>Dolichos lablab</i>) D-galactose specific lectin: a polyphenol oxidase. 2009 , 26, 535-45	8
477	Theoretical studies on chemical bonding between Cu(II) and oxygen molecule in type 3 copper proteins. 2009 , 109, 3649-3658	9
476	Synthesis, structure and catalytic properties of tripodal amino-acid derivatized pyrazole-based ligands. 2009 , 306, 113-117	27
475	Catechol oxidase activity of dinuclear copper(II) complexes of Robson type macrocyclic ligands: Syntheses, X-ray crystal structure, spectroscopic characterization of the adducts and kinetic studies. 2009 , 310, 34-41	44
474	Discovery of 4-functionalized phenyl-O-beta-D-glycosides as a new class of mushroom tyrosinase inhibitors. 2009 , 19, 6157-60	16
473	Comparison of substrate specificity of tyrosinases from <i>Trichoderma reesei</i> and <i>Agaricus bisporus</i> . 2009 , 44, 1-10	31
472	Functional model for catecholase-like activity: Synthesis, structure, spectra, and catalytic activity of iron(III) complexes with substituted-salicylaldehyde ligands. 2009 , 362, 4699-4705	17
471	Development of a potentiometric catechol biosensor by entrapment of tyrosinase within polypyrrole film. 2009 , 140, 5-11	54
470	Molecular structure and catechol oxidase activity of a new copper(I) complex with sterically crowded monodentate N-donor ligand. 2009 , 103, 389-95	49

469	Aqua bridged Cu ₂ dimer of a heptadentate N ₄ O ₃ coordinating ligand: Synthesis, structure and magnetic properties. 2009 , 28, 987-993	26
468	Kojic acid-amino acid conjugates as tyrosinase inhibitors. 2009 , 19, 5586-9	88
467	A plausible role of salivary copper in antimicrobial activity of histatin-5--metal binding and oxidative activity of its copper complex. 2009 , 19, 6709-12	30
466	Dual effects of aliphatic carboxylic acids on cresolase and catecholase reactions of mushroom tyrosinase. 2009 , 24, 1076-81	19
465	Phenolate hydroxylation in a bis(μ -oxo)dicopper(III) complex: lessons from the guanidine/amine series. 2009 , 131, 1154-69	146
464	Is activated hemocyanin instead of phenoloxidase involved in immune response in woodlice?. 2009 , 33, 1055-63	32
463	Influence of limited proteolysis, detergent treatment and lyophilization on the phenoloxidase activity of <i>Rapana thomasiana</i> hemocyanin. 2009 , 45, 181-7	15
462	Ground and excited electronic states of quinone-containing Re(I)-based rectangles: a comprehensive study of their preparation, electrochemistry, and photophysics. 2009 , 48, 3731-42	24
461	Reaction coordinate of a functional model of tyrosinase: spectroscopic and computational characterization. 2009 , 131, 6421-38	88
460	Hydroxo-Bridged Dinuclear Cupric Complexes Encapsulated in Various Mesoporous Silicas to Mimic the Catalytic Activity of Catechol Oxidases: Reactivity and Selectivity Study. 2009 , 113, 16058-16069	17
459	Enzymatic and Nonenzymatic Degradation of Polyphenols. 101-129	4
458	Site-site interactions enhances intramolecular electron transfer in <i>Streptomyces coelicolor</i> laccase. 2009 , 131, 18226-7	24
457	New insights into the active site structure and catalytic mechanism of tyrosinase and its related proteins. 2009 , 22, 750-60	206
456	Fluorescence detection of tyrosinase activity on dopamine-beta-xanthin purified from <i>Portulaca oleracea</i> (common purslane) flowers. 2009 , 57, 2523-8	29
455	Design, synthesis and biological evaluation of hydroxy- or methoxy-substituted phenylmethylenethiosemicarbazones as tyrosinase inhibitors. 2009 , 57, 1273-7	42
454	Protein-Derived Cofactors. 2010 , 675-710	2
453	Metallopeptides ¶from Drug Discovery to Catalysis. 2010 , 57, 285-299	9
452	Structure, Spectroscopy, and Function of Tyrosinase; Comparison with Hemocyanin and Catechol Oxidase. 2010 ,	

- 451 O₂ Reactivity at Model Copper Systems: Mimicking Tyrosinase Activity. **2010**, 265-289
- 450 Copper Enzymes/Models. **2010**,
- 449 Discovery of a new tyrosinase-like enzyme family lacking a C-terminally processed domain: production and characterization of an *Aspergillus oryzae* catechol oxidase. **2010**, 86, 213-26 35
- 448 Some kinetic properties of deoxytyrosinase. **2010**, 62, 173-182 3
- 447 Suicide inactivation of the diphenolase and monophenolase activities of tyrosinase. **2010**, 62, 539-47 52
- 446 Bimetallic catalysis involving dipalladium(I) and diruthenium(I) complexes. **2010**, 16, 14459-68 70
- 445 Synthesis, crystal structure, spectral and magnetic studies and catecholase activity of copper(II) complexes with di- and tri-podal ligands. **2010**, 363, 97-106 70
- 444 A tetranuclear copper(II) complex with bis(o-aminobenzaldehyde)thiocarbohydrazone. **2010**, 363, 2065-2070 10
- 443 Synthesis, spectroscopic characterization and antimicrobial activity of mono-, bi- and tri-nuclear metal complexes of a new Schiff base ligand. **2010**, 980, 39-50 78
- 442 Structural requirement(s) of N-phenylthioureas and benzaldehyde thiosemicarbazones as inhibitors of melanogenesis in melanoma B 16 cells. **2010**, 20, 2991-3 56
- 441 Synthesis and biological activity of oxadiazole and triazolothiadiazole derivatives as tyrosinase inhibitors. **2010**, 20, 3755-9 32
- 440 Structural characteristics of thiosemicarbazones as inhibitors of melanogenesis. **2010**, 20, 6794-6 32
- 439 A flexible hydroxy-bridged dicopper complex as catechol oxidase mimic. **2010**, 13, 227-230 23
- 438 Crystallization and preliminary X-ray crystallographic analysis of a bacterial tyrosinase from *Bacillus megaterium*. **2010**, 66, 1101-3 24
- 437 Catecholase and DNase activities of copper(II) complexes containing phenolate-type ligands. **2010**, 23, 1000-1013 16
- 436 p-coumaric acid not only inhibits human tyrosinase activity in vitro but also melanogenesis in cells exposed to UVB. **2010**, 24, 1175-80 94
- 435 Role of the C-terminal extension in a bacterial tyrosinase. **2010**, 277, 2083-95 32
- 434 1-(2-Hydroxy-ethyl)-3-(3-methoxy-phenyl)thio-urea. **2010**, 66, o2487-8

433	1-(4-Hydroxy-phen-yl)-3-(3,4,5-tri-methoxy-phen-yl)thio-urea. 2010 , 66, o3303-4	1
432	Separation of geometric isomers of a dicopper complex by using a (19)F-labeled ligand: dynamics, structures, and DFT calculations. 2010 , 49, 7832-40	2
431	Biomimetic materials for medical application through enzymatic modification. 2011 , 125, 181-205	1
430	Concentration dependent effects of commonly used pesticides on activation versus inhibition of the quince (<i>Cydonia Oblonga</i>) polyphenol oxidase. 2010 , 48, 957-63	8
429	A laccase exclusively expressed by <i>Metarhizium anisopliae</i> during isotropic growth is involved in pigmentation, tolerance to abiotic stresses and virulence. 2010 , 47, 602-7	55
428	Copper Metalloenzymes. 2010 , 489-545	9
427	Copper mining in <i>Streptomyces</i> : enzymes, natural products and development. 2010 , 27, 742-56	29
426	Structural, MALDI-TOF-MS, magnetic and spectroscopic studies of new dinuclear copper(II), cobalt(II) and zinc(II) complexes containing a biomimicking μ OH bridge. 2010 , 39, 11654-63	15
425	Generation of protein-derived redox cofactors by posttranslational modification. 2011 , 7, 29-37	33
424	A norepinephrine biosensor based on a glassy carbon electrode modified with carbon nanotubes. 2011 , 3, 2406	14
423	Photodynamic therapy-induced killing is enhanced in depigmented metastatic melanoma cells. 2011 , 35, 939-44	32
422	Theoretical Aspects of Dioxygen Activation in Dicopper Enzymes. 2011 , 197-224	1
421	Dinuclear cobalt(II) and copper(II) complexes with a Py ₂ N ₄ S ₂ macrocyclic ligand. 2011 , 50, 5596-604	11
420	Comparison of QM-only and QM/MM models for the mechanism of tyrosinase. 2011 , 148, 109-17; discussion 207-28	22
419	Post-translational His-Cys cross-linkage formation in tyrosinase induced by copper(II)-peroxo species. 2011 , 133, 1180-3	26
418	Biological Chemistry of o-Quinones. 2011 , 63-86	6
417	Biosynthesis of Melanins. 2011 , 87-116	35
416	Structure, Spectroscopy, and Function of Tyrosinase; Comparison with Hemocyanin and Catechol Oxidase. 2011 ,	2

415	Degradation of pentachlorophenol by potato polyphenol oxidase. 2011 , 59, 11456-60	15
414	Heterobridged dinuclear, tetranuclear, dinuclear-based 1-d, and heptanuclear-based 1-D complexes of copper(II) derived from a dinucleating ligand: syntheses, structures, magnetochemistry, spectroscopy, and catecholase activity. 2011 , 50, 7540-54	105
413	Crystal structure of <i>Agaricus bisporus</i> mushroom tyrosinase: identity of the tetramer subunits and interaction with tropolone. 2011 , 50, 5477-86	524
412	Investigation of <i>Streptomyces antibioticus</i> tyrosinase reactivity toward chlorophenols. 2011 , 505, 67-74	33
411	Phenoloxidase activity of intact and chemically modified functional unit RvH1: a from molluscan <i>Rapana venosa</i> hemocyanin. 2011 , 160, 1-7	10
410	The cDNA sequence of three hemocyanin subunits from the garden snail <i>Helix lucorum</i> . 2011 , 487, 118-28	13
409	Catalytic oxidation of o-aminophenols and aromatic amines by mushroom tyrosinase. 2011 , 1814, 1974-83	12
408	Homology modeling and dynamics study of aureusidin synthase--an important enzyme in aurone biosynthesis of snapdragon flower. 2011 , 49, 134-42	10
407	First structures of an active bacterial tyrosinase reveal copper plasticity. 2011 , 405, 227-37	187
406	A new chiral, poly-imidazole N8-ligand and the related di- and tri-copper(II) complexes: synthesis, theoretical modelling, spectroscopic properties, and biomimetic stereoselective oxidations. 2011 , 40, 5436-57	23
405	Metal-Mediated Protein Modification. 2011 ,	
404	Copper Proteins with Dinuclear Active Sites Based in part on the article Copper Proteins with Dinuclear Active Sites by Konrad Lerch which appeared in the Encyclopedia of Inorganic Chemistry, First Edition.. 2011 ,	
403	Catechol Oxidase. 2011 ,	1
402	Characterization and catecholate oxidase activity of a family of copper complexes coordinated by tripodal pyrazole-based ligands. 2011 , 105, 1391-7	22
401	Eggplant polyphenol oxidase multigene family: cloning, phylogeny, expression analyses and immunolocalization in response to wounding. 2011 , 72, 2275-87	42
400	Refinement of arylthiosemicarbazone pharmacophore in inhibition of mushroom tyrosinase. 2011 , 46, 4330-5	57
399	Copper(II) complexes of a new N-picolylated bis benzimidazolyl diamide ligand: Synthesis, crystal structure and catechol oxidase studies. 2011 , 376, 175-188	14
398	Dual effects of caffeoyl-amino acidyl-hydroxamic acid as an antioxidant and depigmenting agent. 2011 , 21, 5155-8	15

- 397 Structural requirement of phenylthiourea analogs for their inhibitory activity of melanogenesis and tyrosinase. **2011**, 21, 6824-8 23
- 396 Copper-O₂ reactivity of tyrosinase models towards external monophenolic substrates: molecular mechanism and comparison with the enzyme. **2011**, 40, 4077-98 355
- 395 Alternative splicing in the coding region of Ppo-A1 directly influences the polyphenol oxidase activity in common wheat (*Triticum aestivum* L.). **2011**, 11, 85-93 24
- 394 Microfluidic-enzymatic biosensor with immobilized tyrosinase for electrochemical detection of pipemidic acid in pharmaceutical samples. **2011**, 651, 204-210 18
- 393 Insights to sequence information of polyphenol oxidase enzyme from different source organisms. **2011**, 165, 397-405 11
- 392 Crystallization and preliminary X-ray analysis of *Aspergillus oryzae* catechol oxidase. **2011**, 67, 672-4 4
- 391 High-performance prediction of functional residues in proteins with machine learning and computed input features. **2011**, 95, 390-400 31
- 390 The versatile binding mode of transition-state analogue inhibitors of tyrosinase towards dicopper(II) model complexes: experimental and theoretical investigations. **2011**, 17, 13482-94 8
- 389 Synthesis and biological activity of hydroxy substituted phenyl-benzo[d]thiazole analogues for antityrosinase activity in B16 cells. **2011**, 21, 2445-9 28
- 388 Evaluation of dihydropyrimidin-(2H)-one analogues and rhodanine derivatives as tyrosinase inhibitors. **2011**, 21, 2376-9 19
- 387 A molecular mechanism for copper transportation to tyrosinase that is assisted by a metallochaperone, caddie protein. **2011**, 286, 30219-31 41
- 386 The role of protein crystallography in defining the mechanisms of biogenesis and catalysis in copper amine oxidase. **2012**, 13, 5375-405 31
- 385 Structure/function correlations among coupled binuclear copper proteins through spectroscopic and reactivity studies of NspF. **2012**, 109, 10793-7 31
- 384 Polyphenol oxidases in *Physcomitrella*: functional PPO1 knockout modulates cytokinin-dependent development in the moss *Physcomitrella patens*. **2012**, 63, 5121-35 21
- 383 Catecholase activity investigation for pyridazinone- and thiopyridazinone-based ligands. **2012**, 38, 1987-1998 6
- 382 Dual bioactivities of essential oil extracted from the leaves of *Artemisia argyi* as an antimelanogenic versus antioxidant agent and chemical composition analysis by GC/MS. **2012**, 13, 14679-97 47
- 381 Substrate inhibition competes with halide inhibition in polyphenol oxidase. **2012**, 31, 609-14 4
- 380 Site-directed mutagenesis of a tetrameric dandelion polyphenol oxidase (PPO-6) reveals the site of subunit interaction. **2012**, 80, 203-17 22

- 379 Quantitative structure–activity relationships study of tyrosinase inhibitors using logistic regression and artificial neural networks. **2012**, 9, 643-653 2
- 378 Mechanistic insight on the catecholase activity of dinuclear copper complexes with distant metal centers. **2012**, 41, 4985-97 53
- 377 Rate enhancement of the catechol oxidase activity of a series of biomimetic monocopper(II) complexes by introduction of non-coordinating groups in N-tripodal ligands. **2012**, 36, 1828 23
- 376 Dinuclear copper complexes with imidazole derivative ligands: a theoretical study related to catechol oxidase activity. **2012**, 116, 8038-44 21
- 375 The phenylthiourea is a competitive inhibitor of the enzymatic oxidation of DOPA by phenoloxidase. **2012**, 27, 78-83 32
- 374 Effect of ultrahigh hydrostatic pressure on the activity and structure of mushroom (*Agaricus bisporus*) polyphenoloxidase. **2012**, 60, 593-9 47
- 373 Purification and spectroscopic studies on catechol oxidase from lemon balm (*Melissa officinalis*). **2012**, 81, 19-23 8
- 372 Comparative proteomic study between tuberous roots of light orange- and purple-fleshed sweetpotato cultivars. **2012**, 193-194, 120-129 22
- 371 Structure, bonding, and catecholase mechanism of copper bispidine complexes. **2012**, 51, 9214-25 53
- 370 Homology models of four *Agaricus bisporus* tyrosinases. **2012**, 50, 283-93 4
- 369 Hydroxylation of p-substituted phenols by tyrosinase: further insight into the mechanism of tyrosinase activity. **2012**, 424, 228-33 18
- 368 The polyphenol oxidase gene family in land plants: Lineage-specific duplication and expansion. **2012**, 13, 395 119
- 367 Bacterial tyrosinases and their applications. **2012**, 47, 1749-1760 73
- 366 Synthesis, magnetostructural correlation, and catalytic promiscuity of unsymmetric dinuclear copper(II) complexes: models for catechol oxidases and hydrolases. **2012**, 51, 1569-89 88
- 365 A short review on the structure-function relationship of artificial catecholase/tyrosinase and nuclease activities of Cu-complexes. **2012**, 30, 752-72 19
- 364 The effect of fucoidan on tyrosinase: computational molecular dynamics integrating inhibition kinetics. **2012**, 30, 460-73 24
- 363 Phenylthiourea specifically reduces zebrafish eye size. **2012**, 7, e40132 44
- 362 Isolation of polyphenol oxidase genes from *Portulaca oleracea* and evaluation of their ability to metabolize endocrine-disrupting chemicals. **2012**, 29, 351-357 4

361	Molecular characterization of the polyphenol oxidase gene in lulo (<i>Solanum quitoense</i> Lam.) var. Castilla. 2012 , 24, 261-272	2
360	Paramagnetic Cu(II) for probing membrane protein structure and function: inhibition mechanism of the influenza M2 proton channel. 2012 , 134, 8693-702	42
359	Synthesis and evaluation of 2(3H)-thiazole thiones as tyrosinase inhibitors. 2012 , 345, 629-37	17
358	Doubly phenoxo-hydroxo-bridged dicopper(II) complexes: individual contributions of the bridges to antiferromagnetic coupling based on two related biomimetic models for catechol oxidases. 2012 , 41, 7196-200	21
357	Screening of plant extracts for human tyrosinase inhibiting effects. 2012 , 34, 202-8	28
356	Saccharide derived dinuclear Cu(II) complex: An efficient catalyst for oxidation of catechol and benzylic alcohols. 2012 , 17, 95-98	5
355	Novel properties of melanins include promotion of DNA strand breaks, impairment of repair, and reduced ability to damage DNA after quenching of singlet oxygen. 2012 , 52, 1945-53	31
354	Continuous flow catalysis with a biomimetic copper(II) complex covalently immobilized on graphite felt. 2012 , 286, 266-272	27
353	Design and synthesis of 5-(substituted benzylidene)thiazolidine-2,4-dione derivatives as novel tyrosinase inhibitors. 2012 , 49, 245-52	60
352	Bacterial tyrosinases: old enzymes with new relevance to biotechnology. 2012 , 29, 183-91	93
351	Formation of biopolymers owing to the oxidation of esculetine by Cu(II) ions in a Ca-polygalacturonate network. 2012 , 108, 30-5	7
350	Multifunctions of MelB, a fungal tyrosinase from <i>Aspergillus oryzae</i> . 2012 , 13, 193-201	26
349	Theoretical study of the oxidation of phenolates by the $[Cu_2O_2(N,N'-di-tert-butylethylenediamine)_2]^{2+}$ complex. 2013 , 19, 1942-54	18
348	Origin, evolution and classification of type-3 copper proteins: lineage-specific gene expansions and losses across the Metazoa. 2013 , 13, 96	45
347	Potential use of polyphenol oxidases (PPO) in the bioremediation of phenolic contaminants containing industrial wastewater. 2013 , 12, 61-73	94
346	Thiomethyl Substituted Dicopper Complexes: Attempts to Reproduce the Asymmetry of the Active Site from Type 3 Copper Enzymes. 2013 , 639, 1477-1482	3
345	Deuterium isotope effect on the suicide inactivation of tyrosinase in its action on o-diphenols. 2013 , 65, 793-9	1
344	Copper Enzymes. 2013 , 149-177	19

- 343 Biocatalysis by Metalloenzymes. **2013**, 685-735 2
- 342 Crystal structures of copper-depleted and copper-bound fungal pro-tyrosinase: insights into endogenous cysteine-dependent copper incorporation. **2013**, 288, 22128-40 63
- 341 Four copper(II) diclofenac complexes with pyridine derivatives: Synthesis, crystal structures, spectroscopic properties, thermal analysis and catechol oxidase activities. **2013**, 408, 131-138 21
- 340 The crystal structure of an extracellular catechol oxidase from the ascomycete fungus *Aspergillus oryzae*. **2013**, 18, 917-29 35
- 339 The antibrowning agent sulfite inactivates *Agaricus bisporus* tyrosinase through covalent modification of the copper-B site. **2013**, 280, 6184-95 18
- 338 The first example of a centro-symmetrical bis(imido)-bridged dinuclear cobalt(III) complex: synthesis via oxidative dehydrogenation and phenoxazinone synthase activity. **2013**, 42, 5068-75 56
- 337 Catecholase activity investigations using in situ copper complexes with pyrazole and pyridine based ligands. **2013**, 454, 93-99 15
- 336 Triple bridged μ -phenoxo-bis(μ -carboxylate) and double bridged μ -phenoxo- μ ,1-azide/ μ -methoxide dicopper(II) complexes: Syntheses, structures, magnetochemistry, spectroscopy and catecholase activity. **2013**, 50, 270-282 37
- 335 Synthesis and dual biological effects of hydroxycinnamoyl phenylalanyl/prolyl hydroxamic acid derivatives as tyrosinase inhibitor and antioxidant. **2013**, 23, 1136-42 34
- 334 Experimental and bioinformatic investigation of the proteolytic degradation of the C-terminal domain of a fungal tyrosinase. **2013**, 121, 37-45 18
- 333 Synthesis, crystal structure, spectroscopic, thermal, catechol oxidase and catalase-like studies: New copper(II) complexes of 2-benzoylbenzoate and 2-pyridilpropanol ligands. **2013**, 397, 101-109 11
- 332 Dinuclear mixed-valence Co(III)Co(II) complexes derived from a macrocyclic ligand: unique example of a Co(III)Co(II) complex showing catecholase activity. **2013**, 42, 4561-9 62
- 331 The effect of citric acid on the activity, thermodynamics and conformation of mushroom polyphenoloxidase. **2013**, 140, 289-95 42
- 330 Adenine supported hydroxyl-bridged dicopper core as a catalytically competent unit for phenol oxidation. **2013**, 52, 1385-1390 2
- 329 Multipart copolyelectrolyte adhesive of the sandcastle worm, *Phragmatopoma californica* (Fewkes): catechol oxidase catalyzed curing through peptidyl-DOPA. **2013**, 14, 1607-17 75
- 328 Microwave-assisted synthesis and tyrosinase inhibitory activity of chalcone derivatives. **2013**, 82, 39-47 14
- 327 Dinuclear cobalt(II) complexes of Schiff-base compartmental ligands: Syntheses, crystal structure and bio-relevant catalytic activities. **2013**, 60, 102-109 44
- 326 The oxidation of phenylhydrazine by tyrosinase. **2013**, 169, 2420-9 4

325	Unsymmetrical binding modes of the HOPNO inhibitor of tyrosinase: from model complexes to the enzyme. 2013 , 19, 3655-64	13
324	Influencing the monophenolase/diphenolase activity ratio in tyrosinase. 2013 , 1834, 629-33	51
323	Changes in tyrosinase specificity by ionic liquids and sodium dodecyl sulfate. 2013 , 97, 1953-61	32
322	Catalysis and inactivation of tyrosinase in its action on o-diphenols, o-aminophenols and o-phenyldiamines: Potential use in industrial applications. 2013 , 91, 17-24	7
321	Zero-Order Catechol Oxidase Activity by a Mononuclear Manganese(III) Complex Showing High Turnover Comparable to Catechol Oxidase Enzyme. 2013 , 5, 3533-3537	26
320	Parameters that enhance the bacterial expression of active plant polyphenol oxidases. 2013 , 8, e77291	15
319	Structural diversity in the dandelion (<i>Taraxacum officinale</i>) polyphenol oxidase family results in different responses to model substrates. 2014 , 9, e99759	24
318	Kinetic Studies of Polyphenol Oxidase from White Yam (<i>Dioscorea rotundata</i> Poir) Tuber. 2014 , 05,	0
317	Use of molecular and in silico bioinformatic tools to investigate pesticide binding to insect (Lepidoptera) phenoloxidases (PO): insights to toxicological aspects. 2014 , 49, 654-60	4
316	Different coordination patterns for two related unsymmetrical compartmental ligands: crystal structures and IR analysis of $[Cu(C_{21}H_{21}O_2N_3)(OH_2)(ClO_4)]ClO_4 \cdot 2H_2O$ and $[Zn_2(C_{22}H_{21}O_3N_2)(C_{22}H_{20}O_3N_2)]ClO_4$. 2014 , 67, 3067-3083	4
315	Synthesis, crystal structure and catecholase activity of a Ni(II) complex derived from a tetradentate Schiff base ligand. 2014 , 126, 1635-1640	9
314	Structure of Tyrosinase and Its Inhibitor from Sake Lees. 2014 , 243-250	
313	Type-3 copper proteins: recent advances on polyphenol oxidases. 2014 , 97, 1-35	35
312	Influence of anionic co-ligands on the structural diversity and catecholase activity of copper(II) complexes with 2-methoxy-6-(8-iminoquinolinylmethyl)phenol. 2014 , 4, 53520-53530	37
311	Mono and dinuclear copper(II) naproxenato complexes containing 3-picoline and 4-picoline: synthesis, structure, properties, catechol oxidase, and antimicrobial activities. 2014 , 67, 670-683	18
310	Novel virtual screening approach for the discovery of human tyrosinase inhibitors. 2014 , 9, e112788	16
309	Crystallization and preliminary X-ray crystallographic analysis of polyphenol oxidase from <i>Juglans regia</i> (jrPPO1). 2014 , 70, 832-4	17
308	High level protein-purification allows the unambiguous polypeptide determination of latent isoform PPO4 of mushroom tyrosinase. 2014 , 99, 14-25	37

307	Copper active sites in biology. 2014 , 114, 3659-853	1040
306	Purification and characterization of tyrosinase from walnut leaves (<i>Juglans regia</i>). 2014 , 101, 5-15	61
305	Formation of disulfide bonds in insect prophenoloxidase enhances immunity through improving enzyme activity and stability. 2014 , 44, 351-8	11
304	Synthesis, spectroscopic characterization and antimicrobial activity of binuclear metal complexes of a new asymmetrical Schiff base ligand: DNA binding affinity of copper(II) complexes. 2014 , 117, 127-37	111
303	Crystal structure, catecholase activity and ESI-MS of a mixed valence cobalt(III)–cobalt(II) complex derived from a macrocyclic ligand: Identification/proposition of hydrogen bonded metal complex?solvent aggregates in ESI-MS. 2014 , 412, 38-45	25
302	Tyrosinase: the four oxidation states of the active site and their relevance to enzymatic activation, oxidation and inactivation. 2014 , 22, 2388-95	207
301	Modeling the met form of human tyrosinase: a refined and hydrated pocket for antagonist design. 2014 , 84, 206-15	17
300	Microbial Production. 2014 ,	
299	Design and discovery of mushroom tyrosinase inhibitors and their therapeutic applications. 2014 , 9, 533-54	41
298	Syntheses, structures, catecholase activity, spectroscopy and electrochemistry of a series of manganese(III) complexes: Role of auxiliary anionic ligand on catecholase activity. 2014 , 410, 65-75	42
297	Quantum chemical studies of mechanisms for metalloenzymes. 2014 , 114, 3601-58	407
296	Probing kojic acid binding to tyrosinase enzyme: insights from a model complex and QM/MM calculations. 2014 , 50, 308-10	19
295	Catecholase activity of a structurally characterized dinuclear iron(III) complex [FeIII ₂ (L) ₂] [H ₃ L=N,N'-bis(3-methoxysalicylaldehyde)-1,3-diaminopropan-2-ol]. 2014 , 67, 19-26	35
294	Bis(alkoxo) bridged dinuclear CuII and ZnII complexes of an isoindol functionality based new ligand: Synthesis, structure, spectral characterization, magnetic properties and catechol oxidase activity. 2014 , 67, 495-504	14
293	Exploring the interaction of N/S compounds with a dicopper center: tyrosinase inhibition and model studies. 2014 , 53, 12848-58	23
292	Determination of tyrosinase substrate-binding modes reveals mechanistic differences between type-3 copper proteins. 2014 , 5, 4505	124
291	The synthesis, characterization and catecholase activity of dinuclear cobalt(II/III) complexes of an O-donor rich Schiff base ligand. 2014 , 38, 4985-4995	48
290	Latent and active abPPO4 mushroom tyrosinase cocrystallized with hexatungstotellurate(VI) in a single crystal. 2014 , 70, 2301-15	95

289	Unusual post-translational protein modifications: the benefits of sophistication. 2014 , 4, 33958-33974	13
288	Artificial enzymes with protein scaffolds: structural design and modification. 2014 , 22, 5638-56	41
287	Differentially selective chemosensor with fluorescence off-on responses on Cu(2+) and Zn(2+) ions in aqueous media and applications in pyrophosphate sensing, live cell imaging, and cytotoxicity. 2014 , 53, 6655-64	134
286	Solid Phases as Protective Environments for Biomimetic Catalysts. 2014 , 423-452	
285	Rhododendrol, a depigmentation-inducing phenolic compound, exerts melanocyte cytotoxicity via a tyrosinase-dependent mechanism. 2014 , 27, 754-63	88
284	The crystal structure of a crustacean prophenoloxidase provides a clue to understanding the functionality of the type 3 copper proteins. 2014 , 281, 2659-73	28
283	Biological and Biomedical Aspects of Metal Phenolates. 2014 , 1-154	0
282	Characterization of germin-like protein with polyphenol oxidase activity from Satsuma mandarin. 2014 , 449, 313-8	31
281	Hexamido binuclear copper (II) complexes: Synthesis, crystal structure, DNA interaction and antibacterial studies. 2014 , 68, 172-179	15
280	On the interpretation of tyrosinase inhibition kinetics. 2014 , 29, 92-9	6
279	Protein-Derived Cofactors. 2014 ,	
278	Kristallstruktur einer pflanzlichen Tyrosinase aus Walnussblättern: die Bedeutung Substratlenkender Aminosäurereste für die Enzymspezifität. 2015 , 127, 14889-14893	22
277	The Structure of a Plant Tyrosinase from Walnut Leaves Reveals the Importance of "Substrate-Guiding Residues" for Enzymatic Specificity. 2015 , 54, 14677-80	75
276	Fungal Pro-tyrosinase. 2015 , 1-8	
275	Detection of trans-cis flips and peptide-plane flips in protein structures. 2015 , 71, 1604-14	18
274	Modelling Binuclear Metallobiosites: Insights from Pyrazole-Supported Biomimetic and Bioinspired Complexes. 2015 , 2015, 3391-3405	37
273	Effects of Combined High Hydrostatic Pressure and Dense Phase Carbon Dioxide on the Activity, Structure and Size of Polyphenoloxidase. 2015 , 80, E2486-94	4
272	Structure-function correlations in tyrosinases. 2015 , 24, 1360-9	105

271	Fungal Tyrosinases: Why Mushrooms Turn Brown. 2015 ,	6
270	Repositioning of Thiourea-Containing Drugs as Tyrosinase Inhibitors. 2015 , 16, 28534-48	18
269	New topological 3D copper(II) coordination networks: catechol oxidation catalysis and solvent adsorption via porous properties. 2015 , 17, 2583-2590	8
268	Site-directed mutagenesis around the CuA site of a polyphenol oxidase from <i>Coreopsis grandiflora</i> (cgAUS1). 2015 , 589, 789-97	14
267	Mechanistic studies of the tyrosinase-catalyzed oxidative cyclocondensation of 2-aminophenol to 2-aminophenoxazin-3-one. 2015 , 577-578, 24-34	12
266	A comparative study of proteomic differences between pencil and storage roots of sweetpotato (<i>Ipomoea batatas</i> (L.) Lam.). 2015 , 87, 92-101	14
265	Structure-based modification of 3-/4-aminoacetophenones giving a profound change of activity on tyrosinase: from potent activators to highly efficient inhibitors. 2015 , 93, 255-62	26
264	Tris(2,2'-azobispyridine) complexes of copper(II): X-ray structures, reactivities, and the radical nonradical bis(ligand) analogues. 2015 , 54, 1300-13	15
263	Catalytic activity of a benzoyl hydrazone based dimeric dicopper(II) complex in catechol and alcohol oxidation reactions. 2015 , 431, 139-144	17
262	Structure, magnetism and catecholase activity of the first dicopper(II) complex having a single μ_2 -alkoxo bridge. 2015 , 5, 10987-10993	18
261	Screening, separating, and completely recovering polyphenol oxidases and other biochemicals from sweet potato wastewater in starch production. 2015 , 99, 1745-53	13
260	Structural insights into the interaction between molluscan hemocyanins and phenolic substrates: An in silico study using docking and molecular dynamics. 2015 , 61, 272-80	12
259	Metal coordination and tyrosinase inhibition studies with Kojic-A α -Kojic. 2015 , 151, 36-43	13
258	Oxidation of 3,5-di-tert-butylcatechol and 2-aminophenol by molecular oxygen catalyzed by an organocatalyst. 2015 , 39, 5908-5911	2
257	Investigation of 3d-transition metal acetates in the oxidation of substituted dioxolene and phenols. 2015 , 407, 93-101	15
256	Crystallization and preliminary crystallographic analysis of latent, active and recombinantly expressed aurone synthase, a polyphenol oxidase, from <i>Coreopsis grandiflora</i> . 2015 , 71, 746-51	24
255	Latent and active aurone synthase from petals of <i>C. grandiflora</i> : a polyphenol oxidase with unique characteristics. 2015 , 242, 519-37	47
254	Purification and structural analysis of membrane-bound polyphenol oxidase from Fuji apple. 2015 , 183, 72-7	28

253	Dandelion PPO-1/PPO-2 domain-swaps: the C-terminal domain modulates the pH optimum and the linker affects SDS-mediated activation and stability. 2015 , 1854, 178-86	14
252	Design and synthesis of aloe-emodin derivatives as potent anti-tyrosinase, antibacterial and anti-inflammatory agents. 2015 , 25, 5142-6	27
251	Analogues of ethionamide, a drug used for multidrug-resistant tuberculosis, exhibit potent inhibition of tyrosinase. 2015 , 106, 157-66	18
250	Inhibitory effect of GB-2a (13-naringenin-11 β -eriodictyol) on melanogenesis. 2015 , 174, 224-9	9
249	Catecholase activity of a self-assembling dimeric Cu(II) complex with distant Cu(II) centers. 2015 , 410, 149-159	15
248	A trimetallic zinc(II) complex and its catecholase activity. 2015 , 101, 191-195	15
247	Influence of Solvent in Solvothermal Syntheses: Change of Nuclearity in Mixed Valence CoII/III Complexes of a O-Donor-rich Schiff Base Ligand. 2015 , 15, 706-717	17
246	Inactivation, aggregation, secondary and tertiary structural changes of germin-like protein in Satsuma mandarin with high polyphenol oxidase activity induced by ultrasonic processing. 2015 , 197, 18-24	36
245	Effect of high-hydrostatic-pressure on molecular microstructure of mushroom (<i>Agaricus bisporus</i>) polyphenoloxidase. 2015 , 60, 890-898	20
244	A mononuclear cobalt(III) complex and its catecholase activity. 2015 , 39, 200-205	29
243	Onion (<i>Allium cepa</i>) Essential Oils. 2016 , 617-623	7
242	Catecholase and phenoxazinone synthase activities of a ferromagnetically coupled tetranuclear Cu(II) complex. 2016 , 6, 58831-58838	36
241	Tyrosinase versus Catechol Oxidase: One Asparagine Makes the Difference. 2016 , 55, 2884-8	91
240	Tyrosinase versus Catecholoxidase: ein Asparagin macht den Unterschied. 2016 , 128, 2934-2938	23
239	The crystal structure of human dopamine β -hydroxylase at 2.9 Å resolution. 2016 , 2, e1500980	60
238	Synthesis, X-ray structure and catecholase activity of an antiferromagnetically coupled trinuclear nickel(II) complex. 2016 , 110, 221-226	13
237	Dimeric complexes of transition metal based on azole nucleating ligands involving hydrogen bonding interactions. 2016 , 115, 288-296	12
236	Tuning the geometry and biomimetic catalytic activity of manganese(III)-tetrabromocatecholate based robust platforms by introducing substitution at pyridine. 2016 , 159, 96-106	23

- 235 Catechol oxidase mimetic activity of copper(I) complexes of 3,5-dimethyl pyrazole derivatives: Coordination behavior, X-ray crystallography and electrochemical study. **2016**, 113, 5-15 16
- 234 The structure of a prophenoloxidase (PPO) from *Anopheles gambiae* provides new insights into the mechanism of PPO activation. **2016**, 14, 2 26
- 233 Two pseudohalide-bridged Cu(II) complexes bearing the anthracene moiety: Synthesis, crystal structures and catecholase-like activity. **2016**, 119, 39-48 10
- 232 Dopamine polymerization promoted by a catecholase biomimetic Cu(EDH)Cu complex containing a triazine-based ligand. **2016**, 45, 15294-15297 12
- 231 Molecular docking studies and biological evaluation of 1,3,4-thiadiazole derivatives bearing Schiff base moieties as tyrosinase inhibitors. **2016**, 69, 29-36 32
- 230 A novel 1,3,5-triaminocyclohexane-based tripodal ligand forms a unique tetra(pyrazolate)-bridged tricopper(II) core: solution equilibrium, structure and catecholase activity. **2016**, 45, 14998-5012 12
- 229 Interaction of small molecules with human tyrosinase: A surface plasmon resonance and molecular docking study. **2016**, 92, 1123-1129 13
- 228 New metal complexes with diclofenac containing 2-pyridineethanol or 2-pyridinepropanol: synthesis, structural, spectroscopic, thermal properties, catechol oxidase and carbonic anhydrase activities. **2016**, 69, 3321-3335 11
- 227 A High-Performance Base-Metal Approach for the Oxidative Esterification of 5-Hydroxymethylfurfural. **2016**, 8, 2907-2911 43
- 226 Controlling Dicopper Protein Functions. **2016**, 89, 733-742 16
- 225 Radical pathways and O₂ participation in benzyl alcohol oxidation, and catechol and o-aminophenol oxidase activity studies with novel zinc complexes: an experimental and theoretical investigation. **2016**, 3, 1543-1558 27
- 224 Novel bioinspired acetato-bridged dinuclear nickel(II)-Schiff-base complex: Catechol oxidase and in vitro biological activity studies. **2016**, 453, 394-401 20
- 223 An unprecedented one-step synthesis of octahedral Cu(II)-bis(iminoquinone) complexes and their reactivity with NaBH₄. **2016**, 45, 13532-40 16
- 222 Synthesis and effects of oxadiazole derivatives on tyrosinase activity and human SK-MEL-28 malignant melanoma cells. **2016**, 6, 72177-72184 0
- 221 Unprecedented hetero-geometric discrete copper(II) complexes: Crystal structure and bio-mimicking of Catecholase activity. **2016**, 128, 1775-1782 21
- 220 The walnut (*Juglans regia*) genome sequence reveals diversity in genes coding for the biosynthesis of non-structural polyphenols. **2016**, 87, 507-32 127
- 219 Co(III) and Ni(II) complexes of an anthracene appended aroyl hydrazone: Synthesis, crystal structures, DNA binding and catecholase activity. **2016**, 117, 327-337 27
- 218 Ensemble-Based Virtual Screening Led to the Discovery of New Classes of Potent Tyrosinase Inhibitors. **2016**, 56, 354-67 17

217	Effect of blanching on enzyme activity, color changes, anthocyanin stability and extractability of mangosteen pericarp: A kinetic study. 2016 , 178, 12-19	45
216	Catechol oxidase and phenoxazinone synthase: Biomimetic functional models and mechanistic studies. 2016 , 310, 80-115	163
215	Synthesis, crystal structure and catecholase activity of a vanadium(V) Schiff base complex. 2016 , 111, 118-122	16
214	Aurone synthase is a catechol oxidase with hydroxylase activity and provides insights into the mechanism of plant polyphenol oxidases. 2016 , 113, E1806-15	78
213	The presentation of a new inhibitor to prevent enzymatic browning in mushroom, banana, and apple. 2016 , 13, 1109-1122	3
212	Steric effects of catalysts and substrates on catechol oxidation catalysis: Cyclodimeric copper(II) complexes containing 1,4-bis(dimethyl(quinolin-3-yl)silyl)benzene. 2016 , 443, 51-56	1
211	Design of a mononuclear copper(II)-phenanthroline complex: Catechol oxidation, DNA cleavage and antitumor properties. 2016 , 106, 106-114	38
210	Dual effect of nitric oxide on phenoloxidase-mediated melanization. 2016 , 31, 1063-8	7
209	Enzymatic browning in avocado (<i>Persea americana</i>) revisited: History, advances, and future perspectives. 2017 , 57, 3860-3872	8
208	Oxygen Delivery as a Limiting Factor in Modelling Dicopper(II) Oxidase Reactivity. 2017 , 23, 7009-7023	3
207	Insight into the origin of catechol oxidase activity in a rare MnII/MnIII mixed valence ion pair complex: An account of comparative biomimetic catalytic study. 2017 , 459, 113-123	13
206	Introducing Supramolecular Interactions into Robust Bis(tetrabromocatecholate) Chelated Manganese(III) Systems and Biomimetic Catalytic Activity. 2017 , 2, 2094-2105	9
205	Alkane Oxidation: Methane Monooxygenases, Related Enzymes, and Their Biomimetics. 2017 , 117, 8574-8621	225
204	Boosting LPMO-driven lignocellulose degradation by polyphenol oxidase-activated lignin building blocks. 2017 , 10, 121	59
203	Synthesis, crystal structure and catecholase activity of [Co(SCN) ₂ (L)] [L = N,N'-(bis(pyridine-2-yl)benzylidene)-1,2-ethanediamine]. 2017 , 1143, 489-494	5
202	Structurally characterized mononuclear Mn(II) complex: Functional model for catecholase and phenoxazinone synthase activities. 2017 , 464, 49-54	14
201	Phenoloxidase activity in humoral plasma, hemocyanin and hemocyanin separated proteins of the giant freshwater prawn <i>Macrobrachium rosenbergii</i> . 2017 , 102, 977-985	13
200	Activation of dioxygen by copper metalloproteins and insights from model complexes. 2017 , 22, 253-288	137

- 199 Emergence of hydrogen bonds from molecular dynamics simulation of substituted N-phenylthiourea-catechol oxidase complex. **2017**, 40, 57-68 2
- 198 Synthesis and structural characterization of a new high-valent bis(oxo)-bridged manganese(IV) complex and its catechol oxidase activity. **2017**, 465, 70-77 15
- 197 Unveiling the effects of the in situ generated arene anion radical and imine radical on catecholase like activity: a DFT supported experimental investigation. **2017**, 46, 5888-5900 18
- 196 Synthesis, structural, catecholase, tyrosinase and DFT studies of pyrazoloquinoline derivatives. **2017**, 1139, 238-246 11
- 195 Influence of buffer systems on PPO activity of Riesling grapes [*Vitis vinifera* subsp. *vinifera* cv. Riesling]. **2017**, 243, 859-865 4
- 194 Tuning the coordination properties of multi-histidine peptides by using a tripodal scaffold: solution chemical study and catechol oxidase mimicking. **2017**, 41, 808-823 13
- 193 Recombinant expression, purification, and characterization of polyphenol oxidase 2 (VvPPO2) from "Shine Muscat" (*Vitis labruscana* Bailey [*Vitis vinifera* L.]). **2017**, 81, 2330-2338 6
- 192 Control of structure, stability and catechol oxidase activity of copper(II) complexes by the denticity of tripodal platforms. **2017**, 41, 11647-11660 5
- 191 Distribution, Localization, and Structure of Plant Polyphenol Oxidases (PPOs). **2017**, 11-32 2
- 190 Reaction Features of Polyphenol Oxidases. **2017**, 57-72
- 189 Polyphenol Oxidases (PPOs) in Plants. **2017**, 13
- 188 Advances in Polyphenol Oxidase (PPO) Research. **2017**, 107-131
- 187 Structures, Functions, and Assembly of Tyrosinases and Hemocyanins. **2017**, 1-13
- 186 A Structurally Characterized Cu Complex Supported by a Bis(anilido) Ligand and Its Oxidative Catalytic Activity. **2017**, 23, 13929-13940 9
- 185 Molecular cloning and expression analysis of duplicated polyphenol oxidase genes reveal their functional differentiations in sorghum. **2017**, 263, 23-30 4
- 184 Molecular docking and QSAR analyses of aromatic heterocycle thiosemicarbazone analogues for finding novel tyrosinase inhibitors. **2017**, 75, 106-117 22
- 183 C_i-Symmetry, [2 × 2] grid, square copper complex with the N4,N5-bis(4-fluorophenyl)-1H-imidazole-4,5-dicarboxamide ligand: structure, catecholase activity, magnetic properties and DFT calculations. **2017**, 41, 11750-11758 4
- 182 Copper(I) and copper(II) metallacycles as catalysts for microwave assisted selective oxidation of cyclohexane. **2017**, 134, 143-152 15

181	Structure-based function prediction of the expanding mollusk tyrosinase family. 2017 , 35, 1454-1464	2
180	Nuclearity dependent solvent contribution to the catechol oxidase activity of novel copper(II) complexes derived from Mannich-base ligand platforms: synthesis, crystal structure and mechanism. 2017 , 41, 8586-8597	13
179	Investigating the effect of different transducer stiffness values on the contactin complex detachment by steered molecular dynamics. 2017 , 75, 340-346	1
178	Chemical exploration of 4-(4-fluorobenzyl)piperidine fragment for the development of new tyrosinase inhibitors. 2017 , 125, 992-1001	29
177	Effect of ultrasonic processing on the changes in activity, aggregation and the secondary and tertiary structure of polyphenol oxidase in oriental sweet melon (<i>Cucumis melo</i> var. <i>makuwa</i> Makino). 2017 , 97, 1326-1334	24
176	Ligand-Flexibility Controlled and Solvent-Induced Nuclearity Conversion in Cull-Based Catecholase Models: A Deep Insight Through Combined Experimental and Theoretical Investigations. 2017 , 2017, 133-145	23
175	Aggregation and conformational change of mushroom (<i>Agaricus bisporus</i>) polyphenoloxidase subjected to thermal treatment. 2017 , 214, 423-431	33
174	Small-molecule models of tyrosinase: From ligand hydroxylation to catalytic monooxygenation of external substrates. 2017 , 334, 54-66	52
173	Dinuclear Copper(II) Complexes with Distant Metal Centers: Weaker Donor Groups Increase Catecholase Activity. 2017 , 2017, 56-62	17
172	Reactions Catalysed by a Binuclear Copper Complex: Aerobic Cross Dehydrogenative Coupling of N-Aryl Tetrahydroisoquinolines. 2017 , 23, 3051-3061	42
171	Protein-Derived Cofactors Revisited: Empowering Amino Acid Residues with New Functions. 2018 , 57, 3115-3125	18
170	IR and NMR spectroscopic correlation of enterobactin by DFT. 2018 , 198, 264-277	8
169	Cu(II) complexes of a tridentate N,N,O-donor Schiff base of pyridoxal: synthesis, X-ray structures, DNA-binding properties and catecholase activity. 2018 , 42, 9588-9597	28
168	Unique Copper/Organic Networks Self-Assembled from 1,3,5-Triaza-7-Phosphaadamantane and Its Oxide: Synthesis, Structural Features, and Magnetic and Catalytic Properties. 2018 , 18, 2814-2823	11
167	Structural basis of noncanonical polyphenol oxidase activity in DLL-II: A lectin from <i>Dolichos lablab</i> . 2018 , 65, 701-717	1
166	Trace metal metabolism in plants. 2018 , 69, 909-954	159
165	Synthesis, structural and magnetic characterizations of a dinuclear copper(II) complex with an (N,S,O) donor ligand: Catecholase and phenoxazinone synthase activities. 2018 , 474, 156-163	18
164	On the copper(II) binding of asymmetrically functionalized tripodal peptides: solution equilibrium, structure, and enzyme mimicking. 2018 , 42, 7746-7757	3

- 163 Mn(III) and Cu(II) complexes of 1-((3-(dimethylamino)propylimino)methyl) naphthalen-2-ol): Synthesis, characterization, catecholase and phenoxazinone synthase activity and DFT-TDDFT study. **2018**, 71, 1214-1233 15
- 162 Intermolecular interactions and molecular docking investigations on 4-methoxybenzaldehyde. **2018**, 149, 291-300 32
- 161 What causes the different functionality in type-III-copper enzymes? A state of the art perspective. **2018**, 481, 25-31 31
- 160 Biomimetic oxidation of catechol employing complexes formed in situ with heterocyclic ligands and different copper(II) salts. **2018**, 15, 85-92 5
- 159 Tyrosinase and catecholase-like activities of a dinuclear Cu(II) complex. **2018**, 141, 140-146 9
- 158 Enzymes. **2018**, 219-262 2
- 157 Identification of quantitative trait loci markers using diversity arrays technology for polyphenol oxidase activity in hexaploid wheat. **2018**, 46, 243-253 2
- 156 Influence of the secondary coordination sphere on the physical properties of mononuclear copper(II) complexes and their catalytic activity on the oxidation of 3,5-di-tert-butylcatechol. **2018**, 141, 30-36 5
- 155 Tick attachment cement—reviewing the mysteries of a biological skin plug system. **2018**, 93, 1056-1076 37
- 154 Combining molecular docking and QSAR studies for modeling the anti-tyrosinase activity of aromatic heterocycle thiosemicarbazone analogues. **2018**, 1151, 353-365 17
- 153 Congratulations to Bernt Krebs. **2018**, 73, 749-751
- 152 Catalytic mechanism of the tyrosinase reaction toward the Tyr98 residue in the caddie protein. **2018**, 16, e3000077 25
- 151 Discovery of a Highly Potent Tyrosinase Inhibitor, Luteolin 5-O-β-D-Glucopyranoside, Isolated from *Cirsium japonicum* var. *maackii* (Maxim.) Matsum., Korean Thistle: Kinetics and Computational Molecular Docking Simulation. **2018**, 3, 17236-17245 8
- 150 Catalytic and Structural Characterization of a Browning-Related Protein in Oriental Sweet Melon (var. Makino). **2018**, 6, 354 9
- 149 Unraveling Substrate Specificity and Catalytic Promiscuity of *Aspergillus oryzae* Catechol Oxidase. **2018**, 19, 2348-2352 5
- 148 Mesoporous Encapsulated Chiral Nanogold for Use in Enantioselective Reactions. **2018**, 57, 16791-16795 54
- 147 Mesoporous Encapsulated Chiral Nanogold for Use in Enantioselective Reactions. **2018**, 130, 17033-17037 7
- 146 Novel approach to identify phenoloxidases inhibitors: Optimization of spectrophotometric MBTH assay for high throughput use enzymatic assays and analysis. **2018**, 93, 83-91 6

145	Thiopurine Drugs Repositioned as Tyrosinase Inhibitors. 2017 , 19,	7
144	On the Metal Cofactor in the Tyrosinase Family. 2018 , 19,	33
143	Rapid autographic method for detection of enzymatic browning inhibitors based on enzyme immobilization. 2018 , 269, 638-643	4
142	Synthesis and structural characterization of a cobalt(III) complex with an (N,S,O) donor Schiff base ligand: Catechol oxidase and phenoxazinone synthase activities. 2018 , 155, 194-201	13
141	Tyrosinase inhibition by some flavonoids: Inhibitory activity, mechanism by in vitro and in silico studies. 2018 , 81, 168-174	46
140	A new crystal form of <i>Aspergillus oryzae</i> catechol oxidase and evaluation of copper site structures in coupled binuclear copper enzymes. 2018 , 13, e0196691	5
139	Effect of 3,6-anhydro-l-galactose on β -melanocyte stimulating hormone-induced melanogenesis in human melanocytes and a skin-equivalent model. 2018 , 119, 7643-7656	7
138	Polyphenoloxidase in Fruit and Vegetables: Inactivation by Thermal and Non-thermal Processes. 2019 , 287-301	5
137	Synthesis, screening and biological activity of potent thiosemicarbazone compounds as a tyrosinase inhibitor. 2019 , 43, 14102-14111	4
136	Exploration of catecholase-like activity of a series of magnetically coupled transition metal complexes of Mn, Co and Ni: new insights into the solution state behavior of Mn complexes. 2019 , 48, 14164-14177	10
135	Unfolding and Inhibition of Polyphenoloxidase Induced by Acidic pH and Mild Thermal Treatment. 2019 , 12, 1907-1916	4
134	Kinetics of nutrient change and color retention during low-temperature microwave-assisted drying of bitter melon (<i>Momordica charantia</i> L.). 2019 , 43, e14279	2
133	Investigation on catecholase activity of salen Co(III) octahedral complexes. 2019 , 173, 114129	8
132	Tyrosinase inhibitory effects of <i>Vinca major</i> and its secondary metabolites: Enzyme kinetics and in silico inhibition model of the metabolites validated by pharmacophore modelling. 2019 , 92, 103259	5
131	Thioether sulfur-bound [Cu] complexes showing catechol oxidase activity and DNA cleaving behaviour. 2019 , 48, 1292-1313	9
130	Anion-mediated bio-relevant catalytic activity of dinuclear nickel(ii) complexes derived from an end-off compartmental ligand. 2019 , 48, 2772-2784	16
129	Binucleating Hydrazone Ligands and Their β -Hydroxodicopper(II) Complexes as Promising Structural Motifs for Enhanced Antitumor Activity. 2019 , 58, 8800-8819	19
128	Catechol Oxidase versus Tyrosinase Classification Revisited by Site-Directed Mutagenesis Studies. 2019 , 131, 8849-8853	3

127	Hexanuclear Zn(II) and Mononuclear Cu(II) Complexes containing imino phenol ligands: Exploitation of their Catalytic and Biological Perspectives. 2019 , 33, e5011	4
126	Navigating the Structural Landscape of De Novo α -Helical Bundles. 2019 , 141, 8787-8797	24
125	Synthesis, structure, DFT study and catechol oxidase activity of Cu(II) complex with sterically constrained phenol based ligand. 2019 , 1193, 265-273	8
124	Catechol Oxidase versus Tyrosinase Classification Revisited by Site-Directed Mutagenesis Studies. 2019 , 58, 8757-8761	14
123	Eine peptidvermittelte Selbstspaltungsreaktion initiiert die Tyrosinaseaktivierung. 2019 , 131, 7553-7557	3
122	A Peptide-Induced Self-Cleavage Reaction Initiates the Activation of Tyrosinase. 2019 , 58, 7475-7479	16
121	Keggin-type polyoxotungstates as mushroom tyrosinase inhibitors - A speciation study. 2019 , 9, 5183	9
120	Inhibition of melanin production by anthracenone dimer glycosides isolated from <i>Cassia auriculata</i> seeds. 2019 , 73, 439-449	5
119	Biochemical and structural characterization of tomato polyphenol oxidases provide novel insights into their substrate specificity. 2019 , 9, 4022	24
118	Mannich base Cu(II) complexes as biomimetic oxidative catalyst. 2019 , 195, 164-173	10
117	Advances in chiral nanozymes: a review. 2019 , 186, 782	19
116	Designing antiferromagnetically coupled mono-, di- and tri-bridged copper(II)-based catecholase models by varying the Auxiliary Parts of the ligand and anionic co-ligand. 2019 , 21, 7094-7107	8
115	Theoretical study of aromatic hydroxylation of the [Cu(H-XYL)O] complex mediated by a side-on peroxo dicopper core and Cu-ligand effects. 2019 , 48, 16882-16893	1
114	Azepine derivative T4FAT, a new copper chelator, inhibits tyrosinase. 2019 , 509, 209-215	7
113	Observation of an anion-anion interaction in a square planar copper(II) Schiff base complex: DFT study and CSD analysis. 2019 , 487, 465-472	8
112	A dinucleating ligand system with varying terminal donor functions but without bridging donor functions: Design, synthesis, and applications for diiron complexes. 2019 , 380, 353-377	14
111	How to Model a Metabolon. 2019 , 363-385	0
110	Carbazole and hydrazone derivatives as new competitive inhibitors of tyrosinase: Experimental clues to binuclear copper active site binding. 2019 , 83, 235-241	15

109	Synthesis and structural characterization of a dinuclear copper(II) complex with a (N,S) donor ligand: Catecholase and phenoxazinone synthase activities. 2019 , 486, 719-723	9
108	Triazine based Mn (II) and Mn (II)/Ln (III) complexes: Synthesis, characterization and catecholase activities. 2019 , 33, e4721	7
107	Catecholase activity of mononuclear copper(II) complexes of tridentate 3N ligands in aqueous and aqueous micellar media: Influence of stereoelectronic factors on catalytic activity. 2019 , 485, 98-111	2
106	Microbial Tyrosinases: A Novel Enzyme, Structural Features, and Applications. 2019 , 3-19	7
105	Insight into anion effects on catechol oxidation catalysis: cyclodimeric Cu(II) complexes containing 1,3,5-tris(nicotinoyloxy-methyl)benzene. 2020 , 45, 65-70	0
104	Synthesis, structure, Hirshfeld surface analysis and catecholase activity of Ni(II) complex with sterically constrained phenol based ligand. 2020 , 1202, 127340	7
103	Bioleaching of copper from large printed circuit boards for synthesis of organic-inorganic hybrid. 2020 , 27, 5797-5808	12
102	Catalytic promiscuity of two novel cobalt(III) complexes derived from redox non-innocent Schiff base ligands: Unraveling the role of methyl groups in the ligand backbone on catalytic efficiency. 2020 , 501, 119336	4
101	His-Cys and Trp-Cys cross-links generated by post-translational chemical modification. 2020 , 84, 445-454	3
100	A novel mechanism of inhibition by phenylthiourea on PvdP, a tyrosinase synthesizing pyoverdine of <i>Pseudomonas aeruginosa</i> . 2020 , 146, 212-221	8
99	Dinuclear copper(II) complexes with derivative triazine ligands as biomimetic models for catechol oxidases and nucleases. 2020 , 213, 111249	3
98	Mono and tri-nuclear cobalt(III) complexes with sterically constrained phenol based N2O2 ligand: Synthesis, structure and catechol oxidase activity. 2020 , 180, 114429	2
97	Development of phenylthiourea derivatives as allosteric inhibitors of pyoverdine maturation enzyme PvdP tyrosinase. 2020 , 30, 127409	0
96	Die Erzeugung von Tyrosinaseaktivität in einer Catecholoxidase erlaubt die Identifizierung der für die C-H-Aktivierung in Typ-III-Kupferenzymen verantwortlichen Aminosäurereste. 2020 , 132, 21126-21131	1
95	Identification of Amino Acid Residues Responsible for C-H Activation in Type-III Copper Enzymes by Generating Tyrosinase Activity in a Catechol Oxidase. 2020 , 59, 20940-20945	6
94	Synthesis of one-dimensional coordination polymer using dicyanamide spacer to explore catecholase like activity. 2020 , 188, 114700	2
93	Oxidase-like MOF-818 Nanozyme with High Specificity for Catalysis of Catechol Oxidation. 2020 , 142, 15569-15574	89
92	Cu(II) complexes with tridentate sulfur and selenium ligands: catecholase and hydrolysis activity. 2020 , 44, 15698-15707	2

91	Bioinspired Design of Hybrid Polymer Catalysts with Multicopper Sites for Oxygen Reduction. 2020 , 12, 5932-5937	1
90	Design and catalytic studies of structural and functional models of the catechol oxidase enzyme. 2020 , 25, 671-683	6
89	Myriapod haemocyanin: the first three-dimensional reconstruction of and preliminary structural analysis of. 2020 , 10, 190258	0
88	Two copper (II) complexes derived from anthranilic acid and 4-iodo-anthranilic acid Schiff bases: Structural elucidation, halogen bonding interactions and catalytic study using 3,5-DTBC. 2020 , 1217, 128398	2
87	Mononuclear Mn(III) complex with sterically constrained phenol-based ligand: Synthesis, structure and catecholase activity. 2020 , 1220, 128723	3
86	The high-resolution crystal structure of lobster hemocyanin shows its enzymatic capability as a phenoxidase. 2020 , 688, 108370	5
85	Histidine residues at the copper-binding site in human tyrosinase are essential for its catalytic activities. 2020 , 35, 726-732	16
84	Catalytic activity of Mn(III) and Co(III) complexes: evaluation of catechol oxidase enzymatic and photodegradation properties. 2020 , 46, 2985-3006	12
83	Monophenolase and catecholase activity of <i>Aspergillus oryzae</i> catechol oxidase: insights from hybrid QM/MM calculations. 2020 , 18, 5192-5202	2
82	Structural divergence in binuclear Cu(II) pyridoxal Schiff base complexes probed by co-ligands: catecholase mimetic activity and sulphide ion sensing. 2020 , 44, 12916-12925	8
81	Hexafluorosilicate anion in the formation of a coordination cage: anion competition. 2020 , 7, 1546-1552	3
80	Conversion of walnut tyrosinase into a catechol oxidase by site directed mutagenesis. 2020 , 10, 1659	11
79	Synthesis, structure, magnetic properties, and catecholase-like activity of a phenoxo bridged dinuclear cobalt(II) complex. 2020 , 504, 119437	2
78	Microwave-assisted synthesis and biological evaluation of new thiazolyldrazone derivatives as tyrosinase inhibitors and antioxidants. 2020 , 57, 991-1002	5
77	Bioinspired Mo, W and V complexes bearing a highly hydroxyl-functionalized Schiff base ligand. 2020 , 503, 119414	7
76	Catalytic promiscuity of a copper(II)-Mannich base complex having unprecedented radical pathway in catecholase activity. 2020 , 505, 119480	7
75	Design, Synthesis, Biological Evaluation and Inhibition Mechanism of 3-/4-Alkoxy Phenylethylidene thiosemicarbazides as New, Potent and Safe Tyrosinase Inhibitors. 2020 , 68, 369-379	4
74	Bibliography. 2020 , 237-240	

73	Differential equations: model formulation, nonlinear regression, and model selection. 2020 , 87-146	0
72	Characterization of antioxidant, α -glucosidase and tyrosinase inhibitors from the rhizomes of <i>Potentilla anserina</i> L. and their structure-activity relationship. 2021 , 336, 127714	16
71	Synthesis, structure, luminescent properties and catecholase activity of Zn(II) complex with N, O chelating agent. 2021 , 1227, 129544	2
70	Similar but Still Different: Which Amino Acid Residues Are Responsible for Varying Activities in Type-III Copper Enzymes?. 2021 , 22, 1161-1175	6
69	Stepwise assembly of heterobimetallic complexes: synthesis, structure, and physical properties. 2021 , 50, 8111-8119	0
68	A systematic review of synthetic tyrosinase inhibitors and their structure-activity relationship. 2021 , 1-42	9
67	Catechol oxidation promoted by bridging phenoxo moieties in a bis(μ -phenoxo)-bridged dicopper(ii) complex.. 2021 , 11, 22951-22959	3
66	New copper(II) μ -Alkoxo- μ -Carboxylato Double Bridged Complexes As Models for Active Site of Catechol Oxidase: Synthesis, Spectral Characterization and DFT Calculations.	
65	A chromophore-supported structural and functional model of dinuclear copper enzymes, for facilitating mechanism of action studies. 2021 , 12, 12445-12450	
64	Dioxygen-Binding in Metalloproteins and Corresponding Models. 2021 , 200-237	0
63	Proton controlled synthesis of two dicopper(II) complexes and their magnetic and biomimetic catalytic studies together with probing the binding mode of the substrate to the metal center. 2021 , 50, 15233-15247	2
62	Thiosemicarbazide binds with the dicopper center in the competitive inhibition of mushroom tyrosinase enzyme: Synthesis and molecular modeling of theophylline analogues. 2021 , 36, 127826	2
61	Plastid role in phytomelanin synthesis in <i>Piptocarpha axillaris</i> (Less.) Baker stems (Asteraceae, Vernoniaeae). 2021 , 258, 963-977	3
60	Triazole based copper(II) complexes: Synthesis, spectroscopic characterization, Density Function Theory study, and biomimicking of copper containing oxidase proteins. 2021 , 68, 1496-1513	2
59	Effect of Chelate Ring Size of Binuclear Copper(II) Complexes on Catecholase Activity and DNA Cleavage. 2021 , 2021, 1710-1721	2
58	Exploring molecular structure, spectral features, electronic properties and molecular docking of a novel biologically active heterocyclic compound 4-phenylthiosemicarbazide. 2021 , 1232, 129956	10
57	Biodegradation of aromatic pollutants by metalloenzymes: A structural-functional-environmental perspective. 2021 , 434, 213774	16
56	Inactivation of polyphenol oxidase by dielectric barrier discharge (DBD) plasma: Kinetics and mechanisms. 2021 , 145, 111322	7

55	Synthesis, characterization and catecholase biomimetic activity of novel cobalt(II), copper(II), and iron(II) complexes bearing phenylene-bis-benzimidazole ligand. 2021 , 203, 115232	5
54	The basicity of an active-site water molecule discriminates between tyrosinase and catechol oxidase activity. 2021 , 183, 1861-1870	3
53	Ruthenium organometallics of chloro-substituted 2'-hydroxychalcones I A story of catecholase biomimetics beyond copper. 2021 , 945, 121863	1
52	Metal-to-Metal Distance Modulation by Ligand Design: A Case Study of Structure-Property Correlation in Planar Chiral Cyclophanyl Metal Complexes. 2021 , 27, 15020-15026	4
51	Electrochemical evidence for catechol oxidation by ruthenium(II) organometallics of 2-hydroxychalcones. 2021 , 152, 1193-1200	
50	Characterization of polyphenol oxidase from purple sweet potato (<i>Ipomoea batatas</i> L. Lam) and its affinity towards acylated anthocyanins and caffeoylquinic acid derivatives. 2021 , 356, 129709	7
49	Catecholase-like activity in 2D MOFs: Oxidation of 3,5-DTBC by two Cu(II) 2D MOFs of reduced Schiff base ligands. 2021 , 526, 120502	0
48	Structural and Functional Aspects of Metal Binding Sites in Natural and Designed Metalloproteins. 361-450	11
47	Improvement of postharvest quality, enzymes activity and polyphenoloxidase structure of postharvest <i>Agaricus bisporus</i> in response to high voltage electric field. 2020 , 166, 111230	18
46	9:Copper-Carbon Bonds in Mechanistic and Structural Probing of Proteins as well as in Situations where Copper is a Catalytic or Receptor Site. 2009 , 295-361	18
45	Manganese(II) complex of an oxygen–nitrogen donor Schiff base ligand showing efficient catechol oxidase activity: synthesis, spectroscopic and kinetic study. 2020 , 44, 3748-3754	8
44	Substrate specificity of polyphenol oxidase. 2020 , 55, 274-308	15
43	In crystallo activity tests with latent apple tyrosinase and two mutants reveal the importance of the mutated sites for polyphenol oxidase activity. 2017 , 73, 491-499	11
42	Nitisinone improves eye and skin pigmentation defects in a mouse model of oculocutaneous albinism. 2011 , 121, 3914-23	34
41	Catecholase-Like Activity Studies of Tc-99m Radiopharmaceuticals. 2016 , 129, 213-215	3
40	Structural and kinetic considerations on the catalysis of deoxyarbutin by tyrosinase. 2017 , 12, e0187845	5
39	p-Coumaric Acid Potently Down-regulates Zebrafish Embryo Pigmentation: Comparison of in vivo Assay and Computational Molecular Modeling with Phenylthiourea. 2017 , 23, 8-16	5
38	Characterization of Polyphenol Oxidase from Walnut. 2008 , 133, 852-858	35

37	Phenylthiourea Binding to Human Tyrosinase-Related Protein 1. 2020 , 21,	9
36	Modeling Partial Atomic Charge of Organic Molecule and Mutated Amino Acid in a Protein-Ligand Complex for Molecular Mechanics Simulation. 2013 , 34, 299-302	1
35	Tetrameric Self-Assembly of a Cu(II) Complex Containing Schiff-Base Ligand and Its Unusually High Catecholase-like Activity. 2013 , 34, 2731-2736	5
34	Microbial Tyrosinase: Biochemical, Molecular Properties and Pharmaceutical Applications. 2021 , 14, 1281-1295	
33	Copper Metalloenzymes. 2010 , 251-297	
32	Mimicking Nature: Bio-Inspired Models of Copper Proteins. 101-127	1
31	?? ???? ?? ??. 2015 , 22, 607-612	
30	Navigating the structural landscape of de novo helical bundles.	
29	Protein-Derived Cofactors. 1-7	
28	Some indazoles as alternative inhibitors for potato polyphenol oxidase. 2021 ,	1
27	Plant Copper Metalloenzymes As Prospects for New Metabolism Involving Aromatic Compounds.. 2021 , 12, 692108	0
26	Food chemistry and biochemistry of enzymatic browning. 2022 , 28,	0
25	Trinuclear CuII complex containing a new pentadentate ligand: Structure, magnetism, physicochemical properties and catecholase activity. 2022 , 533, 120804	1
24	Functional mimic for amine and catechol oxidases: Structural, spectral, electrochemical and catalytic properties of mononuclear copper(II) complex. 2022 , 534, 120819	0
23	Flavonoids as tyrosinase inhibitors in and models: basic framework of SAR using a statistical modelling approach.. 2022 , 37, 421-430	7
22	New Inhibitors of Laccase and Tyrosinase by Examination of Cross-Inhibition between Copper-Containing Enzymes.. 2021 , 22,	0
21	Synthesis, Structure and Catechol Oxidase Activity of Mono Nuclear Cu(II) Complex with Phenol-Based Chelating Agent with N, N, O Donor Sites. 2022 , 12, 511	1
20	Copper monooxygenase reactivity: Do consensus mechanisms accurately reflect experimental observations?. 2022 , 231, 111780	1

- 19 Aggregation and conformational change of mushroom (*Agaricus bisporus*) polyphenol oxidase subjected to atmospheric cold plasma treatment.. **2022**, 386, 132707 ○
- 18 Catalase and catecholase-like activities of manganese and copper complexes supported by pentadentate polypyridyl ligands in aqueous solution. **2022**, 133100
- 17 Structural and biochemical assessment of the molecular binding of hexylresorcinol to insect immune phenoloxidase: A quest for a new insecticidal activity.
- 16 New copper(II) alkoxo-carboxylato double-bridged complexes as models for the active site of catechol oxidase: synthesis, spectral characterization and DFT calculations.. **2022**, 8, e09373
- 15 Azole inhibitors of mushroom and human tyrosinases: Current advances and prospects of drug development for melanogenic dermatological disorders. **2022**, 239, 114525 1
- 14 Symmetry-Adapted Synthesis of Dicopper Oxidases with Divergent Dioxygen Reactivity. **2022**, 61, 12433-12441b
- 13 Recent advances in catalytic oxidative reactions of phenols and naphthalenols. **2022**, 9, 5395-5413 1
- 12 New mechanistic insights into coupled binuclear copper monooxygenases from the recent elucidation of the ternary intermediate of tyrosinase. 1
- 11 Catecholase like activity on heterometallic model complexes of Ni(II)-Mn(II) and Cu(II)-Mn(II) with N₂O₂ donor di-Schiff base ligands: A short review. **2022**, 228, 116153 1
- 10 Mononuclear copper(ii) Schiff base complexes as effective models for phenoxazinone synthase. ○
- 9 A dinuclear copper(II) complex with photoswitchable catechol oxidation activity. ○
- 8 Biochemical characterization of *Dimocarpus longan* polyphenol oxidase provides insights into its catalytic efficiency. **2022**, 12, ○
- 7 Binuclear complexes with single M-F-M bridge (M: Fe, Mn, and Cu): A critical analysis of the impact of fluoride for isoelectronic hydroxide substitution. **2023**, 479, 215003 ○
- 6 Enzyme-Inspired Coordination Polymers for Selective Oxidation of C(sp³)H Bonds via Multiphoton Excitation. **2023**, 145, 2170-2182 ○
- 5 The new mononuclear Fe(III) Mannich-base complex with selective histidine binding and catechol oxidase activity. ○
- 4 Molecular insights of nanozymes from design to catalytic mechanism. ○
- 3 Facile synthesis of novel NNO-tethered copper(ii) complexes: characterization details, theoretical studies, promising enzyme-like activities, and biomolecular interactions. ○
- 2 Important Structural Features of Thiolate-Rich Four-Helix Bundles for Cu(I) Uptake and Removal. ○

- 1 Non-Noble Metal Aromatic Oxidation Catalysis: From Metalloenzymes to Synthetic Complexes. **2023**, 13, 773

o