

CITATION REPORT

List of articles citing

Bcl-2 protein expression: association with p53 and prognosis in colorectal cancer

DOI: 10.1038/bjc.1998.310

British Journal of Cancer, 1998, 77, 1864-9.

Source: <https://exaly.com/paper-pdf/28917108/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
57	Tumor markers--prognostic and therapeutic implications for colorectal carcinoma. <i>Surgical Oncology</i> , 1998 , 7, 139-51	2.5	2
56	Prognostic value of tumour associated antigen immunoreactivity and apoptosis in cerebral glioblastomas: an analysis of 168 cases. <i>Journal of Clinical Pathology</i> , 1999 , 52, 574-80	3.9	66
55	Prognostic significance of bcl-2 expression in leiomyosarcoma of the uterus. <i>British Journal of Cancer</i> , 1999 , 80, 1658-64	8.7	34
54	Combined role of tumor angiogenesis, bcl-2, and p53 expression in the prognosis of patients with colorectal carcinoma. <i>Cancer</i> , 1999 , 86, 1421-30	6.4	74
53	Evaluation of multiple bio-pathological factors in colorectal adenocarcinomas: independent prognostic role of p53 and bcl-2. <i>International Journal of Cancer</i> , 1999 , 84, 545-52	7.5	73
52	Bibliography. Current world literature. Supportive care. <i>Current Opinion in Oncology</i> , 2000 , 12, B135-53	4.2	
51	Bcl-2 expression is associated with improved prognosis in patients with distal colorectal adenocarcinomas. <i>International Journal of Cancer</i> , 2000 , 89, 423-30	7.5	39
50	Molecular prognostic factors in rectal cancer treated by radiation and surgery. <i>Diseases of the Colon and Rectum</i> , 2000 , 43, 451-9	3.1	56
49	Apoptosis in rectal cancer: prognostic significance in comparison with clinical histopathologic, and immunohistochemical variables. <i>Diseases of the Colon and Rectum</i> , 2000 , 43, 1227-36	3.1	24
48	p53 and Bcl-2 as significant predictors of recurrence and survival in rectal cancer. <i>European Journal of Cancer</i> , 2000 , 36, 348-56	7.5	48
47	c-Myb and Bcl-x overexpression predicts poor prognosis in colorectal cancer: clinical and experimental findings. <i>American Journal of Pathology</i> , 2001 , 158, 1289-99	5.8	110
46	Welche Rolle spielt der programmierte Zelltod (Apoptose) beim Rektumkarzinom?. <i>Coloproctology</i> , 2001 , 23, 81-87	0.2	
45	Apoptosis and cell-cycle regulatory proteins in colorectal carcinoma: relationship to tumour stage and patient survival. <i>Journal of Pathology</i> , 2001 , 194, 436-43	9.4	28
44	Paradox of Bcl-2 (and p53): why may apoptosis-regulating proteins be irrelevant to cell death?. <i>BioEssays</i> , 2001 , 23, 947-53	4.1	41
43	p53 nuclear accumulation and multiploidy are adverse prognostic factors in surgically resected stage II colorectal cancers independent of fluorouracil-based adjuvant therapy. <i>American Journal of Clinical Pathology</i> , 2001 , 116, 360-8	1.9	22
42	Molecular and biochemical markers in colorectal cancer. <i>Annals of Oncology</i> , 2002 , 13 Suppl 4, 235-45	10.3	30
41	Clinical significance of prognostic and predictive markers in colorectal cancer. <i>Pharmacogenomics Journal</i> , 2002 , 2, 209-16	3.5	13

40	Analysis of p53/BAX in primary colorectal carcinoma: low BAX protein expression is a negative prognostic factor in UICC stage III tumors. <i>International Journal of Cancer</i> , 2002 , 99, 589-96	7.5	51
39	Molecular staging of colorectal cancer in African-American and Caucasian patients using phenotypic expression of p53, Bcl-2, MUC-1 AND p27(kip-1). <i>International Journal of Cancer</i> , 2002 , 97, 403-9	7.5	40
38	Potential role of bcl-2 and ki-67 expression and apoptosis in colorectal carcinoma: a clinicopathologic study. <i>Digestive Diseases and Sciences</i> , 2003 , 48, 1990-7	4	21
37	Prognostic significance and correlation with survival of bcl-2 and TGF-beta RII in colon cancer. <i>Digestive Diseases and Sciences</i> , 2003 , 48, 2284-9	4	13
36	[Clinical, pathological and molecular prognostic factors in colorectal carcinomas]. <i>Der Pathologe</i> , 2003 , 24, 49-60	1	3
35	Prognostic significance of Bcl-2 and p53 expression in gastric cancer. <i>International Journal of Colorectal Disease</i> , 2003 , 18, 518-25	3	34
34	Molecular prognostics in colorectal cancer. <i>Surgical Oncology</i> , 2003 , 12, 173-86	2.5	35
33	Lymphoma development in Bax transgenic mice is inhibited by Bcl-2 and associated with chromosomal instability. <i>Cell Death and Differentiation</i> , 2003 , 10, 740-8	12.7	24
32	Bcl-2 expression is a prognostic factor in the subgroups of patients with colorectal cancer. 2003 , 23, 1439		3
31	Prognostic value of proliferation, apoptosis, defective DNA mismatch repair, and p53 overexpression in patients with resected DukesLB2 or C colon cancer: a North Central Cancer Treatment Group Study. <i>Journal of Clinical Oncology</i> , 2004 , 22, 1572-82	2.2	112
30	Bcl-2 inhibition of T-cell proliferation is related to prolonged T-cell survival. <i>Oncogene</i> , 2004 , 23, 3770-80	9.2	40
29	Microarray profiling of colorectal cancer in Bangladeshi patients. <i>Colorectal Disease</i> , 2005 , 7, 571-5	2.1	10
28	The significance of tumor markers for proliferation and apoptosis in predicting survival in colorectal cancer. <i>Diseases of the Colon and Rectum</i> , 2005 , 48, 2197-208	3.1	49
27	Recurrence and survival predictive value of phenotypic expression of Bcl-2 varies with tumor stage of colorectal adenocarcinoma. <i>Cancer Biomarkers</i> , 2005 , 1, 241-50	3.8	13
26	Evidence that the p53 negative / Bcl-2 positive phenotype is an independent indicator of good prognosis in colorectal cancer: a tissue microarray study of 460 patients. <i>World Journal of Surgical Oncology</i> , 2005 , 3, 47	3.4	34
25	Does biomolecular characterization of stage II/III colorectal cancer have any prognostic value?. <i>Clinical Colorectal Cancer</i> , 2006 , 6, 38-45	3.8	10
24	Angiogenesis and p53 at the invading tumor edge: prognostic markers for colorectal cancer beyond stage. <i>Journal of Surgical Research</i> , 2006 , 131, 118-23	2.5	13
23	A new scoring system using multiple immunohistochemical markers for diagnosis of uterine smooth muscle tumors. <i>Journal of Cellular and Molecular Medicine</i> , 2006 , 10, 197-205	5.6	5

22	Relationship between VEGF and p53 expression and tumor cell proliferation in human gastrointestinal carcinomas. <i>Journal of Cancer Research and Clinical Oncology</i> , 2008 , 134, 193-201	4.9	20
21	Could we decide adjuvant therapy of colon cancer based on microarrays?. <i>Current Colorectal Cancer Reports</i> , 2007 , 3, 137-142	1	
20	p53 Nuclear accumulation and Bcl-2 expression in contiguous adenomatous components of colorectal adenocarcinomas predict aggressive tumor behavior. <i>Journal of Histochemistry and Cytochemistry</i> , 2008 , 56, 305-12	3.4	10
19	Loss of Bcl-2 expression in colon cancer: a prognostic factor for recurrence in stage II colon cancer. <i>Surgical Oncology</i> , 2009 , 18, 357-65	2.5	35
18	Relationship Between Dual-Time Point FDG PET and Immunohistochemical Parameters in Preoperative Colorectal Cancer: Preliminary Study. <i>Nuclear Medicine and Molecular Imaging</i> , 2012 , 46, 48-56	1.9	8
17	Asymmetric siRNA targeting the bcl-2 gene inhibits the proliferation of cancer cells in vitro and in vivo. <i>International Journal of Oncology</i> , 2013 , 42, 253-60	4.4	10
16	Expression Profiling of Proliferation and Apoptotic Markers along the Adenoma-Carcinoma Sequence in Familial Adenomatous Polyposis Patients. <i>Gastroenterology Research and Practice</i> , 2013 , 2013, 107534	2	5
15	Biomarkers in precision therapy in colorectal cancer. <i>Gastroenterology Report</i> , 2013 , 1, 166-83	3.3	69
14	How cell death shapes cancer. <i>Cell Death and Disease</i> , 2015 , 6, e1675	9.8	151
13	Expression analysis and association of RBBP6 with apoptosis in colon cancers. <i>Journal of Molecular Histology</i> , 2016 , 47, 169-82	3.3	10
12	Potential role of BCL2 in the recurrence of uterine smooth muscle tumors of uncertain malignant potential. <i>Oncology Reports</i> , 2017 , 37, 41-47	3.5	11
11	B-cell lymphoma 2 is associated with advanced tumor grade and clinical stage, and reduced overall survival in young Chinese patients with colorectal carcinoma. <i>Oncology Letters</i> , 2018 , 15, 9009-9016	2.6	1
10	Right and left-sided colon cancers - specificity of molecular mechanisms in tumorigenesis and progression. <i>BMC Cancer</i> , 2020 , 20, 317	4.8	23
9	Intrinsic and extrinsic pathways of apoptosis: Role in cancer development and prognosis. <i>Advances in Protein Chemistry and Structural Biology</i> , 2021 , 125, 73-120	5.3	7
8	Hsa-miR-125b Therapeutic Role in Colon Cancer Is Dependent on the Mutation Status of the TP53 Gene. <i>Pharmaceutics</i> , 2021 , 13,	6.4	0
7	Selective cytotoxicity of cyclometalated gold(III) complexes on Caco-2 cells is mediated by G2/M cell cycle arrest. <i>Metallomics</i> , 2021 , 13,	4.5	1
6	p27 deficiency cooperates with Bcl-2 but not Bax to promote T-cell lymphoma. <i>PLoS ONE</i> , 2008 , 3, e19113	3.7	7
5	High expression of anti-apoptotic protein Bcl-2 is a good prognostic factor in colorectal cancer: Result of a meta-analysis. <i>World Journal of Gastroenterology</i> , 2017 , 23, 5018-5033	5.6	22

- 4 Apoptosis. *Handbook of Experimental Pharmacology*, **2003**, 83-106 3.2
- 3 What Do the Clinical Data Tell Us About the Role of Apoptosis in Sensitivity to Cancer Therapy?. **2008**, 13-39
- 2 Cancer Simulation from Stage Minus One by Quantum microRNA Language: Lung, Colorectal and Pancreatic Cancers. *Med One*, 1.6 5
- 1 Prognostic Value of Immunohistochemical Markers for Locally Advanced Rectal Cancer.. *Molecules*, **2022**, 27, 4.8