

Processability and properties of aliphatic polyesters, and polycondensation reaction

Polymer Degradation and Stability

59, 209-214

DOI: [10.1016/s0141-3910\(97\)00220-6](https://doi.org/10.1016/s0141-3910(97)00220-6)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Effects of Pendant Methyl Groups and Lengths of Methylene Segments in Main-Chains on Photodegradation of Aliphatic Polyesters. <i>Polymer Journal</i> , 1999, 31, 645-650.	1.3	5
2	Miscibility of biodegradable synthetic aliphatic polyester and poly(epichlorohydrin) blends. <i>Polymer</i> , 1999, 40, 6873-6876.	1.8	31
3	Synthesis and enzymatic degradation of aliphatic copolyesters. <i>Polymer Degradation and Stability</i> , 2000, 70, 305-314.	2.7	84
4	Miscibility of biodegradable aliphatic polyester and poly(vinyl acetate) blends. <i>Journal of Applied Polymer Science</i> , 2000, 77, 1348-1352.	1.3	20
5	Lipase-Catalyzed Degradation of Polyesters in Organic Solvents. A New Methodology of Polymer Recycling Using Enzyme as Catalyst. <i>Biomacromolecules</i> , 2000, 1, 3-5.	2.6	122
6	Solid-State Microstructures, Thermal Properties, and Crystallization of Biodegradable Poly(butylene) Tj ETQq1 1 0.784314 rgBT /Overlo 2.6 221	2.6	221
7	RADIATION CROSSLINKING OF BIODEGRADABLE POLY(BUTYLENE SUCCINATE) AT HIGH TEMPERATURE. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2001, 38, 961-971.	1.2	35
8	Chemoselective Ring-Opening Polymerization of a Lactone Having exo-Methylene Group with Lipase Catalysis. <i>Macromolecules</i> , 2001, 34, 6554-6556.	2.2	55
9	Poly(Butylene Succinate) Composites Reinforced with Short Sisal Fibres. <i>Polymers and Polymer Composites</i> , 2001, 9, 333-338.	1.0	14
10	Degradable polyurethanes containing poly(butylene succinate) and poly(ethylene glycol). <i>Polymer Degradation and Stability</i> , 2001, 72, 81-87.	2.7	58
11	A novel evaluation method for biodegradability of poly(butylene succinate-co-butylene adipate) by pyrolysis-gas chromatography. <i>Polymer Degradation and Stability</i> , 2001, 73, 327-334.	2.7	38
12	Synthesis and characterization of biodegradable poly(butylene succinate-co-butylene adipate)s. <i>Polymer Degradation and Stability</i> , 2001, 74, 263-270.	2.7	303
13	Sequential poly(ester amide)s based on glycine, diols, and dicarboxylic acids: Thermal polyesterification versus interfacial polyamidation. Characterization of polymers containing stiff units. <i>Journal of Polymer Science Part A</i> , 2001, 39, 4283-4293.	2.5	81
14	Synthesis and characterization of high molecular weight branched PBA. <i>Journal of Polymer Science Part A</i> , 2001, 39, 2143-2150.	2.5	29
15	Association between plasticized starch and polyesters: Processing and performances of injected biodegradable systems. <i>Polymer Engineering and Science</i> , 2001, 41, 727-734.	1.5	134
16	Miscibility and rheological characteristics of biodegradable aliphatic polyester and linear low density polyethylene blends. <i>European Polymer Journal</i> , 2001, 37, 2131-2139.	2.6	27
17	Title is missing!. <i>Journal of Polymers and the Environment</i> , 2001, 9, 163-171.	2.4	25
18	Molecular Mobility and Phase Structure of Biodegradable Poly(butylene succinate) and Poly(butylene) Tj ETQq1 1 0.784314 rgBT /Overlo 2.6 38	2.6	38

#	ARTICLE	IF	CITATIONS
19	Aliphatic Polyesters: Synthesis, Properties and Applications. <i>Advances in Polymer Science</i> , 2002, , 1-40.	0.4	391
20	Synthetic Biodegradable Aliphatic Polyester/Montmorillonite Nanocomposites. <i>Chemistry of Materials</i> , 2002, 14, 1839-1844.	3.2	243
21	Crystalline/Amorphous Phase Structure and Molecular Mobility of Biodegradable Poly(butylene Terephthalate). <i>Polymer Degradation and Stability</i> , 2002, 84, 101-114.	2.6	84
22	Polypropylene and Aliphatic Polyester Flax Fibre Composites. <i>Polymers and Polymer Composites</i> , 2002, 10, 281-290.	1.0	8
23	Biodegradation of Polyethylene Modified with Bionolle® Polyester. <i>International Polymer Science and Technology</i> , 2002, 29, 71-76.	0.1	0
24	Comparative degradation data of polyesters and related poly(ester amide)s derived from 1,4-butanediol, sebacic acid, and α -amino acids. <i>Journal of Applied Polymer Science</i> , 2002, 85, 1815-1824.	1.3	53
25	Characterization of novel biodegradable copolyesters prepared from glycolized products of poly(ethylene terephthalate). <i>Journal of Applied Polymer Science</i> , 2002, 84, 1838-1847.	1.3	3
26	Biodegradable polyester composites reinforced with short abaca fiber. <i>Journal of Applied Polymer Science</i> , 2002, 85, 129-138.	1.3	176
27	Preparation and characterization of high molecular weight poly(butylene succinate). <i>Macromolecular Research</i> , 2002, 10, 108-114.	1.0	41
28	Characterization and degradation behavior of poly(butylene adipate-co-terephthalate)s. <i>Journal of Polymer Science Part A</i> , 2002, 40, 4141-4157.	2.5	176
29	Studies on syntheses and physical characterization of biodegradable aliphatic poly(butylene Terephthalate). <i>Polymer Degradation and Stability</i> , 2002, 84, 101-114.	1.8	104
30	Miscibility and carbon dioxide transport properties of blends of bacterial poly(3-hydroxybutyrate) and a poly(vinylidene chloride-co-acrylonitrile) copolymer. <i>Polymer</i> , 2002, 43, 6205-6211.	1.8	15
31	Processing and characterization of starch/polycaprolactone products. <i>Polymer Degradation and Stability</i> , 2002, 77, 17-24.	2.7	164
32	Studies on syntheses and physical properties of biodegradable aliphatic poly(butylene Terephthalate). <i>Polymer Degradation and Stability</i> , 2002, 78, 107-117.	2.7	102
33	Processing and characterization of LDPE/starch/PCL blends. <i>European Polymer Journal</i> , 2002, 38, 1713-1720.	2.6	95
34	Isolation and characterization of a bacterium that degrades various polyester-based biodegradable plastics. <i>Biotechnology Letters</i> , 2003, 25, 23-28.	1.1	100
35	Fabrication and viscoelastic properties of biodegradable polymer/organophilic clay nanocomposites. <i>Journal of Materials Science Letters</i> , 2003, 22, 53-55.	0.5	14
36	Polyesters based on diacid monomers. <i>Advanced Drug Delivery Reviews</i> , 2003, 55, 585-609.	6.6	194

#	ARTICLE	IF	CITATIONS
37	Biocomposites Made from Short Abaca Fiber and Biodegradable Polyesters. <i>Macromolecular Materials and Engineering</i> , 2003, 288, 35-43.	1.7	209
38	Radiation crosslinking of poly(butylene succinate) in the presence of low concentrations of trimethylallyl isocyanurate and its properties. <i>Journal of Applied Polymer Science</i> , 2003, 88, 2238-2246.	1.3	44
39	Synthesis and biodegradation of aliphatic polyesters from dicarboxylic acids and diols. <i>Journal of Applied Polymer Science</i> , 2003, 90, 982-990.	1.3	74
40	Crystallization kinetics of poly(hexamethylene succinate). <i>European Polymer Journal</i> , 2003, 39, 1575-1583.	2.6	22
41	Synthesis and characterization of biodegradable poly(butylene succinate-co-butylene fumarate)s. <i>European Polymer Journal</i> , 2003, 39, 2183-2192.	2.6	69
42	Solvent effects on the lipase catalyzed biodegradation of poly(ϵ -caprolactone) in solution. <i>Polymer Degradation and Stability</i> , 2003, 79, 413-418.	2.7	47
43	Amphiphilic biodegradable copolymer, poly(aspartic acid-co-lactide): acceleration of degradation rate and improvement of thermal stability for poly(lactic acid), poly(butylene succinate) and poly(ϵ -caprolactone). <i>Polymer Degradation and Stability</i> , 2003, 80, 241-250.	2.7	48
44	A study on biodegradable aliphatic poly(tetramethylene succinate): the catalyst dependences of polyester syntheses and their thermal stabilities. <i>Polymer Degradation and Stability</i> , 2003, 81, 1-7.	2.7	40
45	Poly(ester amide)s derived from 1,4-butanediol, adipic acid and 6-aminohexanoic acid. Part II: composition changes and fillers. <i>Polymer</i> , 2003, 44, 6139-6152.	1.8	37
46	Crystallization kinetics of PGBG4: A sequential poly(ester amide) derived from glycine, 1,4-butanediol, and adipic acid. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2003, 41, 903-912.	2.4	5
47	Solidlike transition of melt-intercalated biodegradable polymer/clay nanocomposites. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2003, 41, 2052-2061.	2.4	72
48	New poly(butylene succinate)/layered silicate nanocomposites. II. Effect of organically modified layered silicates on structure, properties, melt rheology, and biodegradability. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2003, 41, 3160-3172.	2.4	154
49	Synthesis and Characterization of Poly(butylene succinate-co-butylene malate): A New Biodegradable Copolyester Bearing Hydroxyl Pendant Groups. <i>Biomacromolecules</i> , 2003, 4, 437-445.	2.6	62
50	Structure-Property Relationship in Biodegradable Poly(butylene succinate)/Layered Silicate Nanocomposites. <i>Macromolecules</i> , 2003, 36, 2355-2367.	2.2	590
51	Syntheses and Physical Characterization of New Aliphatic Triblock Poly(l-lactide-b-butylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 187 To 2003, 4, 1827-1834.	2.6	71
52	Preparation and characterization of plasticized cellulose acetate biocomposite with natural fiber. <i>Journal of Materials Science</i> , 2004, 39, 6631-6633.	1.7	13
53	Biodegradable Multiphase Systems Based on Plasticized Starch: A Review. <i>Journal of Macromolecular Science - Reviews in Macromolecular Chemistry and Physics</i> , 2004, 44, 231-274.	2.2	620
54	Molecular packing and crystalline morphologies of biodegradable poly(alkylene dicarboxylate)s derived from 1,6-hexanediol. <i>Polymer</i> , 2004, 45, 8845-8861.	1.8	30

#	ARTICLE	IF	CITATIONS
55	Completely biodegradable composites of poly(propylene carbonate) and short, lignocellulose fiber <i>Hildegardia populifolia</i> . <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2004, 42, 666-675.	2.4	115
56	Synthesis of poly(butylene succinate)/glass fiber composite by irradiation and its biodegradability. <i>Journal of Applied Polymer Science</i> , 2004, 91, 2122-2127.	1.3	14
57	Thermal and mechanical properties of poly(butylene succinate) nanocomposites with various organo-modified montmorillonites. <i>Journal of Applied Polymer Science</i> , 2004, 91, 1463-1475.	1.3	110
58	Synthesis of aliphatic polyesters by a chain-extending reaction with octamethylcyclotetrasilazane and hexaphenylcyclotrisilazane as chain extenders. <i>Journal of Applied Polymer Science</i> , 2004, 92, 3333-3337.	1.3	17
59	Mechanical properties and biodegradability of green composites based on biodegradable polyesters and lyocell fabric. <i>Journal of Applied Polymer Science</i> , 2004, 92, 3857-3863.	1.3	131
60	Degradation of poly(ethylene succinate) by mesophilic bacteria. <i>Polymer Degradation and Stability</i> , 2004, 84, 115-121.	2.7	90
61	Poly(ester amide)s derived from 1,4-butanediol, adipic acid and 6-aminohexanoic acid. <i>Polymer Degradation and Stability</i> , 2004, 85, 595-604.	2.7	12
62	Soil burial and enzymatic degradation in solution of aliphatic co-polyesters. <i>Polymer Degradation and Stability</i> , 2004, 85, 855-863.	2.7	112
63	MALDI Investigation of Photooxidation in Aliphatic Polyesters: Poly(butylene succinate). <i>Macromolecules</i> , 2004, 37, 6576-6586.	2.2	49
64	Novel Biodegradable Aliphatic Poly(butylene succinate-co-cyclic carbonate)s with Functionalizable Carbonate Building Blocks. 1. Chemical Synthesis and Their Structural and Physical Characterization. <i>Biomacromolecules</i> , 2004, 5, 209-218.	2.6	48
65	Novel Biodegradable Aliphatic Poly(butylene Succinate-co-cyclic carbonate)s Bearing Functionalizable Carbonate Building Blocks: II. Enzymatic Biodegradation and in Vitro Biocompatibility Assay. <i>Biomacromolecules</i> , 2004, 5, 2258-2268.	2.6	59
66	Poly(ester amide)s derived from 1,4-butanediol, adipic acid and 6-aminohexanoic acid Part III: substitution of adipic acid units by terephthalic acid units. <i>Polymer Degradation and Stability</i> , 2004, , .	2.7	2
67	Flax fibre "polyester composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2004, 35, 703-710.	3.8	253
68	Branched polyesters: recent advances in synthesis and performance. <i>Progress in Polymer Science</i> , 2005, 30, 507-539.	11.8	268
69	Biodegradation of poly(butylene succinate-co-butylene adipate) by <i>Aspergillus versicolor</i> . <i>Polymer Degradation and Stability</i> , 2005, 90, 173-179.	2.7	72
70	Effect of oxygen plasma treatment on the release behaviors of poly(ϵ -caprolactone) microcapsules containing tocopherol. <i>Colloids and Surfaces B: Biointerfaces</i> , 2005, 43, 138-142.	2.5	14
71	Biodegradability and mechanical properties of agro-flour-filled polybutylene succinate biocomposites. <i>Journal of Applied Polymer Science</i> , 2005, 97, 1513-1521.	1.3	170
72	Biodegradation of poly(butylene succinate) in compost. <i>Journal of Applied Polymer Science</i> , 2005, 97, 2273-2278.	1.3	98

#	ARTICLE	IF	CITATIONS
73	Purification and characterization of a biodegradable plastic-degrading enzyme from <i>Aspergillus oryzae</i> . <i>Applied Microbiology and Biotechnology</i> , 2005, 67, 778-788.	1.7	195
74	Biodegradable polymers and their layered silicate nanocomposites: In greening the 21st century materials world. <i>Progress in Materials Science</i> , 2005, 50, 962-1079.	16.0	1,417
75	Electrospinning and structural characterization of ultrafine poly(butylene succinate) fibers. <i>Polymer</i> , 2005, 46, 9538-9543.	1.8	60
76	Biodegradability of a Selected Range of Polymers and Polymer Blends and Standard Methods for Assessment of Biodegradation. <i>Journal of Polymers and the Environment</i> , 2005, 13, 231-251.	2.4	172
77	Butane-1,4-diyl bis(bromoacetate). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, o1028-o1031.	0.2	0
78	Crystallization kinetics and morphology of poly(butylene succinate-co-adipate). <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2005, 43, 3231-3241.	2.4	61
79	Thermal analysis of the multiple melting behavior of poly(butylene succinate-co-adipate). <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2005, 43, 3077-3082.	2.4	41
80	A Study of the Effect of Acetylation and Propionylation on the Interface of Natural Fibre Biodegradable Composites. <i>Advanced Composites Letters</i> , 2005, 14, 096369350501400.	1.3	23
81	Mechanism of biodegradation. , 2005, , 357-410.		7
82	Organic Acid and Solvent Production. , 2006, , 511-755.		26
83	Fabrication and Flexural Properties of Bagasse Fiber Reinforced Biodegradable Composites. <i>Journal of Macromolecular Science - Physics</i> , 2006, 45, 463-474.	0.4	11
84	Matrix-assisted laser desorption/ionization time-of-flight/time-of-flight tandem mass spectra of poly(butylene adipate). <i>Rapid Communications in Mass Spectrometry</i> , 2006, 20, 1683-1694.	0.7	47
85	Crystallization kinetics of poly(glycolic acid-alt-6-aminohexanoic acid). <i>European Polymer Journal</i> , 2006, 42, 1595-1608.	2.6	19
86	Release behaviors of porous poly(butylene succinate)/poly(ϵ -caprolactone) microcapsules containing indomethacin. <i>Colloids and Surfaces B: Biointerfaces</i> , 2006, 47, 211-215.	2.5	25
87	Biodegradable aliphatic polyesters. Part I. Properties and biodegradation of poly(butylene) Tj ETQqO 0 0 rgBT /Overlock 10 Tf 50 182 Td	2.7	283
88	Biodegradability of bio-flour filled biodegradable poly(butylene succinate) bio-composites in natural and compost soil. <i>Polymer Degradation and Stability</i> , 2006, 91, 1117-1127.	2.7	217
89	Mechanical properties, morphology, and crystallization behavior of blends of poly(l-lactide) with poly(butylene succinate-co-l-lactate) and poly(butylene succinate). <i>Polymer</i> , 2006, 47, 3557-3564.	1.8	349
90	Effect of Poly(dioxolane) as Compatibilizer in Poly(ϵ -caprolactone)/Tapioca Starch Blends. <i>Journal of Polymers and the Environment</i> , 2006, 14, 149-156.	2.4	10

#	ARTICLE	IF	CITATIONS
91	Effect of a compatibilizer on the microstructure and properties of partially biodegradable LDPE/aliphatic polyester/organoclay nanocomposites. <i>Macromolecular Research</i> , 2006, 14, 179-186.	1.0	38
92	Synthesis, characterization, and thermal properties of biodegradable aliphatic copolyester based on μ -caprolactone, adipic acid, and 1,6-hexanediol. <i>Materials Letters</i> , 2006, 60, 31-38.	1.3	16
93	Water bamboo husk-reinforced poly(butylene succinate) biodegradable composites. <i>Journal of Applied Polymer Science</i> , 2006, 99, 188-199.	1.3	42
94	Structure and properties of nanocomposites based on poly(butylene succinate) and organically modified montmorillonite. <i>Journal of Applied Polymer Science</i> , 2006, 102, 777-785.	1.3	70
95	Non-isothermal crystallization kinetics and melting behaviors of poly(butylene succinate) and its copolyester modified with trimellitic imide units. <i>Journal of Applied Polymer Science</i> , 2006, 102, 2493-2499.	1.3	13
96	Crystallization Behavior of Poly[(butylene succinate)-co-adipate] Nanocomposite. <i>Macromolecular Chemistry and Physics</i> , 2006, 207, 1207-1219.	1.1	41
97	Novel Hydrophobic Surface Binding Protein, HsbA, Produced by <i>Aspergillus oryzae</i> . <i>Applied and Environmental Microbiology</i> , 2006, 72, 2407-2413.	1.4	82
98	The Relations Between Structure and Mechanical Properties of Poly(butylene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 462 Td (suc	0.6	3
99	Biodegradable polymer/layered silicate nanocomposites. , 2006, , 57-129.		8
100	Purification and Characterization of Poly(ethylene succinate) Hydrolase from the Mesophilic Fungus <i>Aspergillus clavatus</i> NKCM1003. <i>Macromolecular Symposia</i> , 2007, 249-250, 545-550.	0.4	3
101	Effects of hydrophobic drugâ€™polyesterâ€™poly(ethylene glycol) triblock coreâ€™shell nanoparticles. <i>Nanotechnology</i> , 2007, 18, 175602.	1.3	45
102	Biodegradable poly(L-lactic acid)/poly(butylene succinate-co-adipate) blends: Miscibility, morphology, and thermal behavior. <i>Journal of Applied Polymer Science</i> , 2007, 105, 3204-3210.	1.3	30
103	Synthesis and characterization of biodegradable aliphatic copolyesters with poly(tetramethylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 19	1.3	19
104	Synthesis and Characterization of Poly(butylene adipateâ€™terephthalate) Catalyzed by Rare Earth Stearates. <i>Chinese Journal of Chemistry</i> , 2007, 25, 1581-1583.	2.6	25
105	Thermal Degradation Behavior and Kinetic Analysis of Biodegradable Polymers Using Various Comparative Models, 1. <i>Macromolecular Theory and Simulations</i> , 2007, 16, 101-110.	0.6	23
106	Toughening of Polylactide by Melt Blending with a Biodegradable Poly(ether)urethane Elastomer. <i>Macromolecular Bioscience</i> , 2007, 7, 921-928.	2.1	344
107	Fungal degradation of poly(ethylene succinate). <i>Polymer Degradation and Stability</i> , 2007, 92, 44-52.	2.7	58
108	Synthesis, characterization and biodegradable studies of 1,3-propanediol based polyesters. <i>Polymer Degradation and Stability</i> , 2007, 92, 464-479.	2.7	98

#	ARTICLE	IF	CITATIONS
109	Thermal and thermomechanical properties of poly[(butylene succinate)-co-adipate] nanocomposite. <i>Polymer Degradation and Stability</i> , 2007, 92, 802-812.	2.7	73
110	Novel evaluation method of biodegradabilities for oil-based polycaprolactone by naturally occurring radiocarbon-14 concentration using accelerator mass spectrometry based on ISO 14855-2 in controlled compost. <i>Polymer Degradation and Stability</i> , 2007, 92, 1279-1288.	2.7	31
111	Dielectric spectroscopy of poly(butylene succinate) films. <i>Polymer</i> , 2007, 48, 4558-4566.	1.8	14
112	Crystalline structure of poly(hexamethylene succinate) and single crystal degradation studies. <i>Polymer</i> , 2007, 48, 5088-5097.	1.8	41
113	Crystallization kinetics and morphology of biodegradable poly(butylene succinate-co-propylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 50	2.4	60
114	Isothermal crystallization kinetics and spherulitic morphology of poly(4-hydroxybutyric) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 50	2.4	2
115	Biodegradable nanocomposites based on poly(butylene succinate)/organoclay. <i>Journal of Polymers and the Environment</i> , 2007, 15, 151-158.	2.4	69
116	Red algae fibre/poly(butylene succinate) biocomposites: The effect of fibre content on their mechanical and thermal properties. <i>Composites Science and Technology</i> , 2008, 68, 1266-1272.	3.8	87
117	Preparation and characterization of biodegradable poly(butylene succinate)(PBS) foams. <i>Macromolecular Research</i> , 2008, 16, 218-223.	1.0	41
118	Combining "click" chemistry and step-growth polymerization for the generation of highly functionalized polyesters. <i>Journal of Polymer Science Part A</i> , 2008, 46, 6552-6564.	2.5	59
119	Study of clay nanocomposites of the biodegradable polyhexamethylene succinate. Application of isoconversional analysis to nonisothermal crystallization. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2008, 46, 2234-2248.	2.4	15
120	Succinic Acid: A New Platform Chemical for Biobased Polymers from Renewable Resources. <i>Chemical Engineering and Technology</i> , 2008, 31, 647-654.	0.9	564
121	Feasibility of production methods for succinic acid derivatives: a marriage of renewable resources and chemical technology. <i>Biofuels, Bioproducts and Biorefining</i> , 2008, 2, 505-529.	1.9	193
122	Thermal and dynamic mechanical properties of organic-inorganic hybrid composites of itaconate-containing poly(butylene succinate) and methacrylate-substituted polysilsesquioxane. <i>Journal of Applied Polymer Science</i> , 2008, 107, 2159-2164.	1.3	37
123	Effect of isocyanate-modified fumed silica on the properties of poly(butylene succinate) nanocomposites. <i>Journal of Applied Polymer Science</i> , 2008, 107, 3598-3608.	1.3	41
124	Isolation and characterization of poly(butylene succinate)-degrading fungi. <i>Polymer Degradation and Stability</i> , 2008, 93, 883-888.	2.7	52
125	Preparation and properties of biodegradable PBS/multi-walled carbon nanotube nanocomposites. <i>Polymer</i> , 2008, 49, 4602-4611.	1.8	123
126	Single crystal morphology and structural data of a series of polyesters derived from 1,8-octanediol. <i>European Polymer Journal</i> , 2008, 44, 2295-2307.	2.6	21

#	ARTICLE	IF	CITATIONS
127	Synthesis and characterization of polyesters derived from succinic acid, ethylene glycol and 1,3-propanediol. <i>European Polymer Journal</i> , 2008, 44, 2339-2347.	2.6	33
128	Influence of degree of intercalation on the crystal growth kinetics of poly[(butylene Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 70	2.6	47
129	Biodegradability testing of compostable polymer materials. , 2008, , 112-166.		0
130	Compostable polymer materials " definitions, structures and methods of preparation. , 2008, , 10-36.		8
131	Properties and applications. , 2008, , 38-69.		81
132	Matrices for natural-fibre reinforced composites. , 2008, , 67-126.		7
133	Biodegradable Poly(butylene succinate) Blended with Biorenewable Derivatives from Polysaccharides. <i>Transactions of the Materials Research Society of Japan</i> , 2008, 33, 1159-1164.	0.2	7
135	Synthesize and Crystallization Kinetics of Biodegradable Aliphatic Poly(Butylene Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 462 Td	1.9	2
136	Biodegradation of Poly(butylene succinate) Powder in a Controlled Compost at 58 Å°C Evaluated by Naturally-Occurring Carbon 14 Amounts in Evolved CO2 Based on the ISO 14855-2 Method. <i>International Journal of Molecular Sciences</i> , 2009, 10, 4267-4283.	1.8	47
137	Rapid monomerization of poly(butylene succinate)-co-(butylene adipate) by <i>Leptothrix</i> sp.. <i>Journal of Bioscience and Bioengineering</i> , 2009, 108, 513-516.	1.1	33
138	The Degradation and Adsorption Behaviors of Enzyme on Poly(butylene succinate) Single Crystals. <i>Macromolecular Bioscience</i> , 2009, 9, 1281-1286.	2.1	13
139	Mechanical properties and biomass carbon ratios of poly(butylene succinate) composites filled with starch and cellulose filler using furfural as plasticizer. <i>Journal of Applied Polymer Science</i> , 2009, 112, 3410-3417.	1.3	28
140	Formation of highly oriented biodegradable polybutylene succinate adipate nanocomposites: Effects of cation structures on morphology, free volume, and properties. <i>Journal of Applied Polymer Science</i> , 2009, 113, 3716-3724.	1.3	19
141	An investigation of melt rheology and thermal stability of poly(lactic acid)/ poly(butylene succinate) nanocomposites. <i>Journal of Applied Polymer Science</i> , 2009, 114, 2837-2847.	1.3	51
142	Crystallization behavior and thermal property of biodegradable poly(butylene succinate)/functional multi-walled carbon nanotubes nanocomposite. <i>Polymer Degradation and Stability</i> , 2009, 94, 632-637.	2.7	101
143	Incorporation of aliphatic units into aromatic water-soluble polyesters to improve the performances for warp sizing. <i>Fibers and Polymers</i> , 2009, 10, 583-589.	1.1	9
144	Thermal, mechanical, and rheological properties of biodegradable polybutylene succinate/carbon nanotubes nanocomposites. <i>Polymer Composites</i> , 2010, 31, 1309-1314.	2.3	29
145	Toughening modification of PLLA/PBS blends via in situ compatibilization. <i>Polymer Engineering and Science</i> , 2009, 49, 26-33.	1.5	242

#	ARTICLE	IF	CITATIONS
146	Sequence analysis of glycolide and ϵ -dioxanone copolymers. <i>Journal of Polymer Science Part A</i> , 2009, 47, 6758-6770.	2.5	5
147	Crystalline structure of sequential poly(ester amide)s derived from glycolic acid, 1,6-hexanediamine, and even aliphatic dicarboxylic acids. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2009, 47, 194-206.	2.4	11
148	Thermal degradation and kinetic analysis of biodegradable PBS/multiwalled carbon nanotube nanocomposites. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2009, 47, 1231-1239.	2.4	30
149	Degradable polyoctamethylene sebacate/clay nanocomposites. Crystallization studies by DSC and simultaneous SAXS/WAXD synchrotron radiation. <i>European Polymer Journal</i> , 2009, 45, 398-409.	2.6	13
150	Synthesis and hydrolytic degradation of poly(ethylene succinate) and poly(ethylene terephthalate) copolymers. <i>Polymer Degradation and Stability</i> , 2009, 94, 375-382.	2.7	42
151	Characterization of a mesophilic aliphatic-aromatic copolyester-degrading fungus. <i>Polymer Degradation and Stability</i> , 2009, 94, 1190-1196.	2.7	62
152	Thermo-oxidative processes in biodegradable poly(butylene succinate). <i>Polymer Degradation and Stability</i> , 2009, 94, 1825-1838.	2.7	54
153	Degradation of aliphatic-aromatic copolyesters by bacteria that can degrade aliphatic polyesters. <i>Polymer Degradation and Stability</i> , 2009, 94, 1901-1905.	2.7	48
154	Thermal properties of poly(ethylene succinate) nanocomposite. <i>Polymer</i> , 2009, 50, 4635-4643.	1.8	41
155	Compatibility and characteristics of poly(butylene succinate) and propylene-co-ethylene copolymer blend. <i>Polymer Testing</i> , 2009, 28, 875-885.	2.3	19
156	Nano-biocomposites: Biodegradable polyester/nanoclay systems. <i>Progress in Polymer Science</i> , 2009, 34, 125-155.	11.8	897
157	Fusible, Elastic, and Biodegradable Polyesters of 2-Pyrone-4,6-Dicarboxylic Acid (PDC). <i>Polymer Journal</i> , 2009, 41, 1111-1116.	1.3	30
158	Biodegradable Polymers. <i>Materials</i> , 2009, 2, 307-344.	1.3	1,042
160	Poly(butylene succinate) and its copolymers: Research, development and industrialization. <i>Biotechnology Journal</i> , 2010, 5, 1149-1163.	1.8	579
161	Chemical Synthesis of Fully Biomass-Based Poly(butylene succinate) from Inedible-Biomass-Based Furfural and Evaluation of Its Biomass Carbon Ratio. <i>Biomacromolecules</i> , 2010, 11, 2760-2765.	2.6	136
162	Biomass Carbon Ratio of Polymer Composites Measured by Accelerator Mass Spectrometry. <i>Journal of Polymers and the Environment</i> , 2010, 18, 85-93.	2.4	16
164	Biodegradable poly(ethylene succinate) blends and copolymers containing minor amounts of poly(butylene succinate). <i>Journal of Applied Polymer Science</i> , 2010, 116, 3693-3701.	1.3	3
165	Synthesis and characterizations of branched poly(butylene succinate) copolymers with 1,2-octanediol segments. <i>Journal of Applied Polymer Science</i> , 2010, 117, 2538-2544.	1.3	13

#	ARTICLE	IF	CITATIONS
166	Cellulose acetate butyrate as multifunctional additive for poly(butylene succinate) by melt blending: Mechanical properties, biomass carbon ratio, and control of biodegradability. <i>Polymer Degradation and Stability</i> , 2010, 95, 1406-1413.	2.7	36
167	Multiblock copolymers composed of poly(butylene succinate) and poly(1,2-propylene succinate): Effect of molar ratio of diisocyanate to polyester-diols on crosslink densities, thermal properties, mechanical properties and biodegradability. <i>Polymer Degradation and Stability</i> , 2010, 95, 1743-1750.	2.7	37
168	The quantitative analysis of nano-clay dispersion in polymer nanocomposites by small angle X-ray scattering combined with electron microscopy. <i>Polymer</i> , 2010, 51, 1437-1449.	1.8	73
169	Mechanism of enhanced tenacity in a polymer nanocomposite studied by small-angle X-ray scattering and electron microscopy. <i>Polymer</i> , 2010, 51, 4860-4866.	1.8	18
170	Melt rheology of biodegradable poly[(butylene succinate)- <i>co</i> -(adipate)]: Experimental and model predictions. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2010, 48, 832-839.	2.4	5
171	Effect of organo-modified montmorillonite on poly(butylene succinate)/poly(butylene Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 54	1.1	62
172	Morphology, Thermal and Mechanical Properties of Biodegradable Poly(butylene Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 507 Td (succinat and Engineering, 2010, 49, 1571-1580.	1.9	27
173	Effect of Clay on Thermal, Mechanical and Gas Barrier Properties of Biodegradable Poly(lactic Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 514	0.3	46
174	Fabrication and Physical Characterization of Biodegradable Poly(butylene succinate)/Carbon Nanofiber Nanocomposite Foams. <i>Journal of Macromolecular Science - Physics</i> , 2010, 50, 100-110.	0.4	22
175	Microbial Succinic Acid, Its Polymer Poly(butylene succinate), and Applications. <i>Microbiology Monographs</i> , 2010, , 347-388.	0.3	83
176	Synthesis, properties and enzymatic hydrolysis of biodegradable alicyclic/aliphatic copolyesters based on 1,3/1,4-cyclohexanedimethanol. <i>Polymer Degradation and Stability</i> , 2010, 95, 72-78.	2.7	33
177	Preparation of Intumescent Flame Retardant Poly(butylene succinate) Using Fumed Silica as Synergistic Agent. <i>Industrial & Engineering Chemistry Research</i> , 2010, 49, 8200-8208.	1.8	122
178	Porphyrin-layered double hydroxide/polymer composites as novel ecological photoactive surfaces. <i>Journal of Materials Chemistry</i> , 2010, 20, 9423.	6.7	46
179	Non-isothermal Crystallization Behaviors of Poly(<i>p</i> -dioxanone) and Poly(<i>p</i> -dioxanone)- <i>b</i> -poly(butylene succinate) Multiblock Copolymer from Amorphous State. <i>Journal of Macromolecular Science - Physics</i> , 2010, 49, 269-285.	0.4	9
180	Mechanical, Water Absorption and Dimensional Stability Studies of Kenaf Bast Fibre-Filled Poly(butylene succinate) Composites. <i>Polymer-Plastics Technology and Engineering</i> , 2011, 50, 339-348.	1.9	33
181	Cellulose Fibers: Bio- and Nano-Polymer Composites. , 2011, , .		223
183	Biodegradable and Biobased Polymers. , 2011, , 145-158.		7
184	Rheological Percolation Behavior and Isothermal Crystallization of Poly(butyene Succinte)/Carbon Nanotube Composites. <i>Industrial & Engineering Chemistry Research</i> , 2011, 50, 14186-14192.	1.8	31

#	ARTICLE	IF	CITATIONS
185	Preparation of Polymer Blends Between Poly (L-Lactic Acid), Poly (Butylene Succinate-Co-Adipate) and Poly (Butylene Adipate-Co-Terephthalate) for Blow Film Industrial Application. Energy Procedia, 2011, 9, 581-588.	1.8	36
186	Biocomposites Based on Biodegradable Thermoplastic Polyester and Lignocellulose Fibers. , 2011, , 453-478.		3
187	High-performance hybrid materials prepared by the thermo-reversible Diels-Alder polymerization of furfuryl ester-terminated butylene succinate oligomers and maleimide compounds. Polymer Journal, 2011, 43, 455-463.	1.3	15
188	Linear and cyclic ester Oligomers of succinic acid and 1,4-butanediol: Biocatalytic synthesis and characterization. Biocatalysis and Biotransformation, 2011, 29, 299-310.	1.1	10
189	Non-isothermal crystallization kinetics and dynamic mechanical thermal properties of poly(butylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.2	88
190	Enzymatic synthesis and properties of novel biodegradable and biobased thermoplastic elastomers. Polymer Degradation and Stability, 2011, 96, 2071-2079.	2.7	29
191	Synthesis and characterization of a novel multiblock copolyester containing poly(ethylene succinate) and poly(butylene succinate). Materials Chemistry and Physics, 2011, 130, 943-949.	2.0	46
192	Controllable synthesis of multi-layer graphene flakes and multi-wall carbon nanotubes from pyrolyzing biodegradable poly(butylene succinate) composites. Materials Letters, 2011, 65, 2707-2710.	1.3	12
193	Fabrication and in vitro degradation study of novel optically active polymers derived from amino acid containing diacids and 4,4-thiobis(2-tert-butyl-5-methylphenol). Journal of Polymer Research, 2011, 18, 1679-1686.	1.2	10
194	Influence of low multi-walled carbon nanotubes loadings on the crystallization behavior of biodegradable poly(butylene succinate) nanocomposites. Polymers for Advanced Technologies, 2011, 22, 1642-1649.	1.6	22
195	Dielectric spectroscopy of poly(butylene succinate-co-butylene adipate) films. Polymer Engineering and Science, 2011, 51, 386-390.	1.5	5
196	Synthetic aliphatic biodegradable poly(butylene succinate)/clay nanocomposite foams with high blowing ratio and their physical characteristics. Polymer Engineering and Science, 2011, 51, 1316-1324.	1.5	31
197	Water-disintegrative and biodegradable blends containing poly(L-lactic acid) and poly(butylene adipate-co-terephthalate). Journal of Polymer Science, Part B: Polymer Physics, 2011, 49, 342-354.	2.4	18
198	Plasma Surface Modification of Biodegradable Polymers: A Review. Plasma Processes and Polymers, 2011, 8, 171-190.	1.6	340
199	Synthesis and characterization of aliphatic copolyesters containing 1,4-bis((carboxylethoxy)methyl)cyclohexane. Polymer International, 2011, 60, 1419-1424.	1.6	0
200	Rheology, crystallization behaviors, and thermal stabilities of poly(butylene succinate)/pristine multiwalled carbon nanotube composites obtained by melt compounding. Journal of Applied Polymer Science, 2011, 121, 59-67.	1.3	36
201	Structure and properties of poly(butylene succinate) filled with lignin: A case of lignosulfonate. Journal of Applied Polymer Science, 2011, 121, 1717-1724.	1.3	33
202	Kenaf fiber-filled biodegradable poly(butylene succinate) composites: Effects of fiber loading, fiber length, and maleated poly(butylene succinate) on the flexural and impact properties. Journal of Applied Polymer Science, 2011, 122, 3055-3063.	1.3	49

#	ARTICLE	IF	CITATIONS
203	Reduction of VOC emission from natural flours filled biodegradable bio-composites for automobile interior. <i>Journal of Hazardous Materials</i> , 2011, 187, 37-43.	6.5	24
204	Biobased grafted polyesters prepared by in situ ring-opening polymerization. <i>Reactive and Functional Polymers</i> , 2011, 71, 694-703.	2.0	11
205	Unique morphology of dispersed clay particles in a polymer nanocomposite. <i>Polymer</i> , 2011, 52, 1297-1301.	1.8	28
206	Poly(butylene/diethylene glycol succinate) multiblock copolyester as a candidate biomaterial for soft tissue engineering: Solid-state properties, degradability, and biocompatibility. <i>Journal of Bioactive and Compatible Polymers</i> , 2012, 27, 244-264.	0.8	41
207	Wet Blending of Pregelatinized Starch and Poly(butylene succinate). <i>Advanced Materials Research</i> , 2012, 557-559, 1121-1126.	0.3	2
208	Influencing Factors and Process on in Situ Degradation of Poly(Butylene Succinate) Film by Strain $\text{Bionectria ochroleuca}$; BFM-X1 in Soil. <i>Journal of Environmental Protection</i> , 2012, 03, 523-532.	0.3	4
209	Evaluation of Biodegradability of Poly(Butylene succinate-co-butylene Adipate) on the Basis of Copolymer Composition Determined by Thermally Assisted Hydrolysis and Methylation-Gas Chromatography. <i>International Journal of Polymer Analysis and Characterization</i> , 2012, 17, 29-37.	0.9	10
210	Characterization of Mode I Fracture and Morphological Properties of PLLA Blends with Addition of Lysine Triisocyanate. <i>Journal of Solid Mechanics and Materials Engineering</i> , 2012, 6, 314-322.	0.5	0
211	Enhanced Performance of Biodegradable Poly(butylene succinate)/Graphene Oxide Nanocomposites via in Situ Polymerization. <i>Langmuir</i> , 2012, 28, 7091-7095.	1.6	69
212	Electrospun non-woven mats from stereocomplex between high molar mass poly(L-lactide) and poly(D-lactide)-block-poly(butylene succinate) copoly(ester urethane)s. <i>European Polymer Journal</i> , 2012, 48, 1965-1975.	2.6	13
213	Nanocomposites with enhanced electrical properties based on biodegradable poly(butylene succinate) and polyetheramine modified carbon nanotube. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2012, 43, 322-328.	2.7	15
214	Study on Ester-Amide Exchange Reaction between PBS and PA6IcoT. <i>Industrial & Engineering Chemistry Research</i> , 2012, 51, 751-757.	1.8	24
215	Multi-Walled Carbon Nanotube/Biodegradable Poly(butylene adipate-co-butylene terephthalate) Nanocomposites and Their Physical Characteristics. <i>Journal of Macromolecular Science - Physics</i> , 2012, 51, 125-133.	0.4	20
216	Biodegradability studies of poly(butylene succinate)/organo-montmorillonite nanocomposites under controlled compost soil conditions: Effects of clay loading and compatibiliser. <i>Polymer Degradation and Stability</i> , 2012, 97, 1345-1354.	2.7	125
217	Non-isothermal melt crystallization of poly(tetramethylene succinate) under high pressure: Characterization and kinetics. <i>Thermochimica Acta</i> , 2012, 545, 26-33.	1.2	5
218	Poly(Butylene Succinate) and Poly[(Butylene Succinate)-co-Adipate] Nanocomposites. <i>Green Energy and Technology</i> , 2012, , 165-218.	0.4	5
219	Permeability in Clay/Polyesters Nano-Biocomposites. <i>Green Energy and Technology</i> , 2012, , 237-264.	0.4	12
220	Catalytic Transformations of Biomass-Derived Materials into Value-Added Chemicals. <i>Catalysis Surveys From Asia</i> , 2012, 16, 164-182.	1.0	89

#	ARTICLE	IF	CITATIONS
221	Biodegradable free-standing nanomembranes of conducting polymer:polyester blends as bioactive platforms for tissue engineering. <i>Journal of Materials Chemistry</i> , 2012, 22, 585-594.	6.7	42
222	Biodegradable Polyesters. , 2012, , 333-361.		9
223	Biodegradable Polymers. <i>Green Energy and Technology</i> , 2012, , 13-39.	0.4	124
224	Cobalt oxide/graphene composite for highly efficient CO oxidation and its application in reducing the fire hazards of aliphatic polyesters. <i>Journal of Materials Chemistry</i> , 2012, 22, 3426.	6.7	119
225	Synthesis and characterization of polyester copolymers based on poly(butylene succinate) and poly(ethylene glycol). <i>Materials Science and Engineering C</i> , 2012, 32, 2459-2463.	3.8	26
226	Isothermal Crystallization Behavior of Biodegradable P(BS-b-PEGS) Multiblock Copolymers. <i>Industrial & Engineering Chemistry Research</i> , 2012, 51, 8262-8272.	1.8	20
227	Bioactive and electroactive response of flexible polythiophene:polyester nanomembranes for tissue engineering. <i>Polymer Chemistry</i> , 2012, 3, 979.	1.9	41
228	Easily synthesized novel biodegradable copolyesters with adjustable properties for biomedical applications. <i>Soft Matter</i> , 2012, 8, 5466.	1.2	43
229	Synthesis of Biomass-Based Monomers from Biomass-Based Furfural for Polyesters and Evaluation of Their Biomass Carbon Ratios. <i>ACS Symposium Series</i> , 2012, , 91-110.	0.5	10
230	Synthesis and Properties of Biodegradable Poly(butylene succinate-co-diethylene glycol succinate) Copolymers. <i>Industrial & Engineering Chemistry Research</i> , 2012, 51, 12258-12265.	1.8	53
231	Non-Thermal Plasma Surface Modification of Biodegradable Polymers. , 0, , .		7
232	Stereocomplexes from Biosourced Lactide/Butylene Succinate-Based Copolymers and Their Role as Crystallization Accelerating Agent. <i>Macromolecular Chemistry and Physics</i> , 2012, 213, 643-653.	1.1	14
233	Toughening of PHBV/PBS and PHB/PBS Blends via In situ Compatibilization Using Dicumyl Peroxide as a Free-Radical Grafting Initiator. <i>Macromolecular Materials and Engineering</i> , 2012, 297, 402-410.	1.7	140
234	Effect of surface modification with 3-aminopropyltriethoxy silane on mechanical and crystallization performances of ZnO/poly(butylenesuccinate) composites. <i>Composites Part B: Engineering</i> , 2012, 43, 2209-2216.	5.9	23
235	Functional analysis of FarA transcription factor in the regulation of the genes encoding lipolytic enzymes and hydrophobic surface binding protein for the degradation of biodegradable plastics in <i>Aspergillus oryzae</i> . <i>Journal of Bioscience and Bioengineering</i> , 2012, 113, 549-555.	1.1	23
236	Synthesis of EVA-g-PLA copolymers using transesterification reactions. <i>Materials Chemistry and Physics</i> , 2012, 134, 103-110.	2.0	33
237	Study of change in dispersion and orientation of clay platelets in a polymer nanocomposite during tensile test by variostage small-angle X-ray scattering. <i>Polymer</i> , 2012, 53, 1747-1759.	1.8	9
238	Synthesis, characterization, and properties of long-chain branched poly(butylene succinate). <i>Journal of Applied Polymer Science</i> , 2012, 124, 1271-1280.	1.3	42

#	ARTICLE	IF	CITATIONS
239	Rheological properties and foam preparation of biodegradable poly(butylene succinate). Journal of Applied Polymer Science, 2013, 127, 3586-3594.	1.3	43
240	Reinforcement of biodegradable poly(butylene succinate) with low loadings of graphene oxide. Journal of Applied Polymer Science, 2013, 127, 5094-5099.	1.3	34
241	Characterization and Application in Biocomposites of Residual Microalgal Biomass Generated in Third Generation Biodiesel. Journal of Polymers and the Environment, 2013, 21, 944-951.	2.4	31
242	Processing and Thermal Behaviors of Poly (Butylene Succinate) Blends with Highly-Filled Starch and Glycerol. Journal of Polymers and the Environment, 2013, 21, 46-53.	2.4	31
243	Influence of block length on crystallization kinetics and melting behavior of poly(butylene/thiodiethylene succinate) block copolymers. Journal of Thermal Analysis and Calorimetry, 2013, 114, 677-688.	2.0	11
244	Toughening of poly (lactic acid) by poly (β -hydroxybutyrate-co- β -hydroxyvalerate) with high β -hydroxyvalerate content. European Polymer Journal, 2013, 49, 1523-1531.	2.6	79
245	Evaluation of Fishmeal as Starting Material for Producing Biodegradable Protein-Based Thermoplastic Polymers. Waste and Biomass Valorization, 2013, 4, 147-159.	1.8	6
246	Preparation of Polymer Blends between Poly(Lactic Acid) and Poly(Butylene adipate-co-terephthalate) and Biodegradable Polymers as Compatibilizers. Energy Procedia, 2013, 34, 549-554.	1.8	51
247	Role of Poly(butylene fumarate) on Crystallization Behavior of Poly(butylene succinate). Industrial & Engineering Chemistry Research, 2013, 52, 10682-10689.	1.8	47
248	Antimicrobial Activity of Electrospun Poly(butylenes succinate) Fiber Mats Containing PVP-Capped Silver Nanoparticles. Applied Biochemistry and Biotechnology, 2013, 171, 1890-1899.	1.4	38
249	Biodegradability Testing of Compostable Polymer Materials. , 2013, , 213-263.		14
250	Biodegradable Polymers and Polymer Blends. , 2013, , 109-128.		27
252	Non-isothermal crystallization kinetics and morphology of mica particles filled biodegradable poly(butylene succinate). Journal of Applied Polymer Science, 2013, 130, 2544-2556.	1.3	7
253	Synthesis, characterization and properties of novel linear poly(butylene fumarate) bearing reactive double bonds. Polymer, 2013, 54, 631-638.	1.8	26
254	Covalently bonded poly(ethylene succinate)/SiO ₂ nanocomposites prepared by in situ polymerisation. Polymer, 2013, 54, 1018-1032.	1.8	39
255	Novel aliphatic polyesters from an oleic acid based monomer. Synthesis, epoxidation, cross-linking and biodegradation. European Polymer Journal, 2013, 49, 813-822.	2.6	37
256	Poly(butylene succinate) reinforced with different lignocellulosic fibers. Industrial Crops and Products, 2013, 45, 160-169.	2.5	98
257	Organic Acid and Solvent Production: Acetic, Lactic, Gluconic, Succinic, and Polyhydroxyalkanoic Acids. , 2013, , 3-75.		14

#	ARTICLE	IF	CITATIONS
258	Characterization and biodegradability of agricultural residue-filled polyester ecocomposites. Polymer Bulletin, 2013, 70, 1613-1629.	1.7	7
259	Compostable Polymer Materials. , 2013, , 189-211.		6
260	Compostable Polymer Properties and Packaging Applications. , 2013, , 217-248.		27
261	Processing strategies in bionanocomposites. Progress in Polymer Science, 2013, 38, 1543-1589.	11.8	186
262	Effect of fiber morphology on rheological properties of plant fiber reinforced poly(butylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 582 Td	3.9	51
263	The microstructures of extrusion cast biodegradable poly(butylene succinate) films investigated by X-ray diffraction. Materials Letters, 2013, 92, 334-337.	1.3	21
264	Poly(butylene succinate)/layered double hydroxide bionanocomposites: Relationships between chemical structure of LDH anion, delamination strategy, and final properties. Journal of Applied Polymer Science, 2013, 130, 1931-1940.	1.3	25
265	Study on Mechanical, Thermal Properties and Morphology of Biodegradable Poly(butylene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 582 Td	0.3	10
266	Novel Poly (butylenes succinate-block-1,3-propylene sebacate): Synthesis and Enzymatic Degradation. Advanced Materials Research, 2013, 774-776, 569-572.	0.3	2
267	Reactive processing of maleic anhydride-grafted poly(butylene succinate) and the compatibilizing effect on poly(butylene succinate) nanocomposites. EXPRESS Polymer Letters, 2013, 7, 340-354.	1.1	96
268	Structure/Property Relationships of Partially Crosslinked Poly(butylene succinate). Macromolecular Materials and Engineering, 2013, 298, 910-918.	1.7	21
269	Environmentally friendly polymer nanocomposites using polymer matrices from fossil fuel sources. , 2013, , 157-207.		0
270	Effect of water exposure on dimensional stability and mechanical properties of unpurified and purified maleated poly(butylene succinate) compatibilised poly(butylene succinate)/kenaf bast fibre composites. Composite Interfaces, 2013, 20, 469-482.	1.3	5
271	Grapheneâ€reinforced biodegradable poly(ethylene succinate) nanocomposites prepared by <i>in situ</i> polymerization. Journal of Applied Polymer Science, 2013, 130, 3212-3220.	1.3	43
272	Effects of nanoâ€TiO₂ on the properties and structures of starch/poly(Î¼â€caprolactone) composites. Journal of Applied Polymer Science, 2013, 130, 4129-4136.	1.3	24
273	Assessing feasibility of promoting fertilizer utilization facilitated by controlled release of bacteria-encapsulated film bag. Designed Monomers and Polymers, 2013, 16, 303-312.	0.7	1
274	Enhanced mechanical and thermal properties of biodegradable poly(butylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 107 Td (succinateâ€ of Applied Polymer Science, 2013, 130, 4075-4080.	1.3	6
275	Title is missing!. Turkish Journal of Fisheries and Aquatic Sciences, 2013, 14, .	0.4	4

#	ARTICLE	IF	CITATIONS
276	Mechanical Properties of Chopped Carbon Fiber Reinforced PBS/CF Composites. <i>Advanced Materials Research</i> , 0, 989-994, 587-590.	0.3	1
277	Shape Memory Properties of PBS-Silica Hybrids. <i>Materials</i> , 2014, 7, 751-768.	1.3	3
278	Synthesis, Properties and Applications of Biodegradable Polymers Derived from Diols and Dicarboxylic Acids: From Polyesters to Poly(ester amide)s. <i>International Journal of Molecular Sciences</i> , 2014, 15, 7064-7123.	1.8	191
279	Effect of Glycerol and Reactive Compatibilizers on Poly(butylene succinate)/Starch Blends. <i>Journal of Renewable Materials</i> , 2014, 2, 85-92.	1.1	7
280	Morphology, thermal, and mechanical properties of poly(butylene succinate) reinforced with halloysite nanotube. <i>Polymer Composites</i> , 2014, 35, 847-855.	2.3	30
281	Fishing performance of environmentally friendly tubular pots made of biodegradable resin (PBS/PBAT) for catching the conger eel <i>Conger myriaster</i> . <i>Fisheries Science</i> , 2014, 80, 887-895.	0.7	27
282	Role of polymer/filler interactions in the linear viscoelasticity of poly(butylene succinate)/fumed silica nanocomposite. <i>Composites Science and Technology</i> , 2014, 95, 8-15.	3.8	49
283	Nano-biocomposites based on synthetic aliphatic polyesters and nanoclay. <i>Progress in Materials Science</i> , 2014, 62, 1-57.	16.0	56
284	Effect of PCL and EVA Molar Mass on the Development of Sustainable Polymers. <i>Soft Materials</i> , 2014, 12, 88-97.	0.8	4
285	Comparison of mechanical properties of blended and synthesized biodegradable polyesters. <i>Macromolecular Research</i> , 2014, 22, 382-387.	1.0	7
286	Enhancement in crystallization kinetics of the bacterially synthesized poly(β -hydroxybutyrate) by poly(butylene succinate). <i>Polymer Bulletin</i> , 2014, 71, 907-923.	1.7	27
287	Unique Cold-Crystallization Behavior and Kinetics of Biodegradable Poly[(butylene succinate)- ϵ -caprolactone] Nanocomposites: A High Speed Differential Scanning Calorimetry Study. <i>Macromolecular Materials and Engineering</i> , 2014, 299, 939-952.	1.7	14
288	Poly(L-lactide) and poly(butylene succinate) immiscible blends: From electrospinning to biologically active materials. <i>Materials Science and Engineering C</i> , 2014, 41, 119-126.	3.8	64
289	Micro-molding with ultrasonic vibration energy: New method to disperse nanoclays in polymer matrices. <i>Ultrasonics Sonochemistry</i> , 2014, 21, 1557-1569.	3.8	54
290	Polystyrene/TiO ₂ composite electrospun fibers as fillers for poly(butylene succinate-co-adipate): Structure, morphology and properties. <i>European Polymer Journal</i> , 2014, 50, 78-86.	2.6	28
291	Study on the crystallization of poly(butylene azelate-co-butylene succinate) copolymers. <i>Thermochimica Acta</i> , 2014, 575, 45-54.	1.2	41
292	Poly(butylene azelate-co-butylene succinate) copolymers: Crystalline morphologies and degradation. <i>Polymer Degradation and Stability</i> , 2014, 99, 80-91.	2.7	28
293	Crystallization and melting properties of poly(butylene succinate) composites with titanium dioxide nanotubes or hydroxyapatite nanorods. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	1.3	10

#	ARTICLE	IF	CITATIONS
294	Characterization and improved electrical conductivity of partially biodegradable polyaniline/poly(1,4-butylene succinate) polymer composite films. <i>Polymer Composites</i> , 2014, 35, 2010-2017.	2.3	9
295	Degradation of PBS Introducing Crosslink by Glycerol. <i>Advanced Materials Research</i> , 0, 934, 104-109.	0.3	0
296	The Degradation of Poly (Butylene Succinate)/Natural Rubber Composites. <i>Advanced Materials Research</i> , 0, 934, 110-115.	0.3	0
297	Composition dependence of physical properties of biodegradable poly(ethylene succinate) urethane ionenes. <i>RSC Advances</i> , 2014, 4, 54175-54186.	1.7	13
298	Kinetics of nucleation and crystallization in poly(butylene succinate) nanocomposites. <i>Polymer</i> , 2014, 55, 6725-6734.	1.8	65
299	Prominent Nucleating Effect of Finely Dispersed Hydroxyl-Functional Hexagonal Boron Nitride on Biodegradable Poly(butylene succinate). <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 4689-4696.	1.8	29
300	Modulation of furanic-sulfonated isophthalic copolyesters properties through diols units control. <i>European Polymer Journal</i> , 2014, 58, 207-217.	2.6	22
301	Biodegradable Poly(butylene succinate) and Poly(butylene adipate-co-terephthalate) Blends: Reactive Extrusion and Performance Evaluation. <i>Journal of Polymers and the Environment</i> , 2014, 22, 336-349.	2.4	99
302	Crystallization Kinetics and Morphology of Biodegradable Poly(ethylene Terephthalate) / Poly(butylene succinate) Blends. <i>Engineering Chemistry Research</i> , 2014, 53, 11365-11370.	1.8	17
303	Nonisothermal crystallization behaviors of biodegradable double crystalline poly(butylene succinate) / Poly(ethylene terephthalate) Blends. <i>Journal of Applied Polymer Science</i> , 2014, 113, 2103-2112.	1.3	2
304	Synthesis and characterization of segmented poly(butylene succinate) urethane ionenes containing secondary amine cation. <i>Polymer</i> , 2014, 55, 4358-4368.	1.8	41
305	Highly selective synthesis of biomass-based 1,4-butanediol monomer by alcoholysis of 1,4-diacetoxybutane derived from furan. <i>Polymer Degradation and Stability</i> , 2014, 109, 393-397.	2.7	14
306	The Influence of Green Surface Modification of Oil Palm Mesocarp Fiber by Superheated Steam on the Mechanical Properties and Dimensional Stability of Oil Palm Mesocarp Fiber/Poly(butylene succinate) Biocomposite. <i>International Journal of Molecular Sciences</i> , 2014, 15, 15344-15357.	1.8	26
308	Synthesis, characterization, and properties of biodegradable poly(butylene succinate) modified with imide dihydric alcohol. <i>Journal of Applied Polymer Science</i> , 2014, 131, n/a-n/a.	1.3	5
309	Synthesis of Oligo(butylene succinate)-based Polyurethanes. <i>Journal of Renewable Materials</i> , 2014, 2, 13-22.	1.1	6
310	Electrospun Fibers Containing Bio-Based Ricinoleic Acid: Effect of Amount and Distribution of Ricinoleic Acid Unit on Antibacterial Properties. <i>Macromolecular Materials and Engineering</i> , 2015, 300, 1085-1095.	1.7	8
311	Synthesis, characterization and isothermal crystallization behavior of poly(butylene succinate) / Poly(ethylene terephthalate) Blends. <i>Journal of Applied Polymer Science</i> , 2015, 26, 1003-1013.	1.6	15
312	Mechanical Improvement of Poly(butylene succinate) with Polyamide Short Fibers. <i>Macromolecular Symposia</i> , 2015, 354, 28-34.	0.4	2

#	ARTICLE	IF	CITATIONS
313	Fabrication of high viscosity biodegradable poly(butylene succinate) (PBS)/solid epoxy (SE)/carboxyl-terminated polyester (CP) blends. Journal of Applied Polymer Science, 2015, 132, .	1.3	2
314	Preferential Incorporation of Azelaic Acid Units into the Crystalline Phase of the Copoly(Alkylene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 627 Td (succin) Polymers, 2015, 7, 1871-1894.	2.0	4
315	Compatibilization Efficiency of Reactively Modified Poly(butylene succinate) as a Compatibilizer for Poly(butylene succinate) Composites. Advanced Materials Research, 0, 1119, 288-291.	0.3	3
316	How Composition Determines the Properties of Isodimorphic Poly(butylene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 627 Td (succin) Crystalline Random Copolymers. Macromolecules, 2015, 48, 43-57.	2.2	105
317	Biocompatibility and drug release behavior of scaffolds prepared by coaxial electrospinning of poly(butylene succinate) and polyethylene glycol. Materials Science and Engineering C, 2015, 49, 472-484.	3.8	104
318	Compression molding and melt spinning of the blends of poly(lactic acid) and poly(butylene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 627 Td (succin) Polymers, 2015, 7, 1871-1894.	1.3	17
319	Synthesis, thermal properties, and crystallization kinetics of novel biodegradable poly(ethylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 Td (succin) Polymers, 2015, 7, 1871-1894.	1.2	21
320	Biobased Thermoplastic Poly(ester urethane) Elastomers Consisting of Poly(butylene succinate) and Poly(propylene succinate). Industrial & Engineering Chemistry Research, 2015, 54, 6258-6268.	1.8	14
321	Biocomposites based on poly(butylene succinate) and curaua: Mechanical and morphological properties. Polymer Testing, 2015, 45, 168-173.	2.3	44
322	Effect of cellulose structure and morphology on the properties of poly(butylene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 627 Td (succin) Polymers, 2015, 7, 1871-1894.	5.1	32
323	Biodegradability, reprocessability, and mechanical properties of polybutylene succinate (PBS) photografted by hydrophilic or hydrophobic membranes. Polymer Degradation and Stability, 2015, 117, 58-65.	2.7	61
324	Hydrolytic degradation of biodegradable polyesters under simulated environmental conditions. Journal of Applied Polymer Science, 2015, 132, .	1.3	93
325	Blending poly(butylene succinate) with poly(lactic acid): Ductility and phase inversion effects. European Polymer Journal, 2015, 71, 534-546.	2.6	145
326	Super toughened biodegradable polylactide blends with non-linear copolymer interfacial architecture obtained via facile in-situ reactive compatibilization. Polymer, 2015, 80, 1-17.	1.8	149
327	Preparation of biodegradable poly(butylene succinate)/halloysite nanotube nanocomposite foams using supercritical CO2 as blowing agent. Journal of Polymer Research, 2015, 22, 1.	1.2	20
328	Improvement of barrier properties of bio-based polyester nanocomposite membranes by water-assisted extrusion. Journal of Membrane Science, 2015, 496, 185-198.	4.1	29
329	Studies on mechanical, thermal, and morphological characteristics of biocomposites from biodegradable polymer blends and natural fibers. , 2015, , 93-140.		21
330	Conformational characteristics and configurational properties of poly(ethylene succinate) and poly(butylene succinate) and structure-property-function relationships of representative biodegradable polyesters. Polymer, 2015, 56, 327-339.	1.8	22

#	ARTICLE	IF	CITATIONS
331	Property modification and process parameter optimization design of polylactic acid composite materials. Part I: polylactic acid toughening and photo-degradation modification and optimized parameter design. Textile Research Journal, 2015, 85, 13-25.	1.1	10
332	Effect of Hydroxyapatite Nanoparticles on the Degradability of Random Poly(butylene Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 70 2016, 8, 253.	2.0	11
333	Effects of aspartic acid and poly(butylene succinate) on thermal stability and mechanical properties of poly(propylene carbonate). Journal of Applied Polymer Science, 2016, 133, .	1.3	11
334	Poly(butylene succinate) ionomers and their use as compatibilizers in nanocomposites. Polymer Composites, 2016, 37, 2603-2610.	2.3	8
335	Lipid-derived monomer and corresponding bio-based nanocomposites. Polymer International, 2016, 65, 653-660.	1.6	10
336	Biodegradable composites of poly(butylene succinate-co-butylene adipate) reinforced by poly(lactic acid) fibers. Journal of Applied Polymer Science, 2016, 133, .	1.3	7
337	Preparation of Enhanced Poly(butylene succinate) Foams. Polymer Engineering and Science, 2016, 56, 1275-1282.	1.5	14
338	Use of biodegradable driftnets to prevent ghost fishing: physical properties and fishing performance for yellow croaker. Animal Conservation, 2016, 19, 309-319.	1.5	56
339	Enhanced performance of alkylated graphene reinforced polybutylene succinate nanocomposite. AIP Conference Proceedings, 2016, , .	0.3	3
340	Technology Trends in Biodegradable Polymers: Evidence from Patent Analysis. Polymer Reviews, 2016, 56, 584-606.	5.3	64
341	Synthesis of branched poly(butylene succinate): Structure properties relationship. Chinese Journal of Polymer Science (English Edition), 2016, 34, 873-888.	2.0	10
342	Thermal, Mechanical, and Rheological Characterization of Polylactic Acid/Halloysite Nanotube Nanocomposites. Journal of Macromolecular Science - Physics, 2016, 55, 680-692.	0.4	17
343	Mechanical and Morphology Behaviours of Polybutylene (succinate)/Thermoplastic Polyurethaneblend. Procedia Chemistry, 2016, 19, 426-432.	0.7	21
344	Nanostructured biocomposites from aliphatic polyesters and bacterial cellulose. Industrial Crops and Products, 2016, 93, 251-266.	2.5	59
345	Branched polyesters: Preparative strategies and applications. Advanced Drug Delivery Reviews, 2016, 107, 60-81.	6.6	46
346	Overview of Polyester Nanosystems for Nasal Administration. , 2016, , 291-351.		1
347	Biodegradation in Landfilled of Biodegradable Micro-braided Yarn. Energy Procedia, 2016, 89, 282-290.	1.8	5
349	Effect of poly(ethylene glycol)-polyhedral oligomeric silsesquioxanes on the crystallization kinetics and morphology of biodegradable poly(ethylene succinate). Polymer Degradation and Stability, 2016, 134, 97-104.	2.7	10

#	ARTICLE	IF	CITATIONS
350	Application of SSA thermal fractionation and X-ray diffraction to elucidate comonomer inclusion or exclusion from the crystalline phases in poly(butylene succinate-ran-butylene azelate) random copolymers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2016, 54, 2346-2358.	2.4	25
352	Converting Industrial Alkali Lignin to Biobased Functional Additives for Improving Fire Behavior and Smoke Suppression of Polybutylene Succinate. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 4732-4742.	3.2	131
353	The influence of different fillers on mechanical and physical properties of high-molecular-weight biodegradable aliphatic polyesters. <i>Polymer Science - Series A</i> , 2016, 58, 585-592.	0.4	3
354	Synthesis and properties of novel biodegradable poly(butylene succinate-co-decamethylene succinate) copolyesters from renewable resources. <i>Polymer Degradation and Stability</i> , 2016, 134, 305-310.	2.7	24
355	Agricultural Applications of Biodegradable Films. <i>Food Preservation Technology</i> , 2016, , 549-584.	0.0	0
357	Poly[(butylene succinate)- <i>co</i> -(butylene adipate)]-Montmorillonite Nanocomposites Prepared by Water-Assisted Extrusion: Role of the Dispersion Level and of the Structure-Microstructure on the Enhanced Barrier Properties. <i>Journal of Physical Chemistry C</i> , 2016, 120, 13234-13248.	1.5	27
358	Incorporation of inorganic fullerene-like WS ₂ into poly(ethylene succinate) to prepare novel biodegradable nanocomposites: a study on isothermal and dynamic crystallization. <i>RSC Advances</i> , 2016, 6, 4925-4935.	1.7	24
359	Branched aliphatic polyesters by ring-opening (co)polymerization. <i>Progress in Polymer Science</i> , 2016, 58, 27-58.	11.8	58
360	Grafting of polymer chains on the surface of carbon nanotubes via nitroxide radical coupling reaction. <i>Polymer International</i> , 2016, 65, 48-56.	1.6	13
361	Emulsion Blending Approach for the Preparation of Gelatin/Poly(butylene succinate- <i>co</i> -adipate) Films. <i>ACS Biomaterials Science and Engineering</i> , 2016, 2, 677-686.	2.6	8
362	Recent advances in bionanocomposites: Preparation, properties, and applications. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2016, 65, 225-254.	1.8	102
363	Study on the crystallization of poly(alkylene dicarboxylate)s derived from 1,9-nonanediol and mixtures with different ratios of azelaic acid and pimelic acid units. <i>Journal of Polymer Research</i> , 2016, 23, 1.	1.2	5
364	Poly(butylene succinate)-based polyesters for biomedical applications: A review. <i>European Polymer Journal</i> , 2016, 75, 431-460.	2.6	272
365	Biodegradable poly(lactic acid)/poly(butylene succinate)/wood flour composites: Physical and morphological properties. <i>Polymer Composites</i> , 2017, 38, 2841-2851.	2.3	44
366	Enhanced crystallization and mechanical properties of biodegradable poly(ethylene succinate) by octaisobutyl-polyhedral oligomeric silsesquioxanes in their nanocomposites. <i>Thermochimica Acta</i> , 2017, 649, 22-30.	1.2	14
367	Tailoring the Structure, Morphology, and Crystallization of Isodimorphic Poly(butylene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 History. <i>Macromolecules</i> , 2017, 50, 597-608.	2.2	77
368	Effect of nitrogen-doped graphene on morphology and properties of immiscible poly(butylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 10	3.9	47
369	Crystallization kinetics, morphology, and hydrolytic degradation of novel biobased poly(butylene) Tj ETQq1 1 0.784314 rgBT /Overlock 197-204.	2.7	21

#	ARTICLE	IF	CITATIONS
370	Evaluation of environmental degradability based on the number of methylene units in poly(butylene Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	2.7	17
371	The Complex Amorphous Phase in Poly(butylene succinate- <i>i>ran</i>-butylene azelate) Isodimorphic Copolyesters. <i>Macromolecules</i>, 2017, 50, 1569-1578.</i>	2.2	34
372	Synthesis, physical properties and photodegradation of functional poly(butylene succinate) covalently linking UV stabilizing moieties in molecular chains. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2017, 524, 160-168.	2.3	12
373	Bio-based poly(butylene succinate- co -hexamethylene succinate) copolyesters with tunable thermal and mechanical properties. <i>European Polymer Journal</i> , 2017, 86, 162-172.	2.6	46
374	Thermal degradation of random copolyesters based on 1,4-butanediol, terephthalic acid and different aliphatic dicarboxylic acids. <i>Thermochimica Acta</i> , 2017, 654, 101-111.	1.2	4
375	Water Transport Properties of Poly(butylene succinate) and Poly[(butylene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 547 Td (succin Extrusion Process. <i>Journal of Physical Chemistry C</i> , 2017, 121, 918-930.	1.5	15
376	Preparation of random poly(butylene alkylate-co-terephthalate)s with different methylene group contents: crystallization and degradation kinetics. <i>Journal of Polymer Research</i> , 2017, 24, 1.	1.2	1
377	Physical blends of PLA with high vinyl acetate containing EVA and their rheological, thermo-mechanical and morphological responses. <i>Polymer Testing</i> , 2017, 63, 398-406.	2.3	54
378	Low-temperature crystallization of poly(butylene succinate). <i>European Polymer Journal</i> , 2017, 94, 384-391.	2.6	36
379	Porous lightweight composites reinforced with fibrous structures. , 2017, , .		4
380	Biobased Composites for Medical and Industrial Applications. , 2017, , 291-339.		0
381	Nucleating and Plasticization Effects of Low-Loading Octavinyl-Polyhedral Oligomeric Silsesquioxanes in Novel Biodegradable Poly(ethylene succinate- <i>i>co</i>-diethylene glycol) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5</i>	2.8	10
382	Difference in environmental degradability between poly(ethylene succinate) and poly(3-hydroxybutyrate). <i>Journal of Polymer Research</i> , 2017, 24, 1.	1.2	14
383	Chemico-physical and antifungal properties of poly(butylene succinate)/cavoxin blend: Study of a novel bioactive polymeric based system. <i>European Polymer Journal</i> , 2017, 94, 230-247.	2.6	33
384	Effect of Monomer Structure on Crystallization and Glass Transition of Flexible Copolyesters. <i>Journal of Polymers and the Environment</i> , 2017, 25, 1051-1061.	2.4	10
385	Biodegradable and Biobased Polymers. , 2017, , 127-143.		30
386	Biodegradable and Bio-based Green Blends from Carbon Dioxide-Derived Bioplastic and Poly(Butylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	2.4	18
387	Thermal properties and crystallinity of PCL/PBSA/cellulose nanocrystals grafted with PCL chains. <i>Journal of Applied Polymer Science</i> , 2017, 134, .	1.3	27

#	ARTICLE	IF	CITATIONS
388	Modulating cell adhesion to polybutylene succinate biotextile constructs for tissue engineering applications. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2017, 11, 2853-2863.	1.3	13
389	Biodegradability and biocompatibility of copoly(butylene sebacate-co-terephthalate)s. <i>Polymer Degradation and Stability</i> , 2017, 135, 18-30.	2.7	21
390	Biodegradation of Biopolymers. , 2017, , 739-755.		45
391	Thermoplastic biopolymer matrices for biocomposites. , 2017, , 81-123.		5
392	Bioplastics. , 2017, , 631-652.		31
393	Hybrid montmorillonite/cellulose nanowhiskers reinforced polylactic acid nanocomposites. , 2017, , 25-44.		4
394	Sulfonated poly(butylene succinate) as a pseudo-random copolymer: effect of sulfonate groups on microstructure and thermal behavior. <i>Polymer International</i> , 2018, 67, 1016-1027.	1.6	4
395	Wood flour reinforced biodegradable PBS/PLA composites. <i>Journal of Composite Materials</i> , 2018, 52, 2641-2650.	1.2	32
396	Fabrication and mechanism of poly(butylene succinate) urethane ionomer microcellular foams with high thermal insulation and compressive feature. <i>European Polymer Journal</i> , 2018, 99, 250-258.	2.6	47
397	Design and preparation of rapid full bio-degradable plastic composites based on poly(butylene) Tj ETQq1 1 0.784314 rgBT /Overlock 1 2.3		4
398	Crystallization of isomorphous poly(butylene succinate-co butylene fumarate) biopolyester: Single crystals and ring-banded spherulites. <i>Polymer Testing</i> , 2018, 68, 379-387.	2.3	10
399	Effects of isomorphous poly(butylene succinate-co-butylene fumarate) on the nucleation of poly(butylene succinate) and the formation of poly(butylene succinate) ring-banded spherulites. <i>CrystEngComm</i> , 2018, 20, 1573-1587.	1.3	5
400	Improvement of Impact Toughness of Biodegradable Poly(butylene succinate) by Melt Blending with Sustainable Biobased Glycerol Elastomers. <i>Journal of Polymers and the Environment</i> , 2018, 26, 1078-1087.	2.4	8
401	Mechanical properties of poly(butylene succinate) composites with aligned cellulose-acetate nanofibers. <i>Journal of Applied Polymer Science</i> , 2018, 135, 45429.	1.3	39
402	Thermal stability and fire reaction of poly(butylene succinate) nanocomposites using natural clays and FR additives. <i>Polymers for Advanced Technologies</i> , 2018, 29, 69-83.	1.6	34
403	Distinctive Tensile Properties of the Blends of Poly(L-lactic acid) (PLLA) and Poly(butylene succinate) (PBS). <i>Journal of Polymers and the Environment</i> , 2018, 26, 1737-1744.	2.4	38
404	Design of biobased poly(butylene succinate) foams by single-screw extrusion: Identification of relevant rheological parameters controlling foam morphologies. <i>Polymer Engineering and Science</i> , 2018, 58, 503-512.	1.5	6
405	Biodegradable compatibilized polymer blends for packaging applications: A literature review. <i>Journal of Applied Polymer Science</i> , 2018, 135, 45726.	1.3	234

#	ARTICLE	IF	CITATIONS
406	Properties and characteristics of polylactide blends: Synergistic combination of poly(butylene) Tj ETQq0 0 0 rgBT /Qverlock 10,Tf 50 742	1.6	18
407	Formation of coâ€continuous <scp>PLLA</scp>/<scp>PC</scp> blends with significantly improved physical properties by reactive comb polymers. Journal of Applied Polymer Science, 2018, 135, 46047.	1.3	8
408	A new route of valorization of rice endosperm by-product: Production of polymeric biocomposites. Composites Part B: Engineering, 2018, 139, 195-202.	5.9	29
409	Fully biodegradable Poly(lactic acid)/Starch blends: A review of toughening strategies. International Journal of Biological Macromolecules, 2018, 109, 99-113.	3.6	138
410	Surface functionalization of graphene oxide with octadecylamine for improved thermal and mechanical properties in polybutylene succinate nanocomposite. Polymer Bulletin, 2018, 75, 3499-3522.	1.7	24

411

#	ARTICLE	IF	CITATIONS
425	Properties of biobased packaging material. , 2019, , 25-111.		2
426	A review on the thermomechanical properties and biodegradation behaviour of polyesters. European Polymer Journal, 2019, 121, 109296.	2.6	143
427	Phosphorus-Containing Flame Retardants from Biobased Chemicals and Their Application in Polyesters and Epoxy Resins. Molecules, 2019, 24, 3746.	1.7	50
428	Tailoring the isothermal crystallization kinetics of isodimorphic poly (butylene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 627 Td (su 121863.	1.8	27
429	How Confinement Affects the Nucleation, Crystallization, and Dielectric Relaxation of Poly(butylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 Td (su 2019, 35, 15168-15179.	1.6	15
430	Effect of Aliphatic Diols and Dicarboxylic Acids on the Properties of Ethylene Succinate Copolyesters. Polymer Science - Series A, 2019, 61, 544-554.	0.4	1
431	Property enhancement of poly(butylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 512 Td (succinate)/poly(ethyleneglycolâ€«scp><i>co</i>/i> via highâ€«speed extrusion and <scp><i>in situ</i></scp> fibrillation. Journal of Applied Polymer Science, 2019, 136, 47549.	1.3	2
433	Biodegradation of Polymeric Mulch Films in Agricultural Soils: Concepts, Knowledge Gaps, and Future Research Directions. Environmental Science & Technology, 2019, 53, 2304-2315.	4.6	169
434	Effect of Talc on Mechanical Characteristics and Fracture Toughness of Poly(lactic) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 422 Td (acid)/P 2.4 18		
435	Biodegradability testing of compostable polymer materials under laboratory conditions. , 2019, , 163-237.		1
436	Compostable polymer materials â€“ definitions, structures and methods of preparation. , 2019, , 11-48.		2
437	Properties and applications. , 2019, , 49-98.		8
438	Processing and mechanical performances of Poly(Butylene Succinateâ€“coâ€“Adipate) (PBSA) and raw hydrolyzed collagen (HC) thermoplastic blends. Polymer Testing, 2019, 77, 105900.	2.3	29
439	Polymer fiber-based biocomposites for medical sensing applications. , 2019, , 57-88.		5
440	Controlling the size of spherulite and the degradation of poly(butylene succinate-co-adipate) by solvent and gel preparation temperature. Polymer Degradation and Stability, 2019, 162, 106-111.	2.7	2
441	Synthesis of isosorbide based flame retardants: Application for polybutylene succinate. Polymer Degradation and Stability, 2019, 164, 9-17.	2.7	38
442	Bio-based thermoplastic poly(butylene succinate-<i>co</i>-propylene succinate) copolyesters: effect of glycerol on thermal and mechanical properties. Soft Matter, 2019, 15, 9710-9720.	1.2	19
443	Finite element analysis of the residual stress of automotive wheel made of long glass fiber-reinforced thermoplastic composite. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2019, 233, 3592-3602.	1.1	1

#	ARTICLE	IF	CITATIONS
444	Development of new generation fishing gear: A resistant and biodegradable monofilament. <i>Polymer Testing</i> , 2019, 74, 163-169.	2.3	21
445	Blends of Renewable Poly(butylene succinate) and Poly(propylene carbonate) Compatibilized with Maleic Anhydride Using Quad Screw Reactive Extrusion. <i>Industrial & Engineering Chemistry Research</i> , 2019, 58, 487-495.	1.8	12
446	Structure and Dynamics of Biobased Polyester Nanocomposites. <i>Biomacromolecules</i> , 2019, 20, 164-176.	2.6	10
447	Advances in research and development of bioplastic for food packaging. <i>Journal of the Science of Food and Agriculture</i> , 2020, 100, 5032-5045.	1.7	77
448	Synergistic effect of polylactic acid(PLA) and Poly(butylene succinate-co-adipate) (PBSA) based sustainable, reactive, super toughened eco-composite blown films for flexible packaging applications. <i>Polymer Testing</i> , 2020, 83, 106130.	2.3	47
449	Effect of PBAT on physical, morphological, and mechanical properties of PBS/PBAT foam. <i>Frontiers in Forests and Global Change</i> , 2020, 39, 31-41.	0.6	23
450	Chronic wound healing: A specific antibiofilm protein-asymmetric release system. <i>Materials Science and Engineering C</i> , 2020, 106, 110130.	3.8	15
451	Poly(isosorbide carbonate): A "green" char forming agent in polybutylene succinate intumescent formulation. <i>Composites Part B: Engineering</i> , 2020, 184, 107675.	5.9	28
452	Processes and characterization for biobased polymers from polybutylene succinate. , 2020, , 151-170.		1
453	Synthesis, crystallization, and molecular mobility in poly(ϵ -caprolactone) copolyesters of different architectures for biomedical applications studied by calorimetry and dielectric spectroscopy. <i>Soft Matter</i> , 2020, 16, 8187-8201.	1.2	21
454	Molecular Dynamics in Nanocomposites Based on Renewable Poly(butylene 2,5-furan-dicarboxylate) In Situ Reinforced by Montmorillonite Nanoclays: Effects of Clay Modification, Crystallization, and Hydration. <i>Journal of Physical Chemistry B</i> , 2020, 124, 7306-7317.	1.2	20
455	Influence of Polylactide (PLA) Stereocomplexation on the Microstructure of PLA/PBS Blends and the Cell Morphology of Their Microcellular Foams. <i>Polymers</i> , 2020, 12, 2362.	2.0	20
456	Preparation of isocyanate microcapsules as a high-performance adhesive for PLA/WF. <i>Construction and Building Materials</i> , 2020, 260, 120483.	3.2	10
457	Preparation and Compatibilization of PBS/Whey Protein Isolate Based Blends. <i>Molecules</i> , 2020, 25, 3313.	1.7	13
458	Assessment of the physical characteristics and fishing performance of gillnets using biodegradable resin (PBS/PBAT and PBSAT) to reduce ghost fishing. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2020, 30, 1868-1884.	0.9	7
459	Biodegradation of Poly (Butylene Succinate) (PBS)/Stearate Modified Magnesium-Aluminium Layered Double Hydroxide Composites under Marine Conditions Prepared via Melt Compounding. <i>Molecules</i> , 2020, 25, 5766.	1.7	17
460	Integrated and Consolidated Review of Plastic Waste Management and Bio-Based Biodegradable Plastics: Challenges and Opportunities. <i>Sustainability</i> , 2020, 12, 8360.	1.6	57
461	Eco-Friendly Polyfluorene/Poly(butylene succinate) Blends and Their Electronic Device Application on Biodegradable Substrates. <i>ACS Applied Polymer Materials</i> , 2020, 2, 2469-2476.	2.0	12

#	ARTICLE	IF	CITATIONS
462	Calorimetric and Dielectric Study of Renewable Poly(hexylene 2,5-furan-dicarboxylate)-Based Nanocomposites In Situ Filled with Small Amounts of Graphene Platelets and Silica Nanoparticles. <i>Polymers</i> , 2020, 12, 1239.	2.0	25
463	Sustainable tetra pak recycled cellulose / Poly(Butylene succinate) based woody-like composites for a circular economy. <i>Journal of Cleaner Production</i> , 2020, 270, 122321.	4.6	69
464	Fused deposition modeling-based additive manufacturing (3D printing): techniques for polymer material systems. <i>Materials Today Chemistry</i> , 2020, 16, 100248.	1.7	226
465	The compatibility of polylactic acid and polybutylene succinate blends by molecular and mesoscopic dynamics. <i>International Journal of Smart and Nano Materials</i> , 2020, 11, 24-37.	2.0	28
466	Enzymatic one-pot synthesis of renewable and biodegradable surfactants in supercritical carbon dioxide (scCO ₂). <i>Green Chemistry</i> , 2020, 22, 1308-1318.	4.6	12
467	Analysing Flammability Characteristics of Green Biocomposites: An Overview. <i>Fire Technology</i> , 2021, 57, 31-67.	1.5	29
468	Effects of monomer composition on physical properties and enzymatic hydrolyzability of poly(butylene succinate-co-hexamethylene succinate)s. <i>Polymer Engineering and Science</i> , 2021, 61, 379-387.	1.5	5
469	Dielectric and thermal characteristics of Beidellite nanoclay-reinforced poly(butylene succinate). <i>Materials Chemistry and Physics</i> , 2021, 258, 123855.	2.0	18
470	Preparation of poly(butylene succinate)/polyvinylpyrrolidone blend membrane for pervaporation dehydration of acetone. <i>Chemical Engineering Research and Design</i> , 2021, 165, 361-373.	2.7	14
471	Poly(L-Lactic Acid)/Poly(Butylene Succinate) Biobased Biodegradable Blends. <i>Polymer Reviews</i> , 2021, 61, 457-492.	5.3	25
472	Thermoplastic Blends Based on Poly(Butylene Succinate-co-Adipate) and Different Collagen Hydrolysates from Tanning Industry: Processing and Thermo-mechanical Properties. <i>Journal of Polymers and the Environment</i> , 2021, 29, 392-403.	2.4	18
473	Biodegradability of poly(3-hydroxyalkanoate) and poly(ϵ -caprolactone) via biological carbon cycles in marine environments. <i>Polymer Journal</i> , 2021, 53, 47-66.	1.3	124
474	Poly(butylene succinate-co-butylene acetylenedicarboxylate): Copolyester with Novel Nucleation Behavior. <i>Polymers</i> , 2021, 13, 365.	2.0	5
475	Synthesis, Crystallization, Structure Memory Effects, and Molecular Dynamics of Biobased and Renewable Poly(<i>n</i> -alkylene succinate)s with <i>n</i> from 2 to 10. <i>Macromolecules</i> , 2021, 54, 1106-1119.	2.2	32
476	Efficiency of Twin-Screw Extrusion of Biodegradable Poly (Butylene Succinate)-Wheat Bran Blend. <i>Materials</i> , 2021, 14, 424.	1.3	12
477	Rheological behavior and morphology of poly(lactic acid)/low-density polyethylene blends based on virgin and recycled polymers: Compatibilization with natural surfactants. <i>Journal of Applied Polymer Science</i> , 2021, 138, 50590.	1.3	7
478	Poultry eggshell effects on microporous poly(lactic acid)-based film fabrication for active compound-releasing sachets. <i>Polymer Bulletin</i> , 2022, 79, 1217-1238.	1.7	3
479	Shear and Extensional Rheology of Linear and Branched Polybutylene Succinate Blends. <i>Polymers</i> , 2021, 13, 652.	2.0	11

#	ARTICLE	IF	CITATIONS
480	Thermoplastic Blends Based on Poly(Butylene Succinate-co-Adipate) and Different Collagen Hydrolysates from Tanning Industry: Aerobic Biodegradation in Composting Medium. Journal of Polymers and the Environment, 2021, 29, 3375-3388.	2.4	11
481	Effect of Cyanuric Acid as an Efficient Nucleating Agent on the Crystallization of Novel Biodegradable Branched Poly(Ethylene Succinate). Macromol, 2021, 1, 112-120.	2.4	3
482	Binary Green Blends of Poly(lactic acid) with Poly(butylene adipate-co-butylene terephthalate) and Poly(butylene succinate-co-butylene adipate) and Their Nanocomposites. Polymers, 2021, 13, 2489.	2.0	33
483	Poly(Butylene Succinate) Molar Mass Calculation by GPC and ¹ H-NMR. Macromolecular Symposia, 2021, 398, 2000216.	0.4	4
484	Studying the effect of nHAP on the mechanical and surface properties of PBS matrix. Journal of Polymer Research, 2021, 28, 1.	1.2	5
485	Biodegradable polymers: A real opportunity to solve marine plastic pollution?. Journal of Hazardous Materials, 2021, 416, 125763.	6.5	74
486	Improving the ductility and heat deflection temperature of injection molded Poly(lactic acid) products: A comprehensive review. Polymer Testing, 2021, 101, 107282.	2.3	58
487	Influence of Comonomers on the Properties of Butylene Succinate Copolyesters. Polymer Science - Series A, 2021, 63, 465-470.	0.4	0
488	Experimental Determination of Coefficients for the Renner Model of the Thermodynamic Equation of State of the Poly(butylene succinate) and Wheat Bran Biocomposites. Materials, 2021, 14, 5293.	1.3	2
489	Alternative optimization routes for improving the performance of poly(3-hydroxybutyrate) (PHB) based plastics. Journal of Cleaner Production, 2021, 318, 128555.	4.6	38
490	Engineered biodegradable melt-spun fibers. , 2021, , 191-232.		2
491	A High Performance Copolyester with "Locked" Biodegradability: Solid Stability and Controlled Degradation Enabled by Acid-Labile Acetal. ACS Sustainable Chemistry and Engineering, 2021, 9, 2280-2290.	3.2	15
496	Synthetic Biopolymers. Polymers and Polymeric Composites, 2019, , 1-43.	0.6	6
498	Rheological and Morphological Properties of Composites Based on Polylactide and Talc. Journal of Materials Science and Engineering B, 2013, 3, .	0.2	1
499	Preparation of biodegradable porous poly(butylene succinate) microspheres. Hemijska Industrija, 2008, 62, 329-338.	0.3	2
500	Synthesis and characterization of biodegradable aliphatic copolyesters with hydrophilic soft segments. Journal of the Serbian Chemical Society, 2004, 69, 1013-1028.	0.4	17
501	CRYSTALLIZATION BEHAVIOR OF POLY(BUTYLENE SUCCINATE-co-PROPYLENE SUCCINATE)S. Acta Polymerica Sinica, 2010, 006, 1000-1006.	0.0	1
502	INVESTIGATION ON CRYSTALLIZATION AND DYNAMIC MECHANICAL PROPERTIES OF POLY(BUTYLENES) Tj ETQq1 1,0,784314 rgBT /Ov	0,0	3

#	ARTICLE	IF	CITATIONS
503	Development of the submerged heat treatment machine for PBSAT (polybutylene succinate). Fisheries Technology, 2015, 51, 94-101.	0.2	2
504	Isolation of a Marine Bacterium Capable of Biodegrading Poly(butylene succinate). Fisheries and Aquatic Sciences, 2013, 16, 41-44.	0.3	3
505	Effect of pMDI as Coupling Agent on The Properties of Microfibrillated Cellulose-reinforced PBS Nanocomposite. Journal of the Korean Wood Science and Technology, 2014, 42, 483-490.	0.8	3
506	Recent Advances in Biodegradable Polymers. Journal of Research Updates in Polymer Science, 2018, 7, .	0.3	3
507	The Journey of Alternative and Sustainable Substitutes for "Single-Use" Plastics. Advanced Sustainable Systems, 2021, 5, 2100085.	2.7	8
508	Novel trends in poly (lactic) acid hybrid bionanocomposites. Cleaner Materials, 2021, 2, 100022.	1.9	43
509	Engineering of polybutylene succinate with long-chain branching toward high foamability and degradation. Polymer Degradation and Stability, 2021, 194, 109745.	2.7	19
510	Biodegradable polyesters based on succinic acid. Hemijska Industrija, 2003, 57, 526-535.	0.3	1
511	Compostable Polymer Materials. , 2008, , .		12
512	Crystallization and Dynamic Mechanical Behavior of Coir Fiber Reinforced Poly(Butylene Succinate) Bicomposites. Journal of Renewable Materials, 2022, 10, 1039-1048.	1.1	4
513	Plastics and Sustainability. , 2021, , 489-504.		1
514	Enhancement of flame retardancy and mechanical properties of poly(butylene succinate) composites by adding hybrid fillers. AIP Conference Proceedings, 2020, , .	0.3	3
515	Fast Hydrolyzable Constitutional Isomer of Poly(butylene terephthalate) and Its Copolyesters with 1,4-Butanediol. ACS Applied Polymer Materials, 2021, 3, 6427-6436.	2.0	5
516	Recommendations for replacing PET on packaging, fiber, and film materials with biobased counterparts. Green Chemistry, 2021, 23, 8795-8820.	4.6	77
517	Polybutylene succinate thermo-coated corn husk as laminar reinforcement for crosslinked tapioca starch composite foams. Materials Today: Proceedings, 2021, , .	0.9	0
518	Tuning the Properties of Biodegradable Poly(Butylene Succinate) Via Random and Block Copolymerization. Journal of Composites and Biodegradable Polymers, 0, 8, 45-60.	0.3	4
519	Introduction to biodegradable polymers. , 2022, , 1-18.		1
520	Self-assembly and amphiphilic behavior of poly(ester)-block-poly(amide) diblock copolymer based on biodegradable poly(butylene succinate) and poly(2-pyrrolidone). European Polymer Journal, 2022, 163, 110961.	2.6	2

#	ARTICLE	IF	CITATIONS
521	Green composites from natural fibers and biopolymers: A review on processing, properties, and applications. Journal of Reinforced Plastics and Composites, 2022, 41, 526-557.	1.6	33
524	Large Scale Production of Intrinsically Antibacterial Poly(Ethylene Succinate) Through the Design of Hyperthermostable Quaternary Ammonium Monomers. SSRN Electronic Journal, 0, , .	0.4	0
525	A Brief Review of Poly (Butylene Succinate) (PBS) and Its Main Copolymers: Synthesis, Blends, Composites, Biodegradability, and Applications. Polymers, 2022, 14, 844.	2.0	101
526	Improvement of Flame Retardancy and Antidripping Properties of Intumescent Polybutylene Succinate Combining Piperazine Pyrophosphate and Zinc Borate. ACS Applied Polymer Materials, 2022, 4, 1911-1921.	2.0	23
527	A Review on Current Strategies for the Modulation of Thermomechanical, Barrier, and Biodegradation Properties of Poly (Butylene Succinate) (PBS) and Its Random Copolymers. Polymers, 2022, 14, 1025.	2.0	30
528	Highly-toughened and dimensionally-stable TEMPO cellulose nanofiber/bio-PBSA nanocomposites fabricated via Pickering emulsion process. Composites Science and Technology, 2022, 223, 109402.	3.8	4
529	Mechanical fatigue of biodegradable polymers: A study on polylactic acid (PLA), polybutylene succinate (PBS) and polybutylene adipate terephthalate (PBAT). International Journal of Fatigue, 2022, 159, 106798.	2.8	16
530	Large scale production of catalyst-free poly(ethylene succinate) with intrinsic antibacterial property through the design of hyperthermostable quaternary ammonium monomers. Chemical Engineering Journal, 2022, 440, 135949.	6.6	7
531	Artificial Ageing, Chemical Resistance, and Biodegradation of Biocomposites from Poly(Butylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 0 4	1.3	12
532	Structural evolution and related physical properties of machine direction oriented poly(butylene) Tj ETQq1 1 0.784314 rgBT /Overlock 1	1.8	7
534	Green Composites from Partially Bio-Based Poly(butylene succinate-co-adipate)-PBSA and Short Hemp Fibers with Itaconic Acid-Derived Compatibilizers and Plasticizers. Polymers, 2022, 14, 1968.	2.0	14
535	Poly(butylene succinate) matrices obtained by thermally-induced phase separation: Pore shape and orientation affect drug release. Polymer, 2022, 252, 124916.	1.8	5
536	Closing the Carbon Loop in the Circular Plastics Economy. Macromolecular Rapid Communications, 2022, 43, .	2.0	21
538	Effect of surface modification of <sc>SiO₂</sc> particles on the interfacial and mechanical properties of <sc>PBS</sc> composites. Polymer Composites, 2022, 43, 5087-5094.	2.3	2
539	Biodegradable plastics as a substitute to traditional polythenes: a step toward a safer environment. , 2022, , 193-215.		1
540	Effect of surface modified magnesium sulfate whisker on crystallization and mechanical properties of polybutylene succinate composites. Polymer Composites, 0, , .	2.3	0
541	Poly(butylene succinate) (PBS): Materials, processing, and industrial applications. Progress in Polymer Science, 2022, 132, 101579.	11.8	82
542	Influence of glycidyl methacrylate grafted poly (butylene succinate) (<sc>PBSâ€‹i>g</i>â€‹GMA</sc>) on flame retardancy and mechanical properties of water hyacinth fiber/ammonium polyphosphate/poly (butylene succinate) composites. Journal of Applied Polymer Science, 2022, 139, .	1.3	2

#	ARTICLE	IF	CITATIONS
543	Crystallization property, mechanical performance and enzymatic degradation behavior of <sc>PBS</sc> copolyesters modified by <sc>2-ethyl</sc>, <sc>3-propanediol</sc>. Polymer Engineering and Science, 2022, 62, 3831-3840.	1.5	2
544	Sequential Infiltration Synthesis of Al ₂ O ₃ in Biodegradable Polybutylene Succinate: Characterization of the Infiltration Mechanism. ACS Applied Polymer Materials, 2022, 4, 7191-7203.	2.0	1
545	Synthesis and characterization of poly(butylene terephthalate-co-glycolic acid) biodegradable copolyesters. European Polymer Journal, 2022, 180, 111613.	2.6	6
546	Crystallization and molecular mobility in renewable semicrystalline copolymers based on polycaprolactone and polyisobutide. Soft Matter, 2022, 18, 9216-9230.	1.2	2
547	Investigation of Rheological, Morphological and Mechanical Properties, Thermal Stability, Biodegradability of the Dynamically Cured Natural Rubber/Polyester Blends. Journal of Polymers and the Environment, 2023, 31, 1051-1070.	2.4	1
548	Non-targeted screening and multivariate analysis of waste stream biomass conversion products. Biomass Conversion and Biorefinery, 0, , .	2.9	0
549	Techno-economic analysis and life cycle assessment of poly (butylene succinate) production using food waste. Waste Management, 2023, 156, 168-176.	3.7	20
550	Modification of starch using alkali, adipic acid, and mustard oil in search of an improved biomaterial. Discover Materials, 2022, 2, .	1.0	2
551	Wood Residue-Derived Biochar as a Low-Cost, Lubricating Filler in Poly(butylene succinate-co-adipate) Biocomposites. Materials, 2023, 16, 570.	1.3	8
552	Effect of gamma irradiation on the physical properties of poly(butylene succinate) (PBS) and poly(butylene succinate-co-adipate) (PBSA). Polymer, 2023, 267, 125673.	1.8	2
553	Degradation of bio-based film plastics in soil under natural conditions. Science of the Total Environment, 2023, 866, 161401.	3.9	6
554	Toward Sustaining Bioplastics: Add a Pinch of Seasoning. ACS Sustainable Chemistry and Engineering, 2023, 11, 1846-1856.	3.2	10
555	Biopolymers and challenges. , 2023, , 205-253.		0
556	Microscopic and Small-/Wide-Angle Microbeam X-ray Analyses on Dendritic Crystals in Poly(butylene Tj ETQq1 1 0.784314 rgBT /Over	2.2	1
557	The Semicrystalline Morphology of Polybutylene Succinate Supports a General Scheme Based on Intracrystalline Dynamics. Macromolecular Chemistry and Physics, 2023, 224, .	1.1	4
558	Seawater Biodegradable Poly(butylene succinate-co-adipate)â€”Wheat Bran Biocomposites. Materials, 2023, 16, 2593.	1.3	4
560	Use of Chicken Litter for in situ Polymerization of Poly(Butylene Succinate) (PBS) based Polymer Composites. Macromolecular Reaction Engineering, 0, , .	0.9	0
561	Coir fiber as thermal insulator and its performance as reinforcing material in biocomposite production. Heliyon, 2023, 9, e15597.	1.4	3

#	ARTICLE	IF	CITATIONS
569	BioPBSâ„¢ (Polybutylene Succinate). Advances in Polymer Science, 2023, , 269-304.	0.4	2
573	Bio-based Polyesters. , 2023, , 167-212.		0
574	Biodegradable and Biobased Polymers. , 2024, , 133-165.		0