
CITATION REPORT List of articles citing



DOI: 10.1016/s0168-9274(98)00026-9 Applied Numerical Mathematics, 1998, 27, 533-557.

Source: https://exaly.com/paper-pdf/28942207/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
249	Numerical solution of problems on unbounded domains. A review. <i>Applied Numerical Mathematics</i> , 1998 , 27, 465-532	2.5	447
248	Radiation boundary conditions for the numerical simulation of waves. 1999 , 8, 47-106		250
247	A generalized methodology based on higher-order conventional and non-standard FDTD concepts for the systematic development of enhanced dispersionless wide-angle absorbing perfectly matched layers. 2000 , 13, 417-440		28
246	Fourth order compact implicit method for the Maxwell equations with discontinuous coefficients. <i>Applied Numerical Mathematics</i> , 2000 , 33, 125-134	2.5	32
245	On the construction of a high order difference scheme for complex domains in a Cartesian grid. <i>Applied Numerical Mathematics</i> , 2000 , 33, 113-124	2.5	24
244	ANALYTICAL AND NUMERICAL STUDIES OF A FINITE ELEMENT PML FOR THE HELMHOLTZ EQUATION. 2000 , 08, 121-137		67
243	FINITE ELEMENT SOLUTION OF TWO-DIMENSIONAL ACOUSTIC SCATTERING PROBLEMS USING ARBITRARILY SHAPED CONVEX ARTIFICIAL BOUNDARIES. 2000 , 08, 81-99		26
242	Application of the perfectly matched absorbing layer model to the linear elastodynamic problem in anisotropic heterogeneous media. <i>Geophysics</i> , 2001 , 66, 294-307	3.1	520
241	Conformal PML-FDTD schemes for electromagnetic field simulations: a dynamic stability study. 2001 , 49, 902-907		29
240	A well-posed PML absorbing boundary condition for lossy media.		
239	A coupled-mode model for the refraction diffraction of linear waves over steep three-dimensional bathymetry. 2001 , 23, 319-336		53
238	Transparent Boundary Conditions for MHD Simulations in Stratified Atmospheres. <i>Journal of Computational Physics</i> , 2001 , 171, 448-478	4.1	17
237	A Stable, Perfectly Matched Layer for Linearized Euler Equations in Unsplit Physical Variables. Journal of Computational Physics, 2001 , 173, 455-480	4.1	210
236	Global Discrete Artificial Boundary Conditions for Time-Dependent Wave Propagation. <i>Journal of Computational Physics</i> , 2001 , 174, 712-758	4.1	33
235	Complex Riemannian metric and absorbing boundary conditions. 2001 , 80, 739-768		25
234	The effect of dielectric loss in FDTD simulations of microstrip structures. 2001 , 49, 250-262		9
233	On constructing stable perfectly matched layers as an absorbing boundary condition for Euler equations. 2002 ,		5

232	On the analysis of BEenger's Perfectly Matched Layers for Maxwell's equations. 2002 , 36, 87-119		76
231	Applications of the 2.5-D multidomain pseudospectral time-domain algorithm.		1
230	Multidomain pseudospectral time-domain simulations of scattering by objects buried in lossy media. 2002 , 40, 1366-1373		54
229	Asymmetric Perfectly Matched Layer for the Absorption of Waves. <i>Journal of Computational Physics</i> , 2002 , 183, 367-399	1	14
228	Fast direct solution of the Helmholtz equation with a perfectly matched layer or an absorbing boundary condition. <i>International Journal for Numerical Methods in Engineering</i> , 2003 , 57, 2007-2025	-4	24
227	Finite element analysis of time-dependent semi-infinite wave-guides with high-order boundary treatment. <i>International Journal for Numerical Methods in Engineering</i> , 2003 , 58, 1955-1983	4	36
226	High-order non-reflecting boundary scheme for time-dependent waves. <i>Journal of Computational Physics</i> , 2003 , 186, 24-46	1	154
225	Stability of perfectly matched layers, group velocities and anisotropic waves. <i>Journal of Computational Physics</i> , 2003 , 188, 399-433	1	239
224	Artificial boundary conditions for the numerical simulation of unsteady acoustic waves. <i>Journal of Computational Physics</i> , 2003 , 189, 626-650	1	18
223	Perfectly matched layers for time-harmonic elastodynamics of unbounded domains: theory and finite-element implementation. Computer Methods in Applied Mechanics and Engineering, 2003, 192, 133 $\frac{7}{2}$: 7 37	5 ²²⁰
222	An Adaptive Finite Element Method with Perfectly Matched Absorbing Layers for the Wave Scattering by Periodic Structures. <i>SIAM Journal on Numerical Analysis</i> , 2003 , 41, 799-826	··4	109
221	The 2.5-D multidomain pseudospectral time-domain algorithm. 2003 , 51, 619-627		28
220	A strongly well-posed PML in lossy media. 2003 , 2, 97-100		31
219	. 2004,		73
218	Computational Electromagnetism. 2004 , 1, 545-632		
217	MULTIDOMAIN PSEUDOSPECTRAL TIME-DOMAIN (PSTD) METHOD FOR ACOUSTIC WAVES IN LOSSY MEDIA. 2004 , 12, 277-299		19
216	Eigenvalue computation in slab waveguides with some perfectly matched layer. 2004, 5279, 172		6
215	Acoustics. 2004,		5

214	A perfectly matched layer for the Helmholtz equation in a semi-infinite strip. <i>Journal of Computational Physics</i> , 2004 , 201, 439-465	4.1	69
213	Improved accuracy for the Helmholtz equation in unbounded domains. <i>International Journal for Numerical Methods in Engineering</i> , 2004 , 59, 1963-1988	2.4	16
212	Perfectly matched layer for the time domain finite element method. <i>Journal of Computational Physics</i> , 2004 , 200, 238-250	4.1	33
211	Dirichlet-to-Neumann boundary conditions for multiple scattering problems. <i>Journal of Computational Physics</i> , 2004 , 201, 630-650	4.1	72
210	The 3-D Multidomain Pseudospectral Time-Domain Algorithm for Inhomogeneous Conductive Media. 2004 , 52, 742-749		31
209	A quasi-analytical boundary condition for three-dimensional finite difference electromagnetic modeling. 2004 , 39, n/a-n/a		8
208	Absorbing Boundary Conditions. 2004 , 18, 513-522		54
207	Perfectly Matched Layers for the Convected Helmholtz Equation. <i>SIAM Journal on Numerical Analysis</i> , 2004 , 42, 409-433	2.4	77
206	The algorithm comparison for solving eigen problems in open optical waveguides. 2005,		
205	Time domain electromagnetic scattering using finite elements and perfectly matched layers. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2005 , 194, 149-168	5.7	3
204	A non-reflecting layer method for non-linear wave-type equations on unbounded domains with applications to shape memory alloy rods. <i>International Journal for Numerical Methods in Engineering</i> , 2005 , 62, 2053-2085	2.4	
203	Elastic PMLs for resonator anchor loss simulation. <i>International Journal for Numerical Methods in Engineering</i> , 2005 , 64, 789-818	2.4	106
202	A Perfectly Matched Layer absorbing boundary condition for linearized Euler equations with a non-uniform mean flow. <i>Journal of Computational Physics</i> , 2005 , 208, 469-492	4.1	88
201	Bibliography. 2005 , 333-353		
200	An Adaptive Perfectly Matched Layer Technique for Time-harmonic Scattering Problems. <i>SIAM Journal on Numerical Analysis</i> , 2005 , 43, 645-671	2.4	13
199	A Strongly Well-Posed PML with Unsplit-Field Formulations in Cylindrical and Spherical Coordinates. 2005 , 19, 1761-1776		7
198	Nonlinear PMI equations and their embedding into the FDTD framework.		
197	An Adaptive Perfectly Matched Layer Technique for Time-harmonic Scattering Problems. <i>SIAM Journal on Numerical Analysis</i> , 2005 , 43, 645-671	2.4	70

(2007-2005)

196	Convergence Analysis of the Perfectly Matched Layer Problems for Time-Harmonic Maxwell's Equations. <i>SIAM Journal on Numerical Analysis</i> , 2005 , 43, 2121-2143	2.4	44
195	Perfectly matched multiscale simulations. 2005 , 72,		97
194	Adaptive finite-element method for diffraction gratings. 2005 , 22, 1106-14		77
193	Anchor loss simulation in resonators.		17
192	SIXTH-ORDER ACCURATE FINITE DIFFERENCE SCHEMES FOR THE HELMHOLTZ EQUATION. 2006 , 14, 339-351		52
191	SCALED BOUNDARY FINITE ELEMENT METHOD FOR ACOUSTICS. 2006 , 14, 489-506		52
190	On the construction of PML absorbing boundary condition for the non-linear Euler equations. 2006,		12
189	Parallel iterative solution for the Helmholtz equation with exact non-reflecting boundary conditions. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2006 , 195, 3709-3741	5.7	4
188	A survey of finite element methods for time-harmonic acoustics. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2006 , 195, 1594-1607	5.7	119
187	A finite element model for acoustic scattering from objects near a fluidfluid interface. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2006 , 196, 279-288	5.7	27
186	Non-Linear PML Equations for Time Dependent Electromagnetics in Three Dimensions. <i>Journal of Scientific Computing</i> , 2006 , 28, 125-137	2.3	14
185	Dynamic solution of unbounded domains using finite element method: discrete Green's functions in frequency domain. <i>International Journal for Numerical Methods in Engineering</i> , 2006 , 67, 1491-1530	2.4	22
184	A new parallelization strategy for solving time-dependent 3D Maxwell equations using a high-order accurate compact implicit scheme. 2006 , 19, 391-408		
183	BACK MATTER. 2006 , 251-269		
182	A review of finite-element methods for time-harmonic acoustics. 2006 , 119, 1315-1330		224
181	Wave Propagation in Infinite Domains. 2007,		
180	A computationally efficient finite element model with perfectly matched layers applied to scattering from axially symmetric objects. 2007 , 122, 1472		76
179	Numerical solution of inverse scattering for near-field optics. 2007 , 32, 1465-7		25

178	Computational Electromagnetism and Acoustics. 2007 , 273-370		Ο
177	An adaptive perfectly matched layer technique for 3-D time-harmonic electromagnetic scattering problems. 2007 , 77, 673-699		34
176	The 3D wave equation and its Cartesian coordinate stretched perfectly matched embedding [A time-domain Green function performance analysis. <i>Journal of Computational Physics</i> , 2007 , 221, 88-105	4.1	6
175	An optimal perfectly matched layer with unbounded absorbing function for time-harmonic acoustic scattering problems. <i>Journal of Computational Physics</i> , 2007 , 223, 469-488	4.1	133
174	Perfectly matched layers in 1-d: energy decay for continuous and semi-discrete waves. <i>Numerische Mathematik</i> , 2008 , 109, 597-634	2.2	15
173	Numerical performance of a parallel solution method for a heterogeneous 2D Helmholtz equation. 2008 , 11, 139-146		3
172	Absorbing boundary conditions for nonlinear Euler and NavierBtokes equations based on the perfectly matched layer technique. <i>Journal of Computational Physics</i> , 2008 , 227, 4398-4424	4.1	72
171	Development of PML absorbing boundary conditions for computational aeroacoustics: A progress review. 2008 , 37, 336-348		42
170	A Posteriori Error Analysis and Adaptive Finite Element Methods for Electromagnetic and Acoustic Problems. 2008 , 39-64		
169	A pretty good sponge: Dealing with open boundaries in limited-area ocean models. 2008 , 20, 270-292		47
168	An Exact Bounded Perfectly Matched Layer for Time-Harmonic Scattering Problems. 2008 , 30, 312-338		35
167	A Coupled-Mode, Phase-Resolving Model for the Transformation of Wave Spectrum Over Steep 3D Topography: Parallel-Architecture Implementation. 2008 , 130,		8
166	Finite element modeling of acousto-mechanical coupling in the cat middle ear. 2008, 124, 348-62		36
165	A Finite Element Method with Rectangular Perfectly Matched Layers for the Scattering from Cavities. 2009 , 27, 812-834		5
164	Explicit finite element perfectly matched layer for transient three-dimensional elastic waves. <i>International Journal for Numerical Methods in Engineering</i> , 2009 , 77, 151-176	2.4	76
163	Studies on some perfectly matched layers for one-dimensional time-dependent systems. <i>Advances in Computational Mathematics</i> , 2009 , 30, 1-35	1.6	11
162	Long-Time Performance of Unsplit PMLs with Explicit Second Order Schemes. <i>Journal of Scientific Computing</i> , 2009 , 41, 1-12	2.3	15

(2011-2009)

160	Higher order finite and infinite elements for the solution of Helmholtz problems. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2009 , 198, 1171-1188	5.7	18
159	A performance study of plane wave finite element methods with a Padtype artificial boundary condition in acoustic scattering. 2009 , 40, 738-750		7
158	Characteristics and optimal miter of microstrip bend via the finite difference time domain method. 2009 ,		
157	Seismic inverse scattering via Helmholtz operator factorization and optimization. 2009,		1
156	Discontinuous Galerkin time-domain solution of Maxwell's equations on locally refined grids with fictitious domains. 2010 , 29, 578-601		1
155	Acoustic inverse scattering via Helmholtz operator factorization and optimization. <i>Journal of Computational Physics</i> , 2010 , 229, 8445-8462	4.1	25
154	Absorbing boundary conditions for the Euler and NavierBtokes equations with the spectral difference method. <i>Journal of Computational Physics</i> , 2010 , 229, 8733-8749	4.1	30
153	Perfectly Matched Layers for Time-Harmonic Second Order Elliptic Problems. <i>Archives of Computational Methods in Engineering</i> , 2010 , 17, 77-107	7.8	43
152	Mixed unsplit-field perfectly matched layers for transient simulations of scalar waves in heterogeneous domains. 2010 , 14, 623-648		27
151	Comparison of high-order absorbing boundary conditions and perfectly matched layers in the frequency domain. 2010 , 26, 1351-1369		66
150	Coupling of finite element and boundary integral methods for electromagnetic scattering in a two-layered medium. <i>Journal of Computational Physics</i> , 2010 , 229, 481-497	4.1	21
149	Absorbing boundary conditions for scalar waves in anisotropic media. Part 1: Time harmonic modeling. <i>Journal of Computational Physics</i> , 2010 , 229, 6696-6714	4.1	24
148	Absorbing Boundary Conditions for Hyperbolic Systems. 2010 , 3, 295-337		12
147	A PML-based nonreflective boundary for free surface fluid animation. 2010 , 29, 1-17		12
146	Convergence of the Uniaxial Perfectly Matched Layer Method for Time-Harmonic Scattering Problems in Two-Layered Media. <i>SIAM Journal on Numerical Analysis</i> , 2010 , 48, 2158-2185	2.4	26
145	Numerical solution of an inverse medium scattering problem with a stochastic source. 2010 , 26, 074014		13
144	Finite Differences and Finite Elements. 2011 , 531-610		2
143	NURBS-Enhanced Finite Element Method (NEFEM). <i>Archives of Computational Methods in Engineering</i> , 2011 , 18, 441-484	7.8	63

142	On 3D modeling of seismic wave propagation via a structured parallel multifrontal direct Helmholtz solver. 2011 , 59, 857-873		77
141	Development of discontinuous Galerkin methods for Maxwell equations in metamaterials and perfectly matched layers. <i>Journal of Computational and Applied Mathematics</i> , 2011 , 236, 950-961	2.4	24
140	An optimal 25-point finite difference scheme for the Helmholtz equation with PML. <i>Journal of Computational and Applied Mathematics</i> , 2011 , 236, 1240-1258	2.4	19
139	Numerical analysis of a PML model for time-dependent Maxwell equations. <i>Journal of Computational and Applied Mathematics</i> , 2011 , 235, 3932-3942	2.4	15
138	A coupled-mode system with application to nonlinear water waves propagating in finite water depth and in variable bathymetry regions. 2011 , 58, 337-350		38
137	Electromagnetic Scattering by Unbounded Rough Surfaces. 2011 , 43, 1205-1231		21
136	A Perfectly Matched Layer Absorbing Boundary Condition and Wave-Maker Modeling for Wave Propagation Problems in Inhomogeneous Infinite-Domains. 2011 , 53, 245-284		
135	Long-Time Stability and Convergence of the Uniaxial Perfectly Matched Layer Method for Time-Domain Acoustic Scattering Problems. <i>SIAM Journal on Numerical Analysis</i> , 2012 , 50, 2632-2655	2.4	20
134	A quasi-optimal non-overlapping domain decomposition algorithm for the Helmholtz equation. <i>Journal of Computational Physics</i> , 2012 , 231, 262-280	4.1	81
133	Accurate absorbing boundary conditions for anisotropic elastic media. Part 1: Elliptic anisotropy. <i>Journal of Computational Physics</i> , 2012 , 231, 7584-7607	4.1	7
132	Accurate absorbing boundary conditions for anisotropic elastic media. Part 2: Untilted non-elliptic anisotropy. <i>Journal of Computational Physics</i> , 2012 , 231, 7608-7625	4.1	4
131	Remarks on the stability of Cartesian PMLs in corners. <i>Applied Numerical Mathematics</i> , 2012 , 62, 1639-1	65.3	6
130	An Efficient Discontinuous Galerkin Finite Element Method for Highly Accurate Solution of Maxwell Equations. 2012 , 60, 3992-3998		26
129	An overfilled cavity problem for Maxwell's equations. 2012 , 35, 1951-1979		10
128	Solution of the time-harmonic viscoelastic inverse problem with interior data in two dimensions. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 92, 1100-1116	2.4	14
127	Adaptive perfectly matched layer method for multiple scattering problems. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2012 , 201-204, 42-52	5.7	20
126	The DtN nonreflecting boundary condition for multiple scattering problems in the half-plane. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2012 , 217-220, 1-11	5.7	6
125	An adaptive anisotropic perfectly matched layer method for 3-D time harmonic electromagnetic scattering problems. <i>Numerische Mathematik</i> , 2013 , 125, 639-677	2.2	10

124	A Matlab Edge Element Code for Metamaterials. <i>Springer Series in Computational Mathematics</i> , 2013 , 195-214	0.9	
123	High-order continuous and discontinuous Galerkin methods for wave problems. 2013, 73, n/a-n/a		5
122	Perfectly Matched Layers. Springer Series in Computational Mathematics, 2013, 215-240	0.9	
121	Introduction to Metamaterials. Springer Series in Computational Mathematics, 2013, 1-18	0.9	
120	Introduction to Finite Element Methods. Springer Series in Computational Mathematics, 2013, 19-51	0.9	2
119	Time-Domain Finite Element Methods for Metamaterials. <i>Springer Series in Computational Mathematics</i> , 2013 , 53-125	0.9	1
118	Superconvergence Analysis for Metamaterials. Springer Series in Computational Mathematics, 2013, 151	-1579	
117	Simulations of Wave Propagation in Metamaterials. <i>Springer Series in Computational Mathematics</i> , 2013 , 241-283	0.9	
116	A Posteriori Error Estimation. Springer Series in Computational Mathematics, 2013, 173-193	0.9	
115	A computational method for the Helmholtz equation in unbounded domains based on the minimization of an integral functional. <i>Journal of Computational Physics</i> , 2013 , 246, 78-95	4.1	4
114	Validation of PML-based models for the evaluation of anchor dissipation in MEMS resonators. 2013 , 37, 256-265		43
114			43
	37, 256-265 A fast frequency sweep approach using Padlapproximations for solving Helmholtz finite element	4.1	
113	A fast frequency sweep approach using Padlapproximations for solving Helmholtz finite element models. 2013, 332, 1897-1917 A modified and stable version of a perfectly matched layer technique for the 3-d second order wave equation in time domain with an application to aeroacoustics. Journal of Computational	4.1	17
113	A fast frequency sweep approach using Padlapproximations for solving Helmholtz finite element models. 2013, 332, 1897-1917 A modified and stable version of a perfectly matched layer technique for the 3-d second order wave equation in time domain with an application to aeroacoustics. <i>Journal of Computational Physics</i> , 2013, 235, 407-422 Scattering from targets in three-dimensional littoral and surf-zone environments with multi-layered elastic sediments based on an interior-transmission formulation. <i>Computer Methods in Applied</i>	5.7	17 49
113 112	A fast frequency sweep approach using Padlapproximations for solving Helmholtz finite element models. 2013, 332, 1897-1917 A modified and stable version of a perfectly matched layer technique for the 3-d second order wave equation in time domain with an application to aeroacoustics. Journal of Computational Physics, 2013, 235, 407-422 Scattering from targets in three-dimensional littoral and surf-zone environments with multi-layered elastic sediments based on an interior-transmission formulation. Computer Methods in Applied Mechanics and Engineering, 2013, 260, 24-39	5.7	17 49
113 112 111 110	A fast frequency sweep approach using Padlapproximations for solving Helmholtz finite element models. 2013, 332, 1897-1917 A modified and stable version of a perfectly matched layer technique for the 3-d second order wave equation in time domain with an application to aeroacoustics. Journal of Computational Physics, 2013, 235, 407-422 Scattering from targets in three-dimensional littoral and surf-zone environments with multi-layered elastic sediments based on an interior-transmission formulation. Computer Methods in Applied Mechanics and Engineering, 2013, 260, 24-39 Higher Order Finite and Infinite Acoustical Elements Based on Ultraspherical Polynomials. 2013, 99, 759. Modeling Backward Wave Propagation in Metamaterials by the Finite Element Time-Domain	5.7	17 49 2

106	Mathematical analysis of a PML model obtained with stretched coordinates and its application to backward wave propagation in metamaterials. 2014 , 30, 1558-1574		8
105	Perfectly Matched Layers versus discrete transparent boundary conditions in quantum device simulations. <i>Journal of Computational Physics</i> , 2014 , 275, 1-24	1	11
104	Three-dimensional wave diffraction in the vicinity of openings in coastal structures. 2014 , 45, 40-54		11
103	Higher-order correction to the FDTD method based on the integral form of Maxwell equations. 2014 , 185, 1582-1588		3
102	Efficient and stable perfectly matched layer for CEM. <i>Applied Numerical Mathematics</i> , 2014 , 76, 34-47 2.	5	6
101	A topology optimisation for three-dimensional acoustics with the level set method and the fast multipole boundary element method. 2014 , 1, CM0039-CM0039		35
100	On the Acoustic Radiation of Axisymmetric Fluid-Filled Pipes Using the Wave Finite Element (WFE) Method. 2015 , 23, 1550011		9
99	Study on the transmission properties of periodical and quasi-periodical phononic crystal in elastic wave. 2015 , 29, 1550229		2
98	Simulation of cellular changes on Optical Coherence Tomography of human retina. 2015 , 2015, 8147-50		5
97	A spectral approach to a constrained optimization problem for the Helmholtz equation in unbounded domains. 2015 , 34, 1035-1055		2
96	Maxwell's equations based 3D model of light scattering in the retina. 2015 ,		3
95	A multi-objective topology optimisation for 2D electro-magnetic wave problems with the level set method and BEM. 2016 , 25, 165-193		8
94	An efficient higher-order PML in WLP-FDTD method for time reversed wave simulation. <i>Journal of Computational Physics</i> , 2016 , 321, 1206-1216	1	8
93	Analysis of underwater acoustic scattering problems using stable node-based smoothed finite element method. <i>Engineering Analysis With Boundary Elements</i> , 2016 , 72, 27-41	6	30
92	An Adaptive Perfectly Matched Layer Method for Multiple Cavity Scattering Problems. 2016 , 19, 534-558		9
91	Convergence of an Anisotropic Perfectly Matched Layer Method for Helmholtz Scattering Problems. 2016 , 9, 358-382		1
90	Analysis of wave propagation and soil! Itructure interaction using a perfectly matched layer model. 2016 , 81, 1-13		8
89	Coupled acoustic response of two-dimensional bounded and unbounded domains using doubly-asymptotic open boundaries. <i>Journal of Computational Physics</i> , 2016 , 310, 252-284	1	23

88	Modeling and analysis of the optical black hole in metamaterials by the finite element time-domain method. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2016 , 304, 501-520	5.7	9	
87	Hybrid smoothed finite element method for two-dimensional underwater acoustic scattering problems. <i>Ocean Engineering</i> , 2016 , 116, 129-141	3.9	57	
86	Hybrid smoothed finite element method for two dimensional acoustic radiation problems. <i>Applied Acoustics</i> , 2016 , 103, 90-101	3.1	19	
85	Numerical design of FSHL-based approximate cloaks with arbitrary shapes. <i>Journal of Computational Physics</i> , 2017 , 333, 142-159	4.1		
84	Global energy-tracking identities and global energy-tracking splitting FDTD schemes for the Drude Models of Maxwell's equations in three-dimensional metamaterials. 2017 , 33, 763-785		2	
83	An Adaptive Finite Element PML Method for the Acoustic-Elastic Interaction in Three Dimensions. 2017 , 22, 1486-1507		4	
82	Two-dimensional wave radiation and diffraction problems in a flat or sloping seabed environment. 2017 , 75, 193-212		8	
81	Diffraction Imaging and Modeling and Seismic Modeling Complete Session. 2017,			
80	An Adaptive Finite Element Method for the Wave Scattering with Transparent Boundary Condition. <i>Journal of Scientific Computing</i> , 2017 , 72, 936-956	2.3	8	
79	An adaptive finite element PML method for the elastic wave scattering problem in periodic structures. 2017 , 51, 2017-2047		6	
78	Acoustics. 2017 , 1-26			
77	Stable high-order absorbing boundary condition based on new continued fraction for scalar wave propagation in unbounded multilayer media. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2018 , 334, 111-137	5.7	29	
76	Analysis and application of an equivalent Berenger PML model. <i>Journal of Computational and Applied Mathematics</i> , 2018 , 333, 157-169	2.4	3	
75	Time-Domain Analysis of an Acoustic E lastic Interaction Problem. 2018 , 229, 835-884		12	
74	Non-overlapping domain decomposition algorithm based on modified transmission conditions for the Helmholtz equation. <i>Computers and Mathematics With Applications</i> , 2018 , 75, 1900-1911	2.7	6	
73	A Novel Method for Estimating Wave Energy Converter Performance in Variable Bathymetry Regions and Applications. 2018 , 11, 2092		19	
72	A perfectly matched layer formulation adapted for fast frequency sweeps of exterior acoustics finite element models. <i>Journal of Computational Physics</i> , 2019 , 398, 108878	4.1	1	
71	A priori estimates of attraction basins for nonlinear least squares, with application to Helmholtz seismic inverse problem. 2019 , 35, 115004		11	

70	The use of fa∃de sun shading systems for the reduction of indoor and outdoor sound pressure levels. 2019 , 26, 181-206		4
69	A fourth-order optimal finite difference scheme for the Helmholtz equation with PML. <i>Computers and Mathematics With Applications</i> , 2019 , 78, 2147-2165	2.7	10
68	Cross Orthogonality Between Eigenfunctions and Conjugate Eigenfunctions of a Class of Modified Helmholtz Operator for Pekeris Waveguide. <i>Journal of Theoretical and Computational Acoustics</i> , 2019 , 27, 1850048	0.8	1
67	A simple pseudospectral method for the computation of the time-dependent Dirac equation with Perfectly Matched Layers. <i>Journal of Computational Physics</i> , 2019 , 395, 583-601	4.1	10
66	Towards Perfectly Matched Layers for time-dependent space fractional PDEs. <i>Journal of Computational Physics</i> , 2019 , 391, 59-90	4.1	7
65	Non-Contact Monitoring of Temporal Volume Changes of a Hematoma in the Head by a Single Inductive Coil: A Numerical Study. 2019 , 66, 1328-1336		12
64	A Modified PML Acoustic Wave Equation. 2019 , 11, 177		3
63	A stable high-order absorbing boundary based on continued fraction for scalar wave propagation in 2D and 3D unbounded layers. 2019 , ahead-of-print,		1
62	Multi-DOF WEC Performance in Variable Bathymetry Regions Using a Hybrid 3D BEM and Optimization. 2019 , 12, 2108		9
61	An automatic approach for the acoustic analysis of three-dimensional bounded and unbounded domains by scaled boundary finite element method. 2019 , 151, 563-581		22
60	Nobody's Perfect; Matched Layers for Heterogeneous Media. 2019 , 41, A1-A25		1
59	FEM and CIP-FEM for Helmholtz Equation with High Wave Number and Perfectly Matched Layer Truncation. <i>SIAM Journal on Numerical Analysis</i> , 2019 , 57, 96-126	2.4	6
58	A reflectionless discrete perfectly matched layer. <i>Journal of Computational Physics</i> , 2019 , 381, 91-109	4.1	9
57	On perfectly matched layers for discontinuous Petrov©alerkin methods. 2019 , 63, 1131-1145		5
56	Time-Domain Stability of Artificial Boundary Condition Coupled with Finite Element for Dynamic and Wave Problems in Unbounded Media. 2019 , 16, 1850099		15
55	Mathematical analysis of Ziolkowski PML model with application for wave propagation in metamaterials. <i>Journal of Computational and Applied Mathematics</i> , 2020 , 366, 112434	2.4	2
54	Perfectly matched layer boundary conditions for the second-order acoustic wave equation solved by the rapid expansion method. 2020 , 68, 572-590		1
53	Corner treatments for high-order local absorbing boundary conditions in high-frequency acoustic scattering. <i>Journal of Computational Physics</i> , 2020 , 401, 109029	4.1	18

(2021-2020)

52	Convergence of an adaptive finite element DtN method for the elastic wave scattering by periodic structures. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2020 , 360, 112722	5.7	4
51	Development and analysis of both finite element and fourth-order in space finite difference methods for an equivalent Berenger's PML model. <i>Journal of Computational Physics</i> , 2020 , 405, 109154	4.1	4
50	An automatic perfectly matched layer for acoustic finite element simulations in convex domains of general shape. <i>International Journal for Numerical Methods in Engineering</i> , 2020 , 122, 1239	2.4	3
49	A non-overlapping domain decomposition method with high-order transmission conditions and cross-point treatment for Helmholtz problems. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2020 , 368, 113162	5.7	6
48	Perfectly matched layer for computing the dynamics of nonlinear Schrdinger equations by pseudospectral methods. Application to rotating Bose-Einstein condensates. <i>Communications in Nonlinear Science and Numerical Simulation</i> , 2020 , 90, 105406	3.7	7
47	Optimized weak coupling of boundary element and finite element methods for acoustic scattering. Journal of Computational Physics, 2020 , 421, 109737	4.1	5
46	Meshfree simulations of acoustic problems by a radial point interpolation method. <i>Ocean Engineering</i> , 2020 , 218, 108202	3.9	3
45	Accurate H-shaped absorbing boundary condition in frequency domain for scalar wave propagation in layered half-space. <i>International Journal for Numerical Methods in Engineering</i> , 2020 , 121, 4268-4291	2.4	6
44	Convergence Analysis of the PML Method for Time-Domain Electromagnetic Scattering Problems. <i>SIAM Journal on Numerical Analysis</i> , 2020 , 58, 1918-1940	2.4	1
43	A priori estimates of attraction basins for velocity model reconstruction by time-harmonic full-waveform inversion and data-space reflectivity formulation. <i>Geophysics</i> , 2020 , 85, R223-R241	3.1	5
42	An optimal 13-point finite difference scheme for a 2D Helmholtz equation with a perfectly matched layer boundary condition. <i>Numerical Algorithms</i> , 2021 , 86, 1109-1141	2.1	2
41	Effect of porous casing on small axial-flow fan noise. <i>Applied Acoustics</i> , 2021 , 175, 107808	3.1	1
40	Derivation and analysis of computational methods for fractional Laplacian equations with absorbing layers. <i>Numerical Algorithms</i> , 2021 , 87, 409-444	2.1	7
39	Optimal design of acoustic metamaterial cloaks under uncertainty. <i>Journal of Computational Physics</i> , 2021 , 431, 110114	4.1	13
38	Review and Recent Developments on the Perfectly Matched Layer (PML) Method for the Numerical Modeling and Simulation of Elastic Wave Propagation in Unbounded Domains. <i>Archives of Computational Methods in Engineering</i> , 1	7.8	2
37	The cell-based smoothed radial point interpolation method for underwater acoustic scattering problems. <i>Journal of Theoretical and Computational Acoustics</i> ,	0.8	O
36	Towards a combined perfectly matching layer and infinite element formulation for unbounded elastic wave problems. <i>Mathematics and Mechanics of Solids</i> , 108128652110408	2.3	
35	A Coupling between Integral Equations and On-Surface Radiation Conditions for Diffraction Problems by Non Convex Scatterers. <i>Mathematics</i> , 2021 , 9, 2299	2.3	1

34	A stable node-based smoothed finite element method with PML technique for the elastic wave obstacle scattering. <i>Engineering Analysis With Boundary Elements</i> , 2021 , 130, 249-267	2.6	1
33	A generalized optimal fourth-order finite difference scheme for a 2D Helmholtz equation with the perfectly matched layer boundary condition. <i>Journal of Computational and Applied Mathematics</i> , 2021 , 394, 113544	2.4	1
32	Model Reduction for RF MEMS Simulation. Lecture Notes in Computer Science, 2006, 286-295	0.9	5
31	Perfectly Matched Layers. 167-196		3
30	Efficient Infinite Elements based on Jacobi Polynomials. 2008, 231-250		3
29	Edged-based smoothed point interpolation method for acoustic radiation with perfectly matched layer. <i>Computers and Mathematics With Applications</i> , 2020 , 80, 1596-1618	2.7	6
28	Pseudospectral computational methods for the time-dependent Dirac equation in static curved spaces. <i>Journal of Computational Physics</i> , 2020 , 411, 109412	4.1	7
27	A 27-point finite-difference method using a symmetric perfectly matched layer for the 3D Helmholtz equation. 2017 ,		1
26	Hybrid perfectly-matched-layers for transient simulation of scalar elastic waves. <i>Structural Engineering and Mechanics</i> , 2014 , 51, 685-705		4
25	Radar based technology for non-contact monitoring of accumulation of blood in the head: A numerical study. <i>PLoS ONE</i> , 2017 , 12, e0186381	3.7	8
24	Forward Modeling of GPR Data by Unstaggered Finite Difference Frequency Domain (FDFD) Method: An Approach towards an Appropriate Numerical Scheme. <i>Journal of Environmental and Engineering Geophysics</i> , 2019 , 24, 487-496	1	1
23	An anisotropic perfectly matched layer method for Helmholtz scattering problems with discontinuous wave number. <i>Inverse Problems and Imaging</i> , 2013 , 7, 663-678	2.1	4
22	Discontinuous Galerkin Methods for Metamaterials. <i>Springer Series in Computational Mathematics</i> , 2013 , 127-150	0.9	
21	Numerische Methoden der Technischen Akustik. 2016 , 1-37		
20	Numerische Methoden der Technischen Akustik. 2017 , 1-36		O
19	Use of OpenFOAM coupled with a Hybridization of Finite Element-Boundary Element Methods using an Adaptive Absorbing Boundary Condition for Wind Noise Simulation. 2017 ,		
18	AKUSTK DALGALARIN FARKLI ORTAM YZEYLERNDEKBASINWE HIZ ETKÜERNN FDTD METODU ÜE ZMLENMESÜ <i>Mbendislik Bilimleri Ve Tasar</i> ın <i>Dergisi</i> , 2020 , 8, 844-855	0.2	
17	An Efficient Mixed Finite Element Perfectly Matched Layer with Optimal Parameters Selection for Two-Dimensional Time Domain Soil-Structure Interaction Analysis. <i>International Journal of Structural Stability and Dynamics</i> ,	1.9	

16	Finite Element Methods. Applied Mathematical Sciences (Switzerland), 2022, 87-161	0.9	0
15	Efficient Computational Techniques for Evaluating Distance-Dependent Head-Related Transfer Functions. <i>Acoustics Australia</i> , 1	1.4	
14	Construction and Numerical Assessment of Local Absorbing Boundary Conditions for Heterogeneous Time-Harmonic Acoustic Problems. <i>SIAM Journal on Applied Mathematics</i> , 2022 , 82, 476	- 1 8 -501	0
13	Standard and Phase Reduced Isogeometric On-Surface Radiation Conditions for acoustic scattering analyses. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2022 , 392, 114700	5.7	О
12	An adaptive finite element DtN method for the elastic wave scattering problem. <i>Numerische Mathematik</i> , 2022 , 150, 993-1033	2.2	0
11	Analysis of Acoustic Waves on Living-inanimate Media Surfaces Using Finite Differences Time Domain Method. 2021 ,		
10	A PML Finite Element Method for Electromagnetic Scattering Problems in a Two-Layer Medium. <i>Journal of Scientific Computing</i> , 2022 , 90, 1	2.3	
9	A Modified Mild-Slope Model for the Hydrodynamic Analysis of Arrays of Heaving WECs in Variable Bathymetry Regions. <i>Fluids</i> , 2022 , 7, 183	1.6	
8	Analysis and application of a spatial fourth-order finite difference scheme for the Ziolkowski's PML model. <i>Journal of Computational Physics</i> , 2022 , 111350	4.1	
7	An adaptive finite volume method for the diffraction grating problem with the truncated DtN boundary condition. <i>Advances in Computational Mathematics</i> , 2022 , 48,	1.6	
6	Hybrid absorbing scheme based on hyperelliptical layers with non-reflecting boundary conditions in scalar wave equations. 2022 ,		O
5	Time-domain PML analysis of a fluidBolid interaction problem above a rough surface.		О
4	Imaging of Artificial Bubble Distribution Using a Multi-Sonar Array System. 2022 , 10, 1822		О
3	On perfectly matched layers of nonlocal wave equations in unbounded multiscale media. 2022 , 17, 343-	364	Ο
2	A perceptual evaluation of numerical errors in acoustic FEM simulation for sound quality applications. 2023 , 207, 109295		0
1	Floating Solar Systems with Application to Nearshore Sites in the Greek Sea Region. 2023 , 11, 722		O