

CITATION REPORT

List of articles citing

Comparison of factors associated with 30-day mortality after coronary artery bypass grafting in patients with versus without diabetes mellitus. Israeli Coronary Artery Bypass (ISCAB) Study Consortium

DOI: 10.1016/s0002-9149(97)00797-2
American Journal of Cardiology, 1998, 81, 7-11.

Source: <https://exaly.com/paper-pdf/28950686/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
625	The American College of Physicians guidelines for screening blood cholesterol levels: a commentary. 1998 , 105, 75S-76S		3
624	Haemostatic, Endothelial and Lipoprotein Parameters and Blood Pressure Levels in Women with a History of Preeclampsia. 1999 , 81, 538-542		67
623	Alimentary lipemia, postprandial triglyceride-rich lipoproteins, and common carotid intima-media thickness in healthy, middle-aged men. <i>Circulation</i> , 1999 , 100, 723-8	16.7	204
622	Flavopiridol inhibits smooth muscle cell proliferation in vitro and neointimal formation In vivo after carotid injury in the rat. <i>Circulation</i> , 1999 , 100, 659-65	16.7	42
621	Platelets and lipoprotein (a): a brief overview of their role in the pathogenesis of atherothrombosis. 1999 , 10, 277-84		17
620	Platelet function and lipid-lowering interventions. 1999 , 10, 357-67		35
619	Assessment of cardiovascular risk by use of multiple-risk-factor assessment equations: a statement for healthcare professionals from the American Heart Association and the American College of Cardiology. <i>Circulation</i> , 1999 , 100, 1481-92	16.7	815
618	Lipid-Intervention und koronare Herzkrankheit bei Männern unter 56 Jahren Die Coronare Interventions-Studie: CIS. 1999 , 88, 270-282		
617	Common mutations of the lipoprotein lipase gene and their clinical significance. 1999 , 1, 70-8		36
616	Identification and treatment of hypertriglyceridemia as a risk factor for coronary heart disease. 1999 , 1, 233-7		9
615	Reduction of restenosis by vessel size adapted percutaneous transluminal coronary angioplasty using intravascular ultrasound. <i>American Journal of Cardiology</i> , 1999 , 83, 875-9	3	27
614	Clinical and angiographic predictors of recurrent restenosis after percutaneous transluminal rotational atherectomy for treatment of diffuse in-stent restenosis. <i>American Journal of Cardiology</i> , 1999 , 83, 862-7	3	50
613	Introduction. <i>American Journal of Cardiology</i> , 1999 , 83, 1-2	3	1
612	Coronary stent grafts covered by a polytetrafluoroethylene membrane. <i>American Journal of Cardiology</i> , 1999 , 84, 335-8, A8	3	96
611	Hypertriglyceridemia: changes in the plasma lipoproteins associated with an increased risk of cardiovascular disease. <i>American Journal of Cardiology</i> , 1999 , 83, 3F-12F	3	385
610	Short- and long-term outcomes of Wiktor stent implantation at low versus high pressures. Austrian Wiktor Stent Study Group. <i>American Journal of Cardiology</i> , 1999 , 84, 644-9	3	9
609	Endothelin-1 release from atherosclerotic plaque after percutaneous transluminal coronary angioplasty in stable angina pectoris and single-vessel coronary artery disease. <i>American Journal of Cardiology</i> , 1999 , 84, 1085-8, A9	3	20

608	Procedural outcome and clinical results after stent deployment from the radial approach. <i>American Journal of Cardiology</i> , 1999 , 84, 1088-90, A9	3	4
607	Ability of Ni-containing biomedical alloys to activate monocytes and endothelial cells in vitro. 1999 , 45, 251-7		107
606	Atherogenic lipoprotein phenotype in type 2 diabetes: reversal with micronised fenofibrate. 1999 , 15, 395-9		54
605	The Heart and Estrogen/Progestin Replacement Study: what have we learned and what questions remain?. 1999 , 15, 419-22		18
604	Clinical implications of intravascular ultrasound imaging for stenting procedures. 1999 , 137, 207-10		3
603	Influence of diabetes mellitus on early and late outcome after coronary artery bypass grafting. 1999 , 67, 1045-52		308
602	Tratamiento de la reestenosis intra-stent. Situaci3n actual y perspectivas futuras. 1999 , 52, 1.130-1.138		
601	[Intracoronary ultrasound: A necessary tool for stent implantation? Arguments in favor]. 1999 , 52, 383-9		2
600	Laser angioplasty of restenosed coronary stents: results of a multicenter surveillance trial. The Laser Angioplasty of Restenosed Stents (LARS) Investigators. 1999 , 34, 25-32		40
599	Propensity and mechanisms of restenosis in different coronary stent designs: complementary value of the analysis of the luminal gain-loss relationship. 1999 , 34, 1490-7		45
598	AHA/ACC scientific statement: Assessment of cardiovascular risk by use of multiple-risk-factor assessment equations: a statement for healthcare professionals from the American Heart Association and the American College of Cardiology. 1999 , 34, 1348-59		319
597	Primary prevention of cardiovascular disease in high-risk patients: physiologic and demographic risk factor differences between African American and white American populations. 1999 , 107, 22S-24S		15
596	Stenting for in-stent restenosis. 2000 , 49, 376-81		18
595	Clinical and angiographic follow-up after single long GFX coronary stent implantation. 2000 , 50, 40-7		8
594	Current perspectives on interventional treatment strategies in diabetic patients with coronary artery disease. 2000 , 50, 245-54		16
593	Cutting balloon angioplasty for the treatment of in-stent restenosis. 2000 , 50, 452-9		31
592	Beta-radiation for coronary in-stent restenosis. 2000 , 51, 422-9		9
591	The EWA (estrogen in women with atherosclerosis) study: a randomized study of the use of hormone replacement therapy in women with angiographically verified coronary artery disease. Characteristics of the study population. Effects on lipids and lipoproteins. 2000 , 247, 433-41		22

590	Treatment of hypertriglyceridemia by two diets rich either in unsaturated fatty acids or in carbohydrates: effects on lipoprotein subclasses, lipolytic enzymes, lipid transfer proteins, insulin and leptin. 2000 , 24, 1286-96		35
589	Cardiopulmonary bypass exacerbates oxidative stress but does not increase proinflammatory cytokine release in patients with diabetes compared with patients without diabetes: regulatory effects of exogenous nitric oxide. 2000 , 120, 1-11		54
588	High carbohydrate diets, triglyceride-rich lipoproteins, and coronary heart disease risk. <i>American Journal of Cardiology</i> , 2000 , 85, 45-8	3	91
587	Resistance vessel endothelial function in healthy humans during transient postprandial hypertriglyceridemia. <i>American Journal of Cardiology</i> , 2000 , 85, 381-5	3	38
586	Predictors of clinical outcome following percutaneous intervention for in-stent restenosis. <i>American Journal of Cardiology</i> , 2000 , 85, 1427-31	3	12
585	Six-month outcome after excimer laser coronary angioplasty for diffuse in-stent restenosis in native coronary arteries. <i>American Journal of Cardiology</i> , 2000 , 86, 390-4	3	16
584	Effects of simvastatin (40 and 80 mg/day) in patients with mixed hyperlipidemia. <i>American Journal of Cardiology</i> , 2000 , 86, 406-11	3	43
583	[Stent implantation as initial coronary interventional therapy? A theoretical model on clinical and economical consequences of in-stent restenosis]. 2000 , 25, 495-501		
582	The relationship between physical fitness and coronary risk factor profiles in Japanese women. <i>Environmental Health and Preventive Medicine</i> , 2000 , 5, 6-12	4.2	2
581	Risk factors for atherosclerosis in an elderly outpatient population in the city of Sã Paulo. 2000 , 74, 181-96		5
580	Obesity and other health determinants across Europe: the EURALIM project. 2000 , 54, 424-30		46
579	The effect of endovascular irradiation on platelet recruitment at sites of balloon angioplasty in pig coronary arteries. <i>Circulation</i> , 2000 , 101, 1087-90	16.7	47
578	Fasting lipoprotein and postprandial triacylglycerol responses to a low-carbohydrate diet supplemented with n-3 fatty acids. 2000 , 19, 383-91		66
577	New recipes for in-stent restenosis: cut, grate, roast, or sandwich the neointima?. 2000 , 84, 471-5		24
576	A locus influencing total serum cholesterol on chromosome 19p: results from an autosomal genomic scan of serum lipid concentrations in Pima Indians. 2000 , 20, 2651-6		65
575	Apolipoprotein concentrations during treatment and recurrent coronary artery disease events. 2000 , 20, 2408-13		117
574	Evidence for a gene influencing the TG/HDL-C ratio on chromosome 7q32.3-qter: a genome-wide scan in the Framingham study. 2000 , 9, 1315-20		88
573	Infection and inflammation-induced proatherogenic changes of lipoproteins. 2000 , 181 Suppl 3, S462-72		263

572	A major susceptibility locus influencing plasma triglyceride concentrations is located on chromosome 15q in Mexican Americans. 2000 , 66, 1237-45	94
571	Preventing, stopping, or reversing coronary artery disease–triglyceride-rich lipoproteins and associated lipoprotein and metabolic abnormalities: the need for recognition and treatment. 2000 , 46, 421-503	5
570	Nickel and molybdenum contact allergies in patients with coronary in-stent restenosis. 2000 , 356, 1895-7	418
569	[The practical clinical guidelines of the Sociedad Española de Cardiología on interventional cardiology: coronary angioplasty and other technics]. 2000 , 53, 218-40	16
568	Dieta y riesgo cardiovascular en España (DRECE II). Descripción de la evolución del perfil cardiovascular. 2000 , 115, 726-729	29
567	Low density lipoprotein particle size and risk factors of insulin resistance syndrome. 2000 , 148, 141-9	47
566	Postprandial metabolism of apolipoprotein B-48- and B-100-containing particles in type 2 diabetes mellitus: relations to angiographically verified severity of coronary artery disease. 2000 , 150, 167-77	112
565	Longitudinal straightening effect of stents is an additional predictor for major adverse cardiac events. Austrian Wiktor Stent Study Group and European Paragon Stent Investigators. 2000 , 35, 1580-9	93
564	In-stent restenosis: long-term outcome and predictors of subsequent target lesion revascularization after repeat balloon angioplasty. 2000 , 35, 1569-76	89
563	Six-month clinical and angiographic outcome after successful excimer laser angioplasty for in-stent restenosis. 2000 , 36, 69-74	40
562	The French Randomized Optimal Stenting Trial: a prospective evaluation of provisional stenting guided by coronary velocity reserve and quantitative coronary angiography. F.R.O.S.T. Study Group. 2000 , 36, 404-9	39
561	Provisional stenting strategies: systematic overview and implications for clinical decision-making. 2000 , 36, 1142-51	22
560	Abciximab reduces mortality in diabetics following percutaneous coronary intervention. 2000 , 35, 922-8	257
559	Efficacy of Concentrated n-3 Fatty Acids in Hypertriglyceridaemia : A Comparison with Gemfibrozil. 2001 , 21, 175-81	7
558	Diurnal triglyceride profiles: a novel approach to study triglyceride changes. 2001 , 155, 219-28	60
557	Postprandial hypertriglyceridemia impairs endothelial function by enhanced oxidant stress. 2001 , 155, 517-23	274
556	Analysis of the relationship between triglyceridemia and HDL-phospholipid concentrations: consequences on the efflux capacity of serum in the Fu5AH system. 2001 , 157, 315-23	48
555	Impact of postprandial hypertriglyceridemia on vascular responses in patients with coronary artery disease: effects of ACE inhibitors and fibrates. 2001 , 158, 165-71	50

554	A triglyceride-rich fat emulsion and free fatty acids but not very low density lipoproteins impair endothelium-dependent vasorelaxation. 2001 , 159, 35-41	47
553	Percutaneous and surgical interventions for in-stent restenosis: long-term outcomes and effect of diabetes mellitus. 2001 , 37, 1877-82	27
552	Achieving optimal results with standard balloon angioplasty: can baseline and angiographic variables predict stent-like outcomes?. 2001 , 37, 1883-90	5
551	Mild-to-moderate hypertriglyceridemia in young men is associated with endothelial dysfunction and increased plasma concentrations of asymmetric dimethylarginine. 2001 , 38, 111-6	199
550	Optimizing stent expansion with new stent delivery systems. 2001 , 38, 1622-7	22
549	Effect of gender on fast-track recovery after coronary artery bypass graft surgery. 2001 , 15, 146-51	21
548	Preoperative cardiac risk stratification: ritual or requirement?. 2001 , 15, 626-30	
547	Final results of the CAPAS trial. 2001 , 142, 782-9	23
546	Regulation of lipid and lipoprotein metabolism by retinoids. 2001 , 45, S158-67	58
545	Non-high-density lipoprotein cholesterol level as potential risk predictor and therapy target. 2001 , 161, 1379-80	30
544	Screening and treating adults for lipid disorders. 2001 , 20, 77-89	51
543	Selective modulation of thyroid hormone receptor action. 2001 , 76, 31-42	105
542	Influence of diabetes on mortality and morbidity: off-pump coronary artery bypass grafting versus coronary artery bypass grafting with cardiopulmonary bypass. 2001 , 72, 776-80; discussion 780-1	85
541	Impacto del metabolismo lipídico en la aterogénesis femenina. 2001 , 44, 56-63	
540	Predictors of macrovascular disease in patients with type 2 diabetes mellitus. 2001 , 76, 707-12	35
539	Frecuencia del síndrome metabólico en mujeres posmenopáusicas según el índice de masa corporal y la relación cintura/cadera. 2001 , 13, 54-62	
538	Efectos del 17 β -estradiol oral o transdérmico, combinados con acetato de noretisterona oral secuencial sobre las concentraciones de lipoproteínas séricas. 2001 , 28, 262-272	
537	Myocardial uptake and release of substrates in type II diabetics undergoing coronary surgery. 2001 , 35, 207-11	5

536	Comparison of effects of continuous combined transdermal with oral estrogen and oral progestogen replacement therapies on serum lipoproteins and compliance. 2001 , 4, 228-234	16	
535	Restenosis after Angioplasty. 2001 , 3, 103-113	16	
534	State of percutaneous transluminal coronary artery angioplasty and effectiveness of low-density lipoprotein apheresis. 2001 , 5, 226-31	1	
533	The apolipoprotein epsilon2 allele and the severity of coronary artery disease in Type 2 diabetic patients. 2001 , 18, 445-50	10	
532	Short-term Acipimox decreases the ability of plasma from Type 2 diabetic patients and healthy subjects to stimulate cellular cholesterol efflux: a potentially adverse effect on reverse cholesterol transport. 2001 , 18, 509-13	5	
531	A novel quantitative method for evaluating diffuse in-stent narrowing at follow-up angiography. 2001 , 54, 309-17	3	
530	Early lumen loss after repeat coronary intervention for in-stent restenosis. 2001 , 52, 35-8	5	
529	Rotational atherectomy (stentablation) in a lesion with stent underexpansion due to heavily calcified plaque. 2001 , 52, 208-11	59	
528	Excimer laser (308 nm) recanalisation of in-stent restenosis: thermal considerations. 2001 , 16, 90-100	11	
527	High-dose external beam irradiation inhibits neointima formation in stented pig coronary arteries. 2001 , 51, 820-7	10	
526	Giessen Wholesome Nutrition Study: relation between a health-conscious diet and blood lipids. 2001 , 55, 887-95	20	
525	Gender differences in diurnal triglyceridemia in lean and overweight subjects. 2001 , 25, 1767-74	42	
524	Moderate Alcohol Consumption and Postprandial Plasma Lipids in Men With Different Risks for Coronary Heart Disease. 2001 , 25, 563-570	11	
523	Effectiveness of transluminal extraction atherectomy for debulking saphenous vein graft in-stent restenosis. <i>American Journal of Cardiology</i> , 2001 , 87, 785-8, A8	3	
522	Hypertriglyceridemia: new insights and new approaches to pharmacologic therapy. <i>American Journal of Cardiology</i> , 2001 , 87, 1174-80; A4	3	45
521	Local recruitment of LFA-1+ lymphocytes after coronary stent implantation. <i>American Journal of Cardiology</i> , 2001 , 87, 1295-8	3	1
520	Effect of niacin and atorvastatin on lipoprotein subclasses in patients with atherogenic dyslipidemia. <i>American Journal of Cardiology</i> , 2001 , 88, 270-4	3	112
519	Comparison of operative mortality after coronary artery bypass grafting in Indian subcontinent Asians versus Caucasians. <i>American Journal of Cardiology</i> , 2001 , 88, 313-6	3	15

518	Coronary intravascular ultrasound: implications for understanding the development and potential regression of atherosclerosis. <i>American Journal of Cardiology</i> , 2001 , 88, 7M-20M	3	25
517	Squalene synthase inhibitors reduce plasma triglyceride through a low-density lipoprotein receptor-independent mechanism. 2001 , 431, 345-52		25
516	Dietary Management of Cardiovascular Disease: A Year 2002 Perspective. 2001 , 4, 314-331		1
515	Excimer laser coronary angioplasty and intracoronary radiation for in-stent restenosis: six-month angiographic and clinical outcomes. 2001 , 2, 191-6		6
514	Genome-wide linkage analysis reveals evidence of multiple regions that influence variation in plasma lipid and apolipoprotein levels associated with risk of coronary heart disease. 2001 , 21, 971-8		58
513	A genetically modified adenoviral vector exhibits enhanced gene transfer of human smooth muscle cells. 2001 , 38, 471-8		13
512	Coronary heart disease prediction from lipoprotein cholesterol levels, triglycerides, lipoprotein(a), apolipoproteins A-I and B, and HDL density subfractions: The Atherosclerosis Risk in Communities (ARIC) Study. <i>Circulation</i> , 2001 , 104, 1108-13	16.7	721
511	Effect of diabetes on nitric oxide metabolism during cardiac surgery. 2001 , 50, 2603-10		14
510	Admission plasma glucose: an independent risk factor in nondiabetic women after coronary artery bypass grafting. 2001 , 24, 1634-9		53
509	Current practice in the treatment of hyperlipidaemias. 2001 , 2, 1777-94		6
508	Issues of hormone replacement therapy and cardiovascular disease for elderly women. 2002 , 11, 217-22		1
507	Randomized trial of 90Sr/90Y beta-radiation versus placebo control for treatment of in-stent restenosis. <i>Circulation</i> , 2002 , 106, 1090-6	16.7	170
506	Do Lipids, Blood Pressure, Diabetes, and Smoking Confer Equal Risk of Myocardial Infarction in Women as in Men? the Reykjavik Study. 2002 , 9, 67-76		37
505	Different effects of oral conjugated equine estrogen and transdermal estrogen replacement therapy on size and oxidative susceptibility of low-density lipoprotein particles in postmenopausal women. <i>Circulation</i> , 2002 , 106, 1771-6	16.7	49
504	Why Cholesterol Measurements May be Misleading about Lipoprotein Levels and Cardiovascular Disease Risk [Clinical Implications of Lipoprotein Quantification Using NMR Spectroscopy/Warum Cholesterin bei der Beurteilung von Lipoprotein-Konzentrationen und kardiovaskulärem Risiko in die Irre führt [Klinische Implikationen der Lipoproteinqualifizierung mittels NMR-Spektroskopie. 2002 , 26, 544-550		
503	Insulin resistance syndrome in South Asians. 2002 , 2, 398-402		1
502	Low-density lipoprotein, non-high-density lipoprotein, and apolipoprotein B as targets of lipid-lowering therapy. <i>Circulation</i> , 2002 , 106, 2526-9	16.7	230
501	Ferrocenyl naphthalene diimide-based electrochemical hybridization assay for a heterozygous deficiency of the lipoprotein lipase gene. 2002 , 13, 1193-9		29

500	Severe hypertriglyceridemia with insulin resistance is associated with systemic inflammation: reversal with bezafibrate therapy in a randomized controlled trial. 2002 , 112, 275-80		135
499	Intravascular brachytherapy of the coronary arteries. 2002 , 47, R1-30		28
498	Association between serum apolipoprotein C(II) concentration and coronary heart disease. 2002 , 35, 42-7		21
497	Relationship between obesity, insulin resistance, and coronary heart disease risk. 2002 , 40, 937-43		421
496	Very-low-carbohydrate weight-loss diets revisited. 2002 , 69, 849, 853, 856-8 passim		49
495	Does hypertriglyceridemia present an indication for pioglitazone therapy in diabetes?. 2002 , 4, 153-5		1
494	Early postoperative outcome and medium-term survival in 540 diabetic and 2239 nondiabetic patients undergoing coronary artery bypass grafting. 2002 , 74, 712-9		136
493	Obesity, Diabetes, and Coronary Risk in Women. 2002 , 9, 323-330		9
492	Effects of pioglitazone and rosiglitazone on blood lipid levels and glycemic control in patients with type 2 diabetes mellitus: a retrospective review of randomly selected medical records. 2002 , 24, 378-96		149
491	Echolucent, rupture-prone carotid plaques associated with elevated triglyceride-rich lipoproteins, particularly in women. 2002 , 36, 783-792		24
490	Nuevas recomendaciones del National Cholesterol Education Program (NCEP). Consecuencias en el laboratorio clínico. 2002 , 14, 272-276		
489	Recomendaciones del NCEP-ATPIII. Dislipemia aterogénica y redefinición de valores deseables de triglicéidos. 2002 , 14, 74-76		1
488	New cholesterol guidelines, new treatment challenges. 2002 , 22, 853-63		10
487	Device selection in the treatment of in-stent restenosis with and without radiation (from the Gamma Radiation Trials). <i>American Journal of Cardiology</i> , 2002 , 89, 137-44	3	19
486	Measurement issues related to lipoprotein heterogeneity. <i>American Journal of Cardiology</i> , 2002 , 90, 22i-39i		244
485	Why Cholesterol Measurements May be Misleading about Lipoprotein Levels and Cardiovascular Disease Risk [Clinical Implications of Lipoprotein Quantification Using NMR Spectroscopy. 2002 , 26, 544-550		
484	Case-based distance measurements for the selection of controls in case-matched studies: application in coronary interventions. 2002 , 26, 237-53		6
483	Inductively coupled stent antennas in MRI. 2002 , 48, 781-90		63

482	Abciximab administration and clinical outcomes after percutaneous intervention for in-stent restenosis. 2002 , 56, 184-7	4
481	Mechanism of cutting balloon angioplasty for in-stent restenosis: an intravascular ultrasound study. 2002 , 56, 166-73	14
480	Coronary artery stenting. 2002 , 56, 83-102	11
479	Combined cutting balloon angioplasty and intracoronary beta radiation for treatment of in-stent restenosis: clinical outcomes and effect of pullback radiation for long lesions. 2002 , 57, 325-9	14
478	Evaluation of coronary artery bypass grafting in acute myocardial infarction. 2002 , 50, 325-9	
477	Effects of sequential combined transdermal and oral hormone replacement therapies on serum lipid and lipoproteins in postmenopausal women. 2002 , 266, 38-43	24
476	Sirolimus-eluting stents: a review of experimental and clinical findings. 2002 , 91 Suppl 3, 49-57	19
475	Insulin, insulin propeptides and intima-media thickness in the carotid artery in 58-year-old clinically healthy men. The Atherosclerosis and Insulin Resistance study (AIR). 2002 , 19, 144-51	42
474	Effects of an 8-week weight-loss program on cardiovascular disease risk factors and regional body composition. 2002 , 56, 585-92	52
473	The central roles of obesity-associated dyslipidaemia, endothelial activation and cytokines in the Metabolic Syndrome--an analysis by structural equation modelling. 2002 , 26, 994-1008	93
472	Serum lipid levels in an Iranian adults population: Tehran Lipid and Glucose Study. 2003 , 18, 311-9	85
471	Mechanisms of myocardial hypoperfusion during rotational atherectomy of de novo coronary artery lesions and stenosed coronary stents: insights from serial myocardial scintigraphy. 2002 , 9, 304-11	5
470	Correlation between the extent of coronary atherosclerosis and lipid profile. 2003 , 246, 25-30	23
469	HDL-C and triglyceride levels: relationship to coronary heart disease and treatment with statins. 2003 , 17, 53-62	22
468	The safety of HMG-CoA reductase inhibitors in special populations at high cardiovascular risk. 2003 , 17, 265-85	63
467	Effects of simvastatin, an HMG-CoA reductase inhibitor, in patients with hypertriglyceridemia. 2003 , 26, 18-24	25
466	Influence of Cardiovascular Risk Factors on the Outcome of Coronary Artery Bypass Surgery. 2003 , 33, 491-497	5
465	The insulin resistance syndrome. 2003 , 5, 364-71	104

464	A review of low-carbohydrate ketogenic diets. 2003 , 5, 476-83		80
463	A combination of high concentrations of serum triglyceride and non-high-density-lipoprotein-cholesterol is a risk factor for cardiovascular disease in subjects with abnormal glucose metabolism--The Hoorn Study. 2003 , 46, 910-6		60
462	The lipid and clinical effects of sequential transdermal estradiol and estradiol/norethisterone acetate in 674 women. 2003 , 268, 317-22		4
461	Catheter-based treatment of in-stent restenosis: A review. <i>International Journal of Angiology</i> , 2003 , 12, 213-218	1.1	
460	Effect of diabetes on early and late survival after isolated first coronary bypass surgery in multivessel disease. 2003 , 125, 144-54		61
459	Update on the National Cholesterol Education Program Adult Treatment Panel III guidelines: getting to goal. 2003 , 23, 26S-33S		19
458	What's new in lipid management?. 2003 , 23, 34S-40S		2
457	Management of patients with diabetic hyperlipidemia. <i>American Journal of Cardiology</i> , 2003 , 91, 24E-28E		9
456	Effect of orlistat added to diet (30% of calories from fat) on plasma lipids, glucose, and insulin in obese patients with hypercholesterolemia. <i>American Journal of Cardiology</i> , 2003 , 91, 961-4	3	40
455	A practical approach to risk assessment to prevent coronary artery disease and its complications. <i>American Journal of Cardiology</i> , 2003 , 92, 19i-26i	3	62
454	Impact of intracoronary radiation on in-stent restenosis involving ostial lesions. 2003 , 58, 175-80		3
453	Acute coronary syndrome secondary to a complex lesion within a stent implanted over 6 years previously. 2003 , 59, 366-8		1
452	Phytoestrogens increase the capacity of serum to stimulate prostacyclin release in human endothelial cells. 2003 , 82, 705-710		7
451	Apolipoprotein E polymorphisms and mortality in Italian type 2 diabetic patients. 2003 , 33, 296-300		7
450	Consistency of genetic inheritance mode and heritability patterns of triglyceride vs. high density lipoprotein cholesterol ratio in two Taiwanese family samples. 2003 , 4, 7		20
449	Vascular brachytherapy using a beta emitter source in diabetic patients with in-stent restenosis: angiographic and clinical outcomes. 2003 , 57, 536-42		7
448	Dietary fish oil decreases C-reactive protein, interleukin-6, and triacylglycerol to HDL-cholesterol ratio in postmenopausal women on HRT. 2003 , 14, 513-21		108
447	Stent: indicaciones y cuidados. 2003 , 10, 265-276		

446	In vivo measurement of fluxes through metabolic pathways: the missing link in functional genomics and pharmaceutical research. 2003 , 23, 379-402	103
445	Farnesoid X receptor agonists suppress hepatic apolipoprotein CIII expression. 2003 , 125, 544-55	210
444	ACC/AHA 2002 guideline update for the management of patients with chronic stable angina--summary article: a report of the American College of Cardiology/American Heart Association Task Force on practice guidelines (Committee on the Management of Patients With Chronic Stable Angina). 2003 , 41, 159-68	546
443	Silent ischemia: unsafe at any time. 2003 , 42, 41-4	10
442	A randomized comparison of repeat stenting with balloon angioplasty in patients with in-stent restenosis. 2003 , 42, 796-805	116
441	Peanut consumption improves indices of cardiovascular disease risk in healthy adults. 2003 , 22, 133-41	97
440	Normal ranges of non-fasting triglycerides in healthy Dutch males and females. 2003 , 337, 49-57	10
439	Indices related to apo CII and CIII serum concentrations and coronary heart disease: a case-control study. 2003 , 37, 18-22	17
438	Fasting and daylong triglycerides in obesity with and without type 2 diabetes. 2003 , 52, 1043-9	51
437	Nutrition for health promotion: phytochemicals, functional foods, and alternative approaches to combat obesity. 2003 , 47, 411-23, viii-ix	6
436	Normalization of daytime triglyceridemia by simvastatin in fasting normotriglyceridemic patients with premature coronary sclerosis. 2003 , 171, 109-16	13
435	The hypertriglyceridemic waist phenotype among women. 2003 , 171, 123-30	86
434	Effect of soybean leci-vita product on serum lipids and fatty acid composition in patients with elevated serum cholesterol and triglyceride levels. 2003 , 23, 465-477	12
433	A 52-week, multicenter, randomized, parallel-group, double-blind, double-dummy study to assess the efficacy of atorvastatin and simvastatin in reaching low-density lipoprotein cholesterol and triglyceride targets: the treat-to-target (3T) study. 2003 , 25, 119-38	23
432	Sarpogrelate treatment reduces restenosis after coronary stenting. 2003 , 145, E16	40
431	Treating dyslipidemia with statins: the risk-benefit profile. 2003 , 145, 387-96	46
430	What's in a risk factor? "He who strikes the ball". 2003 , 29, 6-13	299
429	Clinical parameters and functional tests are not predictive for in-stent restenosis. 2003 , 5, 151-5	

428	Decreased PLTP mass but elevated PLTP activity linked to insulin resistance in HTG: effects of bezafibrate therapy. 2003 , 44, 1462-9		32
427	American College of Endocrinology Position Statement on the Insulin Resistance Syndrome. 2003 , 9, 5-21		313
426	Endogenous cholesterol synthesis is associated with VLDL-2 apoB-100 production in healthy humans. 2003 , 44, 1341-8		23
425	Squalene synthase inhibitors suppress triglyceride biosynthesis through the farnesol pathway in rat hepatocytes. 2003 , 44, 128-35		36
424	Niacin-ER and lovastatin treatment of hypercholesterolemia and mixed dyslipidemia. 2003 , 37, 106-15		10
423	Major loci influencing serum triglyceride levels on 2q14 and 9p21 localized by homozygosity-by-descent mapping in a large Hutterite pedigree. 2003 , 12, 137-44		39
422	Correlation between the extent of coronary atherosclerosis and lipid profile. 2003 , 25-30		3
421	Effect of hormone replacement therapy on cardiovascular disease: current opinion. 2003 , 4, 667-74		8
420	Clinical use of a carbohydrate-restricted diet to treat the dyslipidemia of the metabolic syndrome. 2003 , 1, 227-32		10
419	Effect of lower dose of oral conjugated equine estrogen on size and oxidative susceptibility of low-density lipoprotein particles in postmenopausal women. <i>Circulation</i> , 2003 , 108, 808-13	16.7	31
418	Influence of type 2 diabetes on functional and structural properties of coronary artery bypass conduits. 2003 , 52, 2814-20		47
417	Impact of Diabetes Mellitus on Cardiac Surgery Outcome. 2003 , 51, 113-113		
416	Treatment of diabetic dyslipoproteinemia. 2003 , 111, 239-45		28
415	Impact of diabetes mellitus on cardiac surgery outcome. 2003 , 51, 11-6		96
414	ACC/AHA 2002 guideline update for the management of patients with chronic stable angina--summary article: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on the Management of Patients With Chronic Stable Angina). <i>Circulation</i> , 2003 , 107, 149-58	16.7	548
413	Improved perioperative glycemic control by continuous insulin infusion under supervision of an endocrinologist does not increase costs in patients with diabetes. 2004 , 10, 112-8		25
412	. 2004 ,		4
411	Complications of Cardiopulmonary Bypass and Cardioplegia. 280-348		

410	Exercise, postprandial triacylglyceridemia, and cardiovascular disease risk. 2004 , 29, 781-99		21
409	Alteration in lipoprotein lipase activity bound to triglyceride-rich lipoproteins in the postprandial state in type 2 diabetes. 2004 , 45, 859-65		28
408	Differences in gene expression profiles of diabetic and nondiabetic patients undergoing cardiopulmonary bypass and cardioplegic arrest. <i>Circulation</i> , 2004 , 110, 11280-6	16.7	37
407	Relationship to insulin resistance of the adult treatment panel III diagnostic criteria for identification of the metabolic syndrome. 2004 , 53, 1195-200		234
406	Tight glycemic control in diabetic coronary artery bypass graft patients improves perioperative outcomes and decreases recurrent ischemic events. <i>Circulation</i> , 2004 , 109, 1497-502	16.7	569
405	Management of hypertriglyceridemia in patients receiving interferon for malignant melanoma. 2004 , 38, 1655-9		13
404	The metabolic syndrome: an emerging risk state for cardiovascular disease. 2004 , 9, 55-68		33
403	Clinical characteristics relevant to myocardial cell apoptosis: analysis of pericardial fluid. 2004 , 3, 359-62		5
402	The metabolic syndrome: one step forward, two steps back. 2004 , 1, 68-75		29
401	Postprandial hypertriglyceridemia increases circulating levels of endothelial cell microparticles. <i>Circulation</i> , 2004 , 110, 3599-603	16.7	119
400	Increased levels of triglycerides, BMI and blood pressure and low physical activity increase the risk of diabetes in Swedish women. A prospective 18-year follow-up of the BEDA study. 2004 , 21, 615-22		80
399	Coronary artery bypass surgery in diabetic patients. 2004 , 19, 36-40		14
398	Risk factors for coronary heart disease in two similar Indian population groups, one residing in India, and the other in Sydney, Australia. 2004 , 58, 751-60		19
397	Clinical practice guidelines for managing dyslipidemias in kidney transplant patients: a report from the Managing Dyslipidemias in Chronic Kidney Disease Work Group of the National Kidney Foundation Kidney Disease Outcomes Quality Initiative. 2004 , 4 Suppl 7, 13-53		284
396	The burden of chronic kidney disease in renal transplant recipients. 2004 , 4, 262-9		109
395	Treatment of type IIb familial combined hyperlipidemia with the combination pravastatin-piperazine sultosilate. 2004 , 496, 205-12		5
394	Diagnosing and treating metabolic syndrome. 2004 , 25, 218-23		5
393	The role of fibrates in managing hyperlipidemia: mechanisms of action and clinical efficacy. 2004 , 6, 148-57		97

392	Diurnal triglyceridaemia and insulin resistance in mildly obese subjects with normal fasting plasma lipids. 2004 , 255, 74-81	12
391	Apolipoprotein B and apolipoprotein A-I: risk indicators of coronary heart disease and targets for lipid-modifying therapy. 2004 , 255, 188-205	260
390	Impact of long-term hormone replacement therapy on in vivo and in vitro markers of lipid oxidation. 2004 , 38, 129-37	10
389	Selective activators of thyroid hormone receptors. 2004 , 13, 489-500	45
388	Do lipid profiles of postmenopausal women under oral hormone replacement therapy remain stable or reveal a multiphasic course in time?. 2004 , 18, 199-205	1
387	Prevention and treatment of the metabolic syndrome. 2004 , 55, 589-612	109
386	Effect of low and high fat diets on nutrient intakes and selected cardiovascular risk factors in sedentary men and women. 2004 , 23, 131-40	36
385	Impact of obesity on the risk of heart failure and survival after the onset of heart failure. 2004 , 88, 1273-94	82
384	Importancia del colesterol ligado a lipoproteínas de alta densidad (cHDL) en la prevención del riesgo cardiovascular. Recomendaciones del Foro HDL. 2004 , 16, 262-280	
383	Errores sistemáticos en la determinación de triglicéridos. 2004 , 19, 16-19	
382	Guías para el tratamiento de las dislipemias en el adulto: Adult Treatment Panel III (ATP-III). 2004 , 51, 254-265	5
381	Myocardial perfusion imaging following percutaneous coronary intervention: the importance of restenosis, disease progression, and directed reintervention. 2004 , 43, 328-36	50
380	Cutting balloon versus conventional balloon angioplasty for the treatment of in-stent restenosis: results of the restenosis cutting balloon evaluation trial (RESCUT). 2004 , 43, 943-9	146
379	Race/ethnic issues in obesity and obesity-related comorbidities. 2004 , 89, 2590-4	337
378	Lipaemia, inflammation and atherosclerosis: novel opportunities in the understanding and treatment of atherosclerosis. 2004 , 64 Suppl 2, 19-41	52
377	The metabolic syndrome or the insulin resistance syndrome? Different names, different concepts, and different goals. 2004 , 33, 283-303	304
376	Hypertriglyceridemia in pregnancy does not contribute to the enhanced formation of remnant lipoprotein particles. 2004 , 339, 169-81	7
375	Endovascular treatment of superficial femoral artery occlusive disease with stents coated with diamond-like carbon. 2004 , 59, 1128-31	17

374	Cardiovascular effects of raloxifene: the arterial and venous systems. 2004 , 147, 783-9		36
373	Non-high-density lipoprotein cholesterol: an alternate target for lipid-lowering therapy. 2004 , 7, 122-6; quiz 129-30		13
372	Triglyceride and coronary heart disease mortality in a 24-year follow-up study in Xi'an, China. 2004 , 14, 1-7		31
371	APOA5 gene polymorphism modulates levels of triglyceride, HDL cholesterol and FERHDL but is not a risk factor for coronary artery disease. 2004 , 176, 165-72		68
370	The Cardiologist's View: Prevention of Macrovascular Complications. 2005 , 313-323		
369	Dietary Fructose: Implications for Dysregulation of Energy Homeostasis and Lipid/Carbohydrate Metabolism. 2005 , 63, 133-157		471
368	Effects of oestrogen receptor-active compounds on lipid metabolism. 2005 , 7, 471-7		8
367	Changes in cholesterol and triglyceride concentrations in the Vanguard population of the Carotene and Retinol Efficacy Trial (CARET). 2005 , 59, 1173-80		19
366	Contact allergy to gold in patients with gold-plated intracoronary stents. 2005 , 52, 192-6		54
365	Influence of gender on surgical outcomes: does gender really matter?. 2005 , 200, 440-55		13
364	Intravascular ultrasonic assessment of stent diameters derived from manufacturer's compliance charts. <i>American Journal of Cardiology</i> , 2005 , 96, 74-8	3	40
363	Usefulness of positron emission tomography in predicting long-term outcome in patients with diabetes mellitus and ischemic left ventricular dysfunction. <i>American Journal of Cardiology</i> , 2005 , 96, 2-8	3	10
362	The "lipid accumulation product" performs better than the body mass index for recognizing cardiovascular risk: a population-based comparison. <i>BMC Cardiovascular Disorders</i> , 2005 , 5, 26	2-3	342
361	Implications of the "watermelon seeding" phenomenon during coronary interventions for in-stent restenosis. 2005 , 66, 521-7		24
360	Diabetes in patients undergoing coronary artery bypass grafting. Impact on perioperative outcome. 2005 , 94, 575-82		18
359	Hypertriglyceridemia-why, when and how should it be treated?. 2005 , 94, 731-9		4
358	Effective use of combination lipid therapy. 2005 , 7, 471-9		7
357	Propionyl-L-carnitine improves hemodynamics and metabolic markers of cardiac perfusion during coronary surgery in diabetic patients. 2005 , 19, 267-75		15

356	. 2005 ,	1
355	Fish oil for treatment of hypertriglyceridemia in HIV infection: fish or foul?. 2005 , 41, 1505-6	2
354	The metabolic syndrome: requiescat in pace. 2005 , 51, 931-8	278
353	Acute effect of high-fat meal on endothelial function in moderately dyslipidemic subjects. 2005 , 25, 406-10	62
352	Carbohydrates and dietary fiber. 2005 , 231-61	23
351	Prevalence and risks of undiagnosed diabetes mellitus in patients undergoing coronary artery bypass grafting. <i>Circulation</i> , 2005 , 112, 2397-402	16.7 90
350	Vascular dysfunction of venous bypass conduits is mediated by reactive oxygen species in diabetes: role of endothelin-1. 2005 , 313, 70-7	46
349	Managing abnormal blood lipids: a collaborative approach. <i>Circulation</i> , 2005 , 112, 3184-209	16.7 164
348	Bezafibrates cause moderate, reversible impairment in renal function in patients without prior renal disease. 2005 , 100, c120-5	9
347	Factores de riesgo cardiovascular en la mujer. 2005 , 22, 45-47	
346	Nonalcoholic fatty liver disease is associated with carotid atherosclerosis: a case-control study. 2005 , 25, 1045-50	285
345	Lipids for psychiatrists - an overview. 2005 , 19, 66-75	14
344	Emerging risk factors and early atherosclerosis indices in subjects with impaired glucose tolerance. 2005 , 31, 581-7	7
343	Effect of diacylglycerol on postprandial lipid metabolism in non-diabetic subjects with and without insulin resistance. 2005 , 180, 197-204	59
342	A genome wide quantitative trait linkage analysis for serum lipids in type 2 diabetes in an African population. 2005 , 181, 389-97	31
341	Issues in minority health: atherosclerosis and coronary heart disease in African Americans. 2005 , 89, 977-1001, 994	37
340	Compensatory hyperinsulinemia and the development of an atherogenic lipoprotein profile: the price paid to maintain glucose homeostasis in insulin-resistant individuals. 2005 , 34, 49-62	79
339	Plasma triglycerides and type III hyperlipidemia are independently associated with premature familial coronary artery disease. 2005 , 45, 1003-12	109

338	Factores de riesgo cardiovascular en la mujer. 2005 , 22, 45-47		
337	The role of lipid management in diabetes. 2005 , 23, 153-64, vi		
336	Early and late outcome after coronary artery bypass surgery in diabetic patients. 2005 , 39, 177-81		25
335	Antioxidant enzymes in hypertensive and hypertriglyceridemic rats: effect of gender. <i>Clinical and Experimental Hypertension</i> , 2005 , 27, 45-57	2.2	24
334	Low carbohydrate diets, pro: time to rethink our current strategies. 2005 , 20, 3-12		6
333	Inflammation and triglycerides partially mediate the effect of prepregnancy body mass index on the risk of preeclampsia. 2005 , 162, 1198-206		100
332	ApoC-III bound to apoB-containing lipoproteins increase with insulin resistance in Cherokee Indian youth. 2005 , 54, 180-7		20
331	Comparison of serum lipid levels among Korean, Korean-Chinese, and Han-Chinese adolescents. 2005 , 36, 501-7		
330	The impact of metallic allergy on stent implantation: metal allergy and recurrence of in-stent restenosis. 2005 , 104, 319-25		62
329	Lipid profile, oxidant-antioxidant status and glycoprotein components in hyperlipidemic patients with/without diabetes. 2005 , 362, 49-56		23
328	Metabolic response to oral lipid overload in diabetes and impaired glucose tolerance. 2005 , 69, 36-43		11
327	Effect of diabetes on outcome and changes in quality of life after coronary artery bypass grafting. 2005 , 79, 819-24		10
326	Does diabetes affect the postoperative outcomes after total arterial off-pump coronary bypass surgery in multivessel disease?. 2005 , 80, 1353-60		19
325	Randomized comparison of carbon ion-implanted stent versus bare metal stent in coronary artery disease: the Asian Pacific Multicenter Arthos Stent Study (PASS) trial. 2005 , 149, 336-41		17
324	Repeat stenting for the prevention of the early lumen loss phenomenon in patients with in-stent restenosis. Angiographic and intravascular ultrasound findings of a randomized study. 2005 , 149, e1-8		18
323	Effects of abciximab and preprocedural glycemic control in diabetic patients undergoing elective coronary stenting. 2005 , 149, 1135		12
322	[Determinants of postprandial lipemia measured as diurnal triglyceride profile in non diabetic normolipidemic subjects]. 2005 , 125, 448-52		6
321	Diabetes and outcomes after left ventricular assist device placement. 2005 , 11, 510-5		21

320	Centile values for serum lipids and blood pressure for Asian Indian adolescents. 2005 , 4, 20	6
319	The effect of antidepressants on lipid homeostasis: a cardiac safety concern?. 2006 , 5, 523-37	52
318	The diabetic disadvantage: historical outcomes measures in diabetic patients undergoing cardiac surgery – the pre-intravenous insulin era. 2006 , 18, 281-8	42
317	Lower birth weight predicts metabolic syndrome in young adults: the Atherosclerosis Risk in Young Adults (ARYA)-study. 2006 , 184, 21-7	87
316	Plasma lipid, lipoprotein and apolipoprotein levels in a random population sample of 2875 Hong Kong Chinese adults and their implications (NCEP ATP-III, 2001 guidelines) on cardiovascular risk assessment. 2006 , 184, 438-45	14
315	A genetic variant c.553G > T in the apolipoprotein A5 gene is associated with an increased risk of coronary artery disease and altered triglyceride levels in a Chinese population. 2006 , 185, 433-7	56
314	Different effects of oral conjugated estrogen and transdermal estradiol on arterial stiffness and vascular inflammatory markers in postmenopausal women. 2006 , 189, 436-42	64
313	Common questions in managing hyperlipidemia. 2006 , 33, 903-21	
312	Metabolic syndrome: connecting and reconciling cardiovascular and diabetes worlds. 2006 , 47, 1093-100	441
311	Effects of raloxifene on lipid and lipoprotein levels in postmenopausal osteoporotic women with and without hypertriglyceridemia. 2006 , 55, 972-9	25
310	Hypertriglyceridemia. 2006 , 19, 310-6	89
309	Comorbidité somatiques chez les patients souffrant de schizophrénie traitée. Recommandations actuelles. 2006 , 164, 159-164	5
308	Value of the American College of Cardiology/American Heart Association angiographic classification of coronary lesion morphology in patients with in-stent restenosis. Insights from the Restenosis Intra-stent Balloon angioplasty versus elective Stenting (RIBS) randomized trial. 2006 , 151, 681.e1-681.e9	38
307	Endothelial nitric oxide synthase G894T gene polymorphism in Chilean subjects with coronary artery disease and controls. 2006 , 371, 102-6	39
306	The relationship between homeostasis model assessment and cardiovascular risk factors in Iranian subjects with normal fasting glucose and normal glucose tolerance. 2006 , 371, 169-75	24
305	The distribution of fasting and non-fasting serum triglyceride levels in Japanese population. 2006 , 374, 173-5	1
304	Aerobic exercise and lipids and lipoproteins in men: a meta-analysis of randomized controlled trials. 2006 , 3, 61-70	67
303	Determinants of model of renarrowing after beta radiation for in-stent restenosis. 2006 , 107, 247-53	

302	Effect of a low-carbohydrate, ketogenic diet program compared to a low-fat diet on fasting lipoprotein subclasses. 2006 , 110, 212-6		75
301	Effects of soybean D-LeciVita product on serum lipids and fatty acid composition in type 2 diabetic patients with hyperlipidemia. 2006 , 16, 395-404		22
300	Improved Graft Patency Rates and Mid-Term Outcome of Diabetic Patients Undergoing Total Arterial Myocardial Revascularization. <i>Heart International</i> , 2006 , 2, 182618680600200	0.3	1
299	Anesthesia in silico. 2006 , 104, 400-2		4
298	Obesity and diabetes: evidence of increased perioperative risk?. 2006 , 104, 398-400		7
297	Special Issue on Plasticity in Postoperative Pain. 2006 , 104, 397-398		
296	Serum lipids and low back pain: an association? A follow-up study of a working population sample. 2006 , 31, 1032-7		54
295	Progression of severe atherosclerosis and increased arterial pulse pressure in the newly developed heritable mixed hyperlipidaemic rabbits. 2006 , 33, 221-6		4
294	The dilemma of the metabolic syndrome in children and adolescents: disease or distraction?. 2006 , 7, 311-21		36
293	Intravascular ultrasound in patients with challenging in-stent restenosis: importance of precise stent visualization. 2006 , 19, 153-9		2
292	Levels of matrix metalloproteinases-8 and -9 with simultaneous presence of periodontal pathogens in gingival crevicular fluid as well as matrix metalloproteinase-9 and cholesterol in blood. 2006 , 41, 411-7		58
291	Genetics of apolipoprotein B and apolipoprotein AI and premature coronary artery disease. 2006 , 259, 473-80		30
290	Genetic susceptibility to coronary artery disease: from promise to progress. 2006 , 7, 163-73		150
289	Long term effects of ketogenic diet in obese subjects with high cholesterol level. 2006 , 286, 1-9		81
288	[Experiences collected in more than 2,300 diabetics undergoing coronary artery bypass grafting: patients with a specific risk profile]. 2006 , 95 Suppl 1, i7-13		0
287	Effective use of combination lipid therapy. 2006 , 8, 76-84		11
286	Changes in serum triglycerides and high-density lipoprotein concentration and composition after a low-fat mixed meal. Effects of gender and insulin resistance. 2006 , 1, 287-95		8
285	Search for an optimal atherogenic lipid risk profile: from the Framingham Study. <i>American Journal of Cardiology</i> , 2006 , 97, 372-5	3	58

284	Comparison of body mass index versus waist circumference with the metabolic changes that increase the risk of cardiovascular disease in insulin-resistant individuals. <i>American Journal of Cardiology</i> , 2006 , 98, 1053-6	3	45
283	Comparative assessment of lipid effects of endocrine therapy for breast cancer: implications for cardiovascular disease prevention in postmenopausal women. 2006 , 15, 301-12		44
282	Tratamiento de la hipertrigliceridemia: fibratos frente a ácidos grasos omega-3. 2006 , 6, 52D-61D		
281	Comparison of Atorvastatin and Simvastatin in the Long-term Treatment of Hyperlipidemia After Kidney Transplantation. 2006 , 8, 17-23		0
280	Dietary and nutraceutical options for managing the hypertriglyceridemic patient. 2006 , 21, 89-93		4
279	The effect of diabetes mellitus on patients undergoing coronary surgery: a risk-adjusted analysis. 2006 , 132, 802-10		66
278	Dietary diacylglycerol in a typical meal suppresses postprandial increases in serum lipid levels compared with dietary triacylglycerol. 2006 , 22, 128-35		29
277	Contrasting multi-site genotypic distributions among discordant quantitative phenotypes: the APOA1/C3/A4/A5 gene cluster and cardiovascular disease risk factors. 2006 , 30, 508-18		3
276	Consistent effects of genes involved in reverse cholesterol transport on plasma lipid and apolipoprotein levels in CARDIA participants. 2006 , 26, 1828-36		38
275	Apolipoprotein A-V: a potential modulator of plasma triglyceride levels in Turks. 2006 , 47, 144-53		33
274	A 39-year-old woman with hypercholesterolemia. 2006 , 296, 319-26		
273	Fish intake, contaminants, and human health: evaluating the risks and the benefits. 2006 , 296, 1885-99		1355
272	Best practice in primary care pathology: review 3. 2006 , 59, 781-9		27
271	Cardiology in Family Practice. 2006 ,		
270	Isolated heart function after ischemia and reperfusion in sucrose-fed rats: influence of gender and treatment. <i>Clinical and Experimental Hypertension</i> , 2006 , 28, 85-107	2.2	10
269	The triglyceride-lowering effects of a modest dose of docosahexaenoic acid alone versus in combination with low dose eicosapentaenoic acid in patients with coronary artery disease and elevated triglycerides. 2006 , 25, 480-5		43
268	The metabolic syndrome: recognition and management. 2006 , 9, 16-33		13
267	Microalgal docosahexaenoic acid decreases plasma triacylglycerol in normolipidaemic vegetarians: a randomised trial. 2006 , 95, 779-86		71

266	Endothelial cell dysfunction after coronary artery bypass grafting with extracorporeal circulation in patients with type 2 diabetes mellitus. 2007 , 32, 611-6	9
265	Outcomes of coronary artery bypass grafting versus percutaneous coronary intervention with drug-eluting stents for patients with multivessel coronary artery disease. <i>Circulation</i> , 2007 , 116, 1200-6	16.7 109
264	The Insulin Resistance Syndrome: Concept and Therapeutic Approaches. 2007 , 19-30	1
263	The unique character of cardiovascular disease in chronic kidney disease and its implications for treatment with lipid-lowering drugs. 2007 , 2, 766-85	25
262	Overall glycemic index and glycemic load of vegan diets in relation to plasma lipoproteins and triacylglycerols. 2007 , 51, 335-44	8
261	Oral fish oil supplementation raises blood omega-3 levels and lowers C-reactive protein in haemodialysis patients--a pilot study. 2007 , 22, 3561-7	84
260	Intravascular ultrasound assessment of drug-eluting stent expansion. 2007 , 153, 297-303	66
259	Snoring as an independent risk factor for hypertension in the nonobese population: the Korean Health and Genome Study. 2007 , 20, 819-24	30
258	Association between plasma lipid parameters and APOC3 genotypes in Brazilian subjects: effect of gender, smoking and APOE genotypes. 2007 , 380, 175-81	27
257	Diabetes mellitus and coronary revascularization procedures. 2007 , 119, 10-4	4
256	Aerobic exercise and lipids and lipoproteins in children and adolescents: a meta-analysis of randomized controlled trials. 2007 , 191, 447-53	64
255	Post-prandial endothelial dysfunction in hypertriglyceridemic subjects: molecular mechanisms and gene expression studies. 2007 , 193, 321-7	105
254	Registro de hipertrigliceridemias de la Sociedad Española de Arteriosclerosis. 2007 , 19, 303-307	4
253	Reaching for wellness in schizophrenia. 2007 , 30, 453-79	12
252	Risk of cardiovascular events in patients at optimal values for combined lipid parameters. 2007 , 23, 553-63	41
251	Apolipoprotein E and lipoprotein lipase gene polymorphisms interaction on the atherogenic combined expression of hypertriglyceridemia and hyperapobetalipoproteinemia phenotypes. 2007 , 30, 551-7	6
250	Contribution of tomato phenolics to antioxidation and down-regulation of blood lipids. 2007 , 55, 6475-81	63
249	Australian residence and heart disease risk in Vietnamese-born women. 2007 , 1, 223-90	1

248	Brachytherapy. 2007 , 307-332		0
247	Ameliorating effect of coenzyme Q10, riboflavin and niacin in tamoxifen-treated postmenopausal breast cancer patients with special reference to lipids and lipoproteins. 2007 , 40, 623-8		22
246	Mutations in LMF1 cause combined lipase deficiency and severe hypertriglyceridemia. 2007 , 39, 1483-7		159
245	Effects of hazelnut-enriched diet on plasma cholesterol and lipoprotein profiles in hypercholesterolemic adult men. 2007 , 61, 212-20		83
244	Prediction of coronary atherosclerotic disease with liver transaminase level. 2007 , 27, 895-900		34
243	Predicting coronary heart disease risk using the Framingham and PROCAM equations in dyslipidaemic patients without overt vascular disease. 2007 , 61, 1643-53		13
242	Does Carbofilm coating affect in-stent intimal proliferation? A randomized trial comparing Rx multi-link penta and Tecnic Carbostent Stents: SIROCCO Trial. 2007 , 20, 381-8		5
241	Differential impact of aging and gender on lipid and lipoprotein profiles in a cohort of healthy Chinese Singaporeans. 2007 , 9, 787-94		26
240	Inflammation in diabetes mellitus: role of peroxisome proliferator-activated receptor-alpha and peroxisome proliferator-activated receptor-gamma agonists. <i>American Journal of Cardiology</i> , 2007 , 99, 27B-40B	3	109
239	High P-selectin expression and low CD36 occupancy on circulating platelets are strong predictors of restenosis after coronary stenting in patients with coronary artery disease. 2007 , 22, 229-36		9
238	Aromatase inhibitors and cardiac toxicity: getting to the heart of the matter. 2007 , 106, 1-9		23
237	Cholesterol in women at high cardiovascular risk is less successfully treated than in corresponding men. The Skaraborg Hypertension and Diabetes Project. 2008 , 64, 815-20		7
236	Effect of n-3 fatty acid supplementation on blood glucose, lipid profile and cytokines in humans: A pilot study. 2008 , 23, 85-8		5
235	Prevalence of dyslipidemia and associated risk factors among Turkish adults: Trabzon lipid study. 2008 , 34, 36-51		76
234	Herba Epimedii water extract elevates estrogen level and improves lipid metabolism in postmenopausal women. 2008 , 22, 1224-8		19
233	The treatment of dyslipidemia--what's left in the pipeline?. 2008 , 3, 206-21		14
232	Antiangiogenic and hypolipidemic activity of coenzyme Q10 supplementation to breast cancer patients undergoing Tamoxifen therapy. 2008 , 32, 151-9		20
231	Should glycemic index and glycemic load be considered in dietary recommendations?. 2008 , 66, 569-90		30

230	Effects of long-term transdermal hormone replacement therapy on the renin-angiotensin-aldosterone system, plasma bradykinin levels and blood pressure in normotensive postmenopausal women. 2008 , 8, 259-64		26
229	The contribution of ApoB and ApoA1 measurements to cardiovascular risk assessment. 2008 , 10, 271-8		50
228	Combination therapy in the management of mixed dyslipidaemia. 2008 , 263, 353-65		26
227	Reducing the residual risk of 3-hydroxy-3-methylglutaryl coenzyme a reductase inhibitor therapy with combination therapy. <i>American Journal of Cardiology</i> , 2008 , 101, 27B-35B	3	11
226	Intravascular ultrasound evaluation of optimal drug-eluting stent expansion after poststent balloon dilation using a noncompliant balloon versus a semicompliant balloon (from the Poststent Optimal Stent Expansion Trial [POET]). <i>American Journal of Cardiology</i> , 2008 , 102, 304-10	3	14
225	The Residual Risk Reduction Initiative: A Call to Action to Reduce Residual Vascular Risk in Patients with Dyslipidemia. <i>American Journal of Cardiology</i> , 2008 , 102, 1K-34K	3	280
224	[Oxidative stress is exacerbated in diabetic patients during cardiopulmonary bypass]. 2008 , 57, 155-60		4
223	Characterization of the metabolic syndrome by apolipoproteins in the Oklahoma Cherokee. 2008 , 3, 193-9		9
222	Hyperglycemia predicts mortality after CABG: postoperative hyperglycemia predicts dramatic increases in mortality after coronary artery bypass graft surgery. 2008 , 22, 365-70		70
221	Reduced venous endothelial responsiveness after oral lipid overload in healthy volunteers. 2008 , 57, 103-9		8
220	Impact of obesity on cardiovascular disease. 2008 , 37, 663-84, ix		83
219	Comparison of the efficacy and safety of a combination tablet of niacin extended-release and simvastatin with simvastatin 80 mg monotherapy: the SEACOAST II (high-dose) study. 2008 , 2, 79-90		34
218	Diabetic dyslipidemia and the metabolic syndrome. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2008 , 2, 208-222	8.9	5
217	Abdominal obesity, hypertriglyceridemia, hypertriglyceridemic waist phenotype and risk of type 2 diabetes in American adults. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2008 , 2, 273-281	8.9	9
216	Vitamin C supplementation lowers serum low-density lipoprotein cholesterol and triglycerides: a meta-analysis of 13 randomized controlled trials. 2008 , 7, 48-58		61
215	Influence of diabetes mellitus on long-term survival in systematic off-pump coronary artery bypass surgery. 2008 , 86, 1181-8		23
214	The effect of three-dimensional matrix-embedding of endothelial cells on the humoral and cellular immune response. 2008 , 20, 117-22		18
213	A randomized study in diabetic patients undergoing cardiac surgery comparing computer-guided glucose management with a standard sliding scale protocol. 2008 , 22, 377-82		52

212	Endothelial and leukocyte adhesion molecules in primary hypertriglyceridemia. 2008 , 197, 679-87	15
211	Serum lipids in relation to sciatica among Finns. 2008 , 197, 43-9	35
210	Novel aspects of postprandial lipemia in relation to atherosclerosis. 2008 , 9, 39-44	77
209	Extended-release niacin/laropiprant: reducing niacin-induced flushing to better realize the benefit of niacin in improving cardiovascular risk factors. 2008 , 26, 547-60	26
208	Prescription omega-3 fatty acids and their lipid effects: physiologic mechanisms of action and clinical implications. 2008 , 6, 391-409	171
207	Hypertriglyceridemia and ischemic stroke. 2008 , 60, 269-78	28
206	Investigation and management of hypertriglyceridaemia. 2008 , 61, 1174-83	20
205	Effects of very-low-carbohydrate (horsemeat- or beef-based) diets and restricted feeding on weight gain, feed and energy efficiency, as well as serum levels of cholesterol, triacylglycerol, glucose, insulin and ketone bodies in adult rats. 2008 , 53, 260-7	3
204	Functional foods for cardiovascular disease in women. 2008 , 14, 63-9	14
203	Elevated serum creatinine levels associated with fenofibrate therapy. 2008 , 65, 138-41	18
202	FoxO1 integrates insulin signaling to VLDL production. 2008 , 7, 3162-70	99
201	High prevalence of low high-density lipoprotein cholesterol concentrations and other dyslipidemic phenotypes in an Iranian population. 2008 , 6, 187-95	23
200	Identifying subjects with insulin resistance by using the modified criteria of metabolic syndrome. 2008 , 23, 465-9	1
199	Regular exercise and plasma lipid levels associated with the risk of coronary heart disease: a 20-year longitudinal study. 2009 , 80, 138-45	4
198	Dyslipidemia in chronic kidney disease: managing a high-risk combination. 2009 , 121, 54-61	20
197	Low-fat versus low-carbohydrate weight reduction diets: effects on weight loss, insulin resistance, and cardiovascular risk: a randomized control trial. 2009 , 58, 2741-8	63
196	Is lipid control necessary in hemodialysis patients?. 2009 , 4 Suppl 1, S95-101	19
195	Overexpression of apolipoprotein A5 in mice is not protective against body weight gain and aberrant glucose homeostasis. 2009 , 58, 560-7	16

194	Amino acid supplementation decreases plasma and liver triacylglycerols in elderly. 2009 , 25, 281-8		24
193	Nonpharmacologic treatment of dyslipidemia. 2009 , 52, 61-94		45
192	Long-term lipid effects of pioglitazone by baseline anti-hyperglycemia medication therapy and statin use from the PROactive experience (PROactive 14). <i>American Journal of Cardiology</i> , 2009 , 104, 234-9	3	28
191	Carbohydrate restriction has a more favorable impact on the metabolic syndrome than a low fat diet. 2009 , 44, 297-309		251
190	Synthesis of specific fatty acids contributes to VLDL-triacylglycerol composition in humans with and without type 2 diabetes. 2009 , 52, 1628-37		40
189	Bidis--hand-rolled, Indian cigarettes: induced biochemical changes in plasma and red cell membranes of human male volunteers. 2009 , 42, 1041-5		11
188	Antiatherosclerotic function of Kokuto, Okinawan noncentrifugal cane sugar. 2009 , 57, 69-75		17
187	Apolipoprotein E4 allele influences the response of plasma triglyceride levels to tamoxifen in breast cancer patients. 2009 , 401, 144-7		13
186	Rationale, design and baseline characteristics of the PRO-TECT II study: PROpofol CardioproTECTion for Type II diabetics: a randomized, controlled trial of high-dose propofol versus isoflurane preconditioning in patients undergoing on-pump coronary artery bypass graft surgery. 2009 , 30, 380-5		6
185	Differential regulation of the human versus the mouse apolipoprotein AV gene by PPARalpha. Implications for the study of pharmaceutical modifiers of hypertriglyceridemia in mice. 2009 , 1791, 764-71		15
184	Elevated levels of platelet microparticles in carotid atherosclerosis and during the postprandial state. 2009 , 123, 881-6		32
183	Cardiovascular disease prevention in women: Impact of dietary interventions. 2009 , 63, 20-7		9
182	Effects of resistance and multicomponent exercise on lipid profiles of older women. 2009 , 63, 84-8		49
181	The Society of Thoracic Surgeons practice guideline series: Blood glucose management during adult cardiac surgery. 2009 , 87, 663-9		332
180	Lipoic acid improves hypertriglyceridemia by stimulating triacylglycerol clearance and downregulating liver triacylglycerol secretion. 2009 , 485, 63-71		63
179	Association of moderate and severe hypertriglyceridemia with obesity, diabetes mellitus and vascular disease in the Spanish working population: results of the ICARIA study. 2009 , 207, 573-8		31
178	A Randomized Study in Diabetic Patients Undergoing Cardiac Surgery Comparing Computer-Guided Glucose Management With a Standard Sliding Scale Protocol. 2009 , 2009, 238-240		
177	Non-steroidal anti-inflammatory drugs (NSAIDs) inhibit vascular smooth muscle cell proliferation via differential effects on the cell cycle. 2003 , 55, 519-26		35

176	Plasma triglyceride concentrations are rapidly reduced following individual bouts of endurance exercise in women. 2010 , 109, 721-30	19
175	Introduction to the DISRUPT postprandial database: subjects, studies and methodologies. 2010 , 5, 39-48	21
174	Dexamethasone eluting biodegradable polymeric matrix coated stent for intravascular drug delivery. 2010 , 88, 1479-1484	13
173	Safe and rapid resolution of severe hypertriglyceridaemia in two patients with intravenous insulin. 2010 , 27, 1080-3	6
172	Normal reference values for serum lipid levels in Chinese adolescents between 12 and 18 years of age. 2010 , 56, 13-8	5
171	The association between conventional antidepressants and the metabolic syndrome: a review of the evidence and clinical implications. 2010 , 24, 741-53	57
170	Polymorphisms of the NOS3 gene in Southern Chilean subjects with coronary artery disease and controls. 2010 , 411, 258-62	19
169	Regulation of hepatic ApoC3 expression by PGC-1 α mediates hypolipidemic effect of nicotinic acid. 2010 , 12, 411-419	60
168	Determinaciones analíticas en el paciente diabético. 2010 , 36, 513-519	0
167	Cardiovascular effects of edible oils: a comparison between four popular edible oils. 2010 , 23, 334-48	57
166	Intervention with education and exercise reverses the metabolic syndrome in adults. 2010 , 4, 148-53	32
165	New cardiovascular risk factors and physical activity. 2010 , 45, 201-208	3
164	Impact of age and menopausal status on the postprandial triacylglycerol response in healthy women. 2010 , 208, 246-52	19
163	Utilization patterns of extended-release niacin in Canada: analysis of an administrative claims database. 2010 , 26, e229-35	10
162	Peroxisome proliferator-activated receptor delta +294T > C polymorphism and serum lipid levels in the Guangxi Bai Ku Yao and Han populations. 2010 , 9, 145	18
161	Dietary glycemic index, dietary glycemic load, and incidence of heart failure events: a prospective study of middle-aged and elderly women. 2010 , 29, 65-71	18
160	Triglycerides and cardiovascular disease: a scientific statement from the American Heart Association. <i>Circulation</i> , 2011 , 123, 2292-333	16.7 1222
159	Hemostatic effects of bezafibrate and ω 3 fatty acids in isolated hypertriglyceridemic patients. 2011 , 63, 763-71	10

158	Centile values for serum lipids in Colombian adolescents. 2011 , 58, 395-400	5	
157	[Centile values for serum lipids in Colombian adolescents]. 2011 , 58, 395-400	5	
156	The atherogenic index of plasma is increased by hormonal contraception. 2011 , 71, 94-100	11	
155	Impact of obesity on cardiovascular disease. 2011 , 95, 919-37	140	
154	Associations of atherosclerotic risk factors with oxidized low-density lipoprotein evaluated by LOX-1 ligand activity in healthy men. 2011 , 412, 1643-7	19	
153	The defective protein level of myosin light chain phosphatase (MLCP) in the isolated saphenous vein, as a vascular conduit in coronary artery bypass grafting (CABG), harvested from patients with diabetes mellitus (DM). 2011 , 412, 323-7	13	
152	Prognosis of diabetic patients undergoing coronary artery bypass surgery compared with nondiabetics: a systematic review and meta-analysis. 2011 , 25, 288-98	20	
151	Impact of endothelial activation on infective and inflammatory complications after cardiac surgery in type II diabetes mellitus. 2011 , 34, 469-80	7	
150	Effects of aggressive versus moderate glycemic control on clinical outcomes in diabetic coronary artery bypass graft patients. 2011 , 254, 458-63; discussion 463-4	90	
149	Coronary artery bypass grafting in patients with type 2 diabetes mellitus: a comparison between minimized and conventional extracorporeal circulation. 2011 , 57, 501-6	5	
148	Influence of periodontal intervention therapy on risk of cardiovascular disease. 2011 , 56, 227-57	19	
147	The editor's roundtable: Closing the clinical practice gap-using evidence-based treatments for managing lipids. <i>American Journal of Cardiology</i> , 2011 , 107, 230-42	3	0
146	Comparison of morbidity and mortality in diabetics versus nondiabetics having isolated coronary bypass versus coronary bypass plus valve operations versus isolated valve operations. <i>American Journal of Cardiology</i> , 2011 , 107, 535-9	3	3
145	[Influence of diabetes mellitus on the prognosis of non-ST-elevation acute coronary syndromes]. 2011 , 60, 33-8		
144	Dyslipidemia in northeastern China. 2011 , 6, 220-226	2	
143	Influence of exercise on nutritional requirements. 2011 , 111, 379-90	15	
142	Symptomatic disc herniation and serum lipid levels. 2011 , 20, 1658-62	36	
141	The effect of bezafibrate and omega-3 fatty acids on lymphocyte cytokine release and systemic inflammation in patients with isolated hypertriglyceridemia. 2011 , 67, 1109-17	18	

140	The effects of diet education plus light resistance training on coronary heart disease risk factors in community-dwelling older adults. 2011 , 15, 762-7	18
139	The impact of plasma triglyceride and apolipoproteins concentrations on high-density lipoprotein subclasses distribution. 2011 , 10, 17	9
138	The peroxisome proliferator-activated receptor delta +294T > C polymorphism and alcohol consumption on serum lipid levels. 2011 , 10, 242	5
137	Angiographic and intravascular ultrasound follow up of paclitaxel- and sirolimus-eluting stent after poststent high-pressure balloon dilation: from the poststent optimal stent expansion trial. 2011 , 77, 15-21	9
136	Reference intervals of serum lipid profile in healthy Indian school children and adolescents. 2011 , 44, 760-6	17
135	Improved efficacy for ezetimibe and rosuvastatin by attenuating the induction of PCSK9. 2011 , 52, 679-87	37
134	Effects of monounsaturated fatty acids on cardiovascular risk factors: a systematic review and meta-analysis. 2011 , 59, 176-86	94
133	Unrefined and refined black raspberry seed oils significantly lower triglycerides and moderately affect cholesterol metabolism in male Syrian hamsters. 2011 , 14, 1032-8	15
132	Is off-pump superior to conventional coronary artery bypass grafting in diabetic patients with multivessel disease?. 2011 , 40, 233-9	48
131	Glycemic Control during Coronary Artery Bypass Graft Surgery. 2012 , 2012, 292490	18
130	The flavonoid morin restores blood pressure and lipid metabolism in DOCA-salt hypertensive rats. 2012 , 17, 167-75	21
129	Omega-3 fatty acid supplementation and cardiovascular disease. 2012 , 53, 2525-45	139
128	Gender-based divergence of cardiovascular outcomes in asymptomatic patients with type 2 diabetes: results from the DIAD study. 2012 , 9, 124-30	8
127	Associations of glycemic index and load with coronary heart disease events: a systematic review and meta-analysis of prospective cohorts. 2012 , 1, e000752	102
126	Cardiology in Family Practice. 2012 ,	3
125	Meeting Nutritional Goals for Children Receiving Maintenance Dialysis. 2012 , 377-437	
124	Insulin induces internalization of the plasma membrane 5-hydroxytryptamine _{2A} (5-HT _{2A}) receptor in the isolated human endothelium-denuded saphenous vein via the phosphatidylinositol 3-kinase pathway. 2012 , 118, 178-85	3
123	Insulin resistance and coronary heart disease in nondiabetic individuals. 2012 , 32, 1754-9	119

122	Postprandial accumulation of chylomicrons and chylomicron remnants is determined by the clearance capacity. 2012 , 222, 222-8	39
121	Effects of coadministered extended-release niacin/laropirant and simvastatin on lipoprotein subclasses in patients with dyslipidemia. 2012 , 6, 235-43	8
120	How important is glycemic control during coronary artery bypass?. 2012 , 46, 219-35	12
119	Early noninvasive evaluation of coronary flow reserve after angioplasty in the left anterior descending coronary artery identifies patients at high risk of restenosis at follow-up. 2012 , 25, 902-10	8
118	Melissa officinalis essential oil reduces plasma triglycerides in human apolipoprotein E2 transgenic mice by inhibiting sterol regulatory element-binding protein-1c-dependent fatty acid synthesis. 2012 , 142, 432-40	30
117	American Association of Clinical Endocrinologists' Guidelines for Management of Dyslipidemia and Prevention of Atherosclerosis. 2012 , 18 Suppl 1, 1-78	312
116	Effects of energy-restricted high-protein, low-fat compared with standard-protein, low-fat diets: a meta-analysis of randomized controlled trials. 2012 , 96, 1281-98	345
115	Genetic variant R952Q in LRP8 is associated with increased plasma triglyceride levels in patients with early-onset CAD and MI. 2012 , 76, 193-9	9
114	Paclitaxel coated balloons for coronary artery interventions: a comprehensive review of preclinical and clinical data. 2012 , 161, 4-12	73
113	Fatty acid synthase and liver triglyceride metabolism: housekeeper or messenger?. 2012 , 1821, 747-53	185
112	Hypertriglyceridemia secondary to obesity and diabetes. 2012 , 1821, 819-25	101
111	Postprandial metabolism of meal triglyceride in humans. 2012 , 1821, 721-6	105
110	Catalposide is a natural agonistic ligand of peroxisome proliferator-activated receptor- β . 2012 , 422, 568-72	7
109	Trends in lipids and lipoproteins in US adults, 1988-2010. 2012 , 308, 1545-54	196
108	Cardiovascular disease in women. 2012 , 37, 450-526	44
107	The complex spectrum of forensic issues arising from obesity. 2012 , 8, 402-13	44
106	Postprandial VLDL-triacylglycerol secretion is not suppressed in obese type 2 diabetic men. 2012 , 55, 2733-2740	22
105	Dyslipidemia. 2012 , 159-178	

104	Association of MYLIP rs3757354 SNP and several environmental factors with serum lipid levels in the Guangxi Bai Ku Yao and Han populations. 2012 , 11, 141		5
103	Cost-effectiveness of extended-release niacin/laropirant added to a stable simvastatin dose in secondary prevention patients not at cholesterol goal in Germany. 2012 , 13, 365-74		7
102	Meta-analysis of dietary glycemic load and glycemic index in relation to risk of coronary heart disease. <i>American Journal of Cardiology</i> , 2012 , 109, 1608-13	3	83
101	Age- and menopause-related differences in physiological factors of health quality in women aged 35-60. 2012 , 54, 385-90		7
100	C57Bl/6 N mice on a western diet display reduced intestinal and hepatic cholesterol levels despite a plasma hypercholesterolemia. 2012 , 13, 84		35
99	Lipoprotein subclass profiles in young adults born preterm at very low birth weight. 2013 , 12, 57		17
98	Elucidation of mechanisms of actions of thymoquinone-enriched methanolic and volatile oil extracts from <i>Nigella sativa</i> against cardiovascular risk parameters in experimental hyperlipidemia. 2013 , 12, 86		40
97	Hyperlipidemia modifies innate immune responses to lipopolysaccharide via the TLR-NF- κ B signaling pathway. 2013 , 36, 968-76		18
96	Coronary revascularization in diabetic patients: off-pump versus on-pump surgery. 2013 , 96, 528-34		22
95	Lymphocyte-suppressing action of simvastatin in patients with isolated hypertriglyceridemia. 2013 , 65, 756-60		3
94	Association of obesity with cardiovascular disease mortality in the PLCO trial. 2013 , 57, 60-4		47
93	New therapeutic alternatives for the management of dyslipidemia. 2013 , 26, 528-40		2
92	Icosapent ethyl for treatment of elevated triglyceride levels. 2013 , 47, 1517-23		9
91	Polymorphisms in genes involved in the triglyceride synthesis pathway and marine omega-3 polyunsaturated fatty acid supplementation modulate plasma triglyceride levels. 2013 , 6, 268-80		8
90	Comparison of effects of long-term low-fat vs high-fat diets on blood lipid levels in overweight or obese patients: a systematic review and meta-analysis. 2013 , 113, 1640-61		124
89	Oral retinoids and plasma lipids. 2013 , 26, 404-10		16
88	Neck circumference is correlated with triglycerides and inversely related with HDL cholesterol beyond BMI and waist circumference. 2013 , 29, 90-7		46
87	Oxidative stress and myocardial injury in the diabetic heart. 2013 , 229, 232-41		157

86	Substituting non-HDL cholesterol with LDL as a guide for lipid-lowering therapy increases the number of patients with indication for therapy. 2013 , 226, 471-5	16
85	The g.-469G>A polymorphism in the GPIHBP1 gene promoter is associated with hypertriglyceridemia and has an additive effect on the risk conferred by LPL defective alleles. 2013 , 23, 358-65	2
84	What should we do about Hypertriglyceridemia in Coronary Artery Disease Patients?. 2013 , 15, 104-17	5
83	Hepatic methionine homeostasis is conserved in C57BL/6N mice on high-fat diet despite major changes in hepatic one-carbon metabolism. 2013 , 8, e57387	25
82	Monocyte-suppressing effects of simvastatin in patients with isolated hypertriglyceridemia. 2013 , 24, 255-9	2
81	Severe hypertriglyceridaemia in Type 2 diabetes mellitus: beneficial effect of continuous insulin infusion. 2013 , 106, 355-9	18
80	Effect of licorice flavonoid oil on cholesterol metabolism in high fat diet rats. 2013 , 77, 1326-8	6
79	Long-term Effects of Dieting: Is Weight Loss Related to Health?. 2013 , 7, 861-877	47
78	5-hydroxytryptamine receptors as targets for drug therapies of vascular-related diseases. 2013 , 36, 1410-5	14
77	Pigmented rice bran and plant sterol combination reduces serum lipids in overweight and obese adults. 2014 , 33, 231-8	25
76	Effects of eicosapentaenoic acid and docosahexaenoic acid on chylomicron and VLDL synthesis and secretion in Caco-2 cells. 2014 , 2014, 684325	6
75	Correlation of hemoglobin A1C level with surgical outcomes: Can tight perioperative glucose control reduce infection and cardiac events?. 2014 , 27, 156-61	7
74	Effects of dietary lipid sources on growth performance, carcass composition, and blood parameters of juvenile Chinese sturgeon (<i>Acipenser sinensis</i> Gray, 1835). 2014 , 30, 1620-1625	6
73	Long-term risk of cardiovascular events across a spectrum of adverse major plasma lipid combinations in the Framingham Heart Study. 2014 , 168, 878-83.e1	45
72	Corrosion resistance improvement for 316L stainless steel coronary artery stents by trimethylsilane plasma nanocoatings. 2014 , 102, 1363-74	17
71	Dietary glycemic index, glycemic load, and nutritional correlates in free-living elderly Brazilians: a population-based survey. 2014 , 33, 111-9	3
70	Inhibition of ApoCIII: the next PCSK9?. 2014 , 25, 418-22	20
69	Beneficial effects of black yeast derived 1-3, 1-6 Beta Glucan-Nichi Glucan in a dyslipidemic individual of Indian origin--a case report. 2014 , 11, 1-6	10

68	HDL lipid composition is profoundly altered in patients with type 2 diabetes and atherosclerotic vascular disease. 2014 , 24, 594-9	28
67	The hypolipidaemic effects of Spirulina (<i>Arthrospira platensis</i>) supplementation in a Cretan population: a prospective study. 2014 , 94, 432-7	47
66	Novel links among peroxiredoxins, endothelial dysfunction, and severity of atherosclerosis in type 2 diabetic patients with peripheral atherosclerotic disease. 2014 , 19, 173-81	22
65	Hypertriglyceridemia accompanied by increased serum complement component 3 and proteinuria in non-nephrotic chronic kidney disease. 2014 , 18, 453-60	3
64	Association between objectively assessed sedentary time and physical activity with metabolic risk factors among people with recently diagnosed type 2 diabetes. 2014 , 57, 73-82	75
63	Secular trends in serum lipid levels of a Middle Eastern adult population; 10 years follow up in Tehran lipid and glucose study. 2014 , 13, 20	24
62	Production and Metabolism of Triglyceride-Rich Lipoproteins in Both the Normal and Diabetic States. 2014 , 125-139	1
61	Fibrate Therapy: Impact on Dyslipidemia and Cardiovascular Events in Diabetic Patients. 2014 , 373-398	
60	The calcium-sensing receptor R990G polymorphism is associated with increased risk of hypertriglyceridemia in obese Chinese. 2014 , 533, 67-71	2
59	Current treatment of in-stent restenosis. 2014 , 63, 2659-73	330
58	The postprandial chylomicron triacylglycerol response to dietary fat in healthy male adults is significantly explained by a combination of single nucleotide polymorphisms in genes involved in triacylglycerol metabolism. 2014 , 99, E484-8	34
57	Determining triglyceride reductions needed for clinical impact in severe hypertriglyceridemia. 2014 , 127, 36-44.e1	48
56	The role of post-translational modifications in acute and chronic cardiovascular disease. 2014 , 8, 506-21	24
55	Linalool is a PPAR β ligand that reduces plasma TG levels and rewires the hepatic transcriptome and plasma metabolome. 2014 , 55, 1098-110	27
54	The role of dietary fat on the association between dietary amino acids and serum lipid profile in European adolescents participating in the HELENA Study. 2014 , 68, 464-73	3
53	Predictors of hospital length of stay after implantation of a left ventricular assist device: an analysis of the INTERMACS registry. 2014 , 33, 682-8	33
52	Influence of diabetes mellitus on long-term clinical and economic outcomes after coronary artery bypass grafting. 2014 , 97, 2073-9	27
51	The effect of dietary omega-3 polyunsaturated fatty acids on plasma lipids and lipoproteins of C57BL/6 mice is age and sex specific. 2014 , 91, 39-47	13

50	Influence of CYP1A1*2C on high triglyceride levels in female Mexican indigenous Tarahumaras. 2014 , 45, 409-16	4
49	Identification of molecular species of oxidized triglyceride in plasma and its distribution in lipoproteins. 2015 , 53, 1859-69	2
48	APOE polymorphisms contribute to reduced atorvastatin response in Chilean Amerindian subjects. 2015 , 16, 7890-9	14
47	Vascular Complications of Diabetes Mellitus. 2015 , 1541-1593	
46	Intensity-dependent and sex-specific alterations in hepatic triglyceride metabolism in mice following acute exercise. 2015 , 118, 61-70	12
45	A comparative study of powder metallurgical (PM) and wrought FeMnBi alloys. 2015 , 630, 116-124	31
44	Effects of glycemic control upon serum lipids and lipid transfers to HDL in patients with type 2 diabetes mellitus: novel findings in unesterified cholesterol status. 2015 , 123, 232-9	8
43	Saturated Fats Versus Polyunsaturated Fats Versus Carbohydrates for Cardiovascular Disease Prevention and Treatment. 2015 , 35, 517-43	148
42	Secondary Prevention of Heart Disease in Women: Gaps in Care/Gaps in KnowledgeWhere Do We Need to Focus Our Attention. 2015 , 9, 1	
41	Association of abdominal obesity, hypertriglyceridemia, and hypertriglyceridemic waist phenotype with hypertension and type 2 diabetes mellitus. 2015 , 35, 439-447	
40	Predictors and risks of body fat profiles in young New Zealand European, Māori and Pacific women: study protocol for the women's EXPLORE study. 2015 , 4, 128	11
39	Hypertriglyceridemia in an outpatient department--Significance as an atherosclerotic risk factor. 2015 , 18, 146-53	1
38	National lipid association recommendations for patient-centered management of dyslipidemia: part 1--full report. 2015 , 9, 129-69	478
37	Genetic basis of dyslipidemia in disease precipitation of coronary artery disease (CAD) associated type 2 diabetes mellitus (T2DM). 2015 , 31, 663-71	13
36	Comprehensive Management of High Risk Cardiovascular Patients. 2016 ,	1
35	Association between serum cytokine concentrations and the presence of hypertriglyceridemia. 2016 , 49, 750-5	19
34	Serum lipid levels are positively correlated with lumbar disc herniation--a retrospective study of 790 Chinese patients. 2016 , 15, 80	15
33	Plasma PCSK9 level is unrelated to blood pressure and not associated independently with carotid intima-media thickness in hypertensives. 2016 , 39, 598-605	9

32	Exercise Guidelines to Promote Cardiometabolic Health in Spinal Cord Injured Humans: Time to Raise the Intensity?. 2017 , 98, 1693-1704		47
31	Hemoglobin A1c Levels Predicts Acute Kidney Injury after Coronary Artery Bypass Surgery in Non-Diabetic Patients. <i>Brazilian Journal of Cardiovascular Surgery</i> , 2017 , 32, 83-89	1.1	9
30	Associations of leptin, insulin and lipids with retinal microvasculature in children and adolescents. 2018 , 31, 143-150		1
29	Association of ADAMTS4 and ADAMTS9 levels with cardiovascular risk in patients with primary hyperparathyroidism. 2018 , 43, 15-20		3
28	Elevated apolipoprotein B as a risk-enhancing factor in 2018 cholesterol guidelines. 2019 , 13, 356-359		4
27	C7 slope and its association with serum lipid levels and Modic changes in patients with cervical spondylotic myelopathy. 2019 , 12, 1767-1776		1
26	Early and Mid-Term Outcomes of Patients Undergoing Coronary Artery Bypass Grafting in Ischemic Cardiomyopathy. 2019 , 8, e010225		2
25	Diabetics have Inferior Long-Term Survival and Quality of Life after CABG. <i>International Journal of Angiology</i> , 2019 , 28, 50-56	1.1	1
24	Identification of hypertriglyceridemia based on bone density, body fat mass, and anthropometry in a Korean population. <i>BMC Cardiovascular Disorders</i> , 2019 , 19, 66	2.3	4
23	Insulin-Based Infusion System: Advancing the Development. <i>Journal of Diabetes Science and Technology</i> , 2019 , 13, 941-948	4.1	2
22	Effect of a Dual PPAR α Agonist on Insulin Sensitivity in Patients of Type 2 Diabetes with Hypertriglyceridemia- Randomized double-blind placebo-controlled trial. <i>Scientific Reports</i> , 2019 , 9, 19047	4.9	16
21	Effect of hyperlipidaemia to accelerate intervertebral disc degeneration in the injured rat caudal disc model. <i>Journal of Orthopaedic Science</i> , 2019 , 24, 42-49	1.6	4
20	Correlation among lipid parameters, pulse wave velocity and central blood pressure in young Korean population. <i>Clinical and Experimental Hypertension</i> , 2019 , 41, 20-27	2.2	11
19	Red pepper seed water extract suppresses high-fat diet-induced obesity in C57BL/6 mice. <i>Food Science and Biotechnology</i> , 2020 , 29, 275-281	3	2
18	Efficacy and safety of saroglitazar in managing hypertriglyceridemia in type-2 diabetes: A meta-analysis. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2020 , 14, 1759-1768	8.9	6
17	Efficacy and safety of atorvastatin in South Asian patients with dyslipidemia: an open label noncomparative pilot study. <i>Vascular Health and Risk Management</i> , 2005 , 1, 351-6	4.4	9
16	Is Hypoalbuminemia a Predictor for Acute Kidney Injury after Coronary Bypass Grafting in Diabetes Mellitus Patients?. <i>Brazilian Journal of Cardiovascular Surgery</i> , 2019 , 34, 565-571	1.1	8
15	Improved graft patency rates and mid-term outcome of diabetic patients undergoing total arterial myocardial revascularization. <i>Heart International</i> , 2006 , 2, 136	0.3	2

14	The effectiveness of the 4MAT teaching model upon student achievement and attitude levels. <i>International Journal of Research Studies in Education</i> , 2012 , 1,	0.8	3
13	References. <i>Circulation</i> , 2002 , 106, 3373-3421	16.7	1
12	Clinical Features and Treatment of Coronary Heart Disease in Diabetes.		
11	Diabetes Mellitus. 2006 , 289-315		
10	Diabetes Mellitus. 2006 , 289-315		
9	Epidemiology of vascular disease in women. 2006 , 3-16		
8	Optimal patient preparation and selection to avoid complications. 2006 , 17-37		
7	Vascular Complications of Diabetes Mellitus. 2014 , 1-65		
6	Chirurgische Intervention. 2005 , 296-308		
5	The Relationship between Physical Fitness and Coronary Risk Factor Profiles in Japanese Women.. <i>Environmental Health and Preventive Medicine</i> , 2000 , 5, 6-12	4.2	
4	Hormones and heart disease: what we thought, what we have learned, what we still need to know. <i>Transactions of the American Clinical and Climatological Association</i> , 2002 , 113, 31-40; discussion 40-1	0.9	4
3	Effects of glargine insulin on glycemic control in patients with diabetes mellitus type II undergoing off-pump coronary artery bypass graft. <i>Annals of Cardiac Anaesthesia</i> , 2018 , 21, 167-172	1.3	2
2	Electronic Cigarette Use and the Risk of Cardiovascular Diseases.. <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 879726	5.4	4
1	2015 Young Surgeon Award Winner: Long-term Prognosis in Patients with Diabetes Mellitus after Coronary Artery Bypass Grafting: A Propensity-Matched Study. 2016 , 45, 83-90		3