

CITATION REPORT

List of articles citing

Contraction and relaxation velocities of the normal left ventricle using pulsed-wave tissue Doppler echocardiograph

DOI: 10.1016/s0002-9149(97)00990-9
American Journal of Cardiology, 1998, 81, 609-14.

Source: <https://exaly.com/paper-pdf/28950826/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|--|----|-----------|
| 214 | Ambulatory blood pressure monitoring and echocardiography--noninvasive techniques for evaluation of the hypertensive patient. 1999 , 41, 397-440 | | 12 |
| 213 | Evaluation of left ventricular contraction abnormalities in patients with dilated cardiomyopathy with the use of pulsed tissue Doppler imaging. 1999 , 12, 913-20 | | 65 |
| 212 | Tissue Doppler imaging in the normal fetus. 1999 , 71, 227-34 | | 107 |
| 211 | Characteristics of mitral and tricuspid annular velocities determined by pulsed wave Doppler tissue imaging in healthy subjects. 1999 , 12, 618-28 | | 297 |
| 210 | Effect of aging on diastolic left ventricular myocardial velocities measured by pulsed tissue Doppler imaging in healthy subjects. 1999 , 12, 574-81 | | 103 |
| 209 | Right ventricular diastolic filling assessed by conventional doppler and tissue Doppler imaging in normal children. 1999 , 189, 283-94 | | 13 |
| 208 | Tissue doppler imaging of left and right ventricles in normal children. 2000 , 191, 21-9 | | 57 |
| 207 | Influence of age and cardiovascular factors on regional pulsed wave Doppler myocardial imaging indices. 2000 , 1, 87-95 | | 22 |
| 206 | A comparison of regional myocardial velocity information derived by pulsed and color Doppler techniques: an in vitro and in vivo study. 2000 , 17, 639-51 | | 64 |
| 205 | Enhanced echocardiographic techniques for imaging tissue. <i>American Journal of Cardiology</i> , 2000 , 86, 25G-27G | 3 | 5 |
| 204 | Tissue Doppler imaging: current and potential clinical applications. 2000 , 84 Suppl 2, II11-8 | | 28 |
| 203 | Effects of first myocardial infarction on left ventricular systolic and diastolic function with the use of mitral annular velocity determined by pulsed wave doppler tissue imaging. 2000 , 13, 343-52 | | 121 |
| 202 | Doppler tissue velocity sampling improves diagnostic accuracy during dobutamine stress echocardiography for the assessment of viable myocardium in patients with severe left ventricular dysfunction. 2000 , 21, 1091-8 | | 47 |
| 201 | Left ventricular wall motion velocities in healthy children measured by pulsed wave Doppler tissue echocardiography: normal values and relation to age and heart rate. 2000 , 13, 1002-11 | | 72 |
| 200 | Pulsed Doppler tissue imaging of the velocity of tricuspid annular systolic motion; a new, rapid, and non-invasive method of evaluating right ventricular systolic function. 2001 , 22, 340-8 | | 456 |
| 199 | New insights into regional systolic and diastolic left ventricular function with tissue Doppler echocardiography: from qualitative analysis to a quantitative approach. 2001 , 14, 85-96 | | 52 |
| 198 | Tissue Doppler imaging: a useful echocardiographic method for the cardiac sonographer to assess systolic and diastolic ventricular function. 2001 , 14, 1143-52 | | 168 |

| | | |
|-----|---|-----|
| 197 | Quantification of 3-D regional myocardial deformation: shape-based analysis of magnetic resonance images. 2001 , 281, H698-714 | 29 |
| 196 | A comparison of tissue Doppler imaging and velocities of transmitral flow in children with elevated left ventricular preload. 2001 , 11, 261-8 | 42 |
| 195 | Diastolic function in hypertension. 2001 , 3, 485-97 | 7 |
| 194 | In vitro validation of tissue Doppler left ventricular regional wall velocities by using a novel balloon phantom. 2001 , 21, 337-40 | 3 |
| 193 | Doppler myocardial imaging in the assessment of normal and ischemic myocardial function--past, present and future. 2001 , 17, 89-98 | 9 |
| 192 | Examination of left ventricular contractile reserve by Doppler myocardial imaging in patients with dilated cardiomyopathy. 2001 , 7, 191-195 | |
| 191 | Doppler tissue echocardiography: myocardial wall motion velocities in essential hypertension. 2001 , 2, 108-17 | 34 |
| 190 | Alternative Echocardiographic Methods to Assess Left Ventricular Diastolic Function. 2002 , 18, 218-230 | 2 |
| 189 | Analysis of Temporal Requirements for Myocardial Tissue Velocity Imaging. 2002 , 3, 214-219 | 31 |
| 188 | Influence of left ventricular geometry on regional systolic and diastolic function in patients with essential hypertension. 2002 , 36, 292-6 | 10 |
| 187 | Quantitative assessment of intrinsic regional myocardial deformation by Doppler strain rate echocardiography in humans: validation against three-dimensional tagged magnetic resonance imaging. 2002 , 106, 50-6 | 430 |
| 186 | Tissue Doppler imaging for the assessment of left ventricular systolic and diastolic functions. 2002 , 17, 431-42 | 56 |
| 185 | Acute effects of smoking on diastolic function in healthy participants: studies by conventional doppler echocardiography and doppler tissue imaging. 2002 , 15, 1232-7 | 41 |
| 184 | Assessment of regional systolic and diastolic wall motion velocities in highly trained athletes by pulsed wave Doppler tissue imaging. 2002 , 15, 900-5 | 47 |
| 183 | Pulsed Doppler tissue imaging in dystrophinopathic cardiomyopathy. 2002 , 15, 891-9 | 33 |
| 182 | Proceedings of the International Society of Non-Invasive Cardiology, 18th European Congress. September 20-22, 2001. Krakow, Poland. 2002 , 57, 29-86 | |
| 181 | Strain rate imaging: an in vitro "validation" study using a physiologic balloon model mimicking the left ventricle. 2002 , 19, 669-77 | 9 |
| 180 | Myocardial ischemia assessed by Tc99m MIBI SPECT and left ventricle regional systolic and diastolic function evaluated by tissue Doppler echocardiography. 2003 , 19, 315-21 | 5 |

| | | | |
|-----|---|---|-----|
| 179 | Analysis and processing of laser Doppler perfusion monitoring signals recorded from the beating heart. 2003 , 41, 255-62 | | 14 |
| 178 | Usefulness of tissue Doppler echocardiography for evaluating ventricular function in children without heart disease. <i>American Journal of Cardiology</i> , 2003 , 91, 570-4 | 3 | 55 |
| 177 | Early diastolic filling dynamics in diastolic dysfunction. 2003 , 1, 9 | | 3 |
| 176 | Assessment of left and right ventricular systolic and diastolic synchronicity in normal subjects by tissue Doppler echocardiography and the effects of age and heart rate. 2003 , 20, 19-27 | | 68 |
| 175 | Relationship between noninvasive reperfusion criteria and pulsed-wave tissue Doppler parameters in patients with acute myocardial infarction receiving thrombolytic therapy. 2003 , 20, 237-48 | | 3 |
| 174 | Novel approach to measure myocardial performance index: pulsed-wave tissue Doppler echocardiography. 2003 , 20, 503-10 | | 86 |
| 173 | Assessment of left ventricular systolic and diastolic function by Doppler tissue imaging in patients with preinfarction angina. 2003 , 16, 1024-30 | | 12 |
| 172 | Longitudinal ventricular function: normal values of atrioventricular annular and myocardial velocities measured with quantitative two-dimensional color Doppler tissue imaging. 2003 , 16, 906-21 | | 199 |
| 171 | Tissue Doppler, strain, and strain rate echocardiography for the assessment of left and right systolic ventricular function. 2003 , 89 Suppl 3, iii9-17 | | 99 |
| 170 | Right ventricular function before and after an uncomplicated coronary artery bypass graft as assessed by pulsed wave Doppler tissue imaging of the tricuspid annulus. 2003 , 146, 520-6 | | 98 |
| 169 | Peak mean myocardial velocities and velocity gradients measured by color M-mode tissue Doppler imaging in healthy cats. 2003 , 17, 510-24 | | 23 |
| 168 | Myocardial time intervals preceding left ventricular filling in chronic coronary artery disease: value of a decreased septal ejection time. 2003 , 89, 33-44 | | 7 |
| 167 | Assessment of left ventricular function using mitral annular velocities in patients with congestive heart failure with or without the presence of significant mitral regurgitation. 2003 , 16, 240-5 | | 42 |
| 166 | Changes in Regional Left Atrial Function with Aging: Evaluation by Doppler Tissue Imaging. 2003 , 4, 92-100 | | 99 |
| 165 | Quantitative analysis of sinoatrial node using Doppler tissue images. 2003 , 50, 1336-41 | | 1 |
| 164 | Left ventricular performance in patients with severe acute respiratory syndrome: a 30-day echocardiographic follow-up study. 2003 , 108, 1798-803 | | 143 |
| 163 | Differentiation of ischemic from nonischemic cardiomyopathy during dobutamine stress by left ventricular long-axis function: additional effect of left bundle-branch block. 2003 , 108, 1214-20 | | 49 |
| 162 | New Insights into Septal Anterior Wall Motion Velocities at End-Systole in Normal and Hypertrophied Left Ventricles. 2003 , 4, 108-111 | | 3 |

| | | |
|-----|--|------|
| 161 | Colour tissue Doppler echocardiographic evaluation of right ventricular function in patients with right ventricular infarction. 2003 , 100, 41-6 | 21 |
| 160 | Value of measuring myocardial performance index by tissue Doppler echocardiography in normal and diseased heart. 2003 , 44, 403-16 | 30 |
| 159 | Application of tissue Doppler imaging in cardiology. 2004 , 101, 170-84 | 95 |
| 158 | A new perspective on cardiotoxicity of 5-fluorouracil. A novel research tool Qardiac ultrasonic integrated backscatter analysis Qndicates transient, subclinical myocardial dysfunction due to high-dose leucovorin and infusional 5-fluorouracil regimen. 2004 , 50, 113-8 | 17 |
| 157 | Color Doppler tissue velocity imaging demonstrates significant asynchronous regional left ventricular contraction and relaxation in patients with bundle branch block and heart failure compared with control subjects. 2004 , 102, 220-7 | 3 |
| 156 | Hcc-1 is a novel component of the nuclear matrix with growth inhibitory function. 2004 , 61, 2264-73 | 31 |
| 155 | The utility of newly derived Doppler echocardiographic variables in the diagnosis and management of patients with heart failure. 2004 , 6, 217-24 | |
| 154 | Effects of the reduction of preload on left and right ventricular myocardial velocities analyzed by Doppler tissue echocardiography in healthy subjects. 2004 , 5, 262-71 | 71 |
| 153 | Impact of cardiac growth on Doppler tissue imaging velocities: a study in healthy children. 2004 , 17, 212-21 | 307 |
| 152 | Factors associated with mitral annular systolic and diastolic velocities in healthy adults. 2004 , 17, 1146-54 | 32 |
| 151 | Myocardial tissue velocities in the normal left and right ventricle: relationships and predictors. 2004 , 13, 367-73 | 8 |
| 150 | Left and right ventricular adaptation assessed by Doppler tissue echocardiography in athletes. 2004 , 17, 205-11 | 66 |
| 149 | Clinical in vivo calibration of pulse wave tissue Doppler velocities in the assessment of ventricular wall motion. A comparison study with M-mode echocardiography. 2004 , 97, 289-95 | 28 |
| 148 | Left ventricular myocardial velocities in healthy children: quantitative assessment by tissue Doppler echocardiography and relation to the characteristics of filling of the left ventricle. 2004 , 14, 156-63 | 19 |
| 147 | Stress echocardiography for the diagnosis of coronary artery disease: progress towards quantification. 2005 , 20, 395-8 | 12 |
| 146 | Impairment of left ventricular function in systemic lupus erythematosus evaluated by measuring myocardial performance index with tissue Doppler echocardiography. 2005 , 22, 315-9 | 20 |
| 145 | Anthony Nicholas DeMaria, MD: a conversation with the editor. Interview by William Clifford Roberts, MD. <i>American Journal of Cardiology</i> , 2005 , 95, 204-23 | 3 0 |
| 144 | Comparison of tissue Doppler dynamics to Doppler flow in evaluating left atrial appendage function by transesophageal echocardiography. <i>American Journal of Cardiology</i> , 2005 , 95, 1011-4 | 3 29 |

| | | |
|-----|---|-----|
| 143 | Impact of chronic left ventricular preload and afterload on Doppler tissue imaging velocities: a study in congenital heart disease. 2005 , 18, 830-8 | 59 |
| 142 | Tissue Doppler echocardiographic identification of ischemic etiology in patients with dilated cardiomyopathy. 2005 , 39, 334-41 | 6 |
| 141 | Heart rate effects on strain and strain rate in healthy children. 2005 , 18, 1121-30 | 58 |
| 140 | Left ventricular systolic longitudinal function: comparison among simple M-mode, pulsed, and M-mode color tissue Doppler of mitral annulus in healthy individuals. 2006 , 19, 1085-91 | 66 |
| 139 | Quantitative analysis of semi-supine exercise echocardiography--influence of age on myocardial Doppler imaging indices. 2006 , 61, 271-7 | 1 |
| 138 | Myocardial stiffness and the timing difference between tissue Doppler imaging Ea and peak mitral valve opening can distinguish physiological hypertrophy in athletes from hypertrophic cardiomyopathy. 2006 , 7, 423-9 | 10 |
| 137 | Modalities to assess myocardial viability in the modern cardiology era. 2006 , 17, 567-76 | 3 |
| 136 | Impaired left ventricular filling in patients with essential hyperhidrosis: an echo-Doppler study. 2006 , 208, 283-90 | 2 |
| 135 | Subclinical left ventricular dysfunction in multiple sclerosis. 2006 , 114, 114-8 | 10 |
| 134 | Effect of cilnidipine on left ventricular function in hypertensive patients as assessed by tissue Doppler Tei index. 2006 , 20, 618-24 | 8 |
| 133 | The relationship between flow-mediated dilatation and left ventricular function in type 2 diabetic patients with microalbuminuria. 2006 , 30, 197-202 | 9 |
| 132 | Right ventricular and pulmonary function in sickle cell disease patients with pulmonary hypertension. 2006 , 27, 440-6 | 23 |
| 131 | Myocardial tissue phase mapping with cine phase-contrast mr imaging: regional wall motion analysis in healthy volunteers. 2006 , 238, 816-26 | 84 |
| 130 | A clinician@ guide to tissue Doppler imaging. 2006 , 113, e396-8 | 211 |
| 129 | Detection of abnormal left ventricular function by Doppler tissue imaging in patients with a first myocardial infarction and showing normal function assessed by conventional echocardiography. 2007 , 8, 37-41 | 18 |
| 128 | Synchronicity and ventricular arrhythmias in hypertension. 2007 , 30, 755-6 | |
| 127 | Abnormalities of left atrial function after cardioversion: an atrial strain rate study. 2007 , 93, 89-95 | 97 |
| 126 | Effects of menopause on the myocardial velocities and myocardial performance index. 2007 , 71, 1728-33 | 20 |

| | | |
|-----|---|----|
| 125 | Clinical utility of tissue Doppler imaging in prediction of atrial fibrillation after coronary artery bypass grafting. 2007 , 83, 83-8 | 32 |
| 124 | Assessment of left ventricular diastolic function and the Tei index by tissue Doppler imaging in patients with primary hyperparathyroidism. 2007 , 66, 483-8 | 11 |
| 123 | Full motion and flow field recovery from echo Doppler data. 2007 , 26, 31-45 | 38 |
| 122 | Tissue velocity imaging with dobutamine stress echocardiography--a quantitative technique for identification of coronary artery disease in patients with left bundle branch block. 2007 , 20, 820-31 | 14 |
| 121 | Cardiovascular manifestations in Fabry disease: a clinical and echocardiographic study. 2007 , 16, 200-6 | 15 |
| 120 | Assessment of atrial function. 2007 , 16, 234-42 | 16 |
| 119 | Detection of left ventricular dysfunction by Doppler tissue imaging in patients with complete recovery of visual wall motion abnormalities 6 months after a first ST-elevation myocardial infarction. 2007 , 27, 305-8 | 1 |
| 118 | Assessment of the repeatability of feline echocardiography using conventional echocardiography and spectral pulse-wave Doppler tissue imaging techniques. 2007 , 48, 58-68 | 40 |
| 117 | Relationship between myocardial performance index and aortic distensibility in patients with essential hypertension. 2008 , 62, 138-42 | 9 |
| 116 | Assessment of left ventricular diastolic function and Tei index by tissue Doppler imaging in patients with Cushing@ Syndrome. 2008 , 25, 182-90 | 18 |
| 115 | Comparison of early diastolic annular velocities measured at various sites of mitral annulus in detection of mild to moderate left ventricular diastolic dysfunction. 2007 , 22, 67-72 | 8 |
| 114 | Influence of ventricular pressure drop on mitral annulus dynamics through the process of vortex ring formation. 2007 , 35, 2050-64 | 42 |
| 113 | Early diastolic peak velocity of left ventricular wall segment lying in isovolumic relaxation period as determined by tissue Doppler imaging. 2008 , 24, 389-97 | 1 |
| 112 | Assessment of regional atrial function in patients with hypertrophic cardiomyopathies using tissue Doppler imaging. 2008 , 29, 301-8 | 20 |
| 111 | Tissue Doppler-derived diastolic myocardial velocities are abnormal in pediatric cardiac transplant recipients in the absence of endomyocardial rejection. 2008 , 29, 749-54 | 23 |
| 110 | Evaluaci3n de la funci3n ventricular por ecocardiograf3a Doppler en ni3os con comunicaci3n interauricular. 2008 , 61, 595-601 | 2 |
| 109 | Echocardiographic Doppler Evaluation of Ventricular Function in Children With an Atrial Septal Defect. 2008 , 61, 595-601 | |
| 108 | Echocardiography in hypertrophic cardiomyopathy: the role of conventional and emerging technologies. 2008 , 1, 787-800 | 85 |

| | | |
|-----|---|----|
| 107 | The mitral annular middiastolic velocity curve: functional correlates and clinical significance in patients with left ventricular hypertrophy. 2008 , 21, 165-70 | 9 |
| 106 | Introduction of Tissue Doppler Imaging Echocardiography Based on Pulsed-wave Mode. 2008 , 16, 202-209 | 1 |
| 105 | Tricuspid annular and septal Doppler tissue velocities are reduced in pediatric heart transplant recipients without acute rejection. 2008 , 21, 720-4 | 4 |
| 104 | Relationship between systolic pulsed wave tissue Doppler parameters and both invasive and noninvasive reperfusion criteria in patients with acute anterior myocardial infarction undergoing primary percutaneous coronary intervention. 2008 , 21, 47-52 | 3 |
| 103 | Quantitative echocardiographic assessment of myocardial acceleration in normal left ventricle by using velocity vector imaging. 2008 , 21, 813-7 | 14 |
| 102 | Congenital Heart Disease. 2008 , 313-331 | 2 |
| 101 | Comparison of temporary bifocal right ventricular pacing and biventricular pacing for heart failure: evaluation by tissue Doppler imaging. 2008 , 94, 53-8 | 13 |
| 100 | Aortic distensibility and arterial-ventricular coupling in early chronic kidney disease: a pattern resembling heart failure with preserved ejection fraction. 2008 , 94, 1038-43 | 64 |
| 99 | Effect of acute cigarette smoking on left and right ventricle filling parameters: a conventional and tissue Doppler echocardiographic study in healthy participants. 2008 , 59, 312-6 | 12 |
| 98 | Tissue Doppler imaging reproducibility during exercise. 2008 , 29, 395-400 | 16 |
| 97 | Technological advances in tissue Doppler imaging echocardiography. 2008 , 94, 1065-74 | 47 |
| 96 | Exercise-induced changes in E/E _a ratio in patients with suspected coronary artery disease. 2008 , 19, 405-11 | 13 |
| 95 | Comparison between colour-coded and spectral tissue Doppler measurements of systolic and diastolic myocardial velocities: effect of temporal filtering and offline gain setting. 2009 , 10, 406-13 | 15 |
| 94 | Use of ultrasound in the ICU. 2009 , 23, 249-61 | 11 |
| 93 | On mitral valve dynamics and its connection to early diastolic flow. 2009 , 37, 1-13 | 68 |
| 92 | Regional diastolic function by tissue Doppler echocardiography in systemic sclerosis: correlation with clinical variables. 2009 , 29, 913-9 | 21 |
| 91 | Comparison of myocardial performance index obtained either by conventional echocardiography or tissue Doppler echocardiography in healthy subjects and patients with heart failure. 2009 , 24, 8-15 | 32 |
| 90 | Noninvasive evaluation of left ventricular noncompaction: what's new in 2009?. 2009 , 30, 682-9 | 24 |

| | | |
|----|---|----|
| 89 | Are measurements of systolic myocardial velocities and displacement with colour and spectral Tissue Doppler compatible?. 2009 , 7, 29 | 6 |
| 88 | Benefit of warm water immersion on biventricular function in patients with chronic heart failure. 2009 , 7, 33 | 20 |
| 87 | A new 2D-based method for myocardial velocity strain and strain rate quantification in a normal adult and paediatric population: assessment of reference values. 2009 , 7, 8 | 69 |
| 86 | Assessment of mitoxantrone-induced cardiotoxicity in patients with multiple sclerosis: a tissue Doppler echocardiographic analysis. 2009 , 26, 397-402 | 10 |
| 85 | Feasibility of using tissue Doppler velocities in stress echo during upright bicycle exercise. 2009 , 26, 1041-9 | |
| 84 | Systolic and diastolic function in patients with systemic sclerosis. 2009 , 20, 378-82 | 25 |
| 83 | Tissue Doppler echocardiography in children with acquired or congenital heart disease. 2009 , 19, S98-S105 | 2 |
| 82 | Is the aging heart similar to the diabetic heart? Evaluation of LV function of the aging heart with Tissue Doppler Imaging. 2009 , 21, 22-6 | 8 |
| 81 | Differential strain and velocity generation along the right ventricular free wall in pulmonary hypertension. 2009 , 25, e73-7 | 23 |
| 80 | Assessment of right ventricle function during exercise echocardiography by using tissue Doppler imaging in patients with coronary artery disease. 2009 , 20, 525-30 | 3 |
| 79 | Long-term effects of perindopril on left ventricular structure and function in patients with stable coronary artery disease: a conventional and Doppler tissue echocardiographic pilot study. 2009 , 10, 781-6 | 2 |
| 78 | Intraoperative Doppler tissue imaging is a valuable addition to cardiac anesthesiologistsQ armamentarium: a core review. 2009 , 108, 48-66 | 33 |
| 77 | Demonstration of regional differences in equine ventricular myocardial velocity in normal 2-year-old Thoroughbreds with Doppler tissue imaging. 2005 , 37, 222-6 | 16 |
| 76 | Echocardiographic manifestations of pandemic 2009 (H1N1) influenza a virus infection. 2010 , 61, 60-5 | 28 |
| 75 | Mitral annular velocities generated by speckle tracking imaging: reproducibility and correlation with tissue Doppler velocities. 2010 , 27, 637-43 | 3 |
| 74 | Reference values of tissue Doppler imaging and pulsed Doppler echocardiography for analysis of left ventricular diastolic function in healthy adults. 2010 , 27, 777-82 | 6 |
| 73 | Speckle tracking based myocardial velocities: our experience with novel software. 2010 , 10, 233-8 | |
| 72 | [Mean systolic annular velocity and strain score index: new and non-invasive parameters for the evaluation of acute myocardial infarction patients]. 2010 , 10, 239-46 | |

| | | | |
|----|---|---|-----|
| 71 | Right ventricular function in patients with pulmonary embolism: early and late findings using Doppler tissue imaging. 2010 , 23, 531-7 | | 23 |
| 70 | Does normal ageing alter right ventricular relaxation properties? A tissue Doppler study. 2010 , 19, 406-12 | | 7 |
| 69 | The right ventricular annular velocity reduction caused by coronary artery bypass graft surgery occurs at the moment of pericardial incision. 2010 , 159, 314-22 | | 110 |
| 68 | Evaluation of Left Ventricular Function by Conventional Echocardiography and Tissue Doppler Imaging in Patients with Acute and Chronic Mitral Regurgitation. 2011 , 19, 122-127 | | |
| 67 | Normal values of left and right ventricular function measured by M-mode, pulsed doppler and Doppler tissue imaging in healthy term neonates during a 1-year period. 2012 , 88, 853-9 | | 25 |
| 66 | Diagnostic value of dobutamine stress Doppler tissue imaging in diabetic patients with suspected coronary artery disease. 2012 , 64, 109-120 | | |
| 65 | Left Atrial Volume Index as Indicator of Left Ventricular Diastolic Dysfunction: Comparison between Left Atrial Volume Index and Tissue Myocardial Performance Index. 2012 , 20, 25-9 | | 19 |
| 64 | Evaluation of atrial conduction features with tissue Doppler imaging in patients with chronic obstructive pulmonary disease. 2012 , 101, 599-606 | | 22 |
| 63 | Reference values of tricuspid annular peak systolic velocity in healthy pediatric patients, calculation of z score, and comparison to tricuspid annular plane systolic excursion. <i>American Journal of Cardiology</i> , 2012 , 109, 116-21 | 3 | 68 |
| 62 | Contrasting effect of different cardiothoracic operations on echocardiographic right ventricular long axis velocities, and implications for interpretation of post-operative values. 2013 , 165, 151-60 | | 38 |
| 61 | d-Dimer and simplified pulmonary embolism severity index in relation to right ventricular function. 2013 , 31, 482-6 | | 8 |
| 60 | Right ventricular and septal function in patients with pulmonary hypertension. 2013 , 22, 1003-10 | | |
| 59 | Mild carbon monoxide poisoning impairs left ventricular diastolic function. 2013 , 17, 148-53 | | 7 |
| 58 | Myocardial performance index and aortic distensibility in patients with different left ventricle geometry in newly diagnosed essential hypertension. 2013 , 22, 329-35 | | 5 |
| 57 | Is hydrotherapy an appropriate form of exercise for elderly patients with biventricular systolic heart failure?. 2012 , 9, 408-10 | | 8 |
| 56 | Evaluation of diastolic function by three-dimensional volume tracking of the mitral annulus with cardiovascular magnetic resonance: comparison with tissue Doppler imaging. 2014 , 16, 71 | | 34 |
| 55 | NT-proBNP predicts impaired myocardial function in newly diagnosed hypertensive patients with preserved ejection fraction. 2014 , 36, 289-94 | | |
| 54 | Automated speckle tracking algorithm to aid on-axis imaging in echocardiography. 2014 , 1, 037001 | | 1 |

| | | |
|----|---|----|
| 53 | Tissue Doppler septal Tei index indicates severity of illness in pediatric patients with congestive heart failure. 2014 , 35, 411-8 | 8 |
| 52 | Perioperative Diastolic Dysfunction: A Comprehensive Approach to Assessment by Transesophageal Echocardiography. 2014 , 18, 218-36 | 15 |
| 51 | Longitudinal myocardial peak velocities using high temporal resolution phase-contrast and simple averaging are comparable to tissue Doppler echocardiography. 2014 , 27, 211-8 | 3 |
| 50 | Assessment of left ventricular long axis contraction in patients with ischemic mitral regurgitation after acute myocardial infarction. 2014 , 63, 483-489 | |
| 49 | Relationship between fragmented QRS complex and left ventricular systolic and diastolic function in kidney transplant patients. 2014 , 24, 146-51 | 5 |
| 48 | Novel method for atrioventricular motion assessment from three-dimensional cine magnetic resonance imaging. 2015 , 2015, 319-22 | 3 |
| 47 | Automated quantitative assessment of cardiovascular magnetic resonance-derived atrioventricular junction velocities. 2015 , 309, H1923-35 | 23 |
| 46 | Intervendor Variabilities of Left and Right Ventricular Myocardial Velocities among Three Tissue Doppler Echocardiography Systems. 2015 , 32, 1790-801 | 3 |
| 45 | [Echocardiographic evaluation of systolic left ventricular function in heart failure: value of alternative parameters for determination of ejection fraction]. 2015 , 40, 185-93 | 1 |
| 44 | Left main percutaneous coronary intervention improves left ventricular systolic function assessed by tissue Doppler echocardiography. 2015 , 187, 4-6 | |
| 43 | Association between high-sensitivity troponin T, left ventricular hypertrophy, and myocardial performance index. 2015 , 40, 1004-10 | 9 |
| 42 | Global left ventricular relaxation: A novel tissue Doppler index of acute rejection in pediatric heart transplantation. 2015 , 34, 1190-7 | 12 |
| 41 | Normal Echocardiographic Measurements in a Korean Population Study: Part II. Doppler and Tissue Doppler Imaging. 2016 , 24, 144-52 | 12 |
| 40 | Prevalence, clinical and echocardiographic characteristics of various flow and gradient patterns in mild or moderate aortic stenosis with normal left ventricular ejection fraction. 2016 , 221, 1107-15 | 3 |
| 39 | Morphologic and Functional Heart Abnormalities Associated to High Modified Tei Index in Hypertensive Patients. 2016 , 23, 373-380 | 2 |
| 38 | Speckle tracking echocardiography in patients with septic shock: a case control study (SPECKSS). 2016 , 20, 145 | 43 |
| 37 | The use of transthoracic echocardiography for the assessment of left ventricular systolic and diastolic function in patients with suspected or ascertained chronic heart failure. 2016 , 14, 37-50 | 4 |
| 36 | Changes in Myocardial Contractility and Electromechanical Interval During the First Month of Life in Healthy Neonates. 2016 , 37, 409-18 | 7 |

| | | |
|----|---|----|
| 35 | Peak early diastolic mitral annulus velocity by tissue Doppler imaging for the assessment of left ventricular relaxation in subjects with mitral annulus calcification. 2016 , 17, 804-11 | 9 |
| 34 | Comparing characteristics and clinical and echocardiographic outcomes in low-flow vs normal-flow severe aortic stenosis with preserved ejection fraction in an Asian population. 2017 , 34, 638-648 | 9 |
| 33 | Noninvasive Imaging in Adult Congenital Heart Disease. 2017 , 120, 995-1014 | 28 |
| 32 | Early Diastolic Left Ventricular Relaxation in Normal Neonates is Influenced by Ventricular Stiffness and Longitudinal Systolic Function. 2018 , 59, 149-153 | 3 |
| 31 | Comparison of T1 Mapping by Cardiac MRI to Non-cardiac MRI Methods to Evaluate Cardiac Fibrosis. 2018 , 45-59 | |
| 30 | T1-Mapping in Myocardial Disease. 2018 , | 1 |
| 29 | Evaluation of age-dependent changes of myocardial velocity using pulsed wave and colour tissue Doppler imaging in adult warmblood horses. 2018 , 102, 1731-1742 | 4 |
| 28 | Viabilidad miocárdica por ecocardiografía. 2019 , 26, 19-30 | |
| 27 | Mitral annular peak systolic and diastolic velocities are characteristic of healthy hearts: A Doppler tissue imaging study. 2019 , 36, 433-438 | 0 |
| 26 | Subclinical Left Ventricular Systolic Dysfunction in Patients with Septic Shock Based on Sepsis-3 Definition: A Speckle-Tracking Echocardiography Study. 2020 , 2020, 6098654 | 4 |
| 25 | Diastolic Function in Children and in Children With Congenital Heart Disease. 2021 , 349-374 | |
| 24 | Continuous monitoring of deep-tissue haemodynamics with stretchable ultrasonic phased arrays. 2021 , 5, 749-758 | 23 |
| 23 | Echocardiographic Longitudinal Strain Analysis in Heart Failure: Real Usefulness for Clinical Management Beyond Diagnostic Value and Prognostic Correlations? A Comprehensive Review. 2021 , 18, 290-303 | 3 |
| 22 | Left Ventricular Hypertrophy, Congestive Heart Failure, and Coronary Flow Reserve Abnormalities in Hypertension. 2005 , 250-280 | 1 |
| 21 | Assessment of Diastolic Function by Echocardiography. 2007 , 237-261 | 1 |
| 20 | Usefulness of pulse-wave Doppler tissue sampling and dobutamine stress echocardiography for identification of false positive inferior wall defects in SPECT. 2000 , 41, 141-52 | 5 |
| 19 | Specific tissue Doppler predictors of preserved systolic and diastolic left ventricular function after an acute anterior myocardial infarction. 2003 , 44, 347-55 | 2 |
| 18 | Monitoring Ventricular Function in the Operating Room: Impact on Clinical Outcome. 2007 , 31-61 | |

| | | | |
|----|--|-----|----|
| 17 | Tissue Doppler and Speckle Tracking Echocardiography. 2007 , 115-137 | | |
| 16 | Exercise Echocardiography. 2007 , 326-352 | | |
| 15 | Myocardial Ischaemia. 196-220 | | |
| 14 | Ultrasound in Congenital Heart Disease. <i>Medical Radiology</i> , 2008 , 227-247 | 0.2 | |
| 13 | Tissue Doppler echocardiography in ischemic heart disease - the diagnostic potential for predicting the ischemic substrate and myocardial viability. <i>Cor Et Vasa</i> , 2008 , 50, 109-116 | 0.3 | |
| 12 | Diagnostic value of dobutamine stress Doppler tissue imaging in diabetic patients with suspected coronary artery disease. <i>World Journal of Cardiovascular Diseases</i> , 2011 , 01, 1-12 | 0 | |
| 11 | Tissue Doppler Imaging. <i>Journal of Cardiology & Current Research</i> , 2015 , 3, | 0.1 | |
| 10 | Study of efficacy of tissue Doppler imaging in diagnosing systolic and diastolic dysfunction and comparison to the conventional methods of left ventricular function assessment in heart failure patients. <i>Heart India</i> , 2019 , 7, 165 | 0.2 | |
| 9 | Effects of using Different Reconstruction Algorithms on Coronary Motion Artifacts at Various Heart Rates during Coronary CT Angiography. <i>Journal of Coronary Artery Disease</i> , 2019 , 25, 90-97 | 0.1 | |
| 8 | Assessment of right ventricular functions by echocardiography in patients with acute myocardial infarction in North India: An observational study. <i>Nigerian Journal of Cardiology</i> , 2020 , 17, 48 | 0.2 | 1 |
| 7 | Supernormal left ventricular diastolic function in triathletes. <i>Texas Heart Institute Journal</i> , 2001 , 28, 102-108 | 0.8 | 27 |
| 6 | Acute smoking-induced alterations in Doppler echocardiographic measurements in chronic smokers. <i>Texas Heart Institute Journal</i> , 2006 , 33, 134-8 | 0.8 | 14 |
| 5 | Cardiac tissue Doppler and tissue velocity imaging in anesthetized New Zealand white rabbits. <i>Journal of the American Association for Laboratory Animal Science</i> , 2011 , 50, 317-21 | 1.3 | 3 |
| 4 | Cardiac structure and functions in patients with asymptomatic primary hyperparathyroidism. <i>Journal of Endocrinological Investigation</i> , 2013 , 36, 848-52 | 5.2 | 3 |
| 3 | Timolol 0.5% ophthalmic solution influences cardiac function in healthy cats.. <i>Journal of Feline Medicine and Surgery</i> , 2022 , 1098612X221083372 | 2.3 | |
| 2 | THE EVALUATION OF THE TREATMENT WITH THE EXERCISE TISSUE DOPPLER ECHOCARDIOGRAPHIC PARAMETERS WITH NEBIVOLOL TREATMENT IN PATIENTS WITH HEART FAILURE. <i>Cumhuriyet Medical Journal</i> , | 0 | |
| 1 | Intraoperative and Procedural Echocardiography. 2017 , 59-78 | | |