
CITATION REPORT List of articles citing



DOI: 10.1016/s0002-9149(98)00031-9 American Journal of Cardiology, 1998, 81, 7B-12B.

Source: https://exaly.com/paper-pdf/28950904/citation-report.pdf

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
820	The American College of Physicians guidelines for screening blood cholesterol levels: a commentary. 1998 , 105, 75S-76S		3
819	Detection and evaluation of dyslipoproteinemia. 1998 , 27, 597-611, ix		10
818	Estrogen improves acetylcholine-induced but not metabolic vasodilation in biological males. 1999 , 277, H2341-7		7
817	Fasting remnant lipoprotein cholesterol and triglyceride concentrations are elevated in nondiabetic, insulin-resistant, female volunteers. 1999 , 84, 3903-6		43
816	A randomised comparison of the effects of oral versus transdermal 17beta-oestradiol, each combined with sequential oral norethisterone acetate, on serum lipoprotein levels. 1999 , 106, 948-53		22
815	Common mutations of the lipoprotein lipase gene and their clinical significance. 1999 , 1, 70-8		36
814	Identification and treatment of hypertriglyceridemia as a risk factor for coronary heart disease. <i>Current Cardiology Reports</i> , 1999 , 1, 233-7	4.2	9
813	Introduction. American Journal of Cardiology, 1999 , 83, 1-2	3	1
812	Hypertriglyceridemia: changes in the plasma lipoproteins associated with an increased risk of cardiovascular disease. <i>American Journal of Cardiology</i> , 1999 , 83, 3F-12F	3	385
811	Atherogenic lipoprotein phenotype in type 2 diabetes: reversal with micronised fenofibrate. 1999 , 15, 395-9		54
810	The Heart and Estrogen/Progestin Replacement Study: what have we learned and what questions remain?. 1999 , 15, 419-22		18
809	Screening for cardiovascular disease. Concepts, conflicts, and consensus. 1999 , 83, 1339-73		3
808	The treatment of hypertension and dyslipidemia in diabetes mellitus. 1999 , 26, 951-64		3
807	AHA/ACC scientific statement: Assessment of cardiovascular risk by use of multiple-risk-factor assessment equations: a statement for healthcare professionals from the American Heart Association and the American College of Cardiology. 1999 , 34, 1348-59		319
806	Primary prevention of cardiovascular disease in high-risk patients: physiologic and demographic risk factor differences between African American and white American populations. 1999 , 107, 22S-24S		15
805	Health Promoting Medications in Older People. 1999 , 29, 273-278		1
804	High-monounsaturated fatty acid diets lower both plasma cholesterol and triacylglycerol concentrations. 1999 , 70, 1009-15		434

803 Genetics and molecular biology. **1999**, 10, 365-368

802	Raloxifene: A Review. 2000 , 22, 183-190		2
801	The Role of Non-High-Density Lipoprotein-Cholesterol in Evaluation and Treatment of Lipid Disorders. 2000 , 85, 2105-2108		
800	Carbohydrate-induced hypertriacylglycerolemia: historical perspective and review of biological mechanisms. 2000 , 71, 412-33		399
799	Effect of a fish-oil concentrate on serum lipids in postmenopausal women receiving and not receiving hormone replacement therapy in a placebo-controlled, double-blind trial. 2000 , 72, 389-94		57
798	Effects of dietary fructose on plasma lipids in healthy subjects. 2000 , 72, 1128-34		235
797	HIV lipodystrophy: a review. 2000 , 1, 37-50		14
796	The EWA (estrogen in women with atherosclerosis) study: a randomized study of the use of hormone replacement therapy in women with angiographically verified coronary artery disease. Characteristics of the study population. Effects on lipids and lipoproteins. 2000 , 247, 433-41		22
795	Treatment of hypertriglyceridemia by two diets rich either in unsaturated fatty acids or in carbohydrates: effects on lipoprotein subclasses, lipolytic enzymes, lipid transfer proteins, insulin and leptin. 2000 , 24, 1286-96		35
794	High carbohydrate diets, triglyceride-rich lipoproteins, and coronary heart disease risk. <i>American Journal of Cardiology</i> , 2000 , 85, 45-8	3	91
793	Resistance vessel endothelial function in healthy humans during transient postprandial hypertriglyceridemia. <i>American Journal of Cardiology</i> , 2000 , 85, 381-5	3	38
792	Effects of simvastatin (40 and 80 mg/day) in patients with mixed hyperlipidemia. <i>American Journal of Cardiology</i> , 2000 , 86, 406-11	3	43
791	Dietary fiber prevents carbohydrate-induced hypertriglyceridemia. 2000 , 2, 536-41		59
790	Re-emergence of fibrates in the management of dyslipidemia and cardiovascular risk. 2000 , 2, 29-35		38
789	The relationship between physical fitness and coronary risk factor profiles in Japanese women. 2000 , 5, 6-12		2
788	Hypertriglyceridemia and Coronary Heart Disease. 2000 , 85, 2098-2105		10
787	Random Thoughts and Opinions. 2000, 85, 2110-2112		0
786	The role of hormone replacement therapy in the prevention of postmenopausal heart disease. 2000 , 160, 2263-72		59

785	Hyperlipidemia: diagnostic and therapeutic perspectives. 2000 , 85, 2089-112	37
7 ⁸ 4	Fasting lipoprotein and postprandial triacylglycerol responses to a low-carbohydrate diet supplemented with n-3 fatty acids. 2000 , 19, 383-91	66
783	Infection and inflammation-induced proatherogenic changes of lipoproteins. 2000 , 181 Suppl 3, S462-72	263
782	A major susceptibility locus influencing plasma triglyceride concentrations is located on chromosome 15q in Mexican Americans. 2000 , 66, 1237-45	94
781	Preventing, stopping, or reversing coronary artery diseasetriglyceride-rich lipoproteins and associated lipoprotein and metabolic abnormalities: the need for recognition and treatment. 2000 , 46, 421-503	5
780	Dieta y riesgo cardiovascular en Espa â (DRECE II). Descripciß de la evoluciß del perfil cardiovascular. 2000 , 115, 726-729	29
779	Low density lipoprotein particle size and risk factors of insulin resistance syndrome. 2000 , 148, 141-9	47
778	Postprandial metabolism of apolipoprotein B-48- and B-100-containing particles in type 2 diabetes mellitus: relations to angiographically verified severity of coronary artery disease. 2000 , 150, 167-77	112
777	Efficacy of Concentrated n-3 Fatty Acids in Hypertriglyceridaemia : A Comparison with Gemfibrozil. 2001 , 21, 175-81	7
776	Diurnal triglyceride profiles: a novel approach to study triglyceride changes. 2001 , 155, 219-28	60
775	Postprandial hypertriglyceridemia impairs endothelial function by enhanced oxidant stress. 2001 , 155, 517-23	274
774	Impact of postprandial hypertriglyceridemia on vascular responses in patients with coronary artery disease: effects of ACE inhibitors and fibrates. 2001 , 158, 165-71	50
773	A triglyceride-rich fat emulsion and free fatty acids but not very low density lipoproteins impair endothelium-dependent vasorelaxation. 2001 , 159, 35-41	47
772	Estrogen-induced small low density lipoprotein particles may be atherogenic in postmenopausal women. 2001 , 37, 425-30	35
771	Mild-to-moderate hypertriglyceridemia in young men is associated with endothelial dysfunction and increased plasma concentrations of asymmetric dimethylarginine. 2001 , 38, 111-6	199
770	Perspectives: A Practical Approach to the Dietary Treatment of Hypertriglyceridemia. 2001 , <i>4</i> , 183-185	2
769	The use of hormone replacement therapy in postmenopausal women with type 2 diabetes. 2001 , 10, 241-55	9
768	Screening and treating adults for lipid disorders. 2001 , 20, 77-89	51

767	Selective modulation of thyroid hormone receptor action. 2001 , 76, 31-42	105
766	Impacto del metabolismo lipdico en la ateroghesis femenina. 2001 , 44, 56-63	
765	Predictors of macrovascular disease in patients with type 2 diabetes mellitus. 2001 , 76, 707-12	35
764	Frecuencia del stidrome metablico en mujeres posmenoptisicas segti el tidice de masa corporal y la relaciti cintura/cadera. 2001 , 13, 54-62	
763	Exercise in the treatment of lipid disorders. 2001 , 19, 471-88	27
762	Efectos del 17 Estradiol oral o transdimico, combinados con acetato de noretisterona oral secuencial sobre las concentraciones de lipoprotefias sicas. 2001 , 28, 262-272	
761	Assessing the role of oestrogen in the prevention of cardiovascular disease. 2001 , 33, 305-12	5
760	Effect of insulin resistance on postprandial elevations of remnant lipoprotein concentrations in postmenopausal women. 2001 , 74, 592-5	25
759	Diabetes and other coronary heart disease risk equivalents. 2001 , 12, 425-31	19
758	Risk factors for stiffness of the wall of the thoracic aorta in patients with mild atherosis. 2001 , 65, 409-13	2
757	Alterations in the extrinsic pathway in hypertriglyceridemia do not cause a 'procoagulant state': effects of bezafibrate therapy. 2001 , 12, 705-12	5
756	Cardiovascular Risk Management in Type 2 Diabetes: From Clinical Trials to Clinical Practice. 2001 , 11, 474-490	5
755	Prevention of Cardiovascular Disease in Women: Evidence for the Use of Hormone Replacement Therapy. 2001 , 7, 8-11	
754	Effects on blood lipids of a blood pressure-lowering diet: the Dietary Approaches to Stop Hypertension (DASH) Trial. 2001 , 74, 80-9	417
753	Coronary heart disease in African Americans. 2001 , 3, 97-108	116
752	The apolipoprotein epsilon2 allele and the severity of coronary artery disease in Type 2 diabetic patients. 2001 , 18, 445-50	10
75 ¹	Short-term Acipimox decreases the ability of plasma from Type 2 diabetic patients and healthy subjects to stimulate cellular cholesterol efflux: a potentially adverse effect on reverse cholesterol transport. 2001 , 18, 509-13	5
75°	Giessen Wholesome Nutrition Study: relation between a health-conscious diet and blood lipids. 2001 , 55, 887-95	20

749	Gender differences in diurnal triglyceridemia in lean and overweight subjects. 2001, 25, 1767-74	42
748	Moderate Alcohol Consumption and Postprandial Plasma Lipids in Men With Different Risks for Coronary Heart Disease. 2001 , 25, 563-570	11
747	Hypertriglyceridemia: new insights and new approaches to pharmacologic therapy. <i>American Journal of Cardiology</i> , 2001 , 87, 1174-80; A4	45
746	Effect of niacin and atorvastatin on lipoprotein subclasses in patients with atherogenic dyslipidemia. <i>American Journal of Cardiology</i> , 2001 , 88, 270-4	112
745	Squalene synthase inhibitors reduce plasma triglyceride through a low-density lipoprotein receptor-independent mechanism. 2001 , 431, 345-52	25
744	Dietary Management of Cardiovascular Disease: A Year 2002 Perspective. 2001 , 4, 314-331	1
743	Health Aspects of Fish and n-3 Polyunsaturated Fatty Acids from Plant and Marine Origin. 2001 , 195-206	3
742	Insulin Resistance, Compensatory Hyperinsulinemia, and Coronary Heart Disease: Syndrome X Revisited. 2001 , 1169-1197	6
741	Issues of hormone replacement therapy and cardiovascular disease for elderly women. 2002, 11, 217-22	1
740	Changes in fat synthesis influenced by dietary macronutrient content. 2002 , 61, 281-6	36
739	Insulin resistance syndrome in South Asians. 2002 , 2, 398-402	1
738	The insulin resistance syndrome: mechanisms of clustering of cardiovascular risk. 2002, 2, 45-57	25
737	Changes in lipid and lipoprotein profile in postmenopausal women receiving low-dose combinations of 17beta-estradiol and norethisterone acetate. 2002 , 9, 335-42	17
736	. 2002 , 9, 323-330	32
735	Lipids, lipoproteins, and exercise. 2002 , 22, 385-98	242
734	Hypertriglyceridemia: a review beyond low-density lipoprotein. 2002 , 10, 163-72	34
733	Lipoprotein lipase: the regulation of tissue specific expression and its role in lipid and energy metabolism. 2002 , 13, 471-81	173
732	Carbohydrate-induced hypertriglyceridemia: modifying factors and implications for cardiovascular risk. 2002 , 13, 33-40	85

(2002-2002)

731	. 2002 , 9, 67-76	95
730	The new cholesterol guidelines. Applying them in clinical practice. 2002 , 112, 13-6, 19-22, 25-6 passim	7
729	A ketogenic diet favorably affects serum biomarkers for cardiovascular disease in normal-weight men. 2002 , 132, 1879-85	209
728	High-fiber oat cereal compared with wheat cereal consumption favorably alters LDL-cholesterol subclass and particle numbers in middle-aged and older men. 2002 , 76, 351-8	116
727	Obesity, physical inactivity, and risk for cardiovascular disease. 2002 , 324, 116-26	66
726	Metabolic effects of nandrolone decanoate and resistance training in men with HIV. 2002 , 283, E1214-22	31
725	Premenopausal risk factors for coronary artery disease. 2002 , 8, 108-111	
724	Metabolic effects of combined antihypertensive treatment in patients with essential hypertension. 2002 , 40, 916-21	5
723	Echolucent, rupture-prone carotid plaques associated with elevated triglyceride-rich lipoproteins, particularly in women. 2002 , 36, 783-792	1
722	Ferrocenylnaphthalene diimide-based electrochemical hybridization assay for a heterozygous deficiency of the lipoprotein lipase gene. 2002 , 13, 1193-9	29
721	Severe hypertriglyceridemia with insulin resistance is associated with systemic inflammation: reversal with bezafibrate therapy in a randomized controlled trial. 2002 , 112, 275-80	135
720	Association between serum apolipoprotein C(II) concentration and coronary heart disease. 2002 , 35, 42-7	21
719	Relationship between obesity, insulin resistance, and coronary heart disease risk. 2002, 40, 937-43	421
718	Does hypertriglyceridemia present an indication for pioglitazone therapy in diabetes?. 2002 , 4, 153-5	1
717	Effects of pioglitazone and rosiglitazone on blood lipid levels and glycemic control in patients with type 2 diabetes mellitus: a retrospective review of randomly selected medical records. 2002 , 24, 378-96	149
716	[Diabetic dyslipidemia: assessment and treatment]. 2002 , 119, 260-4	2
715	Nuevas recomendaciones del National Cholesterol Education Program (NCEP). Consecuencias en el laboratorio cl [®] lico. 2002 , 14, 272-276	
714	Valores altos de apolipoproteña B, valores bajos de apolipoproteña A-I y mejora de la predicciñ del infarto de miocardio fatal (estudio AMORIS): estudio prospectivo. 2002 , 14, 109-111	

713	Recomendaciones del NCEP-ATPIII. Dislipemia ateroghica y redefinicifi de valores deseables de triglichidos. 2002 , 14, 74-76	1
712	New cholesterol guidelines, new treatment challenges. 2002 , 22, 853-63	10
711	Measurement issues related to lipoprotein heterogeneity. American Journal of Cardiology, 2002, 90, 22i-39i	244
710	Update on the role of triglycerides as a risk factor for coronary heart disease. 2002 , 4, 414-8	8
709	Normalized dyslipidaemia after parathyroidectomy in mild primary hyperparathyroidism: population-based study over five years. 2002 , 56, 253-60	78
708	Insulin, insulin propeptides and intima-media thickness in the carotid artery in 58-year-old clinically healthy men. The Atherosclerosis and Insulin Resistance study (AIR). 2002 , 19, 144-51	42
707	Effects of an 8-week weight-loss program on cardiovascular disease risk factors and regional body composition. 2002 , 56, 585-92	52
706	The central roles of obesity-associated dyslipidaemia, endothelial activation and cytokines in the Metabolic Syndromean analysis by structural equation modelling. 2002 , 26, 994-1008	93
705	Serum lipid levels in an Iranian adults population: Tehran Lipid and Glucose Study. 2003, 18, 311-9	85
704	Effects of simvastatin, an HMG-CoA reductase inhibitor, in patients with hypertriglyceridemia. 2003 , 26, 18-24	25
703	The insulin resistance syndrome. 2003 , 5, 364-71	104
702	A review of low-carbohydrate ketogenic diets. 2003 , 5, 476-83	80
701	A combination of high concentrations of serum triglyceride and non-high-density-lipoprotein-cholesterol is a risk factor for cardiovascular disease in subjects with abnormal glucose metabolismThe Hoorn Study. 2003 , 46, 910-6	60
700	The lipid and clinical effects of sequential transdermal estradiol and estradiol/norethisterone acetate in 674 women. 2003 , 268, 317-22	4
699	REFERENCES. 2003 , 41, S77-S91	
698	Coronary heart disease: the female heart is vulnerable. 2003 , 46, 199-229	105
697	Update on the National Cholesterol Education Program Adult Treatment Panel III guidelines: getting to goal. 2003 , 23, 26S-33S	19
696	What's new in lipid management?. 2003 , 23, 34S-40S	2

695	Management of patients with diabetic hyperlipidemia. American Journal of Cardiology, 2003, 91, 24E-28	E3	9
694	Effect of orlistat added to diet (30% of calories from fat) on plasma lipids, glucose, and insulin in obese patients with hypercholesterolemia. <i>American Journal of Cardiology</i> , 2003 , 91, 961-4	3	40
693	A practical approach to risk assessment to prevent coronary artery disease and its complications. <i>American Journal of Cardiology</i> , 2003 , 92, 19i-26i	3	62
692	Phytoestrogens increase the capacity of serum to stimulate prostacyclin release in human endothelial cells. 2003 , 82, 705-710		7
691	Effects of fenofibrate on endothelial function and cell adhesion molecules during post-prandial lipemia in hypertriglyceridemia. 2003 , 28, 419-24		38
690	Apolipoprotein E polymorphisms and mortality in Italian type 2 diabetic patients. 2003 , 33, 296-300		7
689	Consistency of genetic inheritance mode and heritability patterns of triglyceride vs. high density lipoprotein cholesterol ratio in two Taiwanese family samples. 2003 , 4, 7		20
688	Dietary fish oil decreases C-reactive protein, interleukin-6, and triacylglycerol to HDL-cholesterol ratio in postmenopausal women on HRT. <i>Journal of Nutritional Biochemistry</i> , 2003 , 14, 513-21	6.3	108
687	In vivo measurement of fluxes through metabolic pathways: the missing link in functional genomics and pharmaceutical research. 2003 , 23, 379-402		103
686	Farnesoid X receptor agonists suppress hepatic apolipoprotein CIII expression. 2003 , 125, 544-55		210
685	ACC/AHA 2002 guideline update for the management of patients with chronic stable anginasummary article: a report of the American College of Cardiology/American Heart Association Task Force on practice guidelines (Committee on the Management of Patients With Chronic Stable Angina). 2003, 41, 159-68		546
684	Peanut consumption improves indices of cardiovascular disease risk in healthy adults. 2003 , 22, 133-41		97
683	Indices related to apo CII and CIII serum concentrations and coronary heart disease: a case-control study. 2003 , 37, 18-22		17
682	Fasting and daylong triglycerides in obesity with and without type 2 diabetes. 2003 , 52, 1043-9		51
681	Nutrition for health promotion: phytochemicals, functional foods, and alternative approaches to combat obesity. 2003 , 47, 411-23, viii-ix		6
680	Effect of soybean leci-vita product on serum lipids and fatty acid composition in patients with elevated serum cholesterol and triglyceride levels. 2003 , 23, 465-477		12
679	Post hoc analysis of data from the Multiple Outcomes of Raloxifene Evaluation (MORE) trial on the effects of three years of raloxifene treatment on glycemic control and cardiovascular disease risk factors in women with and without type 2 diabetes. 2003 , 25, 919-30		40
678	Postprandial hypertriglyceridemia-induced endothelial dysfunction in healthy subjects is independent of lipid oxidation. 2003 , 87, 259-67		63

677	Effects of short- and long-term growth hormone replacement on lipoprotein composition and on very-low-density lipoprotein and low-density lipoprotein apolipoprotein B100 kinetics in growth hormone-deficient hypopituitary subjects. 2003 , 52, 50-9	16
676	What's in a risk factor? "He who strikes the ball". 2003 , 29, 6-13	299
675	Decreased PLTP mass but elevated PLTP activity linked to insulin resistance in HTG: effects of bezafibrate therapy. 2003 , 44, 1462-9	32
674	American College of Endocrinology Position Statement on the Insulin Resistance Syndrome. 2003 , 9, 5-21	313
673	Endogenous cholesterol synthesis is associated with VLDL-2 apoB-100 production in healthy humans. 2003 , 44, 1341-8	23
672	Squalene synthase inhibitors suppress triglyceride biosynthesis through the farnesol pathway in rat hepatocytes. 2003 , 44, 128-35	36
671	Niacin-ER and lovastatin treatment of hypercholesterolemia and mixed dyslipidemia. 2003, 37, 106-15	10
670	Correlation between the extent of coronary atherosclerosis and lipid profile. 2003 , 25-30	3
669	Clinical use of a carbohydrate-restricted diet to treat the dyslipidemia of the metabolic syndrome. Metabolic Syndrome and Related Disorders, 2003, 1, 227-32	10
668	Non-HDL cholesterol: into the spotlight. 2003 , 26, 240-2	21
667	High lipid levels and coronary disease in women in GEeborgoutcome and secular trends: a prospective 19 year follow-up in the BEDA*study. 2003 , 24, 704-16	20
666	Cardiovascular endocrinology: introduction. 2003 , 24, 253-60	9
665	Metabolic outcome during 1 year in newly detected hypertensives. 2003 , 21, 1563-1574	245
664	Increased risk of myocardial infarction with duration of protease inhibitor therapy in HIV-infected men. 2003 , 17, 2479-86	392
663	A Comprehensive Cardiac Rehabilitation Program in Post-CABG Patients. 2003, 2, 20-33	
662	A comprehensive cardiac rehabilitation program in post-CABG patients: a rationale and critical pathway. 2003 , 2, 20-33	3
661	Dyslipidemia in Type 2 Diabetes and the Effects of Thiazolidinediones. 2003 , 13, 496-504	3
660	Phytoestrogens increase the capacity of serum to stimulate prostacyclin release in human endothelial cells. 2003 , 82, 705-10	16

(2004-2003)

659	anginasummary article: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on the Management of Patients With	548
658	Chronic Stable Angina). 2003, 107, 149-58 Effects of supplementation with fish oil-derived n-3 fatty acids and gamma-linolenic acid on circulating plasma lipids and fatty acid profiles in women. 2003, 77, 37-42	105
657	Hepatic de novo lipogenesis in normoinsulinemic and hyperinsulinemic subjects consuming high-fat, low-carbohydrate and low-fat, high-carbohydrate isoenergetic diets. 2003 , 77, 43-50	349
656	Metabolic risks identified by the combination of enlarged waist and elevated triacylglycerol concentration. 2003 , 78, 928-34	141
655	. 2003,	4
654	An isoenergetic very low carbohydrate diet improves serum HDL cholesterol and triacylglycerol concentrations, the total cholesterol to HDL cholesterol ratio and postprandial pipemic responses compared with a low fat diet in normal weight, normolipidemic women. 2003 , 133, 2756-61	89
653	Influticia da dieta na concentrati sfica de triglicertieos. 2003 , 39, 283-288	4
652	Effect of weight loss on VLDL-triglyceride and apoB-100 kinetics in women with abdominal obesity. 2003 , 284, E549-56	70
651	Influence of plasma and erythrocyte factors on red blood cell aggregation in survivors of acute myocardial infarction. 2004 , 91, 354-9	15
650	Richard Havel, Howard Eder, and the evolution of lipoprotein analysis. 2004 , 114, 1034-7	10
649	[Low HDL-cholesterol, high triglycerideswell known but often ignored]. 2004 , 93, 1911-6	O
648	. 2004,	1
647	Non-HDL cholesterol as a measure of atherosclerotic risk. 2004 , 11, 6-14	70
646	Dyslipidemia Management in Women and Men: Exploring Potential Gender Differences. 2004 , 234-240	
645	Differential eicosapentaenoic acid elevations and altered cardiovascular disease risk factor responses after supplementation with docosahexaenoic acid in postmenopausal women receiving and not receiving hormone replacement therapy. 2004 , 79, 765-73	145
644	Unesterified plant sterols and stanols do not affect LDL electrophoretic characteristics in hypercholesterolemic subjects. 2004 , 134, 592-5	19
643	Lipoprotein remnants and endothelial dysfunction in the postprandial phase. 2004, 89, 2946-50	61
642	The liver X receptor ligand T0901317 down-regulates APOA5 gene expression through activation of SREBP-1c. 2004 , 279, 45462-9	69

641	Exercise, postprandial triacylglyceridemia, and cardiovascular disease risk. 2004 , 29, 781-99	21
640	Alteration in lipoprotein lipase activity bound to triglyceride-rich lipoproteins in the postprandial state in type 2 diabetes. 2004 , 45, 859-65	28
639	Relationship to insulin resistance of the adult treatment panel III diagnostic criteria for identification of the metabolic syndrome. 2004 , 53, 1195-200	234
638	Management of hypertriglyceridemia in patients receiving interferon for malignant melanoma. 2004 , 38, 1655-9	13
637	The metabolic syndrome: an emerging risk state for cardiovascular disease. 2004 , 9, 55-68	33
636	The metabolic syndrome: one step forward, two steps back. 2004 , 1, 68-75	29
635	Relative effects of insulin resistance and protease inhibitor treatment on lipid and lipoprotein metabolism in HIV-infected patients. 2004 , 5, 383-91	1
634	Postprandial hypertriglyceridemia increases circulating levels of endothelial cell microparticles. 2004 , 110, 3599-603	119
633	A novel method of identifying genetic mutations using an electrochemical DNA array. 2004 , 32, e141	37
632	Increased levels of triglycerides, BMI and blood pressure and low physical activity increase the risk of diabetes in Swedish women. A prospective 18-year follow-up of the BEDA study. 2004 , 21, 615-22	80
631	Risk factors for coronary heart disease in two similar Indian population groups, one residing in India, and the other in Sydney, Australia. 2004 , 58, 751-60	19
630	Clinical practice guidelines for managing dyslipidemias in kidney transplant patients: a report from the Managing Dyslipidemias in Chronic Kidney Disease Work Group of the National Kidney Foundation Kidney Disease Outcomes Quality Initiative. 2004 , 4 Suppl 7, 13-53	284
629	Epidemiology of coronary heart disease in women. 2004 , 46, 287-95	127
628	The burden of chronic kidney disease in renal transplant recipients. 2004 , 4, 262-9	109
627	The effect of n-3 fatty acids on plasma lipids and lipoproteins and blood pressure in patients with CRF. 2004 , 44, 77-83	62
626	Treatment of type IIb familial combined hyperlipidemia with the combination pravastatin-piperazine sultosilate. 2004 , 496, 205-12	5
625	Diagnosing and treating metabolic syndrome. 2004 , 25, 218-23	5
624	The role of fibrates in managing hyperlipidemia: mechanisms of action and clinical efficacy. 2004 , 6, 148-57	97

(2004-2004)

623	lipids. 2004 , 255, 74-81	12
622	Apolipoprotein B and apolipoprotein A-I: risk indicators of coronary heart disease and targets for lipid-modifying therapy. 2004 , 255, 188-205	260
621	Significance of high density lipoprotein-cholesterol in cardiovascular risk prevention: recommendations of the HDL Forum. 2004 , 4, 299-314	22
620	Prevention and treatment of the metabolic syndrome. <i>Angiology</i> , 2004 , 55, 589-612 2.1	109
619	Effect of low and high fat diets on nutrient intakes and selected cardiovascular risk factors in sedentary men and women. 2004 , 23, 131-40	36
618	Impact of obesity on the risk of heart failure and survival after the onset of heart failure. 2004 , 88, 1273-94	82
617	Importancia del colesterol ligado a lipoproteñas de alta densidad (cHDL) en la prevenciñ del riesgo cardiovascular. Recomendaciones del Foro HDL. 2004 , 16, 262-280	
616	Errores sistem f icos en la determinacifi de triglicfidos. 2004 , 19, 16-19	
615	Guãs para el tratamiento de las dislipemias en el adulto: Adult Treatment Panel III (ATP-III). 2004 , 51, 254-265	5
614	Race/ethnic issues in obesity and obesity-related comorbidities. 2004 , 89, 2590-4	337
613	Lipaemia, inflammation and atherosclerosis: novel opportunities in the understanding and treatment of atherosclerosis. 2004 , 64 Suppl 2, 19-41	52
612	The metabolic syndrome or the insulin resistance syndrome? Different names, different concepts, and different goals. 2004 , 33, 283-303	304
611	Hypertriglyceridemia in pregnancy does not contribute to the enhanced formation of remnant lipoprotein particles. 2004 , 339, 169-81	7
610	Cardiovascular effects of raloxifene: the arterial and venous systems. 2004 , 147, 783-9	36
609	Non-high-density lipoprotein cholesterol: an alternate target for lipid-lowering therapy. 2004 , 7, 122-6; quiz 129-30	13
608	Endothelial function and postprandial lipemia. 2004 , 14, 121-7	13
607	APOA5 gene polymorphism modulates levels of triglyceride, HDL cholesterol and FERHDL but is not a risk factor for coronary artery disease. 2004 , 176, 165-72	68
606	Protocolo diagn¤tico y terapûtico de las hipertrigliceridemias. 2004 , 9, 1148-1152	

605	Very low-carbohydrate and low-fat diets affect fasting lipids and postprandial lipemia differently in overweight men. 2004 , 134, 880-5	123
604	Cardiovascular Risks in Firefighters: Implications for Occupational Health Nurse Practice. 2004 , 52, 66-76	34
603	Women and omega-3 Fatty acids. 2004 , 59, 722-30; quiz 745-6	45
602	Hypertriglycfidmie. 2004 , 1, 1-5	
601	Non-esterified fatty acids impair endothelium-dependent vasodilation in rat mesenteric resistance vessels. 2004 , 107, 625-9	20
600	Management of dyslipidemia in patients with metabolic syndrome. 2004 , 44, 478-88; quiz 489-90	13
599	Paradoxical effects of fenofibrate and nicotinic acid in apo E-deficient mice. 2005, 46, 18-24	21
598	A systematic review of the effects of nuts on blood lipid profiles in humans. 2005 , 135, 2082-9	133
597	Atherosclerotic cardiovascular disease risk in the HAART-treated HIV-1 population. 2005, 6, 5-24	23
596	Effects of postmenopausal hormone therapy every day and every other day on lipid levels according to difference in body mass index. 2005 , 12, 223-31	4
595	Linkage and linkage disequilibrium analysis of the lipoprotein lipase gene with lipid profiles in Chinese hypertensive families. 2005 , 108, 137-42	5
594	Genotyping of the human lipoprotein lipase gene by ferrocenylnaphthalene diimide-based electrochemical hybridization assay. 2005 , 21, 1437-41	4
593	Dietary Fructose: Implications for Dysregulation of Energy Homeostasis and Lipid/Carbohydrate Metabolism. 2005 , 63, 133-157	471
592	Effects of oestrogen receptor-active compounds on lipid metabolism. 2005 , 7, 471-7	8
591	Changes in cholesterol and triglyceride concentrations in the Vanguard population of the Carotene and Retinol Efficacy Trial (CARET). 2005 , 59, 1173-80	19
590	Non-high-density lipoprotein cholesterol: the forgotten therapeutic target. <i>American Journal of Cardiology</i> , 2005 , 96, 59K-64K; discussion 34K-35K	25
589	Considerable disturbances of cardiovascular risk factors in women with diabetes and myocardial infarction. 2005 , 19, 26-34	4
588	The "lipid accumulation product" performs better than the body mass index for recognizing cardiovascular risk: a population-based comparison. 2005 , 5, 26	342

587	Hypertriglyceridemia-why, when and how should it be treated?. 2005 , 94, 731-9		4
586	Effective use of combination lipid therapy. Current Cardiology Reports, 2005, 7, 471-9	4.2	7
585	Effects of an ad libitum low-glycemic load diet on cardiovascular disease risk factors in obese young adults. 2005 , 81, 976-82		161
584	Modern fat technology: what is the potential for heart health?. 2005 , 64, 379-86		36
583	The role of dyslipidaemia in coronary heart disease. 2005 , 5, S2-S6		
582	Raloxifene and cardiovascular health: its relationship to lipid and glucose metabolism, hemostatic and inflammation factors and cardiovascular function in postmenopausal women. 2005 , 11, 4187-206		5
581	The metabolic syndrome: requiescat in pace. 2005 , 51, 931-8		278
580	Carbohydrates and dietary fiber. 2005 , 231-61		23
579	Effects of including soy protein in a blood cholesterol-lowering diet on markers of cardiac risk in men and in postmenopausal women with and without hormone replacement therapy. 2005 , 14, 253-62		39
578	Bezafibrates cause moderate, reversible impairment in renal function in patients without prior renal disease. 2005 , 100, c120-5		9
577	A genome scan for serum triglyceride in obese nuclear families. 2005 , 46, 432-8		28
576	APOA5 polymorphisms influence plasma triglycerides in young, healthy African Americans and whites of the CARDIA Study. 2005 , 46, 564-71		43
575	Factores de riesgo cardiovascular en la mujer. 2005 , 22, 45-47		
574	Diabetes mellitus tipo 2. ¿Cīho tratar la dislipemia diablica?. 2005 , 17, 40-51		
573	Lipids for psychiatrists - an overview. 2005 , 19, 66-75		14
57²	Emerging risk factors and early atherosclerosis indices in subjects with impaired glucose tolerance. 2005 , 31, 581-7		7
571	Effect of diacylglycerol on postprandial lipid metabolism in non-diabetic subjects with and without insulin resistance. 2005 , 180, 197-204		59
570	A genome wide quantitative trait linkage analysis for serum lipids in type 2 diabetes in an African population. 2005 , 181, 389-97		31

569	Issues in minority health: atherosclerosis and coronary heart disease in African Americans. 2005 , 89, 977-1001, 994	37
568	Compensatory hyperinsulinemia and the development of an atherogenic lipoprotein profile: the price paid to maintain glucose homeostasis in insulin-resistant individuals. 2005 , 34, 49-62	79
567	Plasma triglycerides and type III hyperlipidemia are independently associated with premature familial coronary artery disease. 2005 , 45, 1003-12	109
566	Factores de riesgo cardiovascular en la mujer. 2005 , 22, 45-47	
565	The role of lipid management in diabetes. 2005 , 23, 153-64, vi	
564	Antioxidant enzymes in hypertensive and hypertriglyceridemic rats: effect of gender. 2005 , 27, 45-57	24
563	Inflammation and triglycerides partially mediate the effect of prepregnancy body mass index on the risk of preeclampsia. 2005 , 162, 1198-206	100
562	ApoC-III bound to apoB-containing lipoproteins increase with insulin resistance in Cherokee Indian youth. 2005 , 54, 180-7	20
561	Comparison of serum lipid levels among Korean, Korean-Chinese, and Han-Chinese adolescents. 2005 , 36, 501-7	
560	The effects of consuming docosahexaenoic acid (DHA)-enriched eggs on serum lipids and fatty acid compositions in statin-treated hypercholesterolemic male patients. 2005 , 38, 1117-1123	25
559	Lipid profile, oxidant-antioxidant status and glycoprotein components in hyperlipidemic patients with/without diabetes. 2005 , 362, 49-56	23
558	Metabolic response to oral lipid overload in diabetes and impaired glucose tolerance. 2005 , 69, 36-43	11
557	[Determinants of postprandial lipemia measured as diurnal triglyceride profile in non diabetic normolipidemic subjects]. 2005 , 125, 448-52	6
556	Risk factors for atherosclerotic vascular disease. 2005 , 71-105	18
555	Centile values for serum lipids and blood pressure for Asian Indian adolescents. 2005 , 4, 20	6
554	Changes in lipids over twelve months after initiating protease inhibitor therapy among persons treated for HIV/AIDS. 2005 , 4, 4	22
553	Prescribing aerobic exercise for the regulation of postprandial lipid metabolism: current research and recommendations. 2006 , 36, 547-60	38
552	The effect of antidepressants on lipid homeostasis: a cardiac safety concern?. 2006 , 5, 523-37	52

551	Gender-specific care of the patient with diabetes: review and recommendations. 2006 , 3, 131-58	159
550	Lower birth weight predicts metabolic syndrome in young adults: the Atherosclerosis Risk in Young Adults (ARYA)-study. 2006 , 184, 21-7	87
549	Plasma lipid, lipoprotein and apolipoprotein levels in a random population sample of 2875 Hong Kong Chinese adults and their implications (NCEP ATP-III, 2001 guidelines) on cardiovascular risk assessment. 2006 , 184, 438-45	14
548	A genetic variant c.553G > T in the apolipoprotein A5 gene is associated with an increased risk of coronary artery disease and altered triglyceride levels in a Chinese population. 2006 , 185, 433-7	56
547	Different effects of oral conjugated estrogen and transdermal estradiol on arterial stiffness and vascular inflammatory markers in postmenopausal women. 2006 , 189, 436-42	64
546	Common questions in managing hyperlipidemia. 2006 , 33, 903-21	
545	Metabolic syndrome: connecting and reconciling cardiovascular and diabetes worlds. 2006, 47, 1093-100	441
544	Effects of raloxifene on lipid and lipoprotein levels in postmenopausal osteoporotic women with and without hypertriglyceridemia. 2006 , 55, 972-9	25
543	Comorbidits somatiques chez les patients souffrant de schizophrhie traits. Recommandations actuelles. 2006 , 164, 159-164	5
542	Endothelial nitric oxide synthase G894T gene polymorphism in Chilean subjects with coronary artery disease and controls. 2006 , 371, 102-6	39
541	The relationship between homeostasis model assessment and cardiovascular risk factors in Iranian subjects with normal fasting glucose and normal glucose tolerance. 2006 , 371, 169-75	24
540	The distribution of fasting and non-fasting serum triglyceride levels in Japanese population. 2006 , 374, 173-5	1
539	Effects of a liquid egg product containing fish oil on selected cardiovascular disease risk factors: A randomized crossover trial. 2006 , 39, 910-916	13
538	Aerobic exercise and lipids and lipoproteins in men: a meta-analysis of randomized controlled trials. 2006 , 3, 61-70	6 7
537	Effect of a low-carbohydrate, ketogenic diet program compared to a low-fat diet on fasting lipoprotein subclasses. 2006 , 110, 212-6	75
536	Effects of soybean D-LeciVita product on serum lipids and fatty acid composition in type 2 diabetic patients with hyperlipidemia. 2006 , 16, 395-404	22
535	Diabetes, Obesity and Cardiovascular Disease Therapeutic Implications. 2006 , 167-199	
534	Reply to SD Phinney. 2006 , 84, 461-462	_

533	Fish-oil esters of plant sterols improve the lipid profile of dyslipidemic subjects more than do fish-oil or sunflower oil esters of plant sterols. 2006 , 84, 1534-42	61
532	Reply to R Prakash. 2006 , 84, 462-463	
531	Plasma triglyceride and HDL-cholesterol concentrations in Vietnamese girls are affected by lipoprotein lipase, but not apolipoprotein CIII polymorphism. 2006 , 136, 1488-92	7
530	Aripiprazole: a new treatment for schizophrenia. 2006, 1, 373-388	1
529	The acute and chronic toxic effects of vitamin A. 2006 , 84, 462; author reply 462-3	1
528	A 4-wk high-fructose diet alters lipid metabolism without affecting insulin sensitivity or ectopic lipids in healthy humans. 2006 , 84, 1374-9	227
527	Delayed secretory pathway contributions to VLDL-triglycerides from plasma NEFA, diet, and de novo lipogenesis in humans. 2006 , 47, 2562-74	92
526	Serum lipids and low back pain: an association? A follow-up study of a working population sample. 2006 , 31, 1032-7	54
525	Small dense low-density lipoprotein and its role as an independent predictor of cardiovascular disease. 2006 , 17, 412-7	86
524	Metabolic Syndrome. 2006 ,	
524 523	Metabolic Syndrome. 2006, Effect of SstI polymorphism of the apolipoprotein CIII gene and environmental factors on risks of hypertriglyceridemia in Taiwan aborigines. 2006, 70, 1030-6	15
	Effect of SstI polymorphism of the apolipoprotein CIII gene and environmental factors on risks of	15 4
523	Effect of SstI polymorphism of the apolipoprotein CIII gene and environmental factors on risks of hypertriglyceridemia in Taiwan aborigines. 2006 , 70, 1030-6 Progression of severe atherosclerosis and increased arterial pulse pressure in the newly developed	
523 522	Effect of SstI polymorphism of the apolipoprotein CIII gene and environmental factors on risks of hypertriglyceridemia in Taiwan aborigines. 2006, 70, 1030-6 Progression of severe atherosclerosis and increased arterial pulse pressure in the newly developed heritable mixed hyperlipidaemic rabbits. 2006, 33, 221-6 The dilemma of the metabolic syndrome in children and adolescents: disease or distraction?. 2006,	4
523 522 521	Effect of SstI polymorphism of the apolipoprotein CIII gene and environmental factors on risks of hypertriglyceridemia in Taiwan aborigines. 2006, 70, 1030-6 Progression of severe atherosclerosis and increased arterial pulse pressure in the newly developed heritable mixed hyperlipidaemic rabbits. 2006, 33, 221-6 The dilemma of the metabolic syndrome in children and adolescents: disease or distraction?. 2006, 7, 311-21 Levels of matrix metalloproteinases-8 and -9 with simultaneous presence of periodontal pathogens	36
523522521520	Effect of SstI polymorphism of the apolipoprotein CIII gene and environmental factors on risks of hypertriglyceridemia in Taiwan aborigines. 2006, 70, 1030-6 Progression of severe atherosclerosis and increased arterial pulse pressure in the newly developed heritable mixed hyperlipidaemic rabbits. 2006, 33, 221-6 The dilemma of the metabolic syndrome in children and adolescents: disease or distraction?. 2006, 7, 311-21 Levels of matrix metalloproteinases-8 and -9 with simultaneous presence of periodontal pathogens in gingival crevicular fluid as well as matrix metalloproteinase-9 and cholesterol in blood. 2006, 41, 411-7 Genetics of apolipoprotein B and apolipoprotein Al and premature coronary artery disease. 2006,	4 36 58
523522521520519	Effect of SstI polymorphism of the apolipoprotein CIII gene and environmental factors on risks of hypertriglyceridemia in Taiwan aborigines. 2006, 70, 1030-6 Progression of severe atherosclerosis and increased arterial pulse pressure in the newly developed heritable mixed hyperlipidaemic rabbits. 2006, 33, 221-6 The dilemma of the metabolic syndrome in children and adolescents: disease or distraction?. 2006, 7, 311-21 Levels of matrix metalloproteinases-8 and -9 with simultaneous presence of periodontal pathogens in gingival crevicular fluid as well as matrix metalloproteinase-9 and cholesterol in blood. 2006, 41, 411-7 Genetics of apolipoprotein B and apolipoprotein AI and premature coronary artery disease. 2006, 259, 473-80	4 36 58 30 150

(2006-2006)

515	Changes in serum triglycerides and high-density lipoprotein concentration and composition after a low-fat mixed meal. Effects of gender and insulin resistance. 2006 , 1, 287-95		8
514	Search for an optimal atherogenic lipid risk profile: from the Framingham Study. <i>American Journal of Cardiology</i> , 2006 , 97, 372-5	3	58
513	Comparison of body mass index versus waist circumference with the metabolic changes that increase the risk of cardiovascular disease in insulin-resistant individuals. <i>American Journal of Cardiology</i> , 2006 , 98, 1053-6	3	45
512	Comparative assessment of lipid effects of endocrine therapy for breast cancer: implications for cardiovascular disease prevention in postmenopausal women. 2006 , 15, 301-12		44
511	Tratamiento de la hipertrigliceridemia: fibratos frente a 🛭 idos grasos omega-3. 2006 , 6, 52D-61D		
510	Comparison of Atorvastatin and Simvastatin in the Long-term Treatment of Hyperlipidemia After Kidney Transplantation. 2006 , 8, 17-23		O
509	Dietary and nutraceutical options for managing the hypertriglyceridemic patient. 2006, 21, 89-93		4
508	The metabolic syndrome: prevalence, CHD risk, and treatment. 2006 , 20, 121-32		59
507	Dietary diacylglycerol in a typical meal suppresses postprandial increases in serum lipid levels compared with dietary triacylglycerol. 2006 , 22, 128-35		29
506	Contrasting multi-site genotypic distributions among discordant quantitative phenotypes: the APOA1/C3/A4/A5 gene cluster and cardiovascular disease risk factors. 2006 , 30, 508-18		3
505	Hyperlipidemia. 2006 , 105-116		
504	Consistent effects of genes involved in reverse cholesterol transport on plasma lipid and apolipoprotein levels in CARDIA participants. 2006 , 26, 1828-36		38
503	Apolipoprotein A-V: a potential modulator of plasma triglyceride levels in Turks. 2006, 47, 144-53		33
502	Best practice in primary care pathology: review 3. 2006 , 59, 781-9		27
501	Effect of omega-3 fatty acids on the lipid profile of patients taking clozapine. 2006 , 40, 691-7		31
500	Isolated heart function after ischemia and reperfusion in sucrose-fed rats: influence of gender and treatment. 2006 , 28, 85-107		10
499	The triglyceride-lowering effects of a modest dose of docosahexaenoic acid alone versus in combination with low dose eicosapentaenoic acid in patients with coronary artery disease and elevated triglycerides. 2006 , 25, 480-5		43
498	The metabolic syndrome: recognition and management. 2006 , 9, 16-33		13

497 Dyslipidemia. 2006,

496	Microalgal docosahexaenoic acid decreases plasma triacylglycerol in normolipidaemic vegetarians: a randomised trial. 2006 , 95, 779-86	71
495	The Insulin Resistance Syndrome: Concept and Therapeutic Approaches. 2007 , 19-30	1
494	Interrelationship of antioxidative status, lipid peroxidation, and lipid profile in insulin-dependent and non-insulin-dependent diabetic patients. 2007 , 85, 997-1003	12
493	The unique character of cardiovascular disease in chronic kidney disease and its implications for treatment with lipid-lowering drugs. 2007 , 2, 766-85	25
492	Overall glycemic index and glycemic load of vegan diets in relation to plasma lipoproteins and triacylglycerols. 2007 , 51, 335-44	8
491	Effect of Kokuto, a Non-Centrifugal Cane Sugar, on the Development of Experimental Atherosclerosis in Japanese Quail and Apolipoprotein E Deficient Mice. 2007 , 13, 61-66	13
490	Carbohydrate intake and HDL in a multiethnic population. 2007 , 85, 225-30	75
489	Therapeutic rationale of combining therapy with gemfibrozil and simvastatin. 2007, 47, 140-6	4
488	Triglyceride-Rich Lipoproteins And Endothelial Dysfunction: Molecular Mechanisms And Gene Expression Studies. 2007 , 2, 119-122	
487	Metabolic effects of protease inhibitor-sparing antiretroviral regimens given as initial treatment of HIV-1 Infection (AIDS Clinical Trials Group Study A5095). 2007 , 44, 540-50	43
486	CVD risk in South Asians: the importance of defining adiposity and influence of dietary polyunsaturated fat. 2007 , 66, 286-98	13
485	Association between plasma lipid parameters and APOC3 genotypes in Brazilian subjects: effect of gender, smoking and APOE genotypes. 2007 , 380, 175-81	27
484	Efficacy and tolerability of adding prescription omega-3 fatty acids 4 g/d to simvastatin 40 mg/d in hypertriglyceridemic patients: an 8-week, randomized, double-blind, placebo-controlled study. 2007 , 29, 1354-67	327
483	Aerobic exercise and lipids and lipoproteins in children and adolescents: a meta-analysis of randomized controlled trials. 2007 , 191, 447-53	64
482	Post-prandial endothelial dysfunction in hypertriglyceridemic subjects: molecular mechanisms and gene expression studies. 2007 , 193, 321-7	105
481	Registro de hipertrigliceridemias de la Sociedad Espa ô la de Arteriosclerosis. 2007 , 19, 303-307	4
480	Reaching for wellness in schizophrenia. 2007 , 30, 453-79	12

479	Risk of cardiovascular events in patients at optimal values for combined lipid parameters. 2007 , 23, 553-63	41
478	Apolipoprotein E and lipoprotein lipase gene polymorphisms interaction on the atherogenic combined expression of hypertriglyceridemia and hyperapobetalipoproteinemia phenotypes. 2007 , 30, 551-7	6
477	Contribution of tomato phenolics to antioxidation and down-regulation of blood lipids. 2007, 55, 6475-81	63
476	Australian residence and heart disease risk in Vietnamese-born women. 2007 , 1, 223-90	1
475	Obesity and atherogenic dyslipidemia. 2007 , 132, 2181-90	95
474	Premature coronary artery disease and apolipoprotein B and apolipoprotein A-I. 2007, 1303, 85-94	
473	Dietary glycemic index, dietary glycemic load, and cardiovascular disease in middle-aged and older Swedish men. 2007 , 85, 1521-6	80
472	[High-carbohydrate diets: effects on lipid metabolism, body adiposity and its association with physical activity and cardiovascular disease risk]. 2007 , 51, 389-400	16
471	Primary Prevention of Ischemic Heart Disease. 2007 , 178-220	1
470	Risk factors of atherosclerotic diseases. Executive summary of Japan Atherosclerosis Society (JAS) guideline for diagnosis and prevention of atherosclerosis cardiovascular diseases for Japanese. 2007 , 14, 267-77	44
469	No physical activity or exercise is not an option. 2007 , 103, 417-8	1
468	Diagnostic criteria for dyslipidemia. Executive summary of Japan Atherosclerosis Society (JAS) guideline for diagnosis and prevention of atherosclerotic cardiovascular diseases for Japanese. 2007 , 14, 155-8	169
467	Lipid-Lowering Therapy. 2007 , 1087-1099	1
466	Ameliorating effect of coenzyme Q10, riboflavin and niacin in tamoxifen-treated postmenopausal breast cancer patients with special reference to lipids and lipoproteins. 2007 , 40, 623-8	22
465	Mutations in LMF1 cause combined lipase deficiency and severe hypertriglyceridemia. 2007, 39, 1483-7	159
464	Effects of hazelnut-enriched diet on plasma cholesterol and lipoprotein profiles in hypercholesterolemic adult men. 2007 , 61, 212-20	83
463	Effects of low-dose continuous combined hormone replacement therapy on glucose homeostasis and markers of cardiovascular risk in women with type 2 diabetes. 2007 , 66, 27-34	20
462	Prediction of coronary atherosclerotic disease with liver transaminase level. 2007 , 27, 895-900	34

461	Predicting coronary heart disease risk using the Framingham and PROCAM equations in dyslipidaemic patients without overt vascular disease. 2007 , 61, 1643-53	13
460	Differential impact of aging and gender on lipid and lipoprotein profiles in a cohort of healthy Chinese Singaporeans. 2007 , 9, 787-94	26
459	Inflammation in diabetes mellitus: role of peroxisome proliferator-activated receptor-alpha and peroxisome proliferator-activated receptor-gamma agonists. <i>American Journal of Cardiology</i> , 2007 , 99, 27B-40B	109
458	Aromatase inhibitors and cardiac toxicity: getting to the heart of the matter. 2007 , 106, 1-9	23
457	Do age and baseline LDL cholesterol levels determine the effect of regular exercise on plasma lipoprotein cholesterol and apolipoprotein B levels?. 2007 , 101, 621-8	6
456	Cholesterol in women at high cardiovascular risk is less successfully treated than in corresponding men. The Skaraborg Hypertension and Diabetes Project. 2008 , 64, 815-20	7
455	Effect of n-3 fatty acid supplementation on blood glucose, lipid profile and cytokines in humans: A pilot study. 2008 , 23, 85-8	5
454	Prevalence of dyslipidemia and associated risk factors among Turkish adults: Trabzon lipid study. 2008 , 34, 36-51	76
453	Herba Epimedii water extract elevates estrogen level and improves lipid metabolism in postmenopausal women. 2008 , 22, 1224-8	19
452	The treatment of dyslipidemiawhat's left in the pipeline?. 2008, 3, 206-21	14
451	Antiangiogenic and hypolipidemic activity of coenzyme Q10 supplementation to breast cancer patients undergoing Tamoxifen therapy. 2008 , 32, 151-9	20
450	Should glycemic index and glycemic load be considered in dietary recommendations?. 2008 , 66, 569-90	30
449	Effects of long-term transdermal hormone replacement therapy on the renin-angiotensin-aldosterone system, plasma bradykinin levels and blood pressure in normotensive postmenopausal women. 2008 , 8, 259-64	26
448	The contribution of ApoB and ApoA1 measurements to cardiovascular risk assessment. 2008 , 10, 271-8	50
447	Combination therapy in the management of mixed dyslipidaemia. 2008 , 263, 353-65	26
446	Reducing the residual risk of 3-hydroxy-3-methylglutaryl coenzyme a reductase inhibitor therapy with combination therapy. <i>American Journal of Cardiology</i> , 2008 , 101, 27B-35B	11
445	The Residual Risk Reduction Initiative: A Call to Action to Reduce Residual Vascular Risk in Patients with Dyslipidemia. <i>American Journal of Cardiology</i> , 2008 , 102, 1K-34K	280
444	Characterization of the metabolic syndrome by apolipoproteins in the Oklahoma Cherokee. 2008 , 3, 193-9	9

(2008-2008)

443	Reduced venous endothelial responsiveness after oral lipid overload in healthy volunteers. 2008 , 57, 103-9	8
442	Impact of obesity on cardiovascular disease. 2008 , 37, 663-84, ix	83
441	Comparison of the efficacy and safety of a combination tablet of niacin extended-release and simvastatin with simvastatin 80 mg monotherapy: the SEACOAST II (high-dose) study. 2008 , 2, 79-90	34
440	Diabetic dyslipidemia and the metabolic syndrome. 2008 , 2, 208-222	5
439	Abdominal obesity, hypertriglyceridemia, hypertriglyceridemic waist phenotype and risk of type 2 diabetes in American adults. 2008 , 2, 273-281	9
438	Vitamin C supplementation lowers serum low-density lipoprotein cholesterol and triglycerides: a meta-analysis of 13 randomized controlled trials. 2008 , 7, 48-58	61
437	The effects on lipid serum levels of a 2-year adjuvant treatment with exemestane after tamoxifen in postmenopausal women with early breast cancer. 2008 , 19, 592-7	19
436	Endothelial and leukocyte adhesion molecules in primary hypertriglyceridemia. 2008, 197, 679-87	15
435	Serum lipids in relation to sciatica among Finns. 2008 , 197, 43-9	35
434	Novel aspects of postprandial lipemia in relation to atherosclerosis. 2008 , 9, 39-44	77
433	Extended-release niacin/laropiprant: reducing niacin-induced flushing to better realize the benefit of niacin in improving cardiovascular risk factors. 2008 , 26, 547-60	26
432	Prescription omega-3 fatty acids and their lipid effects: physiologic mechanisms of action and clinical implications. 2008 , 6, 391-409	171
431	Functional foods for cardiovascular disease in women. 2008 , 14, 63-9	14
430	Dyslipidaemia as a predictor of hypertension in middle-aged men. 2008 , 29, 2561-8	86
429	Elevated serum creatinine levels associated with fenofibrate therapy. 2008, 65, 138-41	18
428	FoxO1 integrates insulin signaling to VLDL production. 2008 , 7, 3162-70	99
427	Adipose tissue: the link between obesity and cardiovascular disease. 2008, 8, 228-37	54
426	High prevalence of low high-density lipoprotein cholesterol concentrations and other dyslipidemic phenotypes in an Iranian population. <i>Metabolic Syndrome and Related Disorders</i> , 2008 , 6, 187-95	23

425	Apolipoprotein AV: gene expression, physiological role in lipid metabolism and clinical relevance. 2008 , 3, 371-384	4
424	The baseline serum lipoprotein profile is related to plant stanol induced changes in serum lipoprotein cholesterol and triacylglycerol concentrations. 2008 , 27, 117-26	70
423	Identifying subjects with insulin resistance by using the modified criteria of metabolic syndrome. 2008 , 23, 465-9	1
422	Stability and reliability of plasma level of lipid biomarkers and their correlation with dietary fat intake. 2008 , 24, 73-9	7
421	The independent relationship between triglycerides and coronary heart disease. 2008, 89	3
420	Proposed guidelines for hypertriglyceridemia in Japan with non-HDL cholesterol as the second target. 2008 , 15, 116-21	46
419	Coronary heart disease. 263-282	
418	Membrane omega-3 Fatty Acid deficiency as a preventable risk factor for comorbid coronary heart disease in major depressive disorder. 2009 , 2009, 362795	12
417	Combination Therapy for Dyslipidemia. 2009 , 352-362	1
416	Regular exercise and plasma lipid levels associated with the risk of coronary heart disease: a 20-year longitudinal study. 2009 , 80, 138-45	4
415	Prescription omega-3-acid ethyl esters for the treatment of very high triglycerides. 2009, 121, 145-53	20
414	Management of type 2 diabetes and lipids: a critique of the NICE guidelines 2008. 2009 , 9, 69-74	1
413	Treating hypertriglyceridemia with prescription omega-3 fatty acid ethyl esters. 2009, 37, 160-2	
412	Dyslipidemia in chronic kidney disease: managing a high-risk combination. 2009 , 121, 54-61	20
411	Low-fat versus low-carbohydrate weight reduction diets: effects on weight loss, insulin resistance, and cardiovascular risk: a randomized control trial. 2009 , 58, 2741-8	63
410	Is lipid control necessary in hemodialysis patients?. 2009 , 4 Suppl 1, S95-101	19
409	Overexpression of apolipoprotein A5 in mice is not protective against body weight gain and aberrant glucose homeostasis. 2009 , 58, 560-7	16

407	Nonpharmacologic treatment of dyslipidemia. 2009 , 52, 61-94	45
406	Long-term lipid effects of pioglitazone by baseline anti-hyperglycemia medication therapy and statin use from the PROactive experience (PROactive 14). <i>American Journal of Cardiology</i> , 2009 , 3 104, 234-9	28
405	Carbohydrate restriction has a more favorable impact on the metabolic syndrome than a low fat diet. 2009 , 44, 297-309	251
404	Synthesis of specific fatty acids contributes to VLDL-triacylglycerol composition in humans with and without type 2 diabetes. 2009 , 52, 1628-37	40
403	Bidishand-rolled, Indian cigarettes: induced biochemical changes in plasma and red cell membranes of human male volunteers. 2009 , 42, 1041-5	11
402	Antiatherosclerotic function of Kokuto, Okinawan noncentrifugal cane sugar. 2009 , 57, 69-75	17
401	Apolipoprotein E4 allele influences the response of plasma triglyceride levels to tamoxifen in breast cancer patients. 2009 , 401, 144-7	13
400	Differential regulation of the human versus the mouse apolipoprotein AV gene by PPARalpha. Implications for the study of pharmaceutical modifiers of hypertriglyceridemia in mice. 2009 , 1791, 764-71	15
399	Elevated levels of platelet microparticles in carotid atherosclerosis and during the postprandial state. 2009 , 123, 881-6	32
398	Cardiovascular disease prevention in women: Impact of dietary interventions. 2009, 63, 20-7	9
397	Effects of resistance and multicomponent exercise on lipid profiles of older women. 2009, 63, 84-8	49
396	Lipoic acid improves hypertriglyceridemia by stimulating triacylglycerol clearance and downregulating liver triacylglycerol secretion. 2009 , 485, 63-71	63
395	Mechanisms of lipase maturation. 2010 , 5, 71-85	26
394	Association of moderate and severe hypertriglyceridemia with obesity, diabetes mellitus and vascular disease in the Spanish working population: results of the ICARIA study. 2009 , 207, 573-8	31
393	The metabolic syndrome and risk of myocardial infarction in familial hypertension (hypertension heredity in Malmievaluation study). 2009 , 27, 109-17	2
392	Study of once-daily versus twice-daily fosamprenavir plus ritonavir administered with abacavir/lamivudine once daily in antiretroviral-na\(\text{Pe} = \text{HIV-1-infected adult subjects. 2009}, 10, 356-67	12
391	The role of statins for the primary and secondary prevention of coronary heart disease in women. 2009 , 15, 1054-62	17
390	Z-SCAN TECHNIQUE FOR MEASUREMENT OF TOTAL CHOLESTEROL AND TRIGLYCERIDES IN BLOOD. 2009 , 02, 295-301	4

389	EP2300 compounds: focusing on the antiatherosclerotic properties of squalene synthase inhibitors. 2009 , 15, 3167-78	11
388	Family History and Preclinical Atherosclerosis. 2009 , 5, 94-101	
387	Dietary glycaemic index, dietary glycaemic load and incidence of myocardial infarction in women. 2010 , 103, 1049-55	18
386	Cardiorespiratory fitness and metabolic risk factors in obesity. 2010 , 21, 1-7	24
385	Mechanisms of lipase maturation. 2010 , 5, 117-130	16
384	Scientific Opinion on Dietary Reference Values for carbohydrates and dietary fibre. 2010 , 8, 1462	385
383	Plasma triglyceride concentrations are rapidly reduced following individual bouts of endurance exercise in women. 2010 , 109, 721-30	19
382	Introduction to the DISRUPT postprandial database: subjects, studies and methodologies. 2010 , 5, 39-48	21
381	Safe and rapid resolution of severe hypertriglyceridaemia in two patients with intravenous insulin. 2010 , 27, 1080-3	6
380	Critical appraisal of laropiprant and extended-release niacin combination in the management of mixed dyslipidemias and primary hypercholesterolemia. 2010 , 6, 183-90	6
379	Fast-twitch muscle hypertrophy partly induces lipid accumulation inhibition with Alaska pollack protein intake in rats. 2010 , 31, 347-52	18
378	APOE/C1/C4/C2 gene cluster genotypes, haplotypes and lipid levels in prospective coronary heart disease risk among UK healthy men. 2010 , 16, 389-99	39
377	Current status and future directions in lipid management: emphasizing low-density lipoproteins, high-density lipoproteins, and triglycerides as targets for therapy. 2010 , 6, 73-85	16
376	Gender-Specific Aspects of Selected Coronary Heart Disease Risk Factors. 2010 , 162-174	5
375	Dyslipidemia Management in Women and Men. 2010 , 175-185	
374	Normal reference values for serum lipid levels in Chinese adolescents between 12 and 18 years of age. 2010 , 56, 13-8	5
373	Dietary glycemic index, dietary glycemic load, blood lipids, and coronary heart disease. 2010 , 2010,	28
372	Interaction between diets, polymorphisms and plasma lipid levels. 2010 , 5, 421-438	3

(2011-2010)

371	Lipoproteins and lipoprotein metabolism in periodontal disease. 2010 , 5, 397-411	29
370	Evaluation of two portable meters for determination of blood triglyceride concentration in dogs. 2010 , 71, 203-10	7
369	Using apolipoprotein B to manage dyslipidemic patients: time for a change?. 2010 , 85, 440-5	45
368	The Pediatric Patient with Chronic Kidney Disease. 2010 , 231-250	
367	The association between conventional antidepressants and the metabolic syndrome: a review of the evidence and clinical implications. 2010 , 24, 741-53	57
366	Polymorphisms of the NOS3 gene in Southern Chilean subjects with coronary artery disease and controls. 2010 , 411, 258-62	19
365	Determinaciones analEicas en el paciente diabtico. 2010 , 36, 513-519	О
364	Cardiovascular effects of edible oils: a comparison between four popular edible oils. 2010 , 23, 334-48	57
363	Intervention with education and exercise reverses the metabolic syndrome in adults. 2010 , 4, 148-53	32
362	New cardiovascular risk factors and physical activity. 2010 , 45, 201-208	3
361	Impact of age and menopausal status on the postprandial triacylglycerol response in healthy women. 2010 , 208, 246-52	19
360	Utilization patterns of extended-release niacin in Canada: analysis of an administrative claims database. 2010 , 26, e229-35	10
359	Peroxisome proliferator-activated receptor delta +294T > C polymorphism and serum lipid levels in the Guangxi Bai Ku Yao and Han populations. 2010 , 9, 145	18
358	Dietary glycemic index, dietary glycemic load, and incidence of heart failure events: a prospective study of middle-aged and elderly women. 2010 , 29, 65-71	18
357	Triglycerides and cardiovascular disease: a scientific statement from the American Heart Association. 2011 , 123, 2292-333	1222
356	Hemostatic effects of bezafibrate and $oxdots$ fatty acids in isolated hypertriglyceridemic patients. 2011 , 63, 763-71	10
355	Centile values for serum lipids in Colombian adolescents. 2011 , 58, 395-400	5
354	[Centile values for serum lipids in Colombian adolescents]. 2011 , 58, 395-400	5

353	The atherogenic index of plasma is increased by hormonal contraception. 2011 , 71, 94-100	11
352	Impact of obesity on cardiovascular disease. 2011 , 95, 919-37	140
351	Associations of atherosclerotic risk factors with oxidized low-density lipoprotein evaluated by LOX-1 ligand activity in healthy men. 2011 , 412, 1643-7	19
350	Dyslipidaemia of obesity, metabolic syndrome and type 2 diabetes mellitus: the case for residual risk reduction after statin treatment. 2011 , 5, 24-34	44
349	Down Syndrome and Vascular Disease: DSCR1 and NFAT Signaling. 2011,	
348	EFFECTS OF PHYSICAL ACTIVITY INSTRUCTIONS USING A NEW GUIDELINE ON DYSLIPIDEMIA OUTPATIENTS. 2011 , 60, 433-441	
347	Evaluation of atherosclerotic findings in patients with nonalcoholic fatty liver disease. 2011 , 4, 717-22	14
346	Prospective clinical study reveals significant reduction in triglyceride level and white blood cell count after liposuction and abdominoplasty and no change in cholesterol levels. 2011 , 128, 182e-197e	24
345	Influence of periodontal intervention therapy on risk of cardiovascular disease. 2011 , 56, 227-57	19
344	The editor's roundtable: Closing the clinical practice gap-using evidence-based treatments for managing lipids. <i>American Journal of Cardiology</i> , 2011 , 107, 230-42	O
343	Dyslipidemia in northeastern China. 2011 , 6, 220-226	2
342	Influence of exercise on nutritional requirements. 2011 , 111, 379-90	1 F
		15
341	Symptomatic disc herniation and serum lipid levels. 2011 , 20, 1658-62	36
341		
	Symptomatic disc herniation and serum lipid levels. 2011 , 20, 1658-62 The effect of bezafibrate and omega-3 fatty acids on lymphocyte cytokine release and systemic	36
340	Symptomatic disc herniation and serum lipid levels. 2011 , 20, 1658-62 The effect of bezafibrate and omega-3 fatty acids on lymphocyte cytokine release and systemic inflammation in patients with isolated hypertriglyceridemia. 2011 , 67, 1109-17 The effects of diet education plus light resistance training on coronary heart disease risk factors in	36 18
340	Symptomatic disc herniation and serum lipid levels. 2011 , 20, 1658-62 The effect of bezafibrate and omega-3 fatty acids on lymphocyte cytokine release and systemic inflammation in patients with isolated hypertriglyceridemia. 2011 , 67, 1109-17 The effects of diet education plus light resistance training on coronary heart disease risk factors in community-dwelling older adults. 2011 , 15, 762-7 The impact of plasma triglyceride and apolipoproteins concentrations on high-density lipoprotein	36 18 18

335	Einfach ungesttigte Fettsüren in der Primtprüention von Herz-Kreislauf-Erkrankungen bei Bergewichtigen / Adiptien und Diabetikern. 2011 , 36, 44-49	1
334	Emerging targets for the treatment of dyslipidemia. 2011 , 18, 909-22	10
333	Improved efficacy for ezetimibe and rosuvastatin by attenuating the induction of PCSK9. 2011 , 52, 679-87	37
332	Infliximab induces increase in triglyceride levels in psoriatic arthritis patients. 2011 , 2011, 352686	20
331	Effects of monounsaturated fatty acids on cardiovascular risk factors: a systematic review and meta-analysis. 2011 , 59, 176-86	94
330	Inflammatory markers in hyperlipidemia: from experimental models to clinical practice. 2011 , 17, 4132-46	35
329	Unrefined and refined black raspberry seed oils significantly lower triglycerides and moderately affect cholesterol metabolism in male Syrian hamsters. 2011 , 14, 1032-8	15
328	Is there any relationship between coronary artery disease and postprandial triglyceride levels?. 2011 , 11, 201-6	3
327	Effect of low-glycemic load diet on changes in cardiovascular risk factors in poorly controlled diabetic patients. 2012 , 16, 991-5	9
326	Correction. 2012 , 65, 95.1-95	13
325	The flavonoid morin restores blood pressure and lipid metabolism in DOCA-salt hypertensive rats. 2012 , 17, 167-75	21
324	Omega-3 fatty acid supplementation and cardiovascular disease. 2012 , 53, 2525-45	139
323	Associations of glycemic index and load with coronary heart disease events: a systematic review and meta-analysis of prospective cohorts. 2012 , 1, e000752	102
322	Meeting Nutritional Goals for Children Receiving Maintenance Dialysis. 2012 , 377-437	
321	Oral prednisolone for infantile hemangioma: efficacy and safety using a standardized treatment protocol. 2012 , 129, 840e-841e	2
320	The clinical relevance of lower triglyceride and leukocyte levels after liposuction. 2012 , 129, 846e-847e	O
319	Introducing the septocutaneous gluteal artery perforator flap: a simplified approach to microsurgical breast reconstruction. 2012 , 129, 848e-849e	2
318	Gamma glutamyltransferase as a novel marker of coronary artery calcification in women. 2012 , 13, 684-90	5

317	Managing metabolic syndrome in women. 2012 , 37, 14-20; quiz 20-1	2
316	Fibrates for primary prevention of cardiovascular disease events. 2012,	8
315	Reply. 2012 , 129, 847e-848e	
314	Reply. 2012 , 129, 845e-846e	
313	Insulin resistance and coronary heart disease in nondiabetic individuals. 2012, 32, 1754-9	119
312	Postprandial accumulation of chylomicrons and chylomicron remnants is determined by the clearance capacity. 2012 , 222, 222-8	39
311	Effects of coadministered extended-release niacin/laropiprant and simvastatin on lipoprotein subclasses in patients with dyslipidemia. 2012 , 6, 235-43	8
310	Melissa officinalis essential oil reduces plasma triglycerides in human apolipoprotein E2 transgenic mice by inhibiting sterol regulatory element-binding protein-1c-dependent fatty acid synthesis. 2012 , 142, 432-40	30
309	American Association of Clinical Endocrinologists' Guidelines for Management of Dyslipidemia and Prevention of Atherosclerosis. 2012 , 18 Suppl 1, 1-78	312
308	Effects of energy-restricted high-protein, low-fat compared with standard-protein, low-fat diets: a meta-analysis of randomized controlled trials. 2012 , 96, 1281-98	345
307	Genetic variant R952Q in LRP8 is associated with increased plasma triglyceride levels in patients with early-onset CAD and MI. 2012 , 76, 193-9	9
306	Fatty acid synthase and liver triglyceride metabolism: housekeeper or messenger?. 2012 , 1821, 747-53	185
305	Hypertriglyceridemia secondary to obesity and diabetes. 2012 , 1821, 819-25	101
304	Postprandial metabolism of meal triglyceride in humans. 2012 , 1821, 721-6	105
303	Catalposide is a natural agonistic ligand of peroxisome proliferator-activated receptor- ∃2012 , 422, 568-72	7
302	Cardiovascular disease in women. 2012 , 37, 450-526	44
301	The complex spectrum of forensic issues arising from obesity. 2012 , 8, 402-13	44
300	Postprandial VLDL-triacylglycerol secretion is not suppressed in obese type 2 diabetic men. 2012 , 55, 2733-2740	22

299 Dyslipidemia. **2012**, 159-178

298	Association of MYLIP rs3757354 SNP and several environmental factors with serum lipid levels in the Guangxi Bai Ku Yao and Han populations. 2012 , 11, 141	5
297	Postprandial cell inflammatory response to a standardised fatty meal in subjects at different degree of cardiovascular risk. 2012 , 107, 530-7	13
296	Cost-effectiveness of extended-release niacin/laropiprant added to a stable simvastatin dose in secondary prevention patients not at cholesterol goal in Germany. 2012 , 13, 365-74	7
295	Meta-analysis of dietary glycemic load and glycemic index in relation to risk of coronary heart disease. <i>American Journal of Cardiology</i> , 2012 , 109, 1608-13	83
294	Age- and menopause-related differences in physiological factors of health quality in women aged 35-60. 2012 , 54, 385-90	7
293	C57Bl/6 N mice on a western diet display reduced intestinal and hepatic cholesterol levels despite a plasma hypercholesterolemia. 2012 , 13, 84	35
292	Lipoprotein subclass profiles in young adults born preterm at very low birth weight. 2013 , 12, 57	17
291	Elucidation of mechanisms of actions of thymoquinone-enriched methanolic and volatile oil extracts from Nigella sativa against cardiovascular risk parameters in experimental hyperlipidemia. 2013 , 12, 86	40
290	Hyperlipidemia modifies innate immune responses to lipopolysaccharide via the TLR-NF- B signaling pathway. 2013 , 36, 968-76	18
289	Lymphocyte-suppressing action of simvastatin in patients with isolated hypertriglyceridemia. 2013 , 65, 756-60	3
288	Association of obesity with cardiovascular disease mortality in the PLCO trial. 2013 , 57, 60-4	47
287	Hypertriglyceridemia: the future of genetics to guide individualized therapeutic strategies. 2013 , 8, 321-328	
286	New therapeutic alternatives for the management of dyslipidemia. 2013 , 26, 528-40	2
285	Icosapent ethyl for treatment of elevated triglyceride levels. 2013 , 47, 1517-23	9
284	Polymorphisms in genes involved in the triglyceride synthesis pathway and marine omega-3 polyunsaturated fatty acid supplementation modulate plasma triglyceride levels. 2013 , 6, 268-80	8
283	Comparison of effects of long-term low-fat vs high-fat diets on blood lipid levels in overweight or obese patients: a systematic review and meta-analysis. 2013 , 113, 1640-61	124
282	Oral retinoids and plasma lipids. 2013 , 26, 404-10	16

281	Neck circumference is correlated with triglycerides and inversely related with HDL cholesterol beyond BMI and waist circumference. 2013 , 29, 90-7	46
280	Substituting non-HDL cholesterol with LDL as a guide for lipid-lowering therapy increases the number of patients with indication for therapy. 2013 , 226, 471-5	16
279	Practical and critical instruction for nonhuman primate diabetic models. 2013 , 45, 1856-65	6
278	The g469G>A polymorphism in the GPIHBP1 gene promoter is associated with hypertriglyceridemia and has an additive effect on the risk conferred by LPL defective alleles. 2013 , 23, 358-65	2
277	What should we do about Hypertriglyceridemia in Coronary Artery Disease Patients?. 2013, 15, 104-17	5
276	Hepatic methionine homeostasis is conserved in C57BL/6N mice on high-fat diet despite major changes in hepatic one-carbon metabolism. 2013 , 8, e57387	25
275	Hypolipidemic and antioxidant activities of thymoquinone and limonene in atherogenic suspension fed rats. 2013 , 138, 1116-24	65
274	Monocyte-suppressing effects of simvastatin in patients with isolated hypertriglyceridemia. 2013 , 24, 255-9	2
273	Nutritional Management of the Child with Kidney Disease. 2013 , 581-603	2
272	Effect of licorice flavonoid oil on cholesterol metabolism in high fat diet rats. 2013 , 77, 1326-8	6
271	Long-term Effects of Dieting: Is Weight Loss Related to Health?. 2013 , 7, 861-877	47
270	Effect of simvastatin on hemostasis in patients with isolated hypertriglyceridemia. 2013 , 92, 187-90	10
269	Effect of green tea extract microencapsulation on hypertriglyceridemia and cardiovascular tissues in high fructose-fed rats. 2013 , 7, 366-72	22
268	Essential Fatty Acids (Omega-3 and Omega-6). 2013 ,	
267	Intercorrelations of lipoprotein subfractions and their covariation with lifestyle factors in healthy men. 2014 , 54, 174-80	8
266	Effects of dietary milled seed mixture on fatty acid status and inflammatory markers in patients on hemodialysis. 2014 , 2014, 563576	14
265	High-intensity Interval Training and Obesity. 2014 , 04,	10
264	Pigmented rice bran and plant sterol combination reduces serum lipids in overweight and obese adults. 2014 , 33, 231-8	25

(2014-2014)

263	Identification of molecular species of cholesteryl ester hydroperoxides in very low-density and intermediate-density lipoproteins. 2014 , 51, 662-71	7
262	Aberrant hetero-disulfide bond formation by the hypertriglyceridemia-associated p.Gly185Cys APOA5 variant (rs2075291). 2014 , 34, 2254-60	12
261	Effects of eicosapentaenoic acid and docosahexaenoic acid on chylomicron and VLDL synthesis and secretion in Caco-2 cells. 2014 , 2014, 684325	6
260	Ten weeks of aerobic training does not result in persistent changes in VLDL triglyceride turnover or oxidation in healthy men. 2014 , 171, 603-13	7
259	Effects of dietary lipid sources on growth performance, carcass composition, and blood parameters of juvenile Chinese sturgeon (Acipenser sinensis Gray, 1835). 2014 , 30, 1620-1625	6
258	Long-term risk of cardiovascular events across a spectrum of adverse major plasma lipid combinations in the Framingham Heart Study. 2014 , 168, 878-83.e1	45
257	Dietary glycemic index, glycemic load, and nutritional correlates in free-living elderly Brazilians: a population-based survey. 2014 , 33, 111-9	3
256	Inhibition of ApoCIII: the next PCSK9?. 2014 , 25, 418-22	20
255	Beneficial effects of black yeast derived 1-3, 1-6 Beta Glucan-Nichi Glucan in a dyslipidemic individual of Indian origina case report. 2014 , 11, 1-6	10
254	trans-Caryophyllene is a natural agonistic ligand for peroxisome proliferator-activated receptor-⊞ 2014 , 24, 3168-74	26
253	HDL lipid composition is profoundly altered in patients with type 2 diabetes and atherosclerotic vascular disease. 2014 , 24, 594-9	28
252	The hypolipidaemic effects of Spirulina (Arthrospira platensis) supplementation in a Cretan population: a prospective study. 2014 , 94, 432-7	47
251	Novel links among peroxiredoxins, endothelial dysfunction, and severity of atherosclerosis in type 2 diabetic patients with peripheral atherosclerotic disease. 2014 , 19, 173-81	22
250	Hypertriglyceridemia accompanied by increased serum complement component 3 and proteinuria in non-nephrotic chronic kidney disease. 2014 , 18, 453-60	3
249	Association between objectively assessed sedentary time and physical activity with metabolic risk factors among people with recently diagnosed type 2 diabetes. 2014 , 57, 73-82	75
248	Secular trends in serum lipid levels of a Middle Eastern adult population; 10 years follow up in Tehran lipid and glucose study. 2014 , 13, 20	24
247	Production and Metabolism of Triglyceride-Rich Lipoproteins in Both the Normal and Diabetic States. 2014 , 125-139	1
246	Fibrate Therapy: Impact on Dyslipidemia and Cardiovascular Events in Diabetic Patients. 2014 , 373-398	

245	The calcium-sensing receptor R990G polymorphism is associated with increased risk of hypertriglyceridemia in obese Chinese. 2014 , 533, 67-71	2
244	The postprandial chylomicron triacylglycerol response to dietary fat in healthy male adults is significantly explained by a combination of single nucleotide polymorphisms in genes involved in triacylglycerol metabolism. 2014 , 99, E484-8	34
243	Determining triglyceride reductions needed for clinical impact in severe hypertriglyceridemia. 2014 , 127, 36-44.e1	48
242	Linalool is a PPARHigand that reduces plasma TG levels and rewires the hepatic transcriptome and plasma metabolome. 2014 , 55, 1098-110	27
241	The role of dietary fat on the association between dietary amino acids and serum lipid profile in European adolescents participating in the HELENA Study. 2014 , 68, 464-73	3
240	The effect of dietary omega-3 polyunsaturated fatty acids on plasma lipids and lipoproteins of C57BL/6 mice is age and sex specific. 2014 , 91, 39-47	13
239	Influence of CYP1A1*2C on high triglyceride levels in female Mexican indigenous Tarahumaras. 2014 , 45, 409-16	4
238	Proteome of human plasma very low-density lipoprotein and low-density lipoprotein exhibits a link with coagulation and lipid metabolism. 2014 , 111, 518-30	66
237	Omega-3-carboxylic acid (Epanova) for hypertriglyceridemia. 2015 , 23, 148-52	3
236	Prevention of hyperphagia prevents ovariectomy-induced triacylglycerol accumulation in liver, but not plasma. 2015 , 35, 1085-94	7
235	Relationship Between Forced Vital Capacity and Framingham Cardiovascular Risk Score Beyond the Presence of Metabolic Syndrome: The Fourth Korea National Health and Nutrition Examination Survey. 2015 , 94, e2089	12
234	Lean body mass, not FFA, predicts VLDL-TG secretion rate in healthy men. 2015 , 23, 1379-85	6
233	High postprandial triglycerides serum levels: is obesity a good predictor?. 2015 , 87, 437-45	7
232	Lowering triglycerides to modify cardiovascular risk: will icosapent deliver?. 2015 , 11, 203-9	5
231	Effect of Fiber and Low Glycemic Load Diet on Blood Glucose Profile and Cardiovascular Risk Factors in Diabetes and Poorly Controlled Diabetic Subjects. 2015 , 133-145	2
230	Are Complexity Metrics Reliable in Assessing HRV Control in Obese Patients During Sleep?. 2015 , 10, e0124458	6
229	. 2015,	4
228	Technology Road Mapping for Innovation Pathways of Fibrates: A Cross-Database Patent Review. 2015 , 14, 1459	3

(2016-2015)

227	Identification of molecular species of oxidized triglyceride in plasma and its distribution in lipoproteins. 2015 , 53, 1859-69	2
226	APOE polymorphisms contribute to reduced atorvastatin response in Chilean Amerindian subjects. 2015 , 16, 7890-9	14
225	A Pooled Analysis of the Effects of Conjugated Estrogens/Bazedoxifene on Lipid Parameters in Postmenopausal Women From the Selective Estrogens, Menopause, and Response to Therapy (SMART) Trials. 2015 , 100, 2329-38	30
224	Intensity-dependent and sex-specific alterations in hepatic triglyceride metabolism in mice following acute exercise. 2015 , 118, 61-70	12
223	Saturated Fats Versus Polyunsaturated Fats Versus Carbohydrates for Cardiovascular Disease Prevention and Treatment. 2015 , 35, 517-43	148
222	Indicators of hypertriglyceridemia from anthropometric measures based on data mining. 2015 , 57, 201-11	12
221	Secondary Prevention of Heart Disease in Women: Gaps in Care/Gaps in Knowledge Where Do We Need to Focus Our Attention. 2015 , 9, 1	
220	Association of abdominal obesity, hypertriglyceridemia, and hypertriglyceridemic waist phenotype with hypertension and type 2 diabetes mellitus. 2015 , 35, 439-447	
219	Predictors and risks of body fat profiles in young New Zealand European, Möri and Pacific women: study protocol for the women's EXPLORE study. 2015 , 4, 128	11
218	Hypertriglyceridemia in an outpatient departmentSignificance as an atherosclerotic risk factor. 2015 , 18, 146-53	1
217	⊞ipoic acid as a triglyceride-lowering nutraceutical. 2015 , 93, 1029-41	15
216	National lipid association recommendations for patient-centered management of dyslipidemia: part 1full report. 2015 , 9, 129-69	478
215	Management of hypertriglyceridemia for prevention of atherosclerotic cardiovascular disease. 2015 , 33, 309-23	11
214	Elevated Triglycerides, Atherosclerosis and Adverse Clinical Events. 2015 , 55-67	
213	Genetic basis of dyslipidemia in disease precipitation of coronary artery disease (CAD) associated type 2 diabetes mellitus (T2DM). 2015 , 31, 663-71	13
212	Effect of grape and other berries on cardiovascular health. 2015 , 95, 1584-97	47
211	Nutraceuticals and Bioactive Components from Fish for Dyslipidemia and Cardiovascular Risk Reduction. 2016 , 14,	28
210	Association of Hypertriglyceridemia with Ischemic Stroke, Study in a Tertiary Care Hospital in Bangladesh. 2016 , 17, 21-26	1

209	Hypertriglyceridemia and Cardiovascular Outcomes. 2016 , 23, e862-70		3
208	The TyG index may predict the development of cardiovascular events. 2016 , 46, 189-97		141
207	Addition of aspirin to a fish oil-rich diet decreases inflammation and atherosclerosis in ApoE-null mice. <i>Journal of Nutritional Biochemistry</i> , 2016 , 35, 58-65	6.3	18
206	Association between serum cytokine concentrations and the presence of hypertriglyceridemia. 2016 , 49, 750-5		19
205	Fucoidan improves serum lipid levels and atherosclerosis through hepatic SREBP-2-mediated regulation. 2016 , 131, 84-92		40
204	Serum lipid levels are positively correlated with lumbar disc herniationa retrospective study of 790 Chinese patients. 2016 , 15, 80		15
203	Short- and Long-Term Effects of Weight Loss on the Complement Component C3 After Laparoscopic Gastric Bypass in Obese Patients. 2016 , 26, 2756-2763		4
202	Plasma PCSK9 level is unrelated to blood pressure and not associated independently with carotid intima-media thickness in hypertensives. 2016 , 39, 598-605		9
201	Anti-arthritogenic and cardioprotective action of hesperidin and daidzein in collagen-induced rheumatoid arthritis. <i>Molecular and Cellular Biochemistry</i> , 2016 , 423, 115-127	4.2	23
200	Hypertriglyceridemia: the importance of identifying patients at risk. 2016 , 128, 848-858		27
199	Plasma lipidomics reveals potential lipid markers of major depressive disorder. 2016 , 408, 6497-507		54
198	Blood triacylglycerols: a lipidomic window on diet and disease. 2016 , 44, 638-44		11
197	Association of triglyceride-to-high density lipoprotein cholesterol ratio to cardiorespiratory fitness in men. 2016 , 10, 1414-1422.e1		7
196	The c.553G>T Genetic Variant of the APOA5 Gene and Altered Triglyceride Levels in the Asian Population: A Meta-Analysis of Case-Control Studies. 2016 , 20, 758-765		7
195	Impact of a Proprietary Standardized Olive Fruit Extract (SOFE) on Cardio-Ankle Vascular Index, Visual Analog Scale and C-Reactive Protein Assessments in Subjects with Arterial Stiffness Risk. 2016 , 16, 355-368		6
194	Assessment of antioxidant activity, lipid profile, general biochemical and immune system responses of Wistar rats fed with dairy dessert containing Lactobacillus acidophilus La-5. 2016 , 90, 275-280		41
193	Deaths: Obesity [Pathology. 2016 , 96-104		1
192	Patient mit schwerstem Chylomikronthiesyndrom. 2016 , 16, 30-32		

191	Circulating triglycerides and bile acids are reduced by a soluble wheat arabinoxylan via modulation of bile concentration and lipid digestion rates in a pig model. 2016 , 60, 642-51	38
190	Federal Food Assistance Programs and Cardiovascular Risk Factors in Low-Income Preschool Children. 2016 , 41, 626-34	6
189	The 10(th) Annual Cardiometabolic Health Congress General Session Highlights. 2016 , 128 Suppl 1, 1-10	1
188	Management of Hypertriglyceridemia for Prevention of Atherosclerotic Cardiovascular Disease. 2016 , 45, 185-204	17
187	Combined Supplementation with Grape Pomace and Omija Fruit Ethanol Extracts Dose-Dependently Improves Body Composition, Plasma Lipid Profiles, Inflammatory Status, and Antioxidant Capacity in Overweight and Obese Subjects. 2016 , 19, 170-80	15
186	A Comparison of Statin Therapies in Hypercholesterolemia in Women: A Subgroup Analysis of the STELLAR Study. 2016 , 25, 50-6	4
185	Exercise Guidelines to Promote Cardiometabolic Health in Spinal Cord Injured Humans: Time to Raise the Intensity?. 2017 , 98, 1693-1704	47
184	n-3 Long-chain polyunsaturated fatty acids improve the sperm, egg, and offspring quality of Siberian sturgeon (Acipenser baerii). 2017 , 473, 266-271	15
183	AMERICAN ASSOCIATION OF CLINICAL ENDOCRINOLOGISTS AND AMERICAN COLLEGE OF ENDOCRINOLOGY GUIDELINES FOR MANAGEMENT OF DYSLIPIDEMIA AND PREVENTION OF CARDIOVASCULAR DISEASE. 2017 , 23, 1-87	535
182	Pentraxin 3 and lipid profile status in pregnancy. 2017 , 37, 727-730	4
181	TRIGLYCERIDES, ATHEROSCLEROSIS, AND CARDIOVASCULAR OUTCOME STUDIES: FOCUS ON OMEGA-3 FATTY ACIDS. 2017 , 23, 100-112	32
180	A lifestyle intervention program for successfully addressing major cardiometabolic risks in persons with SCI: a three-subject case series. 2017 , 3, 17007	10
179	Ambient Fine Particulate Matter, Outdoor Temperature, and Risk of Metabolic Syndrome. 2017 , 185, 30-39	76
178	Low-density lipoprotein 4: a novel predictor of coronary artery disease severity. 2017 , 33, 1979-1984	9
177	Evaluation of DNA damage in Wistar rat tissues with hyperlipidemia induced by tyloxapol. 2017 , 103, 51-55	13
176	Identification of a novel lipid binding motif in apolipoprotein B by the analysis of hydrophobic cluster domains. 2017 , 1859, 135-145	11
175	Effect of floorball training on blood lipids, body composition, muscle strength, and functional capacity of elderly men. 2017 , 27, 1489-1499	17
174	Managing hypertriglyceridemia: What can we learn from cardiovascular outcomes trials?. 2017 , 42 Suppl 12, 3-9	1

173	Obesity induction in hamster that mimics the human clinical condition. 2017 , 66, 235-244	4
172	Prevalence of Conventional Risk Factors in Acute Coronary Syndrome Patients in Eastern Part of Nepal. 2017 , 6, 48-55	О
171	Dietary Fiber and Human Health: An Introduction. 2017 , 1-22	2
170	Quinoa Seed Lowers Serum Triglycerides in Overweight and Obese Subjects: A Dose-Response Randomized Controlled Clinical Trial. 2017 , 1, e001321	22
169	Knowledge, attitude and practice of community pharmacists in relation to cholesterol screening in Delta State, Nigeria. 2017 , 11, 451-457	
168	Prevalence and Clinical Characteristics of Dyslipidemia in Koreans. 2017 , 32, 30-35	19
167	The association of triglycerides and total cholesterol concentrations with newly diagnosed diabetes in adults in China. 2017 , 8, 103477-103485	9
166	Associations of leptin, insulin and lipids with retinal microvasculature in children and adolescents. 2018 , 31, 143-150	1
165	Metabolic Effects of Liposuction. 2018 , 79-93	
164	Diabetes mellitus secondary to pancreatic diseases (type 3c): The effect of smoking on the exocrine-endocrine interactions of the pancreas. 2018 , 15, 243-259	5
163	Effects of dietary coated protease on growth performance, feed utilization, nutrient apparent digestibility, intestinal and hepatopancreas structure in juvenile Gibel carp (Carassius auratus gibelio). 2018 , 24, 47-55	26
162	A Powerful Test for SNP Effects on Multivariate Binary Outcomes using Kernel Machine Regression. 2018 , 10, 117-138	3
161	Association of ADAMTS4 and ADAMTS9 levels with cardiovascular risk in patients with primary hyperparathyroidism. 2018 , 43, 15-20	3
160	The efficiency and mechanism of dibutyl phthalate removal by copper-based metal organic frameworks coupled with persulfate 2018 , 8, 39352-39361	17
159	Triglyceride and high density lipoprotein cholesterol concentrations quantitative analysis in whole blood by FTIR-ATR spectroscopy and FT-Raman spectroscopy. 2018 , 10, 5493-5498	1
158	Lipid accumulation product in relation to 10-year cardiovascular disease incidence in Caucasian adults: The ATTICA study. 2018 , 279, 10-16	21
157	Role of ApoE gene polymorphism and nonconventional biochemical risk factors among very young individuals (aged less than 35 years) presenting with acute myocardial infarction. 2018 , 70 Suppl 3, S146-S156	4
156	Interactions among genes involved in reverse cholesterol transport and in the response to environmental factors in dyslipidemia in subjects from the Xinjiang rural area. 2018 , 13, e0196042	6

155	Association between insulin resistance and the development of cardiovascular disease. 2018, 17, 122	472
154	Remnant-Like Particle Cholesterol, Low-Density Lipoprotein Triglycerides, and Incident Cardiovascular Disease. 2018 , 72, 156-169	71
153	On-treatment lipid profiles to predict the cardiovascular outcomes in ASCVD patients comorbid with chronic kidney disease - The multi-center T-SPARCLE registry study. 2018 , 117, 814-824	5
152	Hepatic steatosis risk is partly driven by increased de novo lipogenesis following carbohydrate consumption. 2018 , 19, 79	45
151	Relations of lipid parameters, other variables with carotid intima-media thickness and plaque in the general Chinese adults: an observational study. 2018 , 17, 107	19
150	Lipid Profiles in Out-of-Hospital Sudden Unexpected Death. 2018 , 2, 257-266	3
149	Cardiovascular outcomes during extended follow-up of the AIM-HIGH trial cohort. 2018, 12, 1413-1419	4
148	HIV treatment is associated with a two-fold higher probability of raised triglycerides: Pooled Analyses in 21 023 individuals in sub-Saharan Africa. 2018 , 3,	6
147	Body Mass Index Change as a Predictor of Biometric Changes following an Intensive Lifestyle Modification Program. 2019 , 2019, 8580632	4
146	Increased systolic blood pressure associated with hypertriglyceridemia in female Sprague-Dawley rats. 2019 , 97, 971-979	1
145	Supervised lifestyle intervention for people with metabolic syndrome improves outcomes and reduces individual risk factors of metabolic syndrome: A systematic review and meta-analysis. 2019 , 101, 153988	29
144	N1-methylnicotinamide as a possible modulator of cardiovascular risk markers in polycystic ovary syndrome. 2019 , 235, 116843	5
143	A mutation in mouse Krppel-like factor 15 alters the gut microbiome and response to obesogenic diet. 2019 , 14, e0222536	1
142	Morbi-Mortality of the Victims of Internal Conflict and Poor Population in the Risaralda Province, Colombia. 2019 , 16,	1
141	Challenges in Cardiovascular Risk Prediction and Stratification in Women. 2019 , 3, 329-348	1
140	Elevated apolipoprotein B as a risk-enhancing factor in 2018 cholesterol guidelines. 2019 , 13, 356-359	4
139	C7 slope and its association with serum lipid levels and Modic changes in patients with cervical spondylotic myelopathy. 2019 , 12, 1767-1776	1
138	High-Density Lipoproteins as Biomarkers and Therapeutic Tools. 2019 ,	1

137	Understanding HDL: Overview. 2019 , 1-21	1
136	Omega-3 PUFA metabolism and brain modifications during aging. 2019 , 94, 109662	13
135	Dietary glycemic index, glycemic load, and risk of mortality from all causes and cardiovascular diseases: a systematic review and dose-response meta-analysis of prospective cohort studies. 2019 , 110, 921-937	18
134	Serum triglycerides as a risk factor for cardiovascular diseases in type 2 diabetes mellitus: a systematic review and meta-analysis of prospective studies. 2019 , 18, 48	33
133	Healing of Myocardial Infarction. 2019 , 151-169	
132	Physical Activity, Exercise, and Lipids and Lipoproteins. 2019 , 265-293	1
131	Effect of Participation with Accompanying Household Member in the Complete Health Improvement Program in Appalachia. 2019 , 2019, 9648926	1
130	Lowering Targeted Atherogenic Lipoprotein Cholesterol Goals for Patients at "Extreme" ASCVD Risk. 2019 , 19, 146	4
129	Effect of a Dual PPAR 西 gonist on Insulin Sensitivity in Patients of Type 2 Diabetes with Hypertriglyceridemia- Randomized double-blind placebo-controlled trial. 2019 , 9, 19017	16
128	Triglycerides and triglyceride-rich lipoproteins in the development and progression of atherosclerosis. 2019 , 26, 109-116	18
127	Effect of hyperlipidaemia to accelerate intervertebral disc degeneration in the injured rat caudal disc model. 2019 , 24, 42-49	4
126	The effects of oxidative stress on the development of atherosclerosis. 2019 , 400, 711-732	51
125	Effects of equivalent medium-chain diacylglycerol or long-chain triacylglycerol oil intake via muffins on postprandial triglycerides and plasma fatty acids levels. 2019 , 53, 299-305	12
124	Aerobic exercise reduces triglycerides by targeting apolipoprotein C3 in patients with coronary heart disease. 2019 , 42, 56-61	19
123	The effects of fatty acids consumption on OPG/RANKL/RANK system in cardiovascular diseases: Current status and future perspectives for the impact of diet-gene interaction. 2019 , 120, 2774-2781	3
122	Correlation among lipid parameters, pulse wave velocity and central blood pressure in young Korean population. 2019 , 41, 20-27	11
121	Impact of proprotein convertase subtilisin/kexin type 9 inhibition with evolocumab on the postprandial responses of triglyceride-rich lipoproteins in type II diabetic subjects. 2020 , 14, 77-87	15
120	Comparative effects of 18 antipsychotics on metabolic function in patients with schizophrenia, predictors of metabolic dysregulation, and association with psychopathology: a systematic review and network meta-analysis. 2020 , 7, 64-77	229

119	Effects of cardamom supplementation on lipid profile: A systematic review and meta-analysis of randomized controlled clinical trials. 2020 , 34, 475-485	8
118	Red pepper seed water extract suppresses high-fat diet-induced obesity in C57BL/6 mice. 2020 , 29, 275-281	2
117	Targeting hypertriglyceridemia to mitigate cardiovascular risk: A review. 2020 , 3, 100086	7
116	Efficacy and safety of saroglitazar in managing hypertriglyceridemia in type-2 diabetes: A meta-analysis. 2020 , 14, 1759-1768	6
115	The anti-lipidemic role of soluble dietary fiber extract from okara after fermentation and dynamic high-pressure microfluidization treatment to Kunming mice. 2020 , 57, 4247-4256	1
114	Biochemical, Anthropometric, and Physiological Responses to Carbohydrate-Restricted Diets Versus a Low-Fat Diet in Obese Adults: A Randomized Crossover Trial. 2020 , 23, 206-214	6
113	The Novelty of Icosapent Ethyl in the Management of Hypertriglyceridemia and Alleviating Cardiovascular Risk. 2021 , 2021, 6696915	1
112	Akut koroner sendrom olmayan diabetik hastalarda koroner arter hastal ly ayg ñ llle MPV ilikisinin aralf il mas î.	
111	Bayesian network meta-regression hierarchical models using heavy-tailed multivariate random effects with covariate-dependent variances. 2021 , 40, 3582-3603	
110	Prediction of human triglyceride concentration based on quantum genetic-partial least squares algorithm and fluorescence spectroscopy. 2021 , 251, 119461	
109	High serum high-density lipoprotein and low serum triglycerides in Kratom users: A study of Kratom users in Thailand. 2021 , 7, e06931	2
108	Role of dyslipidemia in early vascular aging syndrome. 2021 , 51, 727-734	3
107	Effect of Dietary Acetic Acid Supplementation on Plasma Glucose, Lipid Profiles, and Body Mass Index in Human Adults: A Systematic Review and Meta-analysis. 2021 , 121, 895-914	5
106	Dietary glycemic index, glycemic load and mortality: Japan Public Health Center-based prospective study. 2021 , 60, 4607-4620	
105	Stressful life events and serum triglyceride levels: the Cardiovascular and Metabolic Diseases Etiology Research Center cohort in Korea. 2021 , 43, e2021042	О
104	Network pharmacology-based exploration of therapeutic mechanism of Liu-Yu-Tang in atypical antipsychotic drug-induced metabolic syndrome. 2021 , 134, 104452	3
103	Hypertriglyceridemia treated with Fucus vesiculosus - A case series. 2021 , 12, 549-552	1
102	The Effect of Raloxifene Treatment on Lipid Profile in Elderly Individuals: A Systematic Review and Meta-analysis of Randomized Clinical Trials. 2021 , 43, 297-317	3

101	Multifactorial Basis and Therapeutic Strategies in Metabolism-Related Diseases. 2021 , 13,	5
100	Triglyceride-rich lipoproteins and their remnants: metabolic insights, role in atherosclerotic cardiovascular disease, and emerging therapeutic strategies-a consensus statement from the European Atherosclerosis Society. 2021 ,	35
99	Metabolomic architecture of obesity implicates metabolonic lactone sulfate in cardiometabolic disease. 2021 , 54, 101342	0
98	Mediation of the APOE associations with Alzheimer's and coronary heart diseases through body mass index and lipids. 2021 , 1	O
97	Cardiovascular Benefits of Endurance Exercise. 2000 , 688-707	1
96	Cardiovascular Risk Factors. 657-683	1
95	A Gender-Specific Nutritional Approach to Women Healthcare. 2012, 269-305	3
94	DYSLIPIDEMIAS. 2009 , 303-320	1
93	Cardiac Rehabilitation. 2011 , 713-740	1
92	Distinct patterns of lipoproteins with apoB defined by presence of apoE or apoC-III in hypercholesterolemia and hypertriglyceridemia. 2001 , 42, 1239-1249	54
91	High prevalence of low HDL cholesterol concentrations and mixed hyperlipidemia in a Mexican nationwide survey. 2001 , 42, 1298-1307	113
90	Effects of fenofibrate on lipid parameters in obese rhesus monkeys. 2001 , 42, 1543-1551	49
89	Delayed clearance of postprandial large TG-rich particles in normolipidemic carriers of LPL Asn291Ser gene variant. 1999 , 40, 1663-1670	27
88	Increasing morbidity from myocardial infarction during HIV protease inhibitor treatment?. 1999 , 13, 1796-7	48
87	Asessing coronary heart disease risk and managing lipids. 2001 , 26, 30-2, 34, 37-41; quiz 42-3	4
86	Predictors of plasma triglyceride elevation in patients participating in a coronary atherosclerosis treatment program. 2001 , 21, 73-9	11
85	Relevance of the reduction of triglycerides in the prevention of coronary heart disease. 1998 , 9, 571-4	8
84	Postprandial Metabolism and Vascular Function: Impact of Aging and Physical Activity Level. 2020 , 1-8	4

83	Paediatric type III dyslipidaemia: a case of vanishing hyperlipidaemia. 2012 , 2012,	2
82	Effects of a low-fat, high-carbohydrate diet on VLDL-triglyceride assembly, production, and clearance. 1999 , 104, 1087-96	245
81	Protective effect of anti-oxidants on endothelial function in young Korean-Asians compared to Caucasians. 2012 , 18, CR467-479	10
80	Camphene, a Plant Derived Monoterpene, Exerts Its Hypolipidemic Action by Affecting SREBP-1 and MTP Expression. 2016 , 11, e0147117	12
79	Functional fats and spreads. 2000 , 233-257	4
78	Effects of raloxifene on brachial arterial endothelial function, carotid wall thickness, and arterial stiffness in osteoporotic postmenopausal women. 2010 , 51, 60-7	20
77	[Genetics of ischemic stroke: where are we now?]. 2011 , 152, 455-63	1
76	A Mitochondrial Approach to Cardiovascular Risk and Disease. 2019 , 25, 3175-3194	14
75	Anti-lipidemic actions of essential oil extracted from Ocimum sanctum L. leaves in rats fed with high cholesterol diet. 2009 , 7, 45-53	21
74	Quality Characteristics of Defatted Soybean Grits Fermented by Bacillus subtilis NUC1. 2008 , 37, 1479-1484	8
74 73	Quality Characteristics of Defatted Soybean Grits Fermented by Bacillus subtilis NUC1. 2008 , 37, 1479-1484 Effects of cigarette smoking on blood lipids in Korean men: Cardiovascular and Metabolic Diseases Etiology Research Center cohort. 2020 , 35, 369-382	8
	Effects of cigarette smoking on blood lipids in Korean men: Cardiovascular and Metabolic Diseases	
73	Effects of cigarette smoking on blood lipids in Korean men: Cardiovascular and Metabolic Diseases Etiology Research Center cohort. 2020 , 35, 369-382 Educational Disparities in Distribution of Cardiovascular Risk Factors and Quality of Care in Korean	4
73 72	Effects of cigarette smoking on blood lipids in Korean men: Cardiovascular and Metabolic Diseases Etiology Research Center cohort. 2020 , 35, 369-382 Educational Disparities in Distribution of Cardiovascular Risk Factors and Quality of Care in Korean Adults: Korean National Health and Nutrition Survey IV. 2013 , 34, 27-35 Cucumis melo ssp. Agrestis var. Agrestis Ameliorates High Fat Diet Induced Dyslipidemia in Syrian	3
73 72 71	Effects of cigarette smoking on blood lipids in Korean men: Cardiovascular and Metabolic Diseases Etiology Research Center cohort. 2020 , 35, 369-382 Educational Disparities in Distribution of Cardiovascular Risk Factors and Quality of Care in Korean Adults: Korean National Health and Nutrition Survey IV. 2013 , 34, 27-35 Cucumis melo ssp. Agrestis var. Agrestis Ameliorates High Fat Diet Induced Dyslipidemia in Syrian Golden Hamsters and Inhibits Adipogenesis in 3T3-L1 Adipocytes. 2015 , 11, S501-10 Medohara and Lekhaniya dravyas (anti-obesity and hypolipidemic drugs) in Ayurvedic classics: A	4 3 9
73 72 71 70	Effects of cigarette smoking on blood lipids in Korean men: Cardiovascular and Metabolic Diseases Etiology Research Center cohort. 2020, 35, 369-382 Educational Disparities in Distribution of Cardiovascular Risk Factors and Quality of Care in Korean Adults: Korean National Health and Nutrition Survey IV. 2013, 34, 27-35 Cucumis melo ssp. Agrestis var. Agrestis Ameliorates High Fat Diet Induced Dyslipidemia in Syrian Golden Hamsters and Inhibits Adipogenesis in 3T3-L1 Adipocytes. 2015, 11, S501-10 Medohara and Lekhaniya dravyas (anti-obesity and hypolipidemic drugs) in Ayurvedic classics: A critical review. 2013, 34, 11-6	4 3 9
73 72 71 70 69	Effects of cigarette smoking on blood lipids in Korean men: Cardiovascular and Metabolic Diseases Etiology Research Center cohort. 2020, 35, 369-382 Educational Disparities in Distribution of Cardiovascular Risk Factors and Quality of Care in Korean Adults: Korean National Health and Nutrition Survey IV. 2013, 34, 27-35 Cucumis melo ssp. Agrestis var. Agrestis Ameliorates High Fat Diet Induced Dyslipidemia in Syrian Golden Hamsters and Inhibits Adipogenesis in 3T3-L1 Adipocytes. 2015, 11, S501-10 Medohara and Lekhaniya dravyas (anti-obesity and hypolipidemic drugs) in Ayurvedic classics: A critical review. 2013, 34, 11-6 Pathogenesis and treatment of human immunodeficiency virus lipodystrophy. 2012, 16 Suppl 1, S20-6 Mapping the link between cardiac biomarkers and chronic periodontitis: A clinico-biochemical	439619

65	Associations between thrombophilic risk factors and determinants of atherosclerosis and inflammation in patients with non-arteritic anterior ischaemic optic neuropathy. 2016 , 36, 46-54	7
64	Fenofibrate reduces postprandial hypertriglyceridemia in CD36 knockout mice. 2010 , 17, 610-8	13
63	Lipid-Lowering Drugs. 2000 , 215-238	
62	Hypertriglyceridemia and low high-density lipoprotein: risks for coronary artery disease?. 2000 , 14, 79-90	Ο
61	Vegetarianism, Coronary Risk Factors and Coronory Heart Disease. 2001 , 33-54	1
60	Prevention, Diagnosis and Management of Heart Disease in Patients with Renal Failure. 2002 , 129-145	
59	Epidemiology of Cardiovascular Disease in Women. 2002 , 207-222	
58	Cardiovascular Disease in Women. 2002 , 317-321	
57	Effects of Estrogen Replacement in Women with Coronary Disease. 2002, 131-138	
56	Antihyperlipidemic Agents. 2003 , 339-383	
55	References. 2003,	
54	Gender and Its Impact on Risk Factors for Cardiovascular Disease. 2004 , 193-214	1
53	Pharmacological Treatments of Lipid Abnormalities. 2005 , 183-212	
52	New Insights on the Role of Lipids and Lipoproteins in Cardiovascular Disease. 2005 , 211-263	
51	Triglycerides and Risk for Atherosclerotic Disease. 2006 , 341-388	
50	Insulin Resistance, Metabolic Syndrome, and Cardiovascular Disease. 2008 , 75-84	
49	Biochemical Aspects, Laboratory Diagnosis and Follow-Up of High Blood Cholesterol: NCEP ATP III Guidelines. 2008 , 27, 64-85	
48	Dyslipidemia in Racial/Ethnic Groups. 2009, 119-138	

The Development of Obesity Age (OA) for Health Index of Middle Aged Obese Women. 2009, 19, 1403-1409 47 46 Hyperlipidemia. **2012**, 141-151 Factors Contributing to the Development of Atherosclerosis. 2013, 13-25 45 Metabolic Syndrome and its Impact on Cardiovascular Disease. 409-421 44 The Prognostic Impact of Hypertriglyceridemia and Abdominal Obesity in Acute Myocardial 43 Infarction Patients Underwent Percutaneous Coronary Intervention. 2014, 86, 165 Impact of Preventive Therapies on Clinical Management and Outcomes. 479-493 42 The target level and the difference of pathway on lipid lowering therapy. 2017, 23, 165-169 41 40 Componentes da s\(\textit{a}\)drome metablica. 39-86 Bayesian flexible hierarchical skew heavy-tailed multivariate meta regression models for individual 0 39 patient data with applications. 2020, 13, 485-500 38 Complications of lipodystrophy syndromes. 2021, 50, 104085 Nutritional management of the child with kidney disease. 2022, 629-657 37 Comparative pre- and post-treatment effects of Nigella sativa oil on lipid profile and antioxidant 36 enzymes in a rat model of diabetes mellitus. 2020, 29, 415 Reply to SD Phinney. **2006**, 84, 461-462 35 Spezielle therapeutische Probleme im h\u00e4eren Alter. 2005, 98-122 34 Very-Low-Carbohydrate Diets. 2008, 426-442 33 Morbid Obesity and Frailty. 2020, 589-606 32 Common problems in the management of hypertriglyceridemia. 2002, 167, 1261-6 31 10 Management strategies of dyslipidemia in the elderly: 2005. 2005, 7, 8 30

29	The independent relationship between triglycerides and coronary heart disease. 2009 , 5, 89-95		45
28	A Comparative Overview of Prescription Omega-3 Fatty Acid Products. 2015 , 40, 826-57		20
27	Linking Chronic Inflammation with Cardiovascular Disease: From Normal Aging to the Metabolic Syndrome. 2017 , 3,		51
26	Fish Oil Supplements for Prevention of Cardiovascular Disease: The Jury Is Still Out: CON: Fish Oil is Useful to Prevent or Treat Cardiovascular Disease. 2021 , 118, 219-225		1
25	Effect of Cornus mas L. fruit extract on lipid accumulation product and cardiovascular indices in patients with non-alcoholic fatty liver disease: A double-blind randomized controlled trial 2022 , 47, 51-57		1
24	Specific impact of cardiovascular risk factors on coronary microcirculation in patients with subclinical hypothyroidism.		
23	Effects of Antipsychotics on Triglyceride Trajectories and Its Implications in CVD: A Longitudinal Cohort Study.		
22	Metabolic Side Effects of Olanzapine in Patients With Psychotic Disorders in Oman: A Retrospective Cohort Study <i>Angiology</i> , 2022 , 33197211072340	2.1	
21	Associations of Glycemic Index and Glycemic Load with Cardiovascular Disease: Updated Evidence from Meta-analysis and Cohort Studies <i>Current Cardiology Reports</i> , 2022 , 24, 141	4.2	1
20	Correlation between the extent of coronary atherosclerosis and lipid profile. <i>Molecular and Cellular Biochemistry</i> , 2003 , 246, 25-30	4.2	12
19	Metabolic Profile of Patients with Schizophrenia. 2021 , 764-778		
18	Examining the Efficacy of a Very-Low-Carbohydrate Ketogenic Diet on Cardiovascular Health in Adults with Mildly Elevated Low-Density Lipoprotein Cholesterol in an Open-Label Pilot Study Metabolic Syndrome and Related Disorders, 2021,	2.6	O
17	Lipids and lipoproteins in cardiovascular diseases: a classification <i>Trends in Endocrinology and Metabolism</i> , 2022 ,	8.8	1
16	Electronic Cigarette Use and the Risk of Cardiovascular Diseases <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 879726	5.4	4
15	Liriodendrin, ameliorates hypertension by calcium channel blockade and enhancing enos expression in wistar rats. 2021 , 48-60		
14	Pan-disease clustering analysis of the trend of period prevalence. <i>Annals of Applied Statistics</i> , 2021 , 15,	2.1	
13	Meta-analysis of the effects of quinoa (Chenopodium quinoa) interventions on blood lipids. <i>Journal of Herbal Medicine</i> , 2022 , 100571	2.3	0
12	A comprehensive review on high fat diet-induced diabetes mellitus: An epigenetic view <i>Journal of Nutritional Biochemistry</i> , 2022 , 109037	6.3	1

CITATION REPORT

11	Triglyceride-Rich Lipoproteins. <i>Contemporary Cardiology</i> , 2022 , 227-245	0.1	
10	Effects of antipsychotics on triglyceride trajectories and its implications in CVD: A longitudinal cohort study. <i>EBioMedicine</i> , 2022 , 81, 104123	8.8	O
9	Global research trends on the links between insulin resistance and obesity: a visualization analysis. 2022 , 7,		O
8	Synthesis and In Vivo Hypolipidemic Effect of Some N-(Benzoylphenyl)-Carboxamide Derivatives in Triton WR-1339-Induced Hyperlipidemic Rats. 58,		O
7	Effects of long-term PM2.5 exposure on metabolic syndrome among adults and elderly in Guangdong, China. 2022 , 21,		O
6	Does aerobic exercise reduce NASH and liver fibrosis in patients with non-alcoholic fatty liver disease? A systematic literature review and meta-analysis. 13,		1
5	Dietary Betaine Intake and Risk of Mortality in Patients with Coronary Artery Disease: The Prospective Guangdong Coronary Artery Disease Cohort. 1-26		O
4	Comparison of the effects of triglyceride variability and exposure estimate on clinical prognosis in diabetic patients. 2022 , 21,		O
3	Avocado consumption and cardiometabolic disease risk factors: a systematic review and meta-analysis. 2022 ,		O
2	Corneal dendritic cells in diabetes mellitus: A narrative review. 14,		O
1	Effects of a genetic variant rs13266634 in the zinc transporter 8 gene (SLC30A8) on insulin and lipid levels before and after a high-fat mixed macronutrient tolerance test in U.S. adults. 2023 , 77, 127142		О