

CITATION REPORT

List of articles citing

Hypertriglyceridemia, atherogenic dyslipidemia, and the metabolic syndrome

DOI: 10.1016/s0002-9149(98)00033-2

American Journal of Cardiology, 1998, 81, 18B-25B.

Source: <https://exaly.com/paper-pdf/28950906/citation-report.pdf>

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
411	The new pathophysiology of coronary artery disease. <i>American Journal of Cardiology</i> , 1998, 82, 60T-65T	3	57
410	The role of cholesterol management in coronary disease risk reduction in elderly patients. 1998, 27, 655-75, x		12
409	Detection and evaluation of dyslipoproteinemia. 1998, 27, 597-611, ix		10
408	Assessment of cardiovascular risk by use of multiple-risk-factor assessment equations: a statement for healthcare professionals from the American Heart Association and the American College of Cardiology. 1999, 100, 1481-92		815
407	The relation between insulin resistance and cardiovascular complications of the insulin resistance syndrome. 1999, 1 Suppl 1, S8-16		26
406	Coronary Health Issues for Lesbians. 1999, 3, 59-66		1
405	Pathophysiology of triglyceride-rich lipoproteins in atherothrombosis: cellular aspects. 1999, 22, 117-14		38
404	Common mutations of the lipoprotein lipase gene and their clinical significance. 1999, 1, 70-8		36
403	Hypertriglyceridemia, insulin resistance, and the metabolic syndrome. <i>American Journal of Cardiology</i> , 1999, 83, 25F-29F	3	408
402	Hypertriglyceridemia: changes in the plasma lipoproteins associated with an increased risk of cardiovascular disease. <i>American Journal of Cardiology</i> , 1999, 83, 3F-12F	3	385
401	Screening for cardiovascular disease. Concepts, conflicts, and consensus. 1999, 83, 1339-73		3
400	Diabetes and cardiovascular disease: a statement for healthcare professionals from the American Heart Association. 1999, 100, 1134-46		1470
399	Contribution of fasting hyperinsulinemia to prediction of atherosclerotic cardiovascular disease status in 293 hyperlipidemic patients. 1999, 48, 1437-44		17
398	AHA/ACC scientific statement: Assessment of cardiovascular risk by use of multiple-risk-factor assessment equations: a statement for healthcare professionals from the American Heart Association and the American College of Cardiology. 1999, 34, 1348-59		319
397	Two pathways to prevention.. 2000, 55, 382-396		92
396	The Role of Non-High-Density Lipoprotein-Cholesterol in Evaluation and Treatment of Lipid Disorders. 2000, 85, 2105-2108		
395	Is hypercholesterolemia a risk factor and should it be treated in the elderly?. 2000, 14, 347-56		11

394	MR imaging of the salivary glands in sicca syndrome: comparison of lipid profiles and imaging in patients with hyperlipidemia and patients with Sjögren's syndrome. 2000 , 175, 829-34		22
393	Diurnal triglyceride profiles in healthy normolipidemic male subjects are associated to insulin sensitivity, body composition and diet. 2000 , 30, 964-71		39
392	Dyslipoproteinaemia in postmenopausal women with a history of eclampsia. 2000 , 107, 776-84		63
391	Resistance vessel endothelial function in healthy humans during transient postprandial hypertriglyceridemia. <i>American Journal of Cardiology</i> , 2000 , 85, 381-5	3	38
390	Effects of simvastatin (40 and 80 mg/day) in patients with mixed hyperlipidemia. <i>American Journal of Cardiology</i> , 2000 , 86, 406-11	3	43
389	Triglyceride, small, dense low-density lipoprotein, and the atherogenic lipoprotein phenotype. 2000 , 2, 200-7		91
388	Hypertriglyceridemia and Coronary Heart Disease. 2000 , 85, 2098-2105		10
387	Chronic infusion of norepinephrine into the VMH of normal rats induces the obese glucose-intolerant state. 2000 , 278, R435-44		29
386	Random Thoughts and Opinions. 2000 , 85, 2110-2112		0
385	Physical training improves flow-mediated dilation in patients with the polymetabolic syndrome. 2000 , 20, 551-5		128
384	Hyperlipidemia: diagnostic and therapeutic perspectives. 2000 , 85, 2089-112		37
383	Prevention Conference V: Beyond secondary prevention: identifying the high-risk patient for primary prevention: medical office assessment: Writing Group I. 2000 , 101, E3-E11		72
382	A major susceptibility locus influencing plasma triglyceride concentrations is located on chromosome 15q in Mexican Americans. 2000 , 66, 1237-45		94
381	Preventing, stopping, or reversing coronary artery disease--triglyceride-rich lipoproteins and associated lipoprotein and metabolic abnormalities: the need for recognition and treatment. 2000 , 46, 421-503		5
380	Cardiovascular disease in diabetic patients. 2000 , 84, 81-93, viii		28
379	Hyperlipidemia. 2000 , 27, 541-87, v		23
378	Distribution and cardiovascular risk correlates of serum triglycerides in young adults from a biracial community: the Bogalusa Heart Study. 2001 , 155, 201-9		15
377	A sequence variation in the mitochondrial glycerol-3-phosphate dehydrogenase gene is associated with increased plasma glycerol and free fatty acid concentrations among French Canadians. 2001 , 72, 209-17		8

376	The influence of simvastatin on lipase and cholesterol esterase activity in the serum of men with coronary heart disease. 2001 , 43, 359-62	11	
375	Platelet dysfunction in type 2 diabetes. 2001 , 24, 1476-85	439	
374	Dyslipidemia in early second trimester is mainly a feature of women with early onset pre-eclampsia. 2001 , 108, 1081-1087	54	
373	A selective peroxisome proliferator-activated receptor delta agonist promotes reverse cholesterol transport. 2001 , 98, 5306-11	934	
372	Regulation of lipid metabolism and gene expression by fenofibrate in hamsters. 2001 , 1533, 220-32	46	
371	Apolipoproteins B and A-I as predictors of risk of coronary artery disease. 2001 , 358, 2012-3	10	
370	Influencia del ejercicio físico moderado sobre el metabolismo lipídico posprandial en pacientes diabéticos tipo 2 no obesos. 2001 , 13, 139-147	0	
369	[Diabetes mellitus, inflammation and coronary atherosclerosis: current and future perspectives]. 2001 , 54, 751-63	19	
368	Hypertriglyceridemia: associated risks and effect of drug treatment. 2001 , 1, 455-66	14	
367	Coronary heart disease. 2001 , 483-507		
366	Bezafibrate reduces heart rate and blood pressure in patients with hypertriglyceridemia. 2001 , 19, 749-55	34	
365	Bloodstream infections after invasive nonsurgical cardiologic procedures. 2001 , 161, 2110-5	36	
364	Circuit resistance training improves the atherogenic lipid profiles of persons with chronic paraplegia. 2001 , 24, 2-9	104	
363	Postprandial triglyceride-rich lipoprotein metabolism and insulin sensitivity in nonalcoholic steatohepatitis patients. 2001 , 36, 1117-24	68	
362	The metabolic syndrome and related cardiovascular risk. 2001 , 3, 100-6	17	
361	From phenotype to genotype. <i>American Journal of Cardiology</i> , 2001 , 87, 208-9	3	2
360	Use of surrogate endpoints: a practical necessity in lipid-altering and antiatherosclerosis drug development. <i>American Journal of Cardiology</i> , 2001 , 87, 35A-41A	3	9
359	Correlation of non-high-density lipoprotein cholesterol with apolipoprotein B: effect of 5 hydroxymethylglutaryl coenzyme A reductase inhibitors on non-high-density lipoprotein cholesterol levels. <i>American Journal of Cardiology</i> , 2001 , 88, 265-9	3	148

358	What are the priorities for managing cholesterol effectively?. <i>American Journal of Cardiology</i> , 2001 , 88, 21F-4F	3	4
357	A randomized trial of the effects of garlic oil upon coronary heart disease risk factors in trained male runners. 2001 , 12, 67-74		23
356	Improved lipid and lipoprotein profile, hepatic insulin sensitivity, and glucose tolerance in 11beta-hydroxysteroid dehydrogenase type 1 null mice. 2001 , 276, 41293-300		345
355	Hypertriglyceridemia: A Review of Clinical Relevance and Treatment Options: Focus on Cerivastatin. 2001 , 17, 60-73		21
354	Sensitivity to acute insulin-mediated suppression of plasma free fatty acids is not a determinant of fasting VLDL triglyceride secretion in healthy humans. 2002 , 51, 1867-75		37
353	Hormone replacement therapy in postmenopausal women and its effects on plasma lipid levels. 2002 , 40, 446-51		13
352	Intensive lipid lowering by statin therapy does not improve vasoreactivity in patients with type 2 diabetes. 2002 , 22, 799-804		68
351	Diabetes, insulin resistance and vascular disease among Indian Asians and Europeans. 2002 , 2, 199-214		18
350	The complex role of triglycerides in cardiovascular disease. 2002 , 2, 325-33		45
349	Lovastatin and extended-release niacin combination product: the first drug combination for the management of hyperlipidemia. 2002 , 4, 124-37		40
348	Dietary intake and barriers to dietary compliance in black type 2 diabetic patients attending primary health-care services. 2002 , 5, 329-38		51
347	Distribution and cardiovascular risk correlates of serum triglycerides in young Japanese adults. 2002 , 40, 28-35		11
346	Diet composition and the metabolic syndrome: what is the optimal fat intake?. 2002 , 113 Suppl 9B, 25S-29S		100
345	Perspectives: The significance of measuring non-HDL-cholesterol. 2002 , 5, 156-9		20
344	Thrombotic occlusion of the aortic ostia of saphenous venous grafts early after coronary artery bypass grafting by using the Symmetry aortic connector system. 2002 , 124, 397-9		29
343	. 2002 ,		10
342	Cardiac Complications and Management. 577-605		
341	Effects of atorvastatin on fasting and postprandial lipoprotein subclasses in coronary heart disease patients versus control subjects. <i>American Journal of Cardiology</i> , 2002 , 90, 689-96	3	79

340	Combination therapy for combined dyslipidemia. <i>American Journal of Cardiology</i> , 2002 , 90, 21K-29K	3	44
339	Macrophages take up triacylglycerol-rich emulsions at a faster rate upon co-incubation with native and modified LDL: An investigation on the role of natural chylomicrons in atherosclerosis. 2002 , 84, 309-23		16
338	Improvement of vascular dysfunction and blood lipids of insulin-resistant rats by a marine oil-based phytosterol compound. 2002 , 37, 147-52		22
337	Both cerivastatin and fenofibrate improve arterial vasoreactivity in patients with combined hyperlipidaemia. 2002 , 251, 77-85		24
336	Evaluation and management of dyslipidemia in patients with HIV infection. 2002 , 17, 797-810		54
335	Intimal redox stress: accelerated atherosclerosis in metabolic syndrome and type 2 diabetes mellitus. <i>Atherosclerosis</i> . 2002 , 1, 3		70
334	Exacerbation of insulin resistance and postprandial triglyceride response in newly diagnosed hypertensive patients with hypertriglyceridaemia. 2002 , 16, 487-93		12
333	Usefulness of non-high-density lipoprotein cholesterol determinations in the diagnosis and treatment of dyslipidemia. <i>American Journal of Cardiology</i> , 2003 , 91, 827-30	3	8
332	Search for genetic factors predisposing to atherogenic dyslipidemia. 2003 , 4 Suppl 1, S100		9
331	Empirically derived phenotypic subgroups - qualitative and quantitative trait analyses. 2003 , 4 Suppl 1, S15		13
330	Management of dyslipidemias in the age of statins. 2003 , 30, 641-69		2
329	Effect of a high saturated fat and no-starch diet on serum lipid subfractions in patients with documented atherosclerotic cardiovascular disease. 2003 , 78, 1331-6		37
328	Efficacy of fenofibrate and simvastatin on endothelial function and inflammatory markers in patients with combined hyperlipidemia: relations with baseline lipid profiles. 2003 , 170, 315-23		115
327	The adoption of Mediterranean diet attenuates the development of acute coronary syndromes in people with the metabolic syndrome. 2003 , 2, 1		61
326	Supplementation of L-arginine improves hypertension and lipid metabolism but not insulin resistance in diabetic rats. 2003 , 73, 3017-26		18
325	Role of lipid and lipoprotein profiles in risk assessment and therapy. 2003 , 146, 227-33		50
324	Association between postprandial hyperinsulinemia and coronary artery disease among non-diabetic women: a case control study. 2003 , 88, 215-21		23
323	Decreased PLTP mass but elevated PLTP activity linked to insulin resistance in HTG: effects of bezafibrate therapy. 2003 , 44, 1462-9		32

322	Inhibitors of hepatic microsomal triacylglycerol hydrolase decrease very low density lipoprotein secretion. 2003 , 17, 1685-7	95
321	Endogenous cholesterol synthesis is associated with VLDL-2 apoB-100 production in healthy humans. 2003 , 44, 1341-8	23
320	Genome-wide scan for quantitative trait loci influencing LDL size and plasma triglyceride in familial hypertriglyceridemia. 2003 , 44, 2161-8	25
319	Association of high coronary heart disease risk status with circulating oxidized LDL in the well-functioning elderly: findings from the Health, Aging, and Body Composition study. 2003 , 23, 1444-8	128
318	Targeted replacement of mouse apolipoprotein A-I with human ApoA-I or the mutant ApoA-IMilano. Evidence of APOA-IM impaired hepatic secretion. 2003 , 278, 4740-6	27
317	Apolipoprotein A5, a crucial determinant of plasma triglyceride levels, is highly responsive to peroxisome proliferator-activated receptor alpha activators. 2003 , 278, 17982-5	161
316	Gall bladder dysmotility: a risk factor for gall stone formation in hypertriglyceridaemia and reversal on triglyceride lowering therapy by bezafibrate and fish oil. 2003 , 52, 109-15	34
315	Hormone replacement therapy and risk of cardiovascular disease: implications of the results of the Women@ Health Initiative. 2003 , 23, 11-6	91
314	Role of non-high-density lipoprotein cholesterol in prevention of cardiovascular disease: updated evidence from clinical trials. 2003 , 18, 503-9	17
313	Elevated triglyceride and decreased high density lipoprotein level in carbon disulfide workers in Taiwan. 2003 , 45, 73-8	11
312	Influência da dieta na concentração sérica de triglicérides. 2003 , 39, 283-288	4
311	Non-HDL cholesterol as a measure of atherosclerotic risk. 2004 , 11, 6-14	70
310	Systemic hypertension, diabetes mellitus, and dyslipidemia in relation to body mass index: evaluation of a Brazilian population. 2004 , 59, 113-8	33
309	Glucose-cholesterol interaction magnifies coronary heart disease risk for hypertensive patients. 2004 , 43, 983-7	17
308	The Metabolic Syndrome in Asian Indians: Impact of Nutritional and Socio-economic Transition in India. 2004 , 2, 14-23	47
307	Ethnic differences in the formation of small LDL particles in Asians: a comparison of Koreans, Japanese and Mongolians. 2004 , 34, 738-46	9
306	Regular meal frequency creates more appropriate insulin sensitivity and lipid profiles compared with irregular meal frequency in healthy lean women. 2004 , 58, 1071-7	103
305	Effects of diabetes on the vascular system: current research evidence and best practice recommendations. 2004 , 22, 2-11; quiz 12-3	9

304	Role of VLDL receptor in the process of foam cell formation. 2004 , 24, 1-4, 8	5
303	Coronary atherosclerosis in diabetic subjects: clinical significance, anatomic characteristics, and identification with in vivo imaging. 2004 , 22, 527-40, vi	6
302	Effects of a Low-Carbohydrate Diet: In Response. 2004 , 79, 431-432	
301	Errores sistemáticos en la determinación de triglicéridos. 2004 , 19, 16-19	
300	Atherogenesis. 2004 , 278-287	
299	What is the relationship between exercise and metabolic abnormalities? A review of the metabolic syndrome. 2004 , 34, 371-418	201
298	Hypertriglyceridemia in pregnancy does not contribute to the enhanced formation of remnant lipoprotein particles. 2004 , 339, 169-81	7
297	Association of apolipoprotein A5 variants with LDL particle size and triglyceride in Japanese Americans. 2004 , 1688, 1-9	52
296	Impact of lifestyle habits on the prevalence of the metabolic syndrome among Greek adults from the ATTICA study. 2004 , 147, 106-12	193
295	Lipoprotein phenotype and adhesion molecules correlate with diurnal triglyceride profiles in patients with coronary artery disease. 2004 , 14, 20-5	2
294	Glucose interaction magnifies atherosclerotic risk from cholesterol. Findings from the PDAY Study. 2004 , 172, 115-20	7
293	Protocolo diagnóstico y terapéutico de las hipertrigliceridemias. 2004 , 9, 1148-1152	
292	Breastmilk feeding and lipoprotein profile in adolescents born preterm: follow-up of a prospective randomised study. 2004 , 363, 1571-8	253
291	Substitution of transdermal estradiol during oral estrogen-progestin therapy in postmenopausal women: effects on hypertriglyceridemia. 2004 , 11, 331-6	24
290	Lipoprotein transport in the metabolic syndrome: methodological aspects of stable isotope kinetic studies. 2004 , 107, 221-32	38
289	Determinants of endothelial dysfunction and carotid intima-media thickness in combined hyperlipidemia. 2005 , 16, 175-80	10
288	Beneficial metabolic effects of regular meal frequency on dietary thermogenesis, insulin sensitivity, and fasting lipid profiles in healthy obese women. 2005 , 81, 16-24	168
287	Deleterious effects of omitting breakfast on insulin sensitivity and fasting lipid profiles in healthy lean women. 2005 , 81, 388-96	197

286	Normoglycemia May Encompass Two Subpopulations With Respect to Vascular Risk in Non-Obese Caucasian Women. 2005 , 36, 35-40	1
285	Metabolic syndrome is associated with extension of coronary artery disease in patients with non-ST segment elevation acute coronary syndromes. 2005 , 16, 287-92	18
284	Dietary Fructose: Implications for Dysregulation of Energy Homeostasis and Lipid/Carbohydrate Metabolism. 2005 , 63, 133-157	471
283	Metabolic syndrome is associated with early signs of organ damage in nondiabetic, hypertensive patients. 2005 , 257, 454-60	96
282	Triglyceride-lowering effect of respiratory uncoupling in white adipose tissue. 2005 , 13, 835-44	15
281	The metabolic basis of atherogenic dyslipidemia. 2005 , 7, 27-35	35
280	Hypertriglyceridemia-why, when and how should it be treated?. 2005 , 94, 731-9	4
279	The associations between physical activity, inflammation, and coagulation markers, in people with metabolic syndrome: the ATTICA study. 2005 , 12, 151-8	37
278	Thyroid hormone regulates the hypotriglyceridemic gene APOA5. 2005 , 280, 27533-43	51
277	Insulin-mediated down-regulation of apolipoprotein A5 gene expression through the phosphatidylinositol 3-kinase pathway: role of upstream stimulatory factor. 2005 , 25, 1537-48	79
276	Apolipoprotein L-I is positively associated with hyperglycemia and plasma triglycerides in CAD patients with low HDL. 2005 , 46, 469-74	23
275	Determinants of plasma dihydrophyloquinone in men and women. 2005 , 93, 701-8	5
274	Insulin and blood pressure: connected on a circumference?. 2005 , 45, 347-8	9
273	Proteomic profiling of hepatic endoplasmic reticulum-associated proteins in an animal model of insulin resistance and metabolic dyslipidemia. 2005 , 280, 17626-33	54
272	Managing abnormal blood lipids: a collaborative approach. 2005 , 112, 3184-209	164
271	Hyperinsulinemia and insulin insensitivity in women with nonclassical congenital adrenal hyperplasia due to 21-hydroxylase deficiency: the relationship between serum leptin levels and chronic hyperinsulinemia. 2005 , 63, 270-4	33
270	Platelet-activating factor acetylhydrolase activity indicates angiographic coronary artery disease independently of systemic inflammation and other risk factors: the Ludwigshafen Risk and Cardiovascular Health Study. 2005 , 111, 980-7	106
269	Renal redox stress and remodeling in metabolic syndrome, type 2 diabetes mellitus, and diabetic nephropathy: paying homage to the podocyte. 2005 , 25, 553-69	68

- 268 Non-high-density lipoprotein cholesterol: why lower is better. **2005**, 8, 173-7 10
- 267 An apolipoprotein B antisense oligonucleotide lowers LDL cholesterol in hyperlipidemic mice without causing hepatic steatosis. **2005**, 46, 872-84 183
- 266 A study of lipoprotein lipase gene intron 8 polymorphisms in Chinese Han race essential hypertension patients. **2005**, 99, 263-7 9
- 265 Prevalence of the metabolic syndrome among Italian adults according to ATP III definition. **2005**, 15, 250-4 142
- 264 Mechanistic connections between glucose/lipid disturbances and weight gain induced by antipsychotic drugs. **2005**, 65, 211-47 19
- 263 Second-generation (atypical) antipsychotics and metabolic effects: a comprehensive literature review. **2005**, 19 Suppl 1, 1-93 662
- 262 Centile values for serum lipids and blood pressure for Asian Indian adolescents. **2005**, 4, 20 6
- 261 Utility of childhood non-high-density lipoprotein cholesterol levels in predicting adult dyslipidemia and other cardiovascular risks: the Bogalusa Heart Study. **2006**, 118, 201-6 141
- 260 Estimating the fasting triglyceride concentration from the postprandial HDL-cholesterol and apolipoprotein CIII concentrations. **2006**, 184, 413-9 11
- 259 Treatment-refractory schizophrenia in children and adolescents: an update on clozapine and other pharmacologic interventions. **2006**, 15, 135-59 20
- 258 Fatty acid ethyl esters cause pancreatic calcium toxicity via inositol trisphosphate receptors and loss of ATP synthesis. **2006**, 130, 781-93 194
- 257 Improvement of metabolic syndrome markers through altitude specific hiking vacations. **2006**, 29, 497-504 36
- 256 Effects of soybean D-LeciVita product on serum lipids and fatty acid composition in type 2 diabetic patients with hyperlipidemia. **2006**, 16, 395-404 22
- 255 Transfer of very low density lipoprotein-associated phospholipids to activated human platelets. **2006**, 47, 341-8 9
- 254 Association of hypogonadism and type II diabetes in men attending an outpatient erectile dysfunction clinic. **2006**, 18, 190-7 132
- 253 Fractionation and identification of 9c, 11t, 13t-conjugated linolenic acid as an activator of PPARalpha in bitter melon (*Momordica charantia* L.). **2006**, 13, 763-72 83
- 252 Comparison of effects of fibrates in patients with hypertriglyceridemia. **2006**, 23, 793-8
- 251 Comparative assessment of lipid effects of endocrine therapy for breast cancer: implications for cardiovascular disease prevention in postmenopausal women. **2006**, 15, 301-12 44

250	Impact of native VLDL on tissue factor pathway inhibitor in endothelial cells and interactions between TFPI and lipoprotein lipase. 2006 , 147, 167-73	5
249	The metabolic syndrome: prevalence, CHD risk, and treatment. 2006 , 20, 121-32	59
248	Low-saturated fat dietary counseling starting in infancy improves insulin sensitivity in 9-year-old healthy children: the Special Turku Coronary Risk Factor Intervention Project for Children (STRIP) study. 2006 , 29, 781-5	54
247	Resistin impairs endothelium-dependent dilation to bradykinin, but not acetylcholine, in the coronary circulation. 2006 , 291, H2997-3002	60
246	Metabolic syndrome and cardiovascular risk in primary hypertension. 2006 , 17, S120-2	16
245	The ratio of apoB/apoAI, apoB and lipoprotein(a) are the best predictors of stable coronary artery disease. 2006 , 44, 1015-21	35
244	Metabolic syndrome management. 2007 , 8, 2059-75	8
243	Antiproliferative agents alter vascular plasminogen activator inhibitor-1 expression: a potential prothrombotic mechanism of drug-eluting stents. 2007 , 27, 400-6	61
242	Is there a single underlying factor for the metabolic syndrome in adolescents? A confirmatory factor analysis. 2007 , 30, 1556-61	60
241	Effect of levo-thyroxine replacement on non-high-density lipoprotein cholesterol in hypothyroid patients. 2007 , 92, 608-11	50
240	Carbohydrate intake and HDL in a multiethnic population. 2007 , 85, 225-30	75
239	Dyslipidemia, Metabolic Syndrome and Vascular Disease Among Asian Indians. 2007 , 4, 250-259	1
238	Multiple risk factors for cardiovascular disease and diabetes mellitus. 2007 , 120, S3-S11	171
237	Effect of insulin resistance, dyslipidemia, and intra-abdominal adiposity on the development of cardiovascular disease and diabetes mellitus. 2007 , 120, S12-8	209
236	Cardiovascular and metabolic risk factors: how can we improve outcomes in the high-risk patient?. 2007 , 120, S3-8; discussion S9	30
235	Hypertriglyceridemia and cardiovascular risk reduction. 2007 , 29, 763-777	97
234	The differential associations between HDL, non-HDL and total cholesterol and atherosclerotic calcium deposits in multiple vascular beds. 2007 , 194, e87-94	21
233	Investigational drugs targeting HDL-C metabolism and reverse cholesterol transport. 2007 , 2, 285-301	6

232	Niacin plus Simvastatin Reduces Coronary Stenosis Progression Among Patients with Metabolic Syndrome Despite a Modest Increase in Insulin Resistance: A Subgroup Analysis of the HDL-Atherosclerosis Treatment Study (HATS). 2007 , 1, 203-210	37
231	Diabetes and metabolic syndrome (MS). 2007 , 44 Suppl 1, 61-7	4
230	Population-based resequencing of ANGPTL4 uncovers variations that reduce triglycerides and increase HDL. 2007 , 39, 513-6	423
229	Role of prescription omega-3 fatty acids in the treatment of hypertriglyceridemia. 2007 , 27, 715-28	101
228	The role of hypertriglyceridemia in atherosclerosis. 2007 , 9, 110-5	58
227	Triglycerides and risk for coronary artery disease. 2008 , 10, 386-90	75
226	Sex-specific interaction between APOE genotype and carbohydrate intake affects plasma HDL-C levels: the Strong Heart Family Study. 2008 , 3, 87-97	7
225	Does the association of the triglyceride to high-density lipoprotein cholesterol ratio with fasting serum insulin differ by race/ethnicity?. 2008 , 7, 4	134
224	Metabolic syndrome and insulin resistance significantly correlate with body mass index. 2008 , 39, 803-8	41
223	Co-administration of berberine and plant stanols synergistically reduces plasma cholesterol in rats. 2008 , 201, 101-7	31
222	Usefulness of childhood non-high density lipoprotein cholesterol levels versus other lipoprotein measures in predicting adult subclinical atherosclerosis: the Bogalusa Heart Study. 2008 , 121, 924-9	104
221	Impact of a long-term sildenafil treatment on pressor response in conscious rats with insulin resistance and hypertriglyceridemia. 2008 , 21, 1258-63	18
220	Overproduction of very low-density lipoproteins is the hallmark of the dyslipidemia in the metabolic syndrome. 2008 , 28, 1225-36	520
219	Small dense LDL-cholesterol relative to LDL-cholesterol is a strong independent determinant of hypoadiponectinemia in metabolic syndrome. 2008 , 72, 932-9	22
218	The role of exercise in cardiovascular rehabilitation: a review. 2008 , 63, 73-9	15
217	Effects of modifying triglycerides and triglyceride-rich lipoproteins on cardiovascular outcomes. 2008 , 51, 331-51	31
216	Proposed guidelines for hypertriglyceridemia in Japan with non-HDL cholesterol as the second target. 2008 , 15, 116-21	46
215	Dyslipidemia in Iranian overweight and obese children. 2009 , 5, 739-43	5

214	Pathogenesis and management of the dyslipidemia of the metabolic syndrome. 2009 , 7, 83-8	32
213	Prevalence of metabolic syndrome in the Mediterranean region of Turkey: evaluation of hypertension, diabetes mellitus, obesity, and dyslipidemia. 2009 , 7, 427-34	57
212	Is Endocrine Therapy Really Pleasant? Considerations about the Long-Term Use of Antihormonal Therapy and Its Benefit/Side Effect Ratio. 2009 , 4, 155-161	2
211	Mutations in HFE causing hemochromatosis are associated with primary hypertriglyceridemia. 2009 , 94, 4391-7	15
210	Dietary carbohydrates, glycemic load and serum high-density lipoprotein cholesterol concentrations among South Indian adults. 2009 , 63, 413-20	35
209	AMPK activators--potential therapeutics for metabolic and other diseases. 2009 , 196, 175-90	51
208	The dual PPARAlpha/gamma agonist tesaglitazar blocks progression of pre-existing atherosclerosis in APOE*3Leiden.CETP transgenic mice. 2009 , 156, 1067-75	29
207	Hepatic insulin resistance, metabolic syndrome and cardiovascular disease. 2009 , 42, 1331-46	291
206	Insulin action and secretion in hypertension in the absence of metabolic syndrome: model-based assessment from oral glucose tolerance test. 2009 , 58, 80-92	12
205	Small and dense LDL in familial combined hyperlipidemia and N291S polymorphism of the lipoprotein lipase gene. 2009 , 8, 12	8
204	Zofenopril plus hydrochlorothiazide fixed combination in the treatment of hypertension and associated clinical conditions. 2009 , 27, 275-88	11
203	Preventing Heart Disease Today and Tomorrow in Youth. 2010 , 45, 33-42	1
202	Comparative study of bezafibrate and pravastatin in patients with coronary artery disease and high levels of remnant lipoprotein. 2010 , 74, 1644-50	16
201	Angiogenesis, the metabolic syndrome and heart disease: is there a connection?. 2010 , 268, 312-5	2
200	Diabetic cardiomyopathy: from the pathophysiology of the cardiac myocytes to current diagnosis and management strategies. 2010 , 6, 883-903	127
199	Impact of metabolic syndrome and its individual components on the presence and severity of angiographic coronary artery disease. 2010 , 51, 676-82	32
198	Effects of metabolic syndrome on early mortality and morbidity in coronary artery bypass graft patients. 2010 , 38, 202-7	11
197	Metabolic syndrome prevalence, dietary intake, and cardiovascular risk profile among overweight and obese adults 18-50 years old from the United Arab Emirates. 2010 , 8, 39-46	17

196	Cardiometabolic risk factors in experimental spinal cord injury. 2010 , 27, 275-85	32
195	Triglycerides and gallstone formation. 2010 , 411, 1625-31	60
194	The effect of combination therapy of allicin and fenofibrate on high fat diet-induced vascular endothelium dysfunction and liver damage in rats. 2010 , 9, 131	17
193	The PPAR α activator GW501516 prevents the down-regulation of AMPK caused by a high-fat diet in liver and amplifies the PGC-1 α -Lipin 1-PPAR α pathway leading to increased fatty acid oxidation. 2011 , 152, 1848-59	117
192	Centile values for serum lipids in Colombian adolescents. 2011 , 58, 395-400	5
191	[Centile values for serum lipids in Colombian adolescents]. 2011 , 58, 395-400	5
190	A dual enzymatic-biosensor for simultaneous determination of glucose and cholesterol in serum and peritoneal macrophages of diabetic mice: evaluation of the diabetes-accelerated atherosclerosis risk. 2011 , 707, 135-41	31
189	Screening for diabetes using monitoring guidance in schizophrenia patients treated with second-generation antipsychotics: a 1-year follow-up study. 2011 , 35, 1922-6	5
188	Prediction of long-term metabolic effects of olanzapine and risperidone treatment from baseline body mass index in schizophrenia and bipolar disorder. 2011 , 189, 200-7	14
187	Effect of Fruit and Vegetable Intake on Oxidative Stress and Dyslipidemia Markers in Human and Animal Models. 2011 ,	
186	Understanding hypertriglyceridemia in women: clinical impact and management with prescription omega-3-acid ethyl esters. 2011 , 3, 87-97	15
185	Morphological changes of parotid gland in experimental hyperlipidemia. 2011 , 2011, 928386	2
184	Prescription omega-3s: an overview for nurse practitioners. 2011 , 26, 290-7	
183	Screening for diabetes using Japanese monitoring guidance in schizophrenia patients treated with second-generation antipsychotics: a cross-sectional study using baseline data. 2011 , 65, 349-55	9
182	Non-high-density lipoprotein cholesterol concentration is associated with the metabolic syndrome among US youth aged 12-19 years. 2011 , 158, 201-7	36
181	The impact of plasma triglyceride and apolipoproteins concentrations on high-density lipoprotein subclasses distribution. 2011 , 10, 17	9
180	Clinical applications of advanced lipoprotein testing in diabetes mellitus. 2011 , 6, 371-387	12
179	Breastfeeding in infancy is not associated with inflammatory status in healthy adolescents. 2011 , 141, 411-7	8

178	Novel and Efficient Synthesis of tert-Butyl-2-(4-(2-aminoethyl)phenylthio)-2-methylpropanoate, a Key Intermediate in the Synthesis of Ureido Thioisobutyric Acid. 2011 , 41, 748-753	0
177	Lipid and lipoprotein biomarkers and the risk of ischemic stroke in postmenopausal women. 2012 , 43, 958-66	36
176	The metabolic syndrome and dyslipidemia in primary and secondary prevention: examining the implications of recent trials. 2012 , 7, 223-239	2
175	Cardioprotective and antihypertensive effects of <i>Enicostemma littorale</i> Blume extract in fructose-fed rats. 2012 , 90, 1065-73	8
174	NADPH oxidase 2 plays a critical role in dysfunction and apoptosis of pancreatic β cells induced by very low-density lipoprotein. 2012 , 370, 103-13	15
173	Non-high-density lipoprotein cholesterol is a practical predictor of long-term cardiac death after coronary artery bypass grafting. 2012 , 221, 206-11	7
172	Triglycerides: how much credit do they deserve?. 2012 , 96, 39-55	14
171	Catalposide is a natural agonistic ligand of peroxisome proliferator-activated receptor- α . 2012 , 422, 568-72	7
170	Dyslipidemias in the prevention of cardiovascular disease: risks and causality. 2012 , 14, 709-20	71
169	Anti-diabetic atherosclerosis effect of <i>Prunella vulgaris</i> in db/db mice with type 2 diabetes. 2012 , 40, 937-51	21
168	Extracellular nucleotides inhibit insulin receptor signaling, stimulate autophagy and control lipoprotein secretion. 2012 , 7, e36916	24
167	Gene Polymorphism and Coronary Heart Disease. 2012 ,	
166	Association of the HindIII and S447X Polymorphisms in LPL Gene with Hypertension and Type 2 Diabetes in Mexican Families. 2012 , 33, 313-320	19
165	Dyslipidemia and Type 2 Diabetes Mellitus: Implications and Role of Antiplatelet Agents in Primary Prevention of Cardiovascular Disease. 2012 ,	
164	Evaluation of non-HDL-c and total cholesterol: HDL-c ratio as cumulative marker of cardiovascular risk in diabetes mellitus. 2010 , 8, 398-404	7
163	Managing Metabolic Syndrome: Focus on Physical Activity. 2012 , 8, 206-211	2
162	Overweight status and intrauterine exposure to gestational diabetes are associated with children's metabolic health. 2012 , 7, 44-52	37
161	Exploring Trans-acting regulators of gene expression associated with metabolic syndrome: a coupled application of factor analysis and linkage analysis. 2013 , 35, 59-67	1

160	A cross-sectional study of the prevalence and risk factors for hypertension in rural Nepali women. 2013 , 13, 55	31
159	Metabolic syndrome and right ventricle: an updated review. 2013 , 24, 608-16	16
158	ProAlgaZyme subfraction improves the lipoprotein profile of hypercholesterolemic hamsters, while inhibiting production of betaine, carnitine, and choline metabolites. 2013 , 10, 55	2
157	Pathophysiology of human visceral obesity: an update. 2013 , 93, 359-404	1267
156	Neck circumference is correlated with triglycerides and inversely related with HDL cholesterol beyond BMI and waist circumference. 2013 , 29, 90-7	46
155	The gene-diet interaction, LPL PvuII and HindIII and carbohydrate, on the criteria of metabolic syndrome: KMSRI-Seoul Study. 2013 , 29, 1115-21	9
154	[PPAR γ Activation prevents hypertriglyceridemia caused by a high fat diet. Involvement of AMPK and PGC-1 β Lipin1-PPAR β pathway]. 2013 , 25, 63-73	6
153	Effects of blood triglycerides on cardiovascular and all-cause mortality: a systematic review and meta-analysis of 61 prospective studies. 2013 , 12, 159	100
152	Current thoughts on maternal nutrition and fetal programming of the metabolic syndrome. 2013 , 2013, 368461	83
151	Atherogenic dyslipidemia. 2013 , 17, 969-76	35
150	Effect of bezafibrate on office, home and ambulatory blood pressure in hypertensive patients with dyslipidemia. 2013 , 27, 417-20	1
149	Racial Differences in Blood Lipids Lead to Underestimation of Cardiovascular Risk in Black Women in a Nested observational Study. 2013 , 2, 76-9	9
148	Left ventricular hypertrophy and insulin resistance in adults from an urban community in The Gambia: cross-sectional study. 2014 , 9, e93606	8
147	Plants with Hypolipidaemic Effects from Nigerian Flora. 2014 ,	
146	Metabolic profile before and after short-term overfeeding with a high-fat diet: a comparison between South Asian and White men. 2014 , 111, 1853-61	16
145	Triglyceride-to-high-density-lipoprotein-cholesterol ratio is an index of heart disease mortality and of incidence of type 2 diabetes mellitus in men. 2014 , 62, 345-9	119
144	Prevalence of metabolic syndrome and cardiovascular risk factors among voluntary screened middle-aged and elderly Egyptians. 2015 , 37, 612-7	8
143	The significance of gender in patients administered coronary angiography with respect to smoking, peripheral arterial disease, diabetes mellitus and the procedure used. 2014 , 20, 1124-8	1

142	Acute hypertriglyceridemia induces platelet hyperactivity that is not attenuated by insulin in polycystic ovary syndrome. 2014 , 3, e000706	20
141	Reduction of atherogenic risk in patients with type 2 diabetes by curcuminoid extract: a randomized controlled trial. 2014 , 25, 144-50	198
140	Novel links among peroxiredoxins, endothelial dysfunction, and severity of atherosclerosis in type 2 diabetic patients with peripheral atherosclerotic disease. 2014 , 19, 173-81	22
139	Serum lipid concentrations among persons with spinal cord injury - a systematic review and meta-analysis of the literature. 2014 , 232, 305-12	41
138	Insulin receptor (IR) and insulin-like growth factor receptor 1 (IGF-1R) signaling systems: novel treatment strategies for cancer. 2014 , 31, 805	135
137	Contraception use and pregnancy outcomes in women with polycystic ovary syndrome: data from the Australian Longitudinal Study on Women's Health. 2014 , 29, 802-8	46
136	Peroxisome proliferator-activated receptor gamma concentrations in newly diagnosed hypertension patients and the metabolic effects of olmesartan. 2014 , 45, 138-42	4
135	Mediterranean diet and cardiometabolic risk: a review. 2014 , 6, 3474-500	90
134	Phytochemicals and Immune Function. 2014 , 79-96	
133	Associations between objectively measured physical activity, cardiorespiratory fitness and risk factors for metabolic syndrome in 12- to 15-year-old Tianjin city children. 2015 , 74, 403-410	
132	Including processed poultry and porcine by-products in diets high in plant ingredients reduced liver TAG in Atlantic salmon, <i>Salmo salar</i> L.. 2015 , 21, 655-669	20
131	Statins in Type 2 Diabetes. 2015 ,	
130	Impact of Nutrition on Cerebral Circulation and Cognition in the Metabolic Syndrome. 2015 , 7, 9416-39	22
129	Beneficial Microorganisms in Food and Nutraceuticals. 2015 ,	9
128	Serum Triglyceride Levels and Cardiovascular Disease Events in Koreans. 2015 , 131, 228-35	18
127	Adult dyslipidemia prediction is improved by repeated measurements in childhood and young adulthood. The Cardiovascular Risk in Young Finns Study. 2015 , 239, 350-7	13
126	Oxidative stress, insulin resistance, dyslipidemia and type 2 diabetes mellitus. 2015 , 6, 456-80	532
125	Hypertriglyceridemia in an outpatient department--Significance as an atherosclerotic risk factor. 2015 , 18, 146-53	1

124	Translational value of animal models of obesity-Focus on dogs and cats. 2015 , 759, 240-52	23
123	Cardio Metabolic Syndrome: A Global Epidemic. 2016 , 6,	14
122	Atherogenesis. 2016 , 289-301	
121	Effects of chronic forced circadian desynchronization on body weight and metabolism in male mice. 2016 , 4, e12743	30
120	Genistein upregulates LDLR levels via JNK-mediated activation of SREBP-2. 2016 , 60, 31120	8
119	Clinical Scenario of the Metabolic Syndrome. 2016 , 32, 336-341	12
118	Diabetic Dyslipidemia and Risk of Cardiovascular Disease. 2016 , 643-652	
117	Association between serum cytokine concentrations and the presence of hypertriglyceridemia. 2016 , 49, 750-5	19
116	C/EBP β in bone marrow is essential for diet induced inflammation, cholesterol balance, and atherosclerosis. 2016 , 250, 172-9	19
115	Role of Omega-3 Fatty Acids in Metabolic Syndrome. 2016 , 189-202	
114	The Impact of Cardiorespiratory Fitness Levels on the Risk of Developing Atherogenic Dyslipidemia. 2016 , 129, 1060-6	16
113	Hepatic De Novo Lipogenesis and Regulation of Metabolism. 2016 ,	3
112	Metabolic syndrome update. 2016 , 26, 364-73	378
111	Antidiabetic effects of Brucea javanica seeds in type 2 diabetic rats. 2017 , 17, 94	14
110	Is In-Stent Restenosis After a Successful Coronary Stent Implantation Due to Stable Angina Associated With TG/HDL-C Ratio?. 2017 , 68, 816-822	9
109	Effects of walnut oil on lipid profiles in hyperlipidemic type 2 diabetic patients: a randomized, double-blind, placebo-controlled trial. 2017 , 7, e259	41
108	Arterial function parameters in patients with metabolic syndrome and severe hypertriglyceridemia. 2017 , 11, 901-907	3
107	Association of demographic, lifestyle factors and serum biomarkers with hypertension in elderly Chinese people. 2017 , 37, 661-674	3

106	Prediction of Adult Dyslipidemia Using Genetic and Childhood Clinical Risk Factors: The Cardiovascular Risk in Young Finns Study. 2017 , 10,	8
105	Non-high-density lipoprotein fractions are strongly associated with the presence of metabolic syndrome independent of obesity and diabetes: a population-based study among Iranian adults. 2017 , 16, 25	10
104	Genetic Basis for Increased Risk for Vascular Diseases in Diabetes. 2017 , 27-71	
103	Relation Between a Simple Lifestyle Risk Score and Established Biological Risk Factors for Cardiovascular Disease. <i>American Journal of Cardiology</i> , 2017 , 120, 1939-1946	3 12
102	Association between Lipoprotein Lipase Polymorphism and the Risk of Stroke: A Meta-analysis. 2017 , 26, 2570-2578	6
101	Novel circulating lipid measurements for current dyslipidemias in non-treated patients undergoing coronary angiography: PCSK9, apoC3 and sdLDL-C. 2017 , 8, 12333-12341	7
100	The role of oxidative stress on the pathophysiology of metabolic syndrome. 2017 , 63, 85-91	50
99	Examining the gender difference in the association between metabolic syndrome and the mean leukocyte telomere length. 2017 , 12, e0180687	25
98	High risk of coagulopathy among Type-2 Diabetes Mellitus clients at a municipal hospital in Ghana. 2017 , 51, 101-107	9
97	A triglyceride-rich lipoprotein environment exacerbates renal injury in the accelerated nephrotoxic nephritis model. 2018 , 192, 337-347	3
96	Naringin enhances reverse cholesterol transport in high fat/low streptozocin induced diabetic rats. 2018 , 101, 430-437	22
95	The Metabolic Syndrome. 2018 , 31-45	3
94	Nanostructured lipid carriers for improved oral delivery and prolonged antihyperlipidemic effect of simvastatin. 2018 , 162, 236-245	59
93	Are non-high-density lipoprotein fractions associated with pediatric metabolic syndrome? The CASPIAN-V study. 2018 , 17, 257	2
92	Correlation Between Life Style and Dyslipidemia of Teacher Secondary School with Central Obesity in Makassar City 2016. 2018 ,	
91	Further options for treating lipids in people with diabetes: targeting LDL-cholesterol and beyond. 2018 , 35, 1173	2
90	Obesity and Kidney Disease. 2018 , 61, 157-167	46
89	Association of retinol binding protein 4 and transthyretin with triglyceride levels and insulin resistance in rural thais with high type 2 diabetes risk. 2018 , 18, 26	17

88	Cumin (<i>Cuminum cyminum</i> L.) is a safe approach for management of lipid parameters: A systematic review and meta-analysis of randomized controlled trials. 2018 , 32, 2146-2154	16
87	Overweight and Obesity Prevalence Pattern and Associated Risk Factors Among the People of Malakand Division, Khyber Pakhtunkhwa Pakistan. 2019 , 44, 65-74	2
86	Primary Prevention of ASCVD and T2DM in Patients at Metabolic Risk: An Endocrine Society* Clinical Practice Guideline. 2019 ,	25
85	Use of fenofibrate on cardiovascular outcomes in statin users with metabolic syndrome: propensity matched cohort study. 2019 , 366, l5125	27
84	Platelets Are at the Nexus of Vascular Diseases. 2019 , 6, 132	25
83	Dietary Patterns in Relation to Components of Dyslipidemia and Fasting Plasma Glucose in Adults with Dyslipidemia and Elevated Fasting Plasma Glucose in Taiwan. 2019 , 11,	9
82	Higher chromosomal aberration rate in miscarried conceptus from polycystic ovary syndrome women undergoing assisted reproductive treatment. 2019 , 111, 936-943.e2	10
81	Effect of Sulgidduk containing pine needle juice on lipid metabolism in high fat-cholesterol diet induced dyslipidemic rats. 2019 , 52, 6	2
80	Lowering Targeted Atherogenic Lipoprotein Cholesterol Goals for Patients at "Extreme" ASCVD Risk. 2019 , 19, 146	4
79	Metabolic disorders and inflammation are associated with familial combined hyperlipemia. 2019 , 490, 194-199	7
78	Assessment of hazardous elements of metabolic syndrome in hypertensive patients to defend them from cardiovascular risk in tribal region. 2019 , 13, 925-931	1
77	Substrate utilization and metabolic profile in response to overfeeding with a high-fat diet in South Asian and white men: a sedentary lifestyle study. 2020 , 44, 136-146	4
76	Impact of Ramadan diurnal intermittent fasting on the metabolic syndrome components in healthy, non-athletic Muslim people aged over 15 years: a systematic review and meta-analysis. 2020 , 123, 1-22	26
75	Separation of postprandial lipoproteins: improved purification of chylomicrons using an ApoB100 immunoaffinity method. 2020 , 61, 455-463	1
74	Eriobotrya japonica leaf triterpenoid acids ameliorate metabolic syndrome in C57BL/6J mice fed with high-fat diet. 2020 , 132, 110866	7
73	Determinant components of newly onset versus improved metabolic syndrome in a population of Iran. 2020 , 10, 19563	
72	Effects of Aqueous and Ethanol Extracts on Glucolipid Metabolism and the Underlying Mechanisms: A Meta-Analysis and Systematic Review. 2020 , 7, 605605	4
71	Effects of Vitamin D Supplementation on Lipid Profile in Adults with the Metabolic Syndrome: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. 2020 , 12,	5

70	Chronic Stress Potentiates High Fructose-Induced Lipogenesis in Rat Liver and Kidney. 2020 , 64, e1901141	7
69	Treatment of dyslipidemia in kidney transplantation. 2020 , 19, 257-267	6
68	Oil and extract of safflower seed improve fructose induced metabolic syndrome through modulating the homeostasis of trace elements, TNF- α and fatty acids metabolism. 2020 , 254, 112721	12
67	Effects of Cacao By-Products and a Modest Weight Loss Intervention on the Concentration of Serum Triglycerides in Overweight Subjects: Proof of Concept. 2020 , 23, 745-749	2
66	Differences Between Morbid Obesity With Metabolic Syndrome and Overweight Turkish Adult Participants in Multiple Atherosclerotic Cardiovascular Disease Risk Factors. 2021 , 72, 131-137	0
65	Metabolic Syndrome Pathophysiology and Predisposing Factors. 2021 , 42, 199-214	23
64	The smoking-dyslipidaemia dyad: A potent synergistic risk for atherosclerotic coronary artery disease. 2021 , 10, 2048004020980945	
63	Refinement of Simvastatin and Nifedipine combined delivery through multivariate conceptualization and optimization of the nanostructured lipid carriers. 2021 , 64, 102570	2
62	The Role of Phosphate in Alcohol-Induced Experimental Pancreatitis. 2021 , 161, 982-995.e2	4
61	Risk Factors in Patients with Diabetes Hospitalized for COVID-19: Findings from a Multicenter Retrospective Study. 2021 , 2021, 3170190	2
60	Treating diseases associated with metabolic syndrome. 2021 , 243-275	
59	The Relationship Between Osteoarthritis and Sarcopenia in Geriatric Diabetic Patients.. 2021 , 55, 516-523	
58	Cardiovascular Risk Factors. 657-683	1
57	Oxidative Stress in the Metabolic Syndrome. 2009 , 33-63	1
56	The Metabolic Syndrome. 2011 , 1-26	2
55	Therapeutic role of peroxisome proliferator-activated receptors in obesity, diabetes and inflammation. 2003 , 60, 93-132	20
54	Fermented Soymilk as a Nutraceutical. 2015 , 133-159	2
53	Bewegung und metabolisches Syndrom. 2017 , 159-171	2

52	The Contribution of Triglycerides and Triglyceride-Rich Lipoproteins to Atherosclerotic Cardiovascular Disease. 2011 , 230-251	1
51	Relationship between carbohydrate-induced hypertriglyceridemia and fatty acid synthesis in lean and obese subjects. 2000 , 41, 595-604	148
50	Novel risk factors for coronary heart disease: emerging connections. 2000 , 14, 91-103	6
49	Assessing coronary heart disease risk and managing lipids. 2001 , 26, 30-2, 34, 37-41; quiz 42-3	4
48	Relevance of the reduction of triglycerides in the prevention of coronary heart disease. 1998 , 9, 571-4	8
47	The Model for Evaluation on Blood Flow of Functional Food in Human Intervention Study. 2018 , 7, 88	1
46	Fermentation of soy milk via <i>Lactobacillus plantarum</i> improves dysregulated lipid metabolism in rats on a high cholesterol diet. 2014 , 9, e88231	22
45	Association of branched-chain amino acids with carotid intima-media thickness and coronary artery disease risk factors. 2014 , 9, e99598	41
44	Differential postprandial lipoprotein responses in type 2 diabetic men with and without clinical evidence of a former myocardial infarction. 2004 , 1, 175-84	23
43	Health care access and prevalence of the metabolic syndrome among elders living in high-altitude areas of the Mediterranean islands: the MEDIS study. 2011 , 8, 468-76	15
42	Lipids and Lipid Mediators Associated with the Risk and Pathology of Ischemic Stroke. 2020 , 21,	10
41	Risk assessment of metabolic syndrome in adolescents using the triglyceride/high-density lipoprotein cholesterol ratio and the total cholesterol/high-density lipoprotein cholesterol ratio. 2019 , 24, 41-48	21
40	Proteomic and Metabolomic Characterization of Metabolically Healthy Obesity: A Descriptive Study from a Swedish Cohort. 2021 , 2021, 6616983	0
39	Gewichtsveränderungen unter Neuroleptika: Epidemiologie, Regulationsmechanismen und klinische Aspekte. 2001 , 103-118	1
38	Pharmacology of a Selective Peroxisome Proliferator-Activated Receptor α Agonist, GW501516, in Obese Dyslipidemic Primates. 2002 , 131-134	
37	References. 2002 , 106, 3373-3421	1
36	References. 2003 ,	
35	Lipoprotein Transport. 2004 , 397-421	

- 34 [Oxidized LDL and lipids as risk factors for ischemic heart disease in type 2 diabetes]. **2005**, 62, 529-36 1
- 33 Wat is de behandeling van een geïsoleerde hypertriglyceridemie?. **2006**, 2041-2042
- 32 Pathogenesis of Insulin Resistance and Glucose Intolerance in Childhood Obesity. **2010**, 163-174 1
- 31 The Metabolic Syndrome, Obesity, and Insulin Resistance. **2010**, 705-721
- 30 Wat is de behandeling van een geïsoleerde hypertriglyceridemie?. **2010**, 71-74
- 29 Atherothrombosis and the Metabolic Syndrome. 194-209
- 28 Clinical Aspects of Gout and Associated Disease States. **2013**, 91-185
- 27 Combination Lipid Therapy on Lipid Profiles in Patients with Impaired Glucose Tolerance. **2013**, 04, 152-157
- 26 Hepatic Lipogenesis: Nutritional Control and Pathophysiological Relevance. **2016**, 211-234 1
- 25 Significance of Non HDL-cholesterol and Triglyceride to HDL-cholesterol Ratio as Predictors for Metabolic Syndrome among Korean Elderly. **2018**, 50, 245-252 4
- 24 BIOCHEMICAL STUDIES RELATED TO ACUTE CHOLECYSTITIS IN LIBYAN SUBJECTS. **2020**, 8, 226-232
- 23 Recommendations for the management and treatment of dyslipidemia. Report of the Working Group on Hypercholesterolemia and Other Dyslipidemias. **2000**, 162, 1441-7 46
- 22 Polycystic ovary syndrome: a major unrecognized cardiovascular risk factor in women. **2009**, 2, 232-9 30
- 21 Impact of diet, exercise end diet combined with exercise programs on plasma lipoprotein and adiponectin levels in obese girls. **2008**, 7, 437-45 10
- 20 Relationship between epicardial adipose tissue thickness and vitamin D in patients with metabolic syndrome. **2015**, 8, 5707-14 6
- 19 Role of GALNT2 on Insulin Sensitivity, Lipid Metabolism and Fat Homeostasis.. **2022**, 23, 3
- 18 A more atherogenic lipoprotein status is present in adults with than without type 2 diabetes mellitus with equivalent degrees of hypertriglyceridemia. **2022**,
- 17 Influence of cholesterol level on long-term survival and cardiac events after surgical coronary revascularization. **2022**, 2

16	Relative contributions of statin intensity, achieved low-density lipoprotein cholesterol level, and statin therapy duration to cardiovascular risk reduction in patients with type 2 diabetes: population based cohort study.. 2022 , 21, 28		1
15	Royal jelly fatty acids down-regulate ANGPTL8 expression through the decrease in HNF4 β protein in human hepatoma HepG2 cells.. 2022 ,		
14	Intervention of 4% salmon phospholipid on metabolic syndrome in mice based on colonic lipidomics analysis. 2021 ,		0
13	Table_1.XLSX. 2020 ,		
12	Table_2.DOCX. 2020 ,		
11	Preformulation Studies of Ezetimibe-Simvastatin Solid Dispersions in the Development of Fixed-Dose Combinations. <i>Pharmaceutics</i> , 2022 , 14, 912	6.4	0
10	The Effect of Sperm DNA Fragmentation on In Vitro Fertilization Outcomes for Women With Polycystic Ovary Syndrome. <i>Frontiers in Endocrinology</i> , 13,	5.7	0
9	Hyperlipidemia and Platelet Parameters: Two Sides of the Same Coin. <i>Cureus</i> , 2022 ,	1.2	1
8	The Anti-Inflammatory Effect of Gabyeobda Tea in High Fat Diet-Induced Obese Mice. <i>Journal of Korean Medicine for Obesity Research</i> , 2022 , 22, 11-20	0.3	
7	Bone mineral density and lipid profiles in older adults: a nationwide cross-sectional study.		0
6	A Systems Analysis of Phenotype Heterogeneity in APOE*3Leiden.CETP Mice Induced by Long-Term High-Fat High-Cholesterol Diet Feeding. 2022 , 14, 4936		0
5	Prevalencia de dislipemia aterogénica, factores relacionados y grado de control lipídico en la población general de Galicia. Estudio GALIPEMIAS. 2023 ,		0
4	New Therapeutic Approaches to the Treatment of Dyslipidemia 1: ApoC-III and ANGPTL3. 2023 , 12, 23		0
3	Polyphenols and pectin enriched golden kiwifruit (<i>Actinidia chinensis</i>) alleviates high fructose-induced glucolipid disorders and hepatic oxidative damage in rats: in association with improvement of fatty acids metabolism. 2023 , 12, 1872-1884		0
2	Formulation and Evaluation of Pravastatin Sodium-Loaded PLGA Nanoparticles: In vitro and vivo Studies Assessment. Volume 18, 721-742		0
1	Comparison of focal segmental glomerulosclerosis and other primary glomerulonephrites in terms of parameters of hepatic steatosis and metabolic syndrome.		0