

CITATION REPORT

List of articles citing

Incremental prognostic value of serum levels of troponin T and C-reactive protein on admission in patients with unstable angina pectoris

DOI: 10.1016/s0002-9149(98)00458-5

American Journal of Cardiology, 1998, 82, 715-9.

Source: <https://exaly.com/paper-pdf/28951324/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
145	Modifying breathing patterns in chronic heart failure. <i>European Heart Journal</i> , 1999 , 20, 83-4	9.5	
144	Pathogenic mechanisms in unstable angina. <i>Heart</i> , 1999 , 82 Suppl 1, I2-4	5.1	13
143	Inflammation, the acute phase response and atherosclerosis. 1999 , 37, 495-503		56
142	Myocardial infarction mediated by endothelin receptor signaling in hypercholesterolemic mice. 1999 , 96, 6920-4		149
141	2001--a biomarker odyssey. 1999 , 284, 197-211		13
140	Interesting cases from the University of Texas Medical Branch. 1999 , 17, 401-14		
139	Part 7: The Era of Reperfusion. 2000 , 46, 203-237		8
138	Relationship of Cardiac Troponin T and Procoagulant Activity in Unstable Angina. 2000 , 83, 224-228		16
137	References. 2000 , 173, S83		
136	C-Reactive Protein and Cardiac Troponin T in Risk Stratification: Differences in Optimal Timing of Tests Early after the Onset of Chest Pain. 2000 , 46, 1597-1603		32
135	Part 7: The Era of Reperfusion : Section 1: Acute Coronary Syndromes (Acute Myocardial Infarction). <i>Circulation</i> , 2000 , 102, I-172-I-203	16.7	3
134	Elevated levels of plasma C-reactive protein are associated with decreased graft survival in cardiac transplant recipients. <i>Circulation</i> , 2000 , 102, 2100-4	16.7	75
133	Effect of leukocytosis at initial examination on prognosis in patients with primary unstable angina. 2000 , 139, 867-73		10
132	D-Dimer is an early diagnostic marker of coronary ischemia in patients with chest pain. 2000 , 140, 379-84		78
131	Elevated cardiac troponin levels predict the risk of adverse outcome in patients with acute coronary syndromes. 2000 , 140, 917-27		197
130	Markers of inflammation as predictors in cardiovascular disease. 2000 , 293, 31-52		52
129	The rise in acute medical admissions. 2000 , 30, 252-60		7

128	Predictive value of C-reactive protein and troponin T in patients with unstable angina: a comparative analysis. CAPTURE Investigators. Chimeric c7E3 AntiPlatelet Therapy in Unstable angina REfractory to standard treatment trial. <i>Journal of the American College of Cardiology</i> , 2000 , 35, 1535-42	15.1	332
127	ACC/AHA guidelines for the management of patients with unstable angina and non-ST-segment elevation myocardial infarction. A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on the Management of Patients With Unstable Angina). <i>Journal of the American College of Cardiology</i> , 2000 , 36, 970-1062	15.1	731
126	Serum amyloid A predicts early mortality in acute coronary syndromes: A TIMI 11A substudy. <i>Journal of the American College of Cardiology</i> , 2000 , 35, 358-62	15.1	108
125	The effect of aspirin on C-reactive protein as a marker of risk in unstable angina. <i>Journal of the American College of Cardiology</i> , 2001 , 37, 1266-70	15.1	86
124	The prognostic value of troponin in patients with non-ST elevation acute coronary syndromes: a meta-analysis. <i>Journal of the American College of Cardiology</i> , 2001 , 38, 478-85	15.1	317
123	Use of risk stratification to identify patients with unstable angina likeliest to benefit from an invasive versus conservative management strategy. <i>Journal of the American College of Cardiology</i> , 2001 , 38, 969-76	15.1	53
122	Cardiac markers and risk stratification: an integrated approach. 2001 , 311, 9-17		11
121	C-reactive protein and primary prevention of ischemic heart disease. 2001 , 311, 45-8		10
120	C-Reactive Protein and secondary prevention of coronary events. 2001 , 311, 49-52		18
119	Soluble adhesion molecules and prediction of coronary heart disease: a prospective study and meta-analysis. 2001 , 358, 971-6		324
118	Historia natural de la arterioesclerosis. manifestaciones clínicas. complicaciones agudas y crónicas. valoración diagnóstica. 2001 , 8, 2230-2239		
117	[Prognostic value of the determination of C-reactive protein in unstable angina]. 2001 , 54, 1-6		1
116	Is inflammation related to the clinical severity of unstable angina?. 2001 , 65, 414-8		4
115	C-reactive protein and the stress tests for the risk stratification of patients recovering from unstable angina pectoris. <i>American Journal of Cardiology</i> , 2001 , 87, 1235-9	3	31
114	False increase in serum C-reactive protein caused by monoclonal IgM-lambda: a case report. 2001 , 39, 983-7		15
113	Markers of the acute phase response in cardiovascular disease: an update. 2001 , 39, 1054-64		10
112	Increased concentrations of inflammatory mediators in unstable angina: correlation with serum troponin T. 2001 , 85, 571-5		34
111	Guideline for the management of patients with acute coronary syndromes without persistent ECG ST segment elevation. British Cardiac Society Guidelines and Medical Practice Committee and Royal College of Physicians Clinical Effectiveness and Evaluation Unit. 2001 , 85, 133-42		29

110	High sensitivity C-reactive protein: an emerging role in cardiovascular risk assessment. 2002 , 39, 459-97		44
109	Inflammation in acute coronary syndromes. 2002 , 4, B8-B13		7
108	Gender differences in C-reactive protein concentrations-confirmation with two sensitive methods. 2002 , 40, 56-9		49
107	Critical review of unstable angina and non-ST elevation myocardial infarction. 2002 , 78, 717-26		15
106	The prognostic value of pre-procedural plasma C-reactive protein in patients undergoing elective coronary angioplasty. <i>European Heart Journal</i> , 2002 , 23, 960-6	9.5	38
105	Acute-phase reactants and coronary heart disease. 2002 , 2, 417-28		25
104	High-sensitivity C-reactive protein and cardiovascular risk in patients with coronary heart disease. 2002 , 17, 325-31		36
103	Inflammatory markers and coronary heart disease. 2002 , 13, 383-9		78
102	C-reactive protein and angiographic coronary artery disease: independent and additive predictors of risk in subjects with angina. <i>Journal of the American College of Cardiology</i> , 2002 , 39, 632-7	15.1	179
101	C-reactive protein, arterial endothelial activation, and development of transplant coronary artery disease: a prospective study. 2002 , 360, 1462-7		99
100	C-reactive protein and cardiovascular disease: a review of risk prediction and interventions. 2002 , 317, 1-15		115
99	Cardiac troponins. 2002 , 23, 57-65		49
98	Inflammation and atherosclerosis. <i>Circulation</i> , 2002 , 105, 1135-43	16.7	5212
97	Role of inflammation in cardiovascular disease: how to use C-reactive protein in clinical practice. 2002 , 17, 174-85		15
96	Usefulness of high-sensitivity C-reactive protein in predicting long-term risk of death or acute myocardial infarction in patients with unstable or stable angina pectoris or acute myocardial infarction. <i>American Journal of Cardiology</i> , 2002 , 89, 145-9	3	144
95	C-Reactive Protein and Cardiovascular Diseases. <i>International Journal of Angiology</i> , 2003 , 12, 1-12	1.1	17
94	C-reaktives Protein in der Risikovorhersage und Intervention bei kardiovaskulären Erkrankungen. 2003 , 27, 100-112		
93	A new scoring system to stratify risk in unstable angina. 2003 , 3, 8		6

92	Utility of inflammatory markers in the management of coronary artery disease. <i>American Journal of Cardiology</i> , 2003 , 92, 10i-8i	3	64
91	Marcadores de inflamaci3n y estratificaci3n de riesgo en pacientes con s3ndrome coronario agudo: dise3n del estudio SIESTA (Systemic Inflammation Evaluation in patients with non-ST segment elevation Acute coronary syndromes). 2003 , 56, 389-395		
90	Circulating markers of inflammation and atherosclerosis. 2003 , 169, 203-14		314
89	Troponin and C-reactive protein have different relations to subsequent mortality and myocardial infarction after acute coronary syndrome: a GUSTO-IV substudy. <i>Journal of the American College of Cardiology</i> , 2003 , 41, 916-24	15.1	187
88	C-Reactive protein and cardiac allograft vasculopathy. is inflammation the critical link?. <i>Journal of the American College of Cardiology</i> , 2003 , 42, 483-5	15.1	19
87	Markers of inflammation and cardiovascular disease: application to clinical and public health practice: A statement for healthcare professionals from the Centers for Disease Control and Prevention and the American Heart Association. <i>Circulation</i> , 2003 , 107, 499-511	16.7	454.1
86	C-reactive protein and coronary events following percutaneous coronary angioplasty. 2003 , 115, 85-90		41
85	Diffusion of troponin testing in unstable angina patients: adoption prior to guideline release. 2003 , 56, 1236-43		1
84	C reactive protein for risk stratification in acute coronary syndromes? Verdict: unproven. 2003 , 89, 1288-90		8
83	Unusual morphologic changes in apical hypertrophic cardiomyopathy. 2003 , 89, 1290		2
82	C-reaktives Protein in der Risikovorhersage und Intervention bei kardiovaskul3ren Erkrankungen/C-Reactive Protein for Risk Prediction and Intervention in Cardiovascular Disease. 2003 , 27, 100-112		
81	C-reactive protein and cardiovascular disease: new insights from an old molecule. 2003 , 96, 793-807		173
80	C-reactive protein and other inflammatory biomarkers as predictors of outcome following acute coronary syndromes. 2003 , 3, 375-84		24
79	Highlights of the 2002 update to the 2000 American College of Cardiology/American Heart Association acute coronary syndrome guidelines. 2003 , 11, 113-21		8
78	Correlation between turbidimetric and nephelometric methods of measuring C-reactive protein in patients with unstable angina or non-ST elevation acute myocardial infarction. <i>Arquivos Brasileiros De Cardiologia</i> , 2003 , 81, 133-6, 129-32	1.2	8
77	Plasma C-reactive protein and homocysteine concentrations are related to frequent fruit and vegetable intake in Hispanic and non-Hispanic white elders. 2004 , 134, 913-8		115
76	CDC/AHA Workshop on Markers of Inflammation and Cardiovascular Disease: Application to Clinical and Public Health Practice: clinical use of inflammatory markers in patients with cardiovascular diseases: a background paper. <i>Circulation</i> , 2004 , 110, e560-7	16.7	131
75	CDC/AHA Workshop on Markers of Inflammation and Cardiovascular Disease: Application to Clinical and Public Health Practice: report from the clinical practice discussion group. <i>Circulation</i> , 2004 , 110, e550-3	16.7	86

74	Coagulation, inflammation and myocardial dysfunction in unstable coronary artery disease and the influence of glycoprotein IIb/IIIa inhibition and low molecular weight heparin. 2004 , 109, 71-122		2
73	La inflamaci3n en los s3ndromes coronarios agudos: mecanismos e implicaciones cl3nicas. 2004 , 57, 433-446		19
72	Inflammation in Acute Coronary Syndromes: Mechanisms and Clinical Implications. 2004 , 57, 433-446		3
71	C-reactive protein: from innocent bystander to pivotal mediator of atherosclerosis. 2004 , 117, 499-507		122
70	Inflammation and cardiovascular diseases: lessons that can be learned for the patient with cardiogenic shock in the intensive care unit. 2004 , 10, 347-53		9
69	Association of endothelin-1 with transient myocardial ischemia in patients with unstable angina pectoris. <i>American Journal of Cardiology</i> , 2005 , 95, 492-4	3	5
68	[The role of inflammation in the pathophysiology of acute coronary syndromes]. 2005 , 117, 445-55		8
67	CRP is or is not a reliable marker of ischaemic heart disease?. 2005 , 14, 752-5		1
66	Enfermedad arterial perif3rica desconocida en pacientes con s3ndrome coronario agudo: prevalencia y patr3n diferencial de los factores de riesgo cardiovascular tradicionales y emergentes. 2005 , 58, 1403-1410		24
65	Dual-isotope myocardial SPECT in patients with redefined myocardial infarction. <i>International Journal of Cardiology</i> , 2005 , 104, 204-12	3.2	2
64	Indications for angiography subsequent to coronary artery bypass grafting. 2005 , 149, 1082-90		10
63	Underrecognized Peripheral Arterial Disease in Patients With Acute Coronary Syndrome: Prevalence of Traditional and Emergent Cardiovascular Risk Factors. 2005 , 58, 1403-1410		
62	Atherosclerosis: Diet and Drugs. <i>Handbook of Experimental Pharmacology</i> , 2005 ,	3.2	2
61	Accumulation of low density lipoprotein associated cholesterol in calcifying vesicle fractions correlates with intimal thickening in thoracic aortas of juvenile rabbits fed a supplemental cholesterol diet. 2006 , 5, 25		4
60	Cardiovascular Biomarkers. 2006 ,		2
59	Cardiac biomarkers: a contemporary status report. 2006 , 3, 24-34		64
58	Utilidad de los marcadores de inflamaci3n en el diagn3stico del riesgo cardiovascular. 2006 , 18, 56-71		
57	Rapid electrochemiluminoimmunoassay of human C-reactive protein at planar disposable oxide-coated silicon electrodes. 2006 , 78, 82-8		42

56	A comparative study of markers of inflammation for the assessment of cardiovascular risk in patients presenting to the emergency department with acute chest pain suggestive of acute coronary syndrome. <i>International Journal of Cardiology</i> , 2006 , 109, 317-21	3.2	22
55	C-reactive protein diagnostic and prognostic value in patients presenting at the emergency room with chest pain. <i>Arquivos Brasileiros De Cardiologia</i> , 2006 , 87, 275-80	1.2	8
54	The potential role of antiplatelet agents in modulating inflammatory markers in atherothrombosis. 2006 , 4, 2308-16		19
53	Brain natriuretic peptide and other risk markers for outcome assessment in patients with non-ST-elevation coronary syndromes and preserved systolic function. <i>American Journal of Cardiology</i> , 2006 , 98, 1322-8	3	22
52	National Academy of Clinical Biochemistry Laboratory Medicine Practice Guidelines: clinical characteristics and utilization of biochemical markers in acute coronary syndromes. 2007 , 53, 552-74		326
51	The relationship between plasma C-reactive protein levels and presence and severity of coronary stenosis in patients with stable angina. 2007 , 58, 657-62		6
50	Prognostic significance of interleukin-6 measurement in the diagnosis of acute myocardial infarction in emergency department. 2007 , 381, 151-6		8
49	National Academy of Clinical Biochemistry Laboratory Medicine Practice Guidelines: Clinical characteristics and utilization of biochemical markers in acute coronary syndromes. <i>Circulation</i> , 2007 , 115, e356-75	16.7	255
48	Clinical Integration of C-Reactive Protein for Primary and Secondary Risk Factor Stratification. 207-216		
47	. 2007 ,		
46	The electrocardiogram as a prognostic tool for predicting major cardiac events. 2007 , 50, 87-111		18
45	Investigation of the effect of Interleukin-1 receptor antagonist (IL-1ra) on markers of inflammation in non-ST elevation acute coronary syndromes (The MRC-ILA-HEART Study). <i>Trials</i> , 2008 , 9, 8	2.8	58
44	Differential impact of admission C-reactive protein levels on 28-day mortality risk in patients with ST-elevation versus non-ST-elevation myocardial infarction (from the Monitoring Trends and Determinants on Cardiovascular Diseases [MONICA]/Cooperative Health Research in the Region of Augsburg [KORA] Augsburg Myocardial Infarction Registry). <i>American Journal of Cardiology</i> , 2008 , 102, 1125-30	3	23
43	Clinical utility of C-reactive protein measured at admission, hospital discharge, and 1 month later to predict outcome in patients with acute coronary disease. The RISCA (recurrence and inflammation in the acute coronary syndromes) study. <i>Journal of the American College of Cardiology</i> , 2008 , 51, 2339-46	15.1	53
42	Screening and assessment of coronary heart disease in HIV-infected patients. <i>Circulation</i> , 2008 , 118, e41-7	16.7	32
41	Biomarkers in Acute Coronary Syndrome. <i>Biomarker Insights</i> , 2008 , 3, 453-468	3.5	9
40	Usefulness of soluble fas levels for improving diagnostic accuracy and prognosis for acute coronary syndromes. <i>American Journal of Cardiology</i> , 2010 , 105, 797-803	3	11
39	C-reactive protein improves risk prediction in patients with acute coronary syndromes. <i>European Heart Journal</i> , 2010 , 31, 290-7	9.5	51

38	Association Between Fatty Liver and Cardiovascular Disease: Mechanism and Clinical Implications. 2011 ,		
37	Mechanisms linking nonalcoholic fatty liver disease with coronary artery disease. <i>Digestive Diseases and Sciences</i> , 2011 , 56, 3439-49	4	69
36	Tocotrienols and cardiovascular health. <i>Current Pharmaceutical Design</i> , 2011 , 17, 2147-54	3.3	31
35	Hyperlipidemia in Primary Care. 2011 ,		1
34	Hypothyroidism as a risk factor for development of cardiovascular disease in patients with rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2012 , 39, 954-8	4.1	21
33	Resveratrol, wine, and atherosclerosis. <i>International Journal of Angiology</i> , 2012 , 21, 7-18	1.1	32
32	Prognostic significance of high sensitivity C-reactive protein in patients with angina pectoris underwent percutaneous coronary intervention. <i>Journal of the Saudi Heart Association</i> , 2012 , 24, 299-302 ^{0.7}		
31	Chemokines CCL3/MIP1 α /CCL5/RANTES and CCL18/PARC are independent risk predictors of short-term mortality in patients with acute coronary syndromes. <i>PLoS ONE</i> , 2012 , 7, e45804	3.7	39
30	Cardiac biomarkers in acute myocardial infarction. <i>International Journal of Cardiology</i> , 2013 , 164, 282-94 ^{3.2}		76
29	Zofenopril plus hydrochlorothiazide and irbesartan plus hydrochlorothiazide in previously treated and uncontrolled diabetic and non-diabetic essential hypertensive patients. <i>Advances in Therapy</i> , 2014 , 31, 217-33	4.1	14
28	Troponin T as a Predictor of End-Stage Renal Disease and All-Cause Death in African Americans and Whites From Hypertensive Families. <i>Mayo Clinic Proceedings</i> , 2015 , 90, 1482-91	6.4	6
27	An update on predictive biomarkers for major adverse cardiovascular events in patients undergoing vascular surgery. <i>Journal of Clinical Anesthesia</i> , 2016 , 33, 105-16	1.9	4
26	Stress and Inflammation in Coronary Artery Disease: A Review Psychoneuroendocrineimmunology-Based. <i>Frontiers in Immunology</i> , 2018 , 9, 2031	8.4	112
25	Pentraxin 3 in primary percutaneous coronary intervention for ST elevation myocardial infarction is associated with early irreversible myocardial damage : Kinetic profile, relationship to interleukin 6 and infarct size. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020 , 9, 302-312	4.3	3
24	Targeting cardiovascular inflammation: next steps in clinical translation. <i>European Heart Journal</i> , 2021 , 42, 113-131	9.5	63
23	Colchicine in Acute Coronary Syndrome: A Systematic Review. <i>Annals of Pharmacotherapy</i> , 2021 , 55, 187-197	1.97	6
22	Comparison of high-sensitivity C-reactive protein vs. C-reactive protein for diagnostic accuracy and prediction of mortality in patients with acute myocardial infarction. <i>Annals of Clinical Biochemistry</i> , 2021 , 58, 342-349	2.2	0
21	Inflammation is a crucial feature of atherosclerosis and a potential target to reduce cardiovascular events. <i>Handbook of Experimental Pharmacology</i> , 2005 , 697-722	3.2	11

20	Part 7: The Era of Reperfusion. <i>Circulation</i> , 2000 , 102,	16.7	4
19	Early inflammatory markers are independent predictors of cardiac allograft vasculopathy in heart-transplant recipients. <i>PLoS ONE</i> , 2014 , 9, e113260	3.7	10
18	QT interval dispersion: non-invasive marker of ischemic injury in patients with unstable angina pectoris?. <i>International Heart Journal</i> , 2000 , 41, 597-603		4
17	Is C-reactive protein a useful predictor of outcome in peritoneal dialysis patients?. <i>Journal of the American Society of Nephrology: JASN</i> , 2001 , 12, 814-821	12.7	90
16	Critical appraisal of C-reactive protein throughout the spectrum of cardiovascular disease. <i>Vascular Health and Risk Management</i> , 2006 , 2, 221-37	4.4	55
15	Biomarkers in Cardiology - Part 2: In Coronary Heart Disease, Valve Disease and Special Situations. <i>Arquivos Brasileiros De Cardiologia</i> , 2015 , 104, 337-46	1.2	3
14	Inflammation as a Marker of Outcome in Myocardial Ischemia. 2001 , 221-235		
13	Increased concentrations of inflammatory mediators in unstable angina: correlation with serum troponin T. <i>Heart</i> , 2001 , 85, 571-575	5.1	
12	Prognostic Role of Plasma High-Sensitivity C-Reactive Protein Levels in Acute Coronary Syndromes. 2003 , 291-303		
11	A biomarker of inflammation in cardiovascular disease. 2003 , 9-20		
10	Management of Acute Coronary Syndromes. 2003 , 15-36		
9	High-Sensitivity C-Reactive Protein for Risk Assessment in Acute Coronary Syndromes. 2006 , 261-275		
8	A Multimarker Approach to Evaluation of Patients With Acute Coronary Syndrome. 2006 , 545-558		1
7	Advanced Lipid Testing. 2011 , 77-103		
6	The association of ventricular tachycardia and endothelial dysfunction in the setting of acute myocardial infarction with ST elevation. <i>Medical Science Monitor</i> , 2013 , 19, 1027-36	3.2	1
5	Novel Biomarkers Used in the Assessment of Acute Coronary Syndrome. 2013 , 345-362		
4	Inflammation and Infection in Coronary Artery Disease. 2006 , 29-45		
3	Predictive value of plasma fibrinogen levels in patients admitted for acute coronary syndrome. <i>Texas Heart Institute Journal</i> , 2010 , 37, 178-83	0.8	25

2	Role of biomarkers in risk stratification of acute coronary syndrome. <i>Indian Journal of Medical Research</i> , 2010 , 132, 627-33	2.9	9
1	Pneumonia-Induced Inflammation, Resolution and Cardiovascular Disease: Causes, Consequences and Clinical Opportunities. 2023 , 132, 751-774		0