

CITATION REPORT

List of articles citing

A genome-wide search for schizophrenia susceptibility genes

DOI: 10.1002/(sici)1096-8628(19980907)81:53.0.co;2-t
American Journal of Medical Genetics Part A, 1998, 81, 364-76

Source: <https://exaly.com/paper-pdf/29029083/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
220	The status of genetic investigations of schizophrenia. 288-308		
219	Velocardiofacial syndrome (chromosome 22q11.2 deletion syndrome) as a model of schizophrenia. 309-327		
218	Genetics and Schizophrenia. 2002 , 371-402		
217	Schizophrenia susceptibility gene locus at Xp22.3. 1999 , 55, 455-60		41
216	Chromosome workshops 1998: Current state of psychiatric linkage. <i>American Journal of Medical Genetics Part A</i> , 1999 , 88, 215-218		29
215	Chromosomes 1, 2, and 7 workshop. <i>American Journal of Medical Genetics Part A</i> , 1999 , 88, 219-223		9
214	Chromosome 6 workshop report. <i>American Journal of Medical Genetics Part A</i> , 1999 , 88, 233-8		30
213	Chromosome workshop: Chromosomes 11, 14, and 15. <i>American Journal of Medical Genetics Part A</i> , 1999 , 88, 244-254		48
212	Chromosomes 12 and 16 workshop. <i>American Journal of Medical Genetics Part A</i> , 1999 , 88, 255-9		33
211	Report of the chromosome 18 workshop. 1999 , 88, 263-270		33
210	Chromosome 22 workshop report. 1999 , 88, 276-278		35
209	Sixth World Congress of Psychiatric Genetics X chromosome workshop. 1999 , 88, 279-286		19
208	New gene targets related to schizophrenia and other psychiatric disorders: enzymes, binding proteins and transport proteins involved in phospholipid and fatty acid metabolism. 1999 , 60, 141-67		68
207	Linkage of familial schizophrenia to chromosome 13q32. 1999 , 65, 1096-103		193
206	The genetics of schizophrenia. 2000 , 13, 3-9		7
205	Genetic Risk Factors for Schizophrenia. 2000 , 29, 13-38		0
204	Lack of evidence for linkage to chromosomes 13 and 8 for schizophrenia and schizoaffective disorder. <i>American Journal of Medical Genetics Part A</i> , 2000 , 96, 235-9		10

203	Linkage and associated studies of schizophrenia. <i>American Journal of Medical Genetics Part A</i> , 2000 , 97, 23-44	113
202	Failure to establish linkage on the X chromosome in 301 families with schizophrenia or schizoaffective disorder. <i>American Journal of Medical Genetics Part A</i> , 2000 , 96, 335-41	30
201	Investigation of a candidate gene for schizophrenia on Xq13 previously associated with mental retardation and hypothyroidism. <i>American Journal of Medical Genetics Part A</i> , 2000 , 96, 398-403	29
200	Search for bipolar disorder susceptibility loci: the application of a modified genome scan concentrating on gene-rich regions. <i>American Journal of Medical Genetics Part A</i> , 2000 , 96, 728-32	11
199	Second stage of a genome scan of schizophrenia: Study of five positive regions in an expanded sample. <i>American Journal of Medical Genetics Part A</i> , 2000 , 96, 864-869	64
198	The epidemiology of the genetic liability for schizophrenia. 2000 , 34, S47-S55	1
197	Family-based linkage disequilibrium mapping using SNP marker haplotypes: application to a potential locus for schizophrenia at chromosome 22q11. 2000 , 5, 77-84	111
196	A genome-wide autosomal screen for schizophrenia susceptibility loci in 71 families with affected siblings: support for loci on chromosome 10p and 6. 2000 , 5, 638-49	152
195	The Epidemiology of the Genetic Liability for Schizophrenia. 2000 , 34, A47-A55	7
194	The epidemiology of the genetic liability for schizophrenia. 2000 , 34 Suppl, S47-55; discussion S56-7	12
193	Search for schizophrenia susceptibility genes. 2000 , 47, 221-30	107
192	Critical overview of current approaches to genetic mechanisms in schizophrenia research. 2000 , 31, 187-92	34
191	Gene targets related to phospholipid and fatty acid metabolism in schizophrenia and other psychiatric disorders: an update. 2000 , 63, 47-59	48
190	Multicenter linkage study of schizophrenia candidate regions on chromosomes 5q, 6q, 10p, and 13q: schizophrenia linkage collaborative group III. 2000 , 67, 652-63	182
189	Location of a major susceptibility locus for familial schizophrenia on chromosome 1q21-q22. <i>Science</i> , 2000 , 288, 678-82	333 428
188	No evidence for a parent-of-origin effect detected in the pattern of inheritance of schizophrenia. 2000 , 48, 706-9	30
187	Schizophrenia spectrum disorders: an autosomal-wide scan in multiplex pedigrees. 2001 , 52, 145-60	28
186	Polymorphisms in the genes for mGluR types 7 and 8: association studies with schizophrenia. 2001 , 47, 99-103	37

185	Genetics of schizophrenia and the new millennium: progress and pitfalls. 2001 , 68, 299-312	153
184	Genomewide genetic linkage analysis confirms the presence of susceptibility loci for schizophrenia, on chromosomes 1q32.2, 5q33.2, and 8p21-22 and provides support for linkage to schizophrenia, on chromosomes 11q23.3-24 and 20q12.1-11.23. 2001 , 68, 661-73	337
183	Genomewide scans of complex human diseases: true linkage is hard to find. 2001 , 69, 936-50	407
182	Genomewide multipoint linkage analysis of seven extended Palauan pedigrees with schizophrenia, by a Markov-chain Monte Carlo method. 2001 , 69, 1278-89	60
181	Velo-cardio-facial syndrome: a model for understanding the genetics and pathogenesis of schizophrenia. 2001 , 179, 397-402	115
180	No evidence to support an association between the oestrogen receptor beta gene and bipolar disorder. 2001 , 11, 223-6	8
179	Genetic insights into schizophrenia. 2001 , 46, 131-7	21
178	Affected sibling pair linkage analysis of qualitative and quantitative traits for schizophrenia on chromosome 22 in a Chinese population. <i>American Journal of Medical Genetics Part A</i> , 2001 , 105, 321-7	9
177	A genomewide linkage study of age at onset in schizophrenia. <i>American Journal of Medical Genetics Part A</i> , 2001 , 105, 439-45	55
176	Mutation analysis of the NMDAR2B (GRIN2B) gene in schizophrenia. 2001 , 6, 211-6	79
175	The genomic organisation of the metabotropic glutamate receptor subtype 5 gene, and its association with schizophrenia. 2001 , 6, 311-4	80
174	Genetic aspects of schizophrenia. 2001 , 1, 158-163	8
173	Genetic and physiological data implicating the new human gene G72 and the gene for D-amino acid oxidase in schizophrenia. 2002 , 99, 13675-80	709
172	Genetic variation in the 22q11 locus and susceptibility to schizophrenia. 2002 , 99, 16859-64	168
171	The human genome project and its impact on psychiatry. 2002 , 25, 1-50	67
170	An association between a missense polymorphism in the close homologue of L1 (CHL1, CALL) gene and schizophrenia. 2002 , 7, 412-5	92
169	Meta-analysis of whole-genome linkage scans of bipolar disorder and schizophrenia. 2002 , 7, 405-11	682
168	An evaluation of the assembly of an approximately 15-Mb region on human chromosome 13q32-q33 linked to bipolar disorder and schizophrenia. 2002 , 79, 635-56	18

167	Genome scan for susceptibility loci for schizophrenia and bipolar disorder. 2002 , 52, 40-52	89
166	Hand preference and hand skill in families with schizophrenia. 2002 , 7, 321-32	64
165	Schizophrenia and velo-cardio-facial syndrome. 2002 , 359, 426-30	232
164	Linkage analysis in psychiatric disorders: the emerging picture. 2002 , 3, 371-413	62
163	Neuregulin 1 and susceptibility to schizophrenia. 2002 , 71, 877-92	1371
162	Schizophrenia and Nogo: elevated mRNA in cortex, and high prevalence of a homozygous CAA insert. 2002 , 107, 183-9	79
161	The glial growth factors deficiency and synaptic destabilization hypothesis of schizophrenia. 2002 , 2, 8	88
160	Search for common haplotypes on chromosome 22q in patients with schizophrenia or bipolar disorder from the Faroe Islands. <i>American Journal of Medical Genetics Part A</i> , 2002 , 114, 245-52	38
159	Genome-wide scan for linkage to schizophrenia in a Spanish-origin cohort from Costa Rica. <i>American Journal of Medical Genetics Part A</i> , 2002 , 114, 497-508	75
158	Linkage of chromosome 13q32 to schizophrenia in a large veterans affairs cooperative study sample. <i>American Journal of Medical Genetics Part A</i> , 2002 , 114, 598-604	29
157	Chromosome 1q12-q22 linkage results in eastern QuBec families affected by schizophrenia. <i>American Journal of Medical Genetics Part A</i> , 2002 , 114, 51-5	13
156	Molecular genetics of schizophrenia: past, present and future. 2002 , 27, 35-52	42
155	Recent advances in the genetics of schizophrenia. 2002 , 59, 331-48	33
154	Screening the human protocadherin 8 (PCDH8) gene in schizophrenia. 2002 , 1, 187-91	22
153	Genome-wide scans of three independent sets of 90 Irish multiplex schizophrenia families and follow-up of selected regions in all families provides evidence for multiple susceptibility genes. 2002 , 7, 542-59	115
152	Higher scores of self reported schizotypy in healthy young males carrying the COMT high activity allele. 2002 , 7, 706-11	103
151	Mutation screening and LD mapping in the VCFS deleted region of chromosome 22q11 in schizophrenia using a novel DNA pooling approach. 2002 , 7, 1092-100	18
150	Genetics of schizophrenia: current strategies. 2003 , 3, 5-16	6

149	Association study between CAG trinucleotide repeats in the PCQAP gene (PC2 glutamine/Q-rich-associated protein) and schizophrenia. <i>American Journal of Medical Genetics Part A</i> , 2003 , 116B, 32-5	14
148	Significant linkage to chromosome 22q for exploratory eye movement dysfunction in schizophrenia. <i>American Journal of Medical Genetics Part A</i> , 2003 , 123B, 27-32	39
147	Polymorphism screening of PIP5K2A: a candidate gene for chromosome 10p-linked psychiatric disorders. <i>American Journal of Medical Genetics Part A</i> , 2003 , 123B, 50-8	38
146	Initial genome-wide scan for linkage with schizophrenia in the Japanese Schizophrenia Sib-Pair Linkage Group (JSSLG) families. <i>American Journal of Medical Genetics Part A</i> , 2003 , 120B, 22-8	13
145	Family-based association study of markers on chromosome 22 in schizophrenia using African-American, European-American, and Chinese families. <i>American Journal of Medical Genetics Part A</i> , 2003 , 120B, 11-7	23
144	Interleukin-10 gene promoter polymorphism is not associated with schizophrenia in the Korean population. 2003 , 57, 153-9	14
143	Schizophrenia hippocampus has elevated expression of chondrex glycoprotein gene. 2003 , 50, 29-34	52
142	Chromosomal abnormalities and mental illness. 2003 , 8, 275-87	98
141	Linkage of schizophrenia with chromosome 1q loci in Taiwanese families. 2003 , 8, 445-52	115
140	Identification of a high-risk haplotype for the dystrobrevin binding protein 1 (DTNBP1) gene in the Irish study of high-density schizophrenia families. 2003 , 8, 499-510	119
139	Linkage of a bipolar disorder susceptibility locus to human chromosome 13q32 in a new pedigree series. 2003 , 8, 558-64	29
138	Linkage analysis of candidate regions using a composite neurocognitive phenotype correlated with schizophrenia. 2003 , 8, 511-23	40
137	The new genetics of schizophrenia. 2003 , 26, 41-63	26
136	Phenylalanine hydroxylase gene in psychiatric patients: screening and functional assay of mutations. 2003 , 53, 543-53	16
135	NAD(P)H: quinone oxidoreductase (NQO1) gene polymorphism and schizophrenia. <i>Psychiatry Research</i> , 2003 , 118, 235-9	9.9 18
134	Association of neuregulin 1 with schizophrenia confirmed in a Scottish population. 2003 , 72, 83-7	481
133	A systematic genomewide linkage study in 353 sib pairs with schizophrenia. 2003 , 73, 1355-67	111
132	Genes and behaviour: finding a genetic substrate for cognitive neuropsychiatry. 2003 , 30-56	

131	The N-methyl D-aspartate receptor glycine site and D-serine metabolism: an evolutionary perspective. 2004 , 359, 943-64	82
130	Case-control study and transmission disequilibrium test provide consistent evidence for association between schizophrenia and genetic variation in the 22q11 gene ZDHC8. 2004 , 13, 2991-5	73
129	Haplotype analysis and identification of genes for a complex trait: examples from schizophrenia. 2004 , 36, 322-31	11
128	A highly informative SNP linkage panel for human genetic studies. 2004 , 1, 113-7	63
127	Expression analysis of neuregulin-1 in the dorsolateral prefrontal cortex in schizophrenia. 2004 , 9, 299-307	236
126	Multicenter linkage study of schizophrenia loci on chromosome 22q. 2004 , 9, 784-95	51
125	Linkage studies of schizophrenia. 2004 , 6, 17-34	19
124	Pre-attentive processing and schizophrenia: animal studies. 2004 , 174, 65-74	35
123	Genetic abnormalities of chromosome 22 and the development of psychosis. 2004 , 6, 176-82	31
122	COMT: a common susceptibility gene in bipolar disorder and schizophrenia. 2004 , 128B, 61-4	130
121	Genomewide linkage scan for bipolar-disorder susceptibility loci among Ashkenazi Jewish families. 2004 , 75, 204-19	83
120	A rare polymorphism affects a mitogen-activated protein kinase site in synapsin III: possible relationship to schizophrenia. 2004 , 55, 118-25	35
119	Identification of PIK3C3 promoter variant associated with bipolar disorder and schizophrenia. 2004 , 55, 981-8	92
118	Is the G72/G30 locus associated with schizophrenia? single nucleotide polymorphisms, haplotypes, and gene expression analysis. 2004 , 56, 169-76	158
117	Association of G72/G30 with schizophrenia in the Chinese population. 2004 , 319, 1281-6	91
116	The molecular genetics of the 22q11-associated schizophrenia. 2004 , 132, 95-104	122
115	The KPNB3 locus is associated with schizophrenia. 2004 , 368, 323-6	8
114	Association of DAAO with schizophrenia in the Chinese population. 2004 , 369, 228-33	50

113	Linkage disequilibrium mapping of schizophrenia susceptibility to the CAPON region of chromosome 1q22. 2004 , 74, 1057-63	121
112	Reconstruction of ancestral haplotypes in a 12-generation schizophrenia pedigree. 2004 , 14, 1-8	20
111	Glutathione S-transferase M1 polymorphism may contribute to schizophrenia in the Korean population. 2004 , 14, 147-50	28
110	No evidence for an association between variants at the proline dehydrogenase locus and schizophrenia or bipolar affective disorder. 2005 , 15, 195-8	8
109	Screening of PIP5K2A promoter region for mutations in bipolar disorder and schizophrenia. 2005 , 15, 223-7	17
108	Haplotypic association spanning the 22q11.21 genes COMT and ARVCF with schizophrenia. 2005 , 10, 353-65	56
107	Shared and specific susceptibility loci for schizophrenia and bipolar disorder: a dense genome scan in Eastern Quebec families. 2005 , 10, 486-99	141
106	Support for involvement of neuregulin 1 in schizophrenia pathophysiology. 2005 , 10, 366-74, 328	159
105	No evidence for association to the G72/G30 locus in an independent sample of schizophrenia families. 2005 , 10, 431-3	40
104	Evidence for linkage to chromosome 13q32 in an independent sample of schizophrenia families. 2005 , 10, 429-31	11
103	Suggestive linkage of schizophrenia to 5p13 in Costa Rica. 2005 , 10, 651-6	19
102	Genetic investigation of chromosome 5q GABAA receptor subunit genes in schizophrenia. 2005 , 10, 1074-88, 1057	105
101	Satellog: a database for the identification and prioritization of satellite repeats in disease association studies. 2005 , 6, 145	13
100	Linkage evidence of schizophrenia to loci near neuregulin 1 gene on chromosome 8p21 in Taiwanese families. 2005 , 134B, 79-83	29
99	Fine mapping of a region on chromosome 8p gives evidence for a QTL contributing to individual differences in an anxiety-related personality trait: TPQ harm avoidance. 2005 , 132B, 104-8	22
98	Genome scan of schizophrenia families in a large Veterans Affairs Cooperative Study sample: evidence for linkage to 18p11.32 and for racial heterogeneity on chromosomes 6 and 14. 2005 , 139B, 91-100	18
97	Increased expression in dorsolateral prefrontal cortex of CAPON in schizophrenia and bipolar disorder. 2005 , 2, e263	78
96	The G72/G30 gene locus in psychiatric disorders: a challenge to diagnostic boundaries?. <i>Schizophrenia Bulletin</i> , 2006 , 32, 599-608	13 42

95	Gender-specific association of insertion/deletion polymorphisms in the nogo gene and chronic schizophrenia. 2005 , 139, 212-6	30
94	The KPNA3 gene may be a susceptibility candidate for schizophrenia. 2005 , 52, 342-6	9
93	Association of the carboxyl-terminal PDZ ligand of neuronal nitric oxide synthase gene with schizophrenia in the Chinese Han population. 2005 , 328, 809-15	57
92	N-acetyltransferase-2 polymorphisms and schizophrenia. 2006 , 21, 333-7	5
91	Failure to confirm allelic association between markers at the CAPON gene locus and schizophrenia in a British sample. 2006 , 59, 195-7	27
90	Neuregulin 1 and schizophrenia: genetics, gene expression, and neurobiology. 2006 , 60, 132-40	373
89	G72/G30 in schizophrenia and bipolar disorder: review and meta-analysis. 2006 , 60, 106-14	226
88	A two-stage linkage analysis of Chinese schizophrenia pedigrees in 10 target chromosomes. 2006 , 342, 1049-57	14
87	Hippocampus protein profiling reveals aberration of malate dehydrogenase in chlorpromazine/clozapine treated rats. 2006 , 408, 29-34	24
86	Velocardiofacial Syndrome (VCFS) and Schizophrenia. 2006 ,	
85	Linkage disequilibrium analyses in the Costa Rican population suggests discrete gene loci for schizophrenia at 8p23.1 and 8q13.3. 2006 , 16, 159-68	18
84	Early onset bipolar disorder: possible linkage to chromosome 9q34. 2006 , 8, 144-51	31
83	Molecular genetic studies of schizophrenia. 2006 , 14, 669-80	136
82	Further evidence for the association between G72/G30 genes and schizophrenia in two ethnically distinct populations. 2006 , 11, 479-87	60
81	Nogo A, B and C expression in schizophrenia, depression and bipolar frontal cortex, and correlation of Nogo expression with CAA/TATC polymorphism in 3RUTR. 2006 , 1120, 161-71	32
80	Transmission disequilibrium and haplotype analyses of the G72/G30 locus: suggestive linkage to schizophrenia in Palestinian Arabs living in the North of Israel. 2006 , 141B, 91-5	45
79	Failure to confirm genetic association between schizophrenia and markers on chromosome 1q23.3 in the region of the gene encoding the regulator of G-protein signaling 4 protein (RGS4). 2006 , 141B, 296-300	30
78	Chromosome 22 deletion syndrome and schizophrenia. 2006 , 73, 1-27	11

77	Can RGS4 polymorphisms be viewed as credible risk factors for schizophrenia? A critical review of the evidence. <i>Schizophrenia Bulletin</i> , 2006 , 32, 203-8	1.3	18
76	Schizophrenie und verwandte Störungen [Neurobiologie. 2006 , 345-386		2
75	G72/G30 genes and schizophrenia: a systematic meta-analysis of association studies. 2007 , 175, 917-22		59
74	Sequence variation in DOCK9 and heterogeneity in bipolar disorder. 2007 , 17, 274-86		25
73	A quantitative association study between schizotypal traits and COMT, PRODH and BDNF genes in a healthy Chinese population. <i>Psychiatry Research</i> , 2007 , 153, 7-15	9.9	39
72	Association of DAOA polymorphisms with schizophrenia and clinical symptoms or therapeutic effects. 2007 , 416, 96-100		34
71	Functional variants in the promoter region of Chitinase 3-like 1 (CHI3L1) and susceptibility to schizophrenia. 2007 , 80, 12-8		67
70	The PIP5K2A gene and schizophrenia in the Chinese population—a case-control study. 2007 , 94, 359-65		17
69	Fine mapping by genetic association implicates the chromosome 1q23.3 gene UHMK1, encoding a serine/threonine protein kinase, as a novel schizophrenia susceptibility gene. 2007 , 61, 873-9		30
68	Linkage of schizophrenia with chromosome 1q32 in Korean multiplex families. 2007 , 144B, 279-84		11
67	Schizotypal dimensions: an intermediate phenotype associated with the COMT high activity allele. 2007 , 144B, 64-8		45
66	Association between the 5q31.1 gene neurogenin1 and schizophrenia. 2007 , 144B, 207-14		13
65	Chasing genes for mood disorders and schizophrenia in genetically isolated populations. 2007 , 28, 1156-70		16
64	Association of Neuregulin 1 with schizophrenia and bipolar disorder in a second cohort from the Scottish population. 2007 , 12, 94-104		102
63	Neuregulin1-induced cell migration is impaired in schizophrenia: association with neuregulin1 and catechol-o-methyltransferase gene polymorphisms. 2007 , 12, 946-57		62
62	Are some genetic risk factors common to schizophrenia, bipolar disorder and depression? Evidence from DISC1, GRIK4 and NRG1. 2007 , 11, 73-83		87
61	Abnormal changes of plasma acute phase proteins in schizophrenia and the relation between schizophrenia and haptoglobin (Hp) gene. 2007 , 32, 101-8		46
60	D-serine: a new word in the glutamatergic neuro-glial language. 2007 , 33, 563-74		30

59	Clinical perspectives on the genetics of schizophrenia: a bottom-up orientation. 2008 , 14, 141-50	7
58	NOS1AP in schizophrenia. 2008 , 10, 158-63	29
57	Genomic structural variation and schizophrenia. 2008 , 10, 171-7	10
56	Biomarker discovery in psychiatric disorders. 2008 , 29, 2884-90	27
55	Confirmation of the genetic association between the U2AF homology motif (UHM) kinase 1 (UHMK1) gene and schizophrenia on chromosome 1q23.3. 2008 , 16, 1275-82	13
54	Association of RGS2 and RGS5 variants with schizophrenia symptom severity. 2008 , 101, 67-75	31
53	Genetic association between 5Rupstream single-nucleotide polymorphisms of PDGFRB and schizophrenia in a Korean population. 2008 , 103, 201-8	14
52	Association of SNPs and haplotypes in APOL1, 2 and 4 with schizophrenia. 2008 , 104, 153-64	20
51	Chitinase-3-like 1 (CHI3L1) gene and schizophrenia: genetic association and a potential functional mechanism. 2008 , 64, 98-103	25
50	A genome screen for quantitative trait loci influencing schizophrenia and neurocognitive phenotypes. 2008 , 165, 1185-92	63
49	Top-down or bottom-up: Contrasting perspectives on psychiatric diagnoses. 2008 , 2, 409-17	5
48	Elucidating the genetic architecture of familial schizophrenia using rare copy number variant and linkage scans. 2009 , 106, 16746-51	115
47	Identification of a schizophrenia-associated functional noncoding variant in NOS1AP. 2009 , 166, 434-41	55
46	Association study between the genetic polymorphisms of glutathione-related enzymes and schizophrenia in a Japanese population. 2009 , 150B, 86-94	33
45	Genome-widely significant evidence of linkage of schizophrenia to chromosomes 2p24.3 and 6q27 in an SNP-Based analysis of Korean families. 2009 , 150B, 647-52	12
44	A linkage search for joint panic disorder/bipolar genes. 2009 , 150B, 1139-46	9
43	Chromosome 13q13-q14 locus overlaps mood and psychotic disorders: the relevance for redefining phenotype. 2009 , 17, 1034-42	22
42	Evidence for transmission disequilibrium at the DAOA gene locus in a schizophrenia family sample. 2009 , 462, 105-8	10

41	Update on key previously proposed candidate genes for schizophrenia. 2009 , 22, 147-53		34
40	Genetics of Bipolar Disorder. 2010 , 110-123		6
39	Functions of Nogo proteins and their receptors in the nervous system. 2010 , 11, 799-811		279
38	Constitutive genetic deletion of the growth regulator Nogo-A induces schizophrenia-related endophenotypes. 2010 , 30, 556-67		46
37	The chitinase 3-like 1 gene and schizophrenia: evidence from a multi-center case-control study and meta-analysis. 2010 , 116, 126-32		19
36	Is the EFNB2 locus associated with schizophrenia? Single nucleotide polymorphisms and haplotypes analysis. <i>Psychiatry Research</i> , 2010 , 180, 5-9	9.9	14
35	Lack of association to a NRG1 missense polymorphism in schizophrenia or bipolar disorder in a Costa Rican population. 2011 , 131, 52-7		18
34	Cognitive and socio-emotional deficits in platelet-derived growth factor receptor- β gene knockout mice. <i>PLoS ONE</i> , 2011 , 6, e18004	3.7	44
33	Classical Genetic Studies of Schizophrenia. 2011 , 245-268		1
32	A genome-wide association study for quantitative traits in schizophrenia in China. 2011 , 10, 734-9		26
31	Weak association of the platelet-derived growth factor beta (PDGFB) and PDGF receptor beta (PDGFRB) genes with schizophrenia and schizoaffective disorder. 2011 , 12, 127-33		3
30	Evidence of overlapping genetic diathesis of panic attacks and gastrointestinal disorders in a sample of male twin pairs. 2011 , 14, 16-24		1
29	Schizophrenia and 22q11.2 Deletion Syndrome. 2011 ,		2
28	Human genetics of schizophrenia. 2012 , 106, 37-52		4
27	A structure-function mechanism for schizophrenia. 2012 , 3, 108		8
26	Clinical applications of schizophrenia genetics: genetic diagnosis, risk, and counseling in the molecular era. 2012 , 5, 1-18		29
25	The genetics of schizophrenia. 230-261		1
24	Heritability and genome-wide SNP linkage analysis of temperament in bipolar disorder. 2013 , 150, 1031-40		23

23	N-Methyl-d-Aspartate Receptor - Nitric Oxide Synthase Pathway in the Cortex of Nogo-A-Deficient Rats in Relation to Brain Laterality and Schizophrenia. 2013 , 7, 90		9
22	Protocadherins in neurological diseases. <i>Advances in Neurobiology</i> , 2014 , 8, 293-314	2.1	23
21	Variants in the 1q21 risk region are associated with a visual endophenotype of autism and schizophrenia. 2014 , 13, 144-51		29
20	The roles of PDGF in development and during neurogenesis in the normal and diseased nervous system. <i>Journal of NeuroImmune Pharmacology</i> , 2014 , 9, 168-81	6.9	95
19	Exome Sequence Data From Multigenerational Families Implicate AMPA Receptor Trafficking in Neurocognitive Impairment and Schizophrenia Risk. <i>Schizophrenia Bulletin</i> , 2016 , 42, 288-300	1.3	13
18	Rare germline variants in individuals diagnosed with schizophrenia within multiplex families. <i>Psychiatry Research</i> , 2021 , 303, 114038	9.9	3
17	The Genetic Basis of Schizophrenia. 2004 , 3-21		4
16	A genome-wide autosomal screen for schizophrenia susceptibility loci in 71 families with affected siblings: support for loci on chromosome 10p and 6.		1
15	The genomic organisation of the metabotropic glutamate receptor subtype 5 gene, and its association with schizophrenia.		1
14	Meta-analysis of whole-genome linkage scans of bipolar disorder and schizophrenia.		2
13	A novel analytical framework for dissecting the genetic architecture of behavioral symptoms in neuropsychiatric disorders. <i>PLoS ONE</i> , 2010 , 5, e9714	3.7	8
12	Analysis of the role of human leukocyte antigen class-I genes to understand the etiopathology of schizophrenia. <i>Indian Journal of Psychiatry</i> , 2008 , 50, 166-70	2.2	7
11	Linkage and Association Analyses of Schizophrenia with Genetic Variations on Chromosome 22q11 in Koreans. <i>Psychiatry Investigation</i> , 2016 , 13, 630-636	3.1	3
10	Localization of genes modulating the predisposition to schizophrenia: a revision. <i>Genetics and Molecular Biology</i> , 2000 , 23, 549-556	2	1
9	Incorporation of molecular data and redefinition of phenotype: new approaches to genetic epidemiology of bipolar manic depressive illness and schizophrenia. <i>Dialogues in Clinical Neuroscience</i> , 2001 , 3, 63-71	5.7	2
8	Is Schizophrenia Linked to Chromosome 1q?. <i>Science</i> , 2002 , 298, 2277-2277	33.3	
7	Searching for inherited causes for schizophrenia: has progress been made?. 2004 , 233-244		
6	Genetic Studies of Schizophrenia. <i>Advances in Neurobiology</i> , 2011 , 333-380	2.1	

- 5 Pursuit of the Gene(s) by Industrial-Academic Collaboration. **1999**, 209-214
- 4 Genetic Mouse Models of Psychiatric Disorders. **2006**, 177-191
- 3 Molecular genetics of schizophrenia: a critical review. *Journal of Psychiatry and Neuroscience*, **2003**, 28, 415-29 4.5 27
- 2 Is schizophrenia linked to chromosome 1q?. *Science*, **2002**, 298, 2277; author reply 2277 33.3
- 1 The Perspectives of Early Diagnosis of Schizophrenia Through the Detection of Epigenomics-Based Biomarkers in iPSC-Derived Neurons. *Frontiers in Molecular Neuroscience*, **2021**, 14, 756613 6.1 0