

# Correction of off resonance-related distortion in echo-p field maps

Magnetic Resonance in Medicine

39, 328-330

DOI: [10.1002/mrm.1910390223](https://doi.org/10.1002/mrm.1910390223)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Minding the body. <i>Psychophysiology</i> , 1998, 35, 135-150.	1.2	48
2	Cortical areas supporting category learning identified using functional MRI. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 747-750.	3.3	176
4	Correction for EPI distortions using multi-echo gradient-echo imaging. <i>Magnetic Resonance in Medicine</i> , 1999, 41, 1206-1213.	1.9	125
5	Simultaneous correction for interscan patient motion and geometric distortions in echoplanar imaging. <i>Magnetic Resonance in Medicine</i> , 1999, 42, 201-205.	1.9	29
6	Functional magnetic resonance imaging: imaging techniques and contrast mechanisms. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 1999, 354, 1179-1194.	1.8	54
7	Functional Magnetic Resonance Imaging (fMRI) Activity in the Hippocampal Region during Recognition Memory. <i>Journal of Neuroscience</i> , 2000, 20, 7776-7781.	1.7	147
8	<title>Phantom-based investigation of nonrigid registration constraints in mapping fMRI to anatomical MRI</title>. , 2000, 3979, 448.		2
9	fMRI activity in the medial temporal lobe during recognition memory as a function of study-test interval. <i>Hippocampus</i> , 2000, 10, 329-337.	0.9	85
10	Compensation of susceptibility-induced signal loss in echo-planar imaging for functional applications. <i>Magnetic Resonance Imaging</i> , 2000, 18, 1055-1068.	1.0	65
11	Accurate alignment of functional EPI data to anatomical MRI using a physics-based distortion model. <i>IEEE Transactions on Medical Imaging</i> , 2000, 19, 1115-1127.	5.4	161
12	An inverse problem approach to the correction of distortion in EPI images. <i>IEEE Transactions on Medical Imaging</i> , 2000, 19, 681-689.	5.4	63
13	Atypical patterns of cerebral motor activation in autism: a functional magnetic resonance study. <i>Biological Psychiatry</i> , 2001, 49, 665-676.	0.7	175
14	Assessing Study-Specific Regional Variations in fMRI Signal. <i>NeuroImage</i> , 2001, 13, 392-398.	2.1	54
15	Modeling Geometric Deformations in EPI Time Series. <i>NeuroImage</i> , 2001, 13, 903-919.	2.1	807
16	A Parametric fMRI Study of Overt and Covert Shifts of Visuospatial Attention. <i>NeuroImage</i> , 2001, 14, 310-321.	2.1	324
17	Simultaneous correction of ghost and geometric distortion artifacts in EPI using a multiecho reference scan. <i>IEEE Transactions on Medical Imaging</i> , 2001, 20, 535-539.	5.4	191
18	Comments on the filtered backprojection algorithm, range conditions, and the pseudoinverse solution. <i>IEEE Transactions on Medical Imaging</i> , 2001, 20, 539-542.	5.4	12
19	<title>Correction of geometric distortions in EP images using nonrigid registration to corresponding anatomic images</title>. , 2001, 4322, 58.		1

#	ARTICLE	IF	CITATIONS
20	Correcting for Scanner Errors in CT, MRI, Spect, and 3D Ultrasound. Biomedical Engineering Series, 2001, , 87-115.	0.4	1
21	Optimized distortion correction technique for echo planar imaging. Magnetic Resonance in Medicine, 2001, 45, 525-528.	1.9	76
22	Face processing occurs outside the fusiform 'face area' in autism: evidence from functional MRI. Brain, 2001, 124, 2059-2073.	3.7	747
23	Diffusion imaging in multiple sclerosis. Neuroimaging Clinics of North America, 2002, 12, 71-106.	0.5	34
24	Functional MRI of Global and Local Processing in Children. NeuroImage, 2002, 16, 415-424.	2.1	77
25	Image Distortion Correction in fMRI: A Quantitative Evaluation. NeuroImage, 2002, 16, 217-240.	2.1	638
26	Noise and Artifacts in Magnetic Resonance images. , 2002, , 274-306.		0
27	Mapping Brain Activation with BOLD-fMRI. , 2002, , 417-444.		0
28	Comparing the brain areas supporting nondeclarative categorization and recognition memory. Cognitive Brain Research, 2002, 14, 245-257.	3.3	35
29	Functional MRI of motor sequence acquisition: effects of learning stage and performance. Cognitive Brain Research, 2002, 14, 277-293.	3.3	141
30	Image distortion correction in EPI: Comparison of field mapping with point spread function mapping. Magnetic Resonance in Medicine, 2002, 48, 137-146.	1.9	245
31	Multiecho segmented EPI with z-shimmed background gradient compensation (MESBAC) pulse sequence for fMRI. Magnetic Resonance in Medicine, 2002, 48, 312-321.	1.9	32
32	Correction of concomitant magnetic field-induced image artifacts in nonaxial echo-planar imaging. Magnetic Resonance in Medicine, 2002, 48, 509-515.	1.9	58
33	Encoding activity in the medial temporal lobe examined with anatomically constrained fMRI analysis. Hippocampus, 2002, 12, 363-376.	0.9	57
34	Functional MRI in Epilepsy. Epilepsia, 2002, 43, 51-63.	2.6	39
35	Off-resonance correction using an estimated linear time map. Magnetic Resonance Imaging, 2002, 20, 189-198.	1.0	4
36	Measuring magnetic fields generated by DC currents in receive-only coils. Magnetic Resonance Imaging, 2002, 20, 607-610.	1.0	2
37	Dixon techniques in spiral trajectories with off-resonance correction: A new approach for fat signal suppression without spatial-spectral RF pulses. Magnetic Resonance in Medicine, 2003, 50, 915-924.	1.9	29

#	ARTICLE	IF	CITATIONS
38	An Evaluation of the Use of Magnetic Field Maps to Undistort Echo-Planar Images. <i>NeuroImage</i> , 2003, 18, 127-142.	2.1	205
39	Functional MRI with variable echo time acquisition. <i>NeuroImage</i> , 2003, 20, 2062-2070.	2.1	9
40	A simple simultaneous geometric and intensity correction method for echo-planar imaging by EPI-based phase modulation. <i>IEEE Transactions on Medical Imaging</i> , 2003, 22, 200-205.	5.4	23
41	Differential Effects of Developmental Cerebellar Abnormality on Cognitive and Motor Functions in the Cerebellum: An fMRI Study of Autism. <i>American Journal of Psychiatry</i> , 2003, 160, 262-273.	4.0	313
42	Abnormal Variability and Distribution of Functional Maps in Autism: An fMRI Study of Visuomotor Learning. <i>American Journal of Psychiatry</i> , 2003, 160, 1847-1862.	4.0	143
43	Point-Light Biological Motion Perception Activates Human Premotor Cortex. <i>Journal of Neuroscience</i> , 2004, 24, 6181-6188.	1.7	381
44	Spatially selective T2 and T2*— measurement with line-scan echo-planar spectroscopic imaging. <i>Journal of Magnetic Resonance</i> , 2004, 171, 90-96.	1.2	11
45	Optimized distortion correction of epi-based statistical parametrical maps for stereotactic neurosurgery. <i>Magnetic Resonance Imaging</i> , 2004, 22, 163-170.	1.0	9
46	Correction of spatial distortion in EPI due to inhomogeneous static magnetic fields using the reversed gradient method. <i>Journal of Magnetic Resonance Imaging</i> , 2004, 19, 499-507.	1.9	159
47	Robust field map generation using a triple-echo acquisition. <i>Journal of Magnetic Resonance Imaging</i> , 2004, 20, 730-734.	1.9	59
48	Removal of EPI Nyquist ghost artifacts with two-dimensional phase correction. <i>Magnetic Resonance in Medicine</i> , 2004, 51, 1247-1253.	1.9	74
49	Point spread function mapping with parallel imaging techniques and high acceleration factors: Fast, robust, and flexible method for echo-planar imaging distortion correction. <i>Magnetic Resonance in Medicine</i> , 2004, 52, 1156-1166.	1.9	339
50	New approach for correcting distortions in echo planar imaging. <i>Magnetic Resonance in Medicine</i> , 2004, 52, 1373-1378.	1.9	21
51	The effects of geometric distortion correction on motion realignment in fMRI1. <i>Academic Radiology</i> , 2004, 11, 1005-1010.	1.3	6
52	Cerebellar function in autism: Functional magnetic resonance image activation during a simple motor task. <i>Biological Psychiatry</i> , 2004, 56, 269-278.	0.7	209
53	Abnormal activity patterns in premotor cortex during sequence learning in autistic patients. <i>Biological Psychiatry</i> , 2004, 56, 323-332.	0.7	86
54	Dissociable Brain Activation Responses to 5-Hz Electrical Pain Stimulation. <i>Anesthesiology</i> , 2004, 100, 939-946.	1.3	36
55	Computer simulation studies of the effects of dynamic shimming on susceptibility artifacts in EPI at high field. <i>Journal of Magnetic Resonance</i> , 2005, 173, 10-22.	1.2	33

#	ARTICLE	IF	CITATIONS
56	Geometric Distortion in Structural Magnetic Resonance Imaging. <i>Current Medical Imaging</i> , 2005, 1, 49-60.	0.4	43
57	fMRI of the Emotions: Towards an Improved Understanding of Amygdala Function. <i>Current Medical Imaging</i> , 2005, 1, 115-129.	0.4	14
58	Single-shot compensation of image distortions and BOLD contrast optimization using multi-echo EPI for real-time fMRI. <i>NeuroImage</i> , 2005, 24, 1068-1079.	2.1	126
59	Reduced functional connectivity between V1 and inferior frontal cortex associated with visuomotor performance in autism. <i>NeuroImage</i> , 2005, 25, 916-925.	2.1	264
60	Conjugate phase MRI reconstruction with spatially variant sample density correction. <i>IEEE Transactions on Medical Imaging</i> , 2005, 24, 325-336.	5.4	82
61	Spatial maps in frontal and prefrontal cortex. <i>NeuroImage</i> , 2006, 29, 567-577.	2.1	214
62	76-Space analysis of grey matter diffusivity: Methods and applications. <i>NeuroImage</i> , 2006, 31, 51-65.	2.1	48
63	Application of k-space energy spectrum analysis to susceptibility field mapping and distortion correction in gradient-echo EPI. <i>NeuroImage</i> , 2006, 31, 609-622.	2.1	48
64	Functional MR Imaging at 3.0 T versus 1.5 T: A Practical Review. <i>Neuroimaging Clinics of North America</i> , 2006, 16, 285-297.	0.5	15
65	A Review on MR Image Intensity Inhomogeneity Correction. <i>International Journal of Biomedical Imaging</i> , 2006, 2006, 1-11.	3.0	154
67	Fiber tracking in the cervical spine and inferior brain regions with reversed gradient diffusion tensor imaging. <i>Magnetic Resonance Imaging</i> , 2006, 24, 231-239.	1.0	45
68	Partially enhanced thalamocortical functional connectivity in autism. <i>Brain Research</i> , 2006, 1104, 160-174.	1.1	183
69	EPI distortion correction from a simultaneously acquired distortion map using TRAIL. <i>Journal of Magnetic Resonance Imaging</i> , 2006, 23, 597-603.	1.9	21
70	THREE-POINT METHOD FOR FAST AND ROBUST FIELD MAPPING FOR EPI GEOMETRIC DISTORTION CORRECTION. , 2007, , .		5
71	Innovative clinical assessment technologies: Challenges and opportunities in neuroimaging.. <i>Psychological Assessment</i> , 2007, 19, 58-73.	1.2	30
72	Dynamic field mapping and distortion correction for fMRI. , 2007, , .		0
73	Correction for geometric distortion and N/2 ghosting in EPI by phase labeling for additional coordinate encoding (PLACE). <i>Magnetic Resonance in Medicine</i> , 2007, 57, 731-741.	1.9	116
74	A new EPI-based dynamic field mapping method: Application to retrospective geometrical distortion corrections. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 26, 747-755.	1.9	34

#	ARTICLE	IF	CITATIONS
75	Zero and first-order phase shift correction for field map estimation with dual-echo GRE using bipolar gradients. <i>Magnetic Resonance Imaging</i> , 2007, 25, 1263-1271.	1.0	9
76	Comparison of fMRI coregistration results between human experts and software solutions in patients and healthy subjects. <i>European Radiology</i> , 2007, 17, 1634-1643.	2.3	18
77	Correction of B0 susceptibility induced distortion in diffusion-weighted images using large-deformation diffeomorphic metric mapping. <i>Magnetic Resonance Imaging</i> , 2008, 26, 1294-1302.	1.0	93
78	High resolution single-shot EPI at 7T. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2008, 21, 73-86.	1.1	87
79	Gaussian process modeling for image distortion correction in echo planar imaging. <i>Magnetic Resonance in Medicine</i> , 2008, 59, 598-606.	1.9	7
80	Improved image reconstruction for partial fourier gradient-echo echo-planar imaging (EPI). <i>Magnetic Resonance in Medicine</i> , 2008, 59, 916-924.	1.9	21
81	An iterative reconstruction technique for geometric distortion-corrected segmented echo-planar imaging. <i>Magnetic Resonance Imaging</i> , 2008, 26, 1406-1414.	1.0	16
82	Regularized Field Map Estimation in MRI. <i>IEEE Transactions on Medical Imaging</i> , 2008, 27, 1484-1494.	5.4	98
83	A tractography comparison between turboprop and spin-echo echo-planar diffusion tensor imaging. <i>NeuroImage</i> , 2008, 42, 1451-1462.	2.1	16
84	Magnetic resonance imaging methods in developmental science: A primer. <i>Development and Psychopathology</i> , 2008, 20, 1029-1051.	1.4	11
85	Validation of Non-Rigid Registration Between Functional and Anatomical Magnetic Resonance Brain Images. <i>IEEE Transactions on Biomedical Engineering</i> , 2008, 55, 563-571.	2.5	22
86	Retinotopy and Attention in Human Occipital, Temporal, Parietal, and Frontal Cortex. <i>Cerebral Cortex</i> , 2008, 18, 2158-2168.	1.6	177
87	Noise and artifacts in MR images. , 0, , 252-276.		0
88	The BOLD effect. , 2009, , 341-367.		1
89	Effect on BOLD sensitivity due to susceptibility-induced echo time shift in spiral-in based functional MRI. , 2009, 2009, 4449-52.		1
90	Iterative image reconstruction model including susceptibility gradients combined with Z-shimming gradients in fMRI. , 2009, 2009, 5721-4.		2
91	Susceptibility, echo time shifts, and T2* considerations for functional magnetic resonance imaging. , 2009, , .		0
92	Brain activation in multiple sclerosis: a BOLD fMRI study of the effects of fatiguing hand exercise. <i>Multiple Sclerosis Journal</i> , 2009, 15, 580-586.	1.4	77

#	ARTICLE	IF	CITATIONS
93	Implementation and Application of PSF-Based EPI Distortion Correction to High Field Animal Imaging. <i>International Journal of Biomedical Imaging</i> , 2009, 2009, 1-7.	3.0	4
94	Brain-Performance Correlates of Working Memory Retrieval in Schizophrenia: A Cognitive Modeling Approach. <i>Schizophrenia Bulletin</i> , 2009, 35, 32-46.	2.3	21
95	A diffusion tensor imaging group study of the spinal cord in multiple sclerosis patients with and without T <sub>2</sub> spinal cord lesions. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 30, 25-34.	1.9	57
96	Magnetic field correlation as a measure of iron-generated magnetic field inhomogeneities in the brain. <i>Magnetic Resonance in Medicine</i> , 2009, 61, 481-485.	1.9	42
97	Phase labeling using sensitivity encoding (PLUS): Data acquisition and image reconstruction for geometric distortion correction in EPI. <i>Magnetic Resonance in Medicine</i> , 2009, 61, 650-658.	1.9	3
98	Real-time geometric distortion correction for interventional imaging with echo-planar imaging (EPI). <i>Magnetic Resonance in Medicine</i> , 2009, 61, 994-1000.	1.9	21
99	Optimization of static magnetic field homogeneity in the human and animal brain in vivo. <i>Progress in Nuclear Magnetic Resonance Spectroscopy</i> , 2009, 54, 69-96.	3.9	59
100	Current trends and challenges in MRI acquisitions to investigate brain function. <i>International Journal of Psychophysiology</i> , 2009, 73, 33-42.	0.5	26
101	Improving robustness and reliability of phase-sensitive fMRI analysis using temporal off-resonance alignment of single-echo timeseries (TOAST). <i>NeuroImage</i> , 2009, 44, 742-752.	2.1	30
102	Correction for Susceptibility-Induced Distortion in Echo-Planar Imaging Using Field Maps and Model-Based Point Spread Function. <i>IEEE Transactions on Medical Imaging</i> , 2009, 28, 1850-1857.	5.4	13
104	Method for geometric distortion correction in fMRI based on three echo planar phase images. <i>Measurement Science Review</i> , 2010, 10, .	0.6	3
105	Direct Magnetic Field Estimation Based on Echo Planar Raw Data. <i>IEEE Transactions on Medical Imaging</i> , 2010, 29, 1401-1411.	5.4	3
106	The inferior, anterior temporal lobes and semantic memory clarified: Novel evidence from distortion-corrected fMRI. <i>Neuropsychologia</i> , 2010, 48, 1689-1696.	0.7	159
107	Twenty-five pitfalls in the analysis of diffusion MRI data. <i>NMR in Biomedicine</i> , 2010, 23, 803-820.	1.6	717
108	Distortion correction for diffusion-weighted MRI tractography and fMRI in the temporal lobes. <i>Human Brain Mapping</i> , 2010, 31, 1570-1587.	1.9	139
109	Precision and Accuracy in Diffusion Tensor Magnetic Resonance Imaging. <i>Topics in Magnetic Resonance Imaging</i> , 2010, 21, 87-99.	0.7	69
110	Field Map Reconstruction in Magnetic Resonance Imaging Using Bayesian Estimation. <i>Sensors</i> , 2010, 10, 266-279.	2.1	23
111	Modulation of BOLD Response in Motion-sensitive Lateral Temporal Cortex by Real and Fictive Motion Sentences. <i>Journal of Cognitive Neuroscience</i> , 2010, 22, 2480-2490.	1.1	150

#	ARTICLE	IF	CITATIONS
112	Diffusion tensor and perfusion MRI of non-human primates. <i>Methods</i> , 2010, 50, 125-135.	1.9	16
113	Regional variation, hemispheric asymmetries and gender differences in pericortical white matter. <i>NeuroImage</i> , 2011, 56, 2011-2023.	2.1	35
114	Multi-parametric neuroimaging reproducibility: A 3-T resource study. <i>NeuroImage</i> , 2011, 54, 2854-2866.	2.1	318
115	Failing to deactivate: The association between brain activity during a working memory task and creativity. <i>NeuroImage</i> , 2011, 55, 681-687.	2.1	211
116	Realignment strategies for awake-monkey fMRI data. <i>Magnetic Resonance Imaging</i> , 2011, 29, 1390-1400.	1.0	5
117	An improved PSF mapping method for EPI distortion correction in human brain at ultra high field (7T). <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2011, 24, 179-190.	1.1	33
118	$B_0$ mapping with multi-channel RF coils at high field. <i>Magnetic Resonance in Medicine</i> , 2011, 66, 976-988.	1.9	44
119	Effects of Training of Processing Speed on Neural Systems. <i>Journal of Neuroscience</i> , 2011, 31, 12139-12148.	1.7	117
120	Alterations in Brain Transition Metals in Huntington Disease. <i>Archives of Neurology</i> , 2012, 69, 887-93.	4.9	129
121	Robust real-time MR-geometric distortion correction for interventional procedure on mobile targets. , 2012, , .		0
122	A field map estimation strategy without the noise-bandwidth tradeoff. <i>Proceedings of SPIE</i> , 2012, , .	0.8	0
123	The Association between Resting Functional Connectivity and Creativity. <i>Cerebral Cortex</i> , 2012, 22, 2921-2929.	1.6	205
124	Physiologic noise regression, motion regression, and TOAST dynamic field correction in complex-valued fMRI time series. <i>NeuroImage</i> , 2012, 59, 2231-2240.	2.1	9
125	Correction of geometric distortion in fMRI data. <i>NeuroImage</i> , 2012, 62, 648-651.	2.1	68
126	Multishot versus Single-Shot Pulse Sequences in Very High Field fMRI: A Comparison Using Retinotopic Mapping. <i>PLoS ONE</i> , 2012, 7, e34626.	1.1	24
127	Off-resonance artifacts correction with convolution in $k$ -space (ORACLE). <i>Magnetic Resonance in Medicine</i> , 2012, 67, 1547-1555.	1.9	9
128	Distortion correction in EPI at ultra-high-field MRI using PSF mapping with optimal combination of shift detection dimension. <i>Magnetic Resonance in Medicine</i> , 2012, 68, 1239-1246.	1.9	27
129	View angle tilting echo planar imaging for distortion correction. <i>Magnetic Resonance in Medicine</i> , 2012, 68, 1211-1219.	1.9	3



#	ARTICLE	IF	CITATIONS
130	Highly accelerated PSF-mapping for EPI distortion correction with improved fidelity. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2012, 25, 183-192.	1.1	56
131	A correction method for streak artifacts in gradient-echo EPI using spin-echo EPI reference data. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2012, 25, 205-213.	1.1	0
132	Phase informed model for motion and susceptibility. Human Brain Mapping, 2013, 34, 3086-3100.	1.9	18
133	Combined prospective and retrospective correction to reduce motion-induced image misalignment and geometric distortions in EPI. Magnetic Resonance in Medicine, 2013, 69, 803-811.	1.9	35
134	Accelerated point spread function mapping using signal modeling for accurate echo-planar imaging geometric distortion correction. Magnetic Resonance in Medicine, 2013, 69, 1650-1656.	1.9	6
135	Effects of working memory training on functional connectivity and cerebral blood flow during rest. Cortex, 2013, 49, 2106-2125.	1.1	133
136	Magnetic Resonance Imaging as a Tool for Modeling Drug Treatment of CNS Disorders. , 2013, , 23-57.		2
137	Susceptibility Artifacts. , 2014, , 91-105.		11
138	High-resolution, large dynamic range field map estimation. Magnetic Resonance in Medicine, 2014, 71, 105-117.	1.9	22
139	Phase-labeled reference EPI for frequency-segmented inhomogeneity corrections (PREFICS). Magnetic Resonance in Medicine, 2014, 71, 1117-1122.	1.9	6
140	Image-based estimation method for field inhomogeneity in brain echo-planar images with geometric distortion using k-space textures. Concepts in Magnetic Resonance Part B, 2015, 45, 142-152.	0.3	1
141	DR-BUDDI (Diffeomorphic Registration for Blip-Up blip-Down Diffusion Imaging) method for correcting echo planar imaging distortions. NeuroImage, 2015, 106, 284-299.	2.1	144
142	ASFN Recommendations for Clinical Performance of MR Dynamic Susceptibility Contrast Perfusion Imaging of the Brain. American Journal of Neuroradiology, 2015, 36, E41-E51.	1.2	182
143	Reference-free unwarping of single-shot spatiotemporally encoded MRI using asymmetric self-refocused echoes acquisition. Journal of Magnetic Resonance, 2015, 254, 1-9.	1.2	1
144	Incorporating relaxivities to more accurately reconstruct MR images. Magnetic Resonance Imaging, 2015, 33, 374-384.	1.0	4
145	Motion correction in MRI of the brain. Physics in Medicine and Biology, 2016, 61, R32-R56.	1.6	134
146	Gradient shimming based on regularized estimation for B0-field and shim functions. Journal of Magnetic Resonance, 2016, 268, 1-9.	1.2	3
147	Automatic cortical surface reconstruction of high-resolution T1 echo planar imaging data. NeuroImage, 2016, 134, 338-354.	2.1	57

#	ARTICLE	IF	CITATIONS
148	A new gradient shimming method based on undistorted field map of B0 inhomogeneity. Journal of Magnetic Resonance, 2016, 265, 25-32.	1.2	3
149	EPI Nyquist ghost and geometric distortion correction by two-frame phase labeling. Magnetic Resonance in Medicine, 2017, 77, 1749-1761.	1.9	9
150	Simultaneous mapping of water shift and B <sub>1</sub> (WASABI) Application to field inhomogeneity correction of CEST MRI data. Magnetic Resonance in Medicine, 2017, 77, 571-580.	1.9	99
151	Depth dependence of visual signals in the human superior colliculus at 9.4 T. Human Brain Mapping, 2017, 38, 574-587.	1.9	11
152	Block-Matching Distortion Correction of Echo-Planar Images With Opposite Phase Encoding Directions. IEEE Transactions on Medical Imaging, 2017, 36, 1106-1115.	5.4	26
153	Patient-induced susceptibility effects simulation in magnetic resonance imaging. Physics and Imaging in Radiation Oncology, 2017, 1, 41-45.	1.2	12
154	Extended hybrid-space SENSE for EPI: Off-resonance and eddy current corrected joint interleaved blip-up/down reconstruction. NeuroImage, 2017, 153, 97-108.	2.1	24
155	Evaluation of Field Map and Nonlinear Registration Methods for Correction of Susceptibility Artifacts in Diffusion MRI. Frontiers in Neuroinformatics, 2017, 11, 17.	1.3	139
156	Template-based field map prediction for rapid whole brain B <sub>0</sub> shimming. Magnetic Resonance in Medicine, 2018, 80, 171-180.	1.9	5
157	Magnetic Field Homogeneity Adjustment for Magnetic Resonance Imaging Equipment. IEEE Transactions on Magnetics, 2018, 54, 1-9.	1.2	6
158	Analysis strategies for high-resolution UHF-fMRI data. NeuroImage, 2018, 168, 296-320.	2.1	95
159	Robust selective weighted field mapping using multi-echo gradient echo-based MRI. Physics in Medicine and Biology, 2018, 63, 215002.	1.6	0
160	Simultaneous and inherent correction of B0 and eddy-current induced distortions in high-resolution diffusion MRI using reversed polarity gradients and multiplexed sensitivity encoding (RPG-MUSE). NeuroImage, 2018, 183, 985-993.	2.1	10
161	Anatomy-Guided Inverse-Gradient Susceptibility Artifact Correction Method for High-Resolution FMRI. , 2018, , .		0
162	The role of parallel imaging technique in decreasing geometric distortion artifact in diffusion weighted imaging of the brain. Egyptian Journal of Radiology and Nuclear Medicine, 2018, 49, 732-736.	0.3	3
163	Diffusion MRI: Assessment of the Impact of Acquisition and Preprocessing Methods Using the BrainVISA-Diffuse Toolbox. Frontiers in Neuroscience, 2019, 13, 536.	1.4	18
164	A functional connectome phenotyping dataset including cognitive state and personality measures. Scientific Data, 2019, 6, 180307.	2.4	50
165	A mind-brain-body dataset of MRI, EEG, cognition, emotion, and peripheral physiology in young and old adults. Scientific Data, 2019, 6, 180308.	2.4	188

#	ARTICLE	IF	CITATIONS
166	An MRI-Compatible Foot-Sole Stimulation System Enabling Characterization of the Brain Response to Walking-Related Tactile Stimuli. <i>Frontiers in Neuroscience</i> , 2019, 13, 1075.	1.4	3
167	Echo planar timeâ€resolved imaging (EPTI). <i>Magnetic Resonance in Medicine</i> , 2019, 81, 3599-3615.	1.9	75
168	The use of Fourierâ€domain analyses for unwrapping phase images of low SNR. <i>Magnetic Resonance in Medicine</i> , 2019, 82, 356-366.	1.9	2
169	Modelâ€based reconstruction framework for correction of signal pileâ€up and geometric distortions in prostate diffusion MRI. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 1979-1992.	1.9	10
170	Optimizing MRI sequences and images for MRI-based stereotactic radiosurgery treatment planning. <i>Reports of Practical Oncology and Radiotherapy</i> , 2019, 24, 12-19.	0.3	11
171	High spatial resolution BOLD fMRI using simultaneous multislice excitation with echo-shifting gradient echo at 7â€Tesla. <i>Magnetic Resonance Imaging</i> , 2020, 66, 86-92.	1.0	5
172	Propeller echoâ€planar timeâ€resolved imaging with dynamic encoding (PEPTIDE). <i>Magnetic Resonance in Medicine</i> , 2020, 83, 2124-2137.	1.9	13
173	Impact of prospective motion correction, distortion correction methods and large vein bias on the spatial accuracy of cortical laminar fMRI at 9.4 Tesla. <i>NeuroImage</i> , 2020, 208, 116434.	2.1	23
174	Efficient Regularized Field Map Estimation in 3D MRI. <i>IEEE Transactions on Computational Imaging</i> , 2020, 6, 1451-1458.	2.6	1
175	Susceptibility artifact correction for sub-millimeter fMRI using inverse phase encoding registration and T1 weighted regularization. <i>Journal of Neuroscience Methods</i> , 2020, 336, 108625.	1.3	8
176	Simultaneous feedback control for joint field and motion correction in brain MRI. <i>NeuroImage</i> , 2021, 226, 117286.	2.1	11
177	Comparison and evaluation of distortion correction techniques on an MRâ€guided radiotherapy system. <i>Medical Physics</i> , 2021, 48, 691-702.	1.6	3
178	Technical limitations and pitfalls of diffusion-weighted imaging in intraoperative high-field MRI. <i>Neurosurgical Review</i> , 2021, 44, 327-334.	1.2	6
179	Application of Sensitivity Encoding Reconstruction for MRI with BOLD Signal. <i>Journal of Computer and Communications</i> , 2021, 09, 27-34.	0.6	0
181	Improving distortion correction for isotropic highâ€resolution 3D diffusion MRI by optimizing Jacobian modulation. <i>Magnetic Resonance in Medicine</i> , 2021, 86, 2780-2794.	1.9	4
182	Differentiating Glioblastomas from Solitary Brain Metastases: An Update on the Current Literature of Advanced Imaging Modalities. <i>Cancers</i> , 2021, 13, 2960.	1.7	13
183	Reducing Susceptibility Distortion Related Image Blurring in Diffusion MRI EPI Data. <i>Frontiers in Neuroscience</i> , 2021, 15, 706473.	1.4	5
184	Pitfalls on PET/MRI. <i>Seminars in Nuclear Medicine</i> , 2021, 51, 529-539.	2.5	11

#	ARTICLE	IF	CITATIONS
185	Quantitative effects of off-resonance related distortion on brain mechanical property estimation with magnetic resonance elastography. <i>NMR in Biomedicine</i> , 2022, 35, e4616.	1.6	6
186	Functional Activities Detected in the Olfactory Bulb and Associated Olfactory Regions in the Human Brain Using T2-Prepared BOLD Functional MRI at 7T. <i>Frontiers in Neuroscience</i> , 2021, 15, 723441.	1.4	7
187	Incorporating an Image Distortion Model in Non-rigid Alignment of EPI with Conventional MRI. <i>Lecture Notes in Computer Science</i> , 1999, , 454-459.	1.0	5
188	Susceptibility Distortion Correction for Echo Planar Images with Non-uniform B-Spline Grid Sampling: A Diffusion Tensor Image Study. <i>Lecture Notes in Computer Science</i> , 2011, 14, 174-181.	1.0	13
189	Contrasting Cortical Activity Associated with Category Memory and Recognition Memory. <i>Learning and Memory</i> , 1998, 5, 420-428.	0.5	118
190	Suppressing Respiration Effects when Geometric Distortion Is Corrected Dynamically by Phase Labeling for Additional Coordinate Encoding (PLACE) during Functional MRI. <i>PLoS ONE</i> , 2016, 11, e0156750.	1.1	2
191	Quantitative assessment of the susceptibility artefact and its interaction with motion in diffusion MRI. <i>PLoS ONE</i> , 2017, 12, e0185647.	1.1	72
192	Repeatability and reproducibility of prospective motion- and shim corrected 2D glycoCEST MRI. <i>Quantitative Imaging in Medicine and Surgery</i> , 2019, 9, 1674-1685.	1.1	2
193	Feasibility of a Direct-Conversion Method from Magnetic Susceptibility to Relative Electron Density for Radiation Therapy Treatment Planning. <i>International Journal of Medical Physics, Clinical Engineering and Radiation Oncology</i> , 2017, 06, 252-265.	0.3	3
194	Clinical applications of magnetic resonance imaging based functional and structural connectivity. <i>NeuroImage</i> , 2021, 244, 118649.	2.1	21
195	Image Quality Issues. , 2009, , 173-199.		0
197	Quantifying Brain Morphology Using Diffusion Imaging. <i>Series in Medical Physics and Biomedical Engineering</i> , 2013, , 41-84.	0.1	0
199	Correcting the Variations of BOLD Signal Due to Susceptibility Gradients and Its Application. <i>Journal of Computer and Communications</i> , 2019, 07, 20-32.	0.6	1
202	Contrasting cortical activity associated with category memory and recognition memory. <i>Learning and Memory</i> , 1998, 5, 420-8.	0.5	98
203	Correction of geometric distortion in Propeller echo planar imaging using a modified reversed gradient approach. <i>Quantitative Imaging in Medicine and Surgery</i> , 2013, 3, 73-81.	1.1	7
207	Assessment of intraoperative diffusion EPI distortion and its impact on estimation of supratentorial white matter tract positions in pediatric epilepsy surgery. <i>NeuroImage: Clinical</i> , 2022, 35, 103097.	1.4	5
208	Cholinergic white matter pathways along the Alzheimer's disease continuum. <i>Brain</i> , 2023, 146, 2075-2088.	3.7	12
209	Off-resonance artifact correction for MRI: A review. <i>NMR in Biomedicine</i> , 2023, 36, .	1.6	8

#	ARTICLE	IF	CITATIONS
210	Image Quality Issues. , 2022, , 213-246.		0
211	Super resolution estimation of B0 field map of brain MRI using model-based methods employing intrinsic priors. , 2022, , .		0
212	Understanding aliasing effects and their removal in <sc>SPEN MRI</sc> : A k-space perspective. Magnetic Resonance in Medicine, 0, , .	1.9	0