

CITATION REPORT

List of articles citing

Influence of processing on microstructure and mechanical properties of (?+?) titanium alloys

DOI: 10.1016/s0921-5093(97)00778-8

Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1998, 243, 32-45.

Source: <https://exaly.com/paper-pdf/29129540/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1048	Microstructure and the development of fatigue cracks at notches. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1999 , 263, 160-175	5.3	16
1047	Role of foreign-object damage on thresholds for high-cycle fatigue in Ti-6Al-4V. 2000 , 31, 1571-1583		52
1046	Materials design: a useful research focus for inelastic behavior of structural metals. 2001 , 37, 245-259		11
1045	Impact of texture on mechanical properties in an advanced titanium alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 319-321, 409-414	5.3	107
1044	Microplasticity in HCF of Ti-6Al-4V. 2001 , 23, 55-64		101
1043	Cyclic deformation behaviour of Ti-6Al-4V titanium alloys under complex mechanical and physiological loading conditions. 2002 , 93, 620-626		4
1042	Influence of microstructure on high-cycle fatigue of Ti-6Al-4V: Bimodal vs. lamellar structures. 2002 , 33, 899-918		205
1041	Effects of microstructure on mixed-mode, high-cycle fatigue crack-growth thresholds in Ti-6Al-4V alloy. 2002 , 25, 587-606		15
1040	Effects of microstructural factors on quasi-static and dynamic deformation behaviors of Ti-6Al-4V alloys with Widmanstätten structures. 2003 , 34, 2541-2548		65
1039	Fatigue crack growth mechanisms in Ti6242 lamellar microstructures: Influence of loading frequency and temperature. 2003 , 34, 2565-2577		13
1038	Microstructure and mechanical properties of severely deformed powder processed Ti-6Al-4V using equal channel angular extrusion. 2003 , 49, 1021-1027		52
1037	Microstructure-scale modeling of HCF deformation. 2003 , 35, 295-311		32
1036	Effects of loading frequency on fatigue crack growth mechanisms in Ti-6Al-4V microstructure with large colony size. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 356, 81-92	5.3	25
1035	The effect of microstructure on the mechanical properties of two-phase titanium alloys. 2003 , 133, 84-89		225
1034	Use of high temperature X-ray diffractometry to study phase transitions and thermal expansion properties in Ti-6Al-4V. 2003 , 19, 1533-1538		44
1033	Local Strain Imaging during Mechanical Loading of Lamellar Microstructures in Titanium Based Alloys. 2004 , 1-2, 159-164		
1032	Microstructural evolution of a Ti-6Al-4V alloy during β phase processing: experimental and simulative investigations. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 365, 172-179	5.3	129

1031	Improvement of high-temperature hardness of (TiC, TiB)/Ti-6Al-4V surface composites fabricated by high-energy electron-beam irradiation. 2004 , 184, 74-83		23
1030	Phase ordering under quenching: a case of Zr-alloy. 2004 , 65, 1193-1198		6
1029	Selection of optimum microstructure for improved corrosion resistance in a Ti-5%Ta-0.8%Nb alloy. 2005 , 345, 167-183		24
1028	An investigation of a new near-beta forging process for titanium alloys and its application in aviation components. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 393, 204-212	5-3	147
1027	Cyclic deformation behaviour and fatigue induced surface damage of titanium alloys in simulated physiological media. 2005 , 25, 321-329		11
1026	Influence of sharp microstructural gradients on the fatigue crack growth resistance of β and near- β titanium alloys. 2005 , 28, 909-922		29
1025	An alternative method to separate and analyse the microtextures and microstructures of primary alpha grains and transformed beta grains in near- β titanium alloy Timetal 834. 2005 , 55, 388-394		23
1024	Effect of thermal treatments on tensile strength of commercially cast pure titanium and Ti-6Al-4V alloys. 2005 , 16, 759-66		12
1023	Hot compressive deformation behaviour and microstructural variation of TA15 titanium alloy. 2005 , 21, 1466-1470		8
1022	Phase Transformation Textures in Ti-6Al-4V Alloy. 2005 , 495-497, 681-686		9
1021	Texture Evaluation of Titanium Aerospace Alloy Ti 834 Using Hot Axisymmetric Compression Tests. 2005 , 495-497, 693-698		2
1020	Influence of Microstructure in Partial-Slip Fretting Contacts Based Upon Two-Dimensional Crystal Plasticity Simulations. 2006 , 128, 735-744		4
1019	Fatigue and cyclic deformation behaviour of surface-modified titanium alloys in simulated physiological media. 2006 , 27, 1200-8		91
1018	Creep behavior of Ti-6Al-4V and a comparison with titanium matrix composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 428, 319-326	5-3	69
1017	Mechanical properties of alloys consisting of two ductile phases. 2006 , 51, 632-709		121
1016	Microstructural evolution of a Ti-4.5Al-3Mo-1V alloy during hot working. 2006 , 41, 3753-3760		20
1015	Modeling the tensile properties in β -processed Ti alloys. 2006 , 37, 559-566		56
1014	A study of the mechanism of β to α phase transformation by tracking texture evolution with temperature in Ti-6Al-4V using neutron diffraction. 2006 , 54, 231-236		43

1013	Influence of current pulsing on microstructure and mechanical properties of Ti-6Al-4V TIG weldments. 2006 , 11, 442-447		28
1012	Recrystallization during Beta Working of IMI834. 2006 , 15-17, 965-969		2
1011	Influence of Sc on high temperature strengthening behavior of Ti-6Al-4V alloy. 2007 , 17, 1212-1219		10
1010	Effect of microtexture on fatigue cracking in Ti-6Al-4V. 2007 , 55, 5655-5665		112
1009	The effect of hot rolling condition on the anisotropy of mechanical properties in Ti-6Al-4V alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 449-451, 144-148	5-3	26
1008	Flow stress prediction during hot working of near- β -titanium alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 447, 99-110	5-3	85
1007	Texture development in Ti-6Al-4V linear friction welds. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 459, 182-191	5-3	110
1006	Effects of shot-peening and re-shot-peening on four-point bend fatigue behavior of Ti-6Al-4V. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 468-470, 137-143	5-3	58
1005	Comparison of the fatigue and fracture of Ti-6Al-2Zr-1Mo-1V with lamellar and bimodal microstructures. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 460-461, 140-145	5-3	28
1004	A coupled EBSD/EDS method to determine the primary- and secondary-alpha textures in titanium alloys with duplex microstructures. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 494, 350-359	5-3	39
1003	Microstructure and mechanical characteristics of VT1-0 alloy after rapid surface heat treatment. 2008 , 44, 368-373		
1002	Dynamic strength and failure behavior of titanium alloy Ti-6Al-4V for a variation of heat treatments. 2008 , 12, 237-247		37
1001	Microstructural Influences on Very-High-Cycle Fatigue-Crack Initiation in Ti-6246. 2008 , 39, 2841-2851		106
1000	The effect of preheat temperature and inter-pass reheating on microstructure and texture evolution during hot rolling of Ti-6Al-4V. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 496, 169-176	5-3	18
999	Effect of mechanical surface treatments on Ti-6Al-4V direct metal deposition parts. 2008 , 10, 56-60		3
998	Texture heterogeneities induced by subtransus processing of near β -titanium alloys. 2008 , 56, 4298-4308		114
997	Deposition of Ti-6Al-4V using a high power diode laser and wire, Part II: Investigation on the mechanical properties. 2008 , 202, 4613-4619		69
996	Microstructural characteristics and mechanical properties of Ti-6Al-4V Friction stir welds. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 485, 448-455	5-3	204

995	The influence of Sc on β transformation of Ti. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 487, 58-63	5-3	10
994	The phase and microstructure of TC21 alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 494, 166-172	5-3	49
993	Direct laser metal sintering as a new approach to fabrication of an isoelastic functionally graded material for manufacture of porous titanium dental implants. 2008 , 24, 1525-33		310
992	Effects of microstructure on fatigue crack growth behavior of Ti-6Al-4Zr-0.5Mo-0.2V ELI alloy. 2008 , 59, 397-401		16
991	Microstructures of Electron Beam Melted (EBM) Biomaterial Ti-6Al-4V. 2008 , 1132, 1		3
990	Heat treatment of Ti-6Al-7Nb components produced by selective laser melting. 2008 , 14, 300-304		93
989	Quantitative Analysis of Alpha Morphology Changes of Ti-17 Alloy with a Lamellar Starting Microstructure. 2009 , 618-619, 113-116		
988	Microstructure evolution during deformation of a near- β titanium alloy with different initial structures in the two-phase region. 2009 , 61, 419-422		51
987	Interrogations on the sub-surface strain hardening of grit blasted Ti-6Al-4V alloy. 2009 , 203, 2036-2040		26
986	Effect of Yttrium on the Fatigue Behavior of Investment-Cast and Wrought Ti-6Al-4V. 2009 , 40, 2603-2615		8
985	Effects of microstructures on mechanical properties of Ti-63 titanium alloy. 2009 , 28, 533-536		2
984	Heat-treated microstructure and mechanical properties of laser solid forming Ti-6Al-4V alloy. 2009 , 28, 537-544		46
983	Texture heterogeneities in alpha/alpha titanium forging analysed by EBSD-relation to fatigue crack propagation. 2009 , 233, 451-9		55
982	Study of Diffusion Bonding of Fine Grain TC21 Titanium Alloy. 2009 , 38, 1509-1513		9
981	Microstructure sensitivity of fretting fatigue based on computational crystal plasticity. 2009 , 42, 1286-1296		22
980	High cycle fatigue behaviour of Ti-6Al-4V fabricated by metal injection moulding technology. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 504, 107-113	5-3	54
979	Anisotropy of the hot plastic deformation of Ti-6Al-4V single-colony samples. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 508, 114-120	5-3	45
978	Development of methods for the quantification of microstructural features in β -processed β titanium alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 508, 174-182	5-3	72

977	Direct measurement of the variation in the energy of a dislocation locked in specific orientations. 2009 , 57, 466-473	5
976	Effect of the forging pressure on the microstructure and residual stress development in Ti-6Al-4V linear friction welds. 2009 , 57, 5582-5592	117
975	Mechanical properties of Ti-6Al-4V specimens produced by shaped metal deposition. 2009 , 10, 015008	106
974	Gas tungsten arc welding of Ti titanium alloys: a review. 2009 , 25, 309-324	79
973	Evolution of the microstructure and hardness of the Ti-6Al-4V alloys during high temperature heat-treatment. 2009 , 479, 246-251	45
972	Dynamic globularization kinetics during hot working of a two phase titanium alloy with a colony alpha microstructure. 2009 , 480, 922-927	100
971	Effect of diffusion of Ni and B on the microstructure and hardness of Ti Cp. 2009 , 481, 246-253	7
970	A study of the microstructure and hardness of two titanium alloys: Commercially pure and Ti-6Al-4V. 2009 , 486, 162-167	159
969	Electron Backscatter Diffraction in Materials Science. 2009 ,	343
968	Notched Tensile Strength and Fatigue Crack Growth Behavior of Ti-6Al-6V-2Sn Laser Welds. 2009 , 50, 1785-1791	14
967	The Effect of Preheating on Notch Fracture of Ti-4.5Al-3V-2Fe-2Mo Laser Welds. 2009 , 50, 2396-2402	6
966	Titanium and its Alloys: Processing, Fabrication and Mechanical Performance. 2010 ,	6
965	The Influence of Microstructures on the Notched Tensile Fracture of Ti-6Al-6V-2Sn Welds at Elevated Temperatures. 2010 , 50, 128-132	11
964	The role of microtexture on the faceted fracture morphology in Ti-6Al-4V subjected to high-cycle fatigue. 2010 , 58, 3908-3918	134
963	Crystallography of Fatigue Crack Initiation and Growth in Fully Lamellar Ti-6Al-4V. 2010 , 41, 106-124	79
962	Fatigue Crack Growth Behavior of Ti-4.5Al-3V-2Fe-2Mo Laser Welds. 2010 , 41, 1502-1510	
961	Effect of process parameters on stir zone microstructure in Ti-6Al-4V friction stir welds. 2010 , 45, 39-45	29
960	Notched tensile fracture of Ti-4.5Al-6V-2Fe-2Mo welds at elevated temperatures. 2010 , 120, 715-721	17

959	Influence of surface quality and porosity on fatigue behaviour of Ti-6Al-4V components processed by MIM. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 1800-1805	5-3	54
958	Influence of processing parameters on microstructure and tensile properties of TG6 titanium alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 528, 736-744	5-3	26
957	Additive manufacturing of Ti-6Al-4V components by shaped metal deposition: Microstructure and mechanical properties. 2010 , 31, S106-S111		37 ^o
956	Effect of rotation speed on microstructure and mechanical properties of Ti-6Al-4V friction stir welded joints. 2010 , 31, 2631-2636		93
955	Effect of heat treatment temperature on microstructure and mechanical properties of in situ titanium matrix composites. 2010 , 31, 4269-4273		5 ^o
954	Microstructure and mechanical properties of commercial-purity titanium after rapid (induction) heat treatment. 2010 , 210, 518-528		21
953	Importance of local microstructure for damage tolerant light weight design of Ti-6Al-4V forgings. 2010 , 32, 808-814		27
952	Microstructure and fatigue crack growth mechanisms in high temperature titanium alloys. 2010 , 32, 1448-146068		
951	Influence of processing parameters on mechanical properties of Ti-6Al-4V alloy fabricated by MIM. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 3929-3935	5-3	58
950	The effect of heat treatment on mechanical properties of in situ synthesized 7715D titanium matrix composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 4312-4319	5-3	15
949	Deformation twinning in Ti-6Al-4V during low strain rate deformation to moderate strains at room temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 5734-5744	5-3	77
948	The effect of prestrain on low and high temperature creep in Ti834. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 6683-6689	5-3	10
947	Texture inheritance and variant selection through an hcp to bcc phase transformation. 2010 , 58, 4053-4066		92
946	Fatigue in Ti-6Al-4V alloys. 2010 , 58, 6799-6809		7 ^o
945	Quantitative Analysis on Microstructural Evolution of Lamellar β Phase in Titanium Alloy during Hot Working. 2010 , 39, 565-569		11
944	Heat Treatment Variability Effects on the Mechanical Properties of Beta Solution Treated Ti-6Al-4V. 2010 , 638-642, 401-406		
943	Application of Local Rapid Heat Treatment for Improvement of Microstructure and Mechanical Properties of Titanium Products. 2010 , 436, 185-194		4
942	Effect of microstructural morphology on the mechanical properties of titanium alloys. 2010 , 240, 012022		8

941	Research of microstructure and mechanical behavior on duplex (Ti-0.8Al-0.5Mo-0.4V alloy. 2010 , 490, 661-666			18
940	High cycle fatigue property of Ti-600 alloy at ambient temperature. 2011 , 509, 2081-2086			13
939	Thermal expansion and lattice parameters of shaped metal deposited Ti-6Al-4V. 2011 , 509, 2723-2728			45
938	Microstructures and interfacial quality of diffusion bonded TC21 titanium alloy joints. 2011 , 21, 58-64			15
937	Development of Neural Networks for the Prediction of the Interrelationship between Microstructure and Properties of Ti Alloys. 2011 , 135-143			1
936	The Effect of Preheating on Notched Tensile Strength and Impact Toughness of Ti-6Al-6V-2Sn Laser Welds. 2011 , 52, 406-411			3
935	In situ characterization of the deformation and failure behavior of non-stochastic porous structures processed by selective laser melting. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 7962-7967	5-3		146
934	Modeling the correlation between microstructure and the properties of the Ti-6Al-4V alloy based on an artificial neural network. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 8757-8764	5-3		35
933	Influence of thermal exposure on the tensile properties and microstructures of Ti60 titanium alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 530, 511-518	5-3		35
932	Microstructural characteristics and mechanical properties of in situ synthesized (TiB+TiC)/TC18 composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 530, 602-606	5-3		22
931	Microstructure and mechanical behaviour of Ti-6Al-2Nb alloy produced by selective laser melting. 2011 , 62, 488-495			278
930	A microcantilever investigation of size effect, solid-solution strengthening and second-phase strengthening for α slip in alpha-Ti. 2011 , 59, 5970-5981			79
929	Influence of N and Fe on Ti precipitation in the in situ Ti-C titanium alloy composites. 2011 , 46, 1103-1109			5
928	Effect of the microstructure of titanium alloys on the fatigue strength characteristics. 2011 , 43, 282-293			9
927	Modeling the fatigue crack growth behavior of Ti-6Al-4V by considering grain size and stress ratio. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 5983-5992	5-3		33
926	Microstructure Evolution during Friction Stir Welding of Mill-Annealed Ti-6Al-4V. 2011 , 42, 745-762			58
925	The Effect of Friction Stir Processing on the Mechanical Properties of Investment Cast and Hot Isostatically Pressed Ti-6Al-4V. 2011 , 42, 1630-1645			23
924	Microstructural Evolution in Ti-5111 Friction Stir Welds. 2011 , 42, 2312-2322			17

923	Effect of Hypoeutectic Boron Addition on the β Transus of Ti-6Al-4V Alloy. 2011 , 42, 2535-2541	21
922	A call to arms for task parallelism in multi-scale materials modeling. 2011 , 86, 744-764	28
921	3-D observations of short fatigue crack interaction with lamellar and duplex microstructures in a two-phase titanium alloy. 2011 , 59, 1510-1522	52
920	Considerations in fatigue life of stress concentrations in textured titanium 6-4. 2011 , 33, 1384-1391	7
919	Quantitative analysis of the microstructure of transitional region under multi-heat isothermal local loading forming of TA15 titanium alloy. 2011 , 32, 2012-2020	26
918	Tailoring of microstructure and mechanical properties of Ti-6Al-4V with local rapid (induction) heat treatment. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 3079-3089	5-3 23
917	Mechanical Behaviour of Titanium, Ti-6Al-4V (wt %) Alloy and Ti-47Al-2Cr (at %) Alloy Produced Using Powder Compact Forging. 2011 , 275, 186-191	6
916	A Study on Variation of Microstructural Parameters in Titanium Alloys during near Superplastic Regime of Deformation. 2011 , 110-116, 4723-4729	1
915	Dissimilar Laser Welding of Ti-6Al-4V to Ti-6Al-6V-2Sn. 2011 , 295-297, 2353-2357	2
914	Effects of Cooling Rate and Sn Addition on the Microstructure of Ti-Nb-Sn Alloys. 2011 , 172-174, 190-195	11
913	Manufacturing Ti-6Al-4V Components by Shaped Metal Deposition: Microstructure and Mechanical Properties. 2011 , 26, 012001	24
912	Scandium (Sc) Behavior in High Temperature Ti Alloys. 2012 , 520, 57-62	
911	Effect of deposition parameters on mechanical properties of shaped metal deposition parts. 2012 , 226, 126-136	35
910	Residual stresses, microstructure and tensile properties in Ti-6Al-4V friction stir welds. 2012 , 17, 525-533	20
909	Transmission electron microscopy of deformed Ti-6Al-4V micro-cantilevers. 2012 , 92, 3290-3314	16
908	Metal injection molding (MIM) of titanium and titanium alloys. 2012 , 415-445	6
907	Role of Equiaxed Primary Alpha (α) and Mechanical Properties of Ti-6Al-4V Alloy. 2012 , 510-511, 420-428	
906	Application of a novel EBSD-FIB method to the transmission of $c + a$ dislocations through β/α' interfaces Ti-6Al-4V for producing in situ tension transmission electron microscopy specimens. 2012 , 61, 31-36	2

905	A model for Ti-6Al-4V microstructure evolution for arbitrary temperature changes. 2012 , 20, 055006		49
904	Temperature field calculation on cold crucible continuous melting and directional solidifying Ti50Al alloys. 2012 , 22, 647-653		9
903	Heat treatment of Ti6Al4V produced by Selective Laser Melting: Microstructure and mechanical properties. 2012 , 541, 177-185		989
902	The Role of Local Microstructure on Small Fatigue Crack Propagation in an α -Titanium Alloy, Ti-6Al-2Sn-4Zr-6Mo. 2012 , 43, 4097-4112		14
901	Effect of microstructural characteristics on room temperature tensile properties of in situ synthesised TiC/TA15 composite. 2012 , 28, 597-602		8
900	Microstructure and mechanical properties of friction- and electron-beam welded Ti-6Al-4V and Ti-6Al-2Sn-4Zr-6Mo. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 552, 555-565	5-3	30
899	Influence of matrix characteristics on tensile properties of in situ synthesized TiC/TA15 composite. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 553, 59-66	5-3	29
898	Mechanism and kinetics of static globularization in TA15 titanium alloy with transformed structure. 2012 , 533, 1-8		57
897	Microstructure Dependent Fatigue Cracking Resistance of Ti-6.5Al-3.5Mo-1.5Zr-0.3Si Alloy. 2012 , 28, 614-621		15
896	Development of Microstructure and Texture Heterogeneities during Static Annealing of Ti-6.5Al-3.5Mo-1.5Zr-0.3Si Alloy Preformed by Hot Working. 2012 , 28, 1015-1024		6
895	The influence of rolling temperature on texture evolution and variant selection during $\beta \rightarrow \alpha$ phase transformation in Ti-6Al-4V. 2012 , 60, 6013-6024		56
894	In situ neutron diffraction study of texture evolution and variant selection during the $\beta \rightarrow \alpha$ phase transformation in Ti-6Al-4V. 2012 , 60, 7169-7182		41
893	Material Properties of Ti6Al4V Parts Produced by Laser Metal Deposition. 2012 , 39, 416-424		105
892	Microstructure evolution in the local loading forming of TA15 titanium alloy under non-isothermal condition. 2012 , 212, 2520-2528		15
891	Behavior and modeling of high temperature deformation of an α -Titanium alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 555, 99-105	5-3	26
890	Tensile and fracture properties of Ti-62A alloy plate with different microstructures. 2012 , 31, 420-423		9
889	A New Method to Segment X-Ray Microtomography Images of Lamellar Titanium Alloy Based on Directional Filter Banks and Gray Level Gradient. 2012 , 105-112		1
888	Variant Selection During Cooling after Beta Annealing of Ti-6Al-4V Ingot Material. 2012 , 43, 3570-3585		50

887	Effect of Wall Thickness Transitions on Texture and Grain Structure in Additive Layer Manufacture (ALM) of Ti-6Al-4V. 2012 , 706-709, 205-210		19
886	Microstructural and Residual Stress Development due to Inertia Friction Welding in Ti-6246. 2012 , 43, 3149-3161		15
885	Microstructural Characterization of a Prototype Titanium Alloy Structure Processed via Direct Laser Deposition (DLD). 2012 , 43, 388-396		24
884	Texture and microtexture variations in a near- β -titanium forged disk of bimodal microstructure. 2012 , 60, 2647-2655		87
883	Effects of degree of deformation on the microstructure, mechanical properties and texture of hybrid-reinforced titanium matrix composites. 2012 , 60, 2656-2667		157
882	Effect of texture on load partitioning in Ti-6Al-4V. 2012 , 60, 4117-4127		49
881	Evaluation of microstructural development in electron beam melted Ti-6Al-4V. 2012 , 65, 8-15		167
880	Microstructures and mechanical properties of titanium alloy connecting rod made by powder forging process. 2012 , 33, 213-219		31
879	Effect of heat treatment on ballistic impact behavior of Ti-6Al-4V against 7.62mm deformable projectile. 2012 , 36, 640-649		32
878	Evolution of microstructural characteristic and tensile properties during preparation of TiB/Ti composite sheet. 2012 , 36, 505-510		38
877	Achieving high strength and toughness in a Zr-0.3Nb alloy by the formation of duplex microstructure. 2012 , 40, 400-406		18
876	Microstructure of additive layer manufactured Ti-6Al-4V after exceptional post heat treatments. 2012 , 81, 84-87		67
875	Microstructure and texture evolution during Extrusion of boron modified Ti-6Al-4V alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 540, 152-163	5-3	54
874	Microstructural features of TA15 titanium alloy under different temperature routes in isothermal local loading forming. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 540, 245-252	5-3	25
873	Sintered Ti-Fe alloys with in situ synthesized TiC dispersoids. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 541, 88-97	5-3	12
872	Dependence of microstructure morphology on processing in subtransus isothermal local loading forming of TA15 titanium alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 546, 46-52	5-3	14
871	Influences of deformation strain, strain rate and cooling rate on the Burgers orientation relationship and variants morphology during β - α phase transformation in a near β -titanium alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 549, 20-29	5-3	58
870	Evolution of microstructure and tensile properties of in situ titanium matrix composites with volume fraction of (TiB+TiC) reinforcements. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 548, 152-160	5-3	80

869	Microstructure and mechanical behavior of cast Ti-6Al-4V with addition of boron. 2012 , 2,		9
868	Microwave ignited combustion synthesis as a joining technique for dissimilar materials: Modeling and experimental results. 2012 , 21, 25-31		7
867	Analysis of Fracture Toughness and Crack Propagation of Ti6Al4V Produced by Selective Laser Melting. 2012 , 14, 92-97		105
866	Microstructural characteristics and mechanical properties in laser beam welds of Ti6Al4V alloy. 2012 , 47, 1460-1470		32
865	Influence of Cooling Rate and Aging on the Lamellar Microstructure and Fractography of TC21 Titanium Alloy. 2013 , 2, 35-41		17
864	Service properties of ultrafine-grained Ti-6Al-4V alloy at elevated temperature. 2013 , 48, 4806-4812		15
863	Fracture Toughness of Powder Metallurgy and Ingot Titanium Alloys – A Review. 2013 , 551, 143-160		2
862	Characterization of Microstructure, Texture, and Microtexture in Near-Alpha Titanium Mill Products. 2013 , 44, 4881-4890		24
861	Neural Networks Relating Alloy Composition, Microstructure, and Tensile Properties of HP Processed TIMETAL 6-4. 2013 , 44, 1441-1453		34
860	Microstructure and Mechanical Properties of Wire and Arc Additive Manufactured Ti-6Al-4V. 2013 , 44, 968-977		388
859	Crack initiation and mechanical properties of TC21 titanium alloy with equiaxed microstructure. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 586, 215-222	5-3	33
858	WITHDRAWN: Fatigue hot spot simulation for two Widmanstätten titanium microstructures. 2013 ,		1
857	Studies towards development of laser peening technology for martensitic stainless steel and titanium alloys for steam turbine applications. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 587, 352-358	5-3	23
856	In situ observation of texture and microstructure evolution during rolling and globularization of Ti-6Al-4V. 2013 , 61, 1603-1615		71
855	Microstructure and Texture Evolution During Sub-Transus Thermo-Mechanical Processing of Ti-6Al-4V-0.1B Alloy: Part II. Static Annealing in (H) Regime. 2013 , 44, 3322-3336		26
854	Microstructure and Texture Evolution During Sub-Transus Thermomechanical Processing of Ti-6Al-4V-0.1B Alloy: Part I. Hot Rolling in (H) Phase Field. 2013 , 44, 3303-3321		33
853	Laser Assisted Machining of Titanium Alloys. 2013 , 763, 91-106		10
852	Applications of powder metallurgy in biomaterials. 2013 , 520-554		9

851	The influence of temperature and strain rate on the deformation response and microstructural evolution during hot compression of a titanium alloy Ti-6Al-4V. 2013 , 548, 110-125		123
850	Microstructure and tensile properties of Ti-6Al-4V alloys of direct rolling in the near β phase region. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 560, 140-147	5-3	31
849	β phase transformation kinetics in Ti60 alloy during continuous cooling. 2013 , 576, 108-113		16
848	Quantitative characterization of lamellar and equiaxed alpha phases of β titanium alloy using a robust approach for touching features splitting. 2013 , 76, 6-20		13
847	The microstructure evolution in the isothermal compression of Ti-17 alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 582, 108-116	5-3	12
846	Effect of thermal exposure on microstructure and tensile properties of laser deposited Ti60A alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 562, 61-68	5-3	14
845	Nucleation and growth mechanism of β lamellae of Ti alloy TA15 cooling from an β phase field. 2013 , 61, 2057-2064		95
844	The effect of β phase on microstructure and texture evolution during thermomechanical processing of β Ti alloy. 2013 , 61, 3200-3213		59
843	Microstructural characterization and formation of β martensite phase in Ti-6Al-4V alloy butt joints produced by friction stir and gas tungsten arc welding processes. 2013 , 47, 143-150		49
842	Microstructure and mechanical properties of a friction stir processed Ti-6Al-4V alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 573, 67-74	5-3	61
841	The effect of microstructure on the mechanical properties of TC4-DT titanium alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 563, 106-111	5-3	65
840	Morphology and crystallographic orientation of the secondary β phase in a compressed β titanium alloy. 2013 , 68, 964-967		38
839	Influence of heat treatment on microstructure and creep properties of hot continuous rolled Ti-6Al-4V alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 559, 401-406	5-3	14
838	In-situ SEM observations of tensile deformation of the lamellar microstructure in TC21 titanium alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 559, 515-519	5-3	51
837	Influence of grain size and crystallographic texture on mechanical behavior of TIMETAL-LCB in metastable β condition. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 559, 782-789	5-3	13
836	Influence of phase volume fractions on the processing of a Ti-6Al-4V alloy by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 559, 861-867	5-3	39
835	Experimental study on microstructural variation in near alpha titanium alloy during non-optimal regime of superplastic deformation. 2013 , 29, 854-860		3
834	Loss of coherency and interphase β angular deviation from the Burgers orientation relationship in a Ti-6Al-4V alloy compressed at 800 °C. 2013 , 48, 1100-1110		52

833	Effect of Heat Treatment on Microstructure and Properties of Ti-6.5Al-1.5Mo-2.5V-2Zr Titanium Alloy. 2013 , 652-654, 1076-1079	
832	The Quantitative Relationships between Microstructure and Damage Tolerance of TC21 Titanium Alloy. 2013 , 770, 335-340	
831	Microstructure and Tensile Properties of 1-D Forged (TiB+TiC)/Ti Composite. 2013 , 747-748, 926-931	1
830	Effect of Microstructure on Cutting Force and Chip Formation during Machining of Ti-6Al-4V Alloy. 2013 , 690-693, 2437-2441	4
829	Effect of Microstructural Variation on Erosion Wear Behavior of Ti-6Al-4V Alloy. 2013 , 56, 555-560	36
828	Investigation of chloride impurities in hydrogenated-dehydrogenated Kroll processed titanium powders. 2013 , 56, 304-309	7
827	Secondary α Phase Evolution in the Isothermal Compression and Heat Treatment of TC8 Titanium Alloy. 2013 , 2621-2626	
826	Effect of Zr Addition on High Temperature Mechanical Properties of Near Alpha Ti-Al-Zr-Sn Based Alloy. 2014 , 783-786, 580-583	4
825	Titanium Alloy Developments For Future Fan Disc Applications – The Fatigue Response of Alloy 104 – 2014 , 891-892, 569-574	3
824	3D characterization of trans- and inter-lamellar fatigue crack in (HCP) Ti alloy. 2014 , 98, 130-139	5
823	Phase Transformations and Characterization of HCP Titanium Alloys. 2014 , 7-36	16
822	The Mechanical Properties and Microstructure of High Temperature Ti Alloys with Minor Addition. 2014 , 1044-1045, 149-152	
821	Influence of sintering conditions on tensile and high cycle fatigue behaviour of powder injection moulded Ti-6Al-4V at ambient and elevated temperatures. 2014 , 57, 283-290	9
820	The formation of HCP microstructure in as-fabricated selective laser melting of Ti-6Al-4V. 2014 , 29, 2028-2035	65
819	Crystallographic texture and microstructure evolution during hot compression of Ti-6Al-4V-0.1B alloy in the HCP regime. 2014 , 94, 358-380	17
818	On fracture resistance parameter from non-standard fracture test specimens of titanium alloy. 2014 , 9, 177-185	4
817	The Influence of Heat Treatment on the Structure and Microstructure of Ti-15Mo-xNb System Alloys for Biomedical Applications. 2014 , 783-786, 1255-1260	4
816	Modelling optimisation of hot processing parameters of Ti-6Al-4V alloy using artificial neural network and genetic algorithm. 2014 , 18, S4-1052-S4-1056	3

815	Titanium alloy developments for aeroengine fan systems. 2014 , 30, 1919-1924		8
814	Effect of boron addition and processing of Ti-6Al-4V on corrosion behaviour and biocompatibility. 2014 , 29, B64-B68		11
813	Modeling the Correlation between Microstructure and Tensile Properties of Ti-17 Alloy Using Artificial Neural Network. 2014 , 983, 127-130		1
812	Microstructure characterization and mechanical properties of TC4-DT titanium alloy after thermomechanical treatment. 2014 , 24, 682-689		18
811	Formation of duplex microstructure in Zr-0.3Nb alloy and its plastic behaviour at various strain rates. 2014 , 54, 163-177		28
810	Experimental Study on the Effect of Microstructure on Dry Sliding Wear Behavior of Titanium Alloy Using Taguchi Experimental Design. 2014 , 57, 216-224		12
809	Dry Sliding Wear Behaviour of Ti-6Al-4V Alloy Consisting of Bimodal Microstructure. 2014 , 67, 239-245		14
808	Effects of microstructures on the notch tensile fracture feature of heat-treated Ti-6Al-4V-2Sn alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 595, 297-305	5-3	12
807	Improved mechanical properties of Ti-6Al-4V alloy by electron beam welding process plus annealing treatments and its microstructural evolution. 2014 , 60, 587-598		25
806	The effect of post-weld heat treatment on the notched tensile fracture of Ti-6Al-4V to Ti-6Al-4V-2Sn dissimilar laser welds. 2014 , 59, 227-232		20
805	Effect of heat treatment on microstructure and mechanical properties of a new high strength titanium alloy. 2014 , 55, 183-190		98
804	On the absence of shear cracking and grain boundary cavitation in secondary tensile regions of Ti-6Al-4V-0.1B alloy during hot (H) compression. 2014 , 94, 447-463		7
803	The importance of crystallographic texture in the use of titanium as an orthopedic biomaterial. 2014 , 4, 38078-38087		30
802	Computational study and experimental validation of porous structures fabricated by electron beam melting: a challenge to avoid stress shielding. 2014 , 45, 89-93		29
801	Study of crack propagation mechanisms during Charpy impact toughness tests on both equiaxed and lamellar microstructures of Ti-6Al-4V titanium alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 618, 546-557	5-3	45
800	Evaluating the effects of PIRAC nitrogen-diffusion treatments on the mechanical performance of Ti-6Al-4V alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 619, 300-311	5-3	22
799	Effect of Zr and Si addition on high temperature mechanical properties of near-Ti-6Al-4Zr-0.3Nb based alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 612, 456-461	5-3	28
798	Microstructure and mechanical properties of (TiB+La ₂ O ₃)/Ti composites heat treated at different temperatures. 2014 , 24, 1737-1743		9

797	Role of phase transformation in chip segmentation during high speed machining of dual phase titanium alloys. 2014 , 214, 3048-3066		60
796	Effect of the build orientation on the mechanical properties and fracture modes of SLM Ti-6Al-4V. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 616, 1-11	5-3	495
795	Kinetic Pathways of Phase Transformations in Two-Phase Ti Alloys. 2014 , 45, 3438-3445		21
794	Effect of Microstructural Variation on Dry Sliding Wear Behavior of Ti-6Al-4V Alloy. 2014 , 23, 2092-2102		17
793	Microstructure, mechanical properties, and corrosion resistance of Ti-20Zr alloy in undoped and NaF doped artificial saliva. 2014 , 20, 177-187		17
792	Influence of Microstructure on High Temperature Solid Particle Erosion Behaviour of Ti-6Al-4V Alloy. 2014 , 67, 299-304		5
791	Integrated experimental-simulation analysis of stress and strain partitioning in multiphase alloys. 2014 , 81, 386-400		221
790	Effects of heat treatment and hot deformation on the secondary phase evolution of TC8 titanium alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 613, 209-216	5-3	25
789	Microstructural morphology effects on fracture resistance and crack tip strain distribution in Ti-6Al-4V alloy for orthopedic implants. 2014 , 53, 870-880		33
788	Effect of the cooling rate in the corrosion behavior of a hot worked Ti-6Al-4V extra-low interstitial alloy. 2014 , 58, 175-181		6
787	Study on microstructure and mechanical behavior of dissimilar Ti17 friction welds. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 596, 32-40	5-3	19
786	$\langle c + a \rangle$ Dislocations in deformed Ti-6Al-4V micro-cantilevers. 2014 , 76, 127-134		31
785	Dynamic globularization prediction during cogging process of large size TC11 titanium alloy billet with lamellar structure. 2014 , 10, 40-46		9
784	Effect of heat treatment on microstructure and mechanical properties of laser deposited Ti60A alloy. 2014 , 585, 220-228		19
783	Thermal fatigue crack growth behaviours of laser deposited Ti60A near titanium alloy. 2014 , 18, S4-933-S4-939		28
782	The fatigue limit of Ti-10Zr-5Sn-3Mo-1Cr-1Nb titanium alloy with different colony features. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 645, 82-87	5-3	5
781	Effect of annealing treatment on microstructure and mechanical properties of hot isostatic pressing compacts fabricated using Ti-6Al-4V powder. 2015 , 58, 312-319		4
780	Effect of Heat Treatment in the Structure and Microstructure of Ti-15Zr-XMo Alloys. 2015 , 365, 305-310		5

779	On the microstructural behavior of titanium alloy during nonoptimal regime of superplastic deformation. 2015 , 75, 012025		0
778	Influence of microstructure on fatigue crack propagation under bending in the alloy Ti-6Al-4V after heat treatment. 2015 , 46, 1088-1095		8
777	Integration of Deformation Processing with Additive Manufacture of Ti-6Al-4V Components for Improved Grain Structure and Texture. 2015 , 437-444		1
776	An Efficient Multi-Scale Simulation Architecture for the Prediction of Performance Metrics of Parts Fabricated Using Additive Manufacturing. 2015 , 46, 3852-3863		9
775	Structure and mechanical properties of as-cast (ZrTi) _{100-x} B _x alloys. 2015 , 637, 90-97		10
774	Effect of primary alpha phase variation on mechanical behaviour of Ti-6Al-4V alloy. 2015 , 31, 1486-1494		17
773	Effect of Heat Treatment on Mechanical Properties and Ballistic Performance of Ti-4Al-2.3V-1.9Fe Alloy. 2015 , 2, 1102-1108		1
772	Effect of Volume Fraction of Primary Alpha Phase on Solid Particle Erosion Behavior of Ti-6Al-4V Alloy. 2015 , 58, 1105-1118		5
771	Phase Transformations and Formation of Ultra-Fine Microstructure During Hydrogen Sintering and Phase Transformation (HSPT) Processing of Ti-6Al-4V. 2015 , 46, 5546-5560		28
770	Microstructural characterization of as-sintered titanium and titanium alloys. 2015 , 555-578		2
769	The anisotropy of laser melting deposition additive manufacturing Ti-6.5Al-3.5Mo-0.5Zr-0.3Si titanium alloy. 2015 , 67, 538-542		93
768	Contributions of microstructural features to the integrated hardness of TA15 titanium alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 628, 358-365	5-3	20
767	Microstructure and mechanical properties of hot-rolled ZrB alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 628, 168-175	5-3	15
766	Microstructure and mechanical properties of TC21 titanium alloy by near-isothermal forging. 2015 , 25, 72-79		26
765	Microstructure-Tensile Properties Correlation for the Ti-6Al-4V Titanium Alloy. 2015 , 24, 1754-1762		15
764	Solution Treatment and Aging (STA) Study of Ti Alloy Ti5Al3Mo1.5V. 2015 , 24, 24-31		6
763	Effect of hot rolling and heat treatment on microstructure and tensile properties of high strength beta titanium alloy sheets. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 631, 67-74	5-3	45
762	The influence of heat accumulation on the surface roughness in powder-bed additive manufacturing. 2015 , 3, 014003		73

761	Effect of vacuum annealing on microstructure and mechanical properties of TA15 titanium alloy sheets. 2015 , 25, 1881-1888		17
760	Influence of grain size, aging conditions and tension rate on the mechanical behavior of titanium low-cost metastable beta-alloy in thermally hardened condition. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 645, 150-162	5.3	21
759	Predicting the effects of microstructural features on strain localization of a two-phase titanium alloy. 2015 , 87, 171-180		23
758	Effect of the substitutional elements on the microstructure of the Ti-15Mo-Zr and Ti-15Zr-Mo systems alloys. 2015 , 4, 180-185		42
757	Microstructure design and mechanical properties in a near- β -Ti-4Mo alloy. 2015 , 97, 291-304		71
756	Analysis of the Coupling Effects of TiB Whiskers and TiC Particles on the Fracture Toughness of (TiB + TiC)/TC4 Composites: Experiment and Modeling. 2015 , 46, 3490-3501		3
755	Quantitative analysis on microstructure evolution of Ti-6Al-2Zr-2Sn-2Mo-1.5Cr-2Nb alloy during isothermal compression. 2015 , 34, 625-631		4
754	A novel Ti-6Al-4V alloy microstructure with very high strength and good ductility. 2015 , 107, 10-13		52
753	Enhanced fatigue behavior of powder metallurgy Ti-6Al-4V alloy by applying ultrasonic impact treatment. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 641, 348-359	5.3	85
752	Quantitative analysis of the effect of β phase on mechanical property of Ti-6Al-4V alloy during hot working process. 2015 , 29, 1540012		1
751	Effect of workpiece size on microstructure evolution of different regions for TA15 Ti-alloy isothermal near- β forging by local loading. 2015 , 222, 234-243		8
750	Additive Manufacturing of Ti-6Al-4V Using a Pulsed Laser Beam. 2015 , 46, 2781-2789		24
749	Effect of Microstructure on the Fatigue Crack Propagation Behavior of TC4-DT Titanium Alloy. 2015 , 24, 1865-1870		7
748	Effect of β Martensite on Microstructure Refinement After β Isothermal Treatment in a Near- β Titanium Alloy Ti60. 2015 , 24, 1945-1952		2
747	Controlling the microstructure and properties of wire arc additive manufactured Ti-6Al-4V with trace boron additions. 2015 , 91, 289-303		198
746	Fatigue Crack Growth Behavior in TC4-DT Titanium alloy with Different Lamellar Microstructures. 2015 , 44, 277-281		8
745	Effect of rolling temperature on microstructure and mechanical properties of a TiZrAl alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 635, 36-42	5.3	19
744	Microstructure evolution of isothermal holding treatment during melt solidification of Ti-6Al-4V alloy. 2015 , 25, 1091-1096		3

743	Study of fatigue properties of forged BT25 titanium alloy based on fractographic and quantitative microstructural analysis. 2015 , 31, 212-219			3
742	Microstructure and Texture Evolution in Double-Cone Samples of Ti-6Al-4V Alloy with Colony Preform Microstructure. 2015 , 46, 5989-6002			1
741	Effect of cooling process on the formation of duplex microstructure in Zr β .3Nb alloy. 2015 , 651, 316-321			13
740	Microstructure and mechanical properties of heat-treated Ti β Al β Sn β Zr β Mo β Cr. 2015 , 25, 2893-2900			10
739	Influence of hot deformation on the electrochemical behavior of natural oxides of hipped Ti6Al4V. 2015 , 94, 79-87			7
738	Microstructure Evolution and Abrasive Wear Behavior of Ti-6Al-4V Alloy. 2015 , 24, 3969-3981			16
737	Uncertainty of Additive Manufactured Ti-6Al-4V: Chemistry, Microstructure and Mechanical Properties. 2015 , 807, 169-180			15
736	Enhanced yielding strength of near- β Ti β Al β Zr β Sn high temperature alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 625, 131-139	5-3		5
735	Influence of prior- β grain size on tensile strength of a laser-deposited β titanium alloy at room and elevated temperatures. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 622, 16-20	5-3		15
734	The effects of Nb content on microstructure and fracture behavior of near β titanium alloys. 2015 , 66, 267-273			25
733	High- and very high-cycle plain fatigue resistance of shot peened high-strength aluminum alloys: The role of surface morphology. 2015 , 70, 451-462			67
732	Developing gradient metal alloys through radial deposition additive manufacturing. 2014 , 4, 5357			154
731	Evaluation of Subsequent Heat Treatment Routes for Near- β Forged TA15 Ti-Alloy. 2016 , 9,			2
730	Effect of Microstructure on Fracture Toughness and Fatigue Crack Growth Behavior of Ti17 Alloy. 2016 , 6, 186			18
729	Microstructure and Mechanical Properties of Friction Stir Welded Dissimilar Titanium Alloys: TIMET-54M and ATI-425. 2016 , 6, 252			8
728	Investigation on the Bi-Lamellar Microstructure in Ti-6Al-4V. 2016 , 663-667			1
727	Spheroidization of β Phase Grains in Quenched and Hot Deformed Ti-6Al-4V Titanium Alloy. 2016 , 443-447			1
726	In-Situ Investigation of Phase Transformation Kinetics in Ti-6Al-4V Under Rapid Heating Condition Using High-Energy Synchrotron Diffraction. 2016 , 591-598			2

725	Research on Three-Roll Screw Rolling Process for Ti6Al4V Titanium bar. 2016 , 793-796	
724	Determination and Analysis of the Cyclic and Dwell Fatigue Performance of Ti6Al4V. 2016 , 979-984	3
723	The Effect of Elevated Temperature Exposure on the Mechanical Properties of Ti834. 2016 , 1625-1630	
722	Advanced Microtexture Analysis of A Ti 10-2-3 Product for Better Understanding of Local Variations in Mechanical Behavior. 2016 , 1943-1948	1
721	Microstructure and Texture of Ti-6Al-4V Direct Laser Deposits. 2016 , 1379-1388	
720	Microstructure and Mechanical Property Relationships in Electron Beam Melted Titanium Alloys. 2016 , 1459-1464	
719	Effect of Caliber Rolling on Microstructure and Mechanical Properties of Ti-6Al-4V. 2016 , 571-573	
718	The Effect of Initial Microstructure on the Mechanical Properties of Bi-lamellar Ti-6Al-4V. 2016 , 633-640	3
717	Effect of hypoeutectic boron modification on the dynamic properties of Ti-6Al-4V alloy. 2016 , 31, 2804-2816	4
716	Isothermal and Cyclic Oxidation of Ti-6Al-4V Alloy. 2016 , 369, 99-103	3
715	Microstructural evolution and microhardness of a selective-laser-melted Ti-6Al-4V alloy after post heat treatments. 2016 , 672, 643-652	126
714	Modeling the Microstructure Evolution During Additive Manufacturing of Ti6Al4V: A Comparison Between Electron Beam Melting and Selective Laser Melting. 2016 , 68, 1370-1375	34
713	Role of geometry on properties of additively manufactured Ti-6Al-4V structures fabricated using laser based directed energy deposition. 2016 , 106, 482-494	81
712	A fractographic study exploring the relationship between the low cycle fatigue and metallurgical properties of laser metal wire deposited Ti-6Al-4V. 2016 , 87, 245-256	23
711	Surface nanocrystallization and property of Ti6Al4V alloy induced by high pressure surface rolling. 2016 , 289, 94-100	19
710	Thermomechanical processing of (TiB + TiC)/Ti matrix composites and effects on microstructure and tensile properties. 2016 , 31, 1244-1253	11
709	Effect of the interaction layer on the mechanical properties of Ti-6Al-4V alloy castings. 2016 , 175, 125-130	4
708	Effect of globularization behavior of the lamellar alpha on tensile properties of Ti-17 alloy. 2016 , 673, 86-92	23

707	Effect of low-angle grain boundaries on morphology and variant selection of grain boundary allotriomorphs and Widmanstätten side-plates. 2016 , 112, 347-360		32
706	Effect of Prior and Post-Weld Heat Treatment on Electron Beam Weldments of (Ti-5Al-3Mo-1.5V). 2016 , 25, 2147-2156		9
705	Microstructural Properties and Four-Point Bend Fatigue Behavior of Ti-6.5Al-2Zr-1Mo-1V Welded Joints by Electron Beam Welding. 2016 , 35, 607-613		3
704	High cycle fatigue of isothermally forged Ti-6.5Al-2.2Mo-2.2Zr-1.8Sn-0.7W-0.2Si with different microstructures. 2016 , 689, 114-122		10
703	Determination of Ti-6242 slip properties using micro-pillar test and computational crystal plasticity. 2016 , 95, 393-410		73
702	Long Fatigue Crack Growth in Ti6Al4V Produced by Direct Metal Laser Sintering. 2016 , 160, 69-76		17
701	Effect of microstructure evolution of the lamellar alpha on impact toughness in a two-phase titanium alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 676, 434-440	5-3	29
700	Fatigue hot spot simulation for two Widmanstätten titanium microstructures. 2016 , 92, 116-129		17
699	Intrinsic anisotropy of strain rate sensitivity in single crystal alpha titanium. 2016 , 118, 317-330		63
698	Dependence of Microstructure on Solution and Aging Treatment for Near-β Forged TA15 Ti-Alloy. 2016 , 25, 4549-4560		7
697	Evolution mechanisms of the primary α and β phases during the deformation of an α titanium alloy TC8. 2016 , 120, 115-123		20
696	Chemical milling effect on the low cycle fatigue properties of cast Ti-6Al-2Sn-2Zr-1Mo alloy. 2016 , 92, 193-202		10
695	Microstructural design of two-phase titanium alloys by micro-scale strain distribution. 2016 , 184, 157-161		7
694	The hierarchy of microstructure parameters affecting the tensile ductility in centrifugally cast and forged Ti-834 alloy during high temperature exposure in air. 2016 , 117, 51-67		29
693	Non-destructive observation of internal fatigue crack growth in Ti-6Al-4V by using synchrotron radiation CT imaging. 2016 , 93, 397-405		44
692	Influence of microstructure on mechanical properties of laser metal wire-deposited Ti-6Al-4V. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 674, 428-437	5-3	94
691	On the anomalous mean stress sensitivity of Ti-6Al-4V and its consideration in high cycle fatigue lifetime analysis. 2016 , 92, 368-381		8
690	Study on High-Temperature Flow Behavior and Substructure and Texture Evolution of TA15 Titanium Alloy. 2016 , 25, 3439-3447		9

689	The Effect of Initial Microstructure on the Mechanical Properties of Bi-lamellar Ti-6Al-4V. 2016 , 633-640	
688	On the effect of hydrogen on the elastic moduli and acoustic loss behaviour of Ti-6Al-4V. 2016 , 96, 2311-2327	2
687	Microstructural Dependence of HCF and Multi-Competing Crack Nucleation in Ti-6246. 2016 , 817-820	
686	Microstructural characterization and mechanical properties of TiC/near- β Ti composite obtained at slow cooling rate. 2016 , 118, 263-269	21
685	Simultaneous enhancements of strength and toughness in an Al-12Si alloy synthesized using selective laser melting. 2016 , 115, 285-294	287
684	A coupled finite element cellular automaton model to predict thermal history and grain morphology of Ti-6Al-4V during direct metal deposition (DMD). 2016 , 11, 32-39	49
683	Effects of vacuum environment on small fatigue crack propagation in Ti-6Al-4V. 2016 , 91, 29-38	36
682	Effect of microstructure on the tensile strength of Ti6Al4V specimens manufactured using additive manufacturing electron beam process. 2016 , 59, 41-50	13
681	Morphology evolution and growth mechanism of the secondary Widmanstätten β phase in the TA15 Ti-alloy. 2016 , 118, 167-174	16
680	Characterization of Fatigue Crack Tip Plastic Zone of β Titanium Alloys With Lamellar and Equiaxed Microstructures. 2016 , 827-831	
679	In-Situ High Temperature EBSD Analysis of the Effect of a Deformation Step on the Alpha to Beta Transition in Additive Manufactured Ti-6Al-4V. 2016 , 1283-1288	
678	Influence of the Forming Temperature on the Microstructure and Mechanical Properties of Extruded Ti6Al4V Rods. 2016 , 235-240	0
677	The effect of laser remelting on the surface chemistry of Ti6al4V components fabricated by selective laser melting. 2016 , 232, 1-8	112
676	Influence of Processing Conditions on Microstructure and Mechanical Properties of Large Thin-Wall Centrifugal Ti-6Al-4V Casting. 2016 , 32, 362-371	16
675	Superior ductility in as-cast TiC/near- β Ti composite obtained by three-step heat treatment. 2016 , 126, 1-4	16
674	Effect of micro shot peening on the mechanical properties and corrosion behavior of two microstructure Ti-6Al-4V alloy. 2016 , 363, 50-58	38
673	Fatigue crack propagation behaviour in wire+arc additive manufactured Ti-6Al-4V: Effects of microstructure and residual stress. 2016 , 90, 551-561	107
672	Effect of mold temperature and casting dimension on microstructure and tensile properties of counter-gravity casting Ti-6Al-4V alloys. 2016 , 13, 9-14	2

671	Effect of heat treatment on the microstructure and tensile properties of deformed Ti-6Al-4V alloy. 2016 , 665, 1-6		10
670	Comparison of the microstructures and mechanical properties of Ti-6Al-4V fabricated by selective laser melting and electron beam melting. 2016 , 95, 21-31		371
669	Theoretical Assessment on the Phase Transformation Kinetic Pathways of Multi-component Ti Alloys: Application to Ti-6Al-4V. 2016 , 37, 53-64		14
668	Role of microstructure on the fatigue crack propagation behavior of a friction stir welded Ti-6Al-4V. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 652, 59-68	5-3	25
667	Tracking microstructure, texture and boundary misorientation evolution of hot deformed and post-deformation annealed Ti-6Al-4V alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 651, 524-534	5-3	18
666	On the contributions of different micromechanisms for enhancement in the strength of Ti-6Al-4V alloy upon B addition: A nanomechanical analysis. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 649, 123-127	5-3	11
665	Thermal oxidation of medical Ti6Al4V blasted with ceramic particles: Effects on the microstructure, residual stresses and mechanical properties. 2016 , 54, 173-84		16
664	Effects of thermal history on the microstructure evolution of Ti-6Al-4V during solidification. 2016 , 227, 281-287		6
663	Ductility improvement due to martensite decomposition in porous Ti-6Al-4V parts produced by selective laser melting for orthopedic implants. 2016 , 54, 149-58		124
662	A comparison of fatigue strength sensitivity to defects for materials manufactured by AM or traditional processes. 2017 , 94, 178-191		269
661	Reducing the Hook Defect of Friction Stir Lap Welded Ti-6Al-4V Alloy by Slightly Penetrating into the Lower Sheet. 2017 , 26, 921-930		7
660	Evolution of plastic deformation and its effect on mechanical properties of laser additive repaired Ti64ELI titanium alloy. 2017 , 92, 36-43		26
659	FAST-forge – A new cost-effective hybrid processing route for consolidating titanium powder into near net shape forged components. 2017 , 243, 335-346		41
658	Influence of interface phase on the tensile properties of laser cladding deposited Ti-6Al-4V titanium alloy. 2017 , 33, 675-681		41
657	Hot deformation behavior and microstructure evolution of TA15 titanium alloy with nonuniform microstructure. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 689, 243-251	5-3	44
656	Microstructure and Mechanical Properties of Ti-15-3 Alloy Gas Tungsten Arc Welds Prepared Using CP-Titanium Filler. 2017 , 70, 685-690		5
655	Formation mechanism of the β variant and its influence on the tensile properties of laser solid formed Ti-6Al-4V titanium alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 691, 16-24	5-3	59
654	High cycle fatigue and fatigue crack propagation behaviors of annealed Ti-6Al-4V alloy. 2017 , 12,		20

653	Microstructural characterization of an ultrafine grained Ti-5.5Mo-7.2Al-4.5Zr-2.6Sn-2.1Cr alloy during recrystallization annealing. 2017 , 705, 183-187		5
652	A New Microstructure-Sensitive Flow Stress Model for the High-Speed Machining of Titanium Alloy Ti-6Al-4V. 2017 , 139,		7
651	Strength-Ductility Property Maps of Powder Metallurgy (PM) Ti-6Al-4V Alloy: A Critical Review of Processing-Structure-Property Relationships. 2017 , 48, 2301-2319		39
650	Studies on Effect of Parent Metal Condition on the Room Temperature Mechanical Properties of Ti6Al4V Friction Welds. 2017 , 70, 2277-2291		1
649	Characterization of bending vibration fatigue of SLM fabricated Ti-6Al-4V. 2017 , 99, 25-34		33
648	Microstructure and wear resistance of Ti6Al4V surfaces processed by pulsed laser. 2017 , 315, 220-231		15
647	Thermal stability of an ultrafine grained Ti-6Al-4V alloy during post-deformation annealing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 694, 13-23	5-3	25
646	In-situ residual stress reduction, martensitic decomposition and mechanical properties enhancement through high temperature powder bed pre-heating of Selective Laser Melted Ti6Al4V. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 695, 211-220	5-3	176
645	Tri-Modal Microstructure Evolution in Near- and Two Phase Field Heat Treatments of Conventionally Forged TA15 Ti-Alloy . 2017 , 19, 1600796		2
644	Development of a trimodal microstructure with superior combined strength, ductility and creep-rupture properties in a near alpha titanium alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 696, 155-165	5-3	28
643	Predicting tensile properties of Ti-6Al-4V produced via directed energy deposition. 2017 , 133, 120-133		94
642	Microstructural impact on flank wear during turning of various Ti-6Al-4V alloys. 2017 , 384-385, 72-83		8
641	Orientation dependent spheroidization response and macro-zone formation during sub-transus processing of Ti-6Al-4V alloy. 2017 , 134, 283-301		61
640	New Nomenclatures for Heat Treatments of Additively Manufactured Titanium Alloys. 2017 , 69, 1221-1227		8
639	The effect of thermo-mechanical processing and ageing time on microstructure and mechanical properties of powder metallurgy near β titanium alloys. 2017 , 714, 610-618		22
638	Effect of microstructure on high cycle fatigue behavior of Ti-20Zr-6.5Al-4V alloy. 2017 , 696, 663-669		9
637	Impact of Interlayer Dwell Time on Microstructure and Mechanical Properties of Nickel and Titanium Alloys. 2017 , 48, 4411-4422		21
636	Obtaining fine microstructure and unsupported overhangs by low heat input pulse arc additive manufacturing. 2017 , 27, 198-206		44

635	Relationships among reinforcement volume fraction, microstructure and tensile properties of (TiB w + TiC p)/Ti composites after (H) forging. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 701, 16-23	5-3	21
634	Tensile behaviour of high temperature forged Ti-6Al-4V during in-situ heat treatments. 2017 , 208, 7-9		5
633	Study of ultrasonic attenuation on aging precipitation in a Ti-6Al-4V alloy. 2017 ,		
632	Data-driven reduced order models for effective yield strength and partitioning of strain in multiphase materials. 2017 , 346, 242-261		36
631	Hydrogen in Ti and Zr alloys: industrial perspective, failure modes and mechanistic understanding. 2017 , 375,		6
630	Characterization of bending vibration fatigue of WBD fabricated Ti-6Al-4V. 2017 , 101, 36-44		9
629	Study of microstructure evolution and strengthening mechanisms in novel TiZrAlB alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 692, 95-101	5-3	10
628	Constitutive Relations for Ti-6Al-4V Hot Working. 2017 , 173, 755-762		4
627	Microstructural heterogeneity in rate-dependent plasticity of multiphase titanium alloys. 2017 , 103, 199-220		34
626	Reduced-order structure-property linkages for polycrystalline microstructures based on 2-point statistics. 2017 , 129, 428-438		83
625	Assessment of precipitates of aged Ti-6Al-4V alloy by ultrasonic attenuation. 2017 , 97, 58-68		7
624	Microstructure and phase evolution of the metastable B-type 51Zr-40Ti-4.5Al-4.5V alloy. 2017 , 137, 60-65		6
623	Effects of cooling rate and stabilization annealing on fatigue behavior of B-processed Ti-6Al-4V alloys. 2017 , 23, 648-659		14
622	New Development in Selective Laser Melting of Ti-6Al-4V: A Wider Processing Window for the Achievement of Fully Lamellar B Microstructures. 2017 , 69, 2679-2683		23
621	Additive Manufacturing Technologies Used for 3D Metal Printing in Dentistry. 2017 , 4, 201-208		37
620	Investigation of the grain size effect on mechanical properties of Ti-6Al-4V alloy with equiaxed and bimodal microstructures. 2017 , 219, 012013		6
619	Hierarchical criteria to promote fast and selective B precipitation at grain boundaries in B metastable Ti-alloys. 2017 , 141, 97-108		17
618	Experimental and numerical investigation on the tensile properties of a titanium alloy disc with dual microstructure. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 706, 104-114	5-3	9

617	Microstructure evolution and mechanical properties of near- β -Ti-8Al-1Mo-1V alloy at different solution temperatures and cooling rates. 2017 , 727, 555-564	15
616	Deformation twinning in fatigue crack tip plastic zone of Ti-6Al-4V alloy with Widmanstätten microstructure. 2017 , 132, 338-347	19
615	Enhanced ambient temperature creep resistance of β -Ti alloys induced by minor Fe. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 705, 169-175	5-3 9
614	Evolution of lamellar β phase during two-phase field heat treatment in TA15 alloy. 2017 , 42, 20849-20856	8
613	Evolution of equiaxed alpha phase during heat treatment in a near alpha titanium alloy. 2017 , 725, 536-543	26
612	Influence of Strain Rate, Microstructure and Chemical and Phase Composition on Mechanical Behavior of Different Titanium Alloys. 2017 , 26, 3431-3449	11
611	Mechanistic basis of temperature-dependent dwell fatigue in titanium alloys. 2017 , 107, 185-203	23
610	Effect of heat treatment parameters on the microstructure and microhardness of Ti-6Al-4V alloy. 2017 ,	4
609	Indentation Response and Structure-Property Correlation in a Bimodal Ti-6Al-4V Alloy. 2017 , 19, 1700298	7
608	Investigation on the Size Effect in Large-Scale Beta-Processed Ti-17 Disks Based on Quantitative Metallography. 2017 , 26, 5016-5026	1
607	Active Control of Microstructure in Powder-Bed Fusion Additive Manufacturing of Ti6Al4V. 2017 , 19, 1700333	12
606	Corrosion process monitoring by AFM higher harmonic imaging. 2017 , 28, 114001	2
605	High Throughput Assays for Additively Manufactured Ti-Ni Alloys Based on Compositional Gradients and Spherical Indentation. 2017 , 6, 218-228	12
604	Mechanical properties of fully martensite microstructure in Ti-6Al-4V alloy transformed from refined beta grains obtained by rapid heat treatment (RHT). 2017 , 138, 66-70	41
603	Application of bulk deformation methods for microstructural and material property improvement and residual stress and distortion control in additively manufactured components. 2017 , 135, 111-118	82
602	A study of epitaxial growth behaviors of equiaxed alpha phase at different cooling rates in near alpha titanium alloy. 2017 , 122, 298-309	48
601	Role of processing parameters in the development of tri-modal microstructure during isothermal local loading forming of TA15 titanium alloy. 2017 , 239, 160-171	16
600	Effect of process parameters on microstructure and mechanical properties of friction stir-welded Ti-6Al-4V joints. 2017 , 91, 2919-2931	17

599	The effect of thermal aging on the strength and the thermoelectric power of the Ti-6Al-4V alloy. 2017 , 20, 447-456	7
598	Microstructure characterisation of Ti-6Al-4V from different additive manufacturing processes. 2017 , 258, 012007	19
597	In situ investigation of phase transformations in Ti-6Al-4V under additive manufacturing conditions combining laser melting and high-speed micro-X-ray diffraction. 2017 , 7, 16358	66
596	Integration of Process Mechanics and Materials Mechanics for Precision Machining. 2017 , 261, 9-16	
595	Effect of Hybrid Reinforcements on the Microstructure and Mechanical Properties of Ti-5Al-5Mo-5V-Fe-Cr Titanium Alloy. 2017 , 7, 250	3
594	Effect of Molten Pool Size on Microstructure and Tensile Properties of Wire Arc Additive Manufacturing of Ti-6Al-4V Alloy. 2017 , 10,	27
593	Friction Stir Welding of near β and α Titanium Alloys: Metallurgical and Mechanical Characterization. 2017 , 7, 565	7
592	Titanium Alloys. 2017 , 177-288	7
591	Avaliaçã de nã conformidades de prãses de quadril fabricadas com ligas de titãnio e aã inox. 2017 , 22,	
590	Cyclic plasticity experiments and polycrystal plasticity modeling of three distinct Ti alloy microstructures. 2018 , 101, 1-23	46
589	Effect of Microstructure on the Creep Properties of TiãAlãV Alloys: An Analysis. 2018 , 71, 1573-1582	3
588	Phase transition, microstructure and mechanical properties of TC4 titanium alloy prepared by plasma activated sintering. 2018 , 741, 918-926	32
587	A review on laser beam welding of titanium alloys. 2018 , 97, 1071-1098	53
586	Statistical and optimize of lattice structures with selective laser melting (SLM) of Ti6AL4V material. 2018 , 97, 495-510	33
585	Effect of Rolling Temperature on the Microstructure and Tensile Properties of 47Zr-45Ti-5Al-3V Alloy. 2018 , 27, 1803-1811	1
584	Investigations on the effect of heating temperature and cooling rate on evolution of microstructure in an β Titanium alloy. 2018 , 33, 946-957	19
583	Residual stress and texture control in Ti-6Al-4V wire + arc additively manufactured intersections by stress relief and rolling. 2018 , 150, 193-205	91
582	Microstructure evolution and static recrystallization during hot rolling and annealing of an equiaxed-structure TC21 titanium alloy. 2018 , 752, 14-22	33

581	Fatigue crack tip plastic zone of β titanium alloy with Widmanstätten microstructure. 2018 , 34, 2107-2115		16
580	Optimisation of process parameters to address fundamental challenges during selective laser melting of Ti-6Al-4V: A review. 2018 , 128, 1-20		243
579	Effect of trace lanthanum hexaboride and boron additions on microstructure, tensile properties and anisotropy of Ti-6Al-4V produced by additive manufacturing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 719, 1-11	5:3	67
578	Microstructural characterization and comparison of Ti-6Al-4V manufactured with different additive manufacturing processes. 2018 , 143, 68-75		48
577	A method for the in-situ study of solid-state joining techniques using synchrotron radiation - observation of phase transformations in Ti-6Al-4V after friction surfacing. 2018 , 335, 355-367		4
576	Influence of microstructures and wear behaviors of the microalloyed coatings on TC11 alloy surface using laser cladding technique. 2018 , 337, 97-103		21
575	Electron backscatter diffraction characterization of fatigue crack growth in laser metal wire deposited Ti-6Al-4V. 2018 , 135, 245-256		11
574	Vacuum Pressureless Sintering of Ti-6Al-4V Alloy with Full Densification and Forged-Like Mechanical Properties. 2018 , 27, 282-292		13
573	Hot deformation behavior of Zr-1Nb alloy in two-phase region α microstructure and mechanical properties. 2018 , 741, 281-292		20
572	The Effect of Microstructural Features and Thickness on Fracture Toughness of Ti-6Al-4V ELI Thin Sheets. 2018 , 43, 1247-1255		0
571	Optimising the mechanical properties of Ti-6Al-4V components produced by wire + arc additive manufacturing with post-process heat treatments. 2018 , 753, 247-255		82
570	Relationship between microstructures, facet morphologies at the high-cycle fatigue (HCF) crack initiation site, and HCF strength in Ti-6242S. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 727, 43-50	5:3	4
569	Effect of travel speed and sub-transus post deposition heat treatments on thin Ti-6Al-4V laser wire deposits. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 724, 376-384	5:3	7
568	Effect of deformation of constituent phases on mechanical properties of Ti-6.5Al-3.5Mo-1.5Zr-0.3Si titanium alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 723, 29-37	5:3	21
567	Characterizing the tensile behavior of additively manufactured Ti-6Al-4V using multiscale digital image correlation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 724, 536-546	5:3	21
566	Grain refinement of Ti-15V-3Cr-3Sn-3Al metastable titanium alloy welds using boron-modified fillers. 2018 , 749, 320-328		11
565	Unified modelling of the flow behaviour and softening mechanism of a TC6 titanium alloy during hot deformation. 2018 , 748, 1031-1043		27
564	Effects of laser shock peening on the micro-hardness, tensile properties, and fracture morphologies of CP-Ti alloy at different temperatures. 2018 , 431, 122-134		35

563	Formation Mechanism of Lamellar M 23C6 Carbide in a Cobalt-Base Superalloy During Thermal Exposure at 1000 °C. 2018 , 31, 27-32		6
562	Quantification of strain localisation in a bimodal two-phase titanium alloy. 2018 , 145, 45-49		21
561	Understanding Microstructure Evolution During Additive Manufacturing of Metallic Alloys Using Phase-Field Modeling. 2018 , 93-116		18
560	Measuring Ti-7Al slip system strengths at elevated temperature using high-energy X-ray diffraction. 2018 , 142, 96-100		36
559	Cryogenic Mechanical Properties of Warm Multi-Pass Caliber-Rolled Fine-Grained Titanium Alloys: Ti-6Al-4V (Normal and ELI Grades) and VT14. 2018 , 49, 128-146		12
558	Effect of subtransus heat treatment on the microstructure and mechanical properties of additively manufactured Ti-6Al-4V alloy. 2018 , 735, 1562-1575		102
557	Thermal and Microstructure Study of the Chip Formation During Turning of Ti64 Lamellar Titanium Structure. 2018 , 140,		5
556	In-situ investigation of the anisotropic mechanical properties of laser direct metal deposition Ti6Al4V alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 712, 199-205	53	44
555	Nanoindentation studies on TiN nanoceramic reinforced TiAlV matrix composite. 2018 , 44, 4419-4425		54
554	Effect of microstructure on the elasto-viscoplastic deformation of dual phase titanium structures. 2018 , 61, 55-70		19
553	Low- and high-cycle fatigue resistance of Ti-6Al-4V ELI additively manufactured via selective laser melting: Mean stress and defect sensitivity. 2018 , 107, 96-109		125
552	Microstructure-Dependent Local Fatigue Cracking Resistance of Bimodal TiAlV Alloys. 2018 , 20, 1700702		4
551	Influence of alloy element partitioning on strength of primary phase in Ti-6Al-4V alloy. 2018 , 34, 782-787		31
550	Tailoring Mechanical Properties of Extruded Ti-6Al-4V Alloy from the Blended Elemental Route via Microstructure Control. 2018 , 884, 36-42		
549	Cost-Effective Production of High-Property Titanium Alloy from Powder. 2018 , 941, 1088-1094		1
548	TiFe Precipitation Behavior and its Effect on Strengthening in Solution Heat-Treated Ti-5Al-3.5Fe During Isothermal Aging. 2018 , 8, 875		4
547	Additive Manufacturing of Titanium Parts Using 3D Plasma Metal Deposition. 2018 , 941, 2137-2141		8
546	Temperature Dependence of Mechanical Properties in Dual Phase Ti-6Al-4V. 2018 , 941, 1479-1483		

545	Ductility Improvement Mechanism of Ti-6Al-4V + O Sintered Material. 2018 , 65, 699-706	1
544	High temperature oxidation behavior in dieless drawing of titanium alloy wires. 2018 , 15, 294-301	3
543	In situ analysis of plasticity and damage nucleation in a Ti-6Al-4V alloy and laser weld. 2018 , 146, 81-90	10
542	Effect of temperature on microstructure and mechanical properties of ECAPed (TiB + La ₂ O ₃)/Ti-6Al-4V composites. 2018 , 146, 149-158	9
541	Probing the optimal thermohydrogen processing conditions of titanium alloy shavings via chemisorption method. 2018 , 43, 20783-20794	6
540	A microstructure sensitive model for deformation of Ti-6Al-4V describing Cast-and-Wrought and Additive Manufacturing morphologies. 2018 , 160, 350-362	27
539	Isothermal deformation and spheroidization mechanism of (TiB + La ₂ O ₃)/Ti composites with different initial structures. 2018 , 146, 15-24	10
538	Oxygen scavenging, grain refinement and mechanical properties improvement in powder metallurgy titanium and titanium alloys with CaB ₆ . 2018 , 340, 362-369	9
537	Microstructure evolution in thin sheet laser welding of titanium alloy. 2018 , 11, 203	4
536	A Two-Dimensional Simulation of Grain Structure Growth within Substrate and Fusion Zone during Direct Metal Deposition. 2018 ,	1
535	Fatigue Performance of the Novel Titanium Alloy Timetal 407. 2018 , 165, 04001	2
534	Effects of step-quenching on the β martensitic transformation, β precipitation, and mechanical properties of multiphase Ti-10Mo alloy. 2018 , 53, 11765-11778	2
533	Unique texture transition during sub Etransus annealing of warm-rolled Ti-6Al-4V alloy: Role of orientation dependent spheroidization. 2018 , 154, 1-7	14
532	Phase morphology, variants and crystallography of alloy microstructures in cold dwell fatigue. 2018 , 113, 324-334	18
531	New approach to achieve high strength powder metallurgy Ti-6Al-4V alloy through a simplified hydrogenation-dehydrogenation treatment. 2018 , 763, 111-119	8
530	Data-driven reduced-order models for rank-ordering the high cycle fatigue performance of polycrystalline microstructures. 2018 , 154, 170-183	33
529	Microstructure and Mechanical Properties of Ti-5Al-2.5Fe Alloy Produced by Powder Forging. 2018 , 770, 39-44	3
528	Micromechanistic study of textured multiphase polycrystals for resisting cold dwell fatigue. 2018 , 156, 254-265	7

527	Effect of heat treatment on the phase transformation and mechanical properties of Ti6Al4V fabricated by selective laser melting. 2018 , 764, 1056-1071		137
526	Influence of alpha/beta processing on fracture toughness for a two-phase titanium alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 731, 85-92	5-3	15
525	Metal matrix composites based on Ti-6242 synthesized by Spark Plasma Sintering. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 732, 35-40	5-3	12
524	Origins of different tensile behaviors induced by cooling rate in a near alpha titanium alloy Ti65. 2018 , 1, 128-138		9
523	EBSD Study of Microstructural and Textural Changes of Hot-Rolled Ti6Al4V Sheet After Annealing at 800 °C. 2018 , 31, 1215-1223		19
522	Concentrated solar energy used for heat treatment of Ti6Al4V alloy manufactured by selective laser melting. 2018 , 173, 76-88		13
521	The Effect of Heat Treatments on Microstructure and Mechanical Properties of As-Extruded Ti-6Al-4V Alloy Rod from Blended Elemental Powders. 2018 , 770, 45-51		1
520	A Review of the As-Built SLM Ti-6Al-4V Mechanical Properties towards Achieving Fatigue Resistant Designs. 2018 , 8, 75		95
519	Studies on Titanium Alloys for Aerospace Application. 2018 , 385, 419-423		13
518	A micromechanical model to study the closure stress effect on fatigue life of Ti6Al4V subjected to laser shock peening. 2018 , 200, 327-338		8
517	Processing Parameter Effects on Residual Stress and Mechanical Properties of Selective Laser Melted Ti6Al4V. 2018 , 27, 4059-4068		51
516	Effects of heat accumulation on microstructure and mechanical properties of Ti6Al4V alloy deposited by wire arc additive manufacturing. 2018 , 23, 151-160		75
515	Mechanism of texture and microstructure evolution during warm rolling of Ti6Al4V alloy. 2018 , 98, 2562-2581		21
514	Effect of Initial Microstructure on High-Temperature Dynamic Deformation of Ti-6Al-4V Alloy. 2018 , 49, 4581-4594		5
513	The Low Strain Rate Response of As-Cast Ti-6Al-4V Alloy with an Initial Coarse Lamellar Structure. 2018 , 8, 270		2
512	Dependence of Macro- and Micro-Properties on Plates in Ti-6Al-2Zr-1Mo-1V Alloy with Tri-Modal Microstructure. 2018 , 8, 299		6
511	Effect of Heat Treatment on the Structure and Properties of Titanium Alloy VT22 Welded Joints Produced by TIG-Welding with Flux-Cored Wire. 2018 , 927, 119-125		4
510	A new approach to control and optimize the laser surface heat treatment of materials. 2018 , 262, 492-502		8

509	Understanding the deformation mechanism of individual phases of a dual-phase beta type titanium alloy using in situ diffraction method. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 728, 151-156	5-3	9
508	The influence of the microstructure morphology of two phase Ti-6Al-4V alloy on the mechanical properties of diffusion bonded joints. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 726, 251-258	5-3	7
507	Texture analysis of additively manufactured Ti-6Al-4V using neutron diffraction. 2018 , 23, 394-401		17
506	A two-dimensional simulation of grain structure growth within the substrate and the fusion zone during direct metal deposition. 2018 , 346, 1072-1086		6
505	Dissimilar diffusion bonding behavior of hydrogenated Ti ₂ AlNb-based and Ti-6Al-4V alloys. 2018 , 159, 68-78		14
504	Tensile behavior of Ti-6Al-4V alloy fabricated by selective laser melting: effects of microstructures and as-built surface quality. 2018 , 15, 243-252		20
503	Mechanical instabilities in the modeling of phase transitions of titanium. 2018 , 26, 065002		13
502	Realizing a full volume component by in-situ welding during electron beam melting process. 2018 , 22, 375-380		16
501	Factors determining room temperature mechanical properties of bimodal microstructures in Ti-6Al-4V alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 730, 217-222	5-3	34
500	Effects of service temperature on tensile properties and microstructural evolution of CP titanium subjected to laser shock peening. 2019 , 770, 732-741		19
499	Mechanical Behavior of Titanium-Based Layered Structures Fabricated Using Blended Elemental Powder Metallurgy. 2019 , 28, 5772-5792		12
498	A novel nano-particle strengthened titanium alloy with exceptional specific strength. 2019 , 9, 11726		6
497	Continuous Electron Beam Post-Treatment of EBF3-Fabricated Ti-6Al-4V Parts. 2019 , 9, 699		17
496	Yielding nature and Hall-Petch relationships in Ti-6Al-4V alloy with fully equiaxed and bimodal microstructures. 2019 , 172, 77-82		56
495	A detailed study of texture changes during alpha-beta processing of a zirconium alloy. 2019 , 804, 65-83		6
494	Effect of iron content on beta phase transformation behavior of Ti-5Al-xFe (x= 1, 2.5, 4) alloys during continuous cooling. 2019 , 8, 2887-2897		15
493	Effects of microstructure on the dynamic properties of TA15 titanium alloy. 2019 , 137, 103121		14
492	A high-strength vacuum-brazed TiAl/Ni joint at room temperature and high temperature with an amorphous foil Zr-Al-Ni-Co filler metal. 2019 , 44, 389-396		12

491	Effect of niobium content on the microstructure and Young's modulus of Ti-xNb-7Zr alloys for medical implants. 2019 , 99, 78-85		15
490	Effect of strain amplitude on low cycle fatigue and microstructure evolution in Ti-6Al-4V: A TKD and TEM characterization. 2019 , 155, 109829		23
489	An investigation of β and α' phases intensity and hardness of Ti-6Al-6Mo implant alloy influenced by temperature of solution treatment and quenching media. 2019 ,		0
488	The Effect of EBM Process Parameters on Porosity and Microstructure of Ti-5Al-5Mo-5V-1Cr-1Fe Alloy. 2019 , 2019, 2903920		15
487	Bi-lamellar microstructure in Ti-6Al-4V: Microstructure evolution and mechanical properties. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 762, 138077	5-3	31
486	An investigation of small fatigue crack behavior in titanium alloy TC4 under different stress levels. 2019 , 233, 5567-5578		2
485	A Preferred Patient Decubitus Positioning for MRI-guided Online Adaptive Radiation Therapy of Pancreatic Cancer. 2019 , 105, S240		
484	Twinning and sequential kinking in lamellar Ti-6Al-4V alloy. 2019 , 181, 479-490		37
483	Vacuum brazing of TiAl-based alloy and GH536 superalloy with a low-melting point amorphous Ti ₃₅ Zr ₂₅ Be ₃₀ Co ₁₀ filler. 2019 , 47, 410-418		8
482	Effects of 3D microstructural distribution on short crack growth behavior in two bimodal Ti-6Al-4V alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 766, 138264	5-3	5
481	Effect of streaming water vapor on the corrosion behavior of Ti60 alloy under a solid NaCl deposit in water vapor at 600 °C. 2019 , 160, 108177		11
480	Effect of reinforcements on β - α' transformation and tensile properties of a near β titanium matrix composite. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 766, 138337	5-3	14
479	Initiation and Propagation Behaviors of Small Fatigue Crack in Titanium Alloy TC4. 2019 , 795, 9-14		1
478	Impact of Electrocautery on Fatigue Life of Spinal Fusion Constructs-An In Vitro Biomechanical Study. 2019 , 12,		4
477	Torsion modulus as a tool to evaluate the role of thermo-mechanical treatment and composition of dental Ti-Zr alloys. 2019 , 8, 4631-4641		4
476	Effect of primary β phase fraction on tensile behavior of IMI 834 alloy. 2019 , 14, 78-88		4
475	Investigation of strain redistribution mechanism in β titanium by image-based crystal plasticity analysis. 2019 , 92, 1		5
474	In situ characterization of a high work hardening Ti-6Al-4V prepared by electron beam melting. 2019 , 179, 224-236		25

473	A 3D analysis of the onset of slip activity in relation to the degree of micro-texture in Ti-6Al-4V. 2019 , 181, 36-48		33
472	Effect of double stage solution treatment on the volume fraction of massive phase (β) as a new method to obtain a fine lamellar β in Ti-6Al-4V alloy. 2019 , 113, 106581		4
471	On the strain hardening abilities of β -titanium alloys: The roles of strain partitioning and interface length density. 2019 , 811, 152040		22
470	Achieving bi-lamellar microstructure with both high tensile strength and large ductility in Ti-6Al-4V alloy by novel thermomechanical processing. 2019 , 8, 100479		15
469	Investigation on the hot deformation behaviors and globularization mechanisms of lamellar Ti-6Al-4V alloy within a wide range of deformation temperatures. 2019 , 8, 100480		14
468	Metastable phase-assisted nucleation in a near-alpha titanium matrix composite with network architecture. 2019 , 35, 306-312		2
467	Controlling martensitic decomposition during selective laser melting to achieve best ductility in high strength Ti-6Al-4V. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 744, 445-455	5-3	53
466	Metal injection molding (MIM) of titanium and titanium alloys. 2019 , 431-460		4
465	The Relationship of Fracture Mechanism between High Temperature Tensile Mechanical Properties and Particle Erosion Resistance of Selective Laser Melting Ti-6Al-4V Alloy. 2019 , 9, 501		13
464	Influence of trace boron addition on microstructure, tensile properties and their anisotropy of Ti6Al4V fabricated by laser directed energy deposition. 2019 , 181, 107943		38
463	Identification of active slip mode in a hexagonal material by correlative scanning electron microscopy. 2019 , 175, 376-393		19
462	Multi-Scale Microstructure Regulation Technology of Near-High Temperature Titanium Alloy. 2019 , 944, 92-98		
461	A Review on High-Strength Titanium Alloys: Microstructure, Strengthening, and Properties. 2019 , 21, 1801359		56
460	Thermal Decomposition of Massive Phase to Fine Lamellar β in Ti-6Al-4V Additively Manufactured Alloy by Directed Energy Deposition. 2019 , 25, 1428-1435		14
459	Phase transition induced high strength and large ductility of a hot rolled near β Ti-5Al-5Mo-5V-1Cr-1Fe alloy. 2019 , 170, 34-37		12
458	Effect of microstructure on tensile properties, impact toughness and fracture toughness of TC21 alloy. 2019 , 180, 107898		38
457	Printability and microstructural evolution of Ti-5553 alloy fabricated by modulated laser powder bed fusion. 2019 , 103, 4399-4409		4
456	Impact properties of half stress-relieved and hot isostatic pressed Ti-6Al-4V components fabricated by laser powder bed fusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 760, 481-488	5-3	6

455	Additive manufacturing of Ti6Al4V parts through laser metal deposition (LMD): Process, microstructure, and mechanical properties. 2019 , 804, 163-191		118
454	Microstructure and Wear Resistance of Ti6Al4V Coating Fabricated by Electro-Spark Deposition. 2019 , 9, 23		5
453	The Microstructure Evolution and Mechanical Properties of TiBw/TA15 Composite with Network Structure Prepared by Rapid Current Assisted Sintering. 2019 , 9, 540		2
452	Manufacturing of Titanium Components with 3DPMD. 2019 , 9, 562		2
451	In situ EBSD investigation of deformation processes and strain partitioning in bi-modal Ti-6Al-4V using lattice rotations. 2019 , 171, 261-274		31
450	A study of β -variant selection in laser solid forming Ti-6Al-4V. 2019 , 792, 1261-1266		11
449	Effects of multi-pass drawing strain and heat treatment on microstructure, texture and mechanical properties of Ti-6Al-4V alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 757, 70-83	5-3	6
448	Selective laser melting of Ti alloys and hydroxyapatite for tissue engineering: progress and challenges. 2019 , 6, 082003		14
447	Role of microstructure on the tension/compression asymmetry in a two-phase Ti-5Al-3Mo-1.5V titanium alloy. 2019 , 795, 151-162		8
446	Effects of Zr and Si addition on high-temperature mechanical properties and microstructure in Ti-10Al-2Nb-based alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 756, 46-53	5-3	14
445	The influence of temperature during water-quench rapid heat treatment on the microstructure, mechanical properties and biocompatibility of Ti6Al4V ELI alloy. 2019 , 96, 144-151		11
444	Thermo-metallo-mechanical modelling of heat treatment induced residual stress in Ti6Al4V alloy. 2019 , 35, 747-766		16
443	Effect of Heat Treatments on Fatigue Properties of Ti6Al4V and 316L Produced by Laser Powder Bed Fusion in As-Built Surface Condition. 2019 , 395-405		6
442	Microstructural optimization through heat treatment for enhancing the fracture toughness and fatigue crack growth resistance of selective laser melted Ti6Al4V alloy. 2019 , 169, 45-59		115
441	The effect of heat treatment on the mechanical properties of Ti6Al4V alloy produced by consolidating a high impurity blended powder mixture using a combination of powder compact hot pressing and extrusion. 2019 , 34, 1426-1438		5
440	Hot deformation behaviour of Ti-6Al-4V alloy with a transformed microstructure: a multimodal characterisation. 2019 , 99, 1429-1459		7
439	On the fracture behavior and toughness of TA15 titanium alloy with tri-modal microstructure. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 753, 238-246	5-3	15
438	Comparative analyses of the tensile and damage tolerance properties of tri-modal microstructure to widmanstätten and bimodal microstructures of TA15 titanium alloy. 2019 , 788, 831-841		13

437	Slip transmission assisted by Shockley partials across β/α interfaces in Ti-alloys. 2019 , 171, 291-305		17
436	Fatigue Crack Growth Behaviors in Novel TC32 Titanium Alloy with Bimodal and Basket-Wave Microstructures. 2019 , 944, 120-126		2
435	Microstructural design for advanced light metals. 2019 , 44, 281-286		4
434	Powder interlayer bonding of titanium alloys: Ti-6Al-2Sn-4Zr-6Mo and Ti-6Al-4V. 2019 , 103, 441-452		15
433	Effect of Test Temperature on Tensile Behavior of Ti-5Al-5V-2Mo-1Cr-1Fe (Ti5553) Titanium Alloy with Initial Microstructures in Hot Forged and Heat Treated Conditions. 2019 , 50, 2702-2719		10
432	Flow stress constitutive relationship between lamellar and equiaxed microstructure during hot deformation of Ti-6Al-4V. 2019 , 270, 216-227		29
431	In-situ comparison of deformation behavior at 23 °C and 650 °C of laser direct melting deposited Ti-6Al-4V alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 749, 48-55	5-3	12
430	Investigation of high temperature behavior and processing map of Ti-6Al-4V-0.11Ru titanium alloy. 2019 , 787, 527-536		18
429	Formation and evolution of tri-modal microstructure during dual heat treatment for TA15 Ti-alloy. 2019 , 786, 894-905		11
428	Assessment of predominant microstructural features controlling 3D short crack growth behavior via a surrogate approach in Ti-6Al-4V. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 751, 351-362	5-3	3
427	Thermal Behavior in Wire Arc Additive Manufacturing: Characteristics, Effects and Control. 2019 , 3-18		9
426	Molten Salt Electrochemical Synthesis, Heat Treatment and Microhardness of Ti-6Al-2Nb Alloy. 2019 , 60, 391-399		6
425	Comparative study of crack growth behaviors of fully-lamellar and bi-lamellar Ti-6Al-3Nb-2Zr-1Mo alloy. 2019 , 789, 249-255		19
424	Microstructure and Mechanical Behavior of Heat-Treated and Thermomechanically Processed TA15 Ti Alloy Composites. 2019 , 28, 788-799		6
423	Microstructural evolution in titanium matrix composites processed by multi-pass equal-channel angular pressing. 2019 , 54, 7931-7942		4
422	Study on Plastic Deformation Zone of Titanium Alloy. 2019 , 1347, 012061		1
421	Grain morphology and texture evolution of TC21 titanium alloy during annealing with different time. 2019 , 50, 1545-1554		2
420	Tribology of Ti6Al4V: A review. 2019 , 7, 497-536		39

419	Simulation of Ti-6Al-4V Additive Manufacturing Using Coupled Physically Based Flow Stress and Metallurgical Model. 2019 , 12,		10
418	Microstructural Control of Fatigue Behaviour in a Novel ????? Titanium Alloy. 2019 , 9, 1200		3
417	Microstructural mechanisms during multidirectional isothermal forging of as-cast Ti-6Al-4V alloy with an initial lamellar microstructure. 2019 , 773, 277-287		25
416	Fatigue performance of selective laser melted Ti6Al4V components: state of the art. 2019 , 6, 012002		47
415	Effect of processing conditions on the microstructure, porosity, and mechanical properties of Ti-6Al-4V repair fabricated by directed energy deposition. 2019 , 264, 172-181		68
414	On the influence of the heat treatment on microstructure formation and mechanical properties of near- β -Ti-Fe alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 748, 301-312	5-3	19
413	Design of near- β -Ti alloys via a cluster formula approach and their high-temperature oxidation resistance. 2019 , 35, 1008-1016		9
412	Research on Three-Roll Screw Rolling Process for Ti6Al4V Titanium Alloy Bar. 2019 , 38, 178-182		2
411	Effect of intercritical annealing temperature on microstructure and mechanical properties of duplex Zr-2.5Nb alloy. 2019 , 776, 242-249		16
410	Effect of HIP post-treatment on the HIPed Ti6Al4V powder compacts. 2019 , 62, 8-14		6
409	Automated image mapping and quantification of microstructure heterogeneity in additive manufactured Ti6Al4V. 2019 , 147, 131-145		14
408	Microstructural evolution and mechanical properties of a linear friction welded two-phase Ti-6.5Al-3.5Mo-1.5Zr-0.3Si titanium alloy joint. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 743, 12-23	5-3	15
407	Optimization of processing parameters and establishment of a relationship between microstructure and mechanical properties of SLM titanium alloy. 2019 , 112, 159-167		55
406	The effects of microstructure evolution on the fracture toughness of BT-25 titanium alloy during isothermal forging and subsequent heat treatment. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 745, 203-211	5-3	18
405	A study on performance characteristics and multi response optimization of process parameters to maximize performance of micro milling for Ti-6Al-4V. 2019 , 781, 773-782		6
404	From microstructural design to surface engineering: A tailored approach for improving fatigue life of additively manufactured meta-biomaterials. 2019 , 83, 153-166		52
403	Beam oscillation, porosity formation and fatigue properties of electron beam welded Ti-6Al-4V alloy. 2019 , 266, 165-172		27
402	Reducing arc heat input and obtaining equiaxed grains by hot-wire method during arc additive manufacturing titanium alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 742, 287-294	5-3	61

401	Dependence of mechanical properties on the microstructural parameters of TA15 titanium alloy with tri-modal microstructure. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 739, 203-213	5-3	49
400	Crack growth behavior in dissimilar welded Ti based alloys under biaxial fatigue loading. 2019 , 118, 209-224		4
399	A review on the fatigue behavior of Ti-6Al-4V fabricated by electron beam melting additive manufacturing. 2019 , 119, 173-184		86
398	Micromechanical behavior and thermal stability of a dual-phase β -Ti titanium alloy produced by additive manufacturing. 2019 , 162, 149-162		73
397	Comparison of the chip formations during turning of Ti64 and Ti64 β . 2019 , 233, 494-504		4
396	Effect of Mn Addition on Microstructural Changes and Mechanical Properties of Ti-6Al-2.5Fe Alloys. 2019 , 25, 1521-1528		1
395	Microstructure-Sensitive Computational Estimates of Driving Forces for Surface Versus Subsurface Fatigue Crack Formation in Duplex Ti-6Al-4V and Al 7075-T6. 2020 , 72, 28-38		14
394	Deformation behavior and microstructure evolution of titanium alloys with lamellar microstructure in hot working process: A review. 2020 , 39, 56-73		71
393	Influence of deposition strategy on the microstructure and fatigue properties of laser metal deposited Ti-6Al-4V powder on Ti-6Al-4V substrate. 2020 , 130, 105236		25
392	In situ tailoring microstructure in laser solid formed titanium alloy for superior fatigue crack growth resistance. 2020 , 174, 53-57		22
391	Advanced Surface Enhancement. 2020 ,		1
390	The Kinetics of Primary Alpha Plate Growth in Titanium Alloys. 2020 , 51, 131-141		8
389	Effects of Stress-Relieving Heat Treatment on Impact Toughness of Direct Metal Laser Sintering (DMLS)-Produced Ti6Al4V (ELI) Parts. 2020 , 72, 1175-1185		6
388	Effect of β -precipitation on α -texture evolution during β -processed forging in a near- β -titanium alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 771, 138640	5-3	19
387	Deformation mechanisms and fracture of electron beam melted Ti-6Al-4V. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 771, 138652	5-3	20
386	Improved fracture toughness by microalloying of Fe in Ti-6Al-4V. 2020 , 185, 108251		24
385	Powder interlayer bonding of geometrically complex Ti-6Al-4V parts. 2020 , 106, 3629-3639		2
384	Investigation of the Microstructure and Mechanical Characteristics of Disk Laser-Welded Ti-6Al-4V Alloy Joints. 2020 , 29, 593-606		2

383	Effect of Microstructure on High Cycle Fatigue and Fatigue Crack Propagation Behaviors of Annealed Ti-6Al-4V Alloy. 2020 , 27, 2239	1
382	Microstructure-sensitive computational multiaxial fatigue of Al 7075-T6 and duplex Ti-6Al-4V. 2020 , 133, 105460	16
381	Ultra-fine bimodal microstructure induced mechanical strength and corrosion resistance of Ti-6Al-4V alloy produced via laser powder bed fusion process. 2020 , 125, 106017	12
380	Microstructure and texture evolution during annealing of Ti-6Al-4V alloy. 2020 , 36, 417-424	3
379	Solidification microstructure simulation of Ti-6Al-4V in metal additive manufacturing: A review. 2020 , 31, 100989	20
378	Simultaneously enhancing the strength and ductility of lamellar Ti-6Al-4V alloy via designing hierarchical 3D nanolayered structure. 2020 , 261, 127020	3
377	Hot working behaviour of experimental Ti-4.5Al-1 V-3Fe alloy with initial lamellar microstructure. 2020 , 106, 1901-1916	7
376	Effects of laser power on geometry, microstructure and mechanical properties of printed Ti-6Al-4V parts. 2020 , 278, 116539	23
375	Microstructure attributes and tool wear mechanisms during high-speed machining of Ti-6Al-4V. 2020 , 50, 345-365	9
374	Friction stir welding of Ti-6Al-4V alloy: Friction tool, microstructure, and mechanical properties. 2020 , 58, 344-354	17
373	Microstructure evolution and mechanical properties of wire-feed electron beam additive manufactured Ti-5Al-2Sn-2Zr-4Mo-4Cr alloy with different subtransus heat treatments. 2020 , 195, 109063	11
372	Aging Treatment Effect on Microstructure and Mechanical Properties of Ti-5Al-3V-1.5Mo-2Zr Titanium Alloy Drill Pipe. 2020 , 29, 7011-7025	0
371	On the effect of a thermal treatment on the tensile and fatigue properties of weak zones of similar Ti17 linear friction welded joints and parent material. 2020 , 169, 110570	4
370	Microstructure evolution mechanism and mechanical properties of TC11-TC17 dual alloy after annealing treatment. 2020 , 842, 155874	8
369	Ex-situ study on mechanical properties and deformation mechanism of three typical microstructures in TA19 titanium alloy. 2020 , 167, 110521	12
368	Factors Influencing the Corrosion Behavior of Direct Metal Laser Sintered Ti-6Al-4V for Biomedical Applications. 2020 , 29, 3831-3839	4
367	Machine Learning-Enabled Uncertainty Quantification for Modeling Structure-Property Linkages for Fatigue Critical Engineering Alloys Using an ICME Workflow. 2020 , 9, 376-393	2
366	Criteria for fast and selective precipitation at grain boundaries in Ti-alloys Consequence for in-service microstructures. 2020 , 321, 12040	

365	Microstructure and Tensile Properties of Cost-Efficient Thermally Hardenable β -TiAlMoFe and TiAlMoCr Systems. 2020 , 9, 856-872		2
364	Uncertainty-quantified parametrically homogenized constitutive models (UQ-PHCMs) for dual-phase β -titanium alloys. 2020 , 6,		12
363	Microstructure and mechanical behavior of as-built and heat-treated Ti β Al β Nb produced by laser powder bed fusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 793, 139978	5:3	11
362	Boron modified titanium alloys. 2020 , 111, 100653		47
361	Microstructural evolution and mechanical properties of hot-rolled Ti-30Zr-5Al-2.5Sn alloy with mixed β and δ phases. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 792, 139812	5:3	2
360	Effect of Welding Parameters on Friction Stir Welded Ti β Al β V Joints: Temperature, Microstructure and Mechanical Properties. 2020 , 10, 940		2
359	Systematic evaluation of selective fusion additive manufacturing based on thermal energy source applied in processing of titanium alloy specimens for medical applications. 2020 , 109, 2421-2429		2
358	On the grain boundary network characteristics in a martensitic Ti β Al β V alloy. 2020 , 55, 15299-15321		8
357	Effect of Cooling Rates during a Double Stage Solution Treatment on the Massive Phase Formation in Ti-6Al-4V Alloy. 2020 , 1000, 398-403		
356	The fatigue performance of titanium alloys joined via the powder interlayer bonding method. 2020 , 109, 1553-1561		2
355	Biomechanical effects of original equipment manufacturer and aftermarket abutment screws in zirconia abutment on dental implant assembly. 2020 , 10, 18406		2
354	Stress-based fatigue behavior of Ti β Al β V alloy with a discontinuous lamellar microstructure fabricated by thermomechanical powder consolidation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 798, 140085	5:3	5
353	The Effect of Heat Treatment on the Microstructure and Mechanical Properties of the Novel Low-Cost Ti-3Al-5Mo-4Cr-2Zr-1Fe Alloy. 2020 , 13,		3
352	Effect of Lack of Fusion Formed during Electron Beam Powder Bed Fusion of Ti-6Al-4V Alloy on Impact Toughness. 2020 , 29, 4978-4990		1
351	Effect of processing factors on the characteristics of centrifugal casting. 2020 , 7, 26		5
350	Microplasticity at Room Temperature in β -Titanium Alloys. 2020 , 51, 4931-4969		16
349	Plane strain fracture behavior of a new high strength Ti β Al β Mo β V β Zr β Cr β Nb β Fe alloy during heat treatment. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 797, 140080	5:3	8
348	Thermomechanical Processing of a Near- β Ti Matrix Composite Reinforced by TiB. 2020 , 13,		

347	Microstructural evolution in Ti-0Al-1Zr-1Mo-1Nb alloy under thermomechanical treatment in Eregion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 796, 140149	5-3	3
346	Improved Strength-Ductility of Ti-6Al-4V Casting Alloys with Trace Addition of TiC-TiB Nanoparticles. 2020 , 10,		0
345	Inhomogeneous deformation of constituent phases in titanium alloys under tensile deformation. 2020 , 50, 558-564		
344	Characterization of fully lamellar Ti6Al-4V alloy. 2020 , 912, 022035		
343	Recovery of Scratch Grooves in Ti-6Al-4V Alloy Caused by Reversible Phase Transformations. 2020 , 10, 1332		5
342	Effect of Strain Rate on Microstructure Evolution and Mechanical Behavior of Titanium-Based Materials. 2020 , 10, 1404		8
341	Thermomechanical Processing of Cost-Affordable Powder Metallurgy Ti-5Fe Alloys from the Blended Elemental Approach: Microstructure, Tensile Deformation Behavior, and Failure. 2020 , 10, 1405		2
340	Effect of heat treatment on microstructures and tensile properties of TA19 alloy fabricated by laser metal deposition. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 782, 139284	5-3	7
339	Failure analysis of a modular revision total HIP arthroplasty femoral stem fractured in vivo. 2020 , 114, 104591		2
338	Mechanism of Fatigue Crack Growth in Biomedical Alloy Ti-27Nb. 2020 , 13,		0
337	Strain rate sensitivity, microstructure variations, and stress-assisted $\beta \rightarrow \alpha'$ phase transformation investigation on the mechanical behavior of dual-phase titanium alloys. 2020 , 166, 110410		14
336	Comparing the Maximum Load Capacity and Modes of Failure of Original Equipment Manufactured and Aftermarket Titanium Abutments in Internal Hexagonal Implants. 2020 , 10, 556		1
335	Texture strengthening and anisotropic hardening of mill annealed Ti-6Al-4V alloy under equi-biaxial tension. 2020 , 164, 110349		5
334	Elasto-viscoplastic tensile behavior of as-forged Ti-1023 alloy: Experiments and micromechanical modeling. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 787, 139491	5-3	4
333	Influence of Controlled Cooling Rates During Thermal Processing of Ti 6% Al 4% V Alloys Using In-Situ Scanning Electron Microscopy. 2020 , 5, 1603-1611		1
332	Machining of directed energy deposited Ti6Al4V using adaptive control. 2020 , 54, 240-250		7
331	A new insight into the NaCl-induced hot corrosion mechanism of TiN coatings at 500 °C. 2020 , 174, 108794		10
330	Hot Rolled Ti6321 Alloy Sheets With Different Initial Microstructures: Microstructure, Mechanical Properties, and Anisotropy Characteristics. 2020 , 7,		1

329	Clear evidence for element partitioning effects in a Ti-6Al-4V alloy by the first-principles phase field method. 2020 , 32, 264001		4
328	Fine Secondary Phase-Induced Strengthening in a Ti-5.5Al-2Zr-1Mo-2.5V Alloy Pipe with a Widmanstätten Microstructure. 2020 , 29, 1869-1881		5
327	Dynamic precipitation-induced simultaneous enhancement of the strength and plasticity of hot-rolled ZrTiAl alloy. 2020 , 829, 154577		3
326	Ductility Improvement Mechanism of TiAl ₃ V+O Sintered Material. 2020 , 61, 430-437		9
325	Role of titanium in bio implants and additive manufacturing: An overview. 2020 , 26, 3071-3080		20
324	Ti6Al4V functionally graded material via high power and high speed laser surface modification. 2020 , 398, 126085		7
323	Novel intermetallic-reinforced near- β Ti alloys manufactured by spark plasma sintering. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 792, 139798	5-3	3
322	The Effectiveness of Grain Refinement by Machine Hammer Peening in High Deposition Rate Wire-Arc AM Ti-6Al-4V. 2020 , 51, 3692-3703		17
321	Effect of thermomechanical microstructural modification and resulting crystallographic texture on the crack initiation mechanism and fatigue behaviour of PM TiAl ₃ V. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 792, 139836	5-3	3
320	The Effects of Post Heat Treatment on the Microstructural and Mechanical Properties of an Additive-Manufactured Porous Titanium Alloy. 2020 , 13,		7
319	Quantitative analysis of interleaved degree in lamellar microstructure of titanium alloys. 2020 , 189, 108490		2
318	Characterization and correlation of microstructure and hardness of TiAl ₃ V sheet surface-treated by pulsed laser. 2020 , 826, 154243		13
317	Quantitative Relationships between Mechanical Properties and Microstructure of Ti17 Alloy after Thermomechanical Treatment. 2020 , 10, 67		3
316	Texture Evolution and Dynamic Recrystallization Behavior of Hybrid-Reinforced Titanium Matrix Composites: Enhanced Strength and Ductility. 2020 , 51, 2276-2290		7
315	Effect of cryogenic quenching on microstructure and microhardness of Ti-6Al-4V alloy. 2020 , 267, 127532		5
314	Microstructure evolution during forging deformation of (TiB+TiC+Y ₂ O ₃)/Ti composite: DRX and globularization behavior. 2020 , 827, 154170		16
313	Microstructure evolution and deformation texture during rolling of TIMETAL(R) 407. 2020 , 9, 100596		3
312	An Overview of the Thermomechanical Processing of β Titanium Alloys: Current Status and Future Research Opportunities. 2020 , 51, 2593-2625		56

311	Effect of boron on the microstructure and mechanical properties of Ti-6Al-4V produced by laser directed energy deposition after heat treatment. 2020 , 32, 012007	5	
310	Fabrication, Structure and Mechanical and Ultrasonic Properties of Medical Ti6Al4V Alloys Part I: Microstructure and Mechanical Properties of Ti6Al4V Alloys Suitable for Ultrasonic Scalpel. 2020 , 13,	1	
309	Predicting geometric influences in metal additive manufacturing. 2020 , 25, 101174	3	
308	Evolution of microstructure and texture of a near titanium alloy during forging bar into disk. 2020 , 831, 154750	8	
307	Determination of the Elastic Properties at Aging of Medical Ti-6Al-4V ELI Alloy by Ultrasonic Velocity Measurements. 2020 , 23, 32-38	2	
306	Micro-Alloying and Surface Texturing of Ti-6Al-4V Alloy by Embedding Nanoparticles Using Gas Tungsten Arc Welding. 2020 , 4, 29	1	
305	Periodic Plastic Deformation Behavior of Ti-6Al-4V Titanium Alloy Based on Strain Controlling Mode. 2020 , 20, 597-604	1	
304	Effect of Industrial Heat Treatment and Barrel Finishing on the Mechanical Performance of Ti6Al4V Processed by Selective Laser Melting. 2020 , 10, 2280	7	
303	Hybrid manufacturing of components from Ti-6Al-4V by metal forming and wire-arc additive manufacturing. 2020 , 282, 116689	45	
302	Influence of multi-stage heat treatment on the microstructure and mechanical properties of TC21 titanium alloy. 2021 , 28, 296-304	4	
301	Microstructure evolution of TiBw/Ti composites during severe plastic deformation: Spheroidization behavior. 2021 , 171, 110725	0	
300	Laser surface treatment of titanium alloy to develop a Brich phase with very high hardness. 2021 , 288, 116873	6	
299	Crack propagation during Charpy impact toughness testing of Ti-6Al-4V-Mo-Zr alloy tubes containing equiaxed and lamellar microstructures. 2021 , 852, 156581	8	
298	Zr-Nb Alloys and Its Hot Deformation Analysis Approaches. 2021 , 27, 2106-2133	3	
297	Realizing superior ductility of selective laser melted Ti-6Al-4V through a multi-step heat treatment. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 799, 140367	5.3	17
296	Deformation mechanism of bimodal microstructure in Ti-6Al-4V alloy: The effects of intercritical annealing temperature and constituent hardness. 2021 , 71, 138-151	15	
295	Fatigue crack growth behavior of laser powder bed fusion additive manufactured Ti-6Al-4V: Roles of post heat treatment and build orientation. 2021 , 142, 105955	17	
294	Deformation behavior of Ti-6Al-4V microstructures under uniaxial loading: Equiaxed Vs. transformed-microstructures. 2021 , 171, 110780	15	

293	Microstructure evolution mechanisms and strength improvement of (6.5 vol% TiC + 3.3 vol% Ti5Si3)/Ti6Al4V composites via heat treatments. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 805, 140581	53	4
292	Analysis of microstructure and mechanical properties of additive repaired Ti6Al4V by Direct Energy Deposition. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 806, 140604	53	16
291	The role of defects and characterisation of tensile behaviour of EBM Additive manufactured Ti-6Al-4V: An experimental study at elevated temperature. 2021 , 120, 105115		8
290	The effect of forging texture and machining parameters on the fatigue performance of titanium alloy disc components. 2021 , 142, 105949		7
289	Formation mechanism of lamellae during $\beta \rightarrow \alpha$ transformation in polycrystalline dual-phase Ti alloys. 2021 , 71, 98-108		10
288	Analysis of Fatigue Indicator Parameters for Ti-6Al-4V microstructures using extreme value statistics in the HCF regime. 2021 , 145, 106096		8
287	Dynamic globularization mechanism during hot working of Ti-6.5Al-3.5Mo-1.5Zr-0.3Si alloy with lamellar microstructure. 2021 , 171, 110749		3
286	Modeling Ti6Al4V using crystal plasticity, calibrated with multi-scale experiments, to understand the effect of the orientation and morphology of the β and α phases on time dependent cyclic loading. 2021 , 146, 104192		12
285	Equiaxed microstructure evolution in wrought Ti-10Al-1Zr-1Mo-1Nb alloy during annealing. 2021 , 854, 157184		2
284	Evolution of microstructure and intervariant boundaries of β phase in electron beam melted and heat-treated Ti6Al4V alloy. 2021 , 40, 2118-2126		7
283	Oxygen Induced Phase Transformation in TC21 Alloy with a Lamellar Microstructure. 2021 , 11, 163		0
282	Effect of Deformation Reduction on Microstructure, Texture, and Mechanical Properties of Forged Ti-6Al-4V. 2021 , 30, 1147-1156		3
281	Influence of Thermo-Mechanical Processing on Microstructure, Mechanical Properties and Corrosion Behavior of Ti-6Al-6Mo Implant Alloy. 2021 , 397-405		0
280	Effects of Double-Ageing Heat Treatments on the Microstructure and Mechanical Behaviour of a Ti-3.5Al-5Mo-4V Alloy. 2021 , 14,		3
279	Effect of heating temperature and cooling rate on the microstructure and mechanical properties of a Mo-rich two phase β titanium alloy. 2021 , 36, 751-763		1
278	Cyclic Plastic Deformation Behavior of TC4 Titanium Alloy Under Different Microstructures and Load Conditions Using Finite Element Method. 2021 , 21, 678-688		
277	Compressive/tensile deformation behavior and the correlated microstructure evolution of Ti6Al4V titanium alloy at warm temperatures. 2021 , 10, 1291-1300		11
276	The Influence of Surface Hardening by Combined Thermo-Forced Impacts on the Fatigue Life and Damage of the VT22 Titanium Alloy. 2021 , 62, 64-71		0

275	In situ deformation behavior of TC21 titanium alloy with different morphologies (equiaxed/lamellar). 2021 , 40, 1173-1181	2
274	Thermo-Mechanical Modeling of Wire-Fed Electron Beam Additive Manufacturing. 2021 , 14,	4
273	Microstructures and Mechanical Properties of Hybrid, Additively Manufactured TiAlV after Thermomechanical Processing. 2021 , 14,	2
272	Microstructure globularization of high oxygen concentration dual-phase extruded Ti alloys via powder metallurgy route. 2021 , 172, 110855	7
271	Co-deformation and dynamic annealing effects on the texture development during alpha-Beta processing of a model Zr-Nb alloy. 2021 , 205, 116538	4
270	An Investigation of the Development of Coarse Grains During Annealing of Hot-Forged Ti-6Al-4V. 2021 , 52, 1353-1367	6
269	Activated slip and twin systems in electron beam melted Ti-6Al-4V subjected to elevated and high strain rate dynamic deformations. 2021 , 172, 110866	6
268	Tensile performance and impact toughness of Ti-55531 alloy with multilevel lamellar microstructure. 2021 , 56, 8848-8870	6
267	Investigation of deformation behavior and microstructure evolution of a Ti-6Al-4V-0.5Ni-0.5Nb-0.05Ru alloy. 2021 , 173, 110928	0
266	Effect of Heat Treatment on the Microstructure and Mechanical Properties of Selective Laser-Melted Ti64 and Ti-5Al-5Mo-5V-1Cr-1Fe. 2021 , 11, 534	5
265	Developments on Electron Beam Melting (EBM) of Ti-6Al-4V: A Review. 2021 , 74, 783-790	3
264	Martensite Formation and Decomposition during Traditional and AM Processing of Two-Phase Titanium Alloys—An Overview. 2021 , 11, 481	10
263	Microstructure Evolution and Mechanical Behavior of Laser Melting Deposited TA15 Alloy at 500 °C under In-Situ Tension in SEM. 2021 , 34, 1201-1212	4
262	Architected cellular materials: A review on their mechanical properties towards fatigue-tolerant design and fabrication. 2021 , 144, 100606	102
261	Microstructure evolution and fracture behavior of Ti-5Al-3Mo-3V-2Zr-2Cr-1Nb-1Fe alloy during BASCA heat treatments. 2021 , 174, 110975	2
260	Recent Advances in the Design of Novel Titanium Alloys Using Integrated Theory, Computer Simulation, and Advanced Characterization. 2021 , 23, 2100152	3
259	Texture-dependent dwell fatigue response of titanium. 2021 , 101, 1443-1470	1
258	Effect of lamellar on the stress corrosion cracking of Ti-6Al-4 V alloy in simulated oilfield brine. 2021 , 174, 111000	0

257	Microstructure-Based Estimation of Strength and Ductility Distributions for (alpha +beta) Titanium Alloys. 2021 , 52, 2411-2434		4
256	Additive manufacturing of high strength near β titanium alloy Ti-55511 by engineering nanoscale secondary β phases via in-situ heat treatment. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 814, 141245	5-3	11
255	How macrozone size and morphology influence yield in titanium alloys investigated using fast Fourier transform-based crystal plasticity simulations. 2021 , 216, 1-16		3
254	In Situ High-Energy Synchrotron X-Ray Diffraction Reveals the Role of Texture on the Activation of Slip and Twinning during Deformation of Laser Powder Bed Fusion Ti-6Al-4V. 2001556		3
253	Direct Rolling of TiCp/Ti-6Al-4V Composite for Improved Microstructure, Mechanical Properties, and High-Temperature Oxidation Resistance. 2021 , 23, 2100079		1
252	Material modeling of Ti-6Al-4V alloy processed by laser powder bed fusion for application in macro-scale process simulation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 814, 141237	5-3	7
251	Statistical modeling of microstructure evolution in a Ti-6Al-4V alloy during isothermal compression. 2021 , 210, 116827		3
250	A net-shape forming process of Ti-6Al-4V sphere joints. 1-8		1
249	Effect of Third-Stage Heat Treatments on Microstructure and Properties of Dual-Phase Titanium Alloy. 2021 , 14,		2
248	Effect of Deformation Temperature, Strain Rate, and Strain on the Microstructure Evolution of Ti-17 Alloy. 2021 , 52, 3107		
247	Microstructure and mechanical properties of Ti-6Al-4V/Ti-22Al-25Nb joint formed by diffusion bonding. 2021 , 31, 1339-1349		2
246	The impact of matrix texture and whisker orientation on property anisotropy in titanium matrix composites: Experimental and computational evaluation. 2021 , 212, 108682		5
245	Effect of Heat Treatment on Microstructure and Tensile Properties of Ti-6Al-4V Alloy Produced by Coaxial Electron Beam Wire Feeding Additive Manufacturing. 2021 , 73, 2241-2249		2
244	The effect of porosity on the mechanical properties of Ti-6Al-4V components manufactured by high-power selective laser melting. 2021 , 115, 3589-3597		3
243	In vitro Researches into the Biocompatibility of Titanium Alloys with a Modified Surface. 2021 , 17, 79-87		0
242	Simultaneously enhancing strength and ductility of Ti-6Al-4V alloy with the hierarchical structure via a novel thermal annealing treatment. 2021 , 176, 111112		3
241	Correlation between the Microstructure and Mechanical Properties of W-Bearing Ti-6Al-4V Alloys. 2021 , 59, 357-364		1
240	Comparison of the structure and properties of samples from Ti-6Al-4V alloy received on different printers for 3D printing. 2021 , 1942, 012008		

239	Long fatigue crack growth behavior of Ti-6Al-4V produced via high-power laser directed energy deposition. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 819, 141392	5:3	6
238	Dislocation hardening and phase transformation-induced high ductility in Ti-6Al-4V with a heterogeneous martensitic microstructure under tensile load. 2021 , 868, 159155		1
237	Effect of texture and mechanical anisotropy on flow behaviour in Ti-6Al-4V alloy under superplastic forming conditions. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 819, 141367	5:3	5
236	Microstructure and mechanical properties of B modified Ti-Fe alloy manufactured by casting, forging and laser melting deposition. 2021 , 216, 108854		7
235	Design of near β Ti alloys using β parameter. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 821, 141589	5:3	
234	Microstructural morphology effects on fracture toughness and crack growth behaviors in a high strength titanium alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 821, 141626	5:3	4
233	The Role of Crystallographic Texture and Basal Plane Slip on Microstructurally Short Fatigue Crack Initiation and Propagation in Forged Billet and Rolled Bar Ti-6Al-4V Alloy. 2021 , 52, 3821-3838		4
232	Alpha-case Formation in Ti-6Al-4V in a Different Oxidizing Environment and Its Effect on Tensile and Fatigue Crack Growth Behavior. 1		4
231	A novel physics-based and data-supported microstructure model for part-scale simulation of laser powder bed fusion of Ti-6Al-4V. 2021 , 8,		2
230	Tailoring the Microstructure and Mechanical Properties of Titanium Alloy Ti6Al4V Forgings with Different Combinations of Thermo-Mechanical Processing and Heat Treatment Cycles. 2021 , 6, 839-855		0
229	A study on the microstructure and mechanical properties of the Ti-6Al-2Sn-4Zr-6Mo alloy produced via Laser Powder Bed Fusion. 2021 , 870, 159329		8
228	In-situ XRD study on the effects of stress relaxation and phase transformation heat treatments on mechanical and microstructural behaviour of additively manufactured Ti-6Al-4V. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 819, 141534	5:3	5
227	Site-specific microstructure, porosity and mechanical properties of LENS-processed Ti-6Al-4V alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 820, 141494	5:3	1
226	Additively processed TiAl6Nb7 alloy for biomedical applications. 2021 , 52, 703-716		3
225	Reprint: Boron modified titanium alloys. 2021 , 120, 100815		5
224	Effect of texture characteristics on the high-cycle fatigue properties of a Ti-6Al-4V alloy. 2021 , 8, 086504		1
223	The microstructure and mechanical properties of extra low interstitials (ELI) Ti-6Al-4V alloys manufactured from hydride-dehydride (HDH) powder. 2021 , 873, 159757		2
222	Influence of deposition strategies on tensile and fatigue properties in a wire + arc additive manufactured Ti-6Al-4V. 2021 , 149, 106268		4

221	Fracture toughness and fatigue crack growth rate properties of AM repaired Ti-6Al-4V by Direct Energy Deposition. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 823, 141701	5-3	2
220	Physics-based modeling and predictive simulation of powder bed fusion additive manufacturing across length scales. 2021 , 44, e202100014		2
219	Targeted heat treatment of additively manufactured Ti-6Al-4V for controlled formation of Bi-lamellar microstructures. 2021 , 81, 67-76		9
218	The Effect of Decomposed Microstructure on Mechanical Properties of Additively Manufactured Ti-6Al-4V Alloy.		0
217	Deformation-Induced Grain-Interior Precipitation and Texture Evolution during the Processed Forging of a Near-Titanium Alloy. 2021 , 11, 1405		1
216	Correlation between microstructures and tensile deformation behavior of a PM near Ti-6Al-4V alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 825, 141909	5-3	1
215	Effect of Potential and Microstructure on the Tribocorrosion Behaviour of Beta and Near Beta Ti Alloys II. 2021 , 7, 1		1
214	Strength-ductility balance of powder metallurgy Ti-6Fe-W alloy extruded at high-temperature. 2021 , 14, 677-691		4
213	Transformed domains enhanced tensile properties and the related deformation behavior of a near alpha titanium alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 825, 141902	5-3	1
212	Evolution mechanism of lamellar and interlayered during hot compression of TC21 titanium alloy with a widmanstten structure. 2021 , 35, 475-475		
211	Microstructural Tailoring and Enhancement in Compressive Properties of Additive Manufactured Ti-6Al-4V Alloy through Heat Treatment. 2021 , 14,		
210	Tensile and fatigue crack growth behavior of commercially pure titanium produced by laser powder bed fusion additive manufacturing. 2021 , 45, 102027		5
209	A Comparative Study of Microstructures and Mechanical Behavior of Laser Metal Deposited and Electron Beam Melted Ti-6Al-4V. 1		0
208	Improving ductility of Ti-6Al-4V alloy via rotational hot rolling. 2021 , 191, 110404		2
207	Effects of stabilizer elements on microstructure formation and mechanical properties of titanium alloys. 2021 , 876, 160085		8
206	Hierarchical grain refinement during the laser additive manufacturing of Ti-6Al-4V alloys by the addition of micron-sized refractory particles. 2021 , 45, 102045		1
205	Evolution of grain boundary phase during cooling from phase field in a titanium alloy. 2021 , 301, 130318		1
204	Microstructure of titanium coatings controlled by pulse sequence in multipulse HiPIMS. 2021 , 423, 127624		3

203	Strain localization and fatigue crack formation at (0001) twist boundaries in titanium alloys. 2021 , 219, 117227	6
202	Tuning the number density of β precipitates in Ti-6Al-2Sn-2Zr-3Mo-1Cr-2Nb-0.1Si alloys for achieving high strength. 2021 , 882, 160732	2
201	The enhanced warm temperature ductility of Ti-6Al-4V alloy through strain induced martensite reversion and recrystallization. 2021 , 302, 130405	1
200	Processing-structure-property correlation in additive friction stir deposited Ti-6Al-4V alloy from recycled metal chips. 2021 , 47, 102259	7
199	Heat treatment of additively manufactured Ti-6Al-4V alloy: Microstructure and electrochemical properties. 2021 , 888, 161602	3
198	Effect of high pressure torsion process on the microhardness, microstructure and tribological property of Ti6Al4V alloy. 2021 , 94, 183-195	7
197	Analysis of Fatigue Indicator Parameters for Ti-6Al-4V microstructures using extreme value statistics in the transition fatigue regime. 2021 , 153, 106441	0
196	Tailoring equiaxed β grain structures in Ti-6Al-4V coaxial electron beam wire additive manufacturing. 2021 , 20, 101202	2
195	Stochastic modeling of the polygonal microstructures of alloys using representative microscopic images. 2021 , 29, 102832	0
194	Microstructures and mechanical properties of high strength Ti-XAl-2Fe-3Cu alloys fabricated by powder compact extrusion. 2021 , 884, 161136	1
193	Welding and Joining of Light Alloys. 2022 , 234-244	
192	The effect of cooling conditions on Ti 6%Al 4%V microstructure observed using high-temperature in-situ scanning electron microscopy. 2021 , 36, 717-728	0
191	Surface finish of additively manufactured Ti6Al4V workpieces after ball end milling. 2021 , 102, 228-233	1
190	The Cyclic Fatigue and Final Fracture Behavior of a Titanium Alloy Taken from Weldments: Influence of Load Ratio and Orientation. 355-379	2
189	A New and Efficient Multi-Scale Simulation Architecture for Prediction of Performance Metrics for Parts Fabricated Using Additive Manufacturing. 379-388	1
188	Texture Separation for β Titanium Alloys. 2009 , 317-327	3
187	Heat Treatment Strategies to Improve the Quasi-Static and Dynamic Performance of Alpha + Beta Titanium Alloys. 2019 , 1383-1387	1
186	Effects of WAAM Process Parameters on Metallurgical and Mechanical Properties of Ti-6Al-4V Deposits. 2020 , 26-35	1

185	Integration of Deformation Processing with Additive Manufacture of Ti-6Al-4V Components for Improved Grain Structure and Texture. 2015 , 437-444			1
184	Mechanical Properties Enhancement of Additive Manufactured Ti-6Al-4V by Machine Hammer Peening. 2020 , 121-132			8
183	Effect of annealing treatment on the microstructure and mechanical properties of a duplex Zr-2.5Nb alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 706, 236-241	5.3		29
182	The effect of loading direction on strain localisation in wire arc additively manufactured Ti-6Al-4V. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 788, 139608	5.3		11
181	Characterizing and Modeling the Precursors to Coarse Grain Formation during Beta-Annealing of Ti-6Al-4V. 2020 , 321, 12007			2
180	Importance of Residual Stresses and Surface Roughness regarding Fatigue of Titanium Forgings. 2010 , 7, 102534			2
179	Microstructure and Properties of Titanium-Based Materials Promising for Antiballistic Protection. 2019 , 20, 285-309			4
178	Crystal Plasticity Analysis of Microscopic Deformation Mechanisms and GN Dislocation Accumulation Depending on Vanadium Content in β Phase of Two-Phase Ti Alloy. 2019 , 60, 959-968			7
177	Development of a Flow Localization Band and Texture in a Forged Near- β Titanium Alloy. 2020 , 10, 121			9
176	Desarrollo de las aleaciones de titanio y tratamientos superficiales para incrementar la vida útil de los implantes. 2016 , 52, 084			9
175	Finite Element Modeling of Stress Strain Curve and Micro Stress and Micro Strain Distributions of Titanium Alloys—A Review. 2012 , 11, 953-960			3
174	Characterization of the β Phase Decomposition in Ti-5Al-5Mo-5V-3Cr at Slow Heating Rates. 2011 , 01, 1-11			19
173	Mechanical Properties of Powder Metallurgy (Ti-6Al-4V) with Hot Isostatic Pressing. 2020 , 10, 5637-5642			1
172	Effect of Processing Conditions on the Deep Drawability of Ti-6Al-4V Sheet at Warm Temperatures. 2015 , 24, 5-12			1
171	Spheroidization behavior of (TiB+TiC+Y ₂ O ₃)/Ti alloy during annealing. 2022 , 893, 162312			1
170	Effect of Annealing and Crack Orientation on Fatigue Crack Propagation of Ti64 Alloy Fabricated by Direct Energy Deposition Process. 2022 , 28, 205			2
169	Thermomechanically processed powder metallurgy Ti-5Fe alloy: Effect of microstructure, texture, Fe partitioning and residual porosity on tensile and fatigue behaviour. 2021 , 20, 101254			1
168	Effect of specimen geometry and orientation on tensile properties of Ti-6Al-4V manufactured by electron beam powder bed fusion. 2021 , 48, 102366			2

167	Four Point Bending Fatigue Tests of Forged Ti 6Al 4V. 2009 , 51, 580-586	1
166	Evaluation of Press Formability for Ti-6Al-4V Sheet at Elevated Temperature. 2010 , 19, 230-235	2
165	Three-dimensional Investigation of the Microtexture near Tensile Crack Tip in Ti-6Al-4V. 911-917	
164	Effect of Forging on Microstructural Characteristic and Tensile Properties of In-Situ (TiB+TiC)/Ti Composite. 857-862	
163	Secondary A Phase Evolution in the Isothermal Compression and Heat Treatment of TC8 Titanium Alloy. 2013 , 2621-2626	
162	A New and Efficient Multi-Scale Simulation Architecture for Prediction of Performance Metrics for Parts Fabricated Using Additive Manufacturing. 2015 , 381-388	
161	Modeling and Simulation of Microstructure Evolution during Heat Treatment of Titanium Alloys. 2016 , 573-603	3
160	Mechanical Properties Variation of Ti-6Al-4V Alloy by Microstructural Control. 2016 , 29, 220-226	1
159	Correlation between Microstructural Features and Tensile Properties in Near- β Titanium Alloy IMI 834 Processed in the β Regime. 2019 , 8, 20180162	2
158	Suppression of Grain Boundary β Formation by Addition of Silicon in a Near- β Titanium Alloy. 2019 , 60, 1749-1754	
157	Structure, Texture and Tensile Properties of Ti6Al4V Produced by Selective Laser Melting. 2019 , 25, 60-65	1
156	PRELIMINARY INVESTIGATION OF BILLET PROCESSING ROUTE ON MICROSTRUCTURE, TEXTURE AND FATIGUE RESPONSE OF Ti834 FORGED DISC PRODUCTS. 2020 , 321, 11031	
155	Globularization crystallography and dynamic phase evolution aspects of thermomechanical processing of Ti β Al β V alloy. 2021 , 125388	0
154	Towards Qualification in the Aviation Industry: Impact Toughness of Ti6Al4V(ELI) Specimens Produced through Laser Powder Bed Fusion Followed by Two-Stage Heat Treatment. 2021 , 11, 1736	2
153	Development of Ti-Al-Ta-Nb-(Re) near- β high temperature titanium alloy: microstructure, thermal stability and mechanical properties. 2021 , 109, 1-1	1
152	Ball end milling machinability of additively and conventionally manufactured Ti6Al4V tilted surfaces. 2021 , 72, 350-360	4
151	Fatigue Performance of the Novel Titanium Alloy TIMETAL β 407. 2020 , 321, 11044	
150	Microstructural Modeling of Thermally-Driven β Grain Growth, Lamellae & Martensite in Ti-6Al-4V. 2020 , 10, 55-73	1

149	Influence of surface hardening by combined thermal force impacts on VT22 titanium alloy fatigue life and damage. 2020 , 65-75		
148	Microstructure characteristics and enhanced properties of network-structured TiB/(TA15-Si) composites via rolling deformation at different temperatures. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022 , 829, 142176	5-3	3
147	Nano-scale characterisation of tri-modal microstructures in TIMETAL [®] 575. 2020 , 321, 12025		
146	Towards work-hardenability of Ti-6Al-4V through a quenching and partitioning approach. 2020 , 321, 11062		1
145	Microstructural evolution along the build height of laser melting deposited TA15 alloy. 2021 , 2076, 012049		
144	Insight into the formation mechanism and interaction of matrix/ TiB whisker textures and their synergistic effect on property anisotropy in titanium matrix composites. 2021 ,		2
143	Exploring a novel panel-core connection method of large size lattice sandwich structure based on wire arc additive manufacturing. 2021 , 212, 110223		2
142	Wire-fed electron beam directed energy deposition of Ti ₆ Al ₄ Zr ₂ Mo ₂ V alloy and the effect of annealing on the microstructure, texture, and anisotropy of tensile properties. 2022 , 49, 102511		0
141	Ballistic impact response of complex concentrated alloys. 2022 , 161, 104091		2
140	Effects of thermomechanical treatment on the evolution pattern of the β phase and mechanical properties of Ti-17 alloy. 2022 , 30, 103041		1
139	Effect of annealing temperature on microstructure and high-temperature tensile behaviour of Ti-6242S alloy produced by Laser Powder Bed Fusion. 2021 , 1, 72-83		
138	Strength enhancement of a bi-lamellar PM Ti ₆ Al ₄ V alloy without sacrificing ductility by Al partitioning and twinning-induced plasticity effect. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 832, 142368	5-3	0
137	Effect of heating treatment on the microstructural evolution and dynamic tensile properties of Ti-6Al-4V alloy produced by selective laser melting. 2022 , 74, 244-255		1
136	Microstructural and load hold effects on small fatigue crack growth in β phase Ti alloys. 2022 , 156, 106699		1
135	Investigation of β phase evolution and tensile fracture behavior of Ti ₅ Al ₂ Sn ₂ Zr ₄ Mo ₄ Cr alloy fabricated by directed energy deposition. 2022 , 900, 163497		0
134	Study on bifurcation behavior and morphology of the secondary grain boundary β phase in TC18 titanium alloy. 2022 , 901, 163622		0
133	Microstructure induced shear instability criterion during high speed machining of Ti6Al4V. 1-25		2
132	Influence of Quasi-Beta Heat Treatment on Acoustic Behaviors of Ultrasonic Inspection of TC4-DT Alloy. 2020 ,		

131	Low Cycle Fatigue Performance of Additively Processed and Heat-Treated Ti-6Al-7Nb Alloy for Biomedical Applications. 2022 , 12, 122		2
130	Influence of Air Cooling and Aging on Microstructure and Wear Properties of 3D-Printed and Conventionally Produced Medical-Grade Ti6Al4V ELI Alloy. 2022 , 53, 1069-1084		
129	Microstructure and Mechanical Properties of Ti6Al4V Alloys Fabricated by Additive Friction Stir Deposition. 2022 , 2, 100034		2
128	Mechanical behavior of electrochemically hydrogenated electron beam melting (EBM) and wrought Ti6Al4V using small punch test. 2022 , 47, 6388-6403		4
127	Theoretical Evaluation of Strengthening Ability of Phase Interfaces in Lamellar Ti Alloys. 2101570		0
126	Effect of the welding parameters on microstructure and mechanical properties of linear friction welded Ti-6Al-4V alloy. 2022 , 75, 651-663		1
125	Surface modification and twinning behavior in gradient graphene-based TiC/Ti6Al4V composite. 2022 , 583, 152495		0
124	The effect of heat treatment on microstructure, microhardness, and pitting corrosion of Ti6Al4V produced by electron beam melting additive manufacturing process. 1		1
123	Mechanical properties and deformation mechanisms of martensitic Ti6Al4V alloy processed by laser powder bed fusion and water quenching. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022 , 839, 142817	5:3	3
122	Phase transformation of the Ti-5553 titanium alloy subjected to rapid heating. 2022 , 57, 5620-5633		
121	Densification, Tailored Microstructure, and Mechanical Properties of Selective Laser Melted Ti-6Al-4V Alloy via Annealing Heat Treatment.. 2022 , 13,		2
120	On the Effect of the Stress Ratio on Fatigue Properties of Ti-6Al-4V Produced by Laser Powder Bed Fusion. 2022 , 2022, 1-7		0
119	The Mechanical Behavior and Microstructure of Additively Manufactured Ti6Al4V for Different Material States and Loading Conditions. 1		
118	Towards customized heat treatments and mechanical properties in the LPBF-processed Ti-6Al-2Sn-4Zr-6Mo alloy. 2022 , 215, 110512		0
117	Study and comparison of microstructures in Ti-alloy before and after the heat treatment. 2022 ,		
116	Additive Manufacturing of AlSi10Mg and Ti6Al4V Lightweight Alloys via Laser Powder Bed Fusion: A Review of Heat Treatments Effects.. 2022 , 15,		3
115	Strengthening mechanism of Ti-W composites with heterogeneous microstructures. 2022 , 10, 352-359		0
114	Effects of Annealing and Solution Treatments on the Microstructure and Mechanical Properties of Ti6Al4V Manufactured by Selective Laser Melting.. 2022 , 15,		1

113	Tensile deformation behaviors of Ti-6.5Al-3.5Mo-1.5Zr-0.25Si alloy with different percentages of primary β phase. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022 , 143097	5-3	0
112	Multiresolution investigations of thermally aged steels using spherical indentation stress-strain protocols and image analysis. 2022 , 167, 104265		0
111	Significantly enhanced tensile ductility and its origin of a <0001> micro-textured extrusion bar of a powder metallurgy near alpha titanium alloy. 2022 , 213, 114633		0
110	Novel insights on the near atomic scale spatial distributions of substitutional alloying and interstitial impurity elements in Ti-6Al-4V alloy. 2022 , 907, 164511		0
109	Origin of morphological variation of grain boundary precipitates in titanium alloys. 2022 , 214, 114651		0
108	{101 $\bar{2}$ } twinning induced by the interaction between {112 $\bar{1}$ } twin and β phase in β -Ti alloys. 2022 , 231, 117900		0
107	Bayesian analysis of parametric uncertainties and model form probabilities for two different crystal plasticity models of lamellar grains in β -Ti titanium alloys. 2022 , 154, 103289		0
106	Corrosion behavior of Ti60 alloy under continuous NaCl solution spraying at 600 °C. 2022 , 124, 86-101		0
105	Effect of Strain Rate on Mechanical Behavior and Microstructure Evolution of Ti-Based T110 Alloy. 2021 , 10, 839-861		1
104	Effect of heat treatment into tensile strength, hardness and microstructural attributes of TIG welded Ti-6Al-4V titanium alloy. 1-10		0
103	Effects of Heat Treatment on the Microstructure Evolution and Mechanical Properties of Selective Laser Melted TC4 Titanium Alloy. 2022 , 12, 702		0
102	Constructing targeted bi-lamellar microstructure via heat treatment for high compressive strength and plasticity in selective laser melted Ti6Al4V-5vol%TiB composite. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022 , 143173	5-3	0
101	Deformation Heating and Temperature Changes in a Near- β Titanium Alloy during β -Processed Forging. 2022 , 6, 47		
100	Influence of Post-Processing Conditions on the Microstructure, Static and Fatigue Resistance of Laser Powder Bed Fused Ti-6al-4v Components.		
99	The Role of Microstructure Inhomogeneity in Ti-6Al-4V Forging on Fracture Toughness Behavior. 1		0
98	Uncertainty Quantification for Microstructure-Sensitive Fatigue Nucleation and Application to Titanium Alloy, Ti6242. 2022 , 9,		0
97	Deformation Mechanism and Structural Changes in the Globular Ti-6Al-4V Alloy under Quasi-Static and Dynamic Compression: To the Question of the Controlling Phase in the Deformation of β -Ti Titanium Alloys. 2022 , 12, 645		0
96	High-strength titanium alloys for aerospace engineering applications: A review on melting-forging process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022 , 845, 143260	5-3	5

95	Multi-dimensional study of the effect of early slip activity on fatigue crack initiation in a near-β titanium alloy. 2022 , 233, 117967	0
94	Processing-Microstructure-Property Correlation in Thermo-Mechanically Processed Ti-6Al-4v Alloys: A Comparative Study between Conventional and Novel Approaches.	
93	Influence of post-heat treatments on microstructural and mechanical properties of LPBF-processed Ti6Al4V alloy. 1	0
92	The β phase recrystallization mechanism and mechanical properties of a near-β titanium matrix composite. 2022 , 147, 107597	0
91	An Experimental Investigation on the Progressive Failure of an Additively Manufactured Laser Powder Bed Fusion Ti-6Al-4V Aero-engine Bracket under Low Cycle Fatigue. 2022 , 106455	0
90	The Formability, Microstructure, and Mechanical Properties of Powder-Sintered TC4 Alloy Hollow Shafts Formed by Cross-Wedge Rolling.	
89	In situ microstructure property prediction by modeling molten pool-quality relations for wire-feed laser additive manufacturing. 2022 , 79, 803-814	2
88	Application of Small Geometry Specimen $\sqrt{a} \sqrt{b}$ to Determine the Fatigue Crack Growth Anisotropy of Ti-6Al-4v Additively Manufactured for Repair.	
87	Mechanical Properties and Corrosion Behavior of Thermally Treated Ti-6Al-7Nb Dental Alloy. 2022 , 15, 3813	0
86	Study of a Bimodal α/β Ti Alloy Microstructure Using Multi-Resolution Spherical Indentation Stress-Strain Protocols. 2022 , 6, 162	0
85	In-situ alloying of Ti-5Fe titanium alloy using direct powder forging and the effect of the powder mixing method. 2022 , 101471	0
84	Influence of Oxygen and Zirconium Contents on The Mechanical Properties of Ti-23Nb-0.7Ta-Zr-O Alloys. 2022 , 12, 1018	0
83	Effect of Direct Energy Surface Modification on Fatigue life of Rotary Friction Welded Ti6Al4V ELI Fatigue coupons. 2022 , 107096	0
82	Fatigue behaviour of laser powder bed fusion (L-PBF) Ti-6Al-4V, Al-β-Ti-Mg and stainless steels: a brief overview.	1
81	Effect of substrate condition on wire fed electron beam additive deposition. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022 , 849, 143448	5.3 0
80	Hierarchical bead materials multi-property design for wire-feed laser additive manufacturing. 2022 , 80, 546-557	1
79	Investigation of fracture causes of the titanium alloy drill pipe in ultra-short radius horizontal well drilling. 2022 , 140, 106516	2
78	Microstructure evolution and deformation mechanism of β dual-phase Ti-xNb-yTa-2Zr alloys with high performance. 2022 , 131, 68-81	1

77	Interrelated process-geometry-microstructure relationships for wire-feed laser additive manufacturing. 2022 , 31, 103794	1
76	Enhanced tensile ductility of an additively manufactured near- β -titanium alloy by microscale shear banding. 2022 , 103387	1
75	Kinetic Modeling of Grain Boundary Diffusion: Typical, Bi-Modal, and Semi-Lamellar Polycrystalline Coating Morphologies. 2022 , 12, 992	0
74	Microstructure evolution and mechanical properties of wrought/wire arc additive manufactured Ti-6Al-4V joints by electron beam welding. 2022 , 190, 112090	0
73	Influence of Post-Processing Conditions on the Microstructure, Static, and Fatigue Resistance of Laser Powder Bed Fused Ti-6Al-4V Components. 2022 , 6, 85	2
72	Crystallographic Features of Phase Transformations during the Continuous Cooling of a Ti6Al4V Alloy from the Single-Phase β Region. 2022 , 15, 5840	
71	Improving strength and ductility of Ti-4Al-0.005B titanium alloy through tailoring equiaxed and lamellar microstructure during thermal mechanical process. 2022 ,	
70	Grain-Scale Stress States in Microtextured Ti64: Implications for Dwell Fatigue.	
69	In-Process Fingerprints of Dissimilar Titanium Alloy Diffusion Bonded Layers from Hole Drilling Force Data. 2022 , 12, 1353	
68	High strength and toughness of Ti- β -Al-4V sheets via cryorolling and short-period annealing. 2022 , 854, 143766	0
67	In-situ dual-deoxidation design of advanced titanium matrix composites by pressureless sintering. 2022 , 244, 110202	0
66	Laser powder bed fusion: a state-of-the-art review of the technology, materials, properties & defects, and numerical modelling. 2022 , 20, 2109-2172	3
65	Application of small geometry specimens to determine the fatigue crack growth anisotropy of Ti- β -Al-4V additively manufactured for repair. 2022 , 15, 100309	
64	In-situ high-temperature EBSD characterization during a solution heat treatment of hot-rolled Ti-6Al-4V. 2022 , 192, 112207	0
63	Digital fingerprints of microstructural variation in titanium alloy hip joint forgings via machining force feedback analysis. 2022 , 192, 112198	
62	ANN-aided evaluation of dual-phase microstructural fabric tensors for continuum plasticity representation. 2022 , 231, 107560	0
61	Influence of Ru-Ni-Nb combined cathode modification on corrosion behavior and passive film characteristics of Ti-6Al-4V Alloy used for oil country tubular goods. 2022 , 207, 110569	0
60	Optimal tensile properties of laser powder bed fusion hereditary basket-weave microstructure in additive manufactured Ti6Al4V. 2022 , 59, 103092	0

59	Microstructures and Mechanical Properties of Friction Welded Ti-6Al-4V Alloy. 2022 , 63, 1323-1331	o
58	Effect of temperature and strain rate on the deformation behaviour and microstructure of Al _{0.7} CoCrFeNi high entropy alloy. 2022 , 856, 143933	1
57	Growth mechanism of β and interface relationships between β and δ during cooling of a near β titanium alloy. 2022 , 223, 111191	o
56	Changes in High Temperature Deformation Behavior by Differences in Energy Dissipation Efficiency of Ti-6Al-4V Alloy. 2022 , 63, 1310-1316	o
55	Processing-microstructure-property correlation in thermo-mechanically processed Ti-6Al-4V alloys: A comparative study between conventional and novel approaches. 2022 , 927, 167039	1
54	Effect of Marginal Bone Integrity and Aftermarket Abutment Screws on Dental Implant Systems—A Preliminary Study with Finite Element Method. 2022 , 15, 5952	o
53	Comparison of Microstructure Refinement in Wire-Arc Additively Manufactured Ti-6Al-2Sn-4Zr-0.1Si and Ti-6Al-4V Built With Inter-Pass Deformation. 2022 , 53, 3833-3852	o
52	Low-Cost Preparation Technologies for Titanium Alloys: A Review.	o
51	Optimising large-area crystal orientation mapping of nanoscale β phase in β titanium alloys using EBSD. 2022 , 112371	o
50	Influence of Ru on structure and corrosion behavior of passive film on Ti-6Al-4V alloy in oil and gas exploration conditions. 2022 , 12,	o
49	Mechanical behavior of bilayer structures of Ti64 alloy and its composites with TiC or TiB under quasi-static and dynamic compression. 2022 , 223, 111205	o
48	Microstructure evolution, mechanical properties and strengthening mechanism of titanium matrix composite sheets. 2022 , 144256	o
47	Corrosion Behavior of SiO ₂ -Al ₂ O ₃ Glass Composite Coating on TC4 in Marine Environment. 2022 , 12, 1503	o
46	Effect of Thermomechanical Processing on the Dwell Fatigue Behaviour of Near Alpha Titanium Alloy IMI 834.	o
45	On the Microstructural Evolution and Failure Mechanism in Laser Powder Bed Fused Ti-6Al-4V during Low Cycle Fatigue at Room and Elevated Temperatures. 2022 ,	o
44	Low cycle fatigue behavior of near-alpha titanium alloys used in deep-driving submersible: Ti-6Al-3Nb-2Zr-1Mo vs. Ti-6Al-4V ELI. 2022 , 167856	o
43	Manipulating the strength and tensile ductility of a PM near β titanium alloy by adjusting the morphologies and volume fractions of β and δ domains. 2022 , 859, 144184	o
42	On study of process induced defects-based fatigue performance of additively manufactured Ti6Al4V alloy. 2022 , 60, 103227	o

- 41 In-situ investigation into the deformation behavior of Ti-6Al-4V processed by laser powder bed fusion. **2022**, 194, 112434 ○
- 40 Corrosion behaviour of aluminide coatings on Ti-based alloy in the marine environment at high temperature. **2022**, 209, 110750 ○
- 39 Graph neural networks for efficient learning of mechanical properties of polycrystals. **2023**, 217, 111894 ○
- 38 Heterogeneous-structured Ti-6Al-4V with enhanced mechanical properties in monotonic and cyclic deformation modes. **2022**, ○
- 37 Hot deformation behavior of a novel alpha + beta titanium alloy TIMETAL[®] 407. **2023**, 935, 167970 ○
- 36 Effect of cutting speed on shear band formation and chip morphology of Ti-6Al-4V alloy using nanoindentation and EBSD mapping. **2023**, 862, 144372 ○
- 35 Use of miniature tensile specimens for measuring mechanical properties in the steady-state and transient zones of Ti-6Al-4V wire-fed electron beam deposits. **2023**, 862, 144487 ○
- 34 Crack initiation mechanisms in Ti-6Al-4V subjected to cold dwell-fatigue, low-cycle fatigue and high-cycle fatigue loadings. **2023**, 244, 118560 ○
- 33 Microstructure and tensile properties of a multi-alloyed β -titanium alloy Ti4.5Al10.5V3Fe. **2023**, 295, 127110 1
- 32 Development of microstructure and high hardness of Ti6Al4V alloy fabricated using laser beam powder bed fusion: A novel sub-transus heat treatment approach. **2023**, 937, 168387 ○
- 31 Achieving synergy enhancement of strength and ductility in Ti-6Al-2Sn-4Zr-2Mo-0.1Si alloy by fabricating a new multiscale microstructure. **2023**, 226, 115233 ○
- 30 Crystallographic Features of Phase Transformations in Titanium Alloy VT6. **2022**, 64, 363-369 ○
- 29 Ballistic tests on hot-rolled Ti-6Al-4V plates: Experiments and numerical approaches. **2022**, ○
- 28 Role of crystallographic orientation on the deformation behaviour of Ti-6Al-4V alloy during low cycle fatigue. 1-20 ○
- 27 High Cycle Fatigue Properties and Fracture Behavior of TC4 Titanium Alloy at Room and Elevated Temperatures. **2023**, 278-286 ○
- 26 Globularization Mechanism and Near Isotropic Properties in Subcritical Heat-Treated Ti6Al4V Fabricated by Directed Energy Deposition. ○
- 25 Surface modification of Ti6Al7Nb alloy by Al₂O₃ nanofilms and calcium phosphate coatings. **2023**, 129249 ○
- 24 Investigation of mechanical and microstructure characteristics of Ti64-bagasse ash composite produced by the SPS process. 1-15 ○

- 23 Mechanism of enhanced ductility of Ti-6Al-4V alloy components deposited by pulsed plasma arc additive manufacturing with gradient-changed heat inputs. **2023**, 865, 144601 ○
- 22 Postprocess treatments for surface quality improvement, mitigation of defects, and microstructural control. **2023**, 261-320 ○
- 21 Microstructural features in metallic parts made by AM. **2023**, 173-200 ○
- 20 Effect of Locally Beta-Transformed Area on Fatigue Crack Propagation Resistance in a FSWed Ti-6Al-4V. **2023**, 107-114 ○
- 19 Influence of Microstructure on Tensile Properties and Deformation Mechanism of Ti-5Al-1V-1Sn-1Zr-0.8Mo Alloy: Bimodal Versus Basketweave Structures. ○
- 18 Microstructure and Fatigue Performance of Ti6Al4V Produced by Laser Powder Bed Fusion after Post-Heat Treatment. **2023**, 13, 1828 ○
- 17 Thermal and Mechanical Properties (II): Spark Plasma Sintered Ti-6Al-4V Alloy Reinforced with Mullite-Rich Tailings for Production of Energy Efficient Brake Rotor. **2023**, 169-197 ○
- 16 Comparative Study on Laser Welding Thick-Walled TC4 Titanium Alloy with Flux-Cored Wire and Cable Wire. **2023**, 16, 1509 ○
- 15 Ultrasonic-Assisted Fracture Appearance of Titanium. ○
- 14 Characterisation of residual stresses and oxides in titanium, nickel, and aluminium alloy additive manufacturing powders via synchrotron X-ray diffraction. **2023**, 35, 105900 ○
- 13 The effect of multiple thermal cycles on Ti-6Al-4V deposits fabricated by wire-arc directed energy deposition: Microstructure evolution, mechanical properties, and corrosion resistance. **2023**, 947, 169614 ○
- 12 Hierarchical microstructure and strain partition of a PM Ti titanium alloy with an ultrahigh strength-ductility synergy. **2023**, 199, 112835 ○
- 11 The Differences in Microstructure, Microtexture, and Tensile Anisotropy of Ti80 Heavy Plate Across the Thickness. **2023**, 25, ○
- 10 Substructure evolution in two phases based constitutive model for hot deformation of TC18 in β -phase region. **2023**, 36, 573-588 ○
- 9 Enhanced crack buffering of additively manufactured Ti-6Al-4V alloy using calcium fluoride particles. **2023**, 23, 5653-5665 ○
- 8 Microstructure, Texture Evolution, and Aging Behavior of a Cold-Rolled Ti-20Al Alloy. 2201776 ○
- 7 High Thermal Stability of a Colony and Basket-Weave Mixed Microstructure in Selective-Laser-Melted Ti-6Al-4V Alloy Induced by Electropulsing. **2023**, 13, 538 ○
- 6 On the Aging Behavior of Ti-1.0 wt pct Fe Alloy With an Equiaxed β -Phase Initial Microstructure. ○

- 5 Investigation into the influence of the interlayer temperature on machinability and microstructure of additively manufactured Ti-6Al-4V. ○
- 4 Unified modeling of the microstructure and densification of TC4 powder titanium alloy during hot deformation. **2023**, ○
- 3 A numerical study on fatigue design of Ti-6Al-4V total hip stem: infinite-life and damage tolerance approaches using XFEMPV-VCCT. ○
- 2 Effect of deformation degree on microstructure and mechanical properties evolution of TiBw/Ti60 composites during isothermal forging. **2023**, 33, 802-815 ○
- 1 Microstructural effects on fatigue crack initiation mechanisms in a near-alpha titanium alloy. **2023**, 118957 ○