

CITATION REPORT

List of articles citing

Measurement of mechanical properties by ultra-low load indentation

DOI: 10.1016/s0921-5093(98)00724-2

Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1998, 253, 151-159.

Source: <https://exaly.com/paper-pdf/29129862/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
843	Nanocomposites nc-TiN/a-Si ₃ N ₄ /a- and nc-TiSi ₂ with Hardness Exceeding 100 GPa and High Fracture Toughness. 1999 , 581, 321		27
842	Structural properties, internal stress and thermal stability of nc-TiN/a-Si ₃ N ₄ , nc-TiN/TiSi ₂ and nc-(Ti _{1-x} Al _x Si ₂)N superhard nanocomposite coatings reaching the hardness of diamond. <i>Surface and Coatings Technology</i> , 1999 , 120-121, 173-178	4.4	192
841	The search for novel, superhard materials. 1999 , 17, 2401-2420		1016
840	Sub-Micrometer Spatially Resolved Measurements of Mechanical Properties and Correlation to Microstructure and Composition. 2000 , 649, 321		
839	The Effects of Creep on Elastic Modulus Measurement Using Nanoindentation. 2000 , 649, 711		2
838	On the significance of the H/E ratio in wear control: a nanocomposite coating approach to optimised tribological behaviour. 2000 , 246, 1-11		1863
837	Nanoindentation of epitaxial GaN films. 2000 , 77, 3373-3375		121
836	Ultrathin diamondlike carbon films deposited by filtered carbon vacuum arcs.		
835	Ultrathin diamond-like carbon films deposited by filtered carbon vacuum arcs. 2001 , 29, 768-775		49
834	Micro/nanomechanical and tribological studies of bulk and thin-film materials used in magnetic recording heads. 2001 , 398-399, 313-319		46
833	Nano-indentation studies of xerogel and SiLK low-K dielectric materials. 2001 , 30, 1527-1531		20
832	Mechanical properties of superhard nanocomposites. <i>Surface and Coatings Technology</i> , 2001 , 146-147, 175-182	4.4	135
831	Experimental measurement of polyethylene chain modulus by scanning force microscopy. 2001 , 42, 5901-5907		18
830	Nanoindentation and nanotribological behavior of Fe-N/Ti-N multilayers with different thickness of Fe-N layers. 2001 , 247, 15-23		11
829	Instrumented micro-indentation of NiTi shape-memory alloys. 2001 , 49, 3205-3217		130
828	Microstructure and properties of Fe ₂ N/Ti ₂ N magnetic multilayers. 2001 , 32, 66-69		4
827	Correlations between osteocalcin content, degree of mineralization, and mechanical properties of C. carpio rib bone. 2001 , 54, 547-53		35

826	Effects of anisotropy on elastic moduli measured by nanoindentation in human tibial cortical bone. 2001 , 57, 108-12	111
825	An experimental study of the nano-scratch behaviour of poly(methyl methacrylate). 2001 , 251, 1579-1583	57
824	Orientation dependence of Portevinâ€Le Châ€telier plastic instabilities in depth-sensing microindentation. 2001 , 16, 1171-1177	12
823	Nanoindentation Study of PVD WC/C Coatings Supported by Cross-Sectional Electron Microscopy Observations. 2001 , 17, 105-111	10
822	Indentation modelling of heterogeneous materials. 2001 , 9, 391-398	28
821	Characterization of mechanical properties of tungsten carbide/carbon multilayers: Cross-sectional electron microscopy and nanoindentation observations. 2001 , 16, 2213-2222	12
820	Hardnessâ€depth profile of a carbon-implanted Tiâ€Alâ€V alloy and its relation to composition and microstructure. 2001 , 16, 2321-2335	4
819	A combinatorial approach for efficient mapping of phase diagrams and properties. 2001 , 16, 1565-1578	94
818	Deformation behavior of ion-beam-modified GaN. 2001 , 78, 156-158	43
817	Towards the understanding of mechanical properties of super- and ultrahard nanocomposites. 2002 , 20, 650	221
816	Finite element simulation of spherical indentation in the elastic-plastic transition. 2002 , 93, 857-861	13
815	Chemically Bonded Porogens in Methylsilsesquioxane. 2002 , 149, F171	23
814	A Diffusion Multiple Approach for the Accelerated Design of Structural Materials. 2002 , 27, 324-329	55
813	Mechanical deformation of single-crystal ZnO. 2002 , 80, 956-958	227
812	Possible Artefacts in Measurement of Hardness and Elastic Modulus on Superhard Coatings and the Verification of the Correctness of the Data. 2002 , 750, 1	4
811	Genesis of nanostructured, magnetically tunable ceramics from the pyrolysis of cross-linked polyferrocenylsilane networks and formation of shaped macroscopic objects and micron scale patterns by micromolding inside silicon wafers. 2002 , 124, 2625-39	94
810	Understanding nanoindentation unloading curves. 2002 , 17, 2660-2671	349
809	Mechanical properties of amorphous anodic alumina and tantalum films using nanoindentation. 2002 , 13, 451-455	86

808	A review of nanoindentation continuous stiffness measurement technique and its applications. 2002 , 48, 11-36		1054
807	Mechanical and tribological properties of interlayer films for the damascene-Cu chemical-mechanical planarization process. 2002 , 31, 1016-1021		10
806	Characterizing viscoelastic properties of thin elastomeric membrane. 2002 , 34, 485-491		26
805	Mechanical properties of silica-(meth)acrylate hybrid coatings on polycarbonate substrate. 2002 , 43, 6169-6181		94
804	Application of a Depth Sensing Indentation Hardness Test to Evaluate the Mechanical Properties of Food Materials. 2002 , 67, 1814-1820		50
803	Evaluation of dual-ion irradiated SiC by means of indentation methods. 2002 , 307-311, 1187-1190		15
802	Nanoindentation of Silver Nanowires. 2003 , 3, 1495-1498		305
801	Physical Aging of Polycarbonate: Elastic Modulus, Hardness, Creep, Endothermic Peak, Molecular Weight Distribution, and Infrared Data. 2003 , 36, 7585-7597		61
800	Strength and attrition resistance of agglomerates and particulate coatings. 2003 , 130, 415-420		6
799	The advent of MEMS in space. 2003 , 43, 1061-1083		22
798	Magnetron sputtered hard a-C coatings of very high toughness. <i>Surface and Coatings Technology</i> , 2003 , 167, 137-142	4.4	78
797	Recent advances of superhard nanocomposite coatings: a review. <i>Surface and Coatings Technology</i> , 2003 , 167, 113-119	4.4	356
796	Structure-property relationships in single- and dual-phase nanocrystalline hard coatings. <i>Surface and Coatings Technology</i> , 2003 , 174-175, 725-731	4.4	120
795	Mechanical properties of barrier-type anodic alumina films using nanoindentation. <i>Surface and Coatings Technology</i> , 2003 , 173, 293-298	4.4	28
794	A nanoindentation study of copper films on oxidised silicon substrates. <i>Surface and Coatings Technology</i> , 2003 , 176, 124-130	4.4	74
793	Nanoindentation measurements of combustion CVD Al ₂ O ₃ and YSZ films. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 359, 112-118	5.3	44
792	Utility of micro-indentation technique for characterization of the constitutive behavior of skin and interior microstructures of die-cast magnesium alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 361, 267-274	5.3	41
791	Relation between delamination of thin films and backward deviation of load-displacement curves under repeating nanoindentation. 2003 , 51, 457-467		39

790	Backward deviation and depth recovery of load–displacement curves of amorphous SiC film under repeating nanoindentation. 2003 , 51, 3585-3595	10
789	Nanoindentation Method for Measuring Residual Stress in Brittle Materials. 2003 , 86, 811-816	58
788	Residual stress measurement in thin carbon films by Raman spectroscopy and nanoindentation. 2003 , 429, 190-200	68
787	Bias-graded deposition of diamond-like carbon for tribological applications. 2003 ,	
786	Nanoindentation Methods in Interfacial Fracture Testing. 2003 , 453-493	4
785	Effects of Thickness and Indenter Geometry in Nanoindentation of Nickel Thin Films. 2003 , 795, 1	1
784	Cracking and Phase Transformation in Silicon During Nanoindentation. 2003 , 795, 451	
783	The Combined Application of Nanoindentation and Scanning Probe Microscopy to Materials Sciences. 2003 , 414-415, 297-304	3
782	Torsion pendulum method to evaluate the internal friction and elastic modulus of films. 2003 , 74, 2477-2480	8
781	Indentation Analysis of Elastic-Plastic Homogeneous and Layered Media: Criteria for Determining the Real Material Hardness. 2003 , 125, 685-691	45
780	Nanomechanical characterisation of solid surfaces and thin films. 2003 , 48, 125-164	329
779	.	5
778	Determining Stress-strain Curves for Thin Films by Experimental/Computational Nanoindentation. 2003 , 795, 106	4
777	Review of Instrumented Indentation. 2003 , 108, 249-65	300
776	The use of a vickers indenter in depth sensing indentation for measuring elastic modulus and vickers hardness. 2004 , 7, 483-491	53
775	Micro/nanomechanical characterization of a single decagonal AlCoNi quasicrystal. 2004 , 37, 753-757	10
774	Effect of Grain Curvature on Nano-Indentation Measurements of Thin Films. 2004 , 43, 6268-6273	28
773	Sharp probes of varying acuity: Instrumented indentation and fracture behavior. 2004 , 19, 165-175	51

772	Micro/nanomechanical characterization of a natural nanocomposite material—the shell of Pectinidae. 2004 , 15, 211-217	68
771	Micro/Nanotribological and Mechanical Studies of TiN Thin-Film for MEMS Applications. 2004 , 47, 227-232	13
770	Acoustic Emission Analysis of Nanoindentation-Induced Fracture Events. 2004 , 841, R8.10.1	
769	Nanocomposite TiC/a-C coatings: structure and properties. 2004 , 843, 161	1
768	Finite element study for nanoindentation measurements on two-phase materials. 2004 , 19, 85-93	78
767	Effects of Properties and Growth Parameters of Doped and Undoped Silicon Oxide Films on Wear Behavior During Chemical Mechanical Planarization Process. 2004 , 19, 996-1010	6
766	Hardness, elasticity, and fracture toughness of polycrystalline spinel germanium nitride and tin nitride. 2004 , 19, 1392-1399	25
765	Fracture Toughness of Highly Ordered Carbon Nanotube/Alumina Nanocomposites. 2004 , 126, 238-244	47
764	Microstructure effect of nano-ceramic composites in nano-indentation tests.	
763	DEVELOPMENT OF CARBON-BASED COATING OF EXTREMELY HIGH TOUGHNESS WITH GOOD HARDNESS. 2004 , 03, 571-578	10
762	Influence of residual stress on elastic modulus and hardness of soda-lime glass measured by nanoindentation. 2004 , 19, 3109-3119	73
761	In Situ Cube-Corner Indentation of Soda-lime Glass and Fused Silica. 2004 , 87, 1494-1501	50
760	Nanoindentation with spherical indenters: finite element studies of deformation in the elastic-plastic transition regime. 2004 , 447-448, 246-250	70
759	Factors limiting the measurement of residual stresses in thin films by nanoindentation. 2004 , 447-448, 251-257	37
758	Measurement of hardness and elastic modulus by instrumented indentation: Advances in understanding and refinements to methodology. 2004 , 19, 3-20	5121
757	Mechanical properties of nanocomposite metal-ceramic thin films. 2004 , 35, 157-162	32
756	Determination of the elastic moduli of silicone rubber coatings and films using depth-sensing indentation. 2004 , 45, 5403-5406	22
755	Nanoindentation of nanocrystalline Ni with geometrically different indenters. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 372, 252-260	53 33

754	Nanoindentation combined with scanning force microscope for characterization of mechanical properties of carbon nitride thin films. <i>Surface and Coatings Technology</i> , 2004 , 177-178, 537-544	4-4	5
753	Load and depth sensing indentation as a tool to monitor a gradient in the mechanical properties across a polymer coating: A study of physical and chemical aging effects. 2004 , 42, 1628-1639		9
752	Mechanical properties of magnetically oriented epoxy. 2004 , 42, 1586-1600		29
751	Morphology, microstructure, and mechanical properties of a copper electrodeposit. 2004 , 75, 63-70		64
750	Scaling, dimensional analysis, and indentation measurements. 2004 , 44, 91-149		773
749	Chemical mechanical planarization for microelectronics applications. 2004 , 45, 89-220		415
748	The nanoindentation behaviour of hard and soft films on silicon substrates. 2004 , 466, 167-174		51
747	Quaternary hard nanocomposite TiC _x Ny/SiCN coatings prepared by plasma enhanced chemical vapor deposition. 2004 , 466, 189-196		42
746	Magnetron-sputtered nc-TiC/a-C(Al) tough nanocomposite coatings. 2004 , 467, 261-266		83
745	Elastic and plastic work of indentation as a characteristic of wear behavior for cutting tools with nitride PVD coatings. 2004 , 469-470, 505-512		53
744	Internal friction measurement on polymers by low-frequency cyclic Vickers microindentation test. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 387-389, 525-530	5-3	3
743	Development of pile-up during spherical indentation of elastic-plastic solids. 2004 , 41, 3891-3904		198
742	Strength of silicon, sapphire and glass in the subthreshold flaw region. 2004 , 52, 3459-3466		27
741	A new method to evaluate the fracture toughness of thin films. 2004 , 52, 3507-3517		77
740	Interfacial fracture mechanisms in solid solution directionally solidified eutectic oxide composites. 2004 , 52, 3781-3791		11
739	Deformation behavior of (Cu, Ag)Sn intermetallics by nanoindentation. 2004 , 52, 4291-4303		234
738	Quasi-static and dynamic nanoindentation studies on highly crosslinked ultra-high-molecular-weight polyethylene. 2004 , 25, 2427-36		50
737	The use of non-contact AFM with nanoindentation techniques for measuring mechanical properties of carbon nitride thin films. <i>Applied Surface Science</i> , 2004 , 233, 219-226	6-7	14

736	Modeling the nanoindentation of elastoplastic materials with nonlinear adaptive springs (NASs). 2004 , 3, 451-461		6
735	Mechanical response of KD ₂ H ₂ (1- β)PO ₄ crystals during nanoindentation. 2004 , 84, 2274-2276		40
734	Non-contact AFM with a nanoindentation technique for measuring the mechanical properties of thin films. 2004 , 15, 1017-1022		17
733	Measurement of the mechanical properties of carbon nitride thin films from the nanoindentation loading curve. 2004 , 13, 1543-1548		14
732	Bias-graded deposition of diamond-like carbon for tribological applications. 2004 , 13, 867-871		71
731	Deformation morphology underneath the Vickers indent in a Zr-based bulk metallic glass. 2004 , 12, 1097-1102		64
730	Mechanism of osseointegration: characterization of supporting bone with indentation testing and backscattered imaging. 2004 , 10, 162-173		22
729	Nano-scale mechanical test of MEMS structures by atomic force microscope.		
728	Thermal Stability of Nanostructured TiN-TiB ₂ Thin Films. 2004 , 854, U6.2.1		
727	Identification of Viscoplastic Properties of Individual Phases in Lead-Free Solder Alloy by Depth-Sensing Microindentation. 2005 , 46, 3073-3076		1
726	Determination of elastic and plastic material properties using indentation: Development of method and application to a thin surface coating. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 399, 254-266	5.3	32
725	Different approaches to superhard coatings and nanocomposites. 2005 , 476, 1-29		623
724	Surface-modified polymeric pads for enhanced performance during chemical mechanical planarization. 2005 , 483, 261-269		9
723	Hardness and elastic modulus of Au/NiCr/Ta multilayers on Al ₂ O ₃ substrate by nanoindentation continuous stiffness measurement technique. 2005 , 485, 72-76		13
722	Work of indentation methods for determining copper film hardness. <i>Surface and Coatings Technology</i> , 2005 , 192, 57-63	4.4	56
721	Toughness measurement of thin films: a critical review. <i>Surface and Coatings Technology</i> , 2005 , 198, 74-84	4.4	263
720	Microstructure and tribological properties of magnetron sputtered nc-TiC/a-C nanocomposite. <i>Surface and Coatings Technology</i> , 2005 , 198, 206-211	4.4	108
719	Nanostructured TiC/a-C coatings for low friction and wear resistant applications. <i>Surface and Coatings Technology</i> , 2005 , 198, 44-50	4.4	104

718	Nanostructure and properties of TiC/a-C:H composite coatings. 2005 , 53, 4505-4521	242
717	Characterization of interfacial mechanical properties in carbon fiber/aluminium matrix composites by the nanoindentation technique. 2005 , 65, 2025-2038	90
716	Structure and properties of Ti-B-N, Ti-Cr-B(N), and Cr-B(N) coatings deposited by magnetron sputtering of targets prepared by self-propagating high-temperature synthesis. 2005 , 47, 252	28
715	Direct Observations of Debonding of Reinforcing Grains in Silicon Nitride Ceramics Sintered with Yttria Plus Alumina Additives. 2005 , 88, 1222-1226	26
714	The experimental determination of mechanical properties of zeolite ferrierite crystal. 2005 , 59, 1595-1597	18
713	The fracture toughness of CO ₂ corrosion scale in pipeline steel. 2005 , 59, 1709-1713	17
712	Crystal structure and mechanical properties of SrSi ₇ N ₁₀ . 2005 , 7, 391-396	35
711	Radial Fracture During Indentation by Acute Probes: II, Experimental Observations of Cube-corner and Vickers Indentation. 2005 , 136, 265-284	26
710	Radial Fracture During Indentation by Acute Probes: I, Description by an Indentation Wedging Model. 2005 , 136, 237-264	35
709	Deformation Morphology underneath the Vickers Indent in Bulk Metallic Glasses. 2005 , 22, 1994-1997	3
708	Representative strain of indentation analysis. 2005 , 20, 2225-2234	122
707	Influence of Cross-linking and Oxidation on the Microstructural Mechanical Properties of UHMWPE. 2005 , 874, 1	
706	Effect of Pile-up in Nanoindentation of Micro and Nano crystalline Ni using FEM. 2005 , 880, 1	3
705	Material characterization for nano wafer level packaging application.	
704	Nanomechanical Properties of Solid Surfaces and Thin Films. 2005 , 575-622	3
703	Nanoindentation of coatings. 2005 , 38, R393-R413	265
702	Nanostructured Coatings. 2006 ,	61
701	Concept for the Design of Superhard Nanocomposites with High Thermal Stability: Their Preparation, Properties, and Industrial Applications. 2006 , 347-406	9

700	Optimization of Nanostructured Tribological Coatings. 2006 , 511-538			15
699	Novel technique for measuring the mechanical properties of porous materials by nanoindentation. 2006 , 21, 715-724			88
698	Using Nanoindentation and Nanoscratch to Determine Thin Film Mechanical Properties. 2006 , 326-328, 357-360			4
697	Thermal and mechanical cracking in bis(triisopropylsilylethynyl) pentacene thin films. 2006 , 44, 3631-3641			53
696	Determination of uniaxial residual stress and mechanical properties by instrumented indentation. 2006 , 54, 2823-2832			68
695	Plastic flow softening in a bulk metallic glass. 2006 , 54, 4221-4228			181
694	Nanomechanical measurements with AFM in the elastic limit. 2006 , 120, 57-67			60
693	On the determination of residual stress and mechanical properties by indentation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 416, 139-149	5-3		146
692	Non-linear finite element constitutive modeling of mechanical properties of hard and superhard materials studied by indentation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 422, 205-217		5-3	17
691	Advanced TiC/a-C:H nanocomposite coatings deposited by magnetron sputtering. 2006 , 26, 565-570			61
690	Characterization of mechanical properties of thin films using nanoindentation test. 2006 , 38, 1182-1198			61
689	Tribological contact analysis of a rigid ball sliding on a hard coated surface. <i>Surface and Coatings Technology</i> , 2006 , 200, 3793-3809		4-4	101
688	Deformation and failure mechanism of nano-composite coatings under nano-indentation. <i>Surface and Coatings Technology</i> , 2006 , 200, 6718-6726		4-4	82
687	Machined surface properties determined by nanoindentation: Experimental and FEA studies on the effects of surface integrity and tip geometry. <i>Surface and Coatings Technology</i> , 2006 , 201, 423-433		4-4	33
686	Influence of the average roughness Rms on the precision of the Young's modulus and hardness determination using nanoindentation technique with a Berkovich indenter. <i>Surface and Coatings Technology</i> , 2006 , 201, 1191-1199		4-4	59
685	Mechanical properties of interference thin films on colored stainless steel evaluated by depth-sensing nanoindentation. <i>Surface and Coatings Technology</i> , 2006 , 201, 2431-2437		4-4	11
684	Investigations on the mechanical behaviour of rough surfaces of TiNi thin films by nano indentation studies. <i>Surface and Coatings Technology</i> , 2006 , 201, 3253-3259		4-4	16
683	Assessment of the toughness of thin coatings using nanoindentation under displacement control. 2006 , 494, 1-7			94

682	Nanoindentation of silica nanoparticles attached to a silicon substrate. 2006 , 22, 189-196	33
681	Comparison of evaluating methods of thin films nanohardness. 2006 , 56, B1162-B1168	
680	Crack formation in MLCCs depending on position with and without post-heat treatment. 2006 , 17, 381-385	3
679	Indentation properties of young and old osteons. 2006 , 78, 392-7	40
678	Tribological and electrochemical behavior of thick Cr ₃ C ₂ alloy coatings electrodeposited in trivalent chromium bath as an alternative to conventional Cr coatings. 2006 , 52, 1366-1373	105
677	Mechanical property changes and degradation during accelerated weathering of polyester-urethane coatings. 2006 , 3, 41-51	55
676	Scratch resistance of automobile clearcoats: Chemistry and characterization on the micro-and nanoscale. 2006 , 3, 91-97	16
675	Acoustic Emission Analysis of Nanoindentation-Induced Fracture Events. 2006 , 46, 333-345	8
674	Deformation and fracture of nickel phosphorus coatings. 2006 , 54, 603-608	20
673	TEM and nanoindentation studies on sputtered Ti ₄₀ Ni ₆₀ thin films. 2006 , 97, 308-314	16
672	Nanoindentation and Morphological Studies of Epoxy Nanocomposites. 2006 , 291, 1358-1366	64
671	Instrumented Microindentation of Nanoporous Alumina Films. 2006 , 128, 225-233	10
670	Corrosion- and Wear-Resistant Coatings Formed by Ion Beam Techniques. 2006 , 595-628	1
669	Instrumented indentation on alumina/zirconia multilayered composites with residual stresses. <i>Philosophical Magazine</i> , 2006 , 86, 5371-5382	1.6 7
668	Environment-Assistant Cracking of Silicon Single Crystals. 2006 , 9, B43	1
667	Research on the Microstructure and Micro-Mechanics Properties of NiAl Intermetallic Coatings. 2006 , 324-325, 675-678	1
666	Elastic Modulus Investigation of Gallium Nitride Nanotubes. 2006 ,	
665	Mechanisms of nanoindentation on single-walled carbon nanotubes: The effect of nanotube length. 2006 , 21, 1048-1070	30

664	Nanohardness and Young's modulus of YBCO samples textured by the Bridgman technique. 2007 , 18, 385701		41
663	EXPERIMENTAL NANOMECHANICS OF ONE-DIMENSIONAL NANOMATERIALS BY IN SITU MICROSCOPY. 2007 , 02, 249-271		28
662	Investigation of stereolithography material by depth sensing indentation and differential scanning calorimetry. 2007 , 36, 68-76		1
661	The size effect of nanoindentation on ZnO nanofilms. 2007 , 102, 123513		7
660	Self-Lubrication and Wear Behavior of TiC/a-C:H Nanocomposite Coatings. 2007 , 539-543, 1074-1079		1
659	Measurement of Mechanical Properties of Thin Films and Nanostructured Materials at High Spatial Resolution. 2007 , 539-543, 3534-3539		
658	Nanomechanical Properties of Solid Surfaces and Thin Films. 2007 , 1137-1166		1
657	The Effects of Mechanical Thin-film Properties on the Pyroelectric Signals. 2007 ,		1
656	An efficient method for evaluating the nanohardness of layer-configured materials by atomistic simulation. 2007 , 18, 295704		4
655	Indentation fracture and toughness assessment for thin optical coatings on glass. 2007 , 40, 5401-5417		92
654	Mineral minimization in nature's alternative teeth. 2007 , 4, 19-31		49
653	Multifunctional Ti-Si-B-C-N Tribological Nanocomposite Coatings for Aerospace Applications. 2007 , 539-543, 173-180		1
652	Microscale Characterization of Mechanical Properties. 2007 , 37, 93-126		218
651	Determining Equi-Biaxial Residual Stress and Mechanical Properties From the Force-Displacement Curves of Conical Microindentation. 2007 , 129, 200-206		10
650	Characterization of the Binder Phase in a Three-Phase Carbon Microballoon Syntactic Foam. 2007 , 26, 157-165		2
649	Determination of Strain Gradient Plasticity Length Scale for Microelectronics Solder Alloys. 2007 , 129, 120-128		8
648	Microstructure and tribological properties of stainless steel coatings sprayed by two methods based on spraying. <i>Surface and Coatings Technology</i> , 2007 , 201, 5261-5263	4-4	14
647	Hard and superhard TiAlBN coatings deposited by twin electron-beam evaporation. <i>Surface and Coatings Technology</i> , 2007 , 201, 6078-6083	4-4	30

646	Erosion damage of laser alloyed stainless steel in mercury. <i>Surface and Coatings Technology</i> , 2007 , 201, 6035-6043	4.4	1
645	Nanostructured SiC by chemical vapor deposition and nanoparticle impaction. <i>Surface and Coatings Technology</i> , 2007 , 202, 871-875	4.4	10
644	Simple bond energy approach for non-destructive measurements of the fracture toughness of brittle materials. 2007 , 515, 7232-7241		21
643	Stiffer silica particle size effect on the hardness and brittleness of silica monoliths. 2007 , 302, 371-376		16
642	Influence of surface-roughness on indentation size effect. 2007 , 55, 3555-3562		114
641	Fracture toughness of carbides in tool steels evaluated by nanoindentation. 2007 , 55, 4277-4286		141
640	Property maps for abrasion resistance of materials. 2007 , 55, 6365-6371		72
639	Modeling the micro-indentation of metal matrix composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 463, 275-283	5.3	16
638	Manufacturing and full characterization of silicon carbide-based multi-sensor micro-probes for biomedical applications. 2007 , 38, 406-415		44
637	Erratum to "Non-linear finite element constitutive modeling of mechanical properties of hard and superhard materials studied by indentation" [Mater. Sci. Eng. A 422 (2006) 205-217]. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 448, 366-378	5.3	19
636	Influence of polishing time on thermo-oxidation characterization of isothermally aged PMR-15 resin. 2007 , 92, 2110-2120		14
635	On the uniqueness of measuring elastoplastic properties from indentation: The indistinguishable mystical materials. 2007 , 55, 1618-1660		204
634	A technique for measuring stresses in small spatial regions using cube-corner indentation: Application to tempered glass plates. 2007 , 27, 2407-2414		15
633	Measurement of the microstructural fracture toughness of cortical bone using indentation fracture. 2007 , 40, 3285-8		47
632	The Structure and Mechanical Properties of Ti-Si-B Coatings Deposited by DC and Pulsed-DC Unbalanced Magnetron Sputtering. 2007 , 4, S687-S692		22
631	Friction in a coated surface deformed by a sliding sphere. 2007 , 263, 1315-1323		28
630	Use of Cube-Corner Nano-Indentation Crack Length Measurements to Estimate Residual Stresses Over Small Spatial Dimensions. 2007 , 90, 502-508		10
629	Etching-enhanced growth of indentation crack in barium titanate single crystal. 2007 , 61, 1162-1165		

628	Characterization of WC/Co coatings on metal substrates. 2007 , 61, 2454-2456		20
627	Modern methods for investigating functional surfaces of advanced materials by mechanical contact testing. 2007 , 52, 966-974		36
626	Stress characterization of surface damages on soda-lime glass using a nanocontact deformation method. 2007 , 42, 8203-8208		1
625	A nanoindentation analysis of the effects of microstructure on elastic properties of Al ₂ O ₃ /SiC composites. 2007 , 67, 3121-3129		22
624	Adhesion of reactive magnetron sputtered TiN _x and TiC _y coatings to AISI H13 tool steel. <i>Surface and Coatings Technology</i> , 2007 , 202, 1078-1083	4-4	37
623	Loading rate effects on the fracture behaviour of solar control coatings during nanoindentation. 2007 , 516, 128-135		11
622	A procedure to prevent pile up effects on the analysis of spherical indentation data in elastic-plastic materials. 2007 , 39, 987-997		31
621	Improvement in depth-sensing indentation to calculate the universal hardness on the entire loading curve. 2008 , 40, 171-182		22
620	Comments on "Measurement of the microstructural fracture toughness of cortical bone using indentation fracture". 2008 , 41, 1379-80		18
619	Modification of composite hardness models to incorporate indentation size effects in thin films. 2008 , 516, 3813-3817		22
618	Nanoindentation stress-strain curves of plasma-enhanced chemical vapor deposited silicon oxide thin films. 2008 , 516, 1941-1951		29
617	Atomic Force Microscope Investigation on Static Nanomechanical Properties Versus Dynamic Nanotribological Evaluation of Metal-ZrN and ZrN Thin Films. 2008 , 31, 37-45		1
616	Effect of deposition pressure on the adhesion and tribological properties of a-CN x H films prepared by DC-RF-PECVD. 2008 , 43, 645-651		3
615	Influence of aging temperature, time, and environment on thermo-oxidative behavior of PMR-15: nanomechanical characterization. 2008 , 43, 6714-6723		14
614	The use of nanoindentation for characterizing the properties of mineralized hard tissues: state-of-the art review. 2008 , 87, 286-301		105
613	Effects of Laminate Architecture on Fracture Resistance of Sponge Biosilica: Lessons from Nature. <i>Advanced Functional Materials</i> , 2008 , 18, 1241-1248	15.6	99
612	Measuring elastic property of single-walled carbon nanotubes by nanoindentation: A theoretical framework. 2008 , 35, 256-267		4
611	Characterization studies of pulse magnetron sputtered hard ceramic titanium diboride coatings alloyed with silicon. 2008 , 56, 4172-4182		12

610	Influence of indenter angle on cracking in Si and Ge during nanoindentation. 2008 , 56, 4458-4469		99
609	Comparison in mechanical and tribological properties of Cr ₂ N and Cr ₂ O ₃ multilayer films deposited by DC reactive magnetron sputtering. <i>Surface and Coatings Technology</i> , 2008 , 202, 2189-2193	4-4	50
608	Microstructure and mechanical properties of TiZrAlN nanocomposite thin films by CFUBMS. 2008 , 516, 3651-3655		14
607	Determining mechanical properties of thin films from the loading curve of nanoindentation testing. 2008 , 516, 7571-7580		32
606	The deposition and mechanical properties of alkylsiloxane films deposited on Si(111). 2008 , 315, 156-164		4
605	Evaluating particle hardness of pharmaceutical solids using AFM nanoindentation. 2008 , 362, 163-71		55
604	Quantifying deformation and energy dissipation of polymeric surfaces under localized impact. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 ,	5-3	7
603	Investigation on methods for dealing with pile-up errors in evaluating the mechanical properties of thin metal films at sub-micron scale on hard substrates by nanoindentation technique. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 ,	5-3	38
602	AFM nanoindentation: tip shape and tip radius of curvature effect on the hardness measurement. 2008 , 20, 474208		37
601	Indentation scale dependence of tip-in creep behavior in Ni thin films. 2008 , 59, 195-198		62
600	A new consideration on spherical depth sensing indentation. 2008 , 62, 69-72		1
599	A numerical approach to evaluation of elastic modulus using conical indenter with finite tip radius. 2008 , 23, 2528-2537		23
598	Mechanical properties of CO ₂ corrosion product scales and their relationship to corrosion rates. 2008 , 50, 2796-2803		87
597	Identifying the limitation of Oliver and Pharr method in characterizing the viscoelastic-plastic materials with respect to indenter geometry. 2008 , 1137, 102301		2
596	Nanomechanical Properties of Solid Surfaces and Thin Films. 2008 , 607-653		
595	Nanomechanical Characterization of One-Dimensional Nanostructures. 2008 , 102-117		
594	HARD AND TOUGH NANOCOMPOSITE TiN-Ni COATINGS DEPOSITED BY REACTIVE ION BEAM ASSISTED DEPOSITION. 2008 , 22, 2979-2988		8
593	Study on nanomechanical and high temperature tribological behaviour of Ti ₂ AlNb based alloys by plasma surface alloying. 2008 , 24, 464-469		12

592	Mechanisms of Nanoindentation on Multiwalled Carbon Nanotube and Nanotube Cluster. 2008 , 2008, 1-12		11
591	Yield strength, shear stress and toughness of YBCO samples textured by Bridgman technique. 2008 , 97, 012116		1
590	Influence of Cold Work in the Elastic Modulus of the Ti-16.2Hf-24.8Nb-1Zr Alloy Characterized by Instrumented Nanoindentation. 2009 , 423, 113-118		3
589	AFM Nanoindentation Method: Geometrical Effects of the Indenter Tip. 2009 , 139-164		
588	Elastic anisotropy of human cortical bone secondary osteons measured by nanoindentation. 2009 , 131, 021001		56
587	RECENT STUDY ON THE RELATED PROBLEMS IN EVALUATION OF MECHANICAL PROPERTIES FOR MEMS MATERIALS. 2009 , 01, 765-779		8
586	Spherical Indentation on an Elastic Coating/Substrate System: Determining Substrate Modulus. 2009 , 135, 1189-1197		3
585	Measurements of diffusion thickness at polymer interfaces by nanoindentation: A numerically calibrated experimental approach. 2009 , 24, 985-992		10
584	Modelling the limits of coating toughness in brittle coated systems. 2009 , 517, 2945-2952		35
583	Indentation techniques for evaluating the fracture toughness of biomaterials and hard tissues. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2009 , 2, 384-95	4.1	159
582	Application of the work of indentation approach for the characterization of aluminium 2024-T351 and Al cladding by nanoindentation. 2009 , 44, 1006-1015		19
581	Characterization of mechanical properties of FeCrBSiMnNbY metallic glass coatings. 2009 , 44, 3356-3363		45
580	Design and Characterization of New Ti-Nb-Hf Alloys. 2009 , 18, 490-495		21
579	Optimization of the Ti-16.2Hf-24.8Nb-1Zr Alloy by Cold Working. 2009 , 18, 506-510		15
578	Analytical Approaches to Stress Intensity Factor Evaluation for Indentation Cracks. 2009 , 92, 1093-1097		17
577	Electrophoretic co-deposition of biomimetic nanoplatelet-polyelectrolyte composites. 2009 , 11, 1635-1638		17
576	Surface stresses in coated steel surfaces—Influence of a bond layer on surface fracture. 2009 , 42, 137-148		19
575	Mechanical and deformation behaviour of titanium diboride thin films deposited by magnetron sputtering. 2009 , 517, 2912-2919		16

574	Nanoindentation and nanoscratch behaviour of reactive sputtered deposited W ₁₈ O ₄₉ film. 2009 , 518, 185-193		29
573	A comparative micro-cantilever study of the mechanical behavior of silicon based passivation films. 2009 , 518, 247-256		163
572	Non-linear finite element constitutive modeling of indentation into super- and ultrahard materials: The plastic deformation of the diamond tip and the ratio of hardness to tensile yield strength of super- and ultrahard nanocomposites. <i>Surface and Coatings Technology</i> , 2009 , 203, 3385-3391	4-4	34
571	A mechanistic approach to extract the mechanical properties of individual constituents in plasma-sprayed metal matrix composite coatings. <i>Surface and Coatings Technology</i> , 2009 , 204, 440-447	4-4	3
570	Residual stresses and mechanical properties of a ZnO pyroelectric sensor. 2009 , 52, 1-6		11
569	Generation of transfer film and its effects on wear mechanisms in alumina conveying pipeline of mild steel. 2009 , 267, 362-367		6
568	Micromechanical properties of single crystal hydroxyapatite by nanoindentation. 2009 , 5, 2206-12		106
567	Structures and properties of hard and superhard nanocomposite coatings. 2009 , 52, 29-54		120
566	Applied Scanning Probe Methods XI. 2009 ,		6
565	Mechanical properties of intermetallic phases in multi-component Al ₃ Bi alloys using nanoindentation. 2009 , 17, 634-641		79
564	Formation and properties of Fe-based amorphous/nanocrystalline alloy coating prepared by wire arc spraying process. 2009 , 355, 1673-1678		49
563	Berkovich nanoindentation on InP. 2009 , 482, 498-501		21
562	Structures, mechanical properties and thermal stability of TiN/SiN _x multilayer coatings deposited by magnetron sputtering. 2009 , 486, 515-520		25
561	Structures and properties of hard and superhard nanocomposite coatings. 2009 , 179, 35		36
560	Fabrication and evaluation of a pulse laser-induced Ca-P coating on a Ti alloy for bioapplication. 2009 , 4, 015009		24
559	Chapter 90 Mechanical Properties of Nanograined Metallic Polycrystals. 2009 , 15, 199-248		11
558	Characterization of Creep Properties of Zeolite Molecular Sieves Using Nanoindentation Test. 2009 ,		
557	Grid and substrate bias effects on mechanical properties of diamond films prepared by HFCVD. 2009 , 19, s722-s726		3

556	Nano-mechanical properties of silver-welded YBCO bulks. 2010 , 234, 012034	1
555	Computational Modeling of Indentation. 2010 , 153-183	1
554	Identification of Young's Modulus from Indentation Testing and Inverse Analysis. 2010 , 4, 781-795	7
553	Multifunctional nanostructured coatings: Formation, structure, and the uniformity of measuring their mechanical and tribological properties. 2010 , 2010, 917-935	27
552	Phase transformation of Ni/Si thin films induced by nanoindentation and annealing. 2010 , 100, 1089-1096	5
551	Coating of TiB ₂ dispersed Ti ₅₀ Ni ₅₀ superelastic alloy layer onto Ti-6Al-4V alloy by spark and resistance sintering. <i>Surface and Coatings Technology</i> , 2010 , 204, 1738-1748	4-4 3
550	Low temperature diffusion bonding of stainless steel. 2010 , 63, 853-857	11
549	A Discontinuous Elastic Interface Transfer Model of Thin Film Nanoindentation. 2010 , 50, 793-801	30
548	Grindability Evaluation and Fatigue and Wear Behavior of Conventional and Nanostructured Al ₂ O ₃ -13 Wt.% TiO ₂ Air Plasma Sprayed Coatings. 2010 , 19, 611-619	1
547	Mechanical properties of porous methyl silsesquioxane and nanoclustering silica films using atomic force microscope. 2010 , 17, 11-18	7
546	A method to determine fracture toughness using cube-corner indentation. 2010 , 62, 199-201	45
545	A nano-indentation study of the reduced elastic modulus of Alq ₃ and NPB thin-film used in OLED devices. 2010 , 11, 450-455	23
544	Indentation size effect of hardness of metallic glasses. 2010 , 31, 1563-1566	37
543	Room temperature Young's modulus, shear modulus, Poisson's ratio and hardness of PbTe-Bi ₂ S ₃ thermoelectric materials. 2010 , 170, 58-66	80
542	Evaluating mechanical properties and degradation of YTZP dental implants. 2010 , 30, 14-19	36
541	Numerical analysis of brittle materials fractured by sharp indenters. 2010 , 77, 264-276	22
540	An experimental methodology for characterizing fracture of hard thin films under cyclic contact loading. 2010 , 518, 2082-2089	17
539	Intrinsic stress effect on fracture toughness of plasma enhanced chemical vapor deposited SiN _x :H films. 2010 , 518, 4898-4907	53

538	Investigation of the tribological behavior and its relationship to the microstructure and mechanical properties of a-SiC:H films elaborated by low frequency plasma assisted chemical vapor deposition. 2010 , 519, 1266-1271	19
537	Surface characterisation of DC plasma electrolytic oxidation treated 6082 aluminium alloy: Effect of current density and electrolyte concentration. <i>Surface and Coatings Technology</i> , 2010 , 205, 1679-1688 ⁴⁻⁴	132
536	Session 01: DLC coatings OA 01 P2009-245 evaluation of adhesion strength and wear resistance of DLC films. <i>Surface and Coatings Technology</i> , 2010 , 205, S188-S195	4-4 9
535	Diamond-like carbon coatings enhance the hardness and resilience of bearing surfaces for use in joint arthroplasty. 2010 , 6, 1619-24	46
534	Measuring mechanical properties of micro- and nano-fibers embedded in an elastic substrate: Theoretical framework and experiment. 2010 , 41, 33-41	23
533	A study on robust indentation techniques to evaluate elasticâplastic properties of metals. 2010 , 47, 647-664	98
532	Stability of Nanocrystalline Spark Plasma Sintered 3Y-TZP. 2010 , 3, 800-814	23
531	Evaluation of DLC Coating Damage in the Delamination and Wear Test. 2010 , 5, 129-135	8
530	Nanoindentation Test for the Stiffness Distribution Analysis of Bonded Au Ball Bonds. 2010 , 154-155, 674-677	
529	Effective silver-assisted welding of YBCO blocks: mechanical versus electrical properties. 2010 , 23, 045013	7
528	Assessing Nanotribological Performance and Surface Energies of Inconel-ZrN, Cr-ZrN, Nb-ZrN, and ZrN Thin Films. 2010 , 53, 881-887	2
527	A plastic damage model for finite element analysis of cracking of silicon under indentation. 2010 , 25, 2224-2237	13
526	Hard graphitelike hydrogenated amorphous carbon grown at high rates by a remote plasma. 2010 , 107, 013305	25
525	Deformation-induced change in the structure of metallic glasses during multistep indentation. 2010 , 81,	8
524	Determining engineering stress-strain curve directly from the load-depth curve of spherical indentation test. 2010 , 25, 2297-2307	42
523	Nanoindentation Test for the Strength Distrubution Analysis of Bonded Au Ball Bonds. 2010 , 148-149, 1163-1166	1
522	Nanoindentation Approach for Evaluation of Process Parameters Effect on the Strength of Bonded Au Ball Bonds. 2010 , 148-149, 1129-1132	
521	New methods of analyzing indentation experiments on very thin films. 2010 , 25, 728-734	13

520	Nanomechanical properties of TiO ₂ granular thin films. 2010 , 2, 2629-36		91
519	Automated measurement system for mechanical characterization of soft tissues and phantoms. 2010 ,		1
518	Mechanical properties of the hexagonal HoMnO ₃ thin films by nanoindentation. 2010 , 508, 523-527		21
517	Mechanical Properties of Potassium Dihydrogen Phosphate Single Crystal by the Nanoindentation Technique. 2010 , 25, 740-748		17
516	Nanomechanical Properties of Solid Surfaces and Thin Films. 2011 , 391-437		1
515	Traceable measurements of small forces and local mechanical properties. 2011 , 22, 094007		5
514	Nanotribology and Nanomechanics I. 2011 ,		17
513	Determination of fracture toughness of bulk materials and thin films by nanoindentation: comparison of different models. <i>Philosophical Magazine</i> , 2011 , 91, 1163-1178	1.6	45
512	Multiscale modeling of nanoindentation in copper thin films via the concurrent coupling of the meshless Hermite cloud method with molecular dynamics. <i>Applied Surface Science</i> , 2011 , 257, 10613-10620	6.7	8
511	Mechanical and electrochemical characterization of vanadium nitride (VN) thin films. <i>Applied Surface Science</i> , 2011 , 258, 312-320	6.7	77
510	Determination of the matrix indentation modulus of Meuse/Haute-Marne argillite. 2011 , 52, 266-269		11
509	Fracture Toughness of Microplasma-Sprayed Hydroxyapatite Coating by Nanoindentation. 2011 , 8, 572-590		21
508	Optimization of the Scratch Test for specific coating designs. <i>Surface and Coatings Technology</i> , 2011 , 206, 1327-1335	4.4	36
507	An indentation technique for estimating the energy density as fracture toughness with Berkovich indenter for ductile bulk materials. 2011 , 56, 104-111		23
506	Determination of interfacial fracture toughness of coatings using circumferentially notched cylindrical substrate. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 529, 406-416	5.3	6
505	A Three-Dimensional Topography Measurement for Micro-nano Film Buckling Based on the Focusing Evaluation Function. 2011 , 19, 192-199		
504	Evaluation of critical strain for crack nucleation of magnesium di-boride superconductor using indentation method. 2011 , 125, 528-535		5
503	Thermal evaluation of TiN/CN _x multilayer films. 2011 , 131, 278-283		1

502	Amorphous calcium phosphate offers improved crack resistance: a design feature from nature?. 2011 , 7, 4235-41	27
501	Dislocation plasticity and phase transformations in Si-SiC core-shell nanotowers. 2011 , 171, 177-183	9
500	Multilayer nanostructured heat-generating coatings. Preparation and certification of mechanical and tribological properties. 2011 , 54, 623-634	13
499	Characterization of Two Ti-Nb-Hf-Zr Alloys Under Different Cold Rolling Conditions. 2011 , 20, 653-657	10
498	Microstructure and Properties of Spark Plasma Sintered Carbon Nanotube Reinforced Aluminum Matrix Composites. 2011 , 13, 1128-1134	20
497	Exploring Nanomechanical Behavior of Silicon Nanowires: AFM Bending Versus Nanoindentation. <i>Advanced Functional Materials</i> , 2011 , 21, 279-286	15.6 66
496	Mechanical characteristics of Fe-based coating obtained by nanoindentation. <i>Applied Surface Science</i> , 2011 , 257, 4246-4249	6.7
495	Contact response of ceramics. 2011 , 339, 466-472	2
494	Analysis methods and size effects in the indentation fracture toughness assessment of very thin oxide coatings on glass. 2011 , 339, 518-531	27
493	Influence of heat treatment on microstructure and mechanical properties of iron-based coating. 2011 , 32, 3004-3007	5
492	Multi-scale mechanical analysis of thin titanium layer on UHMWPE substrates for biomedical applications. 2011 , 10, 2839-2844	2
491	Defect migration and recombination in nanoindentation of silica glass. 2011 , 99, 111906	30
490	A method to measure fracture toughness using indentation in REBa ₂ Cu ₃ O _{7-x} superconductor single crystals. 2011 , 110, 103504	14
489	The re-evaluation of mechanical properties of wire bonding. 2011 ,	
488	Nanomechanical properties of magnesium-based hybrid composites with graphite nanofiber and alumina short fiber. 2011 , 45, 2685-2695	3
487	Hardness Variation of Ball Bond Wire Bonding. 2011 , 399-401, 1048-1051	1
486	A Feasibility Study of Vibration-Assisted Nano-Impact Machining by Loose Abrasives Using Atomic Force Microscope. 2012 , 134, 061014	14
485	Mechanical properties of CO ₂ corrosion scale formed at different temperatures and their relationship to corrosion rate. 2012 , 47, 171-177	8

484	Introduction of the real tip defect of Berkovich indenter to reproduce with FEM nanoindentation test at shallow penetration depth. 2012 , 27, 28-38	15
483	Original in situ observations of creep during indentation and recovery of the residual imprint on amorphous polymer. 2012 , 27, 12-19	4
482	Understanding the effect of impurities and grain boundaries on mechanical behavior of Si via nanoindentation of (110)/(100) direct Si bonded wafers. 2012 , 27, 349-355	2
481	Determination of Residual Stress and Strain-Hardening Exponent Using Artificial Neural Networks. 2012 , 472-475, 332-335	
480	Rapid fabrication of nanostructured surfaces using nanocoining. 2012 , 23, 415303	5
479	Ion-beam modifications of mechanical and dimensional properties of silicon carbide. 2012 , 45, 465301	18
478	Contact mechanics at nanometric scale using nanoindentation technique for brittle and ductile materials. 2012 , 6, 142-52	7
477	Contact Mechanics at Nanometric Scale Using Nanoindentation Technique for Brittle and Ductile Materials. 2012 , 6, 116-126	2
476	Quantitative mapping of the elastic modulus of soft materials with HarmoniX and PeakForce QNM AFM modes. 2012 , 28, 16060-71	251
475	Nanoscale structure and local mechanical properties of fiber-reinforced composites containing MWCNT-grafted hybrid glass fibers. 2012 , 72, 1705-1710	45
474	Probing material properties with sharp indenters: a retrospective. 2012 , 47, 1-22	63
473	Fabrication of nanostructured $W\text{O}_3$ materials by chemical methods. 2012 , 22, 12622	37
472	Effects of mechanical properties on the contact profile in Berkovich nanoindentation of elastoplastic materials. 2012 , 27, 313-319	6
471	Tailoring the mechanical properties of SiO_xHyCz films deposited by atmospheric pressure microwave plasma torch with a Rechtschaffner design of experiments: A pragmatic statistical approach. 2012 , 60, 32-43	
470	The surface morphology and strength properties of $\text{SiO}_2\text{-P}_2\text{O}_5\text{-Nd}_2\text{O}_3$ glassy films. 2012 , 48, 430-438	5
469	Mechanical properties of atomic layer deposition-reinforced nanoparticle thin films. 2012 , 4, 6543-52	35
468	Cohesive interface simulations of indentation cracking as a fracture toughness measurement method for brittle materials. 2012 , 60, 5448-5467	86
467	Mechanical behavior of $3\text{Al}_2\text{O}_3/2\text{SiO}_2$ films under nanoindentation. 2012 , 60, 5889-5899	14

466	Electrical and mechanical characterization by instrumented indentation technique of La _{0.85} Sr _{0.15} Ga _{0.8} Mg _{0.2} O ₃ electrolyte for SOFCs. 2012 , 32, 4287-4293		10
465	A novel approach for determining fracture toughness of hard coatings on the micrometer scale. 2012 , 67, 708-711		46
464	The solvent induced interfiber adhesion and its influence on the mechanical and filtration properties of polyethersulfone electrospun nanofibrous microfiltration membranes. 2012 , 98, 456-463		53
463	Effect of Sn addition on the microstructure and superelasticity in Ti-Nb-Mo-Sn alloys. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2012 , 13, 156-65	4.1	47
462	Characterization of the elastic-plastic behavior of intermetallic coatings growth on medical stainless steel by instrumented ultramicroindentation. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2012 , 16, 1-8	4.1	13
461	Effects of plasma carburizing and DLC coating on friction-wear characteristics, mechanical properties and fatigue strength of stainless steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 558, 349-355	5.3	26
460	Analysis and Design of Biological Materials and Structures. 2012 ,		2
459	Extraction of Mechanical Properties with Second Harmonic Detection for Dynamic Nanoindentation Testing. 2012 , 52, 933-944		15
458	Photopatternable nano-composite (SU-8/ZnO) thin films for piezo-electric applications. 2012 , 101, 104102		49
457	Indentation-based methods to assess fracture toughness for thin coatings. 2012 , 45, 203001		64
456	Synthesis and characterisation of large chlorapatite single-crystals with controlled morphology and surface roughness. 2012 , 23, 2471-82		15
455	Characterization of Kevlar-29 fibers by tensile tests and nanoindentation. 2012 , 536, S456-S459		30
454	Development of reference materials for the investigation of local mechanical properties at the nanoscale. 2012 , 44, 1151-1154		3
453	On the Measurements of Rigidity Modulus of Soft Materials in Nanoindentation Experiments at Small Depth. 2012 , 45, 4277-4288		107
452	Determination of Fracture Toughness of Bone Cement by Nano-Indentation Test. 2012 , 175, 193-198		18
451	Mechanical Properties of Bi _{1.6} Pb _{0.4} Sr _{1.8} Ba _{0.2} Ca ₂ Cu ₃ Ni _x O ₁₀ Superconducting System. 2012 , 25, 1629-1634		7
450	Nano-indentation on nickel aluminate spinel and the influence of acid and alkaline attacks on the spinel surface. 2012 , 38, 3121-3128		13
449	On establishing elastic-plastic properties of a sphere by indentation testing. 2012 , 49, 1961-1972		7

448	Evaluation of fracture toughness of small volumes by means of cube-corner nanoindentation. 2012 , 66, 670-673		33
447	High hardness, low Young's modulus and low friction of nanocrystalline ZrW ₂ Laves phase and Zr _{1-x} W _x thin films. 2012 , 73, 554-558		11
446	An international round-robin calibration protocol for nanoindentation measurements. 2012 , 43, 215-22		35
445	Influence of the residual stress on the nanoindentation-evaluated hardness for zirconiumnitride films. <i>Surface and Coatings Technology</i> , 2012 , 206, 3250-3257	4.4	21
444	Toughness evaluation of hard coatings and thin films. 2012 , 520, 2375-2389		182
443	A correlation between Vickers Hardness indentation values and the Bond Work Index for the grinding of brittle minerals. 2012 , 224, 217-222		22
442	The use of single particle mechanical properties for predicting the compressibility of pharmaceutical materials. 2012 , 225, 43-51		27
441	Synthesis, characterization, and wear and friction properties of variably structured SiC/Si elements made from wood by molten Si impregnation. 2012 , 32, 1105-1116		9
440	Effects of Sn addition on phase formation and mechanical properties of TiCu-based bulk metallic glass composites. 2013 , 42, 68-76		33
439	Effect of erodent properties on the solid particle erosion mechanisms of brittle materials. 2013 , 48, 5543-5558	19	
438	Nano-Indentation Measurement of Fracture Toughness of Dental Enamel. 2013 , 183, 113-118		9
437	Using shape anisotropy to toughen disordered nanoparticle assemblies. 2013 , 7, 8043-50		28
436	Deposition and characterization of reactive magnetron sputtered zirconium carbide films. <i>Surface and Coatings Technology</i> , 2013 , 232, 876-883	4.4	53
435	True Hardness Evaluation of Bulk Metallic Materials in the Presence of Pile Up: Analytical and Enhanced Lobes Method Approaches. 2013 , 44, 531-543		10
434	Fracture Toughness and Adhesion of Transparent Al:ZnO Films Deposited on Glass Substrates. 2013 , 22, 3161-3167		6
433	Tomography of indentation cracks in feldspathic dental porcelain on zirconia. 2013 , 29, 348-56		14
432	Growth of amorphous carbon and graphene on pulse laser deposited SiC films and their characterization studies. 2013 , 31, 63-71		3
431	Grain growth and mechanical properties of CeO _{2-x} films deposited on Si(100) substrates by pulsed dc magnetron sputtering. <i>Surface and Coatings Technology</i> , 2013 , 217, 34-38	4.4	25

430	A Calibration Round-Robin Protocol for Nanoindentation Measurements of Thin Film Coatings. 2013 , 40, 1-8		2
429	A study on the tribological characteristics of duplex-treated Ti-6Al-4V alloy under oil-lubricated sliding conditions. 2013 , 64, 155-163		43
428	Characterization of Mo surface modified Ti by indentation techniques. <i>Surface and Coatings Technology</i> , 2013 , 226, 75-81	4-4	16
427	Work-of-indentation as a means to characterize indenter geometry and load-displacement response of a material. 2013 , 46, 415501		10
426	Nanoindentation Hardness Measurement in Piling up SiO ₂ Coating. 2013 , 40, 100-112		15
425	Microstructure and mechanical properties of Ti-Al-Ni nanocomposite films deposited by unbalanced magnetron sputtering. 2013 , 31, 061401		2
424	Estimating Young's modulus and Poisson's ratio by instrumented indentation test. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 574, 25-30	5-3	25
423	Thermoelectric and mechanical properties of a hot pressed nanostructured n-type Si ₈₀ Ge ₂₀ alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 564, 65-70	5-3	29
422	Nanoindentation of nano-Al/Si ₃ N ₄ multilayers with Vickers and Brinell indenters. 2013 , 33, 2355-2358		10
421	Evaluation of Microstructure and Mechanical Properties at the Interface Region of Laser-Clad Stellite 6 on Steel Using Nanoindentation. 2013 , 2, 328-336		15
420	Evaluation of Fracture Toughness of Structural Ceramic by Instrumented Indentation. 2013 , 312, 575-578		
419	Interfaces in metamict titanite: the macroscopic mechanical properties after stepwise annealing. 2013 , 86, 23-32		
418	The effect of particle strength on the ballistic resistance of shear thickening fluids. 2013 , 102, 064103		42
417	Devitrification of arc-sprayed FeBSiNb amorphous coatings: Effects on wear resistance and mechanical behavior. <i>Surface and Coatings Technology</i> , 2013 , 235, 720-726	4-4	40
416	Nanostructure fabrication on germanium and silicon by nanocoining imprint technique. 2013 , 37, 871-879		4
415	Growth of thin SiC films on Si single crystal wafers with a microwave excited plasma of methane gas. 2013 , 536, 130-135		4
414	Mechanical behaviors of crust layer in high-dose ion implanted-photoresist (HDI-PR) upon exposure to atmospheric pressure oxygen plasma: A measuring endpoint in nanoindentation. 2013 , 537, 208-211		2
413	A study on friction coefficient and wear coefficient of coated systems submitted to micro-scale abrasion tests. <i>Surface and Coatings Technology</i> , 2013 , 215, 224-233	4-4	37

412	Plastic characterization of metals by combining nanoindentation test and finite element simulation. 2013 , 23, 2368-2373		12
411	Contact nanofatigue shows crack growth in amorphous calcium phosphate on Ti, Co-Cr and Stainless steel. 2013 , 9, 5788-94		11
410	Mechanical and electrical properties of GeSb ₂ Te ₄ film with external voltage applied. <i>Applied Surface Science</i> , 2013 , 285, 532-537	6.7	4
409	van der Waals effect on the nanoindentation response of free standing monolayer graphene. 2013 , 57, 357-362		24
408	Microstructure and Mechanical Properties of FeBSiNb Metallic Glass Coatings by Twin Wire Arc Spraying. 2013 , 22, 471-477		22
407	Alginate/silica composite hydrogel as a potential morphogenetically active scaffold for three-dimensional tissue engineering. 2013 , 3, 11185		44
406	Microstructure and corrosion resistance of pure titanium surface modified by double-glow plasma surface alloying. 2013 , 49, 1042-1047		21
405	Optimised determination of viscoelastic properties using compliant measurement systems. 2013 , 9, 5581		7
404	Elastic properties of monolayer graphene with different chiralities. 2013 , 25, 125302		22
403	Mechanical Behavior in the Micron and Submicron/Nano Range. 2013 , 521-626		1
402	Application of nanoindentation to establish influence of heat on soils. 2013 , 162, 14-21		5
401	Determination de la tñacit'de mat'riaux fragiles ou ductiles ^ partir de lâ'essai d'indentation. 2013 , 110, 215-233		3
400	Wear and abrasion resistance selection maps of biological materials. 2013 , 9, 7895-907		62
399	Effect of ternary alloying elements on microstructure and superelasticity of Tiâ'Nb alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 559, 706-710	5.3	50
398	Increased cement paste permeability via novel controlled fatigue technique. 2013 ,		
397	Modeling and Analyzing the Temperature Field in EACVD Integration System. 2013 , 568, 69-74		
396	Morphological, chemical and mechanical characteristics of an anodic coating on stainless steel. 2013 , 29, 379-383		1
395	A Method to Determine Fracture Toughness Using Berkovich Indenter for Bulk Materials. 2013 , 331, 456-460		

394	Effect of Nanoindentation Loading Rate on Gold Ball Bond. 2013 , 756, 151-155		
393	Indentation Fracture Response of Al ₃ TiN Nanolaminates. 2013 , 1, 102-108		27
392	Relative Nanomechanical and Raman Studies of Diamond-Like Carbon Thin Films. 2013 , 261-272		
391	Comparative Nanomechanical Study of Multiharmonic Force Microscopy and Nanoindentation on Low Dielectric Constant Materials. 2013 , 302-322		3
390	Nanoindentation Measurements of Mechanical Properties of Very Thin Films and Nanostructured Materials at High Spatial Resolution. 2013 , 162-189		
389	Effect of oxygen and associated residual stresses on the mechanical properties of high growth rate Czochralski silicon. 2013 , 113, 133502		8
388	Effect of Hybrid Surface Treatment Composed of Plasma Nitriding and DLC Coating on Friction Coefficient and Fatigue Strength of Stainless Steel. 2013 , 54, 732-737		14
387	References. 2014 , 367-382		
386	Effects of thermal cycling on the mechanical properties of gold wire bonding. 2014 ,		
385	High Temperature Thermal Stability of Innovative Nanostructured Thin Coatings for Advanced Tooling. 2014 , 622-623, 45-52		2
384	An investigation into environment dependent nanomechanical properties of shallow water shrimp (<i>Pandalus platyceros</i>) exoskeleton. 2014 , 44, 371-9		21
383	Elastic constants determined by nanoindentation for p-type thermoelectric half-Heusler. 2014 , 116, 083516		11
382	Solid particle erosion mechanisms of protective coatings for aerospace applications. <i>Surface and Coatings Technology</i> , 2014 , 257, 165-181	4-4	77
381	Mechanical Properties of the Honeycomb Nanoporous Membranes. 2014 , 633-634, 44-51		
380	Crack Propagation Resistance of Al ₂ O ₃ Reinforced Pulsed Laser-Deposited Hydroxyapatite Coating on 316 Stainless Steel. 2014 , 66, 2095-2107		13
379	Microstructural evolution and micromechanical properties of gamma-irradiated Au ball bonds. 2014 , 93, 129-135		9
378	Correlation between electrical and mechanical properties in La _{1-x} Sr _x Ga _{1-y} Mg _y O _{3-z} ceramics used as electrolytes for solid oxide fuel cells. 2014 , 246, 918-925		18
377	Effect of Silicon Dioxide Hardness on Scratches in Interlevel Dielectric Chemical-Mechanical Polishing. 2014 , 57, 190-197		3

376	Mechanical Properties of Biomaterials Determined by Nano-Indentation and Nano-Scratch Tests. 2014 , 189-207	2
375	Finite element simulation of nano-indentation experiment on aluminum 1100. 2014 , 81, 595-600	37
374	Hardness of FRHC-Cu Determined by Statistical Analysis. 2014 , 23, 637-642	4
373	Effect of water uptake on the fracture behavior of low-k organosilicate glass. 2014 , 32, 031512	6
372	Nanoindentation for probing the mechanical behavior of molecular crystals—review of the technique and how to use it. 2014 , 16, 12-23	116
371	High-pressure (GPa) impedance measurements based on an indentation-induced local stress field. 2014 , 254, 6-10	2
370	Thermomagnetic processing of liquid-crystalline epoxy resins and their mechanical characterization using nanoindentation. 2014 , 6, 19456-64	13
369	Structure, deformation and fracture of arc evaporated ZrSiN hard films. <i>Surface and Coatings Technology</i> , 2014 , 258, 1100-1107	4-4 26
368	Performance enhancement of white light-emitting diodes using an encapsulant semi-solidification method. 2014 , 2, 8525-8531	13
367	The Role of Dust, Grit and Phytoliths in Tooth Wear. 2014 , 51, 143-152	92
366	Polymer MEMS Sensors. 2014 , 305-342	1
365	An Introduction to Surface Alloying of Metals. 2014 ,	6
364	Characteristics of indentation cracking using cohesive zone finite element techniques for pyramidal indenters. 2014 , 51, 4327-4335	15
363	Structural-nanomechanical property correlation of shallow water shrimp (<i>Pandalus platyceros</i>) exoskeleton at elevated temperature. 2014 , 11, 360-370	14
362	Finite size effect does not depend on the loading history in soft matter indentation. 2014 , 47, 385303	13
361	Finite element simulation of nanoindentation tests using a macroscopic computational model. 2014 , 28, 3209-3217	2
360	On the possibility of estimating the fracture toughness of enamel. 2014 , 30, 1224-33	7
359	Mechanical characterization of multiwalled carbon nanotubes-polycarbonate composites. 2014 , 54, 864-868	33

358	Microstructure and properties of AlB ₂ -type WB ₂ thin films deposited by direct-current magnetron sputtering. <i>Surface and Coatings Technology</i> , 2014 , 245, 108-116	4.4	32
357	Influence of negative bias voltage and deposition temperature on microstructure and properties of superhard TiB ₂ coatings deposited by high power impulse magnetron sputtering. <i>Surface and Coatings Technology</i> , 2014 , 253, 115-122	4.4	50
356	Measurement of fracture strength in brittle thin films. <i>Surface and Coatings Technology</i> , 2014 , 254, 1-10	4.4	15
355	Indenter Geometry Affecting Indentation Behaviors of the Zr-Based Bulk Metallic Glass. 2014 , 55, 1400-1404		6
354	Nano Indentation Response of Various Thin Films Used for Tribological Applications. 2014 , 62-88		
353	Impact of Thickness on Rubber Aging Life. 2014 , 1035, 122-127		2
352	Mechanical and tribological characteristics of sintered Fe-Ni-Cr alloy subjected to high-frequency ultrasonic peening. 2014 , 8, 239		5
351	Evaluating indent pile-up with metallic films on ceramic-like substrates. 2015 , 30, 2046-2054		8
350	Indentation damage evaluation on metal-coated thin-films stacked structure. 2015 , 30, 3071-3083		5
349	Comparing sintering and atomic layer deposition as methods to mechanically reinforce nanocolloidal crystals. 2015 , 30, 3717-3727		6
348	High-resolution high-speed dynamic mechanical spectroscopy of cells and other soft materials with the help of atomic force microscopy. <i>Scientific Reports</i> , 2015 , 5, 12630	4.9	24
347	A Comparative Study on Optical, Electrical, and Mechanical Properties of Conducting Polymer-Based Electrodes. 2015 , 11, 5498-504		7
346	Toward Demystifying the Mohs Hardness Scale. 2015 , 98, 2681-2688		3
345	The Compelling Case for Indentation as a Functional Exploratory and Characterization Tool. 2015 , 98, 2671-2680		58
344	Toughness Evaluation of Thin Hard Coatings and Films. 2015 , 47-122		4
343	Influence of Irradiation Doses on Mechanical Properties of PA6. 2015 , 752-753, 136-141		
342	Effect of Annealing on Microstructure and Mechanical Properties of Magnetron Sputtered Cu Thin Films. 2015 , 2015, 1-8		17
341	Constitutive analysis for the quantification of hardness decay in a superlattice CrN/NbN hard-coating. <i>Surface and Coatings Technology</i> , 2015 , 275, 155-166	4.4	6

340	Influence of Irradiation Doses on Mechanical Properties of Glass Fiber Filled PBT. 2015 , 752-753, 130-135		
339	Real-Time Stress Measurements in Germanium Thin Film Electrodes during Electrochemical Lithiation/Delithiation Cycling. 2015 , 162, A2840-A2846		29
338	Tribological behaviour of titanium alloy modified by carbonâDLC composite film. 2015 , 31, 934-941		12
337	Estimation of distinctive mechanical properties of spark plasma sintered titaniumâtitanium boride composites through nano-indentation technique. 2015 , 106, 1182-1188		3
336	Microstructure and nanoindentation behaviour of Ni surface modified Ti6Al4V. 2015 , 31, 923-929		8
335	Mechanics of microwear traces in tooth enamel. 2015 , 14, 146-53		42
334	An investigation into mechanical strength of exoskeleton of hydrothermal vent shrimp (<i>Rimicaris exoculata</i>) and shallow water shrimp (<i>Pandalus platyceros</i>) at elevated temperatures. 2015 , 49, 243-250		25
333	Degradation behaviour of LAE442-based plate-screw-systems in an in vitro bone model. 2015 , 49, 305-315		28
332	Mechanical properties of interface layers between cosintered alumina and spinel compacts. 2015 , 114, 18-27		4
331	Disturbance induced by surface preparation on instrumented indentation test. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 642, 381-390	5-3	11
330	Dependence of nanoindentation hardness with crystallographic orientation of austenite grains in metastable stainless steels. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 645, 188-195	5-3	38
329	Mechanical properties of solâgel coatings on polycarbonate: a review. 2015 , 75, 710-719		23
328	Geometry of nanoindentation cube-corner cracks observed by FIB tomography: Implication for fracture resistance estimation. 2015 , 35, 2949-2955		23
327	A comparison of the ballistic performance of shear thickening fluids based on particle strength and volume fraction. 2015 , 85, 83-96		58
326	Determination of fracture toughness of brittle materials by indentation. 2015 , 28, 221-234		17
325	A dual triangular pyramidal indentation technique for material property evaluation. 2015 , 30, 1098-1109		10
324	A comparison of nanoindentation creep deformation characteristics of hydrothermal vent shrimp (<i>Rimicaris exoculata</i>) and shallow water shrimp (<i>Pandalus platyceros</i>) exoskeletons. 2015 , 30, 1110-1120		12
323	Radial in-plane digital speckle pattern interferometer combined with instrumented indentation. 2015 , 71, 1-8		4

322	Recent advances in the mechanical and tribological properties of fluorine-containing DLC films. 2015 , 5, 9635-9649		37
321	Scale Dependence of the Mechanical Properties and Microstructure of Crustaceans Thin Films as Biomimetic Materials. 2015 , 67, 858-866		12
320	Analysis of the mechanical response of biomimetic materials with highly oriented microstructures through 3D printing, mechanical testing and modeling. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2015 , 48, 70-85	4.1	46
319	Superhard TiAlCN coatings prepared by radio frequency magnetron sputtering. 2015 , 584, 283-288		22
318	Evaluation of indentation fracture toughness for brittle materials based on the cohesive zone finite element method. 2015 , 134, 304-316		20
317	Fracture toughness of esthetic dental coating systems by nanoindentation and FIB sectional analysis. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2015 , 47, 1-11	4.1	13
316	Nano-indentation study on the (001) face of KDP crystal based on SPH method. 2015 , 36, 083007		1
315	Numerical Modeling of Functional Graded TiB Coating in Nanoindentation on Determination of Mechanical Properties. <i>Materials Today: Proceedings</i> , 2015 , 2, 217-223	1.4	5
314	Evolution of microstructure and mechanical properties of in situ synthesized TiC/TiB ₂ /CoCrCuFeNi high entropy alloy coatings. <i>Surface and Coatings Technology</i> , 2015 , 281, 109-116	4.4	70
313	Comparison of three kinds of MC-type carbide modified thick W coatings fabricated by plasma transferred arc surfacing. <i>Surface and Coatings Technology</i> , 2015 , 283, 52-60	4.4	8
312	Mechanical Properties of Polypropylene/Carbon Nanotube Composites by Indentation Technique. 2015 , 1128, 115-122		
311	Synthesis and characterization of nacre-inspired zirconia/polyimide multilayer coatings by a hybrid sputtering and pulsed laser deposition technique. <i>Surface and Coatings Technology</i> , 2015 , 284, 118-128	4.4	11
310	Effects of a Nano-composite Adhesive on Mechanical Properties of Tooth Enamel After Removing Orthodontics Bracket – An Experimental Study Using Nano-indentation Test. 2015 , 55, 1769-1777		6
309	Mechanical properties and microstructure of spark plasma sintered nanostructured p-type SiGe thermoelectric alloys. 2015 , 87, 414-420		22
308	Structural and mechanical properties of sol-gel prepared pyrochlore lanthanum niobates. 2015 , 50, 7197-7207		4
307	Mechanical properties of Mg ₂ Si with metallic binders. 2015 , 54, 07JC03		8
306	Quantitative approach to determine the mechanical properties by nanoindentation test: Application on sandblasted materials. 2015 , 82, 297-304		7
305	Effect of Indentation Size and Strain Rate on Nanomechanical Behavior of Ti-6Al-4V Alloy. 2015 , 68, 143-150		6

304	A criterion to identify sinking-in and piling-up in indentation of materials. 2015 , 90, 145-150		34
303	Nano-mechanical characterization of plasma surface tungstenized layer by depth-sensing nano-indentation measurement. <i>Applied Surface Science</i> , 2015 , 324, 160-167	6.7	11
302	A novel energy-based method to evaluate indentation modulus and hardness of cementitious materials from nanoindentation load–displacement data. 2015 , 48, 2915-2927		11
301	A novel pillar indentation splitting test for measuring fracture toughness of thin ceramic coatings. <i>Philosophical Magazine</i> , 2015 , 95, 1928-1944	1.6	88
300	Nanomechanical properties of selected single pharmaceutical crystals as a predictor of their bulk behaviour. 2015 , 32, 469-81		20
299	Micro-Hardness of PBT Influenced by Beta Radiation. 2016 , 76, 02024		6
298	Silica-Based and Borate-Based, Titania-Containing Bioactive Coatings Characterization: Critical Strain Energy Release Rate, Residual Stresses, Hardness, and Thermal Expansion. 2016 , 7,		14
297	Evaluation of the Bulk and Alpha-Case Layer Properties in Ti-6Al-4V at Micro-And Nano-Metric Length Scale. 2016 , 1619-1624		6
296	Microstructural and geometric influences in the protective scales of <i>Atractosteus spatula</i> . 2016 , 13,		7
295	Quantitative evaluation of the adhesion of bioactive glasses onto Ti6Al4V substrates. 2016 , 97, 213-221		13
294	The effect of steel substrate pre-hardening on structural, mechanical, and tribological properties of magnetron sputtered TiN and TiAlN coatings. 2016 , 352-353, 92-101		41
293	Nanoindentation Study of the Surface of Ion-Exchanged Lithium Silicate Glass. 2016 , 120, 5585-5598		6
292	Determination of mechanical properties of Al ₂ O ₃ /Y-TZP ceramic composites: Influence of testing method and residual stresses. 2016 , 42, 18700-18710		22
291	Anisotropic mechanical properties of zircon and the effect of radiation damage. 2016 , 43, 627-638		10
290	A combined experimental and modelling study of indentation damage test on thin-film stacked structures. 2016 , 615, 74-83		4
289	Simulation of enamel wear for reconstruction of diet and feeding behavior in fossil animals: A micromechanics approach. 2016 , 38, 89-99		22
288	Structure and scale of the mechanics of mammalian dental enamel viewed from an evolutionary perspective. 2016 , 18, 54-61		14
287	Nanomechanical properties and fracture toughness of Bi ₃ Se ₂ Te thin films grown using pulsed laser deposition. 2016 , 182, 72-76		2

286	Competing mechanisms in the wear resistance behavior of biomineralized rod-like microstructures. 2016 , 96, 511-534		13
285	Bondability and Strength Evaluation of Gold Ball Bond Using Nanoindentation Approach. 2016 , 700, 132-141		
284	Low cost fabrication of polymer composite (h-ZnO + PDMS) material for piezoelectric device application. 2016 , 3, 075702		12
283	Model based phenomenological and experimental investigation of nanoindentation creep in pure Mg and AZ61 alloy. 2016 , 105, 142-151		8
282	Repetitive nano-impact tests as a new tool to measure fracture toughness in brittle materials. 2016 , 36, 3235-3243		10
281	Tribological properties of PEO nanocomposite coatings on titanium formed in electrolyte containing ketoconazole. 2016 , 102, 463-471		27
280	Mechanical Properties of Thermoelectric Ba8Al15Si31 Clathrate Prepared by Combining Arc Melting and Spark Plasma Sintering Techniques. 2016 , 45, 1803-1812		2
279	Effect of Fe and Ni nanoparticles on the structure and mechanical properties of alumina thin films. 2016 , 96, 255-263		6
278	Lanthanum hydride doped tungsten-based coating fabricated by supersonic atmospheric plasma spraying. <i>Surface and Coatings Technology</i> , 2016 , 299, 153-161	4-4	5
277	Carbon doping to improve the high temperature tribological properties of VN coating. 2016 , 97, 327-336		31
276	Bending Stress Determination in a Pipe Test Bench Using DSPI Combined with Instrumented Indentation. 2016 , 56, 713-722		1
275	Indentation-induced stress distribution and pressure effect on the resistivity of YSZ. 2016 , 286, 96-101		3
274	Stress induced environmental damage in precursor derived SiBCN ceramics. 2016 , 42, 6692-6700		2
273	Influence of loading path and precipitates on indentation creep behavior of wrought Mg–wt% Al–wt% Zn magnesium alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 650, 183-189	5-3	17
272	Equivalent cone apex angle of Berkovich indenter in face-forward and edge-forward nanoscratch. 2016 , 356-357, 53-65		7
271	Mechanical properties of natural radiation-damaged titanite and temperature-induced structural reorganization: A nanoindentation and Raman spectroscopic study. 2016 , 101, 399-406		9
270	Microstructure and mechanical properties of Cr–Ni– coatings deposited by HiPIMS. 2016 , 32, 314-320		15
269	An investigation of shear thickening fluids using ejecta analysis techniques. 2016 , 93, 39-48		9

268	Structural evolution of CeO ₂ -doped alkali boroaluminosilicate glass and the correlation with physical properties based on a revised structural parameter analysis. 2016 , 6, 5456-5465	14
267	Dynamic Behavior of Materials, Volume 1. 2016 ,	1
266	Investigation on the physical properties of C-doped ZnO thin films deposited by the thermionic vacuum arc. 2017 , 132, 1	11
265	Microstructure and microindentation of Ti ₃ SiC ₂ ̄Titanium filler brazed joints by tungsten inert gas (TIG) process. 2017 , 43, 7290-7294	7
264	Macroscale and microscale fracture toughness of microporous sintered Ag for applications in power electronic devices. 2017 , 129, 41-51	42
263	Nanomechanical Characterization of Solid Surfaces and Thin Films. 2017 , 177-251	0
262	Mechanical Characterization of Membranes. 2017 , 259-306	11
261	Study on damage and fracture of thin-film stacked structures through indentation test with acoustic emission sensing. 2017 , 128-129, 159-167	4
260	CIGS solar cells on ultra-thin glass substrates: Determination of mechanical properties by nanoindentation and application to bending-induced strain calculation. 2017 , 166, 254-261	20
259	Quantification and modeling of nanomechanical properties of chlorpropamide ̄and ̄ conformational polymorphs. 2017 , 110, 109-116	8
258	Micro-plasticity of medium Mn austenitic steel: Perfect dislocation plasticity and deformation twinning. 2017 , 135, 112-123	30
257	From force curves to surface nanomechanical properties. 2017 , 19, 23642-23657	26
256	High temperature indentation based property measurements of IN-617. 2017 , 96, 264-281	36
255	Synergetic Surface and Chemical Durability Study of the Aesthetically Enhanced Natural Quartz by Heat Treatment. 2017 , 48, 1111-1120	3
254	Depth-sensing nanoindentation measurement techniques and applications. 2017 , 23, 1595-1649	29
253	Improving the Thermal Shock Resistance of Thermal Barrier Coatings Through Formation of an In Situ YSZ/Al ₂ O ₃ Composite via Laser Cladding. 2017 , 26, 1890-1899	13
252	Estimating the slip resistance from spherical nanoindentation and orientation measurements in polycrystalline samples of cubic metals. 2017 , 92, 19-30	31
251	The stab resistance of fabrics impregnated with shear thickening fluids including various particle size of additives. 2017 , 94, 50-60	125

250	Indentation across interfaces between stiff and compliant tissues. 2017 , 56, 36-43		21
249	Effect of far-field stresses and residual stresses incorporation in predicting fracture toughness of carbon nanotube reinforced yttria stabilized zirconia. 2017 , 122, 145104		7
248	Structural and mechanical properties of Zr1â Mox thin films: From the nano-crystalline to the amorphous state. 2017 , 729, 137-143		4
247	Guiding the Growth of a Conductive Filament by Nanoindentation To Improve Resistive Switching. 2017 , 9, 34064-34070		85
246	Nanoindentation of Advanced Ceramics: Applications to ZrO2 Materials. 2017 , 459-480		0
245	Computer Simulation and Experimental Analysis of Nanoindentation Technique. 2017 , 579-600		1
244	Ferroelectrics as Smart Mechanical Materials. 2017 , 29, 1702210		29
243	Quantifying the mode II critical strain energy release rate of borate bioactive glass coatings on Ti6Al4V substrates. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2017 , 75, 212-221	4.1	3
242	Dynamic strength, particle deformation, and fracture within fluids with impact-activated microstructures. 2017 , 122, 025108		2
241	Microstructures and Mechanical Properties of as-Drawn and Laboratory Annealed Pearlitic Steel Wires. 2017 , 48, 4583-4597		15
240	Nanoindentation data analysis of loading curve performed on DLC thin films: Effect of residual stress on the elasto-plastic properties. 2017 , 122, 175103		5
239	The ballistic performance of aramid based fabrics impregnated with multi-phase shear thickening fluids. 2017 , 64, 296-306		97
238	Mechanical and Structural Degradation of LiNixMnyCozO2Cathode in Li-Ion Batteries: An Experimental Study. 2017 , 164, A3333-A3341		75
237	Indentation of a stretched elastomer. 2017 , 107, 145-159		11
236	Tooth wear: A response to "Scratching the surface: A critique of Lucas et al. (2013)'s conclusion that phytoliths do not abrade enamel" [J. Hum. Evol. 74 (2014) 130-133]. 2017 , 102, 75-77		9
235	Review of Mechanical Characterization Techniques for Thin Films Used in Flexible Electronics. <i>Critical Reviews in Solid State and Materials Sciences</i> , 2017 , 42, 129-152	10.1	23
234	Mechanical properties of water desalination and wastewater treatment membranes. 2017 , 401, 190-205		96
233	The effect of silicon carbide additives on the stab resistance of shear thickening fluid treated fabrics. 2017 , 24, 1381-1390		50

232	Challenges in Mechanics of Time Dependent Materials, Volume 2. 2017 ,		1
231	Forces to pierce cuticle of tarsi and material properties determined by nanoindentation: The Achilles' heel of bed bugs. 2017 , 6, 1541-1551		4
230	A Comparison of Microscale Techniques for Determining Fracture Toughness of LiMnO ₄ Particles. 2017 , 10,		8
229	Microstructure and Wear Behavior of FeCoCrNiMo _{0.2} High Entropy Coatings Prepared by Air Plasma Spray and the High Velocity Oxy-Fuel Spray Processes. <i>Coatings</i> , 2017 , 7, 151	2.9	37
228	Mechanical Behavior and Sliding Wear Studies on Iron Aluminide Coatings Reinforced with Titanium Carbide. <i>Metals</i> , 2017 , 7, 177	2.3	7
227	MEMS Device for Quantitative In Situ Mechanical Testing in Electron Microscope. 2017 , 8, 31		4
226	Impact of silica nanoparticles on the morphology and mechanical properties of sol-gel derived coatings. <i>Surface and Coatings Technology</i> , 2018 , 342, 48-56	4.4	31
225	Effect of deposition conditions on physical properties of sputtered silicon oxynitride thin films on float glass. 2018 , 9, 403-412		2
224	Micromechanical properties of alkali-activated slag cement binders. 2018 , 90, 241-256		19
223	Room temperature mechanical properties and microstructure of a low alloyed TRIP-assisted steel subjected to one-step and two-step quenching and partitioning process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 725, 341-349	5.3	21
222	Progress of in situ synchrotron X-ray diffraction studies on the mechanical behavior of materials at small scales. 2018 , 94, 384-434		38
221	New insights into nanoindentation crack initiation in ion-exchanged sodium aluminosilicate glass. 2018 , 101, 2930-2940		8
220	Stiffness of frictional contact of dissimilar elastic solids. 2018 , 112, 318-333		6
219	The origins of Asteroidal rock disaggregation: Interplay of thermal fatigue and microstructure. 2018 , 304, 172-182		19
218	Characterization of strain rate effects on the plastic properties of structural steel using nanoindentation. 2018 , 163, 305-314		21
217	Mechanical properties of 6H-SiC irradiated by neutron and MeV heavy ions: A nanoindentation and finite element method study. 2018 , 123, 025104		6
216	Nanoindentation and Indentation Size Effects: Continuum Model and Atomistic Simulation. 2018 , 1-36		
215	Influence of Oxygen on the Tribomechanical Properties of Single Crystals of YBa ₂ Cu ₃ O _{7-δ} 2018 , 31, 2363-2372		

214	Improvement on electrochemical performances of nanoporous titania as anode of lithium-ion batteries through annealing of pure titanium foils. 2018 , 27, 250-263		4
213	Investigation of Stress-Strain Constitutive Behavior of Intermetallic Alloys. 2018 , 34, 349-361		0
212	A new method to extract elastic modulus of brittle materials from Berkovich indentation. 2018 , 38, 349-353		5
211	Anisotropic Fracture Toughness of Bulk GaN. 2018 , 255, 1700515		5
210	Radiation-induced effects on the mechanical properties of natural ZrSiO ₄ : double cascade-overlap damage accumulation. 2018 , 45, 435-442		2
209	Effect of parylene C coating on the antibiocoorrosive and mechanical properties of different magnesium alloys. <i>Applied Surface Science</i> , 2018 , 427, 617-627	6.7	13
208	Aggregate Elasticity and Tabletability of Molecular Solids: a Validation and Application of Powder Brillouin Light Scattering. 2018 , 19, 3430-3439		7
207	Multi-scale study of the deformation mechanisms of thermoelectric p-type half-Heusler Hf _{0.44} Zr _{0.44} Ti _{0.12} CoSb _{0.8} Sn _{0.2} . 2018 , 124, 175104		
206	Cracking and Toughening Mechanisms in Nanoscale Metallic Multilayer Films: A Brief Review. 2018 , 8, 1821		12
205	Scratch and wear behaviours of metallised Ti thin films deposited on Al ₂ O ₃ substrate. 2018 , 124, 1		0
204	7.8 Environmental Durability of Polymer Matrix Composites. 2018 , 131-158		
203	Dislocation shielding at elevated temperatures in pre-cracked microscale silicon. 2018 , 4, 175-181		4
202	Assessment of ElasticâPlastic and Electrical Properties of Printed Silver-Based Interconnects for Flexible Electronics. 2018 , 140,		
201	Hardness. 2018 , 119-171		
200	Indentation strain rate sensitivity of ball-milled spark-plasma sintered Cu-C metal matrix composite. 2018 , 767, 838-847		3
199	Indentation Methods for the Characterization of Carbon-Based Polymer Nanocomposites. 2018 , 79-111		
198	Effects of Negative Bias Voltage and Ratio of Nitrogen and Argon on the Structure and Properties of NbN Coatings Deposited by HiPIMS Deposition System. <i>Coatings</i> , 2018 , 8, 10	2.9	4
197	Effects of Sample and Indenter Configurations of Nanoindentation Experiment on the Mechanical Behavior and Properties of Ductile Materials. <i>Metals</i> , 2018 , 8, 421	2.3	13

196	Mechanical Properties Changes of Irradiated Thermoplastic Elastomer. 2018 , 10,		10
195	Structure design and experimental investigation of a multi-function stylus profiling system for characterization of engineering surfaces at micro/nano scales. 2018 , 24, 2177-2187		4
194	Effect of multicomponent doping on the structure and tribological properties of VN-based coatings. 2019 , 806, 566-574		7
193	Modeling the influence of roughness on nanoindentation data using finite element analysis. 2019 , 161-162, 105015		11
192	Probing of the mechanical properties and monitoring of the drying process of azopolymer thin films for optical recording. 2019 , 687, 137441		3
191	Small-scale mechanical properties of constitutive phases within a polycrystalline cubic boron nitride composite. 2019 , 39, 5181-5189		6
190	Nanoindentation of Fused Quartz at Loads Near the Cracking Threshold. 2019 , 59, 369-380		9
189	A quantitative analysis of the indentation fracture of fused silica. 2019 , 102, 7264-7277		5
188	Equivalent initial flaw size model for fracture strength prediction of optical fibers with indentation flaws. 2019 , 215, 36-48		5
187	Indentation cracking of monocrystalline silicon considering fracture anisotropy. 2019 , 100, 128-138		6
186	Innovative Surface Engineering of High-Carbon Steel through Formation of Ceramic Surface and Diffused Subsurface Hybrid Layering. 2019 , 7, 9228-9236		4
185	Effect of nanoparticle size on the mechanical properties of nanoparticle assemblies. 2019 , 11, 9563-9573		26
184	An evaluation of the effects of the N ₂ /Ar gas flux ratio on various characteristics of TiC _{0.3} N _{0.7} nano-structure coatings on the cold work tool steel by pulsed DC-PACVD. <i>Surface and Coatings Technology</i> , 2019 , 366, 366-374	4.4	10
183	Probe assisted localized doping of aluminum into silicon substrates. 2019 , 125, 075706		0
182	Mechanical properties characterization of two-dimensional materials via nanoindentation experiments. 2019 , 103, 558-595		37
181	Corrections to the stiffness relationship in 3-sided and conical indentation problems. 2019 , 166, 154-166		4
180	Fabrication of a thin open-cell Ni foam sheet with a high specific strength and moderate porosity using severe plastic deformation via differential speed rolling. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 750, 7-13	5.3	3
179	On the Room-Temperature Creep Behavior and Its Correlation with Length Scale of a Litao Single Crystal by Spherical Nanoindentation. 2019 , 12,		3

178	Assessment of critical material attributes of polyethylene oxide for formulation of prolonged-release tablets. 2019 , 45, 1949-1958		2
177	The role of β orthorhombic phase content on the tenacity and fracture toughness behavior of Ti-22Nb-10Zr coating used in the design of long-term medical implants. <i>Applied Surface Science</i> , 2019 , 464, 328-336	6.7	4
176	Methodology to extract constitutive equation at a strain rate level from indentation curves. 2019 , 152, 363-377		13
175	Ultra-precise surface processing of LYSO scintillator crystals for Positron Emission Tomography. <i>Applied Surface Science</i> , 2019 , 469, 573-581	6.7	4
174	Determining the micro-fracture properties of Antrim gas shale by an improved micro-indentation method. 2019 , 62, 224-235		18
173	Constituent-specific properties in quenching and partitioning (Q&P) processed steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 740-741, 439-444	5.3	16
172	Mechanical properties and deformation behaviors of surface-modified silicon: a molecular dynamics study. 2019 , 54, 3096-3110		9
171	PhyBaLCHT – Influence of indentation force on the results of cyclic hardness tests and investigations of comparability to uniaxial fatigue loading. 2019 , 119, 78-88		19
170	Time-Dependent Evolution of Microstructure and Mechanical Properties of Mortar. 2019 , 17, 61-74		1
169	Finite element modeling of nano-indentation technique to characterize thin film coatings. 2019 , 31, 61-69		15
168	Fracture toughness determination of fused silica by cube corner indentation cracking and pillar splitting. 2020 , 186, 108311		14
167	Measurement of the mechanical properties of silver and enamel thick films using nanoindentation. 2020 , 11, 195-206		4
166	Mechanical characterization of thermally treated calcite-cemented sandstone using nanoindentation, scanning electron microscopy and automated mineralogy. 2020 , 125, 104158		6
165	Hot-injection for synthesizing ammonium thiosulfate precursor of molybdenum disulfide thin film coated on nano-porous aluminum oxide for surface strengthening. 2020 , 848, 156262		3
164	Probing fatigue resistance in multi-layer DLC coatings by micro- and nano-impact: Correlation to erosion tests. <i>Surface and Coatings Technology</i> , 2020 , 402, 126319	4.4	11
163	Application of nanoindentation technology in rocks: a review. 2020 , 6, 1		16
162	Microstructure, mechanical and tribological properties of Hf-Mo-Si-N films with different Si contents. <i>Surface and Coatings Technology</i> , 2020 , 401, 126268	4.4	2
161	An experimental study on stress relaxation behaviour of high strength steel wire: Microstructural evolution and degradation of mechanical properties. 2020 , 261, 119926		5

160	Simultaneous Clamping and Cutting Force Measurements with Built-In Sensors. 2020 , 20,	6
159	Experimental study on dynamic nanoindentation on structural weld zone. 2020 , 869, 032027	
158	Mechanical properties of homogeneous and nitrogen graded TiN thin films. 2020 , 710, 138268	4
157	Indentation behavior of highly confined elasto-plastic materials. 2020 , 193-194, 69-78	
156	Rheological and deformation behavior of natural smart suspensions exhibiting shear thickening properties. 2020 , 20, 1	10
155	Effect of Microstructure on the Mechanical Properties and Fracture Toughness of API X65 Pipeline Steel in the Presence of Hydrogen. 2020 , 27, 3918	4
154	Cone-Paraboloid Transition of the Johnson-Kendall-Roberts-Type Hyperboloidal Contact. 2020 , 36, 11284-11291	
153	Electro-Chemo-Mechanical Properties of Solid Electrode Surfaces. 2020 ,	
152	Mechanical and Electrochemical Stability Improvement of SiC-Reinforced Silicon-Based Composite Anode for Li-Ion Batteries. 2020 , 3, 12613-12626	5
151	Mechanical and tribological behaviors of hard and tough Ta _x Hf _{1-x} N films with various Ta contents. <i>Surface and Coatings Technology</i> , 2020 , 403, 126412	4.4 5
150	Morphological, Mechanical Property Analysis and Comparative Study over Structural Properties of CVD TiN Film Grown under Different Substrate Temperature in Nitrogen Gas Atmosphere. 2020 , 1	3
149	Understanding nanomechanical and surface ellipsometry of optical F-doped SnO ₂ thin films by in-line APCVD. 2020 , 126, 1	1
148	Probing the Mechanical Properties of a Doped LiLaZrO Garnet Thin Electrolyte for Solid-State Batteries. 2020 , 12, 24693-24700	10
147	Indentation of a prestretched strain-stiffening elastomer. 2020 , 25, 2118-2131	
146	The differences of nanoscale mechanical properties among coal maceral groups. 2020 , 80, 103394	5
145	Comparative investigation on the structure and physical properties of CeO ₂ /TiO ₂ /Sb ₂ O ₃ -doped bismuth borosilicate glasses. 2020 , 544, 120190	5
144	Flexible poly(styrene-ethylene-butadiene-styrene) hybrid nanofibers for bioengineering and water filtration applications. 2020 , 137, 49184	10
143	Enhancement of mechanical properties of ceria-calcia stabilized zirconia by alumina reinforcement. 2020 , 40, 3714-3722	7

142	Tribological Performance of Al Alloys Dispersed with Carbon Nanotubes or Ni-Coated Carbon Nanotubes Produced by Mechanical Milling and Extrusion. 2020 , 29, 1630-1639		3
141	Tribological Phenomena during Contact Interactions in Nanostructured Coatings. 2020 , 41, 46-51		0
140	A nanoindentation based study to evaluate the effect of carbon nanofibers on the mechanical properties of SiC composites. 2021 , 28, 363-380		2
139	Micromechanics of Machining and Wear in Hard and Brittle Materials. 2021 , 104, 5-22		31
138	Development of Al ₂ O ₃ -based hybrid ceramic matrix composite coating to mitigate the erosive wear of advanced steel. 2021 , 235, 752-762		0
137	Optimizing the Indirect Indentation Method for brittle material property measurements. 2021 , 47, 9635-9642		
136	Applications of depth-sensing indentation on asphalt materials: A review. 2021 , 268, 121195		2
135	Synthesis, microstructural characterization and nanoindentation of Zr, Zr-nitride and Zr-carbonitride coatings deposited using magnetron sputtering. 2021 , 29, 107-119		7
134	High temperature friction and wear performance of TiB ₂ -50Ni composite coating sprayed by HVOF technique. <i>Surface and Coatings Technology</i> , 2021 , 407, 126766	4.4	4
133	Mechanical and friction properties of Mo-Se-C film at low load. <i>Surface and Coatings Technology</i> , 2021 , 405, 126730	4.4	0
132	Indentation of Ceramics. 2021 , 718-732		
131	Nanoindentation and Mechanical Properties of Materials at Submicro- and Nanoscale Levels: Recent Results and Achievements. 2021 , 63, 1-41		4
130	A Review of Methods for Studying the Elastic Characteristics of Nanoobjects. 2021 , 24, 117-130		0
129	A comparative study on the mechanical and structural design of nacre in gastropod and bivalve molluscs. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2021 , 114, 104212	4.1	2
128	Investigations on the impact of the hole surface integrity on the fatigue life of a 2024-T351 aluminum alloy drilled part. 2021 , 44, 1455-1468		
127	Annealed high-phosphorus electroless Ni ²⁺ coatings for producing molds for precision glass molding. 2021 , 262, 124297		1
126	The MoN ⁺ aN system: Role of vacancies in phase stability and mechanical properties. 2021 , 202, 109568		2
125	Anisotropy effect of bioinspired ceramic/ceramic composites: Can the platelet orientation enhance the mechanical properties at micro- and submicrometric length scale?. 2021 , 41, 2753-2762		1

124	Modeling the Nano Indentation Behavior of Recast Layer and Heat Affected Zone on Reverse Micro EDMed Hemispherical Feature. 2021 , 143,		1
123	Differences in indentation and wear behaviors between the two sides of thermally tempered soda lime silica glass. 2021 , 104, 4718-4727		3
122	Effect of Plasma-Enhanced Atomic Layer Deposition on Oxygen Overabundance and Its Influence on the Morphological, Optical, Structural, and Mechanical Properties of Al-Doped TiO Coating. 2021 , 12,		3
121	Effect of Gamma Radiation on Micromechanical Behaviour of SAC305 Solder. 317, 535-540		0
120	Effect of surface detection error due to elastic-plastic deformation on nanoindentation measurements of elastic modulus and hardness. 2021 , 36, 2176-2188		3
119	Analysis of Hydrogen-Induced Changes in the Cyclic Deformation Behavior of AISI 300-Series Austenitic Stainless Steels Using Cyclic Indentation Testing. <i>Metals</i> , 2021 , 11, 923	2.3	
118	Investigations into the tribological properties of Titanium-dioxide alumina coated mild steel. <i>Materials Today: Proceedings</i> , 2021 , 47, 5386-5386	1.4	
117	Structural and Nanomechanical Properties of Cu (InxGa1-x)Se2 Thin Films Fabricated by One-Step Sputtering. 2021 , 73, 2790-2797		0
116	REACH regulation challenge: Development of alternative coatings to hexavalent chromium for minting applications. <i>Surface and Coatings Technology</i> , 2021 , 418, 127271	4.4	5
115	Water-assisted mechanical testing of polymeric thin-films.		5
114	Probing Nanomechanical Properties of a Shale with Nanoindentation: Heterogeneity and the Effect of Water-Shale Interactions. 2021 , 35, 11930-11946		1
113	The microstructures and mechanical properties of martensite Ti and TiN phases in a Ti6Al4V laser-assisted nitriding layer. 2021 , 178, 111262		5
112	Measuring the fracture toughness of single WC grains of cemented carbides by means of microcantilever bending and micropillar splitting. 2021 , 98, 105529		
111	How can single particle compression and nanoindentation contribute to the understanding of pharmaceutical powder compression?. 2021 , 165, 203-218		0
110	Texture Evolution and Nanohardness in Cu-Nb Composite Wires. 2021 , 14,		1
109	Nanomechanical Properties of Solid Surfaces and Thin Films. 2004 , 687-716		3
108	Application of SPM and Related Techniques to the Mechanical Properties of Bioutil Materials. 2009 , 71-103		1
107	Finite Element Quantification of the Compressive Forces Induced by Keratinocyte on a Liquid Crystal Substrate. 2012 , 79-99		3

106	Experimental and numerical analysis of scratching induced damage during diamond wire sawing of silicon. 2020 , 454-455, 203328	9
105	The roles of wrinkle structures in the veins of Asian Ladybird and bioinspiration.	1
104	Tribological Properties of Metallic and Ceramic Coatings. 2000 ,	5
103	Analysis of pile-up/sink-in during spherical indentation for various strain hardening levels. 2015 , 53, 429-442	3
102	Matrix Properties of Textile Reinforced Ceramic Matrix Composites Measured by Nanoindentation. 2001 , 23, 102	2
101	Measurement of hardness and elastic modulus by instrumented indentation: Advances in understanding and refinements to methodology. 2004 , 19, 3	40
100	Finite element study for nanoindentation measurements on two-phase materials. 2004 , 19, 85	1
99	Instrumented Indentation Testing. 2000 , 232-243	25
98	Bending Nanoindentation and Plasticity Noise in FCC Single and Polycrystals. 2019 , 9, 652	4
97	Evaluation of Material Characteristics by Micro/Nano Indentation Tests. 2008 , 32, 805-816	7
96	Fracture Toughness of 3Y-TZP Dental Ceramics by Using Vickers Indentation Fracture and SELNB Methods. 2019 , 56, 37-48	8
95	Determination of Anodized Aluminum Material Characteristics by Means of Nano-Indentation Measurements. 2011 , 02, 1452-1464	8
94	Nanoindentation Measurements of Mechanical Properties of Polyurethane Elastomers Which Crosslinked by β -Cyclodextrin. 2016 , 06, 112-118	2
93	Comparison of zirconia degradation in dental implants and femoral balls: an X-ray diffraction and nanoindentation study. 2021 , 7, 103	1
92	Black Drum Fish Teeth: Built for Crushing Mollusk Shells. 2021 , 137, 147-147	4
91	Determination of the intrinsic elastic modulus, hardness and fracture strength of thermally growth oxide by nanoindentation and tensile tests. 2022 , 131, 105815	
90	Diffusion Multiples for High-Efficiency Alloy Design. 2003 , 349-375	
89	Cracking Threshold Analysis for Nanoindentation Using 3D Finite-Element Method. 2004 , 28, 304-310	

- 88 Measurement of Hardness of Constituent Phases in Ti(C0.7N0.3)-NbC-Ni Cermets Using Nanoindentation. **2008**, 15, 482-488
- 87 Feasibility Test for Mechanical Property Characterization of BaTiO₃ Ceramics for MLCC Application Using Nanoindentation. **2009**, 16, 37-42
- 86 Application of SPM and Related Techniques to the Mechanical Properties of Biotoool Materials. **2010**, 81-113
- 85 Determination of Hardness and Modulus of Thin Films. **2010**, 35-65
- 84 Determination of Hardness and Modulus of Thin Films. **2010**, 35-65
- 83 Advances in Thin Film Nanoindentation. **2011**, 253-260
- 82 Transient Creep Analysis in Indentation Tests. **2012**, 36, 81-90 2
- 81 Mechanical and Structural Properties of Silicon Carbide (SiC). 421-428
- 80 Nanoindentation Investigation of the Reactive Pulsed Laser Deposited Superconducting Niobium Nitride Thin Films. 563-570
- 79 On Using Nanoporous Alumina Films as Tribological Coating. **2014**, 403-409
- 78 Evaluation of Indentation Fracture Toughness in Brittle Materials Based on FEA Solutions. **2013**, 37, 1503-1512
- 77 Characterization of Surface-Treated Materials. **2014**, 103-124
- 76 Nanomechanics Experiments: A Microscopic Study of Mechanical Property Scale Dependence and Microstructure of Crustacean Thin Films as Biomimetic Materials. **2015**, 21-36 1
- 75 Un critere simple d'identification du mode de deformation par indentation. **2015**, 103, 603 1
- 74 The Correlation Between Elastic Properties and AFM Images of Nanocoatings on Polymers. **2015**, 127, 1142-1144
- 73 Toughness and Toughening Mechanisms of Porous Thin Films. **2015**, 179-224
- 72 High Strain-Rate Ductile to Brittle Transition in Nanoporous Zeolite. **2016**, 129-139
- 71 Analyses of Nanoscale to Microscale Strength and Crack-Tip Stresses Using Nanomechanical Raman Spectroscopy in IN-617. **2017**, 9-16

- 70 3D-AFM Measurements for Semiconductor Structures and Devices. **2017**, 151-194
- 69 Spherical Indentation on a Prestressed Elastic Coating/Substrate System. **2018**, 1-24
- 68 Spherical Indentation on a Prestressed Elastic Coating/Substrate System. **2019**, 129-152
- 67 Nanoindentation and Indentation Size Effects: Continuum Model and Atomistic Simulation. **2019**, 759-794
- 66 INFLUENCE OF HEAT TREATMENT ON MICROSTRUCTURAL EVOLUTION AND MECHANICAL CHARACTERISTICS OF AA6061 ALUMINUM ALLOY / TERMINIO APDOROJIMO İKAKA ALIUMINIO LYDINIO AA6061 MIKROSTRUKTRAI IR MECHANINĖMS SAVYBĖMS. **2019**, 11, 1-5
- 65 Examination of Prestressed Coating/Substrate Systems Using Spherical Indentation—Determination of Film Prestress, Film Modulus, and Substrate Modulus. **2020**, 142,
- 64 Nanoparçik Eklenmesi ile Metakrilat EsaslıKontak Lenslerin Mikromekanik ve Optik Özelliklerinin Geliştirilmesi. **2019**, 6,
- 63 A Comprehensive Review of Wearable Applications and Material Construction. **2020**, 10, 364-408 1
- 62 Residual Stress and Tribological Performance of ZrN Coatings Produced by Reactive Bipolar Pulsed Magnetron Sputtering. **2021**, 14, 0
- 61 Nano-Mechanical Properties of Solid Surfaces Obtained by Nano-Indentation. **2020**, 179-211
- 60 Nanoindentation. **2020**, 371-385 1
- 59 Structure and Properties of TaâBiâN Coatings Produced by Pulsed Magnetron Sputtering. **2021**, 62, 611-617
- 58 Nanoindentation. **2005**, 339-352
- 57 Material Nanotesting. **2008**, 267-294
- 56 Nanomechanics of Bone and Bioactive Bone-Cement Interfaces. **2007**, 613-625
- 55 Novel Nanoindentation Techniques and Their Applications. **2008**, 309-345
- 54 Thermal Shock Behavior of a Soda Lime Glass Treated by Ion Exchange. **2020**, 46, 462-473
- 53 Indentation Testing. **2022**, 269-283

52	Nanoindentation of Polymeric Stent. 2021 ,		
51	Effect of calcium oxalate crystals on the micromechanical properties of sclerenchyma tissue from the pecan nutshell (<i>Carya illinoensis</i>).. 2021 , 170, 249-254		1
50	Characterization of the Hierarchical Architecture and Micromechanical Properties of Walnut Shell (<i>Juglans Regia</i> L.).		
49	Residual stresses in the graded interlayer between W and CuCrZr alloy. 2022 , 57, 285-298		1
48	Progressive changes in crystallographic textures of biominerals generate functionally graded ceramics. 2022 , 3, 1527-1538		1
47	Grain Orientation and Hardness in the Graded Interlayer of Plasma Sprayed W on CuCrZr. 2022 , 12, 1822		1
46	Hybrid sintering of CNT/PZT ceramics using microwave oven. 2022 ,		3
45	Optimizing mechanical properties in single-layered and multi-layered amorphous carbon coatings. 2022 , 123, 108843		0
44	Validating a facile approach to measuring fracture toughness by instrumented indentation without imaging crack-lengths. 1		0
43	Mechanical Behaviour of Hard Chromium Deposited from a Trivalent Chromium Bath. <i>Coatings</i> , 2022 , 12, 354	2.9	0
42	Comparison of fracture properties of different amorphous carbon coatings using the scratch test and indentation failure method. <i>Surface and Coatings Technology</i> , 2022 , 435, 128247	4.4	1
41	Deposition, microstructure and nanoindentation of multilayer Zr nitride and carbonitride nanostructured coatings.. <i>Scientific Reports</i> , 2022 , 12, 5591	4.9	1
40	Characterization of the hierarchical architecture and micromechanical properties of walnut shell (<i>Juglans regia</i> L.).. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2022 , 130, 105190	4.1	0
39	Microstructure, mechanical, and corrosion properties of Zr _{1-x} Cr _x By diboride alloy thin films grown by hybrid high power impulse/DC magnetron co-sputtering. <i>Applied Surface Science</i> , 2022 , 591, 153164	6.7	0
38	Thin Films Characterization and Metrology. 2022 , 105-132		0
37	Experimental investigation on the creep behaviors of shale using nanoindentation technique and fractional constitutive models. <i>Journal of Petroleum Science and Engineering</i> , 2022 , 110520	4.4	0
36	Concept for the Design of Superhard Nanocomposites with High Thermal Stability: Their Preparation, Properties, and Industrial Applications. 347-406		
35	Mechanical properties of cathode materials for lithium-ion batteries. <i>Joule</i> , 2022 ,	27.8	5

34	Effect of High-Temperature Heat Treatment on Strengthening Mechanism of AlCoCrFeNi Component Fabricated by LMD. <i>Metals</i> , 2022 , 12, 767	2.3	0
33	Impact of the drilling process on the surface integrity and residual fatigue strength of 2024-T351 aluminum parts. <i>Procedia CIRP</i> , 2022 , 108, 459-464	1.8	
32	Small-scale deformation behaviour of the AlCoCrFeNi _{2.1} eutectic high entropy alloy. <i>Philosophical Magazine</i> , 1-17	1.6	
31	Laser micro in situ alloying of Ti _{46.8} Al ₁ Cr _{0.2} Si with Manganese. <i>Materials Today: Proceedings</i> , 2022 ,	1.4	
30	Inkjet-Printed Xerogel Scaffolds Enabled Room-Temperature Fabrication of High-Quality Metal Electrodes for Flexible Electronics. <i>Advanced Functional Materials</i> , 2203730	15.6	1
29	Hardness as an indicator of material strength: a critical review. <i>Critical Reviews in Solid State and Materials Sciences</i> , 1-19	10.1	0
28	Oriented attachment and aggregation as a viable pathway to self-assembled organic/inorganic hybrid materials.		
27	Determination of fracture toughness of boride layers grown on Co _{1.21} Cr _{1.82} Fe _{1.44} Mn _{1.32} Ni _{1.12} Al _{0.08} B _{0.01} high entropy alloy by nanoindentation. 2022 ,		0
26	Finite element modelling to predict hardness of Mg alloy reinforced with Ti/Hydroxyapatite hybrid composites – An axisymmetric approach. 2022 ,		0
25	Influence of WC Particle Size on the Mechanical Properties and Residual Stress of HVOF Thermally Sprayed WC-Co-Cr Coatings. 2022 , 15, 5537		2
24	Microstructure and Tribological Properties of FeCoCrNi High-Entropy Alloy Coatings Fabricated by Atmospheric Plasma Spraying.		0
23	Mechanical Properties of Solid State Li-Ion Batteries. 2022 ,		0
22	Nanoindentation study of mechanical and wear properties of spark plasma sintered Ti-6Ni-xTiCN composites. 2022 ,		2
21	Correlations Between the Hole Surface Integrity and Fatigue Life for Drilled 2024-T351 Aluminum Alloy. 2023 , 1103-1114		0
20	Nanoindentation responses of black anodic coating on additively manufactured Al _{0.05} Si _{0.05} Mg alloy. 2022 ,		0
19	Application of a nano-incremental step loading (N-ISL) in a Ni-base superalloy under a hydrogen charging environment. 2022 , 44,		0
18	The importance of plasma paste boriding parameters for thickness, nanomechanical properties, residual stress distribution and fracture toughness of layers produced on Nimonic 80A-alloy. 2022 , 275, 108842		0
17	Comparative nanoindentation study of geological and biogenic calcite. 2022 , 105538		0

- 16 Mechanical properties of young mice tibia in four circumferential quadrants under nanoindentation. **2022**, 144, 111350 ○
- 15 On the interplay between microstructure, residual stress and fracture toughness of (Hf-Nb-Ta-Zr)C multi-metal carbide hard coatings. **2022**, 224, 111323 ○
- 14 Balance between oxidation and tribological behaviors at elevated temperatures of Hf_{1-x}W_xN films by optimizing W content. **2023**, 207, 111673 1
- 13 Use of ball-cratering wear test and nanoscratching test to compare the wear resistance of homogeneous and functionally graded titanium nitride thin films. **2023**, 22, 54-65 ○
- 12 Effects of excess electrons/holes on fracture toughness of single-crystal Si. **2023**, 133, 035101 ○
- 11 Characterization of Nb-Si-doped low-carbon steel treated by quenching and partitioning: Thermic treatment in two stages supported by computational thermodynamical simulation and controlled sample dimensions. **2023**, 34, 105335 ○
- 10 Structure and properties of Ta₅₀Si₅₀N coatings obtained by pulsed magnetron sputtering. **2021**, 60-67 ○
- 9 Investigation of rheological behavior of produced HSTF and evaluation of energy dissipation performance by application to Twaron fabric. ○
- 8 Designing for Softness in Semiconducting Conjugated Polymers. ○
- 7 Effect of substrate bias voltage on structural and tribological properties of W-Ti-C-N thin films produced by combinational HiPIMS and DCMS co-sputtering. **2023**, 520-521, 204654 ○
- 6 Hard yet tough thermodynamics-driven nanostructured (AlCrNbSixTi)N multicomponent nitride hard coating. **2023**, 947, 169645 ○
- 5 Design of Fe_{36.29}Cr_{28.9}Ni_{26.15}Cu_{4.17}Ti_{1.67}V_{2.48}C_{0.46} HEA using a new criterion based on VEC: Microstructural study and multiscale mechanical response. **2023**, 35, 105681 ○
- 4 Effect of La₂O₃ addition on microstructure and mechanical properties of TiC-based cermets. **2023**, 49, 18125-18133 ○
- 3 Synthesis and characterization of metal carbides for nanoindentation tip applications. **2023**, 133, 095107 ○
- 2 Effect of using unpyrolyzed powder on mechanical properties of vertically cracked thermal barrier coatings. **2023**, 459, 129404 ○
- 1 Recent advances and strategies for high-performance coatings. **2023**, 136, 101125 ○