

CITATION REPORT

List of articles citing

The shearing characteristics associated with equal-channel angular pressing

DOI: 10.1016/s0921-5093(98)00750-3

Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1998, 257, 328-332.

Source: <https://exaly.com/paper-pdf/29129888/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
848	Influence of stacking fault energy on microstructural development in equal-channel angular pressing. 1999 , 14, 4044-4050		161
847	Developing superplastic properties in an aluminum alloy through severe plastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1999 , 272, 63-72	5.3	87
846	Influence of pressing speed on microstructural development in equal-channel angular pressing. 1999 , 30, 1989-1997		134
845	Workability of commercial-purity titanium and 4340 steel during equal channel angular extrusion at cold-working temperatures. 1999 , 30, 1425-1435		120
844	Significance of adiabatic heating in equal-channel angular pressing. 1999 , 41, 791-796		99
843	Grain Refinement of Aluminum using Equal-Channel Angular Pressing. 1999 , 601, 311		3
842	An Examination of the Deformation Process in Equal-Channel Angular Pressing. 1999 , 601, 347		
841	Superplastic Properties of an Aluminum-Based Alloy After Equal-Channel Angular Pressing. 1999 , 601, 353		
840	Influence of Equal-Channel Angular Pressing on the Superplastic Properties of Commercial Aluminum Alloys. 1999 , 601, 359		8
839	Processing by Equal-Channel Angular Pressing: Potential for Achieving Superplasticity. 1999 , 601, 365		
838	An Evaluation of Superplasticity in Aluminum-Scandium Alloys Processed by Equal-Channel Angular Pressing. 1999 , 40, 772-778		68
837	Achieving superplasticity at high strain rates using equal channel angular pressing. 2000 , 16, 1330-1333		10
836	Achieving Superplasticity and Superplastic Forming through Severe Plastic Deformation. 2000 , 634, 851		1
835	Influence of pressing temperature on microstructural development in equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000 , 287, 100-106	5.3	180
834	Observations and issues on mechanisms of grain refinement during ECAP process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000 , 291, 46-53	5.3	321
833	Thermal stability and mechanical properties of ultrafine grained low carbon steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000 , 293, 165-172	5.3	175
832	Development of a multi-pass facility for equal-channel angular pressing to high total strains. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000 , 281, 82-87	5.3	214

831	Characteristics of submicron grained structure formed in aluminum by equal channel angular extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000 , 283, 82-85	5.3	60
830	The effect of material properties and tooling design on deformation and fracture during equal channel angular extrusion. 2000 , 48, 1841-1851		189
829	Microstructural changes in equal channel angular pressed low carbon steel by static annealing. 2000 , 48, 3245-3252		137
828	Deformation induced grain boundaries in commercially pure aluminium. 2000 , 48, 3377-3385		124
827	Superplastic forming at high strain rates after severe plastic deformation. 2000 , 48, 3633-3640		268
826	Equal channel angular extrusion of difficult-to-work alloys. 2000 , 21, 311-322		105
825	Microstructural evolution in a commercial low carbon steel by equal channel angular pressing. 2000 , 48, 2247-2255		162
824	Microstructures and mechanical properties of equal-channel angular pressed low carbon steel. 2000 , 42, 695-699		63
823	Using equal-channel angular pressing for refining grain size. 2000 , 52, 30-33		179
822	Equal-channel angular pressing of commercial aluminum alloys: Grain refinement, thermal stability and tensile properties. 2000 , 31, 691-701		359
821	Overview and Outlook for Materials Processed by Severe Plastic Deformation. 2000 , 347-356		12
820	Influence of scandium on superplastic ductilities in an AlMgSc alloy. 2000 , 15, 2571-2576		40
819	Structural and mechanical properties in AA 5083 processed by ECAE. 2000 , 16, 1256-1258		26
818	Development of fine grained structures using severe plastic deformation. 2000 , 16, 1239-1245		108
817	Macroscopic Shear Banding in an Aluminum-Based Alloy During Equal-Channel Angular Pressing. 2001 , 683, 1		1
816	Progress in equal-channel angular processing. 2001 , 53, 36-40		9
815	Shear, principal, and equivalent strains in equal-channel angular deformation. 2001 , 32, 2639-2647		35
814	An evaluation of the flow behavior during high strain rate superplasticity in an Al-Mg-Sc alloy. 2001 , 32, 707-716		22

813	Microstructural stability of ultrafine grained low-carbon steel containing vanadium fabricated by intense plastic straining. 2001 , 32, 2373-2381		29
812	An evaluation of the flow behavior during high strain rate superplasticity in an AlMgSc alloy. 2001 , 32, 707-716		44
811	Effect of repetitive equal channel angular pressing on microstructural stability of low carbon steel. <i>Metals and Materials International</i> , 2001 , 7, 437-442	2.4	8
810	Grain refinement mechanism during equal-channel angular pressing of a low-carbon steel. 2001 , 49, 1285-1292	142	
809	Optimizing the procedure of equal-channel angular pressing for maximum superplasticity. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 297, 111-118	5.3	119
808	Improving the mechanical properties of magnesium and a magnesium alloy through severe plastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 300, 142-147	5.3	530
807	Effect of die angle on the deformation texture of copper processed by equal channel angular extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 307, 113-118	5.3	83
806	Microstructural characteristics and thermal stability of ultrafine grained 6061 Al alloy fabricated by accumulative roll bonding process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 316, 145-152	5.3	99
805	The potential for scaling ECAP: effect of sample size on grain refinement and mechanical properties. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 318, 34-41	5.3	203
804	Improvement of mechanical properties for Al alloys using equal-channel angular pressing. 2001 , 117, 288-292		211
803	Low-temperature superplasticity in a CuZnSn alloy processed by severe plastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 307, 23-28	5.3	54
802	Influence of rolling on the superplastic behavior of an Al-Mg-Sc alloy after ECAP. 2001 , 44, 759-764		105
801	Microhardness and microstructural evolution in pure nickel during high-pressure torsion. 2001 , 44, 2753-2758		257
800	Development of deformation structures in low carbon steel by equal channel angular pressing. 2001 , 45, 421-426		36
799	Effect of aging treatment on heavily deformed microstructure of a 6061 aluminum alloy after equal channel angular pressing. 2001 , 45, 901-907		183
798	Nonepitaxial heterogeneous nucleation of Bialon in the Ca-doped system. 2001 , 16, 578-582		1
797	Grain boundary structure in AlMg and AlMgSc alloys after equal-channel angular pressing. 2001 , 16, 583-589		60
796	Characteristics of diffusion in Al-Mg alloys with ultrafine grain sizes. 2002 , 82, 2249-2262		71

795	Low-Temperature Superplasticity in Aluminum Alloys Processed by Equal-Channel Angular Pressing. <i>Materials Transactions</i> , 2002 , 43, 2364-2369	1.3	31
794	Effect of Equal Channel Angular Pressing on the Distribution of Reinforcements in the Discontinuous Metal Matrix Composites. <i>Materials Transactions</i> , 2002 , 43, 757-761	1.3	11
793	High Strain Rate Superplasticity in an Al-Li-Mg Alloy Subjected to Equal-Channel Angular Extrusion. <i>Materials Transactions</i> , 2002 , 43, 2370-2377	1.3	24
792	FEM analysis of equal channel angular processes. 2002 , 17, 223-250		17
791	Low temperature superplasticity of a fine-grained ZK60 magnesium alloy processed by equal-channel-angular extrusion. 2002 , 46, 851-856		159
790	A two-step processing route for achieving a superplastic forming capability in dilute magnesium alloys. 2002 , 47, 255-260		119
789	An investigation of microstructure and grain-boundary evolution during ECA pressing of pure aluminum. 2002 , 33, 2173-2184		194
788	Structural evolution of a strip-cast al alloy sheet processed by continuous equal-channel angular pressing. 2002 , 33, 665-673		46
787	Enhancement of strength and superplasticity in a 6061 Al alloy processed by equal-channel-angular-pressing. 2002 , 33, 3155-3164		151
786	Effect of pressing temperature on microstructure and tensile behavior of low carbon steels processed by equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 323, 409-415	5.3	20
785	WITHDRAWN: Effect of pressing temperature on microstructure and tensile behavior of low carbon steels processed by equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 325, 31-37	5.3	30
784	Factors influencing the shearing patterns in equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 332, 97-109	5.3	214
783	Finite element analysis of deformation behaviour of metals during equal channel multi-angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 328, 317-323	5.3	104
782	Annealing behavior of submicrometer grained ferrite in a low carbon steel fabricated by severe plastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 334, 79-86	5.3	64
781	Properties of ultrafine-grained steel by repeated shear deformation of side extrusion process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 337, 45-49	5.3	57
780	Influence of scandium and zirconium on grain stability and superplastic ductilities in ultrafine-grained AlMg alloys. 2002 , 50, 553-564		285
779	Processing of a low-carbon steel by equal-channel angular pressing. 2002 , 50, 1359-1368		189
778	Microstructural evolutions of the Al strip prepared by cold rolling and continuous equal channel angular pressing. 2002 , 50, 4005-4019		167

777	The use of severe plastic deformation for microstructural control. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 324, 82-89	5:3	132
776	Grain refinement of pure nickel using equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 325, 54-58	5:3	118
775	Constrained groove pressing and its application to grain refinement of aluminum. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 328, 98-103	5:3	291
774	Factors influencing microstructural development in equal-channel angular pressing. <i>Metals and Materials International</i> , 2003 , 9, 141-149	2:4	37
773	Mechanical properties of iron processed by severe plastic deformation. 2003 , 34, 71-83		98
772	Influence of a round corner die on flow homogeneity in ECA pressing. 2003 , 48, 1-4		93
771	Optimization of strength and ductility of 2024 Al by equal channel angular pressing (ECAP) and post-ECAP aging. 2003 , 49, 333-338		213
770	Characteristics of superplasticity in an ultrafine-grained aluminum alloy processed by ECA pressing. 2003 , 49, 467-472		71
769	Microstructure and tensile properties of a commercial 5052 aluminum alloy processed by equal channel angular extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 342, 144-151	5:3	54
768	Developing a superplastic forming capability in a commercial aluminum alloy without scandium or zirconium additions. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 342, 294-301	5:3	42
767	Modeling texture and microstructural evolution in the equal channel angular extrusion process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 345, 122-138	5:3	155
766	Microstructure, texture, grain boundaries in recrystallization regions in pure Cu ECAE samples. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 346, 83-90	5:3	44
765	Microstructure and mechanical properties of AlMgSi alloys after equal channel angular pressing at room temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 347, 165-170	5:3	35
764	A model investigation of the shearing characteristics in equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 347, 223-230	5:3	31
763	Effect of precipitates on microstructural evolution of 7050 Al alloy sheet during equal channel angular rolling. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 347, 253-257	5:3	80
762	Achieving superplasticity in ultrafine-grained copper: influence of Zn and Zr additions. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 352, 129-135	5:3	54
761	Using atomic force microscopy to evaluate the development of mesoscopic shear planes in materials processed by severe plastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 358, 114-121	5:3	38
760	Microstructure and mechanical properties of tantalum after equal channel angular extrusion (ECAE). <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 358, 266-272	5:3	108

759	Equal-channel angular pressing using plate samples. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 361, 258-266	5.3	78
758	Processing of aluminium alloys by equal channel angular drawing at room temperature. 2003 , 143-144, 105-111		10
757	Microstructure development during equal-channel angular pressing of titanium. 2003 , 51, 983-996		198
756	Using ECAP to achieve grain refinement, precipitate fragmentation and high strain rate superplasticity in a spray-cast aluminum alloy. 2003 , 51, 6139-6149		198
755	Superplasticity of a microcrystalline aluminum-lithium alloy under torsion. 2003 , 45, 2110-2114		2
754	The effect of extrusion temperature on the development of deformation microstructures in 5052 aluminium alloy processed by equal channel angular extrusion. 2003 , 51, 2005-2015		109
753	Developing superplasticity in a magnesium alloy through a combination of extrusion and ECAP. 2003 , 51, 3073-3084		321
752	Microstructure of AlBiMg alloy processed by rotary-die equal channel angular pressing. 2003 , 57, 1689-1695		37
751	Developing superplasticity in a spray-cast aluminum 7034 alloy through equal-channel angular pressing. 2003 , 57, 3588-3592		25
750	Modeling of texture evolution in copper under equal channel angular pressing. 2003 , 94, 1189-1198		40
749	Mechanical Properties of Mg-Y-Zn Alloy Processed by Equal-Channel-Angular Extrusion. <i>Materials Transactions</i> , 2003 , 44, 463-467	1.3	26
748	Superplastic Response of an Advanced Al-Li-Mg-Cu-Sc Alloy Subjected to Intense Plastic Deformation. <i>Materials Transactions</i> , 2003 , 44, 1698-1701	1.3	3
747	Microstructures and Tensile Properties of ECAE-Processed and Forged AZ31 Magnesium Alloy. <i>Materials Transactions</i> , 2003 , 44, 476-483	1.3	28
746	Measuring the strain rate sensitivity by instrumented indentation. Application to an ultrafine grain (equal channel angular pressed) eutectic SnBi alloy. 2004 , 19, 282-290		18
745	Depth-sensing indentation tests in studying plastic instabilities. 2004 , 19, 31-45		57
744	Structure and phase composition of an Al-Mg-Li-Zr alloy under high-rate superplasticity conditions. 2004 , 46, 1456-1461		5
743	Enhanced ductility in strongly textured magnesium produced by equal channel angular processing. 2004 , 50, 377-381		505
742	Effect of deformation temperature on the microstructure developed in commercial purity aluminum processed by equal channel angular extrusion. 2004 , 50, 613-617		60

741	Low-temperature superplasticity and internal friction in microcrystalline Mg alloys processed by ECAP. 2004 , 50, 861-865		100
740	Superplasticity in cast A356 induced via friction stir processing. 2004 , 50, 931-935		118
739	On the homogeneity of deformation by high pressure torsion. 2004 , 51, 921-925		349
738	The role of modeling in the development of advanced processes for metallic aerospace alloys. <i>Metals and Materials International</i> , 2004 , 10, 589-603	2.4	5
737	Analytical modeling of material flow in equal channel angular extrusion (ECAE). <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 380, 171-190	5.3	82
736	Effect of Mg addition on microstructure and mechanical properties of aluminum. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 387-389, 55-59	5.3	116
735	Models for severe plastic deformation by equal-channel angular extrusion. 2004 , 56, 69-77		9
734	Achieving enhanced ductility in a dilute magnesium alloy through severe plastic deformation. 2004 , 35, 1735-1744		52
733	Microstructure transformation from lamellar to equiaxed microduplex through equal-channel angular pressing in an Al-33 pct Cu eutectic alloy. 2004 , 35, 279-286		5
732	Microstructure evolution and mechanical behavior of bulk copper obtained by consolidation of micro- and nanopowders using equal-channel angular extrusion. 2004 , 35, 2935-2949		90
731	Effect of deformation route on microstructural development in aluminum processed by equal channel angular extrusion. 2004 , 35, 1359-1368		70
730	The effect of strain path and temperature on the microstructure developed in copper processed by ECAE. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 366, 221-228	5.3	83
729	Effect of additional processing on texture evolution of Al0.5Cu alloy processed by equal channel angular extrusion (ECAE). <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 372, 44-55	5.3	28
728	Using grain boundary engineering to evaluate the diffusion characteristics in ultrafine-grained AlMg and AlZn alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 371, 241-250	5.3	71
727	The distribution of dislocation walls in the early processing stage of equal channel angular extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 374, 196-203	5.3	17
726	Shear features during equal channel angular pressing of a lamellae eutectic alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 383, 356-361	5.3	17
725	The application of equal-channel angular pressing to an aluminum single crystal. 2004 , 52, 1387-1395		95
724	Adiabatic shear banding in ultrafine-grained Fe processed by severe plastic deformation. 2004 , 52, 1859-1869		224

723	Analysis of texture evolution in equal channel angular extrusion of copper using a new flow field. 2004 , 52, 1885-1898		162
722	Microstructural development in equal-channel angular pressing using a 60° die. 2004 , 52, 2497-2507		76
721	A new constitutive relationship for the homogeneous deformation of metals over a wide range of strain. 2004 , 52, 3555-3563		113
720	Effects of the deformation history and the initial textures on the texture evolution in an Al alloy strip during the shear deforming process. 2004 , 52, 4907-4918		13
719	High Strain Rate Superplastic Behavior of Al-Li-Mg-Cu-Sc Alloy Subjected to Severe Plastic Deformation. 2004 , 189-194		1
718	Superplasticity and internal friction in microcrystalline AZ91 and ZK60 magnesium alloys processed by equal-channel angular pressing. <i>Journal of Alloys and Compounds</i> , 2004 , 378, 253-257	5-7	53
717	Severe plastic deformation as a processing tool for developing superplastic metals. <i>Journal of Alloys and Compounds</i> , 2004 , 378, 27-34	5-7	57
716	An Evaluation of Superplastic Anisotropy after Processing by Equal-Channel Angular Pressing. <i>Materials Transactions</i> , 2004 , 45, 3079-3081	1-3	18
715	Grain Growth in a Nanocrystalline Al-Sc Alloy. <i>Materials Transactions</i> , 2004 , 45, 2264-2271	1-3	13
714	Achieving Superplasticity of Al-1%Mg-0.2%Sc Alloy in Plate Samples Processed by Equal-channel Angular Pressing. <i>Materials Transactions</i> , 2004 , 45, 2521-2524	1-3	11
713	Secondary Processing of AZ31 Magnesium Alloy Concomitant with Grain Growth or Dynamic Recrystallization. <i>Materials Transactions</i> , 2004 , 45, 2377-2382	1-3	27
712	Effect of ECAP Strain on Deformation Behavior at Low Temperature Superplastic Regime of Ultrafine Grained 5083 Al Alloy Fabricated by ECAP. <i>Materials Transactions</i> , 2004 , 45, 958-963	1-3	13
711	Improvement of Mechanical Characteristics in Severely Plastic-deformed Mg Alloys. <i>Materials Transactions</i> , 2004 , 45, 488-492	1-3	52
710	Fabrication of Ultrafine Grained Ferrite/Martensite Dual Phase Steel by Severe Plastic Deformation. 2005 , 45, 750-755		60
709	An upper-bound analysis for equal-channel angular extrusion. 2005 , 168, 137-146		49
708	Achieving enhanced tensile ductility in an Al-6061 composite processed by severe plastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 430-434	5-3	26
707	Microstructure and texture evolution during ECAP of an AlMgSi alloy: Observations, mechanisms and modeling. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 174-177	5-3	31
706	Creep and superplasticity in a spray-cast aluminum alloy processed by ECA pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 398-401	5-3	18

705	Improving the high-temperature mechanical properties of a magnesium alloy by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 435-438	5:3	20
704	An analysis of superplastic flow after processing by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 476-479	5:3	20
703	Microstructure and properties of a low-carbon steel processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 312-315	5:3	41
702	Improving the superplastic properties of a two-phase Mg8% Li alloy through processing by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 439-442	5:3	89
701	Microstructural evolution in copper processed by severe plastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 290-298	5:3	81
700	EBSD FEG-SEM, TEM and XRD techniques applied to grain study of a commercially pure 1200 aluminum subjected to equal-channel angular pressing. 2005 , 36, 401-14		39
699	The microstructural characteristics of ultrafine-grained nickel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 391, 377-389	5:3	177
698	Effect of post-rolling after ECAP on deformation behavior of ECAPed commercial AlMg alloy at 723K. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 393, 118-124	5:3	36
697	Grain refinement and superplasticity in an aluminum alloy processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 393, 344-351	5:3	302
696	The evolution of homogeneity and grain refinement during equal-channel angular pressing: A model for grain refinement in ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 398, 66-76	5:3	218
695	Relationship between texture and low temperature superplasticity in an extruded AZ31 Mg alloy processed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 402, 250-257	5:3	231
694	Kinematic and dynamic characterization of plastic instabilities occurring in nano- and microindentation tests. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 409, 100-107	5:3	7
693	Scaling up of equal-channel angular pressing and its effect on mechanical properties, microstructure, and hot workability of AA 6061. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 316-318	5:3	68
692	On the effect of SPD on recycled experimental aluminium alloys: Nanostructures, particle break-up and properties. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 261-264	5:3	17
691	A quantitative study of cavity development in the tensile testing of an aluminum metal matrix composite processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 402-407	5:3	29
690	Microstructural evolution in a spray-cast aluminum alloy during equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 303-307	5:3	20
689	Cyclic stress-strain response and low-cycle fatigue damage in ultrafine grained copper. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 457-461	5:3	34
688	An investigation of the deformation process during equal-channel angular pressing of an aluminum single crystal. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 194-200	5:3	30

687	The significance of grain boundary sliding in the superplastic Zn22% Al alloy after processing by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 447-450	5-3	42
686	Creep processes in pure aluminium processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 408-412	5-3	46
685	Contribution of early works by Terence G. Langdon to modern materials science. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 5-7	5-3	1
684	Mechanical properties of aluminium alloys processed by SPD: Comparison of different alloy systems and possible product areas. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 426-429	5-3	49
683	Mechanical behavior of a 6061 Al alloy and an Al ₂ O ₃ /6061 Al composite after equal-channel angular processing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 472-475	5-3	8
682	Influence of ECAP on precipitate distributions in a spray-cast aluminum alloy. 2005 , 53, 749-758		140
681	Influence of fine particles on grain coarsening within an orientation gradient. 2005 , 53, 773-783		9
680	Continuous and discontinuous grain coarsening in a fine-grained particle-containing Al ₃ C alloy. 2005 , 53, 1097-1109		92
679	Ultrafine grained ferrite/martensite dual phase steels fabricated via equal channel angular pressing: Microstructure and tensile properties. 2005 , 53, 3125-3134		239
678	Transition of tensile deformation behaviors in ultrafine-grained aluminum. 2005 , 53, 4019-4028		336
677	Strain rate sensitivity of ultrafine-grained aluminium processed by severe plastic deformation. 2005 , 53, 189-194		248
676	Achieving High Strength and High Ductility in Precipitation-Hardened Alloys. 2005 , 17, 1599-1602		246
675	Properties of severe plastically deformed Mg alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 402, 163-169	5-3	35
674	The influence of severe plastic deformation on the mechanical properties of AA6111. 2005 , 57, 62-66		7
673	Grain refinement and superplasticity in a magnesium alloy processed by equal-channel angular pressing. 2005 , 36, 1705-1711		57
672	Microstructure and refining performance of an Al-5Ti-0.25C refiner before and after equal-channel angular pressing. 2005 , 36, 837-844		11
671	Influence of severe plastic deformations on secondary phase precipitation in a 6082 Al-Mg-Si alloy. 2005 , 36, 1353-1364		84
670	Microstructure and refining performance of an Al3Ti0.25C refiner before and after equal-channel angular pressing. 2005 , 36, 837-844		11

669	Processing by equal-channel angular pressing: Applications to grain boundary engineering. 2005 , 40, 909-917		29
668	Oblique Cube Texture Formation in High Purity Aluminum during Equal Channel Angular Pressing. 2005 , 105, 351-356		10
667	Orientation Evolution during Equal Angular Channel Extrusion of Copper Single Crystal. 2005 , 495-497, 815-820		4
666	Pure Ni Single Crystal of Cube Orientation Deformed by Equal Channel Angular Extrusion. 2005 , 105, 333-338		7
665	Uniformity of Grain Coarsening in Submicron Grained Al-Sc Alloy Containing Local Variations in Texture. 2005 , 495-497, 609-614		
664	Strain-rate sensitivity of ultrafine-grained materials. 2005 , 96, 566-571		58
663	Re-precipitation of coherent ϵ Fe particles following annealing of equal-channel angular pressed CuFe alloy. 2005 , 85, 61-66		2
662	Texture Development in Interstitial Free (IF) Steel Subjected to Two Cycles of Equal Channel Angular Extrusion. 2005 , 495-497, 809-814		3
661	Numerical modelling of elastic-viscoplastic equal channel angular extrusion process of a polymer. 2006 , 38, 202-216		36
660	Effect of processing route on microstructure and texture development in equal channel angular extrusion of interstitial-free steel. 2006 , 54, 1087-1100		84
659	Deformation behavior in Zr702 processed by equal-channel angular pressing at room temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 423, 180-183	5-3	5
658	Annealing behavior of Zr702 fabricated by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 416, 150-154	5-3	3
657	Application of equal-channel angular pressing to Cu ₆₀ alloy with ferromagnetic precipitates. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 417, 149-157	5-3	14
656	Influence of crystal orientation on ECAP of aluminum single crystals. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 420, 79-86	5-3	54
655	Effect of equal channel angular pressing on tensile properties and fracture modes of casting AlCu alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 426, 305-313	5-3	82
654	Mechanical characteristics of a Zn2% Al alloy processed to very high strains by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 429, 324-328	5-3	51
653	The development of superplastic ductilities and microstructural homogeneity in a magnesium ZK60 alloy processed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 430, 151-156	5-3	102
652	Pinning of grain boundaries by second phase particles in equal-channel angularly pressed CuBeP alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 431, 86-91	5-3	33

651	Flow processes at low temperatures in ultrafine-grained aluminum. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 434, 326-334	5-3	63
650	The aging characteristics of an Al ₇₀ Mg alloy processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 437, 240-247	5-3	34
649	Evolution of microstructure and strengthening of 7050 Al alloy by ECAP combined with heat-treatment. 2006 , 171, 100-107		60
648	The finite element analysis of equal channel angular pressing (ECAP) considering the strain path dependence of the work hardening of metals. 2006 , 180, 30-36		34
647	Exceptional superplasticity in an AZ61 magnesium alloy processed by extrusion and ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 420, 240-244	5-3	118
646	Grain refining performance for Al and Al ₃ Bi alloy casts by addition of equal-channel angular pressed Al ₃ Bi mass% Ti alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 425, 55-63	5-3	70
645	Grain refinement and recrystallization of heavily worked tantalum. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 426, 128-142	5-3	43
644	Using ball-indentation to evaluate the properties of an ultrafine-grained Al ₉₀ Si alloy processed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 427, 188-194	5-3	17
643	A model for the grain refinement mechanism in equal channel angular pressing of Mg alloy from microstructural studies. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 434, 227-236	5-3	73
642	Microstructure and thermal stability of superplastic aluminium-titanium alloy after severe plastic deformation. 2006 , 41, 3767-3772		21
641	Superplasticity of nanostructured metallic materials obtained by methods of severe plastic deformation. 2006 , 48, 47-53		4
640	Principles of equal-channel angular pressing as a processing tool for grain refinement. <i>Progress in Materials Science</i> , 2006 , 51, 881-981	42.2	3270
639	Producing bulk ultrafine-grained materials by severe plastic deformation. 2006 , 58, 33-39		1192
638	Strain-path effects on the evolution of microstructure and texture during the severe-plastic deformation of aluminum. 2006 , 37, 2879-2891		42
637	Origin of inhomogeneous behavior during equal channel angular pressing. 2006 , 54, 1865-1869		48
636	Experimental Evidence for Grain-Boundary Sliding in Ultrafine-Grained Aluminum Processed by Severe Plastic Deformation. 2006 , 18, 34-39		154
635	Cyclic high-pressure torsion of nickel and Armco iron. 2006 , 86, 5867-5883		65
634	Anisotropic compressive properties of iron subjected to single-pass equal-channel angular pressing. 2006 , 86, 435-441		22

- 633 An Investigation of Cavitation in the Tensile Testing of a Spray-Cast Aluminum Alloy Processed by ECAP. **2006**, 503-504, 83-90 2
- 632 Equal Channel Angular Pressing, its Effect on Structure and Properties of the Constructional Steel St3. **2006**, 114, 97-100 5
- 631 Spatial Uniformity of the Rate of Grain Coarsening in a Submicron Al-Sc Alloy Produced by Severe Plastic Deformation. **2006**, 503-504, 251-258
- 630 Study of ECAE Process by Using FEM. **2006**, 526, 193-198 5
- 629 Strain Rate Sensitivity of Ultrafine Grained FCC- and BCC-Type Metals. **2006**, 503-504, 781-786 32
- 628 Creep and Mechanical Properties of a Commercial Aluminum Alloy Processed by ECAP. **2006**, 503-504, 77-82 4
- 627 Aging Behaviour of Aluminium Alloys after Severe Plastic Deformation. **2006**, 519-521, 1485-1492 7
- 626 An EBSD Study of Texture and Grain Boundary Evolution in a Strongly Textured Aluminium Alloy during ECA Pressing. **2006**, 503-504, 937-942 3
- 625 Inhomogeneity of Microstructure and Creep of ECAP Aluminium. **2006**, 503-504, 245-250 15
- 624 An Investigation of Deformation in Copper Single Crystals Using Equal-Channel Angular Pressing. **2006**, 503-504, 113-118 13
- 623 Changes in Grain Size Distribution of a Submicron Grained Al-Sc Alloy during High Temperature Annealing. **2006**, 519-521, 1617-1622 2
- 622 Developing a Model for Grain Refinement in Equal-Channel Angular Pressing. **2006**, 503-504, 19-24 6
- 621 Mechanical Properties of Equal Channel Angular Extruded Magnesium Boride (MgB₂) Powder in Tubes (PITs). **2007**, 561-565, 961-964
- 620 Superplastic Deformation of a Mg-8% Li Alloy Processed at Room Temperature by ECAP. **2007**, 539-543, 2940-2946 2
- 619 Analysis of Deformation Textures and Microstructure in ECAE Processed Copper Single Crystals via Route C. **2007**, 561-565, 929-932
- 618 Structure Development during ECAP and Subsequent Creep of Aluminium. **2007**, 539-543, 493-498 6
- 617 Application of Equal-Channel Angular Pressing to Aluminum and Copper Single Crystals. **2007**, 539-543, 2853-2858 9
- 616 Mechanical Properties of Al-5.7wt% Ni Eutectic Alloy Severely Deformed by Equal-Channel Angular Pressing. **2007**, 539-543, 2916-2921

615	Mechanical Properties of a Spray-Cast Aluminum Alloy Processed by Severe Plastic Deformation. 2007 , 539-543, 141-148		1
614	Effect of Equal-Channel Angular Pressing (ECAP) on Creep in Aluminium Alloys. 2007 , 539-543, 2904-2909		15
613	Study of Deformation Texture of Equal-Channel Angular Pressed CP-Titanium. 2007 , 539-543, 3466-3471		1
612	Corrosion Behavior of Al-7wt% Si-1.5wt% Cu Severely Deformed by Equal-Channel Angular Pressing. 2007 , 539-543, 2892-2897		2
611	Effect of Processing Route on Microstructure and Texture Development in ECAP of Al-Ti Alloy. 2007 , 561-565, 251-254		8
610	Nature of shear flow lines in equal-channel angular-pressed metals and alloys. 2007 , 87, 735-741		14
609	Grain Refinement of an Al-Cu-Mg Alloy by Microalloying and Common Thermo-Mechanical Treatment. 2007 , 546-549, 917-922		
608	Recrystallization of high-purity aluminium during equal channel angular pressing. 2007 , 55, 2211-2218		78
607	Microstructure and texture evolution during equal channel angular extrusion of interstitial-free steel: Effects of die angle and processing route. 2007 , 55, 1017-1032		63
606	Influence of preliminary extrusion conditions on the superplastic properties of a magnesium alloy processed by ECAP. 2007 , 55, 1083-1091		108
605	The role of back pressure in the processing of pure aluminum by equal-channel angular pressing. 2007 , 55, 2351-2360		67
604	The processing of difficult-to-work alloys by ECAP with an emphasis on magnesium alloys. 2007 , 55, 4769-4779	160	
603	The principles of grain refinement in equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 462, 3-11	5-3	264
602	Effect of the route and strain of equal-channel angular pressing on structure and properties of oxygen-free copper. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 462, 132-138	5-3	64
601	Changes in the mechanical properties of a pearlitic steel due to large shear deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 445-446, 237-243	5-3	72
600	Sensitivity of friction condition in finite element investigations of equal channel angular extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 445-446, 676-685	5-3	18
599	A finite element analysis of the superplastic forming of an aluminum alloy processed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 456, 236-242	5-3	10
598	Grain refinement of commercially pure zirconium by ECAP and subsequent intermediate heat treatment. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 449-451, 1087-1089	5-3	17

597	The effect of severe plastic deformation on precipitation in supersaturated AlZnMg alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 460-461, 77-85	5.3	156
596	Tensile properties and fracture mechanism of AlMg alloy subjected to equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 459, 137-144	5.3	80
595	Optimal pressing route for continued equal channel angular pressing by finite element analysis. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 466, 166-171	5.3	36
594	Multipass equal channel angular extrusion of MgB ₂ powder in tubes. 2007 , 466, 174-180		12
593	Influence of cold extrusion on the microstructure and mechanical properties of an aluminium alloy previously subjected to equal channel angular pressing. 2007 , 182, 363-368		24
592	Influence of crystal orientation on the processing of copper single crystals by ECAP. 2007 , 42, 1501-1511		24
591	The development of hardness homogeneity in aluminum and an aluminum alloy processed by ECAP. 2007 , 42, 1542-1550		68
590	Principles of superplasticity in ultrafine-grained materials. 2007 , 42, 1782-1796		193
589	Nanoparticle consolidation using equal channel angular extrusion at room temperature. 2007 , 42, 1561-1576		38
588	Recent progress on the study of the microstructure and mechanical properties of ECAE copper. 2007 , 42, 9097-9111		27
587	Recent progress on the study of the microstructure and mechanical properties of ECAE copper. 2007 , 42, 1622-1637		26
586	The processing of ultrafine-grained materials through the application of severe plastic deformation. 2007 , 42, 3388-3397		45
585	Developing Superplastic Ductilities in Ultrafine-Grained Metals. 2007 , 38, 1891-1898		25
584	Fatigue-Property Enhancement of Magnesium Alloy, AZ31B, through Equal-Channel-Angular Pressing. 2007 , 38, 2283-2289		23
583	The Influence of Zirconium on the Low-Cycle Fatigue Response of Ultrafine-Grained Copper. 2007 , 38, 1916-1925		17
582	Microstructures and Shape Memory Effect of Different Carbon-Bearing FeMnSiCrNi Alloys Aged after Equal Channel Angular Pressing. 2007 , 38, 299-303		5
581	Achieving superplastic behavior in fcc and hcp metals processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 493, 104-110	5.3	32
580	On the feasibility of using a continuous processing technique incorporating a limited strain imposed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 485, 476-480	5.3	15

579	Influence of processing temperature on the microstructures and tensile properties of 304L stainless steel by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 485, 643-650	5.3	74
578	Equal-channel angular extrusion process of lotus-type porous copper. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 490, 465-470	5.3	16
577	On the cyclic deformation response of ultrafine-grained AlMg alloys at elevated temperatures. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 496, 114-120	5.3	18
576	Severe plastic deformation of an as-cast hypoeutectic AlBi alloy. 2008 , 43, 7501-7506		8
575	An evaluation of microstructure and microhardness in copper subjected to ultra-high strains. 2008 , 43, 7451-7456		39
574	The development of internal cavitation in a superplastic zincaluminum alloy processed by ECAP. 2008 , 43, 7360-7365		15
573	Developing superplasticity in a magnesium AZ31 alloy by ECAP. 2008 , 43, 7366-7371		82
572	XRD profile analysis characterization of ultrafine grained AlMg alloys. 2008 , 43, 7481-7487		13
571	Temperature-dependent deformation and damage behaviour of ultrafine-grained copper under uniaxial compression. 2008 , 205, 2417-2421		22
570	Record Superplastic Ductility in a Magnesium Alloy Processed by Equal-Channel Angular Pressing. 2008 , 10, 37-40		95
569	Enhanced Superplasticity in a Magnesium Alloy Processed by Equal-Channel Angular Pressing with a Back-Pressure. 2008 , 10, 429-433		54
568	Stress-Amplitude-Dependent Deformation Characteristics and Microstructures of Cyclically Stressed Ultrafine-Grained Copper. 2008 , 10, 720-726		12
567	Mechanical Behaviour of Interstitial Free Steel and Pure Al Processed by ECAP. 2008 , 10, 731-736		
566	Analysis of the mechanical properties and deformation behavior of nanostructured commercially pure Al processed by equal channel angular pressing (ECAP). <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 473, 189-194	5.3	118
565	Grain refinement of pure vanadium by equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 479, 285-292	5.3	13
564	The significance of strain reversals during processing by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 498, 341-348	5.3	144
563	Characterization of creep properties and creep textures in pure aluminum processed by equal-channel angular pressing. 2008 , 56, 2307-2317		40
562	Texture evolution by shear on two planes during ECAP of a high-strength aluminum alloy. 2008 , 56, 3800-3809		32

561	The evolution of homogeneity in an aluminum alloy processed using high-pressure torsion. 2008 , 56, 5168-5176		153
560	Tensile and compressive properties of AISI 304L stainless steel subjected to equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 475, 207-216	5-3	86
559	Texture evolution in an aluminum alloy processed by ECAP with concurrent precipitate fragmentation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 473, 219-225	5-3	28
558	Annealing of AlSi alloys after equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 493, 202-206	5-3	14
557	The evolution of homogeneity on longitudinal sections during processing by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 480, 449-455	5-3	59
556	Flow properties of commercial purity aluminum processed by equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 487, 264-270	5-3	19
555	Texture evolution and fraction of favorably oriented fibers in commercially pure aluminum processed to 16 ECAP passes. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 492, 141-152	5-3	22
554	Texture contribution in grain refinement effectiveness of different routes during ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 497, 87-92	5-3	13
553	Evaluating plastic anisotropy in two aluminum alloys processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 497, 206-211	5-3	41
552	Deformation and annealing textures of equal-channel angular pressed 1050 Al alloy strips. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 497, 395-407	5-3	15
551	CONTROL OF NANOSTRUCTURE OF MATERIALS. 2008 , 177-265		
550	Microstructure and yield strength of severely deformed silver. 2008 , 58, 775-778		45
549	Improvement of strength of magnesium alloy processed by equal channel angular extrusion. 2008 , 59, 1006-1009		125
548	Modifying Al ₇₀ Si ₁₀ .35Mg alloys using equal channel angular extrusion. 2008 , 62, 2469-2472		10
547	The influence of cryoECAP on microstructure and property of commercial pure aluminum. 2008 , 62, 2821-2824	31	
546	Severe plastic deformation (SPD) processes for metals. 2008 , 57, 716-735		689
545	Uniformity and continuity of effective strain in AZ91D processed by multi-pass equal channel angular extrusion. 2008 , 18, 92-98		7
544	Shear deformation and grain refinement in pure Al by asymmetric rolling. 2008 , 18, 774-777		66

543	Microstructure, Texture and Mechanical Properties of AZ31 Mg Alloy Produced by Equal Channel Angular Extrusion. 2008 , 47, 437-447		1
542	Grain Boundary Sliding in a Superplastic Zinc-Aluminum Alloy Processed Using Severe Plastic Deformation. <i>Materials Transactions</i> , 2008 , 49, 84-89	1.3	44
541	Mg alloy for hydrogen storage processed by SPD. <i>International Journal of Materials Research</i> , 2009 , 100, 1739-1746	0.5	53
540	The characteristics of superplastic flow in a magnesium alloy processed by ECAP. <i>International Journal of Materials Research</i> , 2009 , 100, 843-846	0.5	9
539	Factors Influencing Ductility in Ultrafine-Grained Metals Processed by Equal-Channel Angular Pressing. 2009 , 633-634, 341-352		2
538	The nature of grain refinement in equal-channel angular pressing: a comparison of representative fcc and hcp metals. <i>International Journal of Materials Research</i> , 2009 , 100, 1638-1646	0.5	25
537	Effects of Grain Size on Micro Backward Extrusion of Copper. 2009 , 83-86, 1092-1098		6
536	Processing Age-Hardenable Alloys by Equal-Channel Angular Pressing at Room Temperature: Strategies and Advantages. 2009 , 633-634, 527-534		3
535	A crystal plasticity-based explanation for the dependencies of grain refinement on processing route and die angle in equal channel angular extrusion. 2009 , 60, 706-709		7
534	Strategies for achieving high strain rate superplasticity in magnesium alloys processed by equal-channel angular pressing. 2009 , 61, 84-87		64
533	Constructing a deformation mechanism map for a superplastic PbSn alloy processed by equal-channel angular pressing. 2009 , 61, 963-966		39
532	Characterization of aluminum processed by equal channel angular extrusion: Effect of processing route. 2009 , 60, 1489-1495		27
531	Factors influencing superplastic behavior in a magnesium ZK60 alloy processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 503, 141-144	5.3	32
530	Role of strain reversal in grain refinement by severe plastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 499, 427-433	5.3	66
529	Principles of grain refinement and superplastic flow in magnesium alloys processed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 501, 105-114	5.3	154
528	Dynamic testing at high strain rates of an ultrafine-grained magnesium alloy processed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 517, 24-29	5.3	86
527	Microstructure and mechanical property of the ECAPed Mg ₂ Si/Mg composite. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 516, 283-289	5.3	38
526	Developing a strategy for the processing of age-hardenable alloys by ECAP at room temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 516, 248-252	5.3	58

525	Plastic flow, structure and mechanical properties in pure Al deformed by twist extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 519, 105-111	5-3	79
524	Microstructural and mechanical properties of commercially pure aluminum subjected to Dual Equal Channel Lateral Extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 527, 141-145	5-3	47
523	Twinning and dislocation activity in silver processed by severe plastic deformation. 2009 , 44, 1656-1660		16
522	Influence of strain rate on strength and ductility in an aluminum alloy processed by equal-channel angular pressing. 2009 , 44, 3913-3916		13
521	Principles of grain refinement in magnesium alloys processed by equal-channel angular pressing. 2009 , 44, 4758-4762		121
520	Effects of Processing Parameters on the Grain Refinement of Magnesium Alloy by Equal-Channel Angular Extrusion. 2009 , 40, 415-425		64
519	Processing of a magnesium alloy by equal-channel angular pressing using a back-pressure. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 527, 205-211	5-3	49
518	Three-dimensional finite element analysis of multi-pass equal-channel angular extrusion of aluminum AA1050 with split dies. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 503, 152-155	5-3	19
517	Investigating the effects of hardening of aluminium alloys on equal-channel angular pressing: A finite-element study. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 503, 148-151	5-3	9
516	Flow behavior of a superplastic Zn2% Al alloy processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 503, 48-51	5-3	18
515	Microstructural evolution of an ECAE-formed ZK60-RE magnesium alloy in the semi-solid state. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 506, 8-15	5-3	49
514	Microstructural evolution in high purity aluminum processed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 524, 143-150	5-3	193
513	Microstructural evolution and mechanical properties of Al90wt.%Zn alloy processed by equal-channel angular extrusion. 2009 , 209, 2488-2498		27
512	A modified die for equal channel angular pressing. 2009 , 209, 3182-3186		38
511	Evolution of initial grain boundaries and shear bands in Cu bicrystals during one-pass equal-channel angular pressing. 2009 , 57, 1132-1146		30
510	Influence of equal-channel angular pressing on precipitation in an AlZnMgCu alloy. 2009 , 57, 3123-3132		213
509	The effect of temperature and equal-channel angular-pressing routes on the form of powders and structure in pressings. 2009 , 50, 529-533		4
508	Using differential scanning calorimetry as an analytical tool for ultrafine grained metals processed by severe plastic deformation. 2009 , 25, 687-698		45

507	Grain refinement in as cast AlMgMn alloy during high temperature equal channel angular pressing. 2009 , 25, 820-828		5
506	Experimental and numerical study of ECAE deformation of polyolefins. 2009 , 45, 646-652		14
505	Dependencies of grain refinement on processing route and die angle in equal channel angular extrusion of bcc materials. 2009 , 46, 1044-1050		4
504	Correlation between microstructure and mechanical properties of severely deformed metals. <i>Journal of Alloys and Compounds</i> , 2009 , 483, 271-274	5-7	80
503	Effects of processing parameters on the microstructure of ECAE-formed AZ91D magnesium alloy in the semi-solid state. <i>Journal of Alloys and Compounds</i> , 2009 , 477, 602-607	5-7	40
502	Microstructural evolution of previously deformed AZ91D magnesium alloy during partial remelting. <i>Journal of Alloys and Compounds</i> , 2009 , 477, 726-731	5-7	44
501	Microstructural evolution during partial remelting of equal channel angular pressed ZW21 magnesium alloy. <i>Journal of Alloys and Compounds</i> , 2009 , 486, 124-135	5-7	20
500	EFFECT OF STRAIN RATE ON THE HIGH-TEMPERATURE COMPRESSIVE DEFORMATION BEHAVIOR OF ULTRAFINE-GRAINED COPPER. 2009 , 23, 1758-1763		6
499	Achieving Microstructural Refinement in Magnesium Alloys through Severe Plastic Deformation. <i>Materials Transactions</i> , 2009 , 50, 111-116	1-3	3
498	Cyclic Deformation Behavior of Ultra-Fine Grained Copper Produced by Equal Channel Angular Pressing. <i>Materials Transactions</i> , 2009 , 50, 70-75	1-3	16
497	Using Severe Plastic Deformation for the Processing of Advanced Engineering Materials. <i>Materials Transactions</i> , 2009 , 50, 1613-1619	1-3	26
496	Microstructure Evolution in Pure Al Processed with Twist Extrusion. <i>Materials Transactions</i> , 2009 , 50, 96-100	1-3	45
495	Nanocrystalline body-centred cubic beta-titanium alloy processed by high-pressure torsion. <i>International Journal of Materials Research</i> , 2009 , 100, 1662-1667	0.5	16
494	The high-temperature creep properties of materials processed using severe plastic deformation. <i>International Journal of Materials Research</i> , 2009 , 100, 750-756	0.5	7
493	Factors Influencing Tensile Ductility of OFHC Cu Having Different Ultrafine Grained Structures. <i>Materials Transactions</i> , 2010 , 51, 2049-2055	1-3	8
492	A Comparison of the Effects of Pre-ECAR and Post-ECAR Aging on Microstructure and Strengthening in 7050 Al Alloy Sheet. <i>Materials Transactions</i> , 2010 , 51, 2109-2112	1-3	4
491	Analysis of mechanisms of plastic deformation of aluminum-based alloys for different temperature-velocity modes. 2010 , 55, 64-67		2
490	Localized corrosion of ultrafine-grained AlMg model alloys. 2010 , 55, 1966-1970		71

489	Thermo-mechanical response of Al 6061 with and without equal channel angular pressing (ECAP). 2010 , 26, 189-203		62
488	Principles of ECAP conform as a continuous process for achieving grain refinement: Application to an aluminum alloy. 2010 , 58, 1379-1386		118
487	Cold pressure welding of severely plastically deformed aluminium by divergent extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 1351-1360	5:3	11
486	Assessment of tensile strength using small punch test for transversely isotropic aluminum 2024 alloy produced by equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 3630-3638	5:3	43
485	Influence of grain size on the density of deformation twins in Cu ₃₀ Zn alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 3942-3948	5:3	33
484	Significance of strain reversals in a two-phase alloy processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 7008-7016	5:3	74
483	Developing Processing Routes for the Equal-Channel Angular Pressing of Age-Hardenable Aluminum Alloys. 2010 , 41, 802-809		32
482	Effects of Route on Microstructural Evolution and Mechanical Properties of Cu-8 Wt Pct Ag Alloy Processed by Equal Channel Angular Pressing. 2010 , 41, 2290-2303		22
481	Avoiding cracks and inhomogeneities in billets processed by ECAP. 2010 , 45, 4561-4570		53
480	Effect of strain reversals on the processing of high-purity aluminum by high-pressure torsion. 2010 , 45, 4583-4593		58
479	Strain path and microstructure evolution during severe deformation processing of an as-cast hypoeutectic Al ₃ Si alloy. 2010 , 45, 4613-4620		26
478	Grain refinement and mechanical behavior of a magnesium alloy processed by ECAP. 2010 , 45, 4827-4836		150
477	The role of grain orientation in microstructure evolution of pure aluminum processed by equal channel angular pressing. 2010 , 61, 1371-1378		14
476	Equal Channel Angular Pressing of a Mg ₃ Al ₂ Zn Alloy with Back Pressure. 2010 , 12, 730-734		18
475	The Art and Science of Tailoring Materials by Nanostructuring for Advanced Properties Using SPD Techniques. 2010 , 12, 677-691		62
474	Gradierungswalzen - Technologie für gradierte ultrafeinkörnige Werkstoffe. 2010 , 41, 718-724		3
473	Influence of grain size and precipitates on the fatigue lives and deformation mechanisms in the VHCF-regime. 2010 , 2, 1025-1034		23
472	The characteristics of aluminum-cadmium alloys processed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 1448-1452	5:3	9

471	Influence of ECAP routes on microstructure and mechanical properties of Mg ₇₀ Zn ₃₀ alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 4250-4256	5-3	81
470	Microstructural evolution of Fe-rich particles in an Al ₇₀ Mg ₃₀ alloy during equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 4742-4749	5-3	35
469	The effect of temperature on mechanical behavior of ultrafine-grained copper by equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 5766-5772	5-3	21
468	The processing of pure titanium through multiple passes of ECAP at room temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 6335-6339	5-3	99
467	Cyclic deformation and fatigue properties of very fine-grained metals and alloys. 2010 , 32, 1413-1427		228
466	Tensile failure of 4130 steel having different ultrafine grained structures. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 645-651	5-3	5
465	Microstructure evolution of commercial pure titanium during equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 789-796	5-3	71
464	Evolution of texture in a magnesium alloy processed by ECAP through dies with different angles. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 1709-1718	5-3	34
463	Hardening and microstructural reactions in high-temperature equal-channel angular pressed Mg ₉₀ Al ₁₀ Zn ₂ alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 5092-5099	5-3	29
462	Transformation matrix analysis on the shear characteristics in multi-pass ECAP processing and predictive design of new ECAP routes. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 5557-5564	5-3	12
461	Different processing routes for deformation via simple shear extrusion (SSE). <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 6153-6156	5-3	46
460	Textural evaluation of copper produced by equal channel angular pressing with routes A and B30. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 6260-6269	5-3	1
459	Effect of die parameters and material properties in ECAP with parallel channels. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 7593-7599	5-3	54
458	Microstructural evolution and its effect on mechanical properties of commercially pure aluminum deformed by ECAE (Equal Channel Angular Extrusion) via routes A and C. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 7927-7930	5-3	24
457	The contributions of grain size, dislocation density and twinning to the strength of a magnesium alloy processed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 528, 533-538	5-3	69
456	Effect of equal-channel angular pressing routes on high-strain-rate deformation behavior of ultra-fine-grained aluminum alloy. 2010 , 58, 2545-2554		23
455	Room-temperature equal channel angular extrusion of pure magnesium. 2010 , 58, 3247-3261		206
454	Plastic behavior of face-centered-cubic metals over a wide range of strain. 2010 , 58, 5015-5021		26

453	Using X-ray microtomography to evaluate cavity formation in a superplastic magnesium alloy processed by equal-channel angular pressing. 2010 , 58, 5737-5748	25
452	Effect of grain refinement by severe plastic deformation on the next-neighbor misorientation distribution. 2010 , 58, 6706-6716	59
451	Static and Cyclic Deformation of Commercially Pure Al Processed by Equal-Channel Angular Pressing Using Two Routes. 2010 , 667-669, 833-838	
450	Comparison of High-Temperature Compressive Deformation Characteristics of Differently Processed LY12 Aluminum Alloys. 2010 , 667-669, 845-849	
449	Simulation of Multi-Pass ECAP by 3D Finite Element Method. 2010 , 667-669, 115-120	1
448	Effect of a Special ECAP Die Configuration on Microhardness Distributions in Pure Aluminum. 2010 , 667-669, 69-74	1
447	Influence of Strain Reversals during High Pressure Torsion Process on Strengthening in Al-Cu-Mg(-Li) Alloy. 2010 , 667-669, 809-814	3
446	Grain Refinement Efficiency in Equal Channel Angular Extrusion of FCC Metals Inferred from Crystal Plasticity Simulations of Slip Activities. 2010 , 638-642, 1971-1976	2
445	Using Atomic Force Microscopy to Examine Flow Processes in Materials Processed by ECAP. 2010 , 667-669, 773-778	
444	The Dynamic Behavior of Ultra-Fine-Grained Copper Fabricated by Equal Channel Angular Pressing. 2010 , 667-669, 891-896	
443	Investigation on Corrosion Behaviors of Ultra-Fine Grain Copper in 3.5% NaCl Solution. 2010 , 667-669, 1125-1130	1
442	Effect of Equal-Channel Angular Pressing on the Creep Resistance of Precipitation-Strengthened Alloys. 2010 , 667-669, 897-902	7
441	Optimization of Strength and Ductility in Ultra-Fine 304 Stainless Steel after Equal-Channel Angular Processing. 2010 , 667-669, 937-942	2
440	Microstructure Stability and Creep Behaviour of a Cu-0.2wt.%Zr Alloy Processed by Equal-Channel Angular Pressing. 2010 , 667-669, 821-826	5
439	Microstructures of Aluminum and Copper Single Crystals Processed by Equal-Channel Angular Pressing. 2010 , 638-642, 1946-1951	4
438	Enhancing the Efficiency of ECAP Processing in Particle Redistribution by Combination of Different Processing Routes. 2010 , 667-669, 463-467	
437	Characteristics of High Temperature Creep in Pure Aluminum Processed by Equal-Channel Angular Pressing. 2010 , 638-642, 1965-1970	7
436	Texture Evolution in Pure Copper Processed by Equal Channel Angular Extrusion with Extended Processing Routes. 2010 , 667-669, 271-276	2

435	Strain Rate Sensitivity of Ultrafine-Grained CP-Ti Processed by ECAP at Room Temperature. 2010 , 667-669, 707-712		1
434	Microstructural evolution of equal channel angular pressed AZ91D magnesium alloy during partial remelting. 2010 , 26, 1197-1206		12
433	Microstructures of ultra-fine grained FeCoV alloys processed by ECAP plus cold rolling and their evolutions during tempering. 2010 , 20, 602-606		13
432	Processing by Severe Plastic Deformation: Historical Developments and Current Impact. 2010 , 667-669, 9-14		23
431	Effects of temperature and grain refinement on the closed-die forging of a micro gear. 2010 , 224, 1767-1773	10	
430	Influence of Grain Size and Texture on the Yield Asymmetry of Mg-3Al-1Zn Alloy. 2011 , 27, 29-34		100
429	Bulk Ultrafine-grained Magnesium Alloys by SPD Processing: Technique, Microstructures and Properties. 2011 ,		1
428	Microstructures of Cutting Chips of SUS430 and SUS304 Steels, and NCF 750 and 6061-T6 Alloys. 2011 , 51, 1142-1150		3
427	High Strength Bolt Manufacturing of Ultra-Fine Grained Aluminium Alloy 6061. <i>Materials Transactions</i> , 2011 , 52, 173-178	1-3	2
426	Change of anisotropic tensile strength due to amount of severe plastic deformation in aluminum 2024 alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 529, 1-8	5-3	21
425	The effect of impurity level on ultrafine-grained microstructures and their stability in low stacking fault energy silver. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 8694-8699	5-3	20
424	A comparative study of texture and ductility of Mg ₉₁ .2Zn _{0.8} Gd alloy fabricated by rolling and equal channel angular extrusion. 2011 , 62, 321-326		20
423	A convergent-beam electron diffraction study of strain homogeneity in severely strained aluminum processed by equal-channel angular pressing. 2011 , 59, 7388-7395		12
422	Wear behavior of an aluminum alloy processed by equal-channel angular pressing. 2011 , 46, 123-130		45
421	Achieving superplastic properties in a PbSn eutectic alloy processed by equal-channel angular pressing. 2011 , 46, 155-160		30
420	ECAP processing and mechanical milling of Mg and MgTi powders: a comparative study. 2011 , 46, 5559-5567		7
419	Twist-channel angular pressing: effect of the strain path on grain refinement and mechanical properties of copper. 2011 , 46, 7865-7876		27
418	Developing superplasticity and a deformation mechanism map for the ZnAl eutectoid alloy processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 6140-6145	5-3	65

4 ¹⁷	Structure and mechanical properties of commercial purity titanium processed by ECAP at room temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 7708-7714	5-3	58
4 ¹⁶	Processing of Ultrafine-Grained Materials through the Application of Severe Plastic Deformation. 2011 , 42, 3035-3045		8
4 ¹⁵	Achieving Exceptional Grain Refinement through Severe Plastic Deformation: New Approaches for Improving the Processing Technology. 2011 , 42, 2942-2951		69
4 ¹⁴	Production of Ultrafine Grained AlMnFe Samples by Confined Channel Die Pressing as Compared to Equal Channel Angular Pressing. 2011 , 13, 232-236		4
4 ¹³	Macro- and Nanomechanical Properties and Strain Rate Sensitivity of Accumulative Roll Bonded and Equal Channel Angular Pressed Ultrafine-Grained Materials. 2011 , 13, 251-255		29
4 ¹²	Influence of grain size and precipitation state on the fatigue lives and deformation mechanisms of CP aluminium and AA6082 in the VHCF-regime. 2011 , 33, 10-18		38
4 ¹¹	Effect of Mg addition on strengthening of aluminium alloys subjected to different strain paths in high pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 2093-2099	5-3	17
4 ¹⁰	Hardness homogeneity on longitudinal and transverse sections of an aluminum alloy processed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 3833-3840	5-3	64
4 ⁰⁹	Enhancing strength and ductility of Mg ₁₂ Gd ₃ Y _{0.5} Zr alloy by forming a bi-ultrafine microstructure. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 4300-4311	5-3	24
4 ⁰⁸	Microstructure evolution of TA15 titanium alloy subjected to equal channel angular pressing and subsequent annealing at various temperatures. 2011 , 211, 1364-1371		28
4 ⁰⁷	Experimental investigation on strain rate sensitivity of ultra-fine grained copper at elevated temperatures. 2011 , 43, 111-118		27
4 ⁰⁶	Microstructure development and hardening during high pressure torsion of commercially pure aluminium: Strain reversal experiments and a dislocation based model. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 2581-2591	5-3	56
4 ⁰⁵	Reversible nature of shear bands in copper single crystals subjected to iterative shear of ECAP in forward and reverse directions. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 2602-2609	5-3	16
4 ⁰⁴	An experimental evaluation of a special ECAP die containing two equal arcs of curvature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 4173-4179	5-3	16
4 ⁰³	EBSD analysis of nano-structured copper processed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 5348-5355	5-3	52
4 ⁰²	Producing bulk nanostructured metals and alloys by severe plastic deformation (SPD). 2011 , 3-39		12
4 ⁰¹	Fatigue Property and Fatigue Cracks of Ultra-Fine Grained Copper Processed by Equal-Channel Angular Pressing. 2011 , 682, 231-237		3
4 ⁰⁰	Microstructure and mechanical properties of nanostructured low-carbon steel prepared by equal-channel angular pressing. 2011 , 243-275		2

399	Shearing Patterns of AZ31 Mg Alloy Processed by Equal-Channel Angular Pressing via Various Route. 2011 , 682, 33-39		1
398	Observation of Anisotropy of Creep Fracture Using Small Punch Test for Al-Al4C3 System Produced by Equal Channel Angular Pressing. 2011 , 30,		1
397	Influence of short time annealing on strain hardening rate and flow stress of ultrafine grained material processed by severe plastic deformation. 2011 , 15, s69-s72		8
396	Effect of Severe Prior Deformation on Electrical-Assisted Compression of Copper Specimens. 2011 , 133,		13
395	Microstructures and Properties of Ultrafine Grained Iron by Rolling. 2011 , 682, 61-64		
394	Microstructure Evolution and Property of Austenitic Stainless Steel after ECAP. 2012 , 268-270, 291-296		0
393	The Influence of Impurity Content on Thermal Stability of Low Stacking Fault Energy Silver Processed by Severe Plastic Deformation. 2012 , 729, 222-227		4
392	Chemistry and tensile properties of a recycled AA7050 via spray forming and ECAP/E. <i>Materials Research</i> , 2012 , 15, 739-748	1.5	14
391	Severe plastic deformation for grain refinement and enhancement of properties. 2012 , 114-141		4
390	Influence of grain size and temperature on micro upsetting of copper. 2012 , 226, 183-190		13
389	An Investigation of Cavity Development during Superplastic Flow in a Zinc–Aluminum Alloy Processed Using Severe Plastic Deformation. <i>Materials Transactions</i> , 2012 , 53, 87-95	1.3	16
388	Effect of ECAP on high temperature compressive deformation behaviour of LY12 aluminium alloys. 2012 , 27, 58-61		1
387	The development of hardness homogeneity in a CuZr alloy processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 556, 526-532	5.3	35
386	Control of nanostructure of materials. 2012 , 177-265		
385	Microstructure of low stacking fault energy silver processed by different routes of severe plastic deformation. <i>Journal of Alloys and Compounds</i> , 2012 , 536, S190-S193	5.7	17
384	Fabricating Ultrafine-Grained Materials through the Application of Severe Plastic Deformation: a Review of Developments in Brazil. 2012 , 1, 55-62		27
383	Effect of Equal-Channel Angular Pressing Process on Properties of 1050 Al Alloy. 2012 , 27, 746-750		33
382	Microstructure and dislocation density evolutions in MgAlZn alloy processed by severe plastic deformation. 2012 , 47, 7860-7869		40

381	Microstructure and tensile strength of grade 2 titanium processed by equal-channel angular pressing and by rolling. 2012 , 47, 7870-7876		55
380	Fatigue properties of ultra-fine grain CuZr alloy processed by equal-channel angular pressing. <i>Journal of Alloys and Compounds</i> , 2012 , 526, 39-44	5-7	19
379	Corrosion behaviour of nanocrystalline 304 stainless steel prepared by equal channel angular pressing. 2012 , 54, 60-67		137
378	Designing of ECAP parameters based on strain distribution uniformity. 2012 , 22, 452-460		63
377	Influence of rolling direction on flow and cavitation in a superplastic magnesium alloy processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 556, 211-220	5-3	12
376	Factors influencing creep flow and ductility in ultrafine-grained metals. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 558, 403-411	5-3	15
375	Microstructures and mechanical properties of HPT processed 6063 Al alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 558, 525-532	5-3	42
374	Microstructure and mechanical behavior of UFG copper processed by ECAP following different processing regimes. 2012 , 92, 690-704		19
373	Underwater friction stir welding of ultrafine grained 2017 aluminum alloy. 2012 , 19, 2081-2085		16
372	Application of Severe Plastic Deformation Techniques to Magnesium for Enhanced Hydrogen Sorption Properties. <i>Metals</i> , 2012 , 2, 329-343	2-3	47
371	Equal-Channel Angular Pressing and Creep in Ultrafine-Grained Aluminium and Its Alloys. 2012 ,		8
370	Influence of Pressing Temperature on Microstructure Evolution and Mechanical Behavior of Ultrafine-Grained Cu Processed by Equal-Channel Angular Pressing. 2012 , 14, 185-194		21
369	Influence of the ECAP Processing Parameters on the Cyclic Deformation Behavior on Ultrafine-Grained Cubic Face Centered Metals. 2012 , 14, 842-847		1
368	Tribological properties of ultrafine-grained materials processed by severe plastic deformation. 2012 , 47, 4779-4797		79
367	High Strength and High Ductility of Ultrafine-Grained, Interstitial-Free Steel Produced by ECAE and Annealing. 2012 , 43, 1884-1894		50
366	Investigation of Wear Anisotropy in a Severely Deformed Al-Al3Ti Composite. 2012 , 43, 3249-3256		7
365	Mechanical Behavior and Microstructural Development of 6063-T1 Aluminum Alloy Processed by Equal-Channel Angular Pressing (ECAP): Pass Number Influence. 2012 , 64, 607-614		22
364	Texture evolution and anisotropy in the thermo-mechanical response of UFG Ti processed via equal channel angular pressing. 2012 , 30-31, 202-217		57

363	Enhanced properties of nano-grained pure copper by equal channel angular rolling and post-annealing. 2012 , 34, 483-487		26
362	Microstructural characterization and mechanical properties of nanostructured AA1070 aluminum after equal channel angular extrusion. 2012 , 34, 285-292		51
361	Effect of equal-channel angular pressing on superplastic behavior of eutectic PbSn alloy. 2012 , 34, 235-241		8
360	Influence of twist extrusion process on microstructure and mechanical properties of 6063 aluminum alloy. 2012 , 37, 13-18		48
359	High strain rate superplasticity in a nano-structured AlMg/SiCP composite severely deformed by equal channel angular extrusion. 2012 , 39, 140-150		20
358	A modified HallPetch relationship in ultrafine-grained titanium recycled from chips by equal channel angular pressing. 2012 , 66, 785-788		181
357	Enhancement of static and fatigue strength of 1050 Al processed by equal-channel angular pressing using two routes. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 532, 120-129	5-3	19
356	Significant change in mechanical properties of deep drawn ultrafine grained copper wire by additional deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 534, 720-723	5-3	8
355	FE simulation and experimental investigation of ZK60 magnesium alloy with different radial diameters processed by equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 535, 153-163	5-3	24
354	Up-scaled equal channel angular pressing of AA6060 and subsequent mechanical properties. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 535, 235-240	5-3	12
353	Effect of pre-annealing treatment on the compressive deformation and damage behavior of ultrafine-grained copper. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 546, 59-67	5-3	20
352	Modeling of the processing force for performing ECAP of circular cross-section materials by the UBM. 2012 , 58, 969-983		5
351	A comparison of microstructures and mechanical properties in a CuZr alloy processed using different SPD techniques. 2013 , 48, 4653-4660		98
350	Achieving homogeneity in a two-phase CuAg composite during high-pressure torsion. 2013 , 48, 4606-4612		14
349	Stability of the ultrafine-grained microstructure in silver processed by ECAP and HPT. 2013 , 48, 4637-4645		16
348	Dry sliding wear of an AZ31 magnesium alloy processed by equal-channel angular pressing. 2013 , 48, 4117-4127		30
347	Microstructure, texture and mechanical properties of pure copper processed by ECAP and subsequent cold rolling. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 583, 36-42	5-3	33
346	Mechanical Behavior and Microstructural Development of 6063-T1 Aluminum Alloy Processed by Equal-Channel Angular Pressing (ECAP): Die Channel Angle Influence. 2013 , 65, 1411-1418		10

345	Hardness homogeneity and micro-tensile behavior in a magnesium AZ31 alloy processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 586, 108-114	5-3	42
344	Formability of Ultrafine-Grained Interstitial-Free Steels. 2013 , 44, 4194-4206		26
343	A characterization of microstructure and microhardness on longitudinal planes of an AlMgSi alloy processed by ECAP. 2013 , 84, 126-133		24
342	A Novel Severe Plastic Deformation Process for Shear Deformation and Grain Refinement of Bulk Materials. 2013 , 829, 15-19		2
341	Stress and Strain Characteristics of Aluminum Equal Channel Angular Pressing. 2013 , 440, 92-96		
340	Crystal Plasticity FEM Study on the Influence of Crystallographic Orientation in Copper Single Crystals Subjected to Equal Channel Angular Pressing. 2013 , 84, 1258-1266		1
339	An investigation of hydrogen storage in a magnesium-based alloy processed by equal-channel angular pressing. 2013 , 38, 8306-8312		81
338	The significance of grain boundary sliding in the superplastic Zn22 % Al alloy processed by ECAP. 2013 , 48, 4730-4741		23
337	Influence of grain size on radiation effects in a low carbon steel. 2013 , 443, 302-310		28
336	Equal channel angular pressing of tubular samples. 2013 , 26, 574-580		13
335	Twenty-five years of ultrafine-grained materials: Achieving exceptional properties through grain refinement. 2013 , 61, 7035-7059		549
334	Study on cryorolled AlCu alloy using X-ray diffraction line profile analysis and evaluation of strengthening mechanisms. 2013 , 52, 785-790		63
333	The effect of high hydrostatic pressure on creep behaviour of pure Al and a Cu0.2wt% Zr alloy processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 584, 103-113	5-3	12
332	Dynamic tensile extrusion behavior of coarse grained and ultrafine grained OFHC Cu. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 569, 61-70	5-3	11
331	Development of Processing Using Equal-Channel Angular Pressing. 2013 , 191-214		
330	Nanostructured aluminium alloys produced by severe plastic deformation: New horizons in development. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 560, 1-24	5-3	373
329	High temperature thermal stability of ultrafine-grained silver processed by equal-channel angular pressing. 2013 , 48, 1675-1684		14
328	Using X-ray microbeam diffraction to study the long-range internal stresses in aluminum processed by ECAP. 2013 , 61, 7741-7748		13

327	Role of strain path change in grain refinement by severe plastic deformation: A case study of equal channel angular extrusion. 2013 , 61, 4398-4413		12
326	Sulphuric acid corrosion of ultrafine-grained mild steel processed by equal-channel angular pressing. 2013 , 75, 434-442		20
325	Assessment of anisotropic tensile strength using a modified shear punch test for Cu ₃ Zr alloy processed by severe plastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 587, 320-327	5:3	7
324	Ultrafine-grained copper produced by machining and its unusual electrochemical corrosion resistance in acidic chloride pickling solutions. 2013 , 74, 44-49		17
323	An examination of microstructural evolution in a Cu ₃ Ni ₃ Si alloy processed by HPT and ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 576, 149-155	5:3	38
322	Milling of magnesium powders without additives. 2013 , 237, 484-488		6
321	The processing of NiTi shape memory alloys by equal-channel angular pressing at room temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 576, 178-184	5:3	39
320	Advances in ultrafine-grained materials. 2013 , 16, 85-93		108
319	Effects of laser shock processing on surface microstructure and mechanical properties of ultrafine-grained high carbon steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 570, 82-86	5:3	23
318	Fabrication of bulk ultrafine grained titanium alloy via equal channel angular pressing based thermomechanical treatment. 2013 , 46, 889-894		22
317	Microstructure heterogeneity after the ECAP process and its influence on recrystallization in aluminium. 2013 , 78, 60-68		24
316	High temperature deformation characteristics of equal channel angular pressed AA6082-T6. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 565, 301-307	5:3	8
315	Mechanical properties and fracture characteristics of high carbon steel after equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 563, 163-167	5:3	29
314	Microstructural evolution in a Cu ₃ Zr alloy processed by a combination of ECAP and HPT. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 579, 126-135	5:3	36
313	Microstructure and Mechanical Properties of AZ81 Magnesium Alloy after Unequal Channel Angular Pressing. 2013 , 749, 343-348		
312	Numerical Simulation of Large-Sized Pure Aluminum Rod under Multi-Pass ECAP. 2013 , 652-654, 2019-2023		
311	Ultrafine-grained pure Ti recycled by equal channel angular pressing with high strength and good ductility. 2013 , 213, 469-476		32
310	Microstructure and mechanical properties of AZ61 alloys with large cross-sectional size fabricated by multi-pass ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 560, 473-480	5:3	38

- 309 Evaluating the Flow Properties of Ultrafine-Grained Materials. **2013**, 829, 3-9
- 308 Homogeneity in Ultrafine-Grained Aluminum Prepared by Equal-Channel Angular Pressing. **2013**, 161-172
- 307 New approaches to optimize strain behavior of Al6082 during equal channel angular pressing. **2013**, 48, 395-404 9
- 306 Effect of strain path change on mechanical properties and final microstructure of CuAl₂O₃ in equal channel angular pressing. **2013**, 29, 210-218 2
- 305 Mechanical Properties at High Temperatures. **2013**, 357-386
- 304 Influence of annealing on ductility of ultrafine-grained titanium processed by equal-channel angular pressing conform and drawing. **2013**, 3, 249-253 32
- 303 QUANTITATIVE CHARACTERIZATION OF MICROSTRUCTURE OF PURE COPPER PROCESSED BY ECAP. **2013**, 32, 65 8
- 302 Fundamental Parameters and Experimental Factors in ECAP. **2013**, 215-238 1
- 301 Description of Severe Plastic Deformation (SPD). **2013**, 6-21 1
- 300 Significance of Microstructural Thermal Stability in an Al-2219 Alloy Processed by Severe Plastic Deformation. **2013**, 485-494 3
- 299 Processing of an Aluminum-6061 Metal Matrix Composite by Equal-Channel Angular Pressing. **2013**, 173-182
- 298 Microstructure and Properties of 7475 Aluminum Alloy after Equal-Channel Angular Pressing. **2013**, 429-438
- 297 Evaluating the flow processes in ultrafine-grained materials at elevated temperatures. *Materials Research*, **2013**, 16, 565-570 1,5 1
- 296 Microstructures of Machined Chips in Pure Titanium, Pure Iron and 0.83%C Steel. **2013**, 53, 1231-1236 2
- 295 Equal Channel Angular Pressing of Steels (BCC), Al Alloys (FCC) and Pure Titanium (HCP). **2013**, 25-34
- 294 Effect of Pressure on the Final Grain Size after High Pressure Torsion. **2013**, 133-140 1
- 293 Work Hardening Behavior of Aluminum over a Wide Range of Strain. **2013**, 567-574 1
- 292 Analysis of Principal and Equivalent Strains in Equal Channel Angular Deformation. **2013**, 575-584

291	Effect of ECAP Deformation Route on the Degree of Anisotropy of Microstructure of Extremely Low CN Fe-20mass%Cr Alloy. <i>Metals</i> , 2014 , 4, 55-63	2-3	4
290	High-Pressure Torsion of Ti: Synchrotron characterization of phase volume fraction and domain sizes. 2014 , 63, 012147		3
289	Microstructural evolution of ECAPed 1050 alloy under magnetic annealing. 2014 , 21, 1205-1214		
288	Influence of equal-channel angular extrusion on impact toughness of aluminum and brass at room and low temperatures. 2014 , 9,		1
287	Fractographic Analysis of 5052 Al-Mg Alloys Processed by Equal Channel Angular Pressing. 2014 , 896, 621-625		1
286	Microstructure Evolution and Creep Behavior in ECAP Processed Metallic Materials. 2014 , 783-786, 2689-2694		
285	Aging behavior of ECAP processed AZ80 Mg alloy. 2014 , 63, 012076		3
284	Development of Nanostructured AA3103 by Equal Channel Angular Pressing and Thermal Treatments. 2014 , 2014, 1-8		2
283	Improvement of Ductility at Room Temperature of Mg-3Al-1Zn Alloy Sheets Processed by Equal Channel Angular Pressing. 2014 , 81, 1517-1522		4
282	An examination of the saturation microstructures achieved in ultrafine-grained metals processed by high-pressure torsion. 2014 , 3, 319-326		13
281	X-ray microbeam measurements of long-range internal stresses in commercial-purity aluminum processed by multiple passes of equal-channel angular pressing. 2014 , 93, 48-51		7
280	Superplasticity at Elevated Temperature of a Coarse-Grained Mg ₉₂ Pi Alloy. 2014 , 16, 381-388		16
279	Deformation Behavior and Microstructural Evolution of Ultrafine-Grained Commercially Pure Ti. 2014 , 16, 371-375		4
278	Fatigue Life and Failure Characteristics of an Ultrafine-Grained Ti ₆₀ Al ₄₀ V Alloy Processed by ECAP and Extrusion. 2014 , 16, 1038-1043		25
277	Tensile behavior of an eutectic Pb ₅₅ Sn alloy processed by ECAP and rolling. 2014 , 3, 327-330		4
276	An Investigation of Mechanical Properties and Microstructural Evolution in an Aluminum Alloy Processed by Severe Plastic Deformation. 2014 , 922, 610-615		3
275	The effect of microstructure heterogeneity on the microscale deformation of ultrafine-grained aluminum. 2014 , 29, 1664-1674		10
274	Microstructure Development and Superplasticity in a Zn-22% Al Eutectoid Alloy Processed by Severe Plastic Deformation. 2014 , 783-786, 2647-2652		2

273	Development of Homogeneity in an Al-6061 Alloy Processed by ECAP and ECAP-Conform. 2014 , 783-786, 294-299			1
272	The Flow Behavior of Ultrafine-Grained Materials. 2014 , 1013, 7-14			
271	Investigation of Tensile Property and Pore Closure Behavior and the Influence of Processing Route during Equal Channel Angular Pressing of Pure Aluminum Powder Compacts. 2014 , 592-594, 444-450			0
270	Correlation between hydrogen storage properties and textures induced in magnesium through ECAP and cold rolling. 2014 , 39, 3810-3821			49
269	Processing of commercial purity titanium by ECAP using a 90 degrees die at room temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 607, 482-489	5:3		42
268	Evaluating the Superplastic Flow of a Magnesium AZ31 Alloy Processed by Equal-Channel Angular Pressing. 2014 , 45, 3197-3204			13
267	A critical evaluation of the processing of an aluminum 7075 alloy using a combination of ECAP and HPT. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 596, 52-58	5:3		48
266	Influence of cross-rolling on the mechanical properties of an accumulative roll bonded aluminum alloy AA6014. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 597, 122-127	5:3		23
265	An in situ synchrotron X-ray diffraction study of precipitation kinetics in a severely deformed Cu ₃ Ni ₃ Bi alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 597, 288-294	5:3		33
264	Route Effect on Equal Channel Angular Pressing of Copper Tube. 2014 , 27, 95-100			23
263	The effects of room temperature ECAP and subsequent aging on mechanical properties of 2024 Al alloy. <i>Journal of Alloys and Compounds</i> , 2014 , 585, 753-759	5:7		67
262	Experimental and numerical analyses of pure copper during ECFE process as a novel severe plastic deformation method. 2014 , 24, 68-74			40
261	Dynamic compressive behavior of ultrafine-grained pure Ti at elevated temperatures after processing by ECAP. 2014 , 49, 6640-6647			14
260	Microstructure and texture evolution in ultrafine-grained pure Ti processed by equal-channel angular pressing with subsequent dynamic compression. 2014 , 77, 33-36			17
259	ZK60 alloy processed by ECAP: Microstructural, physical and mechanical characterization. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 594, 32-39	5:3		51
258	Microstructure Evolution of Carbon Steel by Hot Equal Channel Angular Extrusion. 2014 , 81, 1511-1516			1
257	Development of ultrafine-grained microstructure in Al-Cu-Mg alloy through equal-channel angular pressing. 2014 , 63, 012082			
256	Improving the fatigue behavior of dental implants through processing commercial purity titanium by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 619, 312-318	5:3		38

255	Characterization of severely deformed new composites fabricated by powder metallurgy including a stage of mechanical alloying. <i>Journal of Alloys and Compounds</i> , 2014 , 617, 444-454	5-7	19
254	Review: achieving superplasticity in metals processed by high-pressure torsion. 2014 , 49, 6487-6496		51
253	Mechanical properties and microstructure evolution in an aluminum 6082 alloy processed by high-pressure torsion. 2014 , 49, 6597-6607		17
252	A rate dependent constitutive model for ECAE Cu based on instrumented nanoindentation results. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 597, 279-287	5-3	4
251	The evolution of hardness homogeneity in commercially pure Ti processed by ECAP. 2014 , 29, 578-584		6
250	Microstructure and Intermetallic Strengthening in an Equal Channel Angular Pressed AA2219. Part I: Microstructure Characterization. 2014 , 3, 194-202		1
249	Development of Ultrafine-Grained Metals by Equal-Channel Angular Pressing. 2014 , 187-209		6
248	Effect of Si addition on the microstructure and mechanical properties of ECAPed Mg ₉₂ Al alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 589, 119-124	5-3	13
247	Deformation behavior of Mg single crystals during a single ECAP pass at room temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 590, 274-280	5-3	19
246	Powder refinement, consolidation and mechanical properties of cemented carbides [An overview. 2014 , 261, 1-13		70
245	Equal channel angular pressing of copper wire. 2014 , 228, 1273-1279		4
244	Producing ultrafine-grained materials through severe plastic deformation. 2014 , 3, 252-260		4
243	Effect of deformation route on the development of low CN Fe-20%Cr alloy by Equal Channel Angular Pressing. 2014 , 63, 012122		5
242	Report of International NanoSPD Steering Committee and statistics on recent NanoSPD activities. 2014 , 63, 011002		4
241	Microstructural Design of an AlMgSi Alloy via ECAP Processing: An Advanced SPD Manufacturing Technique for NC/UFG Materials. 2015 , 1114, 143-148		
240	Microstructure and Texture Evolution of the Al-20Sn Alloy Processed by Equal-Channel Angular Pressing Using Route C. <i>Materials Transactions</i> , 2015 , 56, 40-45	1-3	3
239	Development and Application of Equal Channel Angular Pressing Technique for Grain Refinement of Nanocrystalline Materials. 2015 , 613-639		1
238	Achieving high strength and high ductility in magnesium alloy using hard-plate rolling (HPR) process. 2015 , 5, 17100		77

237	Strength and Electrical Conductivity of Bulk Nanostructured Cu and Cu-Based Alloys Produced by SPD. 2015 , 115-141		3
236	The Influence of ECAP Geometry on the Effective Strain Distribution. 2015 , 1127, 135-141		4
235	Design of the Main Working Tools for Non-Ferrous Alloys Processing Using Multi-Pass ECAP Technique. 2015 , 1114, 129-134		
234	Micro-deformation behavior in micro-compression with high-purity aluminum processed by ECAP. 2015 , 2, 1		42
233	Equal Channel Angular Extrusion Simulation of High-Nb Containing TiAl Alloys. 2015 , 2015, 1-7		1
232	Microstructure and texture evolution in a CuNiSi alloy processed by equal-channel angular pressing. <i>Journal of Alloys and Compounds</i> , 2015 , 638, 88-94	5-7	23
231	Microstructural and mechanical properties of AA1100 aluminum processed by multi-axial incremental forging and shearing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 639, 705-716	5-3	30
230	Effects of equal-channel angular pressing and accumulative roll-bonding on hydrogen storage properties of a commercial ZK60 magnesium alloy. 2015 , 40, 16971-16976		32
229	The microstructural evolution and thermo-mechanical behavior of UFG Ti processed via equal channel angular pressing. 2015 , 219, 257-270		24
228	Wear resistance of an ultrafine-grained Cu-Zr alloy processed by equal-channel angular pressing. 2015 , 326-327, 10-19		50
227	Evaluating the Room Temperature ECAP Processing of a NiTi Alloy via Simulation and Experiments. 2015 , 17, 532-538		7
226	Calculation of plastic strain ratio of AA1050 Al alloy sheet processed by heavy asymmetric rolling-annealing followed by light rolling-annealing. 2015 , 100, 45-51		11
225	Fracture modes during severe plastic deformation of NiTi shape memory alloys. 2015 , 116, 698-705		
224	Equal-Channel Angular Pressing of Thin-Walled Copper Tube. 2015 , 40, 2785-2794		7
223	Fracture mechanism of AZ31 magnesium alloy processed by equal channel angular pressing comparing three point bending test and tensile test. 2015 , 58, 322-335		17
222	Microstructural Refinement in a Commercial Aluminum Alloy Processed by ECAP Using a Die Channel Angle of 110 Degrees. 2015 , 1114, 3-8		
221	A hybrid refining mechanism of microstructure of 304 stainless steel subjected to ECAP at 500 °C. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 639, 615-625	5-3	6
220	Micro-structural Evolution in Metals Subjected to Simple Shear by a Particular Severe Plastic Deformation Method. 2015 , 24, 2944-2956		4

219	Temperature and strain rate dependence of microstructural evolution and dynamic mechanical behavior in nanocrystalline Ti. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 641, 29-36	5-3	10
218	Microstructural approach to equal channel angular processing of commercially pure titanium. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 25, 1353-1366		31
217	Effect of processing routes in a multi-pass continuous hybrid process on mechanical properties, microstructure, and texture evolutions of low-carbon steel wires. <i>Metals and Materials International</i> , 2015 , 21, 391-401	2-4	8
216	Grain refinement in technically pure aluminium plates using incremental ECAP processing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 636, 172-180	5-3	37
215	Effects of Carbides on the Microstructural Evolution in Sub-micron Grain 9310 Steel During Isothermal Heat Treatment. 2015 , 46, 3208-3219		4
214	The microstructure length scale of strain rate sensitivity in ultrafine-grained aluminum. 2015 , 30, 981-992		4
213	An evaluation of the saturation hardness in an ultrafine-grained aluminum 7075 alloy processed using different techniques. 2015 , 50, 4357-4365		33
212	Finite Element Modeling of Grain Size Effect on the Mechanical Properties and Deformability of Titanium Alloy in Equal Channel Angular Pressure. 2015 , 661, 91-97		1
211	Achieving a weak basal texture in a Mg ₉₂ Al ₃ Sn alloy by wave-shaped die rolling. 2015 , 88, 157-161		26
210	Strain Distribution Equal Channel Angular Pressing of Magnesium alloy at 90° and 120° Corner Angles. 2015 , 2, 230-235		1
209	Microstructural and magnetic properties of Nd-Fe-B alloys processed by equal-channel angular pressing. 2015 , 117, 17A742		4
208	Parametric optimization for the production of nanostructure in high carbon steel chips via machining. 2015 , 6, 957-965		1
207	Introduction. 2015 , 1-9		
206	Characterizations Severe Plastic Deformation of Copper Processed by Equal Channel Angular Pressing Technique. 2015 , 515-524		
205	Effect of grain size and specimen dimensions on micro-forming of high purity aluminum. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 646, 207-217	5-3	41
204	Effect of grain size on compressive behaviour of titanium at different strain rates. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 645, 311-317	5-3	18
203	Improvement of high strain rate and room temperature superplasticity in Zn ₂₂ Al alloy by two-step equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 620, 233-240	5-3	32
202	Improvement in cold formability of AZ31 magnesium alloy sheets processed by equal channel angular pressing. 2015 , 217, 286-293		44

201	Effect of processing methods on microhardness and acid corrosion behavior of low-carbon steel. 2015 , 65, 115-119		13
200	Equal Channel Angular Pressing. 2016 , 19-26		2
199	Effect of severe plastic deformation on an extruded ZK60 magnesium alloy. 2016 , 1818, 1		1
198	On the contribution of boundaries towards strength in oxygen free high conductivity copper subjected to repetitive upsetting Extrusion. 2016 , 26, 621-629		2
197	Microstructure and Mechanical Properties of Nb Alloyed Steel Processed by Hot Equal Channel Angular Extrusion. 2016 , 879, 2528-2531		
196	Influence of die geometry on performance in gradation extrusion using numerical simulation and analytical calculation. 2016 , 65, 269-272		6
195	Synchrotron X-ray microbeam diffraction measurements of full elastic long range internal strain and stress tensors in commercial-purity aluminum processed by multiple passes of equal-channel angular pressing. 2016 , 112, 231-241		15
194	Microstructural evolution and micro/meso-deformation behavior in pure copper processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 664, 114-125	5.3	32
193	Microstructural evolution and fracture mechanism of a new Al ₂ ZnMgCuZr alloy processed by equal-channel angular pressing. 2016 , 1		1
192	Ultra-High-Strength Interstitial-Free Steel Processed by Equal-Channel Angular Pressing at Large Equivalent Strain. 2016 , 47, 1803-1817		12
191	Microstructure, Texture, and Superplasticity of a Fine-Grained Mg-Gd-Zr Alloy Processed by Equal-Channel Angular Pressing. 2016 , 47, 6056-6069		30
190	Evolution of microstructure and texture in commercial pure aluminum subjected to high pressure torsion processing. 2016 , 120, 285-294		37
189	Finite element analysis of die angle at constant offset length in two-turn ECAP. 2016 , 149, 012139		
188	Enhancing Hydrogen Storage Properties of Metal Hybrides. 2016 ,		4
187	Effect of strain path on severely deformed aluminium. 2016 , 180, 280-283		32
186	Microstructural and Mechanical Properties of Al-Based Composites Reinforced with In-Situ and Ex-Situ Al ₂ O ₃ Nanoparticles. 2016 , 18, 550-558		13
185	The influence of grain size and strain rate on the mechanical behavior of pure magnesium. 2016 , 51, 3013-3024		50
184	Development of Texture in Interstitial-Free Steel Processed by Equal-Channel Angular Pressing. 2016 , 25, 820-830		4

183	Effect of equal channel angular pressing on fracture toughness of Al-7075. 2016 , 65, 1-10		21
182	Enhanced mechanical behavior and reduced mechanical anisotropy of AZ31 Mg alloy sheet processed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 650, 523-529	5-3	42
181	Optimization of strength, ductility and electrical conductivity of CuCrZr alloy by combining multi-route ECAP and aging. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 649, 114-122	5-3	82
180	Influence of grain size on the flow properties of an Al-Mg-Sc alloy over seven orders of magnitude of strain rate. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 685, 367-376	5-3	48
179	Shear fracture mechanism in micro-tension of an ultrafine-grained pure copper using synchrotron radiation X-ray tomography. 2017 , 132, 25-29		14
178	Influence of equal channel angular pressing temperature on texture, microstructure and mechanical properties of extruded AX41 magnesium. <i>Journal of Alloys and Compounds</i> , 2017 , 705, 273-287		41
177	Effect of severe plastic deformation on the biocompatibility and corrosion rate of pure magnesium. 2017 , 52, 5992-6003		55
176	Numerical simulation of Al1070 alloy through hybrid SPD process. 2017 , 91, 835-846		5
175	Microstructure and Corrosion Behavior of the Friction Stir Welded Joints Made from Ultrafine Grained Aluminum . 2017 , 19, 1600807		5
174	Microstructural evolution and enhancement of mechanical properties of Al1050 by tubular channel angular extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 696, 26-32	5-3	1
173	Structural stability of ultra-fine grained magnesium alloys processed by equal channel angular pressing. 2017 , 194, 012052		3
172	Influence of equal channel angular pressing routes on texture, microstructure and mechanical properties of extruded AX41 magnesium alloy. 2017 , 123, 282-293		48
171	On the evolution of microstructure and texture in commercial purity titanium during multiple passes of incremental equal channel angular pressing (I-ECAP). <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 699, 31-47	5-3	19
170	High-precision rapid prototyping technology for manufacturing linear guides. 2017 , 92, 3137-3142		4
169	Finite element analysis of die offset in two-turn incremental ECAP. <i>Materials Today: Proceedings</i> , 2017 , 4, 2419-2424	1-4	2
168	Effect of Severe Plastic Deformation and Subsequent Silicon Spheroidizing Treatment on the Microstructure and Mechanical Properties of an AlSiMg Alloy . 2017 , 19, 1700064		6
167	Effect of incremental equal channel angular pressing (I-ECAP) on the microstructural characteristics and mechanical behaviour of commercially pure titanium. 2017 , 122, 385-402		50
166	Room Temperature Flow Behavior of Ti Deformed by Equal-Channel Angular Pressing Using CoreSheath Method. 2017 , 19, 1600552		4

165	Effect of ECAP processing on microstructure evolution and dynamic compressive behavior at different temperatures in an Al-Zn-Mg alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 684, 617-625	5.3	26
164	Experimental evaluation of forming limit diagram and mechanical properties of nano/ultra-fine grained aluminum strips fabricated by accumulative roll bonding. <i>International Journal of Materials Research</i> , 2017 , 108, 1036-1044	0.5	35
163	Static mechanical properties and ductility of biomedical ultrafine-grained commercially pure titanium produced by ECAP process. 2017 , 27, 1964-1975		18
162	Thermal stability and superplastic behaviour of an Al-Mg-Sc alloy processed by ECAP and HPT at different temperatures. 2017 , 194, 012013		6
161	Microstructure and properties of a CoCrFeNiMn high-entropy alloy processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 705, 411-419	5.3	80
160	Effect of equal-channel angular pressing on the mechanical behavior of a Bi-Sn eutectic alloy. 2017 , 194, 012042		1
159	Bulk Nanostructured Materials. 2017 , 48, 5181-5199		32
158	Effect of cold rolling on the structure and hydrogen properties of AZ91 and AM60D magnesium alloys processed by ECAP. 2017 , 42, 21822-21831		13
157	Ultrafine-Grained Plates of Al-Mg-Si Alloy Obtained by Incremental Equal Channel Angular Pressing: Microstructure and Mechanical Properties. 2017 , 48, 4871-4882		15
156	Direct influence of recovery behaviour on mechanical properties in oxygen-free copper processed using different SPD techniques: HPT and ECAP. 2017 , 6, 369-377		27
155	Achieving high strength and high ductility in 304 stainless steel through bi-modal microstructure prepared by post-ECAP annealing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 680, 426-432	5.3	34
154	Wear resistance and electroconductivity in a Cu _{0.3} Cr _{0.5} Zr alloy processed by ECAP. 2017 , 52, 305-313		24
153	Achieving superplastic properties in a ZK10 magnesium alloy processed by equal-channel angular pressing. 2017 , 6, 129-135		23
152	Multi Directional Forging of 2024 Al Alloy After Different Heat Treatments: Microstructural and Mechanical Behavior. 2017 , 70, 1707-1719		7
151	Microstructural evolution and superplasticity in an Mg _{0.4} Zr alloy after processing by different SPD techniques. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 682, 577-585	5.3	36
150	Structural stability of ultra-fine grained magnesium alloys processed by equal channel angular pressing. 2017 , 194, 012022		3
149	A Critical Review of Mg-Based Hydrogen Storage Materials Processed by Equal Channel Angular Pressing. <i>Metals</i> , 2017 , 7, 324	2.3	32
148	Mechanical Properties and Microstructure Development in Ultrafine-grained Materials Processed by Equal-channel Angular Pressing. 2017 ,		1

147	Equal Channel Angular Extrusion Characteristics on Mechanical Behavior of Aluminum Alloy. 2017 ,		1
146	Workability Limits of Magnesium Alloy AZ31B Subjected to Equal Channel Angular Pressing. 2018 , 27, 1352-1360		3
145	Finite Element Analysis of V-Shape Incremental Equal Channel Angular Pressing. 2018 , 195-210		
144	Improving hydrogen storage performance of AZ31 Mg alloy by equal channel angular pressing and additives. <i>Journal of Alloys and Compounds</i> , 2018 , 743, 437-447	5-7	19
143	Analytical and numerical approaches to modelling severe plastic deformation. <i>Progress in Materials Science</i> , 2018 , 95, 172-242	42.2	81
142	Equal Channel Angular Pressing of a Newly Developed Precipitation Hardenable Scandium Containing Aluminum Alloy. 2018 , 423-429		
141	Enhancement of Diffusion Bonding of Silver Graphite to Copper by Severe Plastic Deformation. 2018 , 137-150		
140	A new hybrid process to produce ultrafine grained aluminium plates. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 714, 105-116	5-3	8
139	Improvement of Strength and Energy Absorption Properties of Porous Aluminum Alloy with Aligned Unidirectional Pores Using Equal-Channel Angular Extrusion. 2018 , 49, 2463-2470		4
138	Effect of Severe Plastic Deformation by 120 deg ECAP or Shock Impact on 6061 Aluminum Alloy at High Strain Rates. 2018 , 140,		3
137	Forming limit diagrams of fine-grained Al 5083 produced by equal channel angular rolling process. 2018 , 232, 922-930		8
136	Recast layer and micro-cracks in electrical discharge machining of ultra-fine-grained aluminum. 2018 , 232, 428-437		6
135	Mechanical properties of ultrafine-grained AX41 magnesium alloy at room and elevated temperatures. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 731, 438-445	5-3	11
134	Grain size effects in aluminum processed by severe plastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 710, 300-308	5-3	38
133	The influence of an ECAP-based deformation process on the microstructure and properties of electrolytic tough pitch copper. 2018 , 53, 3862-3875		12
132	Characterization of precipitates in an Al-Zn-Mg alloy processed by ECAP and subsequent annealing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 712, 146-156	5-3	23
131	An investigation of the limits of grain refinement after processing by a combination of severe plastic deformation techniques: A comparison of Al and Mg alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 712, 373-379	5-3	19
130	Influence of equal channel angular pressing on high cycle fatigue behavior of ultrafine-grained iron: Role of anisotropy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 711, 650-658	5-3	8

129	Influence of Processing Parameters on Microstructural Evolution and Tensile Properties for 7075 Al Alloy Prepared by an ECAP-Based SIMA Process. 2018 , 31, 337-350		13
128	The Influence of Microstructure and Mechanical Resistance on the Shape Memory of Ecae Processed Stainless Fe-Mn-Si-Cr-Ni-Co Steel. <i>Materials Research</i> , 2018 , 21,	1.5	1
127	Numerical Modeling of Nanostructured Tube Produced by ECAP. 2018 , 780, 25-31		1
126	Developing high-performance light metallic materials through microstructural refinement using severe plastic deformation. 2018 , 68, 407-417		
125	Optimization Process Parameters of Equal Angular Channel Pressing According to the Measurement Results of Microstructural Homogeneity. <i>Materials Research</i> , 2018 , 21,	1.5	3
124	Effect of the equal channel angular pressing route on the microstructural and mechanical behavior of Al-5086 alloy. 2018 , 4, 310-322		5
123	Dislocation Density and Texture in Copper Deformed by Cold Rolling and Ecap. <i>Materials Research</i> , 2018 , 21,	1.5	3
122	Quantitative Evaluation of Eutectic Si Phase Distributions and Effect on Mechanical Properties in JIS AC4CH Aluminum Casting Alloy. <i>Materials Transactions</i> , 2018 , 59, 1317-1325	1.3	
121	High temperature superplasticity and deformation behavior of naturally aged Zn-Al alloys with different phase compositions. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 730, 73-83	5.3	11
120	A review on properties and microstructure of micro-extruded product using SPD and as-cast material. 2018 , 43, 1		1
119	Equal Channel Angular Extrusion of AA 5083. 2018 , 1148, 82-87		
118	Effects of deformation routes on the evolution of microstructure, texture and tensile properties of AA5052 aluminum alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 732, 120-128	5.3	27
117	Three-dimensional microstructural analysis of fragmentation behavior of platelet Al ₃ Ti particles in Al-Al ₃ Ti composite deformed by equal-channel angular pressing. 2018 , 144, 305-315		7
116	Thermal stability of ARMCO iron processed by ECAP. 2018 , 98, 2917-2932		11
115	Control of Nanostructure of Materials. 2018 , 169-253		
114	Microstructure and Wear Performance of ECAP Processed Cast Al ₇₀ Zn ₂₀ Mg Alloys. 2018 , 71, 1919-1931		14
113	Microstructure and mechanical properties of ultrafine-grained titanium processed by multi-pass ECAP at room temperature using core-heath method. 2018 , 33, 3809-3817		2
112	Exploration of equal channel angular pressing routes for efficiently achieving ultrafine microstructure in magnesium. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 733, 179-189	5.3	12

111	Effects of processing conditions on microstructure and mechanical properties of equal-channel-angular-pressed titanium. 2018 , 34, 1149-1167		10
110	Manufacturing and mechanical characterization of Mg-4Y-2Nd-0.4Zr-0.25La magnesium microtubes by combined severe plastic deformation process for biodegradable vascular stents. 2019 , 233, 1196-1205		11
109	Taguchi grey relational analysis for parametric optimization of severe plastic deformation process. 2019 , 1, 1		15
108	Deformation Heterogeneities in Equal Channel Angular Pressing. <i>Materials Transactions</i> , 2019 , 60, 1331-1343		10
107	Processing Techniques to Develop Metallic Materials with Superior Mechanical Properties. 2019 , 72, 2877-2891		
106	Effects of severe plastic deformation by ECAP on the microstructure and mechanical properties of a commercial copper alloy. 2019 , 6, 116570		12
105	Influence of equal channel angular extrusion on the tensile behavior of Aluminum 6063 alloy. 2019 , 35, 1337-1343		3
104	Ductile fracture analysis of annealed and ECAPed pure copper. 2019 , 103, 102277		3
103	Numerical and Experimental Study on ECAP-Processing Parameters for Efficient Grain Refinement of AA5083 Sheet Metal. 2019 , 794, 315-323		4
102	Microhardness evolution of pure titanium deformed by equal channel angular extrusion. 2019 , 116, 408		13
101	The Contribution of Severe Plastic Deformation to Research on Superplasticity. <i>Materials Transactions</i> , 2019 , 60, 1123-1130	1-3	10
100	The influence of artificial aging on the microstructure and hardness of an Al ₇₀ Zn ₂₀ Mg ₁₀ Zr alloy processed by equal-channel angular pressing. 2019 , 54, 10918-10928		11
99	Effective grain refinement of pure Cu processed by new route of equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 751, 246-252	5-3	5
98	Strain rate dependence of compressive behavior in an Al-Zn-Mg alloy processed by ECAP. <i>Journal of Alloys and Compounds</i> , 2019 , 791, 1079-1087	5-7	14
97	Enhancing the Hardness of Al 6063 Alloy Via Equal Channel Angular Extrusion Process. 2019 , 1378, 042102		
96	Effect of ECAP on the Microstructure and Mechanical Properties of a Rolled Mg-2Y-0.6Nd-0.6Zr Magnesium Alloy. <i>Crystals</i> , 2019 , 9, 586	2-3	4
95	Fatigue Life Improvement of Copper Processed by Equal Channel Angular Pressing. 2019 , 43, 237-244		4
94	Analysis of the micro and substructural evolution during severe plastic deformation of ARMCO iron and consequences in mechanical properties. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 740-741, 108-120	5-3	28

93	Secondary phase precipitation and thermally stable microstructure refinement induced by ECAP on Mg-Y-Nd (WN43) alloy. 2019 , 237, 5-8		16
92	Twisted Multi Channel Angular Pressing (TMCAAP) as a Novel Severe Plastic Deformation Method. <i>Metals and Materials International</i> , 2020 , 26, 260-271	2-4	13
91	Ultrafine-Grained Plates and Sheets: Processing, Anisotropy and Formability. 2020 , 22, 1900666		3
90	A Comparison of Warm and Combined Warm and Low-Temperature Processing Routes for the Equal-Channel Angular Pressing of Pure Titanium. 2020 , 22, 1900698		3
89	An Evaluation of the Microstructure and Microhardness in an Al ₇₀ Mg Alloy Processed by ECAP and Post-ECAP Heat Treatments. 2020 , 22, 1901040		2
88	Influence of equal-channel angular pressing on the microstructure and corrosion behaviour of a 6xxx aluminium alloy for automotive conductors. 2020 , 166, 108453		9
87	Discontinuous grain growth in an equal-channel angular pressing processed Fe-9Cr steel with a heterogeneous microstructure. 2020 , 159, 110004		6
86	Characterization of Bimetallic Interface in Cu/Al and Ni/Ti Rods Cold Welded by Equal Channel Angular Pressing. 2020 , 22, 1900653		
85	Study of microstructure and mechanical properties of pure titanium processed by new route of equal channel angular pressing. 2020 , 768, 022047		0
84	Influence of equal-channel angular pressing on the corrosion fatigue behaviour of an Al-Mg-Si aluminium alloy for automotive conductors. 2020 , 140, 105812		4
83	Microstructure, tensile properties and formability of ultrafine-grained Al ₇₀ Mn square plates processed by Incremental ECAP. 2020 , 196, 109125		3
82	Effect of Mg content on microstructure, texture and strength of severely equal channel angular pressed aluminium-magnesium alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 797, 140088	5-3	5
81	Effects of different deformation routes of ECAP on AA6063 mechanical properties and microstructure. 2020 , 50, 119-124		1
80	Analysis of the creep behavior of fine-grained AZ31 magnesium alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 787, 139489	5-3	8
79	Production of Oxide Dispersion Strengthened Mg-Zn-Y Alloy by Equal Channel Angular Pressing of Mechanically Alloyed Powder. <i>Metals</i> , 2020 , 10, 679	2-3	2
78	Evolution of microstructure and crystallographic texture in HBrass during equal channel angular pressing. 2020 , 163, 110270		6
77	Effect of Thermomechanical Processing on Grain Size, Texture and Mechanical Properties of Pure Magnesium. 2020 , 985, 97-108		
76	Fracture Behavior of Annealed and Equal Channel Angular Pressed Copper: An Experimental Study. 2020 , 29, 975-986		3

75	Characteristics of grain refinement in oxygen-free copper processed by equal-channel angular pressing and dynamic testing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 775, 138985	5.3	13
74	Combining severe plastic deformation and precipitation to enhance mechanical strength and electrical conductivity of Cu _{0.65} Cr _{0.08} Zr alloy. 2020 , 9, 5953-5961		11
73	Evolution of microstructure and performance of n-type BiTeSe thermoelectric materials fabricated by multi-path equal channel angular extrusion. <i>Materials Today Communications</i> , 2020 , 24, 101121	2.5	1
72	Decoupling Seebeck coefficient and resistivity, and simultaneously optimizing thermoelectric and mechanical performances for n-type BiTeSe alloy by multi-pass equal channel angular extrusion. 2021 , 263, 114846		0
71	Evaluating the paradox of strength and ductility in ultrafine-grained oxygen-free copper processed by ECAP at room temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 802, 140546	5.3	9
70	The effect of equal-channel angular pressing (ECAP) on the properties of graphene reinforced aluminium matrix composites. 2021 , 55, 1749-1768		1
69	Nanostructuring of Metals, Alloys, and Composites. 2021 , 1-58		
68	Tailoring Mechanical Properties of Mg ₉₇ Al ₂ Zn ₁ Ni Alloy by Multipass Equal Channel Angular Pressing. 2021 , 23, 2000790		2
67	Changes in the spatial distributions of platelet Al ₃ Ti particles in an Al-Al ₃ Ti alloy by equal-channel angular pressing. 2021 , 171, 110757		
66	Equal channel angular processing – modern deforming technique for quality products. 2021 , 381-423		
65	Research progress of ultrafine grained magnesium alloy prepared by equal channel angular pressing. 2021 , 8, 022001		4
64	Processing, microstructure adjustments, and mechanical properties of dual phase steels: a review. 2021 , 37, 561-591		2
63	The effect of Zr on dynamic recrystallization during ECAP processing of Mg-Y-RE alloys. 2021 , 174, 111033		7
62	Precipitation behaviors and mechanical properties of a solution-treated Mg-Gd-Nd-Zn-Zr alloy during equal-channel angular pressing process. 2021 , 10, 239-239		2
61	Influence of grain refinement on the corrosion behavior of metallic materials: A review. 2021 , 28, 1112-1126		15
60	Microstructural, mechanical and tribological characterization of Cu-Co-Ni-Be alloy processed via equal channel angular pressing. <i>Materials Today Communications</i> , 2021 , 28, 102676	2.5	1
59	Review on the effect of different processing techniques on the microstructure and mechanical behaviour of AZ31 Magnesium alloy. 2021 , 9, 1692-1714		15
58	Dynamically Recrystallized Structure and Mechanical Properties of Mg ₉₆ Zn ₂ Y ₂ Alloys Deformed by ECAP. <i>Materials Transactions</i> , 2021 , 62, 1304-1310	1.3	1

57	Cryogenic temperature equal channel angular pressing of pure titanium: microstructure and homogeneity. 2021 , 14, 1167-1179		0
56	Study of mechanical properties and wear resistance of Al 1050/Brass (70/30)/Al 1050 composite sheets fabricated by the accumulative roll bonding process. <i>Journal of Manufacturing Processes</i> , 2021 , 71, 407-416	5	3
55	High-Temperature Equal-Channel Angular Pressing of a T6-Al-Cu-Li-Mg-Ag-Zr-Sc Alloy. 2021 , 5, 6		
54	Ultra-fine Grain Materials by Severe Plastic Deformation: Application to Steels. 2009 , 325-344		8
53	Grain Growth in ECAE Processed Pure Magnesium. 2009 , 465-473		2
52	Evolution of Heterogeneous Microstructure of Equal-Channel Angular Pressed Magnesium. 2019 , 59-63		1
51	Microstructural Evolution During Processing by Severe Plastic Deformation. 2000 , 149-154		4
50	The 7th International Conference on Nanomaterials by Severe Plastic Deformation: a report of the International NanoSPD Steering Committee. 2017 , 194, 012001		1
49	Severe plastic deformation. 2004 ,		0
48	Developing Superplasticity in Ultrafine-Grained Metals. <i>Acta Physica Polonica A</i> , 2015 , 128, 470-478	0.6	9
47	Fabrication of Porous Metals with Unidirectionally Aligned Pores by Rod-Dipping Process. <i>Materials Transactions</i> , 2019 , 60, 544-553	1.3	4
46	Some factors affecting the creep behaviour of metallic materials processed by equal-channel angular pressing. <i>International Journal of Materials Research</i> , 2009 , 100, 762-766	0.5	8
45	The Effect of ECAP Deformation Route on Microstructure, Mechanical and Electrochemical Properties of Low CN Fe-20%Cr Alloy. <i>Materials Sciences and Applications</i> , 2014 , 05, 568-578	0.3	7
44	Effect of surface burnishing process with different strain paths on the copper microstructure. <i>Journal of Manufacturing Processes</i> , 2021 , 71, 653-668	5	6
43	Severe Plastic Deformation Processes: Modeling and Workability. 2000 , 57-64		0
42	Plastic deformation of ordered intermetallic alloys. 2005 , 164-202		
41	Cube textured tapes for use in YBa ₂ Cu ₃ O ₇ -x coated conductor applications. <i>International Journal of Materials Research</i> , 2006 , 97, 1363-1371	0.5	
40	Finite Element Analysis of Continuous Rotary-Die Equal Channel Angular Pressing. <i>Transactions of Materials Processing</i> , 2006 , 15, 524-528		2

39	Mechanical Properties and Formability of ECAE Processed Metals. <i>Journal of the Japan Society for Technology of Plasticity</i> , 2009 , 50, 181-185	0.3	
38	Enhanced Mechanical Properties of Nanostructured Metals Produced by SPD Techniques. 2011 , 31-59		
37	3-Dimensional Microstructure of Al-Al ₃ Ti Alloy Severely Deformed by ECAP. 2012 , 1575-1580		2
36	3-Dimensional Microstructure of Al-Al ₃ Ti Alloy Severely Deformed by ECAP. 1574-1580		
35	Microstructure of Titanium Thin Plates Formed by Compression Shearing Method at Room Temperature. <i>Journal of the Japan Society for Technology of Plasticity</i> , 2013 , 54, 186-190	0.3	
34	Effects of Processing Routes on the Deformation Behavior of an AZ61 Mg Alloy by Half Channel Angular Extrusion(HCAE) using 3D Finite Element Analysis. <i>Transactions of Materials Processing</i> , 2014 , 23, 151-158		
33	Nanostructured Bulk Cu Obtained by Consolidation of Cu Particles Using Equal Channel Angular Extrusion. 125-138		
32	PROCESSAMENTO E CARACTERIZAÇ�O DE TIT�NIO SUBMETIDO � METALURGIA DO P�O EXTRUS�O ANGULAR EM CANAL.		
31	Fatigue Fracture of Duplex Stainless Steel with Heterogeneous Nanostructure by Heavy Cold Rolling. <i>Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan</i> , 2019 , 105, 272-281	0.5	4
30	Ecap Consolidation and Heat Treatment of Blended Elemental Powders of Iron, Chromium, Nickel and Manganese. <i>Materials Research</i> , 2019 , 22,	1.5	0
29	Fatigue Properties of SUS316LN Stainless Steel Sheet with Heterogeneous Nano-structure Developed by Heavy Cold Rolling. <i>Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan</i> , 2020 , 106, 507-516	0.5	0
28	Biyo�mimetik implant uygulamalar�n saf �hko tozlar�ndan �nce taneli yap�lar�n malat�ve �zelliklerime Davran�n Karakterizasyonu. <i>D�ce Universitesi Bilim Ve Teknoloji Dergisi</i> ,	0.1	
27	Role of Dual Specificity Phosphatase in Stress and Starch Metabolism. 2020 , 331-351		1
26	Precipitation Behavior in Age-Hardenable Alloys after Severe Plastic Deformation. 2006 , 129-136		
25	The Deformation Characteristics of Pure Aluminum Processed by Equal-Channel Angular Pressing. 2006 , 201-208		
24	Extraordinary fracture toughness in nickel induced by heterogeneous grain structure. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022 , 830, 142313	5.3	0
23	Texture evolution in high-pressure torsion processing. <i>Progress in Materials Science</i> , 2022 , 125, 100886	42.2	6
22	Microstructure and Microhardness of Directionally Solidified Al-Si Alloys Subjected to an Equal-Channel Angular Pressing Process. <i>Materials Research</i> , 25,	1.5	1

21	High-heat flux Cu-0.8Y alloys investigated by positron annihilation spectroscopy. <i>Journal of Alloys and Compounds</i> , 2022 , 900, 163430	5.7	0
20	Modeling of texture evolution in copper under equal channel angular pressing. <i>International Journal of Materials Research</i> , 2022 , 94, 1189-1198	0.5	1
19	Cryogenic and Room Temperature ECAP Consolidation of Blended Elemental Powders of Aluminum and Copper. <i>Materials Research</i> , 25,	1.5	0
18	Effect of severe plastic deformation on the precipitation kinetics and the properties of CuCoNiBe alloys. <i>Materials Today Communications</i> , 2022 , 31, 103473	2.5	
17	Numerical Investigation of Plastic Strain Homogeneity during Equal-Channel Angular Pressing of a Cu-Zr Alloy. <i>Crystals</i> , 2021 , 11, 1505	2.3	0
16	Thermal Stability and Mechanical Properties of Al-Zn and Al-Bi-Zn Alloys Deformed by ECAP. <i>Metals</i> , 2021 , 11, 2043	2.3	
15	Cryogenic forming of AA6065 by ECAP. <i>Materials Today: Proceedings</i> , 2022 ,	1.4	1
14	Optimization of processing conditions in equal channel angular pressing for superior structure and properties. <i>Journal of Mines, Metals and Fuels</i> , 2022 , 69, 317		
13	Effect of processing route on grain refinement and mechanical properties in equal channel angular pressing of aluminium alloy AA7068. <i>Journal of Mines, Metals and Fuels</i> , 2022 , 69, 1		
12	Deformation mechanisms of pure Ti during equal channel angular pressing. <i>Metals and Materials International</i> , 2002 , 8,	2.4	2
11	Dynamic Mechanical Behaviors and Microstructural Evolution of Low Carbon Silicon - Manganese Q&P Steel. <i>SSRN Electronic Journal</i> ,	1	
10	Novel product design of tool for investigating formability with microstructural study of bio-material titanium grade-II thin foils. <i>International Journal on Interactive Design and Manufacturing</i> ,	1.9	
9	Understanding the Fabrication of Ultrafine Grains Through Severe Plastic Deformation Techniques: An Overview.		0
8	The microstructural, textural, and mechanical effects of high-pressure torsion processing on Mg alloys: A review. 9,		0
7	Influence of Processing Route on the Fracture Resistance of Equal Channel Angular Pressing Deformed Iron. 2201011		0
6	Microstructure evolution and wear properties of ECAP-treated Al-Zn-Mg alloy: Effect of route, temperature and number of passes. 2022 , 104628		1
5	An Overview of Deformation Path Shapes on Equal Channel Angular Pressing. 2022 , 12, 1800		1
4	Lamellae orientation and structure evolution of reinforced poly(lactic acid) via equal channel angular extrusion.		0

- 3 Deformation Behavior, Recrystallization Kinetics, Strengthening Mechanisms and Residual Stress in Al-Mg-Si-Ag Alloy Processed by Equal-Channel Angular Pressing. ○
- 2 Microstructure Evolution and Local Hardness of Mg₇₀Zn Alloys Processed by ECAE. **2023**, ○
- 1 Twenty years of the CoCrFeNiMn high-entropy alloy: achieving exceptional mechanical properties through microstructure engineering. **2023**, 23, 3362-3423 ○