

CITATION REPORT

List of articles citing

Sorption of dye from aqueous solution by peat

DOI: 10.1016/s0923-0467(98)00076-1
Chemical Engineering Journal, 1998, 70, 115-124.

Source: <https://exaly.com/paper-pdf/29130449/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2296	Sorption of Poly- and Perfluoroalkyl Substances (PFASs) Relevant to Aqueous Film-Forming Foam (AFFF)-Impacted Groundwater by Biochars and Activated Carbon.		
2295	Surface Ion-Imprinted Polypropylene Nonwoven Fabric for Potential Uranium Seawater Extraction with High Selectivity over Vanadium.		
2294	Novel Ion-Imprinted Carbon Material Induced by Hyperaccumulation Pathway for the Selective Capture of Uranium.		
2293	Simple Solution Plasma Synthesis of Hierarchical Nanoporous MnO ₂ for Organic Dye Removal.		
2292	A Novel One-Pot Route for Large-Scale Synthesis of Novel Magnetic CNTs/Fe@C Hybrids and Their Applications for Binary Dye Removal.		
2291	Graphene-Based Materials for the Fast Removal of Cytokines from Blood Plasma.		
2290	Mechanism-Property Correlation in Coordination Polymer Crystals toward Design of a Superior Sorbent.		
2289	Encapsulation of Silica Nanotubes from Elephant Grass with Graphene Oxide/Reduced Graphene Oxide and Its Application in Remediation of Sulfamethoxazole from Aqueous Media.		
2288	High-Capacity and Photoregenerable Composite Material for Efficient Adsorption and Degradation of Phenanthrene in Water.		
2287	Guanidine and Amidoxime Cofunctionalized Polypropylene Nonwoven Fabric for Potential Uranium Seawater Extraction with Antifouling Property.		
2286	Facile Modification of a Polythiophene/TiO ₂ Composite Using Surfactants in an Aqueous Medium for an Enhanced Pb(II) Adsorption and Mechanism Investigation.		
2285	Adsorptive and Membrane-Type Separations: A Bibliographical Update (1998). 1999 , 17, 205-232		4
2284	Adsorption in a Centrifugal Field: Basic Dye Adsorption by Activated Carbon. 2000 , 39, 161-167		66
2283	Desorption of dye from activated carbon beds: effects of temperature, pH, and alcohol. 2001 , 35, 4159-65		130
2282	SORPTION BEHAVIOR OF CATIONIC AND ANIONIC DYES FROM AQUEOUS SOLUTION ON DIFFERENT TYPES OF ACTIVATED CARBONS. 2001 , 36, 91-102		89
2281	Sorption kinetics of lead ions by zeolite tuff. 2001 , 36, 1055-72		18
2280	SORPTION KINETICS FOR DYE REMOVAL FROM AQUEOUS SOLUTION USING ACTIVATED CLAY. 2001 , 36, 2473-2488		150

2279	Comment on Removal of Ni ²⁺ and Cu ²⁺ Ions from Aqueous Solutions on to Lignite-based Carbons by S.E. Samra. 2002 , 20, 199-201	11
2278	Elucidation of Controlling Steps of Reactive Dye Adsorption on Activated Carbon. 2002 , 41, 1651-1657	85
2277	Equilibrium and kinetic modeling of adsorption of reactive dye on cross-linked chitosan beads. 2002 , 93, 233-48	545
2276	Removal of Metal Ions from Sodium Arsenate Solution Using Tree Fern. 2003 , 81, 352-356	14
2275	Comment on "Adsorption of fluoride, phosphate, and arsenate ions on a new type of ion exchange fiber," by R.X. Liu, J.L. Guo, and H.X. Tang. 2003 , 262, 307-8	18
2274	Adsorption characteristics of the dye, Brilliant Green, on Neem leaf powder. 2003 , 57, 211-222	232
2273	Studies on adsorption of dyes on beta-cyclodextrin polymer. 2003 , 90, 193-8	218
2272	Affinity dye-gand poly(hydroxyethyl methacrylate)/chitosan composite membrane for adsorption lysozyme and kinetic properties. 2003 , 15, 77-78	7
2271	Mechanisms of arsenate adsorption by highly-ordered nano-structured silicate media impregnated with metal oxides. 2003 , 37, 5062-70	82
2270	A comparative study on the biosorption characteristics of some yeasts for Remazol Blue reactive dye. 2003 , 50, 1075-83	244
2269	Adsorption behavior of reactive dye in aqueous solution on chemical cross-linked chitosan beads. 2003 , 50, 1095-105	618
2268	The adsorption of basic dyes from aqueous solution on modified peat-resin particle. 2003 , 37, 1535-44	444
2267	Kinetic analysis for the removal of a reactive dye from aqueous solution onto hydrotalcite by adsorption. 2003 , 37, 3023-33	140
2266	Sorption of basic dyes onto iron humate. 2003 , 37, 5792-8	113
2265	Preparation and Examination of Activated Carbons from Date Pits Impregnated with Potassium Hydroxide for the Removal of Methylene Blue from Aqueous Solutions. 2003 , 21, 597-606	41
2264	Kinetics and Equilibrium Study of Cadmium Ion Sorption onto Date Pits [An Agricultural Waste. 2003 , 21, 245-260	28
2263	Adsorption of dyes using peat: equilibrium and kinetic studies. 2004 , 25, 987-96	25
2262	Citation review of Lagergren kinetic rate equation on adsorption reactions. 2004 , 59, 171-177	1174

2261	Adsorption of Congo red from aqueous solution onto calcium-rich fly ash. 2004 , 274, 371-9	235
2260	Comment on "Removal of copper from aqueous solution by aminated and protonated mesoporous aluminas: kinetics and equilibrium," by S. Rengaraj, Y. Kim, C.K. Joo, and J. Yi. 2004 , 276, 255-8	16
2259	Azadirachta indica leaf powder as an effective biosorbent for dyes: a case study with aqueous Congo Red solutions. 2004 , 71, 217-29	309
2258	Adsorption of anionic dyes in acid solutions using chemically cross-linked chitosan beads. 2004 , 60, 69-84	509
2257	"Kinetic modeling and equilibrium studies during cadmium biosorption by dead Sargassum sp. biomass" by Cruz, C.C.V., da Costa, A.C.A., Henriques, C.A., Luna, A.S., Bioresource Technology, 91(3) (2004) 249-257. 2004 , 93, 321-3	14
2256	Copper (II) adsorption from aqueous solution by herbaceous peat. 2004 , 269, 303-9	173
2255	Sorption of acid red 57 from aqueous solution onto sepiolite. 2004 , 116, 135-45	224
2254	Comment on "Sorption of basic dyes from aqueous solution by activated sludge" [J. Hazard. Mater. 108 (2004) 183-188]. 2004 , 114, 241-5	11
2253	Comment on "An alternative Avrami equation to evaluate kinetic parameters of the interaction of Hg(II) with thin chitosan membranes," by E.C.N. Lopes, F.S.C. dos Anjos, E.F.S. Vieira, and A.R. Cestari. 2004 , 272, 249-50	10
2252	Kinetic models of sorption: a theoretical analysis. 2004 , 276, 47-52	1491
2251	Adsorption of naphthalene on zeolite from aqueous solution. 2004 , 277, 29-34	126
2250	Kinetic modeling of liquid-phase adsorption of phosphate on dolomite. 2004 , 277, 257-63	161
2249	Adsorption of Acid Blue 193 from aqueous solutions onto Na-bentonite and DTMA-bentonite. 2004 , 280, 44-54	362
2248	Adsorption of UO ₂ ²⁺ on tannins immobilized collagen fiber membrane. 2004 , 243, 235-241	45
2247	Use of Chromium Collagen Wastes for the Removal of Tannins from Wastewaters. 2004 , 43, 5310-5317	29
2246	Adsorptive Removal of Catechol on Waste Fe(III)/Cr(III) Hydroxide: Equilibrium and Kinetics Study. 2004 , 43, 7581-7587	39
2245	Partial Purification of Anthocyanins from Brassica oleracea (Red Cabbage). 2004 , 39, 3769-3782	29
2244	Adsorption of naphthalene on zeolite from aqueous solution. 2004 ,	

2243	Comment on "Cadmium removal from aqueous solutions by chitin: kinetic and equilibrium studies". 2004 , 38, 2962-4, author reply 2965	33
2242	Kinetics and mechanism of removal of methylene blue by adsorption onto perlite. 2004 , 109, 141-8	364
2241	Metal Ion Adsorption by Peat and Solvent-Extracted Peat. 2004 , 22, 783-793	2
2240	Response to comment on "Two-stage batch sorber design using second-order kinetic model for the sorption of metal complex dyes onto pine sawdust" by Dr. Y.-S. Ho, Biochem. Eng. J. 21 (2004) 39-45. 2005 , 23, 293	2
2239	Comments on "Study on biosorption of Cr(VI) by <i>Mucor hiemalis</i> " 2005 , 26, 82-83	5
2238	Removal of direct red 12B and methylene blue from water by adsorption onto Fe (III)/Cr (III) hydroxide, an industrial solid waste. 2005 , 74, 207-15	109
2237	Comment on "nitrate removal from aqueous solution by adsorption onto various materials" by N. Oztürk, T.E. Bektaş 2005 , 118, 253-4	5
2236	Effects of calcium competition on lead sorption by palm kernel fibre. 2005 , 120, 157-62	28
2235	Determination of the equilibrium, kinetic and thermodynamic parameters of adsorption of copper(II) ions onto seeds of <i>Capsicum annum</i> . 2005 , 124, 200-8	228
2234	Batch and column studies on biosorption of acid dyes on fresh water macro alga <i>Azolla filiculoides</i> . 2005 , 125, 121-9	162
2233	Adsorption of Acid Red 57 from aqueous solutions onto surfactant-modified sepiolite. 2005 , 125, 252-9	271
2232	Biosorption of Acid Red 274 (AR 274) on <i>Enteromorpha prolifera</i> in a batch system. 2005 , 126, 119-27	92
2231	Kinetic modeling of liquid-phase adsorption of reactive dyes on activated carbon. 2005 , 287, 25-34	308
2230	Effects of surfactants on the adsorptive removal of basic dyes from water using an organomineral sorbent-iron humate. 2005 , 291, 19-27	64
2229	Kinetics and equilibrium adsorption of Cu(II), Cd(II), and Ni(II) ions by chitosan functionalized with 2[-bis-(pyridylmethyl)aminomethyl]-4-methyl-6-formylphenol. 2005 , 291, 369-74	141
2228	Comments on "Chitosan functionalized with 2[-bis-(pyridylmethyl)aminomethyl]-4-methyl-6-formyl-phenol: equilibrium and kinetics of copper (II) adsorption" 2005 , 46, 1451-1452	5
2227	Adsorption of Acid Blue 193 from aqueous solutions onto BTMA-bentonite. 2005 , 266, 73-81	319
2226	Comment on "Two-stage batch sorber design using second-order kinetic model for the sorption of metal complex dyes onto pine sawdust" by Zaccar, M. and Engler, J.A.. 2005 , 23, 291-292	8

2225	Kinetics and thermodynamics of Methylene Blue adsorption on Neem (<i>Azadirachta indica</i>) leaf powder. 2005 , 65, 51-59	498
2224	Comment on "Selective adsorption of tannins onto hide collagen fibres" 2005 , 48, 176	6
2223	Removal of herbicide from water with sodium chloride using surfactant treated alumina for wastewater treatment. 2005 , 41, 65-71	18
2222	Adsorption of boron from aqueous solutions using fly ash: batch and column studies. 2005 , 127, 81-8	181
2221	Comment on "Adsorption of naphthalene on zeolite from aqueous solution" by C.F. Chang, C.Y. Chang, K.H. Chen, W.T. Tsai, J.L. Shie, Y.H. Chen. 2005 , 283, 274-7	19
2220	Biosorbent for tungsten species removal from water: effects of co-occurring inorganic species. 2005 , 292, 344-53	29
2219	Removal of basic dye from aqueous solution using tree fern as a biosorbent. 2005 , 40, 119-124	313
2218	Removal of Phenolic and Lignin Compounds from Bleached Kraft Mill Effluent by Fly Ash and Sepiolite. 2005 , 11, 87-97	54
2217	The Adsorption Kinetics of Cethyltrimethylammonium Bromide (CTAB) onto Powdered Active Carbon. 2005 , 10, 339-348	37
2216	Adsorption of heavy metals by brewery biomass. 2005 , 22, 91-98	68
2215	Reply for the comment. 2005 , 48, 176-176	
2214	Behaviour of Reduction Sorption of Chromium (Vi) from an Aqueous Solution on a Modified Sorbent from Rice Husk. 2005 , 163, 81-102	49
2213	Zeolitisation of fly ash for sorption of dyes in aqueous solutions. 2005 , 161-168	4
2212	Kinetic studies of adsorption of thiocyanate onto ZnCl ₂ activated carbon from coir pith, an agricultural solid waste. 2005 , 60, 1616-23	44
2211	Comment on "Removal of chlorophenols from groundwater by chitosan sorption". 2005 , 39, 264-8; author reply 269	5
2210	Use of algae for removing heavy metal ions from wastewater: progress and prospects. 2005 , 25, 113-52	557
2209	Adsorption Behaviors of Pt(II) and Pd(II) on Collagen Fiber Immobilized Bayberry Tannin. 2005 , 44, 4221-4226	67
2208	Removal of Dyes from Wastewater Using Bottom Ash. 2005 , 44, 3655-3664	200

2207	Uptake of molybdate by adsorption onto industrial solid waste Fe(III)/Cr(III) hydroxide: kinetic and equilibrium studies. 2006 , 27, 923-32	15
2206	Kinetic Studies on Fluoride Removal by Calcined Layered Double Hydroxides. 2006 , 45, 8623-8628	76
2205	Removal of selenite using waste Fe(III)/Cr(III) hydroxide: Adsorption kinetics and isotherms. 2006 , 88, 85-98	9
2204	Mechanisms of competitive adsorption of Pb, Cu, and Cd on peat. 2006 , 144, 669-80	179
2203	Removal of a cationic dye from aqueous solutions by adsorption onto bentonite clay. 2006 , 63, 1842-8	455
2202	Investigation on the adsorption capability of egg shell membrane towards model textile dyes. 2006 , 65, 1999-2008	120
2201	Comment on equilibrium and kinetics studies of adsorption of copper(II) on chitosan and chitosan/PVA beads. 2006 , 38, 148-9	3
2200	Uptake of chloride ion from aqueous solution by calcined layered double hydroxides: equilibrium and kinetic studies. 2006 , 40, 735-43	177
2199	Nickel adsorption by magnetic alginate microcapsules containing an extractant. 2006 , 40, 1848-56	160
2198	Bioaccumulation and biosorption of drimarene red dye by <i>Aspergillus foetidus</i> . 2006 , 28, 517	8
2197	Kinetic studies of adsorption of lead(II) from aqueous solution by wine-processing waste sludge. 2006 , 78, 263-8	1
2196	Studies of the Selective Removal of Micro-Quantities of Platinum(IV) Ions from Macro-Quantities of Model Solutions of Aluminium, Copper, Iron, Nickel and Zinc Chloride on Anion-Exchangers of Various Types. 2006 , 24, 559-569	3
2195	Studies of removal of platinum (IV) ion microquantities from the model chloride solutions on the ion exchangers of the functional quaternary ammonium groups. 2006 , 197, 82-93	14
2194	Kinetics of the adsorption of reactive dyes by chitosan. 2006 , 70, 76-83	132
2193	Non-conventional low-cost adsorbents for dye removal: a review. 2006 , 97, 1061-85	3034
2192	Biosorption of copper(II) and cobalt(II) from aqueous solutions by crab shell particles. 2006 , 97, 1411-9	255
2191	Biosorption kinetics and isotherm studies of Acid Red 57 by dried <i>Cephalosporium aphidicola</i> cells from aqueous solutions. 2006 , 31, 197-203	114
2190	Adsorption behaviors of acid and basic dyes on crosslinked amphoteric starch. <i>Chemical Engineering Journal</i> , 2006 , 117, 161-167	14.7 93

2189	Application of <i>Azolla rongpong</i> on biosorption of acid red 88, acid green 3, acid orange 7 and acid blue 15 from synthetic solutions. <i>Chemical Engineering Journal</i> , 2006 , 122, 55-63	14.7	58
2188	Effects of cationic and anionic surfactants on the adsorption of toluidine blue onto fly ash. 2006 , 281, 15-22		28
2187	Removal of molybdate from water by adsorption onto ZnCl ₂ activated coir pith carbon. 2006 , 97, 1194-200		76
2186	The sorption of acid dye onto chitosan nanoparticles. 2006 , 47, 5838-5842		100
2185	Isotherms, kinetics and thermodynamics of dye biosorption by anaerobic sludge. 2006 , 50, 1-7		112
2184	Adsorption of 18-crown-6 from aqueous solution on granular activated carbon: a kinetic modeling study. 2006 , 299, 112-5		48
2183	Removal of copper on composite sewage sludge/industrial sludge-based adsorbents: the role of surface chemistry. 2006 , 302, 379-88		51
2182	Use of statistical design of experiments to evaluate the sorption capacity of 7-amine-4-azaheptylsilica and 10-amine-4-azadecylsilica for Cu(II), Pb(II), and Fe(III) adsorption. 2006 , 302, 396-407		33
2181	Adsorptive removal of phosphate from aqueous solutions using raw and calcinated dolomite. 2006 , 128, 273-9		155
2180	Adsorption of Acid Blue 193 from aqueous solutions onto DEDMA-sepiolite. 2006 , 129, 244-52		129
2179	The adsorption kinetics of the cationic dye, methylene blue, onto clay. 2006 , 131, 217-28		343
2178	Factors influencing the removal of fluoride from aqueous solution by calcined Mg-Al-CO ₃ layered double hydroxides. 2006 , 133, 119-28		211
2177	Comparative sorption kinetic studies of ammonium onto zeolite. 2006 , 133, 252-6		108
2176	Coal ash conversion into effective adsorbents for removal of heavy metals and dyes from wastewater. 2006 , 133, 243-51		153
2175	Equilibrium and kinetics studies for the adsorption of direct and acid dyes from aqueous solution by soy meal hull. 2006 , 135, 171-9		309
2174	Batch study of liquid-phase adsorption of methylene blue using cedar sawdust and crushed brick. 2006 , 135, 264-73		353
2173	Trivalent chromium removal from wastewater using low cost activated carbon derived from agricultural waste material and activated carbon fabric cloth. 2006 , 135, 280-95		317
2172	Adsorption of copper ions onto microwave stabilized heavy metal sludge. 2006 , 136, 338-44		25

2171	Review of second-order models for adsorption systems. 2006 , 136, 681-9	2737
2170	Studies of removal of platinum(IV) ion microquantities from the model solutions of aluminium, copper, iron, nickel and zinc chloride macroquantities on the anion exchanger Duolite S 37. 2006 , 136, 770-5	23
2169	Seaweeds for the remediation of wastewaters contaminated with zinc(II) ions. 2006 , 136, 791-9	93
2168	Adsorption of Cu(II) ions on cotton boll. 2006 , 136, 911-6	92
2167	Preparation of steam activated carbon from rubberwood sawdust (<i>Hevea brasiliensis</i>) and its adsorption kinetics. 2006 , 136, 922-9	94
2166	Liquid phase adsorption of Crystal violet onto activated carbons derived from male flowers of coconut tree. 2006 , 136, 800-8	253
2165	Kinetic studies of copper ion adsorption on palm kernel fibre. 2006 , 137, 1796-802	91
2164	Kinetics of adsorption of dyes from aqueous solution using activated carbon prepared from waste apricot. 2006 , 137, 1719-28	148
2163	Lead(II) Adsorption from Aqueous Solution by Poly(ethylene terephthalate)-g-Acrylamide Fibers. 2006 , 13, 1-8	23
2162	Uptake of Basic Blue 17 from aqueous solutions by using chemically crosslinked polyelectrolyte AAm/AASS hydrogels. 2006 , 12, 77-88	17
2161	Removal and recovery of vanadium(V) by adsorption onto ZnCl ₂ activated carbon: Kinetics and isotherms. 2006 , 12, 103-117	79
2160	Biosorption of copper (II) and lead (II) from aqueous solutions by nonliving green algae <i>Cladophora fascicularis</i> : Equilibrium, kinetics and environmental effects. 2006 , 12, 267-277	91
2159	Equilibrium and kinetics for the sorption of promethazine hydrochloride onto K10 montmorillonite. 2006 , 299, 155-62	64
2158	Adsorption of 2,4-D and carbofuran pesticides using fertilizer and steel industry wastes. 2006 , 299, 556-63	219
2157	Adsorption of Cr(III), Ni(II), Zn(II), Co(II) ions onto phenolated wood resin. 2006 , 101, 2838-2846	24
2156	Anionic dye adsorption characteristics of surfactant-modified coir pith, a waste lignocellulosic polymer. 2006 , 100, 1538-1546	37
2155	Adsorption of bismuth(III) by bayberry tannin immobilized on collagen fiber. 2006 , 81, 1301-1306	11
2154	Adsorption Kinetics for the Removal of Nitrite Ions from Aqueous Solutions by an Ion-Exchange Resin. 2006 , 24, 131-142	8

2153	?Applicability of Equilibrium Isotherm Models for the Biosorptive Uptakes in Comparison to Activated Carbon-Based Adsorption. 2006 , 132, 1589-1599	24
2152	Removal of chromium(VI) by ZnCl ₂ activated coir pith carbon. 2006 , 88, 219-233	13
2151	Modelling the kinetics and equilibrium properties of cadmium biosorption by river green alga and water hyacinth weed. 2007 , 89, 297-305	14
2150	Adsorption of Zinc Ions from Water Using Zeolite/Iron Oxide Composites. 2007 , 25, 729-740	11
2149	Kinetics of Basic Dye Adsorption onto Sphagnum Magellanicum Peat. 2007 , 25, 637-646	13
2148	Retention of inorganic arsenic by coryneform mutant strains. 2007 , 41, 531-42	13
2147	Treatment of high fluoride concentration water by MgAl-CO ₃ layered double hydroxides: kinetic and equilibrium studies. 2007 , 41, 1534-42	177
2146	Adsorption of Acid Red 73 on copper dithiocarbamate precipitate-type solid wastes. 2007 , 66, 1-7	24
2145	Binding affinity of proanthocyanidin from waste Pinus radiata bark onto proline-rich bovine achilles tendon collagen type I. 2007 , 67, 1618-27	71
2144	Extended geometric method: a simple approach to derive adsorption rate constants of Langmuir-Freundlich kinetics. 2007 , 68, 2040-6	74
2143	Immobilization of polyphenol oxidase onto mesoporous activated carbons -- isotherm and kinetic studies. 2007 , 69, 262-70	31
2142	Kinetics of cadmium desorption from fibrous silicate clay minerals: Influence of organic ligands and aging. 2007 , 37, 175-184	42
2141	Equilibrium and kinetic adsorption study of a cationic dye by a natural adsorbent--silkworm pupa. 2007 , 139, 167-74	135
2140	Hydrous ferric oxide incorporated diatomite for remediation of arsenic contaminated groundwater. 2007 , 41, 3322-8	50
2139	Adsorption of Methylene Blue from Aqueous Solutions on a Moroccan Clay. 2007 , 52, 1621-1625	68
2138	Adsorption Behavior of Chlorophenols on Natural Zeolite. 2007 , 42, 3187-3197	9
2137	A Full Analytical Solution for the Sorption/Desorption Kinetic Process Related to Langmuir Equilibrium Conditions. 2007 , 111, 1816-1819	5
2136	Removal of quinol from aqueous solution by adsorption onto Fe(III)/Cr(III) hydroxide and application to real effluent treatment. 2007 , 64, 195-206	

2135	Bioremediation potential of live and dead Spirulina: spectroscopic, kinetics and SEM studies. 2007 , 96, 1051-63	80
2134	Removal of basic blue 41 from aqueous solution by carboxymethylated Posidonia oceanica. 2007 , 103, 1215-1225	18
2133	Recovery of boron from borax sludge using solid-liquid extraction followed by ion exchange with amberlite resin. 2007 , 26, 157-163	4
2132	The use of toxic solid waste for the adsorption of dyes from waste streams. 2007 , 82, 407-413	10
2131	Kinetics and equilibrium of adsorption of organic solutes on mesoporous carbons. 2007 , 253, 5818-5826	54
2130	A simple method to prepare poly(amic acid)-modified biomass for enhancement of lead and cadmium adsorption. 2007 , 33, 126-133	87
2129	Adsorptive removal of silica onto waste Fe(III)/Cr(III) hydroxide: Kinetics and isotherms. 2007 , 295, 55-60	11
2128	Utilization of modified silk cotton hull waste as an adsorbent for the removal of textile dye (reactive blue MR) from aqueous solution. 2007 , 98, 1265-9	53
2127	High performance biosorbent (Caulerpa lentillifera) for basic dye removal. 2007 , 98, 1567-72	82
2126	Aspects of cationic dye molecule adsorption to palygorskite. 2007 , 214, 327-342	150
2125	Adsorption of methylene blue by acid and heat treated diatomaceous silica. 2007 , 217, 212-224	94
2124	Comments on An adsorption and kinetic study of lac dyeing on silk 2007 , 72, 134-136	10
2123	Kinetics of the adsorption of reactive dyes by chitin. 2007 , 73, 168-177	94
2122	Equilibrium sorption of anionic dye from aqueous solution by palm kernel fibre as sorbent. 2007 , 74, 60-66	168
2121	Adsorption characteristics of Congo Red on coal-based mesoporous activated carbon. 2007 , 74, 34-40	391
2120	Removal of cyanocobalamin from aqueous solution using mesoporous activated carbon. 2007 , 75, 136-142	8
2119	Adsorption and reduction of nitrate in water on hydrotalcite-supported Pd-Cu catalyst. 2007 , 126, 476-482	35
2118	Adsorption of lead onto formaldehyde or sulphuric acid treated acorn waste: Equilibrium and kinetic studies. 2007 , 37, 192-200	103

2117	Adsorptive removal of congo red, a carcinogenic textile dye by chitosan hydrobeads: Binding mechanism, equilibrium and kinetics. 2007 , 299, 146-152	303
2116	Equilibrium and kinetics studies of 2,4,6-trichlorophenol adsorption onto activated clay. 2007 , 307, 45-52	151
2115	Sorption studies of a model anionic dye on crosslinked chitosan. 2007 , 310, 20-31	33
2114	Adsorption of dyes from aqueous solutions on activated charcoal. 2007 , 139, 57-66	341
2113	Kinetic and equilibrium studies of methylene blue biosorption by <i>Posidonia oceanica</i> (L.) fibres. 2007 , 139, 280-5	256
2112	Effect of pH on cadmium biosorption by coconut copra meal. 2007 , 139, 356-62	139
2111	Utilization of fermentation waste (<i>Corynebacterium glutamicum</i>) for biosorption of Reactive Black 5 from aqueous solution. 2007 , 141, 45-52	126
2110	Modification of bentonite with a cationic surfactant: An adsorption study of textile dye Reactive Blue 19. 2007 , 140, 173-9	226
2109	Adsorption of methylene blue onto bamboo-based activated carbon: kinetics and equilibrium studies. 2007 , 141, 819-25	981
2108	Removal of basic yellow dye from aqueous solution by sorption on green alga <i>Caulerpa scalpelliformis</i> . 2007 , 142, 68-76	260
2107	Dye removal by low cost adsorbents: hazelnut shells in comparison with wood sawdust. 2007 , 142, 144-52	319
2106	Evaluation of Fuller's earth for the adsorption of mercury from aqueous solutions: a comparative study with activated carbon. 2007 , 142, 165-74	104
2105	Removal of Reactofix golden yellow 3 RFN from aqueous solution using wheat husk--An agricultural waste. 2007 , 142, 443-8	314
2104	Adsorption of p-nitrophenol from aqueous solutions onto activated carbon fiber. 2007 , 143, 49-56	152
2103	Equilibrium and kinetic mechanism for Reactive Black 5 sorption onto high lime Soma fly ash. 2007 , 143, 226-32	52
2102	Adsorption characteristics of Cu(II) onto ion exchange resins 252H and 1500H: kinetics, isotherms and error analysis. 2007 , 143, 469-77	160
2101	Adsorption of reactive dye onto carbon nanotubes: equilibrium, kinetics and thermodynamics. 2007 , 144, 93-100	436
2100	Removal of methylene blue from aqueous solution by peat. 2007 , 144, 412-9	87

2099	Adsorption of platinum (IV), palladium (II) and gold (III) from aqueous solutions onto L-lysine modified crosslinked chitosan resin. 2007 , 146, 39-50	378
2098	Mechanisms and kinetics of chelating reaction between novel chitosan derivatives and Zn(II). 2007 , 146, 58-64	64
2097	Investigation kinetics mechanisms of adsorption malachite green onto activated carbon. 2007 , 146, 194-203	139
2096	Cationic polyelectrolyte/bentonite prepared by ultrasonic technique and its use as adsorbent for Reactive Blue K-GL dye. 2007 , 147, 370-80	41
2095	Sorption of Cd(II) and Se(IV) from aqueous solution using modified rice husk. 2007 , 147, 546-55	98
2094	Hybrid biosorbent: An innovative matrix to enhance the biosorption of Cd(II) from aqueous solution. 2007 , 148, 47-55	76
2093	Adsorption characteristics of Cu(II) and Pb(II) onto expanded perlite from aqueous solution. 2007 , 148, 387-94	208
2092	Elucidation of the naproxen sodium adsorption onto activated carbon prepared from waste apricot: kinetic, equilibrium and thermodynamic characterization. 2007 , 148, 727-34	130
2091	Equilibrium, kinetic and thermodynamic studies of adsorption of Pb(II) from aqueous solution onto Turkish kaolinite clay. 2007 , 149, 283-91	314
2090	Chromium and zinc uptake by algae Gelidium and agar extraction algal waste: kinetics and equilibrium. 2007 , 149, 643-9	48
2089	Adsorption of copper and zinc from aqueous solutions by using natural clay. 2007 , 149, 226-33	350
2088	Production of an immobilized hybrid biosorbent for the sorption of Ni(II) from aqueous solution. 2007 , 42, 148-157	36
2087	Kinetic and equilibrium models for biosorption of Cr(VI) on chemically modified seaweed, <i>Cystoseira indica</i> . 2007 , 42, 1521-1529	108
2086	Removal of Reactofix Navy Blue 2 GFN from aqueous solutions using adsorption techniques. 2007 , 307, 326-32	47
2085	Kinetics of sorption of polyaromatic hydrocarbons onto granular activated carbon and Macronet hyper-cross-linked polymers (MN200). 2007 , 310, 35-46	77
2084	Adsorption studies on the removal of Vertigo Blue 49 and Orange DNA13 from aqueous solutions using carbon slurry developed from a waste material. 2007 , 315, 87-93	225
2083	Treatment of methyl orange by calcined layered double hydroxides in aqueous solution: adsorption property and kinetic studies. 2007 , 316, 284-91	229
2082	Influence of anions on the adsorption kinetics of salicylate onto alpha-alumina in aqueous medium. 2007 , 316, 260-7	14

2081	Adsorption of Protein from Model Wine Solution by Different Bentonites. 2007 , 15, 632-638		35
2080	Removal of anionic dyes from aqueous solution using poly [N-vinyl pyrrolidone/2-(methacryloyloxyethyl) trimethyl ammonium chloride] superswelling hydrogels. 2007 , 58, 359-369		26
2079	Study by thermal methods on the materials obtained by dye removal from waste waters with beech flour. 2007 , 89, 625-631		11
2078	Adsorption kinetics of fluoride on iron(III)-zirconium(IV) hybrid oxide. 2007 , 13, 83-94		100
2077	Adsorptive removal of phenols by Fe(III)/Cr(III) hydroxide, an industrial solid waste. 2007 , 9, 215-223		17
2076	Theoretical description of the kinetics of solute adsorption at heterogeneous solid/solution interfaces. 2007 , 253, 5827-5840		88
2075	Sorption dynamics and isotherm studies of methylene blue uptake on to palm kernel fibre. <i>Chemical Engineering Journal</i> , 2007 , 126, 35-43	14.7	90
2074	Equilibrium and kinetic studies on basic dye adsorption by oil palm fibre activated carbon. <i>Chemical Engineering Journal</i> , 2007 , 127, 111-119	14.7	565
2073	Kinetics and mechanism of methylene blue sorption onto palm kernel fibre. 2007 , 42, 16-24		70
2072	Biosorption of reactive dye by loofa sponge-immobilized fungal biomass of <i>Phanerochaete chrysosporium</i> . 2007 , 42, 1160-1164		81
2071	Determination of kinetic parameters from isothermal calorimetry for interaction processes of pyrimethamine with chitosan derivatives. 2007 , 67, 820-827		14
2070	Removal of boron from seawater by selective ion exchange resins. 2007 , 67, 1643-1650		102
2069	Adsorption of inorganic and organic arsenic from aqueous solutions by polymeric Al/Fe modified montmorillonite. 2007 , 56, 90-100		181
2068	Evaluation of fermentation waste (<i>Corynebacterium glutamicum</i>) as a biosorbent for the treatment of nickel(II)-bearing solutions. 2008 , 41, 228-233		22
2067	Adsorption of Direct Red 2 on bentonite modified by cetyltrimethylammonium bromide. <i>Chemical Engineering Journal</i> , 2008 , 136, 295-305	14.7	125
2066	Biosorption of hexavalent chromium by chemically modified seaweed, <i>Cystoseira indica</i> . <i>Chemical Engineering Journal</i> , 2008 , 137, 480-488	14.7	107
2065	Chemical modification of <i>Corynebacterium glutamicum</i> to improve methylene blue biosorption. <i>Chemical Engineering Journal</i> , 2008 , 145, 1-6	14.7	57
2064	Obtaining Butter Oil Triacylglycerols Free from β -Carotene and α -Tocopherol via Activated Carbon Adsorption and Alumina-Column Chromatography Treatments. 2008 , 85, 213-219		14

2063	Biosorption of Direct Black 38 by dried anaerobic granular sludge. 2008 , 2, 198-202	2
2062	Influence of pH and ionic strength on Cu(II) biosorption by aerobic granular sludge and biosorption mechanism. 2008 , 83, 806-813	24
2061	Selection and optimisation of macroporous resin for separation of stilbene glycoside from Polygonum multiflorum Thunb.. 2008 , 83, 1422-1427	16
2060	Isotherm modeling for biosorption of Cu(II) and Ni(II) from wastewater onto brown seaweed, Cystoseira indica. 2008 , 54, 3291-3302	15
2059	Evaluation of hyper-cross-linked polymeric sorbents (Macronet MN200 and MN300) on dye (Acid red 14) removal process. 2008 , 68, 679-691	35
2058	Adsorption of naphthalene onto the carbon adsorbent from waste ion exchange resin: equilibrium and kinetic characteristics. 2008 , 150, 656-61	69
2057	Adsorption of reactive dyes from aqueous solutions by fly ash: kinetic and equilibrium studies. 2008 , 150, 737-46	223
2056	Adsorption of malachite green from aqueous solution onto carbon prepared from Arundo donax root. 2008 , 150, 774-82	237
2055	Removal of Acid Violet 17 from aqueous solutions by adsorption onto activated carbon prepared from sunflower seed hull. 2008 , 151, 316-22	125
2054	Adsorption of Direct Red 80 dye from aqueous solution onto almond shells: effect of pH, initial concentration and shell type. 2008 , 151, 730-7	163
2053	Hybrid surfactant-templated mesoporous silica formed in ethanol and its application for heavy metal removal. 2008 , 152, 690-8	157
2052	Bromide ion removal from contaminated water by calcined and uncalcined MgAl-CO ₃ layered double hydroxides. 2008 , 152, 1130-7	61
2051	Equilibrium and kinetic studies of methyl violet sorption by agricultural waste. 2008 , 154, 204-12	265
2050	Sorption of malachite green on chitosan bead. 2008 , 154, 254-61	176
2049	Adsorption of basic dye on high-surface-area activated carbon prepared from coconut husk: equilibrium, kinetic and thermodynamic studies. 2008 , 154, 337-46	805
2048	Biosorption of Cr (VI) from aqueous solutions by biomass of Agaricus bisporus. 2008 , 154, 432-9	118
2047	Equilibrium modeling and kinetic studies on the adsorption of basic dye by a low-cost adsorbent: coconut (Cocos nucifera) bunch waste. 2008 , 158, 65-72	430
2046	Evaluation of the performance of calix[8]arene derivatives as liquid phase extraction material for the removal of azo dyes. 2008 , 158, 202-7	36

2045	Malachite green adsorption by rattan sawdust: isotherm, kinetic and mechanism modeling. 2008 , 159, 574-9	273
2044	Kinetic studies for the biosorption of lead and copper ions by <i>Penicillium simplicissimum</i> immobilized within loofa sponge. 2008 , 159, 610-5	42
2043	Removal of disperse dye from aqueous solution by novel adsorbent prepared from biomass plant material. 2008 , 160, 668-74	69
2042	Mathematical modeling of the kinetics of phenol electrocatalytic hydrogenation over supported Pd/Alumina catalyst. 2008 , 345, 28-42	7
2041	Utilization of durian (<i>Durio zibethinus</i> Murray) peel as low cost sorbent for the removal of acid dye from aqueous solutions. 2008 , 39, 338-343	112
2040	Removal of malachite green (MG) from aqueous solutions by native and heat-treated anaerobic granular sludge. 2008 , 39, 538-546	112
2039	Removal of boron from SWRO permeate by boron selective ion exchange resins containing N-methyl glucamine groups. 2008 , 223, 49-56	64
2038	Adsorption characteristics of lead(II) ions onto the clay/poly(methoxyethyl)acrylamide (PMEA) composite from aqueous solutions. 2008 , 223, 308-322	154
2037	Application of coconut coir pith for the removal of sulfate and other anions from water. 2008 , 219, 1-13	79
2036	Studies on castor seed shell as a sorbent in basic dye contaminated wastewater remediation. 2008 , 227, 190-203	83
2035	Adsorption of basic dye using activated carbon prepared from oil palm shell: batch and fixed bed studies. 2008 , 225, 13-28	321
2034	Utilization of natural zeolite as ion-exchange and sorbent material in the removal of iron. 2008 , 225, 70-81	71
2033	Biosorption of C.I. Reactive Black 5 from aqueous solution using acid-treated biomass of brown seaweed <i>Laminaria</i> sp.. 2008 , 76, 726-732	145
2032	Enhancement of basic dye adsorption uptake from aqueous solutions using chemically modified oil palm shell activated carbon. 2008 , 318, 88-96	90
2031	Amine modified polyacrylamide Bentonite composite for the adsorption of humic acid in aqueous solutions. 2008 , 326, 147-156	95
2030	Adsorption of tripolyphosphate from aqueous solution by Mg/Al/CO ₃ -layered double hydroxides. 2008 , 328, 15-20	36
2029	Experimental binding of lead to a low cost on biosorbent: Nopal (<i>Opuntia streptacantha</i>). 2008 , 99, 1211-7	61
2028	Use of rice husk for the adsorption of congo red from aqueous solution in column mode. 2008 , 99, 2938-46	394

2027	Use of <i>Rhizopus oligosporus</i> produced from food processing wastewater as a biosorbent for Cu(II) ions removal from the aqueous solutions. 2008 , 99, 4943-8		56
2026	Production and comparison of high surface area bamboo derived active carbons. 2008 , 99, 8909-16		86
2025	Evaluation of the adsorption kinetics and equilibrium for the potential removal of acid dyes using a biosorbent. <i>Chemical Engineering Journal</i> , 2008 , 139, 2-10	14.7	120
2024	Effects of process variables on kinetics of methylene blue sorption onto untreated guava (<i>Psidium guajava</i>) leaf powder: Statistical analysis. <i>Chemical Engineering Journal</i> , 2008 , 140, 609-613	14.7	47
2023	Equilibrium and kinetic data, and adsorption mechanism for adsorption of lead onto valonia tannin resin. <i>Chemical Engineering Journal</i> , 2008 , 143, 32-42	14.7	187
2022	Kinetic study and sorption mechanism of methylene blue and methyl violet onto mansonia (<i>Mansonia altissima</i>) wood sawdust. <i>Chemical Engineering Journal</i> , 2008 , 143, 85-95	14.7	178
2021	Adsorption equilibrium and kinetics of dibenzothiophene from n-octane on bamboo charcoal. 2008 , 254, 3242-3247		49
2020	Biosorption of methylene blue from aqueous solution using free and polysulfone-immobilized <i>Corynebacterium glutamicum</i> : batch and column studies. 2008 , 99, 2864-71		99
2019	Real-time determination of kinetics of adsorption of lead(II) onto palm shell-based activated carbon using ion selective electrode. 2008 , 99, 5786-92		166
2018	Investigation of the sorption mechanisms of metal-complexed dye onto <i>Posidonia oceanica</i> (L.) fibres through kinetic modelling analysis. 2008 , 99, 5582-9		50
2017	Cationized starch-based material as a new ion-exchanger adsorbent for the removal of C.I. Acid Blue 25 from aqueous solutions. 2008 , 99, 7573-86		117
2016	Sorption of basic dye from aqueous solution by pomelo (<i>Citrus grandis</i>) peel in a batch system. 2008 , 316, 78-84		154
2015	Sorptive removal of Methylene blue from aqueous solution using palm kernel fibre: Effect of fibre dose. 2008 , 40, 8-18		59
2014	Tobacco stems as a low cost adsorbent for the removal of Pb(II) from wastewater: Equilibrium and kinetic studies. 2008 , 28, 294-302		72
2013	Studies on the Sorption of Palladium using Cross-Linked Poly (4-Vinylpyridine-Divinylbenzene) Resins in Nitric Acid Medium. 2008 , 26, 643-671		11
2012	Bioremediation potential of <i>Chlorella</i> : spectroscopic, kinetics, and SEM studies. 2008 , 10, 264-77		6
2011	Polyaspartic Acid As a New Complexing Agent in Removal of Heavy Metal Ions on Polystyrene Anion Exchangers. 2008 , 47, 6221-6227		27
2010	Adsorption kinetics and intraparticulate diffusivities of Hg, As and Pb ions on unmodified and thiolated coconut fiber. 2008 , 5, 83-92		84

2009	Influence of resorcinol chemical oxidation on the removal of resulting organic carbon by activated carbon adsorption. 2008 , 70, 1366-74	18
2008	Adsorption kinetics of 3-hydroxybenzaldehyde on native and activated bentonite. 2008 , 38, 279-287	47
2007	Application of a New-Generation Complexing Agent in Removal of Heavy Metal Ions from Aqueous Solutions. 2008 , 47, 3192-3199	27
2006	Kinetics and thermodynamics of the adsorption of some dyestuffs from aqueous solution by poplar sawdust. 2008 , 99, 2009-17	36
2005	Efficient removal of Cr(VI) from aqueous solution with Fe@Fe ₂ O ₃ core-shell nanowires. 2008 , 42, 6955-60	251
2004	Copper Adsorption on Chitosan-Derived Schiff Bases. 2008 , 46, 46-57	39
2003	Reply to Comments by S. Azizian on J. Chem. Eng. Data 2007, 52, 1615-1620. 2008 , 53, 324-325	
2002	Estimation of Isotherm Parameters for Biosorption of Cd(II) and Pb(II) onto Brown Seaweed, <i>Lobophora variegata</i> . 2008 , 53, 449-455	28
2001	Characterization of Azo Dye (Acid Red 14) Removal with Granular Activated Carbon: Equilibrium and Kinetic Data. 2008 , 26, 271-288	6
2000	Removal of endosulfan and methoxychlor from water on carbon slurry. 2008 , 42, 766-70	244
1999	Biosorption of a Basic Dye from Aqueous Solutions by <i>Euphorbia rigida</i> . 2008 , 43, 192-211	6
1998	Hg(II) Removal from Aqueous Solution by Dead Fungal Biomass of Marine <i>Aspergillus niger</i> : Kinetic Studies. 2008 , 43, 1221-1238	24
1997	Adsorption of Phenol from Aqueous Solution by Hydroxyapatite Nanopowders. Part II: Kinetic, Equilibrium and Thermodynamic Studies. 2008 ,	1
1996	Competitive adsorption of textile dyes using peat: adsorption equilibrium and kinetic studies in monosolute and bisolute systems. 2008 , 29, 947-57	10
1995	Adsorption of dyes on mesoporous carbons. 2008 , 63,	
1994	Adsorption de colorant m ⁺ tallif ⁺ Fe par les fibres de <i>Posidonia oceanica</i> . 2008 , 7, 645-650	3
1993	Biosorption of chlorophenols: a review. 2008 , 34, 164	17
1992	Adsorption of Acid Yellow 99 onto DEDMA-sepiolite from aqueous solutions. 2008 , 34, 308	9

1991	Biosorption of lead(II) by free and immobilised fungal biomass of <i>Phanerochaete chrysosporium</i> : a comparative study. 2008 , 34, 353	2
1990	Application of Amberlite IRA-402 Modified by Means of 2-(p-Sulphophenylazo)-1,8-dihydroxy-3,6-naphthalene Disulphonate for the Recovery of Cu(II), Co(II), Cd(II), Ni(II), Mn(II) and Fe(III) Ions. 2008 , 26, 351-361	1
1989	An Aminated Bacterial Biosorbent Capable of Effectively Binding Negatively Charged Pollutants in Aqueous Solution. 2008 , 26, 589-598	1
1988	Kinetic biosorption study of cadmium onto coconut copra meal as biosorbent. 2008 , 34, 466	5
1987	Biosorption of Inorganic Mercury onto Dead Biomass of Marine <i>Aspergillus niger</i> : Kinetic, Equilibrium, and Thermodynamic Studies. 2009 , 26, 531-539	13
1986	Adsorption of phenol and dye from aqueous solution using chemically modified date pits activated carbons. 2009 , 7, 182-190	24
1985	Adsorption, kinetic and equilibrium studies on removal of basic dye from aqueous solutions using hydrolyzed Oak sawdust. 2009 , 6, 252-268	67
1984	Kinetics of adsorption of sulphonated azo dyes on strong basic anion exchangers. 2009 , 30, 1059-71	25
1983	Kinetic and thermodynamic studies on the adsorption of U(VI) ions on densely crosslinked poly(methacrylic acid) from aqueous solutions. 2009 , 97, 709-717	16
1982	The Study of Sorption of Toxic Basic Dyes from Aqueous Solutions on H ₂ O ₂ Treated Recycled Wool-based Nonwoven Material and Related Toxicity Analysis. 2009 , 79, 253-260	1
1981	Simultaneous Adsorption of Methyl Orange and Heavy Metals from Solution Using Fly Ash. 2009 , 79-82, 247-250	4
1980	On the removal of Mn ²⁺ ions by adsorption onto natural and activated Chilean zeolites. 2009 , 22, 336-343	139
1979	Removal and Recovery of Molybdenum from Aqueous Solutions by Adsorption onto Surfactant-Modified Coir Pith, a Lignocellulosic Polymer. 2009 , 37, 60-66	19
1978	Synthesis of Microporous Cationic Hydrogel of Hydroxypropyl Cellulose (HPC) and its Application on Anionic Dye Removal. 2009 , 37, 392-398	40
1977	Biosorption of Methylene Blue from Aqueous Solution Using a Bioenergy Forest Waste: <i>Xanthoceras sorbifolia</i> Seed Coat. 2009 , 37, 642-648	56
1976	Adsorption of anionic textile dye Acid Green 9 from aqueous solution onto weak or strong base anion exchangers. 2009 , 113, 615-627	29
1975	On the applicability of the pseudo-second order equation to represent the kinetics of adsorption at solid/solution interfaces: a theoretical analysis based on the statistical rate theory. 2009 , 15, 181-192	87
1974	Kinetics, equilibrium and thermodynamic studies on biosorption of hexavalent chromium by dead fungal biomass of marine <i>Aspergillus niger</i> . <i>Chemical Engineering Journal</i> , 2009 , 145, 489-495	14.7 221

1973	Adsorption kinetics and thermodynamics of β -carotene on silica-based adsorbent. <i>Chemical Engineering Journal</i> , 2009 , 148, 378-384	14.7	53
1972	Application of commercially available anion exchange resins for preconcentration of palladium(II) complexes from chloride-tritate solutions. <i>Chemical Engineering Journal</i> , 2009 , 150, 96-103	14.7	9
1971	Theoretical models of sorption kinetics including a surface reaction mechanism: a review. 2009 , 152, 2-13		589
1970	Adsorption of phosphate from aqueous solutions onto modified wheat residue: characteristics, kinetic and column studies. 2009 , 70, 46-52		77
1969	Application of low-cost adsorbents for dye removal--a review. 2009 , 90, 2313-42		2385
1968	The isokinetic effect as related to the activation energy for the gases diffusion in coal at ambient temperatures. 2009 , 96, 495-499		4
1967	Adsorption of lead(II) from aqueous solution onto <i>Hydrilla verticillata</i> . 2009 , 20, 651-60		14
1966	Adsorption of 2,4-dichlorophenol from aqueous solution onto microwave modified activated carbon: Kinetics and equilibrium. 2009 , 15, 408-414		3
1965	An adsorption study of alum-morin dyeing onto silk yarn. 2009 , 10, 481-487		15
1964	Removal of cadmium from aqueous medium under ultrasound assistance using olive leaves as sorbent. 2009 , 48, 1157-1166		32
1963	Application of a chemically modified green macro alga as a biosorbent for phenol removal. 2009 , 90, 1877-83		74
1962	Adsorption of Congo red from aqueous solutions onto Ca-bentonite. 2009 , 161, 126-31		290
1961	Study the adsorption of phenol from aqueous solution on hydroxyapatite nanopowders. 2009 , 161, 231-40		222
1960	Thermodynamics and kinetics of Zn(II) adsorption on crosslinked starch phosphates. 2009 , 161, 510-5		47
1959	Spent tea leaves: a new non-conventional and low-cost adsorbent for removal of basic dye from aqueous solutions. 2009 , 161, 753-9		333
1958	Removal of chloride ion from aqueous solution by ZnAl-NO(3) layered double hydroxides as anion-exchanger. 2009 , 161, 1444-9		116
1957	A novel agricultural waste adsorbent for the removal of cationic dye from aqueous solutions. 2009 , 162, 305-11		260
1956	Removal of cationic dye from aqueous solution using jackfruit peel as non-conventional low-cost adsorbent. 2009 , 162, 344-50		186

1955	Comment on "thermodynamics and kinetics of adsorption of Cu(II) onto waste iron oxide". 2009 , 162, 539	2
1954	Evaluation of papaya seeds as a novel non-conventional low-cost adsorbent for removal of methylene blue. 2009 , 162, 939-44	257
1953	Sorption of some textile dyes by beech wood sawdust. 2009 , 162, 1457-64	78
1952	Adsorption isotherm and kinetic modeling of 2,4-D pesticide on activated carbon derived from date stones. 2009 , 163, 121-6	371
1951	Aluminum drinking water treatment residuals (Al-WTRs) as sorbent for mercury: Implications for soil remediation. 2009 , 164, 73-80	89
1950	FTIR spectrophotometry, kinetics and adsorption isotherms modeling, ion exchange, and EDX analysis for understanding the mechanism of Cd(2+) and Pb(2+) removal by mango peel waste. 2009 , 164, 161-71	456
1949	Jute stick powder as a potential biomass for the removal of congo red and rhodamine B from their aqueous solution. 2009 , 164, 374-9	158
1948	Removal of tartrazine from aqueous solutions by strongly basic polystyrene anion exchange resins. 2009 , 164, 502-9	121
1947	The removal of nitrate from aqueous solutions by chitosan hydrogel beads. 2009 , 164, 1012-8	205
1946	Removal of direct blue-106 dye from aqueous solution using new activated carbons developed from pomegranate peel: adsorption equilibrium and kinetics. 2009 , 165, 52-62	369
1945	Adsorption study of copper (II) by chemically modified orange peel. 2009 , 164, 1286-92	268
1944	Adsorption kinetics of maxilon yellow 4GL and maxilon red GRL dyes on kaolinite. 2009 , 165, 1142-51	83
1943	Adsorption studies of methylene blue and phenol onto vetiver roots activated carbon prepared by chemical activation. 2009 , 165, 1029-39	323
1942	Grass waste: a novel sorbent for the removal of basic dye from aqueous solution. 2009 , 166, 233-8	110
1941	Co(II) removal by magnetic alginate beads containing Cyanex 272. 2009 , 166, 1043-9	111
1940	Kinetics and thermodynamics of textile dye adsorption from aqueous solutions using babassu coconut mesocarp. 2009 , 166, 1272-8	143
1939	Sorption isotherm and kinetic modeling of aniline on Cr-bentonite. 2009 , 167, 141-7	216
1938	Sorption of Ni(II) ions from aqueous solution by Lewatit cation-exchange resin. 2009 , 167, 915-26	126

1937	Immobilization of <i>Trichoderma viride</i> for enhanced methylene blue biosorption: batch and column studies. 2009 , 168, 406-15	68
1936	Adsorptive removal of selected pharmaceuticals by mesoporous silica SBA-15. 2009 , 168, 602-8	275
1935	Removal of copper(II) from aqueous solution by pine and base modified pine cone powder as biosorbent. 2009 , 168, 909-17	115
1934	Kinetics of methylene blue removal from aqueous solution using gulmohar (<i>Delonix regia</i>) plant leaf powder: multivariate regression analysis. 2009 , 169, 119-27	94
1933	The removal of phenol from aqueous solutions by adsorption using surfactant-modified bentonite and kaolinite. 2009 , 169, 324-32	224
1932	Adsorption kinetics, isotherms and thermodynamics of atrazine on surface oxidized multiwalled carbon nanotubes. 2009 , 169, 912-8	124
1931	Adsorption of dyes on Sahara desert sand. 2009 , 170, 27-34	53
1930	Biosorptive uptake of methylene blue using Mediterranean green alga <i>Enteromorpha</i> spp. 2009 , 170, 1050-5	39
1929	Removal of Cu(II) in aqueous media by biosorption using water hyacinth roots as a biosorbent material. 2009 , 171, 780-5	107
1928	Comments on "Defluoridation of water using neodymium-modified chitosan". 2009 , 172, 515	2
1927	Cr(VI) sorption behavior from aqueous solutions onto polymeric microcapsules containing a long-chain quaternary ammonium salt: kinetics and thermodynamics analysis. 2009 , 172, 262-8	36
1926	Sorption of SPADNS azo dye on polystyrene anion exchangers: equilibrium and kinetic studies. 2009 , 172, 289-97	39
1925	Equilibrium and kinetic studies on the adsorption of acidic dye by the gel anion exchanger. 2009 , 172, 868-74	39
1924	Removal of Cadmium from aqueous solution by polysaccharide produced from <i>Paenibacillus polymyxa</i> . 2009 , 172, 1150-5	21
1923	Role of the Mg/Al atomic ratio in hydrotalcite-supported Pd/Sn catalysts for nitrate adsorption and hydrogenation reduction. 2009 , 332, 151-7	39
1922	Comments on "Adsorption of direct dyes from aqueous solutions by carbon nanotubes: determination of equilibrium, kinetics and thermodynamics parameters". 2009 , 333, 412; discussion 413-4	2
1921	Synthesis, characterization, and adsorption properties of phenolic hydroxyl group modified hyper-cross-linked polymeric adsorbent. 2009 , 337, 19-23	25
1920	Reactive Black dye adsorption/desorption onto different adsorbents: effect of salt, surface chemistry, pore size and surface area. 2009 , 337, 32-8	164

1919	Kinetics and equilibrium adsorption study of lead(II) onto the low cost adsorbent Eupatorium adenophorum spreng. 2009 , 87, 343-351		49
1918	Electrochemical degradation of distillery spent wash using catalytic anode: Factorial design of experiments. <i>Chemical Engineering Journal</i> , 2009 , 146, 22-29	14.7	57
1917	Adsorption of methyl violet onto granular activated carbon: Equilibrium, kinetics and modeling. <i>Chemical Engineering Journal</i> , 2009 , 146, 36-41	14.7	143
1916	Removal of 2,4-DCP from wastewater by CTAB/bentonite using one-step and two-step methods: A comparative study. <i>Chemical Engineering Journal</i> , 2009 , 146, 345-354	14.7	91
1915	Biosorption of acidic dyes from aqueous solution by Paenibacillus macerans: Kinetic, thermodynamic and equilibrium studies. <i>Chemical Engineering Journal</i> , 2009 , 150, 122-130	14.7	138
1914	Kinetic studies of dyes sorption from aqueous solutions onto the strongly basic anion-exchanger Lewatit MonoPlus M-600. <i>Chemical Engineering Journal</i> , 2009 , 150, 509-515	14.7	29
1913	Studies on the oxidation reaction of l-cysteine in a confined matrix of layered double hydroxides. <i>Chemical Engineering Journal</i> , 2009 , 153, 175-182	14.7	18
1912	Adsorption of naphthalene onto macroporous and hypercrosslinked polymeric adsorbent: Effect of pore structure of adsorbents on thermodynamic and kinetic properties. 2009 , 333, 150-155		48
1911	Equilibrium, kinetics and thermodynamic aspects of Promethazine hydrochloride sorption by iron rich smectite. 2009 , 340, 143-148		22
1910	Study of adsorption behavior of malachite green on polyethylene glycol micelles in cloud point extraction procedure. 2009 , 345, 231-236		29
1909	Increasing the phenol adsorption capacity of neutralized red mud by application of acid activation procedure. 2009 , 242, 19-28		36
1908	Batch kinetic and equilibrium studies of adsorption of Reactive Blue 21 by fly ash and sepiolite. 2009 , 243, 8-21		88
1907	Biosorption of textile metal-complexed dye from aqueous medium using Posidonia oceanica (L.) leaf sheaths: Mathematical modelling. 2009 , 243, 109-121		25
1906	Removal of chromium (VI) ions from aqueous solutions by using Turkish montmorillonite clay: effect of activation and modification. 2009 , 244, 97-108		94
1905	Adsorptive removal of phosphates from aqueous solutions. 2009 , 245, 357-371		100
1904	Adsorption of reactive dye on palm-oil industry waste: Equilibrium, kinetic and thermodynamic studies. 2009 , 247, 551-560		67
1903	Application of nitroso-R-salt in modification of strongly basic anion-exchangers Amberlite IRA-402 and Amberlite IRA-958. 2009 , 249, 1228-1232		3
1902	Adsorption of some highly toxic dyestuffs from aqueous solution by chitin and its synthesized derivatives. 2009 , 249, 1115-1123		27

1901	The effect of pH on bioremediation potential for the removal of direct violet textile dye by <i>Aspergillus niger</i> . 2009 , 249, 1206-1211	44
1900	Adsorption behavior of fluoride ions using a titanium hydroxide-derived adsorbent. 2009 , 249, 323-330	78
1899	Comparison with as-grown and microwave modified carbon nanotubes to removal aqueous bisphenol A. 2009 , 249, 976-982	90
1898	Equilibrium and kinetic modelling of the adsorption of Cd ²⁺ ions onto chestnut shell. 2009 , 249, 855-860	30
1897	Construction a hybrid biosorbent using <i>Scenedesmus quadricauda</i> and Ca-alginate for biosorption of Cu(II), Zn(II) and Ni(II): kinetics and equilibrium studies. 2009 , 100, 186-93	134
1896	Drin pesticides removal from aqueous solutions using acid-treated date stones. 2009 , 100, 2676-84	74
1895	Adsorptive features of acid-treated olive stones for drin pesticides: equilibrium, kinetic and thermodynamic modeling studies. 2009 , 100, 4147-55	60
1894	Critical review in adsorption kinetic models. 2009 , 10, 716-724	982
1893	Synthesis of N-Methylimidazolium Functionalized Strongly Basic Anion Exchange Resins for Adsorption of Cr(VI). 2009 , 48, 3261-3267	107
1892	Eucalyptus bark powder as an effective adsorbent: Evaluation of adsorptive characteristics for various dyes. 2009 , 11, 302-313	21
1891	Evaluation of Loofah as a Sorbent in the Decolorization of Basic Dye Contaminated Aqueous System. 2009 , 48, 2786-2794	35
1890	Biosorption of As(V) onto the Shells of the Crab (<i>Portunus sanguinolentus</i>): Equilibrium and Kinetic Studies. 2009 , 48, 3589-3594	19
1889	Comments on Adsorption of Ga(III) on Oxidized Coir 2009 , 48, 5920-5920	
1888	Application of Acid Treated Almond Peel for Removal and Recovery of Brilliant Green from Industrial Wastewater by Column Operation. 2009 , 44, 1638-1655	20
1887	Characterization of an Extracellular Biopolymer Produced by <i>Pseudomonas Fluorescence C-9</i> and Its Use for Cobalt and Cadmium Removal. 2009 ,	
1886	Removal of Cu(II) and Ni(II) from Industrial Effluents by Brown Seaweed, <i>Cystoseira indica</i> . 2009 , 48, 961-975	25
1885	Congo Red Biosorption on Palm Kernel Seed Coat. 2009 , 48, 6188-6196	70
1884	Adsorption of Divalent Lead on a Montmorillonite Illite Type of Clay. 2009 , 48, 10627-10636	70

1883	Reply to Comments by Yuh-Shan Ho on Kinetics of naphthalene adsorption on an activated carbon: Comparison between aqueous and organic media [Chemosphere 76 (4) (2009) 433-438]. 2009 , 77, 1454	1
1882	Comments on "Kinetics of naphthalene adsorption on an activated carbon: comparison between aqueous and organic media" by B. Cabal et al. [Chemosphere 76 (4) (2009) 433-438]. 2009 , 77, 1453; author reply 1454	2
1881	Calcined tetrabutylammonium kaolinite and montmorillonite and adsorption of Fe(II), Co(II) and Ni(II) from solution. 2009 , 46, 216-221	48
1880	Combined hydrous ferric oxide and quaternary ammonium surfactant tailoring of granular activated carbon for concurrent arsenate and perchlorate removal. 2009 , 43, 3133-43	27
1879	Removal of Acid Dyes from Aqueous Solutions using Chemically Activated Carbon. 2009 , 44, 2078-2095	7
1878	Nonaqueous Sol-gel Synthesized Hierarchical CeO ₂ Nanocrystal Microspheres as Novel Adsorbents for Wastewater Treatment. 2009 , 113, 16625-16630	168
1877	Adsorption Thermodynamics and Kinetics of Mancozeb onto Poly-o-toluidine Th(IV) Phosphate Based Nano-composite Cation-exchanger and its Application as a Mancozeb-sensitive Membrane Electrode. 2009 , 27, 567-578	2
1876	Letters to the Editor. 2010 , 28, 465-465	15
1875	Sorption of Cu (II) ion from aqueous solution by scrap tyre. 2010 , 16, 83-94	8
1874	Optimization and Kinetics of Nickel Ion Adsorption from Electroplating Effluent onto Activated Carbon Prepared from Anas Platyrhyncha Egg Shell. 2010 , 28, 125-136	8
1873	Removal of Thiram from Aqueous Solutions. 2010 , 57, 1361-1366	7
1872	Sorption kinetics for phenol and nitro-substituted toxic phenols from aqueous solution using clay as sorbent material. 2010 , 5, 286	2
1871	Evaluation of phosphate removal from water by calcined-LDH synthesized from the dolomite. 2010 , 72, 423-431	38
1870	Enhanced electrochemical treatment of phenolic pollutants by an effective adsorption and release process. 2010 , 55, 5367-5374	27
1869	Adsorption isotherms and kinetics of methylene blue on a low-cost adsorbent recovered from a spent catalyst of vinyl acetate synthesis. 2010 , 256, 2569-2576	58
1868	Biosorption of lead(II) onto pine cone powder: Studies on biosorption performance and process design to minimize biosorbent mass. 2010 , 82, 1031-1042	57
1867	Adsorption isotherm, kinetic and mechanism studies of some substituted phenols on activated carbon fibers. <i>Chemical Engineering Journal</i> , 2010 , 157, 348-356	14.7 613
1866	Equilibrium, thermodynamics and process design to minimize adsorbent amount for the adsorption of acid dyes onto cationic polymer-loaded bentonite. <i>Chemical Engineering Journal</i> , 2010 , 158, 489-497	14.7 121

1865	Biosorption studies of Cu(II) onto <i>Mansonia</i> sawdust: Process design to minimize biosorbent dose and contact time. 2010 , 70, 879-889	17
1864	A comparative study on the properties, mechanisms and process designs for the adsorption of non-ionic or anionic dyes onto cationic-polymer/bentonite. 2010 , 91, 1601-11	94
1863	Removal of insecticide carbofuran from aqueous solutions by banana stalks activated carbon. 2010 , 176, 814-9	77
1862	Fluoride removal from water using activated and MnO ₂ -coated Tamarind Fruit (<i>Tamarindus indica</i>) shell: batch and column studies. 2010 , 177, 719-29	59
1861	Dye removal from aqueous solution by magnetic alginate beads crosslinked with epichlorohydrin. 2010 , 178, 434-9	135
1860	Comments on using of "initial adsorption rate" [J. Hazard. Mater. 173]. 2010 , 179, 1165	1
1859	Adsorption of vanadate(V) on Fe(III)/Cr(III) hydroxide waste. 2010 , 8, 363-371	23
1858	Studies of adsorption equilibria and kinetics of o-, m-, p-nitro- and chlorophenols on microporous carbons from aqueous solutions. 2010 , 16, 359-375	24
1857	Comments on Preparation and application of 4-amino-4'-nitro azobenzene modified chitosan as a selective adsorbent for the determination of Au(III) and Pd(II) 2010 , 170, 187-187	0
1856	Adsorption and separation of proteins by a smectitic clay mineral. 2010 , 33, 847-61	32
1855	Biosorption of cadmium(II) from aqueous solution onto <i>Hydrilla verticillata</i> . 2010 , 60, 1683-1691	25
1854	Equilibrium and kinetics of adsorption of Ca(II) ions onto KCTS and HKCTS. 2010 , 17, 277-284	2
1853	On the biosorption, by brown seaweed, <i>Lobophora variegata</i> , of Ni(II) from aqueous solutions: equilibrium and thermodynamic studies. 2010 , 21, 661-80	12
1852	Comments on using of pseudo-second-order rate equation \ln Journal of Radioanalytical and Nuclear Chemistry, Volume 283. 2010 , 285, 403-403	1
1851	Sorption characteristics of an economical sorbent material used for removal radioisotopes of cesium and europium. 2010 , 286, 17-26	39
1850	Adsorption of selected herbicides from aqueous solutions on activated carbon. 2010 , 101, 785-794	67
1849	Adsorption of Methylene Blue on magnesium silicate: kinetics, equilibria and comparison with other adsorbents. 2010 , 22, 467-73	48
1848	Enhanced adsorption of Methylene Blue from aqueous solution by chitosan-g-poly (acrylic acid)/vermiculite hydrogel composites. 2010 , 22, 486-93	193

1847	Single and binary component sorption of the fission products Sr ²⁺ , Cs ⁺ and Co ²⁺ from aqueous solutions onto sulphate reducing bacteria. 2010 , 23, 463-470	33
1846	Removal of Mn ²⁺ from aqueous solution by manganese oxide coated zeolite. 2010 , 23, 1131-1138	146
1845	Catalyst/template-free synthesis and dye adsorption properties of monodisperse carbon submicrospheres. 2010 , 64, 1354-1356	4
1844	Immobilization of lead and cadmium from aqueous solution and contaminated sediment using nano-hydroxyapatite. 2010 , 158, 514-9	178
1843	Nickel(II) adsorption mechanism from aqueous solution by a new adsorbent Waste acorn of <i>Quercus ithaburensis</i> . 2010 , 29, 297-306	12
1842	Comments on Adsorption performance of nickel and cadmium ions onto brewer's yeast 2010 , 88, 693-694	1
1841	Removal of Organic Pollutants from Wastewater Using Wood Fly Ash as a Low-Cost Sorbent. 2010 , 38, 1055-1061	34
1840	Characterization and use of acid-activated montmorillonite-illite type of clay for lead(II) removal. 2010 , 56, NA-NA	4
1839	Sorption of polycyclic aromatic hydrocarbons from aqueous solution by hexadecyltrimethylammonium bromide modified fibric peat. 2010 , 85, 1084-1091	26
1838	Comments on "Effect of pH, ionic strength and temperature on the sorption of radionickel on Na-montmorillonite". 2010 , 68, 466	1
1837	Modification of bamboo-based activated carbon using microwave radiation and its effects on the adsorption of methylene blue. 2010 , 256, 3309-3315	209
1836	Kinetic evaluation of phenol/aniline mixtures adsorption from aqueous solutions onto activated carbon and hypercrosslinked polymeric resin (MN200). 2010 , 70, 142-150	52
1835	Ion specificity of the zeta potential of alpha-alumina, and of the adsorption of p-hydroxybenzoate at the alpha-alumina-water interface. 2010 , 344, 482-91	62
1834	Methylene blue adsorption by the waste of Abu-Tartour phosphate rock. 2010 , 348, 537-45	66
1833	Adsorption equilibrium and kinetics of fluoride on sol-gel-derived activated alumina adsorbents. 2010 , 349, 307-13	117
1832	Decolorization of dye wastewaters by biosorbents: a review. 2010 , 91, 1915-29	523
1831	Kinetic studies on the adsorption of phenol, 4-chlorophenol, and 2,4-dichlorophenol from water using activated carbons. 2010 , 91, 2208-14	54
1830	Brazil nut shells as a new biosorbent to remove methylene blue and indigo carmine from aqueous solutions. 2010 , 174, 84-92	146

1829	Rejected tea as a potential low-cost adsorbent for the removal of methylene blue. 2010 , 175, 126-32	267
1828	Removal of Zn(II) and Hg(II) from aqueous solution on a carbonaceous sorbent chemically prepared from rice husk. 2010 , 175, 319-27	125
1827	Adsorption of Pb(II) ions from aqueous solution by native and activated bentonite: kinetic, equilibrium and thermodynamic study. 2010 , 179, 332-9	193
1826	Application potential of grapefruit peel as dye sorbent: kinetics, equilibrium and mechanism of crystal violet adsorption. 2010 , 179, 564-72	368
1825	A natural sorbent, <i>Luffa cylindrica</i> for the removal of a model basic dye. 2010 , 179, 658-64	120
1824	Preparation and utilization of wheat straw bearing amine groups for the sorption of acid and reactive dyes from aqueous solutions. 2010 , 182, 1-9	77
1823	Adsorption behaviors of a novel carbonyl and hydroxyl groups modified hyper-cross-linked poly(styrene-co-divinylbenzene) resin for beta-naphthol from aqueous solution. 2010 , 180, 634-9	39
1822	Removal of methylene blue from aqueous solution using cotton stalk, cotton waste and cotton dust. 2010 , 183, 421-7	87
1821	The adsorption properties of Pb(II) and Cd(II) on functionalized graphene prepared by electrolysis method. 2010 , 183, 923-30	311
1820	Effective removal of Cu (II) ions from aqueous solution by amino-functionalized magnetic nanoparticles. 2010 , 184, 392-399	462
1819	Kinetics, equilibrium and thermodynamic studies on biosorption of Ag(I) from aqueous solution by macrofungus <i>Pleurotus platypus</i> . 2010 , 184, 765-774	79
1818	Sorption studies of uranium and thorium on activated carbon prepared from olive stones: Kinetic and thermodynamic aspects. 2010 , 396, 251-256	182
1817	Preparative separation and purification of lycopene from tomato skins extracts by macroporous adsorption resins. 2010 , 123, 1027-1034	97
1816	Influence of solvent type on dibenzothiophene adsorption onto activated carbon fiber and granular coconut-shell activated carbon. 2010 , 89, 365-371	64
1815	Tubular structured ordered mesoporous carbon as an efficient sorbent for the removal of dyes from aqueous solutions. 2010 , 48, 3330-3339	68
1814	Study to investigate the importance of mass transfer of naproxen sodium onto activated carbon. 2010 , 49, 1058-1065	10
1813	Application of mixed order rate equations to adsorption of methylene blue on mesoporous carbons. 2010 , 256, 5145-5152	123
1812	Activated carbon/CoFe ₂ O ₄ composites: Facile synthesis, magnetic performance and their potential application for the removal of malachite green from water. <i>Chemical Engineering Journal</i> , 2010 , 156, 243-249	14.7 281

1811	Application of film-pore diffusion model for methylene blue adsorption onto plant leaf powders. <i>Chemical Engineering Journal</i> , 2010 , 163, 236-242	14.7	60
1810	An environmentally friendly batch bioadsorption study of the radionuclides ⁶⁷ Ga from aqueous solutions by fibrous tea waste. <i>Chemical Engineering Journal</i> , 2010 , 165, 563-572	14.7	10
1809	Adsorption of organic pollutants from coking wastewater by activated coke. 2010 , 362, 140-146		91
1808	Thermodynamics and kinetic studies of biosorption of a basic dye from aqueous solution using green algae <i>Ulothrix</i> sp. 2010 , 76, 279-85		36
1807	Novel biocompatible composite (Chitosan-zinc oxide nanoparticle): preparation, characterization and dye adsorption properties. 2010 , 80, 86-93		212
1806	Effectiveness of acid-treated agricultural stones used in biopurification systems to avoid pesticide contamination of water resources caused by direct losses: part I. Equilibrium experiments and kinetics. 2010 , 101, 5084-91		21
1805	Equilibrium, kinetic and thermodynamic adsorptions of the environmental pollutant tannic acid onto activated carbon. 2010 , 251, 146-152		45
1804	Dynamic studies and pseudo-second order modeling of copper(II) biosorption onto pine cone powder. 2010 , 251, 112-122		57
1803	Equilibrium and kinetic studies of methyl orange and methyl violet adsorption on activated carbon derived from <i>Phragmites australis</i> . 2010 , 252, 149-156		484
1802	Batch adsorption of 2,4-dichlorophenol onto activated carbon derived from agricultural waste. 2010 , 255, 159-164		56
1801	Fluoride removal efficiency from aqueous solution by synthetic iron(III)–aluminum(III)–chromium(III) ternary mixed oxide. 2010 , 255, 44-51		127
1800	Kinetic analysis of reactive blue 221 adsorption on kaolinite. 2010 , 256, 154-165		66
1799	Removal of perchlorate contaminants by calcined Zn/Al layered double hydroxides: Equilibrium, kinetics, and column studies. 2010 , 256, 136-140		27
1798	Adsorption of 2,4-dichlorophenoxyacetic acid and carbofuran pesticides onto granular activated carbon. 2010 , 256, 129-135		140
1797	Synthesis and characterization of Hg(II)-ion-imprinted polymer: Kinetic and isotherm studies. 2010 , 257, 177-183		81
1796	Removal of Pb (II) from aqueous solutions by adsorption onto modified areca waste: Kinetic and thermodynamic studies. 2010 , 258, 148-153		28
1795	Adsorption kinetics, thermodynamics and isotherm of thiacalix[4]arene-loaded resin to heavy metal ions. 2010 , 259, 76-83		61
1794	Fast removal of organic dyes from aqueous solutions by AC/ferrospinel composite. 2010 , 262, 134-140		61

- 1793 Mineral waste from coal mining for removal of astrazon red dye from aqueous solutions. **2010**, 264, 181-187 16
- 1792 Comments on Removal and recovery of Cu(II) and Zn(II) using immobilized *Mentha arvensis* distillation waste biomass. **2010**, 36, 832 5
- 1791 Sorption kinetic study on the removal of Basic Blue 9 dye using activated carbon produced from water spinach. **2010**, 4,
- 1790 Removal of Grey BL from Dye Wastewater by Derris (*Pongamia Glabra*) Leaf Powder by Adsorption. **2010**, 7, 1454-1462 4
- 1789 Cadmium(II) and Lead(II) removal by *Chlorella* sp. Immobilized and *E. coli* genetically engineered with mice Metallothionein I. **2010**, 1278, 301
- 1788 Adsorption of Methylene Blue from Aqueous Solution by Anionic Surfactant Modified Montmorillonite. **2010**, 178, 29-34 7
- 1787 Removal of Heavy Metals by Natural Polymer: Pectin, under Laboratory Conditions. **2010**, 1277, 1801
- 1786 Application of Modified Water Nut Carbon as a Sorbent in Congo Red and Malachite Green Dye Contaminated Wastewater Remediation. **2010**, 45, 394-403 24
- 1785 Biosorption of Cadmium onto *Pseudomonas fluorescens*: Application of Isotherm and Kinetic Models. **2010**, 171-172, 49-52 2
- 1784 Adsorption of As(III), As(V), Cd(II), Cu(II), and Pb(II) from Aqueous Solutions by Natural Muscovite. **2010**, 45, 814-823 29
- 1783 Studies of the equilibrium of the adsorption of Cu(II) onto as-produced and purified carbon nanotubes. **2010**,
- 1782 Adsorption of DCM and MTBE from Aqueous Phase on Granular Activated Carbons: A Comparative Study. **2010**, 13, 97-104 2
- 1781 Efficient Adsorption of Chromium(VI) Ions from Aqueous Solution onto a Low-Cost Adsorbent Developed from *Limonia Acidissima* (Wood Apple) Shell. **2010**, 28, 547-560 17
- 1780 Biosorption Characteristics of *Pseudomonas Fluorescens* PFC02 Biomass and Its Use for Cobalt and Cadmium Removal. **2010**,
- 1779 Optimization and Kinetic Studies of Nickel Treatment in the Electroplating Effluent with Activated Carbon Prepared from Rice Husk. **2010**, 52, 230-247 4
- 1778 Removal of reactive dye from aqueous solutions by adsorption onto activated carbons prepared from oak sawdust. **2010**, 20, 102-113 31
- 1777 Biosorptive Color Removal: Applicability of Equilibrium Isotherm Models. **2010**, 14, 25-36 4
- 1776 Synthesis of Phenoxyherbicides-Intercalated Layered Double Hydroxide Nanohybrids and Their Controlled Release Property. **2010**, 6, 199-205 22

1775	Preparation and Adsorption Properties of Corncob-Derived Activated Carbon with High Surface Area. 2010 , 55, 4669-4676	29
1774	Characterization and Adsorption Studies of Cocos nucifera L. Activated Carbon for the Removal of Methylene Blue from Aqueous Solutions. 2010 , 55, 2662-2667	60
1773	Evaluating adsorption and biodegradation mechanisms during the removal of microcystin-RR by periphyton. 2010 , 44, 6319-24	72
1772	An Investigation of the Biosorption of Radioactive Gallium-67 in an Aqueous Solution Using Rose Residue. 2010 , 55, 2848-2856	3
1771	Factors Affecting Lanthanum and Cerium Biosorption on Pinus brutia Leaf Powder. 2010 , 45, 1456-1462	45
1770	Equilibrium and Kinetic Modeling of Pb(II) Biosorption by a Chemically Modified Orange Peel Containing Cyanex 272. 2010 , 55, 4147-4153	27
1769	Removal effect of Cr (VI) by adsorbent made from sewage sludge. 2010 , 62, 2961-9	10
1768	Adsorption of Glyphosate and Glufosinate by Ni ₂ Al ₂ (OH) ₆ layered double hydroxide. 2010 , 47, 362-371	68
1767	Comment on "Acid Green 25 removal from wastewater by organo-bentonite from Pacitan" by R. Koswojo, R. P. Utomo, Y.-H. Ju, A. Ayucitra, F. E. Soetaredjo, J. Sunarso, S. Ismadji [Applied Clay Science 48 (2010) 81-86]. 2010 , 50, 164-164	
1766	Reply to the comment on "Acid Green 25 removal from wastewater by organo-bentonite from Pacitan" by R. Koswojo, R. P. Utomo, Y.-H. Ju, A. Ayucitra, F. E. Soetaredjo, J. Sunarso, S. Ismadji [Applied Clay Science 48 (2010) 81-86]. 2010 , 50, 165-166	2
1765	Adsorption of Acid Red G dye on octadecyl trimethylammonium montmorillonite. 2010 , 50, 427-431	81
1764	Uniform polyaniline microspheres: A novel adsorbent for dye removal from aqueous solution. 2010 , 160, 762-767	98
1763	Utilization of an agricultural waste material, melon (Cucumis melo L.) peel, as a sorbent for the removal of cadmium from aqueous phase. 2010 , 21, 228-237	13
1762	Analysis of kinetic Langmuir model. Part I: Integrated kinetic Langmuir equation (IKL): a new complete analytical solution of the Langmuir rate equation. 2010 , 26, 15229-38	101
1761	Adsorption of tannin from aqueous solution by deacetylated konjac glucomannan. 2010 , 178, 844-50	49
1760	Removal of Acid Violet 17 from Aqueous Solutions by Adsorption onto Activated Carbon Prepared from Pistachio Nut Shell. 2010 , 46, 155-163	33
1759	Relevant approach to assess the performance of sawdust as adsorbent of chromium (VI) ions from aqueous solutions. 2010 , 7, 85-92	38
1758	Equilibrium sorption of crude oil by expanded perlite using different adsorption isotherms at 298.15 K. 2010 , 7, 591-598	27

1757	Preparation, characterization and adsorption performance of a novel anionic starch microsphere. 2010 , 15, 2872-85	35
1756	Removal of Mn, Fe, Ni and Cu Ions from Wastewater Using Cow Bone Charcoal. 2010 , 3, 452-466	74
1755	Equilibrium and kinetics studies of 2,4,5-trichlorophenol adsorption onto organophilic-bentonite. 2010 , 24, 47-54	4
1754	Adsorptive Removal of Volatile Organic Contaminants from Aqueous Medium by Granular Activated Carbons. 2010 , 13, 25-34	2
1753	Poly(acrylamide-co-itaconic acid) as a Potential Ion-Exchange Sorbent for Effective Removal of Antibiotic Drug-Ciprofloxacin from Aqueous Solution. 2010 , 48, 108-118	11
1752	Equilibrium and Kinetic Modelling of Astrazon Yellow Adsorption by Sawdust: Effect of Important Parameters. 2010 , 8,	8
1751	Nitric acid-treated bamboo waste as low-cost adsorbent for removal of cationic dye from aqueous solution. 2010 , 21, 357-363	12
1750	Kinetic Modeling of the Biosorption of Lead(II) from Aqueous Solutions by Solid Waste Resulting from the Olive Oil Production. 2011 , 56, 3053-3060	16
1749	Removal of Phenolic Substances from Water by Adsorption and Adsorption-Ultrafiltration. 2011 , 46, 1482-1494	12
1748	Biosorption of heavy metals using fresh water algae. 2011 ,	
1747	Adsorption Behavior of Methylene Blue from Aqueous Solution by the Hydrogel Composites Based on Attapulgate. 2011 , 46, 858-868	23
1746	Thermal modified palygorskite: Preparation, characterization, and application for cationic dye-containing wastewater purification. 2011 , 30, 339-347	17
1745	Removal of rhodamine B from aqueous solutions by tea waste. 2011 ,	
1744	Biosorption of lead (II) and cadmium (II) using Escherichia coli genetically engineered with mice metallothionein I. 2011 , 63, 1607-13	18
1743	Evaluation of Acid-Treated Palm Shell Powder for Its Effectiveness in the Adsorption of Organophosphorus Pesticides: Isotherm, Kinetics, and Thermodynamics. 2011 , 56, 2407-2415	23
1742	Kinetics and Equilibria of Cd(II) Adsorption onto a Chemically Modified Lawny Grass with H[BTMPP]. 2011 , 56, 1059-1068	23
1741	Adsorption of boron from aqueous solutions using activated carbon prepared from olive bagasse. 2011 , 29, 110-118	36
1740	Hyper-cross-linked Polystyrene-co-divinylbenzene Resin Modified with Acetanilide: Synthesis, Structure, and Adsorptive Removal of Salicylic Acid from Aqueous Solution. 2011 , 50, 2891-2897	25

1739	Preparative separation and purification of rebaudioside a from steviol glycosides using mixed-mode macroporous adsorption resins. 2011 , 59, 9629-36	69
1738	Adsorption of Dyes on Hierarchical Mesoporous TiO ₂ Fibers and Its Enhanced Photocatalytic Properties. 2011 , 115, 5708-5719	96
1737	Efficient removal of heavy metal ions from aqueous systems with the assembly of anisotropic layered double hydroxide nanocrystals@carbon nanosphere. 2011 , 45, 6181-7	218
1736	Spent mushroom: a new low-cost adsorbent for removal of Congo Red from aqueous solutions. 2011 , 27, 319-326	18
1735	Adsorption of Methyl Orange from Aqueous Solution on Hydrothermal Synthesized MgAl Layered Double Hydroxide. 2011 , 56, 4217-4225	187
1734	Biomangement of Metal-Contaminated Soils. 2011 ,	22
1733	Artificial Neural Network (ANN) Modeling and Analysis of Radioactive Gallium-67 Adsorption from Aqueous Solution with Waste Acorns of <i>Quercus ithaburensis</i> . 2011 , 56, 1910-1917	4
1732	Activated Neem Leaf: A Novel Adsorbent for the Removal of Phenol, 4-Nitrophenol, and 4-Chlorophenol from Aqueous Solutions. 2011 , 56, 3004-3016	39
1731	Importance of Free-Living Fungi in Heavy Metal Remediation. 2011 , 479-494	8
1730	Adsorption of Methylene Blue from Aqueous Solution with Activated Carbon/Cobalt Ferrite/Alginate Composite Beads: Kinetics, Isotherms, and Thermodynamics. 2011 , 56, 3475-3483	177
1729	Hierarchically porous calcined lithium/aluminum layered double hydroxides: Facile synthesis and enhanced adsorption towards fluoride in water. 2011 , 21, 19353	78
1728	Kinetic and equilibrium studies for the adsorption of acid nucleic bases onto K10 montmorillonite. 2011 , 53, 657-668	42
1727	Cross-linked succinyl chitosan as an adsorbent for the removal of Methylene Blue from aqueous solution. 2011 , 49, 643-51	65
1726	Pesticides removal from waste water by activated carbon prepared from waste rubber tire. 2011 , 45, 4047-55	297
1725	Comments on "recognition of molecularly imprinted polymers for a quaternary alkaloid of berberine". 2011 , 87, 311	1
1724	Relationship between Thermodynamic Data and Adsorption/Desorption Performance of Acid and Basic Dyes onto Activated Carbons. 2011 , 56, 2100-2109	29
1723	Kinetic and thermodynamic of adsorption of methylene blue (MB) by CuFe ₂ O ₄ /Rice bran composite. 2011 , 6,	
1722	Evaluation of the Marine Algae <i>Gracilaria</i> and its Activated Carbon for the Adsorption of Ni(II) from Wastewater. 2011 , 8, 1512-1521	7

1721	Adsorptive Removal of Methylene Blue onto ZnCl ₂ Activated Carbon from Wood Apple Outer Shell: Kinetics and Equilibrium Studies. 2011 , 8, 1696-1707	17
1720	Cr(III) uptake by marine algal biomass: equilibrium and kinetics. 2011 , 8, 325	4
1719	Removal of methylene blue from aqueous solutions by using cold plasma- and formaldehyde-treated onion skins. 2011 , 127, 246-255	27
1718	Adsorption of toluene, ethylbenzene and m-xylene on multi-walled carbon nanotubes with different oxygen contents from aqueous solutions. 2011 , 192, 1370-9	108
1717	Removal of methylene blue from aqueous solution by a solvothermal-synthesized graphene/magnetite composite. 2011 , 192, 1515-24	618
1716	Comment on "Comparison of two-stage sorption design models for the removal of lead ions by polyvinyl-modified Kaolinite clay". 2011 , 198, 387	1
1715	Extraction of organic materials from red water by metal-impregnated lignite activated carbon. 2011 , 197, 352-60	18
1714	Sorption of heavy oil onto Jiaozhou Bay sediment. 2011 , 62, 741-6	24
1713	Sorption behavior of nonylphenol on marine sediments: effect of temperature, medium, sediment organic carbon and surfactant. 2011 , 62, 2362-9	27
1712	Ferromagnetic Ni decorated ordered mesoporous carbons as magnetically separable adsorbents for methyl orange. 2011 , 131, 52-59	7
1711	Fluoride removal performance of glass derived hydroxyapatite. 2011 , 46, 205-209	37
1710	Mechanism of Cd(II) adsorption by macrofungus <i>Pleurotus platypus</i> . 2011 , 23, 288-93	34
1709	Organic pollutants removal from 2,4,6-trinitrotoluene (TNT) red water using low cost activated coke. 2011 , 23, 1962-9	38
1708	Kinetics and pseudo-isotherm studies of 4-nitrophenol adsorption onto mansonia wood sawdust. 2011 , 33, 418-428	32
1707	Adsorption of phenol from water by N-butylimidazolium functionalized strongly basic anion exchange resin. 2011 , 364, 462-8	58
1706	Adsorption of iodide ions on a calcium alginate-silver chloride composite adsorbent. 2011 , 386, 166-171	41
1705	Assessment of the adsorption kinetics, equilibrium and thermodynamic for the potential removal of reactive red dye using eggshell biocomposite beads. 2011 , 278, 412-423	142
1704	Cationic and anionic dye adsorption by agricultural solid wastes: A comprehensive review. 2011 , 280, 1-13	1020

1703	A novel acorn based adsorbent for the removal of brilliant green. 2011 , 281, 226-233	135
1702	Comparison of competitive and synergetic adsorption of three phenolic compounds on river sediment. 2011 , 159, 2876-81	14
1701	Biosorption of Methyl violet onto palm kernel fiber: Diffusion studies and multistage process design to minimize biosorbent mass and contact time. 2011 , 35, 4112-4123	24
1700	Biosorption of Cu(II) and Pb(II) ions from aqueous solution by natural spider silk. 2011 , 102, 8807-13	33
1699	Sorption of Cr(VI) anions in aqueous solution using carbonized or dried pineapple leaves. <i>Chemical Engineering Journal</i> , 2011 , 172, 906-913	14.7 31
1698	A review on applicability of naturally available adsorbents for the removal of hazardous dyes from aqueous waste. 2011 , 183, 151-95	249
1697	Comments on the paper Sorption of radionickel to goethite: effect of water quality parameters and temperature by Hu et al.. 2011 , 287, 987-987	2
1696	Adsorption of indigo carmine from aqueous solution using coal fly ash and zeolite from fly ash. 2011 , 289, 617-626	46
1695	Characterization of Co(II) removal from aqueous solution using bentonite/iron oxide magnetic composites. 2011 , 290, 675-684	27
1694	Equilibrium Modeling for Biosorption of Safranin onto Chemically Modified Biomass of Marine <i>Aspergillus wentii</i> . 2011 , 215, 679-691	7
1693	A Novel Pretreatment Method of Lignocellulosic Material as Adsorbent and Kinetic Study of Dye Waste Adsorption. 2011 , 218, 293-306	45
1692	Nickel(II) biosorption by <i>Rhodotorula glutinis</i> . 2011 , 38, 51-64	38
1691	The removal and kinetic study of Mn, Fe, Ni and Cu ions from wastewater onto activated carbon from coconut shells. 2011 , 17, 505-514	70
1690	Removal of cationic dye from aqueous solution by adsorption onto crosslinked poly(4-vinylpyridine/crotonic acid) and its N-oxide derivative. 2011 , 67, 125-140	16
1689	Microwave-enhanced synthesis of magnetic porous covalent triazine-based framework composites for fast separation of organic dye from aqueous solution. 2011 , 186, 984-90	113
1688	Cadmium adsorption by coal combustion ashes-based sorbents--relationship between sorbent properties and adsorption capacity. 2011 , 187, 371-8	39
1687	Removal of malachite green by adsorption and precipitation using aminopropyl functionalized magnesium phyllosilicate. 2011 , 192, 62-70	86
1686	Half-life and half-capacity concentration approach for the adsorption of 2,4-dichlorophenol and methyl blue from water on activated carbons. 2011 , 42, 312-319	15

1685	Kinetic modeling of the interaction between copper(II) and calcium hydroxide treated pine cone powder. 2011 , 42, 480-485		8
1684	Chemical modification of chitosan by tetraethylenepentamine and adsorption study for anionic dye removal. 2011 , 346, 1232-40		70
1683	A modified lignin adsorbent for the removal of 2,4,6-trinitrotoluene. <i>Chemical Engineering Journal</i> , 2011 , 168, 1055-1063	14.7	52
1682	Adsorption of bromo-phenol blue from an aqueous solution onto thermally modified granular charcoal. 2011 , 89, 23-28		21
1681	Uranium biosorption by <i>Padina</i> sp. algae biomass: kinetics and thermodynamics. 2011 , 18, 1593-605		40
1680	Thin-layer chromatographic plates with monolithic layer of silica: production, physical-chemical characteristics, separation capabilities. 2011 , 34, 2352-61		14
1679	A review on experimental studies of biosorption of heavy metals by <i>Aspergillus niger</i> . 2011 , 89, 889-900		13
1678	Adsorption kinetics and isotherms of a pesticide on polyester fibers by carrier finishing. 2011 , 120, 1208-1215		
1677	Synthesis of chitosan beads as boron sorbents. 2011 , 122, 657-665		18
1676	The effect of pH on the removal of anionic dyes from colored textile wastewater using a biosorbent. 2011 , 120, 2996-3003		25
1675	Hydroquinone modified hyper-cross-linked resin to be used as a polymeric adsorbent for adsorption of salicylic acid from aqueous solution. 2011 , 121, 3717-3723		12
1674	Adsorption of methylene blue from aqueous solution onto NaOH-modified rejected tea. <i>Chemical Engineering Journal</i> , 2011 , 166, 783-786	14.7	138
1673	Treatment of real effluents from dyeing reactor: Experimental and modeling approach by adsorption onto chitosan. <i>Chemical Engineering Journal</i> , 2011 , 168, 577-585	14.7	69
1672	Removal of dyes from wastewaters by adsorption on pillared clays. <i>Chemical Engineering Journal</i> , 2011 , 168, 1032-1040	14.7	229
1671	Ammonia-modified activated carbon for the adsorption of 2,4-dichlorophenol. <i>Chemical Engineering Journal</i> , 2011 , 169, 180-185	14.7	108
1670	Equilibrium, kinetics and thermodynamic of Remazol Brilliant Orange 3R dye adsorption on coffee husk-based activated carbon. <i>Chemical Engineering Journal</i> , 2011 , 170, 154-161	14.7	176
1669	Removal of malachite green dye from aqueous solution using rambutan peel-based activated carbon: Equilibrium, kinetic and thermodynamic studies. <i>Chemical Engineering Journal</i> , 2011 , 171, 510-516	14.7	260
1668	Adsorption characteristics of natural zeolites as solid adsorbents for phenol removal from aqueous solutions: Kinetics, mechanism, and thermodynamics studies. <i>Chemical Engineering Journal</i> , 2011 , 171, 1143-1149	14.7	357

1667	Characterization of anionic cationic surfactants modified montmorillonite and its application for the removal of methyl orange. <i>Chemical Engineering Journal</i> , 2011 , 171, 1150-1158	14.7	141
1666	Activated carbon from coal tar pitch and furfural for the removal of p-nitrophenol and m-aminophenol. <i>Chemical Engineering Journal</i> , 2011 , 172, 102-108	14.7	34
1665	Adsorption study of Pb(II), Cu(II) and Zn(II) from simulated acid mine drainage using dairy manure compost. <i>Chemical Engineering Journal</i> , 2011 , 172, 361-368	14.7	99
1664	Synthesis, characterization of acrylamide grafted chitosan and its use in removal of copper(II) ions from water. 2011 , 83, 495-500		61
1663	Synthesis and characterization of a novel amino modified starch and its adsorption properties for Cd(II) ions from aqueous solution. 2011 , 84, 430-438		58
1662	Facile fabrication of mesoporous MgO microspheres and their enhanced adsorption performance for phosphate from aqueous solutions. 2011 , 379, 102-108		129
1661	Sorption of methylene blue by carboxymethyl cellulose and reuse process in a secondary sorption. 2011 , 380, 143-151		115
1660	Bio-sorption of Tl-201 radionuclide on olive pomace. 2011 , 69, 614-22		3
1659	Removal of methylene blue from aqueous solution by montmorillonite/CoFe ₂ O ₄ composite with magnetic separation performance. 2011 , 266, 72-77		155
1658	Adsorption behavior of Ni (II) on lotus stalks derived active carbon by phosphoric acid activation. 2011 , 268, 12-19		53
1657	Adsorption of textile dyes on Pine Cone from colored wastewater: Kinetic, equilibrium and thermodynamic studies. 2011 , 268, 117-125		275
1656	Photocatalytic degradation of hazardous Ponceau-S dye from industrial wastewater using nanosized niobium pentoxide with carbon. 2011 , 269, 276-283		40
1655	Removal of Cu(II) by natural and acid-activated clays: An insight of adsorption isotherm, kinetic and thermodynamics. 2011 , 272, 66-75		114
1654	Adsorption thermodynamics studies of 2,4,5-trichlorophenoxy acetic acid on poly-o-toluidine Zr(IV) phosphate, a nano-composite used as pesticide sensitive membrane electrode. 2011 , 272, 259-264		18
1653	Use of humin as an alternative material for adsorption/desorption of reactive dyes. 2011 , 274, 13-21		39
1652	Preparation, characterization and dye adsorption properties of biocompatible composite (alginate/titania nanoparticle). 2011 , 275, 93-101		87
1651	Characterisation of lignite as an industrial adsorbent. 2011 , 90, 1567-1574		50
1650	Adsorption of cationic dyes onto mesoporous silica. 2011 , 141, 102-109		183

1649	Synthesis of hierarchical Ni(OH)(2) and NiO nanosheets and their adsorption kinetics and isotherms to Congo red in water. 2011 , 185, 889-97	305
1648	Adsorption of Pb(II) and Cd(II) from aqueous solutions using titanate nanotubes prepared via hydrothermal method. 2011 , 189, 741-8	170
1647	Organic-inorganic hybrid of chitosan/organoclay bionanocomposites for hexavalent chromium uptake. 2011 , 361, 509-20	197
1646	Extension of Langmuir kinetics in dilute solutions to include lateral interactions according to regular solution theory and the Kiselev association model. 2011 , 361, 603-11	13
1645	Adsorption process of methyl orange dye onto mesoporous carbon material-kinetic and thermodynamic studies. 2011 , 362, 457-62	636
1644	Microwave preparation of raw vermiculite for use in removal of copper ions from aqueous solutions. 2011 , 32, 1195-203	5
1643	Biosorption of Acid Blue 25 on Azadirachta indica (NEEM) Leaf Powder. 2011 ,	
1642	Notice of Retraction: Adsorption Kinetics of Chromium(VI) on a Spherical Chelation Adsorbent from Aqueous Solutions. 2011 ,	
1641	Monomethylolated Thiourea Sawdust as a New Adsorbent for Removal of Hg (II) from Contaminated Water: Equilibrium Kinetic and Thermodynamic Studies. 2011 , 50, 1220-1230	16
1640	Removal of Lead(II) from Aqueous Solutions using Pre-boiled and Formaldehyde-Treated Onion Skins as a New Adsorbent. 2011 , 46, 507-517	40
1639	Adsorption Studies for the Removal of Methyl tert-Butyl Ether on Various Commercially Available GACs from an Aqueous Medium. 2011 , 46, 1121-1130	13
1638	Adsorption of reactive dye from aqueous solutions by compost. 2011 , 28, 164-173	26
1637	Arsenic(III,V) Adsorption on Iron-Oxide-Coated Manganese Sand and Quartz Sand: Comparison of Different Carriers and Adsorption Capacities. 2011 , 28, 643-651	27
1636	Adsorption of Cobalt onto Bacillus cereus: Application of Isotherm and Kinetic Models. 2011 , 230-232, 1169-1172	
1635	Dyeing Adsorption Isotherm and Equilibrium Modeling Characteristics of Enzymatic and Caustic Pre-Treated Lyocell Fibers. 2011 , 332-334, 568-571	
1634	Removal of Rhodamine B from Wastewater by Rectorite and Sepiolite-Kinetic Study and Equilibrium Isotherm Analyses. 2011 , 183-185, 362-366	1
1633	Kinetics and Thermodynamics Study of Thiosulfate Removal from Water by Calcined MgAl-CO ₃ Layered Double Hydroxides. 2011 , 396-398, 880-885	0
1632	Adsorptive Removal of Methylene Blue by Ginkgo Leaf Powder. 2011 , 130-134, 829-832	1

1631	Adsorption of Chloride Anion from Aqueous Solution by Calcined (Mg-Al) Hydrotalcites of Different Mg/Al Ratio. 2011 , 233-235, 420-426	1
1630	Accumulation of Methylene Blue Dye by Growing Lemna minor. 2011 , 46, 1052-1058	35
1629	Adsorption of Pb(II), Cd(II) and Cu(II) Ions in Aqueous Solution on SWCNTs and SWCNT COOH Surfaces: Kinetics Studies. 2011 , 19, 628-652	78
1628	Modified Calcium Alginate Beads with Sodium Dodecyl Sulfate and Clay as Adsorbent for Removal of Methylene Blue. 2011 , 32, 1377-1387	9
1627	Adsorption of Cu ²⁺ Cations from Aqueous Solution by S-doped TiO ₂ . 2011 , 46, 2539-2548	7
1626	Effect of Modification with Nitric Acid and Hydrogen Peroxide on Chromium (VI) Adsorption by Activated Carbon Fiber. 2012 , 518-523, 2099-2103	0
1625	Adsorption of Cationic Dyes from Aqueous Solution onto Rapeseed Meal. 2012 , 550-553, 1550-1555	0
1624	Preparation of Alkali-Treated Fly Ash Adsorbent and its Application for Cd ²⁺ Removal from Aqueous Solution. 2012 , 550-553, 2155-2159	1
1623	Adsorption Characteristics of Methylene Blue on Activated Carbon from Rice Husk Ash by Chemical-Thermal Process. 2012 , 518-523, 2303-2306	2
1622	Removal of C.I. Reactive Red 2 from aqueous solutions by chitin: an insight into kinetics, equilibrium, and thermodynamics. 2012 , 65, 490-5	2
1621	Adsorption of Cu ²⁺ From Aqueous Solution onto Agricultural Solid Waste-Mentha: Characterization, Isotherms, and Kinetic Studies. 2012 , 33, 1188-1196	17
1620	Kinetic Study and Equilibrium Isotherm Analysis of Cationic Dye Adsorption onto Attapulgite and Rectorite. 2012 , 446-449, 2960-2963	
1619	Removal of Mg from spring water using natural clinoptilolite. 2012 , 47, 81-92	2
1618	Development of Functional Adsorbent From Textile Cotton Waste by Radiation Induced Grafting Process: Equilibrium and Kinetic Studies of Acid Dye Adsorption. 2012 , 47, 1937-1947	10
1617	Use and Misuse of Sorption Kinetic Data: A Common Mistake That Should Be Avoided. 2012 , 30, 217-225	28
1616	The Removal of Methylene Blue from Aqueous Solutions by Using Microwave Heating and Pre-boiling Treated Onion Skins as a New Adsorbent. 2012 , 34, 1577-1590	19
1615	Removal of crystal violet dye from aqueous solutions using rubber (hevea brasillensis) seed shell-based biosorbent. 2012 , 48, 174-181	11
1614	Preparation of High Surface Area Mesoporous Activated Carbon: Kinetics and Equilibrium Isotherm. 2012 , 47, 886-895	9

1613	Eggshell Particles (ESP) as Potential Adsorbent for Styryl Pyridinium Dyes: Kinetic and Thermodynamic Study. 2012 , 33, 1012-1020	13
1612	REMOVAL OF DYES FROM WASTEWATERS BY LOW-COST ADSORBENTS. 2012 , 929-977	2
1611	Isotherm, Kinetic, and Thermodynamic of Cationic Dye Removal from Binary System by Feldspar. 2012 , 47, 1660-1672	19
1610	Adsorption of Copper (II) and Lead (II) Ions onto Cottonseed Protein-PAA Hydrogel Composite. 2012 , 51, 612-619	31
1609	Kinetic and equilibrium study on uptake of iodide ion by calcined layered double hydroxides. 2012 , 42, 279-288	6
1608	Lead(II) and cadmium(II) removal from aqueous solution using processed walnut shell: kinetic and equilibrium study. 2012 , 94, 660-671	41
1607	Adsorption of Congo red onto mesoporous carbon material: equilibrium and kinetic studies. 2012 , 44, 118-127	17
1606	Kinetics, Equilibrium, and Thermodynamic of Pb(II) Biosorption by Citric Acid Modified Lawny Grass Containing Cyanex272. 2012 , 47, 1552-1561	3
1605	Role of modified activated carbon by H ₃ PO ₄ or K ₂ CO ₃ from natural adsorbent for removal of Pb(II) from aqueous solutions. 2012 , 13, 115-120	7
1604	Sustainable Bioenergy and Bioproducts. 2012 ,	7
1603	Adsorption of Cu ²⁺ Ions from Aqueous Solution by NaOH Activated ZSM-5 Zeolite. 2012 , 482-484, 2568-2572	
1602	Adsorption of Alizarin Red from Aqueous Solution Using Ultra-Fine Fly Ash. 2012 , 518-523, 2307-2314	3
1601	Application of chelating ion-exchangers Amberlite IRC-718 and Duolite ES-346 in removal of Pt(IV) ions from chloride and chloride-nitrate media. 2012 , 45, 229-240	1
1600	Modified crab shell particles for the removal of lead(II) ions from aqueous solutions. 2012 , 9, 232	
1599	Analysis of the Sorption Efficiency of Acid, Basic and Direct Dyes Using Chitosan, Fly Ashes Immobilized onto Chitosan and Modified Sawdust Immobilized onto Chitosan as Sorbents. 2012 , 30, 461-471	5
1598	Evaluation of Clavulanic Acid Adsorption in MgAl-Layered Double Hydroxides: Kinetic, Equilibrium and Thermodynamic Studies. 2012 , 30, 65-80	7
1597	- Impinging-Jet Ozone Bubble Column Reactors. 2012 , 122-151	
1596	Electrosorption-Enhanced Micro-Column Solid-Phase Extraction of Traces of Cresol Red in Water Using Electrodes of Stainless Steel Wire Coated with Non-Conductive Polymer. 2012 , 30, 241-253	2

1595 Study on the Adsorption of Methylene Blue by Starch-G-Poly(acrylic Acid). **2012**, 178-181, 400-405

1594 Thermal regeneration of spent coal-based activated carbon using carbon dioxide: process optimisation, Methylene Blue decolorisation isotherms and kinetics. **2012**, 128, 464-472 8

1593 Utilization of waste phosphogypsum to prepare hydroxyapatite nanoparticles and its application towards removal of fluoride from aqueous solution. **2012**, 241-242, 418-26 88

1592 Cr⁶⁺ bioremediation efficiency of *Oscillatoria laete-virens* (Crouan & Crouan) Gomont and *Oscillatoria trichoides* Szafer: kinetics and equilibrium study. **2012**, 24, 1439-1454 15

1591 Equilibrium and kinetics studies of Cu(II) ions adsorption on polyamidoamine dendrimer starch. **2012**, 38, 2411-2425 6

1590 Papaya (*Carica papaya* L.) Leaf Powder: Novel Adsorbent for Removal of Methylene Blue from Aqueous Solution. **2012**, 223, 4949-4958 11

1589 Optimization of electrocoagulation process for the simultaneous removal of mercury, lead, and nickel from contaminated water. **2011**, 19, 2734-44 52

1588 A low-cost and high efficient zirconium-modified-Na-attapulgite adsorbent for fluoride removal from aqueous solutions. *Chemical Engineering Journal*, **2012**, 183, 315-324 14.7 132

1587 Activated carbon from carrot dross combined with magnetite nanoparticles for the efficient removal of p-nitrophenol from aqueous solution. *Chemical Engineering Journal*, **2012**, 210, 510-519 14.7 95

1586 Efficient removal of heavy metal ions by thiol-functionalized superparamagnetic carbon nanotubes. *Chemical Engineering Journal*, **2012**, 210, 45-52 14.7 213

1585 Nitrate removal from water using functionalized carbon nanotube sheets. **2012**, 90, 1815-1822 66

1584 Methylene blue (cationic dye) adsorption onto sugar beet pulp: Equilibrium isotherm and kinetic studies. **2012**, 43, 108-111 70

1583 Phenol adsorption by charred sawdust of sheesham (Indian rosewood; *Dalbergia sissoo*) from single, binary and ternary contaminated solutions. **2012**, 43, 926-933 21

1582 . **2012**, 1

1581 Durian (*Durio zibethinus* L.) shell and Banana Pseudostem fibers: Microsorbent for the removal of oil from aqueous solution. **2012**,

1580 . **2012**, 2

1579 Adsorptive properties of acid-heat activated rectorite for Rhodamine B removal: equilibrium, kinetic studies. **2012**, 37, 259-267 10

1578 Application of Aqai Stalks as Biosorbents for the Removal of the Dye Procion Blue MX-R from Aqueous Solution. **2012**, 47, 513-526 72

1577	Adsorptive Removal of 2,4-Dichlorophenoxyacetic Acid (2,4-D) from Aqueous Solutions Using MIEX Resin. 2012 , 51, 11226-11235	61
1576	Comparison of Activated Carbon, Multiwalled Carbon Nanotubes, and Cadmium Hydroxide Nanowire Loaded on Activated Carbon as Adsorbents for Kinetic and Equilibrium Study of Removal of Safranin O. 2012 , 45, 500-510	37
1575	Removal of methylene blue dye from aqueous solution using pink guava (<i>Psidium Guajava</i>) waste-based activated carbon. 2012 ,	3
1574	Prediction Strategy of Adsorption Equilibrium Time Based on Equilibrium and Kinetic Results To Isolate Taxifolin. 2012 , 51, 454-463	30
1573	Removal of Methylene Blue from Aqueous Solutions by using Cold Plasma, Microwave Radiation and Formaldehyde Treated Acorn Shell. 2012 , 47, 1542-1551	28
1572	Intercalation of Gastropod Shell Derived Calcium Oxide in Clay and Application in Phosphate Removal from Aqua Medium. 2012 , 51, 14637-14645	19
1571	Sacrificial template-directed synthesis of mesoporous magnesium oxide architectures with superior performance for organic dye adsorption [corrected]. 2012 , 4, 5401-8	106
1570	Photocatalytic removal of 2,4-dichlorophenoxyacetic acid by using sol-gel synthesized nanocrystalline and commercial TiO ₂ : Operational parameters optimization and toxicity studies. 2012 , 125, 28-34	51
1569	Removal of Cationic Dye by Magnetic Nanoparticle (Fe ₃ O ₄) Impregnated onto Activated Maize Cob Powder and Kinetic Study of Dye Waste Adsorption. 2012 , 1, 83-89	57
1568	Studies on the Adsorption of Methylene Blue Dye from Aqueous Solution onto Low-Cost Tartaric Acid Treated Bagasse. 2012 , 1, 103-109	20
1567	Surface modification of Cameroonian magnetite rich clay with Eriochrome Black T. Application for adsorption of nickel in aqueous solution. 2012 , 258, 7470-7479	46
1566	Efficient removal of both cationic and anionic dyes from aqueous solutions using a novel amphoteric straw-based adsorbent. 2012 , 90, 887-93	65
1565	Adsorption of methylene blue dye from aqueous solution by sugar extracted spent rice biomass. 2012 , 90, 1314-22	119
1564	The implication of iron oxide nanoparticles on the removal of trichloroethylene by adsorption. <i>Chemical Engineering Journal</i> , 2012 , 193-194, 422-428	14.7 14
1563	Adsorption of nitrate and nitrite from aqueous solution onto calcined (Mg/Al) hydrotalcite of different Mg/Al ratio. <i>Chemical Engineering Journal</i> , 2012 , 195-196, 241-247	14.7 93
1562	Adsorption of dyes from aqueous solutions by microwave modified bamboo charcoal. <i>Chemical Engineering Journal</i> , 2012 , 195-196, 339-346	14.7 110
1561	Micro-nano structure poly(ether sulfones)/poly(ethyleneimine) nanofibrous affinity membranes for adsorption of anionic dyes and heavy metal ions in aqueous solution. <i>Chemical Engineering Journal</i> , 2012 , 197, 88-100	14.7 213
1560	Kinetic and adsorptive characterization of biochar in metal ions removal. <i>Chemical Engineering Journal</i> , 2012 , 197, 295-305	14.7 430

1559	Removal of uranium(VI) from aqueous solutions by magnetic Schiff base: Kinetic and thermodynamic investigation. <i>Chemical Engineering Journal</i> , 2012 , 198-199, 412-419	14.7	135
1558	Adsorption of an industrial anionic dye by modified-KSF-montmorillonite: Evaluation of the kinetic, thermodynamic and equilibrium data. <i>Chemical Engineering Journal</i> , 2012 , 203, 259-268	14.7	88
1557	Acidic dye biosorption onto marine brown macroalgae: Isotherms, kinetic and thermodynamic studies. <i>Chemical Engineering Journal</i> , 2012 , 204-206, 225-234	14.7	72
1556	Paper-like composites of cellulose acetate/organomontmorillonite for removal of hazardous anionic dye in water. <i>Chemical Engineering Journal</i> , 2012 , 209, 223-234	14.7	90
1555	Utilization of chitosan/zeolite composite in the removal of Cu(II) from aqueous solution: Adsorption, desorption and fixed bed column studies. <i>Chemical Engineering Journal</i> , 2012 , 209, 46-53	14.7	100
1554	Low-cost biogenic waste for phosphate capture from aqueous system. <i>Chemical Engineering Journal</i> , 2012 , 209, 170-179	14.7	30
1553	Macroporous composite IPN hydrogels based on poly(acrylamide) and chitosan with tuned swelling and sorption of cationic dyes. <i>Chemical Engineering Journal</i> , 2012 , 204-206, 198-209	14.7	84
1552	Application of <i>Mangifera indica</i> (mango) seeds as a biosorbent for removal of Victazol Orange 3R dye from aqueous solution and study of the biosorption mechanism. <i>Chemical Engineering Journal</i> , 2012 , 209, 577-588	14.7	92
1551	Adsorption of perchlorate from water using calcined iron-based layered double hydroxides. 2012 , 65-66, 80-86		19
1550	A Use of Cedar Cone for the Removal of a Cationic Dye from Aqueous Solutions by Sorption. 2012 , 18, 1047-1058		6
1549	Adsorption of caesium from aqueous solution using cerium molybdate/pan composite. 2012 , 28, 169-185		12
1548	Enhanced adsorptive removal of methyl orange and methylene blue from aqueous solution by alkali-activated multiwalled carbon nanotubes. 2012 , 4, 5749-60		526
1547	Evaluation of carbon-based nanosorbents synthesised by ethylene decomposition on stainless steel substrates as potential sequestering materials for nickel ions in aqueous solution. 2012 , 24, 1559-68		22
1546	Synergistic Multilayer Adsorption for Low Concentration Dyestuffs by Biomass. 2012 , 20, 560-566		9
1545	Removal of uranium(VI) from aqueous solutions by magnetic Mg/Al layered double hydroxide intercalated with citrate: Kinetic and thermodynamic investigation. 2012 , 414, 220-227		62
1544	Chemical modification of coal fly ash for the retention of low levels of lead from aqueous solutions. 2012 , 102, 135-144		12
1543	Adsorption of heavy metal ions by hierarchically structured magnetite-carbonaceous spheres. 2012 , 101, 45-52		48
1542	Adsorption and kinetic studies of seven different organic dyes onto magnetite nanoparticles loaded tea waste and removal of them from wastewater samples. 2012 , 99, 102-9		139

1541	Physicochemical characterization and sorption behavior of Mg-Ca-Al (NO ₃) hydrotalcite-like compounds toward removal of fluoride from protein solutions. 2012 , 237-238, 121-32	45
1540	Comparison of <i>Spirulina platensis</i> microalgae and commercial activated carbon as adsorbents for the removal of Reactive Red 120 dye from aqueous effluents. 2012 , 241-242, 146-53	189
1539	Kinetic and thermodynamic of adsorption of 2-picoline by sawdust from aqueous solution. 2012 , 18, 2010-2015	24
1538	Rattle-type carbon-alumina core-shell spheres: synthesis and application for adsorption of organic dyes. 2012 , 4, 2174-9	115
1537	Characterization of natural- and organobentonite by XRD, SEM, FT-IR and thermal analysis techniques and its adsorption behaviour in aqueous solutions. 2012 , 47, 31-44	57
1536	Adsorption of gold(III) on ionic imprinted amino-silica hybrid prepared from rice hull ash. 2012 , 85, 211-223	14
1535	Adsorption of Methylene Blue from Aqueous Solution on High Lime Fly Ash: Kinetic, Equilibrium, and Thermodynamic Studies. 2012 , 33, 15-23	16
1534	Boron removal from brine by XSC-700. 2012 , 19, 2768-2773	6
1533	Watermelon rind: agro-waste or superior biosorbent?. 2012 , 167, 1699-715	40
1532	Steam- and carbon dioxide-gasification of coal combustion ash for liquid phase cadmium removal by adsorption. <i>Chemical Engineering Journal</i> , 2012 , 207-208, 66-71	14.7 24
1531	Facile synthesis of mesoporous CdS nanospheres and their application in photocatalytic degradation and adsorption of organic dyes. 2012 , 14, 1185-1188	54
1530	Biosorption of Cd(II) from aqueous solution by <i>Pseudomonas plecoglossicida</i> : kinetics and mechanism. 2012 , 65, 350-5	21
1529	Removal of Pb ²⁺ from aqueous system by live <i>Oscillatoria laete-virens</i> (Crouan and Crouan) Gomont isolated from industrial effluents. 2012 , 28, 3053-65	18
1528	Hexacyanoferrate Composite Sorbent in Removal of Anionic Species From Waters and Waste Waters. 2012 , 47, 1361-1368	6
1527	Single and simultaneous adsorption of methyl orange and humic acid onto bentonite. 2012 , 70, 84-90	58
1526	Adsorption of Methylene Blue by Rice Hull Ash. 2012 , 47, 147-156	55
1525	Competitive Adsorption of Neutral Red and Cu ²⁺ onto Pyrolytic Char: Isotherm and Kinetic Study. 2012 , 57, 2792-2801	23
1524	Adsorption of Rhodamine B from aqueous solution onto sepiolite modified by cetyltrimethylammonium bromide. 2012 , 45, 112-119	14

1523	Modelling of arsenate retention from aqueous solutions by living coryneform double-mutant bacteria. 2012 , 9, 121		3
1522	Kinetic, Thermodynamic and Equilibrium Studies on Uptake of Rhodamine B onto ZnCl ₂ Activated Low Cost Carbon. 2012 , 9, 137-144		3
1521	CELLULOSIC SUBSTRATES FOR REMOVAL OF POLLUTANTS FROM AQUEOUS SYSTEMS: A REVIEW. 2. DYES. 2012 , 7,		38
1520	Kinetics and Thermodynamic Study of Malachite Green Adsorption on Seeds of Dates.. 2012 , 2,		1
1519	ADSORPTION FROM AQUEOUS SOLUTION ONTO NATURAL AND ACID ACTIVATED BENTONITE. 2012 , 8, 510-522		22
1518	Comparative studies on parametric sensitivity analyses using conventional and factorial design methodologies: mathematical modelling of clavulanic acid adsorption on zeolites. 2012 , 87, 1715-1722		3
1517	Removal of boron from aqueous solution using calcined magnesite tailing. <i>Chemical Engineering Journal</i> , 2012 , 189-190, 68-74	14.7	41
1516	Removal of radiocobalt from aqueous solution by different sized carbon nanotubes. 2012 , 292, 785-791		9
1515	Impact of environmental conditions on the removal of Ni(II) from aqueous solution to bentonite/iron oxide magnetic composites. 2012 , 292, 1181-1191		4
1514	Polydopamine Nanoparticles as a New and Highly Selective Biosorbent for the Removal of Copper (II) Ions from Aqueous Solutions. 2012 , 223, 3535-3544		92
1513	Phosphorus release potential and pollution characteristics of sediment in downstream Nansi Lake, China. 2012 , 6, 162-170		6
1512	Removal of methylene blue from aqueous solution by a carbon-microsilica composite adsorbent. 2012 , 29, 775-780		4
1511	Removal of methylene blue from aqueous solutions by poly(2-acrylamido-2-methylpropane sulfonic acid-co-itaconic acid) hydrogels. 2012 , 68, 1889-1903		31
1510	Sorption of Cesium on Clay Colloids: Kinetic and Thermodynamic Studies. 2012 , 18, 281-296		25
1509	Adsorption characteristics of CI Basic Blue 3 from aqueous solution onto Aleppo pine-tree sawdust. 2012 , 128, 21-27		9
1508	Preparation and characterization of IPN composite hydrogels based on polyacrylamide and chitosan and their interaction with ionic dyes. 2012 , 88, 270-281		84
1507	Beyond the synthesis of novel solid phases: Review on modelling of sorption phenomena. 2012 , 256, 28-45		155
1506	Adsorption characteristics of chitosan modified by chelating agents of a new generation. <i>Chemical Engineering Journal</i> , 2012 , 179, 33-43	14.7	47

1505	Quinoline adsorption onto granular activated carbon and bagasse fly ash. <i>Chemical Engineering Journal</i> , 2012 , 181-182, 343-351	14.7	72
1504	Batch adsorption of basic dye using acid treated kenaf fibre char: Equilibrium, kinetic and thermodynamic studies. <i>Chemical Engineering Journal</i> , 2012 , 181-182, 449-457	14.7	240
1503	Adsorption isotherm, thermodynamic and kinetics studies of polyphenols onto tannery shavings. <i>Chemical Engineering Journal</i> , 2012 , 183, 21-29	14.7	25
1502	Kinetics, thermodynamics and equilibrium evaluation of direct yellow 12 removal by adsorption onto silver nanoparticles loaded activated carbon. <i>Chemical Engineering Journal</i> , 2012 , 187, 133-141	14.7	185
1501	Nano composite a potential low cost adsorbent for removal of cyanine acid. <i>Chemical Engineering Journal</i> , 2012 , 188, 57-63	14.7	44
1500	Gallic acid modified hyper-cross-linked resin and its adsorption equilibria and kinetics toward salicylic acid from aqueous solution. <i>Chemical Engineering Journal</i> , 2012 , 191, 195-201	14.7	28
1499	Removal of methylene blue from aqueous solution with self-assembled cylindrical graphene-carbon nanotube hybrid. <i>Chemical Engineering Journal</i> , 2012 , 192, 156-163	14.7	272
1498	Adsorption of acid orange II dye by raw and chemically modified brown macroalga <i>Stoechospermum marginatum</i> . <i>Chemical Engineering Journal</i> , 2012 , 192, 67-76	14.7	156
1497	Arsenic(III) oxidation/adsorption behaviors on a new bimetal adsorbent of Mn-oxide-doped Al oxide. <i>Chemical Engineering Journal</i> , 2012 , 192, 343-349	14.7	73
1496	Regeneration of microwave assisted spent activated carbon: Process optimization, adsorption isotherms and kinetics. 2012 , 53, 53-62		62
1495	Studies on mercury bioremediation by alginate immobilized mercury tolerant <i>Bacillus cereus</i> cells. 2012 , 71, 1-8		64
1494	Magnetic carbon nanotubes synthesis by Fenton's reagent method and their potential application for removal of azo dye from aqueous solution. 2012 , 378, 175-83		104
1493	Recovery of gold as a type of porous fiber by using biosorption followed by incineration. 2012 , 104, 208-14		43
1492	Environmental strategies to remove volatile aromatic fractions (BTEX) from petroleum industry wastewater using biomass. 2012 , 105, 31-9		114
1491	Adsorption of anionic dyes from aqueous solutions using chemically modified straw. 2012 , 117, 40-7		126
1490	Adsorptive Thermodynamic Properties and Kinetics of trans-1,2-Cyclohexandiol onto AB-8 Resin. 2012 , 20, 277-283		2
1489	The characteristics and mechanism of Co(II) removal from aqueous solution by a novel xanthate-modified magnetic chitosan. 2012 , 242, 452-457		77
1488	Comparison of silver and palladium nanoparticles loaded on activated carbon for efficient removal of Methylene blue: Kinetic and isotherm study of removal process. 2012 , 228, 18-25		188

1487	Role of uniform pore structure and high positive charges in the arsenate adsorption performance of Al ³⁺ -modified montmorillonite. 2012 , 203-204, 317-25	33
1486	Adsorption isotherms and kinetics studies of malachite green on chitin hydrogels. 2012 , 209-210, 218-25	249
1485	Removal of phosphorus by a composite metal oxide adsorbent derived from manganese ore tailings. 2012 , 217-218, 29-35	50
1484	Adsorption of perchlorate from aqueous solution by the calcination product of Mg/(Al-Fe) hydroxalcalite-like compounds. 2012 , 209-210, 318-25	62
1483	Adsorption kinetics of aromatic compounds on carbon nanotubes and activated carbons. 2012 , 31, 79-85	44
1482	Geochemical and thermodynamic aspects of sorption of strontium on kaolinite dominated clay samples at Kalpakkam. 2012 , 65, 1265-1274	22
1481	Removal of Rhodium (III) from Aqueous Solution by Na- and K-Treated Clinoptilolites. 2012 , 223, 411-419	1
1480	Synthesis and characterization of zinc sulfide nanoparticles loaded on activated carbon for the removal of methylene blue. 2013 , 32, 535-542	28
1479	Adsorption of Vanillin by an Anisole-Modified Hyper-Cross-Linked Polystyrene Resin from Aqueous Solution: Equilibrium, Kinetics, and Dynamics. 2013 , 32, E221-E230	15
1478	High capacity adsorption of malachite green in a mesoporous tyre-derived activated carbon. 2013 , 8, 172-177	17
1477	Sorption of remazol brilliant blue R onto polyurethane-type foam prepared from peanut shell. 2013 , 127, 4340-4351	22
1476	Enhanced adsorption of malachite green onto carbon nanotube/polyaniline composites. 2013 , 127, 2475-2482	32
1475	Synthesis and adsorption properties of activated carbons from biomass of <i>Prunus domestica</i> and <i>Jacaranda mimosifolia</i> for the removal of heavy metals and dyes from water. 2013 , 42, 315-323	105
1474	Application of ocean manganese nodules for the adsorption of potassium ions from seawater. 2013 , 49, 121-127	7
1473	Biosorption behaviors of uranium (VI) from aqueous solution by sunflower straw and insights of binding mechanism. 2013 , 298, 1823-1834	48
1472	Lead sorption by living biomass of <i>Chroococcus multicoloratus</i> and <i>Oscillatoria trichoides</i> : kinetics and equilibrium studies. 2013 , 63, 591-605	4
1471	Synthesis of Novel Biocompatible Composite Fe ₃ O ₄ /ZrO ₂ /Chitosan and Its Application for Dye Removal. 2013 , 23, 393-400	32
1470	Synergistic effect in the simultaneous removal of binary cobalt and nickel heavy metals from effluents by a novel e-waste-derived material. <i>Chemical Engineering Journal</i> , 2013 , 228, 140-146	14.7 60

1469	Adsorption of Myricetrin, Puerarin, Naringin, Rutin, and Neohesperidin Dihydrochalcone Flavonoids on Macroporous Resins. 2013 , 58, 2527-2537		19
1468	Bioremoval of antimony(III) from contaminated water using several plant wastes: Optimization of batch and dynamic flow conditions for sorption by green bean husk (<i>Vigna radiata</i>). <i>Chemical Engineering Journal</i> , 2013 , 225, 192-201	14.7	46
1467	Mutual promotion mechanism for adsorption of coexisting Cr(III) and Cr(VI) onto titanate nanotubes. <i>Chemical Engineering Journal</i> , 2013 , 232, 228-236	14.7	30
1466	Adsorption of rhodamine B from aqueous solution onto heat-activated sepiolite. 2013 , 18, 219-225		9
1465	Chemical Modification of Imperata cylindrica Leaf Powder for Heavy Metal Ion Adsorption. 2013 , 224, 1		18
1464	Adsorption of pharmaceuticals onto trimethylsilylated mesoporous SBA-15. 2013 , 254-255, 345-353		55
1463	Carbon nanotubes as potential material for drug delivery—experiment and simulation. 2013 , 19, 269-272		5
1462	C2-symmetric cyclohexane-based hydrogels: A rational designed LMWG and its application in dye scavenging. 2013 , 177, 167-171		14
1461	Layer-by-layer loading iron onto mesoporous silica surfaces: Synthesis, characterization and application for As(V) removal. 2013 , 171, 139-146		24
1460	An easy method to synthesize graphene oxide—FeOOH composites and their potential application in water purification. 2013 , 48, 2180-2185		44
1459	Removal of Carbamazepine, Naproxen, and Trimethoprim from Water by Amberlite XAD-7: A Kinetic Study. 2013 , 41, 1052-1061		20
1458	Removal of methyl orange from aqueous solutions with poly(acrylic acid-co-acrylamide) superabsorbent resin. 2013 , 70, 905-918		30
1457	Removal of Textile Dyes from Aqueous Solution using Amine-Modified Plant Biomass of <i>A. caricum</i> : Equilibrium and Kinetic Studies. 2013 , 224, 1		22
1456	Comments on Removal of zirconium(IV) from aqueous solution by <i>Coriolus versicolor</i> : Equilibrium and thermodynamic study— 2013 , 58, 1-2		3
1455	Removal of phenol in aqueous solutions by novel buoyant Composite photocatalysts and the kinetics. 2013 , 115, 180-189		14
1454	Facile synthesis of alumina hollow microspheres via trisodium citrate-mediated hydrothermal process and their adsorption performances for p-nitrophenol from aqueous solutions. 2013 , 394, 509-14		36
1453	Kinetic studies on the adsorption of methylene blue onto vegetal fiber activated carbons. 2013 , 282, 52-59		107
1452	Defluoridation from aqueous solution by chitosan modified natural zeolite. 2013 , 88, 1707-1714		19

1451	Adsorption of Cr(VI) by modified chitosan from heavy-metal polluted water of Xiangjiang River, China. 2013 , 23, 3095-3103		25
1450	Peer review under responsibility of University of Bahrain.View all notesRemoval of two textile dyes from aqueous solutions onto calcined bones. 2013 , 14, 51-59		33
1449	Activated carbon from biochar: influence of its physicochemical properties on the sorption characteristics of phenanthrene. 2013 , 149, 383-9		126
1448	Sorption of uranium from aqueous solutions using palm-shell-based adsorbents: a kinetic and equilibrium study. 2013 , 126, 115-24		39
1447	Resorcinol modified hypercrosslinked poly(styrene-co-divinylbenzene) resin and its adsorption equilibriums, kinetics and dynamics towards p-hydroxylbenzaldehyde from aqueous solution. <i>Chemical Engineering Journal</i> , 2013 , 219, 238-244	14.7	22
1446	Manganese dioxide/iron oxide/acid oxidized multi-walled carbon nanotube magnetic nanocomposite for enhanced hexavalent chromium removal. <i>Chemical Engineering Journal</i> , 2013 , 234, 256-265	14.7	197
1445	Interactions between carbon nanotubes and sulfonamide antibiotics in aqueous solutions under various physicochemical conditions. 2013 , 48, 1136-44		22
1444	A magnetically separable P25/CoFe2O4/graphene catalyst with enhanced adsorption capacity and visible-light-driven photocatalytic activity. 2013 , 3, 22490		35
1443	Adsorption of methylene blue from aqueous solution onto multiporous palygorskite modified by ion beam bombardment: Effect of contact time, temperature, pH and ionic strength. 2013 , 83-84, 137-143		67
1442	An exponential kinetic model for adsorption at solid/solution interface. <i>Chemical Engineering Journal</i> , 2013 , 215-216, 65-71	14.7	59
1441	Removal of bromide from water by adsorption on silver-loaded porous carbon spheres to prevent bromate formation. <i>Chemical Engineering Journal</i> , 2013 , 218, 333-340	14.7	25
1440	Removal of basic yellow cationic dye by an aqueous dispersion of Moroccan stevensite. 2013 , 80-81, 46-51		17
1439	Effect of basicity of anion exchangers and number and positions of sulfonic groups of acid dyes on dyes adsorption on macroporous anion exchangers with styrenic polymer matrix. <i>Chemical Engineering Journal</i> , 2013 , 215-216, 731-739	14.7	39
1438	Recovery of ammonium onto wheat straw to be reused as a slow-release fertilizer. 2013 , 61, 3382-8		26
1437	Hierarchically porous MnO ₂ microspheres with enhanced adsorption performance. 2013 , 1, 11682		163
1436	Bis (2-mercapto-ethyl) amine modification of macroporous sulfonic resin catalyst in bisphenol-a synthesis. 2013 , 59, 3816-3823		6
1435	Enhanced photocatalytic activity of TiO ₂ /EC hybrid aerogels for methylene blue degradation. 2013 , 3, 3018		87
1434	Application of magnetic chitosan composites for the removal of toxic metal and dyes from aqueous solutions. 2013 , 201-202, 68-93		448

1433	Nanocrystalline hydroxyapatite from fish scale waste: Preparation, characterization and application for selenium adsorption in aqueous solution. <i>Chemical Engineering Journal</i> , 2013 , 215-216, 522-532	14.7	149
1432	Synthesis and characterization of large pore cubic mesoporous silicas functionalized with high contents of carboxylic acid groups and their use as adsorbents. 2013 , 142-143, 817-827		28
1431	Adsorption and desorption kinetics of benzene derivatives on mesoporous carbons. 2013 , 19, 391-406		44
1430	Modeling of sorption kinetics: the pseudo-second order equation and the sorbate intraparticle diffusivity. 2013 , 19, 1055-1064		151
1429	Competitive adsorption of Cu(II) and Pb(II) ions from aqueous solutions by Ca-alginate immobilized activated carbon and <i>Saccharomyces cerevisiae</i> . 2013 , 20, 2478-2488		19
1428	Adsorption characteristics of stevioside and rebaudioside A from aqueous solutions on 3-aminophenylboronic acid-modified poly(divinylbenzene-co-acrylic acid). 2013 , 118, 313-323		15
1427	Removal of Arsenic from Drinking Water by Using the Zr-Loaded Resin. 2013 , 58, 427-435		9
1426	Application of β -Zeolite, Zeolite Y, and Mordenite as Adsorbents to Remove Mercury from Aqueous Solutions. 2013 , 34, 747-755		11
1425	Enhanced Adsorption for P-Chlorophenol by Ammonia Modified Activated Carbon. 2013 , 663, 807-812		
1424	Fast and Efficient Removal of Cationic Dyes From Aqueous Solution by Collagen-Based Hydrogel Nanocomposites. 2013 , 52, 310-318		37
1423	Adsorptive Removal of Pb(II) and Cu(II) Ions from Aqueous Solutions by Cross-Linked Chitosan-Polyphosphate-Epichlorohydrin Beads. 2013 , 48, 2132-2139		12
1422	Batch biosorption of radioactive thallium on solid waste of oleum rosea process. 2013 , 88, n/a-n/a		
1421	Sorption behavior of freshwater aquatic fern <i>Azolla filiculoides</i> on redwine dye. 2013 , 51, 6115-6129		3
1420	Organic dye adsorption on activated carbon derived from solid waste. 2013 , 51, 2554-2563		33
1419	Ethylenediamine assisted synthesis of wurtzite zinc sulphide nanosheets and porous zinc oxide nanostructures: near white light photoluminescence emission and photocatalytic activity under visible light irradiation. 2013 , 15, 5515		62
1418	Utilization of dried activated sludge for the removal of basic dye from aqueous solution. 2013 , 51, 7074-7080		7
1417	Utilization of Coconut Milk Processing Waste as a Low-Cost Mercury Sorbent. 2013 , 52, 15648-15657		35
1416	Adsorption Equilibrium and Kinetics of Toxic Dye-Erythrosine B Adsorption onto Montmorillonite. 2013 , 48, 1370-1381		11

1415	Simple in situ functionalizing magnetite nanoparticles by reactive blue-19 and their application to the effective removal of Pb ²⁺ ions from water samples. 2013 , 90, 542-7		45
1414	Removal of a Cationic Dye from Aqueous Solution Using Graphene Oxide Nanosheets: Investigation of Adsorption Parameters. 2013 , 58, 151-158		225
1413	Functional nanoporous carbons from hydrothermally treated biomass for environmental purification. 2013 , 168, 92-101		100
1412	Kinetic models applied to erbium adsorption on activated charcoal from aqueous solutions. 2013 , 295, 1051-1055		6
1411	Oxidized multiwalled carbon nanotubes as adsorbent for the removal of manganese from aqueous solution. 2013 , 20, 987-96		41
1410	Kinetics and equilibriums for adsorption of poly(vinyl alcohol) from aqueous solution onto natural bentonite. <i>Chemical Engineering Journal</i> , 2013 , 214, 343-354	14.7	43
1409	Sorption of pesticides by a mineral sand mining by-product, neutralised used acid (NUA). 2013 , 442, 255-62		9
1408	Comparison of Jatropha curcas shells in natural form and treated by non-thermal plasma as biosorbents for removal of Reactive Red 120 textile dye from aqueous solution. 2013 , 46, 328-340		132
1407	Hypercrosslinked poly(styrene-co-divinylbenzene) resin as a specific polymeric adsorbent for purification of berberine hydrochloride from aqueous solutions. 2013 , 400, 78-87		24
1406	Gastropod shell as a precursor for the synthesis of binary alkali-earth and transition metal oxide for Cr(VI) Abstraction from Aqua System. 2013 , 116, 230-239		17
1405	Fe ₃ O ₄ @C@polyaniline trilaminar core-shell composite microspheres as separable adsorbent for organic dye. 2013 , 87, 8-13		50
1404	Comment on "Microwave synthesized xanthan gum-g-poly(ethylacrylate): an efficient Pb ²⁺ ion binder" by Sadanand Pandey and Shivani B. Mishra. 2013 , 95, 508		1
1403	Kinetic and equilibrium studies of the adsorption of Cd(II) from aqueous solutions by wood apple shell activated carbon. 2013 , 51, 4638-4650		13
1402	Adsorption of tetracycline and chloramphenicol in aqueous solutions by bamboo charcoal: A batch and fixed-bed column study. <i>Chemical Engineering Journal</i> , 2013 , 228, 496-505	14.7	220
1401	Removal of anionic dyes from aqueous solutions by an ion-exchanger based on pullulan microspheres. 2013 , 91, 74-84		100
1400	Efficient removal of organic dyes from aqueous solution with ecofriendly biomass-derived carbon@montmorillonite nanocomposites by one-step hydrothermal process. <i>Chemical Engineering Journal</i> , 2013 , 223, 688-695	14.7	98
1399	Application of termite nest for adsorption of Cr(VI). 2013 , 129, 216-23		23
1398	Degradation of organic pollutants by an integrated photo-Fenton-like catalysis/immersed membrane separation system. 2013 , 244-245, 758-64		45

1397	Analysis of the kinetics of lead biosorption using native and chemically treated olive tree pruning. 2013 , 58, 278-285	45
1396	Corrigendum to Synergic adsorption in the simultaneous removal of acid blue 25 and heavy metals from water using a Ca(PO ₃) ₂ -modified carbon[J. Hazard. Mater. 199000 (2012) 290B00]. 2013 , 248-249, 496	
1395	Characterization of modified sawdust, kinetic and equilibrium study about methylene blue adsorption in batch mode. 2013 , 30, 111-122	54
1394	Investigation of Kinetics and Isotherm Models for the Acid Orange 95 Adsorption from Aqueous Solution onto Natural Minerals. 2013 , 58, 551-559	36
1393	Optimization of decolorization of palm oil mill effluent (POME) by growing cultures of <i>Aspergillus fumigatus</i> using response surface methodology. 2013 , 20, 2912-23	35
1392	Development of a new peat-based oil sorbent using peat pyrolysis. 2013 , 34, 1577-82	18
1391	Adsorption of Ponceau S from aqueous solution by MgO nanoparticles. 2013 , 276, 620-627	50
1390	An Insight Into the Production, Characterization, and Mechanisms of Action of Low-Cost Adsorbents for Removal of Organics From Aqueous Solution. 2013 , 43, 443-549	27
1389	Study of removal of Direct Yellow 12 by cadmium oxide nanowires loaded on activated carbon. 2013 , 33, 2258-65	31
1388	Application of <i>Ulva lactuca</i> and <i>Systoceira stricta</i> algae-based activated carbons to hazardous cationic dyes removal from industrial effluents. 2013 , 47, 3375-88	104
1387	Using of activated carbon produced from spent tea leaves for the removal of malachite green from aqueous solution. 2013 , 52, 19-27	122
1386	Removal of various cationic dyes from aqueous solutions using a kind of fully biodegradable magnetic composite microsphere. <i>Chemical Engineering Journal</i> , 2013 , 223, 402-411	14.7 118
1385	Time-Dependent Zinc Desorption in Some Calcareous Soils of Iran. 2013 , 23, 185-193	12
1384	Synthesis of magnetic β -cyclodextrin-chitosan/graphene oxide as nanoadsorbent and its application in dye adsorption and removal. 2013 , 103, 601-7	274
1383	Synthesis of novel nanocomposite Fe ₃ O ₄ /ZrO ₂ /chitosan and its application for removal of nitrate and phosphate. 2013 , 284, 942-949	178
1382	Highly Efficient Liquid Membrane Transport of Dyes Using Calix[4]arene-Linked Triphenylene Dimers as Carriers. 2013 , 48, 1565-1571	14
1381	Preparation and characterization of activated carbon from wild olive cores (oleaster) by H ₃ PO ₄ for the removal of Basic Red 46. 2013 , 54, 296-306	84
1380	Characterization of activated carbons derived from short rotation hardwood pyrolysis char. 2013 , 101, 199-208	8

1379	Synergistic adsorption of As(V) from aqueous solution onto mesoporous silica decorated orderly with Al ₂ O ₃ and Fe ₂ O ₃ nanoparticles. 2013 , 405, 164-70	24
1378	Metaldehyde removal from aqueous solution by adsorption and ion exchange mechanisms onto activated carbon and polymeric sorbents. 2013 , 244-245, 240-50	31
1377	Preparation of an ecofriendly chitosan/ZnO composite for chromium complex dye adsorption. 2013 , 129, 187-192	9
1376	Hexavalent chromium removal by various adsorbents: Powdered activated carbon, chitosan, and single/multi-walled carbon nanotubes. 2013 , 106, 63-71	239
1375	Adsorption of Cr(VI) on 1,2-ethylenediamine-aminated macroporous polystyrene particles. 2013 , 89, 1-6	22
1374	Use of modified leather shavings in the adsorption of 2-naphthol: Thermodynamic and kinetics studies. <i>Chemical Engineering Journal</i> , 2013 , 222, 77-84	14.7 6
1373	Sorption of boron on calcium alginate gel beads. 2013 , 73, 653-657	23
1372	Removal of malathion from aqueous solution using De-Acidite FF-IP resin and determination by UPLC-MS/MS: equilibrium, kinetics and thermodynamics studies. 2013 , 115, 15-23	42
1371	Magnetite nanoparticles for removal of heavy metals from aqueous solutions: synthesis and characterization. 2013 , 19, 465-474	162
1370	Applicable models for multi-component adsorption of dyes: a review. 2013 , 25, 419-29	70
1369	Magnetic porous carbons with high adsorption capacity synthesized by a microwave-enhanced high temperature ionothermal method from a Fe-based metal-organic framework. 2013 , 59, 372-382	110
1368	Adsorption of nitrate and phosphate ions from aqueous solutions using organically-functionalized silica materials: Kinetic modeling. 2013 , 110, 107-113	72
1367	Detecting adsorption space in carbon nanotubes by benzene uptake. 2013 , 391, 74-85	12
1366	Incorporation of dithiooxamide as a complexing agent into cellulose for the removal and pre-concentration of Cu(II) and Cd(II) ions from natural water samples. 2013 , 264, 368-374	29
1365	A new method for analysis of sunset yellow in food samples based on cloud point extraction prior to spectrophotometric determination. 2013 , 19, 529-535	63
1364	Adsorption of Berberine Hydrochloride, Ligustrazine Hydrochloride, Colchicine, and Matrine Alkaloids on Macroporous Resins. 2013 , 58, 1271-1279	18
1363	Adsorption Studies of Methylene Blue and Malachite Green From Aqueous Solutions by Pretreated Lignocellulosic Materials. 2013 , 48, 1688-1698	49
1362	Characteristics of activated carbon and carbon nanotubes as adsorbents to remove annatto (norbixin) in cheese whey. 2013 , 61, 9230-40	15

1361	Iodide adsorption from aqueous solutions by bis(trimethoxysilylpropyl)amine polycondensate/silver chloride composites. 2013 , 51, 3930-3937	7
1360	Effect of the Operative Variables on the Treatment of Wastewater Polluted with Phthalo Blue by H ₂ O ₂ /UV Process. 2013 , 224, 1	6
1359	Kinetics and Adsorption Behavior of the Methyl Blue at the Graphene Oxide/Reduced Graphene Oxide Nanosheet/Water Interface: A Comparative Study. 2013 , 58, 3477-3488	139
1358	Comparative Studies on Nitrophenol Removal by Adsorption and Simultaneous Adsorption-Biodegradation Processes. 2013 , 11, 595-607	4
1357	Adsorption of cationic dye on a biohybrid SiO ₂ -alginate. 2013 , 45, 012018	1
1356	Statistical analysis of equilibrium and kinetic data for ascorbic acid removal from aqueous solution by activated carbon. 2013 , 51, 4658-4665	3
1355	Evaluation of dyes adsorption properties of TiO ₂ -alginate biohybrid material. 2013 , 45, 012021	2
1354	Novel Ag/Kaolin Nanocomposite as Adsorbent for Removal of Acid Cyanine 5R from Aqueous Solution. 2013 , 2013, 1-7	5
1353	Removal of perchlorate in water by calcined MgAl-CO ₃ layered double hydroxides. 2013 , 85, 331-9	3
1352	Fabrication and Methyl Blue Adsorption Kinetics of Fe ₂ O ₃ Nanotubes by Electrospinning. 2013 , 699, 302-307	
1351	Removal of Crystal Violet Dye from Aqueous Solutions onto Date Palm Fiber by Adsorption Technique. 2013 , 2013, 1-6	42
1350	Removal of Methylene Blue from Aqueous Solution by Activated Carbon Prepared from Pea Shells (<i>Pisum sativum</i>). 2013 , 2013, 1-9	70
1349	Influence of silk surface modification via plasma treatments on adsorption kinetics of lac dyeing on silk. 2013 , 83, 288-297	31
1348	Amino Acid Modified Eggshell Powder (AA-ESP) A Novel Bio-Solid Scaffold for Adsorption of Some Styrylpyridinium Dyes. 2013 , 34, 1099-1112	7
1347	Lead (II) Pollution Enhances the Binding of Transgenic Toxin in Brown and Red Soils: Equilibrium and Kinetics. 2013 , 11, 501-509	0
1346	Calcined Mg-Fe Layered Double Hydroxide Adsorbent for Acid Red G Dye Removal. 2013 , 864-867, 719-726	
1345	Adsorption Behaviors of Arsenic(V) onto Fe-Based Backwashing Sludge Produced from Fe(II)-Removal Plants. 2013 , 295-298, 1321-1326	4
1344	Study the Adsorption of Mold/Bentonite Composite Adsorbent on Acid Purplish Red in Wastewater. 2013 , 634-638, 292-296	

1343	Preparation of Fly Ash/Rare Earth Adsorbent and its Adsorption for Reactive Dye from Aqueous Solution. 2013 , 743-744, 409-413	1
1342	Kinetics, Equilibrium, and Thermodynamic Studies on Adsorption of Methylene Blue by Carbonized Plant Leaf Powder. 2013 , 2013, 1-6	16
1341	Removal of Molybdenum (VI) from Mine Tailing Effluents with the Aid of Loessial Soil and Slag Waste. 2013 , 30, 213-220	10
1340	Adsorption of basic dyestuffs from aqueous solution by modified chitosan. 2013 , 51, 2294-2305	38
1339	Buffalo weed (<i>Ambrosia trifida</i> L. var. <i>trifida</i>) biochar for cadmium (II) and lead (II) adsorption in single and mixed system. 2013 , 51, 7732-7745	60
1338	Preparation and characterization of tannic acid resin: Study of boron adsorption. 2013 , 32, 1036-1044	19
1337	Removal of methylene blue from aqueous solution by nano LaFeO ₃ particles. 2013 , 12, 113-124	8
1336	Adsorption of Some Tailor-Made Styrylpyridinium Dyes on Sodium Dodecylsulphate-Treated Eggshell Particles (SDS-ESP): Impact of Dye Chain-Length and Substituent. 2013 , 34, 898-907	10
1335	<i>Artocarpus odoratissimus</i> skin as a potential low-cost biosorbent for the removal of methylene blue and methyl violet 2B. 2013 , 1-12	16
1334	A Novel <i>Pinus Tabulaeformis</i> Based Adsorbent for the Removal of Malachite Green. 2013 , 48, 2804-2816	1
1333	Study of Removal of Cationic Dye from Waste Aqua Using Chromatographic Grade Silica as Adsorbent. 2013 , 34, 947-956	4
1332	Adsorption studies of azotetrazolate and 3,6-dihydrazinotetrazine on peat. 2013 , 48, 905-11	
1331	Recovery of Cobalt and Copper from Textile, Electroplating and Tannery Effluents Using Electrocoagulation Method. 2013 , 04,	2
1330	Aqueous Cadmium Ions Removal by Adsorption on APTMS Grafted Mesoporous Silica MCM-41 in Batch and Fixed Bed Column Processes. 2013 , 26,	6
1329	Study on the use of Roasted Barley Powder for Adsorption of Cu ²⁺ Ions in Batch Experiments and in Fixed-bed Columns. 2013 , 8,	9
1328	Avaliação da capacidade de adsorção do corante azul de metileno em soluções aquosas em caulinita natural e intercalada com acetato de potássio. 2013 , 59, 338-344	3
1327	Platinum adsorption from chloride media using carbonized biomass and commercial sorbent. 2013 , 30, 129-136	3
1326	Effectiveness of Alkali-Acid Treatment in Enhancement the Adsorption Capacity for Rice Straw: The Removal of Methylene Blue Dye. 2013 , 2013, 1-15	35

1325	Insight into Equilibrium and Kinetics of the Binding of Cadmium Ions on Radiation-Modified Straw from <i>Oryza sativa</i> . 2013 , 2013, 1-12	7
1324	Kinetics and equilibrium modeling of lead(II) and chromium(III) ions" adsorption onto clay from Kono-bowe, Nigeria. 2014 , 38, 455-479	8
1323	Risk of leaching in soils amended by compost and digestate from municipal solid waste. 2014 , 2014, 565174	12
1322	Preparation and characterization of chitosan/feldspar biohybrid as an adsorbent: optimization of adsorption process via response surface modeling. 2014 , 2014, 370260	15
1321	Adsorbent Ability of Treated <i>Peganum harmala</i> -L Seeds for the Removal of Ni (II) from Aqueous Solutions: Kinetic, Equilibrium and Thermodynamic Studies. 2014 , 2014, 1-9	2
1320	Indian jujuba seed powder as an eco-friendly and a low-cost biosorbent for removal of acid blue 25 from aqueous solution. 2014 , 2014, 184058	3
1319	Application of nano zinc oxide (nZnO) for the removal of triphenyltin chloride (TPT) from dockyard wastewater. 2014 , 40, 659	9
1318	Effect of Temperature and Salts on Phenol Bio-Availability in Polluted-Sandy-Soils: A Practical Biotechnological Approach before Microbial Bioremediation. 2014 , 05,	
1317	Removal of Cationic Dye (Methylene Blue) from Aqueous Solution by Humic Acid-Modified Expanded Perlite: Experiment and Theory. 2014 , 49, 2400-2411	27
1316	Surface modifications of halloysite nanotubes with superparamagnetic Fe ₃ O ₄ nanoparticles and carbonaceous layers for efficient adsorption of dyes in water treatment. 2014 , 30, 971-977	29
1315	Removal of anionic dye from aqueous solution by magnesium silicate gel. 2014 , 52, 7685-7692	4
1314	Rapid purification of spent pickling liquor into ferrite by microwave hydrothermal method. 2014 , 52, 6230-6239	1
1313	Magnetic-supported cucurbituril: A recyclable adsorbent for the removal of humic acid from simulated water. 2014 , 37, 1167-1174	10
1312	Removal of reactive dyes by a solid waste product from food processing: crayfish carapace. 2014 , 52, 5541-5552	5
1311	Vanadium(V) Removal by Adsorption onto Activated Carbon Derived from Starch Industry Waste Sludge. 2014 , 49, 1407-1415	22
1310	Removal of aqueous uranyl ions by magnetic functionalized carboxymethylcellulose and adsorption property investigation. 2014 , 453, 82-90	30
1309	Adsorption of lead ions from aqueous solutions by citric acid-modified celluloses. 2014 , 1-7	4
1308	Adsorption of Azo-Dye Orange II from Aqueous Solutions Using a Metal-Organic Framework Material: Iron- Benzenetricarboxylate. 2014 , 7, 8037-8057	107

1307	Comments on the paper Removal of Cu (II) by loofah fibers as a natural and low-cost adsorbent from aqueous solutions [2014, 198, 322	8
1306	Arsenate Removal from Water by Simultaneous Green Tea Nano-Zerovalent Iron and Ultrasonic Wave. 2014, 2014, 1-9	3
1305	A Novel Biosorbent, Water-Hyacinth, Uptaking Methylene Blue from Aqueous Solution: Kinetics and Equilibrium Studies. 2014, 2014, 1-13	7
1304	Adsorption of Arsenite by Six Submerged Plants from Nansi Lake, China. 2014, 2014, 1-7	1
1303	Investigation of the adsorption kinetics of methylene blue onto cotton wastes. 2014, 38, 454-469	4
1302	Determination of Adsorption Capacity of Agricultural-Based Carbon for Ni (II) Adsorption from Aqueous Solution. 2014, 567, 20-25	3
1301	Studies on Biosorption of Methylene Blue from Aqueous Solutions by Powdered Palm Tree Flower (Borassus flabellifer). 2014, 2014, 1-13	10
1300	Adsorption of Brilliant Green onto Luffa Cylindrical Sponge: Equilibrium, Kinetics, and Thermodynamic Studies. 2014, 2014, 1-12	18
1299	Base Catalytic Approach: A Promising Technique for the Activation of Biochar for Equilibrium Sorption Studies of Copper, Cu(II) Ions in Single Solute System. 2014, 7, 2815-2832	46
1298	Removal of copper by surface-modified celluloses: kinetics, equilibrium, and thermodynamics. 2014, 1-11	2
1297	Adsorption of Pesticide (Captan) onto Super Paramagnetic Poly (Styrene-co-acrylic acid) Hydrogel from Aqueous Solution using Batch and Column Studies. 2014, 4, 267-278	2
1296	Detoxification Capabilities of Adsorbents for Artificial Liver Support Devices: A Comparison. 2014, 936, 789-794	
1295	Palm oil mill effluent sludge ash as adsorbent for methylene blue dye removal. 2014, 52, 3654-3662	23
1294	Graphene oxide nanosheets at the water-organic solvent interface: utilization in one-pot adsorption and reactive extraction of dye molecules. 2014, 15, 4019-25	9
1293	Biosorption of toxic acidic dye Acid Blue 25, by aquatic plants. 2014, 52, 6756-6769	7
1292	New Macromolecular Process for the Separation of Antimony(III) from Aqueous Solution. 2014, 59, 3545-3554	15
1291	Facile synthesis of magnetic hierarchical MgO/MgFe ₂ O ₄ composites and their adsorption performance towards Congo red. 2014, 4, 28119-28125	28
1290	Adsorptive removal of methylene blue using the natural adsorbent-banana leaves. 2014, 52, 6104-6112	26

1289	Comments on Simultaneous adsorption of aniline and Cr(VI) Ion by activated carbon/chitosan composite 2014 , 131, n/a-n/a	2
1288	A generalized Langmuirian approach in adsorption kinetic modeling. 2014 , 52, 7654-7659	3
1287	Direct Fabrication of Hierarchical Porous Carbonaceous Microparticles by Electron-Beam Irradiation and Post-Annealing of Polystyrene Colloidal Crystals. 2014 , 299, 447-454	
1286	Comments on "Adsorption of 2-mercaptobenzothiazole from aqueous solution by organo-bentonite" by P. Jing, M.H. Hou, P. Zhao, X.Y. Tang, H.F. Wan. 2014 , 26, 2571-2	9
1285	Removal of a cationic dye from wastewater during purification by <i>Phoenix dactylifera</i> . 2014 , 52, 7354-7365	29
1284	Food cannery effluent, pineapple peel as an effective low-cost biosorbent for removing cationic dye from aqueous solutions. 2014 , 52, 6096-6103	16
1283	Magnetic adsorbent used in combination with ultrafiltration membrane for the removal of surfactants from water. 2014 , 52, 3104-3114	8
1282	Characterization and Adsorption Study of Thymol on Pillared Bentonite. 2014 , 04, 98-116	20
1281	Adsorption of Phenol from Aqueous Solution Using <i>Lantana camara</i> , Forest Waste: Kinetics, Isotherm, and Thermodynamic Studies. 2014 , 2014, 201626	22
1280	Methylene blue adsorption onto granular activated carbon prepared from Harmal seeds residue. 2014 , 52, 2643-2653	15
1279	Selective adsorption of L-TA/D-TA by β -cyclodextrin derivative modified with L-tryptophan: Isotherm, kinetic and thermodynamics studies. 2014 , 20, 1293-1300	16
1278	Modification of carbon nanotubes with cationic surfactant and its application for removal of direct dyes. 2014 , 52, 4356-4368	16
1277	Effective decolorization of congo red in aqueous solution by adsorption and photocatalysis using novel magnetic alginate/Fe ₂ O ₃ /CdS nanocomposite. 2014 , 52, 238-247	19
1276	Removal of Cu(II) by loofah fibers as a natural and low-cost adsorbent from aqueous solutions. 2014 , 191, 73-78	36
1275	Adsorption of Acid Red 57 from aqueous solutions onto polyacrylonitrile/activated carbon composite. 2014 , 124, 70-7	18
1274	Adsorption behaviour of direct yellow 50 onto cotton fiber: equilibrium, kinetic and thermodynamic profile. 2014 , 131, 657-66	15
1273	Facile preparation of acrylic ester-based crosslinked resin and its adsorption of phenol at high concentration. 2014 , 2, 745-751	18
1272	Fermentable sugar recovery and adsorption potential of enzymatically hydrolyzed rice straw. 2014 , 66, 555-561	24

1271	Highly efficient removal of uranium (VI) from aqueous solutions using poly(acrylic acid)-functionalized microspheres. <i>Chemical Engineering Journal</i> , 2014 , 253, 55-62	14.7	43
1270	Macroporous crosslinked polydivinylbenzene/polyacryldiethylenetriamine (PDVB/PADETA) interpenetrating polymer networks (IPNs) and their efficient adsorption to o-aminobenzoic acid from aqueous solutions. 2014 , 429, 83-7		17
1269	Effective removal of organic dyes by tungstate oxide nanourchins. 2014 , 258, 297-303		33
1268	Utilisation of <i>Cymbopogon citratus</i> (lemon grass) as biosorbent for the sequestration of nickel ions from aqueous solution: Equilibrium, kinetic, thermodynamics and mechanism studies. 2014 , 45, 1764-1772		34
1267	On the adsorption mechanisms of diethylamine by medically-certified activated carbons: Investigation of critical parameters controlling sorption properties. 2014 , 45, 1937-1946		6
1266	Comments on Adsorption characteristics and behaviors of graphene oxide for Zn(II) removal from aqueous solution 2014 , 301, 584		10
1265	Modeling of water vapor sorption process by employing the reaction engineering approach (REA). 2014 , 122, 456-461		5
1264	Biosorption of Cr ⁶⁺ from aqueous solution by sugarcane bagasse. 2014 , 52, 5912-5922		21
1263	Characterization of coconut shell-based activated carbon and its application in the removal of Zn(II) from its aqueous solution by adsorption. 2014 , 52, 7180-7195		8
1262	P(HPMA/EGDMA) beads grafted with fibrous chains by SI-ATRP method: agmatine functionalized affinity beads for selective separation of serum albumin. 2014 , 37, 205-15		9
1261	The role of Mn oxide doping in phosphate removal by Al-based bimetal oxides: adsorption behaviors and mechanisms. 2014 , 21, 620-30		29
1260	Characterization of chromium (III) removal from aqueous solutions by an immature coal (leonardite). Toward a better understanding of the phenomena involved. 2014 , 16, 127-136		10
1259	Interaction of removal Ethidium Bromide with Carbon Nanotube: Equilibrium and Isotherm studies. 2014 , 12, 17		19
1258	Evaluation of iron-based hybrid materials for heavy metal ions removal. 2014 , 49, 2483-2495		18
1257	Removal of Direct Red 12B by garlic peel as a cheap adsorbent: kinetics, thermodynamic and equilibrium isotherms study of removal. 2014 , 127, 415-21		67
1256	Acceleration of methylene blue adsorption onto activated carbon prepared from dross licorice by ultrasonic: Equilibrium, kinetic and thermodynamic studies. 2014 , 20, 2548-2560		50
1255	Comparison of the efficiency of Cu and silver nanoparticle loaded on supports for the removal of Eosin Y from aqueous solution: Kinetic and isotherm study. 2014 , 123, 467-72		36
1254	Magnetic chitosan- Fe_3O_4 nanocomposite: Synthesis, characterization and batch adsorber design for Cr(VI) removal. 2014 , 2, 963-973		106

1253	Effects of the oxidation degree of graphene oxide on the adsorption of methylene blue. 2014 , 268, 191-8	229
1252	Hierarchical porous BiOI architectures: Facile microwave nonaqueous synthesis, characterization and application in the removal of Congo red from aqueous solution. <i>Chemical Engineering Journal</i> , 2014 , 235, 331-339	14.7 54
1251	The effect of structural compositions on the biosorption of phenanthrene and pyrene by tea leaf residue fractions as model biosorbents. 2014 , 21, 3318-30	8
1250	Modelling studies by adsorption for the removal of sunset yellow azo dye present in effluent from a soft drink plant. 2014 , 35, 1532-40	9
1249	Sorption characteristics of peat of Brunei Darussalam IV: equilibrium, thermodynamics and kinetics of adsorption of methylene blue and malachite green dyes from aqueous solution. 2014 , 72, 2263-2277	47
1248	Removal of Remazol Brilliant Blue R From Aqueous Solution by Pirina Pretreated with Nitric Acid and Commercial Activated Carbon. 2014 , 225, 1	21
1247	Poly(hydroxyethyl methacrylate-co-methacryloylglutamic acid) nanospheres for adsorption of Cd ²⁺ ions from aqueous solutions. 2014 , 16, 1	7
1246	Biosorption of uranium(VI) by free and entrapped <i>Chlamydomonas reinhardtii</i> : kinetic, equilibrium and thermodynamic studies. 2014 , 299, 1993-2003	53
1245	Adsorption of soluble oil from water to graphene. 2014 , 21, 6495-505	13
1244	Immobilization of uranium(VI) onto Mg ₂ Al layered double hydroxide: role of key geochemical parameters. 2014 , 300, 1027-1037	7
1243	Adsorption and desorption of 2,4,6-trichlorophenol onto and from ash as affected by Ag(+), Zn (2+), and Al (3+). 2014 , 21, 2002-2008	6
1242	A comparative study for the removal of mining wastewater by kaolinite, activated carbon and beta zeolite. 2014 , 91-92, 55-62	15
1241	Kinetics, equilibrium and thermodynamics of the sorption of p-nitrophenol on two variable charge soils of Southern China. 2014 , 298, 95-101	24
1240	Comparative study on the adsorption capacity of raw and modified litchi pericarp for removing Cu(II) from solutions. 2014 , 134, 109-16	40
1239	Preparation, characterization, and adsorption evaluation of chitosan-functionalized mesoporous composites. 2014 , 193, 15-26	57
1238	Acid Black 172 dye adsorption from aqueous solution by hydroxyapatite as low-cost adsorbent. 2014 , 31, 1021-1027	27
1237	Characteristics of selective fluoride adsorption by biocarbon-Mg/Al layered double hydroxides composites from protein solutions: kinetics and equilibrium isotherms study. 2014 , 268, 166-76	32
1236	An efficient removal of methyl orange dye from aqueous solution by adsorption onto chitosan/MgO composite: A novel reusable adsorbent. 2014 , 292, 447-453	159

1235	Equilibrium and kinetics studies for the adsorption of Basic Red 46 on nickel oxide nanoparticles-modified diatomite in aqueous solutions. 2014 , 45, 1792-1802		46
1234	The investigation of synergistic and competitive interaction between dye Congo red and methyl blue on magnetic MnFe ₂ O ₄ . <i>Chemical Engineering Journal</i> , 2014 , 246, 88-96	14.7	130
1233	Adsorption of Cu(II) and Cd(II) on titanate nanomaterials synthesized via hydrothermal method under different NaOH concentrations: Role of sodium content. 2014 , 452, 138-147		72
1232	Adsorption of Cu ²⁺ and methylene blue on dodecyl sulfobetaine surfactant-modified montmorillonite. 2014 , 95, 150-158		60
1231	BiFeO ₃ /Fe ₃ O ₄ core/shell composite particles for fast and selective removal of methyl orange dye in water. 2014 , 428, 95-100		41
1230	Removal characteristics of Cd(II) from acidic aqueous solution by modified steel-making slag. <i>Chemical Engineering Journal</i> , 2014 , 246, 160-167	14.7	94
1229	Porous Pr(OH) ₃ nanowires as novel high-performance adsorbents for phosphate removal. <i>Chemical Engineering Journal</i> , 2014 , 252, 202-209	14.7	11
1228	Potential of activated carbon from waste rubber tire for the adsorption of phenolics: effect of pre-treatment conditions. 2014 , 417, 420-30		380
1227	Preparation of activated carbon from agricultural wastes (almond shell and orange peel) for adsorption of 2-pic from aqueous solution. 2014 , 20, 1892-1900		96
1226	Removal of Congo red from aqueous solution by two variants of calcium and iron based mixed oxide nano-particle agglomerates. 2014 , 20, 2119-2129		27
1225	Surfactant assisted nano-composite cation exchanger: Development, characterization and applications for the removal of toxic Pb ²⁺ from aqueous medium. <i>Chemical Engineering Journal</i> , 2014 , 235, 100-108	14.7	328
1224	The adsorption of copper (II) ions by polyaniline graft chitosan beads from aqueous solution: Equilibrium, kinetic and desorption studies. 2014 , 2, 362-369		143
1223	Simultaneous purification of tea polyphenols and caffeine from discarded green tea by macroporous adsorption resins. 2014 , 238, 59-69		12
1222	Removal of cationic and anionic azo dyes from aqueous solutions by adsorption on maize stem tissue. 2014 , 45, 1700-1708		61
1221	Self-regenerative adsorbent based on the cross-linking chitosan for adsorbing and mineralizing azo dye. 2014 , 4, 5518		26
1220	Chitosan/clay composite as highly effective and low-cost adsorbent for batch and fixed-bed adsorption of methylene blue. <i>Chemical Engineering Journal</i> , 2014 , 237, 352-361	14.7	288
1219	A convenient method to determine kinetic parameters of adsorption processes by nonlinear regression of pseudo-nth-order equation. <i>Chemical Engineering Journal</i> , 2014 , 237, 153-161	14.7	71
1218	Biomass-derived biosorbents for metal ions sequestration: Adsorbent modification and activation methods and adsorbent regeneration. 2014 , 2, 239-259		301

1217	Kinetics, isotherm, thermodynamic, and adsorption mechanism studies of La(OH) ₃ -modified exfoliated vermiculites as highly efficient phosphate adsorbents. <i>Chemical Engineering Journal</i> , 2014 , 236, 191-201	14.7	176
1216	Process optimization of thermal regeneration of spent coal based activated carbon using steam and application to methylene blue dye adsorption. 2014 , 45, 1618-1627		53
1215	Marine carbohydrates of wastewater treatment. 2014 , 73, 103-43		12
1214	Coffee waste as potential adsorbent for the removal of basic dyes from aqueous solution. 2014 , 31, 2198-2206		55
1213	Crop Residue Ashes as Adsorbents for Basic Dye (Methylene Blue) Removal: Adsorption Kinetics and Dynamics. 2014 , 42, 1098-1105		17
1212	Adsorption of Congo red from aqueous solution onto pyrolusite reductive leaching residue. 2014 , 52, 3564-3571		5
1211	Preparation of Double Amidoxime-Containing Chelating Fiber for Removal of Chrome (VI) Ions. 2014 , 51, 767-782		5
1210	Removal of Methyl Violet Dye from Aqueous Solution by <i>Platanus Carpinifolia</i> Tree Leaves as Highly Efficient Sorbent: Multivariate Optimization, Isotherm Modeling, and Kinetic Studies. 2014 , 49, 752-762		6
1209	Effect of Ionic Surfactants on the Adsorption of Quercus infectoria Natural Dye on Cotton Fiber: A Kinetic Study. 2014 , 35, 1427-1433		1
1208	DOWEX M 4195 and LEWATIT [®] MonoPlus TP 220 in Heavy Metal Ions Removal from Acidic Streams. 2014 , 49, 2003-2015		28
1207	Synthesis, characterization and application of amino-functionalized multi-walled carbon nanotubes for effective fast removal of methyl orange from aqueous solution. 2014 , 4, 55162-55172		61
1206	Layered protonated titanate nanosheets synthesized with a simple one-step, low-temperature, urea-modulated method as an effective pollutant adsorbent. 2014 , 6, 16669-78		53
1205	Microwave-enhanced catalytic degradation of methylene blue by porous MFe ₂ O ₄ (M = Mn, Co) nanocomposites: Pathways and mechanisms. 2014 , 135, 35-41		37
1204	Facile control of zeolite NaA dispersion into xanthan gum/alginate binary biopolymer network in improving hybrid composites for adsorptive removal of Co ²⁺ and Ni ²⁺ . <i>Chemical Engineering Journal</i> , 2014 , 255, 316-326	14.7	27
1203	STUDY OF HG(II) REMOVAL FROM AQUEOUS SOLUTION USING LIGNOCELLULOSIC COCONUT FIBER BIOSORBENTS: EQUILIBRIUM AND KINETIC EVALUATION. 2014 , 201, 1198-1220		22
1202	Kinetic and isotherm study of Bromothymol Blue and Methylene blue removal using Au-NP loaded on activated carbon. 2014 , 52, 5504-5512		15
1201	Removal of 12 selected pharmaceuticals by granular mesoporous silica SBA-15 in aqueous phase. <i>Chemical Engineering Journal</i> , 2014 , 256, 475-485	14.7	50
1200	Removal of Reactive Dyes using Magnetically Separable <i>Trametes versicolor</i> Cells as a New Composite Biosorbent. 2014 , 49, 1860-1871		2

1199	Preparation of water-soluble β -cyclodextrin/poly(acrylic acid)/graphene oxide nanocomposites as new adsorbents to remove cationic dyes from aqueous solutions. <i>Chemical Engineering Journal</i> , 2014 , 257, 299-308	14.7	140
1198	Ultrasonic-assisted synthesis of aminated lignin by a Mannich reaction and its decolorizing properties for anionic azo-dyes. 2014 , 4, 28156		45
1197	Magnetically separable Ni _{0.6} Fe _{2.4} O ₄ nanoparticles as an effective adsorbent for dye removal: Synthesis and study on the kinetic and thermodynamic behaviors for dye adsorption. <i>Chemical Engineering Journal</i> , 2014 , 258, 218-228	14.7	107
1196	Thermodynamic Parameters of the Interactions between Lapachol and Isolapachol Sodium Salts and Chitosan Flakes. 2014 , 59, 1181-1192		1
1195	Adsorption and thermodynamic studies of hazardous azocoumarin dye from an aqueous solution onto low cost rice straw based carbons. 2014 , 199, 71-78		45
1194	Magnetic composite an environmental super adsorbent for dye sequestration [A review]. 2014 , 1-2, 36-49		106
1193	Lanthanum-doped ordered mesoporous hollow silica spheres as novel adsorbents for efficient phosphate removal. 2014 , 2, 8839		125
1192	Removal of Cu(II) by loofah fibers as a natural and low-cost adsorbent from aqueous solutions. 2014 , 199, 401-407		28
1191	Determination of surface-accessible acidic hydroxyls and surface area of lignin by cationic dye adsorption. 2014 , 169, 80-87		33
1190	Potential of Borassus aethiopum shells as precursor for activated carbon preparation by physico-chemical activation; optimization, equilibrium and kinetic studies. 2014 , 2, 1423-1433		31
1189	Biodecolorization of Textile Dye Effluent by Biosorption on Fungal Biomass Materials. 2014 , 55, 437-444		51
1188	Preparation of Magnetic-Activated Carbon Nanocomposite and Its Application for Dye Removal from Aqueous Solution. 2014 , 35, 1264-1269		9
1187	Silylation of Al ³⁺ -intercalated montmorillonite with trimethylchlorosilane and their adsorption for Orange II. 2014 , 99, 229-236		22
1186	Adsorption of Rhodamine B Dye on Elaeis guineensis Frond Fiber. 2014 , 49, 1104-1118		9
1185	Adsorption behavior of phenol on activated carbons prepared from Algerian coals. 2014 , 52, 1674-1682		9
1184	Solventless extraction/stripping of phenol using trioctylphosphine oxide impregnated hollow fiber membranes [Experimental & modeling analysis. <i>Chemical Engineering Journal</i> , 2014 , 255, 641-649	14.7	13
1183	Selective capture of iodide from solutions by microrosette-like [Bi ₂ O ₃] 2014 , 6, 16082-90		78
1182	Novel apatite-based sorbent for defluoridation: synthesis and sorption characteristics of nano-micro-crystalline hydroxyapatite-coated-limestone. 2014 , 48, 5798-807		67

1181	Simultaneous adsorptive removal of methylene blue and copper ions from aqueous solution by ferrocene-modified cation exchange resin. 2014 , 131,		288
1180	Competitive adsorption of acid dyes from aqueous solution on diethylenetriamine-modified chitosan beads. 2014 , 131, n/a-n/a		4
1179	Facile preparation of mesoporous nickel oxide microspheres and their adsorption property for methyl orange from aqueous solution. 2014 , 26, 716-725		11
1178	Selective Dye Adsorption by pH Modulation on Amine-Functionalized Reduced Graphene Oxide/Carbon Nanotube Hybrid. 2014 , 53, 16148-16155		56
1177	Biosorption characteristics of <i>Aspergillus fumigatus</i> for the decolorization of triphenylmethane dye acid violet 49. 2014 , 98, 3133-41		24
1176	Preparation and characterization of activated carbon from pine cone by microwave-induced ZnCl ₂ activation and its effects on the adsorption of methylene blue. 2014 , 21, 2457-2467		73
1175	Optimizing adsorption of Pb(II) by modified litchi pericarp using the response surface methodology. 2014 , 108, 29-35		24
1174	Synthesis of nickel sulfide nanoparticles loaded on activated carbon as a novel adsorbent for the competitive removal of Methylene blue and Safranin-O. 2014 , 123, 402-9		83
1173	Development of a new chitosan/Ni(OH) ₂ -based sorbent for boron removal. <i>Chemical Engineering Journal</i> , 2014 , 244, 576-586	14.7	44
1172	Removal of methylene blue from aqueous solution using by untreated lignite as potential low-cost adsorbent: Kinetic, thermodynamic and equilibrium approach. 2014 , 2, 10-21		96
1171	Polyaniline zirconium (IV) silicophosphate nanocomposite for remediation of methylene blue dye from waste water. 2014 , 190, 139-145		86
1170	Elimination of anionic dye by using nanoporous carbon prepared from an industrial biowaste. 2014 , 194, 130-140		52
1169	A novel post-cross-linked polystyrene/polyacryldiethylenetriamine (PST _{pc} /PADETA) interpenetrating polymer networks (IPNs) and its adsorption towards salicylic acid from aqueous solutions. <i>Chemical Engineering Journal</i> , 2014 , 248, 216-222	14.7	27
1168	Fabrication of chitosan/PAA multilayer onto magnetic microspheres by LbL method for removal of dyes. <i>Chemical Engineering Journal</i> , 2014 , 249, 79-92	14.7	50
1167	Design and Computation of Modern Engineering Materials. 2014 ,		3
1166	Decolorization of C.I. Reactive Red 2 by a large specific surface area In ₂ TiO ₅ : photodegradation and adsorption. 2014 , 111, 383-392		6
1165	<i>Imperata cylindrica</i> (Cogongrass) as an Adsorbent for Methylene Blue Dye Removal: Process Optimization. 2014 , 225, 1		13
1164	Adsorption and photocatalytic decomposition of roxarsone by TiO ₂ and its mechanism. 2014 , 21, 8025-35		34

1163	Enhanced Zn(II) uptake using zinc imprinted form of novel nanobiosorbent and its application as an antimicrobial agent. 2014 , 31, 812-820	5
1162	Adsorption Behavior of Methyl Violet 2B Using Duckweed: Equilibrium and Kinetics Studies. 2014 , 39, 6757-6765	27
1161	Rapid removal and separation of iron(II) and manganese(II) from micropolluted water using magnetic graphene oxide. 2014 , 6, 9871-80	62
1160	CO ₂ adsorption kinetics on mesoporous silica under wide range of pressure and temperature. <i>Chemical Engineering Journal</i> , 2014 , 256, 1-8	14.7 105
1159	REMOVAL OF CIBACRON BRILLIANT YELLOW 3G-P DYE FROM AQUEOUS SOLUTIONS BY BRAZILIAN PEATS AS BIOSORBENTS. 2014 , 201, 1431-1458	18
1158	Further examination of the relationship between the Langmuir kinetics and the Lagergren and the second-order rate models of batch adsorption. 2014 , 136, 303-308	36
1157	APPLICATION OF SOME DOMESTIC WASTES AS NEW LOW-COST BIOSORBENTS FOR REMOVAL OF METHYLENE BLUE: KINETIC AND EQUILIBRIUM STUDIES. 2014 , 201, 557-578	45
1156	Synthesis of an adsorbent from sugarcane bagass by graft copolymerization and its utilization to remove Cd (II) ions from aqueous solution. 2014 , 45, 2557-2564	12
1155	Tannic acid adsorption/desorption study onto/from commercial activated carbon. 2014 , 52, 3301-3311	8
1154	A comparative study of microwave and chemically treated <i>Acacia nilotica</i> leaf as an eco friendly adsorbent for the removal of rhodamine B dye from aqueous solution. 2014 , 7, 494-503	43
1153	Adsorption characteristics of Titan yellow and Congo red on CoFe ₂ O ₄ magnetic nanoparticles. 2014 , 11, 1759-1766	32
1152	International Congress on Energy Efficiency and Energy Related Materials (ENEFM2013). 2014 ,	2
1151	Optimization of mesoporous carbons for efficient adsorption of berberine hydrochloride from aqueous solutions. 2014 , 424, 104-12	17
1150	Preparation of magnetic, macro-reticulated cross-linked chitosan for tetracycline removal from aquatic systems. 2014 , 117, 51-9	49
1149	Adsorption of flavonols from onion (<i>Allium cepa</i> L.) processing residues on a macroporous acrylic resin. 2014 , 65, 103-108	21
1148	Development of a new adsorbent from agro-industrial waste and its potential use in endocrine disruptor compound removal. 2014 , 271, 311-20	80
1147	Study of kinetics in the biosorption of lead onto native and chemically treated olive stone. 2014 , 20, 2754-2760	34
1146	WITHDRAWN: Adsorption of Cr(VI) from aqueous solutions by using activated carbons prepared from <i>Ricinus communis</i> leaves: Binary and ternary systems. 2014 ,	11

1145	Equilibrium, kinetics and thermodynamic studies for the removal of organophosphorus pesticide using Amberlyst-15 resin: Quantitative analysis by liquid chromatography-mass spectrometry. 2014 , 20, 4393-4400		29
1144	Chloride adsorption by calcined layered double hydroxides in hardened Portland cement paste. 2014 , 145, 376-386		60
1143	Preparation and characterization of starch crosslinked with sodium trimetaphosphate and hydrolyzed by enzymes. 2014 , 103, 310-8		101
1142	Adsorption characteristics of rebaudioside A and stevioside on cross-linked poly(styrene-co-divinylbenzene) macroporous resins functionalized with chloromethyl, amino and phenylboronic acid groups. 2014 , 159, 38-46		18
1141	Fabrication of porous ZrO ₂ hollow sphere and its adsorption performance to Congo red in water. 2014 , 40, 10847-10856		74
1140	Valorization of the saline slags generated during secondary aluminium melting processes as adsorbents for the removal of heavy metal ions from aqueous solutions. <i>Chemical Engineering Journal</i> , 2014 , 251, 43-50	14.7	20
1139	Adsorption mechanisms of thallium(I) and thallium(III) by titanate nanotubes: ion-exchange and co-precipitation. 2014 , 423, 67-75		71
1138	Preparation of Graphene-Oxide/Polyamidoamine Dendrimers and Their Adsorption Properties toward Some Heavy Metal Ions. 2014 , 59, 1719-1726		123
1137	Highly Efficient Removal of Acid Red 18 from Aqueous Solution by Magnetically Retrievable Chitosan/Carbon Nanotube: Batch Study, Isotherms, Kinetics, and Thermodynamics. 2014 , 59, 39-51		93
1136	Use of a La(III)-modified bentonite for effective phosphate removal from aqueous media. 2014 , 274, 124-31		108
1135	Response to the letter to editor. 2014 , 161, 390		
1134	Affinity adsorption of lysozyme with Reactive Red 120-modified magnetic chitosan microspheres. 2014 , 161, 323		8
1133	Removal of methyl green dye molecule from aqueous system using reduced graphene oxide as an efficient adsorbent: Kinetics, isotherm and thermodynamic parameters. 2014 , 457, 125-133		88
1132	Adsorption of Acid Yellow 99 by polyacrylonitrile/activated carbon composite: Kinetics, thermodynamics and isotherm studies. 2014 , 197, 236-242		50
1131	Synthesis, characterization of curcumin based ecofriendly antimicrobial bio-adsorbent for the removal of phenol from aqueous medium. <i>Chemical Engineering Journal</i> , 2014 , 254, 181-189	14.7	108
1130	Synthesis and formation mechanism of flowerlike architectures assembled from ultrathin NiO nanoflakes and their adsorption to malachite green and acid red in water. <i>Chemical Engineering Journal</i> , 2014 , 239, 141-148	14.7	64
1129	Adsorption Kinetics and Thermodynamics of Acid Blue 25 and Methylene Blue Dye Solutions on Natural Sepiolite. 2014 , 44, 140-147		32
1128	China's research in chemical engineering journals in Science Citation Index Expanded: a bibliometric analysis. 2014 , 98, 119-136		25

1127	Biosorption of strontium from simulated nuclear wastewater by <i>Scenedesmus spinosus</i> under culture conditions: adsorption and bioaccumulation processes and models. 2014 , 11, 6099-118	25
1126	Adsorptive removal of a textile cationic dye from water using tartaric acid modified <i>Bassia longifolia</i> dried leaf mulch. 2014 , 6, 426	1
1125	Molecularly Imprinted Polymers for Water Polishing. 2014 , 218-231	
1124	Absorptive removal of Pb ²⁺ , Cu ²⁺ and Ni ²⁺ from the aqueous solution by using groundnut husk modified with Guar Gum (GG): Kinetic and thermodynamic studies. 2015 , 1, 41-49	26
1123	Characterization of peat samples collected from Brunei Darussalam and their evaluation as potential adsorbents for Cu(II) removal from aqueous solution. 2015 , 1-15	2
1122	Study of Pb ²⁺ , Cd ²⁺ and Ni ²⁺ adsorption onto activated carbons prepared from glycyrrhiza residue by KOH or H ₂ O ₂ activation. 2015 , 72, 451-62	4
1121	Comment on "genetic characterization, nickel tolerance, biosorption, kinetics, and uptake mechanism of a bacterium isolated from electroplating industrial effluent". 2015 , 61, 881-2	4
1120	Removal of Cu(II) and Ni(II) ions from an aqueous solution using Fe ₃ O ₄ nanoparticle-coated volcanic rocks. 2015 , 72, 2154-65	5
1119	Enhanced photocatalytic activity of MIL-125 by post-synthetic modification with Cr(III) and Ag nanoparticles. 2015 , 21, 11072-81	74
1118	Biosorption of cadmium metal ions on raw and chemically modified walnut shells. 2015 , 34, 1613-1619	17
1117	Facile Synthesis of Prussian Blue Derivate-Modified Mesoporous Material via Photoinitiated Thiol-Ene Click Reaction for Cesium Adsorption. 2015 , 10, 1738-44	19
1116	Kinetics and thermodynamics of diquat removal from water using magnetic graphene oxide nanocomposite. 2015 , 93, 1713-1720	17
1115	Preparation of organic-inorganic hybrid porous materials and adsorption characteristics for Epigallocatechin gallate and caffeine from the extract of discarded tea. 2015 , 55, 2414-2422	5
1114	The accelerating effect of a small cationic quaternary ammonium compound and the adsorption kinetics in the dyeing of silk with reactive dyes. 2015 , 131, 259-267	5
1113	Facile preparation of EDTA-functionalized chitosan magnetic adsorbent for removal of Pb(II). 2015 , 132, n/a-n/a	15
1112	Characterization and Utilization of Tannin Extract for the Selective Adsorption of Ni (II) Ions from Water. 2015 , 2015, 1-9	12
1111	Preparation and Characterization of Amphoteric Cellulose Hydrogels as Adsorbents for the Anionic Dyes in Aqueous Solutions. 2015 , 1, 94-116	24
1110	Biosorción de zinc, cadmio y plomo con cápsulas de <i>Jatropha curcas</i> . 2015 , 6,	

1109	Adsorption Mechanism of Ciprofloxacin from Water by Synthesized Birnessite. 2015 , 2015, 1-7	6
1108	. 2015 ,	34
1107	Removal of malachite green (MG) from aqueous solutions by adsorption, precipitation, and alkaline fading using talc: kinetic, thermodynamic, and column feasibility studies. 2015 , 56, 1918-1928	3
1106	Synthesis and adsorption property of hydrophilic/hydrophobic macroporous crosslinked poly(methyl acryloyl diethylenetriamine)/poly(divinylbenzene) (PMADETA/PDVB) interpenetrating polymer networks (IPNs). 2015 , 5, 26616-26624	14
1105	Investigation on removal of malachite green using EM based compost as adsorbent. 2015 , 118, 177-182	51
1104	Adsorption behaviors for oleuropein from olive leaves extracts by porous materials with carbon nanotubes. 2015 , 293, 2395-2404	10
1103	Bioadsorption of a reactive dye from aqueous solution by municipal solid waste. 2015 , 7, 44-50	18
1102	Unburned carbon from coal combustion ash: An overview. 2015 , 134, 136-158	98
1101	Preparation of chitosan-graft-polyacrylamide magnetic composite microspheres for enhanced selective removal of mercury ions from water. 2015 , 455, 261-70	84
1100	Highly effective removal of basic fuchsin from aqueous solutions by anionic polyacrylamide/graphene oxide aerogels. 2015 , 453, 107-114	66
1099	Hierarchical Porous and High Surface Area Tubular Carbon as Dye Adsorbent and Capacitor Electrode. 2015 , 7, 12230-7	88
1098	A comprehensive study (kinetic, thermodynamic and equilibrium) of arsenic (V) adsorption using KMnO ₄ modified clinoptilolite. 2015 , 32, 2078-2086	43
1097	Adsorption of arsenic(V) from aqueous solutions by goethite/silica nanocomposite. 2015 , 12, 3905-3914	19
1096	Adsorption of As(V) on aluminum-, iron-, and manganese-(oxyhydr)oxides: equilibrium and kinetics. 2015 , 56, 1829-1838	11
1095	Chemically modified Retama raetam biomass as a new adsorbent for Pb(II) ions from aqueous solution: non-linear regression, kinetics and thermodynamics. 2015 , 4,	2
1094	Removal of uranium(VI) from aqueous solution using graphene oxide and its amine-functionalized composite. 2015 , 309, 607	15
1093	Kinetic, equilibrium and thermodynamic study of 2-chlorophenol adsorption onto Ricinus communis pericarp activated carbon from aqueous solutions. 2015 , 8, 1-12	41
1092	Chromium removal from aqueous media by superparamagnetic starch functionalized maghemite nanoparticles. 2015 , 127, 1967-1976	14

1091	Adsorbent for p-phenylenediamine adsorption and removal based on graphene oxide functionalized with magnetic cyclodextrin. 2015 , 329, 197-205	42
1090	Sorption of chromium(VI) from electroplating effluent onto chitin immobilized <i>Mucor racemosus</i> sorbent (CIMRS) impregnated in rotating disk contactor blades. 2015 , 23, 79-92	19
1089	A β -naphthol-modified hyper-cross-linked resin for adsorption of p-aminobenzoic acid from aqueous solutions. 2015 , 54, 1893-1902	6
1088	Enhancing adsorption capacity of toxic malachite green dye through chemically modified breadnut peel: equilibrium, thermodynamics, kinetics and regeneration studies. 2015 , 36, 86-97	71
1087	Performance of high density ion exchange resin (INDION225H) for removal of Cu(II) from waste water. 2015 , 3, 1393-1398	14
1086	Adsorption of toluene into commercial organoclay in liquid phase: Kinetics, equilibrium and thermodynamics. 2015 , 93, 998-1008	19
1085	Development of a polyaniline-lignocellulose composite for optimal adsorption of Congo red. 2015 , 75, 199-209	41
1084	Decontamination of selenate from aqueous solution by oxidized multi-walled carbon nanotubes. 2015 , 274, 268-275	33
1083	Application of fly ash for adsorptive removal of malachite green from aqueous solutions. 2015 , 53, 91-98	16
1082	Adsorption of zinc onto anionic ion-exchange resin from cyanide barren solution. 2015 , 23, 646-651	21
1081	Removal of methylene blue from aqueous solution using humic-acid coated magnetic nanoparticles. 2015 , 55, 539-548	12
1080	Designed biomolecule-cellulose complexes for palladium recovery and detoxification. 2015 , 5, 20276-20282	13
1079	Removal of pesticide from wastewater: Contact time optimization for a two-stage batch stirred adsorber. 2015 , 3, 365-372	6
1078	Mesoporous and adsorptive properties of palm date seed activated carbon prepared via sequential hydrothermal carbonization and sodium hydroxide activation. <i>Chemical Engineering Journal</i> , 2015 , 270, 187-195	14.7 138
1077	Development of olivestones-activated carbons by physical, chemical and physicochemical methods for phenol removal: a comparative study. 2015 , 53, 452-461	19
1076	Adsorption characteristics of reactive black 5 onto chitosan-intercalated montmorillonite. 2015 , 53, 2962-2969	23
1075	Preparation and Characterization of Thiourea-Containing Silica Gel Hybrid Materials for Hg(II) Adsorption. 2015 , 54, 1656-1664	22
1074	A sustainable cationic chitosan/ <i>E. coli</i> fiber biosorbent for Pt(IV) removal and recovery in batch and column systems. 2015 , 143, 32-39	35

1073	Lead(II) and methylene blue removal using a fully biodegradable hydrogel based on starch immobilized humic acid. <i>Chemical Engineering Journal</i> , 2015 , 268, 348-355	14.7	73
1072	Synthesis and adsorption performance of Mg(OH) ₂ hexagonal nanosheet/graphene oxide composites. 2015 , 332, 121-129		99
1071	Facile Synthesis and Characterization of Chrysotile Nanotubes and Their Application for Lead(II) Removal from Aqueous Solution. 2015 , 50, 700-709		5
1070	Characteristics and mechanisms of arsenate adsorption onto manganese oxide-doped aluminum oxide. 2015 , 34, 1009-1018		15
1069	Removal of tartrazine from aqueous solution by carbon nanotubes decorated with silver nanoparticles. 2015 , 249, 259-264		41
1068	Magnetic vinylphenyl boronic acid microparticles for Cr(VI) adsorption: kinetic, isotherm and thermodynamic studies. 2015 , 286, 612-23		90
1067	Cerium functionalized PVA/chitosan composite nanofibers for effective remediation of ultra-low concentrations of Hg(II) in water. 2015 , 5, 16622-16630		12
1066	Adsorption of methylene blue and methyl violet by camellia seed powder: kinetic and thermodynamic studies. 2015 , 53, 3681-3690		22
1065	TiO ₂ immobilized zein microspheres: a biocompatible adsorbent for effective dye decolourisation. 2015 , 5, 26475-26481		13
1064	Artocarpus altilis (breadfruit) skin as a potential low-cost biosorbent for the removal of crystal violet dye: equilibrium, thermodynamics and kinetics studies. 2015 , 73, 3239-3247		51
1063	Heavy metal removal from multicomponent system by the cyanobacterium Nostoc muscorum: kinetics and interaction study. 2015 , 175, 3863-74		23
1062	A facile approach to prepare porous cup-stacked carbon nanotube with high performance in adsorption of methylene blue. 2015 , 445, 195-204		60
1061	Hierarchically porous silicon-carbon-nitrogen hybrid materials towards highly efficient and selective adsorption of organic dyes. 2015 , 5, 7910		127
1060	Adsorption and desorption of uranium on nano goethite and nano alumina. 2015 , 303, 161-170		24
1059	Adsorption characterization of Pb(II) ions onto iodate doped chitosan composite: equilibrium and kinetic studies. 2015 , 5, 54188-54201		80
1058	Synthesis and characterization of superparamagnetic activated carbon adsorbents based on cyanobacteria. 2015 , 163, 407-415		8
1057	Removal of the Hazardous Crystal Violet Dye by Adsorption on Corncob-Based and Phosphoric Acid-Activated Carbon. 2015 , 33, 621-625		8
1056	Mechanism of Adsorptive Removal of Methylene Blue Using Dried Biomass of Rhizopus oryzae. 2015 , 177, 541-55		7

1055	Synthesis and characterization of collagen-based hydrogel nanocomposites for adsorption of Cd ²⁺ , Pb ²⁺ , methylene green and crystal violet. 2015 , 24, 791-803	17
1054	Doped Fe ₃ O ₄ /PPy nanocomposite with high anti-interfering ability for effective separation of Ag(I) from mixed metal-ion solution. <i>Chemical Engineering Journal</i> , 2015 , 280, 197-205	14.7 53
1053	Selective and irreversible adsorption of mercury(II) from aqueous solution by a flower-like titanate nanomaterial. 2015 , 3, 17676-17684	64
1052	The structure-property relationship of manganese oxides: highly efficient removal of methyl orange from aqueous solution. 2015 , 3, 19000-19010	65
1051	Thin coated adsorbent layer: characteristics and performance study. 2015 , 55, 956-969	11
1050	Cellulose based cationic adsorbent fabricated via radiation grafting process for treatment of dyes waste water. 2015 , 132, 444-51	42
1049	Interconnected porous hollow CuS microspheres derived from metal-organic frameworks for efficient adsorption and electrochemical biosensing. 2015 , 283, 539-548	25
1048	Efficiency of almond gum as a low-cost adsorbent for methylene blue dye removal from aqueous solutions. 2015 , 74, 903-911	50
1047	Enhanced adsorption of phosphate by flower-like mesoporous silica spheres loaded with lanthanum. 2015 , 217, 225-232	72
1046	Random forest model for the ultrasonic-assisted removal of chrysoidine G by copper sulfide nanoparticles loaded on activated carbon; response surface methodology approach. 2015 , 5, 59335-59343	66
1045	Removal of Indigo Carmine by a Ni Nanoscale Oxides/Schoenoplectus acutus Composite in Batch and Fixed Bed Column Systems. 2015 , 50, 1602-1610	11
1044	Combination of carboxymethyl chitosan-coated magnetic nanoparticles and chitosan-citrate complex gel beads as a novel magnetic adsorbent. 2015 , 131, 255-63	67
1043	Cleaning Water Contaminated with Heavy Metal Ions Using Pyrolyzed Biochar Adsorbents. 2015 , 150707112536009	
1042	Study of polyethyleneimine- and amidoxime-functionalized hybrid biomass of <i>Spirulina</i> (<i>Arthrospira</i>) <i>platensis</i> for adsorption of uranium (VI) ion. 2015 , 22, 17998-8010	60
1041	Fabrication of interpenetrating polymer network chitosan/gelatin porous materials and study on dye adsorption properties. 2015 , 132, 330-7	44
1040	Synthesis, characterisation and application of imidazolium based ionic liquid modified montmorillonite sorbents for the removal of amaranth dye. 2015 , 5, 61913-61924	39
1039	Polypyrrole nanofibers as a high-efficient adsorbent for the removal of methyl orange from aqueous solution. 2015 , 3, 1637-1647	52
1038	Molecularly imprinted polymer layers using <i>Navicula</i> sp. frustule as core material for selective recognition of lysozyme. 2015 , 101, 2-14	6

1037	Synthesis of manganese dioxide/iron oxide/graphene oxide magnetic nanocomposites for hexavalent chromium removal. 2015 , 5, 54156-54164	48
1036	Removal of anionic dyes in aqueous solution by flocculation with cellulose ampholytes. 2015 , 7, 83-93	38
1035	Removal of BrO ₃ ⁻ from drinking water samples using newly developed agricultural waste-based activated carbon and its determination by ultra-performance liquid chromatography-mass spectrometry. 2015 , 22, 15853-65	42
1034	Corrigendum: Water Science and Technology 70 (10), 1663-1669: Adsorption and removal of triphenylmethane dyes from water by magnetic reduced graphene oxide, Jian-Zhong Sun, Zhi-Hong Liao, Rong-Wei Si, Gakai Peter Kingori, Fu-Xiang Chang, Lu Gao, Yu Shen, Xiang Xiao, Xiang-Yang Wu and Yang-Chun Yong. 2015 , 71, 955	
1033	Properties of chitosan/magnetite nanoparticles composites for efficient dye adsorption and antibacterial agent. 2015 , 32, 1688-1693	29
1032	Enhancing adsorption efficiency of dichloroacetic acid onto mesoporous carbons: Procedure optimization, mechanism and characterization. 2015 , 452, 134-140	4
1031	Adsorption of Pb(II), Cd(II) and Zn(II) by extracellular polymeric substances extracted from aerobic granular sludge: Efficiency of protein. 2015 , 3, 1223-1232	68
1030	Adsorptive removal of acid, reactive and direct dyes from aqueous solutions and wastewater using mixed silica/alumina oxide. 2015 , 278, 306-315	83
1029	Silica-based aerogels as adsorbents for phenol-derivative compounds. 2015 , 480, 260-269	47
1028	Effects of complexing ligand in sol-gel process on the photocatalytic activity of TiO ₂ /hybrid aerogels. 2015 , 119, 1459-1467	4
1027	Bioremoval of Cu(II), Zn(II), Pb(II) and Cd(II) by Nostoc muscorum isolated from a coal mining site. 2015 , 27, 1525-1534	24
1026	Adsorption kinetics, isotherms, and thermodynamic studies for the adsorption of Pb ²⁺ and Hg ²⁺ metal ions from aqueous medium using Ti(IV) iodovanadate cation exchanger. 2015 , 21, 2237-2245	209
1025	Magnesite tailing as low-cost adsorbent for the removal of copper (II) ions from aqueous solution. 2015 , 32, 1634-1641	9
1024	Evaluating of Agave americana fibers for biosorption of dye from aqueous solution. 2015 , 16, 370-377	9
1023	Removal behavior of peat collected from Brunei Darussalam for Pb(II) ions from aqueous solution: equilibrium isotherm, thermodynamics, kinetics and regeneration studies. 2015 , 74, 2541-2551	12
1022	Role of tailored surface of activated carbon for adsorption of ionic liquids for environmental remediation. 2015 , 12, 2711-2722	11
1021	Synthesis of magnetic nanocomposites (AMMC-Fe ₃ O ₄) for cationic dye removal: Optimization, kinetic, isotherm, and thermodynamics analysis. 2015 , 54, 96-108	11
1020	Silver Ion Adsorption using Alkali and Organosilane Modified Coconut Pith Biosorbents. 2015 , 12, 283-302	4

1019	Adsorption of methylene blue on strongly basic anion exchange resin (Zerolit DMF): kinetic, isotherm, and thermodynamic studies. 2015 , 53, 515-523	19
1018	Three-dimensional graphene oxide/phytic acid composite for uranium(VI) sorption. 2015 , 306, 507-514	23
1017	Enhanced adsorption removal of methyl orange from aqueous solution by nanostructured proton-containing MnO ₂ . 2015 , 3, 5674-5682	108
1016	A novel magnetic adsorbent based on waste litchi peels for removing Pb(II) from aqueous solution. 2015 , 155, 24-30	63
1015	The range of validity of sorption kinetic models. 2015 , 448, 437-50	59
1014	Synthesis of polyamidoxime-functionalized nanoparticles for uranium(VI) removal from neutral aqueous solutions. 2015 , 305, 445-453	19
1013	One-pot preparation of a MnO ₂ /graphene/carbon nanotube hybrid material for the removal of methyl orange from aqueous solutions. 2015 , 39, 5484-5492	27
1012	Removal of methylene blue dye using biodegradable hydrogel and reusing in a secondary adsorption process. 2015 , 54, 2765-2776	19
1011	Characterization, molecular dynamics, and encapsulation ability of β -cyclodextrin polymers crosslinked by polyethylene glycol. 2015 , 128, 11-23	46
1010	Synthesis of magnetic biocomposite for efficient adsorption of azo dye from aqueous solution. 2015 , 121, 149-53	14
1009	Kinetic Study of the Adsorption of Dye onto Cotton in SDS-CTAB Reverse Micelles. 2015 , 723, 591-595	
1008	The Changes of Absorption and Catalytic Capacity on Reduced Graphene Oxide After Electron Beam Irradiation. 2015 , 10, 1550041	2
1007	Tetraethylenepentamine-modified MCM-41/silica gel with hierarchical mesoporous structure for CO ₂ capture. <i>Chemical Engineering Journal</i> , 2015 , 273, 472-480	14.7 77
1006	Volatile organic compounds adsorption onto neat and hybrid bacterial cellulose. 2015 , 335, 137-146	18
1005	Synthesis of magnetic graphene oxide-containing nanocomposite hydrogels for adsorption of crystal violet from aqueous solution. 2015 , 5, 32263-32271	60
1004	Equilibrium, thermodynamic and kinetic studies on removal of chromium, copper, zinc and arsenic from aqueous solutions onto fly ash coated by chitosan. <i>Chemical Engineering Journal</i> , 2015 , 274, 200-212	14.7 145
1003	Effective adsorption of toxic brilliant green from aqueous solution using peat of Brunei Darussalam: isotherms, thermodynamics, kinetics and regeneration studies. 2015 , 5, 34603-34615	40
1002	A facile approach to the fabrication of rattle-type magnetic carbon nanospheres for removal of methylene blue in water. 2015 , 89, 378-391	66

1001	Mechanistic insight into the interaction and adsorption of Cr(VI) with zeolitic imidazolate framework-67 microcrystals from aqueous solution. <i>Chemical Engineering Journal</i> , 2015 , 274, 238-246	14.7	196
1000	Removal of Organic Dyes from Industrial Effluents: An Overview of Physical and Biotechnological Applications. 2015 , 1-34		9
999	Removal of Dyes from Effluents Using Biowaste-Derived Adsorbents. 2015 , 139-201		5
998	Non-Conventional Adsorbents for Dye Removal. 2015 , 359-407		18
997	Equilibrium, Kinetics, and Thermodynamics of Soybean Oil Deacidification Using a Strong Anion Exchange Resin. 2015 , 54, 11167-11179		8
996	A pH- and Temperature-Responsive Magnetic Composite Adsorbent for Targeted Removal of Nonylphenol. 2015 , 7, 24446-57		55
995	Preparation of liquefied wood-based activated carbon fibers by different activation methods for methylene blue adsorption. 2015 , 5, 70287-70296		15
994	Alkaline deoxygenated graphene oxide as adsorbent for cadmium ions removal from aqueous solutions. 2015 , 71, 1611-9		7
993	Characterization of potassium hydroxide (KOH) modified hydrochars from different feedstocks for enhanced removal of heavy metals from water. 2015 , 22, 16640-51		110
992	Adsorption kinetics and thermodynamics of acid Bordeaux B from aqueous solution by graphene oxide/PAMAMs. 2015 , 72, 1217-25		10
991	Nuclear Magnetic Resonance Investigation of the Fractionation of Water/Ethanol Mixtures with Cellulose and Its Cross-Linked Biopolymer Forms. 2015 , 29, 6512-6521		9
990	Enhanced photocatalytic degradation of methylene blue and adsorption of arsenic(III) by reduced graphene oxide (rGO)/zinc oxide (TiO ₂ /Fe ₃ O ₄) based nanocomposites. 2015 , 5, 73249-73260		157
989	Thermodynamics and kinetics of the removal of manganese(II) ions from aqueous solutions by white rice husk ash. 2015 , 211, 938-947		31
988	Synthesis, characterization and adsorption properties of a novel biomagnetic composite for the removal of Congo red from aqueous medium. 2015 , 211, 515-526		45
987	Synthesis and characterization of a novel SnFe ₂ O ₄ @activated carbon magnetic nanocomposite and its effectiveness in the removal of crystal violet from aqueous solution. 2015 , 3, 2281-2291		58
986	Cationically Charged Poly(amidoxime)-Grafted Polypropylene Nonwoven Fabric for Potential Uranium Extraction from Seawater. 2015 , 54, 8699-8705		38
985	Facile approach to synthesize chitosan based composite--Characterization and cadmium(II) ion adsorption studies. 2015 , 134, 646-56		87
984	Synthesis of surface ion-imprinted magnetic microsphere for efficient sorption of perchlorate: A structural surrogate for pertechnetate. 2015 , 211, 621-627		25

983	Application of <i>Casuarina equisetifolia</i> needle for the removal of methylene blue and malachite green dyes from aqueous solution. 2015 , 54, 1253-1263	79
982	Adsorptive efficacy analysis of lignocellulosic waste carbonaceous adsorbents toward different mercury species. 2015 , 96, 33-42	19
981	Performance of Agroindustrial Wastes for Removal of Disinfection By-products From Water. 2015 , 226, 1	2
980	Selective removal of cationic dyes from aqueous solutions by an activated carbon-based multicarboxyl adsorbent. 2015 , 5, 99618-99626	34
979	Biosorption of malachite green dye from aqueous solution by calcium alginate nanoparticles: Equilibrium study. 2015 , 212, 723-730	45
978	Enhancing phosphate removal from water by using ordered mesoporous silica loaded with samarium oxide. 2015 , 7, 10052-10060	11
977	Arsenic removal from aqueous solutions by adsorption using novel MIL-53(Fe) as a highly efficient adsorbent. 2015 , 5, 5261-5268	169
976	Comparative studies on the olive stone activated carbon adsorption of Zn ²⁺ , Ni ²⁺ , and Cd ²⁺ from synthetic wastewater. 2015 , 54, 166-177	32
975	Development and physicochemical characterization of a new magnetic nanocomposite as an economic antibiotic remover. 2015 , 94, 441-451	23
974	Removal of hazardous azopyrazole dye from an aqueous solution using rice straw as a waste adsorbent: Kinetic, equilibrium and thermodynamic studies. 2015 , 136 Pt C, 1842-9	21
973	Synthesis of surface ion-imprinted magnetic microspheres by locating polymerization for rapid and selective separation of uranium(VI). 2015 , 5, 4153-4161	42
972	Adsorption of Cobalt(II) from Aqueous Solutions by Fe ₃ O ₄ /Bentonite Nanocomposite. 2015 , 226, 1	87
971	Preparation of magnetic calcium silicate hydrate for the efficient removal of uranium from aqueous systems. 2015 , 5, 5904-5912	20
970	Characterization of inorganic and organic clay modified materials: An approach for adsorption of an insecticidal terpenic compound. 2015 , 104, 110-118	25
969	Effective adsorption of cationic dyes by lignin sulfonate polymer based on simple emulsion polymerization: isotherm and kinetic studies. 2015 , 5, 3757-3766	37
968	Sorption characteristics of peat from Brunei Darussalam for the removal of rhodamine B dye from aqueous solution: adsorption isotherms, thermodynamics, kinetics and regeneration studies. 2015 , 55, 664-677	47
967	Preparation of a Novel Supported Selenium Nanoparticles Adsorbent and Its Application for Copper Removal from Aqueous Solution. 2015 , 60, 151-160	11
966	Comparative studies on adsorptive removal of indole by granular activated carbon and bagasse fly ash. 2015 , 34, 492-503	9

965	Catalytic pretreatment of biochar residues derived from lignocellulosic feedstock for equilibrium studies of manganese, Mn(II) cations from aqueous solution. 2015 , 5, 6345-6356	26
964	Fast Removal of Methylene Blue from Aqueous Solution Using Magnetic-Modified Fe ₃ O ₄ Nanoparticles. 2015 , 141, 04014049	14
963	UV-induced photocatalytic degradation of aqueous acetaminophen: the role of adsorption and reaction kinetics. 2015 , 22, 2219-30	20
962	Synthesis of poly(m-phenylenediamine)/iron oxide/acid oxidized multi-wall carbon nanotubes for removal of hexavalent chromium. 2015 , 5, 2266-2275	36
961	Comparison of nickel doped Zinc Sulfide and/or palladium nanoparticle loaded on activated carbon as efficient adsorbents for kinetic and equilibrium study of removal of Congo Red dye. 2015 , 136 Pt C, 1441-9	53
960	Separation and purification of amygdalin from thinned bayberry kernels by macroporous adsorption resins. 2015 , 975, 52-8	18
959	A novel electrospun PVA/ZnO nanofiber adsorbent for U(VI), Cu(II) and Ni(II) removal from aqueous solution. 2015 , 46, 109-118	86
958	Kinetics and equilibrium studies on removal of methylene blue and methyl orange by adsorption onto activated carbon prepared from date pits-A comparative study. 2015 , 32, 274-283	93
957	Adsorption kinetics of a cationic dye from wastewater. 2015 , 53, 3623-3631	6
956	Biosorption of chromium(VI) from aqueous solutions using waste plant biomass. 2015 , 12, 1415-1426	24
955	Selective removal of phosphate from wastewater using hydrated metal oxides dispersed within anionic exchange media. 2015 , 119, 1353-1360	152
954	Facile synthesis and in situ magnetization of carbon-decorated lignocellulose fiber for highly efficient removal of methylene blue. 2015 , 90, 1124-1134	23
953	Characterization of zinc oxide nanorods loaded on activated carbon as cheap and efficient adsorbent for removal of methylene blue. 2015 , 21, 986-993	63
952	Polyaniline supported nanocomposite cation exchanger: Synthesis, characterization and applications for the efficient removal of Pb ²⁺ ion from aqueous medium. 2015 , 21, 1112-1118	56
951	Recent developments in preparation of activated carbons by microwave: Study of residual errors. 2015 , 8, 343-354	11
950	Removal of Pb(II) from aqueous solution using ethylene diamine tetra acetic acid-Zr(IV) iodate composite cation exchanger: Kinetics, isotherms and thermodynamic studies. 2015 , 25, 35-41	47
949	Ion-exchange adsorption of calcium ions from water and geothermal water with modified zeolite A. 2015 , 61, 640-654	20
948	Evaluation of Abelmoschus esculentus (lady's finger) seed as a novel biosorbent for the removal of Acid Blue 113 dye from aqueous solutions. 2015 , 94, 329-338	31

947	Study of the performance of Esparto grass fibers as adsorbent of dyes from aqueous solutions. 2015 , 56, 722-735		8
946	Removal of copper(II) and chromium(VI) from aqueous solution using sorghum roots (<i>S. bicolor</i>): a kinetic and thermodynamic study. 2015 , 17, 1039-1051		18
945	Fe/Ti co-pillared clay for enhanced arsenite removal and photo oxidation under UV irradiation. 2015 , 324, 179-187		22
944	Adsorption and removal of malachite green from aqueous solution using magnetic β -cyclodextrin-graphene oxide nanocomposites as adsorbents. 2015 , 466, 166-173		134
943	Preparation of porous resin with Schiff base chelating groups for removal of heavy metal ions from aqueous solutions. <i>Chemical Engineering Journal</i> , 2015 , 263, 402-411	14.7	89
942	Analysis of synergistic and antagonistic adsorption of heavy metals and acid blue 25 on activated carbon from ternary systems. 2015 , 93, 755-772		44
941	Peptide conjugated chitosan foam as a novel approach for capture-purification and rapid detection of haptens--example of ochratoxin A. 2015 , 67, 634-41		24
940	Phosphate adsorption characteristics of wasted low-grade iron ore with phosphorus used as natural adsorbent for aqueous solution. 2015 , 54, 3020-3030		9
939	Application of response surface methodology for the biosorption of Acid Blue 25 dye using raw and HCl-treated macroalgae. 2015 , 53, 1710-1723		7
938	Platinum recovery from model media and a Pt/Bn/alumina spent catalyst extract using corn husk-based adsorbent. 2015 , 23, 119-127		12
937	Sorption of Reactive blue 19 onto freshwater algae and seaweed. 2015 , 54, 2611-2624		20
936	Ordered mesoporous carbons originated from non-edible polyethylene glycol 400 (PEG-400) for chloramphenicol antibiotic recovery from liquid phase. <i>Chemical Engineering Journal</i> , 2015 , 260, 730-739	14.7	31
935	Removal of methylene blue and acid orange 7 from aqueous solutions by activated carbon coated with zinc oxide (ZnO) nanoparticles: equilibrium, kinetic, and thermodynamic study. 2015 , 55, 252-262		34
934	Efficient removal of phosphorus in bioretention system by sludge pyrolysis residue. 2015 , 8, 3491-3499		5
933	Application of central composite design for simultaneous removal of methylene blue and Pb(2+) ions by walnut wood activated carbon. 2015 , 135, 479-90		131
932	The application of activated carbon produced from waste printed circuit boards (PCBs) by H3PO4 and steam activation for the removal of malachite green. <i>Chemical Engineering Journal</i> , 2015 , 260, 541-549	14.7	59
931	Removal of heavy metal ions with the use of chelating polymers obtained by grafting pyridine/Pyrazole ligands onto polymethylhydrosiloxane. <i>Chemical Engineering Journal</i> , 2015 , 259, 885-893	14.7	58
930	Influences of diatom frustule morphologies on protein adsorption behavior. 2015 , 27, 763-775		18

929	A kinetic study for the removal of anionic sulphonated dye from aqueous solution using nano-polyaniline and Baker's yeast. 2016 , 9, S1721-S1728	29
928	Magnetite nanoparticles with surface modification for removal of methyl violet from aqueous solutions. 2016 , 9, S348-S354	86
927	Dodecylsulfate and dodecylbenzenesulfonate intercalated hydrotalcites as adsorbent materials for the removal of BBR acid dye from aqueous solutions. 2016 , 20, 397-404	25
926	Kinetics, equilibrium and thermodynamic studies of adsorption of oil from oil-in-water emulsion by activated charcoal. 2016 , 10, 600	2
925	Study on Adsorption of Malachite Green by Date Palm Fiber. 2016 , 32, 3139-3144	6
924	Synthesis, Characterization and Evaluation of Peanut Shells-Derived Activated Carbons for Removal of Methomyl from Aqueous Solutions. 2016 , 06,	3
923	Removal of Fluoride using Quaternized Palm Kernel Shell as Adsorbents: Equilibrium Isotherms and Kinetics Studies. 2016 , 11,	8
922	Remediation of Rhodamine B Dye from Aqueous Solution Using Casuarina equisetifolia Cone Powder as a Low-Cost Adsorbent. 2016 , 2016, 1-7	23
921	Attapulgite Nanofiber-Cellulose Nanocomposite with Core-Shell Structure for Dye Adsorption. 2016 , 2016, 1-9	3
920	Ordered Mesoporous Carbons as Novel and Efficient Adsorbent for Dye Removal from Aqueous Solution. 2016 , 2016, 1-9	4
919	Synthesis of CdS Sensitized TiO ₂ Photocatalysts: Methylene Blue Adsorption and Enhanced Photocatalytic Activities. 2016 , 2016, 1-14	15
918	Environmental Application of Telon Blue AGLF Adsorption on Sunflower Pulp: A Response Surface Methodology Approach and Kinetic Study. 2016 , 2016, 1-10	2
917	Morin Flavonoid Adsorbed on Mesoporous Silica, a Novel Antioxidant Nanomaterial. 2016 , 11, e0164507	34
916	Malachite Green Adsorption Behavior of Polyurethane/Chitosan Composite Foam. 2016 , 35, 1-18	4
915	Silica nanoparticles loaded on activated carbon for simultaneous removal of dichloromethane, trichloromethane, and carbon tetrachloride. 2016 , 27, 1719-1729	17
914	Development of a sodium alginate-based organic/inorganic superabsorbent composite hydrogel for adsorption of methylene blue. 2016 , 153, 34-46	217
913	Comments on the paper Synthesis and application of ion-imprinted resin based on modified melamine-thiourea for selective removal of Hg(II) 2016 , 65, 845-846	1
912	Cationic cellulose hydrogels cross-linked by poly(ethylene glycol): Preparation, molecular dynamics, and adsorption of anionic dyes. 2016 , 152, 170-180	69

911	Adsorption of phosphate by acid-modified fly ash and palygorskite in aqueous solution: Experimental and modeling. 2016 , 132-133, 343-352	47
910	Removal of atrazine as an organic micro-pollutant from aqueous solutions: a comparative study. 2016 , 103, 23-35	52
909	Preparation and characterization of porous corn starch and its adsorption toward grape seed proanthocyanidins. 2016 , 68, 1254-1263	31
908	Fabrication of Inexpensive Polyethylenimine-Functionalized Fly Ash for Highly Enhanced Adsorption of Both Cationic and Anionic Toxic Dyes from Water. 2016 , 30, 6646-6653	25
907	KOH-activated carbon developed from biomass waste: adsorption equilibrium, kinetic and thermodynamic studies for Methylene blue uptake. 2016 , 57, 27226-27236	42
906	. 2016 ,	2
905	. 2016 ,	
904	Comparison of adsorption of Cd(II) and Pb(II) ions on pure and chemically modified fly ashes. 2016 , 37, 215-234	18
903	Guar gum-grafted poly(acrylonitrile)-templated silica xerogel: nanoengineered material for lead ion removal. 2016 , 7,	30
902	Preparation, characterization, and application of activated carbon from low-cost material for the adsorption of tetracycline antibiotic from aqueous solutions. 2016 , 74, 2349-2363	42
901	Silver (I)-coordinated bis(trimethoxysilylpropyl)amine Polycondensate for Adsorptive Removal of Iodide from Aqueous Solutions. 2016 , 67, 06007	
900	Comments on using of "pseudo-first-order model" in adsorption [Int. J. Biol. Macromol., vol. 81]. 2016 , 88, 505-6	10
899	Synthesis and adsorption efficiency of calix[6]arene appended XAD-4 resin. 2016 , 57, 1844-1856	5
898	Design and synthesis of an efficient nanoporous adsorbent for Hg ²⁺ and Pb ²⁺ ions in water. 2016 , 4, 5999-6005	68
897	Equilibrium, Kinetics, and Thermodynamics of Bovine Serum Albumin Adsorption on Single-Walled Carbon Nanotubes. 2016 , 203, 1198-1206	16
896	Removal of congo red dye from aqueous system using Phoenix dactylifera seeds. 2016 , 219, 359-367	78
895	Isotherm, kinetic and thermodynamic characteristics of adsorption of paclitaxel onto Diaion HP-20. 2016 , 51, 917-924	54
894	Application of mesoporous carbon and modified mesoporous carbon for treatment of DMF sewage. 2016 , 18, 1	1

893	Comments on the paper Simultaneous removal of mixed contaminants by organoclays □ Amoxicillin and Cu(II) from aqueous solution □ 2016 , 126, 297-298	3
892	Preparation and adsorption properties of enhanced magnetic zinc ferrite-reduced graphene oxide nanocomposites via a facile one-pot solvothermal method. 2016 , 685, 411-417	42
891	Sorption of copper(II) from synthetic oil sands process-affected water (OSPW) by pine sawdust biochars: effects of pyrolysis temperature and steam activation. 2016 , 16, 2081-2089	18
890	Column, kinetic and isotherm studies of PAH (phenanthrene) and dye (acid red) on kaolin modified with 1-hexyl, 3-decahexyl imidazolium ionic liquid. 2016 , 4, 2774-2784	21
889	Comparative study of ground water treatment plants sludges to remove phosphorous from wastewater. 2016 , 180, 17-23	35
888	Hydrophobic modification of bagasse cellulose fibers with cationic latex: Adsorption kinetics and mechanism. <i>Chemical Engineering Journal</i> , 2016 , 302, 33-43	14.7 42
887	Adsorption toward Trivalent Rare Earth Element from Aqueous Solution by Zeolitic Imidazolate Frameworks. 2016 , 55, 6365-6372	35
886	Preparation and characterization of surface functionalized activated carbons from date palm leaflets and application for methylene blue removal. 2016 , 4, 2713-2724	90
885	Comparison of chelating ligands on manganese (II) removal from aqueous solution. 2016 , 57, 25739-25746	3
884	Efficient adsorption of both methyl orange and chromium from their aqueous mixtures using a quaternary ammonium salt modified chitosan magnetic composite adsorbent. 2016 , 154, 310-318	133
883	Preparation and characterization of sulfonated poly(styrene-alt-maleic anhydride) and its selective removal of cationic dyes. 2016 , 499, 46-53	18
882	AgII doped MIL-101 and its adsorption of iodine with high speed in solution. 2016 , 237, 274-283	49
881	Synthesis of Poly(2-aminothiazole) for Selective Removal of Hg(II) in Aqueous Solutions. 2016 , 55, 4911-4918	40
880	Synthesis of Silica-Gel-Supported Sulfur-Capped PAMAM Dendrimers for Efficient Hg(II) Adsorption: Experimental and DFT Study. 2016 , 55, 3679-3688	52
879	Removal of astrazon blue dye from aqueous media by a low-cost adsorbent from coal mining. 2016 , 57, 27213-27225	2
878	Zeta potential-assisted sorption of uranyl tricarbonate complex from aqueous solution by polyamidoxime-functionalized colloidal particles. 2016 , 18, 13026-32	6
877	Kinetics and thermodynamics of Malachite Green dye removal from aqueous phase using iron nanoparticles loaded on ash. 2016 , 223, 1340-1347	42
876	Characterizing acidic fly ash with and without biomass combustion residue for adsorptive removal of crystal violet with optimization of mixed adsorbent by response surface modeling. 2016 , 75, 1	5

875	Synthesis and characterization of a new starch/SnO ₂ nanocomposite for efficient adsorption of toxic Hg ²⁺ metal ion. <i>Chemical Engineering Journal</i> , 2016 , 300, 306-316	14.7	274
874	HF-Free Synthesis of Nanoscale Metal-Organic Framework NMIL-100(Fe) as an Efficient Dye Adsorbent. 2016 , 4, 3368-3378		100
873	Kinetic and equilibrium studies on adsorption of Reactive Blue 19 dye from aqueous solutions by nanohydroxyapatite adsorbent. 2016 , 42, 3-11		31
872	Adsorptive removal of ciprofloxacin by sodium alginate/graphene oxide composite beads from aqueous solution. 2016 , 484, 196-204		149
871	Effects of surface microstructure and chemical state of featherfiber-derived multidoped carbon fibers on the adsorption of organic water pollutants. 2016 , 110, 762-774		24
870	On the behaviour, mechanistic modelling and interaction of biochar and crop fertilizers in aqueous solutions. 2016 , 2, 133-142		32
869	Efficient removal of methylene blue in aqueous solution by freeze-dried calcium alginate beads. 2016 , 33, 3141-3148		10
868	Competitive Removal of Malachite Green and Rhodamine B Using Clinoptilolite in a Two-dye System. 2016 , 64, 299-313		5
867	Optimization and evaluation of reactive dye adsorption on bottle gourd peel. 2016 , 4, 4299-4309		12
866	Exclusion of Organic Dye Using Neoteric Activated Carbon Prepared from <i>Cornulaca monacantha</i> Stem: Equilibrium and Thermodynamics Studies. 2016 , 875, 1-15		16
865	Comments on using of pseudo-first-order model[J. Taiwan Inst. Chem. Eng. Vol. 59]. 2016 , 68, 136-137		1
864	Mechanistic aspects of enhanced congo red adsorption over graphene oxide in presence of methylene blue. 2016 , 4, 3498-3511		20
863	Avocado seed-derived activated carbon for mitigation of aqueous ammonium. 2016 , 92, 34-41		38
862	Competitive removal of heavy metals from spiked hospital wastewater on acidic and chelating dehydrated carbons. 2016 , 51, 2348-2359		
861	Phosphonate-functionalized polystyrene microspheres with controlled zeta potential for efficient uranium sorption. 2016 , 6, 74110-74116		19
860	Adsorption of nickelocene and ruthenocene on mesoporous silica MCM-48 and activated carbon supports in supercritical carbon dioxide. 2016 , 117, 138-146		5
859	Comparative evaluation of xerogel-based activated carbons synthesized from aliphatic aldehydes of different chain lengths. 2016 , 14, 297-308		11
858	Aminomethylphosphonate Chelating Ligand and Octadecyl Alkyl Chain in a Resin for Simultaneous Removal of Co(II) Ions and Organic Contaminants. 2016 , 61, 3377-3385		18

857	Flowerlike Cu ₂ Te architectures constructed from ultrathin nanoflakes as superior dye adsorbents for wastewater treatment. 2016 , 6, 79612-79619	7
856	Micro-mesoporous anatase TiO ₂ nanorods with high specific surface area possessing enhanced adsorption ability and photocatalytic activity. 2016 , 235, 185-194	30
855	Room-temperature Synthesis of Cu ₂ O Nanostructures and Their Morphology-dependent Adsorption Properties. 2016 , 37, 1114-1123	12
854	A superb modified new adsorbent, <i>Artocarpus odoratissimus</i> leaves, for removal of cationic methyl violet 2B dye. 2016 , 75, 1	13
853	Adsorption Kinetics of Cadmium, Lead, and Nickel in Vermiculite. 2016 ,	1
852	Heavy metals in Iberian soils: Removal by current adsorbents/amendments and prospective for aerogels. 2016 , 237, 28-42	46
851	Equilibrium and Kinetic Studies of Trihalomethanes Adsorption onto Multi-walled Carbon Nanotubes. 2016 , 227, 1	18
850	Phosphorus removal from wastewater using mussel shell: Investigation on retention mechanisms. 2016 , 97, 558-566	46
849	Multishell structured magnetic nanocomposites carrying a copolymer of pyrrole- <i>thiophene</i> for highly selective Au(III) recovery. 2016 , 4, 19060-19069	25
848	Anionic and cationic dyes adsorption on porous poly-melamine-formaldehyde polymer. 2016 , 114, 258-267	53
847	How do you write and present research well? 17 Submit your manuscript to the journal you cite most. 2016 , 94, 2174-2178	0
846	Biodegradable chelating agent for heavy metal ions removal. 2016 , 51, 2576-2585	4
845	Comments on the Rebuttal to the criticism on the paper "Application of Mn/MCM-41 as an adsorbent to remove Methyl Blue from aqueous solution". 2016 , 479, 87-88	1
844	Removal of Dye Toxicity from an Aqueous Solution Using an Industrial Strain of <i>Saccharomyces Cerevisiae</i> (Meyen). 2016 , 227, 1	12
843	Solid phase extraction of uranium (VI) from phosphoric acid medium using macroporous silica-based D2EHPA-TOPO impregnated polymeric adsorbent. 2016 , 164, 90-96	24
842	Adsorption of pyridine from aqueous solutions by polymeric adsorbents MN 200 and MN 500. Part 1: Adsorption performance and PFG-NMR studies. <i>Chemical Engineering Journal</i> , 2016 , 306, 67-76	14.7 43
841	Mesoporous hydroxylapatite/activated carbon bead-on-string nanofibers and their sorption towards Co(II). 2016 , 6, 69947-69955	1
840	Adsorption of pharmaceuticals on chitosan-based magnetic composite particles with core-brush topology. <i>Chemical Engineering Journal</i> , 2016 , 304, 325-334	14.7 123

839	Adsorption of Heavy Metal Ions onto Surface-Functionalised Polymer Beads. I. Modelling of Equilibrium Isotherms by Using Non-Linear and Linear Regression Analysis. 2016 , 227, 1	3
838	Evaluation of optimum adsorption conditions for Ni (II) and Cd (II) removal from aqueous solution by modified plantain peels (MPP). 2016 , 5, 170-179	17
837	Rapid and selective separation of molybdenum ions using a novel magnetic Mo(VI) ion imprinted polymer: a study of the adsorption properties. 2016 , 6, 100248-100261	13
836	Surfactant-free synthesis of octahedral ZnO/ZnFe ₂ O ₄ heterostructure with ultrahigh and selective adsorption capacity of malachite green. 2016 , 6, 25074	34
835	Adsorptive Removal of Toxic Dye Using Fe ₃ O ₄ @SC Nanocomposite: Equilibrium, Kinetic, and Thermodynamic Studies. 2016 , 61, 3806-3813	161
834	Cauliflower-like Ni/NiO and NiO architectures transformed from nickel alkoxide and their excellent removal of Congo red and Cr(VI) ions from water. 2016 , 6, 103585-103593	15
833	Synthesis of ultralong NiSe nanobelts and their excellent adsorption properties towards malachite green in water. 2016 , 6, 104173-104182	2
832	Orthophosphate ion adsorption onto raw shrimp shells. 2016 , 29, 197-211	3
831	Modelling of Boron Removal from Solutions Using Purolite S 108 in a Batch Reactor. 2016 , 44, 949-958	4
830	Electrospun polymer of intrinsic microporosity fibers and their use in the adsorption of contaminants from a nonaqueous system. 2016 , 133, n/a-n/a	11
829	Water Purification Using Cost Effective Material Prepared from Agricultural Waste: Kinetics, Isotherms, and Thermodynamic Studies. 2016 , 44, 1036-1045	33
828	Preparation of lignin sulfonate-based mesoporous materials for adsorbing malachite green from aqueous solution. 2016 , 4, 2900-2910	41
827	Removal of congo red from water using quercetin modified Fe ₂ O ₃ nanoparticles as effective nanoadsorbent. 2016 , 180, 53-65	39
826	Synthesis of imidazolium-crosslinked chitosan aerogel and its prospect as a dye removing adsorbent. 2016 , 6, 56544-56548	16
825	High-capacity strong cation exchanger prepared from an inactivated immobilized enzyme and its application to the removal of methylene blue from water. 2016 , 6, 61013-61020	3
824	Emerging adsorptive removal of azo dye by metal-organic frameworks. 2016 , 160, 30-44	159
823	Synthesis of potential biosorbent from used stevia leaves and its application for malachite green removal from aqueous solution: kinetics, isotherm and regeneration studies. 2016 , 6, 65960-65975	13
822	Mechanism of Cu(II), Cd(II) and Pb(II) ions sorption from aqueous solutions by macroporous poly(glycidyl methacrylate-co-ethylene glycol dimethacrylate). 2016 , 385, 605-615	35

821	Preparation and characterization of a composite based on polyaniline, polypyrrole and cigarette filters: adsorption studies and kinetics of phenylbutazone in aqueous media. 2016 , 6, 64450-64459	23
820	From MDF and PB wastes to adsorbents for the removal of pollutants. 2016 , 380, 119-126	7
819	Amine tethered pore-expanded MCM-41 for CO ₂ capture: Experimental, isotherm and kinetic modeling studies. <i>Chemical Engineering Journal</i> , 2016 , 303, 89-99	14.7 50
818	Adsorption studies of Cu ²⁺ /BaI nanocomposites for the removal of 2,4,6-trichlorophenol. 2016 , 132-133, 68-78	32
817	Biodegradable Polymer-Based Ternary Blends for Adsorption of Heavy Metal From Simulated Industrial Wastewater. 2016 , 46, 1664-1674	1
816	Chitosan microspheres modified with poly(ethylenimine) enhance the adsorption of methyl orange from aqueous solutions. 2016 , 11, 428-436	12
815	Face-Capped M(4) L4 Tetrahedral Metal-Organic Cage: Iodine Capture and Release, Ion Exchange, and Electrical Conductivity. 2016 , 11, 216-20	18
814	The performance of phosphate removal using aluminium-manganese bimetal oxide coated zeolite: batch and dynamic adsorption studies. 2016 , 57, 4220-4233	14
813	Bromate removal from water samples using strongly basic anion exchange resin Amberlite IRA-400: kinetics, isotherms and thermodynamic studies. 2016 , 57, 5781-5788	40
812	Enhanced photocatalytic decolorization of reactive red by sonocatalysis using TiO ₂ catalyst: factorial design of experiments. 2016 , 57, 7120-7129	7
811	Adsorption of Zn ²⁺ on Algerian untreated bentonite clay. 2016 , 57, 6051-6062	6
810	Removal of cationic dyes from aqueous solutions by a low-cost biosorbent: longan shell. 2016 , 57, 5193-5199	6
809	Adsorption of heavy metals from aqueous solutions by waste coffee residues: kinetics, equilibrium, and thermodynamics. 2016 , 57, 5056-5064	16
808	Ultrasonic-assisted adsorption of methylene blue on sumac leaves. 2016 , 57, 9286-9295	15
807	Diuron Multilayer Adsorption on Activated Carbon from CO ₂ Activation of Grape Seeds. 2016 , 203, 103-113	15
806	Impact of biochar produced from post-harvest residue on the adsorption behavior of diesel oil on loess soil. 2016 , 38, 243-53	14
805	Equilibrium and kinetics studies of hexavalent chromium biosorption on a novel green macroalgae <i>Enteromorpha</i> sp.. 2016 , 42, 1275-1294	39
804	Influence of conversion parameters of waste tires to activated carbon on adsorption of dibenzothiophene from model fuels. 2016 , 117, 50-55	108

803	Removal of dyes by a novel fly ash-graphene oxide composite adsorbent. 2016 , 6, 17987-17994	18
802	Synthesis of zeolitic material from green tuff stone cake and its adsorption properties of silver (I) from aqueous solution. 2016 , 233, 154-162	15
801	Microwave-induced H ₂ SO ₄ activation of activated carbon derived from rice agricultural wastes for sorption of methylene blue from aqueous solution. 2016 , 1-14	6
800	A novel high efficient Mg-Al adsorbent for fluoride removal: kinetics, thermodynamics and reusability. 2016 , 57, 23844-23855	14
799	Preparation of porous graphene oxide/hydrogel nanocomposites and their ability for efficient adsorption of methylene blue. 2016 , 6, 10430-10437	65
798	Synthesis, characterization and magnetic properties of MWCNTs decorated with Zn-substituted MnFe ₂ O ₄ nanoparticles using waste batteries extract. 2016 , 407, 175-181	15
797	Phenomenological analyses of carbon dioxide adsorption kinetics on supported zinc-functionalized ionic liquid hybrid sorbents. <i>Chemical Engineering Journal</i> , 2016 , 288, 255-263	14.7 10
796	Diffusion mechanism and effect of mass transfer limitation during the adsorption of CO ₂ by polyaspartamide in a packed-bed unit. 2020 , 13, 54-67	18
795	Removal of heavy metals from landfill leachate using zero valent iron and granular activated carbon. 2020 , 41, 498-510	7
794	Synthesis of mesoporous MFI zeolite via bacterial cellulose-derived carbon templating for fast adsorption of formaldehyde. 2020 , 384, 121161	14
793	Removal mechanisms of aqueous Cr(VI) using apple wood biochar: a spectroscopic study. 2020 , 384, 121371	58
792	A multifunctional gelatine-quaternary ammonium copolymer: An efficient material for reducing dye emission in leather tanning process by superior anionic dye adsorption. 2020 , 383, 121142	26
791	Electrochemical synthesis and characterization of basic bismuth nitrate [Bi ₆ O ₅ (OH) ₃](NO ₃) ₅ ·2H ₂ O: a potential highly efficient sorbent for textile reactive dye removal. 2020 , 46, 661-680	7
790	Ultrasonic enhanced adsorption of methylene blue onto the optimized surface area of activated carbon: Adsorption isotherm, kinetics and thermodynamics. 2020 , 153, 315-336	53
789	Anionic polyacrylamide as a substance strengthening the Pb(II) immobilization on the kaolinite surface. 2020 , 17, 1101-1112	9
788	Kinetic and equilibrium studies on the adsorption of Direct Red 23 dye from aqueous solution using montmorillonite nanoclay. 2020 , 55, 132-144	15
787	Adsorption and dyeing properties of acid dyes on fine denier silk fibers. 2020 , 90, 433-441	2
786	Adsorptive removal of alizarin dye from wastewater using maghemite nanoadsorbents. 2020 , 55, 2433-2448	10

785	Adsorptive removal of surfactant using dolochar: A kinetic and statistical modeling approach. 2020 , 92, 222-235	4
784	Application of marble powder as a potential green adsorbent for miniaturized solid phase extraction of polycyclic aromatic hydrocarbons from water samples. 2020 , 55, 2737-2745	3
783	Selective adsorption of Co(II)/Mn(II) by zeolites from purified terephthalic acid wastewater containing dissolved aromatic organic compounds and metal ions. 2020 , 698, 134287	18
782	Recycling supercapacitor activated carbons for adsorption of silver (I) and chromium (VI) ions from aqueous solutions. 2020 , 238, 124638	24
781	Immobilization of Cr(VI) on engineered silicate nanoparticles: Microscopic mechanisms and site energy distribution. 2020 , 383, 121145	9
780	Lead recovery from aqueous environment by using porous carbon of citrus fruits waste: equilibrium, kinetics and thermodynamic studies. 2020 , 55, 2699-2712	5
779	Potentiality of quercetin-sodium hydroxide modified Spirulina Platensis in uranium biosorption from waste effluent. 2020 , 77, 48-60	5
778	Insights on adsorption of carbamazepine onto iron oxide modified diatomaceous earth: Kinetics, isotherms, thermodynamics, and mechanisms. 2020 , 180, 108898	28
777	Nonleaching Antibacterial Concept Demonstrated by In Situ Construction of 2D Nanoflakes on Magnesium. 2020 , 7, 1902089	20
776	Adsorption of bark derived polyphenols onto functionalized nanocellulose: Equilibrium modeling and kinetics. 2020 , 66, e16823	3
775	Energy performance evaluation for benchmarking school buildings using dynamic clustering analysis and particle swarm optimization. 2020 , 41, 429-440	
774	Kinetics and Isotherms of Mercury Biosorption by Dry Biomass of Arthrospira (Spirulina) platensis. 2020 , 43, 240-247	0
773	Silico-manganese fumes waste encapsulated cryogenic alginate beads for aqueous environment de-colorization. 2020 , 244, 118867	22
772	L-serine-assisted synthesis of Fe ₃ O ₄ impregnated N-doped RGO composites via a facile electrostatic self-assembly for synergistic adsorption of Rhodamine B. 2020 , 3, 63-73	3
771	New magnetic Schiff's base-chitosan-glyoxal/fly ash/FeO biocomposite for the removal of anionic azo dye: An optimized process. 2020 , 146, 530-539	101
770	Characteristic of adsorption, desorption, and co-transport of vanadium on humic acid colloid. 2020 , 190, 110087	16
769	Micro-nano-engineered nitrogenous bone biochar developed with a ball-milling technique for high-efficiency removal of aquatic Cd(II), Cu(II) and Pb(II). 2020 , 387, 121980	86
768	Nitrate removal from aqueous solutions by adsorption onto hydrogel-rice husk biochar composite. 2020 , 92, 934-947	15

767	Kinetics and thermodynamics of methylene blue adsorption on the Fe-oxide nanoparticles embedded in the mesoporous SiO ₂ . 2020 , 31, 816-826	10
766	Adsorption of a non-steroidal anti-inflammatory drug onto MgAl/LDH-activated carbon composite [Experimental investigation and statistical physics modeling. 2020 , 586, 124217	29
765	Tunable Schiff's base-cross-linked chitosan composite for the removal of reactive red 120 dye: Adsorption and mechanism study. 2020 , 142, 732-741	85
764	Pharmaceutical analysis by a novel spinel ferrite nanocomposite derived from a biomaterial-based activated carbon. 2020 , 179, 112957	5
763	Insight into adsorption of combined antibiotic-heavy metal contaminants on graphene oxide in water. 2020 , 236, 116278	58
762	A facile approach to develop industrial waste encapsulated cryogenic alginate beads to sequester toxic bivalent heavy metals. 2020 , 32, 1444-1450	8
761	Hybrid Crosslinked Chitosan-Epichlorohydrin/TiO ₂ Nanocomposite for Reactive Red 120 Dye Adsorption: Kinetic, Isotherm, Thermodynamic, and Mechanism Study. 2020 , 28, 624-637	79
760	Current advancement and future prospect of biosorbents for bioremediation. 2020 , 709, 135895	98
759	Enhanced removal of aqueous Cr(VI) by a green synthesized nanoscale zero-valent iron supported on oak wood biochar. 2020 , 245, 125542	58
758	Mesoporous Iraqi red kaolin clay as an efficient adsorbent for methylene blue dye: Adsorption kinetic, isotherm and mechanism study. 2020 , 18, 100422	78
757	Comparison of adsorption behavior studies of Cd by vermicompost biochar and KMnO ₄ -modified vermicompost biochar. 2020 , 256, 109959	22
756	Design of magnetic nanoparticles with high magnetic separation efficiencies and durability for Cu adsorption. 2019 , 31, 085710	1
755	Enhanced and selective adsorption of cationic dyes using novel biocompatible self-assembled peptide fibrils. 2020 , 255, 109804	13
754	Cu(II) and As(V) Adsorption Kinetic Characteristic of the Multifunctional Amino Groups in Chitosan. 2020 , 8, 1194	9
753	Design of Paracetamol Delivery Systems Based on Functionalized Ordered Mesoporous Carbons. 2020 , 13,	2
752	Efficiency of Acacia Gummifera powder as biosorbent for simultaneous decontamination of water polluted with metals. 2020 , 13, 7459-7481	6
751	An ecofriendly nanocomposite of bacterial cellulose and hydroxyapatite efficiently removes lead from water. 2020 , 165, 2711-2720	10
750	Adsorption of methylene blue onto betel nut husk-based activated carbon prepared by sodium hydroxide activation process. 2020 , 82, 1932-1949	15

749	Adsorption isotherm, kinetics and thermodynamic of acid blue and basic blue dyes onto activated charcoal. 2020 , 2, 100040	15
748	H ₂ SO ₄ -treated Malaysian low rank coal for methylene blue dye decolourization and cod reduction: Optimization of adsorption and mechanism study. 2020 , 21, 100641	36
747	Complexation of lead and cadmium ions with humic acids from arctic peat soils. 2020 , 191, 110058	5
746	Obtaining adsorbents from acid and acid-thermal activation of bentonite for chlorothalonil pesticide removal. 2020 , 15, 812-825	0
745	Coadsorption behaviors and mechanisms of Pb(ii) and methylene blue onto a biodegradable multi-functional adsorbent with temperature-tunable selectivity.. 2020 , 10, 35636-35645	2
744	Application of Ultrasound Pre-Treatment for Enhancing Extraction of Bioactive Compounds from Rice Straw. 2020 , 9,	3
743	The Adsorption Selectivity of Short and Long Per- and Polyfluoroalkyl Substances (PFASs) from Surface Water Using Powder-Activated Carbon. 2020 , 12, 3287	9
742	Synthesis and evaluation of activated carbon from rice husks for removal of humic acid from water. 2020 , 1	5
741	Permeable reactive barrier technology for the remediation of groundwater contaminated with nitrate and phosphate resulted from pit-toilet leachate. 2020 , 37, 101471	12
740	Removal of azo dyes in aqueous solutions using magnetized and chemically modified chitosan beads. 2020 , 256, 123595	9
739	Kinetics, Affinity, Thermodynamics, and Selectivity of Phosphate Removal Using Immobilized Phosphate-Binding Proteins. 2020 , 54, 10885-10894	13
738	Preparation of a Hydrogel-Based Adsorbent for Metal Ions through High Internal Phase Emulsion Polymerization. 2020 , 5, 19920-19927	5
737	CO ₂ absorption of anhydrous colloidal suspension based silica nanospheres with different microstructures. 2020 , 0958305X2094387	1
736	Absorption of Cu(II) and Zn(II) from Aqueous Solutions onto Biochars Derived from Apple Tree Branches. 2020 , 13, 3498	9
735	Adsorption equilibrium isotherms, kinetics and thermodynamics. 2020 , 101-118	6
734	Fast, efficient and clean adsorption of bisphenol-A using renewable mesoporous silica nanoparticles from sugarcane waste ash.. 2020 , 10, 27706-27712	15
733	Adsorption of malachite green dye from aqueous solutions using mesoporous chitosan/zinc oxide composite material. 2020 , 2, 115-125	20
732	Bio-inspired perylene diimide coated super paramagnetic nanoparticles for the effective and efficient removal of lead(II) from aqueous medium. 2020 , 1, 1817-1828	3

731	Cobalt (II) phthalocyanine dye removal from aqueous solution using cobalt ferrite nanoparticles as an efficient adsorbent. 2020 , 20, 2547-2563	1
730	Activated carbon derived from waste tangerine seed for the high-performance adsorption of carbamate pesticides from water and plant. 2020 , 316, 123929	32
729	Facile synthesis of crosslinked chitosan-tripolyphosphate/kaolin clay composite for decolourization and COD reduction of remazol brilliant blue R dye: Optimization by using response surface methodology. 2020 , 605, 125329	66
728	Electrochemical recovery of low concentrated platinum (Pt) on nickel hexacyanoferrate nanoparticles film. 2020 , 111, 246-251	3
727	Biomass-derived activated carbons for the removal of pharmaceutical micropollutants from wastewater: A review. 2020 , 253, 117536	58
726	Radiation grafted cellulose fabric as reusable anionic adsorbent: A novel strategy for potential large-scale dye wastewater remediation. 2020 , 249, 116902	9
725	Removal of 17 β -Estradiol by Activated Charcoal Supported Titanate Nanotubes (TNTs@AC) through Initial Adsorption and Subsequent Photo-Degradation: Intermediates, DFT calculation, and Mechanisms. 2020 , 12, 2121	4
724	Sorption behavior and mechanism of oxytetracycline from simulated wastewater by Amberlite IR-120 resin. 2020 , 82, 2366-2380	2
723	Synthesis, Characterization, and CO Uptake of Adsorbents Prepared by Hydrothermal Carbonization of Chitosan. 2020 , 5, 29520-29529	5
722	Biosorption of Sr ²⁺ and Cs ⁺ onto <i>Undaria pinnatifida</i> : Isothermal titration calorimetry and molecular dynamics simulation. 2020 , 319, 114146	12
721	Equilibrium, kinetic, and thermodynamic studies of lead ion adsorption from mine wastewater onto MoS ₂ -clinoptilolite composite. 2020 , 18, 100376	39
720	Kinetics and equilibrium study for adsorptive removal of cationic dye using agricultural waste-raw and modified cob husk. 2020 , 1-22	1
719	Removal of Cr(VI) using polyaniline based Sn(IV), Ce(IV) and Bi(III) iodomolybdate hybrid ion exchangers: Mechanistic and comparative study. 2020 , 8, 104376	8
718	Preparation and Characterization an Active Carbon Adsorbent from Waste Mandarin Peel and Determination of Adsorption Behavior on Removal of Synthetic Dye Solutions. 2020 , 231, 1	12
717	Utilisation of eco-friendly and low cost 3D graphene-based composite for treatment of aqueous Reactive Black 5 dye: Characterisation, adsorption mechanism and recyclability studies. 2020 , 114, 57-66	25
716	Conversion of a renewable bio-resource to a functional composite material: Product design, comprehensive characterization and adsorption of 2,4-D herbicide. 2020 , 18, 100338	4
715	Algal and cyanobacterial biomass as potential dye biodecolorizing material: a review. 2020 , 42, 2467-2488	8
714	Photochemical reduction of Cr(VI) compounds by amino acid Schiff base copper complexes with a hydroxyl group and titanium oxide composites in aqueous solutions. 2020 , 44, 16665-16674	7

713	Statistical optimization and modeling for color removal and COD reduction of reactive blue 19 dye by mesoporous chitosan-epichlorohydrin/kaolin clay composite. 2020 , 164, 4218-4230	65
712	Exploring the heavy metal ion sequestration ability of gum copal-collagen hybrid based interpenetrating polymer network: Kinetics, isotherms, and biodegradation studies. 2020 , 1, 26-35	1
711	Magnetic bacterial cellulose nanofibers for nucleoside recognition. 2020 , 27, 9479-9492	7
710	Mesoporous activated carbon from grass waste via H3PO4-activation for methylene blue dye removal: modelling, optimisation, and mechanism study. 2020 , 1-17	12
709	Adsorption of Pb(II) in Water by Niobate/Titanate Nanoflakes. 2020 , 35, 726-732	1
708	Adsorptive performance of carbon modified chitosan biopolymer for cationic dye removal: kinetic, isotherm, thermodynamic, and mechanism study. 2020 , 1-15	12
707	Statistical modeling of methylene blue dye adsorption by high surface area mesoporous activated carbon from bamboo chip using KOH-assisted thermal activation. 2020 , 5, 456-469	66
706	ADSORPTIVE REMOVAL OF Ni ²⁺ IONS FROM AQUEOUS SOLUTIONS BY NODULAR SEPIOLITE (MEERSCHAUM) AND INDUSTRIAL SEPIOLITE SAMPLES FROM ESKİEHİR, TURKEY. 2020 , 68, 220-236	1
705	Enhanced adsorptive removal of toxic anionic dye by novel magnetic polymeric nanocomposite: optimization of process parameters. 2020 , 1-16	12
704	Tartaric Acid-Modified Holarrhena antidysenterica and Citrullus colocynthis Biowaste for Efficient Eradication of Crystal Violet Dye from Water. 2020 , 2020, 1-18	8
703	Experimental and Theoretical Study of the Adsorption Behavior of Nitrate Ions by Layered Double Hydroxide Using Impedance Spectroscopy. 2020 ,	
702	The relationship between properties of plant-based biochars and sorption of Cd(II), Pb(II) and Zn(II) in soil model systems. 2020 , 6, e05388	10
701	Adsorption of Ag (I) from Aqueous Solutions Using Regenerated Silk Fibroin Adsorbent Beads. 2020 , 1-13	1
700	Kinetics and Isotherms of a Green Method for the Sorption of Metal Ions from Aqueous Solution. 2020 , 888, 012077	
699	Ionic liquid-decorated Fe ₃ O ₄ @SiO ₂ nanocomposite coated on talc sheets: An efficient adsorbent for methylene blue in aqueous solution. 2020 , 121, 108204	12
698	Synthesis and Characterization of Graphite Composite Foams for Oil Spill Recovery Application. 2020 , 4, 154	1
697	Amino-functionalised silica-grafted molecularly imprinted polymers for chloramphenicol adsorption. 2020 , 8, 103981	14
696	Co ²⁺ removal from wastewater using apatite prepared through phosphate waste rocks valorization : Equilibrium, kinetics and thermodynamics studies. 2020 , 8, e00350	0

695	Biosorbents prepared from pomelo peel by hydrothermal technique and its adsorption properties for congo red. 2020 , 7, 045505	11
694	Amorphous High-Surface-Area Aluminum Hydroxide-Bicarbonates for Highly Efficient Methyl Orange Removal from Water. 2020 , 36, 6277-6285	6
693	Synthesis, magnetic and adsorption of dye onto the surface of NiO nanoparticles. 2020 , 31, 8413-8422	5
692	Experimental and Modeling Process Optimization of Lead Adsorption on Magnetite Nanoparticles via Isothermal, Kinetics, and Thermodynamic Studies. 2020 , 5, 10826-10837	11
691	Development and Adsorption Characterization of Metal Affinity-Immobilized Magnetic Liposome. 2020 , 2020, 1-8	
690	Extraction and separation of tungsten and vanadium from spent V ₂ O ₅ /WO ₃ /TiO ₂ SCR catalysts and recovery of TiO ₂ and sodium titanate nanorods as adsorbent for heavy metal ions. 2020 , 601, 124963	4
689	Adsorption of Crystal Violet onto an Agricultural Waste Residue: Kinetics, Isotherm, Thermodynamics, and Mechanism of Adsorption. 2020 , 2020, 5873521	19
688	Utilizing the Memory effect of bimetallic-supported hydroxalces for adsorption and reduction of perchlorate in water. 2020 , 593, 124641	4
687	Phosphorus recovery by core-shell FeAlO ₃ /FeO biochar composite from aqueous phosphate solutions. 2020 , 729, 138892	35
686	Adsorption behaviour of 1,3,5-trinitroperhydro-1,3,5-triazine, 2,4-dinitroanisole and 3-nitro-1,2,4-triazol-5-one on commercial activated carbons. 2020 , 255, 126848	10
685	Mathematical modelling of the influence of physico-chemical properties on heavy metal adsorption by biosorbents. 2020 , 255, 126965	7
684	Mesoporous iron oxide nano spheres for capturing organic dyes from water sources. 2020 , 1217, 128361	17
683	Ipomoea aquatica roots as environmentally friendly and green adsorbent for efficient removal of Auramine O dye. 2020 , 20, 100543	8
682	Greenhouse Crop Residue and Its Derived Biochar: Potential as Adsorbent of Cobalt from Aqueous Solutions. 2020 , 12, 1282	8
681	Physicochemical modification of chitosan with fly ash and tripolyphosphate for removal of reactive red 120 dye: Statistical optimization and mechanism study. 2020 , 161, 503-513	59
680	Pre-accumulation and in-situ destruction of diclofenac by a photo-regenerable activated carbon fiber supported titanate nanotubes composite material: Intermediates, DFT calculation, and ecotoxicity. 2020 , 400, 123225	44
679	Chromium(VI) reduction and accumulation on the kaolinite surface in the presence of cationic soil flocculant. 2020 , 20, 3688-3697	13
678	Development of activated carbon fibers for removal of organic contaminants. 2020 , 17, 4841-4852	4

- 677 Facile one-pot in-situ synthesis of novel graphene oxide-cellulose nanocomposite for enhanced azo dye adsorption at optimized conditions. **2020**, 246, 116661 33
- 676 Potential Low-Cost Biosorbent Modified from Yard Waste for Acid-Fuchsin Removal. **2020**, 146, 04020085 0
- 675 Acrylamide based hydrogels in swelling and uptake of methylene blue from aqueous solutions. **2020**, 19, 51-60
- 674 Electrospinning preparation of PAN/TiO₂/PANI hybrid fiber membrane with highly selective adsorption and photocatalytic regeneration properties. *Chemical Engineering Journal*, **2020**, 399, 125749¹⁴⁻⁷ 40
- 673 A case study of methomyl removal from aqueous solutions by four natural Albanian clays. **2020**, 30, 89-100 2
- 672 Kinetic study of methyl orange decolorization by the Fenton process based on fractional factorial design. **2020**, 130, 1123-1140 2
- 671 Equilibrium, Kinetics, and Thermodynamic Studies of Malachite Green Adsorption onto Fig () Leaves. **2020**, 2020, 7384675 7
- 670 Alginate-based hydrogels modified with olive pomace and lignin to removal organic pollutants from aqueous solutions. **2020**, 153, 883-891 12
- 669 Acid-fractionalized biomass material for methylene blue dye removal: a comprehensive adsorption and mechanism study. **2020**, 14, 305-313 86
- 668 Dynamic adsorption of toxic indigo carmine dye on bio-inspired synthesised Fe₃O₄ nanoparticles: kinetic and thermodynamic study. **2020**, 1-23 5
- 667 Magnetic spent bleaching earth carbon (Mag-SBE@C) for efficient adsorption of tetracycline hydrochloride: Response surface methodology for optimization and mechanism of action. **2020**, 722, 137817 21
- 666 Hydrodistillation residues of *Centaurea nicaeensis* plant for copper and zinc ions removal: Novel concept for waste re-use. **2020**, 261, 121106 11
- 665 A Pseudo-Second Order Kinetic Equation for Sorption Processes. **2020**, 94, 171-176 3
- 664 Synthesis and characterization of ZnO nanoparticles via zeolitic imidazolate framework-8 and its application for removal of dyes. **2020**, 1210, 128029 32
- 663 Biochars from Lignin-rich Residue of Furfural Manufacturing Process for Heavy Metal Ions Remediation. **2020**, 13, 6
- 662 Adsorption of dimethyl sulfide from model fuel on raw and modified activated carbon from walnut and pistachio shell origins: Kinetic and thermodynamic study. **2020**, 593, 124620 14
- 661 Activated biochar derived from *Opuntia ficus-indica* for the efficient adsorption of malachite green dye, Cu and Ni from water. **2020**, 392, 122441 114
- 660 Adsorption of Cd(II), Pb(II) and Cu(II) from multi-metal aqueous system by alkali-treated alang-alang grass (*Imperata cylindrica*). **2020**,

659	Effective Adsorptive Removal of Methylene Blue from Water by Didodecyldimethylammonium Bromide-Modified Brown Clay. 2020 , 5, 16711-16721	25
658	Silica Aerogels/Xerogels Modified with Nitrogen-Containing Groups for Heavy Metal Adsorption. 2020 , 25,	8
657	Design, synthesis, and study of Pd(II) ion-imprinted functionalized polymer. 2020 , 1, 109-123	
656	Elimination of Fipronil insecticide by adsorption technique from aqueous solution by Cu-13X zeolite composite: isotherms, kinetic and thermodynamic studies. 2020 , 1-17	1
655	Efficient Removal of Cationic and Anionic Dyes from Aqueous Solutions using Regenerated Silk Fibroin Beads. 2020 , 32, 1623-1629	0
654	Tuning of Fly Ash Loading into Chitosan-Ethylene Glycol Diglycidyl Ether Composite for Enhanced Removal of Reactive Red 120 Dye: Optimization Using the BoxBehnken Design. 2020 , 28, 2720-2733	58
653	Cadmium adsorption behavior of porous and reduced graphene oxide and its potential for promoting cadmium migration during soil electrokinetic remediation. 2020 , 259, 127441	10
652	Zwitterion composite chitosan-epichlorohydrin/zeolite for adsorption of methylene blue and reactive red 120 dyes. 2020 , 163, 756-765	80
651	Preparation of Alginate Polymer Gel Pellets and its Adsorption on Acid Dyes. 2020 , 993, 1426-1431	
650	Converting industrial waste cork to biochar as Cu (II) adsorbent via slow pyrolysis. 2020 , 105, 102-109	32
649	Fabrication of Cellulose Nanocrystal-g-Poly(Acrylic Acid-Co-Acrylamide) Aerogels for Efficient Pb(II) Removal. 2020 , 12,	18
648	Mesoporous Crosslinked Chitosan-Activated Charcoal Composite for the Removal of Thionine Cationic Dye: Comprehensive Adsorption and Mechanism Study. 2020 , 28, 1095-1105	55
647	Hay-based activated biochars obtained using two different heating methods as effective low-cost sorbents: Solid surface characteristics, adsorptive properties and aggregation in the mixed Cu(II)/PAM system. 2020 , 250, 126312	13
646	Porous carbons derived from hydrothermally treated biogas digestate. 2020 , 105, 170-179	15
645	Synthesis of hybrid hydrogel nano-polymer composite using Graphene oxide, Chitosan and PVA and its application in waste water treatment. 2020 , 18, 100664	48
644	Calcined Mytella falcata shells as alternative adsorbent for efficient removal of rifampicin antibiotic from aqueous solutions. 2020 , 8, 103782	14
643	Utilization of alum sludge as adsorbent for phosphorus removal in municipal wastewater: A review. 2020 , 35, 101187	46
642	Thermodynamics and kinetics of the removal of nickel (II) ions from aqueous solutions by biochar adsorbent made from agro-waste walnut shells. 2020 , 312, 112788	28

641	Cu(II) Ion Adsorption by Aniline Grafted Chitosan and Its Responsive Fluorescence Properties. 2020 , 25,	6
640	Preparation of TiN@TiO ₂ composite nanoparticles for organic dye adsorption and photocatalysis. 2020 , 46, 14529-14535	17
639	Evaluation of the selective adsorption of silica-sand/anionized-starch composite for removal of dyes and Cupper(II) from their aqueous mixtures. 2020 , 149, 1285-1293	36
638	Adsorptive removal of trinitrophenol using nano Fe ₂ O ₃ /reduced graphene oxide. 2020 , 28, 571-581	1
637	Adsorption of congo red on mesoporous activated carbon prepared by CO ₂ physical activation. 2020 , 28, 1069-1076	25
636	Removal of amaranth dye over surfactant modified dull pink clay from aqueous medium. 2020 , 1-18	6
635	BTX Removal from Aqueous Solution Using Copper- and Nickel-Modified Zeolite 4A: Kinetic, Thermodynamic, and Equilibrium Studies. 2020 , 5, 1-13	3
634	Adsorption of Congo red with hydrothermal treated shiitake mushroom. 2020 , 7, 015103	15
633	Adsorption kinetic models: Physical meanings, applications, and solving methods. 2020 , 390, 122156	394
632	Thermodynamics and kinetics of the removal of methylene blue from aqueous solution by raw kaolin. 2020 , 2, 1	4
631	The adsorption property and mechanism for Hg(II) and Ag(I) by Schiff base functionalized magnetic Fe ₃ O ₄ from aqueous solution. 2020 , 825, 154051	21
630	Adsorption of anti-inflammatory drug diclofenac by MgAl/layered double hydroxide supported on Syagrus coronata biochar. 2020 , 364, 229-240	37
629	A novel 1-D chain organic-inorganic hybrid CuII/BrIII heterometallic germanomolybdate decorated by 2-picolinic acid ligands. 2020 , 113, 107764	2
628	Kinetic and isotherm modeling for acid blue 113 dye adsorption onto low-cost nutraceutical industrial fenugreek seed spent. 2020 , 10, 1	15
627	Low-cost chitosan-calcite adsorbent development for potential phosphate removal and recovery from wastewater effluent. 2020 , 173, 115573	63
626	Synthesis of Magnetic Chitosan-Fly Ash/Fe ₃ O ₄ Composite for Adsorption of Reactive Orange 16 Dye: Optimization by BoxBehnken Design. 2020 , 28, 1068-1082	71
625	Effect of copper (ii) biosorption over light metal cation desorption in the surface of macrocystis pyrifera biomass. 2020 , 8, 103729	7
624	Decontamination of methylene Blue from simulated wastewater by the mesoporous rGO/Fe/Co nanohybrids: Artificial intelligence modeling and optimization. 2020 , 24, 100709	12

623	Remediation of carcinogenic arsenic by pyroaurite-based green adsorbent: isotherm, kinetic, mechanistic study, and applicability in real-life groundwater. 2020 , 27, 24982-24998	3
622	Efficient adsorption of europium (III) and uranium (VI) by titanate nanorings: Insights into radioactive metal species. 2020 , 2, 100031	11
621	Adsorption isotherms and kinetic modeling of methylene blue dye onto a carbonaceous hydrochar adsorbent derived from coffee husk waste. 2020 , 725, 138325	97
620	Superior Adsorption of Direct Dye from Aqueous Solution by Y(III)-Chitosan-Doped Fly Ash Composite as Low-Cost Adsorbent. 2020 , 28, 1811-1821	6
619	Facile synthesis of xanthan biopolymer integrated 3D hierarchical graphene oxide/titanium dioxide composite for adsorptive lead removal in wastewater. 2020 , 309, 123296	26
618	Magnetic Cobalt Oxide Nanoparticles: Sucrose-Assisted Self-Sustained Combustion Synthesis, Characterization, and Efficient Removal of Malachite Green from Water. 2020 , 65, 2819-2829	9
617	Uncommon Sorption Mechanism of Aromatic Compounds onto Poly(Vinyl Alcohol)/Chitosan/Maleic Anhydride- β -Cyclodextrin Hydrogels. 2020 , 12,	6
616	Mesoporous Mn-Doped Fe Nanoparticle-Modified Reduced Graphene Oxide for Ethyl Violet Elimination: Modeling and Optimization Using Artificial Intelligence. 2020 , 8, 488	7
615	Synthesis of acid treated carbonized mandarin peel for purification of copper. 2020 , 15, 460-471	4
614	Kinetic Study of the Adsorption of Polyphenols from Olive Mill Wastewater onto Natural Clay: Ghassoul. 2020 , 2020, 1-11	3
613	Electrospun Bilayer PAN/Chitosan Nanofiber Membranes Incorporated with Metal Oxide Nanoparticles for Heavy Metal Ion Adsorption. 2020 , 10, 285	17
612	Preparation of sulfonated chitosan for enhanced adsorption of methylene blue from aqueous solution. 2020 , 151, 104584	30
611	Separation and purification of hydroxytyrosol and oleuropein from <i>Olea europaea</i> L. (olive) leaves using macroporous resins and a novel solvent system. 2020 , 43, 2619-2625	7
610	Surface-functionalization of activated carbon with polyglucosamine polymer for efficient removal of cadmium ions. 2020 , 41, 3074-3086	10
609	Synthesis of mesoporous magnetic MnFeO@CS-SiO ₂ microsphere and its adsorption performance of Zn and MB studies. 2020 , 263, 110377	15
608	Use of new nanoporous carbon produced from Mandarin (<i>Citrus reticulata</i>) industrial processing waste to remove anionic and cationic dyes. 2021 , 56, 1001-1013	1
607	Adsorptive performance of aminoterephthalic acid modified oxidized activated carbon for malachite green dye: mechanism, kinetic and thermodynamic studies. 2021 , 56, 835-846	16
606	Effective removal of heavy metals from an aqueous solution with poly(N-vinylimidazole-acrylamide) hydrogels. 2021 , 56, 912-924	3

605	Optical, structural and electrical properties of AgSbO ₃ nanotips prepared by thermal evaporation technique for thermoelectric effect applications. 2021 , 36, 492-498		2
604	Removal of 2,4-dichlorophenol from wastewater by an efficient adsorbent of magnetic activated carbon. 2021 , 56, 252-265		7
603	Fe ₃ O ₄ @ABDA nanocomposite as a new adsorbent effective removal of methylene blue dye: isotherm, kinetic, and thermodynamic study. 2021 , 56, 474-484		0
602	Effective Dyeing of Cotton Fibers Using Cynomorium Coccineum L. Peel Extracts: Study of the Influential Factors Using Surface Response Methodology. 2021 , 18, 21-33		8
601	Kinetic and thermodynamic studies of the biosorption of Cr (VI) in aqueous solutions by. 2021 , 42, 72-80		4
600	Adsorption of ciprofloxacin pollutants in aqueous solution using modified waste grapefruit peel. 2021 , 43, 225-234		7
599	Adsorptive removal of cationic methylene blue and anionic Congo red dyes using wet-torrefied microalgal biochar: Equilibrium, kinetic and mechanism modeling. 2021 , 272, 115986		65
598	Lead removal from water using organic acrylic amine fiber (AAF) and inorganic-organic P-AAF, fixed bed filtration and surface-induced precipitation. 2021 , 101, 135-144		8
597	A comprehensive review of glyphosate adsorption with factors influencing mechanism: Kinetics, isotherms, thermodynamics study. 2021 , 93-125		5
596	Specific spatial transfer PdCl ₄ ²⁻ to [X-Pd-Y] by strong coordination interaction in a 3D palladium ion-imprinted polymer with footprint cavity. <i>Chemical Engineering Journal</i> , 2021 , 405, 126613	14.7	5
595	Synthesis of a new thiophenol-thiophene polymer for the removal of mercury from wastewater and liquid hydrocarbons. 2021 , 582, 428-438		15
594	Isotherms and kinetics of dyeing poly-m-phenyleneisophthal-amide with Basic Red 46 based on the macro-cation dyeing mechanism. 2021 , 91, 297-305		1
593	Mesoporous composite Ni-C-N/SA for selective adsorption of methylene blue from water. <i>Chemical Engineering Journal</i> , 2021 , 407, 127181	14.7	19
592	The addition of biochar as a sustainable strategy for the remediation of PAH-contaminated sediments. 2021 , 263, 128274		31
591	The performance of activated carbon/NiFe ₂ O ₄ magnetic composite to retain heavy metal ions from aqueous solution. 2021 , 29, 135-145		7
590	Adsorptive removal of ciprofloxacin with different dissociated species onto titanate nanotubes. 2021 , 278, 123924		23
589	Experimental verification of regenerable magnetically modified montmorillonite and its application for heavy metals removal from metallurgical waste leachates. 2021 , 39, 101691		3
588	Insights into adsorption rate constants and rate laws of preset and arbitrary orders. 2021 , 255, 117713		2

587	Removal of heavy metal ions from water using adsorbents from agro waste materials. 2021 , 45, 1794-1798	5
586	A comparative study of ceramic nanoparticles synthesized for antibiotic removal: catalysis characterization and photocatalytic performance modeling. 2021 , 28, 13900-13912	23
585	High flux and adsorption based non-functionalized hexagonal boron nitride lamellar membrane for ultrafast water purification. <i>Chemical Engineering Journal</i> , 2021 , 420, 127721	14.7 6
584	Chemical removal of cobalt and lithium in contaminated soils using promoted white eggshells with different catalysts. 2021 , 35, 23-32	5
583	Remediation of artificially contaminated soil and groundwater with copper using hydroxyapatite/calcium silicate hydrate recovered from phosphorus-rich wastewater. 2021 , 272, 115978	11
582	Adsorption Kinetic and Isothermal Studies of 2,4-Dichlorophenol from Aqueous Solutions with Zeolitic Imidazolate Framework-8 (ZIF-8). 2021 , 38, 537-546	1
581	Removal of dyes from aqueous solution using novel C@C composite adsorbents. 2021 , 313, 110840	6
580	Rhamnolipid from <i>Pseudomonas aeruginosa</i> can improve the removal of Direct Orange 2GL in textile dye industry effluents. 2021 , 321, 114753	3
579	Toxic metal sequential sequestration in water using new amido-aminoacid ligand as a model for the interaction with polyamidoamines. 2021 , 410, 124585	1
578	Effective treatment for environmental enhancing the performance of undesirable agro-waste in production of carbon nanostructures as adsorbent. 2021 , 138, 50350	2
577	Coupling Alternating Current and Biosorption for the Removal of Hexavalent Chromium. 2021 , 44, 339-348	0
576	Synthesis of uniform-sized and microporous MIL-125(Ti) to boost arsenic removal by chemical adsorption. 2021 , 196, 114980	9
575	Superior adsorption of cationic dye on novel bentonite/carbon composites. 2021 , 16,	2
574	In situ plant bionic remediation of cadmium-contaminated soil caused by a high geological background in Kaihua, Zhejiang Province, China. 2021 , 269, 128693	3
573	Interaction between hexavalent chromium and biologically formed iron mineral-biochar composites: Kinetics, products and mechanisms. 2021 , 405, 124246	12
572	Decolourization of noxious safranin-T from waste water using <i>Mangifera indica</i> as precursor. 2021 , 4, 355-364	3
571	Cysteine chemical modification for surface regulation of biochar and its application for polymetallic adsorption from aqueous solutions. 2021 , 28, 1061-1071	4
570	Effects of tall fescue biochar on the adsorption and desorption of atrazine in different types of soil. 2021 , 28, 4503-4514	3

- 569 Kinetics of liquid phase batch adsorption experiments. **2021**, 27, 353-368 15
- 568 Cinnamon bark as low-cost and eco-friendly adsorbent for the removal of indigo carmine and malachite green dyestuffs. **2021**, 101, 735-757 11
- 567 Biospecific separation of holmium(III) using raw and chemically treated bark powder of : kinetics, isotherm and thermodynamic studies. **2021**, 42, 801-812 2
- 566 Contribution of nitrogen configurations to the adsorption of Cd(II) in nitrogen-enriched biochar. **2021**, 45, 12669-12677 1
- 565 Agricultural Waste-Derived Adsorbents for Decontamination of Heavy Metals. **2021**, 371-391
- 564 Increasing the potentiality of graphene oxide by chloroacetic acid for the adsorption of lead with molecular dynamic interpretation. **2021**, 4, 100095 0
- 563 Zeta Potential Mechanisms Applied to Cellular Immobilization: A Study with *Saccharomyces cerevisiae* on Dye Adsorption. **2021**, 29, 2214-2226 1
- 562 From Waste to Biosorbent: Removal of Congo Red from Water by Waste Wood Biomass. **2021**, 13, 279 12
- 561 Adsorption processes in biopolymer systems: fundamentals to practical applications. **2021**, 1-51
- 560 Metal-free high-adsorption-capacity adsorbent derived from spent coffee grounds for methylene blue.. **2021**, 11, 5118-5127 10
- 559 Adsorption isotherms and kinetics. **2021**, 445-509 2
- 558 Comparison between Various Adsorbents for Direct Blue Dye 14 Removal from Aqueous Solution. **2021**, 22, 149-158 1
- 557 Tarımsal bir Atık Tarafından Malaİl Yellinin Adsorpsiyonu: Pirinİk Kavuzu. 23-29
- 556 An efficient removal of malachite green dye from aqueous environment using ZSM-5 zeolite/polyvinyl alcohol/carboxymethyl cellulose/sodium alginate bio composite. **2021**, 29, 2126-2139 9
- 555 Multi-functional porous organic polymers for highly-efficient solid-phase extraction of β -agonists and β -blockers in milk.. **2021**, 11, 28925-28933 1
- 554 Equilibrium data, kinetics and process design for the adsorptive removal of safranin-o by activated carbons. **2021**, 45, 5479-5482 1
- 553 Decontamination of Anthraquinone Dyes Polluted Water Using Bioinspired Silica as a Sustainable Sorbent. 1 3
- 552 Oxygen plasma treated petroleum coke adsorbent: characterization, synthesis, mechanism, and application for enhancement of malachite green removal. 1-17 1

551	Adsorptive removal of direct red 80 and methylene blue from aqueous solution by potato peels: a comparison of anionic and cationic dyes. 2021 , 83, 1384-1398	5
550	Removal of lead ions from aqueous solution using phosphate-based geopolymer cement composite. 2021 , 96, 1358-1369	4
549	Efficient removal of methylene blue using the mesoporous activated carbon obtained from mangosteen peel wastes: Kinetic, equilibrium, and thermodynamic studies. 2021 , 315, 110904	25
548	Surface modification of <i>Artocarpus odoratissimus</i> leaves using NaOH, SDS and EDTA to enhance adsorption of toxic crystal violet dye. 1-19	3
547	Synthesis of a Novel Polymer-Assisted AlNiMn Nanomaterial for Efficient Removal of Sulfate Ions from Contaminated Water. 2021 , 29, 2840-2854	2
546	Removal of two cationic dyes from aqueous solutions by adsorption onto local clay: experimental and theoretical study using DFT method. 1-22	1
545	Valorization of pomegranate peel balls as bioadsorbents of methylene blue in aqueous media. 1	3
544	Evaluation of the kinetics of gold biosorption processes and consequent biogenic synthesis of AuNPs mediated by the fungus <i>Trichoderma harzianum</i> . 2021 , 21, 101238	9
543	Fabrication of Schiff's Base Chitosan-Glutaraldehyde/Activated Charcoal Composite for Cationic Dye Removal: Optimization Using Response Surface Methodology. 2021 , 29, 2855-2868	8
542	Kinetic, isotherm, and mechanism investigations of the removal of nitrate and nitrite from water by the synthesized hydrotalcite MgAl. 2021 , 47, 2605	1
541	Comparison of adsorption behaviors and mechanisms of methylene blue, Cd, and phenanthrene by modified biochars derived from pomelo peel. 2021 , 28, 32517	3
540	Some Theoretical Aspects of Tertiary Treatment of Water/Oil Emulsions by Adsorption and Coalescence Mechanisms: A Review. 2021 , 13, 652	2
539	Removal of Cd(II) using dithiocarboxyl cornstalk and the waste filtrate. 2021 , 56, 599-608	1
538	Removal of cadmium ions from water using coaxially electrospun PAN/ZnO-encapsulated PVDF nanofiber membranes. 1	4
537	Green synthesis of TiO nanoparticles prepared from <i>Phyllanthus niruri</i> leaf extract for dye adsorption and their isotherm and kinetic studies. 2021 , 15, 164-172	3
536	Optimization and kinetic studies on cationic dye adsorption using textile yarn waste/Multiwall carbon nanotube nanofibrous composites. 2021 , 112, 333-342	0
535	Magnetic iron nanoparticles (Fe ₃ O ₄) supported on activated carbon as a hybrid adsorbent for desulphurisation of liquid fuels. 1-22	1
534	Sequestration of cadmium ions from aqueous phase using magnetic chitosan composite. 2021 , 49, 3375-3375	

533	Enhancing the adsorption function of biochar by mechanochemical graphitization for organic pollutant removal. 2021 , 15, 1	9
532	Adsorptive Separation of Brilliant Green Dye from Water by Tartaric Acid-Treated Holarrhena antidysenterica and Citrullus colocynthis Biowaste. 2021 , 2021, 1-18	2
531	Preparation and Characterization of Sodium Alginate-Based Oxidized Multi-Walled Carbon Nanotubes Hydrogel Nanocomposite and its Adsorption Behaviour for Methylene Blue Dye. 2021 , 9, 576913	14
530	Kinetics of aging process on reduced Ag exchanged mordenite in dry air and humid air. 2021 , 67, e17182	6
529	Adsorption performance and Kinetics study of Pb(II) by RuO ₂ /ZnO nanocomposite: Construction and Recyclability. 1	5
528	A novel biosorbent for remediation of colored waste water. 1	2
527	Sequestration of phosphate from water onto modified watermelon waste loaded with Zr(IV). 1-13	2
526	Physical-chemical Characterization of Nano-Zinc Oxide/Activated Carbon Composite for Phenol Removal from Aqueous Solution. 2021 , 16, 136-147	1
525	Chemical modification of betel nut husk prepared by sodium hydroxide for methylene blue adsorption. 2021 , 11, 1	3
524	Carbon nanotubes impregnated with metallic nanoparticles and their application as an adsorbent for the glyphosate removal in an aqueous matrix. 2021 , 9, 105178	11
523	Impact of Exopolysaccharide on Adsorption and Aggregation in the Copper(II) Ions/Supporting Electrolyte/Kaolinite System. 2021 , 14,	7
522	Kinetic and Isotherm Studies of Nitrate Adsorption in Salt Water Using Modified Zeolite. 2021 , 16, 286-292	
521	Crystal Violet Removal Study with Natural and Biochar Prina from Aqueous Solutions.	
520	The adsorption and mechanism of benzothiazole and 2-hydroxybenzothiazole onto a novel ampholytic surfactant modified montmorillonite: Experimental and theoretical study. 2021 , 32, 1219-1232	2
519	Enhanced adsorption of caprolactam on phenols-modified Amberlite XAD16. 2021 , 161, 104850	3
518	Efficient adsorptive removal of Cobalt(II) ions from water by dicalcium phosphate dihydrate. 2021 , 283, 111990	6
517	Efficient Removal of Methylene Blue from Aqueous Solutions Using a High Specific Surface Area Porous Carbon Derived from Soybean Dreg. 2021 , 14,	5
516	Elimination of crystal violet from synthetic medium by adsorption using unmodified and acid-modified eucalyptus leaves with MPR and GA application. 2021 , 19, 100370	12

515	Adsorption of nanoparticles on glass bead surface for enhancing proppant performance: A systematic experimental study. 2021 , 328, 115398	24
514	High surface area and mesoporous activated carbon from KOH-activated dragon fruit peels for methylene blue dye adsorption: Optimization and mechanism study. 2021 , 32, 281-290	47
513	Synthesis of Fe Doped Poly p-Phenylenediamine Composite: Co-Adsorption Application on Toxic Metal Ions (F and As) and Microbial Disinfection in Aqueous Solution. 2021 , 9,	3
512	Circular economy based landfill leachate treatment with sulphur-doped microporous biochar. 2021 , 124, 160-171	8
511	Clorazepate removal from aqueous solution by adsorption onto maghnite: Experimental and theoretical analysis. 2021 , 328, 115430	2
510	Synthesis, characterization and application of acid and alkaline activated volcanic ash-based geopolymers for adsorptive remotion of cationic and anionic dyes from water. 2021 ,	10
509	Selective adsorption of ofloxacin and ciprofloxacin from a binary system using lignin-based adsorbents: Quantitative analysis, adsorption mechanisms, and structure-activity relationship. 2021 , 765, 144427	12
508	Phosphate removal using thermally regenerated Al adsorbent from drinking water treatment sludge. 2021 , 196, 110877	8
507	Batch and column mode removal of the turquoise blue (TB) over bio-char based adsorbent from Prosopis Juliflora: Comparative study. 2021 , 271, 129426	2
506	Adsorption of Methylene Blue Dye Using Biosorbents Based on Humic Acid Cross-Linked Cellulose. 884, 47-53	1
505	Assessment of polyethylene/Zn-ionic as a diesel fuel sulfur adsorbent: gamma radiation effect and response surface methodology. 2021 , 28, 52993-53009	1
504	Manganese Oxide Nanocomposite for adsorption of Cd(II) Ions from Aqueous Phase: Optimization by Experimental Design. 2021 , 57, 445-454	
503	Sorption of Cobalt and Nickel on Narcissus Tazetta L. Leaf Powder. 705-714	0
502	Effect of short time ball milling on physicochemical and adsorption performance of activated carbon prepared from mangosteen peel waste. 2021 , 168, 723-733	12
501	Cross-Linked Chitosan-Glyoxal/Kaolin Clay Composite: Parametric Optimization for Color Removal and COD Reduction of Remazol Brilliant Blue R Dye. 1	9
500	Bifunctional porous polyethyleneimine-grafted lignin microspheres for efficient adsorption of 2,4-dichlorophenoxyacetic acid over a wide pH range and controlled release. <i>Chemical Engineering Journal</i> , 2021 , 411, 128539	14.7 22
499	Electrostatic Self-Assembly Synthesis of Three-Dimensional Mesoporous Lepidocrocite-Type Layered Sodium Titanate as a Superior Adsorbent for Selective Removal of Cationic Dyes via an Ion-Exchange Mechanism. 2021 , 37, 6080-6095	0
498	Xanthan Gum Hydrogels as High-Capacity Adsorbents for Dye Removal. 2021 , 3, 3142-3152	5

497	Adsorption of two μ -blocker pollutants on modified montmorillonite with environment-friendly cationic surfactant containing amide group: Batch adsorption experiments and Multiwave function analysis. 2021 , 590, 601-613	9
496	Magnetic Chitosan-Glutaraldehyde/Zinc Oxide/Fe ₃ O ₄ Nanocomposite: Optimization and Adsorptive Mechanism of Remazol Brilliant Blue R Dye Removal. 1	26
495	Adsorption and Sustained-Release Capacity of Glyphosate on Microporous Corn Starch. 2021 , 73, 2000224	1
494	Magnetite-Functionalized Horse Dung Humic Acid (HDHA) for the Uptake of Toxic Lead(II) from Artificial Wastewater. 2021 , 2021, 1-15	4
493	Synthesis of Schiff's base magnetic crosslinked chitosan-glyoxal/ZnO/Fe ₃ O ₄ nanoparticles for enhanced adsorption of organic dye: Modeling and mechanism study. 2021 , 20, 100379	30
492	Comparison of Physicochemical Properties of Fly Ash Precursor, Na-P1(C) Zeolite-Carbon Composite and Na-P1 Zeolite-Adsorption Affinity to Divalent Pb and Zn Cations. 2021 , 14,	4
491	Simultaneous adsorption of Cu(II) ions and poly(acrylic acid) on the hybrid carbon-mineral nanocomposites with metallic elements. 2021 , 412, 125138	11
490	Efficient photodegradation of azucryl red by copper-doped TiO nanoparticles-experimental and modeling studies. 2021 , 28, 57543-57556	3
489	Parametric optimization by Box-Behnken design for synthesis of magnetic chitosan-benzil/ZnO/Fe ₃ O ₄ nanocomposite and textile dye removal. 2021 , 9, 105166	66
488	Amino-functionalized porous PDVB with high adsorption and regeneration performance for fluoride removal from water. 2021 , 2, 224-232	1
487	Efficiency of eggshell as a low-cost adsorbent for removal of cadmium: kinetic and isotherm studies. 1	4
486	Multifunctional amphoteric resin to remove both anionic and cationic dyes from aqueous solution. 2021 , 138, 51283	2
485	Adsorption of nitrate and nitrite from aqueous solution by magnetic Mg/Fe hydrotalcite.	0
484	Utilization of activated carbon derived from waste plastic for decontamination of polycyclic aromatic hydrocarbons laden wastewater. 2021 , 84, 609-631	7
483	Facile preparation of thioether/hydroxyl functionalized polyhedral oligomeric silsesquioxanes hybrid polymer for ultrahigh selective adsorption of silver(I) ions. 2021 , 163, 104899	1
482	Adsorption of crystal violet dye using Platanus orientalis (Chinar tree) leaf powder and its biochar: equilibrium, kinetics and thermodynamics study. 1-21	7
481	Environmentally friendly adsorbent derived from rock melon skin for effective removal of toxic brilliant green dye: linear versus non-linear analyses. 1-20	6
480	A key role of inner-cation-interaction in adsorption of Pb(II) on carbon nanotubes: Experimental and DFT studies. 2021 , 412, 125187	24

479	Preparation of Magnetic Alginate-Based Biogel Composite Cross-Linked by Calcium Ions and its Super Efficient Adsorption for Direct Dyes. 1035, 1022-1029	2
478	Decolorization of water through removal of methylene blue and malachite green on biodegradable magnetic fruits. 2021 , 1-13	3
477	Castor Leaves-Based Biochar for Adsorption of Safranin from Textile Wastewater. 2021 , 13, 6926	5
476	Numerical desirability function for adsorption of methylene blue dye by sulfonated pomegranate peel biochar: Modeling, kinetic, isotherm, thermodynamic, and mechanism study. 2021 , 38, 1499-1509	17
475	Utilization of extracellular fungal melanin as an eco-friendly biosorbent for treatment of metal-contaminated effluents. 2021 , 272, 129884	6
474	Capture and recover dissolved phosphorous from aqueous solutions by a designer biochar: Mechanism and performance insights. 2021 , 274, 129717	1
473	Fabrication of chitosan-hydroxyapatite nano-adsorbent for removal of norfloxacin from water: Isotherm and kinetic studies. 2021 ,	3
472	Mechanism of interactions in C.I. Acid Red 18 [Floating plants and polymeric resins systems: Kinetic, equilibrium, auxiliaries impact and column studies. 2021 , 333, 115903	2
471	Adsorption studies of Eu(III) ions from aqueous solutions by a synthesized copper magnetic ferrite nanoparticles as low-cost adsorbent. 2021 , 32, 19248-19263	2
470	Borassus aethiopum activated carbon prepared for nitrate ions removal. 1-14	0
469	Adsorption of industrial dye from aqueous solutions onto thermally treated green adsorbent: A complete batch system evaluation. 2021 , 117082	12
468	In-depth Insights into Mathematical Characteristics, Selection Criteria and Common Mistakes of Adsorption Kinetic Models: A Critical Review. 1-19	3
467	Investigation on removing of $^{60}\text{Co}^{2+}$ radionuclide from radioactive waste water by Fe(III)-modified Algerian bentonite. 2021 , 329, 1497-1511	1
466	Effect of livestock manure on chlortetracycline sorption behaviour and mechanism in agricultural soil in Northwest China. <i>Chemical Engineering Journal</i> , 2021 , 415, 129020	14.7 7
465	Novel green strategy for CuO-ZnO-C nanocomposites fabrication using marigold (<i>Tagetes</i> spp.) flower petals extract with and without CTAB treatment for adsorption of Cr(VI) and Congo red dye. 2021 , 290, 112615	14
464	Potential of live <i>Spirogyra</i> sp. in the bioaccumulation of copper and nickel ions: A study on suitability and sustainability. 2021 ,	3
463	Fabrication of microwave assisted biogenic magnetite-biochar nanocomposite: A green adsorbent from jackfruit peel for removal and recovery of nutrients in water sample. 2021 , 100, 134-148	5
462	Statistical modeling and mechanistic pathway for methylene blue dye removal by high surface area and mesoporous grass-based activated carbon using K_2CO_3 activator. 2021 , 9, 105530	46

461	Facile synthesis of hydroxyl- and amine-riched porous polymer for indium recovery in water. 2021 , 323, 111162	1
460	A review on zeolites as cost-effective adsorbents for removal of heavy metals from aqueous environment. 1	3
459	Cerium based UiO-66 MOF as a multipollutant adsorbent for universal water purification. 2021 , 416, 125941	42
458	Adsorption Method for the Remediation of Brilliant Green Dye Using Halloysite Nanotube: Isotherm, Kinetic and Modeling Studies. 2021 , 11, 8088	5
457	Sustainable Adsorption Method for the Remediation of Crystal Violet Dye Using Nutraceutical Industrial Fenugreek Seed Spent. 2021 , 11, 7635	5
456	Synthesis of value-added materials from the sewage sludge of cosmetics industry effluent treatment plant. 2021 , 9, 105367	5
455	Polyaniline-multiwalled carbon nanotubes (PANI- MWCNTs) composite revisited: An efficient and reusable material for methyl orange dye removal. 2021 , 117, 108455	9
454	Comparative study on methylene blue adsorption behavior of coffee husk-derived activated carbon materials prepared using hydrothermal and soaking methods. 2021 , 9, 105362	15
453	Efficient adsorption of Cu(II), Pb(II) and Ni(II) from waste water by PANI@APTS-magnetic attapulgite composites. 2021 , 209, 106151	4
452	An innovative approach to recycle boron waste by mesoporous silica production and its application in methylene blue removal. 2021 , 9, 105327	2
451	Switching the hydrophobic Neyveli lignite into hydrophilic type by surface modification and its subsequent use for removing Cr(VI)/F ⁻ from artificial pollutant. 2021 , 298, 120787	2
450	Functional chitosan/glycidyl methacrylate-based cryogels for efficient removal of cationic and anionic dyes and antibacterial applications. 2021 , 266, 118129	14
449	Sustainable adsorption method for the remediation of malachite green dye using nutraceutical industrial fenugreek seed spent. 2021 , 1	7
448	Mollusk shells as adsorbent for removal of endocrine disruptor in different water matrix. 2021 , 9, 105704	1
447	Honeycomb-like activated carbon with microporous nanosheets structure prepared from waste biomass cork for highly efficient dye wastewater treatment. 2021 , 416, 125896	12
446	Nitrophenols removal from aqueous solutions by activated carbon [Temperature effect of adsorption kinetics and equilibrium. 2021 , 9, 105459	6
445	Removal of Congo red from aqueous solution in single and binary mixture systems using Argan nutshell wood. 2021 , ahead-of-print,	1
444	Recognizing adsorption of Cd(II) by a novel core-shell mesoporous ion-imprinted polymer: Characterization, binding mechanism and practical application. 2021 , 278, 130369	7

443	The Removal of Ruthenium-Based Complexes N3 Dye from DSSC Wastewater Using Copper Impregnated KOH-Activated Bamboo Charcoal. 2021 , 232, 1	2
442	Mechanisms of heavy metal and oil removal from synthetic saline oilfield produced water by electrocoagulation. 2021 , 4,	0
441	Removal of sulfate from wastewater via synthetic Mg-Al layered double hydroxide: An adsorption, kinetics, and thermodynamic study. 2021 , 100185	1
440	A Recent Study on Remediation of Direct Blue 15 Dye Using Halloysite Nanotubes. 2021 , 11, 8196	4
439	A Chitosan Nanofiber Sponge for Oyster-Inspired Filtration of Microplastics. 2021 , 3, 4685-4694	4
438	Adsorption on activated carbons from end-of-life tyre pyrolysis for environmental applications. Part II. Adsorption from aqueous phase. 2021 , 158, 105206	3
437	Nickel Removal from Aqueous Solution Using Chemically Treated Mahogany Sawdust as Biosorbent. 2021 , 2021, 1-10	1
436	Microporous activated carbon developed from KOH activated biomass waste: surface mechanistic study of methylene blue dye adsorption. 2021 , 84, 1858-1872	11
435	Rapid Microwave-Assisted Synthesis of Fe ₃ O ₄ /SiO ₂ /TiO ₂ Core-2-Layer-Shell Nanocomposite for Photocatalytic Degradation of Ciprofloxacin. 2021 , 11, 1136	6
434	Phosphorus recovery from organic waste for its agronomic valorization: technical and economic evaluation.	0
433	Removal of phosphate from wastewater by lanthanum modified bio-ceramisite. 2021 , 9, 106123	4
432	Removal of textile dyes by benefited marine shells wastes: From circular economy to multi-phenomenological modeling. 2021 , 296, 113222	4
431	In-situ growth of molecularly imprinted metal-organic frameworks on 3D carbon foam as an efficient adsorbent for selective removal of antibiotics. 2021 , 340, 117232	1
430	A magnetic graphene nanocomposite for efficient removal of methylene blue from wastewater. 2021 , 132, 108823	1
429	Designing polydopamine nanohybrid based on template-mediated for effectively remove amphetamine-type stimulants in sewage: Performance and mechanism. 2021 , 9, 105870	0
428	Locust bean gum adsorption onto softwood kraft pulp fibres: isotherms, kinetics and paper strength. 2021 , 28, 10183-10201	
427	Reduction-responsive sulfur-thionoterpene polysulfides in microfiber for adsorption of aqueous heavy metal. 2021 , 43, 102247	
426	Fabricating magnetic GO/ZIF-8 nanocomposite for amphetamine adsorption from water: Capability and mechanism. <i>Chemical Engineering Journal</i> , 2021 , 422, 130096	14.7 10

425	Waste polystyrene foam [Chitosan composite materials as high-efficient scavenger for the anionic dyes. 2021 , 627, 127155	6
424	RSM-CCD optimization approach for the adsorptive removal of Eriochrome Black T from aqueous system using steel slag-based adsorbent: Characterization, Isotherm, Kinetic modeling and thermodynamic analysis. 2021 , 339, 116714	13
423	Fly ash modified magnetic chitosan-polyvinyl alcohol blend for reactive orange 16 dye removal: Adsorption parametric optimization. 2021 , 189, 464-476	17
422	A facile synthesis of hyper-cross-linked polystyrene resins for phenol removal. 2021 , 167, 105018	1
421	Microporous activated carbon as adsorbent for the removal of noxious anthraquinone acid dyes: Role of adsorbate functionalization. 2021 , 9, 106308	7
420	The removal of benzothiazole by combined inorgano-organo-montmorillonite modified with hydroxyl iron pillar and cationic panthenol intercalation: Experimental study and Multiwfn wavefunction analysis. 2021 , 626, 127025	2
419	Magnetically separable mesoporous alginate polymer beads assist adequate removal of aqueous methylene blue over broad solution pH. 2021 , 319, 128694	6
418	Trimethylamine functionalized radiation-induced grafted polyamide 6 fibers for p-nitrophenol adsorption. 2021 , 11, 19573	3
417	Engineering TiO ₂ supported CTAB modified bentonite for treatment of refinery wastewater through simultaneous photocatalytic oxidation and adsorption. 2021 , 43, 102239	5
416	Applicability of a novel and highly effective adsorbent derived from industrial palm oil mill sludge for copper sequestration: Central composite design optimisation and adsorption performance evaluation. 2021 , 9, 105968	2
415	Methyl Orange Adsorption onto Magnetic Fe ₃ O ₄ /Carbon (AC, GO, PGO) Nanocomposites. 2021 , 21, 5756-5764	2
414	Computational modeling of temperature and relative humidity effects on concrete expansion due to alkali-silica reaction. 2021 , 124, 104237	4
413	Synthesis, identification and application of metal organic framework for removal of industrial cationic dyes. 2021 , 342, 117435	8
412	Simultaneous removal of toxic Pb(II) ions, poly(acrylic acid) and Triton X-100 from their mixed solution using engineered biochars obtained from horsetail herb precursor [Impact of post-activation treatment. 2021 , 276, 119297	4
411	Application of biopolymers as a new age sustainable material for surfactant adsorption: A brief review. 2021 , 2, 100145	4
410	Hierarchically structured [Ni(OH) ₂ clusters: a uniquely efficient aqueous phase pollutant adsorbent for multiple anionic dyes and heavy metal ions. 2021 , 22, 100551	3
409	CO capture by adsorption on biomass-derived activated char: A review. 2021 , 798, 149296	11
408	Ionic liquid grafted polyethersulfone nanofibrous membrane as recyclable adsorbent with simultaneous dye, heavy metal removal and antibacterial property. <i>Chemical Engineering Journal</i> , 2022 , 428, 132111	14.7 9

407	Study of the sorption/desorption behavior of chlortetracycline on sediments in the upper reaches of the Yellow River. <i>Chemical Engineering Journal</i> , 2022 , 428, 131958	14.7	2
406	Adsorptive removal of fluoride using biochar [A potential application in drinking water treatment. 2022 , 278, 119106		8
405	Durable hydrophobic Enteromorpha design for controlling oil spills in marine environment prepared by organosilane modification for efficient oil-water separation. 2022 , 421, 126824		3
404	Lanthanum hydroxide engineered sewage sludge biochar for efficient phosphate elimination: Mechanism interpretation using physical modelling. 2022 , 803, 149888		4
403	Development of quaternized polyethylenimine-cellulose fibers for fast recovery of Au(CN) in alkaline wastewater: Kinetics, isotherm, and thermodynamic study. 2022 , 422, 126940		2
402	Adsorption behaviors of near-critical carbon dioxide on organic-rich shales: Modeling, multifractality, and kinetics. <i>Chemical Engineering Journal</i> , 2022 , 428, 132526	14.7	5
401	Restoring phosphorus from water to soil: Using calcined eggshells for P adsorption and subsequent application of the adsorbent as a P fertilizer. 2022 , 287, 132267		7
400	Cellulose Schiff Base as a Bio-based Polymer Ligand: Extraction, Modification and Metal Adsorption Study. 2021 , 29, 1860-1868		2
399	A rational design of layered metal-organic framework towards high-performance adsorption of hazardous organic dye. 2021 , 50, 7818-7825		4
398	A Comprehensive Approach to Heavy Metal Removal by Adsorption: A Review. 2021 , 1-24		
397	Removal of mercury from polluted water by a novel composite of polymer carbon nanofiber: kinetic, isotherm, and thermodynamic studies.. 2020 , 11, 380-389		5
396	The Adsorption of Heavy Metals from Aqueous Solutions Using Silica Microparticles Synthesized from Sodium Silicate. 2021 , 195-205		12
395	Copper(II) removal from aqua solution using rice straw derived biochar. 2021 , 43, 740-745		3
394	Self-Assembled Melaminium Adipate Lamellae for Adsorptive Removal of Anionic Dyes from Wastewater. 2021 , 3, 651-660		3
393	Adsorption Mechanism of Methylene Blue by Graphene Oxide-Shielded Mg-Al-Layered Double Hydroxide From Synthetic Wastewater. 2021 , 125, 954-965		8
392	Fungal Biosorption of Ni (II) Ions. 2012 , 45-58		2
391	Adsorption of Two Dyes by Mg(OH) ₂ : Procion Blue HB and Remazol Brilliant Blue R. 2014 , 463-468		2
390	Biosorption of Pharmaceutical Pollutant. 2015 , 739-750		4

389	Operational Principles and Material Requirements for Coagulation/Flocculation and Adsorption-based Water Treatment Operations. 2017 , 1-11	4
388	Fractal-Like Kinetic Models for Fluid-Solid Adsorption. 2018 , 135-161	1
387	Photo catalytic degradation of methylene blue and methyl orange from aqueous solution using solar light onto chitosan bi-metal oxide composite. 2020 , 2, 1	9
386	Single and competitive sorption of sulfadiazine and chlortetracycline on loess soil from Northwest China. 2020 , 263, 114650	7
385	Adsorption of sulfamethoxazole and reactive blue 19 using graphene oxide modified with imidazolium based ionic liquid. 2020 , 17, 100616	26
384	Synthesis of FeCl ₃ -activated carbon derived from waste Citrus limetta peels for removal of fluoride: An eco-friendly approach for the treatment of groundwater and bio-waste collectively. 2020 , 10, 100339	27
383	Biosorption for sustainable recovery of precious metals from wastewater. 2020 , 8, 103996	18
382	Corn waste valorization to generate activated hydrochar to recover ammonium nitrogen from compost leachate by hydrothermal assisted pretreatment. 2019 , 236, 108-117	66
381	Removal of Ni ²⁺ ion from waste water by Geopolymeric Adsorbent derived from LD Slag. 2017 , 17, 237-244	43
380	Insights into the modeling, characterization and adsorption performance of mesoporous activated carbon from corn cob residue via microwave-assisted H ₃ PO ₄ activation. 2020 , 21, 100688	33
379	Rapid removal of lead(II) ions from water using iron oxide-tea waste nanocomposite - a kinetic study. 2020 , 14, 275-280	4
378	Effective removal of nickel(II) and zinc(II) in mono-compound and binary systems from aqueous solutions by application of alginate-based materials. 1-22	6
377	Adsorption of Thymol onto Natural Clays of Morocco: Kinetic and Isotherm Studies. 2020 , 2020, 1-10	2
376	Effects of γ irradiation on the Cu ²⁺ sorption behaviour of NaOH-modified Philippine natural zeolites. 2020 , 55, 248-255	0
375	The potential of metal-complex dyes removal from wastewater the sorption method onto organic matter rich substances. 2010 , 197-202	1
374	Surfactant Modified Zeolite from Cyclone Ash as Adsorbent for Removal of Reactive Orange 16 from Aqueous Solution. 2013 , 1, 1-9	16
373	Functionalized magnetite / silica nanocomposite for oily wastewater treatment. 2015 , 4, 69-81	3
372	Biochar from Maize Hybrid Fermentation Residue low Cost and Efficient Heavy Metals Sorbent. 2019 , 26, 743-757	1

371	Utilization of Punica granatum peel as an eco-friendly biosorbent for the removal of methylene blue dye from aqueous solution. 2018 , 5,	9
370	Adsorption of Methylene Blue Dye from Aqueous Solutions by Modified Pumice Stone: Kinetics and Equilibrium Studies. 2013 , 2, 136-144	55
369	Modeling phosphorus adsorption onto polyaluminium chloride water treatment residuals. 2021 , 21, 458-469	5
368	Removal of Pb (II) from aqueous solution with Reactive Red 198 and carbonization of sugar beet pulp with citric acid. 225-226	1
367	Effect of Surfactants and Electrolyte on Removal and Recovery of Basic Dye by Using Ficus Carica Cellulosic Fibers as Biosorbent. 2012 , 49, 306-314	21
366	Kinetics, thermodynamics and isotherm studies of malachite green adsorption by modified orange peel. 2017 , 1, 58-66	6
365	Adsorption of safranin-O dye by peanut shell-based polyurethane type foam. 2018 , 2, 95-104	7
364	Prediction of Adsorption Kinetic Rate Constant for Removal of Methylene Blue Using Teak Leaf Powder. 2014 , 7, 284-293	1
363	Adsorption of Chromium Using Blue Green Algae-Modeling and Application of Various Isotherms. 2017 , 10, 1-22	14
362	Adsorption of Phosphorus Using Water Treatment Sludge. 2014 , 14, 3455-3463	9
361	Use of Low Cost Nano-porous Materials of Pomelo Fruit Peel Wastes in Removal of Textile Dye. 2011 , 5, 434-443	6
360	Removal of Ag(I) from Aqueous Solution by Japanese Natural Clinoptilolite. 2016 , 06, 470-487	3
359	Adsorption of Fe(III) from Aqueous Solution by Linde Type-A Zeolite. 2013 , 04, 123-126	22
358	Sesame Husk as Adsorbent for Copper(II) Ions Removal from Aqueous Solution. 2017 , 05, 109-152	21
357	Rapid Adsorption of Crystal Violet onto Magnetic Zeolite Synthesized from Fly Ash and Magnetite Nanoparticles. 2015 , 05, 191-203	20
356	Chemically Modified <i>Cornulaca monacantha</i> Biomass for Bioadsorption of Hg (II) from Contaminated Water: Adsorption Mechanism. 2013 , 04, 280-289	4
355	Polyamide Fibers Covered with Chlorhexidine: Thermodynamic Aspects. 2015 , 05, 190-206	4
354	Bioadsorption of Cd (II) from Contaminated Water on Treated Sawdust: Adsorption Mechanism and Optimization. 2013 , 05, 82-90	12

353	Adsorption of Cerium (IV) from Aqueous Solutions Using Activated Carbon Developed from Rice Straw. 2016 , 06, 189-200	12
352	Adsorption and Desorption Characteristics of Sr, Cs, and Na Ions with Na-A Zeolite Synthesized from Coal Fly Ash in Low-Alkali Condition. 2019 , 28, 561-570	5
351	Adsorption Kinetic and Isotherm Characteristics of Mn Ions with Zeolitic Materials Synthesized from Industrial Solid Waste. 2020 , 29, 827-835	1
350	Adsorption Characteristics of Copper using Biochar Derived from Exhausted Coffee Residue. 2017 , 36, 22-28	3
349	Sorption of Chromium Ions from Aqueous Solution onto Chemically Activated Carbons Developed from Maize Cobs. 2008 , 9, 275-282	2
348	Role of Activated Carbon Modified by H ₃ PO ₄ and K ₂ CO ₃ From Natural Adsorbent for Removal of Pb (II) From Aqueous Solutions. 2012 , 13, 167-172	3
347	Removal of Reactive Blue 19 dye from Aqueous Solution Using Natural and Modified Orange Peel. 2012 , 13, 212-220	15
346	Adsorption Removal of Sr by Barium Impregnated 4A Zeolite (BaA) From High Radioactive Seawater Waste. 2016 , 14, 101-112	2
345	Study of Composite Adsorbent Synthesis and Characterization for the Removal of Cs in the High-salt and High-radioactive Wastewater. 2017 , 15, 1-14	2
344	Adsorption of Organic Dyes from Aqueous Solution by Surfactant Modified Corn Straw. 2013 , 134-139	8
343	ADSORPTION OF CEFIXIME TRIHYDRATE ONTO CHITOSAN 10B FROM AQUEOUS SOLUTION: KINETIC, EQUILIBRIUM AND THERMODYNAMIC STUDIES. 2021 , 55, 771-784	2
342	Magnetic cross-linked chitosan for efficient removing anionic and cationic dyes from aqueous solution. 2021 , 193, 337-346	1
341	Utilization of activated carbons produced from some natural materials in the purification of used frying oil.	1
340	Effective and Simple NaOH-Modification Method to Remove Methyl Violet Dye via Ipomoea aquatica Roots. 2021 , 2021, 1-12	3
339	Adsorption studies of carbon dioxide and anionic dye on green adsorbent. 2022 , 1250, 131736	9
338	Kinetics and equilibrium study for the biosorption of lanthanum by. 2021 , 11, 460	0
337	Interaction Influence of Contact Time and pH on Cobalt Retention by Carbon Nanotubes Bearing Various Loads of TiO ₂ and Fe ₃ O ₄ . 2021 , 17,	0
336	CDs/HMS for removal of MB dye with highly adsorption capacity: isotherm, kinetic, and thermodynamic study. 1	

- 335 Hemp fibers modified with graphite oxide as green and efficient solution for water remediation: Application to methylene blue. **2021**, 132614 1
- 334 Kinetic Characteristics of CH₄ Adsorption on Coals under Variable Temperature-Pressure Coupling Interaction. **2021**, 30, 4597 3
- 333 Reduced graphene oxide/spinel ferrite nanocomposite as an efficient adsorbent for the removal of Pb (II) from aqueous solution. **2021**, 32, 28253 4
- 332 Adsorption of 2,4-dichlorophenoxyacetic acid onto oil palm trunk-derived activated carbon: Isotherm and kinetic studies at acidic, ambient condition. **2021**, 0
- 331 Aging kinetics on silver-functionalized silica aerogel in off-gas streams including dry air, humid air, NO and NO₂. **2021**, 8, 100191 2
- 330 A Usable Kinetic Model of Suspended Ion Exchange Processes for Natural Organic Matter Removal. **2021**, 147, 0
- 329 Removal of Mn(II) Ions from the Aqueous Solutions by Cotton Boll. **2010**, 1171-1179
- 328 Removal of Tartrazine from Aqueous Solution by Activated Coal. **2010**, 47, 13-17
- 327 Comments on "3-aminopropyltriethoxysilane functionalized nanoscale zero-valent iron for the removal of dyes from aqueous solution". **2011**, 13, 89-89
- 326 Ti-DBS-LDHs as a Photocatalyst under Simulated Solar Radiation for Removal of Malachite Green. **2012**, 02, 63-67
- 325 Removal of Atrazine from Aqueous Solutions Using HNO₃ Treated Oil Palm Shell-Based Adsorbent. **2016**, 4, 17-22
- 324 The Investigation Adsorption of Malachite Green by MWCNTs and f-MWCNT Surfaces: Thermodynamics and Equilibrium. 150527104639002
- 323 Comparative Study for Removal of the Methyl Red by Two Illites Clays. **2014**, 315-328
- 322 Adsorption Characteristics of Cobalt, Strontium, and Cesium on Natural Soil and Kaolin. **2014**, 23, 1609-1618 1
- 321 Desorption Characteristics of Cobalt, Strontium, and Cesium in Natural Soil and Kaolin Using CMCD. **2014**, 15, 61-69
- 320 Production Method of Biochar-bead from Biochar Powder and Its Application for the Removal of Heavy Metal. **2015**, 20, 127-132
- 319 Biosorption of Methylene Blue from Aqueous Solution Using Xanthoceras sorbifolia Seed Coat Pretreated by Steam Explosion. **2016**, 32, 253-261
- 318 AVALIAÇÃO DA ADSORÇÃO DO CORANTE ISOLAN NHF-S (1-ISOPROPIL-3-METILPIRAZOL-5-DIMETILCARBAMATO) UTILIZANDO DIFERENTES ADSORVENTES.

- 317 7 Treatment of Textile Industry Waste. **2017**, 207-284
- 316 Adsorption of Arsenic (III) Using Zirconyl Hydroxide. **2018**, 47, 206-213
- 315 A Review on the Mathematical Models about the Mass Transfer Mechanism in Static and Kinetic Adsorption Processes. **2019**, 09, 288-297
- 314 Efficacy of Adsorption of Dyes by Activated Carbon Derived from Lignin: A Review. **2019**, 09, 288-297
- 313 2,4-d Pesticide Adsorption Performance Of The Biomagnetic Composite. **2019**, 2, 1224-1228
- 312 Adsorption of basic red 2 by activated biomass charcoal in batch and column systems. **2019**, 3, 136-145
- 311 Effect of light irradiation on heightened adsorption of dyes by hydrothermal carbon microspheres. **2021**, 1250, 131813 0
- 310 Superabsorbents and Their Application for Heavy Metal Ion Removal in the Presence of EDDS. **2021**, 13, 131813 0
- 309 The Use of High Surface Area Mesoporous-Activated Carbon from Longan Seed Biomass for Increasing Capacity and Kinetics of Methylene Blue Adsorption from Aqueous Solution. **2021**, 26, 131813 4
- 308 Isothermal and Kinetic Investigation of Exploring the Potential of Citric Acid-Treated Trapa natans and Citrullus lanatus Peels for Biosorptive Removal of Brilliant Green Dye from Water. **2021**, 2021, 1-23 1
- 307 GAZLAĞIRMA TESİSİNİN ATILAN SUYU KANGAL LİNYİT KÖMÜRÜNDEN BOYA ADSORPSİYONUNDA KULLANIM OLANAKLARININ ARAŞTIRILMASI. 235-245
- 306 Investigation of Kinetic and Isotherm Models for the Removal of Nitrate and Nitrite Ions on MNPs@PIL Adsorbent from Aqueous Solution. **2020**, 94, 2829-2835
- 305 Combining Cu7S4 ultrathin nanosheets and nanotubes for efficient and selective absorption of anionic dyes. **2022**, 521, 115392 1
- 304 Highly efficient and selective adsorption of heavy metal ions by hydrazide-modified sodium alginate. **2022**, 276, 118797 6
- 303 Optimization of Direct Blue 71 sorption by organic rich-compost following multilevel multifactor experimental design. **2022**, 15, 103468 2
- 302 Biosynthesis of SiO₂ nanoparticles using extract of Nerium oleander leaves for the removal of tetracycline antibiotic. **2022**, 287, 132453 8
- 301 Modeling defluoridation of real-life groundwater by a green adsorbent aluminum/olivine composite: Isotherm, kinetics, thermodynamics and novel framework based on artificial neural network and support vector machine. **2022**, 302, 113965 3
- 300 Synthesis and characterization of imidazolium based ionic liquid modified montmorillonite for the adsorption of Orange II dye: Effect of chain length. **2022**, 1249, 131628 3

299	Activated Carbon from Meranti Wood Sawdust Waste Prepared by Microwave Heating for Dye Removal. 2020 , 61-87	1
298	Adsorption in Jar-Test system: a study of the physico-chemical interactions of the chitosan biopolymer with the textile dye DO 2GL. 2020 , 25,	
297	Effective Removal of Methylene Blue From Aqueous Solution Using Metal-Organic Framework; Modelling Analysis, Statistical Physics Treatment and DFT Calculations. 2021 , 6, 11431-11447	11
296	Experimental Study of the Adsorption of Nitrogen and Phosphorus by Natural Clay Minerals. 2021 , 2021, 1-14	1
295	Magnetically Modified Biosorbent for Rapid Beryllium Elimination from the Aqueous Environment. 2021 , 14,	0
294	Characteristics and Adsorptive Treatment of Wastewaters Containing Dyes. 2021 , 273-311	2
293	VERMICOMPOST AS A POTENTIAL ADSORBENT FOR THE ADSORPTION OF METHYLENEBLUE DYE FROM AQUEOUS SOULUTIONS. 893-902	3
292	Fabrication of Biochar-Impregnated MnO ₂ Nanocomposite: Characterization and Potential Application in Copper (II) and Zinc (II) Adsorption. 2022 , 26,	2
291	Modified Alginate Beads with Ethanol Extraction of and for Antibacterial Activities. 2021 , 6, 32215-32230	2
290	Magnetite nanoparticles into Fe-BTC MOF as adsorbent material for the remediation of metal (Cu(II), Pb(II), As(III) and Hg(II)) ions-contaminated water. 2021 ,	0
289	HKUST-1 derived carbon adsorbents for tetracycline removal with excellent adsorption performance. 2021 , 205, 112425	4
288	Sorption Efficiency of Potentially Toxic Elements onto Low-Cost Materials: Peat and Compost. 2021 , 13, 12847	0
287	Green synthesis of Fe ₃ O ₄ -onion peel biochar nanocomposites for adsorption of Cr(VI), methylene blue and congo red dye from aqueous solutions. 2021 , 349, 118161	8
286	Polymerization-Induced Self-Assembly of Tea Polyphenols into Open-Mouthed Nanoparticles for Active Delivery Systems and Stable Carbon Bowls.	1
285	Transforming agricultural waste into adsorbent: application of Fagopyrum esculentum wheat husks treated with H ₂ SO ₄ to adsorption of the 2,4-D herbicide. 2021 , 9, 106872	0
284	A systematic analysis of the dynamics of microwave- and conventionally-assisted swing adsorption on zeolite 13X and an activated carbon under post-combustion carbon capture conditions. 2021 , 9, 106835	1
283	Adsorption of anionic surfactant in graphite oxide: A study for treatment of laundry wastewater. 2021 , 9, 106858	4
282	Chitosan/collagen/hydroxyapatite and tripolyphosphate nanocomposite: characterization and application for copper removal from aqueous solution. 1	0

281	Magnetic crosslinked chitosan-tripolyphosphate/MgO/Fe ₃ O ₄ nanocomposite for reactive blue 19 dye removal: Optimization using desirability function approach. 2022 , 28, 101698	4
280	Removal of copper from sulfate solutions using biochar derived from crab processing by-product.. 2022 , 303, 114270	0
279	Construction of the micro-electrolysis system by Fe ₀ and clay-carbon derived from oil refining for the removal of ozone disinfection by-products. 2022 , 637, 128224	0
278	Simple and low-cost production of magnetite/graphene nanocomposites for heavy metal ions adsorption.. 2021 , 813, 152604	3
277	Comparative Adsorption of Eriochrome Black T and Tetracycline by Naoh-Modified Steel Dust: Kinetic and Process Modeling.	
276	Remazol Marine Blue tekstil boyasının Lactarius salmonicolor biyokümesi ile biyosorpsiyonu: Kinetik, izotermal ve termodinamik parametreler.	
275	Kinetics study of dyeing bicomponent polyester textiles (PET/PTT) using environmentally friendly carriers.. 2022 , 12, 2361-2374	0
274	Surfactant-Free and Microporous AlOOH/Al ₂ O ₃ Nanosheets on TiO ₂ -Based Nanofibers: A Sustained-Release Dominated Topotactic Transformation.	
273	Impacts of Chloride-Form Anion Exchange Seawater Regeneration Performance.. 2021 , 1-24	
272	The Role of Modified Chelating Graphene Oxide for Vanadium Separation from Its Bearing Samples. 1	4
271	Process Optimization and Adsorptive Mechanism for Reactive Blue 19 Dye by Magnetic Crosslinked Chitosan/MgO/Fe ₃ O ₄ Biocomposite. 1	3
270	Rapid Adsorption of Cationic Methylene Blue Dye onto Volcanic Ash-metakaolin Based Geopolymers. 1	0
269	Effective removal of metal ions and cationic dyes from aqueous solution using different hydrazine-dopamine modified sodium alginate.. 2021 , 195, 317-328	2
268	A general review on the use of advance oxidation and adsorption processes for the removal of furfural from industrial effluents. 2022 , 331, 111638	3
267	Comparative adsorption of Eriochrome Black T and Tetracycline by NaOH-modified steel dust: Kinetic and process modeling. 2022 , 287, 120559	4
266	Hydrothermally engineered Eriobotrya japonica leaves/MgO nanocomposites with potential applications in wastewater treatment. 2022 , 16, 100728	2
265	Electrochemically-functionalized CNT/ABTS nanozyme enabling sensitive and selective voltammetric detection of microalbuminuria.. 2022 , 1197, 339517	1
264	Low-cost activated carbon preparation from Corn stigmata fibers chemically activated using H ₃ PO ₄ , ZnCl ₂ and KOH: Study of methylene blue adsorption, stochastic isotherm and fractal kinetic. 2022 , 178, 114546	5

263	Temperature-pressure coupling effect on gas desorption characteristics in coal during low-variable temperature process. 2022 , 211, 110104		0
262	Sorption properties and mechanisms of erythromycin and ampicillin in loess soil: Roles of pH, ionic strength, and temperature. <i>Chemical Engineering Journal</i> , 2022 , 434, 134694	14.7	1
261	Immobilization mechanism of Cd/HCrO/CrO ions and carboxin on montmorillonite modified with <i>Rhizobium leguminosarum</i> bv. <i>trifolii</i> exopolysaccharide.. 2022 , 428, 128228		2
260	Removal of polystyrene nanoplastics from water by CuNi carbon material: The role of adsorption.. 2022 , 820, 153190		2
259	Biosorption of heavy metals: Transferability between batch and column studies.. 2022 , 294, 133659		1
258	The uptake performance and microscopic mechanism of inorganic-organic phosphorus hybrid amorphous hydroxyapatite for multiple heavy metal ions. 2022 , 640, 128384		0
257	Application of ara fruit husks (<i>Psidium cattleianum</i>) in the preparation of activated carbon with FeCl ₃ for atrazine herbicide adsorption. 2022 , 180, 67-67		1
256	Biomass derived P ₂ O ₅ doped activated carbon as nanostructured mesoporous adsorbent for chromium(VI) pollutants with pronounced functional efficiency and recyclability. 2022 , 641, 128553		2
255	Transforming Porous Silica Nanoparticles into Porous Liquids with Different Canopy Structures for CO Capture.. 2022 , 7, 5687-5697		0
254	Antibacterial Metallo-Hydrogels as Potential Water Purifiers and Nano Silver Carriers.		
253	Engineering Polyhistidine Tags on Surface Proteins of : Impact of Localization on the Binding and Recovery of Divalent Metal Cations.. 2022 ,		0
252	Aminated magnetic polymeric resin for removal of anthraquinone and azo dyes from aqueous solutions. 2022 , 29, 1		0
251	Biochar for removal of dyes in contaminated water: an overview. 2022 , 4, 1		12
250	Study on adsorption of Cu ²⁺ , Pb ²⁺ , Cd ²⁺ , and Zn ²⁺ by the KMnO ₄ modified biochar derived from walnut shell. 1		1
249	Adsorptive performance of a synthesized Mg-Al Hydrotalcite compound for removal of malachite green: kinetic, isotherm, thermodynamic, and mechanism study. 1-20		0
248	Comparative Adsorption of Eriochrome black T onto recyclable steel dust: Isotherm, Kinetics and Thermodynamic Studies. 2022 , 128828		0
247	Au/Boron organic frameworks for efficient removal and degradation of azo dye pollutants. 2022 , 128884		0
246	Response to the Editor's letter: Comments on using of "pseudo-first-order kinetic model" [Sci. Total Environ. 750 (2021) 142370, 750 (2021) 141498, 761 (2021) 143229].. 2022 , 154325		

- 245 Polyethyleneimine-condensed polystyrene resin: A specific adsorbent for Cu 2+ over Ni 2+. 52317
- 244 Comments on using of "pseudo-first-order kinetic model" [Sci. Total Environ. 750 (2021) 142370, 750 (2021) 141498, 761 (2021) 143229].. **2022**, 154291
- 243 Eco-friendly synthesis by Rosemary extract and characterization of Fe₃O₄@SiO₂ magnetic nanocomposite as a potential adsorbent for enhanced arsenic removal from aqueous solution: isotherm and kinetic studies. 1 0
- 242 A New Schiff Base Organically Modified Silica Aerogel-Like Material for Metal Ion Adsorption with Ni Selectivity. **2022**, 2022, 1-18 0
- 241 Carbon-based nanohybrid fabricated in-situ and boosted the adsorption of anionic reactive yellow dye. 1 0
- 240 Development of KOH and H₃PO₄-modified composite biochar from corn straw and activated sludge for removing methylene blue. 1 1
- 239 Efficient Adsorption Removal of an Anionic Azo Dye by Lignocellulosic Waste Material and Sludge Recycling into Combustible Briquettes. **2022**, 6, 22 0
- 238 Valorization of aquatic weed *Salvinia minima* to value-added eco-friendly biosorbent: preferential removal of dye and heavy metal. 1 0
- 237 Cesium immobilization in porous silica and 137Cs self-heating simulations.. **2022**, 153697 0
- 236 Nanostructured P-doped activated carbon with improved mesoporous texture derived from biomass for enhanced adsorption of industrial cationic dye contaminants. **2022**, 282, 125881 3
- 235 Two-dimensional assembly made up of ZIF-8 particles for the high-efficient capture of the iodine and dyes. **2022**, 430, 128501 0
- 234 Development of green photocatalytic geopolymers for dye removal. **2022**, 283, 126020 0
- 233 Magnetic responsive mesoporous alginate/β-cyclodextrin polymer beads enhance selectivity and adsorption of heavy metal ions.. **2022**, 1 1
- 232 Synergetic removal of oppositely charged dyes by co-precipitation and amphoteric self-floating capturer: Mechanism investigation by molecular simulation.. **2022**, 134033 0
- 231 Effective adsorption of doxorubicin hydrochloride on zirconium metal-organic framework: Equilibrium, kinetic and thermodynamic studies. **2022**, 1258, 132679 7
- 230 Comprehensive resource utilization of peony seeds shell: Extraction of active ingredients, preparation and application of activated carbon. **2022**, 180, 114764 1
- 229 A state-of-the-art review of various adsorption media employed for the removal of toxic Polycyclic aromatic hydrocarbons (PAHs): An approach towards a cleaner environment. **2022**, 47, 102674 4
- 228 Synthesis and characterization of NH₂-MIL-88(Fe) for efficient adsorption of dyes. **2022**, 1258, 132662 3

227	Smart and regeneratable Xanthan gum hydrogel adsorbents for selective removal of cationic dyes. 2022 , 10, 107620	1
226	Surface modification of polypropylene non-woven filter by O ₂ plasma/acrylic acid enhancing Prussian blue immobilization for aqueous cesium adsorption. 2022 , 590, 153101	1
225	Design of experiments (DOE) for adsorptive desulfurization (ADS) of liquid fuels I A review. 2021 ,	3
224	Magnetic metal-organic framework (Fe ₃ O ₄ @ZIF-8) nanocomposites for adsorption of anionic dyes from wastewater. 1-15	3
223	Exploitation of Bentonite for Wastewater Treatment.	
222	Kinetics, Equilibrium and Thermodynamic Investigation of New Coccine Adsorption onto Chitosan 10B in Aqueous Solution. 2021 , 15, S189-S200	0
221	Adsorption of UO ₂ ²⁺ by AlBaNi-layered double hydroxide nano-particles: kinetic, isothermal, and thermodynamic studies. 2022 , 110, 173-183	0
220	BoxBehnken Design for Optimizing Synthesis and Adsorption Conditions of Covalently Crosslinked Chitosan/Coal Fly Ash Composite for Reactive Red 120 Dye Removal. 1	0
219	Response surface modeling and optimization of hexavalent chromium adsorption onto eucalyptus tree bark-derived pristine and chemically-modified biochar. 2022 ,	1
218	Interaction mechanism of heavy metal ions with the nanostructured zeolites surface I Adsorption, electrokinetic and XPS studies. 2022 , 357, 119144	1
217	Table_1.DOCX. 2019 ,	
216	Application of equilibrium and kinetic studies for dye adsorption mechanism. 2022 ,	
215	Simple fabrication of carboxymethyl cellulose and Carrageenan composite aerogel with efficient performance in removal of fluoroquinolone antibiotics from water. 2022 , 16,	0
214	New Polymeric Adsorbents Functionalized with Aminobenzoic Groups for the Removal of Residual Antibiotics.. 2022 , 27,	
213	Facile Fabrication of Quaternary Ammonium Salt Modified Cotton Linter by Radiation Grafting and its Effective Removal of Methyl Orange: Batch and Dynamic Flow Mode Studies. 2022 , 23, 925-934	0
212	Enhancing the adsorption function of F- by iron and zirconium doped zeolite: Characterization and parameter optimization.	
211	Magnetic biohybrid chitosan-ethylene glycol diglycidyl ether/magnesium oxide/Fe ₃ O ₄ nanocomposite for textile dye removal: BoxBehnken design optimization and mechanism study. 2022 , 29,	2
210	Use of Natural Safiot Clay for the Removal of Chemical Substances From Aqueous Solutions by Adsorption: A Combined Experimental and Theoretical Study.	0

- 209 Absorption thermodynamic and kinetics of heavy metals by magnetic hydrogel nanocomposite adsorbents with semi-interpenetrating networks structure.
- 208 Activated Carbon-Based Magnetic Composite as an Adsorbent for Removal of Polycyclic Aromatic Hydrocarbons from Aqueous Phase: Characterization, Adsorption Kinetics and Isotherm Studies. **2022**, 100083 0
- 207 A comparative analysis of the adsorption kinetics of Cu²⁺ and Cd²⁺ by the microalgae *Chlorella vulgaris* and *Scenedesmus obliquus*. **2022**, 64, 102710 1
- 206 Adsorption behaviors of modified clays prepared with structurally different surfactants for anionic dyes removal. 0
- 205 Synthesis of camphor sulfonic acid derivatives modified Mg/Al-LDH for efficient separation of propranolol enantiomers. **2022**, 224, 106521 1
- 204 Adsorption of doxorubicin hydrochloride onto thermally treated green adsorbent: Equilibrium, kinetic and thermodynamic studies. **2022**, 1263, 133160 10
- 203 Synthesis of high quality boehmite and Alumina for phosphorus removal from water works sludge by extraction and hydrothermal treatment.. **2022**, 113448 0
- 202 Review on some metal oxide nanoparticles as effective adsorbent in wastewater treatment. 2
- 201 Isosorbide-based cyclomatrix polyphosphazene for high-efficient and selective adsorption of cationic dyes: Experimental and computational studies. **2022**, 153689 1
- 200 Facile Synthesis of Magnetic Hierarchical Porous Carbon and the Adsorption Properties.
- 199 Experimental and theoretical study of the adsorption behavior of nitrate ions by (Zn₃-Al-Cl)-layered double hydroxide by SID and DFT. **2022**,
- 198 Utilization of *Phyllanthus emblica* fruit'stone as a Potential Biomaterial for Sustainable Remediation of Lead and Cadmium Ions from Aqueous Solutions. **2022**, 27, 3355 0
- 197 Highly Efficient Adsorption of Heavy Metals and Cationic Dyes by Smart Functionalized Sodium Alginate Hydrogels. **2022**, 8, 343 1
- 196 Characteristics of Volcanic Tuff from Macicasu (Romania) and Its Capacity to Remove Ammonia from Contaminated Air. **2022**, 27, 3503 2
- 195 Agricultural Pea Waste as a Low-Cost Pollutant Biosorbent for Methylene Blue Removal: Adsorption Kinetics, Isotherm And Thermodynamic Studies. 1
- 194 "ADSORPTION OF AMARANTH ONTO NATURAL PEANUT HUSK AND CATIONIC SURFACTANT-MODIFIED PEANUT HUSK FROM AQUEOUS SOLUTION: KINETIC, ISOTHERM AND THERMODYNAMIC ANALYSES ". **2022**, 56, 443-460 0
- 193 Fabrication and characterization of a novel Ba²⁺-loaded sawdust biochar doped with iron oxide for the super-adsorption of SO₄²⁻ from wastewater. **2022**, 135233 0
- 192 Batch and Continuous Fixed-bed Column Adsorption of Tetracycline by Biochar/MOFs Derivative Covered with Carrageenan/Calcium Alginate Hydrogels. **2022**, 107996 2

191	Ion exchange for effective separation of 3-nitro-1,2,4-triazol-5-one (NTO) from wastewater. 2022 , 436, 129215		0
190	Recycling preparation of high-purity tagatose from galactose using one-pot boronate affinity adsorbent-based adsorption-Assisted isomerization and simultaneous purification. <i>Chemical Engineering Journal</i> , 2022 , 446, 137089	14.7	2
189	Direct carboxylation of cellulose in deep eutectic solvent and its adsorption behavior of methylene blue. 2022 , 4, 100222		1
188	Ethylene Adsorption on Activated Carbon Paper Liner: A Model Kinetic Study. 2022 , 1024, 012022		
187	Simultaneous Removal of Heavy Metals (Cu, Cd, Cr, Ni, Zn and Pb) from Aqueous Solutions Using Thermally Treated Romanian Zeolitic Volcanic Tuff. 2022 , 27, 3938		1
186	Adsorption of chromium VI onto hydroxyapatite chitosan- montmorillonite thin film. 2022 ,		
185	Ion-Exchange Treatment of Perfluorinated Carboxylic Acids in Water: Comparison of Polystyrenic and Polyacrylic Resin Structures and Impact of Sulfate on Their Performance.		1
184	Green synthesis of Ag ₂ O nanoparticles using Punica granatum leaf extract for sulfamethoxazole antibiotic adsorption: characterization, experimental study, modeling, and DFT calculation.		0
183	Synthesis of biohybrid magnetic chitosan-polyvinyl alcohol/MgO nanocomposite blend for remazol brilliant blue R dye adsorption: solo and collective parametric optimization.		1
182	Biosorption of crystal violet by nutraceutical industrial fennel seed spent equilibrium, kinetics, and thermodynamic studies. 2022 , 102402		0
181	CuBi ₂ O ₄ /calcined ZnAlBi-LDHs heterojunction: Simultaneous removal of Cr(VI) and tetracycline through effective adsorption and photocatalytic redox. 2022 , 132810		1
180	Assessment of pyrene adsorption on biochars prepared from green infrastructure plants: Toward a closed-loop recycling in managing toxic stormwater pollutants. 2022 , 48, 102929		1
179	Synthesis of mesoporous akaganeite functionalized maize cob biochar for adsorptive abatement of carbamazepine: Kinetics, isotherms, and thermodynamics. 2022 , 5, 100104		1
178	Can Aged Microplastics Be Transport Vectors for Organic Micropollutants? Adsorption and Phytotoxicity Tests.		
177	Efficient Removal of Antimonate and Antimonite by a Novel Lanthanum-Manganese Binary Oxide: Performance and Mechanism.		
176	Comparison of the adsorption kinetics of methylene blue using rice husk ash activated with different chemical agents. 2022 , 57, 279-289		
175	Adsorption Characteristics of Amaranth onto Cetyltrimethylammonium Bromide Modified Rice Husk in Aqueous Solution. 2022 , 84, 196-207		
174	Synthesis of reusable NH ₂ -MIL-125(Ti)@polymer monolith as efficient adsorbents for dyes wastewater remediation. 2022 ,		0

- 173 Differences between Chemical Reaction Kinetics and Adsorption Kinetics: Fundamentals and Discussion. **2022**, 33-47 1
- 172 PREPARATION OF BIODEGRADABLE CARBOXYMETHYL CELLULOSEBASED HYDROGELS AND THEIR DUAL APPLICATION IN FERTILIZER CONTROLLED RELEASE AND CATIONIC DYE REMOVAL. **2022**, 56, 667-680
- 171 Study of copper removal by modified biomaterials using the response surface methodology, DFT Calculation, and Molecular dynamic simulation. **2022**, 119799 0
- 170 Co-precipitation synthesis of non-cytotoxic and magnetic cobalt ferrite nanoparticles for purging heavy metal from the aqueous medium: Pb(II) adsorption isotherms and kinetics study. **2022**, 38, 544-563 0
- 169 Novel Metallo-hydrogels as a two-in-one agent with potent dyes removal and antimicrobial capacity. **2022**, 49, 100644 0
- 168 Adsorptive removal of toxic malachite green from its aqueous solution by Bambusa Vulgaris Leaves and its acid-treated form : DFT, MPR and GA modeling. **2022**, 119841 1
- 167 Characterization of unconventional sand-based substrates for adsorption of micropollutants in nature-based systems. **2022**, 318, 115593
- 166 Synthesis of pozzolan and sugarcane bagasse derived geopolymer-biochar composites for methylene blue sequestration from aqueous medium. **2022**, 318, 115533 0
- 165 Conversion of teak wood waste into microwave-irradiated activated carbon for cationic methylene blue dye removal: Optimization and batch studies. **2022**, 15, 104081 1
- 164 Efficient removal of heavy metal ions by diethylenetriaminepenta (methylene phosphonic) acid-doped hydroxyapatite. **2022**, 157557 0
- 163 Effective removal of chemical oxygen demand from sanitary landfill leachate using raw and chemically treated olive stones. 1-20
- 162 Removal of Toxic Metal Ions from Aqueous Solutions in Integrated Clay Adsorption and Electroflotation. **2022**, 2022, 1-16 1
- 161 Characterization and adsorption of malachite green dye from aqueous solution onto Salix alba L. (Willow tree) leaves powder and its respective biochar. 1-11 1
- 160 Particles Morphology Impact on Cytotoxicity, Hemolytic Activity and Sorption Properties of Porous Aluminosilicates of Kaolinite Group. **2022**, 12, 2559 0
- 159 Wastewater Treatment Using Modified Alumina. **2022**, 13, 63-81
- 158 Insights into Adsorption Mechanisms of Nitro Polycyclic Aromatic Hydrocarbons on Common Microplastic Particles: Experimental Studies and Modeling.
- 157 Novel hydrochar as low-cost alternative adsorbent for the removal of noxious impurities from water. **2022**, 149-160
- 156 Competitive biosorption of rare-earth elements on bacterial biomass: equilibrium and kinetic studies. 22-28

155	Facile synthesis of mesoporous activated carbons based on ash tree for methylene blue adsorption: Mechanism, kinetics, isotherm, and thermodynamic studies. 1-12	
154	Maize Stalk Obtained after Acid Treatment and Its Use for Simultaneous Removal of Cu ²⁺ , Pb ²⁺ , Ni ²⁺ , Cd ²⁺ , Cr ³⁺ and Fe ³⁺ . 2022 , 14, 3141	0
153	Chitosan/Carbon-Doped TiO ₂ Composite for Adsorption of Two Anionic Dyes in Solution and Gaseous SO ₂ Capture: Experimental Modeling and Optimization.	3
152	Anion-induced morphology control of Al-fumarate MOFs via synergetic coordination and hydrogen bond effects for graded dehumidification. 2022 , 112168	0
151	Adsorption of industrial dye onto a zirconium metal-organic framework: synthesis, characterization, kinetics, thermodynamics, and DFT calculations. 1-27	4
150	Adsorption of Organic Compounds on Adsorbents Obtained with the Use of Microwave Heating. 2022 , 15, 5664	2
149	Insights into behavior and mechanism of tetracycline adsorption on virgin and soil-exposed microplastics. 2022 , 440, 129770	0
148	Efficient removal of europium radionuclides from natural and seawater using mesoporous carbon-based material. 2022 , 365, 120092	
147	Application of magnesium ferrite nanomaterials for adsorptive removal of arsenic from water: Effects of Mg and Fe ratio. 2022 , 307, 135817	1
146	Synthesis of biochar from iron-free and iron-containing microalgal biomass for the removal of pharmaceuticals from water. 2022 , 214, 114041	1
145	Can aged microplastics be transport vectors for organic micropollutants? Adsorption and phytotoxicity tests. 2022 , 850, 158073	2
144	Experimental study and theoretical statistical modeling of acid blue 25 remediation using activated carbon from Citrus sinensis leaf. 2022 , 563, 113585	0
143	Adsorption of flavonoids with glycosides: design and synthesis of chitosan-functionalized microspheres. 2022 , 130221	0
142	Acid-activated Hibiscus sabdariffa seed pods biochar for the adsorption of Chloroquine phosphate: Prediction of adsorption efficiency via machine learning approach.. 2022 , 42, 162-175	0
141	Recent progress on adsorption of cadmium ions from water systems using metal-organic frameworks (MOFs) as an efficient class of porous materials. 2022 , 214, 114113	4
140	Effective remediation of lead(II) wastewater by Parkia speciosa pod biosorption: Box-Behnken design optimisation and adsorption performance evaluation. 2022 , 187, 108629	1
139	Facile synthesis of magnetic hierarchical porous carbon and the adsorption properties. 2022 , 193, 112273	0
138	Removal of pararosaniline hydrochloride (basic red 9) from aqueous system with lignocellulose fraction of sugarcane bagasse as adsorbent. 2022 , 188, 115573	0

137	Hypercrosslinked waste polymers as adsorbents for O ₂ /N ₂ separation. 2022 , 292, 126779	0
136	Adsorption of the dye Acid Blue 158 premetalized with chromium on chitin/chitosan. 2022 , 298, 120122	0
135	Adsorption of lead ions (Pb ²⁺) from wastewater using effective nanocomposite GO/CMC/FeNPs: Kinetic, isotherm, and desorption studies. 2022 , 655, 130224	1
134	Microalgae-derived nanoporous biochar for ammonia removal in sustainable wastewater treatment. 2022 , 10, 108514	2
133	Reinforced adsorption mechanism of fluorine ions by calcium-depleted hydroxyapatite and application in the raffinate from the vanadium industry. 2023 , 452, 139379	0
132	Enhancing mechanism of arsenic(iii) adsorption by MnO ₂ -loaded calcined MgFe layered double hydroxide. 2022 , 12, 25833-25843	0
131	Thermodynamic and Kinetic Studies on Harmful Algal Blooms Harvesting by Novel Etherified Cationic Straw Flocculant.	0
130	Thermodynamic and Kinetic Studies on Harmful Algal Blooms Harvesting by Novel Etherified Cationic Straw Flocculant.	0
129	Biochar-embedding iron-alginate microspheres derived from bagasse by one-step microwave pyrolysis/activation for enhanced Cr(VI) removal. 10,	0
128	Polyaniline Modified CNTs and Graphene Nanocomposite for Removal of Lead and Zinc Metal Ions: Kinetics, Thermodynamics and Desorption Studies. 2022 , 27, 5623	2
127	Adsorptive Analysis of Azo Dyes on Activated Carbon Prepared from Phyllanthus emblica Fruit Stone Sequentially via Hydrothermal Treatment. 2022 , 12, 2134	0
126	Adsorptive Detoxification of Congo Red and Brilliant Green Dyes Using Chemically Processed Brassica Oleracea Biowaste from Waste Water. 2022 , 2022, 1-14	0
125	Efficiency of Fe ₃ O ₄ @ZIF-8 for the removal of Doxorubicin from aqueous solutions: equilibrium, kinetics and thermodynamic studies. 1-20	3
124	Adsorption of Crystal Violet Dye from Aqueous Solution using Industrial Pepper Seed Spent: Equilibrium, Thermodynamic, and Kinetic Studies. 2022 , 2022, 1-20	0
123	Modeling and optimization of the adsorptive removal of crystal violet dye by durian (Durio zibethinus) seeds powder: insight into kinetic, isotherm, thermodynamic, and adsorption mechanism.	2
122	Comparative Adsorption Performance of Carbon-containing Hydroxyapatite Derived Tenggiri (Scomberomorini) and Belida (Chitala) Fish Bone for Methylene Blue. 2022 , 17, 565-576	1
121	Natural calcium phosphates from circular economy as adsorbent phases for the remediation of textile industry waste-waters. 2022 ,	1
120	Insight into adsorption mechanism, modeling, and desirability function of crystal violet and methylene blue dyes by microalgae: Box-Behnken design application. 2022 , 67, 102864	2

119	Adsorption of Non-Steroidal Anti-Inflammatory Drugs on Alginate-Carbon Composites Equilibrium and Kinetics. 2022 , 15, 6049	3
118	Efficient removal of antimonate and antimonite by a novel lanthanum-manganese binary oxide: Performance and mechanism. 2022 , 130132	0
117	Methyl orange adsorption studies on glutaraldehyde cross-linking chitosan/fluorapatite-based natural phosphate composite. 1-17	1
116	Removal efficiency and adsorption mechanisms of CeO ₂ nanoparticles onto granular activated carbon used in drinking water treatment plants. 2022 , 159261	1
115	Novel oxymagnesite/green rust nanohybrids for selective removal and slow release of phosphate in water. 2022 , 159207	0
114	Sequestration of Ni(II) and Cu(II) using FeSO ₄ modified Zea mays husk magnetic biochar: Isotherm, kinetics, thermodynamic studies and RSM. 2022 , 8, 100162	1
113	Mesoporous activated carbon from mangosteen (<i>Garcinia mangostana</i>) peels by H ₃ PO ₄ assisted microwave: Optimization, characterization, and adsorption mechanism for methylene blue dye removal. 2022 , 129, 109389	4
112	Engineering GO@ZnHap@CA porous heterostructure for ultra-fast and ultra-high adsorption efficacy: investigation towards the remediation of chromium and lead.	0
111	Removal of Heavy Metals and Dyes from Wastewaters by Raw and Activated Carbon Hazelnut Shells. 2022 , 907-933	0
110	Study of the Effectiveness of Alumina and HDTMA/Alumina Composite in the Removal of Para-Nitrophenol and the Deactivation of Bacterial Effect of <i>Listeria monocytogenes</i> and <i>Salmonella</i> spp.. 2022 , 12, 1700	0
109	Effect of Exhausted Coffee Ground Particle Size on Metal Ion Adsorption Rates and Capacities. 2022 , 7, 38600-38612	0
108	Studies on the Removal of Phenol and Nitrophenols from Water by Activated Carbon Developed from Demineralized Kraft Lignin. 2022 , 12, 2564	1
107	Effectiveness of citrus fruit peel as a biosorbent for the mitigation of aflatoxins in vitro. 1-15	1
106	Porous material based on modified carbon and the effect of pore size distribution on the adsorption of methylene blue dye from an aqueous solution.	0
105	Adsorption Properties and Hemolytic Activity of Porous Aluminosilicates in a Simulated Body Fluid. 2022 , 6, 78	1
104	Adsorptive Removal of Methylene Blue Dye Using Biodegradable Superabsorbent Hydrogel Polymer Composite Incorporated with Activated Charcoal. 2022 , 14, 3313	1
103	Recent methods in the production of activated carbon from date palm residues for the adsorption of textile dyes: A review. 10,	0
102	High-Surface-Area-Activated Carbon Derived from Mango Peels and Seeds Wastes via Microwave-Induced ZnCl ₂ Activation for Adsorption of Methylene Blue Dye Molecules: Statistical Optimization and Mechanism. 2022 , 27, 6947	3

101	DMSA-incorporated silsesquioxane-based hybrid polymer for selective adsorption of Pb(II) from wastewater. 2022 , 120723	1
100	A pH-Sensitive Surface of Chitosan/Sepiolite Clay/Algae Biocomposite for the Removal of Malachite Green and Remazol Brilliant Blue R Dyes: Optimization and Adsorption Mechanism Study.	2
99	Production of large surface area activated carbon from a mixture of carrot juice pulp and pomegranate peel using microwave radiation-assisted ZnCl ₂ activation: An optimized removal process and tailored adsorption mechanism of crystal violet dye. 2022 , 130, 109456	3
98	Characteristics, application and modeling of solid amine adsorbents for CO ₂ capture: A review. 2023 , 325, 116438	1
97	Functionalized maghemite nanoparticles for enhanced adsorption of uranium from simulated wastewater and magnetic harvesting. 2023 , 216, 114569	0
96	Activation of Waste Materials with Carbon(IV) Oxide as an Effective Method of Obtaining Biochars of Attractive Sorption Properties towards Liquid and Gas Pollutants. 2022 , 15, 8000	0
95	Static and dynamic sorption of DOM on Bond Elute PPL and Bondesil PPL sorbents: physical-chemical characteristics. 1-11	0
94	Adsorption behavior of tannic acid on polyethylenimine-modified montmorillonite with different morphologies.	0
93	Simultaneous Removal of Polymers with Different Ionic Character from Their Mixed Solutions Using Herb-Based Biochars and Activated Carbons. 2022 , 27, 7557	1
92	Synthesis of polyethylene terephthalate/multi-walled carbon nanotubes adsorbent for methylene blue adsorption.	0
91	Synthesis, Characterization, and Application of Geopolymer/TiO ₂ Nanoparticles Composite for Efficient Removal of Cu(II) and Cd(II) Ions from Aqueous Media. 2022 , 12, 1445	1
90	Reed Rhizome Residue-Based Activated Carbon Adsorption Ultrafiltration Membranes for Enhanced MB Removal.	0
89	Sono-assisted synthesis of AgFeO ₂ nanoparticles for efficient removal of Basic Green-4 dye from aqueous solution. 2022 , 24,	0
88	Sustainable Waste Recycling from the Fruit Pulp Industry Applied as an Adsorbent of Textile Dye. 2022 , 233,	0
87	Sulphur-doped carbon particles from almond shells as cheap adsorbent for efficient Cd(II) adsorption. 2022 , 109542	0
86	Synthesis of Ternary CaNiAl-Layered Double Hydroxide as Potential Adsorbent for Congo Red Dye Removal in Aqueous Solution. 2022 , 34, 3215-3223	0
85	Recent developments of polysaccharide based superabsorbent nanocomposite for organic dye contamination removal from wastewater [A review]. 2023 , 217, 114909	5
84	Study and optimization of the adsorption process of methylene blue dye in reusable polyaniline-magnetite composites. 2023 , 292, 117232	0

83	Remediation of tetracycline from aqueous solution through adsorption on g-C ₃ N ₄ -ZnO-BaTiO ₃ nanocomposite: Optimization, modeling, and theoretical calculation. 2023 , 369, 120866	0
82	Mesoporous activated carbon produced from mixed wastes of oil palm frond and palm kernel shell using microwave radiation-assisted K ₂ CO ₃ activation for methylene blue dye removal: Optimization by response surface methodology. 2023 , 131, 109581	1
81	Development of high-performance bi-functional novel CdSnS ₂ atom cluster for adsorption of Rose Bengal and AOP-assisted degradation of Methylene Blue.	2
80	On the applicability of triazine-based covalent organic polymer as adsorbent for dye removal from aqueous solution. 2023 , 348, 112367	0
79	Adsorption behaviors of heavy metal ions by different hydrazone-modified sodium alginate in aqueous medium: Experimental and DFT studies. 2023 , 659, 130754	0
78	Comparison of membrane fouling induced by protein, polysaccharide and humic acid under sodium and calcium ionic conditions. 2023 , 548, 116236	0
77	Sequential combination of pre-chlorination and powdered activated carbon adsorption on iodine removal and I-THMs control in drinking water. 2023 , 313, 137529	0
76	Modification of covalent organic framework by hydrolysis for efficient and selective removal of organic dye. 2023 , 612, 155890	1
75	Activated carbon prepared by co-pyrolysis of waste tobacco straw and waste LDPE mulch film: characterization and application for methylene blue removal. 2022 , 12, 34165-34175	0
74	Hexavalent chromium adsorption onto environmentally friendly mesquite gum-based polyurethane foam.	0
73	Adsorption studies of methyl orange dye removal from aqueous solution using Anchote peel-based agricultural waste adsorbent. 2023 , 13,	0
72	One-Step Functionalization of Chitosan Using Aromatic Groups via Hydrothermal Assisted Grafting for Removal of Reactive Orange 16 Dye: Optimization and Adsorption Mechanism.	0
71	Optimized removal process and tailored adsorption mechanism of crystal violet and methylene blue dyes by activated carbon derived from mixed orange peel and watermelon rind using microwave-induced ZnCl ₂ activation.	1
70	Benzil Schiff Base Side-Chain Polymer-Crosslinked Chitosan Via Hydrothermal Process for Reactive Orange 16 Dye Removal: An Optimized and Comparative Study with Chitosan.	0
69	Efficient Adsorption of Tl(I) from Aqueous Solutions Using Al and Fe-Based Water Treatment Residuals. 2022 , 10, 2700	0
68	Mesoporous Activated Carbon from Leaf Sheath Date Palm Fibers by Microwave-Assisted Phosphoric Acid Activation for Efficient Dye Adsorption. 2022 , 7, 46079-46089	0
67	Characterization of bacterial diversity and capacity to remove lead of a consortium from mining soil.	0
66	Insights into the adsorption of tetracycline onto cellulose nanocrystal structured MgAl/LDH composite. 2022 , 127247	0

65	Biosorption of Copper and Lead ions onto treated biomass <i>Myrica esculenta</i> : Isotherms and Kinetics studies. 2022 , 100775	0
64	Enhancement of mechano-structural characteristics of silk fibroin using microwave assisted degumming. 2022 , 30, 100902	2
63	A detailed electronic-scale DFT simulation and a response surface methodology for the removal of Fe (III) ions from aqueous solutions. 1-13	0
62	Surface modification of magnetite using silica coating: Spectroscopic, structural, morphological characterization and interaction with Cristal Violet dye.	0
61	Superior Adsorption and removal of doxorubicin from aqueous solution using activated carbon via thermally treated green adsorbent: Isothermal, Kinetic, and Thermodynamic Studies. 1-47	1
60	Hydrothermal-Assisted Grafting of Schiff base Chitosan by Salicylaldehyde for Adsorptive Removal of Acidic Dye: Statistical Modeling and Adsorption Mechanism.	0
59	Flexible PTh/GQDs/TiO ₂ composite with superior visible-light photocatalytic properties for rapid degradation pollutants. 2023 , 13, 1765-1778	1
58	Comparative study of uncoated and tetraethylorthosilicate-coated magnetic chitosan beads in the adsorption of two textile dyes.	0
57	Modeling and mechanistic approach for acid red 88 dye removal by hydrothermally synthesized magnetic chitosan-grafted with side chain salicylaldehyde.	0
56	Conversion of a mixture of date palm wastes to mesoporous activated carbon for efficient dye adsorption.	0
55	Imidazolium functionalized polysulfone/DTPA-chitosan composite beads for simultaneous removal of Cr(VI) and Cu(II) from aqueous solutions. 2023 , 123145	0
54	Application of Walnut Shell Biowaste as an Inexpensive Adsorbent for Methylene Blue Dye: Isotherms, Kinetics, Thermodynamics, and Modeling. 2023 , 10, 60	2
53	Facile Surface Treatment of 3D-Printed PLA Filter for Enhanced Graphene Oxide Doping and Effective Removal of Cationic Dyes. 2023 , 15, 269	0
52	Temperature Effect on Ionic Polymers Removal from Aqueous Solutions Using Activated Carbons Obtained from Biomass. 2023 , 16, 350	0
51	Selective Recovery of Gold from Electronic Waste by New Efficient Type of Sorbent. 2023 , 16, 924	0
50	Cellulose Fiber Rejects as Raw Material for Integrated Production of <i>Pleurotus</i> spp. Mushrooms and Activated Biochar for Removal of Emerging Pollutants from Aqueous Media.	0
49	Adsorption of Orange G Dye on Hydrophobic Activated Bentonite from Aqueous Solution. 2023 , 13, 211	0
48	Radiation-induced grafting of glycidyl methacrylate onto natural cotton fibers and trimethylamine modification for p-nitrophenol adsorption. 2023 , 110967	0

- 47 Optimization and mass transfer simulation of remazol brilliant blue R dye adsorption onto meranti wood based activated carbon. **2023**, 16, 104683 ○
- 46 Nanoporous hydrogel absorbent based on salep: Swelling behavior and methyl orange adsorption capacity. **2023**, 225, 115571 ○
- 45 The effective adsorption of arsenic from polluted water using modified Halloysite nanoclay. **2023**, 16, 104652 ○
- 44 Experimental and numerical study of long-term alkali-silica reaction (ASR) expansion in mortar with recycled glass. **2023**, 139, 105043 ○
- 43 Construction of Cu-N coordination into natural biopolymer lignin backbone for highly efficient and selective removal of cationic dyes. **2023**, 376, 128841 ○
- 42 Mass transfer simulation on remazol brilliant blue R dye adsorption by optimized teak wood Based activated carbon. **2023**, 16, 104780 ○
- 41 Multifunctional cobalt oxide nanocomposites for efficient removal of heavy metals from aqueous solutions. **2023**, 317, 137922 ○
- 40 Porous activated carbon/graphene oxide composite for efficient adsorption of pharmaceutical contaminants. **2023**, 191, 387-400 ○
- 39 Acetaminophen removal using activated bentonite characterized by (BET, XRF, SEM) and bipolar electrocoagulation: A comparative study. application of coupling process on a pharmaceutical effluent. **2023**, 44, 100998 ○
- 38 Insights into adsorption mechanisms of nitro polycyclic aromatic hydrocarbons on common microplastic particles: Experimental studies and modeling. **2023**, 320, 138050 ○
- 37 Hybrid multifunctional biocomposite of chitosan grafted benzaldehyde/montmorillonite/algae for effective removal of brilliant green and reactive blue 19 dyes: Optimization and adsorption mechanism. **2023**, 393, 136334 ○
- 36 High surface area mesoporous activated carbon produced from Iraqi reed via pyrolysis assisted H3PO4 activation: Box-Behnken design for surfactant removal. **2023**, 133, 109756 ○
- 35 On validity, physical meaning, mechanism insights and regression of adsorption kinetic models. **2023**, 376, 121416 1
- 34 Fluoride ion adsorption isotherms, kinetics, and thermodynamics on iron(III) oxyhydroxide powders containing cellulose nanofibrils. **2023**, 30, 48201-48210 ○
- 33 Nitrogen- and oxygen-doped carbon particles produced from almond shells by hydrothermal method for efficient Pb(II) and Cd(II) adsorption. ○
- 32 Synthesis and property of superabsorbent polymer based on cellulose grafted 2-acrylamido-2-methyl-1-propanesulfonic acid. **2023**, 233, 123643 ○
- 31 Removal of Paracetamol by Powdered Activated Carbon Synthesized From Orange Peels. ○
- 30 Covalent organic polymers with azido group for efficient recovery of gold from gold-bearing waste. **2023**, 144, 104733 ○

- 29 Modification of Multiwalled Carbon Nanotubes and Their Mechanism of Demanganization. **2023**, 28, 1870 ○
- 28 Tropical fruit wastes including durian seeds and rambutan peels as a precursor for producing activated carbon using H₃PO₄-assisted microwave method: RSM-BBD optimization and mechanism for methylene blue dye adsorption. 1-12 ○
- 27 Highly efficient adsorption and removal bio-staining dye from industrial wastewater onto mesoporous Ag-MOFs. **2023**, 172, 395-407 ○
- 26 Ultraviolet Radiation-Assisted Preparation of a Novel Biomass Fiber to Remove Cadmium from Wastewater. **2023**, 15, 811 ○
- 25 Nar Posasından β -Etilen Manyetik Hidroksit Kompozitin Sulu Fazda Zeltiden Pb(II) İyonlarının Uzaklaşma Potansiyeli. 213-224 ○
- 24 Influence of manganese-substitution on adsorption properties of BiFeO₃ onto the elimination of methyl orange. 1-21 ○
- 23 Euterpe oleracea-based biochar for clonazepam adsorption: synthesis, characterization, adsorption properties, and toxicity assays. **2023**, 30, 52485-52497 ○
- 22 Synthesis and Performance Evaluation of Novel Bentonite-Supported Nanoscale Zero Valent Iron for Remediation of Arsenic Contaminated Water and Soil. **2023**, 28, 2168 ○
- 21 Simultaneous removal of disperse and reactive dyes by bottom ash derived from incinerated hospital waste. ○
- 20 Tarımsal Atık Boyar Madde Giderimindeki Etkisinin İncelenmesi. ○
- 19 Using a batch test to derive sorption data of fluoroquinolone antibiotics in humic acids. **2023**, 10, 102109 ○
- 18 Nitrogenous Bases in Relation to the Colloidal Silver Phase: Adsorption Kinetic, and Morphology Investigation. **2023**, 13, 3696 ○
- 17 Coal-Based Activated Carbon via Microwave-Assisted ZnCl₂ Activation for Methyl Violet 2B Dye Removal: Optimization, Desirability Function, and Adsorption Mechanism. **2023**, 13, 438 ○
- 16 Applying Linear Forms of Pseudo-Second-Order Kinetic Model for Feasibly Identifying Errors in the Initial Periods of Time-Dependent Adsorption Datasets. **2023**, 15, 1231 ○
- 15 The use of Turkish coffee waste as a polymeric adsorbent for methyl orange adsorption from aqueous solutions. **2023**, 49, 2155-2174 ○
- 14 Influence of the Preparation Method on the Physico-Chemical and Sorption Properties of Montmorillonite. **2023**, 6, 922-934 ○
- 13 Application of physical vapor deposition technology for practical utilization of nano-size copper oxide for lead uptake from solution: kinetics, equilibrium, and recycling studies. ○
- 12 A New Matrix of Chitosan-Salicylaldehyde Schiff Base/Algae/Montmorillonite for Adsorption of Anionic and Cationic Dyes: Statistical Optimization and Adsorption Mechanism. ○

- 11 Triazine-Based Porous Organic Polymers: Synthesis and Application in Dye Adsorption and Catalysis. **2023**, 15, 1815 ○
- 10 Synthesis and Characterization of Graphene Oxide (GO) Obtained by Modified Hummer's Method: Application to the Removal of Cadmium ions from Wastewater. ○
- 9 H₂O₂ modified peanut shell-derived biochar/alginate composite beads as a green adsorbent for removal of Cu(II) from aqueous solution. **2023**, 240, 124466 ○
- 8 Effective Removal of Fe (III) from Strongly Acidic Wastewater by Pyridine-Modified Chitosan: Synthesis, Efficiency, and Mechanism. **2023**, 28, 3445 ○
- 7 Fungicide formulation based on Thyme essential oil and clay for wheat protection. ○
- 6 Covalent Organic Polymer Containing Nitrogen and Oxygen Groups with High Adsorption Capacity and Selectivity for Gold Ions under Strongly Acidic Conditions. ○
- 5 An Eco-friendly Adsorbent of Chitosan/Montmorillonite/Algae for Removal of Basic Green 1 and Reactive Blue 19 Dyes: Box-Behnken Design Optimization Mechanistic Study. ○
- 4 Removal of Basic Blue 9 (Methylene Blue) Dye from Aqueous Solutions Using Citric Acid Modified (Esterified) Sugar Beet Pulp. ○
- 3 Study on the Adsorption Characteristics and Mechanism of Oxytetracycline by Natural Clay Minerals. **2023**, 13, 291-301 ○
- 2 Preparation of porous silica materials using a eucalyptus template method and its efficient adsorption of methylene blue. ○
- 1 Efficient sequestration of malachite green in aqueous solution by laterite-rice husk ash-based alkali-activated materials: parameters and mechanism. ○