

CITATION REPORT

List of articles citing

The benefit of appropriate empirical antibiotic treatment in patients with bloodstream infection

DOI: 10.1046/j.1365-2796.1998.00379.x

Journal of Internal Medicine, 1998, 244, 379-86.

Source: <https://exaly.com/paper-pdf/29152859/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
610	Ten-year surveillance of nosocomial bloodstream infections: trends of aetiology and antimicrobial resistance in a comprehensive cancer centre. 2011 , 5, 191		5
609	How do you choose antibiotic treatment?. 1999 , 318, 1614-6		38
608	Inadequate treatment of nosocomial infections is associated with certain empiric antibiotic choices. 2000 , 28, 3456-64		131
607	Influence of an infectious disease service on antibiotic prescription behavior and selection of multiresistant pathogens. 2000 , 28, 384-7		36
606	In vitro zones of inhibition of coated vascular catheters predict efficacy in preventing catheter infection with <i>Staphylococcus aureus</i> in vivo. 2000 , 19, 612-7		15
605	Inadequate antimicrobial treatment: an important determinant of outcome for hospitalized patients. 2000 , 31 Suppl 4, S131-8		474
604	The influence of inadequate antimicrobial treatment of bloodstream infections on patient outcomes in the ICU setting. 2000 , 118, 146-55		1386
603	Problems and solutions in hospital-acquired bacteraemia. 2000 , 46, 89-95		35
602	A causal probabilistic network for optimal treatment of bacterial infections. 2000 , 12, 517-528		34
601	Opinion: the clinical use of selective digestive decontamination. 2000 , 4, 327-32		22
600	Excess mortality in women with hospital-acquired bloodstream infection. 2001 , 111, 120-5		14
599	Community-acquired bacteremia among hospitalized children in rural central Africa. 2001 , 5, 180-8		69
598	Influence of an infectious disease consulting service on quality and costs of antibiotic prescriptions in a university hospital. 2001 , 33, 219-21		39
597	A 13-year study of antimicrobial susceptibility of common gram-negative bacteria isolated from the bloodstream in a teaching hospital. 2001 , 47, 29-38		10
596	Impact of antibiotic resistance on clinical outcomes and the cost of care. 2001 , 29, N114-20		127
595	Antimicrobial management measures to limit resistance: A process-based conceptual framework. 2001 , 29, N121-7		16
594	Antibiotic resistance in postoperative infections. 2001 , 29, N97-9		27

593	Beta lactam monotherapy versus beta lactam-aminoglycoside combination therapy for treating sepsis. 2001,	1
592	Is there a role for antibiotic cycling in the intensive care unit?. 2001, 29, N135-42	54
591	Bacteremia in children: etiologic agents, focal sites, and risk factors. 2001, 47, 356-60	22
590	Departmental consumption of antibiotic drugs and subsequent resistance: a quantitative link. 2001, 48, 535-40	26
589	The Sepsis Text. 2002,	2
588	Survival of patients with bacteraemia in relation to initial empirical antimicrobial treatment. 2002, 34, 520-8	42
587	Epidemiology and prognostic determinants of bloodstream infections in surgical intensive care. 2002, 137, 1353-9; discussion 1359	85
586	Ageing and infection. 2002, 2, 659-66	658
585	Clinical failures of linezolid and implications for the clinical microbiology laboratory. 2002, 8, 1519-20	43
584	Empirical Antibiotic Therapy for Patients with Severe Sepsis and Septic Shock. 2002, 539-558	1
583	Inadequate therapy and antibiotic resistance. Risk factors for mortality in the intensive care unit. 2002, 33, 290-4	30
582	Prevalence and drug susceptibility of pathogens causing bloodstream infections in northern Italy: a two-year study in 16 hospitals. 2002, 21, 849-55	46
581	Bloodstream infection: differences between young-old, old, and old-old patients. 2002, 50, 1667-73	47
580	Persistent bacteremia in the absence of defined intravascular foci: clinical significance and risk factors. 2003, 22, 592-6	19
579	Management of severe sepsis: integration of multiple pharmacologic interventions. 2003, 23, 1486-96	14
578	The influence of inadequate empirical antimicrobial treatment on patients with bloodstream infections in an intensive care unit. 2003, 9, 412-8	153
577	Hospital-acquired and ventilator-associated pneumonia: what's new in diagnosis and treatment?. 2003, 186, 4S-14S; discussion 31S-34S	10
576	Appropriate empirical antibacterial therapy for nosocomial infections: getting it right the first time. 2003, 63, 2157-68	97

575	Intravenous colistin in the treatment of sepsis from multiresistant Gram-negative bacilli in critically ill patients. 2003 , 7, R78-83	190
574	Inappropriate initial antimicrobial therapy and its effect on survival in a clinical trial of immunomodulating therapy for severe sepsis. 2003 , 115, 529-35	537
573	Appropriate antimicrobial treatment in nosocomial infections-the clinical challenges. 2003 , 55 Suppl 1, 1-12	113
572	En quoi le clinicien contribue-t-il à l'amélioration de la qualité de l'antibiothérapie?. 2003 , 33, 50-60	1
571	Initial empirical antimicrobial treatment of patients with bacteraemia. 2003 , 35, 437-8	2
570	Effectiveness of combination antimicrobial therapy for Pseudomonas aeruginosa bacteremia. 2003 , 47, 2756-64	173
569	Impact of antibiotic resistance on the treatment of sepsis. 2003 , 35, 677-82	20
568	Outcomes analysis of delayed antibiotic treatment for hospital-acquired Staphylococcus aureus bacteremia. 2003 , 36, 1418-23	474
567	Considering resistance in systematic reviews of antibiotic treatment. 2003 , 52, 564-71	7
566	Clinical utility of blood cultures drawn from central vein catheters and peripheral venipuncture in critically ill medical patients. 2003 , 123, 854-61	44
565	Empirical antimicrobial therapy of septic shock patients: adequacy and impact on the outcome. 2003 , 31, 462-7	136
564	Selective digestive decontamination should not be routinely employed. 2003 , 123, 464S-8S	84
563	Influence of fluoroquinolone susceptibility on the therapeutic response of fluoroquinolone-treated bacterial keratitis. 2003 , 121, 1229-33	57
562	Rapid detection of Klebsiella pneumoniae from blood culture bottles by real-time PCR. 2004 , 42, 1337-40	34
561	Adequacy of early empiric antibiotic treatment and survival in severe sepsis: experience from the MONARCS trial. 2004 , 38, 284-8	222
560	National surveillance of antimicrobial resistance in Pseudomonas aeruginosa isolates obtained from intensive care unit patients from 1993 to 2002. 2004 , 48, 4606-10	198
559	Antibiotic resistance among nosocomial isolates in a Croatian intensive care unit--results of a twelve-year focal surveillance of nosocomial infections. 2004 , 16, 273-81	6
558	Septic shock of early or late onset: does it matter?. 2004 , 126, 173-8	28

557	Effect of nosocomial bloodstream infection on the outcome of critically ill patients with acute renal failure treated with renal replacement therapy. 2004 , 15, 454-62	72
556	Toward resolving the challenges of sepsis diagnosis. 2004 , 50, 1301-14	144
555	An after-hours clinical liaison blood culture service--is it worth it?. 2004 , 10, 917-21	13
554	Treating serious infections: focus on cefepime. 2004 , 24, 216S-23S	3
553	Computerized antimicrobial decision support: an offline evaluation of a database-driven empiric antimicrobial guidance program in hospitalized patients with a bloodstream infection. 2004 , 73, 455-60	25
552	Surviving Sepsis Campaign guidelines for management of severe sepsis and septic shock. 2004 , 30, 536-55	1144
551	The challenge of sepsis. 2004 , 8, 435-6	4
550	Computerized antimicrobial decision support: an offline evaluation of a database-driven empiric antimicrobial guidance program in hospitalized patients with a bloodstream infection. 2004 , 73, 455-455	
549	Antimicrobial use and the influence of inadequate empiric antimicrobial therapy on the outcomes of nosocomial bloodstream infections in a neonatal intensive care unit. 2004 , 25, 735-41	38
548	A consensus statement on empiric therapy for suspected gram-positive infections in surgical patients. 2004 , 187, 134-45	32
547	Beta lactam monotherapy versus beta lactam-aminoglycoside combination therapy for sepsis in immunocompetent patients: systematic review and meta-analysis of randomised trials. 2004 , 328, 668	325
546	Does combination antimicrobial therapy reduce mortality in Gram-negative bacteraemia? A meta-analysis. 2004 , 4, 519-27	323
545	What happens when automated blood culture instrument detect growth but there are no technologists in the microbiology laboratory?. 2004 , 48, 173-4	15
544	Life. 2004 , 328, 672	
543	Surviving Sepsis Campaign guidelines for management of severe sepsis and septic shock. 2004 , 32, 858-73	4049
542	Antimicrobial therapy for patients with severe sepsis and septic shock: an evidence-based review. 2004 , 32, S495-512	130
541	From "pro and con" debate to evidence-based practice: ventilator-associated pneumonia. 2004 , 125, 1600-2	1
540	Review: Inappropriate Initial Antimicrobial Therapy and Its Effect on Survival in a Clinical Trial of Immunomodulating Therapy for Severe Sepsis. 2004 , 5, 81-82	

539	Pneumonia nosocomial: Actualizaci3n terap3utica. 2005 , 11, S73-S85	
538	Risk factors for mortality resulting from bloodstream infections in a pediatric intensive care unit. 2005 , 24, 309-14	34
537	Single-agent antibiotic therapy for the initial, empirical, treatment of febrile neutropenia: comparison of beta-lactams. 2005 ,	1
536	A blueprint for a sepsis protocol. 2005 , 12, 352-9	26
535	Clinical impact and relevance of antibiotic resistance. 2005 , 57, 1514-27	114
534	Efficacy of current agents used in the treatment of Gram-positive infections and the consequences of resistance. 2005 , 11 Suppl 3, 29-35	32
533	Empiric antimicrobial therapy for severe sepsis in the intensive care unit: In early, hit hard, out early. 2005 , 16, 221-230	2
532	Evidence based medicine in the Intensive Care Unit: Improving care for the septic patient. 2005 , 24, 41-49	
531	Desescalada terap3utica en pacientes cr3ticos: una nueva formulaci3n de dos viejas estrategias. 2005 , 29, 430-433	
530	Safety and efficacy of colistin in Acinetobacter and Pseudomonas infections: a prospective cohort study. 2005 , 31, 1058-65	141
529	Kriterien zur Abgrenzung der Kombinationen Piperacillin/Tazobactam und Piperacillin/Sulbactam. 2005 , 19, 89-99	
528	Antibiotic prescribing in response to bacterial isolates in the intensive care unit. 2005 , 33, 571-7	8
527	Hospital rules-based system: the next generation of medical informatics for patient safety. 2005 , 62, 499-505	20
526	Bloodstream infections caused by antibiotic-resistant gram-negative bacilli: risk factors for mortality and impact of inappropriate initial antimicrobial therapy on outcome. 2005 , 49, 760-6	491
525	Tigecycline: a new glycylycline for treatment of serious infections. 2005 , 41 Suppl 5, S303-14	156
524	Risk factors for ineffective therapy in patients with bloodstream infection. 2005 , 165, 308-13	57
523	Paediatric sepsis and multiple organ failure. 2005 , 66, 152-7	
522	Direct identification of major blood culture pathogens, including Pseudomonas aeruginosa and Escherichia coli, by a panel of fluorescence in situ hybridization assays using peptide nucleic acid probes. 2005 , 43, 1947-9	50

521	Antimicrobial stewardship programs in health care systems. 2005 , 18, 638-56	460
520	Current Concepts in Severe Sepsis and Septic Shock. 2005 , 18, 351-362	2
519	Clinical Characteristics and Outcome of Severe Melioidosis Requiring Intensive Care. 2005 , 128, 3674-3678	17
518	Appropriate and timely empirical antimicrobial treatment of icu infections--a role for carbapenems. 2005 , 60, 51-62	47
517	Combination antibiotic therapy for Pseudomonas aeruginosa bacteraemia - Authors' reply. 2005 , 5, 193-194	3
516	Mass antibiotics for trachoma and the Allee effect. 2005 , 5, 194-6	21
515	Nosocomial bacteremia in very old patients: predictors of mortality. 2005 , 17, 337-42	17
514	Direct identification of Pseudomonas aeruginosa from blood culture bottles by PCR-enzyme linked immunosorbent assay using oprI gene specific primers. 2005 , 19, 417-21	11
513	Use of Monte Carlo simulation to assess the pharmacodynamics of beta-lactams against Pseudomonas aeruginosa infections in children: a report from the OPTAMA program. 2005 , 27, 1820-30	24
512	Clinical and economic impact of methicillin resistance in patients with Staphylococcus aureus bacteremia. 2005 , 52, 113-22	150
511	Antimicrobial therapy in critically ill patients: a review of pathophysiological conditions responsible for altered disposition and pharmacokinetic variability. 2005 , 44, 1009-34	221
510	Blood culture Gram stain and clinical categorization based empirical antimicrobial therapy of bloodstream infection. 2005 , 25, 329-33	27
509	Optimization of empirical antibiotic selection for suspected Gram-negative bacteraemia in the emergency department. 2005 , 25, 398-403	7
508	Management of severe bacterial infections. 2005 , 3, 593-600	9
507	Management of sepsis. 2006 , 355, 1699-713	868
506	Identification of optimal combinations for empirical dual antimicrobial therapy of Pseudomonas aeruginosa infection: potential role of a Combination Antibiogram. 2006 , 27, 413-5	22
505	Analysis and presentation of cumulative antimicrobial susceptibility data (antibiograms): substantial variability across medical centers in the United States. 2006 , 27, 409-12	19
504	Indication, intffs et limites de la d'sescalade antibiotique en r'animation. 2006 , 15, 159-167	1

503	Advances in the management of central nervous system infections in the ICU. 2006 , 22, 661-94; abstract viii-ix	21
502	The role of bundles in sepsis care. 2006 , 22, 521-9, x	4
501	Antimicrobial resistance: factors and outcomes. 2006 , 22, 291-311, vii	36
500	Gram-positive cocci infections in intensive care: guide to antibacterial selection. 2006 , 66, 751-68	3
499	The effect of multifactorial, multidisciplinary educational interventions on appropriate use of teicoplanin. 2006 , 27, 344-50	13
498	Benefit of appropriate empirical antibiotic treatment: thirty-day mortality and duration of hospital stay. 2006 , 119, 970-6	129
497	Management of sepsis during the early "golden hours". 2006 , 31, 185-99	52
496	Confronto dei risultati dell'esame microscopico diretto e dell'identificazione definitiva nei casi di batteriemia. 2006 , 21,	
495	Overview of tigecycline and its role in the era of antibiotic resistance. 2006 , 10, 203-16	9
494	Sepsis. 2006 , 2, 14	
493	The impact of an antibiotic cycling program on empirical therapy for gram-negative infections. 2006 , 130, 1672-8	23
492	Beta lactam antibiotic monotherapy versus beta lactam-aminoglycoside antibiotic combination therapy for sepsis. 2006 , CD003344	79
491	Implementation and outcomes of the Multiple Urgent Sepsis Therapies (MUST) protocol. 2006 , 34, 1025-32	336
490	Evaluation of the abdomen in the critically ill patient: opening the black box. 2006 , 12, 333-9	11
489	Providing appropriate antimicrobial therapy in the intensive care unit: surveillance vs. de-escalation. 2006 , 34, 903-5	29
488	Healthcare-associated bloodstream infection: A distinct entity? Insights from a large U.S. database. 2006 , 34, 2588-95	223
487	Nosocomial bloodstream infections caused by <i>Klebsiella pneumoniae</i> : impact of extended-spectrum beta-lactamase (ESBL) production on clinical outcome in a hospital with high ESBL prevalence. 2006 , 6, 24	70
486	Course and outcome of <i>Staphylococcus aureus</i> bacteraemia: a retrospective analysis of 308 episodes in a Swiss tertiary-care centre. 2006 , 12, 345-52	113

485	The role of procalcitonin in a decision tree for prediction of bloodstream infection in febrile patients. 2006 , 12, 1207-13	21
484	Severe sepsis and septic shock: review of the literature and emergency department management guidelines. 2006 , 48, 28-54	189
483	Die Bedeutung des Second hit f. den Sepsisverlauf. 2006 , 175-187	
482	European Society for Computing and Technology in Anaesthesia and Intensive Care (ESCTAIC). 2006 , 20, 117-144	2
481	Die Bedeutung des Second hit f. den Sepsisverlauf. 2006 , 43, 189-201	3
480	Diagnose und Therapie der Sepsis. 2006 , 43, 369-384	2
479	[Diagnosis and therapy of sepsis]. 2006 , 95, 429-54	12
478	Impact of initial antibiotic choice and delayed appropriate treatment on the outcome of Staphylococcus aureus bacteremia. 2006 , 25, 181-5	121
477	The changing pathogens of complicated parapneumonic effusions or empyemas in a medical intensive care unit. 2006 , 32, 570-6	54
476	[Diagnosis and therapy of sepsis. Guidelines of the German Sepsis Society Inc. and the German Interdisciplinary Society for Intensive and Emergency Medicine]. 2006 , 47, 356, 358-60, 362-8, passim	32
475	Incidence and outcome of sepsis in Japanese intensive care units: The Japanese nosocomial infection surveillance system. 2006 , 11, 298-303	6
474	Evidence-based sepsis therapy: a hospitalist perspective. 2006 , 1, 285-95	8
473	Should antibiotic combinations be used to treat ventilator-associated pneumonia?. 2006 , 27, 68-81	11
472	Antibiotika im ambulanten und stationären Bereich. 2006 , 1, 37-49	
471	Economic evaluation in critical care: a focus on severe sepsis in oncology. 2006 , 6, 49-58	
470	Predictors of mortality in patients with bloodstream infection due to ceftazidime-resistant Klebsiella pneumoniae. 2006 , 50, 1715-20	67
469	Improving empirical antibiotic treatment using TREAT, a computerized decision support system: cluster randomized trial. 2006 , 58, 1238-45	146
468	Comment on: suboptimal CD4 gains in HIV-infected patients receiving didanosine plus tenofovir. 2006 , 58, 220-1	4

467	Comment on guidelines for the prophylaxis and treatment of methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) infections in the UK. 2006 , 58, 220	8
466	Critical care in the emergency department: severe sepsis and septic shock. 2006 , 23, 713-7	22
465	Impact of inactive empiric antimicrobial therapy on inpatient mortality and length of stay. 2006 , 50, 3355-60	32
464	Faster identification of pathogens in positive blood cultures by fluorescence in situ hybridization in routine practice. 2006 , 44, 119-23	78
463	Clinical prediction tool to identify patients with <i>Pseudomonas aeruginosa</i> respiratory tract infections at greatest risk for multidrug resistance. 2007 , 51, 417-22	44
462	Tracking the microbes in sepsis: advancements in treatment bring challenges for microbial epidemiology. 2007 , 44, 1343-8	20
461	Empiric antimicrobial therapy in critical illness: results of a surgical infection society survey. 2007 , 8, 329-36	15
460	Aminoglycoside treatment and mortality after bacteraemia in patients given appropriate empirical therapy: a Danish hospital-based cohort study. 2007 , 60, 1115-23	23
459	First notification of positive blood cultures and the high accuracy of the gram stain report. 2007 , 45, 1113-7	41
458	Benefit associated with appropriate antibiotic treatment. 2007 , 45, 1400; author reply 1401-2	5
457	Impact of Inadequate Empiric Antimicrobial Therapy on Clinical Outcomes of Patients With <i>Escherichia coli</i> or <i>Klebsiella</i> Species Bacteremia. 2007 , 20, 392-398	
456	Effect of neutropenia and treatment delay on the response to antifungal agents in experimental disseminated candidiasis. 2007 , 51, 285-95	34
455	Different bacteriology and prognosis of thoracic empyemas between patients with chronic and end-stage renal disease. 2007 , 132, 532-9	23
454	Lincomycin protects mice from septic shock in beta-glucan-indomethacin model. 2007 , 30, 2312-6	3
453	Recent developments in the diagnosis and management of severe sepsis. 2007 , 132, 1967-76	25
452	Antimicrobial Resistance: Problem Pathogens and Clinical Countermeasures. 2007 ,	
451	Antibiothérapie chez des patients bactériologiques admis aux urgences: analyse de sa pertinence. 2007 , 20, 70-76	1
450	Predictors of 30-day mortality among patients with <i>Pseudomonas aeruginosa</i> bloodstream infections: impact of delayed appropriate antibiotic selection. 2007 , 51, 3510-5	226

449	Efficacy and safety of aminoglycoside monotherapy: systematic review and meta-analysis of randomized controlled trials. 2007 , 60, 247-57	99
448	Molecular epidemiology and mechanisms of carbapenem resistance in <i>Pseudomonas aeruginosa</i> isolates from Spanish hospitals. 2007 , 51, 4329-35	135
447	Identification of patients with <i>Pseudomonas aeruginosa</i> respiratory tract infections at greatest risk of infection with carbapenem-resistant isolates. 2007 , 28, 959-65	21
446	Bacteremia and sepsis in older adults. 2007 , 23, 633-47, viii	68
445	[Methicillin susceptible <i>Staphylococcus aureus</i> bacteremia: epidemiology and prognostic factors. A prospective study 2000-2003]. 2007 , 207, 57-63	2
444	The epidemiology, pathogenesis and treatment of <i>Pseudomonas aeruginosa</i> infections. 2007 , 67, 351-68	526
443	Antimicrobial treatment for Intensive Care Unit (ICU) infections including the role of the infectious disease specialist. 2007 , 29, 494-500	44
442	Risk scoring and bloodstream infections. 2007 , 30 Suppl 1, S88-92	9
441	The TREAT project: decision support and prediction using causal probabilistic networks. 2007 , 30 Suppl 1, S93-102	68
440	Vancomycin use in a hospital with high prevalence of methicillin-resistant <i>Staphylococcus aureus</i> : comparison with Hospital Infection Control Practices Advisory Committee Guidelines (HICPAC). 2007 , 11, 53-6	4
439	Anti-pseudomonal beta-lactam monotherapy for the initial, empirical, treatment of febrile neutropenia: comparison of beta-lactams. 2007 ,	
438	Dynamics of C-reactive protein and white blood cell count in critically ill patients with nosocomial Gram positive vs. Gram negative bacteremia: a historical cohort study. 2007 , 7, 106	20
437	Burden of methicillin-resistant <i>Staphylococcus aureus</i> : focus on clinical and economic outcomes. 2007 , 27, 1001-12	58
436	Septic Shock. 2007 , 372-382	1
435	Surviving Sepsis Campaign: international guidelines for management of severe sepsis and septic shock: 2008. 2008 , 34, 17-60	1302
434	Serum levels of osteopontin are increased in SIRS and sepsis. 2008 , 34, 2176-84	53
433	Adherence to guidelines on empiric use of antibiotics in the emergency room. 2008 , 36, 408-14	10
432	Outcome for invasive <i>Staphylococcus aureus</i> infections. 2008 , 27, 839-48	23

431	Epidemiology of bacteremia episodes in a single center: increase in Gram-negative isolates, antibiotics resistance, and patient age. 2008 , 27, 1045-51	54
430	Impact of empiric antimicrobial therapy on outcomes in patients with Escherichia coli and Klebsiella pneumoniae bacteremia: a cohort study. 2008 , 8, 116	47
429	Evidence-based emergency medicine/systematic review abstract. Empiric antibiotic therapy for sepsis patients: monotherapy with beta-lactam or beta-lactam plus an aminoglycoside?. 2008 , 52, 557-60	5
428	Short-term mortality in relation to age and comorbidity in older adults with community-acquired bacteremia: a population-based cohort study. 2008 , 56, 1593-600	52
427	Appropriate vs. inappropriate antimicrobial therapy. 2008 , 14 Suppl 3, 15-21	82
426	Modificaci3n del tratamiento antibi3tico emp3rico en las primeras 72 horas de hospitalizaci3n. 2008 , 32, 208-215	
425	Impact of inappropriate antibiotic therapy on mortality in patients with ventilator-associated pneumonia and blood stream infection: a meta-analysis. 2008 , 23, 91-100	125
424	Modification of Empirical Antimicrobial Regimen During the First 72 Hours of Hospitalization. 2008 , 32, 208-215	
423	Re: antimicrobial resistance: international control strategies, with a focus on limited-resource settings. 2008 , 32, 547	
422	Blood culture Gram stain and simple clinical categorisation can be used to identify patients at risk for delay in appropriate antibiotic treatment. 2008 , 32, 546-7	0
421	Severe sepsis and septic shock: improving outcomes in the emergency department. 2008 , 26, 603-23, vii	15
420	Role of the infectious diseases specialist consultant on the appropriateness of antimicrobial therapy prescription in an intensive care unit. 2008 , 36, 283-90	69
419	Pharmacokinetics/pharmacodynamics of antibacterials in the Intensive Care Unit: setting appropriate dosing regimens. 2008 , 32, 294-301	75
418	[Nosocomial infection indicators]. 2008 , 131 Suppl 3, 48-55	5
417	Update in the diagnosis and management of central nervous system infections. 2008 , 26, 427-68, viii	73
416	Severe sepsis and septic shock in the emergency department. 2008 , 22, 1-31, v	21
415	Impact of an infection control program on the prevalence of nosocomial infections at a tertiary care center in Switzerland. 2008 , 29, 38-43	27
414	The role of carbapenems in initial therapy for serious Gram-negative infections. 2008 , 12 Suppl 4, S5	27

413	Bloodstream infections caused by extended-spectrum-beta-lactamase- producing Escherichia coli: risk factors for inadequate initial antimicrobial therapy. 2008 , 52, 3244-52	86
412	Antibiotic Policies: Fighting Resistance. 2008 ,	3
411	The combined oxacillin resistance and coagulase (CORC) test for rapid identification and prediction of oxacillin resistance in Staphylococcus species directly from blood culture. 2008 , 61, 866-8	1
410	Sepsis: a clinical update. 2008 , 3, 571-7	3
409	Culture-Independent Bacterial Population Analysis [Clinical Implications for Respiratory and Other Infections. 2008 , 4, 35-39	1
408	Clinical implications of antimicrobial resistance for therapy. 2008 , 62 Suppl 2, ii105-14	45
407	Role of folate antagonists in the treatment of methicillin-resistant Staphylococcus aureus infection. 2008 , 46, 584-93	107
406	Broad-spectrum antimicrobials and the treatment of serious bacterial infections: getting it right up front. 2008 , 47 Suppl 1, S3-13	187
405	Gram-negative bacteraemia in non-ICU patients: factors associated with inadequate antibiotic therapy and impact on outcomes. 2008 , 61, 1376-83	48
404	Decreased mortality associated with prompt Gram staining of blood cultures. 2008 , 130, 870-6	100
403	How long does it take to "rule out" bacteremia in children with central venous catheters?. 2008 , 121, 135-41	43
402	Health care-associated infection (HAI): a critical appraisal of the emerging threat-proceedings of the HAI Summit. 2008 , 47 Suppl 2, S55-99; quiz S100-1	44
401	Choc septique. 2008 , 5, 1-16	
400	Canadian Association of Emergency Physicians Sepsis Guidelines: the optimal management of severe sepsis in Canadian emergency departments. 2008 , 10, 443-59	34
399	Evaluation of an antimicrobial stewardship program at a pediatric teaching hospital. 2008 , 27, 106-11	91
398	Surviving Sepsis Campaign: international guidelines for management of severe sepsis and septic shock: 2008. 2008 , 36, 296-327	6589
397	Severe Sepsis and Multiple Organ Dysfunction. 2008 , 467-484	
396	A 30-month experience of thoracic empyema in a tertiary hospital: emphasis on differing bacteriology and outcome between the medical intensive care unit (MICU) and medical ward. 2008 , 101, 484-9	15

395	Computer-Based Monitoring as a Tool for Antimicrobial De-Escalation. 2008 , 43, 199-205	
394	Case records of the Massachusetts General Hospital. Case 2-2009. A 25-year-old man with pain and swelling of the right hand and hypotension. 2009 , 360, 281-90	15
393	Surgical site infections: does inadequate antibiotic therapy affect patient outcomes?. 2009 , 10, 323-31	42
392	Cost-effectiveness analysis of an antimicrobial stewardship team on bloodstream infections: a probabilistic analysis. 2009 , 63, 816-25	59
391	Real-Time PCR in Microbiology: From Diagnosis to Characterization. 2009 , 65-85	0
390	Initiation of inappropriate antimicrobial therapy results in a fivefold reduction of survival in human septic shock. 2009 , 136, 1237-1248	1735
389	The clinical importance of microbiological findings in the diagnosis and management of bloodstream infections. 2009 , 48 Suppl 4, S238-45	89
388	Clinical consensus conference: survey on Gram-positive bloodstream infections with a focus on <i>Staphylococcus aureus</i> . 2009 , 48 Suppl 4, S260-70	34
387	Mortality rate in neonates infected with extended-spectrum beta lactamase-producing <i>Klebsiella</i> species and selective empirical use of meropenem. 2009 , 29, 101-10	10
386	Gram-negative bacteremia upon hospital admission: when should <i>Pseudomonas aeruginosa</i> be suspected?. 2009 , 48, 580-6	54
385	Performance of the TREAT decision support system in an environment with a low prevalence of resistant pathogens. 2009 , 63, 400-4	21
384	The Sepsis Syndrome in Odontogenic Infection. 2009 , 10, 21-25	4
383	Duplicate patient data in a meta-analysis; a threat to validity. 2009 , 24, 466-7	7
382	Delay of adequate empiric antibiotic therapy is associated with increased mortality among solid-organ transplant patients. 2009 , 9, 1657-65	42
381	Evaluation of the effect of intravenous volume expanders upon the volume of distribution of gentamicin in septic neonates. 2009 , 30, 276-80	8
380	Potential clinical benefit of the in situ hybridization method for the diagnosis of sepsis. 2009 , 15, 23-6	13
379	Failure of current antibiotic first-line regimens and mortality in hospitalized patients with spontaneous bacterial peritonitis. 2009 , 37, 2-8	82
378	Clinical impact of a commercially available multiplex PCR system for rapid detection of pathogens in patients with presumed sepsis. 2009 , 9, 126	118

- 377 Multiplex real-time PCR and blood culture for identification of bloodstream pathogens in patients with suspected sepsis. **2009**, 15, 544-51 171
- 376 Non-antibiotic treatment for bacterial infections: how to validate chance findings. **2009**, 15, 298-301 9
- 375 Empirical therapy for serious Gram-positive infections: making the right choice. **2009**, 15 Suppl 6, 5-10
- 374 Diagnosis of bloodstream infections in immunocompromised patients by real-time PCR. **2009**, 58, 346-51 69
- 373 Blood culture status in mature horses with diarrhoea: a possible association with survival. **2009**, 41, 160-4 27
- 372 The burden of bacterial and viral infections in hematopoietic stem cell transplant. **2009**, 15, 128-33 17
- 371 Apport du test GeneOhm StaphSR[®] (Becton Dickinson) pour la prise en charge des patients infectés par *Staphylococcus aureus*. **2009**, 24, 281-288
- 370 Predictors and outcomes of antibiotic adequacy for bloodstream infections in veterans with spinal cord injury. **2009**, 90, 1364-70 10
- 369 The new treatment paradigm and the role of carbapenems. **2009**, 33, 105-110 27
- 368 Comparative evaluation of epidemiology and outcomes of methicillin-resistant *Staphylococcus aureus* (MRSA) USA300 infections causing community- and healthcare-associated infections. **2009**, 34, 148-55 48
- 367 Combination antimicrobial treatment versus monotherapy: the contribution of meta-analyses. **2009**, 23, 277-93 33
- 366 Appropriate use of antimicrobials: the peculiarity of septic patients. **2009**, 34 Suppl 4, S52-4 2
- 365 Surviving sepsis in low-income and middle-income countries: new directions for care and research. **2009**, 9, 577-82 90
- 364 Shock séptico. **2009**, 35, 1-18
- 363 Approach to the patient with sepsis. **2009**, 30, 1-16, vii 9
- 362 Shock settico. **2009**, 14, 1-16
- 361 Empirical antimicrobial therapy for bloodstream infection due to methicillin-resistant *Staphylococcus aureus*: no better than a coin toss. **2009**, 30, 1057-61 10
- 360 Between community and hospital: healthcare-associated gram-negative bacteremia among hospitalized patients. **2009**, 30, 1050-6 24

359	Going global with sepsis: the need for national registries. 2009 , 37, 338-40	2
358	Potential clinical utility of polymerase chain reaction in microbiological testing for sepsis. 2009 , 37, 3085-90	65
357	A Model for Diagnosis of Pulmonary Infections in Solid-Organ Transplant Recipients. 2009 , 42, 342-347	
356	Blood culture contamination in a district general hospital in the UK: a 1-year study. 2009 , 14, 95-100	4
355	Managing antimicrobial resistance in intensive care units. 2010 , 38, S315-23	52
354	Extended-interval gentamicin: population pharmacokinetics in pediatric critical illness. 2010 , 11, 267-74	28
353	Effect of an emergency department sepsis protocol on time to antibiotics in severe sepsis. 2010 , 12, 303-10	32
352	[Prevention, diagnosis, treatment, and follow-up care of sepsis. First revision of the S2k Guidelines of the German Sepsis Society (DSG) and the German Interdisciplinary Association for Intensive and Emergency Care Medicine (DIVI)]. 2010 , 59, 347-70	75
351	Improved detection of blood stream pathogens by real-time PCR in severe sepsis. 2010 , 36, 49-56	66
350	The influence of infection sites on development and mortality of ARDS. 2010 , 36, 963-70	35
349	Prüvention, Diagnose, Therapie und Nachsorge der Sepsis. 2010 , 47, 185-207	7
348	Blood cultures: key elements for best practices and future directions. 2010 , 16, 301-16	60
347	Prognostic factors of mortality in patients with community-acquired bloodstream infection with severe sepsis and septic shock. 2010 , 25, 276-81	112
346	Mortality and bloodstream infections in geriatrics units. 2010 , 51, e106-9	20
345	Empirical models for dosage optimization of four beta-lactams in critically ill septic patients based on therapeutic drug monitoring of amikacin. 2010 , 43, 589-98	17
344	Case-control study to identify factors associated with mortality among patients with methicillin-resistant <i>Staphylococcus aureus</i> bacteraemia. 2010 , 16, 747-52	34
343	Balancing the benefits and costs of antibiotic drugs: the TREAT model. 2010 , 16, 1736-9	15
342	Epidemiology and surveillance of methicillin-resistant <i>staphylococcus aureus</i> in Latin America. 2010 , 14 Suppl 2, S79-86	20

341	Empiric antibiotic therapy for <i>Staphylococcus aureus</i> bacteremia may not reduce in-hospital mortality: a retrospective cohort study. 2010 , 5, e11432	36
340	Initial vancomycin dosing recommendations for critically ill patients undergoing continuous venovenous hemodialysis. 2010 , 63, 196-206	11
339	NagZ inactivation prevents and reverts beta-lactam resistance, driven by AmpD and PBP 4 mutations, in <i>Pseudomonas aeruginosa</i> . 2010 , 54, 3557-63	49
338	An antimicrobial stewardship program's impact with rapid polymerase chain reaction methicillin-resistant <i>Staphylococcus aureus</i> / <i>S. aureus</i> blood culture test in patients with <i>S. aureus</i> bacteremia. 2010 , 51, 1074-80	270
337	Empiric therapy for gram-negative pathogens in nosocomial and health care-associated pneumonia: starting with the end in mind. 2010 , 25, 259-70	12
336	Rapid identification of bacteria from positive blood culture bottles by use of matrix-assisted laser desorption-ionization time of flight mass spectrometry fingerprinting. 2010 , 48, 1584-91	227
335	Activity of a new antipseudomonal cephalosporin, CXA-101 (FR264205), against carbapenem-resistant and multidrug-resistant <i>Pseudomonas aeruginosa</i> clinical strains. 2010 , 54, 846-51	76
334	Activity of a new cephalosporin, CXA-101 (FR264205), against beta-lactam-resistant <i>Pseudomonas aeruginosa</i> mutants selected in vitro and after antipseudomonal treatment of intensive care unit patients. 2010 , 54, 1213-7	88
333	Influence of an Institution-Specific Sepsis Protocol on the Adequacy of Empiric Antimicrobial Therapy. 2010 , 45, 538-544	4
332	Blood culture gram stain, acridine orange stain and direct sensitivity-based antimicrobial therapy of bloodstream infection in patients with trauma. 2010 , 28, 138-42	7
331	Impact of multidrug-resistant <i>Pseudomonas aeruginosa</i> infection on patient outcomes. 2010 , 10, 441-51	256
330	The era of molecular and other non-culture-based methods in diagnosis of sepsis. 2010 , 23, 235-51	267
329	Conventional and molecular techniques for the early diagnosis of bacteraemia. 2010 , 36 Suppl 2, S6-16	73
328	Systematic review and meta-analysis of the efficacy of appropriate empiric antibiotic therapy for sepsis. 2010 , 54, 4851-63	450
327	[Evaluation of initial antibiotic therapy for bacteremia and role of an antibiotic management team for antibiotic stewardship]. 2010 , 40, 637-43	5
326	Use of colistin in treating multi-resistant Gram-negative organisms in a specialised burns unit. 2010 , 36, 522-7	24
325	[Community- and non-community-acquired bacteremia: correlation between empiric antimicrobial therapy and susceptibility of micro-organisms isolated during 2007 in the Ile-de-France microbiologists network]. 2010 , 58, e7-e14	1
324	Influence of carbapenem resistance on mortality and the dynamics of mortality in <i>Pseudomonas aeruginosa</i> bloodstream infection. 2010 , 14 Suppl 3, e73-8	42

323	Anti-pseudomonal beta-lactams for the initial, empirical, treatment of febrile neutropenia: comparison of beta-lactams. 2010 , CD005197	31
322	Effectiveness and safety of colistin: prospective comparative cohort study. 2010 , 65, 1019-27	116
321	C-reactive protein level as a predictor of mortality in liver disease patients with bacteremia. 2011 , 46, 1478-83	8
320	Fungal sepsis: optimizing antifungal therapy in the critical care setting. 2011 , 27, 123-47	37
319	Detecting delayed microbiology results after hospital discharge: improving patient safety through an automated medical informatics tool. 2011 , 86, 1181-5	6
318	Appropriateness is critical. 2011 , 27, 35-51	17
317	Knowledge and use of antimicrobial stewardship resources by spinal cord injury providers. 2011 , 3, 619-23	12
316	Clinical experience with aminoglycosides in dialysis-dependent patients: risk factors for mortality and reassessment of current dosing practices. 2011 , 45, 1338-45	10
315	Risk factors and mortality for nosocomial bloodstream infections in elderly patients. 2011 , 22, e39-44	43
314	A 4-year prospective study of septicemia in pediatric surgical patients at a tertiary care teaching hospital in Kuwait. 2011 , 46, 679-684	5
313	Effective antibiotic treatment prescribed by emergency physicians in patients admitted to the intensive care unit with severe sepsis or septic shock: where is the gap?. 2011 , 41, 573-80	21
312	Analysis of peripheral blood lymphocyte subsets and prognosis in patients with septic shock. 2011 , 55, 736-42	18
311	Infecciones sistémicas en Urgencias. Sepsis. Shock séptico. 2011 , 10, 6078-6086	
310	Diretrizes para tratamento da sepse grave/choque séptico: abordagem do agente infeccioso - diagnóstico. 2011 , 23, 134-144	3
309	Too much of a good thing is not necessarily better. 2011 , 39, 2182-3	
308	Antimicrobial stewardship: bridging the gap between quality care and cost. 2011 , 24 Suppl 1, S11-20	66
307	Appropriateness or time?. 2011 , 39, 923-925	
306	Globalization of ejection fraction: the pulmonary artery catheter has been outsourced. 2011 , 39, 2192	1

305	How alcohol impairs the granulocyte expansion during septicemia. 2011 , 39, 2194-5	
304	Take a deep breath□ 2011 , 39, 2183-4	
303	Towards changing the definition of the acute respiratory distress syndrome: one step forward. 2011 , 39, 2177-8	1
302	Danger at the doorstep: regulation of bacterial translocation across the intestinal barrier by nitric oxide. 2011 , 39, 2189-90	5
301	Myocardial infarction complicated by cardiogenic shock: a possible role for the Impella device?. 2011 , 39, 2186-7	
300	Electrocardiogram interpretation for ischemia in patients with septic shock: a disheartening exercise. 2011 , 39, 2187-9	0
299	Procalcitonin-guided interventions against infections to increase early appropriate antibiotics and improve survival in the intensive care unit: a randomized trial. 2011 , 39, 2048-58	275
298	Measuring the effect of inappropriate initial antibiotic therapy on outcomes of patients with Gram-negative sepsis: An imprecise science. 2011 , 39, 199-200	4
297	Burn fluid resuscitation: let the autopilot do it!. 2011 , 39, 2178-80	5
296	Opening our eyes to postoperative pulmonary complications. 2011 , 39, 2198-9	3
295	Acute kidney injury: clear the kidney of apoptotic debris!. 2011 , 39, 2180-1	3
294	Just fastening the belt! Is it the future measure for assessing fluid responsiveness?. 2011 , 39, 2200-1	2
293	Beneficial effects of carbamylated erythropoietin on trauma-induced brain edema: proposed molecular mechanisms of action. 2011 , 39, 2191	3
292	Plumbing the depths of blood pressure: hypotensive hemorrhage and acute kidney injury. 2011 , 39, 2196-7	6
291	Pediatric brain death. 2011 , 39, 2197-8	2
290	<i>Pseudomonas aeruginosa</i> : so many virulence factors, so little time. 2011 , 39, 2193-4	29
289	Diagnosis of bacteremia in febrile neutropenic episodes in children with cancer: microbiologic and molecular approach. 2011 , 30, 957-61	22
288	Antibiotics in sepsis: Timing, appropriateness, and (of course) timely recognition of appropriateness. 2011 , 39, 2184-6	7

287	Current challenges in the management of the infected patient. 2011 , 24 Suppl 1, S1-10	26
286	Clinical features of bacteremia caused by methicillin-resistant <i>Staphylococcus aureus</i> in a tertiary hospital. 2011 , 224, 61-7	14
285	'One for all' concerns regarding NICE antibiotic guidelines on suspected bacterial meningitis!. 2011 , 61, 606; author reply 606-7	2
284	Predictors of nosocomial bloodstream infections in older adults. 2011 , 59, 622-7	39
283	Baseline C-reactive protein level as a predictor of mortality in bacteraemia patients: a population-based cohort study. 2011 , 17, 627-32	22
282	Mortality in enterococcal bloodstream infections increases with inappropriate antimicrobial therapy. 2011 , 17, 1078-83	52
281	Life-years gained with meropenem over ciprofloxacin in penicillin-allergic patients with gram-negative bacilli sepsis: results of a probabilistic model. 2011 , 31, 469-79	3
280	A model for diagnosis of pulmonary infections in solid-organ transplant recipients. 2011 , 104, 135-42	6
279	The effect of empiric antibiotic therapy on mortality in debilitated patients with dementia. 2011 , 30, 813-8	11
278	Biomarkers for the differentiation of sepsis and SIRS: the need for the standardisation of diagnostic studies. 2011 , 180, 793-8	12
277	Cochrane Review: Anti-pseudomonal beta-lactams for the initial, empirical, treatment of febrile neutropenia: comparison of beta-lactams. 2011 , 6, 2026-2185	1
276	Clinical impact of preincubation of blood cultures at 37°C. 2011 , 49, 275-80	18
275	Overexpression of AmpC and efflux pumps in <i>Pseudomonas aeruginosa</i> isolates from bloodstream infections: prevalence and impact on resistance in a Spanish multicenter study. 2011 , 55, 1906-11	135
274	Rapid diagnostics and appropriate antibiotic use. 2011 , 52 Suppl 4, S357-60	15
273	AmpG inactivation restores susceptibility of pan-beta-lactam-resistant <i>Pseudomonas aeruginosa</i> clinical strains. 2011 , 55, 1990-6	45
272	Predictors of positive blood cultures in critically ill patients: a retrospective evaluation. 2012 , 53, 30-9	27
271	Timing of susceptibility-based antifungal drug administration in patients with <i>Candida</i> bloodstream infection: correlation with outcomes. 2012 , 67, 707-14	77
270	Genetic markers of widespread extensively drug-resistant <i>Pseudomonas aeruginosa</i> high-risk clones. 2012 , 56, 6349-57	161

269	Staph ID/R: a rapid method for determining staphylococcus species identity and detecting the mecA gene directly from positive blood culture. 2012 , 50, 810-7	11
268	Sepsis and Related Considerations. 2012 , 141-163	
267	Rapid detection of ampicillin resistance in Escherichia coli by quantitative mass spectrometry. 2012 , 50, 1727-9	27
266	Methicillin-resistant Staphylococcus aureus bacteremia at a university hospital in Japan. 2012 , 18, 841-7	24
265	Population pharmacokinetics of four β -lactams in critically ill septic patients comedicated with amikacin. 2012 , 45, 780-6	23
264	Automated identification and susceptibility determination directly from blood cultures facilitates early targeted antibiotic therapy. 2012 , 44, 860-5	3
263	Impact of nosocomial polymicrobial bloodstream infections on the outcome in critically ill patients. 2012 , 31, 1791-6	32
262	Antibiogram compliance in University HealthSystem Consortium participating hospitals with Clinical and Laboratory Standards Institute guidelines. 2012 , 69, 598-606	24
261	Risk factors and outcome of Pseudomonas aeruginosa bacteremia among adults visiting the ED. 2012 , 30, 852-60	9
260	Positive blood culture in hospital: notification methods and impact of recommendations by an infectious disease specialist. 2012 , 42, 76-9	7
259	Comparative evaluation of the Vitek-2 Compact and Phoenix systems for rapid identification and antibiotic susceptibility testing directly from blood cultures of Gram-negative and Gram-positive isolates. 2012 , 72, 20-31	75
258	Diagnostic utility of LightCycler SeptiFast and procalcitonin assays in the diagnosis of bloodstream infection in immunocompromised patients. 2012 , 73, 308-11	36
257	Epidemiology of sepsis in surgical patients. 2012 , 92, 1425-43	25
256	Management of antimicrobial use in the intensive care unit. 2012 , 72, 447-70	14
255	Quantification of seven β -lactam antibiotics and two β -lactamase inhibitors in human plasma using a validated UPLC-MS/MS method. 2012 , 40, 416-22	77
254	Impact of inappropriate empirical antibiotic therapy on outcome of bacteremic adults visiting the ED. 2012 , 30, 1447-56	43
253	Update in the Treatment of Severe Sepsis and Septic Shock. 2012 ,	
252	Blood culture collection in patients with acute kidney injury receiving renal replacement therapy: an observational study. 2012 , 40, 813-9	3

251	VIM-2-producing multidrug-resistant <i>Pseudomonas aeruginosa</i> ST175 clone, Spain. 2012 , 18, 1235-41	52
250	Improving Outcomes in Sepsis and Septic Shock: Getting it Right the First Time. 2012 , 219-235	
249	Predictors of mortality in <i>Staphylococcus aureus</i> Bacteremia. 2012 , 25, 362-86	511
248	Can procalcitonin distinguish infectious fever from tumor-related fever in non-neutropenic cancer patients?. 2012 , 118, 5823-9	37
247	Non-adherence to antimicrobial treatment guidelines results in more broad-spectrum but not more appropriate therapy. 2012 , 31, 1561-8	20
246	Suitability of initial antibiotic therapy for the treatment of bloodstream infections and the potential role of antibiotic management teams in improving it. 2012 , 31, 1667-71	7
245	Applications of MALDI-TOF mass spectrometry in clinical diagnostic microbiology. 2012 , 36, 380-407	541
244	Empiric antibiotic selection strategies for healthcare-associated pneumonia, intra-abdominal infections, and catheter-associated bacteremia. 2012 , 7 Suppl 1, S2-12	10
243	Single step, rapid identification of pathogenic microorganisms in a culture bottle. 2013 , 138, 5879-85	10
242	Diagnosis by real-time polymerase chain reaction of pathogens and antimicrobial resistance genes in bone marrow transplant patients with bloodstream infections. 2013 , 13, 166	14
241	Annual Update in Intensive Care and Emergency Medicine 2013. 2013 ,	4
240	Population pharmacokinetics and dosing simulations of amoxicillin/clavulanic acid in critically ill patients. 2013 , 68, 2600-8	36
239	Effect of adequate single-drug vs combination antimicrobial therapy on mortality in <i>Pseudomonas aeruginosa</i> bloodstream infections: a post Hoc analysis of a prospective cohort. 2013 , 57, 208-16	104
238	Emergency Department vancomycin use: dosing practices and associated outcomes. 2013 , 44, 910-8	26
237	Prescribing habits of vancomycin in the Emergency Department: are we dosing appropriately?. 2013 , 44, 979-84	10
236	The impact of inappropriate antibiotics on bacteremia patients in a community hospital in Taiwan: an emphasis on the impact of referral information for cases from a hospital affiliated nursing home. 2013 , 13, 500	8
235	Beyond identification: emerging and future uses for MALDI-TOF mass spectrometry in the clinical microbiology laboratory. 2013 , 33, 611-28	39
234	Predominance of Enterobacteriaceae isolates in early positive anaerobic blood culture bottles in BacT/Alert system. 2013 , 27, 113-20	

233	Implementation of modified early-goal directed therapy for sepsis in the emergency center of a comprehensive cancer center. 2013 , 21, 727-34	21
232	Surviving Sepsis Campaign: international guidelines for management of severe sepsis and septic shock, 2012. 2013 , 39, 165-228	2975
231	Evaluation of a microarray-based assay for rapid identification of Gram-positive organisms and resistance markers in positive blood cultures. 2013 , 51, 1188-92	74
230	[Calculation of the first dose of amikacine: evaluation of the current dosage recommendations]. 2013 , 71, 7-12	1
229	Early diagnosis and evidence-based care of surgical sepsis. 2013 , 28, 107-17	29
228	Early Management of Sepsis, Severe Sepsis, and Septic Shock in the Surgical Patient. 2013 , 73-91	
227	Time-to-positivity-based discrimination between Enterobacteriaceae, Pseudomonas aeruginosa and strictly anaerobic Gram-negative bacilli in aerobic and anaerobic blood culture vials. 2013 , 93, 77-9	12
226	Different impact of the appropriateness of empirical antibiotics for bacteremia among younger adults and the elderly in the ED. 2013 , 31, 282-90	16
225	Meropenem and piperacillin/tazobactam prescribing in critically ill patients: does augmented renal clearance affect pharmacokinetic/pharmacodynamic target attainment when extended infusions are used?. 2013 , 17, R84	133
224	Draft Genome Sequence of VIM-2-Producing Multidrug-Resistant Pseudomonas aeruginosa ST175, an Epidemic High-Risk Clone. 2013 , 1, e0011213	8
223	What is the impact of a rapid diagnostic E-test in the treatment of patients with Gram-negative bacteraemia?. 2013 , 45, 623-8	7
222	Impact of matrix-assisted laser desorption ionization time-of-flight mass spectrometry on the clinical management of patients with Gram-negative bacteremia: a prospective observational study. 2013 , 56, 1101-7	172
221	Outcome of inadequate empirical antibiotic therapy in emergency department patients with community-onset bloodstream infections. 2013 , 68, 947-53	71
220	Biological markers of Pseudomonas aeruginosa epidemic high-risk clones. 2013 , 57, 5527-35	81
219	Clinical evaluation of the FilmArray blood culture identification panel in identification of bacteria and yeasts from positive blood culture bottles. 2013 , 51, 4130-6	184
218	Surviving sepsis campaign: international guidelines for management of severe sepsis and septic shock: 2012. 2013 , 41, 580-637	4914
217	XXXVIII Congresso Nazionale AIEOP, Roma 9-11 giugno 2013 - Relazioni. 2013 , 5, 1	
216	The Impact of Appropriate Antibiotic Prescribing on Treatment Evaluation Parameters. 2013 , 4, e2	4

197	Diagnostics, therapy and outcome prediction in abdominal sepsis: current standards and future perspectives. 2014 , 399, 11-22	28
196	Identification of microorganisms by FilmArray and matrix-assisted laser desorption ionization-time of flight mass spectrometry prior to positivity in the blood culture system. 2014 , 52, 3230-6	15
195	Community-onset bacteraemia of unknown origin: clinical characteristics, epidemiology and outcome. 2014 , 33, 1973-80	16
194	Automated alerts coupled with antimicrobial stewardship intervention lead to decreases in length of stay in patients with gram-negative bacteremia. 2014 , 35, 132-8	47
193	Beta lactam antibiotic monotherapy versus beta lactam-aminoglycoside antibiotic combination therapy for sepsis. 2014 , CD003344	96
192	Matrix-assisted laser desorption ionization time-of-flight mass spectrometry and PCR-based rapid diagnosis of Staphylococcus aureus bacteraemia. 2014 , 20, 355-60	44
191	Prior colonization is associated with increased risk of antibiotic-resistant Gram-negative bacteremia in cancer patients. 2014 , 79, 73-6	10
190	Hitti reply to Alavi-Moghaddam. 2014 , 46, 230	
189	Comparison between automated system and PCR-based method for identification and antimicrobial susceptibility profile of clinical Enterococcus spp. 2014 , 56, 97-103	6
188	Rapid identification of gram negative bacteria from blood culture broth using MALDI-TOF mass spectrometry. 2014 ,	
187	The Impact of the Antibiotic Burden on the Selection of its Resistance among Gram Negative Bacteria Isolated from Children. 2015 , 22, 178	3
186	Exploration of the pre-analytical stability of ßactam antibiotics in plasma and blood—implications for therapeutic drug monitoring and pharmacokinetic studies. 2015 , 53, e227-30	16
185	Incidence rate of fluoroquinolone-resistant gram-negative rod bacteremia among allogeneic hematopoietic cell transplantation patients during an era of levofloxacin prophylaxis. 2015 , 21, 539-45	22
184	A retrospective study of septic arthritis in a tertiary hospital in West Texas with high rates of methicillin-resistant Staphylococcus aureus infection. 2015 , 35, 1251-6	20
183	Antimicrobial Pharmacokinetics and Pharmacodynamics. 2015 , 16, 375-9	8
182	Clinician response time for positive blood culture results in a pediatric ICU. 2015 , 44, 426-9	3
181	Vancomycin Use in Patients Discharged From the Emergency Department: A Retrospective Observational Cohort Study. 2015 , 49, 50-7	6
180	Improving positive blood culture removal time significantly decreases total processing time. 2015 , 139, 199-203	2

179	Clinical features and impact of empirical therapy in cirrhotic adults with community-onset bacteremia. 2015 , 33, 222-8	13
178	Incidence and outcome of inappropriate in-hospital empiric antibiotics for severe infection: a systematic review and meta-analysis. 2015 , 19, 63	85
177	Impact of antimicrobial strategies on clinical outcomes of adults with septic shock and community-onset Enterobacteriaceae bacteremia: de-escalation is beneficial. 2015 , 82, 158-64	30
176	Pharmacotherapy of sepsis. 2015 , 38, 121-36	2
175	Assays for therapeutic drug monitoring of β -lactam antibiotics: A structured review. 2015 , 46, 367-75	65
174	Cost-Effectiveness of Surveillance for Bloodstream Infections for Sepsis Management in Low-Resource Settings. 2015 , 93, 850-60	18
173	Performance Requirements to Achieve Cost-Effectiveness of Point-of-Care Tests for Sepsis Among Patients with Febrile Illness in Low-Resource Settings. 2015 , 93, 841-9	5
172	Essentials of sepsis management. 2015 , 95, 355-65	2
171	Using an index-based approach to assess the population-level appropriateness of empirical antibiotic therapy. 2015 , 70, 286-93	14
170	Clinical impact of Gram-negative nonfermenters on adults with community-onset bacteremia in the emergency department. 2015 , 48, 92-100	30
169	Clinical characteristics and outcome of elderly patients with community-onset bacteremia. 2015 , 70, 135-43	29
168	<i>Pseudomonas aeruginosa</i> Bacteremia among Immunocompetent and Immunocompromised Patients: Relation to Initial Antibiotic Therapy and Survival. 2016 , 69, 91-6	20
167	Empiric Piperacillin-Tazobactam versus Carbapenems in the Treatment of Bacteraemia Due to Extended-Spectrum Beta-Lactamase-Producing Enterobacteriaceae. 2016 , 11, e0153696	80
166	Population Pharmacokinetics of Gentamicin in Mexican Children With Severe Malnutrition. 2016 , 35, 872-8	7
165	Molecular and Mass Spectrometry Detection and Identification of Causative Agents of Bloodstream Infections. 2016 , 336-361	
164	Bacterial susceptibility patterns in patients with spinal cord injury and disorder (SCI/D): an opportunity for customized stewardship tools. 2016 , 54, 1001-1009	20
163	The challenges in creating an institution-specific antibiogram based on blood culture isolates. 2016 , 46, 346-352	
162	Time to Detection with BacT/Alert FA Plus Compared to BacT/Alert FA Blood Culture Media. 2016 , 35, 1469-73	6

161	Risk factors for short- and long-term mortality in very old patients with Clostridium difficile infection: A retrospective study. 2017 , 17, 1378-1383	7
160	Antibiotic de-escalation for bloodstream infections and pneumonia: systematic review and meta-analysis. 2016 , 22, 960-967	39
159	Impact of a rapid multiplex polymerase chain reaction blood culture identification technology on outcomes in patients with vancomycin-resistant Enterococcal bacteremia. 2016 , 48, 732-7	18
158	Antimicrobial use and microbiological testing in district general hospital ICUs of the Veneto region of north-east Italy. 2016 , 35, 1627-38	1
157	MRSA. 2016 ,	1
156	Impact of inappropriate initial antibiotics in critically ill surgical patients with bacteremia. 2016 , 211, 593-8	6
155	Empiric Antibiotic Therapy for Severe Sepsis and Septic Shock. 2016 , 17, 210-6	13
154	Diagnostic and therapeutic appropriateness in bone and joint infections: results of a national survey. 2016 , 28, 191-7	1
153	Evaluation of the FilmArray Blood Culture Identification Panel: Results of a Multicenter Controlled Trial. 2016 , 54, 687-98	142
152	Principles of Critical Care in Obstetrics. 2016 ,	
151	The Recognition and Management of Maternal Sepsis. 2016 , 215-236	
150	The Impact of Implementation of Rapid QuickFISH Testing for Detection of Coagulase-Negative Staphylococci at a Community-Based Hospital. 2016 , 145, 69-74	9
149	Gram-negative bacteraemia; a multi-centre prospective evaluation of empiric antibiotic therapy and outcome in English acute hospitals. 2016 , 22, 244-51	46
148	Extraintestinal Pathogenic Escherichia coli, a Common Human Pathogen: Challenges for Vaccine Development and Progress in the Field. 2016 , 213, 6-13	111
147	Targeted Treatment for Bacterial Infections: Prospects for Pathogen-Specific Antibiotics Coupled with Rapid Diagnostics. 2016 , 72, 3609-3624	48
146	Improving Outcomes in Patients With Sepsis. 2016 , 31, 56-63	13
145	Factors associated with suitability of empiric antibiotic therapy in hospitalized patients with bloodstream infections. 2017 , 29, 159-163	2
144	SeptiFast versus blood culture in clinical routine - A report on 3 years experience. 2017 , 129, 427-434	27

143	Impact of appropriate empirical antibiotic treatment on recurrence and mortality in patients with bacteraemia: a population-based cohort study. 2017 , 17, 122	32
142	Association of Delayed Antimicrobial Therapy with One-Year Mortality in Pediatric Sepsis. 2017 , 48, 29-35	20
141	Sepsis in Internal Medicine wards: current knowledge, uncertainties and new approaches for management optimization. 2017 , 49, 582-592	15
140	Timing of appropriate empirical antimicrobial administration and outcome of adults with community-onset bacteremia. 2017 , 21, 119	47
139	Applications of MALDI-TOF Mass Spectrometry in Clinical Diagnostic Microbiology. 2017 , 55-92	3
138	Identification of MupP as a New Peptidoglycan Recycling Factor and Antibiotic Resistance Determinant in. 2017 , 8,	16
137	Does appropriate empiric antibiotic therapy modify intensive care unit-acquired Enterobacteriaceae bacteraemia mortality and discharge?. 2017 , 96, 23-28	7
136	Early Management of Sepsis, Severe Sepsis, and Septic Shock in the Surgical Patient. 2017 , 71-93	2
135	Management of Intra-Abdominal Infections. 2017 , 167-172	
134	Age-Related Trends in Adults with Community-Onset Bacteremia. 2017 , 61,	16
133	Interplay among Resistance Profiles, High-Risk Clones, and Virulence in the <i>Caenorhabditis elegans</i> <i>Pseudomonas aeruginosa</i> Infection Model. 2017 , 61,	31
132	Pediatric Sepsis: Clinical Considerations. 2017 , 07, e60-e75	
131	Sepsis and Septic Shock Strategies. 2017 , 97, 1339-1379	46
130	Prognostic factors in the survival of patients with blood disorders recovering from septic shock. 2017 , 22, 292-298	2
129	Routine identification of microorganisms by matrix-assisted laser desorption ionization time-of-flight mass spectrometry: Success rate, economic analysis, and clinical outcome. 2017 , 50, 662-668	46
128	Nanotheranostic approaches for management of bloodstream bacterial infections. 2017 , 13, 329-341	26
127	Rare bacterial isolates causing bloodstream infections in Ethiopian patients with cancer. 2017 , 12, 40	8
126	Introduction of Gram negative microorganisms rapid identification and direct susceptibility testing to reduce turnaround time in blood cultures. 2017 , 32,	

125	A retrospective study evaluating the efficacy of identification and management of sepsis at a district-level hospital internal medicine department in the Western Cape Province, South Africa, in comparison with the guidelines stipulated in the 2012 Survivi. 2017 , 107, 674-678	1
124	The outcome and timing of death of 17,767 nosocomial bloodstream infections in acute care hospitals in Finland during 1999-2014. 2018 , 37, 945-952	5
123	Implementaci3n de un programa de uso racional de antibi3ticos en cuidado intensivo: ¿se pueden mejorar los resultados?. 2018 , 18, 71-76	2
122	Determinants of inappropriate empirical antibiotic treatment: systematic review and meta-analysis. 2018 , 51, 548-553	27
121	Multi-drug resistant organism infections in a medical ICU: Association to clinical features and impact upon outcome. 2018 , 42, 225-234	14
120	Bacteraemia in emergency departments: effective antibiotic reassessment is associated with a better outcome. 2018 , 37, 325-331	13
119	Comparison of the Fully Automated FilmArray BCID Assay to a 4-Hour Culture Test Coupled to Mass Spectrometry for Day 0 Identification of Microorganisms in Positive Blood Cultures. 2018 , 2018, 7013470	3
118	Microbial spectrum and drug-resistance profile of isolates causing bloodstream infections in febrile cancer patients at a referral hospital in Addis Ababa, Ethiopia. 2018 , 11, 1511-1519	9
117	Development and Assessment of Risk Scores for Carbapenem and Extensive β-Lactam Resistance Among Adult Hospitalized Patients With Pseudomonas aeruginosa Infection. 2018 , 1, e183927	9
116	The Cost-Effectiveness of Rapid Diagnostic Testing for the Diagnosis of Bloodstream Infections with or without Antimicrobial Stewardship. 2018 , 31,	76
115	Multi-drug resistant organism infections in a medical ICU: Association to clinical features and impact upon outcome. 2018 , 42, 225-234	2
114	Difficult-to-Treat Resistance in Gram-negative Bacteremia at 173 US Hospitals: Retrospective Cohort Analysis of Prevalence, Predictors, and Outcome of Resistance to All First-line Agents. 2018 , 67, 1803-1814	128
113	Evaluation of the FilmArray Blood Culture Identification Panel on Detection of Pathogenic Microorganisms in Positive Blood Cultures: the First Clinical Report in Japan. 2018 , 71, 145-147	3
112	A 5-year study of the performance of the Verigene Gram-positive blood culture panel in a pediatric hospital. 2018 , 37, 2091-2096	9
111	Current etiology, clinical features and outcomes of bacteremia in older patients with solid tumors. 2019 , 10, 246-251	6
110	Development of a bedside tool to predict the probability of drug-resistant pathogens among hospitalized adult patients with gram-negative infections. 2019 , 19, 718	14
109	Prevalence, risk factors and outcomes of patients coming from the community with sepsis due to multidrug resistant bacteria. 2019 , 14, 23	10
108	Quinolones for sepsis. A protocol for a systematic review of randomised clinical trials with meta-analysis and trial sequential analysis. 2019 , 63, 1113-1123	3

107	Evaluation of aminoglycosides utilization in intensive care units of a teaching hospital in southern Iran. 2019 , 17, 1523	
106	Timing of follow-up blood cultures for community-onset bacteremia. 2019 , 9, 14500	1
105	Clinical Benefit of Empiric High-Dose Levofloxacin Therapy for Adults With Community-onset Enterobacteriaceae Bacteremia. 2019 , 41, 1996-2007	1
104	Definitive Cefazolin Treatment for Community-Onset Enterobacteriaceae Bacteremia Based on the Contemporary CLSI Breakpoint: Clinical Experience of a Medical Center in Southern Taiwan. 2019 , 8,	3
103	Atypical Presentation of Bacteremia in Older Patients Is a Risk Factor for Death. 2019 , 132, 1344-1352.e1	5
102	Short versus long duration antimicrobial treatment for community-onset bacteraemia: A propensity score matching study. 2019 , 54, 176-183	6
101	Sepsis: The evolution in definition, pathophysiology, and management. 2019 , 7, 2050312119835043	119
100	Phages for Phage Therapy: Isolation, Characterization, and Host Range Breadth. 2019 , 12,	135
99	Incidence of community onset MRSA in Australia: least reported where it is Most prevalent. 2019 , 8, 33	6
98	Microfluidics-Based Organism Isolation from Whole Blood: An Emerging Tool for Bloodstream Infection Diagnosis. 2019 , 47, 1657-1674	5
97	Antimicrobial resistance of bacteraemia in the emergency department of a German university hospital (2013-2018): potential carbapenem-sparing empiric treatment options in light of the new EUCAST recommendations. 2019 , 19, 1091	4
96	Beneficial effects of early empirical administration of appropriate antimicrobials on survival and defervescence in adults with community-onset bacteremia. 2019 , 23, 363	15
95	Usefulness of Early C-Reactive Protein Kinetics in Response and Prognostic Assessment in Infected Critically Ill Patients: An Observational Retrospective Study. 2019 , 32, 737-745	2
94	Antibiotic regimens for neonatal sepsis - a protocol for a systematic review with meta-analysis. 2019 , 8, 306	10
93	Antibiotic Exposure Profiles in Trials Comparing Intensity of Continuous Renal Replacement Therapy. 2019 , 47, e863-e871	11
92	Renal Dosing of Antibiotics: Are We Jumping the Gun?. 2019 , 68, 1596-1602	45
91	Printable QR code paper microfluidic colorimetric assay for screening volatile biomarkers. 2019 , 128, 97-103	22
90	Impact of short-incubation MALDI-TOF MS on empiric antibiotic therapy in bloodstream infections caused by <i>Pseudomonas aeruginosa</i> , <i>Enterococcus</i> spp. and AmpC-producing Enterobacteriaceae. 2019 , 94, 1-6	3

89	Improvement of blood culture contamination rate, blood volume, and true positive rate after introducing a dedicated phlebotomy team. 2019 , 38, 325-330	1
88	The prevalence of resistant Gram-negative bacteraemia among hospitalized patients in Tucson, Arizona over a 12-month period; A retrospective single center study. 2020 , 48, 300060519829987	1
87	Weighting the impact of virulence on the outcome of Pseudomonas aeruginosa bloodstream infections. 2020 , 26, 351-357	7
86	Outcomes of treating AmpC-producing Enterobacterales bacteraemia with carbapenems vs. non-carbapenems. 2020 , 55, 105860	11
85	Development of a Clinical Prediction Model for Central Line-Associated Bloodstream Infection in Children Presenting to the Emergency Department. 2020 , 36, e600-e605	5
84	Is Early Oral Antimicrobial Switch Useful for Less Critically Ill Adults with Community-Onset Bacteraemia in Emergency Departments?. 2020 , 9,	1
83	The microcolony detection method (MCD), a simple and rapid screening test for antimicrobial resistance bacteria on positive blood cultures. 2020 , 6, e05494	0
82	Impact of daily versus weekly service of infectious diseases consultation on hospital antimicrobial consumption: a retrospective study. 2020 , 20, 812	1
81	Modifiable healthcare factors affecting 28-day survival in bloodstream infection: a prospective cohort study. 2020 , 20, 545	6
80	Blood culture reports by infectious disease physicians can improve prognosis of bacteremia, including weekend-onset cases. 2020 , 100, 174-179	1
79	Ecology of Bloodstream Infections and Temporal Trends of Their Antibiograms with Respect to Source and Duration of Incubation: A 5-Year Retrospective Observational Analysis. 2020 , 12, 56-67	1
78	The Hypotension Period after Initiation of Appropriate Antimicrobial Administration Is Crucial for Survival of Bacteremia Patients Initially Experiencing Severe Sepsis and Septic Shock. 2020 , 9,	1
77	Significant Publications on Infectious Diseases Pharmacotherapy in 2019. 2021 , 34, 800-813	1
76	Impact of rapid diagnostics with antimicrobial stewardship support for children with positive blood cultures: A quasi-experimental study with time trend analysis. 2020 , 41, 883-890	3
75	Antibiotic use in patients with acute cholecystitis after percutaneous cholecystostomy. 2020 , 83, 134-140	0
74	Pseudomonas aeruginosa bloodstream infections in children: a 9-year retrospective study. 2020 , 179, 1247-1254	3
73	Advances in diagnostic microfluidics. 2020 , 95, 1-72	12
72	Evaluation of two rapid molecular test systems to establish an algorithm for fast identification of bacterial pathogens from positive blood cultures. 2020 , 39, 1147-1157	10

71	Definitive Cefazolin Therapy for Stabilized Adults with Community-Onset , Species, and Bacteremia: MIC Matters. 2020 , 9,	3
70	A prospective study of bloodstream infections among febrile adolescents and adults attending Yangon General Hospital, Yangon, Myanmar. 2020 , 14, e0008268	9
69	Do rapid diagnostic methods improve antibiotic prescribing in paediatric bacteraemia?. 2021 , 57, 574-580	2
68	MALDI-TOFMS-oriented early definitive therapy improves the optimal use of antibiotics for Enterococcus spp. bloodstream infection. 2021 , 27, 393-396	0
67	Burden of Antimicrobial Resistance: Compared to What?. 2021 ,	4
66	The effects of adding quinolones to beta-lactam antibiotics for sepsis. 2021 , 65, 1023-1032	1
65	Antibiotic regimens for late-onset neonatal sepsis. 2021 , 5, CD013836	6
64	Antibiotic regimens for early-onset neonatal sepsis. 2021 , 5, CD013837	4
63	Teicoplanin versus β -lactam for febrile patients with Staphylococcus-like bacteremia: focus on methicillin-susceptible Staphylococcus aureus bacteremia. 2021 , 21, 437	0
62	Shortening the Time of the Identification and Antimicrobial Susceptibility Testing on Positive Blood Cultures with MALDI-TOF MS. 2021 , 11,	1
61	Effectiveness of ceftazidime-avibactam versus colistin in treating carbapenem-resistant Enterobacteriaceae bacteremia. 2021 , 109, 1-7	8
60	Audit of empirical antibiotic therapy for sepsis and the impact of early multidisciplinary consultation on patient outcomes. 2021 , 58, 106379	0
59	Identification and Antibiotic Susceptibility Patterns of Clinical Blood Culture Isolates Not Identified by a Rapid Microarray Diagnostic System. 2021 , 9, e0017521	1
58	Evaluation of the rapidBACpro [®] II kit for the rapid identification of microorganisms directly from blood cultures using MALDI-TOF MS.	1
57	The prevalence of bacteremia in out of hospital cardiac arrest patients presenting to the emergency department of a tertiary care hospital. 2021 , 53, 1207-1215	
56	Antibiotic regimens for early-onset neonatal sepsis.	1
55	Antibiotic regimens for late-onset neonatal sepsis.	1
54	Healthcare-Acquired Bacterial Infections. 2009 , 543-575	3

53	Principles of Anti-infective Therapy. 2010 , 267-278	1
52	Sepsis, Severe Sepsis, and Septic Shock. 2010 , 987-1010	14
51	Hospital-acquired pneumonia and de-escalation of antimicrobial treatment. 2001 , 29, 1473-5	42
50	Treatment of ventilator-associated pneumonia: get it right from the start. 2003 , 31, 969-70	21
49	Utility of direct susceptibility testing on blood cultures: is it still worthwhile?. 2016 , 65, 501-509	7
48	Rapid diagnosis of bacteremia by universal amplification of 23S ribosomal DNA followed by hybridization to an oligonucleotide array. 2000 , 38, 781-8	140
47	Integrating Antimicrobial Therapy with Host Immunity to Fight Drug-Resistant Infections: Classical vs. Adaptive Treatment. 2016 , 12, e1004857	48
46	Severe sepsis in two Ugandan hospitals: a prospective observational study of management and outcomes in a predominantly HIV-1 infected population. 2009 , 4, e7782	110
45	Meropenem in the treatment of complicated skin and soft tissue infections. 2006 , 2, 401-15	15
44	Prevention, diagnosis, therapy and follow-up care of sepsis: 1st revision of S-2k guidelines of the German Sepsis Society (Deutsche Sepsis-Gesellschaft e.V. (DSG)) and the German Interdisciplinary Association of Intensive Care and Emergency Medicine (Deutsche Interdisziplinäre Vereinigung für Intensiv- und Notfallmedizin (DIVI)). 2010 , 8, Doc 14	61
43	Clinical value of procalcitonin for suspected nosocomial bloodstream infection. 2018 , 33, 176-184	3
42	Changes in Antimicrobial Susceptibility of Blood Isolates in a University Hospital in South Korea, 1998-2010. 2012 , 44, 275	13
41	Advancing phage therapy through the lens of virus host-breadth and emergence potential. 2021 , 111, 63-110	0
40	Empiric Antibiotics in Critical Illness: Do they Help or Harm?. 2003 , 219-228	1
39	Initial Assessment and Early Resuscitation. 2007 , 3-23	
38	Early Appropriate Empiric Therapy and Antimicrobial De-Escalation. 2007 , 231-250	
37	Prevalence Surveys of Antimicrobial Use in Hospitals: Purpose, Practicalities, and Pitfalls. 2008 , 69-81	
36	Electronic Prescribing. 2008 , 41-67	

- 35 Evidence-Based Surgery. **2009**, 457-462
- 34 Antibiotic Stewardship: Possibilities when Resources Are Limited. **2010**, 257-269
- 33 Antibiotic Stewardship: Possibilities when Resources Are Limited. **2010**, 257-269 1
- 32 Molecular Approaches to the Diagnosis of Sepsis. **2011**, 751-765
- 31 The Infectious Diseases. **2012**, 61-185
- 30 Optimizing β -Lactam Antibiotic Therapy in the Critically Ill: Moving Towards Patient-tailored Antibiotic Therapy. **2013**, 111-122
- 29 Sepsis, Severe Sepsis, and Septic Shock. **2015**, 914-934.e6 0
- 28 Principles of Anti-infective Therapy. **2015**, 224-234.e3 2
- 27 PREDICTION OF OUTCOME IN PATIENTS WITH SEPSIS USING CRP, LDH AND APACHE-II SCORING SYSTEM. **2018**, 7, 273-278
- 26 Comparative Evaluation of Antibiotic Susceptibility Testing on Vitek-2 Compact and Direct Sensitivity Test from Blood Cultures from a Tertiary Care Centre in South India. **2018**, 12, 913-920
- 25 Trends in Bloodstream Infections and Antimicrobial Susceptibilities at a University Hospital in Korea Between 2007 and 2016. **2019**, 9, 63 1
- 24 Antimicrobial Susceptibility Patterns of Microorganisms Isolated from Blood Culture during the Last 8 Years: 2010~2017. **2019**, 51, 155-163 0
- 23 Analysis of Prognostic Risk Factors of Bloodstream Infections in Beijing Communities: A Retrospective Study from 2015 to 2019. **2021**, 13, e2021060 1
- 22 Predictors of Mortality after Surgery for Empyema Thoracis in Chronic Kidney Disease Patients. **2020**, 53, 392-399
- 21 Evidence for immediate adequate parenteral antibiotics. **2006**, 163-178
- 20 Database-driven computerized antibiotic decision support: novel use of expert antibiotic susceptibility rules embedded in a pathogen-antibiotic logic matrix. **2003**, 480-3 3
- 19 Usage Pattern and Serum Level Measurement of Amikacin in the Internal Medicine Ward of the Largest Referral Hospital in the South of Iran: A Pharmacoepidemiological Study. **2016**, 41, 191-9 3
- 18 Protocol Adherence for Severe Sepsis and Septic Shock Management in the Emergency Department; a Clinical Audit. **2017**, 5, e16 1

17 . **2021**, 34, 10-1716 Prescription Pattern of Empirical Antibiotic Therapy in the Burn Unit of a Tertiary Care Setting in the Kingdom of Saudi Arabia. **2021**, 13, 188-19215 Multicenter Evaluation of Rapid BACpro II for the Accurate Identification of Microorganisms Directly from Blood Cultures Using MALDI-TOF MS.. **2021**, 11, ○14 Optimization and validation of two multiplex qPCR assays for the rapid detection of microorganisms commonly invading the amniotic cavity.. **2021**, 149, 103460 113 Epidemiology and outcome of occult bacteremia in patients discharged from emergency departments or ambulatory units: one-year study.. **2022**, 41, 64912 Diagnosis and Management of Bloodstream Infections With Rapid, Multiplexed Molecular Assays.. **2022**, 12, 859935 ○11 Prescription pattern of empirical antibiotic therapy in the burn unit of a tertiary care setting in the Kingdom of Saudi Arabia. **2021**, 13, 188 ○10 Hospital-Onset Bloodstream Infections Caused by Eight Sentinel Bacteria: A Nationwide Study in Israel, 2018-2019. *Microorganisms*, **2022**, 10, 1009 4-9 ○9 Effects of Inappropriate Administration of Empirical Antibiotics on Mortality in Adults With Bacteraemia: Systematic Review and Meta-Analysis. *Frontiers in Medicine*, **2022**, 9, 4-9 28 Outcomes of octogenarians and nonactogenarians with *Pseudomonas aeruginosa* bacteremia: a multicenter retrospective study. ○

7 The Gram stain: Implication in blood culture reporting. 004947552211432 ○

6 VANCOMycin dose adjustments comparing trough levels to the ratio of the area under de curve to the minimum inhibitory concentration method using a BAYESian approach: A feasibility study. **2022**, 47, 2335-2344 ○5 Targeted literature review of the burden of extraintestinal pathogenic *Escherichia Coli* among elderly patients in Asia Pacific regions. 1-20 ○4 Rapid Detection of Piperacillin-Tazobactam Resistance in *Klebsiella pneumoniae* and *Escherichia coli*. **2023**, 11, ○3 The Current Level of MALDI-TOF MS Applications in the Detection of Microorganisms: A Short Review of Benefits and Limitations. **2023**, 14, 80-90 ○2 Intensive care unit-acquired pneumonia caused by *Klebsiella pneumoniae* in China: Risk factors and prediction model of mortality. **2023**, 102, e33269 ○1 Evaluation of the meropenem dosage and administration schedule in patients with bacteremia initial therapy. **2023**, ○