

# CITATION REPORT

List of articles citing

## Preferential involvement of excitatory neurons in medial temporal lobe in schizophrenia

DOI: 10.1016/s0140-6736(98)03341-8  
Lancet, The, 1998, 352, 1669-73.

**Source:** <https://exaly.com/paper-pdf/29210620/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
133	Quantitative Proteomics Reveals Distinct Molecular Signatures of Different Cerebellum-Dependent Learning Paradigms.		
132	Pyramidal neuron size in the hippocampus of schizophrenics correlates with total cell count and degree of cell disarray. <b>1999</b> , 249, 169-73		30
131	The neuropathology of schizophrenia. A critical review of the data and their interpretation. <b>1999</b> , 122 ( Pt 4), 593-624		1400
130	Detection and quantification of hippocampal synaptophysin messenger RNA in schizophrenia using autoclaved, formalin-fixed, paraffin wax-embedded sections. <i>Neuroscience</i> , <b>1999</b> , 93, 99-106	3.9	54
129	Synaptophysin gene expression in schizophrenia. Investigation of synaptic pathology in the cerebral cortex. <b>2000</b> , 176, 236-42		81
128	Optimal risperidone dose in drug-naive, first-episode schizophrenia. <b>2000</b> , 157, 1178-9		5
127	Aggression in dementia with lamotrigine treatment. <b>2000</b> , 157, 1178		34
126	Expression of complexin I and II mRNAs and their regulation by antipsychotic drugs in the rat forebrain. <b>2000</b> , 36, 167-77		38
125	MRI findings differentiate between late-onset schizophrenia and late-life mood disorder. <b>2000</b> , 15, 954-60		25
124	Hippocampal synaptic pathology in schizophrenia, bipolar disorder and major depression: a study of complexin mRNAs. <i>Molecular Psychiatry</i> , <b>2000</b> , 5, 425-32	15.1	147
123	To model a psychiatric disorder in animals: schizophrenia as a reality test. <b>2000</b> , 23, 223-39		497
122	Influence of the ventral hippocampal formation on plasma vasopressin, hypothalamic-pituitary-adrenal axis, and behavioral responses to novel acoustic stress. <b>2000</b> , 858, 181-90		40
121	Neuropathological studies of bipolar disorder. <b>2000</b> , 12, 96-8		4
120	Long-term treatment with haloperidol decreases the mRNA levels of complexin I, but not complexin II, in rat prefrontal cortex, nucleus accumbens and ventral tegmental area. <b>2000</b> , 290, 29-32		9
119	Molecular characterization of schizophrenia viewed by microarray analysis of gene expression in prefrontal cortex. <b>2000</b> , 28, 53-67		779
118	High-resolution quantification of specific mRNA levels in human brain autopsies and biopsies. <b>2000</b> , 10, 1219-29		62
117	Increased dendritic MAP2 expression in the hippocampus in schizophrenia. <b>2000</b> , 41, 313-23		47

116	Synaptophysin and GAP-43 mRNA levels in the hippocampus of subjects with schizophrenia. <b>2001</b> , 49, 89-98		49
115	The loss of ego boundaries in schizophrenia: a neuromolecular hypothesis. <b>2001</b> , 56, 614-21		5
114	Psychopathology and the binding problem. <b>2001</b> , 57, 718-23		3
113	Cerebellar synaptic protein expression in schizophrenia. <i>Neuroscience</i> , <b>2001</b> , 105, 219-29	3.9	99
112	Glial cell abnormalities in major psychiatric disorders: the evidence and implications. <b>2001</b> , 55, 585-95		365
111	Synaptic pathology in the anterior cingulate cortex in schizophrenia and mood disorders. A review and a Western blot study of synaptophysin, GAP-43 and the complexins. <b>2001</b> , 55, 569-78		229
110	Abnormalities in the synaptic vesicle fusion machinery in Huntington's disease. <b>2001</b> , 56, 111-7		113
109	Schizophrenia. <b>2001</b> , 85, 663-89		17
108	Regionally diverse cortical pathology in schizophrenia: clues to the etiology of the disease. <b>2001</b> , 27, 349-77		66
107	Neuropathological studies of synaptic connectivity in the hippocampal formation in schizophrenia. <i>Hippocampus</i> , <b>2001</b> , 11, 508-19	3.5	186
106	Brain-Specific Sequence Hfb1 Is a Part of the Large 3'-Untranslated Region of the Human Complexin 2 Gene: New in vitro and in silico Data. <b>2001</b> , 35, 660-666		1
105	Schizophrenia and viral infection during neurodevelopment: a focus on mechanisms. <i>Molecular Psychiatry</i> , <b>2001</b> , 6, 634-46	15.1	124
104	Neuropathological abnormalities in schizophrenia: evidence from magnetization transfer imaging. <b>2001</b> , 124, 882-92		121
103	Hippocampal neurons in schizophrenia. <b>2002</b> , 109, 891-905		187
102	Altered immunoreactivity of complexin protein in prefrontal cortex in severe mental illness. <i>Molecular Psychiatry</i> , <b>2002</b> , 7, 484-92	15.1	82
101	Reduction of synapsin in the hippocampus of patients with bipolar disorder and schizophrenia. <i>Molecular Psychiatry</i> , <b>2002</b> , 7, 571-8	15.1	157
100	Structural and Functional Analyses of the Hfb1, Hmob3, and Hmob33 cDNAs as an Example of Human Brain-Specific Gene Studies. <b>2003</b> , 37, 273-280		2
99	Glutamate receptors and transporters in the hippocampus in schizophrenia. <b>2003</b> , 1003, 94-101		120

98	Schizophrenia: from phenomenology to neurobiology. <i>Neuroscience and Biobehavioral Reviews</i> , <b>2003</b> , 27, 269-306	9	202
97	The loss of self-boundaries: towards a neuromolecular theory of schizophrenia. <b>2003</b> , 72, 209-15		13
96	Meta-analysis of brain weight in schizophrenia. <b>2003</b> , 64, 25-34		60
95	Complexin II is essential for normal neurological function in mice. <b>2003</b> , 12, 2431-48		77
94	Association study between glutathione S-transferase P1 polymorphism and schizophrenia in the Korean population. <b>2003</b> , 27, 519-23		20
93	The application of neuropathologically sensitive MRI techniques to the study of psychosis. <b>2003</b> , 128-148		
92	Presynaptic proteins and schizophrenia. <b>2004</b> , 59, 175-99		31
91	The identification and characterization of excitotoxic nerve-endings in Alzheimer disease. <b>2004</b> , 1, 11-25		29
90	Early changes in Huntington's disease patient brains involve alterations in cytoskeletal and synaptic elements. <b>2004</b> , 33, 517-33		112
89	The hippocampus in schizophrenia: a review of the neuropathological evidence and its pathophysiological implications. <b>2004</b> , 174, 151-62		510
88	Microanatomy of dendritic spines: emerging principles of synaptic pathology in psychiatric and neurological disease. <b>2004</b> , 55, 1121-7		152
87	The synaptic pathology of schizophrenia: is aberrant neurodevelopment and plasticity to blame?. <b>2004</b> , 59, 47-72		57
86	Differential messenger RNA expression of complexins in mouse brain. <b>2004</b> , 63, 33-44		26
85	Reduced spinophilin but not microtubule-associated protein 2 expression in the hippocampal formation in schizophrenia and mood disorders: molecular evidence for a pathology of dendritic spines. <b>2004</b> , 161, 1848-55		121
84	Hippocampal complexin proteins and cognitive dysfunction in schizophrenia. <b>2005</b> , 62, 263-72		98
83	Neural correlates of sad feelings in schizophrenia with and without blunted affect. <b>2005</b> , 50, 909-17		22
82	Schizophrenia genes, gene expression, and neuropathology: on the matter of their convergence. <i>Molecular Psychiatry</i> , <b>2005</b> , 10, 40-68; image 5	15.1	1654
81	Vulnerability of synaptic plasticity in the complexin II knockout mouse to maternal deprivation stress. <b>2005</b> , 1056, 59-67		16

80	Downregulation of complexin I and complexin II in the medial thalamus is blocked by N-acetylcysteine in experimental Wernicke's encephalopathy. <b>2005</b> , 79, 200-7	29
79	Profound ataxia in complexin I knockout mice masks a complex phenotype that includes exploratory and habituation deficits. <b>2005</b> , 14, 2369-85	61
78	Nonfunctional glial proteins in tripartite synapses: a pathophysiological model of schizophrenia. <b>2005</b> , 11, 192-8	21
77	Association study of polymorphisms in synaptic vesicle-associated genes, SYN2 and CPLX2, with schizophrenia. <b>2005</b> , 1, 15	39
76	Decreased hippocampal expression of the susceptibility gene PPP3CC and other calcineurin subunits in schizophrenia. <b>2005</b> , 57, 702-10	62
75	Decreased expression of vesicular glutamate transporter 1 and complexin II mRNAs in schizophrenia: further evidence for a synaptic pathology affecting glutamate neurons. <b>2005</b> , 73, 159-72	154
74	A magnetization transfer imaging study in patients with temporal lobe epilepsy and interictal psychosis. <b>2006</b> , 59, 560-7	22
73	Critical appraisal of DNA microarrays in psychiatric genomics. <b>2006</b> , 60, 163-76	116
72	No association of complexin1 and complexin2 genes with schizophrenia in a Japanese population. <b>2006</b> , 82, 185-9	10
71	Identification of okadaic acid-induced phosphorylation events by a mass spectrometry approach. <b>2006</b> , 342, 791-9	22
70	Selective loss of synaptic proteins in Alzheimer's disease: evidence for an increased severity with APOE varepsilon4. <b>2006</b> , 49, 631-9	66
69	Cellular and molecular neuropathology of the parahippocampal region in schizophrenia. <b>2000</b> , 911, 275-92	79
68	Imaging phenotypes and genotypes in schizophrenia. <b>2006</b> , 4, 21-49	26
67	Synaptophysin protein and mRNA expression in the human hippocampal formation from birth to old age. <i>Hippocampus</i> , <b>2006</b> , 16, 645-54	3.5 32
66	Understanding Gender Differences in Schizophrenia: A Review of the Literature. <b>2006</b> , 2, 255-265	13
65	Altered expression of synaptic protein mRNAs in STOP (MAP6) mutant mice. <i>Journal of Psychopharmacology</i> , <b>2007</b> , 21, 635-44	4.6 33
64	Complexin 1 knockout mice exhibit marked deficits in social behaviours but appear to be cognitively normal. <b>2007</b> , 16, 2288-305	45
63	Depletion of Complexin II does not affect disease progression in a mouse model of Huntington's disease (HD); support for role for complexin II in behavioural pathology in a mouse model of HD. <b>2007</b> , 72, 108-20	15

62	Excitotoxic mechanisms in stroke: an update of concepts and treatment strategies. <b>2007</b> , 50, 941-53	190
61	Hippocampal abnormalities and memory deficits: new evidence of a strong pathophysiological link in schizophrenia. <b>2007</b> , 54, 92-112	138
60	Early motor development is abnormal in complexin 1 knockout mice. <b>2007</b> , 25, 483-95	28
59	[Structural and functional brain changes in schizophrenic disorders. Indications of early neuronal developmental disturbances?]. <b>2008</b> , 79, 275-87	6
58	Progressive depletion of complexin II in a transgenic mouse model of Huntington's disease. <b>2001</b> , 76, 166-72	74
57	Regulation of complexin 1 and complexin 2 in the developing human prefrontal cortex. <b>2008</b> , 62, 273-82	15
56	A comparison of the synaptic proteome in human chronic schizophrenia and rat ketamine psychosis suggest that prohibitin is involved in the synaptic pathology of schizophrenia. <i>Molecular Psychiatry</i> , <b>2008</b> , 13, 878-96	15.1 46
55	Decreased mRNA expression of netrin-G1 and netrin-G2 in the temporal lobe in schizophrenia and bipolar disorder. <b>2008</b> , 33, 933-45	55
54	Hippocampus. <b>2009</b> , 313-330	
53	Anterior hippocampus in schizophrenia pathogenesis: molecular evidence from a proteome study. <b>2009</b> , 43, 310-22	31
52	Loss of astrocytic glutamate transporters in Wernicke encephalopathy. <b>2010</b> , 58, 148-56	63
51	Association of intronic polymorphism rs3773364 A>G in synapsin-2 gene with idiopathic epilepsy. <b>2010</b> , 64, 403-8	40
50	Complexin2 null mutation requires a 'second hit' for induction of phenotypic changes relevant to schizophrenia. <b>2010</b> , 9, 592-602	21
49	Modification of cognitive performance in schizophrenia by complexin 2 gene polymorphisms. <b>2010</b> , 67, 879-88	68
48	Clorgyline-mediated reversal of neurological deficits in a Complexin 2 knockout mouse. <b>2010</b> , 19, 3402-12	11
47	Integrative circuit models and their implications for the pathophysiologies and treatments of the schizophrenias. <b>2010</b> , 4, 555-83	31
46	Increased parahippocampal and lingual gyrification in first-episode schizophrenia. <b>2010</b> , 123, 137-44	54
45	Hippocampal pathology in schizophrenia. <b>2010</b> , 4, 529-53	131

44	Behavioral Neurobiology of Schizophrenia and Its Treatment. <b>2010,</b>		6
43	Where will insights into hippocampal activity in schizophrenia lead us?. <b>2010, 10, 1-4</b>		2
42	Lack of change in markers of presynaptic terminal abundance alongside subtle reductions in markers of presynaptic terminal plasticity in prefrontal cortex of schizophrenia patients. <b>2011, 69, 71-9</b>		38
41	Identification of complexin II in astrocytes: a possible regulator of glutamate release in these cells. <b>2011, 404, 228-32</b>		7
40	Of schizophrenia, pruning, and epigenetics: a hypothesis and suggestion. <b>2011, 77, 106-8</b>		7
39	Is schizophrenia developmental adaptation to environmental menaces?. <b>2011, 77, 756-62</b>		
38	Molecular evidence that cortical synaptic growth predominates during the first decade of life in humans. <b>2011, 29, 225-36</b>		39
37	Schizophrenia: susceptibility genes, dendritic-spine pathology and gray matter loss. <b>2011, 95, 275-300</b>		85
36	Nicotine ameliorates NMDA receptor antagonist-induced deficits in contextual fear conditioning through high-affinity nicotinic acetylcholine receptors in the hippocampus. <b>2011, 60, 617-25</b>		28
35	Neuropathology of Schizophrenia. <b>2011, 372-392</b>		4
34	Expression of VGluT1 and VGAT mRNAs in human dorsolateral prefrontal cortex during development and in schizophrenia. <b>2011, 1388, 22-31</b>		21
33	Hypothesis review: are clathrin-mediated endocytosis and clathrin-dependent membrane and protein trafficking core pathophysiological processes in schizophrenia and bipolar disorder?. <i>Molecular Psychiatry</i> , <b>2012, 17, 669-81</b>	15.1	60
32	Neuroimaging as a Translational Tool in Animal and Human Models of Schizophrenia. <b>2013, 195-220</b>		0
31	Enhanced hippocampal neuronal excitability and LTP persistence associated with reduced behavioral flexibility in the maternal immune activation model of schizophrenia. <i>Hippocampus</i> , <b>2013, 23, 1395-409</b>	3.5	36
30	Advances in imaging ultrastructure yield new insights into presynaptic biology. <i>Frontiers in Cellular Neuroscience</i> , <b>2015, 9, 196</b>	6.1	5
29	Genetics of Posttraumatic Stress Disorder [Candidate Genes and Their Implication in the Disease-Associated Molecular Pathomechanisms. <b>2015,</b>		2
28	Long-term effects of neonatal exposure to MK-801 on recognition memory and excitatory-inhibitory balance in rat hippocampus. <i>Neuroscience</i> , <b>2015, 308, 134-43</b>	3.9	22
27	Mismatch negativity indexes illness-specific impairments of cortical plasticity in schizophrenia: a comparison with bipolar disorder and Alzheimer's disease. <i>International Journal of Psychophysiology</i> , <b>2015, 95, 145-55</b>	2.9	65

26	Recent genetic findings in schizophrenia and their therapeutic relevance. <i>Journal of Psychopharmacology</i> , <b>2015</b> , 29, 85-96	4.6	124
25	Synaptic Vesicle-Recycling Machinery Components as Potential Therapeutic Targets. <i>Pharmacological Reviews</i> , <b>2017</b> , 69, 141-160	22.5	31
24	Neuroadaptations to antipsychotic drugs: Insights from pre-clinical and human post-mortem studies. <i>Neuroscience and Biobehavioral Reviews</i> , <b>2017</b> , 76, 317-335	9	23
23	Differential effects of social isolation in adolescent and adult mice on behavior and cortical gene expression. <i>Behavioural Brain Research</i> , <b>2017</b> , 316, 245-254	3.4	39
22	Synaptic loss in schizophrenia: a meta-analysis and systematic review of synaptic protein and mRNA measures. <i>Molecular Psychiatry</i> , <b>2019</b> , 24, 549-561	15.1	97
21	Systems biology reveals reprogramming of the S-nitroso-proteome in the cortical and striatal regions of mice during aging process. <i>Scientific Reports</i> , <b>2020</b> , 10, 13913	4.9	10
20	Kdm3b haploinsufficiency impairs the consolidation of cerebellum-dependent motor memory in mice. <i>Molecular Brain</i> , <b>2021</b> , 14, 106	4.5	0
19	A meta-analysis of deep brain structural shape and asymmetry abnormalities in 2,833 individuals with schizophrenia compared with 3,929 healthy volunteers via the ENIGMA Consortium. <i>Human Brain Mapping</i> , <b>2021</b> ,	5.9	7
18	Synaptic Vesicle Associated Proteins and Schizophrenia. <b>2009</b> , 267-284		1
17	Relevance of Presynaptic Proteins to Neuropsychiatric Disorders. <b>2006</b> , 391-408		2
16	Glial Pathology in Major Psychiatric Disorders. <i>Neurobiological Foundation of Aberrant Behaviors</i> , <b>2002</b> , 49-73		7
15	Does schizophrenia result from developmental or degenerative processes?. <i>Journal of Neural Transmission Supplementum</i> , <b>2002</b> , 129-47		9
14	Complexins. <b>2017</b> ,		1
13	Considering iatrogenic psychosis after malignant glioma resection. <i>BMJ Case Reports</i> , <b>2014</b> , 2014,	0.9	5
12	Neural models of schizophrenia. <i>Dialogues in Clinical Neuroscience</i> , <b>2000</b> , 2, 267-79	5.7	4
11	Postmortem studies in schizophrenia. <i>Dialogues in Clinical Neuroscience</i> , <b>2000</b> , 2, 349-57	5.7	32
10	Studies in schizophrenia: pathophysiology and treatment. <i>Dialogues in Clinical Neuroscience</i> , <b>2002</b> , 4, 432-7	5.7	7
9	Early Disruption of Corticolimbic Circuitry as a Model of Schizophrenia. <i>Neurobiological Foundation of Aberrant Behaviors</i> , <b>2000</b> , 259-274		



- 8 Indications of Abnormal Connectivity in Neuropsychiatric Disorders in Postmortem Studies. *Neurobiological Foundation of Aberrant Behaviors*, **2002**, 75-91
- 7 In Situ/Histological Approaches to Neurotransmitter-Specific Postmortem Brain Studies of Schizophrenia. *Neurobiological Foundation of Aberrant Behaviors*, **2002**, 173-210
- 6 Genes and brain development. **2004**, 3-34
- 5 Synaptic Dysfunction in Huntington's Disease. **2011**, 233-255
- 4 Outstanding Issues in Neuropathology and Neurochemistry of Schizophrenia. **1999**, 279-290
- 3 What happens in the brain of schizophrenia patients?: an investigation from the viewpoint of neuropathology. *Nagoya Journal of Medical Science*, **2013**, 75, 11-28 0.7 11
- 2 Pathological oligodendrocyte precursor cells revealed in human schizophrenic brains and trigger schizophrenia-like behaviors and synaptic defects in genetic animal model. 0
- 1 Human stem cell-based models to study synaptic dysfunction and cognition in schizophrenia: A narrative review. **2023**, 0