

CITATION REPORT

List of articles citing

Prospective study of C-reactive protein and the risk of future cardiovascular events among apparently healthy women

DOI: 10.1161/01.cir.98.8.731
Circulation, 1998, 98, 731-3.

Source: <https://exaly.com/paper-pdf/29223431/citation-report.pdf>

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1401	Epidemiological Evidence for Inflammation in Cardiovascular Disease. 1999 , 82, 826-831		46
1400	Inflammatory Markers in Men with Angiographically Documented Coronary Heart Disease. 1999 , 45, 1967-1973		114
1399	Mathematical treatment of autonomic oscillations. <i>Circulation</i> , 1999 , 100, e63-4	16.7	85
1398	Homocysteine and arteriosclerosis: subclinical and clinical disease associations. <i>Circulation</i> , 1999 , 99, 2361-3	16.7	52
1397	Novel inflammatory markers of coronary risk: theory versus practice. <i>Circulation</i> , 1999 , 100, 1148-50	16.7	331
1396	C-Reactive protein, serum amyloid A protein, and coronary events. <i>Circulation</i> , 1999 , 100, e66	16.7	1
1395	Mathematical treatment of autonomic oscillations. <i>Circulation</i> , 1999 , 100, e64	16.7	
1394	Baseline IgG antibody titers to Chlamydia pneumoniae, Helicobacter pylori, herpes simplex virus, and cytomegalovirus and the risk for cardiovascular disease in women. 1999 , 131, 573-7		98
1393	Elevated C-reactive protein levels in overweight and obese adults. 1999 , 282, 2131-5		1621
1392	Homocysteine and risk of cardiovascular disease among postmenopausal women. 1999 , 281, 1817-21		177
1391	Inflammation, the acute phase response and atherosclerosis. 1999 , 37, 495-503		56
1390	von Willebrand factor, C-reactive protein, and 5-year mortality in diabetic and nondiabetic subjects: the Hoorn Study. 1999 , 19, 3071-8		253
1389	Long-term effects of pravastatin on plasma concentration of C-reactive protein. The Cholesterol and Recurrent Events (CARE) Investigators. <i>Circulation</i> , 1999 , 100, 230-5	16.7	1259
1388	Hormone replacement therapy, inflammation, and hemostasis in elderly women. 1999 , 19, 893-9		185
1387	Both raloxifene and estrogen reduce major cardiovascular risk factors in healthy postmenopausal women: A 2-year, placebo-controlled study. 1999 , 19, 2993-3000		144
1386	C-reactive protein and outcome after ischemic stroke. 1999 , 30, 981-5		271
1385	Adhesion molecules in cardiovascular disease. 1999 , 3, 263-277		3

1384	Cardiac neural changes before vasovagal syncope. <i>Circulation</i> , 1999 , 100, e67	16.7	
1383	Prospective study of markers of hemostatic function with risk of ischemic stroke. The Atherosclerosis Risk in Communities (ARIC) Study Investigators. <i>Circulation</i> , 1999 , 100, 736-42	16.7	350
1382	Association of periodontal infections with atherosclerotic and pulmonary diseases. 1999 , 34, 340-5		90
1381	Lipid lowering and beyond: results from the CARE study on lipoproteins and inflammation. Cholesterol and Recurrent Events. 1999 , 24, 51-6		18
1380	The role of C-reactive protein in cardiovascular disease risk. 1999 , 1, 99-104		56
1379	Survey of C-reactive protein and cardiovascular risk factors in apparently healthy men. 1999 , 84, 1018-22		278
1378	C-Reactive protein, serum amyloid A protein, and coronary events. <i>Circulation</i> , 1999 , 100, e65-6	16.7	12
1377	Histopathology of plaque rupture. 1999 , 17, 263-70, vii		40
1376	[Ischemic cardiopathy: inflammation markers and the cardiovascular risk]. 1999 , 52, 990-1003		9
1375	Hormone replacement therapy and increased plasma concentration of C-reactive protein. <i>Circulation</i> , 1999 , 100, 713-6	16.7	380
1374	Effect of postmenopausal hormones on inflammation-sensitive proteins: the Postmenopausal Estrogen/Progestin Interventions (PEPI) Study. <i>Circulation</i> , 1999 , 100, 717-22	16.7	576
1373	Stable versus unstable atherosclerosis: clinical aspects. 1999 , 138, S421-5		76
1372	Are associations between infection and coronary disease causal or due to confounding?. 1999 , 106, 376-7		8
1371	New risk factors for coronary heart disease. 1999 , 107, 19S-21S		6
1370	Evaluating novel cardiovascular risk factors: can we better predict heart attacks?. 1999 , 130, 933-7		210
1369	Effects of growth hormone administration on inflammatory and other cardiovascular risk markers in men with growth hormone deficiency. A randomized, controlled clinical trial. 2000 , 133, 111-22		180
1368	Antiplatelet agents in stroke prevention. combination therapy: present and future. 2000 , 10 Suppl 5, 41-8		38
1367	Five-year intra-individual variability in C-reactive protein levels in a Japanese population-based study: the Jichi Medical School Cohort Study at Yamato, 1993-1998. 2000 , 64, 303-8		32

1366	The microinflammatory state of uremia. 2000 , 18, 327-32	24
1365	Interpretation of plasma protein measurements in end-stage renal disease. 2000 , 18, 337-42	10
1364	HRT to prevent cardiovascular disease. What studies show, how to advise patients. 2000 , 108, 59-60, 63-6, 69-72	3
1363	New emerging risk factors for cardiovascular disease: their relation with menopause and hormone therapy. 2000 , 6, 27-33	1
1362	C-reactive protein, oxidative stress, homocysteine, and troponin as inflammatory and metabolic predictors of atherosclerosis in ESRD. 2000 , 9, 621-30	29
1361	The acute-phase response varies with time and predicts serum albumin levels in hemodialysis patients. The HEMO Study Group. 2000 , 58, 346-52	158
1360	Serum homocysteine is weakly associated with von Willebrand factor and soluble vascular cell adhesion molecule 1, but not with C-reactive protein in type 2 diabetic and non-diabetic subjects - The Hoorn Study. 2000 , 30, 763-70	24
1359	Circulating concentrations of C-reactive protein and total sialic acid in tobacco smokers remain unchanged following one year of validated smoking cessation. 2000 , 30, 861-5	32
1358	Ibuprofen inhibits adhesiveness of monocytes to endothelium and reduces cellular oxidative stress in smokers and non-smokers. 2000 , 30, 1002-10	20
1357	C-reactive protein, cardiovascular risk factors and the association with myocardial infarction in men. 2000 , 248, 406-14	33
1356	Alpha tocopherol supplementation decreases serum C-reactive protein and monocyte interleukin-6 levels in normal volunteers and type 2 diabetic patients. 2000 , 29, 790-2	167
1355	Cholesterol management in the era of managed care. 2000 , 85, 3A-9A	13
1354	Relation of C-reactive protein to extent and severity of coronary narrowing in patients with stable angina pectoris or abnormal exercise tests. 2000 , 86, 205-7	42
1353	Effects of estrogen and the selective estrogen receptor modulator raloxifene on markers of inflammation in postmenopausal women. 2000 , 86, 892-5	37
1352	Rate of bone loss is associated with mortality in older women: a prospective study. 2000 , 15, 1974-80	179
1351	Novel risk factors for stroke: homocysteine, inflammation, and infection. 2000 , 2, 110-4	11
1350	Are statins anti-inflammatory? Issues in the design and conduct of the pravastatin inflammation C-reactive protein evaluation. 2000 , 2, 269-73	15
1349	The role of C-reactive protein in cardiovascular disease risk. 2000 , 2, 274-9	27

1348	Coronary artery disease: an inflammatory or infectious process. 2000 , 95 Suppl 1, I59-64		4
1347	Evaluation of Four Automated High-Sensitivity C-Reactive Protein Methods: Implications for Clinical and Epidemiological Applications. 2000 , 46, 461-468		197
1346	Immunoradiometric Assay of Circulating C-Reactive Protein: Age-related Values in the Adult General Population. 2000 , 46, 934-938		199
1345	Inflammation, insulin resistance, infection, diabetes, and atherosclerosis. 2000 , 6, 272-6		21
1344	Postmenopausal hormone replacement therapy and the vascular wall: epidemiology and clinical studies. 2000 , 29, 243-51		3
1343	Opinion: Oxidized Lipoproteins, Inflammation, and Acute Phase Reactants as Markers for Coronary Artery Disease. Oxidierte Lipoproteine, Entzündung und Akute Phase-Reaktanden als Marker für Koronararterienkrankung: Persönlicher Standpunkt. 2000 , 24, 5-13		
1342	Prevention Conference V: Beyond secondary prevention: identifying the high-risk patient for primary prevention: noninvasive tests of atherosclerotic burden: Writing Group III. <i>Circulation</i> , 2000 , 101, E16-22	16.7	485
1341	Elevated levels of plasma C-reactive protein are associated with decreased graft survival in cardiac transplant recipients. <i>Circulation</i> , 2000 , 102, 2100-4	16.7	75
1340	Assessment of cardiovascular risk: time to apply genetic risk factors?. 2000 , 21, 611-3		5
1339	C-reactive protein in patients with chronic stable angina: differences in baseline serum concentration between women and men. 2000 , 21, 1598-606		42
1338	Erythrocyte sedimentation rate: is it a useful risk marker for coronary heart disease?. 2000 , 21, 1567-9		4
1337	C-reactive protein and dangerous liaisons. 2000 , 21, 1560-2		
1336	C-reactive protein, inflammation and atherosclerosis: do we really understand it yet?. 2000 , 21, 958-60		13
1335	C-reactive protein: relation to total mortality, cardiovascular mortality and cardiovascular risk factors in men. 2000 , 21, 1584-90		245
1334	The effects of hormone replacement therapy and raloxifene on C-reactive protein and homocysteine in healthy postmenopausal women: a randomized, controlled trial. 2000 , 85, 214-8		278
1333	Overexpression of secretory phospholipase A(2) causes rapid catabolism and altered tissue uptake of high density lipoprotein cholesteryl ester and apolipoprotein A-I. 2000 , 275, 10077-84		140
1332	On the association of elevated tPA/PAI-1 complex and von Willebrand factor with recurrent myocardial infarction. 2000 , 20, 1857-9		10
1331	Infections, inflammation, and the risk of coronary heart disease. <i>Circulation</i> , 2000 , 101, 252-7	16.7	273

1330	Association between white blood cell count, epicardial blood flow, myocardial perfusion, and clinical outcomes in the setting of acute myocardial infarction: a thrombolysis in myocardial infarction 10 substudy. <i>Circulation</i> , 2000 , 102, 2329-34	16.7	294
1329	Interferon-gamma and lipopolysaccharide potentiate monocyte tissue factor induction by C-reactive protein: relationship with age, sex, and hormone replacement treatment. <i>Circulation</i> , 2000 , 101, 1785-91	16.7	132
1328	Risk factors for atherosclerosis in young individuals. 2000 , 7, 215-29		38
1327	C-reactive protein is a strong but nonspecific risk factor of fatal stroke in elderly persons. 2000 , 20, 1047-51		136
1326	C-reactive protein, cardiovascular risk factors, and mortality in a prospective study in the elderly. 2000 , 20, 1057-60		183
1325	Infection and inflammation-induced proatherogenic changes of lipoproteins. 2000 , 181 Suppl 3, S462-72		263
1324	The use of glycoprotein IIb/IIIa inhibitors in patients with coronary artery disease. 2000 , 109, 224-37		43
1323	Local cytokine production and acute coronary events. 2000 , 73, 79-81		2
1322	C-Reactive protein predicts all-cause and cardiovascular mortality in hemodialysis patients. 2000 , 35, 469-76		696
1321	Effect of atorvastatin on blood lipid levels in the first 2 weeks of treatment: a randomized, placebo-controlled study. 2000 , 140, 249-52		23
1320	Two loci on chromosomes 2 and X for premature coronary heart disease identified in early- and late-settlement populations of Finland. 2000 , 67, 1481-93		135
1319	Estrogens and women's health: interrelation of coronary heart disease, breast cancer and osteoporosis. 2000 , 74, 297-309		30
1318	Activated coagulation/fibrinolysis system and platelet function in acute thrombotic stroke patients with increased C-reactive protein levels. 2000 , 100, 373-9		42
1317	Plasma concentration of interleukin-6 and the risk of future myocardial infarction among apparently healthy men. <i>Circulation</i> , 2000 , 101, 1767-72	16.7	1852
1316	Elevation of systemic markers related to cardiovascular diseases in the peripheral blood of periodontitis patients. 2000 , 71, 1528-34		560
1315	Hormone replacement therapy and coronary heart disease. A new debate. 2000 , 84, 181-98, ix-x		7
1314	Low grade inflammation and coronary heart disease: prospective study and updated meta-analyses. 2000 , 321, 199-204		1106
1313	Novel risk factors for atherosclerosis. 2000 , 75, 369-80		127

1312	C-reactive protein, inflammation, and coronary risk. 2000 , 84, 149-61, ix	111
1311	Inflammatory and hemostatic markers in relation to cardiovascular prognosis in patients with stable angina pectoris. Results from the APSIS study. The Angina Prognosis Study in Stockholm. 2000 , 148, 179-88	43
1310	Lack of association of C-reactive protein and coronary calcium by electron beam computed tomography in postmenopausal women: implications for coronary artery disease screening. 2000 , 36, 39-43	112
1309	Plasma concentration of soluble vascular cell adhesion molecule-1 and subsequent cardiovascular risk. 2000 , 36, 423-6	131
1308	Divergent effects of hormone therapy on serum markers of inflammation in postmenopausal women with coronary artery disease on appropriate medical management. 2000 , 36, 1797-802	141
1307	C-reactive protein and other markers of inflammation in the prediction of cardiovascular disease in women. 2000 , 342, 836-43	455 ¹
1306	Periodontal infections contribute to elevated systemic C-reactive protein level. 2001 , 72, 1221-7	480
1305	Familial and genetic determinants of systemic markers of inflammation: the NHLBI family heart study. 2001 , 154, 681-9	307
1304	Effects of low-dose aspirin on serum C-reactive protein and thromboxane B2 concentrations: a placebo-controlled study using a highly sensitive C-reactive protein assay. 2001 , 37, 2036-41	154
1303	Initiation of hormone replacement therapy after acute myocardial infarction is associated with more cardiac events during follow-up. 2001 , 38, 1-7	103
1302	Postmenopausal hormones and heart disease. 2001 , 38, 8-10	13
1301	[C-reactive protein as a coronary risk factor]. 2001 , 117, 303-8	4
1300	Distribution of C-reactive protein and its relation to risk factors and coronary heart disease risk estimation in the National Health and Nutrition Examination Survey (NHANES) III. 2001 , 4, 109-114	93
1299	Generation of C-reactive protein and complement components in atherosclerotic plaques. 2001 , 158, 1039-51	465
1298	Mechanisms of acute coronary syndromes and the potential role of statins. 2001 , 2, 9-14	13
1297	Cholesterol: an important but relatively overemphasized risk factor for ischemic heart disease. 2001 , 57, 593-601	5
1296	C-reactive protein is not associated with the presence or extent of calcified subclinical atherosclerosis. 2001 , 141, 206-10	100
1295	Joint effects of C-reactive protein and other risk factors on acute coronary events. 2001 , 141, 580-5	46

1294	The pravastatin inflammation CRP evaluation (PRINCE): rationale and design. 2001 , 141, 893-8	45
1293	High-sensitivity C-reactive protein: potential adjunct for global risk assessment in the primary prevention of cardiovascular disease. <i>Circulation</i> , 2001 , 103, 1813-8	16.7 1051
1292	C-reactive protein and primary prevention of ischemic heart disease. 2001 , 311, 45-8	10
1291	Cardiac troponin T and C-reactive protein as markers of acute cardiac allograft rejection. 2001 , 312, 31-9	25
1290	Obesity and preeclampsia: the potential role of inflammation. 2001 , 98, 757-62	114
1289	Association of circulating cellular adhesion molecules with menopausal status and hormone replacement therapy. Time-dependent change in transdermal, but not oral estrogen users. 2001 , 101, 35-43	39
1288	Ischemic stroke among inpatients with preceding inflammatory response. 2001 , 104, 375-7	
1287	HORMONE REPLACEMENT THERAPY AND CORONARY HEART DISEASE. 2001 , 19, 327-341	1
1286	[Current topics in vascular biology: an update for the 21st century]. 2001 , 54, 635-42	0
1285	The role of inflammatory and immunological mediators in periodontitis and cardiovascular disease. 2001 , 6, 30-40	109
1284	Low grade chronic inflammation in women with polycystic ovarian syndrome. 2001 , 86, 2453-5	450
1283	Loss of pentameric symmetry of C-reactive protein is associated with promotion of neutrophil-endothelial cell adhesion. 2001 , 167, 5355-61	71
1282	C-reactive protein, fibrinogen, interleukin-6 and tumour necrosis factor-alpha in the prognostic classification of unstable angina pectoris. 2001 , 33, 37-47	152
1281	Prevention of a first myocardial infarction. 2001 , 41, 359-67	3
1280	High-Sensitivity C-Reactive Protein: A Novel and Promising Marker of Coronary Heart Disease. 2001 , 47, 403-411	394
1279	Proposed Cardiovascular Risk Assessment Algorithm Using High-Sensitivity C-Reactive Protein and Lipid Screening. 2001 , 47, 28-30	151
1278	Variability and Classification Accuracy of Serial High-Sensitivity C-Reactive Protein Measurements in Healthy Adults. 2001 , 47, 444-450	323
1277	5?-Nucleotidase in the Detection of Increased Activity of the Liver Form of Alkaline Phosphatase in Serum. 2001 , 47, 2046-2048	11

1276	Different Effects of Oral and Transdermal Hormone Replacement Therapies on Factor IX, APC Resistance, t-PA, PAI and C-reactive Protein. 2001 , 86, 550-556	130
1275	Evaluation of Turbidimetric High-Sensitivity C-Reactive Protein Assays for Cardiovascular Risk Estimation. 2001 , 47, 2044-2046	25
1274	Homocysteine, vitamins and gene mutations in peripheral arterial disease. 2001 , 12, 469-75	10
1273	Obesity and Preeclampsia. 2001 , 98, 757-762	82
1272	Inflammation and coronary heart disease: an overview. 2001 , 9, 31-5	87
1271	Hormone Replacement Therapy and Cardiovascular Disease. 2001 , 23, 967-972	
1270	Hormonothérapie substitutive et maladies cardiovasculaires. 2001 , 23, 991-997	
1269	Hormone Replacement Therapy in Primary and Secondary Prevention of Coronary Artery Disease: Cardiologist and Geriatric Specialist Perspectives. 2001 , 23, 409-416	
1268	Autoantibodies against oxidized low-density lipoprotein and C-reactive protein are associated with diabetes and myocardial infarction in women. 2001 , 101, 523-531	19
1267	Autoantibodies against oxidized low-density lipoprotein and C-reactive protein are associated with diabetes and myocardial infarction in women. 2001 , 101, 523	12
1266	Relationship between systemic markers of inflammation and serum beta-carotene levels. 2001 , 161, 1903-8	78
1265	Primary prevention of ischemic stroke: A statement for healthcare professionals from the Stroke Council of the American Heart Association. 2001 , 32, 280-99	341
1264	C-reactive protein levels and viable Chlamydia pneumoniae in carotid artery atherosclerosis. 2001 , 32, 2748-52	91
1263	Heterogeneity affecting outcome from acute stroke therapy: making reperfusion worse. 2001 , 32, 2318-27	71
1262	Association between infection with Helicobacter pylori and Chlamydia pneumoniae and risk of ischemic stroke subtypes: Results from a population-based case-control study. 2001 , 32, 2253-8	121
1261	[New concepts of primary prevention require rethinking]. 2001 , 96, 261-9	6
1260	Levels of alpha1 acid glycoprotein and ceruloplasmin predict future albumin levels in hemodialysis patients. 2001 , 60, 2360-6	27
1259	Inflammation and dietary protein intake exert competing effects on serum albumin and creatinine in hemodialysis patients. 2001 , 60, 333-40	148

1258	Complement components as uremic toxins and their potential role as mediators of microinflammation. 2001 , 78, S271-7	24
1257	C-reactive protein: a story half told. 2000 , 13, 143-6	12
1256	Urinary albumin excretion is independently associated with C-reactive protein levels in overweight and obese nondiabetic premenopausal women. 2001 , 250, 502-7	31
1255	Arterial wall MRI characteristics are associated with elevated serum markers of inflammation in humans. 2001 , 14, 698-704	51
1254	Direct effects of estrogen on the vessel wall. 2001 , 21, 171-84	16
1253	Evaluation of C-reactive protein, a sensitive marker of inflammation, as a risk factor for stable coronary artery disease. 2001 , 34, 309-15	32
1252	Novel clinical markers of vascular wall inflammation. 2001 , 89, 763-71	592
1251	Assessment of subclinical atherosclerosis and cardiovascular risk. 2001 , 24, 642-50	8
1250	C-reactive protein is independently associated with total body fat, central fat, and insulin resistance in adult women. 2001 , 25, 1416-20	143
1249	Relation of C-reactive protein to body fat distribution and features of the metabolic syndrome in Europeans and South Asians. 2001 , 25, 1327-31	256
1248	Is Serum Uric Acid Level Associated with All-Cause Mortality in High-Functioning Older Persons: MacArthur Studies of Successful Aging?. 2001 , 49, 1679-1684	27
1247	Association of white blood cell count with increased mortality in acute myocardial infarction and unstable angina pectoris. OPUS-TIMI 16 Investigators. 2001 , 87, 636-9, A10	139
1246	Laboratory surrogates for anti-atherosclerotic drug development. 2001 , 87, 21A-26A	49
1245	C-reactive protein and coronary heart disease in western Turkey. 2001 , 88, 601-7	43
1244	Relation of the leukocyte count to recurrent cardiac events in stable patients after acute myocardial infarction. 2001 , 88, 1221-4	31
1243	Oxidative stress and inflammation in hemodialysis patients. 2001 , 38, 1408-13	160
1242	Is obesity an inflammatory condition?. 2001 , 17, 953-66	594
1241	Hypothesis: Is obesity an inflammatory condition?. 2001 , 17, 974-5	3

1240	Energy restriction and weight loss on very-low-fat diets reduce C-reactive protein concentrations in obese, healthy women. 2001 , 21, 968-70		251
1239	Cardiovascular disease and dyslipidemia in women. 2001 , 161, 514-22		41
1238	Markers of the acute phase response in cardiovascular disease: an update. 2001 , 39, 1054-64		10
1237	Tamoxifen and cardiac risk factors in healthy women: Suggestion of an anti-inflammatory effect. 2001 , 21, 255-61		77
1236	High sensitivity C-reactive protein for predicting cardiovascular disease: an inflammatory hypothesis. 2001 , 22, 349-52		46
1235	Particulate air pollution is associated with an acute phase response in men; results from the MONICA-Augsburg Study. 2001 , 22, 1198-204		310
1234	The Treatment of Coronary Heart Disease: An Update. 2001 , 17, 18-26		27
1233	C-reactive protein, insulin resistance, central obesity, and coronary heart disease risk in Indian Asians from the United Kingdom compared with European whites. <i>Circulation</i> , 2001 , 104, 145-50	16.7	323
1232	Risk factors for coronary disease: the time for a paradigm shift?. 2001 , 39, 907-19		7
1231	Serum levels of C-reactive protein are associated with obesity, weight gain, and hormone replacement therapy in healthy postmenopausal women. 2001 , 153, 1094-101		85
1230	Circulating oxidized LDL is a useful marker for identifying patients with coronary artery disease. 2001 , 21, 844-8		408
1229	Low-grade systemic inflammation in overweight children. 2001 , 107, E13		265
1228	White blood cell count and incidence of coronary heart disease and ischemic stroke and mortality from cardiovascular disease in African-American and White men and women: atherosclerosis risk in communities study. 2001 , 154, 758-64		240
1227	Primary prevention of ischemic stroke: A statement for healthcare professionals from the Stroke Council of the American Heart Association. <i>Circulation</i> , 2001 , 103, 163-82	16.7	289
1226	Pleiotropic effects of 3-hydroxy-3-methylglutaryl coenzyme a reductase inhibitors. 2001 , 21, 1712-9		1066
1225	Inflammatory cardiovascular risk markers in women with hypopituitarism. 2001 , 86, 5774-81		78
1224	C-reactive protein elevation in patients with atrial arrhythmias: inflammatory mechanisms and persistence of atrial fibrillation. <i>Circulation</i> , 2001 , 104, 2886-91	16.7	1089
1223	C-reactive protein: linking inflammation to cardiovascular complications. <i>Circulation</i> , 2001 , 104, 974-5	16.7	157

1222	Extent of coronary atherosclerosis and homocysteine affect endothelial markers. 2001 , 52, 589-96		7
1221	Elevated C-reactive protein constitutes an independent predictor of advanced carotid plaques in dyslipidemic subjects. 2001 , 21, 1962-8		105
1220	Distribution of serum C-reactive protein and its association with atherosclerotic risk factors in a Japanese population : Jichi Medical School Cohort Study. 2001 , 153, 1183-90		185
1219	Plasma concentration of C-reactive protein and risk of ischemic stroke and transient ischemic attack: the Framingham study. 2001 , 32, 2575-9		668
1218	Differentiation between obesity and insulin resistance in the association with C-reactive protein. <i>Circulation</i> , 2002 , 106, 2908-12	16.7	282
1217	Simvastatin lowers C-reactive protein within 14 days: an effect independent of low-density lipoprotein cholesterol reduction. <i>Circulation</i> , 2002 , 106, 1447-52	16.7	301
1216	Association between influenza vaccination and reduced risk of brain infarction. 2002 , 33, 513-8		160
1215	Oxidative stress, inflammation, and diabetic vasculopathies: the role of alpha tocopherol therapy. 2002 , 36, 1331-6		100
1214	What is C-reactive protein telling us about coronary artery disease?. 2002 , 162, 389-92		19
1213	Evaluation of Denka-Seiken turbidimetric high-sensitivity C-reactive protein assay. 2002 , 40, 840-5		8
1212	Inflammatory response to coronary stent implantation in patients with unstable angina. 2002 , 40, 769-74		12
1211	Gender differences in C-reactive protein concentrations-confirmation with two sensitive methods. 2002 , 40, 56-9		49
1210	Effect of medroxyprogesterone acetate on vascular inflammatory markers in postmenopausal women receiving estrogen. <i>Circulation</i> , 2002 , 105, 1436-9	16.7	80
1209	Critical review of unstable angina and non-ST elevation myocardial infarction. 2002 , 78, 717-26		15
1208	Short-term effects of atorvastatin on C-reactive protein. 2002 , 23, 794-9		60
1207	Diabetes and atherothrombotic disease: linked through inflammation?. 2002 , 2, 67-73		4
1206	Genetic testing for coronary heart disease: the approaching frontier. 2002 , 2, 448-60		9
1205	Hormone replacement therapy in postmenopausal women with diabetes mellitus. 2002 , 2, 215-9		1

1204	Cardiovascular risk factors in acromegaly before and after normalization of serum IGF-I levels with the GH antagonist pegvisomant. 2002 , 87, 1692-9	82
1203	[Does chronic periodontitis play a role in the pathogenesis of cardiovascular and cerebrovascular diseases?]. 2002 , 64, 89-98	3
1202	Markers of chronic inflammation and obesity: a prospective study on the reversibility of this association in middle-aged women undergoing weight loss by surgical intervention. 2002 , 26, 659-62	140
1201	Importance of periodontal disease in the kidney patient. 2002 , 20, 113-9	41
1200	Vascular inflammation and the renin-angiotensin system. 2002 , 22, 1257-66	493
1199	C-reactive protein and carotid intimal medial thickness in a community population. 2002 , 9, 97-103	43
1198	Systemic inflammation in cardiovascular and periodontal disease: comparative study. 2002 , 9, 425-32	67
1197	Body mass index and the risk of stroke in men. 2002 , 162, 2557-62	336
1196	Statin attenuates increase in C-reactive protein during estrogen replacement therapy in postmenopausal women. <i>Circulation</i> , 2002 , 105, 1531-3	16.7 69
1195	C-reactive protein in type 1 diabetes and its relationship to coronary artery calcification. 2002 , 25, 1813-7	51
1194	Coronary atherogenic risk factors in women. 2002 , 23, 1738-52	57
1193	Role of inflammation and its treatment in ESRD patients. 2002 , 20, 70-80	36
1192	Effects of hormone replacement therapy on plasma homocysteine and C-reactive protein levels. 2002 , 53, 54-8	28
1191	Cardiac effects of chronic inflammation in dialysis patients. 2002 , 17 Suppl 8, 10-5	35
1190	C-reactive protein and prognosis after percutaneous coronary intervention. 2002 , 23, 923-5	13
1189	Relationship of C-reactive protein to presence and severity of coronary atherosclerosis in patients with stable angina pectoris or a pathological exercise test. 2002 , 13, 151-4	26
1188	Prospective cross-sectional study of haemostatic factors in patients with and without coronary artery disease. 2002 , 13, 81-7	7
1187	Strategies for the prevention of atherosclerotic progression in women. 2002 , 10, 119-25	3

1186	. 2002 , 9, 97-103	80
1185	Prognostic relevance of early serial C-reactive protein measurements after first ischemic stroke. 2002 , 33, 2459-64	177
1184	Serum markers of inflammation and cardiovascular risk. 2002 , 345-354	
1183	Hormone Replacement Therapy and Cardiovascular Disease. 2002 , 24, 29-34	
1182	Is metabolic syndrome X an inflammatory condition?. 2002 , 227, 989-97	106
1181	Effects of hormone replacement therapy on C-reactive protein levels in healthy postmenopausal women: comparison between oral and transdermal administration of estrogen. 2002 , 113, 331-4	28
1180	C-reactive protein, statins, and the primary prevention of atherosclerotic cardiovascular disease. 2002 , 5, 42-6	13
1179	C-reactive protein levels are influenced by common IL-1 gene variations. 2002 , 17, 171-4	104
1178	Effects of acute hormone therapy on recurrent ischemia in postmenopausal women with unstable angina. 2002 , 39, 231-7	47
1177	Monocytosis and adverse left ventricular remodeling after reperfused myocardial infarction. 2002 , 39, 247-50	12
1176	The effect of 17beta-estradiol on endothelial and inflammatory markers in postmenopausal women: a randomized, controlled trial. 2002 , 165, 301-7	85
1175	Oxidative Stress and Inflammation in Hemodialysis Patients. 2002 , 45-52	1
1174	Elevated level of plasma C-reactive protein in patients with unstable angina: its relations with coronary stenosis and lipid profile. 2002 , 53, 265-72	44
1173	C-reactive protein, arterial endothelial activation, and development of transplant coronary artery disease: a prospective study. 2002 , 360, 1462-7	99
1172	A novel concept to preserve the beneficial effects of hormone replacement therapy in bilaterally female ovariectomized rats: role of lovastatin therapy. 2002 , 45, 167-73	7
1171	C-reactive protein and incident coronary heart disease in the Atherosclerosis Risk In Communities (ARIC) study. 2002 , 144, 233-8	173
1170	Racial and ethnic disparities in coronary heart disease in women: prevention, treatment, and needed interventions. 2002 , 12, 252-71	15
1169	C-reactive protein and myocardial infarction. 2002 , 55, 445-51	136

1168	Inflammation in atherosclerosis and acute coronary syndromes. 2002 , 1229, 95-102		1
1167	Inflammation and atherosclerosis. <i>Circulation</i> , 2002 , 105, 1135-43	16.7	5212
1166	Gender and asthma. 2002 , 22, 753-789		15
1165	Differential hs-CRP reduction in patients with familial hypercholesterolemia treated with aggressive or conventional statin therapy. 2002 , 165, 361-6		102
1164	Inflammation in acute coronary syndromes. 2002 , 87, 201-4		94
1163	Ultrarapid, Ultrasensitive One-Step Kinetic Immunoassay for C-Reactive Protein (CRP) in Whole Blood Samples: Measurement of the Entire CRP Concentration Range with a Single Sample Dilution. 2002 , 48, 269-277		43
1162	Elevated C-reactive protein is associated with an increased intima to media thickness of the common carotid artery. 2002 , 13, 57-63		45
1161	Inflammation, blood pressure, and stroke: an opportunity to target primary prevention?. 2002 , 33, 2732-3		5
1160	Tumor necrosis factor receptor levels are associated with carotid atherosclerosis. 2002 , 33, 31-7		108
1159	Interaction of hemostatic genetics with hormone therapy: new insights to explain arterial thrombosis in postmenopausal women. 2002 , 121, 906-20		38
1158	New tools for coronary risk assessment: what are their advantages and limitations?. <i>Circulation</i> , 2002 , 105, 886-92	16.7	155
1157	Effects of Transdermal and Oral Oestrogen Replacement Therapy on C-Reactive Protein Levels in Postmenopausal Women: A Randomised, Placebo-Controlled Trial. 2002 , 88, 605-610		41
1156	Diagnostic strategies for C-reactive protein. 2002 , 2, 9		12
1155	Hormone replacement therapy: estrogen and progestin effects on plasma C-reactive protein concentrations. 2002 , 186, 969-77		49
1154	Role of inflammation in cardiovascular disease: how to use C-reactive protein in clinical practice. 2002 , 17, 174-85		15
1153	Relative risk of cardiovascular events in patients with rheumatoid arthritis. 2002 , 89, 33D-38D		72
1152	Relation of markers of inflammation (C-reactive protein, fibrinogen, von Willebrand factor, and leukocyte count) and statin therapy to long-term mortality in patients with angiographically proven coronary artery disease. 2002 , 89, 901-8		114
1151	Effects of hormone replacement therapy and estrogen receptor modulators on markers of inflammation and coagulation. 2002 , 90, 7F-10F		36

1150	Increased C-reactive protein following hemodialysis predicts cardiac hypertrophy in chronic hemodialysis patients. 2002 , 40, 1230-9	61
1149	Participation of high glucose concentrations in neutrophil adhesion and surface expression of adhesion molecules on cultured human endothelial cells: effect of antidiabetic medicines. 2002 , 16, 201-8	62
1148	Mechanisms of inhibitory activity of the aldose reductase inhibitor, epalrestat, on high glucose-mediated endothelial injury: neutrophil-endothelial cell adhesion and surface expression of endothelial adhesion molecules. 2002 , 16, 321-6	25
1147	Accelerated atherosclerosis: an extraarticular feature of rheumatoid arthritis?. 2002 , 46, 862-73	493
1146	The promoter polymorphism of the IL-6 gene is associated with levels of antibodies to 60-kDa heat-shock proteins. 2002 , 53, 851-6	30
1145	Is periodontitis associated with an increased risk of coronary heart disease and preterm and/or low birth weight births?. 2002 , 29 Suppl 3, 22-36; discussion 37-8	71
1144	Effects of C-reactive protein and pentosan polysulphate on human complement activation. 2002 , 106, 381-8	21
1143	Inflammatory bio-markers and cardiovascular risk prediction. 2002 , 252, 283-94	498
1142	Inflammation and outcome in end-stage renal failure: does female gender constitute a survival advantage?. 2002 , 62, 1791-8	137
1141	Effects of hormone replacement therapy on blood platelets. 2002 , 32, 613-8	30
1140	Moderate alcohol consumption reduces plasma C-reactive protein and fibrinogen levels; a randomized, diet-controlled intervention study. 2002 , 56, 1130-6	173
1139	Obesity and target organ damage: the kidney. 2002 , 26 Suppl 4, S21-4	158
1138	Elevated mean arterial pressure in the ovariectomized rat was normalized by ET(A) receptor antagonist therapy: absence of cardiac hypertrophy and fibrosis. 2002 , 136, 685-92	18
1137	The path to personalized medicine. 2002 , 6, 434-8	50
1136	Connecting the role of C-reactive protein and statins in cardiovascular disease. 2003 , 26, III39-44	39
1135	Inflammation and infections as risk factors for ischemic stroke. 2003 , 34, 2518-32	379
1134	Relationship between levels of serum C-reactive protein, leucocyte count and carotid plaque in patients with ischemic stroke. 2003 , 23, 263-5	1
1133	Hormone Replacement Therapy for Primary and Secondary Prevention of Heart Disease. 2003 , 5, 25-33	9

1132	Inflammation and emerging risk factors in diabetes mellitus and atherosclerosis. 2003 , 3, 248-54	45
1131	C-Reactive Protein and Cardiovascular Diseases. 2003 , 12, 1-12	17
1130	The mechanisms of inhibitory actions of gliclazide on neutrophils-endothelial cells adhesion and surface expression of endothelial adhesion molecules mediated by a high glucose concentration. 2003 , 17, 22-6	25
1129	C-reaktives Protein in der Risikovorhersage und Intervention bei kardiovaskulären Erkrankungen. 2003 , 27, 100-112	
1128	Longitudinal and cross-sectional effects of C-reactive protein, equilibrated normalized protein catabolic rate, and serum bicarbonate on creatinine and albumin levels in dialysis patients. 2003 , 42, 1200-11	77
1127	Leukocytosis, hypoalbuminemia, and the risk for chronic kidney disease in US adults. 2003 , 42, 256-63	50
1126	C-reactive protein, lipoprotein(a), homocysteine, and male sex contribute to carotid atherosclerosis in peritoneal dialysis patients. 2003 , 42, 355-61	36
1125	Coronary heart disease: the female heart is vulnerable. 2003 , 46, 199-229	105
1124	Effects of statins on inflammation in patients with acute and chronic coronary syndromes. 2003 , 91, 9B-13B	44
1123	Inflammatory markers and cardiovascular disease (The Health, Aging and Body Composition [Health ABC] Study). 2003 , 92, 522-8	228
1122	Screening for atherosclerosis in patients with rheumatoid arthritis: comparison of two in vivo tests of vascular function. 2003 , 48, 72-80	120
1121	Prognostic value of plasma C-reactive protein and fibrinogen determinations in patients with acute myocardial infarction treated with thrombolysis. 2003 , 254, 244-50	10
1120	Impact of albumin synthesis rate and the acute phase response in the dual regulation of fibrinogen levels in hemodialysis patients. 2003 , 63, 315-22	22
1119	C-reactive protein is associated with renal function abnormalities in a non-diabetic population. 2003 , 63, 654-61	165
1118	Factors that affect albumin concentration in dialysis patients and their relationship to vascular disease. 2003 , S94-7	35
1117	Serum albumin concentration in dialysis patients: why does it remain resistant to therapy?. 2003 , S92-8	53
1116	Uremia-related metabolic cardiac risk factors in chronic kidney disease. 2003 , 16, 148-56	30
1115	Characteristics and effects of inflammation in end-stage renal disease. 2003 , 16, 438-46	52

1114	Effect of tamoxifen at low doses on ultrasensitive C-reactive protein in healthy women. 2003 , 1, 2149-52	22
1113	End-stage renal disease: a state of chronic inflammation and hyperleptinemia. 2003 , 33, 527-8	21
1112	Systemic inflammation, adipose tissue tumor necrosis factor, and leptin expression. 2003 , 11, 525-31	277
1111	Long-term body weight variability is associated with elevated C-reactive protein independent of current body mass index among Japanese men. 2003 , 27, 1059-65	29
1110	Periodontal disease and mortality in an aged population. 2003 , 23, 125-30	40
1109	Dietary fish oil decreases C-reactive protein, interleukin-6, and triacylglycerol to HDL-cholesterol ratio in postmenopausal women on HRT. 2003 , 14, 513-21	108
1108	C-reactive protein, inflammation, and coronary risk. 2003 , 21, 315-25	141
1107	Human CRP gene polymorphism influences CRP levels: implications for the prediction and pathogenesis of coronary heart disease. 2003 , 23, 2063-9	242
1106	Relationship of destructive periodontal disease to the acute-phase response. 2003 , 74, 1007-16	171
1105	Decreased total antioxidant status and increased oxidative stress in women with polycystic ovary syndrome may contribute to the risk of cardiovascular disease. 2003 , 80, 123-7	196
1104	Effects of hormone therapy and alendronate on C-reactive protein, E-selectin, and sex hormone-binding globulin in osteoporotic women. 2003 , 80, 541-5	10
1103	Circulating markers of inflammation and atherosclerosis. 2003 , 169, 203-14	314
1102	Double blind, randomized study of estradiol replacement therapy on markers of inflammation, coagulation and fibrinolysis. 2003 , 168, 123-9	62
1101	Correlations of C-reactive protein levels with anthropometric profile, percentage of body fat and lipids in healthy adolescents and young adults in urban North India. 2003 , 168, 305-13	107
1100	C-reactive protein and other inflammatory risk markers in acute coronary syndromes. 2003 , 41, 37S-42S	255
1099	Troponin and C-reactive protein have different relations to subsequent mortality and myocardial infarction after acute coronary syndrome: a GUSTO-IV substudy. 2003 , 41, 916-24	187
1098	34th Bethesda Conference: Task force #1--Identification of coronary heart disease risk: is there a detection gap?. 2003 , 41, 1863-74	147
1097	C-Reactive protein and cardiac allograft vasculopathy. is inflammation the critical link?. 2003 , 42, 483-5	19

1096	Chlamydia pneumoniae and coronary artery disease: the antibiotic trials. 2003 , 78, 321-32		24
1095	Association between alveolar bone loss and elevated serum C-reactive protein in Japanese men. 2003 , 74, 1741-6		73
1094	Acute inflammatory events and ischemic stroke subtypes. 2003 , 15, 215-21		32
1093	Insulin resistance, inflammation, and serum fatty acid composition. 2003 , 26, 1362-8		146
1092	Preprocedural white blood cell count and death after percutaneous coronary intervention. 2003 , 146, 692-8		44
1091	C-reactive protein elevation independently influences the procedural success of percutaneous balloon mitral valve commissurotomy. 2003 , 146, 1099-104		23
1090	Inflammatory markers and onset of cardiovascular events: results from the Health ABC study. <i>Circulation</i> , 2003 , 108, 2317-22	16.7	742
1089	Markers of inflammation and cardiovascular disease: application to clinical and public health practice: A statement for healthcare professionals from the Centers for Disease Control and Prevention and the American Heart Association. <i>Circulation</i> , 2003 , 107, 499-511	16.7	4541
1088	Preoperative white blood cell count and mortality and morbidity after coronary artery bypass grafting. 2003 , 76, 760-4		37
1087	Oral contraceptive use and increased plasma concentration of C-reactive protein. 2003 , 73, 1245-52		52
1086	Statins inhibit high glucose-mediated neutrophil-endothelial cell adhesion through decreasing surface expression of endothelial adhesion molecules by stimulating production of endothelial nitric oxide. 2003 , 65, 118-24		36
1085	Oral infections and systemic diseases. 2003 , 47, 575-98		42
1084	Effects of estradiol, cyproterone acetate, tibolone and raloxifene on uterus and aorta atherosclerosis in oophorectomized cholesterol-fed rabbits. 2003 , 45, 59-66		6
1083	Hormone replacement therapy, C-reactive protein, and fibrinogen in healthy postmenopausal women. 2003 , 46, 245-53		29
1082	Reduction of serum C-reactive protein by statin therapy may reflect decreased isoprenylation of Rac-1, a mediator of the IL-6 signal transduction pathway. 2003 , 60, 634-9		12
1081	C-reactive protein on admission and the success of thrombolytic therapy with streptokinase: is there any relation?. 2003 , 92, 27-33		7
1080	Increased C-reactive protein level after coronary stent implantation in patients with stable coronary artery disease. 2003 , 145, 248-53		67
1079	The prognostic value of high-sensitive C-reactive protein and cardiac troponin T in young and middle-aged patients with chest pain without ECG changes. 2003 , 14, 310-314		5

1078	High sensitivity C-reactive protein as an independent risk factor for essential hypertension. 2003 , 16, 429-33		129
1077	Interpretation of circulating C-reactive protein levels in adults: body mass index and gender are a must. 2003 , 29, 133-8		51
1076	Prevalence and correlates of accelerated atherosclerosis in systemic lupus erythematosus. 2003 , 349, 2399-406		1084
1075	La proteína C reactiva como marcador del riesgo cardiovascular. 2003 , 20, 74-81		
1074	Established and recently identified coronary heart disease risk factors in young people: the influence of physical activity and physical fitness. 2003 , 33, 633-50		31
1073	Markers of inflammation in women on different hormone replacement therapies. 2003 , 35, 353-61		22
1072	Diagnostic implications of C-reactive protein. 2003 , 138, 220-4		62
1071	Evaluation of a turbidimetric Denka Seiken C-reactive protein assay for cardiovascular risk estimation and conventional inflammation diagnosis. 2003 , 49, 511-2		6
1070	Risk factors for incident stroke among patients with end-stage renal disease. 2003 , 14, 2623-31		131
1069	Cardiovascular risk in systemic lupus erythematosus--evidence of increased oxidative stress and dyslipidaemia. 2003 , 42, 758-62		61
1068	Repression of farnesoid X receptor during the acute phase response. 2003 , 278, 8988-95		125
1067	C-reactive protein and the future risk of thromboembolic stroke in healthy men. <i>Circulation</i> , 2003 , 107, 2016-20	16.7	151
1066	Impact of preprocedural white blood cell count on long term mortality after percutaneous coronary intervention: insights from the EPIC, EPILOG, and EPISTENT trials. 2003 , 89, 1200-4		74
1065	Evidence of a lack of effect of a phytoestrogen regimen on the levels of C-reactive protein, E-selectin, and nitrate in postmenopausal women. 2003 , 88, 5180-5		63
1064	Increased levels of C-reactive protein after oral hormone replacement therapy may not be related to an increased inflammatory response. <i>Circulation</i> , 2003 , 107, 3165-9	16.7	107
1063	Distributions of C-reactive protein measured by high-sensitivity assays in apparently healthy men and women from different populations in Europe. 2003 , 49, 669-72		90
1062	HMG-CoA reductase inhibition: anti-inflammatory effects beyond lipid lowering?. 2003 , 10, 169-79		26
1061	Selective COX-2 inhibition improves endothelial function in coronary artery disease. <i>Circulation</i> , 2003 , 107, 405-9	16.7	307

1060	Is a single time point C-reactive protein predictive of outcome in peritoneal dialysis patients?. 2003 , 14, 1871-9		147
1059	C-reactive proteins and chronic disease: what role does nutrition play?. 2003 , 18, 227-33		10
1058	Immunoturbidimetric determination of C-reactive protein (CRP) and high-sensitivity CRP on heparin plasma. Comparison with serum determination. 2003 , 41, 948-9		32
1057	The emergence of the metabolic syndrome with menopause. 2003 , 88, 2404-11		916
1056	Cardiovascular morbidity and mortality in women diagnosed with rheumatoid arthritis. <i>Circulation</i> , 2003 , 107, 1303-7	16.7	946
1055	First-trimester C-reactive protein and subsequent gestational diabetes. 2003 , 26, 819-24		178
1054	Inflammatory and thrombotic mechanisms in coronary atherosclerosis. 2003 , 89, 993-7		101
1053	Simultaneous genotyping of seven single-nucleotide polymorphisms in the MDR1 gene by single-tube multiplex minisequencing. 2003 , 49, 672-6		26
1052	Insulin resistance and chronic cardiovascular inflammatory syndrome. 2003 , 24, 278-301		653
1051	C-reactive protein and ischemia in users and nonusers of beta-blockers and statins: data from the Heart and Soul Study. <i>Circulation</i> , 2003 , 107, 245-50	16.7	57
1050	Strikingly low circulating CRP concentrations in ultramarathon runners independent of markers of adiposity: how low can you go?. 2003 , 23, 1640-4		69
1049	C-reaktives Protein in der Risikovorhersage und Intervention bei kardiovaskulären Erkrankungen/C-Reactive Protein for Risk Prediction and Intervention in Cardiovascular Disease. 2003 , 27, 100-112		
1048	Atherosclerosis in type 2 diabetes mellitus: the role of insulin resistance. 2003 , 8, 253-60		46
1047	Obesity, glucose intolerance and diabetes and their links to cardiovascular disease. Implications for laboratory medicine. 2003 , 41, 1266-78		27
1046	Myocardial damage, inflammation and thrombin inhibition in unstable coronary artery disease. 2003 , 24, 86-93		25
1045	Relationship between periodontal disease and C-reactive protein among adults in the Atherosclerosis Risk in Communities study. 2003 , 163, 1172-9		231
1044	Pathophysiology of atherosclerotic plaque development and rupture: an overview. 2003 , 3, 347-54		14
1043	[Cardiovascular risk factors in women]. 2003 , 128, 1659-64		2

1042	Novel Biomedical Risk Markers for Cardiovascular Disease. 2003 , 10, 41-55	2
1041	Fibrinogen predicts ischaemic stroke and advanced atherosclerosis but not echolucent, rupture-prone carotid plaques: the Copenhagen City Heart Study. 2003 , 24, 567-76	52
1040	Improving the assessment of outcomes in stroke: use of a structured interview to assign grades on the modified Rankin Scale. 2003 , 34, 377-8; author reply 377-8	69
1039	Alternative hormone replacement regimens: is there a need for further clinical trials?. 2003 , 14, 585-91	8
1038	. 2003 , 10, 41-55	10
1037	. 2003 , 10, 169-179	49
1036	Inflammatory biomarkers of the patient with myocardial insufficiency. 2003 , 9, 369-74	8
1035	C-reactive protein and interleukin-6 in vascular disease: culprits or passive bystanders?. 2003 , 21, 1787-803	133
1034	Body mass index, but not physical activity, is associated with C-reactive protein. 2003 , 35, 1160-6	91
1033	C-reactive protein as a predictor for incident diabetes mellitus among middle-aged men: results from the MONICA Augsburg cohort study, 1984-1998. 2003 , 163, 93-9	242
1032	Clinical use of C-reactive protein for prognostic stratification in ischemic stroke: has the time come for including it in the patient risk profile?. 2003 , 34, 375-6; author reply 375-6	7
1031	Postmortem MRI as a useful tool for investigation of cerebral microbleeds. 2003 , 34, 376-7; author reply 376-7	16
1030	Effect of long-term hormone replacement therapy on atherosclerosis progression in postmenopausal women relates to myeloperoxidase promoter polymorphism. 2003 , 88, 3823-8	16
1029	Predictors of serum creatinine in haemodialysis patients: a cross-sectional analysis. 2003 , 18, 1209-13	11
1028	Imaging of high-risk plaque. 2003 , 100, 160-75	16
1027	Estrogen and stroke: a balanced analysis. 2003 , 34, 338-41	117
1026	Contribution of Stroke to the Cochrane Stroke Group Trials Register. 2003 , 34, 374-8	1
1025	Investigation and Treatment of Subclinical Coronary Atherosclerosis. 2003 , 3, 97-106	

1024	Statins, Inflammation, and C-Reactive Protein. 2004 , 219-232	
1023	Plasma C-reactive protein is not elevated in physically active postmenopausal women taking hormone replacement therapy. 2004 , 96, 143-8	27
1022	C-Reactive Protein as a Marker for Cardiovascular Disease. 2004 , 39, 735-744	1
1021	Predictive Factors for Heart Failure in Patients with Unstable Angina and Acute Non-ST Elevation Myocardial Infarction. 2004 , 34, 459	2
1020	[Vascular risk factors and renal failure]. 2004 , 20, 1100-3	3
1019	Identifying patients at risk of coronary vascular disease: the potential role of inflammatory markers. 2004 , 6, C21-C27	5
1018	Discontinuation of nonsteroidal anti-inflammatory drug therapy and risk of acute myocardial infarction. 2004 , 164, 2472-6	59
1017	Nontraditional risk factors for cardiovascular disease in diabetes. 2004 , 25, 153-75	126
1016	Diabetes and cardiovascular risk evaluation and management in primary care: progress and unresolved issues - rationale for a nationwide primary care project in Germany. 2004 , 112, 157-70	10
1015	Metabolic cardiovascular disease risk factors in women with self-reported symptoms of oligomenorrhea and/or hirsutism: Northern Finland Birth Cohort 1966 Study. 2004 , 89, 2114-8	78
1014	Serum iron, infection and inflammation; effects on coronary risk. 2004 , 38, 345-8	9
1013	C-reactive protein, cardiovascular disease and stroke: new roles for an old biomarker. 2004 , 4, 507-18	7
1012	Endothelial dysfunction in young patients with rheumatoid arthritis and low disease activity. 2004 , 63, 31-5	191
1011	Inflammatory markers and physical performance in older persons: the InCHIANTI study. 2004 , 59, 242-8	582
1010	Role of C-reactive protein in cardiovascular disease. 2004 , 38, 110-8	50
1009	Opposing effects of C-reactive protein isoforms on shear-induced neutrophil-platelet adhesion and neutrophil aggregation in whole blood. <i>Circulation</i> , 2004 , 110, 2713-20	16.7 88
1008	The differential effects of metformin on markers of endothelial activation and inflammation in subjects with impaired glucose tolerance: a placebo-controlled, randomized clinical trial. 2004 , 89, 3943-8	110
1007	Increased C-reactive protein level after renal stent implantation in patients with atherosclerotic renal stenosis. 2004 , 55, 479-84	16

1006	The relationship between C-reactive protein and carotid intima-media wall thickness in middle-aged women with polycystic ovary syndrome. 2004 , 89, 6061-7		82
1005	Serum amyloid A as a predictor of coronary artery disease and cardiovascular outcome in women: the National Heart, Lung, and Blood Institute-Sponsored Women's Ischemia Syndrome Evaluation (WISE). <i>Circulation</i> , 2004 , 109, 726-32	16.7	319
1004	Effect of lower dosage of oral conjugated equine estrogen on inflammatory markers and endothelial function in healthy postmenopausal women. 2004 , 24, 571-6		47
1003	The HMG-CoA reductase inhibitor atorvastatin prevents atrial fibrillation by inhibiting inflammation in a canine sterile pericarditis model. 2004 , 62, 105-11		204
1002	C-reactive protein induces apoptosis in human coronary vascular smooth muscle cells. <i>Circulation</i> , 2004 , 110, 579-87	16.7	98
1001	Predictive value of elevated white blood cell count in patients with preexisting coronary heart disease: the Bezafibrate Infarction Prevention Study. 2004 , 164, 433-9		46
1000	Association of bronchial hyperresponsiveness and lung function with C-reactive protein (CRP): a population based study. 2004 , 59, 892-6		97
999	CDC/AHA Workshop on Markers of Inflammation and Cardiovascular Disease: Application to Clinical and Public Health Practice: report from the population science discussion group. <i>Circulation</i> , 2004 , 110, e554-9	16.7	54
998	The metabolic syndrome, inflammation, and risk of cognitive decline. 2004 , 292, 2237-42		673
997	CRP and risk of coronary heart disease: can exercise training cool down the flames?. 2004 , 24, 1743-5		7
996	Oral health, atherosclerosis, and cardiovascular disease. 2004 , 15, 403-13		256
995	Immunobiology of Organ Transplantation. 2004 ,		2
994	Cerebral ischemia: new risk factors. 2004 , 17 Suppl 1, 43-50		27
993	Markers of inflammation and rapid coronary artery disease progression in patients with stable angina pectoris. <i>Circulation</i> , 2004 , 110, 1747-53	16.7	200
992	CDC/AHA Workshop on Markers of Inflammation and Cardiovascular Disease: Application to Clinical and Public Health Practice: report from the clinical practice discussion group. <i>Circulation</i> , 2004 , 110, e550-3	16.7	86
991	Coagulation, inflammation and myocardial dysfunction in unstable coronary artery disease and the influence of glycoprotein IIb/IIIa inhibition and low molecular weight heparin. 2004 , 109, 71-122		2
990	Modulatory effects of HMG-CoA reductase inhibitors in diabetic microangiopathy. 2004 , 18, 805-15		68
989	Transferrin enzyme immunoassay for quantitative monitoring of blood contamination in saliva. 2004 , 50, 654-6		56

988	Inflammation, abdominal obesity, and smoking as predictors of hypertension. 2004 , 44, 859-65	248
987	Conformational rearrangement in C-reactive protein is required for proinflammatory actions on human endothelial cells. <i>Circulation</i> , 2004 , 109, 2016-22	16.7 217
986	Relationship between arterial stiffness and subclinical aortic atherosclerosis. <i>Circulation</i> , 2004 , 110, 432-7	57
985	Periodontal disease and biomarkers related to cardiovascular disease. 2004 , 83, 151-5	153
984	Clinical application of C-reactive protein in stroke prevention: bright and dark sides of the moon. 2004 , 4, 613-22	5
983	Biomarkers of cardiac disease. 2004 , 4, 805-20	21
982	Total Abdominal Hysterectomy May Be a Risk Factor for Acute Myocardial Infarction in Postmenopausal Women: An Age-Matched, Case-Controlled Retrospective Analysis. 2004 , 20, 75-80	1
981	Should progestins be blamed for the failure of hormone replacement therapy to reduce cardiovascular events in randomized controlled trials?. 2004 , 24, 1171-9	41
980	High-sensitivity enzyme immunoassay for C-reactive protein in dried blood spots. 2004 , 50, 652-4	180
979	Cardioprotective and other emerging effects of statins. 2004 , 58, 49-57	7
978	Effects of oestrogen replacement therapy on serum C-reactive protein levels in hysterectomised women. 2004 , 44, 131-4	5
977	How does the periapical inflammatory process compromise general health?. 2004 , 8, 3-14	7
976	Serum albumin: relationship to inflammation and nutrition. 2004 , 17, 432-7	607
975	Endothelial lipase: a modulator of lipoprotein metabolism upregulated by inflammation. 2004 , 14, 202-6	40
974	Cardiovascular risk profile of patients with spondylarthropathies, particularly ankylosing spondylitis and psoriatic arthritis. 2004 , 34, 585-92	273
973	High-sensitivity C-reactive protein: Clinical importance. 2004 , 29, 439-493	14
972	The role of statins in vascular disease. 2004 , 27, 6-16	44
971	Relation of interleukin-6, C-reactive protein, and the prothrombotic state to transesophageal echocardiographic findings in atrial fibrillation. 2004 , 93, 1368-73, A6	65

970	Soluble fibrin, C-reactive protein, fibrinogen, factor VII, antithrombin, proteins C and S, tissue factor, D-dimer, and prothrombin fragment 1 + 2 in men with acute myocardial infarction . 2004 , 94, 1410-3	15
969	Selected expression profiling of full-length proteins and their variants in human plasma. 2004 , 1, 7-16	21
968	The chronic inflammatory hypothesis for the morbidity associated with morbid obesity: implications and effects of weight loss. 2004 , 14, 589-600	342
967	Fluorescent nanoparticles as labels for immunometric assay of C-reactive protein using two-photon excitation assay technology. 2004 , 328, 210-8	48
966	Non-invasive assessment of coronary calcification. 2004 , 19, 1063-72	7
965	C-reactive protein and the development of the metabolic syndrome and diabetes in middle-aged men. 2004 , 47, 1403-10	191
964	Time-dependent changes of hs-CRP serum concentration in patients with non-ST elevation acute coronary syndrome. 2004 , 29, 795-801	17
963	[Rheumatoid arthritis, inflammation, and atherosclerosis]. 2004 , 29, 760-8	25
962	Increased mortality in depressive disorders: a review. 2004 , 6, 430-7	105
961	Type 2 diabetes mellitus: a disease of the innate immune system? An update. 2004 , 21, 203-7	107
960	Vulnerable plaque paradigm: prediction of future clinical events based on a morphological definition. 2004 , 62, 364-74	11
959	Endogenous oestrogen, with or without progestin, does not slow progression of coronary artery atherosclerosis in postmenopausal women. 2004 , 8, 50-52	
958	Raloxifene inhibits cholesterol aortic content but not atherosclerotic plaque size in oophorectomised cholesterol-fed rabbits. 2004 , 24, 47-51	7
957	Plasma C-reactive protein concentrations in active and passive smokers: influence of antioxidant supplementation. 2004 , 23, 141-7	63
956	La inflamaci3n en los s3ndromes coronarios agudos: mecanismos e implicaciones cl3nicas. 2004 , 57, 433-446	19
955	Inflammation: cause of vascular disease and malnutrition in dialysis patients. 2004 , 24, 431-6	32
954	Insulin and insulin resistance: impact on blood pressure and cardiovascular disease. 2004 , 88, 63-82	111
953	Inflammation in Acute Coronary Syndromes: Mechanisms and Clinical Implications. 2004 , 57, 433-446	3

952	Activation of nuclear factor-kappaB and correlation with elevated plasma c-reactive protein in patients with unstable angina. 2004 , 13, 173-8	29
951	Relationship of interleukin-6 and C-reactive protein to the prothrombotic state in chronic atrial fibrillation. 2004 , 43, 2075-82	215
950	C-reactive protein and microalbuminuria differ in their associations with various domains of vascular disease. 2004 , 172, 107-14	44
949	The cardiovascular effects of chronic hypoestrogenism in amenorrhoeic athletes: a critical review. 2004 , 34, 601-27	31
948	Gender-based differences in the prognostic value of coronary calcification. 2004 , 13, 273-83	115
947	C-reactive protein and other circulating markers of inflammation in the prediction of coronary heart disease. 2004 , 350, 1387-97	2317
946	Time course of inflammatory response after renal artery stenting in patients with atherosclerotic renal stenosis. 2004 , 350, 115-21	30
945	Serum high sensitivity C-reactive protein is associated with carotid intima-media thickness in type 2 diabetes. 2004 , 66 Suppl 1, S115-20	28
944	Estrogen, inflammation and cardiovascular risk in women: a critical appraisal. 2004 , 15, 66-72	46
943	Effect of diet and exercise intervention on inflammatory and adhesion molecules in postmenopausal women on hormone replacement therapy and at risk for coronary artery disease. 2004 , 53, 377-81	99
942	Discrimination ratio analysis of inflammatory markers: implications for the study of inflammation in chronic disease. 2004 , 53, 899-903	33
941	Leukocyte count predicts outcome after ischemic stroke: the Northern Manhattan Stroke Study. 2004 , 13, 220-7	72
940	Effects of progestins on estrogen-induced increase in C-reactive protein in postmenopausal women. 2004 , 49, 315-20	12
939	Periodontal disease in patients with acute myocardial infarction: prevalence and contribution to elevated C-reactive protein levels. 2004 , 147, 1005-9	39
938	Prognostic significance of raised plasma levels of interleukin-6 and C-reactive protein in atrial fibrillation. 2004 , 148, 462-6	169
937	Association of the ER22/23EK polymorphism in the glucocorticoid receptor gene with survival and C-reactive protein levels in elderly men. 2004 , 117, 158-62	78
936	C-reactive protein: from innocent bystander to pivotal mediator of atherosclerosis. 2004 , 117, 499-507	122
935	Sex- and age-related differences in the prognostic value of C-reactive protein in patients with angiographic coronary artery disease. 2004 , 117, 657-64	22

934	Synergism between smoking and vital exhaustion in the risk of ischemic stroke: evidence from the ARIC study. 2004 , 14, 416-24	31
933	C-reactive protein: an activator of innate immunity and a modulator of adaptive immunity. 2004 , 30, 261-77	240
932	Carotid intima-media thickness, cardiovascular risk factors and albuminuria in a remote Australian Aboriginal community. 2004 , 177, 423-31	31
931	New clinical markers predictive of cardiovascular disease: the role of inflammatory mediators. 2004 , 12, 151-7	13
930	Association of fear of terror with low-grade inflammation among apparently healthy employed adults. 2004 , 66, 484-91	36
929	C-reactive protein is associated with psychological risk factors of cardiovascular disease in apparently healthy adults. 2004 , 66, 684-91	116
928	Hormone therapy and selective estrogen receptor modulators for prevention of coronary heart disease in postmenopausal women estrogen replacement from the cardiologist's perspective. 2004 , 12, 287-98	12
927	High-sensitivity C-reactive protein affects central haemodynamics and augmentation index in apparently healthy persons. 2004 , 22, 1133-9	47
926	Elevated Plasma C-reactive protein in chronically distressed subjects who carry the A allele of the TNF-alpha -308 G/A polymorphism. 2004 , 66, 501-6	48
925	Cardiac allograft vasculopathy: advances in understanding its pathophysiology, prevention, and treatment. 2004 , 19, 170-6	68
924	The white blood cell count is an independent predictor of no-reflow and mortality following acute myocardial infarction in the coronary interventional era. 2004 , 36, 153-60	41
923	C-reactive protein, cardiovascular risk, and renal disease in a remote Australian Aboriginal community. 2004 , 106, 121-8	43
922	Coronary spastic angina in patients with connective tissue disease. 2004 , 68, 367-70	15
921	High-sensitivity C-reactive protein: Clinical importance. 2004 , 29, 439-493	30
920	Role of inflammation and infection in vascular disease. 2005 , 105, 567-79	39
919	Procalcitonin, c-reactive protein and neopterin levels in patients with coronary atherosclerosis. 2005 , 60, 361-5	21
918	Clinical implications for statin pleiotropy. 2005 , 16, 624-9	102
917	Gender differences in coronary artery disease. 2005 , 20, 340-51; quiz 352-3	55

916	Effect of transdermal hormone replacement therapy on carotid artery wall thickness and levels of vascular inflammatory markers in postmenopausal women. 2005 , 28, 579-84	36
915	Markers of inflammation in acute coronary syndromes: association with increased heart rate and reductions in heart rate variability. 2005 , 28, 570-6	39
914	The effect of weight loss on a stable biomarker of inflammation, C-reactive protein. 2005 , 63, 22-8	80
913	Tissue plasminogen activator antigen is strongly associated with myocardial infarction in young women. 2005 , 3, 280-6	30
912	The association between atherosclerotic risk factors and renal function in the general population. 2005 , 67, 1967-73	72
911	C-reactive protein as a predictor of total arteriosclerotic outcomes in type 2 diabetic nephropathy. 2005 , 68, 773-8	14
910	The effect of diets high in protein or carbohydrate on inflammatory markers in overweight subjects. 2005 , 7, 223-9	36
909	Prognostic role of C-reactive protein in very old patients with acute ischaemic stroke. 2005 , 258, 145-52	39
908	Growth hormone replacement reduces C-reactive protein and large-artery stiffness but does not alter endothelial function in patients with adult growth hormone deficiency. 2005 , 62, 473-9	29
907	Serum biomarkers for cardiovascular inflammation in subclinical hypothyroidism. 2005 , 63, 582-7	53
906	Direct comparison of dietary portfolio vs statin on C-reactive protein. 2005 , 59, 851-60	56
905	Comparison of differing C-reactive protein assay methods and their impact on cardiovascular risk assessment. 2005 , 95, 155-8	35
904	Preprocedural white blood cell count and major adverse cardiac events late after percutaneous coronary intervention in saphenous vein grafts. 2005 , 96, 515-8	8
903	Relation of low socioeconomic status to C-reactive protein in patients with coronary heart disease (from the heart and soul study). 2005 , 96, 1506-11	33
902	Effect of influenza vaccine on markers of inflammation and lipid profile. 2005 , 145, 323-7	68
901	Current use of nonsteroidal antiinflammatory drugs and the risk of acute myocardial infarction. 2005 , 25, 503-10	46
900	-717A>G polymorphism of human C-reactive protein gene associated with coronary heart disease in ethnic Han Chinese: the Beijing atherosclerosis study. 2005 , 83, 72-8	58
899	Percutaneous coronary intervention triggers a systemic inflammatory response in patients treated for in-stent restenosis -- comparison with stable and unstable angina. 2005 , 54, 187-93	25

898	[The role of inflammation in the pathophysiology of acute coronary syndromes]. 2005 , 117, 445-55	8
897	Platelets and atherothrombosis: An essential role for inflammation in vascular disease [A review]. 2005 , 14, 211-217	2
896	Novel serologic markers of cardiovascular risk. 2005 , 7, 148-54	9
895	Anti-inflammatory strategies in hypertension: focus on COX-1 and COX-2. 2005 , 7, 52-60	5
894	A Case of Acute Myocardial Infarction and Multiorgan Involvement Secondary to Rheumatoid Vasculitis. 2005 , 35, 702	
893	Cardiovascular Risk Factors in the Elderly. 2005 , 79-102	
892	MENOPAUSE AND CARDIOVASCULAR RISK. 2005 , 1, 37-42	5
891	Vascular and Biochemical Effects of Moderate Alcohol Consumption: Mechanisms of Protection Against Cardiovascular Disease. 2005 , 911-919	0
890	[Female androgen insufficiency and potential risks of therapeutic replacement]. 2005 , 49, 205-16	5
889	Cardiovascular Disease in the Elderly. 2005 ,	
888	A daily glass of red wine: does it affect markers of inflammation?. 2005 , 40, 102-5	28
887	Activation of estrogen receptor-alpha protects the in vivo rabbit heart from ischemia-reperfusion injury. 2005 , 289, H2039-47	109
886	Effect of C-reactive protein on gene expression in vascular endothelial cells. 2005 , 288, H1539-45	41
885	Relationship between C-reactive protein and glucose levels in community-dwelling subjects without diabetes: the Hisayama Study. 2005 , 28, 1211-3	23
884	Statins reduce interleukin-6-induced C-reactive protein in human hepatocytes: new evidence for direct antiinflammatory effects of statins. 2005 , 25, 1231-6	193
883	C-reactive protein as a predictor of cardiovascular risk in a population with a high prevalence of diabetes: the Strong Heart Study. <i>Circulation</i> , 2005 , 112, 1289-95	16.7 82
882	Helper T cells and atherosclerosis: the cytokine web. 2005 , 81, 746-52	20
881	Das Fettgewebe - ein atherogenes Organ. 2005 , 1, 322-326	

880	Prevention of coronary heart disease: a nonhormonal approach. 2005 , 23, 157-66	4
879	Acute-Phase Proteins and Inflammation: Immunological and Clinical Implications. 2005 , 131-143	2
878	CRP or not CRP? That is the question. 2005 , 25, 1091-4	83
877	Sulodexide attenuates myocardial ischemia/reperfusion injury and the deposition of C-reactive protein in areas of infarction without affecting hemostasis. 2005 , 312, 794-800	38
876	Hormonal regulation of circulating C-reactive protein in men. 2005 , 51, 911-3	8
875	N-terminal pro-B-type natriuretic peptide concentrations are markedly higher in the umbilical cord blood of newborns than in their mothers. 2005 , 51, 913-5	29
874	Cardiovascular disease in U.S. patients with metabolic syndrome, diabetes, and elevated C-reactive protein. 2005 , 28, 690-3	138
873	Inflammatory markers and cardiovascular health in older adults. 2005 , 66, 265-75	148
872	Fiber and C-reactive protein in diabetes, hypertension, and obesity. 2005 , 28, 1487-9	37
871	Basic mechanisms in intracranial large-artery atherosclerosis: advances and challenges. 2005 , 20 Suppl 2, 75-83	34
870	Evaluation of C-reactive protein measurement for assessing the risk and prognosis in ischemic stroke: a statement for health care professionals from the CRP Pooling Project members. 2005 , 36, 1316-29	226
869	Macrophage-specific expression of group IIA sPLA2 results in accelerated atherogenesis by increasing oxidative stress. 2005 , 46, 1604-14	61
868	Cholesterol-independent effects of statins in inflammation, immunomodulation and atherosclerosis. 2005 , 5, 127-34	32
867	Elevated serum C-reactive protein levels and advanced atherosclerosis in youth. 2005 , 25, 1237-43	52
866	Fluctuating inflammatory markers in patients with stable ischemic heart disease. 2005 , 165, 221-6	48
865	New and old cardiovascular risk factors: C-reactive protein, homocysteine, cysteine and von Willebrand factor increase risk, especially in smokers. 2005 , 12, 542-547	13
864	Adaptation of the Human Skin by Chronic Solar-simulating UV Irradiation Prevents Ultraviolet-B Irradiation-induced Rise in Serum CReactive Protein Levels¶. 2005 , 81, 654	6
863	Evaluation of a high-sensitivity turbidimetric immunoassay for serum C-reactive protein: application to the study of longitudinal changes throughout normal pregnancy. 2005 , 43, 308-13	10

862	C-reactive protein augments interleukin-8 secretion in human peripheral blood monocytes. 2005 , 46, 690-6	23
861	Enhanced coronary calcification determined by electron beam CT is strongly related to endothelial dysfunction in patients with suspected coronary artery disease. 2005 , 128, 810-5	44
860	The functional role of C-reactive protein in aortic wall calcification. 2005 , 104, 57-64	14
859	Clinical research in primary stroke prevention: needs, opportunities, and challenges. 2005 , 25, 91-104	14
858	C-reactive protein in the prediction of cardiovascular and overall mortality in middle-aged men: a population-based cohort study. 2005 , 26, 1783-9	69
857	Biochemical risk markers: a novel area for better prediction of renal risk?. 2005 , 20, 497-508	17
856	Rheumatoid disease and the heart: from epidemiology to echocardiography. 2005 , 14, 65-76	3
855	Evolution of C-Reactive Protein as a Cardiac Risk Factor. 2005 , 36, 234-238	3
854	Are all COX-2 inhibitors created equal?. 2005 , 45, 178-80	9
853	[C-reactive protein in the acute phase of ischemic stroke]. 2005 , 125, 766-9	2
852	Postmenopausal hormone therapy: critical reappraisal and a unified hypothesis. 2005 , 83, 558-66	85
851	Associations of plasma C-reactive protein levels with the presence and extent of coronary stenosis in patients with stable coronary artery disease. 2005 , 178, 173-7	51
850	A novel common single nucleotide polymorphism in the promoter region of the C-reactive protein gene associated with the plasma concentration of C-reactive protein. 2005 , 178, 193-8	109
849	What causes acute coronary syndromes? Applying Koch's postulates. 2005 , 179, 1-15	24
848	Markers of inflammation and their clinical significance. 2005 , 6, 21-9	108
847	Association between the gene encoding 5-lipoxygenase-activating protein and stroke replicated in a Scottish population. 2005 , 76, 505-9	207
846	Premature atherosclerosis in systemic lupus erythematosus. 2005 , 31, 329-54, vii-viii	75
845	Effects of inflammation on plasma composition and endothelial structure and function. 2005 , 15, 94-8	13

844	Effects of hormone therapy on C-reactive protein and IL-6 in postmenopausal women: a review article. 2005 , 8, 317-26	45
843	Soluble CD40 ligand levels in patients with hypertension. 2005 , 27, 629-34	12
842	Effects of exercise and diet on chronic disease. 2005 , 98, 3-30	351
841	Does the type of hormone replacement therapy affect lipoprotein (a), homocysteine, and C-reactive protein levels in postmenopausal women?. 2005 , 54, 72-8	23
840	Prognostic value of C-reactive protein in patients with stress induced myocardial ischemia. 2005 , 98, 313-7	6
839	C-reactive protein and microalbuminuria are associated with atrial fibrillation. 2005 , 98, 73-7	68
838	Exercise training modulates cytokines activity in coronary heart disease patients. 2005 , 100, 93-9	248
837	Rheumatoid disease and ischaemic heart disease: insights from pathophysiology and vascular biology. 2005 , 105, 1-10	9
836	Effects of raloxifene, hormone therapy, and soy isoflavone on serum high-sensitive C-reactive protein in postmenopausal women. 2005 , 90, 128-33	41
835	The effects of oral and transdermal hormone replacement therapy on C-reactive protein levels and other inflammatory markers in women with high risk of thrombosis. 2005 , 52, 111-8	48
834	Brief review and critical examination of the use of hs-CRP for cardiac risk assessment with the conclusion that it is premature to use this test. 2005 , 356, 1-8	14
833	The effects of consumption of omega3 fatty acid-enriched eggs on insulin and CRP. 2005 , 15, 329-30	6
832	Relationship of C-reactive protein with components of the metabolic syndrome in normal-weight and overweight elderly. 2005 , 15, 270-8	26
831	C-reactive protein is a risk indicator for atrial fibrillation after myocardial revascularization. 2005 , 79, 1530-5	114
830	Stent implantation, but not pathogen burden, is associated with plasma C-reactive protein and interleukin-6 levels after percutaneous coronary intervention in patients with stable angina pectoris. 2005 , 149, 876-82	34
829	The biology, utilization, and attenuation of C-reactive protein in cardiovascular disease: part I. 2005 , 149, 971-6	11
828	The biology, utilization, and attenuation of C-reactive protein in cardiovascular disease: part II. 2005 , 149, 977-83	20
827	Global inflammation predicts cardiovascular risk in women: a report from the Women's Ischemia Syndrome Evaluation (WISE) study. 2005 , 150, 900-6	51

826	Women with a low Framingham risk score and a family history of premature coronary heart disease have a high prevalence of subclinical coronary atherosclerosis. 2005 , 150, 1276-81	102
825	Local release of C-reactive protein from vulnerable plaque or coronary arterial wall injured by stenting. 2005 , 46, 239-45	117
824	Race and gender differences in C-reactive protein levels. 2005 , 46, 464-9	514
823	Proteomics: from basic research to diagnostic application. A review of requirements & needs. 2005 , 4, 1086-97	139
822	Chronic Inflammatory Hypothesis in the Metabolic Syndrome. 2005 , 217-231	
821	Atherosclerosis: Diet and Drugs. 2005 ,	2
820	Novel Digital-Style Rapid Test Simultaneously Detecting Heart Attack and Predicting Cardiovascular Disease Risk. 2005 , 38, 423-439	23
819	Disease-modifying antirheumatic drugs are associated with a reduced risk for cardiovascular disease in patients with rheumatoid arthritis: a case control study. 2006 , 8, R151	181
818	Interleukin-6 and rheumatic diseases. 2006 , 8 Suppl 2, S4	79
817	Cardiovascular Biomarkers. 2006 ,	2
816	Plasma Proteins and Protein Catabolism. 2006 , 81-92	
815	Increased levels of C-reactive protein and interleukin-6 in hyperhomocysteinemic subjects. 2006 , 66, 45-54	56
814	Hip circumference is an important predictor of plasma C-reactive protein levels in overweight and obese Taiwanese women. 2006 , 45, 215-20	2
813	Coronary artery disease progression is associated with C-reactive protein and conventional risk factors but not soluble CD40 ligand. 2006 , 22, 691-6	13
812	Framingham risk equation underestimates subclinical atherosclerosis risk in asymptomatic women. 2006 , 184, 201-6	169
811	The effects of hormone therapy on the markers of inflammation and endothelial function and plasma matrix metalloproteinase-9 level in postmenopausal women: the postmenopausal estrogen progestin intervention (PEPI) trial. 2006 , 185, 347-52	58
810	Coronary artery calcium as a measure of biologic age. 2006 , 188, 112-9	100
809	Is there more than C-reactive protein and fibrinogen? The prognostic value of soluble CD40 ligand, interleukin-6 and oxidized low-density lipoprotein with respect to coronary and cerebral vascular disease. 2006 , 187, 18-25	67

808	Different effects of oral conjugated estrogen and transdermal estradiol on arterial stiffness and vascular inflammatory markers in postmenopausal women. 2006 , 189, 436-42	64
807	Serum markers of vascular inflammation in dyslipemia. 2006 , 369, 1-16	44
806	Inflammatory and long-term risk markers. 2006 , 26, 553-70, v	8
805	Inflammation, Atherosclerosis, and Cardiovascular Disease Risk: PAPP-A, Lp-PLA2, and Cystatin C. New Insights or Redundant Information?. 2006 , 59, 247-258	4
804	In-Hospital and Long-Term Mortality in Women With Acute Myocardial Infarction Treated by Primary Angioplasty. 2006 , 59, 1113-1122	1
803	Inflamaci3n, aterosclerosis y riesgo cardiovascular: PAPP-A, Lp-PLA2 y cistatina C. ¿Nuevas aportaciones o informaci3n redundante?. 2006 , 59, 247-258	19
802	[Impact of metabolic syndrome on CRP levels]. 2006 , 206, 363-8	2
801	Mortalidad a corto y largo plazo en mujeres con infarto de miocardio tratado con angioplastia primaria. 2006 , 59, 1113-1122	13
800	The metabolic syndrome and cardiovascular disease. 2006 , 38, 64-80	139
799	Physical activity and high-sensitivity C-reactive protein. 2006 , 36, 443-58	161
798	Insights from the NHLBI-Sponsored Women's Ischemia Syndrome Evaluation (WISE) Study: Part I: gender differences in traditional and novel risk factors, symptom evaluation, and gender-optimized diagnostic strategies. 2006 , 47, S4-S20	516
797	Distribution and metabolic syndrome correlates of plasma C-reactive protein in biracial (black-white) younger adults: the Bogalusa Heart Study. 2006 , 55, 699-705	49
796	Comparison of insulin resistance and serum high-sensitivity C-reactive protein levels according to the fasting blood glucose subgroups divided by the newly recommended criteria for fasting hyperglycemia in 10059 healthy Koreans. 2006 , 55, 183-7	21
795	C-reactive protein in atherosclerosis: A causal factor?. 2006 , 71, 30-9	142
794	Preoperative white blood cell count is independently associated with higher perioperative cardiac enzyme release and increased 1-year mortality after coronary artery bypass grafting. 2006 , 81, 583-9	29
793	Altered apolipoprotein A-V expression during the acute phase response is independent of plasma triglyceride levels in mice and humans. 2006 , 339, 833-9	14
792	Effects of estrogen, raloxifene, and hormone replacement therapy on serum C-reactive protein and homocysteine levels. 2006 , 53, 252-9	36
791	Effects of dydrogesterone and norethisterone, in combination with oestradiol, on lipoproteins and inflammatory markers in postmenopausal women. 2006 , 53, 439-46	14

790	HDL: the 'new' target of cardiovascular medicine. 2006 , 108, 143-54	11
789	The impact of early administration of low-dose atorvastatin treatment on inflammatory process, in patients with unstable angina and low cholesterol level. 2006 , 109, 48-52	32
788	Effects of synthetic progestagens on autonomic tone, neurohormones and C-reactive protein levels in young healthy females in reproductive age. 2006 , 111, 42-8	12
787	Increased high sensitivity C-reactive protein and neutrophil count are related to increased standard cardiovascular risk factors in healthy Chinese men. 2006 , 110, 191-8	21
786	Anti-inflammatory and metabolic effects of candesartan in hypertensive patients. 2006 , 108, 96-100	89
785	Uncoupling of cardiovascular risk markers in adolescent girls with anorexia nervosa. 2006 , 149, 763-769	34
784	Severity of Coronary Atherosclerosis; Influence of Metabolic Syndrome Risk Factor Clustering and hs-CRP. 2006 , 36, 802	7
783	Association between dietary fiber and serum C-reactive protein. 2006 , 83, 760-6	255
782	Obesity as an inflammatory condition. 2006 , 11,	0
781	Body mass index and C-reactive protein in the healthy Korean aged men. 2006 , 21, 811-5	2
780	Relationship between high-sensitivity C-reactive protein level and angiographical characteristics of coronary atherosclerosis. 2006 , 119, 319-323	0
779	Measuring immune function: markers of cell-mediated immunity and inflammation in dried blood spots. 181-208	2
778	Reducing the cardiovascular disease burden in rheumatoid arthritis. 2006 , 184, 287-90	28
777	C-reactive protein and cardiovascular disease in people with diabetes: high-sensitivity CRP testing can help assess risk for future cardiovascular disease events in this population. 2006 , 106, 66-72	10
776	Protection of endothelial function: targets for nutritional and pharmacological interventions. 2006 , 47 Suppl 2, S136-50; discussion S172-6	47
775	Common genetic vulnerability to depressive symptoms and coronary artery disease: a review and development of candidate genes related to inflammation and serotonin. 2006 , 68, 187-200	143
774	C-reactive protein and risk of first-ever ischemic and hemorrhagic stroke in a general Japanese population: the Hisayama Study. 2006 , 37, 27-32	89
773	Inflammation in hypertension. 2006 , 15, 152-8	139

772	Biomarkers of outcome from cardiovascular disease. 2006 , 12, 412-9	32
771	Effects of aromatase inhibition on sexual function and well-being in postmenopausal women treated with testosterone: a randomized, placebo-controlled trial. 2006 , 13, 37-45	67
770	The effect of various menopausal hormone therapies on markers of inflammation, coagulation, fibrinolysis, lipids, and lipoproteins in healthy postmenopausal women. 2006 , 13, 643-50	65
769	Inflammation, atherosclerosis, and stroke. 2006 , 12, 140-8	83
768	Homocysteine, folate, and vitamins B6 and B12 blood levels in relation to cognitive performance: the Maine-Syracuse study. 2006 , 68, 547-54	67
767	Fenofibrate: a novel formulation (Triglide) in the treatment of lipid disorders: a review. 2006 , 1, 129-47	42
766	Proteomic analysis of high-density lipoprotein. 2006 , 6, 721-30	155
765	Statins reduce macrophage inflammatory protein-1alpha expression in human activated monocytes. 2006 , 33, 1144-9	18
764	Clinical significance of circulating hepatocyte growth factor, a new risk marker of carotid atherosclerosis in patients with Type 2 diabetes. 2006 , 23, 617-22	24
763	Inflammatory measures in children with obstructive sleep apnoea. 2006 , 42, 277-82	83
762	Coxibs, non-steroidal anti-inflammatory drugs and cardiovascular risk. 2006 , 36, 308-19	30
761	Effects of estrogen and selective estrogen receptor modulators on hemostasis and inflammation: potential differences among drugs. 2001 , 949, 175-80	4
760	C-reactive protein (CRP)-lowering agents. 2006 , 24, 33-50	193
759	Changes in biochemical parameters related to atherosclerosis after Helicobacter pylori eradication. 2006 , 2, 58-64	10
758	Increased inflammatory markers in children with familial hypercholesterolaemia. 2006 , 36, 147-52	39
757	Japanese Society of Hypertension. 2006 , 29, S1-S105	29
756	Inflammation, obesity and cardiovascular function in African and Caucasian women from South Africa: the POWIRS study. 2006 , 20, 850-9	46
755	The effects of estrogen and selective estrogen receptor modulators on cardiovascular risk factors. 2001 , 949, 163-7	12

754	Rationale and overview of the Raloxifene Use for the Heart (RUTH) trial. 2001 , 949, 181-5	20
753	Effects of dietary factors on oxidation of low-density lipoprotein particles. 2006 , 17, 645-58	115
752	Insulin resistance, the metabolic syndrome, diabetes, and cardiovascular disease risk in women with PCOS. 2006 , 30, 45-53	87
751	Short-term effects of hormone therapy on serum C-reactive protein levels in postmenopausal women. 2006 , 274, 9-12	2
750	Site-directed immobilisation of antibody fragments for detection of C-reactive protein. 2006 , 21, 1141-8	74
749	Effects of soy or milk protein during a high-fat feeding challenge on oxidative stress, inflammation, and lipids in healthy men. 2006 , 41, 257-65	34
748	The effect of weight loss and dietary fatty acids on inflammation. 2006 , 8, 477-86	16
747	Vascular effects of TZDs: new implications. 2006 , 45, 3-18	42
746	Procoagulant factors and the risk of myocardial infarction in young women. 2006 , 77, 67-73	50
745	Challenging the validity of the EPO index. 2006 , 47, 166	43
744	C-reactive protein: a family of proteins to regulate cardiovascular function. 2006 , 47, 212-22	53
743	Determination of C-reactive protein with an ultra-sensitivity immunochemiluminometric assay. 2006 , 311, 87-95	16
742	Low-carbohydrate and high-fat intake among adult patients with poorly controlled type 2 diabetes mellitus. 2006 , 22, 1129-36	28
741	Incidence of noncardiac vascular disease in rheumatoid arthritis and relationship to extraarticular disease manifestations. 2006 , 54, 642-8	73
740	Percutaneous coronary intervention for revascularization of the diabetic patient. 2006 , 67, 253-8	
739	Advancing the study of stroke in women: summary and recommendations for future research from an NINDS-Sponsored Multidisciplinary Working Group. 2006 , 37, 2387-99	87
738	Association between inflammation and malnutrition as risk factors of cardiovascular disease. 2006 , 24, 51-5	36
737	Evidence that C-reactive protein or IL-6 are not surrogates for all inflammatory cardiovascular risk factors in hemodialysis patients. 2006 , 24, 508-16	12

736	Impact of C-reactive protein and fibrinogen on cardiovascular prognosis in patients with stable angina pectoris: the AtheroGene study. 2006 , 27, 2962-8	45
735	Macroangiopathy in adults and children with diabetes: risk factors (part 2). 2006 , 38, 706-20	9
734	HDL inflammation and atherosclerosis: current and future perspectives. 2006 , 2, 37-48	1
733	Clinical implications of vulnerable plaque. 2006 , 2, 721-31	
732	Chronic inflammation: role of adipose tissue and modulation by weight loss. 2006 , 2, 29-37	68
731	The evaluation of the role of beta-hydroxy fatty acids on chronic inflammation and insulin resistance. 2006 , 2006, 64980	6
730	Severe extra-articular disease manifestations are associated with an increased risk of first ever cardiovascular events in patients with rheumatoid arthritis. 2007 , 66, 70-5	109
729	High Sensitivity C-Reactive Protein (hsCRP): A New Biochemical Marker of Atherosclerotic Vascular Disease. 2006 , 2, 215-225	
728	The C-reactive protein (+)1444C/T alteration modulates the inflammation and coagulation response in human endotoxemia. 2006 , 52, 1952-7	29
727	Serum heat shock protein 70 levels and lung cancer risk: a case-control study nested in a large cohort study. 2006 , 15, 1733-7	42
726	A nuclear receptor corepressor-dependent pathway mediates suppression of cytokine-induced C-reactive protein gene expression by liver X receptor. 2006 , 99, e88-99	52
725	Lipids and inflammation: serial measurements of the lipid profile of blood donors who later developed rheumatoid arthritis. 2007 , 66, 184-8	134
724	C-reactive protein and neopterin levels in healthy non-obese adults. 2006 , 44, 317-21	10
723	Psychosocial and behavioral predictors of inflammation in middle-aged and older adults: the Chicago health, aging, and social relations study. 2006 , 68, 376-81	239
722	C-Reactive Protein as a Tool for Risk Assessment in Primary Prevention. 2006 , 237-260	
721	In-hospital and long-term prognostic value of fibrinogen, CRP, and IL-6 levels in patients with acute myocardial infarction treated with thrombolysis. 2006 , 57, 283-93	26
720	High-sensitivity C-reactive protein, lipoprotein-associated phospholipase A2, and outcome after ischemic stroke. 2006 , 166, 2073-80	195
719	Mediterranean Diet and Cardiovascular Disease. 2006 , 2, 265-273	1

718	Nutritional influences on inflammation and type 2 diabetes risk. 2006 , 8, 45-54		24
717	Acute myocardial infarction in pregnancy: a United States population-based study. <i>Circulation</i> , 2006 , 113, 1564-71	16.7	364
716	Complex actions of sex steroids in adipose tissue, the cardiovascular system, and brain: Insights from basic science and clinical studies. 2006 , 27, 575-605		208
715	Assessing inflammatory status in cardiovascular disease. 2007 , 93, 1001-7		54
714	Medroxyprogesterone acetate prevents the cardioprotective and anti-inflammatory effects of 17beta-estradiol in an in vivo model of myocardial ischemia and reperfusion. 2007 , 293, H1408-15		18
713	Transgenic expression of human C-reactive protein suppresses endothelial nitric oxide synthase expression and bioactivity after vascular injury. 2007 , 293, H489-95		26
712	New cardiovascular risk determinants do exist and are clinically useful. 2008 , 29, 1335; author reply 1335-6		
711	Serum BNP, hs-C-reactive protein, procollagen to assess the risk of ventricular tachycardia in ICD recipients after myocardial infarction. 2007 , 9, 724-9		62
710	Systemic effects of smoking. 2007 , 131, 1557-66		667
709	Differential associations of traditional and non-traditional risk factors with carotid intima-media thickening and plaque in peritoneal dialysis patients. 2007 , 27, 458-65		21
708	Low-grade inflammation is a risk factor for clinical stroke events in addition to silent cerebral infarcts in Japanese older hypertensives: the Jichi Medical School ABPM Study, wave 1. 2007 , 38, 911-7		58
707	Evaluation of the high-sensitivity, full-range Olympus CRP OSR6199 application on the Olympus AU640. 2007 , 45, 402-6		1
706	Science and serendipity. 2007 , 7, 562-78		17
705	The relationship between plasma C-reactive protein levels and presence and severity of coronary stenosis in patients with stable angina. 2007 , 58, 657-62		6
704	Role of novel mediators of inflammation in left ventricular remodeling in patients with acute myocardial infarction: do they affect the outcome of patients?. 2007 , 58, 45-54		6
703	Asymptomatic Carotid Artery Stenosis. 2007 ,		13
702	Association of classical and related inflammatory markers with high-sensitivity C-reactive protein in healthy individuals: results from the Stanislas cohort. 2007 , 45, 1339-46		11
701	Late referral to a nephrologist increases the risk of uremia-related cardiac hypertrophy in patients on hemodialysis. 2007 , 107, c139-46		9

700	Anthropometric correlates of C-reactive protein among indigenous Siberians. 2007 , 26, 241-6	14
699	Atherosclerosis. 113-136	
698	Pathophysiologic mechanisms of obesity and related metabolic disorders: an epidemiologic study using questionnaire and serologic biomarkers. 2007 , 17, 141-6	6
697	Diabetes, hypertension, and cardiovascular events in survivors of hematopoietic cell transplantation: a report from the bone marrow transplantation survivor study. 2007 , 109, 1765-72	278
696	Evaluation of C-reactive protein in primary and secondary prevention. 2007 , 55, 430-8	8
695	Lessons from hormone replacement therapy trials for primary prevention of cardiovascular disease. 2007 , 22, 434-42	7
694	Inflammation and ischaemic stroke. 2007 , 20, 334-42	192
693	Renal angioplasty causes a rapid transient increase in inflammatory biomarkers, but reduced levels of interleukin-6 and endothelin-1 1 month after intervention. 2007 , 25, 1907-14	21
692	Effect of a high-fiber diet vs a fiber-supplemented diet on C-reactive protein level. 2007 , 167, 502-6	165
691	C-reactive protein levels increase after exercise testing in patients with increased platelet reactivity. 2007 , 18, 437-42	3
690	New cardiovascular risk determinants do exist and are clinically useful: reply. 2007 , 29, 1335-1336	
689	C-reactive protein, bezafibrate, and recurrent coronary events in patients with chronic coronary heart disease. 2007 , 154, 1095-101	10
688	Additive effect of interleukin-6 and C-reactive protein (CRP) single nucleotide polymorphism on serum CRP concentration and other cardiovascular risk factors. 2007 , 380, 68-74	31
687	Prognostic significance of interleukin-6 measurement in the diagnosis of acute myocardial infarction in emergency department. 2007 , 381, 151-6	8
686	C-reactive protein and features of metabolic syndrome in Brazilian women with previous gestational diabetes. 2007 , 78, 23-9	24
685	Anti-inflammatory effects of atorvastatin: modulation by the T-786C polymorphism in the endothelial nitric oxide synthase gene. 2007 , 193, 438-44	69
684	Serum VEGF--as a prognostic factor of atherosclerosis. 2007 , 194, 182-8	57
683	Inflammation, atherosclerotic burden and cardiovascular prognosis. 2007 , 195, e126-34	35

682	Vascular inflammation in hypertension and diabetes: molecular mechanisms and therapeutic interventions. 2007 , 112, 375-84	247
681	Human C-reactive protein (CRP) gene 1059G>C polymorphism is associated with plasma CRP concentration in patients receiving coronary angiography. 2007 , 106, 347-54	16
680	Inflammatory bowel disease is not associated with increased intimal media thickening. 2007 , 102, 1050-5	55
679	Preparation of a Sensing Membrane for C-Reactive Protein. 2007 , 249-250, 71-75	6
678	Evaluating the role of biomarkers for cardiovascular risk prediction: focus on CRP, BNP and urinary microalbumin. 2007 , 7, 793-804	22
677	Cardiac biomarkers: myths, facts and future horizons. 2007 , 7, 693-7	2
676	The nature of the problem: an overview of acute coronary syndromes and myocardial infarction. 2007 , 38, 143-153	1
675	Long-term Efficacy of Combination Therapy with Anti-arrhythmic Agents and Pravastatin in Patients with Paroxysmal Atrial Fibrillation. 2007 , 23, 124-130	2
674	Elevated C-reactive protein levels are associated with postoperative events in patients undergoing lower extremity vein bypass surgery. 2007 , 45, 2-9; discussion 9	117
673	Acute phase proteins: C-reactive protein and fibrinogen in young women with polycystic ovary syndrome. 2007 , 14, 23-8	20
672	Major depressive disorder and inflammatory markers in elderly patients with heart failure. 2007 , 48, 319-24	20
671	C-reactive protein, obesity, and insulin resistance in postmenopausal women in urban slums of North India. 2007 , 1, 83-89	16
670	Glitazones: Beyond glucose lowering!. 2007 , 1, 197-207	1
669	Relationship between C-reactive protein levels and regional left ventricular function in asymptomatic individuals: the Multi-Ethnic Study of Atherosclerosis. 2007 , 49, 594-600	37
668	C-reactive protein and the prediction of cardiovascular events among those at intermediate risk: moving an inflammatory hypothesis toward consensus. 2007 , 49, 2129-38	453
667	Non ST-Elevation Acute Coronary Syndromes. 2007 , 221-245	
666	The effect of acute intermittent hypercapnic hypoxia treatment on IL-6, TNF-alpha, and CRP levels in piglets. 2007 , 30, 723-7	32
665	. 2007 ,	2

664	Adaptation and evaluation of the Randox full-range CRP assay on the Olympus AU2700. 2007 , 21, 34-9	1
663	Association of cytokines with endothelium dependent flow mediated vasodilation (FMD) of systemic arteries in patients with non-ischemic cardiomyopathy. 2007 , 5, 49	2
662	Does using ethnic specific criteria improve the usefulness of the term metabolic syndrome? Controversies and suggestions. 2007 , 31, 1340-9	16
661	Adaptation of the Human Skin by Chronic Solar-simulating UV Irradiation Prevents Ultraviolet-B Irradiation-induced Rise in Serum C-Reactive Protein Levels¶. 2007 , 81, 654-658	
660	Well-being, health-related quality of life and cardiovascular disease risk profile in women with subclinical thyroid disease - a community-based study. 2007 , 66, 548-56	52
659	Higher plasma leptin largely explains increased C-reactive protein levels in women. 2007 , 37, 231-3	4
658	Changes in biochemical parameters related to atherosclerosis after Helicobacter pylori eradication. 2007 , 24, 58-64	9
657	Socioeconomic and racial/ethnic differentials of C-reactive protein levels: a systematic review of population-based studies. 2007 , 7, 212	172
656	Global risk management in patients with type 2 diabetes mellitus. 2007 , 99, 41B-50B	31
655	Biological surrogates for enhancing cardiovascular risk prediction in type 2 diabetes mellitus. 2007 , 99, 80B-88B	41
654	C-reactive protein promotes monocyte-platelet aggregation: an additional link to the inflammatory-thrombotic intricacy. 2007 , 78, 246-52	31
653	The pharmacology of particulate matter air pollution-induced cardiovascular dysfunction. 2007 , 113, 16-29	114
652	Effects of histamine 2 receptor antagonists on endothelial-neutrophil adhesion and surface expression of endothelial adhesion molecules induced by high glucose levels. 2007 , 21, 50-5	12
651	Atorvastatin induces associated reductions in platelet P-selectin, oxidized low-density lipoprotein, and interleukin-6 in patients with coronary artery diseases. 2008 , 23, 249-56	39
650	Novel markers of inflammation in atherosclerosis. 2008 , 10, 164-70	35
649	Effect of angiotensin II type 1 receptor blockers in patients with self-monitored morning hypertension. 2008 , 10, 469-70	
648	Statin treatment for rheumatoid arthritis: a promising novel indication. 2008 , 27, 281-7	49
647	Detection of C-reactive protein on a functional poly(thiophene) self-assembled monolayer using surface plasmon resonance. 2008 , 108, 1379-83	18

646	Racial differences in C-reactive protein levels during normal pregnancy. 2008 , 199, 523.e1-6	45
645	Inflammatory factors, physical activity, and physical fitness in young people. 2008 , 18, 543-56	47
644	Obesity and C-reactive protein levels among white, black, and hispanic US adults. 2008 , 16, 875-80	79
643	Consumption of isoflavone-rich soy protein does not alter homocysteine or markers of inflammation in postmenopausal women. 2008 , 62, 1419-25	37
642	Effects of long-term transdermal hormone replacement therapy on the renin-angiotensin-aldosterone system, plasma bradykinin levels and blood pressure in normotensive postmenopausal women. 2008 , 8, 259-64	26
641	2,3,4',5-Tetrahydroxystilbene-2-O-beta-D-glucoside suppresses matrix metalloproteinase expression and inflammation in atherosclerotic rats. 2008 , 35, 310-6	33
640	How to identify patients with vulnerable plaques. 2008 , 10, 824-33	5
639	C-reactive protein and coronary heart disease: a critical review. 2008 , 264, 295-314	269
638	Relation between plasma adiponectin, high-sensitivity C-reactive protein, and coronary plaque components in patients with acute coronary syndrome. 2008 , 101, 1-7	61
637	C-reactive protein and coronary artery calcium in asymptomatic women with systemic lupus erythematosus or rheumatoid arthritis. 2008 , 102, 755-60	54
636	Polymorphism of the interleukin-10 gene in polycystic ovary syndrome. 2008 , 35, 119-23	19
635	Contemporary approach to the diagnosis and management of non-ST-segment elevation acute coronary syndromes. 2008 , 50, 311-51	14
634	Association between dietary glycemic index, glycemic load, and high-sensitivity C-reactive protein. 2008 , 24, 401-6	30
633	Association between dietary fiber and markers of systemic inflammation in the Women's Health Initiative Observational Study. 2008 , 24, 941-9	219
632	Relationship between endogenous testosterone and cardiovascular risk in early postmenopausal women. 2008 , 57, 961-5	69
631	[8-oxo-7,8-dihydro-2'-deoxyguanosine as a marker of DNA oxidative stress in individuals with combined familiar hyperlipidemia]. 2008 , 131, 1-4	8
630	Biosensors for biomarkers in medical diagnostics. 2008 , 13, 637-57	128
629	C-reactive protein in acute coronary syndromes: a perfect trigger or an excellent indicator?. 2008 , 131, 134-5; author reply 136-7	3

628	C-reactive protein and rate of dementia in carriers and non carriers of Apolipoprotein APOE4 genotype. 2008 , 29, 1774-82	45
627	Effects of non-oral postmenopausal hormone therapy on markers of cardiovascular risk: a systematic review. 2008 , 90, 642-72	50
626	Diabetes exacerbates angiographic coronary lesion progression in subjects with metabolic syndrome independent of CRP levels. 2008 , 388, 41-5	20
625	Prevalence of the impaired glucose metabolism and its association with risk factors for coronary artery disease in women with gestational diabetes. 2008 , 79, 433-7	15
624	C-reactive protein genetics is associated with carotid artery compliance in men in The Cardiovascular Risk in Young Finns Study. 2008 , 196, 841-8	38
623	C-reactive protein and e-selectin levels are related to vasodilation in resistance, but not conductance arteries in the elderly: the prospective investigation of the Vasculature in Uppsala Seniors (PIVUS) study. 2008 , 199, 129-37	19
622	C-reactive protein (CRP) increases VEGF-A expression in monocytic cells via a PI3-kinase and ERK 1/2 signaling dependent pathway. 2008 , 200, 286-93	33
621	Markers of inflammation and coronary artery calcification: a systematic review. 2008 , 201, 1-7	114
620	Common inflammatory mediators orchestrate pathophysiological processes in rheumatoid arthritis and atherosclerosis. 2009 , 48, 11-22	137
619	Frailty and its potential relevance to cardiovascular care. 2008 , 83, 1146-53	79
618	C-reactive protein (CRP): more than just an innocent bystander?. 2008 , 24, 75-8	35
617	Intermittent hypoxia and activation of inflammatory molecular pathways in OSAS. 2008 , 114, 261-6	74
616	Plasma cytokines in obese women with polycystic ovary syndrome, before and after metformin treatment. 2008 , 24, 378-84	49
615	Inflammation, statin therapy, and risk of stroke after an acute coronary syndrome in the MIRACL study. 2008 , 28, 142-7	57
614	The MUSCAT study: a Multicenter PROBE Study Comparing the Effects of Angiotensin II Type-1 Receptor Blockers on Self-Monitored Home Blood Pressure in Patients with Morning Hypertension: study design and background characteristics. 2008 , 31, 51-8	5
613	Dyslipidaemia as a predictor of hypertension in middle-aged men. 2008 , 29, 2561-8	86
612	Plasma C-reactive protein and 5-lipoxygenase-activating protein gene promoter poly-A polymorphism in patients with coronary artery disease. 2008 , 109, 25-32	3
611	C-reactive protein and all-cause mortality in a large hospital-based cohort. 2008 , 54, 343-9	79

610	CRP in non-dippers: new perspectives and old queries. 2008 , 22, 447-9	4
609	Proinflammation and hypertension: a population-based study. 2008 , 2008, 619704	14
608	Oxidative Stress and Inflammation in Chronic Kidney Disease: Role of Intravenous Iron and Vitamin D. 2008 , 21, 214-224	
607	Salivary lysozyme and prevalent hypertension. 2008 , 87, 480-4	18
606	Candidate genes of the 5-lipoxygenase pathway in acute coronary syndrome: a pilot study. 2008 , 9, 280-92	3
605	Short-term changes in hsCRP and NT-proBNP levels in hypertensive emergencies. 2008 , 40, 561-5	4
604	Reduced high-molecular-weight adiponectin and elevated high-sensitivity C-reactive protein are synergistic risk factors for metabolic syndrome in a large-scale middle-aged to elderly population: the Shimanami Health Promoting Program Study. 2008 , 93, 715-22	47
603	High levels of inflammatory biomarkers are associated with increased allele-specific apolipoprotein(a) levels in African-Americans. 2008 , 93, 1482-8	31
602	The association of sudden cardiac death with inflammation and other traditional risk factors. 2008 , 74, 1335-42	134
601	Size at birth, weight gain over the life course, and low-grade inflammation in young adulthood: northern Finland 1966 Birth Cohort study. 2008 , 29, 1049-56	79
600	Association between heart rate and multiple risk factor syndrome: cross-sectional analysis of a screened cohort in Okinawa, Japan. 2008 , 72, 454-7	12
599	C-Reactive Protein. 159-180	
598	Antiplatelet Therapy in ST-Elevation Myocardial Infarction. 164-177	
597	Usefulness of combined high-sensitive C-reactive protein and N-terminal-probrain natriuretic peptide for predicting cardiovascular events in patients with suspected coronary artery disease. 2008 , 19, 187-93	9
596	Candidate circulating biomarkers for the cardiovascular disease continuum. 2008 , 14, 2445-61	11
595	Serum levels of YKL-40 increases in patients with acute myocardial infarction. 2008 , 19, 257-63	76
594	Effects of third-generation oral contraceptives on high-sensitivity C-reactive protein and homocysteine in young women. 2008 , 111, 857-64	47
593	Admission C-reactive protein does not predict functional outcomes in patients with strokes in a subacute rehabilitation unit. 2008 , 87, 731-9	2

592	. 2008,	1
591	. 2008,	1
590	. 2008,	7
589	Marcadores de riesgo cardiovascular en escolares de cinco departamentos de la regi3n oriental en Colombia. 2008, 28, 38	3
588	New evidences for C-reactive protein (CRP) deposits in the arterial intima as a cardiovascular risk factor. 2008, 3, 341-9	25
587	High-sensitivity CRP reflects insulin resistance in smokers. 2009, 16, 560-7	14
586	Inflammatory markers of cardiovascular disease in the elderly. 2009, 92, 221-8, 227-34	16
585	The vulnerable patient: refocusing on the plaque?. 2009, 102, 231-9	10
584	C-reactive protein: eighty years from discovery to emergence as a major risk marker for cardiovascular disease. 2009, 55, 209-15	128
583	Relationship between high-sensitivity C-reactive protein and clinical functional outcome after acute ischemic stroke in a Korean population. 2009, 28, 545-50	42
582	Pulmonary dysfunction is possibly a marker of malnutrition and inflammation but not mortality in patients with end-stage renal disease. 2009, 111, c1-6	12
581	C-reactive protein and coronary heart disease: predictive test or therapeutic target?. 2009, 55, 239-55	55
580	Effect of heart rate on the risk of developing metabolic syndrome. 2009, 32, 801-6	19
579	Variability and correlates of high sensitivity C-reactive protein in systemic lupus erythematosus. 2009, 18, 966-73	18
578	Pre-operative high sensitive C-reactive protein predicts cardiovascular events after coronary artery bypass grafting surgery: a prospective observational study. 2009, 12, 127-32	19
577	High-sensitivity C-reactive protein predicts mortality but not stroke: the Northern Manhattan Study. 2009, 73, 1300-7	63
576	Relation of genetic variation in the gene coding for C-reactive protein with its plasma protein concentrations: findings from the Women's Health Initiative Observational Cohort. 2009, 55, 351-60	34
575	DHA supplementation decreases serum C-reactive protein and other markers of inflammation in hypertriglyceridemic men. 2009, 139, 495-501	96

574	Predictors of cardiovascular damage in patients with systemic lupus erythematosus: data from LUMINA (LXVIII), a multiethnic US cohort. 2009 , 48, 817-22	80
573	Modifying the n-6/n-3 polyunsaturated fatty acid ratio of a high-saturated fat challenge does not acutely attenuate postprandial changes in inflammatory markers in men with metabolic syndrome. 2009 , 58, 1709-16	31
572	Obstructive sleep apnea and inflammation. 2009 , 51, 392-9	109
571	Monomeric C-reactive protein generation on activated platelets: the missing link between inflammation and atherothrombotic risk. 2009 , 19, 232-7	46
570	Modern state of acute myocardial infarction in the interventional era: observational case-control study--Japanese acute coronary syndrome study (JACSS). 2009 , 54, 1-9	22
569	Admission C-reactive protein after acute ischemic stroke is associated with stroke severity and mortality: the 'Bergen stroke study'. 2009 , 9, 18	77
568	CRP and FCGR2A genes have an epistatic effect on carotid artery intima-media thickness: the Cardiovascular Risk in Young Finns Study. 2009 , 36, 39-45	5
567	Change in hemoglobin A(1c) and C-reactive protein levels in patients with diabetes mellitus. 2009 , 4, 76-80	3
566	Low high-density lipoprotein cholesterol and increased cardiovascular disease risk: an analysis of statin clinical trials. 2009 , 104, 3E-9E	15
565	Life course weight gain and C-reactive protein levels in young adults: findings from a Brazilian birth cohort. 2009 , 21, 192-9	28
564	Inflammation in chronic kidney disease: role in the progression of renal and cardiovascular disease. 2009 , 24, 1445-52	185
563	High-sensitivity C-reactive protein at different stages of atherosclerosis: results of the INVADE study. 2009 , 256, 783-91	18
562	Apolipoprotein E gene polymorphism and polycystic ovary syndrome patients in Western Anatolia, Turkey. 2009 , 26, 1-6	10
561	High levels of high sensitivity C-reactive protein predict the progression of chronic rheumatic mitral stenosis. 2009 , 28, 63-9	25
560	Metabolic syndrome and risk factors for cardiovascular disease: are nonagenarians protected?. 2009 , 31, 67-75	3
559	Solutions for disparities for women with heart disease. 2009 , 2, 518-25	3
558	A reactive polythiophene for protein immobilization. 2009 , 20, 298-302	4
557	C-Reactive protein gene variants are associated with postoperative C-reactive protein levels after coronary artery bypass surgery. 2009 , 10, 38	19

556	Relationships between vascular resistance and energy deficiency, nutritional status and oxidative stress in oestrogen deficient physically active women. 2009 , 70, 294-302	23
555	Serum C-reactive protein (CRP) and microalbuminuria in relation to fasting and 2-h postload plasma glucose in a Chinese population. 2009 , 70, 691-7	13
554	The effects of dietary fibre on C-reactive protein, an inflammation marker predicting cardiovascular disease. 2009 , 63, 921-33	101
553	Soy consumption, adhesion molecules, and pro-inflammatory cytokines: a brief review of the literature. 2009 , 67, 213-21	42
552	C-reactive protein but not soluble CD40 ligand and homocysteine is associated to common atherosclerotic risk factors in a cohort of coronary artery disease patients. 2009 , 42, 1713-8	27
551	Label-free and quantitative analysis of C-reactive protein in human sera by tagged-internal standard assay on antibody arrays. 2009 , 24, 1469-73	30
550	Primary prevention of vascular events in patients with high levels of C-reactive protein: the JUPITER study. 2009 , 7, 1041-56	10
549	Circulating interleukin-6 and high-sensitivity C-reactive protein decrease after periodontal therapy in otherwise healthy subjects. 2009 , 80, 594-602	94
548	Autoantibodies and the risk of cardiovascular events. 2009 , 36, 2462-9	108
547	The role of inflammation on atherosclerosis, intermediate and clinical cardiovascular endpoints in type 2 diabetes mellitus. 2009 , 20, 253-60	50
546	Vascular disease in rheumatoid arthritis: from subclinical lesions to cardiovascular risk. 2009 , 20, 348-54	32
545	A branched-chain amino acid-related metabolic signature that differentiates obese and lean humans and contributes to insulin resistance. 2009 , 9, 311-26	2050
544	Parental education is related to C-reactive protein among female middle-aged community volunteers. 2009 , 23, 677-83	39
543	Women and ischemic heart disease: evolving knowledge. 2009 , 54, 1561-75	463
542	Clinical validation of biomarkers for predicting risk. 2009 , 48, 1-25	6
541	Serum C-reactive protein levels can be used to predict future ischemic stroke and mortality in Japanese men from the general population. 2009 , 204, 234-8	60
540	FcgammaRIIIa genotype is associated with acute coronary syndromes as first manifestation of coronary artery disease. 2009 , 205, 512-6	19
539	Prognostic value of plasma high-sensitivity C-reactive protein levels in Japanese patients with stable coronary artery disease: the Japan NCVC-Collaborative Inflammation Cohort (JNIC) Study. 2009 , 207, 272-6	41

538	Effects of a lifestyle program on risks for cardiovascular disease in women. 2009 , 48, 49-52	2
537	The influence of physiological and surgical menopause on coronary heart disease risk markers. 2009 , 16, 37-49	31
536	A review of lipid management in primary and secondary prevention. 2009 , 29, 2-12	41
535	Patient-related risk factors for postoperative adverse events. 2009 , 15, 320-7	13
534	Feeding long-chain n-3 polyunsaturated fatty acids to obese leptin receptor-deficient JCR:LA-cp rats modifies immune function and lipid-raft fatty acid composition. 2009 , 101, 1341-50	22
533	Pathogenic perspectives for the role of inflammation in diabetic nephropathy. 2009 , 116, 479-92	140
532	Sex/gender medicine. The biological basis for personalized care in cardiovascular medicine. 2009 , 73, 1774-82	61
531	C-reactive protein as a risk factor for coronary heart disease: a systematic review and meta-analyses for the U.S. Preventive Services Task Force. 2009 , 151, 483-95	376
530	Emerging risk factors for coronary heart disease: a summary of systematic reviews conducted for the U.S. Preventive Services Task Force. 2009 , 151, 496-507	242
529	Interaction between cigarette smoking and high-sensitivity C-reactive protein in the development of coronary vasospasm in patients without hemodynamically significant coronary artery disease. 2009 , 338, 440-6	17
528	Impact of sex hormone metabolism on the vascular effects of menopausal hormone therapy in cardiovascular disease. 2010 , 11, 693-714	47
527	Session 4: CVD, diabetes and cancer: A dietary portfolio for management and prevention of heart disease. 2010 , 69, 39-44	3
526	Effects of raloxifene on serum macrophage colony-stimulating factor and interleukin-18 levels in postmenopausal women younger than 60 years. 2010 , 17, 1188-93	5
525	Cardiovascular epidemiology of postinfarction angina and menopause age. 2010 , 17, 896-7	
524	Preoperative C-Reactive Protein Predicts Long-Term Mortality and Hospital Length of Stay After Primary, Nonemergent Coronary Artery Bypass Grafting. 2010 , 54, 261	
523	Effects of clopidogrel on vascular proliferation and apoptosis in an atherosclerotic rabbit model. 2010 , 55, 617-24	7
522	Arterial cardiovascular risk factors and venous thrombosis: results from a population-based, prospective study (the HUNT 2). 2010 , 95, 119-25	78
521	The pharmacokinetics of etanercept in patients with end-stage renal disease on haemodialysis. 2005 , 57, 1407-13	54

520	[Inflammation-related cardiovascular morbidity : Pathophysiology and therapy]. 2010 , 69, 680-4, 686-8	0
519	Effects of hormone replacement therapy on glucose and lipid profiles and on cardiovascular risk parameters in postmenopausal women. 2010 , 281, 857-64	12
518	Platelet-activating factor levels of serum and gingival crevicular fluid in nonsmoking patients with periodontitis and/or coronary heart disease. 2010 , 14, 629-36	20
517	The effect of aerobic versus strength-based training on high-sensitivity C-reactive protein in older adults. 2010 , 110, 161-9	62
516	Insulin resistance is associated with C-reactive protein independent of abdominal obesity in nondiabetic Taiwanese. 2010 , 59, 824-30	21
515	Lifecourse socioeconomic trajectories and C-reactive protein levels in young adults: findings from a Brazilian birth cohort. 2010 , 70, 1229-36	28
514	Sex difference in the association of metabolic syndrome with high sensitivity C-reactive protein in a Taiwanese population. 2010 , 10, 429	25
513	Cardiovascular risk assessment--from individual risk prediction to estimation of global risk and change in risk in the population. 2010 , 8, 29	46
512	Childhood Morbidity and Health in Early Adulthood: Life course linkages in a high morbidity context. 2010 , 15, 132-146	16
511	Enigmatic role of lipoprotein(a) in cardiovascular disease. 2010 , 3, 327-32	9
510	Biomarkers: Understanding, Progress, and Implications in the Perioperative Period. 2010 , 28, 161-186	0
509	Gene polymorphisms in association with emerging cardiovascular risk markers in adult women. 2010 , 11, 6	15
508	High-sensitivity C-reactive protein and gamma-glutamyl transferase levels are synergistically associated with metabolic syndrome in community-dwelling persons. 2010 , 9, 87	28
507	Is the association between optimistic cardiovascular risk perceptions and lower rates of cardiovascular disease mortality explained by biomarkers of systemic inflammation or endothelial function? A case-cohort study. 2010 , 4, 11	
506	The Levels of Inflammatory Markers in the Treatment of Stroke study (LIMITS): inflammatory biomarkers as risk predictors after lacunar stroke. 2010 , 5, 117-25	39
505	Elevated levels of pre-procedural high-sensitivity C-reactive protein is associated with midterm restenosis after extra- and intracranial stenting. 2010 , 20, 74-7	6
504	Interactions among gender, age, hypertension and C-reactive protein in coronary vasospasm. 2010 , 40, 1094-103	27
503	Association of maternal serum high sensitive C-reactive protein level with body mass index and severity of pre-eclampsia at third trimester. 2010 , 36, 970-7	27

502	Small, dense LDL and high-sensitivity C-reactive protein (hs-CRP) in metabolic syndrome with type 2 diabetes mellitus. 2010 , 17, 410-5	21
501	Whole grains are associated with serum concentrations of high sensitivity C-reactive protein among premenopausal women. 2010 , 140, 1669-76	41
500	Early origins of inflammation: microbial exposures in infancy predict lower levels of C-reactive protein in adulthood. 2010 , 277, 1129-37	109
499	Markers of inflammation, coagulation, and renal function are elevated in adults with HIV infection. 2010 , 201, 1788-95	592
498	Persistence with statins and onset of rheumatoid arthritis: a population-based cohort study. 2010 , 7, e1000336	68
497	Prehypertension subtype with elevated C-reactive protein: risk of ischemic stroke in a general Japanese population. 2010 , 23, 1108-13	23
496	Traditional risk factors and D-dimer predict incident cardiovascular disease events in chronic HIV infection. 2010 , 24, 1509-17	138
495	Intensive insulin therapy in the intensive care unit, hypoglycemia, and cardiovascular mortality. 2010 , 38, 59-66	3
494	C-reactive protein improves risk prediction in patients with acute coronary syndromes. 2010 , 31, 290-7	51
493	Adiponectin: a key player in obesity related disorders. 2010 , 16, 1896-901	150
492	Association of circulating C-reactive protein and interleukin-6 with longevity into the 80s and 90s: The Rancho Bernardo Study. 2010 , 95, 4748-55	35
491	Inflammatory mechanisms of stroke. 2010 , 41, S3-8	86
490	[Soluble intercellular adhesion molecule-1 and C reactive protein after bariatric surgery]. 2010 , 57, 90-4	7
489	[Diabetes mellitus and cardiovascular risk. Recommendations of the Working Group of Diabetes Mellitus and Cardiovascular Disease of the Spanish Diabetes Society 2009]. 2010 , 57, 220-6	9
488	Impact of innate inflammation in population studies. 2010 , 1207, 97-106	12
487	Decreased C-reactive protein levels in Alzheimer disease. 2010 , 23, 49-53	63
486	Development of a highly sensitive latex reagent directed against C-reactive protein (CRP) using epitope analysis with monoclonal antibodies. 2010 , 74, 292-7	5
485	[Biomarkers for detection and prediction in acute coronary syndrome]. 2010 , 134, 499-504	1

484	Serum YKL-40 predicts adverse clinical outcomes in patients with chronic heart failure. 2010 , 16, 873-9	31
483	Weak associations between prognostic biomarkers and disease in preliminary studies illustrates the breach between statistical significance and diagnostic discrimination. 2010 , 411, 467-73	5
482	The effects of different intensity walking programs on serum blood lipids, high-sensitive C-reactive protein, and lipoprotein-associated phospholipase A2 in premenopausal women. 2010 , 25, 245-252	4
481	Diabetes mellitus y riesgo cardiovascular. Recomendaciones del grupo de trabajo Diabetes Mellitus y Enfermedad Cardiovascular de la Sociedad Española de Diabetes 2009?. 2010 , 22, 115-121	0
480	C-reactive protein is a mediator of cardiovascular disease. 2010 , 31, 2087-91	135
479	Polymorphism in the C-reactive protein (CRP) gene affects CRP levels in plasma and one early marker of atherosclerosis in men: The Health 2000 Survey. 2011 , 71, 353-61	22
478	Gestational diabetes mellitus: taking it to heart. 2011 , 5, 81-8	18
477	Comprehensive Cardiovascular Medicine in the Primary Care Setting. 2011 ,	
476	Guidelines for the primary prevention of stroke: a guideline for healthcare professionals from the American Heart Association/American Stroke Association. 2011 , 42, 517-84	1148
475	Biomarkers of inflammation and placental dysfunction are associated with subsequent preterm birth. 2011 , 24, 600-5	37
474	Biomarkers in the critically ill patient: C-reactive protein. 2011 , 27, 241-51	63
473	Red cell distribution width and mortality in predominantly African-American population with decompensated heart failure. 2011 , 17, 292-8	35
472	Population differences in proinflammatory biology: Japanese have healthier profiles than Americans. 2011 , 25, 494-502	63
471	Atherosclerosis in an Indian cohort of rheumatoid arthritis with low disease activity and its correlation with inflammatory markers. 2011 , 6, 61-67	2
470	Health effects of particulate air pollution: A review of epidemiological evidence. 2011 , 23, 555-92	446
469	Independent and additive effects of cytokine patterns and the metabolic syndrome on arterial aging in the SardiNIA Study. 2011 , 215, 459-64	73
468	The relationship between the morning blood pressure surge and low-grade inflammation on silent cerebral infarct and clinical stroke events. 2011 , 219, 316-21	39
467	Vascular inflammation and endothelial dysfunction in experimental hypertension. 2011 , 2011, 281240	91

466	Inflammatory markers and cardiovascular risk in the metabolic syndrome. 2011 , 16, 1663-74	70
465	Hold, raise, or fold: C-reactive protein, hormone therapy, and cardiovascular risk. 2011 , 18, 8-10	1
464	Pre-procedural Elevated White Blood Cell Count and Neutrophil-Lymphocyte (N/L) Ratio are Predictors of Ventricular Arrhythmias During Percutaneous Coronary Intervention. 2011 , 11, 58-60	19
463	High-risk surgery: epidemiology and outcomes. 2011 , 112, 891-901	64
462	Influence of periodontal intervention therapy on risk of cardiovascular disease. 2011 , 56, 227-57	19
461	Effects of nonsurgical periodontal therapy on C-reactive protein and serum lipids in Jordanian adults with advanced periodontitis. 2011 , 46, 616-21	26
460	Wasting and sudden cardiac death in hemodialysis patients: a post hoc analysis of 4D (Die Deutsche Diabetes Dialyse Studie). 2011 , 58, 599-607	23
459	Cysteine proteases from <i>Porphyromonas gingivalis</i> and TLR ligands synergistically induce the synthesis of the cytokine IL-8 in human artery endothelial cells. 2011 , 56, 1583-91	5
458	Role of C-reactive protein in cerebrovascular disease: a critical review. 2011 , 9, 1565-84	53
457	Prevalence and extent of coronary artery disease determined by 64-slice CTA in patients with zero coronary calcium score. 2011 , 27, 451-8	20
456	Early effects of gastric bypass on endothelial function, inflammation, and cardiovascular risk in obese patients. 2011 , 25, 2650-9	71
455	Biomarkers of structural remodelling and endothelial dysfunction for prediction of cardiovascular events or death in patients with atrial fibrillation. 2011 , 100, 1029-36	28
454	Randomized, controlled study of the effects of raloxifene on high sensitivity C-reactive protein and serum lipids. 2011 , 283, 71-7	6
453	Statin therapy in metabolic syndrome and hypertension post-JUPITER: what is the value of CRP?. 2011 , 13, 31-42	29
452	Association between fasting plasma glucose and high-sensitivity C-reactive protein: gender differences in a Japanese community-dwelling population. 2011 , 10, 51	17
451	Simvastatin treatment reduces heat shock protein 60, 65, and 70 antibody titers in dyslipidemic patients: A randomized, double-blind, placebo-controlled, cross-over trial. 2011 , 44, 192-7	15
450	Inflammatory markers in coronary heart disease. 2011 , 100, 23-38	62
449	Age as a modulator of inflammatory cardiovascular risk factors. 2011 , 31, 2151-6	24

- 448 Ongoing inflammation in children with rheumatic heart disease. **2011**, 21, 334-9 11
- 447 The pluripotential effects of hypolipidemic treatment for polycystic ovary syndrome (PCOS): dyslipidemia, cardiovascular risk factors and beyond. **2011**, 17, 908-21 8
- 446 Pentoxifylline lowers plasminogen activator inhibitor 1 levels in obese individuals: a pilot study. **2012**, 63, 429-34 12
- 445 Determinants of coronary collateral circulation in patients with coronary artery disease. **2013**, 13, 146-51 11
- 444 Role of thromboxane receptor in C-reactive protein-induced thrombosis. **2012**, 32, 2468-74 13
- 443 Plasma biomarkers for prediction of sudden cardiac death: another piece of the risk stratification puzzle?. **2012**, 5, 237-43 24
- 442 Listening to the heart-brain talk: persistent depressive symptoms are associated with hsCRP in apparently healthy individuals at high risk for coronary artery disease. **2012**, 19, 857-63 9
- 441 Anti-inflammatory effects of anti-platelet treatment in atherosclerosis. **2012**, 18, 4311-25 15
- 440 Repeating tests: different roles in research studies and clinical medicine. **2012**, 6, 691-703 12
- 439 Effects of C-reactive protein on CC chemokine receptor 2-mediated chemotaxis of monocytes. **2012**, 31, 30-5 2
- 438 Expression levels of vascular cell adhesion molecule-1 in young and nonobese women with polycystic ovary syndrome. **2012**, 73, 236-41 14
- 437 Inflammatory profiles in the non-pregnant state predict offspring birth weight at Cebu: evidence for inter-generational effects of low grade inflammation. **2012**, 39, 267-74 13
- 436 Chronic Inflammation and Coronary Atherosclerosis in Patients with End-Stage Renal Disease. **2012**, 2, 117-124 26
- 435 Evaluation of the effect of wheat aleurone-rich foods on markers of antioxidant status, inflammation and endothelial function in apparently healthy men and women. **2012**, 108, 1644-51 41
- 434 MRI measured epicardial adipose tissue thickness at the right AV groove differentiates inflammatory status in obese men with metabolic syndrome. **2012**, 20, 525-32 28
- 433 N-terminal and C-terminal fragments of IGFBP-4 as novel biomarkers for short-term risk assessment of major adverse cardiac events in patients presenting with ischemia. **2012**, 45, 519-24 23
- 432 Sex-based differences in the inflammatory profile of peripheral artery disease and the association with primary patency of lower extremity vein bypass grafts. **2012**, 56, 387-95; discussion 395 17
- 431 Prognostic value of high-sensitivity C-reactive protein in a population of post-acute coronary syndrome patients receiving optimal medical treatment. **2012**, 19, 1128-37 6

430	Relationship of antihypertensive treatment to plasma markers of vascular inflammation and remodeling in the Comparison of Amlodipine versus Enalapril to Limit Occurrences of Thrombosis study. 2012 , 163, 735-40	7
429	Age of natural menopause and atrial fibrillation: the Framingham Heart Study. 2012 , 163, 729-34	22
428	Assessing salivary C-reactive protein: longitudinal associations with systemic inflammation and cardiovascular disease risk in women exposed to intimate partner violence. 2012 , 26, 543-51	89
427	Association between high-sensitivity C-reactive protein with arterial stiffness in healthy Korean adults. 2012 , 413, 1419-23	1
426	High-sensitivity C-reactive protein as a marker of cardiovascular risk in systemic lupus erythematosus. 2012 , 64, 3052-3	13
425	On acute gouty arthritis. 2012 , 64, 3053-3053	
424	The relationship between C-reactive protein and atherosclerosis differs on the basis of body mass index: the Dallas Heart Study. 2012 , 60, 1148-55	38
423	Increased myocardial prevalence of C-reactive protein in human coronary heart disease: direct effects on microvessel density and endothelial cell survival. 2012 , 21, 428-35	20
422	Cardiovascular biomarkers and their utility in the older adult. 2012 , 6, 397-403	2
421	Clinical utility of novel biomarkers for cardiovascular disease risk stratification. 2012 , 7 Suppl 3, S263-70	4
420	Abdominal obesity and cardiovascular disease: is inflammation the missing link?. 2012 , 28, 642-52	84
419	Comparing serum levels of cardiac biomarkers in cancer patients receiving chemotherapy and subjects with chronic periodontitis. 2012 , 10 Suppl 1, S5	8
418	C-reactive protein, interleukin 6 and lung cancer risk: a meta-analysis. 2012 , 7, e43075	52
417	. 2012 ,	5
416	Relationship between Baseline White Blood Cell count and C-reactive protein with Angiographic severity of Coronary Artery Disease in Patients with Acute Coronary Syndrome. 2012 , 5, 23-29	
415	High sensitivity C-reactive protein distribution in the elderly: the Bambuí Cohort Study, Brazil. 2012 , 45, 1284-6	8
414	Biosensors for Clinical Biomarkers. 2012 , 203-227	
413	Analysis of variability of high sensitivity C-reactive protein in lowland Ecuador reveals no evidence of chronic low-grade inflammation. 2012 , 24, 675-81	63

412	C-reactive protein and nitric oxide levels in ischemic stroke and its subtypes: correlation with clinical outcome. 2012 , 35, 978-84	44
411	Obesity and inflammation: change in adiponectin, C-reactive protein, tumour necrosis factor-alpha and interleukin-6 after bariatric surgery. 2012 , 22, 950-5	171
410	Racial/ethnic and gender differences in the association between self-reported experiences of racial/ethnic discrimination and inflammation in the CARDIA cohort of 4 US communities. 2012 , 75, 922-31	73
409	Dysregulated adipokine metabolism in chronic obstructive pulmonary disease. 2012 , 42, 983-91	29
408	Loneliness and vascular biomarkers: the Dublin Healthy Ageing Study. 2012 , 27, 83-8	31
407	The relationship between high-sensitivity C-reactive protein levels and the severity of obstructive sleep apnea. 2012 , 16, 217-21	78
406	Objectively measured physical activity and C-reactive protein: National Health and Nutrition Examination Survey 2003-2004. 2013 , 23, 164-70	53
405	Association between inflammatory biomarkers and progression of intracranial large artery stenosis after ischemic stroke. 2013 , 22, 211-7	25
404	Ameliorative effect of naringenin on hyperglycemia-mediated inflammation in hepatic and pancreatic tissues of Wistar rats with streptozotocin- nicotinamide-induced experimental diabetes mellitus. 2013 , 47, 793-803	30
403	Interpersonal violence, PTSD, and inflammation: potential psychogenic pathways to higher C-reactive protein levels. 2013 , 63, 172-8	52
402	C-reactive protein and atherothrombosis: Cause or effect?. 2013 , 27, 23-9	38
401	Gender aspects in patients with angina and unobstructed coronary arteries. 2013 , 8, 25-31	4
400	Possible association between non-invasive parameter of flow-mediated dilatation in brachial artery and whole coronary plaque vulnerability in patients with coronary artery disease. 2013 , 166, 613-20	14
399	Sex and inflammation in respiratory diseases: a clinical viewpoint. 2013 , 4, 16	58
398	Evidence that periodontal treatment improves biomarkers and CVD outcomes. 2013 , 84, S85-S105	62
397	Evidence that periodontal treatment improves biomarkers and CVD outcomes. 2013 , 40 Suppl 14, S85-105	90
396	. 2013 ,	
395	C-reactive protein distribution and correlation with traditional cardiovascular risk factors in the Italian population. 2013 , 24, 161-6	3

- 394 Perilla oil and exercise decrease expressions of tumor necrosis factor-alpha, plasminogen activator inhibitor-1 and highly sensitive C-reactive protein in patients with hyperlipidemia. **2013**, 33, 170-5 15
- 393 Orosomucoid expression profiles in liver, adipose tissues and serum of lean and obese domestic pigs, Göttingen minipigs and Ossabaw minipigs. **2013**, 151, 325-30 15
- 392 Inflammation in young adulthood is associated with myocardial infarction later in life. **2013**, 165, 164-9 16
- 391 Sex-differentiated changes in C-reactive protein from ages 9 to 21: the contributions of BMI and physical/sexual maturation. **2013**, 38, 2209-17 31
- 390 Do environments in infancy moderate the association between stress and inflammation in adulthood? Initial evidence from a birth cohort in the Philippines. **2013**, 31, 23-30 66
- 389 Aggregate risk score based on markers of inflammation, cell stress, and coagulation is an independent predictor of adverse cardiovascular outcomes. **2013**, 62, 329-37 63
- 388 Depression inhibits the anti-inflammatory effects of leisure time physical activity and light to moderate alcohol consumption. **2013**, 32, 144-52 8
- 387 The immune system: role in hypertension. **2013**, 29, 543-8 90
- 386 A multicenter, prospective study to evaluate the use of contrast stress echocardiography in early menopausal women at risk for coronary artery disease: trial design and baseline findings. **2013**, 22, 173-83 7
- 385 Mechanistic links between acute respiratory tract infections and acute coronary syndromes. **2013**, 66, 1-17 24
- 384 Inflammatory activation in an unselected population of subjects with atrial fibrillation: links with structural heart disease, atrial remodeling and recent onset. **2013**, 8, 123-8 19
- 383 Carotid Artery Intima Media Thickness and HsCRP; Predictors for Atherosclerosis in Prediabetic Patients?. **2013**, 29, 495-9 8
- 382 Habitual dietary isoflavone intake is associated with decreased C-reactive protein concentrations among healthy premenopausal women. **2013**, 143, 900-6 15
- 381 Dexamethasone, light anaesthesia, and tight glucose control (DeLiT) randomized controlled trial. **2013**, 111, 209-21 41
- 380 Obesity and inflammation: epidemiology, risk factors, and markers of inflammation. **2013**, 2013, 678159 215
- 379 Follow-ups of metabolic, inflammatory and oxidative stress markers, and brachial-ankle pulse wave velocity in middle-aged subjects without metabolic syndrome. **2013**, 35, 382-8 10
- 378 Hypertension in pregnancy is associated with elevated C-reactive protein levels later in life. **2013**, 31, 2213-9; discussion 2219 9
- 377 Management of cardiovascular risk in patients with rheumatoid arthritis: evidence and expert opinion. **2013**, 5, 166-81 33

376	Usefulness of plasma matrix metalloproteinase-9 level in predicting future coronary revascularization in patients after acute myocardial infarction. 2013 , 24, 23-8	22
375	Osteoprotegerin improves risk detection by traditional cardiovascular risk factors and hsCRP. 2013 , 99, 106-10	26
374	Portable Quantitative Fluorescence Immunoassay Analyzer. 2013 , 321-324, 667-670	
373	Intake of trans fat and all-cause mortality in the Reasons for Geographical and Racial Differences in Stroke (REGARDS) cohort. 2013 , 97, 1121-8	38
372	Mean platelet volume and its relation with arterial stiffness in patients with normotensive polycystic kidney disease. 2013 , 61, 597-603	5
371	Platelet reactivity and thrombogenicity in postmenopausal women. 2013 , 20, 57-63	16
370	A walking intervention to reduce inflammation in patients with diabetes and peripheral arterial/artery disease: A pilot study. 2013 , 1, 2050312113505559	1
369	Sleep duration, cardiovascular disease, and proinflammatory biomarkers. 2013 , 5, 93-107	146
368	Histopathological and biochemical disrupting effects of Escravos crude oil on the liver and heart in Chinchilla rabbits. 2014 , 8, 203-209	
367	Association between high sensitivity C-reactive protein and dietary intake in Vietnamese young women. 2014 , 8, 445-52	10
366	Incorporating biomarkers into clinical trials in cardiovascular medicine. 2014 , 121	
365	Nature and Consequences of the Systemic Inflammatory Response Induced by Lung Inflammation. 2014 ,	8
364	Serum levels of high sensitivity C-Reactive protein and its association with lipidemic status in Bangladeshi healthy adults. 2014 , 4, 644-648	
363	Role of dried blood spots in health and disease diagnosis in older adults. 2014 , 6, 3121-31	12
362	Gevokizumab in type 1 diabetes mellitus: extreme remedies for extreme diseases?. 2014 , 23, 1277-84	10
361	Maternal plasma soluble TRAIL is decreased in preeclampsia. 2014 , 27, 217-27	13
360	Interrelation of RDW and coronary flow reserve in patient with idiopathic dilated cardiomyopathy. 2014 , 14, 342-8	2
359	Biomarkers to improve diagnosis and monitoring of obstructive sleep apnea syndrome: current status and future perspectives. 2014 , 2014, 930535	26

358	Associates of cardiopulmonary arrest in the perihemodialytic period. 2014 , 2014, 961978		5
357	Role of Saturated and Polyunsaturated Fat in Obesity-Related Inflammation. 2014 , 297-308		2
356	Progressive inflammation and wasting in patients with ESRD. 2014 , 9, 225-6		11
355	Inflammation in coronary artery disease. 2014 , 22, 279-88		67
354	New and emerging risk factors for coronary heart disease. 2014 , 347, 151-8		31
353	Cardiovascular risk in rheumatoid arthritis: recent advances in the understanding of the pivotal role of inflammation, risk predictors and the impact of treatment. 2014 , 53, 2143-54		189
352	Dissociation of pentameric to monomeric C-reactive protein localizes and aggravates inflammation: in vivo proof of a powerful proinflammatory mechanism and a new anti-inflammatory strategy. <i>Circulation</i> , 2014 , 130, 35-50	16.7	132
351	Inflammation, immunity and development of essential hypertension. 2014 , 32, 228-9		20
350	Gender-specific risk factors for peripheral artery disease in a voluntary screening population. 2014 , 3, e000651		37
349	Longitudinal assessments of erythropoietin-stimulating agent responsiveness and the association with specific clinical outcomes in dialysis patients. 2014 , 128, 147-52		3
348	C-reactive protein: clinical and epidemiological perspectives. 2014 , 2014, 605810		61
347	From childhood trauma to elevated C-reactive protein in adulthood: the role of anxiety and emotional eating. 2014 , 76, 327-36		24
346	C-reactive protein in psoriasis: a review of the literature. 2014 , 28, 700-11		63
345	Prevalencia de obesidad, diabetes mellitus y otros factores de riesgo cardiovascular en Andalucía. Comparaci3n con datos de prevalencia nacionales. Estudio Di@bet.es. 2014 , 67, 442-448		42
344	Label-free CRP detection using optical biosensor with one-step immobilization of antibody on nitrocellulose membrane. 2014 , 190, 243-248		22
343	Neutrophil lymphocyte ratio significantly improves the Framingham risk score in prediction of coronary heart disease mortality: insights from the National Health and Nutrition Examination Survey-III. 2014 , 171, 390-7		100
342	The relationship between serum lipoprotein (a) levels and ischemic stroke risk: a cohort study in the Chinese population. 2014 , 37, 686-93		13
341	The beneficial effects of postconditioning on no-reflow phenomenon after percutaneous coronary intervention in patients with ST-elevation acute myocardial infarction. 2014 , 38, 208-14		18

340	Plasma level of cyclophilin A is increased in patients with type 2 diabetes mellitus and suggests presence of vascular disease. 2014 , 13, 38	46
339	Effect of aerobic training on insulin resistance and C-reactive protein (CRP) levels and subcutaneous abdominal in obese women. 2014 , 10, 111-118	1
338	Polycystic Ovary Syndrome. 2014 ,	1
337	Role of Statins in PCOS Management. 2014 , 181-203	0
336	Immune mechanisms in hypertension and vascular injury. 2014 , 126, 267-74	133
335	Guidelines for the primary prevention of stroke: a statement for healthcare professionals from the American Heart Association/American Stroke Association. 2014 , 45, 3754-832	921
334	Nutrition and Oral Medicine. 2014 ,	2
333	Increased serum C-reactive protein level in Japanese patients of psoriasis with cardio- and cerebrovascular disease. 2014 , 41, 981-5	18
332	Health benefits of religion among Black and White older adults? Race, religiosity, and C-reactive protein. 2014 , 120, 92-9	39
331	Soluble endothelial protein C receptor and high sensitivity C reactive protein levels as markers of endothelial dysfunction in patients with type 1 and type 2 diabetes mellitus: their role in the prediction of vascular complications. 2014 , 106, 597-604	16
330	The effect of periodontal therapy on cardiovascular risk markers: a 6-month randomized clinical trial. 2014 , 41, 875-82	42
329	A perspective on the New American College of Cardiology/American Heart Association guidelines for cardiovascular risk assessment. 2014 , 89, 1244-56	21
328	Interleukin 6(-174G/C) variant and its circulating levels in coronary artery disease patients and their first degree relatives. 2014 , 37, 314-21	19
327	High-sensitivity C-reactive protein is associated with the presence of coronary artery calcium in subjects with normal blood pressure but not in subjects with hypertension. 2014 , 45, 170-6	10
326	Prevalence of obesity, diabetes and other cardiovascular risk factors in Andalusia (southern Spain). Comparison with national prevalence data. The Di@bet.es study. 2014 , 67, 442-8	18
325	Commentary: changing paradigms in the oral disease-systemic disease relationship. 2014 , 85, 761-4	13
324	Long-term effects of birth weight and breastfeeding duration on inflammation in early adulthood. 2014 , 281, 20133116	39
323	Association between high sensitivity C-reactive protein and metabolic syndrome in subjects completing the National Health and Nutrition Examination Survey (NHANES) 2009-10. 2014 , 8, 88-90	21

322	Epidemiology, traditional and novel risk factors in coronary artery disease. 2014 , 32, 323-32	38
321	Unraveling new therapeutic targets of coronary artery disease by genetic approaches. 2015 , 79, 8-14	5
320	Effects of long-term developmental patterns of adiposity on levels of C-reactive protein and fibrinogen among North-American men and women: the Spokane Heart Study. 2014 , 7, 197-210	2
319	BIOSOCIAL INHERITANCE: A FRAMEWORK FOR THE STUDY OF THE INTERGENERATIONAL TRANSMISSION OF HEALTH DISPARITIES. 2014 , 38, 187-213	25
318	C-Reactive protein and soluble intracellular adhesion molecule-1 are related to pulse wave reflection in type 1 diabetes 1C-1. 2014 , 6, 577-85	3
317	Increased Soluble TNF Receptor-1 and Glutathione Peroxidase may Predict Carotid Intima Media Thickness in Females with Cushing Syndrome. 2015 , 21, 286-95	4
316	Pulse Wave Velocity, Intima Media Thickness, and Flow-mediated Dilatation in Patients with Normotensive Normoglycemic Inflammatory Bowel Disease. 2015 , 21, 1314-20	30
315	Psychological Profile, Salivary Cortisol, C-Reactive Protein, and Perceived Health of Grandmothers With Childrearing Responsibility. 2015 , 36, 1904-1927	10
314	Gastrointestinal symptoms, inflammation and hypoalbuminemia in chronic kidney disease patients: a cross-sectional study. 2015 , 16, 211	21
313	The effect of moderate intensity exercise in the postprandial period on the inflammatory response to a high-fat meal: an experimental study. 2016 , 15, 24	15
312	Serum creatinine and alkaline phosphatase levels are associated with severe chronic periodontitis. 2015 , 50, 793-7	10
311	Lifestyles and Cardiovascular Factors of Diabetic Patients. 2015 , 16, 56	1
310	Preconcentration and Separation of Mixed-Species Samples Near a Nano-Junction in a Convergent Microchannel. 2015 , 15, 30704-15	5
309	Markers of inflammation associated with plaque progression and instability in patients with carotid atherosclerosis. 2015 , 2015, 718329	98
308	The Effects of Season of Birth on the Inflammatory Response to Psychological Stress in Hainan Island, China. 2015 , 10, e0139602	3
307	Antiinflammatory effects of aspirin in ACS: relevant to its cardiocoronary actions?. 2015 , 114, 469-77	18
306	Birth weight, current anthropometric markers, and high sensitivity C-reactive protein in Brazilian school children. 2015 , 2015, 846376	8
305	Obesity, but not polycystic ovary syndrome, affects circulating markers of low-grade inflammation in young women without major cardiovascular risk factors. 2015 , 14, 251-7	9

304	Asymmetric dimethylarginine, a biomarker of cardiovascular complications in diabetes mellitus. 2015 , 5, 110-9	21
303	Clinical Use of Serum Biomarkers in the Prediction of Cardiovascular Risk. 2015 , 21-38	
302	Hematological Parameters Improve Prediction of Mortality and Secondary Adverse Events in Coronary Angiography Patients: A Longitudinal Cohort Study. 2015 , 94, e1992	15
301	Declines in inflammation predict greater white matter microstructure in older adults. 2015 , 36, 948-54	22
300	Oral Infections and Autoimmune Diseases. 2015 , 959-980	
299	Society for Vascular Surgery practice guidelines for atherosclerotic occlusive disease of the lower extremities: management of asymptomatic disease and claudication. 2015 , 61, 2S-41S	420
298	C-reactive protein, inflammation and coronary heart disease. 2015 , 67, 89-97	127
297	Diverging trajectory patterns of systemic versus vascular inflammation over age in healthy Caucasians and African-Americans. 2015 , 239, 509-515	7
296	C-reactive protein genetic variant is associated with diabetic retinopathy in Chinese patients with type 2 diabetes. 2015 , 15, 8	10
295	Atorvastatin counteracts high glucose-induced Kröppel-like factor 2 suppression in human umbilical vein endothelial cells. 2015 , 127, 446-54	4
294	C-reactive protein response to influenza vaccination as a model of mild inflammatory stimulation in the Philippines. 2015 , 33, 2004-8	14
293	Coronary severity score and C-reactive protein predict major adverse cardiovascular events in patients with stable coronary artery disease (from the Taichung CAD study). 2015 , 445, 93-100	17
292	Inflammatory Pathways in Diabetes. 2015 ,	
291	Risk Stratification for Primary Prevention of Coronary Artery Disease: Roles of C-Reactive Protein and Coronary Artery Calcium. 2015 , 17, 110	15
290	Prognostic value of IL6 in young adults presenting with acute coronary syndrome. 2015 , 67, 151-158	4
289	Beneficial effects of renal sympathetic denervation on cardiovascular inflammation and remodeling in essential hypertension. 2015 , 104, 175-84	33
288	Comprehensive Management of High Risk Cardiovascular Patients. 2016 ,	1
287	Why we should not skip aspirin in cardiovascular prevention. 2016 , 36, 33-43	8

286	The relationship between serum levels of hs-CRP and coronary lesion severity. 2016 , 89, 322-6	7
285	Clinical Applications of Aspirin. 2016 , 263-446	
284	Postprandial lipemic and inflammatory responses to high-fat meals: a review of the roles of acute and chronic exercise. 2016 , 13, 80	31
283	Should We Screen for Coronary Heart Disease in Asymptomatic Persons?: Grand Rounds Discussion From Beth Israel Deaconess Medical Center. 2016 , 164, 479-87	1
282	Synergistic Effect of Lipoprotein-Associated Phospholipase A2 with Classical Risk Factors on Coronary Heart Disease: A Multi-Ethnic Study in China. 2016 , 40, 953-968	13
281	Rationale, design and methods for the RIGHT Track Health Study: pathways from childhood self-regulation to cardiovascular risk in adolescence. 2016 , 16, 459	17
280	Vascular risk assessment in older adults without a history of cardiovascular disease. 2016 , 79, 37-45	6
279	CRP and Diabetes: Sugar Is Not So Sweet. 2016 , 189-205	
278	Low-dose estradiol and endothelial and inflammatory biomarkers in menopausal overweight/obese women. 2016 , 19, 337-43	8
277	Inflammatory risk factors, biomarkers and associated therapy in ischaemic stroke. 2016 , 12, 594-604	150
276	One-step immunoassay of C-reactive protein using droplet microfluidics. 2016 , 16, 4359-4365	44
275	Cardiovascular disease in inflammatory rheumatic diseases. 2016 , 30, 851-869	69
274	Primary Prevention of Atherosclerotic Cardiovascular Disease in Women. 2016 , 10, 1	15
273	An exaggerated blood pressure response to exercise is associated with nitric oxide bioavailability and inflammatory markers in normotensive females. 2016 , 39, 792-798	18
272	C-Reactive Protein Identifies Low-Risk Metabolically Healthy Obese Persons: The European Prospective Investigation of Cancer-Norfolk Prospective Population Study. 2016 , 5,	17
271	Procalcitonin and Pentraxin-3: Current biomarkers in inflammation in white coat hypertension. 2016 , 30, 424-9	6
270	Epidemiology, Traditional and Novel Risk Factors in Coronary Artery Disease. 2016 , 12, 1-10	37
269	Biology of C Reactive Protein in Health and Disease. 2016 ,	2

268	Inflammatory Markers and Outcomes After Lacunar Stroke: Levels of Inflammatory Markers in Treatment of Stroke Study. 2016 , 47, 659-67	49
267	Lack of significant association between type 2 diabetes mellitus with longitudinal change in diurnal salivary cortisol: the multiethnic study of atherosclerosis. 2016 , 53, 227-39	11
266	Adiposity and Chronic Inflammation in Young Women Predict Inflammation during Normal Pregnancy in the Philippines. 2016 , 146, 353-7	22
265	Effects of Positive Psychology Interventions on Risk Biomarkers in Coronary Patients: A Randomized, Wait-List Controlled Pilot Trial. 2016 , 57, 359-68	30
264	Associations of serum adiponectin with markers of cardio-metabolic disease risk in Indigenous Australian adults with good health, diabetes and chronic kidney disease. 2016 , 10, 659-672	5
263	Inflammation as Possible Mediator for the Relationship Between Lung and Arterial Function. 2016 , 194, 107-15	9
262	Medium-chain triglycerides and monounsaturated fatty acids potentiate the beneficial effects of fish oil on selected cardiovascular risk factors in rats. 2016 , 28, 91-102	22
261	Cardiovascular risk of patients with gout seen at rheumatology clinics following a structured assessment. 2017 , 76, 1263-1268	25
260	Gut microbiota interactions with the immunomodulatory role of vitamin D in normal individuals. 2017 , 69, 76-86	78
259	Effect of exercise training on C reactive protein: a systematic review and meta-analysis of randomised and non-randomised controlled trials. 2017 , 51, 670-676	121
258	Cardiovascular risk in patients with rheumatoid arthritis. 2017 , 39, 447-459	36
257	High-sensitivity C-reactive protein is an independent marker of abnormal coronary vasoreactivity in patients with non-obstructive coronary artery disease. 2017 , 190, 1-11	16
256	Lower risk for cardiovascular mortality for patients with root filled teeth in a Finnish population. 2017 , 50, 1158-1168	10
255	Mitigating the Hook Effect in Lateral Flow Sandwich Immunoassays Using Real-Time Reaction Kinetics. 2017 , 89, 5095-5100	53
254	Magnitude and Timing of the Postprandial Inflammatory Response to a High-Fat Meal in Healthy Adults: A Systematic Review. 2017 , 8, 213-225	58
253	A dual-label time-resolved fluorescence immunoassay (TRFIA) for screening of Coronary atherosclerosis based on simultaneous detection of Lp-PLA and HsCRP. 2017 , 182, 12-17	5
252	Differential expression of circulating vascular cell adhesion molecule-1 in subjects with coronary artery disease and cardiac syndrome X without known diabetes mellitus. 2017 , 22, 798-804	5
251	Delayed Onset Vascular Stiffening Induced by Eccentric Resistance Exercise and Downhill Running. 2017 , 27, 369-374	4

250	"Mind the gap" acute coronary syndrome in women: A contemporary review of current clinical evidence. 2017 , 227, 840-849	12
249	The association of low birth weight with serum C reactive protein in 3-year-old children living in Cuba: A population-based prospective study. 2017 , 29, e22936	3
248	Comparative Evaluation of C-Reactive Protein and WBC Count in Fascial Space Infections of Odontogenic Origin. 2017 , 16, 238-242	8
247	Association of serum high-sensitivity C-reactive protein with metabolic control and diabetic chronic vascular complications in patients with type 2 diabetes. 2017 , 11, 103-108	10
246	Metabolic Bone Disease. 2017 , 1730-1750.e4	1
245	Reduction in High-Sensitivity C-Reactive Protein Levels in Patients with Ischemic Stroke by Statin Treatment: Hs-CRP Sub-Study in J-STARS. 2017 , 24, 1039-1047	29
244	Validation of a Newly Developed Equation for Estimating Serum Apolipoprotein B: Associations with Cardiovascular Disease Surrogate Markers in Koreans. 2017 , 58, 975-980	1
243	Elevated neutrophil to lymphocyte ratio and ischemic stroke risk in generally healthy adults. 2017 , 12, e0183706	35
242	Patient-Oriented Research. 2017 , 9-23	1
241	The gut microbiome and elevated cardiovascular risk in obesity and autoimmunity. 2018 , 271, 203-213	90
240	10-Year Resource Utilization and Costs for Cardiovascular Care. 2018 , 71, 1078-1089	22
239	Gender Differences in the Pathogenesis and Management of Heart Disease. 2018 ,	1
238	The Relationship Between Religious and Psychospiritual Measures and an Inflammation Marker (CRP) in Older Adults Experiencing Life Event Stress. 2018 , 57, 1554-1566	4
237	Higher High-Sensitivity C Reactive Protein is Associated with Future Premature Ventricular Contraction: a Community Based Prospective Cohort Study. 2018 , 8, 5152	6
236	Markers of Inflammation and Incident Breast Cancer Risk in the Women's Health Study. 2018 , 187, 705-716	28
235	Relationship of circulating spexin with markers of cardiovascular disease: a pilot study in adolescents with obesity. 2018 , 13, 374-380	29
234	Effects of resveratrol supplementation on risk factors of non-communicable diseases: A meta-analysis of randomized controlled trials. 2018 , 58, 3016-3029	21
233	Periodontal, metabolic, and cardiovascular disease: Exploring the role of inflammation and mental health. 2018 , 29, 124-163	16

232	Biological Effects of Tetrahydroxystilbene Glucoside: An Active Component of a Rhizome Extracted from. 2018 , 2018, 3641960	12
231	ASSESSMENT OF INFLAMMATORY STATUS IN METABOLIC SYNDROME. 2018 , 11, 259	
230	Serum neutrophil gelatinase-associated lipocalin in obese adolescents. 2018 , 42,	
229	Has the time finally come to measure hsCRP universally in primary and secondary cardiovascular prevention?. 2018 , 39, 4109-4111	16
228	The Association of Unreported Sleep Disturbances and Systemic Inflammation: Findings from the 2005-2008 NHANES. 2018 , 2018, 5987064	1
227	Change in Pericardial Fat Volume and Cardiovascular Risk Factors in a General of Japanese Men. 2018 , 83, 248	
226	The Dietary Approaches to Stop Hypertension (DASH)-Style Diet and an Alternative Mediterranean Diet are Differently Associated with Serum Inflammatory Markers in Female Adults. 2018 , 39, 361-376	15
225	Serum C-reactive protein in the prediction of cardiovascular diseases: Overview of the latest clinical studies and public health practice. 2018 , 233, 8508-8525	74
224	Leukocytes: A Potential Link between Obstructive Sleep Apnea and Cardiovascular Disease?. 2018 , 15, 918-919	
223	The Clinical Significance and Potential Role of C-Reactive Protein in Chronic Inflammatory and Neurodegenerative Diseases. 2018 , 9, 1302	79
222	Dissociation of C-Reactive Protein Localizes and Amplifies Inflammation: Evidence for a Direct Biological Role of C-Reactive Protein and Its Conformational Changes. 2018 , 9, 1351	70
221	Can we predict thrombotic tendency in rheumatoid arthritis? A thromboelastographic analysis (with ROTEM). 2018 , 37, 2341-2349	16
220	Cardiovascular disease risk factor responses to a type 2 diabetes care model including nutritional ketosis induced by sustained carbohydrate restriction at 1 year: an open label, non-randomized, controlled study. 2018 , 17, 56	94
219	Effects of Multivitamin and Multimineral Supplementation on Blood Pressure: A Meta-Analysis of 12 Randomized Controlled Trials. 2018 , 10,	7
218	The healthy Nordic dietary pattern has no effect on inflammatory markers: A systematic review and meta-analysis of randomized controlled clinical trials. 2019 , 58, 140-148	9
217	Effects of EPA and DHA on blood pressure and inflammatory factors: a meta-analysis of randomized controlled trials. 2019 , 59, 3380-3393	19
216	The Possible Practical Implication of High CRP Levels in PCOS. 2019 , 13, 1179558119861936	6
215	Periodontal Medicine: 100 Years of Progress. 2019 , 98, 1053-1062	55

214	Protein binding kinetics quantification via coupled plasmonic-photonic resonance nanosensors in generic microplate reader. 2019 , 142, 111494	12
213	Long Non-Coding RNA MALAT1 Promotes Acute Cerebral Infarction Through miRNAs-Mediated hs-CRP Regulation. 2019 , 69, 494-504	11
212	Effect of L-Arginine supplementation on lipid profiles and inflammatory markers: A systematic review and meta-analysis of randomized controlled trials. 2019 , 148, 104407	7
211	How the association between obesity and inflammation may lead to insulin resistance and cancer. 2019 , 13, 1213-1224	39
210	Inflammation, depression and cardiovascular disease in women: the role of the immune system across critical reproductive events. 2019 , 13, 1753944719851950	31
209	Mediation analysis of the relationship between type 2 diabetes and cardiovascular events and all-cause mortality: Findings from the SMART cohort. 2019 , 21, 1935-1943	10
208	Prognostic efficacy of C-reactive protein/albumin ratio in ST elevation myocardial infarction. 2019 , 53, 83-90	38
207	High-Fat Meal-Induced Changes in Markers of Inflammation and Angiogenesis in Healthy Adults Who Differ by Age and Physical Activity Level. 2019 , 3,	7
206	Cumulative Effects of LDL Cholesterol and CRP Levels on Recurrent Stroke and TIA. 2019 , 26, 432-441	13
205	Inflammatory Markers and Novel Risk Factors. 2019 , 87-98	
204	Elevation of isoprostanes in polycystic ovary syndrome and its relationship with cardiovascular risk factors. 2019 , 42, 75-83	1
203	Self-reported Instances of Major Discrimination, Race/Ethnicity, and Inflammation Among Older Adults: Evidence From the Health and Retirement Study. 2020 , 75, 291-296	16
202	Influence of Polyalthia longifolia (Sonn) leaves on oxidative stress biomarkers in the kidney of cadmium-induced toxicity rats. 2020 , 29, 525-532	1
201	Autoimmunity and Inflammation Link to Cardiovascular Disease Risk in Rheumatoid Arthritis. 2020 , 7, 19-33	28
200	The Power of Diet in CVD Risk Factor Reduction. 2020 , 1-16	
199	Sex Differences in the Association Between Pentraxin 3 and Cognitive Decline: The Cardiovascular Health Study. 2020 , 75, 1523-1529	
198	Unmet needs in the management of cardiovascular risk in inflammatory joint diseases. 2020 , 16, 23-36	7
197	Inflammation in Alzheimer's Disease: Do Sex and APOE Matter?. 2020 , 78, 627-641	8

196	Cigarette Smoking and Incident Stroke in Blacks of the Jackson Heart Study. 2020 , 9, e014990	10
195	Basal and LPS-stimulated inflammatory markers and the course of individual symptoms of depression. 2020 , 10, 235	21
194	Gout Is Prevalent but Under-Registered Among Patients With Cardiovascular Events: A Field Study. 2020 , 7, 560	2
193	Association of sugar-sweetened beverage intake with maternal postpartum weight retention. 2021 , 24, 4196-4203	2
192	C-Reactive Protein and Its Structural Isoforms: An Evolutionary Conserved Marker and Central Player in Inflammatory Diseases and Beyond. 2020 , 94, 499-520	27
191	Prediction and early detection of cardiovascular disease in South Asians with diabetes mellitus. 2020 , 14, 385-393	2
190	Soluble Urokinase-Type Plasminogen Activator Receptor and High-Sensitivity Troponin Levels Predict Outcomes in Nonobstructive Coronary Artery Disease. 2020 , 9, e015515	3
189	Psychosocial Vulnerabilities to Upper Respiratory Infectious Illness: Implications for Susceptibility to Coronavirus Disease 2019 (COVID-19). 2021 , 16, 161-174	48
188	Prevalence and prognostic impact of hsCRP elevation are age-dependent in women but not in men undergoing percutaneous coronary intervention. 2021 , 97, E936-E944	0
187	Blunted rest-activity rhythms link to higher body mass index and inflammatory markers in children. 2021 , 44,	8
186	Impact of Nutrition on Biomarkers of Cardiovascular Health. 2021 , 29-45	
185	Outcomes and Procedural Considerations for Women Undergoing PCI. 2021 , 23, 1	
184	Direct Relationship Between Uric Acid and C-Reactive Protein and Its Implication in the Chronic Kidney Disease. 1	1
183	High Sensitivity C-reactive Protein (hsCRP) and its Implications in Cardiovascular Outcomes. 2021 , 27, 263-275	3
182	Can the Level of CRP in Acute Pulmonary Embolism Determine Early Mortality?. 2021 , 22, 4-10	2
181	Oxidative Stress Is Increased in Combined Oral Contraceptives Users and Is Positively Associated with High-Sensitivity C-Reactive Protein. 2021 , 26,	5
180	Novel Dietary and Lifestyle Inflammation Scores Directly Associated with All-Cause, All-Cancer, and All-Cardiovascular Disease Mortality Risks Among Women. 2021 , 151, 930-939	4
179	An Oily Fish Diet Improves Subclinical Inflammation in People at High Cardiovascular Risk: A Randomized Controlled Study. 2021 , 26,	1

178	Association between obesity and c reactive protein among patients with risk factors for cardiovascular disease. 2021 , 6, 121-124	
177	Relation between inflammatory markers and severity of the apnea and hypopnea sleep syndrome. 2021 , 78, 137-141	
176	Beneficial effect of soy isoflavones and soy isoflavones plus soy protein on serum concentration of C-reactive protein among postmenopausal women: An updated systematic review and meta-analysis of randomized controlled trials. 2021 , 59, 102715	1
175	The combined effect of blood pressure and C-reactive protein with the risk of mortality from coronary heart and cardiovascular diseases. 2021 , 31, 2051-2057	0
174	Epicardial fat, gender, and cardiovascular risk. 2021 , 15,	
173	Possible Gender Difference in the Association Between Abdominal Obesity, Chronic Inflammation, and Preclinical Atherosclerosis in the General Population. 2021 , 62, 837-842	0
172	The Role of C-reactive Protein in Patient Risk Stratification and Treatment. 2021 , 16, e28	0
171	Relative Predictive Value of Circulating Immune Markers in US Adults Without Cardiovascular Disease: Implications for Risk Reclassification. 2021 , 96, 1812-1821	1
170	Novel insights on the role of spexin as a biomarker of obesity and related cardiometabolic disease. 2021 , 45, 2169-2178	5
169	Age, sex, and inflammatory markers predict chronic conditions, cardiac disease, and mortality among captive western lowland gorillas (<i>Gorilla gorilla gorilla</i>). 2021 , 62, 931-943	1
168	Endometriosis and Uterine Fibroids and Their Associations with Elevated C-Reactive Protein and Leukocyte Telomere Length Among a Representative Sample of U.S. Women: Data from the National Health and Nutrition Examination Survey, 1999-2002. 2021 ,	2
167	Cardiovascular Disease Risk Assessment in Diabetes. 2021 , 22, 168-173	
166	Sleep duration, baseline cardiovascular risk, inflammation and incident cardiovascular mortality in ambulatory U.S. Adults: National health and nutrition examination survey. 2021 , 8, 100246	1
165	Inflammatory cardiovascular risk markers and silent myocardial ischemia in type 2 diabetic patients. 2021 , 10-10	
164	Alcohol. 2005 , 339-61	8
163	Protection of endothelial function. 2005 , 619-44	11
162	Sexual Dimorphism in Cardiovascular Disease. 1999 , 187-217	3
161	Direct Estrogen Effects on the Cardiovascular System. 2002 , 99-119	1

160	Endothelial Dysfunction, Inflammation, and Exercise. 2009 , 131-147	1
159	Minority Women and Cardiovascular Disease. 2009 , 297-320	1
158	A microchip-based assay for interleukin-6. 2007 , 385, 131-44	11
157	Kardiologie. 2008 , 343-387	2
156	Life Course Lens on Aging and Health. 2016 , 389-406	11
155	Pathophysiology of Coronary Artery Disease. 2009 , 23-30	1
154	Patient-Oriented Research: Clinical Pathophysiology and Clinical Therapeutics. 2009 , 3-12	3
153	Metabolic Bone Disease. 2009 , 1579-1599	3
152	Metabolic Bone Disease. 2013 , 1660-1679.e4	2
151	Moderators of the relationship between frequent family demands and inflammation among adolescents. 2017 , 36, 493-501	7
150	Matriliney reverses gender disparities in inflammation and hypertension among the Mosuo of China. 2020 , 117, 30324-30327	8
149	Clinical Efficacy of an Automated High-Sensitivity C-Reactive Protein Assay. 1999 , 45, 2136-2141	457
148	Novel risk factors for coronary heart disease: emerging connections. 2000 , 14, 91-103	6
147	New and old cardiovascular risk factors: C-reactive protein, homocysteine, cysteine and von Willebrand factor increase risk, especially in smokers. 2005 , 12, 542-7	13
146	Statin therapy in rheumatoid arthritis. 2005 , 98, 534-40; quiz 541, 572	8
145	Preoperative C-reactive protein predicts long-term mortality and hospital length of stay after primary, nonemergent coronary artery bypass grafting. 2010 , 112, 607-13	25
144	Pro-resolving lipid mediators in vascular disease. 2018 , 128, 3727-3735	33
143	Antidiabetic effect of Wedelia chinensis leaf extract in alloxan induced Swiss albino diabetic mice. 2020 , 6,	2

142	Japanese Society of Hypertension guidelines for the management of hypertension (JSH 2004). 2006 , 29 Suppl, S1-105	190
141	The association between subclinical atherosclerosis and uterine fibroids. 2013 , 8, e57089	13
140	Effect of marine-derived n-3 polyunsaturated fatty acids on C-reactive protein, interleukin 6 and tumor necrosis factor α meta-analysis. 2014 , 9, e88103	133
139	Early inflammatory markers are independent predictors of cardiac allograft vasculopathy in heart-transplant recipients. 2014 , 9, e113260	10
138	Association of Metabolites with Obesity and Type 2 Diabetes Based on FTO Genotype. 2016 , 11, e0156612	23
137	A blood-based biomarker panel to risk-stratify mild traumatic brain injury. 2017 , 12, e0173798	30
136	Preoperative asymptomatic leukocytosis and postoperative outcome in cardiac surgery patients. 2017 , 12, e0182118	13
135	C-Reactive Protein as an Independent Cardiovascular Risk Predictor in HIV+ Patients: A Focused Review of Published Studies. 2017 , 9, 891-899	11
134	Mitral valve restenosis after percutaneous transmitral valvuloplasty, role of continuous inflammation. 2014 , 6, 191-5	3
133	Effects of raloxifene on brachial arterial endothelial function, carotid wall thickness, and arterial stiffness in osteoporotic postmenopausal women. 2010 , 51, 60-7	20
132	Prognostic value of C-reactive protein/albumin ratio in ST-segment elevation myocardial infarction. 2020 , 11, 168-171	1
131	Is C-reactive protein a useful predictor of outcome in peritoneal dialysis patients?. 2001 , 12, 814-821	90
130	The microinflammatory state in uremia: causes and potential consequences. 2001 , 12, 1549-1557	324
129	Ongoing clinical trials of the pleiotropic effects of statins. 2005 , 1, 29-40	35
128	Critical appraisal of C-reactive protein throughout the spectrum of cardiovascular disease. 2006 , 2, 221-37	55
127	Cardiovascular Consequences of Autoimmune Rheumatic Diseases. 2020 , 18, 566-579	1
126	Risk Factors for Ischemic Heart Disease. 2019 , 14, 86-94	4
125	Association of high sensitivity C-reactive protein concentrations and metabolic syndrome among Thai adults. 2010 , 4, 385-393	2

124	Oxidative stress markers are not valuable markers in lean and early age of polycystic ovary syndrome patients. 2011 , 34, e178-82	3
123	Predicting the Risk of Recurrent Venous Thromboembolism: Current Challenges and Future Opportunities. 2020 , 9,	4
122	Effect of Mulberry (<i>Morus alba</i> L.) Extract on Blood Flow Improvement. 2014 , 43, 498-506	6
121	sTNF-R Levels: Apical Periodontitis Linked to Coronary Heart Disease. 2017 , 5, 68-71	7
120	Relationship between peripheral leukocyte count and the severity of stable angina determined by coronary angiography. 2004 , 19, 99-103	1
119	Jupiter to earth: a statin helps people with normal LDL-C and high hs-CRP, but what does it mean?. 2009 , 76, 37-44	7
118	Role of systemic markers in periodontal diseases: a possible inflammatory burden and risk factor for cardiovascular diseases?. 2014 , 4, 388-92	23
117	Role of C-reactive protein as a marker of disease severity and cardiovascular risk in patients with psoriasis. 2015 , 6, 322-5	31
116	Integrating Biomarkers into Research with Latino Immigrants in the United States. 2013 , 03, 112-120	8
115	Hepatocyte growth factor, a biomarker of macroangiopathy in diabetes mellitus. 2014 , 5, 678-88	15
114	Potential role of interleukin-18 in patients with rheumatoid arthritis-associated carotid intima-media thickness but not insulin resistance. 2014 , 1, 135-139	2
113	Epidemiology of atrial fibrillation. 2020 , 13, 56-64	1
112	Effect of a Probiotic Preparation (VSL#3) on Cardiovascular Risk Parameters in Critically-Ill Patients. 2013 , 5, 67-70	13
111	Overall and Gender-specific Associations between C-reactive Protein and Stroke Occurrence: A Cross-sectional Study in US. 2016 , 18, 355-357	2
110	Hypercoagulation testing in ischemic stroke. 2007 , 131, 890-901	38
109	Risk factors for cardiovascular disease: one down, many more to evaluate. 1999 , 131, 62-3	32
108	Gender Differences in Biological Function in Young Adulthood: An Intragenerational Perspective. 2018 , 4, 98-119	2
107	C-reactive Protein β Prognostic Marker of Inflammation in Atherothrombosis. 2001 , 203-220	1

- 106 Die koronare Herzerkrankung [Eine entzündliche oder infektiöse Krankheit?]. **2001**, 99-109
- 105 Clinical evidence of inflammation as a risk factor in ischemic stroke. **2001**, 13-26
- 104 Coronary Artery Disease and Endothelial Function. **2002**, 887-912
- 103 Perinatal origins of adult disease. **2002**, 5-32
- 102 Metabolic Syndrome X and low-grade systemic inflammation. **2002**, 61-93
- 101 Pleiotropic effects of HMG-CoA reductase inhibitors on cells of the vascular wall. **2002**, 81-98
- 100 Atherosclerotic Lesions: Vulnerability. **2002**, 327-339
- 99 Kardiovaskuläre Risikofaktoren und deren Bedeutung für die Entstehung der koronaren Herzkrankheit bei der Frau. **2002**, 15-37
- 98 Cardiovascular Risk Factors in Women. **2003**, 439-443
- 97 Cardiovascular Risk Factors and the Development of Coronary Heart Disease in Women. **2003**, 13-33
- 96 A biomarker of inflammation in cardiovascular disease. **2003**, 9-20
- 95 C-Reactive Protein for Primary Risk Assessment. **2003**, 279-290
- 94 Novel Atherosclerotic Risk Factors and Management. **2003**, 41-58
- 93 Unanswered questions about the use of statins. **2003**, 228-240
- 92 Epidemiology of Coronary Calcification. **2004**, 213-222
- 91 Endothelial Cell Biology: Inflammatory Biomarkers and Risk of Transplant Atherosclerosis. **2004**, 591-605
- 90 Primary Prevention of Cardiovascular Events in Older Individuals. **2004**, 83-113
- 89 Risk Detection and Primary Prevention in Women. **2004**, 29-45

88 Kardiologie. **2004**, 313-356

87 Evidence-Based Medicine in the Assessment of Women at Risk for Cardiovascular Disease. **2004**, 9-16

86 State-of-the-Art Diagnostic Testing in Women. **2004**, 173-194

85 The Insulin Resistance Syndrome.

84 Vascular Inflammation as a Cardiovascular Risk Factor. **2005**, 577-604

83 Women and cardiovascular heart disease. **2005**, 331-347

82 Inflammatory Mediators and C-Reactive Protein. **2006**, 441-462

81 Intervention: Androgens. **2007**, 799-812

80 Biomarkers of Inflammation as Surrogate Markers in Detection of Vulnerable Plaques and Vulnerable Patients. **2007**, 641-651

1

79 Dairy products and oral health. **2007**, 134-162

2

78 Obesity and C-reactive Protein Levels Among White, Black, and Hispanic US Adults.

77 The effect of 12 week combined exercise on cardiovascular risk factors and inflammation markers in obese middle school girls. **2008**, 17, 173-182

2

76 Modulation of Biomarkers of Inflammation. **2009**, 396-409

75 The Link Between Inflammation and Thrombosis. **2010**, 39-61

74 Inflammatory Markers and Novel Risk Factors. **2011**, 107-123

73 Prevention of Ischemic Heart Disease in Women. **2011**, 398-414

72 Circulating levels of inflammatory biomarkers associated with ischemic stroke subtype. **2011**, 33, 564-571

71 Obstructive sleep apnea: Children versus adults. **2011**, 370-398

- 70 Randomised study of ezetimibe, start doses of original statins, and their combination in patients with coronary heart disease and hyperlipidemia Part 2. Therapy effects on the levels of C-reactive protein and proinflammatory cytokines. **2011**, 10, 81-88
- 69 C-reactive protein and sociodemographic parameters in Moscow residents aged 55 years and older. **2011**, 10, 64-69 2
- 68 A Hierarchy of Healing: The Therapeutic Order. **2013**, 18-33 1
- 67 Cardiovascular Disease in Women. **2014**, 255-266 1
- 66 Nutrition and Inflammation. **2014**, 129-152
- 65 HIGH SENSITIVITY C - REACTIVE PROTEIN AS A PROGNOSTIC MARKER IN ACUTE STROKE. **2014**, 3, 2675-2679 5
- 64 Atherosclerosis. **2014**, 133-210
- 63 Very Early C-Reactive Protein Levels after Acute Myocardial Infarction Predict Early Outcome and Late Prognosis. **2015**, 06, 547-553
- 62 Cardiovascular and Metabolic Syndrome Impact on Uristatin. **2015**, 157-170
- 61 MONITORING OF HIGH SENSITIVITY C-REACTIVE PROTEIN IN TYPE 2 DIABETES MELLITUS PATIENTS MAY REDUCE THE MORTALITY. **2015**, 4, 16991-16993
- 60 Stromelysin-1 Gene Promoter 5A/6A Polymorphism and Plasma C-Reactive Protein in Patients with Coronary Artery Disease and Myocardial Infarction. **2016**, 06, 253-257
- 59 The Role of High-sensitivity C-reactive Protein as a Cardiovascular Risk Marker in Essential Hypertension. **2016**, 02, 23-28
- 58 HIGH SENSITIVITY C-REACTIVE PROTEIN IN ACUTE ISCHAEMIC STROKE. **2017**, 6, 426-429
- 57 Microvascular Angina as a Cause of Ischemia: An Update. **2018**, 135-163
- 56 Cardiovascular Disease Risk Factor Responses to a Type 2 Diabetes Care Model Including Nutritional Ketosis at One Year: An Open Label, Non-Randomized, Controlled Study.
- 55 Effects of Aquarobics Exercise and Combined Exercise on HbA1c and Cardiovascular Disease Risk Factors in Elderly Women. **2018**, 57, 661-670
- 54 Targeting C-Reactive Protein in Inflammatory Disease. **2019**, 173-186
- 53 Biomarkers for unstable atherosclerotic plaques in carotid arteries. **2019**, 17, 290-294

52	Inflammation in Alzheimer's disease: do sex and APOE matter?.	2
51	A Hierarchy of Healing. 2020 , 11-24.e4	
50	Study of Levels of Serum Malondialdehyde and Serum High Sensitivity C-Reactive Protein in Chronic Renal Failure Patients - A Hospital-Based Study. 2020 , 7, 2913-2917	
49	Adiponectin and Inflammation. 2007 , 111-117	
48	The relationship between serum vitamin D levels and ankle-brachial index in patients with metabolic syndrome. 2018 , 14, 11-16	1
47	Effects of an herbal medication containing bee products on menopausal symptoms and cardiovascular risk markers: results of a pilot open-uncontrolled trial. 2004 , 6, 46	7
46	Reduction of C-reactive protein and the use of anti-hypertensives. 2007 , 3, 975-83	22
45	Lipoprotein-associated phospholipase A2 as a novel risk marker for cardiovascular disease: a systematic review of the literature. 2010 , 37, 25-39	33
44	Association of High Sensitivity C-Reactive Protein Concentrations and Metabolic Syndrome among Thai Adults. 2010 , 4, 385-393	4
43	A review of risk factors for stroke in patients with chronic kidney disease. 2009 , 2, 126-31	8
42	Effects of dietary flavonoids intake in Saudi patients with coronary heart disease. 2007 , 14, 119-26	1
41	High-sensitivity C-reactive protein levels and treadmill exercise test responses in men and women without overt heart disease. 2013 , 18, 124-8	3
40	C-reactive protein and other markers of inflammation in hemodialysis patients. 2013 , 4, 611-6	27
39	High sensitivity C-reactive protein levels in Acute Ischemic Stroke and subtypes: A study from a tertiary care center. 2013 , 12, 92-7	13
38	Using biomarkers to improve the preoperative prediction of death in coronary artery bypass graft patients. 2010 , 42, 293-300	9
37	Leptin-to-Adiponectin Ratio is Related to Low Grade Inflammation and Insulin Resistance Independent of Obesity in Non-Diabetic Taiwanese: A Cross-Sectional Cohort Study. 2014 , 30, 204-14	13
36	Biochemical Markers of Myocardial Damage. 2016 , 27, 95-111	29
35	Study of atherogenic lipid profile, high sensitive C-reactive protein neurological deficit and short-term outcome in stroke subtypes. 2016 , 15, 146-52	3

34	Alcohol's effects on the risk for coronary heart disease. 2001 , 25, 255-61	31
33	C-reactive protein as a predictor of malignant ventricular arrhythmias in non-ST elevation myocardial infarction. 2019 , 16, 614-620	1
32	Dyslipidemia, Not Inflammatory Markers or Adipokines, Contributes Significantly to a Higher SYNTAX Score in Stable Coronary Artery Disease (from the Taichung CAD Study). 2021 , 37, 232-238	
31	Active matrix metalloproteinase-8: A potential biomarker of oral systemic link. 2021 ,	2
30	Low-grade inflammation as a risk factor for cardiovascular events and all-cause mortality in patients with type 2 diabetes. 2021 , 20, 220	5
29	Prognostic value of interleukin-6 in atrial fibrillation: A cohort study and meta-analysis. 2021 , 25, 872-879	0
28	Endothelial injury in COVID-19 and septic patients.. 2021 , 140, 104303	1
27	Serum Cholinesterase Level as a Marker of Systemic Low-Grade Inflammation in Isolated Systolic Hypertension: A Cross-Sectional Study. 2020 , 2,	
26	The Effect of Nutrition on Aging-A Systematic Review Focusing on Aging-Related Biomarkers.. 2022 , 14,	5
25	Therapeutic strategies targeting inflammation and immunity in atherosclerosis: how to proceed?. 2022 ,	10
24	Inflammation as a mechanism and therapeutic target in peripheral artery disease.. 2022 ,	0
23	Transitional Changes in the Structure of C-Reactive Protein Create Highly Pro-Inflammatory Molecules: Therapeutic Implications for Cardiovascular Diseases.	
22	Transitional changes in the structure of C-reactive protein create highly pro-inflammatory molecules: Therapeutic implications for cardiovascular diseases.. 2022 , 108165	2
21	ROLE OF HS CRP AND LIPID ABNORMALITIES AS RISK FACTOR IN CORONARY ARTERY DISEASE. 2021 , 37-39	
20	Association Between Occupational Sitting With High Sensitivity C-Reactive Protein: The Jackson Heart Study. 155982762110597	0
19	Role of Statins and Resveratrol in PCOS Management. 2022 , 255-277	
18	Data_Sheet_1.docx. 2020 ,	
17	Risk Factors Predisposing to Angina in Patients with Non-Obstructive Coronary Arteries: A Retrospective Analysis. 2022 , 12, 1049	1

16	Significant Decrease in Glycated Hemoglobin, 2h-Post-Load Glucose and High-Sensitivity C-Reactive Protein Levels in Patients with Abnormal Body Mass Index after Therapy with Manual Lymphatic Drainage. 2022 , 10, 1730	
15	The physiology of failure: Identifying risk factors for mortality in emergency general surgery patients using a regional health system integrated electronic medical record. 2022 , 93, 409-417	
14	Inflammatory pathways in heart failure with preserved left ventricular ejection fraction: implications for future interventions.	4
13	C-reactive protein, immunothrombosis and venous thromboembolism. 13,	3
12	Stroke and Carotid Artery Disease. 2022 , 1207-1226	0
11	Inflammation, sauna bathing, and all-cause mortality in middle-aged and older Finnish men: a cohort study.	0
10	The Association of Inflammatory Markers, IL-1 β and TGF- β with Dietary Insulin Load and Dietary Insulin Index in Overweight and Obese Women with Healthy and Unhealthy Metabolic Phenotypes: A Cross-Sectional Study. 2022 , 2022, 1-10	0
9	Assessment of cardiovascular risk factors in obese women with HIV. 095646242211326	0
8	Role of High-Sensitivity C-reactive Protein (Hs-CRP) in Non-communicable Diseases: A Review. 2022 ,	0
7	Inflammation in heart failure: causal determinant or bystander?. 2022 , 23, 736-737	0
6	The IL-1 Family and Its Role in Atherosclerosis. 2023 , 24, 17	1
5	Drug-Drug Interaction between Antiplatelet Therapy and Lipid-Lowering Agents (Statins and PCSK9 Inhibitors).	0
4	The Long Arm of childhood hypothesis and systematic low-grade inflammation: Evidence from parental education of older European adults. 2022 , 101334	0
3	Study on Anti-Inflammatory Mechanism of Angelica pubescens Based on Network Pharmacology and Molecular Docking. 2023 , 18, 1934578X2211466	0
2	Implementation of risk enhancers in ASCVD risk estimation and hypolipidemic treatment eligibility: a sex-specific analysis. 2023 ,	1
1	The Relevance of Thrombo-Inflammatory Biomarkers and Their Relationship with Circulating Glycosaminoglycans in End-Stage Renal Disease Patients. 2023 , 29, 107602962311695	0