

CITATION REPORT

List of articles citing

Plasma concentration of C-reactive protein and risk of developing peripheral vascular disease

DOI: 10.1161/01.cir.97.5.425
Circulation, 1998, 97, 425-8.

Source: <https://exaly.com/paper-pdf/29223432/citation-report.pdf>

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
833	C-reactive protein: a cardiovascular risk factor report on the CRP hot-topic workshop October 1, 1997. 1998 , 12, 323-327		10
832	Prospective study of C-reactive protein and the risk of future cardiovascular events among apparently healthy women. <i>Circulation</i> , 1998 , 98, 731-3	16.7	1329
831	An association between periodontal disease and peripheral vascular disease. 1998 , 176, 153-7		72
830	Prevention of coronary heart disease in clinical practice: recommendations of the Second Joint Task Force of European and other Societies on Coronary Prevention. 1998 , 140, 199-270		422
829	[Epidemiology and prognosis of peripheral obliterative arteriopathy]. 1998 , 56 Suppl 3, 1-10		19
828	Inflammation, pravastatin, and the risk of coronary events after myocardial infarction in patients with average cholesterol levels. Cholesterol and Recurrent Events (CARE) Investigators. <i>Circulation</i> , 1998 , 98, 839-44	16.7	1104
827	Inflammation, infection, and cardiovascular risk: how good is the clinical evidence?. <i>Circulation</i> , 1998 , 97, 1671-4	16.7	117
826	Prospective study of herpes simplex virus, cytomegalovirus, and the risk of future myocardial infarction and stroke. <i>Circulation</i> , 1998 , 98, 2796-9	16.7	147
825	Periodontal disease and mortality from all causes in the VA Dental Longitudinal Study. 1998 , 3, 339-49		86
824	Prevention of coronary heart disease in clinical practice. Recommendations of the Second Joint Task Force of European and other Societies on coronary prevention. 1998 , 19, 1434-503		757
823	ENVIRONMENT The Effectiveness of Environmental Education: Can We Turn Tourists into "Greenies"? Mark B. Orams. Progress in Tourism and Hospitality Research, vol. 3, no. 4, December 1997, pp. 295-306. Journals Subscriptions, John Wiley and Sons, Ltd., 1 Oldlands Way, Bognor Regis, West Sussex PO22 9SA United Kingdom. \$195 annual subscription. 1998 , 37, 65-65		
822	NIH-FDA Conference: Biomarkers and Surrogate Endpoints: Advancing Clinical Research and Applications. Abstracts. 1998 , 14, 187-334		14
821	Central injection of nicotine increases hepatic and splenic interleukin 6 (IL-6) mRNA expression and plasma IL-6 levels in mice: involvement of the peripheral sympathetic nervous system. 1999 , 13, 1259-67		25
820	Vegetarians and Cardiovascular Risk Factors: Hemostasis, Inflammatory Markers and Plasma Homocysteine. 1999 , 81, 913-917		63
819	Markers of chronic infection and inflammation. Are they important in cases with chronic coronary heart disease. 1999 , 40, 275-80		5
818	Epidemiological Evidence for Inflammation in Cardiovascular Disease. 1999 , 82, 826-831		46
817	Inflammatory Markers in Men with Angiographically Documented Coronary Heart Disease. 1999 , 45, 1967-1973		114

816	Progress in dialysis technology--clinical benefit vs increased complexity and risk. Report on the Dialysis Opinion Symposium at the ERA-EDTA Congress, 7 June 1998, Rimini. 1999 , 14, 2101-5	2
815	Nontraditional Cardiovascular Risk Factors. 1999 , 317, 193-207	14
814	Systemic inflammatory parameters in patients with atherosclerosis of the coronary and peripheral arteries. 1999 , 19, 2355-63	247
813	Plasma concentrations of interleukin-6 and abdominal aortic diameter among subjects without aortic dilatation. 1999 , 19, 1695-9	93
812	Inflammation, the acute phase response and atherosclerosis. 1999 , 37, 495-503	56
811	MicroCRP: a highly sensitive CRP method applied in the monitoring of renal allograft recipients. 1999 , 59, 405-16	8
810	C-reactive protein and outcome after ischemic stroke. 1999 , 30, 981-5	271
809	Periodontitis-atherosclerosis syndrome: an expanded model of pathogenesis. 1999 , 34, 346-52	65
808	Lipid lowering and beyond: results from the CARE study on lipoproteins and inflammation. Cholesterol and Recurrent Events. 1999 , 24, 51-6	18
807	[Angiology update]. 1999 , 94, 251-63	0
806	The role of C-reactive protein in cardiovascular disease risk. 1999 , 1, 99-104	56
805	Nonsteroidal anti-inflammatory drugs after acute myocardial infarction. DAVIT Study Group. Danish Verapamil Infarction Trial. 1999 , 83, 1263-5, A9	14
804	Survey of C-reactive protein and cardiovascular risk factors in apparently healthy men. 1999 , 84, 1018-22	278
803	Serum amyloid A (SAA): a concise review of biology, assay methods and clinical usefulness. 1999 , 37, 381-8	139
802	Plaque disruption and thrombosis. Potential role of inflammation and infection. 1999 , 17, 271-81	59
801	Intense acute phase response in ischemic patients. 1999 , 68, 69-73	10
800	Procedure costs and outcomes associated with pharmacologic management of peripheral arterial disease in the Department of Defense. 1999 , 21, 1358-69	3
799	C-reactive protein as a cardiovascular risk factor: more than an epiphenomenon?. <i>Circulation</i> , 1999 , 100, 96-102	16.7 665

798	[Ischemic cardiopathy: inflammation markers and the cardiovascular risk]. 1999 , 52, 990-1003	9
797	Are associations between infection and coronary disease causal or due to confounding?. 1999 , 106, 376-7	8
796	Antioxidant vitamin and mineral supplementation for preventing age-related macular degeneration. 2000 , CD000253	9
795	Inflammation markers and coronary heart disease. 1999 , 10, 435-41	87
794	Evaluating novel cardiovascular risk factors: can we better predict heart attacks?. 1999 , 130, 933-7	210
793	Leukocyte activation: relation to cardiovascular mortality after cerebrovascular ischemia. 2000 , 10, 97-101	45
792	Are morphological or functional changes in the carotid artery wall associated with Chlamydia pneumoniae, Helicobacter pylori, cytomegalovirus, or herpes simplex virus infection?. 2000 , 31, 2127-33	77
791	Peripheral vascular disease and type 2 diabetes mellitus. 2000 , 16 Suppl 1, S11-5	33
790	High-sensitivity C-reactive protein and atherosclerosis: from theory to therapy. 2000 , 33, 601-10	67
789	Inflammation and microalbuminuria in nondiabetic and type 2 diabetic subjects: The Insulin Resistance Atherosclerosis Study. 2000 , 58, 1703-10	257
788	Circulating concentrations of C-reactive protein and total sialic acid in tobacco smokers remain unchanged following one year of validated smoking cessation. 2000 , 30, 861-5	32
787	The association between C-reactive protein on admission and mortality in patients with acute myocardial infarction. 2000 , 247, 341-5	63
786	Periodontal medicine: the emergence of a new branch of periodontology. 2000 , 23, 9-12	103
785	Oral disease, cardiovascular disease and systemic inflammation. 2000 , 23, 110-20	116
784	Central injection of nitric oxide synthase inhibitors increases peripheral interleukin-6 and serum amyloid A: involvement of adrenaline from adrenal medulla. 2000 , 130, 41-8	5
783	The role of C-reactive protein in cardiovascular disease risk. 2000 , 2, 274-9	27
782	Evaluation of Four Automated High-Sensitivity C-Reactive Protein Methods: Implications for Clinical and Epidemiological Applications. 2000 , 46, 461-468	197
781	Immunoradiometric Assay of Circulating C-Reactive Protein: Age-related Values in the Adult General Population. 2000 , 46, 934-938	199

780	C-reactive protein: a new cardiovascular risk factor?. 2000 , 173, 117-8		2
779	Prevention Conference V: Beyond secondary prevention: identifying the high-risk patient for primary prevention: noninvasive tests of atherosclerotic burden: Writing Group III. <i>Circulation</i> , 2000 , 101, E16-22	16.7	485
778	Elevated levels of plasma C-reactive protein are associated with decreased graft survival in cardiac transplant recipients. <i>Circulation</i> , 2000 , 102, 2100-4	16.7	75
777	C-reactive protein and the severity of atherosclerosis in myocardial infarction patients with stable angina pectoris. 2000 , 21, 1000-8		66
776	Acute systemic inflammation impairs endothelium-dependent dilatation in humans. <i>Circulation</i> , 2000 , 102, 994-9	16.7	481
775	Enhanced acute-phase response and oxidative stress in older adults with type II diabetes. 2000 , 32, 407-12		66
774	Cytomegalovirus seropositivity and C-reactive protein have independent and combined predictive value for mortality in patients with angiographically demonstrated coronary artery disease. <i>Circulation</i> , 2000 , 102, 1917-23	16.7	154
773	Microorganisms in the aetiology of atherosclerosis. 2000 , 53, 647-54		36
772	Risk factors for atherosclerosis in young individuals. 2000 , 7, 215-29		38
771	C-reactive protein is a strong but nonspecific risk factor of fatal stroke in elderly persons. 2000 , 20, 1047-51		136
770	Prognostic value of C-reactive protein levels within six hours after the onset of acute myocardial infarction. 2000 , 140, 324-8		93
769	Unstable angina pectoris. 2000 , 342, 101-14		159
768	The continuous administration of aspirin attenuates atherosclerosis in apolipoprotein E-deficient mice. 2000 , 68, 457-65		41
767	Elevation of systemic markers related to cardiovascular diseases in the peripheral blood of periodontitis patients. 2000 , 71, 1528-34		560
766	Novel risk factors for atherosclerosis. 2000 , 75, 369-80		127
765	C-reactive protein, inflammation, and coronary risk. 2000 , 84, 149-61, ix		111
764	Lack of association of C-reactive protein and coronary calcium by electron beam computed tomography in postmenopausal women: implications for coronary artery disease screening. 2000 , 36, 39-43		112
763	Plasma concentration of soluble vascular cell adhesion molecule-1 and subsequent cardiovascular risk. 2000 , 36, 423-6		131

762	Periodontal infections contribute to elevated systemic C-reactive protein level. 2001 , 72, 1221-7	480
761	Familial and genetic determinants of systemic markers of inflammation: the NHLBI family heart study. 2001 , 154, 681-9	307
760	[C-reactive protein as a coronary risk factor]. 2001 , 117, 303-8	4
759	Acute-phase proteins before cerebral ischemia in stroke-prone rats: identification by proteomics. 2001 , 32, 753-60	83
758	Fibrinolytics and Antifibrinolytics. 2001 ,	
757	Generation of C-reactive protein and complement components in atherosclerotic plaques. 2001 , 158, 1039-51	465
756	Established and emerging cardiovascular risk factors. 2001 , 141, S49-57	105
755	C-reactive protein is not associated with the presence or extent of calcified subclinical atherosclerosis. 2001 , 141, 206-10	100
754	Joint effects of C-reactive protein and other risk factors on acute coronary events. 2001 , 141, 580-5	46
753	The pravastatin inflammation CRP evaluation (PRINCE): rationale and design. 2001 , 141, 893-8	45
752	Inflammation, autotoxicity and Alzheimer disease. 2001 , 22, 799-809	413
751	Anti-inflammatory effects of simvastatin in subjects with hypercholesterolemia. 2001 , 77, 247-53	151
750	High-sensitivity C-reactive protein: potential adjunct for global risk assessment in the primary prevention of cardiovascular disease. <i>Circulation</i> , 2001 , 103, 1813-8	16.7 1051
749	Obesity and preeclampsia: the potential role of inflammation. 2001 , 98, 757-62	114
748	La disfunción endotelial en la angiopatía diabética. El factor de crecimiento del endotelio vascular. 2001 , 48, 198-201	2
747	Statins in the 21st century: end of the simple story?. 2001 , 10, 1755-66	17
746	Peripheral arterial disease--epidemiological aspects. 2001 , 6, 3-7	223
745	Pathophysiology of arterial thrombosis. 2001 , 279-292	

744	High-Sensitivity C-Reactive Protein: A Novel and Promising Marker of Coronary Heart Disease. 2001 , 47, 403-411	394
743	Proposed Cardiovascular Risk Assessment Algorithm Using High-Sensitivity C-Reactive Protein and Lipid Screening. 2001 , 47, 28-30	151
742	Evaluation of Nine Automated High-Sensitivity C-Reactive Protein Methods: Implications for Clinical and Epidemiological Applications. Part 2. 2001 , 47, 418-425	406
741	Treatment of intermittent claudication with pentoxifylline and cilostazol. 2001 , 58, 485-493	20
740	Medical management of peripheral arterial disease. 2001 , 9, 238-45	44
739	Obesity and Preeclampsia. 2001 , 98, 757-762	82
738	Inflammation and coronary heart disease: an overview. 2001 , 9, 31-5	87
737	Relationship between C-reactive protein and intima-media thickness in the carotid and femoral arteries and to antibodies against oxidized low-density lipoprotein in healthy men: the Atherosclerosis and Insulin Resistance (AIR) study. 2001 , 100, 371-8	42
736	Relationship between C-reactive protein and intima-media thickness in the carotid and femoral arteries and to antibodies against oxidized low-density lipoprotein in healthy men: the Atherosclerosis and Insulin Resistance (AIR) study. 2001 , 100, 371	24
735	C-reactive protein elevation can be caused by conditions other than inflammation and may reflect biologic aging. 2001 , 68, 535-7	55
734	Inflammation and atherosclerosis: the value of the high-sensitivity C-reactive protein assay as a risk marker. 2001 , 116 Suppl, S108-15	32
733	C-reactive protein and paroxysmal atrial fibrillation: evidence of the implication of an inflammatory process in paroxysmal atrial fibrillation. 2001 , 56, 375-80	154
732	[Acute coronary syndromes: an update. I. Pathogenesis and drug therapy]. 2001 , 26, 99-110	
731	New developments in the detection of vulnerable plaque. 2001 , 3, 125-35	58
730	Interleukin 6 and haemostasis. 2001 , 115, 3-12	235
729	Urinary albumin excretion is independently associated with C-reactive protein levels in overweight and obese nondiabetic premenopausal women. 2001 , 250, 502-7	31
728	Evaluation of C-reactive protein, a sensitive marker of inflammation, as a risk factor for stable coronary artery disease. 2001 , 34, 309-15	32
727	Novel clinical markers of vascular wall inflammation. 2001 , 89, 763-71	592

726	C-reactive protein and coronary heart disease: diagnostic and therapeutic implications for primary prevention. 2001 , 1, 153-7	13
725	C-reactive protein is independently associated with total body fat, central fat, and insulin resistance in adult women. 2001 , 25, 1416-20	143
724	Association of C-reactive protein with markers of prevalent atherosclerotic disease. 2001 , 88, 112-7	195
723	Relation of the leukocyte count to recurrent cardiac events in stable patients after acute myocardial infarction. 2001 , 88, 1221-4	31
722	Is obesity an inflammatory condition?. 2001 , 17, 953-66	594
721	Hypothesis: Is obesity an inflammatory condition?. 2001 , 17, 974-5	3
720	Interleukin-6 is a major effector molecule of short-term G-CSF treatment inducing bone metabolism and an acute-phase response. 2001 , 29, 812-21	25
719	Novel risk factors for systemic atherosclerosis: a comparison of C-reactive protein, fibrinogen, homocysteine, lipoprotein(a), and standard cholesterol screening as predictors of peripheral arterial disease. 2001 , 285, 2481-5	909
718	Markers of the acute phase response in cardiovascular disease: an update. 2001 , 39, 1054-64	10
717	The relationship between infection, inflammation, and cardiovascular disease: an overview. 2001 , 6, 1-8	92
716	Serum vitamin C concentration is low in peripheral arterial disease and is associated with inflammation and severity of atherosclerosis. <i>Circulation</i> , 2001 , 103, 1863-8	16.7 133
715	Serum levels of C-reactive protein are associated with obesity, weight gain, and hormone replacement therapy in healthy postmenopausal women. 2001 , 153, 1094-101	85
714	Low-grade systemic inflammation in overweight children. 2001 , 107, E13	265
713	Restenosis after percutaneous transluminal angioplasty in the femoropopliteal segment: the role of inflammation. 2001 , 8, 477-83	81
712	Extent of coronary atherosclerosis and homocysteine affect endothelial markers. 2001 , 52, 589-96	7
711	Elevated C-reactive protein constitutes an independent predictor of advanced carotid plaques in dyslipidemic subjects. 2001 , 21, 1962-8	105
710	Oxidative stress and haemodialysis: role of inflammation and duration of dialysis treatment. 2001 , 16, 335-40	186
709	Macrovascular disease aetiology and diabetic foot ulceration. 2001 , 10, 103-7	5

708	Plasma concentration of C-reactive protein and risk of ischemic stroke and transient ischemic attack: the Framingham study. 2001 , 32, 2575-9		668
707	Inflammation and stroke: the Leiden 85-Plus Study. 2002 , 33, 1135-8		119
706	High sensitivity C-reactive protein: an emerging role in cardiovascular risk assessment. 2002 , 39, 459-97		44
705	Evaluation of Denka-Seiken turbidimetric high-sensitivity C-reactive protein assay. 2002 , 40, 840-5		8
704	Relationship between the sialic acid content of low-density lipoprotein (LDL) and autoantibodies to oxidized LDL in the plasma of healthy subjects and patients with atherosclerosis. 2002 , 40, 15-20		6
703	Need to test the arterial inflammation hypothesis. <i>Circulation</i> , 2002 , 106, 136-40	16.7	106
702	Chlamydial heat-shock protein-60 antibody and correlation with Chlamydia pneumoniae in atherosclerotic plaques. 2002 , 186, 1469-73		26
701	Soluble intercellular adhesion molecule-1, soluble vascular adhesion molecule-1, and the development of symptomatic peripheral arterial disease in men. <i>Circulation</i> , 2002 , 106, 820-5	16.7	174
700	Influencing the inflammatory response of haemodialysis patients by cytokine elimination using large-pore membranes. 2002 , 17, 17-9		19
699	The diabetic foot: pathogenesis and clinical evaluation. 2002 , 2, 221-8		15
698	Vascular inflammation and percutaneous transluminal angioplasty of the femoropopliteal artery: association with restenosis. 2002 , 225, 21-6		98
697	Hormone replacement therapy in postmenopausal women with diabetes mellitus. 2002 , 2, 215-9		1
696	Importance of periodontal disease in the kidney patient. 2002 , 20, 113-9		41
695	Common promoter variant in cyclooxygenase-2 represses gene expression: evidence of role in acute-phase inflammatory response. 2002 , 22, 1631-6		291
694	Vascular inflammation and the renin-angiotensin system. 2002 , 22, 1257-66		493
693	C-reactive protein and carotid intimal medial thickness in a community population. 2002 , 9, 97-103		43
692	In the elderly, interleukin-6 plasma levels and the -174G>C polymorphism are associated with the development of cardiovascular disease. 2002 , 22, 2066-71		213
691	High titres of serum antinuclear antibodies, mostly directed against nucleolar antigens, are associated with the presence of coronary atherosclerosis. 2002 , 61, 110-4		27

690	Risk of myocardial infarction and angina in patients with severe peripheral vascular disease: predictive role of C-reactive protein. <i>Circulation</i> , 2002 , 105, 800-3	16.7	111
689	Elevated C-reactive protein values and atherosclerosis in sudden coronary death: association with different pathologies. <i>Circulation</i> , 2002 , 105, 2019-23	16.7	306
688	C-reactive protein predicts progression of atherosclerosis measured at various sites in the arterial tree: the Rotterdam Study. 2002 , 33, 2750-5		159
687	Aspirin in the prophylaxis of coronary artery disease. 2002 , 17, 552-8		32
686	. 2002 , 9, 97-103		80
685	Diagnostic value of CRP and Lp(a) in coronary heart disease. 2002 , 57, 197-204		36
684	Inflammation, cell adhesion molecules, and stroke: tools in pathophysiology and epidemiology?. 2002 , 33, 2141-3		34
683	Novel risk factors for peripheral arterial disease in young women. 2002 , 113, 462-7		40
682	C-reactive protein, statins, and the primary prevention of atherosclerotic cardiovascular disease. 2002 , 5, 42-6		13
681	Chlamydia pneumoniae, Helicobacter pylori and cytomegalovirus infections and the risk of peripheral arterial disease in young women. 2002 , 163, 149-56		28
680	Acute phase reactants in patients with abdominal aortic aneurysm. 2002 , 163, 297-302		54
679	Elevated level of plasma C-reactive protein in patients with unstable angina: its relations with coronary stenosis and lipid profile. 2002 , 53, 265-72		44
678	C-reactive protein and cardiovascular disease: a review of risk prediction and interventions. 2002 , 317, 1-15		115
677	Stress, inflammation and cardiovascular disease. 2002 , 52, 1-23		533
676	Stress and the inflammatory response: a review of neurogenic inflammation. 2002 , 16, 622-53		692
675	Different associations of C-reactive protein, fibrinogen and C3 with traditional risk factors in middle-aged men. 2002 , 83, 63-71		22
674	Clinical carotid atherosclerosis. 2002 , 12, 403-19		9
673	Pharmacologic therapy for peripheral arterial disease and claudication. 2002 , 36, 1283-91		62

672	Gender and asthma. 2002 , 22, 753-789	15
671	Ultrarapid, Ultrasensitive One-Step Kinetic Immunoassay for C-Reactive Protein (CRP) in Whole Blood Samples: Measurement of the Entire CRP Concentration Range with a Single Sample Dilution. 2002 , 48, 269-277	43
670	Pretransplant serum C-reactive protein and the risk of chronic allograft nephropathy in renal transplant recipients: a pilot case-control study. 2002 , 39, 1096-101	37
669	C-reactive protein is elevated in symptomatic compared with asymptomatic patients with carotid artery disease. 2002 , 23, 505-9	21
668	Participation of high glucose concentrations in neutrophil adhesion and surface expression of adhesion molecules on cultured human endothelial cells: effect of antidiabetic medicines. 2002 , 16, 201-8	62
667	Mechanisms of inhibitory activity of the aldose reductase inhibitor, epalrestat, on high glucose-mediated endothelial injury: neutrophil-endothelial cell adhesion and surface expression of endothelial adhesion molecules. 2002 , 16, 321-6	25
666	Early inflammation and dementia: a 25-year follow-up of the Honolulu-Asia Aging Study. 2002 , 52, 168-74	557
665	Statins and inflammatory markers. 2002 , 4, 42-7	17
664	[Manifestations of atherosclerosis in various vascular regions. Similarities and differences regarding epidemiology, etiology and prognosis]. 2002 , 97, 221-8	23
663	Perioperative myocardial infarction in noncardiac surgery: the diagnostic and prognostic role of cardiac troponins. 2002 , 252, 11-20	27
662	Inflammatory bio-markers and cardiovascular risk prediction. 2002 , 252, 283-94	498
661	Iron chelation and hydroxyl radical scavenging reduce the inflammatory response of endothelial cells after infection with Chlamydia pneumoniae or influenza A. 2002 , 32 Suppl 1, 84-90	39
660	A family history of Type 2 diabetes is associated with increased plasma levels of C-reactive protein in non-smoking healthy adult women. 2002 , 19, 689-92	21
659	Inflammatory predictors of mortality in the Scandinavian Simvastatin Survival Study. 2002 , 25, 461-6	28
658	Nitric oxide, atherosclerosis and the clinical relevance of endothelial dysfunction. 2003 , 8, 71-86	112
657	C-reactive protein and rapidly progressive coronary artery disease--is there any relation?. 2003 , 26, 85-90	14
656	The iron hypothesis of atherosclerosis and its clinical impact. 2003 , 35, 578-91	66
655	C-reactive protein and risk of cardiovascular disease: evidence and clinical application. 2003 , 5, 341-9	80

654	C-Reactive Protein and Cardiovascular Diseases. 2003 , 12, 1-12	17
653	The mechanisms of inhibitory actions of gliclazide on neutrophils-endothelial cells adhesion and surface expression of endothelial adhesion molecules mediated by a high glucose concentration. 2003 , 17, 22-6	25
652	C-reaktives Protein in der Risikovorhersage und Intervention bei kardiovaskulären Erkrankungen. 2003 , 27, 100-112	
651	Improvement in lower-extremity peripheral arterial disease by nocturnal hemodialysis. 2003 , 41, 225-9	29
650	A comparison of acute phase proteins and traditional risk factors as markers of combined plaque and intima-media thickness and plaque density in carotid and femoral arteries. 2003 , 26, 81-7	10
649	Role of C-reactive protein in the assessment of cardiovascular risk. 2003 , 91, 200-2	37
648	Cardiovascular diseases and periodontology. 2003 , 30, 279-92	22
647	Detecting vulnerable plaque using peripheral blood: inflammatory and cellular markers. 2003 , 16, 231-42	30
646	Prognostic value of plasma C-reactive protein and fibrinogen determinations in patients with acute myocardial infarction treated with thrombolysis. 2003 , 254, 244-50	10
645	C-reactive protein is associated with renal function abnormalities in a non-diabetic population. 2003 , 63, 654-61	165
644	Inflammation, arteriosclerosis, and cardiovascular therapy in hemodialysis patients. 2003 , S88-93	60
643	Efforts to determine the role of oxidant stress in dialysis outcomes. 2003 , 16, 488-91	4
642	Integration of vascular biology and magnetic resonance imaging in the understanding of atherothrombosis and acute coronary syndromes. 2003 , 1, 1410-21	32
641	C-reactive protein: associations with haematological variables, cardiovascular risk factors and prevalent cardiovascular disease. 2003 , 122, 135-41	50
640	Oral health status, C-reactive protein and mortality--a 10 year follow-up study. 2003 , 20, 32-40	75
639	The metabolic syndrome is associated with elevated circulating C-reactive protein in healthy reference range, a systemic low-grade inflammatory state. 2003 , 27, 443-9	158
638	Long-term body weight variability is associated with elevated C-reactive protein independent of current body mass index among Japanese men. 2003 , 27, 1059-65	29
637	Periodontal disease and mortality in an aged population. 2003 , 23, 125-30	40

636	C-reactive protein, inflammation, and coronary risk. 2003 , 21, 315-25	141
635	Human CRP gene polymorphism influences CRP levels: implications for the prediction and pathogenesis of coronary heart disease. 2003 , 23, 2063-9	242
634	PAD: Natural History and Epidemiology. 2003 , 14, P16-P19	1
633	Clinical relevance of peripheral vascular occlusive disease in patients with rheumatoid arthritis and systemic lupus erythematosus. 2003 , 38, 111-5	12
632	Relationship of destructive periodontal disease to the acute-phase response. 2003 , 74, 1007-16	171
631	Relations of plasma high-sensitivity C-reactive protein to traditional cardiovascular risk factors. 2003 , 167, 73-9	186
630	Effect of transdermal nitroglycerin on inflammatory mediators in patients with peripheral atherosclerotic vascular disease. 2003 , 146, E14	12
629	C-reactive protein elevation independently influences the procedural success of percutaneous balloon mitral valve commissurotomy. 2003 , 146, 1099-104	23
628	C-reactive protein and the risk of cardiovascular mortality. 2003 , 114, 241-2	
627	Development of a point-of-care assay system for high-sensitivity C-reactive protein in whole blood. 2003 , 332, 51-9	77
626	Anti-inflammatory cytokine profile in acute coronary syndromes: behavior of interleukin-10 in association with serum metalloproteinases and proinflammatory cytokines. 2003 , 92, 169-75	32
625	Increased C-reactive protein level after coronary stent implantation in patients with stable coronary artery disease. 2003 , 145, 248-53	67
624	The prognostic value of high-sensitive C-reactive protein and cardiac troponin T in young and middle-aged patients with chest pain without ECG changes. 2003 , 14, 310-314	5
623	High sensitivity C-reactive protein as an independent risk factor for essential hypertension. 2003 , 16, 429-33	129
622	Peripheral arterial disease in people with diabetes. 2003 , 26, 3333-41	755
621	La proteína C reactiva como marcador del riesgo cardiovascular. 2003 , 20, 74-81	
620	High-sensitivity C-reactive protein in high-grade carotid stenosis: risk marker for unstable carotid plaque. 2003 , 38, 1018-24	89
619	Antimicrobial periodontal treatment decreases serum C-reactive protein, tumor necrosis factor-alpha, but not adiponectin levels in patients with chronic periodontitis. 2003 , 74, 1231-6	129

618	Diagnostic implications of C-reactive protein. 2003 , 138, 220-4	62
617	Inflammatory status and endothelial function in asymptomatic and symptomatic peripheral arterial disease. 2003 , 8, 225-32	60
616	A novel role for calpains in the endothelial dysfunction of hyperglycemia. 2003 , 17, 1511-3	70
615	C-reactive protein and the future risk of thromboembolic stroke in healthy men. <i>Circulation</i> , 2003 , 107, 2016-20	16.7 151
614	HMG-CoA reductase inhibitors are associated with decreased serum neopterin levels in stable coronary artery disease. 2003 , 41, 1314-9	21
613	Emerging risk factors for atherosclerotic vascular disease: a critical review of the evidence. 2003 , 290, 932-40	342
612	Is a single time point C-reactive protein predictive of outcome in peritoneal dialysis patients?. 2003 , 14, 1871-9	147
611	Pretransplantation soluble adhesion molecule expression predicts outcome after living donor renal transplantation. 2003 , 138, 1113-9; discussion 1119-20	6
610	Inflammatory and thrombotic mechanisms in coronary atherosclerosis. 2003 , 89, 993-7	101
609	C-reaktives Protein in der Risikovorhersage und Intervention bei kardiovaskulären Erkrankungen/C-Reactive Protein for Risk Prediction and Intervention in Cardiovascular Disease. 2003 , 27, 100-112	
608	Novel Biomedical Risk Markers for Cardiovascular Disease. 2003 , 10, 41-55	2
607	Do thiazide diuretics confer specific protection against strokes?. 2003 , 163, 2557-60	27
606	Cardiac allograft vasculopathy: central role of endothelial injury leading to transplant "atheroma". 2003 , 76, 891-9	125
605	Tubular staining of modified C-reactive protein in diabetic chronic kidney disease. 2003 , 18, 2300-7	48
604	. 2003 , 10, 41-55	10
603	Inflammatory biomarkers of the patient with myocardial insufficiency. 2003 , 9, 369-74	8
602	hsCRP and HDL effects of statins trial (CHEST): rapid effect of statin therapy on C-reactive protein and high-density lipoprotein levels A clinical investigation. 2003 , 5, 2-7	40
601	C-reactive protein and interleukin-6 in vascular disease: culprits or passive bystanders?. 2003 , 21, 1787-803	133

600	Body mass index, but not physical activity, is associated with C-reactive protein. 2003 , 35, 1160-6	91
599	Association between depression and elevated C-reactive protein. 2003 , 65, 347-56	245
598	Inflammation in uremic patients: what is the link?. 2003 , 26, 65-75	11
597	Candesartan reduces oxidative stress and inflammation in patients with essential hypertension. 2003 , 26, 691-7	87
596	The role of microvascular thrombosis in sepsis. 2004 , 32, 619-29	45
595	Effects of Statins on C-Reactive Protein: Are All Statins Similar?. 2004 , 189-201	
594	Statins, Inflammation, and C-Reactive Protein. 2004 , 219-232	
593	C-reactive protein and peripheral artery disease among Japanese elderly: the Tsurugaya Project. 2004 , 27, 955-61	34
592	Vasculature, Vascular Disease, and Atherosclerosis. 2004 , 39-55	
591	E-Selectin and restenosis after femoropopliteal angioplasty: prognostic impact of the Ser128Arg genotype and plasma levels. 2004 , 91, 171-9	29
590	Vascular remodeling in atherosclerotic femoral arteries: three-dimensional US analysis. 2004 , 233, 366-75	5
589	C-reactive protein, cardiovascular disease and stroke: new roles for an old biomarker. 2004 , 4, 507-18	7
588	Peripheral Arterial Disease in People With Diabetes. 2004 , 22, 181-189	8
587	Effect of an increase in C-reactive protein level during a hemodialysis session on mortality. 2004 , 15, 2916-22	66
586	Increased C-reactive protein level after renal stent implantation in patients with atherosclerotic renal stenosis. 2004 , 55, 479-84	16
585	CDC/AHA Workshop on Markers of Inflammation and Cardiovascular Disease: Application to Clinical and Public Health Practice: ability of inflammatory markers to predict disease in asymptomatic patients: a background paper. <i>Circulation</i> , 2004 , 110, e568-71	16.7 42
584	Presence of a failed kidney transplant in patients who are on hemodialysis is associated with chronic inflammatory state and erythropoietin resistance. 2004 , 15, 2494-501	179
583	Peripheral Arterial Disease in People With Diabetes: Consensus Statement Recommends Screening. 2004 , 22, 179-180	15

582	C-reactive protein levels and the expansion of screen-detected abdominal aortic aneurysms in men. <i>Circulation</i> , 2004 , 110, 862-6	16.7	101
581	Predictive value of elevated white blood cell count in patients with preexisting coronary heart disease: the Bezafibrate Infarction Prevention Study. 2004 , 164, 433-9		46
580	Fatty acids and the immune system: from basic science to clinical applications. 2004 , 63, 89-104		92
579	Nitric Oxide, Atherosclerosis and the Clinical Relevance of Endothelial Dysfunction. 2004 , 55-70		
578	Results of blood inflammatory markers are associated more strongly with toe-brachial index than with ankle-brachial index in patients with type 2 diabetes. 2004 , 27, 1381-6		24
577	Highly sensitive determination of C-reactive protein on the Innotrac Aio! immunoanalyzer. 2004 , 64, 677-85		11
576	C-reactive protein and risk factors for peripheral vascular disease in subjects with Type 2 diabetes mellitus. 2004 , 21, 336-41		26
575	Physical activity, exercise, and inflammatory markers in older adults: findings from the Health, Aging and Body Composition Study. 2004 , 52, 1098-104		336
574	C-reactive protein and body mass index independently predict mortality in kidney transplant recipients. 2004 , 4, 1148-54		53
573	High-sensitivity C-reactive protein: Clinical importance. 2004 , 29, 439-493		14
572	Evidence for C-reactive protein's role in (CRP) vascular disease: atherothrombosis, immuno-regulation and CRP. 2004 , 17, 95-105		47
571	The chronic inflammatory hypothesis for the morbidity associated with morbid obesity: implications and effects of weight loss. 2004 , 14, 589-600		342
570	The relation between preprocedural C-reactive protein levels and early and late complications in patients with acute myocardial infarction undergoing interventional coronary angioplasty. 2004 , 27, 163-8		13
569	Effects of conventional and aggressive statin treatment on markers of endothelial function and inflammation. 2004 , 27, 199-203		33
568	Evaluation of a high-affinity QCM immunosensor using antibody fragmentation and 2-methacryloyloxyethyl phosphorylcholine (MPC) polymer. 2004 , 20, 1134-9		53
567	Non-invasive assessment of coronary calcification. 2004 , 19, 1063-72		7
566	[Carotid stenosis concomitant to coronary artery disease]. 2004 , 75, 667-71		
565	[Atherosclerosis and arteriitis: implications for therapy of cardiovascular disease]. 2004 , 29, 4-11		9

564	Time-dependent changes of hs-CRP serum concentration in patients with non-ST elevation acute coronary syndrome. 2004 , 29, 795-801	17
563	Heritability of C-reactive protein and association with apolipoprotein E genotypes in Japanese Americans. 2004 , 68, 179-88	49
562	The acute phase response and atherosclerosis. 2004 , 1, 17-22	9
561	Activation of nuclear factor-kappaB and correlation with elevated plasma c-reactive protein in patients with unstable angina. 2004 , 13, 173-8	29
560	Adherence to the Mediterranean diet attenuates inflammation and coagulation process in healthy adults: The ATTICA Study. 2004 , 44, 152-8	545
559	C-reactive protein and microalbuminuria differ in their associations with various domains of vascular disease. 2004 , 172, 107-14	44
558	C-reactive protein and red cell aggregation correlate with late venous function after acute deep venous thrombosis. 2004 , 40, 644-9	21
557	Estimating cardiovascular disease risk and the metabolic syndrome: a Framingham view. 2004 , 33, 467-81, v	42
556	Analytical performance of the Synchron LX20 Pro, BN trade mark II and IMMAGE high sensitivity C-reactive protein assays and concordance in cardiovascular risk stratification. 2004 , 347, 71-9	10
555	Time course of inflammatory response after renal artery stenting in patients with atherosclerotic renal stenosis. 2004 , 350, 115-21	30
554	Adrenomedullin as a sensitive marker for coronary and peripheral arterial complications in patients with atherosclerotic risks. 2004 , 25, 1321-6	12
553	Plasma adrenomedullin concentration is increased in patients with peripheral arterial occlusive disease associated with vascular inflammation. 2004 , 118, 99-104	25
552	Influenza and pneumococcal vaccination as a model to assess C-reactive protein response to mild inflammation. 2004 , 23, 362-5	37
551	Bioactive compounds in nutrition and health-research methodologies for establishing biological function: the antioxidant and anti-inflammatory effects of flavonoids on atherosclerosis. 2004 , 24, 511-38	195
550	Prevalence, risk factors and cardiovascular comorbidity of symptomatic peripheral arterial disease in Italy. 2004 , 175, 131-8	53
549	Dietary fatty acids affect plasma markers of inflammation in healthy men fed controlled diets: a randomized crossover study. 2004 , 79, 969-73	359
548	Incidence of fatal or repaired abdominal aortic aneurysm in relation to inflammation-sensitive plasma proteins. 2004 , 24, 337-41	32
547	Association of fear of terror with low-grade inflammation among apparently healthy employed adults. 2004 , 66, 484-91	36

546	C-reactive protein is associated with psychological risk factors of cardiovascular disease in apparently healthy adults. 2004 , 66, 684-91	116
545	High-sensitivity C-reactive protein affects central haemodynamics and augmentation index in apparently healthy persons. 2004 , 22, 1133-9	47
544	Depression as a Risk Factor for Coronary Artery Disease: Evidence, Mechanisms, and Treatment. 2004 , 66, 305-315	21
543	Relationship between intermittent claudication, inflammation, thrombosis, and recurrent cardiac events among survivors of myocardial infarction. 2004 , 164, 440-6	53
542	Microalbuminuria as a marker of cardiovascular and renal risk in type 2 diabetes mellitus: a temporal perspective. 2004 , 286, F442-50	64
541	High-sensitivity C-reactive protein: Clinical importance. 2004 , 29, 439-493	30
540	Procalcitonin, c-reactive protein and neopterin levels in patients with coronary atherosclerosis. 2005 , 60, 361-5	21
539	Peripheral Arterial Disease in the Elderly. 2005 , 301-318	
538	Circulating inflammatory markers and risks of cardiovascular and non-cardiovascular disease. 2005 , 3, 1618-27	149
537	At the peril of dialysis patients: ignoring the failed transplant. 2005 , 18, 180-4	41
536	Relationship between C-reactive protein and arterial stiffness in an asymptomatic population. 2005 , 19, 515-9	83
535	C-reactive protein, atherosclerosis and kidney function in hypertensive patients. 2005 , 19, 521-6	19
534	Candidate-based proteomics in the search for biomarkers of cardiovascular disease. 2005 , 563, 23-60	298
533	Biological foundation for periodontitis as a potential risk factor for atherosclerosis. 2005 , 40, 87-95	69
532	Comprehensive endovascular therapy for femoropopliteal arterial atherosclerotic occlusive disease. 2005 , 201, 275-96	32
531	Impact of C-reactive protein on the likelihood of peripheral arterial disease in United States adults with the metabolic syndrome, diabetes mellitus, and preexisting cardiovascular disease. 2005 , 96, 655-8	51
530	Comparison of usefulness of inflammatory markers in patients with versus without peripheral arterial disease in predicting adverse cardiovascular outcomes (myocardial infarction, stroke, and death). 2005 , 96, 1374-8	89
529	Diet and lifestyle are associated with serum C-reactive protein concentrations in a population-based study. 2005 , 145, 41-6	54

528	Atherosclerosis as inflammation. <i>Annals of Vascular Surgery</i> , 2005 , 19, 130-8	1.7	71
527	. 2005 ,		17
526	References. 312-370		
525	Effect of Exercise on Serum C-Reactive Protein. 2005 , 35, 533		2
524	Cardiovascular Disease in the Elderly. 2005 ,		
523	C-reactive protein, interleukin-6, and soluble adhesion molecules as predictors of progressive peripheral atherosclerosis in the general population: Edinburgh Artery Study. <i>Circulation</i> , 2005 , 112, 976-83	16.7	328
522	Inflammatory markers and IL-6 polymorphism in peripheral arterial disease with and without diabetes mellitus. 2005 , 10, 191-8		34
521	The role of inflammation in atherothrombosis: implications for clinical practice. 2005 , 10, 45-53		35
520	Ethnicity and peripheral arterial disease. 2005 , 80, 48-54		17
519	Acute-Phase Proteins and Inflammation: Immunological and Clinical Implications. 2005 , 131-143		2
518	Is high-sensitivity C-reactive protein associated with carotid atherosclerosis in healthy Koreans?. 2005 , 12, 548-554		3
517	Peripheral Arterial Disease in People with Diabetes. 2005 , 95, 309-319		5
516	Lower Extremity Arterial Disease. 2005 ,		1
515	Clinical use and pathogenetic basis of laboratory tests for the evaluation of primary arterial hypertension. 2005 , 42, 393-452		4
514	A systematic comparison of the quality and volume of published data available on novel risk factors for stroke versus coronary heart disease. 2005 , 20, 180-6		17
513	Evaluation of a high-sensitivity turbidimetric immunoassay for serum C-reactive protein: application to the study of longitudinal changes throughout normal pregnancy. 2005 , 43, 308-13		10
512	Introduction. 2005 , 95, 307-308		
511	C-reactive protein predicts death in patients with non-ischemic cardiomyopathy. 2005 , 104, 196-201		10

510	Effect of exercise training on plasma levels of C-reactive protein in healthy adults: the HERITAGE Family Study. 2005 , 26, 2018-25	145
509	Biochemical risk markers: a novel area for better prediction of renal risk?. 2005 , 20, 497-508	17
508	Association between serum C-reactive protein levels and pulse wave velocity: a population-based cross-sectional study in a general population. 2005 , 180, 189-95	92
507	The implication of obesity and central fat on markers of chronic inflammation: The ATTICA study. 2005 , 183, 308-15	251
506	Markers of inflammation and their clinical significance. 2005 , 6, 21-9	108
505	The US experience with cilostazol in treating intermittent claudication. 2005 , 6, 21-31	31
504	Valoración de la proteína C reactiva en pacientes con arteriopatía periférica. Modificaciones con tratamiento antiagregante. 2005 , 57, 5-18	2
503	Ethnicity and Peripheral Arterial Disease. 2005 , 80, 48-54	16
502	Conditional risk factors for atherosclerosis. 2005 , 80, 219-30	71
501	Lifestyle-only intervention attenuates the inflammatory state associated with obesity: a randomized controlled study in adolescents. 2005 , 146, 342-8	163
500	Platelet-monocyte aggregates predict troponin rise after percutaneous coronary intervention and are inhibited by Abciximab. 2005 , 101, 249-55	25
499	Serum C-reactive protein elevation predicts poor clinical outcome in patients with distal type acute aortic dissection: association with the occurrence of oxygenation impairment. 2005 , 102, 39-45	55
498	Predicting risk and treatment benefit in atherosclerosis: the role of C-reactive protein. 2005 , 98, 199-206	61
497	Cholesterol synthesis is the trigger and isoprenoid dependent interleukin-6 mediated inflammation is the common causative factor and therapeutic target for atherosclerotic vascular disease and age-related disorders including osteoporosis and type 2 diabetes. 2005 , 65, 559-69	17
496	Increased levels of CD40-CD40 ligand system in patients with essential hypertension. 2005 , 355, 191-6	24
495	CRP levels are elevated in smokers but unrelated to the number of cigarettes and are decreased by long-term smoking cessation in male smokers. 2005 , 41, 651-6	86
494	Leptin and immune function: integrating the evidence. 2005 , 25, 791-803	7
493	C-reactive protein in peripheral arterial disease: relation to severity of the disease and to future cardiovascular events. 2005 , 42, 243-51	93

492	Sleep apnoea as an independent risk factor for cardiovascular disease: current evidence, basic mechanisms and research priorities. 2007 , 29, 156-78	556
491	Cardiovascular Biomarkers. 2006 ,	2
490	Molecular and signaling mechanisms of atherosclerosis in insulin resistance. 2006 , 35, 525-49, viii	29
489	Prospective evaluation of the relationship between C-reactive protein, D-dimer and progression of peripheral arterial disease. 2006 , 43, 772-80; discussion 780	34
488	Invited commentary. 2006 , 43, 977	
487	Adiponectin and inflammatory markers in peripheral arterial occlusive disease. 2006 , 188, 384-90	60
486	CVD risk factors and ethnicity--a homogeneous relationship?. 2006 , 7, 11-9	145
485	Serum markers of vascular inflammation in dyslipemia. 2006 , 369, 1-16	44
484	Role of adhesion molecules in the induction of restenosis after angioplasty in the lower limb. 2006 , 43, 969-77; discussion 977	12
483	Metabolic syndrome in peripheral arterial disease: relationship with severity of peripheral circulatory insufficiency, inflammatory status, and cardiovascular comorbidity. 2006 , 44, 101-7; discussion 107	44
482	Endocrine markers of severity and prognosis in critical illness. 2006 , 22, 161-79, viii	4
481	Physical activity and high-sensitivity C-reactive protein. 2006 , 36, 443-58	161
480	Peripheral arterial disease in patients with diabetes. 2006 , 47, 921-9	328
479	ACC/AHA 2005 Guidelines for the Management of Patients With Peripheral Arterial Disease (Lower Extremity, Renal, Mesenteric, and Abdominal Aortic): A Collaborative Report from the American Association for Vascular Surgery/Society for Vascular Surgery, Society for Cardiovascular Angiography and Interventions, Society for Vascular Medicine and Biology, Society of	184
478	Serum adiponectin in a population sample of 64-year-old women in relation to glucose tolerance, family history of diabetes, autoimmunity, insulin sensitivity, C-peptide, and inflammation. 2006 , 55, 188-94	28
477	Association between plasma inflammatory markers and irrational beliefs; the ATTICA epidemiological study. 2006 , 30, 1496-503	20
476	Endothelial function and cardiovascular diseases in HIV infected patient. 2006 , 10, 139-45	13
475	Quantitative trait locus on chromosome 20q13 for plasma levels of C-reactive protein in healthy whites: the HERITAGE Family Study. 2006 , 27, 103-7	11

474	Obesity as an inflammatory condition. 2006 , 11,	0
473	Association of decreased variation of R-R interval and elevated serum C-reactive protein level in a general population in Japan. 2006 , 47, 867-76	29
472	Association of C-reactive protein with early-stage carotid atherosclerosis in Japanese patients with early-state type 2 diabetes mellitus. 2006 , 53, 693-8	21
471	Direct detection of C-reactive proteins in human serum using nanoparticle-enhanced surface plasmon resonance biosensing. 2006 ,	
470	Therapy and clinical trials. 2006 , 17, 492-4	
469	Haemostasis, inflammation and renal function following exercise in patients with intermittent claudication on statin and aspirin therapy. 2006 , 4, 9	8
468	Obstructive sleep apnoea syndrome: translating science to clinical practice. 2006 , 11, 136-44	40
467	Chlamydia pneumoniae infections augment atherosclerotic lesion formation: a role for serum amyloid P. 2006 , 114, 117-26	16
466	Genetic and environmental contributions to plasma C-reactive protein and interleukin-6 levels--a study in twins. 2006 , 7, 600-5	63
465	Immunodetection of pentamer and modified C-reactive protein using surface plasmon resonance biosensing. 2006 , 21, 1631-7	63
464	The role of coagulation and inflammation after angioplasty in patients with peripheral arterial disease. 2006 , 29, 530-5	16
463	Coronary heart disease: How do the benefits of ω 3 fatty acids compare with those of aspirin, alcohol/red wine, and statin drugs?. 2006 , 83, 985-997	3
462	Interrelationships between inflammation, C-reactive protein, and insulin resistance. 2006 , 1, 190-6	67
461	Inflammation and Chlamydia pneumoniae infection correlate with the severity of peripheral arterial disease. 2006 , 31, 509-15	14
460	Inflammatory biomarkers in stable atherosclerosis. 2006 , 98, 2P-8P	59
459	Prevention of cardiovascular disease in patients with rheumatic diseases. 2006 , 20, 741-56	5
458	Secretory phospholipase A2 of group IIA: is it an offensive or a defensive player during atherosclerosis and other inflammatory diseases?. 2006 , 79, 1-33	98
457	Incidence of noncardiac vascular disease in rheumatoid arthritis and relationship to extraarticular disease manifestations. 2006 , 54, 642-8	73

456	Anti-inflammatory mechanisms of the Tibetan herbal preparation Padma 28 in the vessel wall. 2006 , 13 Suppl 1, 13-7		14
455	C-reactive protein is a strong independent predictor of death in type 2 diabetes: association with multiple facets of the metabolic syndrome. 2006 , 114, 127-34		38
454	Severe extra-articular disease manifestations are associated with an increased risk of first ever cardiovascular events in patients with rheumatoid arthritis. 2007 , 66, 70-5		109
453	High Sensitivity C-Reactive Protein (hsCRP): A New Biochemical Marker of Atherosclerotic Vascular Disease. 2006 , 2, 215-225		
452	C-reactive protein and neopterin levels in healthy non-obese adults. 2006 , 44, 317-21		10
451	C-Reactive Protein as a Tool for Risk Assessment in Primary Prevention. 2006 , 237-260		
450	Risk factors for progression of peripheral arterial disease in large and small vessels. <i>Circulation</i> , 2006 , 113, 2623-9	16.7	190
449	ACC/AHA 2005 Practice Guidelines for the management of patients with peripheral arterial disease (lower extremity, renal, mesenteric, and abdominal aortic): a collaborative report from the American Association for Vascular Surgery/Society for Vascular Surgery, Society for Cardiovascular Angiography and Interventions, Society for Vascular Medicine and Biology, Society of	16.7	2378
448	Low testosterone and high C-reactive protein concentrations predict low hematocrit in type 2 diabetes. 2006 , 29, 2289-94		101
447	Assessing inflammatory status in cardiovascular disease. 2007 , 93, 1001-7		54
446	Risk assessment in the patient with established peripheral arterial disease. 2007 , 12, 343-50		24
445	P-selectin: a common therapeutic target for cardiovascular disorders, inflammation and tumour metastasis. 2007 , 11, 1103-17		66
444	Psychological features in men with erectile dysfunction with or without preclinical atherosclerosis. 2007 , 19, 597-601		4
443	The serum high-sensitive C reactive protein and homocysteine levels to evaluate the prognosis of acute ischemic stroke. 2007 , 2007, 15929		20
442	Determinants of arterial wall stiffness and peripheral artery occlusive disease in nondiabetic hemodialysis patients. 2007 , 30, 377-85		31
441	Ankle-brachial index and hemostatic markers in the Atherosclerosis Risk in Communities (ARIC) study cohort. 2007 , 12, 267-73		32
440	Resolvin E1 regulates inflammation at the cellular and tissue level and restores tissue homeostasis in vivo. 2007 , 179, 7021-9		330
439	High-sensitivity C-reactive protein concentration in patients with myocardial infarction-environmental factors, and polymorphisms in interleukin-10 and CD14 genes. 2007 , 45, 855-61		11

438	C-reactive protein level in severe stenosis of cerebral arteries. 2007 , 23, 430-4	6
437	Beta2-microglobulin as a biomarker in peripheral arterial disease: proteomic profiling and clinical studies. <i>Circulation</i> , 2007 , 116, 1396-403	16.7 139
436	Association of classical and related inflammatory markers with high-sensitivity C-reactive protein in healthy individuals: results from the Stanislas cohort. 2007 , 45, 1339-46	11
435	Peripheral Arterial Disease. 2007 ,	
434	Proinflammatory circulating molecules in peripheral arterial disease (Review). 2007 ,	1
433	C-reactive protein and cognitive deficits in systemic lupus erythematosus. 2007 , 20, 31-7	22
432	Author Index To Volume 3. 2007 , 4, 1-3	
431	Renal angioplasty causes a rapid transient increase in inflammatory biomarkers, but reduced levels of interleukin-6 and endothelin-1 1 month after intervention. 2007 , 25, 1907-14	21
430	Association of Novel Risk Factors With the Ankle Brachial Index in African American and Non-Hispanic White Populations. 2007 , 82, 709-716	24
429	The impact of plasma high-sensitivity C-reactive protein levels on cardiovascular risk stratification of hypertensive patients: results of the ICEBERG study. 2007 , 9, 500-5	6
428	Association between C-reactive protein level and peripheral arterial disease among US adults without cardiovascular disease, diabetes, or hypertension. 2007 , 154, 495-501	44
427	C-reactive protein, bezafibrate, and recurrent coronary events in patients with chronic coronary heart disease. 2007 , 154, 1095-101	10
426	C-reactive protein: a nontraditional serum marker of cardiovascular risk. 2007 , 16, 14-21	122
425	Differences in inflammatory and thrombotic markers between unstable angina and acute myocardial infarction. 2007 , 115, 203-7	36
424	c-Reactive protein and the metabolic syndrome in older Chinese: Guangzhou Biobank Cohort Study. 2007 , 194, 483-9	21
423	Human C-reactive protein (CRP) gene 1059G>C polymorphism is associated with plasma CRP concentration in patients receiving coronary angiography. 2007 , 106, 347-54	16
422	Pathophysiologic Mechanisms of Cardiovascular Disease in Obstructive Sleep Apnea. 2007 , 2, 539-547	11
421	Biofunctionalization of Phospholipid Polymer Nanoparticles. 2007 ,	

420	New developments in understanding cardiovascular disease and the implications for social work. 2008 , 46, 35-49	5
419	Novel and traditional cardiovascular risk factors for peripheral arterial disease in incident-dialysis patients. 2007 , 14, 304-13	18
418	Elevated C-reactive protein levels are associated with postoperative events in patients undergoing lower extremity vein bypass surgery. 2007 , 45, 2-9; discussion 9	117
417	Gastric bypass reduces biochemical cardiac risk factors. 2007 , 3, 8-13	54
416	Association of novel risk factors with the ankle brachial index in African American and non-Hispanic white populations. 2007 , 82, 709-16	27
415	C-reactive protein and the prediction of cardiovascular events among those at intermediate risk: moving an inflammatory hypothesis toward consensus. 2007 , 49, 2129-38	453
414	Role of Cytokines and Inflammation in Hypertension. 2007 , 229-239	
413	[Cardiovascular disease in diabetes mellitus: classical and non-classical risk factors]. 2007 , 51, 257-67	7
412	Proteína C reativa e instabilidade clílica na doença obstrutiva de artérias cardíacas. 2007 , 6, 124-129	
411	Alcohol consumption, cardiovascular health, and endothelial function markers. 2007 , 41, 479-88	53
410	Sandwich-type, antibody microarrays for the detection and quantification of cardiovascular risk markers. 2007 , 125, 581-588	25
409	The Interleukin-6 inflammation pathway from cholesterol to aging--role of statins, bisphosphonates and plant polyphenols in aging and age-related diseases. 2007 , 4, 1	52
408	A J-shaped association between high-sensitivity C-reactive protein and mortality in kidney transplant recipients. 2007 , 20, 505-11	13
407	C-reactive protein (CRP) as a marker in peripheral vascular disease. 2007 , 34, 18-22	24
406	C-reactive protein measurement in the patient with vascular disease. 2007 , 25, 51-4	2
405	Association of platelet-monocyte aggregates with platelet activation, systemic inflammation, and myocardial injury in patients with non-st elevation acute coronary syndromes. 2007 , 30, 26-31	45
404	Statins and biomarkers of inflammation. 2007 , 9, 33-41	52
403	[Modification of vascular risk factors by intervention on the primary care level. Results of the INVADE project]. 2007 , 78, 1413-9	0

402	IL1B gene promoter haplotype pairs predict clinical levels of interleukin-1beta and C-reactive protein. 2008 , 123, 387-98		65
401	Epidemiology, heritability, and genetic linkage of C-reactive protein in African Americans (from the Jackson Heart Study). 2008 , 102, 835-41		44
400	Direct association between C-reactive protein serum levels and endothelial dysfunction in patients with claudication. 2008 , 35, 480-6		21
399	Plaque biology: interesting science or pharmacological treasure trove?. 2008 , 36, 507-16		6
398	Omega-3 polyunsaturated fatty acid in peripheral arterial disease: effect on lipid pattern, disease severity, inflammation profile, and endothelial function. <i>Clinical Nutrition</i> , 2008 , 27, 241-7	5.9	74
397	Cross-sectional associations of C-reactive protein with vascular risk factors and vascular complications in the DCCT/EDIC cohort. 2008 , 22, 153-63		19
396	Preprocedural neutrophil count predicts outcome in patients with advanced peripheral vascular disease undergoing percutaneous transluminal angioplasty. 2008 , 48, 1504-8		18
395	Adiponectina, un factor de riesgo cardiovascular emergente. Estudio REFERENCE. 2008 , 61, 1159-1167		4
394	Adiponectin: An Emerging Cardiovascular Risk Factor. The REFERENCE Study. 2008 , 61, 1159-1167		
393	Early atherosclerosis in systemic sclerosis and its relation to disease or traditional risk factors. 2008 , 10, R49		48
392	An assessment of the joint associations of aspirin and statin use with C-reactive protein concentration. 2008 , 156, 106-11		22
391	High total-to-HDL cholesterol ratio predicting deterioration of ankle brachial index in Asian type 2 diabetic subjects. 2008 , 79, 419-26		9
390	Associated risk factors for abnormal ankle-brachial index in hemodialysis patients in a hospital. 2008 , 24, 473-80		13
389	C-reactive protein induces endothelial cell apoptosis and matrix metalloproteinase-9 production in human mononuclear cells: Implications for the destabilization of atherosclerotic plaque. 2008 , 196, 129-135		66
388	Relation between interleukin-6 level and subclinical intracranial large-artery atherosclerosis. 2008 , 197, 326-32		29
387	Implications of increased weight and waist circumference on vascular risk in an older Chinese population: the Guangzhou Biobank Cohort Study. 2008 , 196, 682-8		9
386	Inflammation and descending thoracic aortic calcification as detected by computed tomography: the Multi-Ethnic Study of Atherosclerosis. 2008 , 199, 201-6		26
385	Markers of inflammation and coronary artery calcification: a systematic review. 2008 , 201, 1-7		114

384	Does percutaneous transluminal angioplasty improve quality of life?. 2008 , 19, 169-76		17
383	Mitral annular calcification is associated with reduced left ventricular function and inflammation in patients with chronic kidney disease. 2008 , 21, 747-50		17
382	C-reactive protein (CRP): more than just an innocent bystander?. 2008 , 24, 75-8		35
381	Peripheral arterial disease in the elderly: recognition and management. 2008 , 8, 353-64		26
380	Association of insulin resistance and inflammation with peripheral arterial disease: the National Health and Nutrition Examination Survey, 1999 to 2004. <i>Circulation</i> , 2008 , 118, 33-41	16.7	57
379	C-reactive protein at the interface between innate immunity and inflammation. 2008 , 4, 379-90		68
378	A biomarker panel for peripheral arterial disease. 2008 , 13, 217-24		43
377	Atherosclerotic renal artery stenosis: association with emerging vascular risk factors. 2008 , 108, c56-66		19
376	Macrovascular disease and atherosclerosis in SSc. 2008 , 47, 578-83		53
375	Risk of metabolic and vascular disease in South Asians: potential mechanisms for increased insulin resistance. 2008 , 3, 411-424		18
374	Response to Letter Regarding Article, α -Microglobulin as a Biomarker in Peripheral Arterial Disease: Proteomic Profiling and Clinical Studies <i>Circulation</i> , 2008 , 117,	16.7	
373	C-reactive protein and all-cause mortality in a large hospital-based cohort. 2008 , 54, 343-9		79
372	High-sensitivity CRP is correlated with neurologic symptoms and plaque instability in patients with severe stenosis of the carotid bifurcation. 2008 , 42, 249-55		7
371	Allelic variation at the C-reactive protein gene associates to both hand osteoarthritis severity and serum high sensitive C-reactive protein levels in the GARP study. 2008 , 67, 877-9		26
370	Management of Peripheral Arterial Disease. 2008 , 21, 171-177		23
369	C-reactive protein predicts future arterial and cardiovascular events in patients with symptomatic peripheral arterial disease. 2008 , 42, 341-7		10
368	Combined effect of chronic kidney disease and peripheral arterial disease on all-cause mortality in a high-risk population. 2008 , 3, 1084-9		68
367	Metabolic-inflammatory changes, and accelerated atherosclerosis in HIV patients: rationale for preventative measures. 2008 , 15, 2991-9		24

366	The association of sudden cardiac death with inflammation and other traditional risk factors. 2008 , 74, 1335-42	134
365	Antioxidant vitamin and mineral supplements for preventing age-related macular degeneration. 2008 , CD000253	36
364	An Evaluation of the Clinical Evidence on the Role of Inflammation and Oxidative Stress in Smoking-Mediated Cardiovascular Disease. 2008 , 3, 127-139	23
363	Admission C-reactive protein does not predict functional outcomes in patients with strokes in a subacute rehabilitation unit. 2008 , 87, 731-9	2
362	Risk factors for the development of atherosclerosis in childhood and adolescence. 2008 , 90, 276-283	41
361	New evidences for C-reactive protein (CRP) deposits in the arterial intima as a cardiovascular risk factor. 2008 , 3, 341-9	25
360	Proteomic Analysis of Circulating Monocytes Identifies Cathepsin D as A Potential Novel Plasma Marker of Acute Coronary Syndromes. 2008 , 2, CMC.S654	0
359	Arterial stiffness in patients with non-diabetic chronic kidney disease (CKD). 2009 , 16, 57-62	28
358	Relationship between the plasma concentration of C-reactive protein and severity of peripheral arterial disease. 2008 , 3, 1-7	14
357	Relationship between renal resistive index and inflammation in untreated hypertensive patients. 2009 , 50, 753-61	11
356	Use of Obesity Biomarkers in Cardiovascular Epidemiology. 2009 , 26, 247-263	20
355	C-reactive protein and its role in coronary artery disease. 2009 , 4, 108-113	
354	Living longer as an anaesthetist: The magic lifestyle or the lifestyle polypill? 2009 , 15, 5-10	
353	Novel markers of peripheral arterial disease. 2009 , 14, 381-92	37
352	Role of pro-/anti-inflammatory cytokines and their correlation with established risk factors in South Indians with coronary artery disease. 2009 , 60, 419-26	18
351	C-reactive protein: eighty years from discovery to emergence as a major risk marker for cardiovascular disease. 2009 , 55, 209-15	128
350	Critical appraisal of CRP measurement for the prediction of coronary heart disease events: new data and systematic review of 31 prospective cohorts. 2009 , 38, 217-31	171
349	The burden of peripheral artery disease and the role of antiplatelet therapy. 2009 , 121, 123-35	13

348	Women and peripheral arterial disease. 2009 , 5, 669-83		41
347	Ethnicity and peripheral artery disease. 2009 , 102, 3-16		34
346	High-sensitivity C-reactive protein is not independently associated with peripheral subclinical atherosclerosis. 2009 , 60, 12-20		4
345	Pre-operative high sensitive C-reactive protein predicts cardiovascular events after coronary artery bypass grafting surgery: a prospective observational study. 2009 , 12, 127-32		19
344	Peripheral arterial disease is associated with higher rates of hip bone loss and increased fracture risk in older men. <i>Circulation</i> , 2009 , 119, 2305-12	16.7	90
343	Relation of genetic variation in the gene coding for C-reactive protein with its plasma protein concentrations: findings from the Women's Health Initiative Observational Cohort. 2009 , 55, 351-60		34
342	Heart disease and stroke statistics--2009 update: a report from the American Heart Association Statistics Committee and Stroke Statistics Subcommittee. <i>Circulation</i> , 2009 , 119, e21-181	16.7	1705
341	Is high-sensitivity C-reactive protein associated with subclinical peripheral atherosclerosis?. 2009 , 60, 8-11		4
340	Predictors of cardiovascular damage in patients with systemic lupus erythematosus: data from LUMINA (LXVIII), a multiethnic US cohort. 2009 , 48, 817-22		80
339	Attenuation of the inflammatory changes and lipid anomalies by epigallocatechin-3-gallate in hypercholesterolemic diet fed aged rats. 2009 , 44, 745-51		21
338	From bench to bedside and back: the SENIEUR Protocol and the efficacy of influenza vaccination in the elderly. 2009 , 10, 83-94		52
337	High-sensitivity C-reactive protein at different stages of atherosclerosis: results of the INVADE study. 2009 , 256, 783-91		18
336	Correlation among soluble markers and severity of disease in non-diabetic subjects with pre-mature coronary artery disease. 2009 , 330, 201-9		19
335	High levels of high sensitivity C-reactive protein predict the progression of chronic rheumatic mitral stenosis. 2009 , 28, 63-9		25
334	Elevated C-reactive protein levels predict worsening prognosis in Chinese patients with first-onset stroke. 2009 , 3, 30-35		2
333	C-reactive protein levels do not correlate with retinal artery occlusion but with atherosclerosis. 2009 , 23, 785-90		1
332	Comparison of aerobic exercise capacity and muscle strength in overweight women with and without polycystic ovary syndrome. 2009 , 116, 1242-50		34
331	Biomarkers of abdominal aortic aneurysm progression. Part 2: inflammation. 2009 , 6, 543-52		109

330	La angioplastia transluminal percutánea de las arterias de la extremidad inferior como causa de una respuesta inflamatoria sistémica. 2009 , 23, 627-634		
329	Effect of rosuvastatin on concentrations of plasma lipids, urine and plasma oxidative stress markers, and plasma high-sensitivity C-reactive protein in hypercholesterolemic patients with and without type 2 diabetes mellitus: A 12-week, open-label, pilot study. 2009 , 70, 439-48	5	
328	Biomarkers in cardiovascular medicine. 2009 , 62, 677-88		16
327	Peripheral arterial disease in polymyalgia rheumatica. 2009 , 11, 111	3	
326	Increased risk of peripheral arterial disease in polymyalgia rheumatica: a population-based cohort study. 2009 , 11, R50		22
325	Cross-sectional relations of multiple inflammatory biomarkers to peripheral arterial disease: The Framingham Offspring Study. 2009 , 203, 509-14	52	
324	Síndrome de isquemia crítica de las extremidades inferiores: definición, etiología, clínica, diagnóstico y posibilidades terapéuticas. 2009 , 10, 2994-3007		
323	Biomarcadores en la medicina cardiovascular. 2009 , 62, 677-688		35
322	L'angioplastie transluminale percutanée des artères des membres inférieurs entraîne une réponse inflammatoire systémique. 2009 , 23, 617-624		
321	Percutaneous transluminal angioplasty of lower limb arteries causes a systemic inflammatory response. <i>Annals of Vascular Surgery</i> , 2009 , 23, 569-76	1.7	11
320	Systemic inflammatory response to renal artery percutaneous angioplasty with stent placement and the risk for restenosis: a pilot study. 2009 , 20, 186-91		4
319	Upregulation of OX40-OX40 ligand system on T lymphocytes in patients with acute coronary syndromes. 2009 , 54, 451-5		15
318	Regular physical exercise improves physical motor functions and biochemical markers in middle-age and elderly women. 2009 , 6, 55-62		14
317	Effects of training on resting plasma levels of homocysteine and C-reactive protein in competitive male and female wrestlers. 2009 , 1, 42-46		2
316	C-reactive protein is associated with obstructive sleep apnea independent of visceral obesity. 2009 , 135, 950-956		104
315	Cilostazol in the management of atherosclerosis. 2010 , 8, 363-72		16
314	Sarpogrelate hydrochloride, a selective 5-hydroxytryptamine(2A) antagonist, augments autologous bone marrow mononuclear cell implantation-induced improvement in endothelium-dependent vasodilation in patients with critical limb ischemia. 2010 , 55, 56-61		9
313	Selective estimation of C-reactive protein in serum using polymeric formulations without antibody. 2010 , 146, 23-27		8

312	Elevated homocysteine and C-reactive protein levels independently predict worsening prognosis after stroke in Chinese patients. 2010 , 30, 643-7	9
311	C-reactive protein, sodium azide, and endothelial connexin43 gap junctions. 2010 , 26, 153-63	1
310	Modulation of high sensitivity C-reactive protein by soluble receptor for advanced glycation end products. 2010 , 341, 135-8	19
309	Selective detection and estimation of C-reactive protein in serum using surface-functionalized gold nano-particles. 2010 , 662, 186-92	23
308	Gene polymorphisms in association with emerging cardiovascular risk markers in adult women. 2010 , 11, 6	15
307	Effects of periodontitis on aortic insulin resistance in an obese rat model. 2010 , 90, 348-59	25
306	Rosuvastatin, inflammation, C-reactive protein, JUPITER, and primary prevention of cardiovascular disease--a perspective. 2010 , 4, 383-413	76
305	Anti-platelet therapy: is it all over in peripheral artery disease?. 2010 , 103, 689-91	1
304	Peripheral arterial disease, chronic kidney disease, and mortality: the Chinese Ankle Brachial Index Cohort Study. 2010 , 15, 107-12	30
303	Inflammation in peripheral artery disease. <i>Circulation</i> , 2010 , 122, 1862-75	16.7 185
302	Systemic inflammation is associated with MCI and its subtypes: the Sydney Memory and Aging Study. 2010 , 30, 569-78	85
301	Stress and inflammation: a biobehavioral approach for nursing research. 2010 , 32, 730-60	40
300	Contemporary results of carotid endarterectomy for asymptomatic carotid stenosis. 2010 , 41, 975-9	45
299	Vitamin D deficiency: an increasing concern in peripheral arterial disease. 2010 , 11, 308-11	7
298	Biomarkers of peripheral arterial disease. 2010 , 55, 2017-23	66
297	Development of a highly sensitive latex reagent directed against C-reactive protein (CRP) using epitope analysis with monoclonal antibodies. 2010 , 74, 292-7	5
296	C-reactive protein triggers inflammatory responses partly via TLR4/IRF3/NF- κ B signaling pathway in rat vascular smooth muscle cells. 2010 , 87, 367-74	31
295	Enhanced levels of soluble and membrane-bound CD137 levels in patients with acute coronary syndromes. 2010 , 411, 406-10	24

294	Heart disease and stroke statistics--2010 update: a report from the American Heart Association. <i>Circulation</i> , 2010 , 121, e46-e215	16.7	3147
293	Does endothelial dysfunction contribute to the clinical status of patients with peripheral arterial disease?. 2010 , 26 Suppl A, 45A-50A		36
292	C-reactive protein is a mediator of cardiovascular disease. 2010 , 31, 2087-91		135
291	Inflammatory markers and restenosis in peripheral percutaneous angioplasty with intravascular stenting: current concepts. <i>Annals of Vascular Surgery</i> , 2011 , 25, 846-55	1.7	26
290	Marqueurs inflammatoires et resténose après angioplastie périphérique percutanée avec stenting : concepts actuels. 2011 , 25, 903-913		
289	Clinical utility of inflammatory markers and advanced lipoprotein testing: advice from an expert panel of lipid specialists. 2011 , 5, 338-67		201
288	Elevated C-reactive protein in the diagnosis, prognosis, and cause of cancer. 2011 , 48, 155-70		313
287	Peripheral artery disease. Part 1: clinical evaluation and noninvasive diagnosis. 2011 , 8, 405-18		59
286	Heart disease and stroke statistics--2011 update: a report from the American Heart Association. <i>Circulation</i> , 2011 , 123, e18-e209	16.7	3795
285	Biomarkers of inflammation and placental dysfunction are associated with subsequent preterm birth. 2011 , 24, 600-5		37
284	Inflammatory markers in population studies of aging. 2011 , 10, 319-29		539
283	Health effects of particulate air pollution: A review of epidemiological evidence. 2011 , 23, 555-92		446
282	C-reactive protein is associated with aortic stiffness in a cohort of African American and white women transitioning through menopause. 2011 , 18, 1291-7		23
281	Usefulness of postexercise ankle-brachial index to predict all-cause mortality. 2011 , 107, 778-82		18
280	Early effects of gastric bypass on endothelial function, inflammation, and cardiovascular risk in obese patients. 2011 , 25, 2650-9		71
279	Relationship of carotid intima-media thickness and duration of vegetarian diet in Chinese male vegetarians. 2011 , 8, 63		23
278	Vascular function and circulating progenitor cells in thromboangitis obliterans (Buerger's disease) and atherosclerosis obliterans. 2011 , 57, 70-8		21
277	C-reactive protein and high-sensitivity C-reactive protein: an update for clinicians. 2011 , 123, 114-9		106

276	Inflammation as a marker for the prediction of internal carotid artery restenosis following eversion endarterectomy--evidence from clinical studies. 2011 , 62, 535-42	14
275	Hepatic steatosis, obesity, and the metabolic syndrome are independently and additively associated with increased systemic inflammation. 2011 , 31, 1927-32	115
274	Novel biomarkers in cardiovascular disease: research tools or ready for personalized medicine?. 2012 , 20, 111-7	8
273	Repeating tests: different roles in research studies and clinical medicine. 2012 , 6, 691-703	12
272	Red cell distribution width and risk of peripheral artery disease: analysis of National Health and Nutrition Examination Survey 1999-2004. 2012 , 17, 155-63	39
271	Antioxidant vitamin and mineral supplements for preventing age-related macular degeneration. 2012 , CD000253	33
270	C-reactive protein induces interleukin-6 and thrombospondin-1 protein and mRNA expression through activation of nuclear factor- κ B in HK-2 cells. 2012 , 35, 211-9	16
269	Moderate intensities of leisure-time physical activity are associated with lower levels of high-sensitivity C-reactive protein in healthy middle-aged men. 2012 , 63, 412-5	22
268	Chronic Inflammation and Coronary Atherosclerosis in Patients with End-Stage Renal Disease. 2012 , 2, 117-124	26
267	An algorithmic approach to peripheral artery disease in hemophilia: extrapolation of management principles from noncoagulopathic patients. 2012 , 23, 23-9	3
266	Critical limb ischemia: epidemiology. 2012 , 8, 10-4	57
265	Effects of red ginseng supplementation on menopausal symptoms and cardiovascular risk factors in postmenopausal women: a double-blind randomized controlled trial. 2012 , 19, 461-6	47
264	Maternal lipopolysaccharide alters the newborn oxidative stress and C-reactive protein levels in response to an inflammatory stress. 2012 , 3, 358-63	11
263	C-reactive protein and heart rate recovery in middle-aged men with severe obstructive sleep apnea. 2012 , 16, 629-37	17
262	Interleukin-23 serum levels in patients affected by peripheral arterial disease. 2012 , 45, 275-8	16
261	Circulating biomarkers and abdominal aortic aneurysm size. 2012 , 176, 672-8	18
260	Sex-based differences in the inflammatory profile of peripheral artery disease and the association with primary patency of lower extremity vein bypass grafts. 2012 , 56, 387-95; discussion 395	17
259	Periodontal status and metabolic syndrome in middle-aged Japanese. 2012 , 83, 1363-71	40

258	Nuevos marcadores de riesgo cardiovascular. ¿Pueden influir en la clasificación del riesgo cardiovascular?. 2012 , 24, 57-70		
257	Prediction of asymptomatic abdominal aortic aneurysm expansion by means of rate of variation of C-reactive protein plasma levels. 2012 , 56, 45-52		41
256	The clinical implications of increased cyclophilin A levels in patients with acute coronary syndromes. 2012 , 413, 691-5		19
255	Neuroinflammation and oxidative stress in rostral ventrolateral medulla contribute to neurogenic hypertension induced by systemic inflammation. 2012 , 9, 212		115
254	Preventive aspects in peripheral artery disease. 2012 , 6, 53-70		6
253	Renal failure: implications of chronic kidney disease in the management of the diabetic foot. 2012 , 25, 82-8		23
252	Increased myocardial prevalence of C-reactive protein in human coronary heart disease: direct effects on microvessel density and endothelial cell survival. 2012 , 21, 428-35		20
251	General Considerations in the Diabetic Patient with Peripheral Vascular Disease. 2012 , 1-12		
250	Inflammation and Atherosclerosis. 2012 ,		3
249	Cardiovascular Disease Risk Factors. 2012 ,		4
248	Diagnosis and management of peripheral artery disease in women. 2012 , 4, 625-34		4
247	Endotoxin-induced and vaccine-induced systemic inflammation both impair endothelium-dependent vasodilation, but not pulse wave reflection. 2012 , 8, 447-53		10
246	Heart disease and stroke statistics--2012 update: a report from the American Heart Association. <i>Circulation</i> , 2012 , 125, e2-e220	16.7	3532
245	Interleukin-18 contributes more closely to the progression of diabetic nephropathy than other diabetic complications. 2012 , 49, 111-7		46
244	The relationship between high-sensitivity C-reactive protein levels and the severity of obstructive sleep apnea. 2012 , 16, 217-21		78
243	Differential associations between blood biomarkers of inflammation, oxidation, and lipid metabolism with varying forms of coronary atherosclerotic plaque as quantified by coronary CT angiography. 2012 , 28, 183-92		22
242	The association between chronic stress type and C-reactive protein in the multi-ethnic study of atherosclerosis: does gender make a difference?. 2012 , 35, 74-85		44
241	Peripheral arterial disease in women. 2013 , 57, 18S-26S		47

240	Vitamin B12 level in peripheral arterial disease. 2013 , 36, 77-83		3
239	Association of left ventricular hypertrophy with high-sensitive C-reactive protein in hemodialysis patients. 2013 , 45, 1679-86		16
238	A hospital discharge risk score for 1-year all-cause mortality or non-fatal cardiovascular events in patients with lower-extremity peripheral artery disease, with and without revascularisation. 2013 , 45, 488-96		13
237	Clinical correlates of change in inflammatory biomarkers: The Framingham Heart Study. 2013 , 228, 217-23		38
236	Inflammatory burden predicts long-term outcomes in endovascular therapy in peripheral arterial disease. <i>Annals of Vascular Surgery</i> , 2013 , 27, 459-66	1.7	12
235	Thirty-day vein remodeling is predictive of midterm graft patency after lower extremity bypass. 2013 , 57, 9-18		28
234	Peripheral arterial disease associated with caries and periodontal disease. 2013 , 84, 486-94		30
233	Association between n-3 polyunsaturated fatty acid content of red blood cells and inflammatory biomarkers in patients with peripheral artery disease. 2013 , 58, 1283-90		24
232	Reduction of iron stores and clinical outcomes in peripheral arterial disease: outcome comparisons in smokers and non-smokers. 2013 , 21, 233-41		8
231	Serum inflammatory markers and preeclampsia in type 1 diabetes: a prospective study. 2013 , 36, 2054-61		22
230	Electrocardiographic abnormalities in acute cerebrovascular events in patients with/without cardiovascular disease. 2013 , 16, 66-71		32
229	Screening for Peripheral Arterial Disease in a Long-term Care Setting. 2013 , 29, 203-209		
228	Peripheral artery disease and risk of cardiovascular events in patients with coronary artery disease: insights from the Heart and Soul Study. 2013 , 18, 176-84		88
227	n-3 Polyunsaturated fatty acids supplementation in peripheral artery disease: the OMEGA-PAD trial. 2013 , 18, 263-74		22
226	Inflammatory Burden but Not Diabetes Mellitus Influences in Prognosis of Endovascular Revascularization in Peripheral Arterial Disease. 2013 , 2013, 1-7		1
225	Relationship between high-sensitivity C-reactive protein and risk factors in patients with peripheral arterial disease--a cross-sectional study. 2013 , 64, 230-6		7
224	Effect of nonsurgical periodontal treatment on C-reactive protein levels in maintenance hemodialysis patients. 2013 , 35, 711-7		12
223	Gender differences in the relationship between symptoms of depression and high-sensitivity CRP. 2013 , 37 Suppl 1, S38-43		44

222	The association of c-reactive protein with arterial compliance in asymptomatic young adults: the Bogalusa heart study. 2013 , 27, 256-60	6
221	C-reactive protein and its role in coronary artery disease. 2013 , 8, 193-197	
220	A walking intervention to reduce inflammation in patients with diabetes and peripheral arterial/artery disease: A pilot study. 2013 , 1, 2050312113505559	1
219	Periodontitis is associated with endothelial dysfunction in a general population: a cross-sectional study. <i>PLoS ONE</i> , 2013 , 8, e84603	3.7 37
218	Sleep duration, cardiovascular disease, and proinflammatory biomarkers. 2013 , 5, 93-107	146
217	Censored Data Analysis Reveals Effects of Age and Hepatitis C Infection on C-Reactive Protein Levels in Healthy Adult Chimpanzees (Pan troglodytes). 2013 , 2013, 709740	1
216	Correlations between the level of high-sensitivity C-reactive protein and cardiovascular risk factors in Korean adults with cardiovascular disease or diabetes mellitus: the CALLISTO study. 2013 , 20, 616-22	18
215	Association between peripheral arterial disease and C-reactive protein in the Japanese-Brazilian population. 2014 , 41, 168-75	1
214	Elevated plasma pentraxin 3 and its association with retinal vein occlusion. 2014 , 28, 460-5	4
213	Aerobic exercise does not change C-reactive protein levels in non-obese patients with obstructive sleep apnoea. 2014 , 14 Suppl 1, S142-7	16
212	Nonconjugated Polyelectrolyte as Efficient Fluorescence Quencher and Their Applications as Biosensors: Polymer-Polymer Interaction. 2014 , 2014, 1-8	3
211	C-Reactive Protein Predicts Progression of Peripheral Arterial Disease in Patients with Type 2 Diabetes: A 5-Year Follow-Up Study. 2014 , 33, 347-355	1
210	Inflammatory biomarkers in peripheral arterial disease. 2014 , 27, 148-51	10
209	Associates of cardiopulmonary arrest in the perihemodialytic period. 2014 , 2014, 961978	5
208	Predicting the occurrence of oxygenation impairment in patients with type-B acute aortic dissection. 2014 , 23, 53-60	7
207	Cardiovascular Disease Risk Assessment: a Review of Risk Factor-based Algorithms and Assessments of Vascular Health. 2014 , 8, 1	
206	Gender-specific risk factors for peripheral artery disease in a voluntary screening population. 2014 , 3, e000651	37
205	Interdisciplinary Concepts in Cardiovascular Health. 2014 ,	1

204	Hyperuricemia and incident cardiovascular disease and noncardiac vascular events in patients with rheumatoid arthritis. 2014 , 2014, 523897	12
203	C-reactive protein and subclinical cardiovascular disease among African-Americans: (the Jackson Heart Study). 2014 , 15, 371-6	11
202	Effect of treadmill training on endothelial function and walking abilities in patients with peripheral arterial disease. 2014 , 64, 145-51	35
201	The effects of exercise on cardiovascular biomarkers in patients with chronic heart failure. 2014 , 167, 193-202.e1	40
200	Clinical correlates of red blood cell omega-3 fatty acid content in male veterans with peripheral arterial disease. 2014 , 60, 1325-1331	8
199	Association of diabetic peripheral arterial disease and objectively-measured physical activity: NHANES 2003-2004. 2014 , 13, 63	15
198	Changes of serum parameters of TiO ₂ nanoparticle-induced atherosclerosis in mice. 2014 , 280, 364-71	31
197	Peripheral arterial disease, gender, and depression in the Heart and Soul Study. 2014 , 60, 396-403	23
196	Diabetes and Health Care. 2014 , 1-129	1
195	Inflammation and peripheral arterial disease: the value of circulating biomarkers (Review). 2014 , 33, 777-83	49
194	Hemodialysis Is Associated With Increased Peripheral Artery Occlusive Disease Risk Among Patients With End-Stage Renal Disease: A Nationwide Population-Based Cohort Study. 2015 , 94, e1164	15
193	Correlation of Cardiac Markers and Biomarkers With Blood Pressure of Middle-Aged Marathon Runners. 2015 , 17, 868-73	11
192	Platelet-derived miR-92a downregulates cysteine protease inhibitor cystatin C in type 1 diabetic lower limb ischemia. 2015 , 9, 2257-2262	8
191	Screening for Peripheral Arterial Disease: An Update. 2015 , 03,	
190	Peripheral artery disease in patients with diabetes: Epidemiology, mechanisms, and outcomes. 2015 , 6, 961-9	143
189	Short-Term, High-Dose Fish Oil Supplementation Increases the Production of Omega-3 Fatty Acid-Derived Mediators in Patients With Peripheral Artery Disease (the OMEGA-PAD I Trial). 2015 , 4, e002034	45
188	C-Reactive Protein, Advanced Glycation End Products, and Their Receptor in Type 2 Diabetic, Elderly Patients with Mild Cognitive Impairment. 2015 , 7, 209	32
187	Pleiotropy among common genetic loci identified for cardiometabolic disorders and C-reactive protein. <i>PLoS ONE</i> , 2015 , 10, e0118859	3.7 31

186	Red cell distribution width in type 2 diabetic patients. 2015 , 8, 525-33		27
185	Comparison of pre- and post-levothyroxine high-sensitivity c-reactive protein and fetuin-a levels in subclinical hypothyroidism. 2015 , 70, 97-101		20
184	Decrease in circulating dendritic cell precursors in patients with peripheral artery disease. 2015 , 2015, 450957		9
183	C-reactive protein and endovascular treatment of lower limb peripheral artery disease: an independent prognostic factor. 2015 , 22, 233-9		9
182	Asociaci3n de PCR plasm3tica y evoluci3n del aneurisma de aorta infrarrenal. 2015 , 67, 193-199		
181	Interleukins and inflammatory markers in in-stent restenosis after femoral percutaneous transluminal angioplasty. <i>Annals of Vascular Surgery</i> , 2015 , 29, 731-7	1.7	12
180	Inflammatory Pathways in Diabetes. 2015 ,		
179	Risk Stratification for Primary Prevention of Coronary Artery Disease: Roles of C-Reactive Protein and Coronary Artery Calcium. 2015 , 17, 110		15
178	Association between frailty and subclinical peripheral vascular disease in a community-dwelling geriatric population: Taichung Community Health Study for Elders. 2015 , 15, 261-7		16
177	Smoking as a contributing factor for development of polycythemia vera and related neoplasms. 2015 , 39, 1137-1137		28
176	Occurrence of the JAK2 V617F mutation in patients with peripheral arterial disease. 2015 , 90, E17-21		10
175	Association of monocyte tumor necrosis factor α expression and serum inflammatory biomarkers with walking impairment in peripheral artery disease. 2015 , 61, 155-61		31
174	C reactive protein and long-term risk for chronic kidney disease: a historical prospective study. 2015 , 28, 321-7		13
173	Diabetes and Critical Limb Ischemia: The Deadly Duo in Patients with Symptomatic Peripheral Artery Disease. 2016 , 55, 240-6		7
172	Highly absorptive curcumin reduces serum atherosclerotic low-density lipoprotein levels in patients with mild COPD. 2016 , 11, 2029-34		45
171	Chronic Stress and Disease. 2016 , 201-214		3
170	The Impact of Educational Attainment on Observed Race/Ethnic Disparities in Inflammatory Risk in the 2001-2008 National Health and Nutrition Examination Survey. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 13, ijerph13010042	4.6	10
169	Independent Factors of Changes of Ankle-Brachial Index in Peripheral Arterial Occlusive Disease in Elderly Patients with or without Diabetes. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	6

168	Leptospirosis and Peripheral Artery Occlusive Disease: A Nationwide Cohort Analysis. 2016 , 95, e3127	2
167	Inhibition of platelet function with clopidogrel is associated with a reduction of inflammation in patients with peripheral artery disease. 2016 , 17, 169-75	5
166	An update on predictive biomarkers for major adverse cardiovascular events in patients undergoing vascular surgery. 2016 , 33, 105-16	4
165	Inter-arm Blood Pressure Difference and its Relationship with Retinal Microvascular Calibres in Young Individuals: The African-PREDICT Study. 2016 , 25, 855-61	5
164	Cardiometabolic Syndrome in People With Spinal Cord Injury/Disease: Guideline-Derived and Nonguideline Risk Components in a Pooled Sample. 2016 , 97, 1696-705	44
163	Peripheral arterial disease in patients with giant cell arteritis: a meta-analysis. 2016 , 19, 819-25	12
162	Inflammation and Atherogenic Effects Due to Saturated Fatty Acids. 2016 , 163-179	
161	Matrix metalloproteinases and risk stratification in patients undergoing surgical revascularisation for critical limb ischaemia. 2016 , 13, 493-9	13
160	Immune function in Amazonian horticulturalists. 2016 , 43, 382-96	114
159	Pre-treatment blood inflammatory markers as predictors of systemic infection during induction chemotherapy: results of an exploratory study in patients with acute myeloid leukemia. 2016 , 24, 187-194	5
158	C-reactive protein predicts aortic aneurysmal disease progression after endovascular repair. 2016 , 202, 701-6	14
157	Lipoprotein-Associated Phospholipase A2 and Incident Peripheral Arterial Disease in Older Adults: The Cardiovascular Health Study. 2016 , 36, 750-6	14
156	Multiple biomarkers for mortality prediction in peripheral arterial disease. 2016 , 21, 105-12	18
155	From C-Reactive Protein to Interleukin-6 to Interleukin-1: Moving Upstream To Identify Novel Targets for Atheroprotection. 2016 , 118, 145-56	462
154	Alerted microglia and the sympathetic nervous system: A novel form of microglia in the development of hypertension. 2016 , 226, 51-62	21
153	Association of bacteria in diabetic and non-diabetic foot infection - An investigation in patients from Bangladesh. 2016 , 9, 267-77	16
152	Inflammation as Possible Mediator for the Relationship Between Lung and Arterial Function. 2016 , 194, 107-15	9
151	Immunosensor assembled on polymeric nanostructures for clinical diagnosis of C-reactive protein. 2017 , 133, 572-576	14

- 150 Inflammatory processes in cardiovascular disease: a route to targeted therapies. **2017**, 14, 133-144 225
- 149 Association between fasting insulin and high-sensitivity C reactive protein in Korean adults. **2017**, 3, e000236 6
- 148 Magnitude and Timing of the Postprandial Inflammatory Response to a High-Fat Meal in Healthy Adults: A Systematic Review. **2017**, 8, 213-225 58
- 147 A dual-label time-resolved fluorescence immunoassay (TRFIA) for screening of Coronary atherosclerosis based on simultaneous detection of Lp-PLA and HsCRP. **2017**, 182, 12-17 5
- 146 Association between arterial stiffness and peripheral artery disease as measured by radial artery tonometry. **2017**, 66, 1518-1526 28
- 145 Antioxidant vitamin and mineral supplements for preventing age-related macular degeneration. **2017**, 7, CD000253 31
- 144 Mechanisms of Hypercoagulation and Aberrant Clot Lyses in Type 2 Diabetes. **2017**, 377-393 1
- 143 Uric acid is independent cardiovascular risk factor, as manifested by increased carotid intima-media thickness in rheumatoid arthritis patients. **2017**, 36, 1897-1902 7
- 142 Progression of Peripheral Artery Disease to Critical Limb Ischemia. **2017**, 121-129
- 141 Obesity and Its Influence on Mediators of Inflammation: Clinical Relevance of C-Reactive Protein in Obese Subjects. **2017**,
- 140 C-Reactive Protein Binds to Cholesterol Crystals and Co-Localizes with the Terminal Complement Complex in Human Atherosclerotic Plaques. **2017**, 8, 1040 15
- 139 INFLUENCE OF SWITCHING OF CLOPIDOGREL TO TICAGRELOR ON THE DEVELOPMENT OF CARDIOVASCULAR EVENTS IN PATIENTS WITH ST SEGMENT ELEVATION. **2017**, 13, 590-596 1
- 138 Effects of exposure to ambient ultrafine particles on respiratory health and systemic inflammation in children. **2018**, 114, 167-180 58
- 137 Relationships and Health: The Critical Role of Affective Science. **2018**, 10, 40-54 34
- 136 Coping strategy and social support modify the association between perceived stress and C-reactive protein: a longitudinal study of healthy men and women. **2018**, 21, 237-246 9
- 135 Malnutrition, inflammation and atherosclerosis (MIA syndrome) in patients with end stage renal disease on maintenance hemodialysis (a single centre experience). **2018**, 12, 91-97 19
- 134 Lipoprotein-associated phospholipase A and risk of incident peripheral arterial disease: Findings from The Atherosclerosis Risk in Communities study (ARIC). **2018**, 268, 12-18 10
- 133 Oxidative Stress and Arterial Dysfunction in Peripheral Artery Disease. **2018**, 7, 29

132	Peripheral Arterial Disease in Women: an Overview of Risk Factor Profile, Clinical Features, and Outcomes. 2018 , 20, 40		31
131	Low fitness is associated with abdominal adiposity and low-grade inflammation independent of BMI. <i>PLoS ONE</i> , 2018 , 13, e0190645	3.7	42
130	Oral Dysbiosis and Periodontal Disease: Effects on Systemic Physiology and in Metabolic Diseases, and Effects of Various Therapeutic Strategies. 2018 , 421-461		
129	SGLT-2 Inhibitors and Peripheral Artery Disease: A Statistical Hoax or Reality?. 2019 , 44, 207-222		10
128	The inflammatory response to simulated day and night emergency alarm mobilisations. <i>PLoS ONE</i> , 2019 , 14, e0218732	3.7	1
127	Atherosclerosis Pathogenesis and Microvascular Dysfunction. 2019 ,		2
126	A Pro-Inflammatory Biomarker-Profile Predicts Amputation-Free Survival in Patients with Severe Limb Ischemia. 2019 , 9, 10740		3
125	Consumption of Korean Foods with High Flavonoid Contents Reduces the Likelihood of Having Elevated C-Reactive Protein Levels: Data from the 2015-2017 Korea National Health and Nutrition Examination Survey. 2019 , 11,		5
124	Low back pain and calf pain in a recreational runner masking peripheral artery disease: A case report. 2021 , 37, 1146-1157		0
123	Genetic analysis of hsCRP in American Indians: The Strong Heart Family Study. <i>PLoS ONE</i> , 2019 , 14, e0223574	3.7	2
122	Oxidative Stress in Peripheral Arterial Disease (PAD) Mechanism and Biomarkers. 2019 , 8,		18
121	Inflammation and Peripheral Arterial Disease. 2019 , 2, 142-151		0
120	The effect of pre-heart transplant body mass index on posttransplant outcomes: An analysis of the ISHLT Registry Data. 2019 , 33, e13621		13
119	Assessment of the Utility of a Vascular Early Warning System Device in the Assessment of Peripheral Arterial Disease in Patients with Diabetes and Incompressible Vessels. <i>Annals of Vascular Surgery</i> , 2019 , 58, 160-165	1.7	1
118	Searching for the Genetic Determinants of Peripheral Arterial Disease: A Review of the Literature and Future Directions. 2019 , 27, 145-152		1
117	Effects of sarpogrelate hydrochloride on peripheral arterial disease: A meta-analysis of randomized controlled trials. 2019 , 98, e17266		2
116	Novel biomarkers of cardiovascular disease: Applications in clinical practice. 2019 , 56, 33-60		37
115	Periprocedural Concerns in the Patient with Renal Disease. 2019 , 36, 59-82		

114	Adrenoceptor-stimulated inflammatory response in stress-induced serum amyloid A synthesis. 2019 , 236, 1687-1699	2
113	Attachment style and changes in systemic inflammation following migration to a new country among international students. 2019 , 21, 38-56	7
112	Firefighter's Acute Inflammatory Response to Wildfire Suppression. 2020 , 62, 145-148	8
111	Treatment With a Marine Oil Supplement Alters Lipid Mediators and Leukocyte Phenotype in Healthy Patients and Those With Peripheral Artery Disease. 2020 , 9, e016113	14
110	Effect of muscle depletion on survival in peripheral arterial occlusive disease: Quality over quantity. 2020 , 72, 2006-2016.e1	3
109	Pathophysiology of Peripheral Arterial Disease (PAD): A Review on Oxidative Disorders. 2020 , 21,	4
108	Serum levels of nitric oxide and endothelin-1 in vasculopathy managed with hyperbaric oxygen therapy. 2020 , 75, 233-241	1
107	The effect of dried <i>Ziziphus vulgaris</i> on glycemic control, lipid profile, Apo-proteins and hs-CRP in patients with type 2 diabetes mellitus: A randomized controlled clinical trial. 2021 , 45, e13193	1
106	The prothrombotic state in cancer. 2021 , 105, 213-242	0
105	The relation of anatomical distribution of symptomatic peripheral arterial disease (PAD) with HbA1c level in patients with type 2 diabetes mellitus. 2021 , 12, 20420188211000504	1
104	Time Restricted Feeding Reduces Inflammation and Cortisol Response to a Firegrounds Test in Professional Firefighters. 2021 , 63, 441-447	5
103	Gene Expression Signature in Patients With Symptomatic Peripheral Artery Disease. 2021 , 41, 1521-1533	2
102	Assessment of cytokines, microRNA and patient related outcome measures in conversion disorder/functional neurological disorder (CD/FND): The CAND0 clinical feasibility study. 2021 , 13, 100228	1
101	The Impact of the Renin-Angiotensin-Aldosterone System on Inflammation, Coagulation, and Atherothrombotic Complications, and to Aggravated COVID-19. 2021 , 12, 640185	4
100	Phytochemicals as Therapeutic Interventions in Peripheral Artery Disease. 2021 , 13,	2
99	Lipid profiles of patients with manifest coronary versus peripheral atherosclerosis - Is there a difference?. 2021 , 290, 1249-1263	0
98	Cardiovascular Health Trajectories and Elevated C-Reactive Protein: The CARDIA Study. 2021 , 10, e019725	1
97	Peripheral vascular disease and Type 2 diabetes mellitus. 2000 , 16, S11-S15	3


96	Microglial Activation, Cytokine Production, and Local Inflammation in Focal Brain Ischemia. 2003 , 115-145	1
95	Endothelial Dysfunction, Inflammation, and Exercise. 2009 , 131-147	1
94	Anesthesia for Vascular Surgery. 2010 , 1985-2044	2
93	Lipids, Lipoproteins, Apolipoproteins, and Other Cardiovascular Risk Factors. 2012 , 731-805	4
92	Resilience and biomarkers of health risk in Black smokers and nonsmokers. 2017 , 36, 1047-1058	8
91	Clinical Efficacy of an Automated High-Sensitivity C-Reactive Protein Assay. 1999 , 45, 2136-2141	457
90	Nontraditional cardiovascular risk factors. 1999 , 317, 193-207	38
89	Pretransplant systemic inflammation and acute rejection after renal transplantation. 2000 , 69, 869-74	34
88	Is high-sensitivity C-reactive protein associated with carotid atherosclerosis in healthy Koreans?. 2005 , 12, 548-54	11
87	Fluorescent fullerene nanoparticle-based lateral flow immunochromatographic assay for rapid quantitative detection of C-reactive protein. 2019 , 6, 35	8
86	T cell-mediated signaling to vascular endothelium: induction of cytokines, chemokines, and tissue factor. 2002 , 71, 659-668	9
85	Application of Isobaric Tags for Relative and Absolute Quantification (iTRAQ) Coupled with Two-Dimensional Liquid Chromatography/Tandem Mass Spectrometry in Quantitative Proteomic Analysis for Discovery of Serum Biomarkers for Idiopathic Pulmonary Fibrosis. 2018 , 24, 4146-4153	9
84	Nonfasting Lipemia and Inflammation as Cardiovascular Disease Risks After SCI. 2009 , 14, 15-31	5
83	Cardiometabolic Risk Clustering and Atherosclerosis: Is There a Link in Spinal Cord Injury?. 2011 , 16, 1-13	6
82	Suppression of Proatherogenic Inflammatory Cytokines as a Therapeutic Countermeasure to CVD Risks Accompanying SCI. 2011 , 16, 14-32	6
81	Cystatin C: a strong marker for lower limb ischemia in Chinese type 2 diabetic patients?. <i>PLoS ONE</i> , 2013 , 8, e66907	3.7 18
80	Early inflammatory markers are independent predictors of cardiac allograft vasculopathy in heart-transplant recipients. <i>PLoS ONE</i> , 2014 , 9, e113260	3.7 10
79	Mathematical modelling as a proof of concept for MPNs as a human inflammation model for cancer development. <i>PLoS ONE</i> , 2017 , 12, e0183620	3.7 27

78	Diagnostic Value of C-Reactive Protein in Patients with Angiographically Documented Coronary Heart Disease. 2002 , 45, 155-160	1
77	Mitral valve restenosis after percutaneous transmitral valvuloplasty, role of continuous inflammation. 2014 , 6, 191-5	3
76	Restenosis After Percutaneous Transluminal Angioplasty in the Femoropopliteal Segment: The Role of Inflammation. 2001 , 8, 477-483	27
75	Lower-extremity peripheral arterial disease among patients with end-stage renal disease. 2001 , 12, 2838-2847	192
74	Is C-reactive protein a useful predictor of outcome in peritoneal dialysis patients?. 2001 , 12, 814-821	90
73	Peripheral vascular disease risk factors among patients undergoing hemodialysis. 2002 , 13, 497-503	124
72	Critical appraisal of C-reactive protein throughout the spectrum of cardiovascular disease. 2006 , 2, 221-37	55
71	Correlation between changes in inflammatory cytokines and the combination with hypertension in patients with type 2 diabetes mellitus. 2019 , 44, 252-258	8
70	Effect of different types of dietary fatty acids on subclinical inflammation in humans. 2013 , 62, 145-52	21
69	Immunological aspects of atherosclerosis. 2014 , 63, S335-42	6
68	Comparative evaluation of C-reactive protein in peripheral blood of patients with healthy gingiva, gingivitis and chronic periodontitis: A clinical and particle-enhanced turbidimetric immuno-analysis. 2014 , 18, 739-43	11
67	Evaluation of C-reactive protein and interleukin-6 in the peripheral blood of patients with chronic periodontitis. 2009 , 13, 69-74	26
66	Comparative evaluation of role of hs C-reactive protein as a diagnostic marker in chronic periodontitis patients. 2020 , 9, 1340-1347	4
65	Effect of a Probiotic Preparation (VSL#3) on Cardiovascular Risk Parameters in Critically-Ill Patients. 2013 , 5, 67-70	13
64	Levels of High-Sensitivity C-Reactive Protein in Heart Transplant Patients With and Without Periodontitis. 2019 , 17, 123-127	2
63	Arteriosklerose. 2000 , 115-188	
62	Inflammation as a Marker of Outcome in Myocardial Ischemia. 2001 , 221-235	
61	Peripheral Arterial Occlusions. 2001 , 363-386	

- 60 C-reactive Protein as Prognostic Marker of Inflammation in Atherothrombosis. **2001**, 203-220 1
- 59 Perinatal origins of adult disease. **2002**, 5-32
- 58 Vascular Disease in Diabetes Mellitus. **2002**, 995-1008
- 57 Novel Atherosclerotic Risk Factors and Management. **2003**, 41-58
- 56 Epidemiology of Coronary Calcification. **2004**, 213-222
- 55 The Effect of Regular Exercise on Cardiovascular Inflammation Markers in Elderly Korean Men. **2005**, 8, 19-23
- 54 Arteriosclerosis. **2005**, 620-629
- 53 Initial Evaluation and Follow-Up Assessment. **2005**, 295-304
- 52 Vascular Inflammation as a Cardiovascular Risk Factor. **2005**, 577-604
- 51 Kardiovaskulární nemocní a dysfunkce parenchymatů orgánů **2006**, 48, 331-332
- 50 The risk factor profile of patients undergoing cardiovascular surgery and their relatives. **2006**, 48, 379-383 1
- 49 Prediction of Global Cardiovascular Risk in Hypertension. **2007**, 190-198
- 48 Risk Factors for Cardiovascular Disease and Arterial Thrombosis. **2007**, 371-378
- 47 [Risk status of patients with peripheral arterial disease (PAD)]. **2007**, 148, 2469-76 0
- 46 Pragmatic Aspect of C-Reactive Protein Alone and in Combination with Lipid Profile in Patients with Coronary Artery Disease. **2008**, 8, 743-746
- 45 Risk Factor Modification in the Management of Critical Limb Ischemia. **2009**, 85-112
- 44 Peripheral Arterial Disease. **2010**, 196-204.e2
- 43 Pathology of Iliac and Lower Extremity Artery Disease. 674-680

42	Il paziente sottoposto a chirurgia vascolare maggiore. 2011 , 233-256		0
41	Inflammatory Biomarkers. 2012 , 481-495		
40	Cardiovascular Disease. 2012 , 478-549		
39	Fourth Asian PAD Workshop. 2013 , 6, 106-19		1
38	Peripheral Arterial Disease. 2014 , 115-145		
37	T. 1990 , 263-321		
36	Activated Protein C Resistance, Factor V Leiden, and Venous Thromboembolism. 1999 , 37-53		
35	Cardiovascular and Metabolic Syndrome Impact on Uristatin. 2015 , 157-170		
34	The Role of High-sensitivity C-reactive Protein as a Cardiovascular Risk Marker in Essential Hypertension. 2016 , 02, 23-28		
33	Diabetic Foot. 2017 , 349-366		
32	Inflammation and atherosclerosis. <i>Vnitřní Lekarství</i> , 2018 , 64, 1142-1146	0.3	6
31	Risk Factors and Prevention in Light of Atherosclerosis Being a Microvascular Disease. 2019 , 75-95		
30	Management of Wounds of Peripheral Arterial Disease Using Platelet Rich Plasma. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2020 , 9, 2239-2245	0.1	1
29	Peripheral Artery Disease in Diabetes Mellitus: Focus on Novel Treatment Options. <i>Current Pharmaceutical Design</i> , 2020 , 26, 5953-5968	3.3	0
28	Prevention of Peripheral Arterial Disease. <i>Contemporary Cardiology</i> , 2021 , 513-540	0.1	
27	Peripheral artery disease in women. <i>The European Research Journal</i> , 178-186	0	1
26	The role of oxidative stress in atherosclerosis: the hope and the hype. <i>Transactions of the American Clinical and Climatological Association</i> , 1999 , 110, 119-29; discussion 129-30	0.9	1
25	C-reactive protein as a prognostic tool in cardiovascular practices: should CRP testing be ordered along with lipid profiles?. <i>Netherlands Heart Journal</i> , 2003 , 11, 265-267	2.2	2

24	C-Reactive Protein: How Has JUPITER Impacted Clinical Practice?. <i>Ochsner Journal</i> , 2009 , 9, 204-10	1.5	6
23	Influence of periodontal disease on systemic disease: inversion of a paradigm: a review. <i>Journal of Medicine and Life</i> , 2013 , 6, 126-30	1.5	17
22	Ability of serum C-reactive protein and white blood cell count in predicting acute ischemic stroke. A short-term follow-up study. <i>Caspian Journal of Internal Medicine</i> , 2016 , 7, 206-210	1	1
21	Adipokines Profile and Inflammation Biomarkers in Prepubertal Population with Obesity and Healthy Metabolic State.. <i>Children</i> , 2022 , 9,	2.8	0
20	Transitional Changes in the Structure of C-Reactive Protein Create Highly Pro-Inflammatory Molecules: Therapeutic Implications for Cardiovascular Diseases. <i>SSRN Electronic Journal</i> ,	1	
19	The Predictability of Cystatin C for Peripheral Arterial Disease in Chinese Population with Type 2 Diabetes Mellitus.. <i>Journal of Diabetes Research</i> , 2022 , 2022, 5064264	3.9	
18	Anti-inflammatory diet and incident peripheral artery disease: Two prospective cohort studies.. <i>Clinical Nutrition</i> , 2022 , 41, 1191-1196	5.9	1
17	Association between CRP/Albumin ratio and long-term mortality in patients with chronic Limb-threatening ischemia undergoing Endovascular therapy Below The Knee: The ACHILES-BTK Registry.. <i>Annals of Vascular Surgery</i> , 2021 ,	1.7	1
16	Correlations of coronary artery disease degree with endothelial function and glucose metabolism in patients with Type 2 diabetes mellitus complicated with coronary heart disease. <i>Minerva Medica</i> , 2020 ,	2.2	
15	S100A8 and S100A9 are elevated in chronically threatened ischemic limb muscle and induce ischemic mitochondrial pathology in mice. <i>JVS Vascular Science</i> , 2022 ,	1.3	0
14	The Association between Nutritional Status and Length of Hospital Stay among Patients with Hypertension. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 5827	4.6	3
13	Sudden development of the upper and lower limb ischemia as the first manifestation of COVID-19 infection. <i>International Journal of Surgery Case Reports</i> , 2022 , 107332	0.8	0
12	The role of solar and geomagnetic activity in endothelial activation and inflammation in the NAS cohort. <i>PLoS ONE</i> , 2022 , 17, e0268700	3.7	0
11	Topical Biological Agents as Adjuncts to Improve Wound Healing in Chronic Diabetic Wounds: A Systematic Review of Clinical Evidence and Future Directions. 2022 ,		0
10	Approaches to Peripheral Artery Disease in Diabetes: Are There Any Differences?. 2022 , 19, 9801		4
9	A Proinflammatory Diet Is Associated with Higher Risk of Peripheral Artery Disease. 2022 , 14, 3490		
8	C-reactive protein, immunothrombosis and venous thromboembolism. 13,		3
7	Comparison of direct and sandwich type immunoassays on electrospun nanofibers using of metal organic frameworks as a fluorescence probe. 2022 , 372, 132621		1

- 6 Risk Factors of Patients with Peripheral Arterial Disease. **2022**, 49-59 0
- 5 Inflammatory and Prothrombotic Biomarkers, DNA Polymorphisms, MicroRNAs and Personalized Medicine for Patients with Peripheral Arterial Disease. **2022**, 23, 12054 1
- 4 Endothelial cell dysfunction: Implications for the pathogenesis of peripheral artery disease. 9, 1
- 3 Validating fatty acid binding protein 3 as a diagnostic and prognostic biomarker for peripheral arterial disease: A three-year prospective follow-up study. **2023**, 55, 101766 1
- 2 Is Triglyceride-Glucose Index a Valuable Parameter in Peripheral Artery Disease?. **2023**, 0
- 1  **2016**, 31-37 0