An Olfactory Sensory Map Develops in the Absence of N GABAergic Interneurons

Neuron 21, 1273-1282 DOI: 10.1016/s0896-6273(00)80647-9

Citation Report

#	Article	IF	CITATIONS
1	Targeted Deletion of a Cyclic Nucleotide-Gated Channel Subunit (OCNC1): Biochemical and Morphological Consequences in Adult Mice. Journal of Neuroscience, 1999, 19, 9313-9321.	1.7	104
2	Genetic Control of Cortical Development. Cerebral Cortex, 1999, 9, 521-523.	1.6	128
3	Genetic Control of Cortical Regionalization and Connectivity. Cerebral Cortex, 1999, 9, 524-532.	1.6	209
4	Differential Origins of Neocortical Projection and Local Circuit Neurons: Role of Dlx Genes in Neocortical Interneuronogenesis. Cerebral Cortex, 1999, 9, 646-654.	1.6	301
5	Chemosensory behavior: the path from stimulus to response. Current Opinion in Neurobiology, 1999, 9, 766-771.	2.0	21
6	Development of the vertebrate main olfactory system. Current Opinion in Neurobiology, 1999, 9, 74-78.	2.0	41
7	Glomerular formation in the developing rat olfactory bulb. Journal of Comparative Neurology, 1999, 413, 289-304.	0.9	122
8	DLX-1, DLX-2, and DLX-5 expression define distinct stages of basal forebrain differentiation. , 1999, 414, 217-237.		269
9	Building an olfactory glomerulus. , 1999, 415, 419-422.		16
10	Development of the olfactory bulb: Evidence for glia-neuron interactions in glomerular formation. Journal of Comparative Neurology, 1999, 415, 423-448.	0.9	137
11	Early Neocortical Regionalization in the Absence of Thalamic Innervation. Science, 1999, 285, 906-909.	6.0	333
12	Odorant receptors: a plethora of G-protein-coupled receptors. Trends in Pharmacological Sciences, 1999, 20, 413-417.	4.0	65
13	Expression pattern of the Tbr2 (Eomesodermin) gene during mouse and chick brain development. Mechanisms of Development, 1999, 84, 133-138.	1.7	140
14	Molecular Development of Sensory Maps. Cell, 1999, 96, 255-269.	13.5	110
15	Origin and Molecular Specification of Striatal Interneurons. Journal of Neuroscience, 2000, 20, 6063-6076.	1.7	556
16	Differentiation of mitral cell dendrites in the developing main olfactory bulbs of normal and naris-occluded rats. , 2000, 418, 402-410.		41
17	Pattern of olfactory bulb innervation returns after recovery from reversible peripheral deafferentation. Journal of Comparative Neurology, 2000, 421, 362-373.	0.9	69

		CITATION REP	ORT	
#	Article		IF	CITATIONS
19	Evolution of odorant receptors. BioEssays, 2000, 22, 803-810.		1.2	37
20	Patterning of olfactory sensory connections is mediated by extracellular matrix proteins in the nerv layer of the olfactory bulb. Journal of Neurobiology, 2000, 45, 195-206.	e	3.7	55
21	Neuronal migration defects of the cerebral cortex: a destination debacle. Clinical Genetics, 2000, 5 16-24.	8,	1.0	25
22	Reeling CASK into the nucleus. Nature, 2000, 404, 241-242.		13.7	17
23	Electric flight. Nature, 2000, 404, 242-242.		13.7	0
24	Semaphorin 3A Is Required for Guidance of Olfactory Axons in Mice. Journal of Neuroscience, 2000 20, 7691-7697.	5	1.7	186
25	Rewiring the Olfactory Bulb: Changes in Odor Maps following Recovery from Nerve Transection. Chemical Senses, 2000, 25, 199-205.		1.1	85
26	Genomic organization, sequence and chromosomal localization of the mouse Tbr2 gene and a comparative study with Tbr1. Gene, 2000, 254, 29-35.		1.0	8
27	Defective Neurogenesis in Citron Kinase Knockout Mice by Altered Cytokinesis and Massive Apopt Neuron, 2000, 28, 115-127.	osis.	3.8	232
28	Cell Migration from the Ganglionic Eminences Is Required for the Development of Hippocampal GABAergic Interneurons. Neuron, 2000, 28, 727-740.		3.8	321
29	Induction and Dorsoventral Patterning of the Telencephalon. Neuron, 2000, 28, 641-651.		3.8	306
30	Peripheral Olfactory Projections Are Differentially Affected in Mice Deficient in a Cyclic Nucleotide-Gated Channel Subunit. Neuron, 2000, 26, 81-91.		3.8	218
31	Genetic Ablation and Restoration of the Olfactory Topographic Map. Cell, 2000, 103, 609-620.		13.5	137
32	The Molecular Architecture of Odor and Pheromone Sensing in Mammals. Cell, 2000, 100, 611-618	3.	13.5	396
33	Neurotrophins Are Not Required for Normal Embryonic Development of Olfactory Neurons. Developmental Biology, 2001, 234, 80-92.		0.9	37
34	The Avian Telencephalic Subpallium Originates Inhibitory Neurons That Invade Tangentially the Pall (Dorsal Ventricular Ridge and Cortical Areas). Developmental Biology, 2001, 239, 30-45.	ium	0.9	166
35	Evidence for Gradients of Gene Expression Correlating with Zonal Topography of the Olfactory Sensory Map. Molecular and Cellular Neurosciences, 2001, 18, 283-295.		1.0	108
36	Neurobiology of fish olfaction: a review. Brain Research Reviews, 2001, 36, 46-59.		9.1	128

ARTICLE IF CITATIONS # Glial Cells Mediate Target Layer Selection of Retinal Axons in the Developing Visual System of 37 3.8 172 Drosophila. Neuron, 2001, 29, 99-113. Tbr1 Conducts the Orchestration of Early Cortical Development. Neuron, 2001, 29, 309-311. 3.8 39 Tbr1 Regulates Differentiation of the Preplate and Layer 6. Neuron, 2001, 29, 353-366. 3.8 829 Targeting of olfactory neurons. Cellular and Molecular Life Sciences, 2001, 58, 531-537. 2.4 Neuronal plasticity and regeneration in the olfactory system of mammals: morphological and 41 functional recovery following olfactory bulb deafferentation. Cellular and Molecular Life Sciences, 2.4 18 2001, 58, 538-545. T-targets: Clues to understanding the functions of T-box proteins. Development Growth and Differentiation, 2001, 43, 1-11. Brain targeting and glomerulus formation of two olfactory neuron populations expressing related 43 1.2 43 receptor types. European Journal of Neuroscience, 2001, 14, 1623-1632. Radial glia development in the mouse olfactory bulb. Journal of Comparative Neurology, 2001, 434, 1-12. 44 49 45 How smell develops. Nature Neuroscience, 2001, 4, 1192-1198. 7.1 150 A long, remarkable journey: Tangential migration in the telencephalon. Nature Reviews Neuroscience, 2001, 2, 780-790. Target neuron prespecification in the olfactory map of Drosophila. Nature, 2001, 414, 204-208. 47 13.7 382 Molecules, maps and synapse specificity. Nature Reviews Neuroscience, 2001, 2, 899-909. 48 154 Evidence that GRIP, a PDZ-domain protein which is expressed in the embryonic forebrain, co-activates 49 2.1 31 transcription with DLX homeodomain proteins. Developmental Brain Research, 2001, 130, 217-230. The role of glomeruli in the neural representation of odours: results from optical recording studies. Journal of Insect Physiology, 2001, 47, 115-130. 153 T-box genes in development: From hydra to humans. International Review of Cytology, 2001, 207, 1-70. 51 6.2 172 Neuronal Migration, Cerebral Cortical Development, and Cerebral Cortical Anomalies. Journal of 104 Neuropathology and Experimental Neurology, 2002, 61, 1-11. Expression from a Dlx Gene Enhancer Marks Adult Mouse Cortical GABAergic Neurons. Cerebral 53 1.6 172 Cortex, 2002, 12, 75-85. Axon Navigation in the Mammalian Primary Olfactory Pathway: Where to Next?. Chemical Senses, 2002, 54 1.1 27, 245-260.

#	Article	IF	CITATIONS
55	Developmental expression of the T-box transcription factor T-bet/Tbx21 during mouse embryogenesis. Mechanisms of Development, 2002, 116, 157-160.	1.7	62
56	Patterning, Regionalization, and Cell Differentiation in the Forebrain. , 2002, , 75-106.		21
57	Laminar disorganisation of mitral cells in the olfactory bulb does not affect topographic targeting of primary olfactory axons. Brain Research, 2002, 932, 1-9.	1.1	8
58	Amphi-Eomes/Tbr1: an amphioxus cognate of vertebrateEomesodermin andT-Brain1 genes whose expression reveals evolutionarily distinct domain in amphioxus development. The Journal of Experimental Zoology, 2002, 294, 136-145.	1.4	21
59	Evolution of developmental functions by theEomesodermin,T-brain-1,Tbx21 subfamily of T-box genes: insights from amphioxus. The Journal of Experimental Zoology, 2002, 294, 112-121.	1.4	30
60	Expression pattern of ?CaMKII in the mouse main olfactory bulb. Journal of Comparative Neurology, 2002, 443, 226-236.	0.9	43
61	Cortical and thalamic axon pathfinding defects inTbr1,Gbx2, andPax6 mutant mice: Evidence that cortical and thalamic axons interact and guide each other. Journal of Comparative Neurology, 2002, 447, 8-17.	0.9	232
62	Expression of fractalkine and its receptor, CX3CR1, in response to ischaemia-reperfusion brain injury in the rat. European Journal of Neuroscience, 2002, 15, 1663-1668.	1.2	133
63	The olfactory bulb as an independent developmental domain. Cell Death and Differentiation, 2002, 9, 1279-1286.	5.0	54
64	Odorant receptors instruct functional circuitry in the mouse olfactory bulb. Nature, 2002, 419, 296-300.	13.7	148
65	Prestin is required for electromotility of the outer hair cell and for the cochlear amplifier. Nature, 2002, 419, 300-304.	13.7	809
66	Development of cortical circuits: Lessons from ocular dominance columns. Nature Reviews Neuroscience, 2002, 3, 34-42.	4.9	250
67	Inverse expression of olfactory cell adhesion molecule in a subset of olfactory axons and a subset of mitral/tufted cells in the developing rat main olfactory bulb. Journal of Comparative Neurology, 2003, 458, 389-403.	0.9	30
68	Dlx-1 andDlx-2 expression in the adult mouse brain: Relationship to dopaminergic phenotypic regulation. Journal of Comparative Neurology, 2003, 461, 18-30.	0.9	29
69	Dlx1,Dlx2,Pax6,Brn3b, andChx10 homeobox gene expression defines the retinal ganglion and inner nuclear layers of the developing and adult mouse retina. Journal of Comparative Neurology, 2003, 461, 187-204.	0.9	116
70	Sorting and convergence of primary olfactory axons are independent of the olfactory bulb. Journal of Comparative Neurology, 2003, 464, 131-140.	0.9	63
71	Beyond phrenology, at last. Nature Reviews Neuroscience, 2003, 4, 234-239.	4.9	18
72	The differentiation potential of precursor cells from the mouse lateral ganglionic eminence is restricted by in vitro expansion. Neuroscience, 2003, 120, 379-385.	1.1	23

#	Article	IF	CITATIONS
73	Putting smell on the map. Trends in Neurosciences, 2003, 26, 169-170.	4.2	10
74	Mouse models of telencephalic development. Current Opinion in Genetics and Development, 2003, 13, 423-437.	1.5	36
75	The Dlx5 homeodomain gene is essential for olfactory development and connectivity in the mouse. Molecular and Cellular Neurosciences, 2003, 22, 530-543.	1.0	69
76	Dlx transcription factors regulate differentiation of dopaminergic neurons of the ventral thalamus. Molecular and Cellular Neurosciences, 2003, 23, 107-120.	1.0	68
77	Neural Development of the Neuregulin Receptor ErbB4 in the Cerebral Cortex and the Hippocampus: Preferential Expression by Interneurons Tangentially Migrating from the Ganglionic Eminences. Cerebral Cortex, 2003, 13, 252-264.	1.6	194
78	Homeoprotein DLX-1 interacts with Smad4 and blocks a signaling pathway from activin A in hematopoietic cells. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 15577-15582.	3.3	42
80	Pallial origin of mitral cells in the olfactory bulbs of Xenopus. NeuroReport, 2003, 14, 2355-2358.	0.6	21
81	DLX5 Regulates Development of Peripheral and Central Components of the Olfactory System. Journal of Neuroscience, 2003, 23, 568-578.	1.7	127
82	Widespread Defects in the Primary Olfactory Pathway Caused by Loss ofMash1Function. Journal of Neuroscience, 2003, 23, 1769-1780.	1.7	107
83	Locally Born Olfactory Bulb Stem Cells Proliferate in Response to Insulin-Related Factors and Require Endogenous Insulin-Like Growth Factor-I for Differentiation into Neurons and Glia. Journal of Neuroscience, 2003, 23, 895-906.	1.7	122
84	Identification of Two Distinct Progenitor Populations in the Lateral Ganglionic Eminence: Implications for Striatal and Olfactory Bulb Neurogenesis. Journal of Neuroscience, 2003, 23, 167-174.	1.7	475
85	FGF signaling through FGFR1 is required for olfactory bulb morphogenesis. Development (Cambridge), 2003, 130, 1101-1111.	1.2	200
86	Developmental origin of wiring specificity in the olfactory system of Drosophila. Development (Cambridge), 2004, 131, 117-130.	1.2	211
87	Misrouting of mitral cell progenitors in the Pax6/small eyerat telencephalon. Development (Cambridge), 2004, 131, 787-796.	1.2	43
88	Compromised generation of GABAergic interneurons in the brains of Vax1-/- mice. Development (Cambridge), 2004, 131, 4239-4249.	1.2	52
89	Identification of Tbr-1/CASK complex target genes in neurons. Journal of Neurochemistry, 2004, 91, 1483-1492.	2.1	80
90	Neuronal Development: Specifying a Hard-Wired Circuit. Current Biology, 2004, 14, R62-R64.	1.8	1
91	LIM-homeodomain genes as developmental and adult genetic markers ofXenopusforebrain functional subdivisions. Journal of Comparative Neurology, 2004, 472, 52-72.	0.9	113

#	Article	IF	CITATIONS
92	Expression ofDbx1,Neurogenin 2,Semaphorin 5A,Cadherin 8, andEmx1distinguish ventral and lateral pallial histogenetic divisions in the developing mouse claustroamygdaloid complex. Journal of Comparative Neurology, 2004, 474, 504-523.	0.9	221
93	Expression of the genesEmx1,Tbr1, andEomes (Tbr2) in the telencephalon ofXenopus laevis confirms the existence of a ventral pallial division in all tetrapods. Journal of Comparative Neurology, 2004, 474, 562-577.	0.9	145
94	Glycosylation patterns are sexually dimorphic throughout development of the olfactory system inManduca sexta. Journal of Comparative Neurology, 2004, 476, 1-18.	0.9	12
95	Differentiation of the dopaminergic phenotype in the olfactory system of neonatal and adult mice. Journal of Comparative Neurology, 2004, 479, 389-398.	0.9	71
96	T-box genes in the ascidianCiona intestinalis: Characterization of cDNAs and spatial expression. Developmental Dynamics, 2004, 230, 743-753.	0.8	59
97	Neurons and glia: team players in axon guidance. Trends in Neurosciences, 2004, 27, 655-661.	4.2	91
98	Bidirectional influences between neurons and glial cells in the developing olfactory system. Progress in Neurobiology, 2004, 73, 73-105.	2.8	54
99	Defective neuronogenesis in the absence of Dlx5. Molecular and Cellular Neurosciences, 2004, 25, 153-161.	1.0	59
100	Theoretical consideration of olfactory axon projection with an activity-dependent neural network model. Molecular and Cellular Neurosciences, 2004, 26, 503-517.	1.0	10
101	T-Box Genes in Vertebrate Development. Annual Review of Genetics, 2005, 39, 219-239.	3.2	370
102			
	The vertebrate ortholog ofAristaless is regulated byDlx genes in the developing forebrain. Journal of Comparative Neurology, 2005, 483, 292-303.	0.9	91
103	The vertebrate ortholog of Aristaless is regulated byDlx genes in the developing forebrain. Journal of Comparative Neurology, 2005, 483, 292-303. Expression patterns of the threeTeashirt-related genes define specific boundaries in the developing and postnatal mouse forebrain. Journal of Comparative Neurology, 2005, 486, 76-88.	0.9	91 37
103 104	Comparative Neurology, 2005, 483, 292-303. Expression patterns of the threeTeashirt-related genes define specific boundaries in the developing		
	Comparative Neurology, 2005, 483, 292-303. Expression patterns of the threeTeashirt-related genes define specific boundaries in the developing and postnatal mouse forebrain. Journal of Comparative Neurology, 2005, 486, 76-88. Dlx1 and Dlx2 function is necessary for terminal differentiation and survival of late-born retinal	0.9	37
104	Comparative Neurology, 2005, 483, 292-303. Expression patterns of the threeTeashirt-related genes define specific boundaries in the developing and postnatal mouse forebrain. Journal of Comparative Neurology, 2005, 486, 76-88. Dlx1 and Dlx2 function is necessary for terminal differentiation and survival of late-born retinal ganglion cells in the developing mouse retina. Development (Cambridge), 2005, 132, 311-322. Arx homeobox gene is essential for development of mouse olfactory system. Development (Cambridge),	0.9 1.2	37 63
104 105	Comparative Neurology, 2005, 483, 292-303. Expression patterns of the threeTeashirt-related genes define specific boundaries in the developing and postnatal mouse forebrain. Journal of Comparative Neurology, 2005, 486, 76-88. Dlx1 and Dlx2 function is necessary for terminal differentiation and survival of late-born retinal ganglion cells in the developing mouse retina. Development (Cambridge), 2005, 132, 311-322. Arx homeobox gene is essential for development of mouse olfactory system. Development (Cambridge), 2005, 132, 751-762. A Trajectory of Increasing Activity and the Elaboration of Chemosensory Modality: A New Perspective	0.9 1.2 1.2	37 63 106
104 105 106	Comparative Neurology, 2005, 483, 292-303. Expression patterns of the threeTeashirt-related genes define specific boundaries in the developing and postnatal mouse forebrain. Journal of Comparative Neurology, 2005, 486, 76-88. Dlx1 and Dlx2 function is necessary for terminal differentiation and survival of late-born retinal ganglion cells in the developing mouse retina. Development (Cambridge), 2005, 132, 311-322. Arx homeobox gene is essential for development of mouse olfactory system. Development (Cambridge), 2005, 132, 751-762. A Trajectory of Increasing Activity and the Elaboration of Chemosensory Modality: A New Perspective on Vertebrate Origins. Zoological Science, 2005, 22, 613-626. A Method for the Rapid Automated Assessment of Olfactory Function. Chemical Senses, 2005, 30,	0.9 1.2 1.2 0.3	37 63 106 4

#	Article	IF	CITATIONS
111	Transcription factors in glutamatergic neurogenesis: Conserved programs in neocortex, cerebellum, and adult hippocampus. Neuroscience Research, 2006, 55, 223-233.	1.0	398
112	Position and time specify the migration of a pioneering population of olfactory bulb interneurons. Developmental Biology, 2006, 297, 387-401.	0.9	50
113	The Zinc Finger Transcription Factor Sp8 Regulates the Generation and Diversity of Olfactory Bulb Interneurons. Neuron, 2006, 49, 503-516.	3.8	229
114	Comments on the genetic control of forebrain development. Clinical Neuroscience Research, 2006, 6, 169-177.	0.8	7
115	Development of wiring specificity in the olfactory system. Current Opinion in Neurobiology, 2006, 16, 67-73.	2.0	102
116	Mice without transcription factor KLF7 provide new insight into olfactory bulb development. Brain Research, 2006, 1103, 108-113.	1.1	30
117	Time frame of mitral cell development in the mice olfactory bulb. Journal of Comparative Neurology, 2006, 496, 529-543.	0.9	111
118	Generation of GABAergic and dopaminergic interneurons from endogenous embryonic olfactory bulb precursor cells. Development (Cambridge), 2006, 133, 4367-4379.	1.2	57
119	Necdin Promotes GABAergic Neuron Differentiation in Cooperation with Dlx Homeodomain Proteins. Journal of Neuroscience, 2006, 26, 5383-5392.	1.7	141
120	Zinc-finger gene Fez in the olfactory sensory neurons regulates development of the olfactory bulb non-cell-autonomously. Development (Cambridge), 2006, 133, 1433-1443.	1.2	67
121	Development of the Deep Cerebellar Nuclei: Transcription Factors and Cell Migration from the Rhombic Lip. Journal of Neuroscience, 2006, 26, 3066-3076.	1.7	272
122	Dual Role for LIM-Homeodomain Gene Lhx2 in the Formation of the Lateral Olfactory Tract. Journal of Neuroscience, 2007, 27, 2290-2297.	1.7	30
123	A Subpopulation of Olfactory Bulb GABAergic Interneurons Is Derived from Emx1- and Dlx5/6-Expressing Progenitors. Journal of Neuroscience, 2007, 27, 6878-6891.	1.7	229
124	Dlx Homeobox Genes Promote Cortical Interneuron Migration from the Basal Forebrain by Direct Repression of the Semaphorin Receptor Neuropilin-2. Journal of Biological Chemistry, 2007, 282, 19071-19081.	1.6	66
125	Absence of Adenylyl Cyclase 3 Perturbs Peripheral Olfactory Projections in Mice. Journal of Neuroscience, 2007, 27, 6675-6683.	1.7	94
126	Dlx-Dependent and -Independent Regulation of Olfactory Bulb Interneuron Differentiation. Journal of Neuroscience, 2007, 27, 3230-3243.	1.7	123
127	Response of olfactory axons to loss of synaptic targets in the adult mouse. Experimental Neurology, 2007, 207, 275-288.	2.0	14
128	The shape of the olfactory bulb influences axon targeting. Brain Research, 2007, 1169, 17-23.	1.1	2

#	Article	IF	CITATIONS
129	Patterning the developing and regenerating olfactory system. Journal of Cellular Physiology, 2007, 210, 290-297.	2.0	12
130	Diversity of the vomeronasal system in mammals: The singularities of the sheep model. Microscopy Research and Technique, 2007, 70, 752-762.	1.2	34
131	Novel subdomains of the mouse olfactory bulb defined by molecular heterogeneity in the nascent external plexiform and glomerular layers. BMC Developmental Biology, 2007, 7, 48.	2.1	11
132	Olfactory bulb hypoplasia in Prokr2 null mice stems from defective neuronal progenitor migration and differentiation. European Journal of Neuroscience, 2007, 26, 3339-3344.	1.2	60
133	Spatio-temporal specification of olfactory bulb interneurons. Journal of Molecular Histology, 2007, 38, 563-569.	1.0	24
134	Olfactory axon guidance: The modified rules. Journal of Neuroscience Research, 2008, 86, 11-17.	1.3	8
135	Deletion of voltageâ€gated channel affects glomerular refinement and odorant receptor expression in the mouse olfactory system. Journal of Comparative Neurology, 2008, 506, 161-179.	0.9	38
136	Postnatal subventricular zone progenitors give rise not only to granular and periglomerular interneurons but also to interneurons in the external plexiform layer of the rat olfactory bulb. Journal of Comparative Neurology, 2008, 506, 347-358.	0.9	37
137	Sall3 is required for the terminal maturation of olfactory glomerular interneurons. Journal of Comparative Neurology, 2008, 507, 1780-1794.	0.9	32
138	Mutations of CASK cause an X-linked brain malformation phenotype with microcephaly and hypoplasia of the brainstem and cerebellum. Nature Genetics, 2008, 40, 1065-1067.	9.4	252
139	Visualization of spatiotemporal differentiation of dopaminergic interneurons in adult mouse olfactory bulb using transgenic mice. Anatomical Science International, 2008, 83, 228-231.	0.5	2
140	Developmental Biology: Frontiers for Clinical Genetics. Clinical Genetics, 2008, 53, 164-164.	1.0	4
141	Homeobox genes in vertebrate forebrain development and disease. Clinical Genetics, 2008, 73, 212-226.	1.0	38
142	How Neuronal Migration Contributes to the Morphogenesis of the CNS: Insights from the Zebrafish. Developmental Neuroscience, 2008, 30, 65-81.	1.0	37
143	Comprehensive spatiotemporal transcriptomic analyses of the ganglionic eminences demonstrate the uniqueness of its caudal subdivision. Molecular and Cellular Neurosciences, 2008, 37, 845-856.	1.0	40
144	Role of IGF Signaling in Olfactory Sensory Map Formation and Axon Guidance. Neuron, 2008, 57, 847-857.	3.8	79
145	Characterization of a distinct subpopulation of striatal projection neurons expressing the Dlx genes in the basal ganglia through the activity of the 156ii enhancer. Developmental Biology, 2008, 322, 415-424.	0.9	31
146	Sall1 Regulates Mitral Cell Development and Olfactory Nerve Extension in the Developing Olfactory Bulb. Cerebral Cortex, 2008, 18, 1604-1617.	1.6	16

#	Article	IF	CITATIONS
147	The Distinct Temporal Origins of Olfactory Bulb Interneuron Subtypes. Journal of Neuroscience, 2008, 28, 3966-3975.	1.7	244
148	Dlx2 homeobox gene transcriptional regulation of Trkb neurotrophin receptor expression during mouse retinal development. Nucleic Acids Research, 2008, 36, 872-884.	6.5	20
149	Early Telencephalic Migration Topographically Converging in the Olfactory Cortex. Cerebral Cortex, 2008, 18, 1239-1252.	1.6	48
150	Bergmann Glia and the Recognition Molecule CHL1 Organize GABAergic Axons and Direct Innervation of Purkinje Cell Dendrites. PLoS Biology, 2008, 6, e103.	2.6	120
151	Arx Is a Direct Target of Dlx2 and Thereby Contributes to the Tangential Migration of GABAergic Interneurons. Journal of Neuroscience, 2008, 28, 10674-10686.	1.7	140
152	The T-box transcription factor Eomes/Tbr2 regulates neurogenesis in the cortical subventricular zone. Genes and Development, 2008, 22, 2479-2484.	2.7	289
153	Calcium/calmodulinâ€dependent serine protein kinase and mental retardation. Annals of Neurology, 2009, 66, 438-443.	2.8	74
154	Dlx1&2 and Mash1 transcription factors control striatal patterning and differentiation through parallel and overlapping pathways. Journal of Comparative Neurology, 2009, 512, 556-572.	0.9	149
155	Olfactory sensory axon growth and branching is influenced by sonic hedgehog. Developmental Dynamics, 2009, 238, 1768-1776.	0.8	19
156	Ascl1 is a required downstream effector of Gsx gene function in the embryonic mouse telencephalon. Neural Development, 2009, 4, 5.	1.1	72
157	How the olfactory bulb got its glomeruli: a just so story?. Nature Reviews Neuroscience, 2009, 10, 611-618.	4.9	78
158	IGFâ€I promotes neuronal migration and positioning in the olfactory bulb and the exit of neuroblasts from the subventricular zone. European Journal of Neuroscience, 2009, 30, 742-755.	1.2	114
159	Mapping of Class I and Class II Odorant Receptors to Glomerular Domains by Two Distinct Types of Olfactory Sensory Neurons in the Mouse. Neuron, 2009, 61, 220-233.	3.8	180
160	Distinct Temporal Requirements for the Homeobox Gene Gsx2 in Specifying Striatal and Olfactory Bulb Neuronal Fates. Neuron, 2009, 63, 451-465.	3.8	126
161	Development and evolution of the subpallium. Seminars in Cell and Developmental Biology, 2009, 20, 735-743.	2.3	74
162	Disorganized olfactory bulb lamination in mice deficient for transcription factor AP-2É›. Molecular and Cellular Neurosciences, 2009, 42, 161-171.	1.0	37
163	Chapter 3 The Developmental Integration of Cortical Interneurons into a Functional Network. Current Topics in Developmental Biology, 2009, 87, 81-118.	1.0	191
164	Animal Models of Epilepsy. Neuromethods, 2009, , .	0.2	4

#	Article	IF	CITATIONS
165	Wiring olfaction: the cellular and molecular mechanisms that guide the development of synaptic connections from the nose to the cortex. Frontiers in Neuroscience, 2009, 3, 52.	1.4	66
166	Olfactory ensheathing glia express aquaporin 1. Journal of Comparative Neurology, 2010, 518, 4329-4341.	0.9	14
167	CASK mutations are frequent in males and cause X-linked nystagmus and variable XLMR phenotypes. European Journal of Human Genetics, 2010, 18, 544-552.	1.4	105
168	Early Expression of Odorant Receptors Distorts the Olfactory Circuitry. Journal of Neuroscience, 2010, 30, 9271-9279.	1.7	18
169	Tbr1 regulates regional and laminar identity of postmitotic neurons in developing neocortex. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 13129-13134.	3.3	297
170	Neuropilin-2 is required for the proper targeting of ventral glomeruli in the mouse olfactory bulb. Molecular and Cellular Neurosciences, 2010, 44, 233-245.	1.0	10
171	Dynamic roles of FGF-2 and Anosmin-1 in the migration of neuronal precursors from the subventricular zone during pre- and postnatal development. Experimental Neurology, 2010, 222, 285-295.	2.0	47
172	The cell biology of smell. Journal of Cell Biology, 2010, 191, 443-452.	2.3	146
173	De novo deletion of chromosome 2q24.2 region in a mentally retarded boy with muscular hypotonia. European Journal of Medical Genetics, 2011, 54, 361-364.	0.7	20
174	Temporally distinct expression of vesicular glutamate transporters 1 and 2 during embryonic development of the rat olfactory system. Neuroscience Research, 2011, 70, 376-382.	1.0	5
175	The T-box brain 1 (Tbr1) transcription factor inhibits astrocyte formation in the olfactory bulb and regulates neural stem cell fate. Molecular and Cellular Neurosciences, 2011, 46, 108-121.	1.0	47
176	Transcription factors expressed in olfactory bulb local progenitor cells revealed by genome-wide transcriptome profiling. Molecular and Cellular Neurosciences, 2011, 46, 548-561.	1.0	9
177	Pioneer GABA Cells Comprise a Subpopulation of Hub Neurons in the Developing Hippocampus. Neuron, 2011, 71, 695-709.	3.8	133
178	Development of Cortical GABAergic Innervation. Frontiers in Cellular Neuroscience, 2011, 5, 14.	1.8	14
179	Restrictions in time and space – new insights into generation of specific neuronal subtypes in the adult mammalian brain. European Journal of Neuroscience, 2011, 33, 1045-1054.	1.2	35
180	Axon–axon interactions in neuronal circuit assembly: lessons from olfactory map formation. European Journal of Neuroscience, 2011, 34, 1647-1654.	1.2	37
181	Genetic visualization of the secondary olfactory pathway in Tbx21 transgenic mice. Neural Systems & Circuits, 2011, 1, 5.	1.8	43
182	Regulation and function of axon guidance and adhesion molecules during olfactory map formation. Journal of Cellular Biochemistry, 2011, 112, 2663-2671.	1.2	10

#	Article	IF	CITATIONS
183	<i>Tbr1</i> and <i>Fezf2</i> Regulate Alternate Corticofugal Neuronal Identities during Neocortical Development. Journal of Neuroscience, 2011, 31, 549-564.	1.7	230
184	Specification of a Foxj1-Dependent Lineage in the Forebrain Is Required for Embryonic-to-Postnatal Transition of Neurogenesis in the Olfactory Bulb. Journal of Neuroscience, 2011, 31, 9368-9382.	1.7	52
185	Pallial origin of basal forebrain cholinergic neurons in the nucleus basalis of Meynert and horizontal limb of the diagonal band nucleus. Development (Cambridge), 2011, 138, 4315-4326.	1.2	27
186	TBR1 directly represses <i>Fezf2</i> to control the laminar origin and development of the corticospinal tract. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 3041-3046.	3.3	185
187	Genetics and Function of Neocortical GABAergic Interneurons in Neurodevelopmental Disorders. Neural Plasticity, 2011, 2011, 1-25.	1.0	181
188	Developmental Dynamics of Piriform Cortex. Cerebral Cortex, 2011, 21, 1231-1245.	1.6	41
189	Critical Role of GFRα1 in the Development and Function of the Main Olfactory System. Journal of Neuroscience, 2012, 32, 17306-17320.	1.7	49
190	Odorant Receptors in the Formation of the Olfactory Bulb Circuitry. Physiology, 2012, 27, 200-212.	1.6	34
191	Investigation of TBR1 Hemizygosity: Four Individuals with 2q24 Microdeletions. Molecular Syndromology, 2012, 3, 102-112.	0.3	36
192	Neurog1 and Neurog2 coordinately regulate development of the olfactory system. Neural Development, 2012, 7, 28.	1.1	42
193	The ascl1a and dlx genes have a regulatory role in the development of GABAergic interneurons in the zebrafish diencephalon. Developmental Biology, 2013, 381, 276-285.	0.9	26
194	Transcriptional Regulation of Olfactory Bulb Neurogenesis. Anatomical Record, 2013, 296, 1364-1382.	0.8	28
195	Coexpression Networks Implicate Human Midfetal Deep Cortical Projection Neurons in the Pathogenesis of Autism. Cell, 2013, 155, 997-1007.	13.5	825
196	Telencephalon Patterning. , 2013, , 3-24.		4
197	Pax6 regulates Tbr1 and Tbr2 expressions in olfactory bulb mitral cells. Molecular and Cellular Neurosciences, 2013, 54, 58-70.	1.0	38
198	Persistent overexpression of DNA methyltransferase 1 attenuating GABAergic inhibition in basolateral amygdala accounts for anxiety in rat offspring exposed perinatally to low-dose bisphenol A. Journal of Psychiatric Research, 2013, 47, 1535-1544.	1.5	45
199	A mosaic 2q24.2 deletion narrows the critical region to a 0.4 Mb interval that includes <i>TBR1</i> , <i>TANK</i> , and <i>PSMD14</i> . American Journal of Medical Genetics, Part A, 2013, 161, 841-844.	0.7	17
200	Dual origins of the mammalian accessory olfactory bulb revealed by an evolutionarily conserved migratory stream. Nature Neuroscience, 2013, 16, 157-165.	7.1	47

#	Article	IF	CITATIONS
201	Neurogenesis in the Postnatal VZ-SVZ and the Origin of Interneuron Diversity. , 2013, , 537-550.		2
202	Neurogenesis in the Basal Ganglia. , 2013, , 455-473.		9
203	Activity-Dependent Modulation of Odorant Receptor Gene Expression in the Mouse Olfactory Epithelium. PLoS ONE, 2013, 8, e69862.	1.1	35
204	The Generation of Cortical Interneurons. , 2013, , 503-518.		0
205	Conserved localization of Pax6 and Pax7 transcripts in the brain of representatives of sarcopterygian vertebrates during development supports homologous brain regionalization. Frontiers in Neuroanatomy, 2014, 8, 75.	0.9	14
206	Neuronal excitation upregulates Tbr1, a high-confidence risk gene of autism, mediating Grin2b expression in the adult brain. Frontiers in Cellular Neuroscience, 2014, 8, 280.	1.8	51
207	Development and Developmental Disorders of the Forebrain. , 2014, , 421-521.		8
208	The T-box gene family: emerging roles in development, stem cells and cancer. Development (Cambridge), 2014, 141, 3819-3833.	1.2	246
209	A Developmental Switch of Axon Targeting in the Continuously Regenerating Mouse Olfactory System. Science, 2014, 344, 194-197.	6.0	76
210	A Critical Period Defined by Axon-Targeting Mechanisms in the Murine Olfactory Bulb. Science, 2014, 344, 197-200.	6.0	53
211	Whole-mount Imaging of Mouse Embryo Sensory Axon Projections. Journal of Visualized Experiments, 2014, , .	0.2	0
213	Cerebral Cortex Expression of Gli3 Is Required for Normal Development of the Lateral Olfactory Tract. PLoS ONE, 2015, 10, e0141525.	1.1	2
214	Brain-specific transcriptional regulator T-brain-1 controls brain wiring and neuronal activity in autism spectrum disorders. Frontiers in Neuroscience, 2015, 9, 406.	1.4	41
215	Developmental Markers Expressed in Neocortical Layers Are Differentially Exhibited in Olfactory Cortex. PLoS ONE, 2015, 10, e0138541.	1.1	20
216	Genetics and genomics of autism spectrum disorder: embracing complexity. Human Molecular Genetics, 2015, 24, R24-R31.	1.4	160
217	Organization of Axons in Their Tracts. , 2016, , 267-288.		4
218	Development and Maturation of Embryonic Cortical Neurons Grafted into the Damaged Adult Motor Cortex. Frontiers in Neural Circuits, 2016, 10, 55.	1.4	28
219	MouSensor: A Versatile Genetic Platform to Create Super Sniffer Mice for Studying Human Odor Coding. Cell Reports, 2016, 16, 1115-1125.	2.9	25

#	Article	IF	CITATIONS
220	Neurogenesis in the Developing and Adult Brain—Similarities and Key Differences. Cold Spring Harbor Perspectives in Biology, 2016, 8, a018853.	2.3	120
221	The Adult Ventricular–Subventricular Zone (V-SVZ) and Olfactory Bulb (OB) Neurogenesis. Cold Spring Harbor Perspectives in Biology, 2016, 8, a018820.	2.3	431
222	Corticothalamic Axons Are Essential for Retinal Ganglion Cell Axon Targeting to the Mouse Dorsal Lateral Geniculate Nucleus. Journal of Neuroscience, 2016, 36, 5252-5263.	1.7	41
223	Cell migration in the developing rodent olfactory system. Cellular and Molecular Life Sciences, 2016, 73, 2467-2490.	2.4	24
224	Regeneration and rewiring of rodent olfactory sensory neurons. Experimental Neurology, 2017, 287, 395-408.	2.0	40
225	Control of Neuronal Development by T-Box Genes in the Brain. Current Topics in Developmental Biology, 2017, 122, 279-312.	1.0	51
226	Determination of the connectivity of newborn neurons in mammalian olfactory circuits. Cellular and Molecular Life Sciences, 2017, 74, 849-867.	2.4	12
227	Deletion of Type 3 Adenylyl Cyclase Perturbs the Postnatal Maturation of Olfactory Sensory Neurons and Olfactory Cilium Ultrastructure in Mice. Frontiers in Cellular Neuroscience, 2017, 11, 1.	1.8	180
228	Rostro-Caudal and Caudo-Rostral Migrations in the Telencephalon: Going Forward or Backward?. Frontiers in Neuroscience, 2017, 11, 692.	1.4	12
229	miRNAs in Mammalian Adult Olfactory Neurogenesis. , 2017, , 137-154.		0
229 230	miRNAs in Mammalian Adult Olfactory Neurogenesis. , 2017, , 137-154. Tbr1 instructs laminar patterning of retinal ganglion cell dendrites. Nature Neuroscience, 2018, 21, 659-670.	7.1	0 68
	Tbr1 instructs laminar patterning of retinal ganglion cell dendrites. Nature Neuroscience, 2018, 21,	7.1	
230	Tbr1 instructs laminar patterning of retinal ganglion cell dendrites. Nature Neuroscience, 2018, 21, 659-670. Comparative review of adult midbrain and striatum neurogenesis with classical neurogenesis.		68
230 231	Tbr1 instructs laminar patterning of retinal ganglion cell dendrites. Nature Neuroscience, 2018, 21, 659-670. Comparative review of adult midbrain and striatum neurogenesis with classical neurogenesis. Neuroscience Research, 2018, 134, 1-9. Functional characterization of TBR1 variants in neurodevelopmental disorder. Scientific Reports,	1.0	68 27
230 231 232	Tbr1 instructs laminar patterning of retinal ganglion cell dendrites. Nature Neuroscience, 2018, 21, 659-670. Comparative review of adult midbrain and striatum neurogenesis with classical neurogenesis. Neuroscience Research, 2018, 134, 1-9. Functional characterization of TBR1 variants in neurodevelopmental disorder. Scientific Reports, 2018, 8, 14279. Mutations in TBR1 gene leads to cortical malformations and intellectual disability. European Journal	1.0 1.6	68 27 26
230 231 232 233	Tbr1 instructs laminar patterning of retinal ganglion cell dendrites. Nature Neuroscience, 2018, 21, 659-670. Comparative review of adult midbrain and striatum neurogenesis with classical neurogenesis. Neuroscience Research, 2018, 134, 1-9. Functional characterization of TBR1 variants in neurodevelopmental disorder. Scientific Reports, 2018, 8, 14279. Mutations in TBR1 gene leads to cortical malformations and intellectual disability. European Journal of Medical Cenetics, 2018, 61, 759-764.	1.0 1.6 0.7	68 27 26 24
230 231 232 233 233	Tbr1 instructs laminar patterning of retinal ganglion cell dendrites. Nature Neuroscience, 2018, 21, 659-670. Comparative review of adult midbrain and striatum neurogenesis with classical neurogenesis. Neuroscience Research, 2018, 134, 1-9. Functional characterization of TBR1 variants in neurodevelopmental disorder. Scientific Reports, 2018, 8, 14279. Mutations in TBR1 gene leads to cortical malformations and intellectual disability. European Journal of Medical Genetics, 2018, 61, 759-764. Neonatal Tbr1 Dosage Controls Cortical Layer 6 Connectivity. Neuron, 2018, 100, 831-845.e7. Inter-axonal recognition organizes Drosophila olfactory map formation. Scientific Reports, 2019, 9,	1.0 1.6 0.7 3.8	 68 27 26 24 83

#	Article	IF	CITATIONS
238	Mitral cell development in the olfactory bulb of sharks: evidences of a conserved pattern of glutamatergic neurogenesis. Brain Structure and Function, 2019, 224, 2325-2341.	1.2	3
239	Structured spike series specify gene expression patterns for olfactory circuit formation. Science, 2019, 365, .	6.0	48
240	Essential Roles of Tbr1 in the Formation and Maintenance of the Orientation-Selective J-RGCs and a Group of OFF-Sustained RGCs in Mouse. Cell Reports, 2019, 27, 900-915.e5.	2.9	22
241	Regional differences in mitral cell development in mouse olfactory bulb. Journal of Comparative Neurology, 2019, 527, 2233-2244.	0.9	6
242	Dlx1/2 are Central and Essential Components in the Transcriptional Code for Generating Olfactory Bulb Interneurons. Cerebral Cortex, 2019, 29, 4831-4849.	1.6	23
243	Haploinsufficiency of autism causative gene Tbr1 impairs olfactory discrimination and neuronal activation of the olfactory system in mice. Molecular Autism, 2019, 10, 5.	2.6	42
244	Axonal Odorant Receptors Mediate Axon Targeting. Cell Reports, 2019, 29, 4334-4348.e7.	2.9	19
245	Notch Dosage: Jagged1 Haploinsufficiency Is Associated With Reduced Neuronal Division and Disruption of Periglomerular Interneurons in Mice. Frontiers in Cell and Developmental Biology, 2020, 8, 113.	1.8	9
246	Epigenetic Modifications of GABAergic Interneurons Contribute to Deficits in Adult Hippocampus Neurogenesis and Depression-Like Behavior in Prenatally Stressed Mice. International Journal of Neuropsychopharmacology, 2020, 23, 274-285.	1.0	17
247	Developmental regulation of olfactory circuit formation in mice. Development Growth and Differentiation, 2020, 62, 199-213.	0.6	37
248	Telencephalon patterning. , 2020, , 23-48.		3
249	Neurogenesis in the basal ganglia. , 2020, , 399-426.		6
250	Neurogenesis in the postnatal V-SVZ and the origin of interneuron diversity. , 2020, , 505-522.		0
251	Cell type-specific patterned neural activity instructs neural map formation in the mouse olfactory system. Neuroscience Research, 2020, 170, 1-5.	1.0	3
252	Enhancing WNT Signaling Restores Cortical Neuronal Spine Maturation and Synaptogenesis in Tbr1 Mutants. Cell Reports, 2020, 31, 107495.	2.9	32
253	Topographic organization in the olfactory bulb. Cell and Tissue Research, 2021, 383, 457-472.	1.5	16
254	A single-cell atlas of mouse olfactory bulb chromatin accessibility. Journal of Genetics and Genomics, 2021, 48, 147-162.	1.7	3
255	Genetic influences of autism candidate genes on circuit wiring and olfactory decoding. Cell and Tissue Research, 2021, 383, 581-595.	1.5	4

		CITATION REPORT		
#	Article		IF	CITATIONS
256	Dopamine Systems in the Forebrain. Advances in Experimental Medicine and Biology, 20	09,651,15-35.	0.8	89
257	Interneuron Loss as a Cause of Seizures: Lessons from Interneuron-Deficient Mice. Neur 2009, , 121-139.	omethods,	0.2	2
258	Physiology of the GABA and Glycine Systems. Handbook of Experimental Pharmacology,	2001, , 3-76.	0.9	4
259	Circuit Formation and Synaptic Plasticity in the Mouse Olfactory System. , 2020, , 624-6	539.		1
260	Loss of <i>Nkx2.1</i> homeobox gene function results in a ventral to dorsal molecular respecification within the basal telencephalon: evidence for a transformation of the palli the striatum. Development (Cambridge), 1999, 126, 3359-3370.	dum into	1.2	761
261	<i>Gsh2</i> and <i>Pax6</i> play complementary roles in dorsoventral patterning of the telencephalon. Development (Cambridge), 2001, 128, 193-205.	e mammalian	1.2	403
262	A role for <i>Gsh1</i> in the developing striatum and olfactory bulb of <i>Gsh2</i> mutan Development (Cambridge), 2001, 128, 4769-4780.	t mice.	1.2	141
263	Distinct cortical migrations from the medial and lateral ganglionic eminences. Developm (Cambridge), 2001, 128, 353-363.	nent	1.2	571
264	Ectopic expression of the Dlx genes induces glutamic acid decarboxylase and Dlx expres Development (Cambridge), 2002, 129, 245-252.	sion.	1.2	226
265	Developmental functions of the <i>Distal-less</i> /Dlx homeobox genes. Development (C 2002, 129, 4371-4386.	lambridge),	1.2	458
266	<i>Emx2</i> regulates the proliferation of stem cells of the adult mammalian central ner Development (Cambridge), 2002, 129, 1633-1644.	vous system.	1.2	115
267	Topographically Distinct Projection Patterns of Early-Generated and Late-Generated Proj Neurons in the Mouse Olfactory Bulb. ENeuro, 2020, 7, ENEURO.0369-20.2020.	ection	0.9	7
268	Lineage does not regulate the sensory synaptic input of projection neurons in the mous bulb. ELife, 2019, 8, .	e olfactory	2.8	7
269	Relationship between Blood Vessels and Migration of Neuroblasts in the Olfactory Neur Region of the Rodent Brain. International Journal of Molecular Sciences, 2021, 22, 1150	ogenic 6.	1.8	4
270	Adult Neurogenesis Controls Excitatory-Inhibitory Balance in the Olfactory Bulb. , 2003,	, 197-212.		0
271	Developmental Anatomy of the Olfactory System. , 2003, , 266-304.			4
274	Electroporation in the Developing Mouse Olfactory Bulb. Neuromethods, 2015, , 69-79.		0.2	1
276	Birth, Migration and Function of SVZ-derived Neurons in the Adult Brain. , 2006, , 84-11	6.		0

		CITATION REPORT		
#	Article		IF	Citations
280	Development of the mammalian main olfactory bulb. Development (Cambridge), 2022	,149,.	1.2	23
281	LiCl treatment leads to long-term restoration of spine maturation and synaptogenesis mutants. Journal of Neurodevelopmental Disorders, 2022, 14, 11.	in adult Tbr1	1.5	2
282	Dietary zinc supplementation rescues fear-based learning and synaptic function in the model of autism spectrum disorders. Molecular Autism, 2022, 13, 13.	Tbr1+/â^' mouse	2.6	9
288	Developing and maintaining a nose-to-brain map of odorant identity. Open Biology, 20	22, 12, .	1.5	4
289	Tbr1 Misexpression Alters Neuronal Development in the Cerebral Cortex. Molecular Ne 2022, 59, 5750-5765.	urobiology,	1.9	7
290	Wiring the senses: Factors that regulate peripheral axon pathfinding in sensory system Developmental Dynamics, 2023, 252, 81-103.	IS.	0.8	5
291	Shared and Distinct Functional Effects of Patient-Specific <i>Tbr1</i> Mutations on Co Development. Journal of Neuroscience, 2022, 42, 7166-7181.	ortical	1.7	5
293	The Role of Zinc and NMDA Receptors in Autism Spectrum Disorders. Pharmaceuticals	, 2023, 16, 1.	1.7	4
294	Intellectual disability and abnormal cortical neuron phenotypes in patients with Bloom Journal of Human Genetics, 0, , .	syndrome.	1.1	0
295	Characterization of the TBR1 interactome: variants associated with neurodevelopment disrupt novel protein interactions. Human Molecular Genetics, 2023, 32, 1497-1510.	al disorders	1.4	3
296	Spatiotemporal dynamics of the development of mouse olfactory system from prenata period. Frontiers in Neuroanatomy, 0, 17, .	ıl to postnatal	0.9	1
298	Development and Developmental Disorders of the Forebrain. , 2023, , 595-724.			0