Single-voxel proton magnetic resonance spectroscopy of patients with schizophrenia: a preliminary study1A por presented at the Biennial Meeting of International Cong Colorado Springs, CO, April 13, 1997.1

Psychiatry Research - Neuroimaging 84, 17-26

DOI: 10.1016/s0925-4927(98)00043-2

Citation Report

#	Article	IF	CITATIONS
1	Proton magnetic resonance spectroscopy in schizophrenia. European Journal of Radiology, 1999, 30, 132-141.	2.6	47
2	Subtype-associated metabolite differences in the temporal lobe in schizophrenia detected by proton magnetic resonance spectroscopy. Psychiatry Research - Neuroimaging, 1999, 92, 45-56.	1.8	24
3	Contribution of Alcohol Abuse to Cerebellar Volume Deficits in Men With Schizophrenia. Archives of General Psychiatry, 2000, 57, 894.	12.3	93
4	Magnetic resonance spectroscopy in schizophrenia: methodological issues and findingsâ€"part II. Biological Psychiatry, 2000, 48, 369-380.	1.3	148
5	Evidence for altered cerebellar vermis neuronal integrity in schizophrenia. Psychiatry Research - Neuroimaging, 2001, 107, 125-134.	1.8	39
6	Proton magnetic resonance spectroscopy: normal findings in the cerebellar hemisphere in childhood. Pediatric Radiology, 2002, 32, 787-792.	2.0	23
7	Effects of Alcohol Dependence Comorbidity and Antipsychotic Medication on Volumes of the Thalamus and Pons in Schizophrenia. American Journal of Psychiatry, 2003, 160, 1110-1116.	7.2	73
8	Neurological soft signs discriminating mood disorders from first episode schizophrenia. Acta Psychiatrica Scandinavica, 2004, 110, 29-35.	4.5	78
9	MRI volumetry of the vermis and the cerebellar hemispheres in men with schizophrenia. Psychiatry Research - Neuroimaging, 2004, 131, 115-124.	1.8	50
10	Treatment of rats with antipsychotic drugs: lack of an effect on brain N-acetyl aspartate levels. Schizophrenia Research, 2004, 66, 31-39.	2.0	24
11	The Cerebellum in Schizophrenia: A Case of Intermittent Ataxia and Psychosis—Clinical, Cognitive, and Neuroanatomical Correlates. Journal of Neuropsychiatry and Clinical Neurosciences, 2004, 16, 400-408.	1.8	15
13	Further Evidence for Altered Cerebellar Neuronal Integrity in Schizophrenia. American Journal of Psychiatry, 2005, 162, 790-792.	7.2	29
14	Measurement of Brain Metabolites by 1H Magnetic Resonance Spectroscopy in Patients with Schizophrenia: A Systematic Review and Meta-Analysis. Neuropsychopharmacology, 2005, 30, 1949-1962.	5.4	246
15	Higher Levels of Glutamate in the Associative-Striatum of Subjects with Prodromal Symptoms of Schizophrenia and Patients with First-Episode Psychosis. Neuropsychopharmacology, 2011, 36, 1781-1791.	5.4	214
16	Neurometabolites in schizophrenia and bipolar disorder â€" A systematic review and meta-analysis. Psychiatry Research - Neuroimaging, 2012, 203, 111-125.	1.8	179
17	Is Aberrant Functional Connectivity A Psychosis Endophenotype? A Resting State Functional Magnetic Resonance Imaging Study. Biological Psychiatry, 2013, 74, 458-466.	1.3	202
18	T2 relaxation effects on apparent N-acetylaspartate concentration in proton magnetic resonance studies of schizophrenia. Psychiatry Research - Neuroimaging, 2013, 213, 142-153.	1.8	16
19	MR Spectroscopy in Health and Disease. , 2013, , 713-733.		7

#	Article	IF	CITATIONS
20	MR Spectroscopy in Health and Disease. , 2021, , 1-22.		0
21	Neuroimaging Studies of Nonpsychotic First-Degree Relatives of People With Schizophrenia. , 2004, , 179-210.		3
22	Magnetic Resonance Spectroscopy. , 2009, , 403-442.		0
23	Assessing In Vivo Neurodegeneration in Schizophrenia Using Magnetic Resonance. , 2010, , 67-104.		0
24	MR Spectroscopy in Health and Disease. , 2022, , 775-796.		0