

CITATION REPORT

List of articles citing

Denitrification kinetics of high nitrate concentration water: pH effect on inhibition and nitrite accumulation

DOI: 10.1016/s0043-1354(97)00260-1
Water Research, 1998, 32, 831-839.

Source: <https://exaly.com/paper-pdf/29266728/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 384 | Denitrification of high-nitrate, high-salinity wastewater. <i>Water Research</i> , 1999 , 33, 223-229 | 12.5 | 167 |
| 383 | Treatment of a synthetic Nylon production wastewater under denitrifying conditions in an anoxic sequencing batch reactor. 2000 , 19, 218-227 | | 2 |
| 382 | Kinetics of sequential nitrification and denitrification processes. 2000 , 27, 37-42 | | 71 |
| 381 | Databank transfer-of-information, shortcut and exact estimators used in the wastewater biological treatment process identification. 2000 , 24, 1713-1718 | | 5 |
| 380 | Nitrogen and DOC removal from wastewater streams of the metal-working industry. <i>Water Research</i> , 2000 , 34, 295-303 | 12.5 | 13 |
| 379 | Effect of nitrate on acetate degradation in a sulfidogenic staged reactor. <i>Water Research</i> , 2000 , 34, 31-42 | 12.5 | 14 |
| 378 | Biological denitrification in a closed seawater system. <i>Chemosphere</i> , 2000 , 40, 549-55 | 8.4 | 32 |
| 377 | Influence of sediment and pore-water composition on nitrite accumulation in a nitrate-perfused freshwater sediment. <i>Water Research</i> , 2001 , 35, 2811-8 | 12.5 | 9 |
| 376 | BTX Biodegradation in Activated Sludge under Multiple Redox Conditions. 2001 , 127, 509-516 | | 15 |
| 375 | A comparison of organic and inorganic carbon controls over biological denitrification in aquaria. <i>Chemosphere</i> , 2002 , 48, 445-51 | 8.4 | 22 |
| 374 | New Biological Nutrient Removal Process Using Denitrifying Phosphate-Accumulating Organisms.. 2002 , 25, 751-755 | | 1 |
| 373 | Degradation of phenol and phenolic compounds by a defined denitrifying bacterial culture. 2002 , 18, 57-63 | | 37 |
| 372 | Origin, causes and effects of increased nitrite concentrations in aquatic environments. 2002 , 1, 115-141 | | 236 |
| 371 | Influence of ethanol concentration on biofilm bacterial composition from a denitrifying submerged filter used for contaminated groundwater. 2003 , 95, 245-251 | | 27 |
| 370 | Accumulation of nitrite in denitrifying barriers when phosphate is limiting. 2003 , 66, 79-91 | | 45 |
| 369 | Wastewater denitrification process: the influence of methanol and kinetic analysis. 2003 , 39, 95-103 | | 72 |
| 368 | Effects of pH and precipitation on autohydrogenotrophic denitrification using the hollow-fiber membrane-biofilm reactor. <i>Water Research</i> , 2003 , 37, 1551-6 | 12.5 | 151 |

| | | | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 367 | A novel granular sludge sequencing batch reactor for removal of organic and nitrogen from wastewater. 2003 , 106, 77-86 | | 111 |
| 366 | Nitrate and Nitrite Reduction by Fe0: Influence of Mass Transport, Temperature, and Denitrifying Microbes. 2004 , 21, 219-229 | | 41 |
| 365 | Nitrogen removal via nitrite from seawater contained sewage. 2004 , 39, 1667-80 | | 9 |
| 364 | Assessing denitrification in groundwater using natural gradient tracer tests with ¹⁵ N: In situ measurement of a sequential multistep reaction. <i>Water Resources Research</i> , 2004 , 40, | 5-4 | 33 |
| 363 | Parameters affecting biological phosphate removal from wastewaters. 2004 , 30, 249-59 | | 208 |
| 362 | High nitrate removal from synthetic wastewater with the mixed bacterial culture. <i>Bioresource Technology</i> , 2005 , 96, 879-88 | 11 | 117 |
| 361 | Kinetics of hydrogen-dependent denitrification under varying pH and temperature conditions. 2005 , 92, 900-6 | | 78 |
| 360 | Microbial population response to changes of the operating conditions in a dynamic nutrient-removal sequencing batch reactor. 2005 , 28, 199-209 | | 23 |
| 359 | Hydrogen-dependent denitrification in an alternating anoxic-aerobic SBR membrane bioreactor. <i>Water Science and Technology</i> , 2005 , 51, 403-409 | 2.2 | 16 |
| 358 | Small-scale, hydrogen-oxidizing-denitrifying bioreactor for treatment of nitrate-contaminated drinking water. <i>Water Research</i> , 2005 , 39, 2014-23 | 12.5 | 68 |
| 357 | The effect of temperature and carbon source on denitrification using volatile fatty acids. 2006 , 28, 148-155 | | 124 |
| 356 | Autotrophic Biological Denitrification for Complete Removal of Nitrogen from Septic System Wastewater. 2006 , 6, 111-126 | | 14 |
| 355 | Denitrification potential in stream sediments impacted by acid mine drainage: effects of pH, various electron donors, and iron. 2006 , 51, 232-41 | | 57 |
| 354 | Performance evaluation of pilot scale sulfur-oxidizing denitrification for treatment of metal plating wastewater. 2006 , 41, 101-16 | | 4 |
| 353 | Enhancement of Denitrification in Upflow Sludge Bed Reactors with Sludge Wasting. 2006 , 132, 468-475 | | 3 |
| 352 | Correlation of functional instability and community dynamics in denitrifying dispersed-growth reactors. 2007 , 73, 680-90 | | 44 |
| 351 | Strategy for Complete Nitrogen Removal in Bioreactor Landfills. 2007 , 133, 1117-1125 | | 18 |
| 350 | Biological denitrification of reverse osmosis brine concentrates: I. Batch reactor and chemostat studies. 2007 , 6, 503-518 | | 26 |

| | | | |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 349 | Stimulating hydrogenotrophic denitrification in simulated groundwater containing high dissolved oxygen and nitrate concentrations. <i>Water Research</i> , 2007 , 41, 1869-76 | 12.5 | 58 |
| 348 | Denitrification from drinking water using a membrane bioreactor: chemical and biochemical feasibility. <i>Water Research</i> , 2007 , 41, 4242-50 | 12.5 | 41 |
| 347 | Biological denitrification of high strength nitrate waste using preadapted denitrifying sludge. <i>Chemosphere</i> , 2007 , 67, 1612-7 | 8.4 | 39 |
| 346 | Free nitrous acid inhibition on anoxic phosphorus uptake and denitrification by poly-phosphate accumulating organisms. 2007 , 98, 903-12 | | 114 |
| 345 | Denitrification of high strength nitrate waste. <i>Bioresource Technology</i> , 2007 , 98, 247-52 | 11 | 64 |
| 344 | Kinetics of cross-inhibited denitrification of a high load wastewater. 2007 , 40, 1627-1634 | | 22 |
| 343 | Correlation of patterns of denitrification instability in replicated bioreactor communities with shifts in the relative abundance and the denitrification patterns of specific populations. 2007 , 1, 714-28 | | 34 |
| 342 | Nitrate removal with bacterial cells attached to quartz sand and zeolite from salty wastewaters. 2007 , 23, 1595-1603 | | 8 |
| 341 | Partial nitrification operational parameters and microorganisms involved. 2007 , 6, 285-313 | | 123 |
| 340 | Bioaugmented sulfur-oxidizing denitrification system with <i>Alcaligenes defragrans</i> B21 for high nitrate containing wastewater treatment. 2007 , 30, 197-205 | | 9 |
| 339 | Factors affecting denitrification in agricultural headwater streams in Northeast Ohio, USA. 2008 , 598, 305-314 | | 47 |
| 338 | Denitrification of highly alkaline nitrate waste using adapted sludge. 2008 , 151, 433-40 | | 17 |
| 337 | Long-term stability of biological denitrification process for high strength nitrate removal from wastewater of uranium industry. 2008 , 27, 365-372 | | 17 |
| 336 | Modeling of liquid pollutant biodegradation process in a fluidized bed reactor with biofilm. 2008 , 60, 162-173 | | 16 |
| 335 | Inhibition of perchlorate reduction by nitrate in a fixed biofilm reactor. 2008 , 159, 440-5 | | 46 |
| 334 | Effect of sulfide to nitrate ratios on the simultaneous anaerobic sulfide and nitrate removal. <i>Bioresource Technology</i> , 2008 , 99, 5520-7 | 11 | 60 |
| 333 | Denitrification of wastewater containing high nitrate and calcium concentrations. <i>Bioresource Technology</i> , 2008 , 99, 7976-81 | 11 | 128 |
| 332 | Effect of pH on anoxic sulfide oxidizing reactor performance. <i>Bioresource Technology</i> , 2008 , 99, 3291-6 | 11 | 32 |

| | | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|-----|
| 331 | The effect of ultra-low proton concentration on the electrocatalytic reduction of nitrate over platinum. 2008 , 9, 269-272 | | 15 |
| 330 | Organic and nitrogenous matter effects on the denitrification of saline and protein-rich effluents. 2008 , 29, 881-90 | | 4 |
| 329 | Improvement of nitrate and nitrite reduction rates prediction. 2008 , 11, 0-0 | | 8 |
| 328 | Effects of the COD/NO ₃ (-)-N ratio and pH on the accumulation of denitrification intermediates with available pyridine as a sole electron donor and carbon source. 2008 , 29, 1297-306 | | 9 |
| 327 | Denitrification with Carbon Addition Kinetic Considerations. 2008 , 80, 417-427 | | 11 |
| 326 | Effect of Initial Nitrate Concentrations and Heavy Metals on Autohydrogenotrophic Denitrification. 2009 , | | 3 |
| 325 | Influence of metal ions and organic carbons on denitrification activity of the halotolerant bacterium, <i>Paracoccus pantotrophus</i> P16 a strain from shrimp pond. 2009 , 12, 0-0 | | 10 |
| 324 | Improvement of autohydrogenotrophic nitrite reduction rate through optimization of pH and sodium bicarbonate dose in batch experiments. 2009 , 107, 275-80 | | 33 |
| 323 | Kinetics of COD Removal in a Biological Aerated Filter in the Presence of 2,4,6-Trinitrophenol (Picric Acid). 2009 , 17, 1021-1026 | | 4 |
| 322 | Hydrogenotrophic denitrification and perchlorate reduction in ion exchange brines using membrane biofilm reactors. 2009 , 104, 483-91 | | 39 |
| 321 | Electro-Fenton, hydrogenotrophic and Fe ²⁺ ions mediated TOC and nitrate removal from aquaculture system: different experimental strategies. <i>Bioresource Technology</i> , 2009 , 100, 2189-97 | 11 | 37 |
| 320 | Characteristics of nitrite and nitrate in situ denitrification in landfill bioreactors. <i>Bioresource Technology</i> , 2009 , 100, 3015-21 | 11 | 17 |
| 319 | Effect of carbon dioxide and bicarbonate as inorganic carbon sources on growth and adaptation of autohydrogenotrophic denitrifying bacteria. 2009 , 162, 1507-13 | | 62 |
| 318 | Biodegradation of 2,4,6-trinitrophenol by <i>Rhodococcus</i> sp. isolated from a picric acid-contaminated soil. 2009 , 163, 1199-206 | | 120 |
| 317 | Biodegradation kinetics of picric acid by <i>Rhodococcus</i> sp.NJUST16 in batch reactors. 2009 , 167, 193-8 | | 30 |
| 316 | Biological denitrification of high-nitrate wastewater in a modified anoxic/oxic-membrane bioreactor (A/O-MBR). 2009 , 172, 595-600 | | 57 |
| 315 | The performance of biological anaerobic filters packed with sludge-fly ash ceramic particles (SFCP) and commercial ceramic particles (CCP) during the restart period: effect of the C/N ratios and filter media. <i>Bioresource Technology</i> , 2009 , 100, 5016-20 | 11 | 14 |
| 314 | Treatment of landfill leachate in a bench scale MBR. 2009 , 9, 136-141 | | 16 |

| | | | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 313 | Nitrate removal from drinking water in a packed-bed bioreactor coupled by a methanol-based electrochemical gas generator. 2010 , 29, 278-285 | | 4 |
| 312 | Denitrification of high nitrate concentration wastewater using alternative carbon sources. 2010 , 173, 682-8 | | 148 |
| 311 | Effect of free nitrous acid as inhibitors on nitrate reduction by a biological nutrient removal sludge. 2010 , 175, 518-23 | | 44 |
| 310 | A kinetic study of autohydrogenotrophic denitrification at the optimum pH and sodium bicarbonate dose. <i>Bioresource Technology</i> , 2010 , 101, 2236-42 | 11 | 50 |
| 309 | Enhancement of biomass speciation in Step Sludge Recirculation activated sludge system by the use of submerged membranes. 2010 , 250, 583-586 | | 2 |
| 308 | Potential soil reinforcement by biological denitrification. <i>Ecological Engineering</i> , 2010 , 36, 168-175 | 3.9 | 263 |
| 307 | Effect of reflux ratio on COD and nitrogen removals from coke plant wastewaters. <i>Water Science and Technology</i> , 2010 , 61, 3017-25 | 2.2 | 13 |
| 306 | Nitrification/denitrification in swine wastewater using porous ceramic sticks with plastic rings as supporting media in two-stage fixed-biofilm reactors. <i>Water Science and Technology</i> , 2010 , 62, 985-94 | 2.2 | 2 |
| 305 | Autotrophic nitrogen-removing biofilms on porous and non-porous membranes. 2010 , 31, 1391-401 | | 13 |
| 304 | Nitrate-Reducing Bacteria at the Nitrate and Radionuclide Contaminated Oak Ridge Integrated Field Research Challenge Site: A Review. 2011 , 28, 418-429 | | 29 |
| 303 | Effect of Microbially Induced Anoxia on Cr(VI) Mobility at a Site Contaminated with Hyperalkaline Residue from Chromite Ore Processing. 2011 , 28, 68-82 | | 14 |
| 302 | Effects of the antimicrobial sulfamethoxazole on groundwater bacterial enrichment. 2011 , 45, 3096-101 | | 147 |
| 301 | The role of nitrite and free nitrous acid (FNA) in wastewater treatment plants. <i>Water Research</i> , 2011 , 45, 4672-82 | 12.5 | 258 |
| 300 | Comparison of reactive porous media for sulfur-oxidizing denitrification of high nitrate strength wastewater. 2011 , 58-59, 79-86 | | 2 |
| 299 | Denitrification of a high-strength nitrite wastewater in a sequencing batch reactor using different organic carbon sources. <i>Chemical Engineering Journal</i> , 2011 , 172, 994-998 | 14.7 | 34 |
| 298 | Denitrification of synthetic concentrated nitrate wastes by aerobic granular sludge under anoxic conditions. <i>Chemosphere</i> , 2011 , 85, 683-8 | 8.4 | 51 |
| 297 | Effect of nitrite on growth and microcystins production of <i>Microcystis aeruginosa</i> PCC7806. 2011 , 23, 665-671 | | 28 |
| 296 | Heterotrophic Biological Denitrification Using Microbial Cellulose as Carbon Source. 2011 , 19, 283-287 | | 11 |

| | | | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 295 | Comparison of denitrification at low temperature using encapsulated <i>Paracoccus denitrificans</i> , <i>Pseudomonas fluorescens</i> and mixed culture. <i>Bioresource Technology</i> , 2011 , 102, 4661-6 | 11 | 63 |
| 294 | Comparison of denitrification between <i>Paracoccus</i> sp. and <i>Diaphorobacter</i> sp. 2011 , 165, 260-9 | | 29 |
| 293 | Removal of nitrates from simulated ion-exchange brines with <i>Paracoccus denitrificans</i> encapsulated in Lentikats Biocatalyst. 2011 , 275, 82-86 | | 15 |
| 292 | Influence of free chlorine on nitrite accumulation in biological aerated filter(BAF). 2011 , | | |
| 291 | Cooperation of Three Denitrifying Bacteria in Nitrate Removal of Acidic Nitrate- and Uranium-Contaminated Groundwater. 2012 , 29, 830-842 | | 8 |
| 290 | Biogeochemical Reduction Processes in a Hyper-Alkaline Leachate Affected Soil Profile. 2012 , 29, 769-779 | | 22 |
| 289 | Development of nitrate elimination by autohydrogenotrophic bacteria in bio-electrochemical reactors [A review]. 2012 , 67, 251-264 | | 96 |
| 288 | The effect of organic loading rates and nitrogenous compounds on the aerobic granules developed using low strength wastewater. 2012 , 67, 52-59 | | 40 |
| 287 | Deterioration of denitrification by oxygen and cost evaluation of electron donor in an uncovered pre-denitrification process. 2012 , 29, 1196-1202 | | 5 |
| 286 | Environmental controls on nitrogen and sulfur cycles in surficial aquatic sediments. <i>Frontiers in Microbiology</i> , 2012 , 3, 45 | 5-7 | 19 |
| 285 | Denitrification of nitrate-contaminated groundwater using biodegradable snack ware as carbon source under low-temperature condition. <i>International Journal of Environmental Science and Technology</i> , 2012 , 9, 113-118 | 3-3 | 27 |
| 284 | Removal of nitrates from high-salinity wastewaters from desulphurization process with denitrifying bacteria encapsulated in Lentikats Biocatalyst. <i>International Journal of Environmental Science and Technology</i> , 2012 , 9, 425-432 | 3-3 | 11 |
| 283 | Biological Denitrification of High Nitrate Processing Wastewaters from Explosives Production Plant. 2012 , 223, 1791-1800 | | 30 |
| 282 | Effect of carbon source, C/N ratio, nitrate and dissolved oxygen concentration on nitrite and ammonium production from denitrification process by <i>Pseudomonas stutzeri</i> D6. <i>Bioresource Technology</i> , 2012 , 104, 65-72 | 11 | 124 |
| 281 | Nitrite accumulation under constant temperature in anoxic denitrification process: The effects of carbon sources and COD/NO(3)-N. <i>Bioresource Technology</i> , 2012 , 114, 137-43 | 11 | 177 |
| 280 | Carbon dioxide injection method for enhancing hydrogenotrophic denitrification of secondary wastewater effluent in fixed bed reactor. 2013 , 18, 326-332 | | 3 |
| 279 | Enhancing microbial iron reduction in hyperalkaline, chromium contaminated sediments by pH amendment. 2013 , 28, 135-144 | | 16 |
| 278 | Antecedent effect of lime on nitrous oxide and dinitrogen emissions from grassland soils. 2013 , 95, 219-229 | | 10 |

| | | | |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 277 | Solid phase extraction of nitrate and nitrite anions using naturally and available sorbent. 2013 , 295, 697-708 | | 27 |
| 276 | Kinetics of substrate degradation and electricity generation in anodic denitrification microbial fuel cell (AD-MFC). <i>Bioresource Technology</i> , 2013 , 149, 44-50 | 11 | 37 |
| 275 | Effect of temperature on the wastewater treatment of a novel anti-clogging soil infiltration system. <i>Ecological Engineering</i> , 2013 , 57, 375-379 | 3.9 | 13 |
| 274 | Achieving partial denitrification with sludge fermentation liquid as carbon source: the effect of seeding sludge. <i>Bioresource Technology</i> , 2013 , 149, 570-4 | 11 | 107 |
| 273 | Performance of heterotrophic partial denitrification under feast-famine condition of electron donor: a case study using acetate as external carbon source. <i>Bioresource Technology</i> , 2013 , 133, 263-9 | 11 | 75 |
| 272 | High-nitrate wastewater treatment in an expanded granular sludge bed reactor and microbial diversity using 454 pyrosequencing analysis. <i>Bioresource Technology</i> , 2013 , 134, 190-7 | 11 | 67 |
| 271 | Catalyse biotique et abiotique de la rduction des nitrates en milieu alcalin dans le contexte du stockage profond des dchets radioactifs. 2013 , 101, 104 | | 5 |
| 270 | Evaluation of industrial organic waste as an alternative external carbon source for denitrification in the biological nutrient removal process. 2013 , 30, 1911-1917 | | 3 |
| 269 | Mitigation of liquefaction of saturated sand using biogas. 2013 , 63, 267-275 | | 114 |
| 268 | Effects of pH on nitrite accumulation during wastewater denitrification. 2013 , 34, 45-51 | | 22 |
| 267 | Nitrate and Nitrite Removal Using a Continuous Heterotrophic Denitrifying Granular Sludge Bioreactor. 2013 , 36, 2101-2107 | | 6 |
| 266 | Abiotic oxidation of Fe(II) by reactive nitrogen species in cultures of the nitrate-reducing Fe(II) oxidizer <i>Acidovorax</i> sp. BoFeN1 - questioning the existence of enzymatic Fe(II) oxidation. 2013 , 11, 180-90 | | 169 |
| 265 | Effects of inorganic v. organic copper on denitrification in agricultural soil. 2013 , 4, 42-49 | | 3 |
| 264 | Removal of Carbon and Nitrogen Compounds in Hybrid Bioreactors. 2013 , | | 1 |
| 263 | High nitrate removal by autohydrogenotrophic bacteria in a biofilm-electrode reactor. 2014 , 1-9 | | 11 |
| 262 | Effect of dissolved oxygen on heterotrophic denitrification using poly(butylene succinate) as the carbon source and biofilm carrier. <i>Bioresource Technology</i> , 2014 , 171, 152-8 | 11 | 47 |
| 261 | Characteristics of self-alkalization in high-rate denitrifying automatic circulation (DAC) reactor fed with methanol and sodium acetate. <i>Bioresource Technology</i> , 2014 , 154, 44-50 | 11 | 35 |
| 260 | Induced nitrate attenuation by glucose in groundwater: Flow-through experiment. 2014 , 370, 19-28 | | 23 |

| | | | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 259 | Fluidized-bed denitrification for mine waters. Part I: low pH and temperature operation. 2014 , 25, 425-35 | | 39 |
| 258 | Enhanced heterotrophic denitrification in clay media: The role of mineral electron donors. 2014 , 390, 87-99 | | 21 |
| 257 | Nitrate attenuation potential of hypersaline lake sediments in central Spain: flow-through and batch experiments. 2014 , 164, 323-37 | | 17 |
| 256 | Bioregeneration of spent anion exchange resin for treatment of nitrate in water. 2014 , 48, 1541-8 | | 27 |
| 255 | Pyrite-based autotrophic denitrification for remediation of nitrate contaminated groundwater. <i>Bioresource Technology</i> , 2014 , 173, 117-123 | 11 | 78 |
| 254 | Trade-off between mesophilic and thermophilic denitrification: rates vs. sludge production, settleability and stability. <i>Water Research</i> , 2014 , 63, 234-44 | 12.5 | 18 |
| 253 | Feeding strategies for groundwater enhanced biodenitrification in an alluvial aquifer: chemical, microbial and isotope assessment of a 1D flow-through experiment. <i>Science of the Total Environment</i> , 2014 , 494-495, 241-51 | 10.2 | 13 |
| 252 | Nitrite reduction by biogenic hydroxycarbonate green rusts: evidence for hydroxy-nitrite green rust formation as an intermediate reaction product. 2014 , 48, 4505-14 | | 29 |
| 251 | Microbial ecology of denitrification in biological wastewater treatment. <i>Water Research</i> , 2014 , 64, 237-254.5 | 34.5 | 367 |
| 250 | Enhanced heterotrophic denitrification: effect of dairy industry sludge acclimatization and operating conditions. 2014 , 173, 741-52 | | 7 |
| 249 | Sequential in situ hydrotalcite precipitation and biological denitrification for the treatment of high-nitrate industrial effluent. <i>Bioresource Technology</i> , 2014 , 172, 373-381 | 11 | 19 |
| 248 | Does phosphate enhance the natural attenuation of crude oil in groundwater under defined redox conditions?. 2014 , 169, 4-18 | | 4 |
| 247 | Examining thiosulfate-driven autotrophic denitrification through respirometry. <i>Chemosphere</i> , 2014 , 113, 1-8 | 8.4 | 48 |
| 246 | The effect of substrate concentration fluctuation on the performance of high-rate denitrifying reactor. <i>Bioresource Technology</i> , 2014 , 167, 53-60 | 11 | 8 |
| 245 | Mitigation of liquefaction of saturated sand using biogas. 2014 , 116-124 | | 2 |
| 244 | Evaluation of sustainable electron donors for nitrate removal in different water media. <i>Water Research</i> , 2015 , 85, 487-96 | 12.5 | 30 |
| 243 | Effective denitrification process by a low voltage in a multi-cathode bio-electrode film reactor. <i>RSC Advances</i> , 2015 , 5, 13061-13067 | 3.7 | 2 |
| 242 | Influence of seasonal temperature fluctuations on two different partial nitrification-anammox reactors treating mainstream municipal wastewater. <i>Water Science and Technology</i> , 2015 , 72, 1358-63 | 2.2 | 33 |

| | | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 241 | Nitrite accumulation and nitrous oxide emission during denitrification processes with quinoline or indole as the sole carbon source. 2015 , 90, 1317-1328 | | 4 |
| 240 | Nitrate Removal from Wastewater through Biological Denitrification with OGA 24 in a Batch Reactor. <i>Water (Switzerland)</i> , 2015 , 7, 51-62 | 3 | 31 |
| 239 | Effect of phosphate rock on denitrification in a nitrate-polluted groundwater remediation system. 2015 , 54, 265-274 | | 10 |
| 238 | A Review on Alternative Carbon Sources for Biological Treatment of Nitrate Waste. 2015 , 96, 63-73 | | 5 |
| 237 | Enhanced Denitrification in Bioretention Using Woodchips as an Organic Carbon Source. <i>Journal of Sustainable Water in the Built Environment</i> , 2015 , 1, 04015004 | 2.4 | 41 |
| 236 | Effects of the C/N ratio and bacterial populations on nitrogen removal in the simultaneous anammox and heterotrophic denitrification process: Mathematic modeling and batch experiments. <i>Chemical Engineering Journal</i> , 2015 , 280, 606-613 | 14.7 | 38 |
| 235 | Rapid monitoring of intermediate states and mass balance of nitrogen during denitrification by means of cavity enhanced Raman multi-gas sensing. 2015 , 864, 39-47 | | 42 |
| 234 | Effects of operation mode on self-alkalization of high-load denitrifying reactor. <i>Bioresource Technology</i> , 2015 , 187, 282-287 | 11 | 5 |
| 233 | System evaluation and microbial analysis of a sulfur cycle-based wastewater treatment process for Co-treatment of simple wet flue gas desulfurization wastes with freshwater sewage. <i>Water Research</i> , 2015 , 80, 189-99 | 12.5 | 35 |
| 232 | Nitrite Control over Dissimilatory Nitrate/Nitrite Reduction Pathways in <i>Shewanella loihica</i> Strain PV-4. 2015 , 81, 3510-7 | | 36 |
| 231 | Simultaneous nitrification and denitrification using a polypyrrole/microbial cellulose electrode in a membraneless bio-electrochemical system. <i>RSC Advances</i> , 2015 , 5, 72699-72708 | 3.7 | 19 |
| 230 | The use of organic wastes at different degrees of maturity as carbon sources for denitrification of landfill leachate. 2015 , 46, 373-9 | | 11 |
| 229 | Effect of temperature & salt concentration on salt tolerant nitrate-perchlorate reducing bacteria: Nitrate degradation kinetics. <i>Water Research</i> , 2015 , 83, 345-53 | 12.5 | 11 |
| 228 | A kinetic study on drinking water denitrification using a membrane bioreactor. 2015 , 13, | | |
| 227 | Nutrient removal efficiency in a rice-straw denitrifying bioreactor. <i>Bioresource Technology</i> , 2015 , 198, 746-54 | 11 | 16 |
| 226 | Removal of nitrates from processing wastewater by cryoconcentration combined with biological denitrification. 2015 , 54, 1903-1911 | | 2 |
| 225 | Investigation on thiosulfate-involved organics and nitrogen removal by a sulfur cycle-based biological wastewater treatment process. <i>Water Research</i> , 2015 , 69, 295-306 | 12.5 | 48 |
| 224 | Energetic valorization of ammonium resulting from nitrate electrochemical reduction Feasibility of biohydrogen production. 2015 , 94, 145-152 | | 5 |

| | | | |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 223 | Denitrification of high strength nitrate waste from a nuclear industry using acclimatized biomass in a pilot scale reactor. 2015 , 175, 748-56 | | 12 |
| 222 | Effect of <i>Chlorella sorokiniana</i> on the biological denitrification of drinking water. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 5171-83 | 5.1 | 9 |
| 221 | Enhancement of Integrated Waste Activated Sludge Fermentation and Denitritation by Addition of Sodium Dodecyl Sulfate. 2016 , 44, 885-890 | | |
| 220 | Post-denitrification using alginate beads containing organic carbon and activated sludge microorganisms. <i>Water Science and Technology</i> , 2016 , 74, 1626-1635 | 2.2 | 3 |
| 219 | Nitrogen removal from wastewater and external waste activated sludge reutilization/reduction by simultaneous sludge fermentation, denitrification and anammox (SFDA). <i>Bioresource Technology</i> , 2016 , 214, 284-291 | 11 | 18 |
| 218 | Metabolic flux change in <i>Klebsiella pneumoniae</i> L17 by anaerobic respiration in microbial fuel cell. 2016 , 21, 250-260 | | 16 |
| 217 | A possible method for in situ nitrogen removal in landfills by microbial-pumping-iron behavior. 2016 , 18, 706-12 | | 1 |
| 216 | Effect of C/N ratio on denitrification of high-strength nitrate wastewater in anoxic granular sludge sequencing batch reactors. <i>Ecological Engineering</i> , 2016 , 91, 441-448 | 3.9 | 61 |
| 215 | Mechanisms and microbial structure of partial denitrification with high nitrite accumulation. 2016 , 100, 2011-2021 | | 120 |
| 214 | Removal of Nitrate by Photocatalytic Denitrification Using Nonlinear Optical Material. 2016 , 50, 11218-11225 | | 80 |
| 213 | Simplified model for hydrogenotrophic denitrification in an unsaturated-flow pressurized reactor. <i>Chemical Engineering Journal</i> , 2016 , 306, 233-241 | 14.7 | 5 |
| 212 | Mitigation of soil liquefaction using microbially induced desaturation. 2016 , 17, 577-588 | | 14 |
| 211 | Impacts of pellet pH on nitrous oxide emission rates from cattle manure compost pellets. 2016 , 62, 561-566 | | 3 |
| 210 | Impacts of sulfur source and temperature on sulfur-driven denitrification by pure and mixed cultures of <i>Thiobacillus</i> . 2016 , 51, 1576-1584 | | 91 |
| 209 | An anaerobic-aerobic sequential batch system using simultaneous organic and nitrogen removal to treat intermittently discharged organic solid wastes. 2016 , 51, 1264-1273 | | 9 |
| 208 | Utilizing a one-dimensional multispecies model to simulate the nutrient reduction and biomass structure in two types of H ₂ -based membrane-aeration biofilm reactors (H ₂ -MBfR): model development and parametric analysis. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 3436-49 | 5.1 | 1 |
| 207 | Nitrification and denitrification in two-chamber microbial fuel cells for treatment of wastewater containing high concentrations of ammonia nitrogen. 2016 , 37, 1232-9 | | 11 |
| 206 | Application of plant carbon source for denitrification by constructed wetland and bioreactor: review of recent development. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 8260-74 | 5.1 | 69 |

| | | | |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 205 | Nitrate reducing CaCO ₃ precipitating bacteria survive in mortar and inhibit steel corrosion. 2016 , 83, 19-30 | | 63 |
| 204 | High-rate hydrogenotrophic denitrification in a pressurized reactor. <i>Chemical Engineering Journal</i> , 2016 , 286, 578-584 | 14.7 | 15 |
| 203 | Nitrite production in a partial denitrifying upflow sludge bed (USB) reactor equipped with gas automatic circulation (GAC). <i>Water Research</i> , 2016 , 90, 309-316 | 12.5 | 85 |
| 202 | Optimizing nitrate removal in woodchip beds treating aquaculture effluents. 2016 , 458, 47-54 | | 24 |
| 201 | Degradation of cis- and trans-(4-methylcyclohexyl) methanol in activated sludge. 2016 , 306, 247-256 | | 3 |
| 200 | Biological nitrate removal using a food waste-derived carbon source in synthetic wastewater and real sewage. <i>Journal of Environmental Management</i> , 2016 , 166, 407-13 | 7.9 | 34 |
| 199 | Effect of self-alkalization on nitrite accumulation in a high-rate denitrification system: Performance, microflora and enzymatic activities. <i>Water Research</i> , 2016 , 88, 758-765 | 12.5 | 65 |
| 198 | Nitrate removal from high strength nitrate-bearing wastes in granular sludge sequencing batch reactors. 2016 , 121, 191-5 | | 15 |
| 197 | Biological nitrogen removal from sewage via anammox: Recent advances. <i>Bioresource Technology</i> , 2016 , 200, 981-90 | 11 | 389 |
| 196 | Nitrate removal by a combined bioelectrochemical and sulfur autotrophic denitrification (CBSAD) system at low temperatures. 2016 , 57, 19411-19417 | | 6 |
| 195 | Effects of important factors on hydrogen-based autotrophic denitrification in a bioreactor. 2016 , 57, 3482-3488 | | 11 |
| 194 | Carbonate Mineral Precipitation for Soil Improvement Through Microbial Denitrification. 2017 , 34, 139-146 | | 50 |
| 193 | Simultaneous removal of nitrate and chromate in groundwater by a spiral fiber based biofilm reactor. <i>Bioresource Technology</i> , 2017 , 232, 278-284 | 11 | 20 |
| 192 | Effect of Nitrite on Autotrophic Denitrification Efficiency by <i>Pseudomonas</i> sp. SZF15. 2017 , 34, 577-584 | | 4 |
| 191 | Performance of partial-denitrification process providing nitrite for anammox in sequencing batch reactor (SBR) and upflow sludge blanket (USB) reactor. 2017 , 122, 38-46 | | 23 |
| 190 | Enhanced denitrification at biocathode facilitated with biohydrogen production in a three-chambered bioelectrochemical system (BES) reactor. <i>Chemical Engineering Journal</i> , 2017 , 312, 360-366 | 14.7 | 73 |
| 189 | Use of a continuous-flow bioreactor to evaluate nitrate reduction rate of <i>Halomonas desiderata</i> in cementitious environment relevant to nuclear waste deep repository. 2017 , 125, 161-170 | | 7 |
| 188 | Sulfur-Driven Iron Reduction Coupled to Anaerobic Ammonium Oxidation. 2017 , 51, 6691-6698 | | 49 |

| | | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 187 | Denitrification of high strength nitrate bearing acidic waters in granular sludge sequencing batch reactors. 2017 , 119, 28-36 | | 8 |
| 186 | Controlling denitrification accompanied with nitrite accumulation at the sediment-water interface. <i>Ecological Engineering</i> , 2017 , 100, 194-198 | 3.9 | 24 |
| 185 | Achievement of high nitrite accumulation via endogenous partial denitrification (EPD). <i>Bioresource Technology</i> , 2017 , 224, 140-146 | 11 | 43 |
| 184 | MIDP: Liquefaction Mitigation via Microbial Denitrification as a Two-Stage Process. I: Desaturation. 2017 , 143, 04017094 | | 44 |
| 183 | Cathodic groundwater denitrification with a bioelectrochemical system. 2017 , 19, 67-73 | | 46 |
| 182 | A comparative study on denitrifying sludge granulation with different electron donors: Sulfide, thiosulfate and organics. <i>Chemosphere</i> , 2017 , 186, 322-330 | 8.4 | 16 |
| 181 | Effect of Water Bicarbonate Concentration, pH and the Presence, or Not, of a Nitrification Inhibitor in the Nitrification Process. 2017 , 48, 2280-2287 | | 4 |
| 180 | Co-reduction of nitrate and perchlorate in a pressurized hydrogenotrophic reactor with complete H ₂ utilization. <i>Chemical Engineering Journal</i> , 2017 , 328, 133-140 | 14.7 | 4 |
| 179 | Nitrite production from partial-denitrification process fed with low carbon/nitrogen (C/N) domestic wastewater: performance, kinetics and microbial community. <i>Chemical Engineering Journal</i> , 2017 , 326, 1186-1196 | 14.7 | 58 |
| 178 | Molecular insight into the dynamic central metabolic pathways of <i>Achromobacter xylosoxidans</i> CF-S36 during heterotrophic nitrogen removal processes. 2017 , 123, 46-55 | | 16 |
| 177 | Nitrate Removal from Groundwater with Membrane Bioreactor. 2017 , | | 2 |
| 176 | Nitrifying Kinetics and the Persistence of Nitrite in the Seine River, France. 2017 , 46, 585-595 | | 4 |
| 175 | Effect of Pyrite Pretreatment, Particle Size, Dose, and Biomass Concentration on Particulate Pyrite Autotrophic Denitrification of Nitrified Domestic Wastewater. 2018 , 35, 875-886 | | 15 |
| 174 | Treatment of nitrate-contaminated groundwater by heterotrophic denitrification coupled with electro-autotrophic denitrifying packed bed reactor. 2018 , 134, 12-21 | | 33 |
| 173 | Nitrite kinetics during anoxia: The role of abiotic reactions versus microbial reduction. 2018 , 119, 203-209 | | 27 |
| 172 | Treatment of Nitrocellulose Industry Watewaters by Upflow Denitrification Filter: Effect of Packing Media and Recirculation. 2018 , 5, 81-94 | | 3 |
| 171 | Effect of influent pH on biological denitrification using biodegradable PHBV/PLA blends as electron donor. 2018 , 131, 24-30 | | 23 |
| 170 | Digestate application in landfill bioreactors to remove nitrogen of old landfill leachate. 2018 , 74, 335-346 | | 30 |

| | | | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 169 | An anaerobic-aerobic sequential batch process with simultaneous methanogenesis and short-cut denitrification for the treatment of marine biofouling. 2018 , 74, 168-176 | | 8 |
| 168 | Biodegradation and COD removal of p-Cresol in a denitrification baffled reactor: Performance evaluation and microbial community. 2018 , 69, 153-160 | | 14 |
| 167 | Biological denitrification from mature landfill leachate using a food-waste-derived carbon source. <i>Journal of Environmental Management</i> , 2018 , 214, 184-191 | 7.9 | 19 |
| 166 | Applying MICP by denitrification in soils: a process analysis. 2018 , 5, 79-93 | | 42 |
| 165 | A Revised Iron Extraction Protocol for Environmental Samples Rich in Nitrite and Carbonate. 2018 , 35, 23-30 | | 21 |
| 164 | Nitrate removal and extracellular polymeric substances of autohydrogenotrophic bacteria under various pH and hydrogen flow rates. 2018 , 63, 50-57 | | 9 |
| 163 | Effect of organic carbon on the production of biofuel nitrous oxide during the denitrification process. <i>International Journal of Environmental Science and Technology</i> , 2018 , 15, 461-470 | 3.3 | 13 |
| 162 | Rapid nitrite production via partial denitrification: pilot-scale operation and microbial community analysis. <i>Environmental Science: Water Research and Technology</i> , 2018 , 4, 80-86 | 4.2 | 32 |
| 161 | Moving Bed Biofilm Reactor (MBBR). 2018 , 37-74 | | 12 |
| 160 | Tracing the role of endogenous carbon in denitrification using wine industry by-product as an external electron donor: Coupling isotopic tools with mathematical modeling. <i>Journal of Environmental Management</i> , 2018 , 207, 105-115 | 7.9 | 11 |
| 159 | Single microbial fuel cell reactor for coking wastewater treatment: Simultaneous carbon and nitrogen removal with zero alkaline consumption. <i>Science of the Total Environment</i> , 2018 , 621, 497-506 | 10.2 | 34 |
| 158 | Crack-healing in cementitious material to improve the durability of structures: Review. 2018 , 250, 03005 | | 2 |
| 157 | Rapid start-up and performance of denitrifying granular sludge in an upflow sludge blanket (USB) reactor treating high concentration nitrite wastewater. 2018 , 29, 543-555 | | 5 |
| 156 | Partial denitrification coupled with immobilization of anammox in a continuous upflow reactor.. <i>RSC Advances</i> , 2018 , 8, 32016-32021 | 3.7 | 10 |
| 155 | Nitrate and nitrite reduction at high pH in a cementitious environment by a microbial microcosm. 2018 , 134, 93-102 | | 7 |
| 154 | Performance, microbial community and fluorescent characteristic of microbial products in a solid-phase denitrification biofilm reactor for WWTP effluent treatment. <i>Journal of Environmental Management</i> , 2018 , 227, 375-385 | 7.9 | 32 |
| 153 | Sulfur autotrophic denitrification (SAD) driven by homogeneous composite particles containing CaCO ₃ -type kitchen waste for groundwater remediation. <i>Chemosphere</i> , 2018 , 212, 954-963 | 8.4 | 18 |
| 152 | Effect of Potassium Chlorate on the Treatment of Domestic Sewage by Achieving Shortcut Nitrification in a Constructed Rapid Infiltration System. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15, | 4.6 | 9 |

| | | | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 151 | The role of COD/N ratio on the start-up performance and microbial mechanism of an upflow microaerobic reactor treating piggery wastewater. <i>Journal of Environmental Management</i> , 2018 , 217, 825-831 | 7.9 | 19 |
| 150 | Evaluating Strategies to Improve Process Efficiency of Denitrification-Based MICP. 2018 , 144, 04018049 | | 24 |
| 149 | Effect of dissolved oxygen on biological denitrification using biodegradable plastic as the carbon source. 2018 , 121, 032015 | | 2 |
| 148 | Denitrification Kinetics of High-Strength Nitrate in Granular Sludge Reactors. 2018 , 46, 1800239 | | 3 |
| 147 | Influence of Carbon Source on the Efficiency of Nitrogen Removal and Denitrifying Bacteria in Biofilm from Bioelectrochemical SBBRs. <i>Water (Switzerland)</i> , 2018 , 10, 393 | 3 | 9 |
| 146 | Enhancing denitrification with waste sludge carbon source: the substrate metabolism process and mechanisms. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 13079-13092 | 5.1 | 14 |
| 145 | A feasibility study on biological nitrogen removal (BNR) via integrated thiosulfate-driven denitrification with anammox. <i>Chemosphere</i> , 2018 , 208, 793-799 | 8.4 | 41 |
| 144 | Removal and Recovery of Nitrogen Pollutants in Bioelectrochemical System. 2019 , 157-203 | | 1 |
| 143 | Potential of endogenous PHA as electron donor for denitrification. <i>Science of the Total Environment</i> , 2019 , 695, 133747 | 10.2 | 10 |
| 142 | New direction in biological nitrogen removal from industrial nitrate wastewater via anammox. 2019 , 103, 7459-7466 | | 17 |
| 141 | Partial denitrification providing nitrite: Opportunities of extending application for anammox. 2019 , 131, 105001 | | 126 |
| 140 | Temporal variation of bacterial population and response to physical and chemical parameters along a petrochemical industry wastewater treatment plant. 2019 , 91, e20180394 | | 1 |
| 139 | Towards mainstream deammonification of municipal wastewater: Partial nitrification-anammox versus partial denitrification-anammox. <i>Science of the Total Environment</i> , 2019 , 692, 393-401 | 10.2 | 71 |
| 138 | Influence of Hydrogen Electron Donor, Alkaline pH, and High Nitrate Concentrations on Microbial Denitrification: A Review. 2019 , 20, | | 33 |
| 137 | Optimization of the anaerobic denitrification process mediated by <i>Bacillus cereus</i> in a batch reactor. 2019 , 16, 100456 | | 4 |
| 136 | Pilot study on water quality regulation in a recirculating aquaculture system with suspended growth bioreactors. 2019 , 504, 396-403 | | 9 |
| 135 | Long-term effect of pH on denitrification: High pH benefits achieving partial-denitrification. <i>Bioresource Technology</i> , 2019 , 278, 444-449 | 11 | 63 |
| 134 | New insights on the sludge fermentation liquid driven denitrification: Evaluation of the system performance and effluent organic matter (EfOM). <i>Bioresource Technology</i> , 2019 , 289, 121621 | 11 | 19 |

| | | | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 133 | Enhanced nitrogen removal from nitrate-rich mature leachate via partial denitrification (PD)-anammox under real-time control. <i>Bioresource Technology</i> , 2019 , 289, 121615 | 11 | 22 |
| 132 | Nitrate residual as a key parameter to efficiently control partial denitrification coupling with anammox. 2019 , 91, 1455-1465 | | 21 |
| 131 | Dominance of in SBRs achieving partial denitrification: effects of sludge acclimating methods on microbial communities and nitrite accumulation.. <i>RSC Advances</i> , 2019 , 9, 11263-11271 | 3.7 | 23 |
| 130 | NO removal efficiency in field denitrification beds: key controlling factors and main implications. 2019 , 11, 316-329 | | 12 |
| 129 | Factors Controlling Microbially Induced Desaturation and Precipitation (MIDP) via Denitrification during Continuous Flow. 2019 , 36, 543-558 | | 8 |
| 128 | Combined Partial Denitrification (PD)-Anammox: A method for high nitrate wastewater treatment. 2019 , 126, 707-716 | | 88 |
| 127 | Achieving partial denitrification using carbon sources in domestic wastewater with waste-activated sludge as inoculum. <i>Bioresource Technology</i> , 2019 , 283, 18-27 | 11 | 28 |
| 126 | Nitrogen Cycle Dynamics Revealed Through $\delta^{18}\text{O}$ - NO_3^- Analysis in California Groundwater. 2019 , 9, 95 | | 5 |
| 125 | Microbially mediated coupling of nitrate reduction and Fe(II) oxidation under anoxic conditions. 2019 , 95, | | 26 |
| 124 | Enhancement of the denitrification activity by exoelectrogens in single-chamber air cathode microbial fuel cells. <i>Chemosphere</i> , 2019 , 225, 548-556 | 8.4 | 27 |
| 123 | Simultaneous removal of carbon, sulfur, and nitrogen from biological synthetic wastewater: aerobic and anaerobic approach. 2019 , 12, 1 | | 1 |
| 122 | Effects of triclosan on performance, microbial community and antibiotic resistance genes during partial denitrification in a sequencing moving bed biofilm reactor. <i>Bioresource Technology</i> , 2019 , 281, 326-334 | 11 | 42 |
| 121 | A novel spatiotemporally anaerobic/semi-aerobic bioreactor for domestic solid waste treatment in rural areas. 2019 , 86, 97-105 | | 22 |
| 120 | Combination of heterotrophic nitrifying bacterium and duckweed (<i>Lemna gibba</i> L.) enhances ammonium nitrogen removal efficiency in aquaculture water via mutual growth promotion. 2019 , 65, 151-160 | | 7 |
| 119 | Denitrification performance and microbial diversity of immobilized bacterial consortium treating nitrate micro-polluted water. <i>Bioresource Technology</i> , 2019 , 281, 351-358 | 11 | 44 |
| 118 | Impact of Aeration on the Removal of Organic Matter and Nitrogen Compounds in Constructed Wetlands Treating the Liquid Fraction of Piggery Manure. 2019 , 9, 4310 | | 3 |
| 117 | The cotreatment of landfill leachate and high-nitrate wastewater using SBRs: evaluation of denitrification performance and microbial analysis.. <i>RSC Advances</i> , 2019 , 9, 39572-39581 | 3.7 | 2 |
| 116 | Investigation of growth kinetics and partial denitrification performance in strain under different environmental conditions. 2019 , 6, 191275 | | 8 |

| | | | |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 115 | Effects of carbon source, C/N ratio, nitrate, temperature, and pH on NO emission and functional denitrifying genes during heterotrophic denitrification. 2019 , 54, 16-29 | | 11 |
| 114 | Research advances and challenges in biogeotechnologies. 2019 , 6, 144-155 | | 12 |
| 113 | Response and recovery of aerobic granular sludge to pH shock for simultaneous removal of aniline and nitrogen. <i>Chemosphere</i> , 2019 , 221, 366-374 | 8.4 | 40 |
| 112 | Substrate Diffusion within Biofilms Significantly Influencing the Electron Competition during Denitrification. 2019 , 53, 261-269 | | 19 |
| 111 | The combination use of <i>Candida tropicalis</i> HH8 and <i>Pseudomonas stutzeri</i> LZ301 on nitrogen removal, biofloc formation and microbial communities in aquaculture. 2019 , 500, 50-56 | | 14 |
| 110 | Denitrification of Nitric Oxide Using Hollow Fiber Membrane Bioreactor; Effect of Nitrate and Nitric Oxide Loadings on the Reactor Performance and Microbiology. 2019 , 10, 1989-2000 | | 10 |
| 109 | Denitrification of Mature Landfill Leachate with High Nitrite in Simulated Landfill Columns Packed with Solid Digestate from Organic Fraction of Municipal Solid Waste. 2020 , 11, 411-421 | | 6 |
| 108 | Recent advances in controlling denitrification for achieving denitrification/anammox in mainstream wastewater treatment plants. <i>Bioresource Technology</i> , 2020 , 299, 122697 | 11 | 45 |
| 107 | Recovery of efficient treatment performance in a semi-aerobic aged refuse biofilter when treating landfill leachate: Washing action using domestic sewage. <i>Chemosphere</i> , 2020 , 245, 125618 | 8.4 | 8 |
| 106 | Improving wastewater management using free nitrous acid (FNA). <i>Water Research</i> , 2020 , 171, 115382 | 12.5 | 52 |
| 105 | Biogenic Fe(II-III) Hydroxycarbonate Green Rust Enhances Nitrate Removal and Decreases Ammonium Selectivity during Heterotrophic Denitrification. 2020 , 10, 818 | | 4 |
| 104 | Increased brine concentration increases nitrate reduction rates in batch woodchip bioreactors treating brine from desalination. 2020 , 495, 114629 | | 4 |
| 103 | Effects of loading rates and N/S ratios in the sulfide-dependent autotrophic denitrification (SDAD) and Anammox coupling system. <i>Bioresource Technology</i> , 2020 , 316, 123969 | 11 | 14 |
| 102 | Interaction of nano-quantum dots (CdSe@ZnS) and extracellular proteins in activated sludge revealed by bio-nano science. 2020 , 7, 2795-2808 | | 2 |
| 101 | Bacteria incorporated with calcium lactate pentahydrate to improve the mortar properties and self-healing occurrence. 2020 , 10, 17873 | | 5 |
| 100 | Hydrolysis of doped conducting polymers. 2020 , 3, | | 11 |
| 99 | Intensified simultaneous nitrification and denitrification performance in integrated packed bed bioreactors using PHBV with different dosing methods. <i>Environmental Science and Pollution Research</i> , 2020 , 27, 21560-21569 | 5.1 | 11 |
| 98 | Predicting Nutrient Incontinence in the Anthropocene at Watershed Scales. 2020 , 7, | | 26 |

| | | | | |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|--|----|
| 97 | Removal of Chromate and Nitrate Ions from Aqueous Solutions by CoxFe ₃ -xO ₄ @silica Hybrid Nanoparticles Decorated with Cross-Linked Tragacanth Gum: Experiment, Modeling and Optimization. 2020 , 5, 5404-5413 | | | 4 |
| 96 | Discharge management in fresh and brackish water RAS: Combined phosphorus removal by organic flocculants and nitrogen removal in woodchip reactors. 2020 , 90, 102095 | | | 1 |
| 95 | Nitrate and nitrite reduction activity of activated sludge microcosm in a highly alkaline environment with solid cementitious material. 2020 , 151, 104971 | | | 5 |
| 94 | Carbon harvesting from organic liquid wastes for heterotrophic denitrification: Feasibility evaluation and cost and energy optimization. 2020 , 160, 104782 | | | 7 |
| 93 | Denitrification strategies of strain YSF15 in response to carbon scarcity: Based on organic nitrogen, soluble microbial products and extracellular polymeric substances. <i>Bioresource Technology</i> , 2020 , 314, 123733 | 11 | | 19 |
| 92 | The immobilized strain WT14 for removing high strength nitrate and reducing nitrite accumulation. 2020 , 1-8 | | | 2 |
| 91 | Technologies for biological removal and recovery of nitrogen from wastewater. 2020 , 43, 107570 | | | 80 |
| 90 | Anammox and partial denitrification coupling: a review.. <i>RSC Advances</i> , 2020 , 10, 12554-12572 | 3.7 | | 22 |
| 89 | Metabolic response of prokaryotic microbes to sporadic hypoxia in a eutrophic subtropical estuary. 2020 , 154, 111064 | | | 2 |
| 88 | Synergistic Partial-Denitrification, Anammox, and in-situ Fermentation (SPDAF) Process for Advanced Nitrogen Removal from Domestic and Nitrate-Containing Wastewater. 2020 , 54, 3702-3713 | | | 32 |
| 87 | Performance enhancement of HS-based autotrophic denitrification with bio-gaseous CO as sole carbon source through new pH adjustment materials. <i>Journal of Environmental Management</i> , 2020 , 261, 110157 | 7.9 | | 5 |
| 86 | Reducing carbon source consumption through a novel denitrification/anammox biofilter to remove nitrate from synthetic secondary effluent. <i>Bioresource Technology</i> , 2020 , 309, 123377 | 11 | | 23 |
| 85 | Microbial community structures and functions of hypersaline heterotrophic denitrifying process: Lab-scale and pilot-scale studies. <i>Bioresource Technology</i> , 2020 , 310, 123244 | 11 | | 11 |
| 84 | Removal of Phosphate and Nitrate from Impacted Waters via Slag-Driven Precipitation and Microbial Transformation. <i>Journal of Sustainable Water in the Built Environment</i> , 2020 , 6, 04020007 | 2.4 | | 2 |
| 83 | Horizontal Flow Constructed Wetland for Greywater Treatment and Reuse: An Experimental Case. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17, | 4.6 | | 9 |
| 82 | Adaptation of neutrophilic <i>Paracoccus denitrificans</i> to denitrification at highly alkaline pH. <i>Environmental Science and Pollution Research</i> , 2020 , 27, 22112-22119 | 5.1 | | 2 |
| 81 | Denitrification performance and bacterial flora analysis of immobilized denitrification filler in industrial wastewater. <i>Science of the Total Environment</i> , 2021 , 764, 142837 | 10.2 | | 3 |
| 80 | Denitrifying biofilm processes for wastewater treatment: developments and perspectives. <i>Environmental Science: Water Research and Technology</i> , 2021 , 7, 40-67 | 4.2 | | 5 |

| | | | |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 79 | Feasibility of partial denitrification and anammox for removing nitrate and ammonia simultaneously in situ through synergetic interactions. <i>Bioresource Technology</i> , 2021 , 320, 124390 | 11 | 6 |
| 78 | Determining Chemical Factors Controlling Abiotic Codenitrification. <i>ACS Earth and Space Chemistry</i> , 2021 , 5, 186-196 | 3.2 | |
| 77 | Bioretention for removal of nitrogen: processes, operational conditions, and strategies for improvement. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 10519-10535 | 5.1 | 7 |
| 76 | Achieving rapid thiosulfate-driven denitrification (TDD) in a granular sludge system. <i>Water Research</i> , 2021 , 190, 116716 | 12.5 | 14 |
| 75 | Electro-bioremediation of nitrate and arsenite polluted groundwater. <i>Water Research</i> , 2021 , 190, 116748 | 2.5 | 9 |
| 74 | Nutrients recovery from aquaculture waste for use as fertilizer in soilless growth systems. <i>Acta Horticulturae</i> , 2021 , 399-406 | 0.3 | 1 |
| 73 | The removal performance of nitrates in the novel 3D-BERS with GAC and diversity of immobilized microbial communities treating nitrate-polluted water: Effects of pH and COD/NO ₃ -N ratio. <i>Environmental Engineering Research</i> , 2022 , 27, 200526-0 | 3.6 | 0 |
| 72 | Nitrate and nitrite bacterial reduction at alkaline pH and high nitrate concentrations, comparison of acetate versus dihydrogen as electron donors. <i>Journal of Environmental Management</i> , 2021 , 280, 111859 | 7.9 | 4 |
| 71 | Nitrogen dynamic in vitro using sludge of a sewage stabilization pond from Patagonia (Argentina). <i>Environmental Science and Pollution Research</i> , 2021 , 28, 28692-28703 | 5.1 | |
| 70 | Effects of pH on extracellular polymeric substances compositions of biofilm in Integrated Fixed Film Activated Sludge process. <i>International Journal of Environmental Science and Technology</i> , 1 | 3.3 | |
| 69 | Denitrification Biokinetics: Towards Optimization for Industrial Applications. <i>Frontiers in Microbiology</i> , 2021 , 12, 610389 | 5.7 | 1 |
| 68 | Degradation of High-Concentration Nitrate Nitrogen in Groundwater: A Laboratory Study. <i>Journal of Chemistry</i> , 2021 , 2021, 1-13 | 2.3 | 1 |
| 67 | Application of central composite design approach for optimization nitrate removal from aqueous solution by immobilized <i>Pseudomonas putida</i> . <i>Water Science and Technology</i> , 2021 , 83, 2931-2946 | 2.2 | 3 |
| 66 | Development of a kinetic model to evaluate thiosulfate-driven denitrification and anammox (TDDA) process. <i>Water Research</i> , 2021 , 198, 117155 | 12.5 | 3 |
| 65 | Performance and mechanism of a novel woodchip embedded biofilm electrochemical reactor (WBER) for nitrate-contaminated wastewater treatment. <i>Chemosphere</i> , 2021 , 276, 130250 | 8.4 | 4 |
| 64 | Compatibility and Biomineralization Oriented Optimization of Nutrient Content in Nitrate-Reducing-Biogranules-Based Microbial Self-Healing Concrete. <i>Sustainability</i> , 2021 , 13, 8990 | 3.6 | 1 |
| 63 | Glycerol-driven Denitrification: Process Kinetics, Microbial Ecology, and Operational Controls. | | 1 |
| 62 | Introduction of nitrogen doped graphene nanosheets as efficient adsorbents for nitrate removal from aqueous samples. <i>Journal of Environmental Health Science & Engineering</i> , 2021 , 19, 1875-1886 | 2.9 | 1 |

| | | | |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 61 | Biodegradation of picric acid (2,4,6-trinitrophenol, TNP) by free and immobilized marine <i>Enterococcus thailandicus</i> isolated from the red sea, Saudi Arabia. <i>Egyptian Journal of Aquatic Research</i> , 2021 , 47, 307-312 | 3.1 | 0 |
| 60 | Recent advances in partial denitrification-anaerobic ammonium oxidation process for mainstream municipal wastewater treatment. <i>Chemosphere</i> , 2021 , 278, 130436 | 8.4 | 21 |
| 59 | Pilot-scale evaluation of partial denitrification/anammox on nitrogen removal from low COD/N real sewage based on a modified process. <i>Bioresource Technology</i> , 2021 , 338, 125580 | 11 | 7 |
| 58 | Nitrogen removal in stormwater bioretention facilities: Effects of drying, temperature and a submerged zone. <i>Ecological Engineering</i> , 2021 , 169, 106302 | 3.9 | 2 |
| 57 | Application of novel framework approach for prediction of nitrate concentration susceptibility in coastal multi-aquifers, Bangladesh. <i>Science of the Total Environment</i> , 2021 , 801, 149811 | 10.2 | 5 |
| 56 | Mitigating nitrite accumulation during S-based autotrophic denitrification: Balancing nitrate-nitrite reduction rate with thiosulfate as external electron donor. <i>Environmental Research</i> , 2022 , 204, 112016 | 7.9 | 3 |
| 55 | Nitrous oxide-sink capability of denitrifying bacteria impacted by nitrite and pH. <i>Chemical Engineering Journal</i> , 2022 , 428, 132402 | 14.7 | 2 |
| 54 | Simultaneous reduction of perchlorate and nitrate using fast-settling anoxic sludge. <i>Chemosphere</i> , 2022 , 286, 131788 | 8.4 | 0 |
| 53 | Development of effective sequence multi-barrier reactive media for nitrate remediation in groundwater systems.. <i>RSC Advances</i> , 2019 , 9, 15437-15447 | 3.7 | 2 |
| 52 | Microbial redox activity mediated anaerobic pyrite oxidation under circumneutral conditions. | | 1 |
| 51 | Identification and denitrification characteristics of a salt-tolerant denitrifying bacterium <i>Pannonibacter phragmitetus</i> F1. <i>AMB Express</i> , 2019 , 9, 193 | 4.1 | 7 |
| 50 | Effect of the supernatant reflux position and ratio on the nitrogen removal performance of anaerobic-aerobic slaughterhouse wastewater treatment process. <i>Environmental Engineering Research</i> , 2020 , 25, 309-315 | 3.6 | 4 |
| 49 | Comparison of Denitrification Induced by Various Organic Substances Reaction Rates, Microbiology, and Temperature Effect. <i>Water Resources Research</i> , 2021 , 57, e2021WR029793 | 5.4 | 0 |
| 48 | Removal of Nitrogen Oxyanion (Nitrate) in Constructed Wetlands. <i>Environmental Contamination Remediation and Management</i> , 2021 , 349-378 | | 1 |
| 47 | Effect of pH on the performance of hydrogen production by dark fermentation coupled denitrification.. <i>Environmental Research</i> , 2022 , 208, 112663 | 7.9 | 1 |
| 46 | Glycerol-driven Denitratation: Process Kinetics, Microbial Ecology, and Operational Controls. <i>Environmental Science: Water Research and Technology</i> , | 4.2 | 0 |
| 45 | Bioelectrochemical partial-denitrification coupled with anammox for autotrophic nitrogen removal. <i>Chemical Engineering Journal</i> , 2022 , 434, 134667 | 14.7 | 0 |
| 44 | Successful sulphide-driven partial denitrification: Efficiency, stability and resilience in SRT-controlled conditions.. <i>Chemosphere</i> , 2022 , 295, 133936 | 8.4 | 1 |

| | | | |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|---|
| 43 | Nitrate Water Contamination from Industrial Activities and Complete Denitrification as a Remediation Option. <i>Water (Switzerland)</i> , 2022 , 14, 799 | 3 | 3 |
| 42 | Does rice straw addition and/or <i>Vallisneria natans</i> (Lour.) planting contribute to enhancement in nitrate nitrogen and phosphorus removal in constructed wetlands under low temperature?. <i>Bioresource Technology</i> , 2022 , 350, 126896 | 11 | 0 |
| 41 | Mechanical properties of eco-friendly cements-based glass powder in aggressive medium. <i>Materials Today: Proceedings</i> , 2022 , | 1.4 | 2 |
| 40 | Modeling Groundwater Nitrate Contamination Using Artificial Neural Networks. <i>Water (Switzerland)</i> , 2022 , 14, 1173 | 3 | 1 |
| 39 | Response of nitrogen removal performance and microbial community to a wide range of pH in thermophilic denitrification system.. <i>Bioresource Technology</i> , 2022 , 352, 127061 | 11 | 0 |
| 38 | A sulfur-limestone bioretention system for stormwater treatment: Nitrogen removal performance and microbial community.. <i>Science of the Total Environment</i> , 2022 , 154301 | 10.2 | 0 |
| 37 | Kalsiyum Aljinatta TutuklanmParacoccus denitrificans ile Sabit Yatak BiyoreaktÖde Æne SularÖdan Nitrat Giderimi. <i>Journal of the Institute of Science and Technology</i> , 2632-2644 | 0 | |
| 36 | The Relationship Between Delta Form and Nitrate Retention Revealed by Numerical Modeling Experiments. <i>Water Resources Research</i> , 2021 , 57, | 5.4 | |
| 35 | Table_1.DOCX. 2020 , | | |
| 34 | Table_2.XLSX. 2020 , | | |
| 33 | Continuous monitoring of dissolved inorganic nitrogen (DIN) transformations along the waste-vadose zone - groundwater path of an uncontrolled landfill, using multiple N-species isotopic analysis.. <i>Water Research</i> , 2022 , 219, 118508 | 12.5 | 0 |
| 32 | Rapidly Achieving Partial Denitrification from Nitrate Wastewater in a Alkaline Fermentation System with Primary Sludge as Inoculated Sludge and Fermentable Substrate. <i>SSRN Electronic Journal</i> , | 1 | |
| 31 | Achieving simultaneous nitrification, denitrification, and phosphorus removal in pilot-scale flow-through biofilm reactor with low dissolved oxygen concentrations: Performance and mechanisms. <i>Bioresource Technology</i> , 2022 , 358, 127373 | 11 | 0 |
| 30 | Critical review of process control strategies in anammox-mediated nitrogen removal systems. <i>Journal of Environmental Chemical Engineering</i> , 2022 , 108068 | 6.8 | 0 |
| 29 | Nitrogen Removal Performance and Sludge Characteristics of Wastewater from Industrial Recirculating Aquaculture Using Anammox Coupled with Denitrification. <i>SSRN Electronic Journal</i> , | 1 | |
| 28 | Nitrogen removal performance and sludge characteristics of wastewater from industrial recirculating aquaculture systems via anammox coupled with denitrification. 2022 , 49, 103092 | | 0 |
| 27 | A process-based model for describing redox kinetics of Cr(VI) in natural sediments containing variable reactive Fe(II) species. 2022 , 225, 119126 | | 0 |
| 26 | Micromagnetic Field Enhanced the Denitrification of High Nitrate Wastewater Fed by Waste Molasses. | | 0 |

- 25 Partial S(0)-driven autotrophic denitrification process facilitated the quick natural enrichment of anammox bacteria at room temperature. **2023**, 855, 158916 ○
- 24 Pyrite-Based Autotrophic Denitrifying Microorganisms Derived from Paddy Soils: Effects of Organic Co-Substrate Addition. **2022**, 19, 11763 ○
- 23 Soil stabilization with microbially induced desaturation and precipitation (MIDP) by denitrification: a field study. ○
- 22 Plant Carbon Sources for Denitrification Enhancement and Its Mechanism in Constructed Wetlands: A Review. **2022**, 14, 12545 ○
- 21 Biological nitrogen removal from low carbon wastewater. 13, ○
- 20 Techno-Economic Assessment of Liquefaction Mitigation by Microbially Induced Desaturation. **2022**, 2 ○
- 19 Combined Partial Denitrification/Anammox Process for Nitrogen Removal in Wastewater Treatment. **2022**, 108978 ○
- 18 The negative effect of the high pH of waste concrete in constructed wetlands on COD and N removal. **2023**, 51, 103356 ○
- 17 Novel insights into aerobic denitrifying bacterial communities augmented denitrification capacity and mechanisms in lake waters. **2023**, 864, 161011 ○
- 16 Mackinawite (FeS) Chemodenitrification of Nitrate (NO₃⁻) under Acidic to Neutral pH Conditions and Its Stable N and O Isotope Dynamics. **2022**, 6, 2801-2811 ○
- 15 Assessment of seasonal variation in distribution, source identification, and risk of polycyclic aromatic hydrocarbon (PAH) contaminated sediment of Ikpoba River, South-South Nigeria. **2023**, 195, ○
- 14 Efficient Ammonia Synthesis from Nitrate Catalyzed by Au/Cu with Enhanced Adsorption Ability. 2200308 ○
- 13 Removal of ammonium and nitrate through Anammox and FeS-driven autotrophic denitrification. **2023**, 17, ○
- 12 Disintegration of Partial Denitrification Granules at High Nitrate Concentration. ○
- 11 Results of Adding Sludge Micropowder for Microbial Structure and Partial Nitrification and Denitrification in a Filamentous AGS-SBR Using High-Ammonia Wastewater. **2023**, 15, 508 ○
- 10 Autotrophic denitrification supported by sphalerite and oyster shells: Chemical and microbiome analysis. **2023**, 375, 128820 ○
- 9 Effects of various COD/NO ratios on NO_x removal performance and microbial communities in a BTF-ABR integrated system. **2023**, 321, 138121 ○
- 8 Robustness and stability of acetate-driven partial denitrification (PD) in response to high COD/NO₃⁻. **2023**, 322, 138213 ○

- 7 The Influence of pH on Subsurface Denitrification Stimulated with Emulsified Vegetable Oil. **2023**, 15, 883
- 6 Assessment of groundwater quality and human health risks of nitrate and fluoride contamination in a rapidly urbanizing region of India. **2023**, 30, 55437-55454
- 5 Coupling fundamental mechanisms and operational controls in mainstream partial denitrification for partial denitrification anammox applications: A review. **2023**, 400, 136741
- 4 Feammox Bacterial Biofilms as an Alternative Biological Process for the Removal of Nitrogen from Agricultural Wastewater. **2023**, 13, 728
- 3 Relationship between denitrification and anammox rates and N₂ production with substrate consumption and pH in a riparian zone. 1-10
- 2 Molecular Evidence of Internal Carbon-Driven Partial Denitrification Anammox (PdNA) in a mainstream Pilot A-B System Coupled with Side-stream EBPR treating municipal wastewater.
- 1 Insights into nitrite accumulation and microbial structure in partial denitrification (PD) process by the combining regulation of C/N ratio and nitrate concentration. **2023**, 109891