De Novo Hair Follicle Morphogenesis and Hair Tumors $\hat{I}^2\mbox{-}Catenin in Skin$

Cell 95, 605-614 DOI: 10.1016/s0092-8674(00)81631-1

Citation Report

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | CARCINOMA OF THE LOWER THORACIC ESOPHAGUS. The Journal of Thoracic Surgery, 1938, 7, 621-632. | 0.7 | 155 |
| 2 | Turning over new leaves. Trends in Plant Science, 1997, 2, 330-331. | 4.3 | 5 |
| 3 | Splitting Hairs. Cell, 1998, 95, 575-578. | 13.5 | 163 |
| 4 | The Hedgehog and the hair follicle: a growing relationship. Journal of Clinical Investigation, 1999, 104, 851-853. | 3.9 | 25 |
| 5 | Exogenous Expression of β-Catenin Regulates Contact Inhibition, Anchorage-Independent Growth, Anoikis, and Radiation-Induced Cell Cycle Arrest. Journal of Cell Biology, 1999, 146, 855-868. | 2.3 | 249 |
| 6 | Signal Transduction Pathways Controlling the Switch Between Keratinocyte Growth and Differentiation. Critical Reviews in Oral Biology and Medicine, 1999, 10, 442-457. | 4.4 | 98 |
| 7 | Functional Characterization of the Promoter of the X-linked Ectodermal Dysplasia Gene. Journal of Biological Chemistry, 1999, 274, 26477-26484. | 1.6 | 8 |
| 8 | T cell factor-activated transcription is not sufficient to induce anchorage-independent growth of epithelial cells expressing mutant Â-catenin. Proceedings of the National Academy of Sciences of the United States of America, 1999, 96, 4947-4952. | 3.3 | 61 |
| 9 | The magical touch: Genome targeting in epidermal stem cells induced by tamoxifen application to mouse skin. Proceedings of the National Academy of Sciences of the United States of America, 1999, 96, 8551-8556. | 3.3 | 548 |
| 10 | Noggin is a mesenchymally derived stimulator of hair-follicle induction. Nature Cell Biology, 1999, 1, 158-164. | 4.6 | 360 |
| 11 | Neither straight nor narrow. Nature, 1999, 400, 213-215. | 13.7 | 36 |
| 12 | A box for a single photon. Nature, 1999, 400, 215-217. | 13.7 | 1 |
| 13 | ovo/svb integrates Wingless and DER pathways to control epidermis differentiation. Nature, 1999, 400, 271-275. | 13.7 | 202 |
| 14 | A common human skin tumour is caused by activating mutations in β-catenin. Nature Genetics, 1999, 21, 410-413. | 9.4 | 849 |
| 15 | Chronobiology of the Hair Follicle: Hunting the "Hair Cycle Clock― Journal of Investigative Dermatology Symposium Proceedings, 1999, 4, 338-345. | 0.8 | 82 |
| 16 | Mechanism and function of signal transduction by the Wnt/β-catenin and Wnt/Ca2+ pathways. Oncogene, 1999, 18, 7860-7872. | 2.6 | 660 |
| 17 | Cadherins and catenins: role in signal transduction and tumor progression. Cancer and Metastasis Reviews, 1999, 18, 15-30. | 2.7 | 258 |
| 18 | The control of beta-catenin and TCF during embryonic development and cancer. , 1999, 18, 231-246. | | 56 |

TATION REDO

| # | Article | IF | Citations |
|----|---|------|-----------|
| 19 | Keratinocyte-specific ablation of Stat3 exhibits impaired skin remodeling, but does not affect skin morphogenesis. EMBO Journal, 1999, 18, 4657-4668. | 3.5 | 462 |
| 20 | Intestinal polyposis in mice with a dominant stable mutation of the beta -catenin gene. EMBO Journal, 1999, 18, 5931-5942. | 3.5 | 1,074 |
| 21 | Signaling through ?-catenin and Lef/Tcf. Cellular and Molecular Life Sciences, 1999, 56, 523-537. | 2.4 | 287 |
| 22 | TCF transcription factors: molecular switches in carcinogenesis. Biochimica Et Biophysica Acta: Reviews on Cancer, 1999, 1424, M23-M37. | 3.3 | 158 |
| 23 | Regulation of LEF-1/TCF transcription factors by Wnt and other signals. Current Opinion in Cell Biology, 1999, 11, 233-240. | 2.6 | 504 |
| 24 | β-catenin signaling and cancer. BioEssays, 1999, 21, 1021-1030. | 1.2 | 787 |
| 25 | The Yin-Yang of TCF/β-Catenin Signaling. Advances in Cancer Research, 1999, 77, 1-24. | 1.9 | 239 |
| 26 | The Biology of Hair Follicles. New England Journal of Medicine, 1999, 341, 491-497. | 13.9 | 1,150 |
| 27 | The TGF-β2 Isoform Is Both a Required and Sufficient Inducer of Murine Hair Follicle Morphogenesis. Developmental Biology, 1999, 212, 278-289. | 0.9 | 148 |
| 28 | Neoplastic Transformation of RK3E by Mutant β-Catenin Requires Deregulation of Tcf/Lef Transcription but Not Activation of c- <i>myc</i> Expression. Molecular and Cellular Biology, 1999, 19, 5696-5706. | 1.1 | 287 |
| 29 | Activation and Repression of Wingless/Wnt Target Genes by the TCF/LEF-1 Family of Transcription Factors. Cold Spring Harbor Symposia on Quantitative Biology, 1999, 64, 141-148. | 2.0 | 27 |
| 31 | Detection and analysis of ?-catenin mutations in prostate cancer. Prostate, 2000, 45, 323-334. | 1.2 | 167 |
| 32 | Remodeling of Desmosomal and Hemidesmosomal Adhesion Systems During Early Morphogenesis of Mouse Pelage Hair Follicles. Journal of Investigative Dermatology, 2000, 114, 171-177. | 0.3 | 36 |
| 33 | Conditional Disruption of Hedgehog Signaling Pathway Defines its Critical Role in Hair Development and Regeneration. Journal of Investigative Dermatology, 2000, 114, 901-908. | 0.3 | 193 |
| 34 | Keratin 17 Expression in the Hard Epithelial Context of the Hair and Nail, and its Relevance for the Pachyonychia Congenita Phenotype. Journal of Investigative Dermatology, 2000, 114, 1101-1107. | 0.3 | 80 |
| 35 | Appearance of hair follicle-inducible mesenchymal cells in the rat embryo. Development Growth and Differentiation, 2000, 42, 19-27. | 0.6 | 23 |
| 36 | Melanocyte Subpopulation Turnover During the Human Hair Cycle: An Immunohistochemical Study. Pigment Cell & Melanoma Research, 2000, 13, 253-259. | 4.0 | 83 |
| 37 | Skin stem cells – a hairy issue Nature Medicine, 2000, 6, 1095-1097. | 15.2 | 23 |

ARTICLE IF CITATIONS # Stimulation of human epidermal differentiation by Delta–Notch signalling at the boundaries of 1.8 423 38 stem-cell clusters. Current Biology, 2000, 10, 491-500. Inhibition of Bmp signaling affects growth and differentiation in the anagen hair follicle. EMBO 39 3.5 273 Journal, 2000, 19, 6664-6674. Involvement of hepatocyte growth factor/scatter factor and Met receptor signaling in hair follicle 40 0.2 129 morphogenesis and cycling. FASEB Journal, 2000, 14, 319-332. Epidermal Stem Cells as Targets for Gene Transfer. Human Gene Therapy, 2000, 11, 2261-2266. Two distinct signaling pathways in hair cycle induction: Stat3-dependent and -independent pathways. 42 72 3.3 Proceedings of the National Academy of Sciences of the United States of America, 2000, 97, 13824-13829. Requirement for Î²-Catenin in Anterior-Posterior Axis Formation in Mice. Journal of Cell Biology, 2000, 2.3 148, 567-578. Symposium on Evolutionary Origin of Feathers: Panel Discussion1. American Zoologist, 2000, 40, 44 0.7 1 695-706. Downregulation of 14-3-3[†] Prevents Clonal Evolution and Leads to Immortalization of Primary Human 2.3 Keratinocytes. Journal of Cell Biology, 2000, 149, 1117-1130. WNT/Frizzled-2 Signaling Induces Aggregation and Adhesion among Cardiac Myocytes by Increased 2.3 46 61 Cadherin–Î²-Catenin Complex. Journal of Cell Biology, 2000, 150, 225-242. Role of Hormones in Pilosebaceous Unit Development. Endocrine Reviews, 2000, 21, 363-392. 348 Plakoglobin Suppresses Epithelial Proliferation and Hair Growth in Vivo. Journal of Cell Biology, 48 2.3378 2000, 149, 503-520. Carcinogenesis in mouse and human cells: parallels and paradoxes. Carcinogenesis, 2000, 21, 371-377. 1.3 124 Overexpression of Î²-Catenin Induces Apoptosis Independent of Its Transactivation Function with LEF-1 50 or the Involvement of Major G1 Cell Cycle Regulators. Molecular Biology of the Cell, 2000, 11, 0.9 190 3509-3523. Defining the Regulatory Factors Required for Epidermal Gene Expression. Molecular and Cellular Biology, 2000, 20, 2543-2555. 1.1 Symposium on Evolutionary Origin of Feathers: Panel Discussion. American Zoologist, 2000, 40, 52 2 0.7 695-706. It's Got You Covered. Journal of Cell Biology, 2000, 149, 999-1004. 116 Epithelial Mesenchymal Transition by c-Fos Estrogen Receptor Activation Involves Nuclear 54 Translocation of Î²-Catenin and Upregulation of Î²-Catenin/Lymphoid Enhancer Binding Factor-1 2.3208 Transcriptional Activity. Journal of Cell Biology, 2000, 148, 173-187. \hat{l}^2 -catenin in Epithelial Morphogenesis: Conversion of Part of Avian Foot Scales into Feather Buds with a Mutated Î²-Catenin. Developmental Biology, 2000, 219, 98-114.

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 56 | The Integration of Cell Adhesion with Gene Expression: The Role of Î ² -Catenin. Experimental Cell Research, 2000, 261, 75-82. | 1.2 | 89 |
| 57 | Patterns of Hairless (hr) Gene Expression in Mouse Hair Follicle Morphogenesis and Cycling. American Journal of Pathology, 2000, 157, 1071-1079. | 1.9 | 70 |
| 58 | Biochemical interactions in the wnt pathway. Biochimica Et Biophysica Acta - Molecular Cell Research, 2000, 1495, 168-182. | 1.9 | 233 |
| 59 | Pilomatricomas contain activating mutations in ?-catenin*. Journal of the American Academy of Dermatology, 2000, 43, 701-702. | 0.6 | 21 |
| 60 | Wnt/β-catenin signaling. Cytokine and Growth Factor Reviews, 2000, 11, 273-282. | 3.2 | 322 |
| 61 | Evo-Devo of feathers and scales: building complex epithelial appendages. Current Opinion in Genetics and Development, 2000, 10, 449-456. | 1.5 | 144 |
| 62 | Linking Colorectal Cancer to Wnt Signaling. Cell, 2000, 103, 311-320. | 13.5 | 1,386 |
| 63 | Stem Cells. Cell, 2000, 100, 143-155. | 13.5 | 738 |
| 64 | Out of Eden: Stem Cells and Their Niches. Science, 2000, 287, 1427-1430. | 6.0 | 1,613 |
| 65 | Pattern of expression of the transcription factor Krox-20 in mouse hair follicle. Mechanisms of Development, 2000, 96, 215-218. | 1.7 | 30 |
| 66 | Stem Cells in Epithelial Tissues. Science, 2000, 287, 1431-1433. | 6.0 | 305 |
| 67 | Nuclear localization of β-catenin in the hair matrix cells and differentiated keratinocytes. Journal of Dermatological Science, 2001, 27, 170-177. | 1.0 | 24 |
| 68 | E-cadherin regulates cell growth by modulating proliferation-dependent β-catenin transcriptional activity. Journal of Cell Biology, 2001, 154, 1185-1196. | 2.3 | 307 |
| 70 | TNF Signaling via the Ligand–Receptor Pair Ectodysplasin and Edar Controls the Function of Epithelial Signaling Centers and Is Regulated by Wnt and Activin during Tooth Organogenesis. Developmental Biology, 2001, 229, 443-455. | 0.9 | 175 |
| 71 | Overexpression of Smad2 Reveals Its Concerted Action with Smad4 in Regulating TGF- β-Mediated Epidermal Homeostasis. Developmental Biology, 2001, 236, 181-194. | 0.9 | 60 |
| 72 | Characterization of Wnt gene expression in developing and postnatal hair follicles and identification of Wnt5a as a target of Sonic hedgehog in hair follicle morphogenesis. Mechanisms of Development, 2001, 107, 69-82. | 1.7 | 438 |
| 73 | Dynamic expression and nuclear accumulation of \hat{l}^2 -catenin during the development of hair follicle-derived structures. Mechanisms of Development, 2001, 109, 173-181. | 1.7 | 39 |
| 74 | Animal models and culture methods in the study of hair growth. Clinics in Dermatology, 2001, 19, 105-119. | 0.8 | 10 |

| # | Article | IF | Citations |
|----|--|------|-----------|
| 75 | Gene mutations, great expectations. Clinics in Dermatology, 2001, 19, 59-64. | 0.8 | 2 |
| 76 | At the Roots of a Never-Ending Cycle. Developmental Cell, 2001, 1, 13-25. | 3.1 | 253 |
| 77 | Stem cell fate and patterning in mammalian epidermis. Current Opinion in Genetics and Development, 2001, 11, 410-417. | 1.5 | 233 |
| 78 | Monstrous attempts at adnexogenesis: regulating hair follicle progenitors through Sonic hedgehog signaling. Current Opinion in Genetics and Development, 2001, 11, 541-546. | 1.5 | 81 |
| 79 | Regulation of the G1 to S transition by the ubiquitin pathway. FEBS Letters, 2001, 490, 179-189. | 1.3 | 111 |
| 80 | Morphogenesis and Renewal of Hair Follicles from Adult Multipotent Stem Cells. Cell, 2001, 104, 233-245. | 13.5 | 975 |
| 81 | β-Catenin Controls Hair Follicle Morphogenesis and Stem Cell Differentiation in the Skin. Cell, 2001, 105, 533-545. | 13.5 | 1,254 |
| 82 | Biological actions of oligomeric procyanidins: Proliferation of epithelial cells and hair follicle growth. Methods in Enzymology, 2001, 335, 361-368. | 0.4 | 7 |
| 83 | Controls of Hair Follicle Cycling. Physiological Reviews, 2001, 81, 449-494. | 13.1 | 1,340 |
| 84 | Expression of type I hair keratins in follicular tumours. British Journal of Dermatology, 2001, 144, 977-982. | 1.4 | 283 |
| 85 | beta-Catenin expression in the transitional cell zone of pilomatricoma British Journal of Dermatology, 2001, 145, 624-629. | 1.4 | 43 |
| 86 | beta-catenin expression in pilomatrixomas. Relationship with beta-catenin gene mutations and comparison with beta-catenin expression in normal hair follicles. British Journal of Dermatology, 2001, 145, 576-581. | 1.4 | 122 |
| 87 | Hair on a gene string: recent advances in understanding the molecular genetics of hair loss. Clinical and Experimental Dermatology, 2001, 26, 59-71. | 0.6 | 24 |
| 88 | Characterization of Mouse Frizzled-3 Expression in Hair Follicle Development and Identification of the Human Homolog in Keratinocytes. Journal of Investigative Dermatology, 2001, 116, 940-946. | 0.3 | 23 |
| 89 | Trans-species hair growth induction by human hair follicle dermal papillae. Experimental Dermatology, 2001, 10, 229-237. | 1.4 | 70 |
| 90 | Mutant laboratory mice with abnormalities in hair follicle morphogenesis, cycling, and/or structure: annotated tables. Experimental Dermatology, 2001, 10, 369-390. | 1.4 | 82 |
| 91 | Patterns of Proliferation and Apoptosis during Murine Hair Follicle Morphogenesis. Journal of Investigative Dermatology, 2001, 116, 947-955. | 0.3 | 83 |
| 92 | Glycogen Synthase Kinase-3:Â Properties, Functions, and Regulation. Chemical Reviews, 2001, 101, 2527-2540. | 23.0 | 357 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 93 | EGF receptor/Rolled MAP kinase signalling protects cells against activated Armadillo in theDrosophilaeye. EMBO Reports, 2001, 2, 157-162. | 2.0 | 49 |
| 94 | Deregulated beta-catenin induces a p53- and ARF-dependent growth arrest and cooperates with Ras in transformation. EMBO Journal, 2001, 20, 4912-4922. | 3.5 | 185 |
| 95 | Multiple classes of stem cells in cutaneous epithelium: a lineage analysis of adult mouse skin. EMBO Journal, 2001, 20, 1215-1222. | 3.5 | 326 |
| 96 | Metaplasia, intraepithelial neoplasia and early cancer of the stomach are related to dedifferentiated epithelial cells defined by cytokeratin-7 expression in gastritis. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2001, 439, 512-522. | 1.4 | 51 |
| 97 | Hypotrichosis with juvenile macular dystrophy is caused by a mutation in CDH3, encoding P-cadherin. Nature Genetics, 2001, 29, 134-136. | 9.4 | 166 |
| 98 | β-catenin is a downstream effector of Wnt-mediated tumorigenesis in the mammary gland. Oncogene, 2001, 20, 5093-5099. | 2.6 | 156 |
| 99 | Early development of polycystic kidney disease in transgenic mice expressing an activated mutant of the l²-catenin gene. Oncogene, 2001, 20, 5972-5981. | 2.6 | 226 |
| 100 | Stem cells find their niche. Nature, 2001, 414, 98-104. | 13.7 | 1,303 |
| 101 | Stem cells, cancer, and cancer stem cells. Nature, 2001, 414, 105-111. | 13.7 | 8,665 |
| 102 | c-Myc activation in transgenic mouse epidermis results in mobilization of stem cells and differentiation of their progeny. Current Biology, 2001, 11, 558-568. | 1.8 | 332 |
| 103 | Genomic expression analysis implicates Wnt signaling pathway and extracellular matrix alterations in hepatic specification and differentiation of murine hepatic stem cells. Differentiation, 2001, 68, 254-269. | 1.0 | 40 |
| 104 | beta-Catenin gene mutation in human hair follicle-related tumors. Pathology International, 2001, 51, 543-548. | 0.6 | 91 |
| 105 | From Alzheimer's disease to skin tumors: The catenin connection. Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 10522-10523. | 3.3 | 2 |
| 106 | Down-Regulation of β-Catenin by Activated p53. Molecular and Cellular Biology, 2001, 21, 6768-6781. | 1.1 | 203 |
| 107 | Genetics of Nonmelanoma Skin Cancer. Archives of Dermatology, 2001, 137, 1486-92. | 1.7 | 42 |
| 108 | Loss of presenilin 1 is associated with enhanced Â-catenin signaling and skin tumorigenesis. Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 10863-10868. | 3.3 | 223 |
| 109 | Noggin is required for induction of the hair follicle growth phase in postnatal skin. FASEB Journal, 2001, 15, 2205-2214. | 0.2 | 207 |
| 110 | WNT-1 Signaling Inhibits Apoptosis by Activating β-Catenin/T Cell Factor–Mediated Transcription. Journal of Cell Biology, 2001, 152, 87-96. | 2.3 | 387 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 111 | Induction of hypervascularity without leakage or inflammation in transgenic mice overexpressing hypoxia-inducible factor-1alpha. Genes and Development, 2001, 15, 2520-2532. | 2.7 | 275 |
| 112 | Differential Molecular Assemblies Underlie the Dual Function of Axin in Modulating the Wnt and JNK Pathways. Journal of Biological Chemistry, 2001, 276, 32152-32159. | 1.6 | 38 |
| 113 | The transcriptional repressor CDP (Cutl1) is essential for epithelial cell differentiation of the lung and the hair follicle. Genes and Development, 2001, 15, 2307-2319. | 2.7 | 156 |
| 114 | Δn89β-Catenin Induces Precocious Development, Differentiation, and Neoplasia in Mammary Gland. Journal of Cell Biology, 2001, 153, 555-568. | 2.3 | 207 |
| 115 | Tcf3 and Lef1 regulate lineage differentiation of multipotent stem cells in skin. Genes and Development, 2001, 15, 1688-1705. | 2.7 | 504 |
| 116 | Impaired mammary gland and lymphoid development caused by inducible expression of Axin in transgenic mice. Journal of Cell Biology, 2001, 155, 1055-1064. | 2.3 | 118 |
| 117 | Chromatin-specific regulation of LEF-1-beta -catenin transcription activation and inhibition in vitro. Genes and Development, 2001, 15, 3342-3354. | 2.7 | 95 |
| 118 | Mammary Tumor Induction and Premature Ovarian Failure in ApcMin Mice Are Not Enhanced by Brca2 Defi ciency. Toxicologic Pathology, 2001, 29, 117-125. | 0.9 | 50 |
| 119 | The Transcriptional Factor Tcf-4 Contains Different Binding Sites for Î ² -Catenin and Plakoglobin. Journal of Biological Chemistry, 2002, 277, 1884-1891. | 1.6 | 106 |
| 120 | Keratin 17 null mice exhibit age- and strain-dependent alopecia. Genes and Development, 2002, 16, 1412-1422. | 2.7 | 115 |
| 121 | Nr-CAM is a target gene of the beta -catenin/LEF-1 pathway in melanoma and colon cancer and its expression enhances motility and confers tumorigenesis. Genes and Development, 2002, 16, 2058-2072. | 2.7 | 165 |
| 122 | The LEF1/Â-catenin complex activates movo1, a mouse homolog of Drosophila ovo required for epidermal appendage differentiation. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 6064-6069. | 3.3 | 53 |
| 123 | FGF4, a direct target of LEF1 and Wnt signaling, can rescue the arrest of tooth organogenesis in Lef1-/- mice. Genes and Development, 2002, 16, 3173-3185. | 2.7 | 230 |
| 124 | A developmental conundrum. Journal of Cell Biology, 2002, 158, 331-344. | 2.3 | 81 |
| 125 | β-Catenin is not required for proliferation and differentiation of epidermal mouse keratinocytes. Journal of Cell Science, 2002, 115, 4587-4595. | 1.2 | 51 |
| 126 | β-Catenin Is Essential and Sufficient for Skeletal Myogenesis in P19 Cells. Journal of Biological Chemistry, 2002, 277, 15393-15399. | 1.6 | 125 |
| 127 | Low Frequency of Î ² -Catenin Gene Mutations in Pilomatricoma. Acta Dermato-Venereologica, 2002, 82, 428-431. | 0.6 | 15 |
| 128 | EDA targets revealed by skin gene expression profiles of wild-type, Tabby and Tabby EDA-A1 transgenic mice. Human Molecular Genetics, 2002, 11, 1763-1773. | 1.4 | 33 |

| # | Article | IF | Citations |
|-----|---|------|-----------|
| 129 | Dissection of a Complex Enhancer Element: Maintenance of Keratinocyte Specificity but Loss of Differentiation Specificity. Molecular and Cellular Biology, 2002, 22, 4293-4308. | 1.1 | 40 |
| 130 | Alx4 Binding to LEF-1 Regulates N-CAM Promoter Activity. Journal of Biological Chemistry, 2002, 277, 1120-1127. | 1.6 | 46 |
| 131 | Synergistic Induction of Tumor Antigens by Wnt-1 Signaling and Retinoic Acid Revealed by Gene Expression Profiling. Journal of Biological Chemistry, 2002, 277, 14329-14335. | 1.6 | 73 |
| 132 | Diversity in the oesophageal phenotypic response to gastro-oesophageal reflux: immunological determinants. Gut, 2002, 50, 451-459. | 6.1 | 229 |
| 133 | Pathway Pathology. American Journal of Pathology, 2002, 161, 1087-1097. | 1.9 | 158 |
| 134 | Interferon Î ² Secreted from Human Hair Dermal Papilla Cells Inhibits the Growth of Outer Root Sheath Cells Cultured in Vitro. Biochemical and Biophysical Research Communications, 2002, 290, 1133-1138. | 1.0 | 13 |
| 135 | Notch and Wingless Modulate the Response of Cells to Hedgehog Signalling in the Drosophila Wing. Developmental Biology, 2002, 248, 93-106. | 0.9 | 32 |
| 136 | The stem cell compartment in human interfollicular epidermis. Journal of Dermatological Science, 2002, 28, 173-180. | 1.0 | 100 |
| 137 | Wnt signaling promotes oncogenic transformation by inhibiting c-Myc–induced apoptosis. Journal of Cell Biology, 2002, 157, 429-440. | 2.3 | 203 |
| 138 | The role of growth factors in tooth development. International Review of Cytology, 2002, 217, 93-135. | 6.2 | 217 |
| 139 | Wnt/Beta-Catenin/Tcf Signaling: A Critical Pathway in Gastrointestinal Tumorigenesis. Digestion, 2002, 66, 131-144. | 1.2 | 272 |
| 140 | The role of the ubiquitination-proteasome pathway in breast cancer: Use of mouse models for analyzing ubiquitination processes. Breast Cancer Research, 2002, 5, 16-22. | 2.2 | 13 |
| 141 | Alopecia of IFN-Î ³ Knockout Mouse as a Model for Disturbance of the Hair Cycle: A Unique Arrest of the Hair Cycle at the Anagen Phase Accompanied by Mitosis. Journal of Interferon and Cytokine Research, 2002, 22, 935-945. | 0.5 | 14 |
| 142 | Presenilin Couples the Paired Phosphorylation of β-Catenin Independent of Axin. Cell, 2002, 110, 751-762. | 13.5 | 236 |
| 143 | Stem cells in adult tissues. Seminars in Cell and Developmental Biology, 2002, 13, 369-376. | 2.3 | 52 |
| 144 | WNT Signals Are Required for the Initiation of Hair Follicle Development. Developmental Cell, 2002, 2, 643-653. | 3.1 | 960 |
| 145 | The EDA gene is a target of, but does not regulate Wnt signaling. Gene, 2002, 285, 203-211. | 1.0 | 51 |
| 146 | Role of glycogen synthase kinase-3 in cancer: Regulation by Wnts and other signaling pathways. Advances in Cancer Research, 2002, 84, 203-229. | 1.9 | 127 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 147 | Fluorescence-Based Functional Assay for Wnt/β-Catenin Signaling Activity. BioTechniques, 2002, 33, 1126-1135. | 0.8 | 28 |
| 148 | Designer skin: lineage commitment in postnatal epidermis. Trends in Cell Biology, 2002, 12, 185-192. | 3.6 | 182 |
| 149 | Recent advances in cancer research: mouse models of tumorigenesis. Biochimica Et Biophysica Acta: Reviews on Cancer, 2002, 1602, 97-113. | 3.3 | 42 |
| 150 | Procyanidin B-3, isolated from barley and identified as a hair-growth stimulant, has the potential to counteract inhibitory regulation by TGF-beta1. Experimental Dermatology, 2002, 11, 532-541. | 1.4 | 37 |
| 151 | Genes that are differentially expressed in rat vibrissa follicle germinative epithelium in vivo show altered expression patterns after extended organ culture. Experimental Dermatology, 2002, 11, 542-555. | 1.4 | 3 |
| 152 | Subcellular localization of beta-catenin in malignant cell lines and squamous cell carcinomas of the oral cavity. Journal of Oral Pathology and Medicine, 2002, 31, 385-394. | 1.4 | 31 |
| 153 | Molecular Mechanisms Regulating Hair Follicle Development. Journal of Investigative Dermatology, 2002, 118, 216-225. | 0.3 | 836 |
| 154 | Modulation of BMP Signaling by Noggin is Required for Induction of the Secondary (Nontylotrich) Hair Follicles. Journal of Investigative Dermatology, 2002, 118, 3-10. | 0.3 | 134 |
| 155 | A Missense Mutation in CDH3, Encoding P-Cadherin, Causes Hypotrichosis with Juvenile Macular Dystrophy. Journal of Investigative Dermatology, 2002, 119, 1210-1213. | 0.3 | 60 |
| 156 | Epidermal Differentiation: Transgenic/Knockout Mouse Models Reveal Genes Involved in Stem Cell Fate Decisions and Commitment to Differentiation. Journal of Investigative Dermatology Symposium Proceedings, 2002, 7, 41-45. | 0.8 | 58 |
| 157 | Epidermal stem cells. Journal of Pathology, 2002, 197, 479-491. | 2.1 | 143 |
| 158 | Stabilization of β-catenin induces lesions reminiscent of prostatic intraepithelial neoplasia, but terminal squamous transdifferentiation of other secretory epithelia. Oncogene, 2002, 21, 4099-4107. | 2.6 | 102 |
| 159 | Intercellular adhesion, signalling and the cytoskeleton. Nature Cell Biology, 2002, 4, E101-E108. | 4.6 | 781 |
| 160 | Getting under the skin of epidermal morphogenesis. Nature Reviews Genetics, 2002, 3, 199-209. | 7.7 | 686 |
| 161 | Beta-catenin and Tcfs in mammary development and cancer. Journal of Mammary Gland Biology and Neoplasia, 2003, 8, 145-158. | 1.0 | 180 |
| 162 | Role of Subtilisin-Like Convertases in Cadherin Processing or the Conundrum to Stall Cadherin Function by Convertase Inhibitors in Cancer Therapy. Journal of Molecular Histology, 2003, 35, 263-275. | 1.0 | 13 |
| 163 | Molecular Genetic and Endocrine Mechanisms of Hair Growth. Hormone Research in Paediatrics, 2003, 60, 1-13. | 0.8 | 50 |
| 164 | Hox in hair growth and development. Die Naturwissenschaften, 2003, 90, 193-211. | 0.6 | 81 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 165 | The Wnt signaling pathway and its role in tumor development. Journal of Cancer Research and Clinical Oncology, 2003, 129, 199-221. | 1.2 | 476 |
| 166 | Downregulation of caveolin-1 function by EGF leads to the loss of E-cadherin, increased transcriptional activity of β-catenin, and enhanced tumor cell invasion. Cancer Cell, 2003, 4, 499-515. | 7.7 | 617 |
| 167 | Caught up in a Wnt storm: Wnt signaling in cancer. Biochimica Et Biophysica Acta: Reviews on Cancer, 2003, 1653, 1-24. | 3.3 | 885 |
| 168 | Ectodysplasin regulates pattern formation in the mammalian hair coat. Genesis, 2003, 37, 30-37. | 0.8 | 30 |
| 169 | β-Catenin expression in thymocytes accelerates thymic involution. European Journal of Immunology, 2003, 33, 12-18. | 1.6 | 20 |
| 170 | Identification and characterization of Grainyhead-like epithelial transactivator (GET-1), a novel mammalian Grainyhead-like factor. Developmental Dynamics, 2003, 226, 604-617. | 0.8 | 63 |
| 171 | Adaptation to the sky: Defining the feather with integument fossils from mesozoic China and experimental evidence from molecular laboratories. The Journal of Experimental Zoology, 2003, 298B, 42-56. | 1.4 | 66 |
| 172 | Molecular biology of feather morphogenesis: A testable model for evo-devo research. The Journal of Experimental Zoology, 2003, 298B, 109-122. | 1.4 | 69 |
| 173 | Molecular biology of hair morphogenesis: Development and cycling. The Journal of Experimental Zoology, 2003, 298B, 164-180. | 1.4 | 144 |
| 174 | A Stem Cell Molecular Signature: Are There Hallmark Properties That are Shared by all Stem Cells?. ChemBioChem, 2003, 4, 716-720. | 1.3 | 4 |
| 175 | Mammalian skin evolution: a reevaluation. Experimental Dermatology, 2003, 12, 233-236. | 1.4 | 56 |
| 176 | Molecular insights into the hair follicle and its pathology: a review of recent developments. International Journal of Dermatology, 2003, 42, 40-43. | 0.5 | 18 |
| 177 | Bone Morphogenetic Proteins and Their Antagonists in Skin and Hair Follicle Biology. Journal of Investigative Dermatology, 2003, 120, 36-47. | 0.3 | 164 |
| 178 | Shift of Localized Growth Zones Contributes to Skin Appendage Morphogenesis: Role of the Wnt/β-catenin Pathway. Journal of Investigative Dermatology, 2003, 120, 20-26. | 0.3 | 71 |
| 179 | Hair Follicle Stem Cells. Journal of Investigative Dermatology Symposium Proceedings, 2003, 8, 28-38. | 0.8 | 133 |
| 180 | Molecular Control of Epithelial–Mesenchymal Interactions During Hair Follicle Cycling. Journal of Investigative Dermatology Symposium Proceedings, 2003, 8, 46-55. | 0.8 | 268 |
| 181 | Cytokines and Signal Transduction Pathways Mediated by Anthralin in Alopecia Areata-Affected Dundee ExperimentalBalding Rats. Journal of Investigative Dermatology Symposium Proceedings, 2003, 8, 87-90. | 0.8 | 13 |
| 182 | Keratin 15 Promoter Targets Putative Epithelial Stem Cells in the Hair Follicle Bulge. Journal of | 0.3 | 335 |

| | | EPORT | |
|-----|--|-----------|-----------|
| # | ARTICLE Role of Sonic hedgehog signaling in epithelial and mesenchymal development of hair follicles in an | IF 0.6 | CITATIONS |
| 100 | organ culture of embryonic mouse skin. Development Growth and Differentiation, 2003, 45, 231-239. | | |
| 184 | Covering the limb - formation of the integument. Journal of Anatomy, 2003, 202, 113-123. | 0.9 | 79 |
| 185 | Activation of Î ² -catenin in prostate epithelium induces hyperplasias and squamous transdifferentiation. Oncogene, 2003, 22, 3875-3887. | 2.6 | 127 |
| 186 | The circadian clock: pacemaker and tumour suppressor. Nature Reviews Cancer, 2003, 3, 350-361. | 12.8 | 596 |
| 187 | Stem-cell hierarchy in skin cancer. Nature Reviews Cancer, 2003, 3, 434-443. | 12.8 | 261 |
| 188 | Contribution of stem cells and differentiated cells to epidermal tumours. Nature Reviews Cancer, 2003, 3, 444-451. | 12.8 | 313 |
| 189 | Applying the principles of stem-cell biology to cancer. Nature Reviews Cancer, 2003, 3, 895-902. | 12.8 | 1,516 |
| 190 | 1 Developmental roles and clinical significance of Hedgehog signaling. Current Topics in Developmental Biology, 2003, 53, 1-114. | 1.0 | 799 |
| 191 | Stem cells in the skin: waste not, Wnt not. Genes and Development, 2003, 17, 1189-1200. | 2.7 | 297 |
| 192 | Differential Expression of Cyclin D1 in the Human Hair Follicle. American Journal of Pathology, 2003, 163, 969-978. | 1.9 | 58 |
| 193 | Hedgehog Signaling Regulates Sebaceous Gland Development. American Journal of Pathology, 2003, 163, 2173-2178. | 1.9 | 118 |
| 194 | Alterations of β-Catenin Pathway in Non-Melanoma Skin Tumors. American Journal of Pathology, 2003, 163, 2277-2287. | 1.9 | 329 |
| 195 | A role for Wnt signalling in self-renewal of haematopoietic stem cells. Nature, 2003, 423, 409-414. | 13.7 | 1,981 |
| 196 | Hair cycle regulation of Hedgehog signal reception. Developmental Biology, 2003, 255, 238-248. | 0.9 | 215 |
| 197 | Stimulation of ectodermal organ development by Ectodysplasin-A1. Developmental Biology, 2003, 259, 123-136. | 0.9 | 235 |
| 198 | Mechanisms of ectodermal organogenesis. Developmental Biology, 2003, 262, 195-205. | 0.9 | 436 |
| 199 | Shh expression is required for embryonic hair follicle but not mammary gland development. Developmental Biology, 2003, 264, 153-165. | 0.9 | 63 |
| 200 | Tyrosine kinase inhibitor STI-571/Gleevec down-regulates the β-catenin signaling activity. Cancer Letters, 2003, 193, 161-170. | 3.2 | 89 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 201 | Mutations in the Transcription Factor Gene SOX18 Underlie Recessive and Dominant Forms of Hypotrichosis-Lymphedema-Telangiectasia. American Journal of Human Genetics, 2003, 72, 1470-1478. | 2.6 | 370 |
| 202 | Roles of TGFÎ ² signaling in epidermal/appendage development. Cytokine and Growth Factor Reviews, 2003, 14, 99-111. | 3.2 | 37 |
| 203 | Ectodysplasin signaling in development. Cytokine and Growth Factor Reviews, 2003, 14, 211-224. | 3.2 | 184 |
| 204 | Links between signal transduction, transcription and adhesion in epithelial bud development. Nature, 2003, 422, 317-322. | 13.7 | 537 |
| 205 | Beta-catenin: a transforming actor on many stages. Breast Cancer Research, 2003, 5, 63. | 2.2 | 46 |
| 206 | Defining BMP functions in the hair follicle by conditional ablation of BMP receptor IA. Journal of Cell Biology, 2003, 163, 609-623. | 2.3 | 234 |
| 207 | Inducible mEDA-A1 transgene mediates sebaceous gland hyperplasia and differential formation of two types of mouse hair follicles. Human Molecular Genetics, 2003, 12, 2931-2940. | 1.4 | 60 |
| 208 | A crucial role for Fgfr2-IIIb signalling in epidermal development and hair follicle patterning. Development (Cambridge), 2003, 130, 5493-5501. | 1.2 | 141 |
| 209 | β-Catenin Regulation during the Cell Cycle: Implications in G2/M and Apoptosis. Molecular Biology of the Cell, 2003, 14, 2844-2860. | 0.9 | 177 |
| 210 | Evidence that Myc activation depletes the epidermal stem cell compartment by modulating adhesive interactions with the local microenvironment. Development (Cambridge), 2003, 130, 2793-2808. | 1.2 | 163 |
| 211 | Indian hedgehog and Â-catenin signaling: Role in the sebaceous lineage of normal and neoplastic mammalian epidermis. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 11873-11880. | 3.3 | 177 |
| 212 | β-Catenin Is Expressed Aberrantly in Tumors Expressing Shadow Cells. American Journal of Clinical Pathology, 2003, 120, 732-736. | 0.4 | 95 |
| 213 | GATA-3: an unexpected regulator of cell lineage determination in skin. Genes and Development, 2003, 17, 2108-2122. | 2.7 | 297 |
| 214 | `Cyclic alopecia' inMsx2mutants: defects in hair cycling and hair shaft differentiation. Development (Cambridge), 2003, 130, 379-389. | 1.2 | 141 |
| 215 | Transient activation of beta -catenin signaling in cutaneous keratinocytes is sufficient to trigger the active growth phase of the hair cycle in mice. Genes and Development, 2003, 17, 1219-1224. | 2.7 | 225 |
| 216 | Stem cells of the skin epithelium. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 11830-11835. | 3.3 | 451 |
| 217 | winglesssignaling regulates the maintenance of ovarian somatic stem cells inDrosophila. Development (Cambridge), 2003, 130, 3259-3268. | 1.2 | 132 |
| 218 | Adenomatous Polyposis Coli (APC)-independent Regulation of β-Catenin Degradation via a Retinoid X Receptor-mediated Pathway. Journal of Biological Chemistry, 2003, 278, 29954-29962. | 1.6 | 131 |

| # | Article | IF | CITATIONS |
|--|--|--|---|
| 219 | ldentification of Dss1 as a 12-O-Tetradecanoylphorbol-13-acetate-responsive Gene Expressed in Keratinocyte Progenitor Cells, with Possible Involvement in Early Skin Tumorigenesis. Journal of Biological Chemistry, 2003, 278, 1758-1768. | 1.6 | 32 |
| 220 | Beta-catenin signaling in prostate cancer: an early perspective Endocrine-Related Cancer, 2003, 10, 537-560. | 1.6 | 104 |
| 221 | Â-Catenin expression enhances generation of mature thymocytes. International Immunology, 2003, 15, 1485-1494. | 1.8 | 53 |
| 222 | b-Catenin Is Expressed Aberrantly in Tumors Expressing Shadow Cells Pilomatricoma, Craniopharyngioma, and Calcifying Odontogenic Cyst. American Journal of Clinical Pathology, 2003, 120, 732-736. | 0.4 | 46 |
| 223 | RING protein Trim32 associated with skin carcinogenesis has anti-apoptotic and E3-ubiquitin ligase properties. Carcinogenesis, 2003, 25, 157-167. | 1.3 | 105 |
| 224 | Inverse relationship between density of cutaneous hair and pigmented lesion count in patients with malignant melanoma. Melanoma Research, 2003, 13, 23-27. | 0.6 | 1 |
| 225 | The cyclooxygenase-2 pathway as a target for treatment or prevention of cancer. Expert Opinion on Emerging Drugs, 2003, 8, 1-7. | 1.0 | 32 |
| 226 | Abnormal epidermal differentiation and impaired epithelial-mesenchymal tissue interactions in mice lacking the retinoblastoma relatives p107 and p130. Development (Cambridge), 2003, 130, 2341-2353. | 1.2 | 54 |
| 227 | The new stem cell biology: something for everyone. Journal of Clinical Pathology, 2003, 56, 86-96. | 2.1 | 126 |
| | | | |
| 228 | Human Epidermal Stem Cells. , 2004, , 245-256. | | 1 |
| 228 229 | Human Epidermal Stem Cells. , 2004, , 245-256. Wnt / β-Catenin Signaling Pathway as Novel Cancer Drug Targets. Current Cancer Drug Targets, 2004, 4, 653-671. | 0.8 | 1 218 |
| 228 229 231 | Human Epidermal Stem Cells. , 2004, , 245-256. Wnt / β-Catenin Signaling Pathway as Novel Cancer Drug Targets. Current Cancer Drug Targets, 2004, 4, 653-671. Conditional targeting of E-cadherin in skin: Insights into hyperproliferative and degenerative responses. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 552-557. | 0.8 | 1 218 171 |
| 228 229 231 232 | Human Epidermal Stem Cells. , 2004, , 245-256. Wnt / β-Catenin Signaling Pathway as Novel Cancer Drug Targets. Current Cancer Drug Targets, 2004, 4, 653-671. Conditional targeting of E-cadherin in skin: Insights into hyperproliferative and degenerative responses. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 552-557. Transient activation of Î ² -catenin signalling in adult mouse epidermis is sufficient to induce new hair follicles but continuous activation is required to maintain hair follicle tumours. Development (Cambridge), 2004, 131, 1787-1799. | 0.8 3.3 1.2 | 1 218 171 298 |
| 228 229 231 232 232 | Human Epidermal Stem Cells. , 2004, , 245-256. Wht / β-Catenin Signaling Pathway as Novel Cancer Drug Targets. Current Cancer Drug Targets, 2004, 4, 653-671. Conditional targeting of E-cadherin in skin: Insights into hyperproliferative and degenerative responses. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 552-557. Transient activation of Î ² -catenin signalling in adult mouse epidermis is sufficient to induce new hair follicles but continuous activation is required to maintain hair follicle tumours. Development (Cambridge), 2004, 131, 1787-1799. The co-repressor hairless has a role in epithelial cell differentiation in the skin. Development (Cambridge), 2004, 131, 4189-4200. | 0.8 3.3 1.2 1.2 | 1 218 171 298 84 |
| 228 229 231 232 233 | Human Epidermal Stem Cells. , 2004, , 245-256. Wnt / β-Catenin Signaling Pathway as Novel Cancer Drug Targets. Current Cancer Drug Targets, 2004, 4, 653-671. Conditional targeting of E-cadherin in skin: Insights into hyperproliferative and degenerative responses. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 552-557. Transient activation of Î ² -catenin signalling in adult mouse epidermis is sufficient to induce new hair follicles but continuous activation is required to maintain hair follicle tumours. Development (Cambridge), 2004, 131, 1787-1799. The co-repressor hairless has a role in epithelial cell differentiation in the skin. Development (Cambridge), 2004, 131, 4189-4200. Basal Cell Carcinoma and Its Development. Cancer Research, 2004, 64, 934-941. | 0.8 3.3 1.2 1.2 0.4 | 1 218 171 298 84 115 |
| 2228 2229 2331 2332 2333 2334 | Human Epidermal Stem Cells. , 2004, , 245-256. Wht / β-Catenin Signaling Pathway as Novel Cancer Drug Targets. Current Cancer Drug Targets, 2004, 4, 653-671. Conditional targeting of E-cadherin in skin: Insights into hyperproliferative and degenerative responses. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 552-557. Transient activation of β-catenin signalling in adult mouse epidermis is sufficient to induce new hair follicles but continuous activation is required to maintain hair follicle tumours. Development (Cambridge), 2004, 131, 1787-1799. The co-repressor hairless has a role in epithelial cell differentiation in the skin. Development (Cambridge), 2004, 131, 4189-4200. Basal Cell Carcinoma and Its Development. Cancer Research, 2004, 64, 934-941. Canonical WNT signaling promotes mammary placode development and is essential for initiation of mammary gland morphogenesis. Development (Cambridge), 2004, 131, 4819-4829. | 0.8 3.3 1.2 1.2 0.4 | 1 218 171 298 84 115 |
| 2228 2229 2331 2332 2333 2334 2335 | Human Epidermal Stem Cells. , 2004, , 245-256. Wht / β:Catenin Signaling Pathway as Novel Cancer Drug Targets. Current Cancer Drug Targets, 2004, 4, 653-671. Conditional targeting of E-cadherin in skin: Insights into hyperproliferative and degenerative responses. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 552-557. Transient activation of Î ² -catenin signalling in adult mouse epidermis is sufficient to induce new hair follicles but continuous activation is required to maintain hair follicle tumours. Development (Cambridge), 2004, 131, 1787-1799. The co-repressor hairless has a role in epithelial cell differentiation in the skin. Development (Cambridge), 2004, 131, 4189-4200. Basal Cell Carcinoma and Its Development. Cancer Research, 2004, 64, 934-941. Canonical WNT signaling promotes mammary placode development and is essential for initiation of mammary gland morphogenesis. Development (Cambridge), 2004, 131, 4189-4829. Î ² -Catenin-Dependent and -Independent Effects of Î ⁿ N-Plakoglobin on Epidermal Growth and Differentiation. Molecular and Cellular Biology, 2004, 24, 8649-8661. | 0.8 3.3 1.2 1.2 0.4 1.2 | 1 218 171 298 84 115 243 28 |

CITATION REPORT ARTICLE IF CITATIONS From The Cover: Frizzled6 controls hair patterning in mice. Proceedings of the National Academy of 3.3 269 Sciences of the United States of America, 2004, 101, 9277-9281. Transgenic mouse models support HCR as an effector gene in the PSORS1 locus. Human Molecular 1.4 Genetics, 2004, 13, 1551-1561. A Mutation in the Serum and Glucocorticoid-Inducible Kinase-Like Kinase (Sgkl) Gene is Associated 7 1.5 with Defective Hair Growth in Mice. DNA Research, 2004, 11, 371-379. The transforming activity of Wnt effectors correlates with their ability to induce the accumulation of mammary progenitor cells. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 4158-4163. 288 Tcf3: a transcriptional regulator of axis induction in the early embryo. Development (Cambridge), 1.2 209 2004, 131, 263-274. Expression of Nodal, Lefty-A, and Lefty-B in Undifferentiated Human Embryonic Stem Cells Requires 1.6 Activation of Smad2/3. Journal of Biological Chemistry, 2004, 279, 45076-45084. Ectodysplasin A1 promotes placodal cell fate during early morphogenesis of ectodermal appendages. 1.2 146 Development (Cambridge), 2004, 131, 4907-4919. Epithelial Skin Stem Cells., 2004, , 257-267. \hat{l}^2 -Catenin Is Dispensable for Hematopoiesis and Lymphopoiesis. Journal of Experimental Medicine, 2004, 4.2 338 199, 221-229. A Signaling Pathway Involving TGF-¹2 and Snail in Hair Follicle Morphogenesis. PLoS Biology, 2004, 3, 2.6 148 Pilomatrix carcinoma with lymph node metastases. Journal of Cutaneous Pathology, 2004, 31, 330-335. 0.7 36 Regulation of Intestinal Stem Cells. Journal of Investigative Dermatology Symposium Proceedings, 0.8 2004, 9, 224-228. Keratinocyte Stem Cell Assays: An Evolving Science. Journal of Investigative Dermatology Symposium 0.8 48 Proceedings, 2004, 9, 238-247. Genes Involved in Stem Cell Fate Decisions and Commitment to Differentiation Play a Role in Skin 0.8 24 Disease. Journal of Investigative Dermatology Symposium Proceedings, 2004, 9, 261-268. Type II Collagen Accumulation in Overlying Dermo-Epidermal Junction of Pilomatricoma Is Mediated by 0.3 3 Bone Morphogenetic Protein 2 and 4. Journal of Investigative Dermatology, 2004, 122, 878-884. Macrophage-Stimulating Protein Promotes Hair Growth Ex Vivo and Induces Anagen from Telogen 24 Stage Hair Follicles In Vivo. Journal of Investigative Dermatology, 2004, 123, 34-40.

255Characterization of Lef-1 Promoter Segments that Facilitate Inductive Developmental Expression in
Skin. Journal of Investigative Dermatology, 2004, 123, 264-274.0.329256Regulating the Regulators: Routing the Wnt-β-Catenin–Lef Signals. Journal of Investigative0.34

239

240

241

242

243

245

246

247

248

249

251

253

| # | ARTICLE | IF | Citations |
|-----|--|------|-----------|
| 257 | signaling by a pharmacological GSK-3-specific inhibitor. Nature Medicine, 2004, 10, 55-63. | 15.2 | 1,920 |
| 258 | Working out the strength and flexibility of desmosomes. Nature Reviews Molecular Cell Biology, 2004, 5, 271-281. | 16.1 | 304 |
| 259 | Identification of IGFBP-6 as a significantly downregulated gene by β-catenin in desmoid tumors. Oncogene, 2004, 23, 654-664. | 2.6 | 47 |
| 260 | β-Catenin and TGFβ signalling cooperate to maintain a mesenchymal phenotype after FosER-induced epithelial to mesenchymal transition. Oncogene, 2004, 23, 2672-2680. | 2.6 | 147 |
| 261 | Stabilized β-catenin promotes hepatocyte proliferation and inhibits TNFα-induced apoptosis. Laboratory Investigation, 2004, 84, 332-341. | 1.7 | 40 |
| 262 | Major shifts in genomic activity accompany progression through different stages of the hair cycle. Gene Expression Patterns, 2004, 4, 141-152. | 0.3 | 27 |
| 263 | Notch signaling in the integrated control of keratinocyte growth/differentiation and tumor suppression. Seminars in Cancer Biology, 2004, 14, 374-386. | 4.3 | 118 |
| 264 | Lymphoid enhancer factor/T cell factor expression in colorectal cancer. Cancer and Metastasis Reviews, 2004, 23, 41-52. | 2.7 | 95 |
| 265 | Tumor stem cells. Pathology and Oncology Research, 2004, 10, 69-73. | 0.9 | 47 |
| 266 | CK20 expression, CDX2 expression,K-ras mutation, and goblet cell morphology in a subset of lung adenocarcinomas. Journal of Pathology, 2004, 203, 645-652. | 2.1 | 88 |
| 267 | beta-catenin expression in benign and malignant pilomatrix neoplasms. British Journal of Dermatology, 2004, 150, 511-516. | 1.4 | 85 |
| 268 | Retinoic acid receptor ? dominant negative form causes steatohepatitis and liver tumors in transgenic mice. Hepatology, 2004, 40, 366-375. | 3.6 | 139 |
| 269 | Essential roles of BMPR-IA signaling in differentiation and growth of hair follicles and in skin tumorigenesis. Genesis, 2004, 39, 10-25. | 0.8 | 68 |
| 270 | Functional link between retinoblastoma family of proteins and the Wnt signaling pathway in mouse epidermis. Developmental Dynamics, 2004, 230, 410-418. | 0.8 | 20 |
| 271 | Bmp7 mediates early signaling events during induction of chick epidermal organs. Developmental Dynamics, 2004, 231, 22-32. | 0.8 | 29 |
| 272 | Tooth patterning and enamel formation can be manipulated by misexpression of TNF receptor Edar. Developmental Dynamics, 2004, 231, 432-440. | 0.8 | 48 |
| 273 | Stem cell origin of cancer and differentiation therapy. Critical Reviews in Oncology/Hematology, 2004, 51, 1-28. | 2.0 | 581 |
| 274 | Targeted Disruption of the Protein Kinase SGK3/CISK Impairs Postnatal Hair Follicle Development. Molecular Biology of the Cell, 2004, 15, 4278-4288. | 0.9 | 68 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 275 | A molecular view of stem cell and cancer cell self-renewal. International Journal of Biochemistry and Cell Biology, 2004, 36, 684-694. | 1.2 | 52 |
| 276 | The ectodermal dysplasia receptor represses the Lef-1/β-catenin-dependent transcription independent of NF-κB activation. Biochemical and Biophysical Research Communications, 2004, 315, 73-78. | 1.0 | 9 |
| 277 | The dominant alopecia phenotypes Bareskin, Rex-denuded, and Reduced Coat 2 are caused by mutations in gasdermin 3. Genomics, 2004, 84, 824-835. | 1.3 | 78 |
| 278 | Morpho-Regulation of Ectodermal Organs. American Journal of Pathology, 2004, 164, 1099-1114. | 1.9 | 127 |
| 279 | Bone Morphogenetic Protein Signaling Regulates Postnatal Hair Follicle Differentiation and Cycling. American Journal of Pathology, 2004, 165, 729-740. | 1.9 | 69 |
| 280 | Dietary influences on endocrine–inflammatory interactions in prostate cancer development. Archives of Biochemistry and Biophysics, 2004, 428, 109-117. | 1.4 | 43 |
| 281 | Socializing with the Neighbors. Cell, 2004, 116, 769-778. | 13.5 | 1,626 |
| 282 | Pilomatricoma‣ike Changes in the Epidermoid Cysts of Gardner Syndrome with an APC Gene Mutation. Journal of Dermatology, 2004, 31, 255-257. | 0.6 | 30 |
| 283 | câ€Myc and Epidermal Stem Cell Fate Determination. Journal of Dermatology, 2004, 31, 368-375. | 0.6 | 36 |
| 284 | Regulation of desmosome assembly and adhesion. Seminars in Cell and Developmental Biology, 2004, 15, 665-677. | 2.3 | 141 |
| 285 | Histopathology of Hypotrichosis with Juvenile Macular Dystrophy. American Journal of Dermatopathology, 2004, 26, 205-209. | 0.3 | 18 |
| 286 | Wnt-responsive element controls Lef-1 promoter expression during submucosal gland morphogenesis. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2004, 287, L752-L763. | 1.3 | 34 |
| 287 | Histopathological and Ultrastructural Study of Ectodermal Dysplasia/Skin Fragility Syndrome. American Journal of Dermatopathology, 2005, 27, 333-338. | 0.3 | 30 |
| 289 | Cellular and Molecular Regulation of Hematopoietic and Intestinal Stem Cell Behavior. Annals of the New York Academy of Sciences, 2005, 1049, 28-38. | 1.8 | 32 |
| 290 | The Contribution of Epidermal Stem Cells to Skin Cancer. Stem Cell Reviews and Reports, 2005, 1, 225-232. | 5.6 | 40 |
| 291 | STEM CELL NICHE: Structure and Function. Annual Review of Cell and Developmental Biology, 2005, 21, 605-631. | 4.0 | 1,082 |
| 292 | Epithelial Stem Cells and Their Niche: There's No Place Like Home. Stem Cells, 2005, 23, 150-165. | 1.4 | 75 |
| 293 | Epidermal stem cells. Journal of the European Academy of Dermatology and Venereology, 2005, 19, 405-413. | 1.3 | 29 |

ARTICLE IF CITATIONS Caveolin-1 is expressed on multipotent cells of hair follicles and might be involved in their resistance 294 22 1.4 to chemotherapy. British Journal of Dermatology, 2005, 153, 506-513. Mice in the world of stem cell biology. Nature Genetics, 2005, 37, 1201-1206. 9.4 Migrating cancer stem cells â€" an integrated concept of malignant tumour progression. Nature 296 12.8 1,280 Reviews Cancer, 2005, 5, 744-749. G1/S transcriptional networks modulated by the HOX11/TLX1 oncogene of T-cell acute lymphoblastic leukemia. Oncogene, 2005, 24, 5561-5575. Wnt signalling in stem cells and cancer. Nature, 2005, 434, 843-850. 298 13.7 3,334 Conditional telomerase induction causes proliferation of hair follicle stem cells. Nature, 2005, 436, 299 13.7 1048-1052. Chromosomal protein HMGN1 modulates the expression of N-cadherin. FEBS Journal, 2005, 272, 300 2.2 22 5853-5863. Drebrin, an Actin-Binding, Cell-Type Characteristic Protein: Induction and Localization in Epithelial 0.3 37 Skin Tumors and Cultured Keratinocytes. Journal of Investigative Dermatology, 2005, 125, 761-774. Modulation of Hair Growth with Small Molecule Agonists of the Hedgehog Signaling Pathway. 303 0.3 109 Journal of Investigative Dermatology, 2005, 125, 638-646. Pilomatrix carcinomas contain mutations in CTNNB1, the gene encoding beta-catenin. Journal of 304 118 Cutaneous Pathology, 2005, 32, 148-157. Bone morphogenetic protein-mediated type II collagen expression in pilomatricoma and cutaneous 305 4 0.7 mixed tumor. Journal of Cutaneous Pathology, 2005, 32, 206-211. Basal cell carcinoma with matrical differentiation: a case study with analysis of beta-catenin*. 306 34 Journal of Cutaneous Pathology, 2005, 32, 245-250. Interpreting epithelial cancer biology in the context of stem cells: Tumor properties and therapeutic 307 3.3 70 implications. Biochimica Et Biophysica Acta: Reviews on Cancer, 2005, 1756, 25-52. Wnt Signaling in Stem Cells and Non–Small-Cell Lung Cancer. Clinical Lung Cancer, 2005, 7, 54-60. 308 1.1 58 309 Runx3 is involved in hair shape determination. Developmental Dynamics, 2005, 233, 1478-1487. 33 0.8 Molecular principles of hair follicle induction and morphogenesis. BioEssays, 2005, 27, 247-261. 1.2 A kindred with MYH-associated polyposis and pilomatricomas. American Journal of Medical Genetics, 3110.7 50 Part A, 2005, 134A, 212-214. Activation of Wnt/?-catenin/Tcf signaling in mouse skin carcinogenesis. Molecular Carcinogenesis, 1.3 46 2005, 42, 213-221.

| | | CITATION REPORT | | |
|-----|---|-------------------------|-----|-----------|
| # | Article | | IF | CITATIONS |
| 313 | A self-renewal assay for cancer stem cells. Cancer Chemotherapy and Pharmacology, 20 | 05, 56, 64-68. | 1.1 | 58 |
| 314 | Stimulation of Human Hair Growth by the Recombinant Human Keratinocyte Growth Fa Biotechnology Letters, 2005, 27, 749-752. | ctor-2 (KGF-2). | 1.1 | 35 |
| 315 | Expression of beta-catenin, p63 and CD34 in hair follicles during the course of androgen Archives of Dermatological Research, 2005, 297, 143-146. | ietic alopecia. | 1.1 | 6 |
| 316 | Signalling In The Epidermis: The E2f Cell Cycle Regulatory Pathway In Epidermal Morpho Regeneration And Transformation. International Journal of Biological Sciences, 2005, 1, | genesis, 87-95. | 2.6 | 26 |
| 319 | An Ideal Society? Neighbors of Diverse Origins Interact to Create and Maintain Complex the Skin. PLoS Biology, 2005, 3, e372. | Mini-Organs in | 2.6 | 17 |
| 320 | RAD001 (Everolimus) Improves the Efficacy of Replicating Adenoviruses that Target Colo Cancer Research, 2005, 65, 6882-6890. | on Cancer. | 0.4 | 58 |
| 321 | Desmosomal Cadherin Misexpression Alters Î ² -Catenin Stability and Epidermal Differenti Molecular and Cellular Biology, 2005, 25, 969-978. | ation. | 1.1 | 65 |
| 322 | Exploiting the Keratin 17 Gene Promoter To Visualize Live Cells in Epithelial Appendages Molecular and Cellular Biology, 2005, 25, 7249-7259. | of Mice. | 1.1 | 55 |
| 323 | Hairless triggers reactivation of hair growth by promoting Wnt signaling. Proceedings or National Academy of Sciences of the United States of America, 2005, 102, 14653-1465 | f the 8. | 3.3 | 133 |
| 324 | Developmental Diethylstilbestrol Exposure Alters Genetic Pathways of Uterine Cytodiffe Molecular Endocrinology, 2005, 19, 669-682. | rentiation. | 3.7 | 64 |
| 325 | Rise and Fall of Epithelial Phenotype. , 2005, , . | | | 11 |
| 326 | Transdifferentiation of corneal epithelium into epidermis occurs by means of a multister triggered by dermal developmental signals. Proceedings of the National Academy of Scie United States of America, 2005, 102, 3714-3719. | process ences of the | 3.3 | 119 |
| 327 | p21WAF1/Cip1 is a negative transcriptional regulator of Wnt4 expression downstream activation. Genes and Development, 2005, 19, 1485-1495. | of Notch1 | 2.7 | 190 |
| 328 | Defining the impact of Â-catenin/Tcf transactivation on epithelial stem cells. Genes and 2005, 19, 1596-1611. | Development, | 2.7 | 348 |
| 329 | Targeted activation of β-catenin signaling in basal mammary epithelial cells affects mam development and leads to hyperplasia. Development (Cambridge), 2005, 132, 267-277. | ımary | 1.2 | 159 |
| 330 | Wnt signaling through canonical and non-canonical pathways: Recent progress. Growth 2005, 23, 111-116. | Factors, | 0.5 | 196 |
| 331 | Constitutively Active β-Catenin Confers Multilineage Differentiation Potential on Lymph Myeloid Progenitors. Immunity, 2005, 23, 599-609. | ioid and | 6.6 | 83 |
| 332 | β-catenin and its regulatory network. Human Pathology, 2005, 36, 225-227. | | 1.1 | 37 |

ARTICLE IF CITATIONS # Ectopic Expression of Oct-4 Blocks Progenitor-Cell Differentiation and Causes Dysplasia in Epithelial 333 13.5 780 Tissues. Cell, 2005, 121, 465-477. Canonical Wnt Signaling in Differentiated Osteoblasts Controls Osteoclast Differentiation. 334 3.1 1,402 Developmental Cell, 2005, 8, 751-764. Wnt/Î²-Catenin Signaling in Mesenchymal Progenitors Controls Osteoblast and Chondrocyte 335 3.1 1,462 Differentiation during Vertebrate Skeletogenesis. Developmental Cell, 2005, 8, 739-750. \hat{l}^2 -Catenin and Hedgehog Signal Strength Can Specify Number and Location of Hair Follicles in Adult 3.1 Epidermis without Recruitment of Bulge Stem Cells. Developmental Cell, 2005, 9, 121-131. Shh Controls Epithelial Proliferation via Independent Pathways that Converge on N-Myc. 337 3.1 99 Developmental Cell, 2005, 9, 293-303. Wnt signaling in lung cancer. Cancer Letters, 2005, 222, 1-10. 3.2 339 BMP signaling and stem cell regulation. Developmental Biology, 2005, 284, 1-11. 0.9 197 Pathways to improving skin regeneration. Expert Reviews in Molecular Medicine, 2005, 7, 1-14. 340 1.6 26 341 Hair follicles and their role in skin health. Expert Review of Dermatology, 2006, 1, 855-871. 0.3 12 342 Epithelial Skin Stem Cells. Methods in Enzymology, 2006, 419, 73-99. 0.4 WNT and DKK Determine Hair Follicle Spacing Through a Reaction-Diffusion Mechanism. Science, 2006, 343 6.0 538 314, 1447-1450. Epidermal Stem Cells of the Skin. Annual Review of Cell and Developmental Biology, 2006, 22, 339-373. 344 681 Mathematical modelling of the loss of tissue compression responsiveness and its role in solid 345 0.8 161 tumour development. Mathematical Medicine and Biology, 2006, 23, 197-229. Involvement of the Edar Signaling in the Control of Hair Follicle Involution (Catagen). American Journal of Pathology, 2006, 169, 2075-2084. 346 1.9 beta-Catenin mutation and its nuclear localization are confirmed to be frequent causes of Wnt 347 1.0 90 signaling pathway activation in pilomatricomas. Journal of Dermatological Science, 2006, 41, 67-75. Tcf3 Governs Stem Cell Features and Represses Cell Fate Determination in Skin. Cell, 2006, 127, 171-183. 348 262 Wnt/l²-Catenin Signaling in Development and Disease. Cell, 2006, 127, 469-480. 349 4,999 13.5 Smad7-Induced Î²-Catenin Degradation Alters Epidermal Appendage Development. Developmental Cell, 3.1 144 2006, 11, 301-312.

| | CITATION R | .EPORT | |
|-----|---|--------|-----------|
| # | Article | IF | CITATIONS |
| 351 | Catenins: Keeping Cells from Getting Their Signals Crossed. Developmental Cell, 2006, 11, 601-612. | 3.1 | 257 |
| 352 | Lef1 is required for the transition of Wnt signaling from mesenchymal to epithelial cells in the mouse embryonic mammary gland. Developmental Biology, 2006, 295, 219-231. | 0.9 | 119 |
| 353 | Epidermal stem cells. Frontiers in Bioscience - Landmark, 2006, 11, 1031. | 3.0 | 16 |
| 354 | GSK-3 and Stem Cells. , 0, , 155-171. | | 0 |
| 358 | Hairless: A nuclear receptor corepressor essential for skin function. Advances in Developmental Biology (Amsterdam, Netherlands), 2006, , 357-387. | 0.4 | 0 |
| 359 | Wnt signaling induces epithelial differentiation during cutaneous wound healing. BMC Cell Biology, 2006, 7, 4. | 3.0 | 128 |
| 360 | Embryonic dermal condensation and adult dermal papilla induce hair follicles in adult glabrous epidermis through different mechanisms. Development Growth and Differentiation, 2006, 48, 73-86. | 0.6 | 32 |
| 361 | Ectopic sebaceous gland: a developmental anomaly. Journal of Cutaneous Pathology, 2006, 33, 519-521. | 0.7 | 7 |
| 362 | Control of β atenin Signaling in Tumor Development. Annals of the New York Academy of Sciences, 2000, 910, 21-35. | 1.8 | 200 |
| 363 | Cancer stem cells – new and potentially important targets for the therapy of oral squamous cell carcinoma. Oral Diseases, 2006, 12, 443-454. | 1.5 | 97 |
| 364 | The stem-cell niche as an entity of action. Nature, 2006, 441, 1075-1079. | 13.7 | 1,665 |
| 365 | Bone Morphogenetic Protein Signaling Inhibits Hair Follicle Anagen Induction by Restricting Epithelial Stem/Progenitor Cell Activation and Expansion. Stem Cells, 2006, 24, 2826-2839. | 1.4 | 147 |
| 366 | Normal Stem Cells and Cancer Stem Cells: The Niche Matters: Figure 1 Cancer Research, 2006, 66, 4553-4557. | 0.4 | 663 |
| 367 | Stem Cells and Their Niches. Science, 2006, 311, 1880-1885. | 6.0 | 1,403 |
| 368 | The Mammary Bud as a Skin Appendage: Unique and Shared Aspects of Development. Journal of Mammary Gland Biology and Neoplasia, 2006, 11, 187-203. | 1.0 | 118 |
| 369 | Distinct epidermal stem cell compartments are maintained by independent niche microenvironments. Stem Cell Reviews and Reports, 2006, 2, 221-231. | 5.6 | 42 |
| 370 | The Development of Archosaurian First-Generation Teeth in a Chicken Mutant. Current Biology, 2006, 16, 371-377. | 1.8 | 122 |
| 371 | β-catenin-mediated signaling: A novel molecular target for chemoprevention with anti-inflammatory substances. Biochimica Et Biophysica Acta: Reviews on Cancer, 2006, 1765, 14-24. | 3.3 | 21 |

| | | CITATION REPORT | | |
|-----|--|-----------------------------------|-----|-----------|
| # | Article | | IF | Citations |
| 372 | Controlling the stem cell niche: right time, right place, right strength. BioEssays, 2006 | , 28, 1-5. | 1.2 | 31 |
| 373 | Bmp signaling is required for intestinal growth and morphogenesis. Developmental Dy 235, 1563-1570. | namics, 2006, | 0.8 | 134 |
| 374 | Induction of p16INK4A mediated by β-catenin in a TCF4-independent manner: Implication p16INK4A and pRb expression during trans-differentiation of endometrial carcinoma International Journal of Cancer, 2006, 119, 2294-2303. | tions for alterations a cells. | 2.3 | 20 |
| 375 | The genetic basis of tooth development and dental defects. American Journal of Medic A, 2006, 140A, 2530-2535. | al Genetics, Part | 0.7 | 282 |
| 376 | EDA Signaling and Skin Appendage Development. Cell Cycle, 2006, 5, 2477-2483. | | 1.3 | 115 |
| 377 | Hairless and Wnt Signaling: Allies in Epithelial Stem Cell Differentiation. Cell Cycle, 200 | 06, 5, 1913-1917. | 1.3 | 72 |
| 378 | Role of sonic hedgehog in maintaining a pool of proliferating stem cells in the human f Human Reproduction, 2006, 21, 1698-1704. | etal epidermis. | 0.4 | 39 |
| 379 | The hair cycle. Journal of Cell Science, 2006, 119, 391-393. | | 1.2 | 400 |
| 380 | The Wnt Signaling Receptor Lrp5 Is Required for Mammary Ductal Stem Cell Activity a Tumorigenesis. Journal of Biological Chemistry, 2006, 281, 35081-35087. | nd Wnt1-induced | 1.6 | 142 |
| 381 | Regeneration of Epidermal and Dental Tissues, Lens and Cornea. , 2006, , 41-62. | | | 0 |
| 382 | Ectodysplasin regulates the lymphotoxin-beta pathway for hair differentiation. Proceed National Academy of Sciences of the United States of America, 2006, 103, 9142-9147 | lings of the '. | 3.3 | 54 |
| 383 | Repression of Nanog Gene Transcription by Tcf3 Limits Embryonic Stem Cell Self-Rene and Cellular Biology, 2006, 26, 7479-7491. | wal. Molecular | 1.1 | 277 |
| 384 | Constitutively Active \hat{l}^2 -Catenin Promotes Expansion of Multipotent Hematopoietic Proceed Culture. Journal of Immunology, 2006, 177, 2294-2303. | ogenitors in | 0.4 | 53 |
| 385 | Adenomatous Polyposis Coli (APC) Is Required for Normal Development of Skin and Th Genetics, 2006, 2, e146. | iymus. PLoS | 1.5 | 164 |
| 386 | Patched1 Functions as a Gatekeeper by Promoting Cell Cycle Progression. Cancer Rese 2081-2088. | earch, 2006, 66, | 0.4 | 168 |
| 387 | PTEN Loss Promotes rasHa-Mediated Papillomatogenesis via Dual Up-Regulation of AK Cycle Deregulation but Malignant Conversion Proceeds via PTEN-Associated Pathways Research, 2006, 66, 1302-1312. | T Activity and Cell . Cancer | 0.4 | 29 |
| 388 | NF-κB transmits Eda A1/EdaR signalling to activate Shh and cyclin D1 expression, and post-initiation hair placode down growth. Development (Cambridge), 2006, 133, 1045 | controls 5-1057. | 1.2 | 153 |
| 389 | p27Kip1 Repression of ErbB2-Induced Mammary Tumor Growth in Transgenic Mice Inv Wnt∫î²-Catenin Signaling. Cancer Research, 2006, 66, 8529-8541. | olves Skp2 and | 0.4 | 39 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 390 | Tissue Stem Cells. , 0, , . | | 6 |
| 392 | Impaired Notch Signaling Promotes De novo Squamous Cell Carcinoma Formation. Cancer Research, 2006, 66, 7438-7444. | 0.4 | 208 |
| 393 | The desmosome: cell science lessons from human diseases. Journal of Cell Science, 2006, 119, 797-806. | 1.2 | 170 |
| 394 | Sox2 is required for development of taste bud sensory cells. Genes and Development, 2006, 20, 2654-2659. | 2.7 | 174 |
| 395 | Links between α-catenin, NF-κB, and squamous cell carcinoma in skin. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 2322-2327. | 3.3 | 117 |
| 396 | Generation of the primary hair follicle pattern. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 9075-9080. | 3.3 | 193 |
| 397 | Continuous tooth generation in mouse is induced by activated epithelial Wnt/beta-catenin signaling. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 18627-18632. | 3.3 | 355 |
| 398 | An Unconventional Nuclear Localization Motif Is Crucial for Function of the Drosophila Wnt/Wingless Antagonist Naked Cuticle. Genetics, 2006, 174, 331-348. | 1.2 | 21 |
| 399 | Presenilin-1 Interacts with Plakoglobin and Enhances Plakoglobin-Tcf-4 Association. Journal of Biological Chemistry, 2006, 281, 1401-1411. | 1.6 | 14 |
| 400 | Wnt-mediated Down-regulation of Sp1 Target Genes by a Transcriptional Repressor Sp5. Journal of Biological Chemistry, 2007, 282, 1225-1237. | 1.6 | 67 |
| 401 | Reciprocal asymmetry of SYS-1/beta-catenin and POP-1/TCF controls asymmetric divisions in Caenorhabditis elegans. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 3231-3236. | 3.3 | 114 |
| 403 | Vitamin D receptor is essential for normal keratinocyte stem cell function. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 9428-9433. | 3.3 | 137 |
| 404 | HIPK2 represses beta-catenin-mediated transcription, epidermal stem cell expansion, and skin tumorigenesis. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 13040-13045. | 3.3 | 122 |
| 405 | Ectodysplasin has a dual role in ectodermal organogenesis: inhibition of Bmp activity and induction of Shh expression. Development (Cambridge), 2007, 134, 117-125. | 1.2 | 155 |
| 406 | Microarray RNA/DNA in Different Stem Cell Lines. Current Pharmaceutical Biotechnology, 2007, 8, 167-175. | 0.9 | 13 |
| 407 | The Wntâ€signaling pathways in mammalian patterning and morphogenesis. Advances in Developmental Biology (Amsterdam, Netherlands), 2007, 17, 111-158. | 0.4 | 1 |
| 408 | R-Spondins in Cutaneous Biology: Nails and Cancer. Cell Cycle, 2007, 6, 895-897. | 1.3 | 11 |
| 409 | Canonical WNT Signalling Controls Hair Follicle Spacing. Cell Adhesion and Migration, 2007, 1, 149-151. | 1.1 | 18 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 410 | Transcriptome and phenotypic analysis reveals Gata3-dependent signalling pathways in murine hair follicles. Development (Cambridge), 2007, 134, 261-272. | 1.2 | 81 |
| 411 | l²-Catenin induces immortalization of melanocytes by suppressing <i>p16^{INK4a}</i> expression and cooperates with N-Ras in melanoma development. Genes and Development, 2007, 21, 2923-2935. | 2.7 | 283 |
| 412 | Dual Role of Inactivating Lef1 Mutations in Epidermis: Tumor Promotion and Specification of Tumor Type. Cancer Research, 2007, 67, 2916-2921. | 0.4 | 69 |
| 413 | Adenomatous polyposis coli (APC): a multi-functional tumor suppressor gene. Journal of Cell Science, 2007, 120, 3327-3335. | 1.2 | 423 |
| 414 | Cancer Stem Cells. , 2007, , . | | 2 |
| 415 | β-Catenin Expression Enhances IL-7 Receptor Signaling in Thymocytes during Positive Selection. Journal of Immunology, 2007, 179, 126-131. | 0.4 | 37 |
| 416 | Organization of Cells into Higher-Ordered Structures. , 2007, , 67-79. | | 3 |
| 417 | The pattern of β-catenin responsiveness within the mammary gland is regulated by progesterone receptor. Development (Cambridge), 2007, 134, 3703-3712. | 1.2 | 17 |
| 418 | Stem Cells, Cancer, Liver, and Liver Cancer Stem Cells: Finding a Way Out of the Labyrinth Current Cancer Drug Targets, 2007, 7, 582-590. | 0.8 | 12 |
| 419 | Wnt signaling interacts with Shh to regulate taste papilla development. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 2253-2258. | 3.3 | 148 |
| 420 | Loss of a quiescent niche but not follicle stem cells in the absence of bone morphogenetic protein signaling. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 10063-10068. | 3.3 | 276 |
| 421 | β-Catenin Regulates Positive Selection of Thymocytes but Not Lineage Commitment. Journal of Immunology, 2007, 178, 5028-5034. | 0.4 | 34 |
| 422 | Wnt Signaling in Stem Cells and Lung Cancer. , 2007, , 27-58. | | 20 |
| 423 | Genetic basis of skin appendage development. Seminars in Cell and Developmental Biology, 2007, 18, 225-236. | 2.3 | 98 |
| 424 | Localization of Shh expression by Wnt and Eda affects axial polarity and shape of hairs. Developmental Biology, 2007, 305, 246-261. | 0.9 | 35 |
| 425 | Hairy Math: Insights into Hair-Follicle Spacing and Orientation. Cell, 2007, 128, 17-20. | 13.5 | 25 |
| 426 | Polo Delivers a PICH to the Kinetochore. Cell, 2007, 128, 20-21. | 13.5 | 4 |
| 427 | Epithelial Stem Cells: Turning over New Leaves. Cell, 2007, 128, 445-458. | 13.5 | 511 |

| | Сіта | tion Report | |
|-----|---|-------------|-----------|
| # | ARTICLE | IF | CITATIONS |
| 428 | Signaling in adult stem cells. Frontiers in Bioscience - Landmark, 2007, 12, 3911. | 3.0 | 32 |
| 429 | Cancer stem cells and human malignant melanoma. Pigment Cell and Melanoma Research, 2008, 21, 39-55. | 1.5 | 181 |
| 430 | Desmosomes: New Perspectives on a Classic. Journal of Investigative Dermatology, 2007, 127, 2499-25 | 15. 0.3 | 339 |
| 431 | Notch Signaling in Development and Cancer. Endocrine Reviews, 2007, 28, 339-363. | 8.9 | 474 |
| 432 | Precancerous Lesions Upon Sporadic Activation of β-Catenin in Mice. Gastroenterology, 2007, 132, 1299-1308. | 0.6 | 13 |
| 433 | Mouse Skin Ectodermal Organs. , 2007, , 691-730. | | 3 |
| 435 | B4-03: Small cell cancer with an unknown primary site had a better prognosis than advanced small cell lung cancer. Journal of Thoracic Oncology, 2007, 2, S344. | 0.5 | 0 |
| 436 | Dermal condensation formation in the chick embryo: Requirement for integrin engagement and subsequent stabilization by a possible Notch/integrin interaction. Developmental Dynamics, 2007, 236, 755-768. | 0.8 | 22 |
| 437 | Role of Pinin in neural crest, dorsal dermis, and axial skeleton development and its involvement in the regulation of Tcf/Lef activity in mice. Developmental Dynamics, 2007, 236, 2147-2158. | 0.8 | 20 |
| 438 | The microenvironment of the embryonic neural stem cell: Lessons from adult niches?. Developmental Dynamics, 2007, 236, 3267-3282. | 0.8 | 55 |
| 439 | Developmental phenotypes and reduced Wnt signaling in mice deficient forpygopus 2. Genesis, 2007, 4 318-325. | 5, 0.8 | 54 |
| 440 | Distinct roles of individual Smads in skin carcinogenesis. Molecular Carcinogenesis, 2007, 46, 660-664. | 1.3 | 16 |
| 441 | Wnt signaling induces differentiation of progenitor cells in organotypic keratinocyte cultures. BMC Developmental Biology, 2007, 7, 9. | 2.1 | 17 |
| 442 | Tumor progression induced by the loss of E-cadherin independent of Î ² -catenin/Tcf-mediated Wnt signaling. Oncogene, 2007, 26, 2290-2298. | 2.6 | 114 |
| 443 | Akt activation induces epidermal hyperplasia and proliferation of epidermal progenitors. Oncogene, 2007, 26, 4882-4888. | 2.6 | 65 |
| 444 | Wnt-β-catenin signaling initiates taste papilla development. Nature Genetics, 2007, 39, 106-112. | 9.4 | 139 |
| 445 | Beyond tumorigenesis: cancer stem cells in metastasis. Cell Research, 2007, 17, 3-14. | 5.7 | 551 |
| 446 | Plakoglobin Deficiency Protects Keratinocytes from Apoptosis. Journal of Investigative Dermatology, 2007, 127, 792-801. | 0.3 | 37 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 447 | Scratching the surface of skin development. Nature, 2007, 445, 834-842. | 13.7 | 779 |
| 448 | Wnt-dependent de novo hair follicle regeneration in adult mouse skin after wounding. Nature, 2007, 447, 316-320. | 13.7 | 919 |
| 449 | CANCER STEM CELLS: A REVIEW. ANZ Journal of Surgery, 2007, 77, 464-468. | 0.3 | 78 |
| 450 | Increased nuclear β-catenin in suprabasal involved psoriatic epidermis. British Journal of Dermatology, 2007, 157, 1168-1177. | 1.4 | 43 |
| 451 | Paraneoplastic hypertrichosis lanuginosa acquisita: uncommon or overlooked?. British Journal of Dermatology, 2007, 157, 1087-1092. | 1.4 | 56 |
| 452 | Integrated morphogen signal inputs in γδversus αβ T-cell differentiation. Immunological Reviews, 2007, 215, 32-45. | 2.8 | 12 |
| 453 | Cell adhesion protein expression in melanocytic matricoma. Journal of Cutaneous Pathology, 2007, 34, 456-460. | 0.7 | 26 |
| 454 | Using biomarker signature patterns for an mRNA molecular diagnostic of mouse embryonic stem cell differentiation state. BMC Genomics, 2007, 8, 210. | 1.2 | 2 |
| 455 | Hair follicle stem cells: Walking the maze. European Journal of Cell Biology, 2007, 86, 355-376. | 1.6 | 167 |
| 456 | Apoptosis of male germ-line stem cells after laser ablation of their niche. Stem Cell Research, 2007, 1, 75-85. | 0.3 | 8 |
| 457 | Stem cell niches. Biology Bulletin, 2007, 34, 211-220. | 0.1 | 9 |
| 458 | Signaling pathways regulating proliferation of mouse embryonic stem cells. Cell and Tissue Biology, 2007, 1, 191-205. | 0.2 | 1 |
| 459 | Progress and Potential for Regenerative Medicine. Annual Review of Medicine, 2007, 58, 299-312. | 5.0 | 143 |
| 460 | Stem Cells and TCF Proteins: A Role for β-Catenin—Independent Functions. Stem Cell Reviews and Reports, 2007, 3, 39-48. | 5.6 | 16 |
| 461 | Epidermal stem cells in skin homeostasis and cutaneous carcinomas. Clinical and Translational Oncology, 2007, 9, 760-766. | 1.2 | 4 |
| 462 | Epidermal stem cell fate: what can we learn from embryonic stem cells?. Cell and Tissue Research, 2008, 331, 103-107. | 1.5 | 16 |
| 463 | Tumor progression of cultureâ€adapted human embryonic stem cells during longâ€ŧerm culture. Genes Chromosomes and Cancer, 2008, 47, 665-679. | 1.5 | 82 |
| 464 | Origin of Cancer Stem Cells: The Role of Self-Renewal and Differentiation. Annals of Surgical Oncology, 2008, 15, 407-414. | 0.7 | 54 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 465 | Isolation and Molecular Characterization of Cancer Stem Cells in MMTV- <i>Wnt-1</i> Murine Breast Tumors. Stem Cells, 2008, 26, 364-371. | 1.4 | 262 |
| 466 | Characterization of Bipotential Epidermal Progenitors Derived from Human Sebaceous Gland: Contrasting Roles of c-Myc and <i>β</i> -Catenin. Stem Cells, 2008, 26, 1241-1252. | 1.4 | 117 |
| 467 | Conditional Stabilization of <i>β</i> -Catenin Expands the Pool of Lung Stem Cells. Stem Cells, 2008, 26, 1337-1346. | 1.4 | 128 |
| 468 | Wnt signaling: the good and the bad. Acta Biochimica Et Biophysica Sinica, 2008, 40, 577-594. | 0.9 | 42 |
| 469 | Notch tumor suppressor function. Oncogene, 2008, 27, 5115-5123. | 2.6 | 228 |
| 470 | Pathological responses to oncogenic Hedgehog signaling in skin are dependent on canonical Wnt/l²-catenin signaling. Nature Genetics, 2008, 40, 1130-1135. | 9.4 | 186 |
| 471 | Hedgehog in Wnterland. Nature Genetics, 2008, 40, 1040-1041. | 9.4 | 17 |
| 472 | Wnt signalling and its impact on development and cancer. Nature Reviews Cancer, 2008, 8, 387-398. | 12.8 | 1,390 |
| 473 | No place like home: anatomy and function of the stem cell niche. Nature Reviews Molecular Cell Biology, 2008, 9, 11-21. | 16.1 | 659 |
| 474 | Ectopic Expression of Syndecan-1 in Basal Epidermis Affects Keratinocyte Proliferation and Wound Re-Epithelialization. Journal of Investigative Dermatology, 2008, 128, 26-34. | 0.3 | 25 |
| 475 | Transcriptional activation of a subset of hair keratin genes by the NF-κB effector p65/RelA. Differentiation, 2008, 76, 518-530. | 1.0 | 7 |
| 476 | Human skin stem cells and the ageing process. Experimental Gerontology, 2008, 43, 986-997. | 1.2 | 145 |
| 477 | The novel protein PTPIP51 is expressed in human keratinocyte carcinomas and their surrounding stroma. Journal of Cellular and Molecular Medicine, 2008, 12, 2083-2095. | 1.6 | 16 |
| 478 | Tissue-Specific Transgenic, Conditional Knockout and Knock-In Mice of Genes in the Canonical Wnt Signaling Pathway. Methods in Molecular Biology, 2008, 468, 307-331. | 0.4 | 31 |
| 479 | Hair physiology and its disorders. Drug Discovery Today Disease Mechanisms, 2008, 5, e163-e171. | 0.8 | 27 |
| 481 | Biology of the Hair Follicle. , 2008, , 1-22. | | 33 |
| 482 | Dermatopathology and molecular genetics. Journal of the American Academy of Dermatology, 2008, 58, 452-457. | 0.6 | 12 |
| 483 | Wnt/β-catenin signaling directs multiple stages of tooth morphogenesis. Developmental Biology, 2008, 313, 210-224. | 0.9 | 340 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 484 | Impaired skin and hair follicle development in Runx2 deficient mice. Developmental Biology, 2008, 315, 459-473. | 0.9 | 32 |
| 485 | WNT5A selectively inhibits mouse ventral prostate development. Developmental Biology, 2008, 324, 10-17. | 0.9 | 40 |
| 486 | Dynamic regulation of retinoic acid-binding proteins in developing, adult and neoplastic skin reveals roles for β-catenin and Notch signalling. Developmental Biology, 2008, 324, 55-67. | 0.9 | 85 |
| 487 | NFATc1 Balances Quiescence and Proliferation of Skin Stem Cells. Cell, 2008, 132, 299-310. | 13.5 | 383 |
| 488 | Conversion of the Nipple to Hair-Bearing Epithelia by Lowering Bone Morphogenetic Protein Pathway Activity at the Dermal-Epidermal Interface. American Journal of Pathology, 2008, 173, 1339-1348. | 1.9 | 44 |
| 489 | Skin stem cells: rising to the surface. Journal of Cell Biology, 2008, 180, 273-284. | 2.3 | 385 |
| 490 | More than one way to skin Genes and Development, 2008, 22, 976-985. | 2.7 | 192 |
| 491 | Wnt/Notch signalling and information processing during development. Development (Cambridge), 2008, 135, 411-424. | 1.2 | 260 |
| 492 | Islet Specific Wnt Activation in Human Type II Diabetes. Experimental Diabetes Research, 2008, 2008, 1-13. | 3.8 | 50 |
| 493 | Wnt/β-catenin signaling in cerebral cortical development. Organogenesis, 2008, 4, 76-80. | 0.4 | 62 |
| 494 | Sustained epithelial β-catenin activity induces precocious hair development but disrupts hair follicle down-growth and hair shaft formation. Development (Cambridge), 2008, 135, 1019-1028. | 1.2 | 114 |
| 495 | Vitamin D and Human Health: Lessons from Vitamin D Receptor Null Mice. Endocrine Reviews, 2008, 29, 726-776. | 8.9 | 1,461 |
| 496 | Activation of β-catenin signaling programs embryonic epidermis to hair follicle fate. Development (Cambridge), 2008, 135, 2161-2172. | 1.2 | 179 |
| 497 | Accelerated re-epithelialization in <i>Dpr2</i> -deficient mice is associated with enhanced response to TGFÎ ² signaling. Journal of Cell Science, 2008, 121, 2904-2912. | 1.2 | 30 |
| 498 | Maintenance and Repair of the Bronchiolar Epithelium. Proceedings of the American Thoracic Society, 2008, 5, 328-333. | 3.5 | 126 |
| 499 | TERT Promotes Epithelial Proliferation through Transcriptional Control of a Myc- and Wnt-Related Developmental Program. PLoS Genetics, 2008, 4, e10. | 1.5 | 283 |
| 500 | Dlx3 is a crucial regulator of hair follicle differentiation and cycling. Development (Cambridge), 2008, 135, 3149-3159. | 1.2 | 121 |
| 501 | Dissecting the role of cadherin–catenin proteins in mammalian epidermis. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 15225-15226. | 3.3 | 7 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 502 | β-Catenin Expression Results in p53-Independent DNA Damage and Oncogene-Induced Senescence in Prelymphomagenic Thymocytes In Vivo. Molecular and Cellular Biology, 2008, 28, 1713-1723. | 1.1 | 67 |
| 503 | Molecular Organization of Cells. , 2008, , 50-65. | | Ο |
| 504 | The Molecular Basis of Pluripotency in Principles of Regenerative Medicine. , 2008, , 126-135. | | 0 |
| 505 | Expression of Cadherin/Catenin Cell—Cell Adhesion Molecules in a Onychomatricoma. International Journal of Surgical Pathology, 2008, 16, 349-353. | 0.4 | 11 |
| 506 | Deciphering the function of canonical Wnt signals in development and disease: conditional loss- and gain-of-function mutations of β-catenin in mice. Genes and Development, 2008, 22, 2308-2341. | 2.7 | 512 |
| 507 | Cancer Stem Cells: How can we Target them?. Current Medicinal Chemistry, 2008, 15, 3171-3184. | 1.2 | 102 |
| 508 | Wnt signaling in skin organogenesis. Organogenesis, 2008, 4, 123-133. | 0.4 | 67 |
| 510 | The Vitamin D Receptor Is a Wnt Effector that Controls Hair Follicle Differentiation and Specifies Tumor Type in Adult Epidermis. PLoS ONE, 2008, 3, e1483. | 1.1 | 123 |
| 511 | Building Epithelial Tissues from Skin Stem Cells. Cold Spring Harbor Symposia on Quantitative Biology, 2008, 73, 333-350. | 2.0 | 75 |
| 514 | Stem Cells in Gastrointestinal Cancers. Disease Markers, 2008, 24, 217-222. | 0.6 | 1 |
| 515 | Armadillo Repeat Proteins at Epithelial Adherens Junctions. , 0, , 151-167. | | 1 |
| 516 | Thyroidectomy and Parathyroidectomy. , 2009, , 177-187. | | 0 |
| 517 | Stem Cell Niches. , 2009, , 61-72. | | 0 |
| 518 | Hairless is a nuclear receptor corepressor essential for skin function. Nuclear Receptor Signaling, 2009, 7, nrs.07010. | 1.0 | 27 |
| 519 | Palmitoylation Regulates Epidermal Homeostasis and Hair Follicle Differentiation. PLoS Genetics, 2009, 5, e1000748. | 1.5 | 81 |
| 520 | MMTV-Wnt1 and -ΔN89β-Catenin Induce Canonical Signaling in Distinct Progenitors and Differentially Activate Hedgehog Signaling within Mammary Tumors. PLoS ONE, 2009, 4, e4537. | 1.1 | 63 |
| 521 | Prostate cancer stem cells. , 0, , 15-30. | | 0 |
| 522 | Akt2 and SGK3 are both determinants of postnatal hair follicle development. FASEB Journal, 2009, 23, 3193-3202. | 0.2 | 20 |

ARTICLE IF CITATIONS # Pygo2 expands mammary progenitor cells by facilitating histone H3 K4 methylation. Journal of Cell 524 2.3 113 Biology, 2009, 185, 811-826. The Desmosome. Cold Spring Harbor Perspectives in Biology, 2009, 1, a002543-a002543. 2.3 In Pursuit of Leucine-Rich Repeat-Containing G Protein-Coupled Receptor-5 Regulation and Function in 526 1.4 33 the Uterus. Endocrinology, 2009, 150, 5065-5073. \hat{l}^2 -Catenin Is Not Necessary for Maintenance or Repair of the Bronchiolar Epithelium. American Journal of Respiratory Cell and Molecular Biology, 2009, 41, 535-543. On the Origin of Epidermal Cancers. Current Molecular Medicine, 2009, 9, 355-364. 528 0.6 7 Embryonic hair follicle fate change by augmented \hat{l}^2 -catenin through Shh and Bmp signaling. Development (Cambridge), 2009, 136, 367-372. 1.2 Adhesive and Signaling Functions of Cadherins and Catenins in Vertebrate Development. Cold Spring 531 2.3145 Harbor Perspectives in Biology, 2009, 1, a002949-a002949. Overactive Beta-Catenin Signaling Causes Testicular Sertoli Cell Tumor Development in the Mouse1. 1.2 36 Biology of Reproduction, 2009, 81, 842-849. 533 The Hair Follicle as a Dynamic Miniorgan. Current Biology, 2009, 19, R132-R142. 1.8 814 AHR signaling in prostate growth, morphogenesis, and disease. Biochemical Pharmacology, 2009, 77, 534 48 566-576. Future use of mitocans against tumourâ€initiating cells?. Molecular Nutrition and Food Research, 2009, 535 7 1.5 53, 147-153. Epidermal patterning and induction of different hair types during mouse embryonic development. 3.6 Birth Defects Research Part C: Embryo Today Reviews, 2009, 87, 263-272. Hypothesis: neoplasms in myotonic dystrophy. Cancer Causes and Control, 2009, 20, 2009-2020. 537 0.8 57 E-cadherin, Î²-catenin, and ZEB1 in malignant progression of cancer. Cancer and Metastasis Reviews, 2.7 718 2009, 28, 151-166. Building a Framework for Embryonic Microenvironments and Cancer Stem Cells. Stem Cell Reviews 539 5.6 38 and Reports, 2009, 5, 319-327. The stem cell niche. Journal of Pathology, 2009, 217, 169-180. 540 188 Roles of TGF-Î² family signaling in stem cell renewal and differentiation. Cell Research, 2009, 19, 103-115. 541 370 5.7Transient Expression of Ephrin B2 in Perinatal Skin Is Required for Maintenance of Keratinocyte 542 Homeostasis. Journal of Investigative Dermatology, 2009, 129, 2386-2395.

| # 543 | ARTICLE Telomerase modulates Wnt signalling by association with target gene chromatin. Nature, 2009, 460, 66-72. | IF 13.7 | Citations |
|----------|---|------------|-----------|
| 544 | Tcf3 and Tcf4 are essential for long-term homeostasis of skin epithelia. Nature Genetics, 2009, 41, 1068-1075. | 9.4 | 184 |
| 545 | Tcf proteins are deeply rooted in skin. Nature Genetics, 2009, 41, 1050-1051. | 9.4 | 2 |
| 546 | Epidermal homeostasis: a balancing act of stem cells in the skin. Nature Reviews Molecular Cell Biology, 2009, 10, 207-217. | 16.1 | 1,076 |
| 547 | Defining the hair follicle stem cell (Part I). Journal of Cutaneous Pathology, 2009, 36, 1031-1034. | 0.7 | 5 |
| 548 | Defining the hair follicle stem cell (Part II). Journal of Cutaneous Pathology, 2009, 36, 1134-1137. | 0.7 | 9 |
| 549 | A new scenario for the evolutionary origin of hair, feather, and avian scales. Journal of Anatomy, 2009, 214, 587-606. | 0.9 | 111 |
| 550 | Stem Cells and Female Reproduction. Reproductive Sciences, 2009, 16, 126-139. | 1.1 | 74 |
| 551 | Reciprocal Requirements for EDA/EDAR/NF-κB and Wnt/β-Catenin Signaling Pathways in Hair Follicle Induction. Developmental Cell, 2009, 17, 49-61. | 3.1 | 310 |
| 552 | A Two-Step Mechanism for Stem Cell Activation during Hair Regeneration. Cell Stem Cell, 2009, 4, 155-169. | 5.2 | 669 |
| 553 | mTOR Mediates Wnt-Induced Epidermal Stem Cell Exhaustion and Aging. Cell Stem Cell, 2009, 5, 279-289. | 5.2 | 356 |
| 554 | Presenilin: RIP and beyond. Seminars in Cell and Developmental Biology, 2009, 20, 201-210. | 2.3 | 74 |
| 555 | Pitx2, a β-catenin-regulated transcription factor, regulates the differentiation of outer root sheath cells cultured in vitro. Journal of Dermatological Science, 2009, 54, 6-11. | 1.0 | 53 |
| 556 | Cancer, Stem Cells and the Neoplastic Niche. , 2009, , 63-78. | | 0 |
| 557 | Skin tissue engineering. Stembook, 2009, , . | 0.3 | 8 |
| 558 | Wnt Signaling, Lgr5, and Stem Cells in the Intestine and Skin. American Journal of Pathology, 2009, 174, 715-721. | 1.9 | 297 |
| 559 | Modulation of the Tumor Suppressor Protein α-Catenin by Ischemic Microenvironment. American Journal of Pathology, 2009, 175, 1662-1674. | 1.9 | 8 |
| 560 | Bone Morphogenetic Protein Antagonist Noggin Promotes Skin Tumorigenesis via Stimulation of the Wnt and Shh Signaling Pathways. American Journal of Pathology, 2009, 175, 1303-1314. | 1.9 | 37 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 561 | Epidermal stem cell diversity and quiescence. EMBO Molecular Medicine, 2009, 1, 260-267. | 3.3 | 162 |
| 562 | Cysts, Pits, and Tumors. Plastic and Reconstructive Surgery, 2009, 124, 106e-116e. | 0.7 | 7 |
| 563 | Mutations in Exon 3 of the CTNNB1 Gene (β-Catenin Gene) in Cutaneous Adnexal Tumors. American Journal of Dermatopathology, 2009, 31, 248-255. | 0.3 | 58 |
| 564 | UV radiation, vitamin D and epidermal carcinogenesis. Expert Review of Dermatology, 2009, 4, 557-566. | 0.3 | 0 |
| 565 | Vitamin D and the skin. Journal of Bone and Mineral Metabolism, 2010, 28, 117-130. | 1.3 | 72 |
| 566 | Cutaneous application of α-methylspermidine activates the growth of resting hair follicles in mice. Amino Acids, 2010, 38, 583-590. | 1.2 | 13 |
| 567 | Unveiling Hair Follicle Stem Cells. Stem Cell Reviews and Reports, 2010, 6, 658-664. | 5.6 | 43 |
| 568 | Hedgehog beyond medulloblastoma and basal cell carcinoma. Biochimica Et Biophysica Acta: Reviews on Cancer, 2010, 1805, 181-208. | 3.3 | 281 |
| 569 | Non-cell-autonomous stimulation of stem cell proliferation following ablation of Tcf3. Experimental Cell Research, 2010, 316, 1050-1060. | 1.2 | 6 |
| 570 | Recent advances on skinâ€resident stem/progenitor cell functions in skin regeneration, aging and cancers and novel antiâ€aging and cancer therapies. Journal of Cellular and Molecular Medicine, 2010, 14, 116-134. | 1.6 | 33 |
| 571 | Epithelial stem cells: An epigenetic and wntâ€centric perspective. Journal of Cellular Biochemistry, 2010, 110, 1279-1287. | 1.2 | 27 |
| 572 | The effect of <i>câ€myc</i> on stem cell fate influences skin tumor phenotype. Molecular Carcinogenesis, 2010, 49, 315-319. | 1.3 | 9 |
| 573 | Prenatal hair development: Implications for drug exposure determination. Forensic Science International, 2010, 196, 27-31. | 1.3 | 45 |
| 574 | Cancer stem cells in solid tumors: elusive or illusive?. Cell Communication and Signaling, 2010, 8, 6. | 2.7 | 74 |
| 575 | Ki-67 expression in non-tumour epithelium adjacent to oral cancer as risk marker for multiple oral tumours. Oral Diseases, 2010, 16, 68-75. | 1.5 | 27 |
| 576 | Blimpâ€1: a marker of terminal differentiation but not of sebocytic progenitor cells. Journal of Cutaneous Pathology, 2010, 37, 362-370. | 0.7 | 34 |
| 577 | Basal cell carcinoma and pilomatrixoma mirror human follicular embryogenesis as reflected by their differential expression patterns of SOX9 and β-catenin. British Journal of Dermatology, 2010, 162, 1294-1301. | 1.4 | 25 |
| 578 | Characterization of an <i>in vivo</i> model for the study of eyelash biology and trichomegaly: mouse eyelash morphology, development, growth cycle, and anagen prolongation by bimatoprost. British Journal of Dermatology, 2010, 162, 1186-1197. | 1.4 | 36 |

| # 579 | ARTICLE APCDD1 is a novel Wnt inhibitor mutated in hereditary hypotrichosis simplex. Nature, 2010, 464, 1043-1047. | IF 13.7 | CITATIONS 206 |
|----------|--|------------|------------------|
| 580 | The Immunohistochemical Patterns of the \hat{I}^2 -Catenin Expression in Pilomatricoma. Annals of Dermatology, 2010, 22, 284. | 0.3 | 15 |
| 581 | Cancer stem cell and niche. Frontiers in Bioscience - Scholar, 2010, S2, 184-193. | 0.8 | 19 |
| 582 | Neoplasias espontâneas em camundongos de um centro de criação de animais de laboratório. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2010, 62, 827-836. | 0.1 | 2 |
| 583 | Basal cell carcinoma and the carcinogenic role of aberrant Hedgehog signaling. Future Oncology, 2010, 6, 1003-1014. | 1.1 | 24 |
| 584 | Cell-cell adhesion proteins in melanocytic pilomatrix carcinoma. Rare Tumors, 2010, 2, 117-119. | 0.3 | 5 |
| 585 | Biology of Human Hair: Know Your Hair to Control It. Advances in Biochemical Engineering/Biotechnology, 2010, 125, 121-143. | 0.6 | 12 |
| 586 | Small cutaneous wounds induce telogen to anagen transition of murine hair follicle stem cells. Journal of Dermatological Science, 2010, 60, 143-150. | 1.0 | 19 |
| 587 | Telomeres and telomerase in cancer. Carcinogenesis, 2010, 31, 9-18. | 1.3 | 671 |
| 588 | Biology and Genetics of Hair. Annual Review of Genomics and Human Genetics, 2010, 11, 109-132. | 2.5 | 100 |
| 589 | The vitamin D receptor, the skin and stem cells. Journal of Steroid Biochemistry and Molecular Biology, 2010, 121, 314-316. | 1.2 | 27 |
| 590 | Sebocytes, multifaceted epithelial cells: Lipid production and holocrine secretion. International Journal of Biochemistry and Cell Biology, 2010, 42, 181-185. | 1.2 | 143 |
| 591 | β-catenin Activity in the Dermal Papilla Regulates Morphogenesis and Regeneration of Hair. Developmental Cell, 2010, 18, 633-642. | 3.1 | 325 |
| 592 | TPP1 Is Required for TERT Recruitment, Telomere Elongation during Nuclear Reprogramming, and Normal Skin Development in Mice. Developmental Cell, 2010, 18, 775-789. | 3.1 | 116 |
| 593 | Differential sensitivity of epidermal cell subpopulations to β-catenin-induced ectopic hair follicle formation. Developmental Biology, 2010, 343, 40-50. | 0.9 | 44 |
| 594 | βâ€Catenin regulates melanocyte dendricity through the modulation of PKCζ and PKCδ. Pigment Cell and Melanoma Research, 2010, 23, 385-393. | 1.5 | 13 |
| 595 | Cancer stem cells versus phenotypeâ€switching in melanoma. Pigment Cell and Melanoma Research, 2010, 23, 746-759. | 1.5 | 408 |
| 596 | Skin-Type Adnexal Tumor With Trichoblastic Germinative Differentiation in the Breast. International Journal of Surgical Pathology, 2011, 19, 527-533. | 0.4 | 2 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 597 | Wnt2 secreted by tumour fibroblasts promotes tumour progression in oesophageal cancer by activation of the Wnt/Â-catenin signalling pathway. Gut, 2011, 60, 1635-1643. | 6.1 | 118 |
| 598 | Molecular Organization of Cells. , 2011, , 3-18. | | 0 |
| 599 | Raising hairs. Nature Biotechnology, 2011, 29, 474-476. | 9.4 | 9 |
| 600 | Diverse Function of Epiprofin in Tooth Development. Journal of Oral Biosciences, 2011, 53, 22-30. | 0.8 | 9 |
| 601 | β-Catenin Dosage Is a Critical Determinant of Tracheal Basal Cell Fate Determination. American Journal of Pathology, 2011, 179, 367-379. | 1.9 | 46 |
| 602 | Coordinated Activation of Wnt in Epithelial and Melanocyte Stem Cells Initiates Pigmented Hair Regeneration. Cell, 2011, 145, 941-955. | 13.5 | 263 |
| 603 | The β-catenin/Tcf4/survivin signaling maintains a less differentiated phenotype and high proliferative capacity of human corneal epithelial progenitor cells. International Journal of Biochemistry and Cell Biology, 2011, 43, 751-759. | 1.2 | 38 |
| 604 | Vitamin D metabolism and function in the skin. Molecular and Cellular Endocrinology, 2011, 347, 80-89. | 1.6 | 180 |
| 605 | Nerve-Derived Sonic Hedgehog Defines a Niche for Hair Follicle Stem Cells Capable of Becoming Epidermal Stem Cells. Cell Stem Cell, 2011, 8, 552-565. | 5.2 | 395 |
| 606 | Sox9 Increases the Proliferation and Colony-forming Activity of Outer Root Sheath Cells Cultured <i>In Vitro</i> . Annals of Dermatology, 2011, 23, 138. | 0.3 | 16 |
| 607 | Use of Genetic Mouse Models to Study Kidney Regeneration. , 2011, , 37-66. | | 0 |
| 608 | Defective Osteogenic Differentiation in the Development of Osteosarcoma. Sarcoma, 2011, 2011, 1-12. | 0.7 | 76 |
| 609 | Beta-Catenin Accelerates Human Papilloma Virus Type-16 Mediated Cervical Carcinogenesis in Transgenic Mice. PLoS ONE, 2011, 6, e27243. | 1.1 | 54 |
| 610 | Mammalian tactile hair: divergence from a limited distribution. Annals of the New York Academy of Sciences, 2011, 1225, 90-100. | 1.8 | 31 |
| 611 | β-Catenin in Canine Skin: Immunohistochemical Pattern of Expression in Normal Skin and Cutaneous Epithelial Tumours. Journal of Comparative Pathology, 2011, 145, 138-147. | 0.1 | 17 |
| 612 | Signaling circuitries controlling stem cell fate: to be or not to be. Current Opinion in Cell Biology, 2011, 23, 716-723. | 2.6 | 64 |
| 613 | Inhibition of BMP signaling in P-Cadherin positive hair progenitor cells leads to trichofolliculoma-like hair follicle neoplasias. Journal of Biomedical Science, 2011, 18, 92. | 2.6 | 17 |
| 614 | Constitutive overexpression of Idâ€1 in mammary glands of transgenic mice results in precocious and increased formation of terminal end buds, enhanced alveologenesis, delayed involution. Journal of Cellular Physiology, 2011, 226, 1340-1352. | 2.0 | 8 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 615 | Functional role of rhoâ€kinase in ameloblast differentiation. Journal of Cellular Physiology, 2011, 226, 2527-2534. | 2.0 | 44 |
| 616 | Atlas of Wnt and Râ€spondin gene expression in the developing male mouse lower urogenital tract. Developmental Dynamics, 2011, 240, 2548-2560. | 0.8 | 53 |
| 617 | Only four genes (EDA1, EDAR, EDARADD, and WNT10A) account for 90% of hypohidrotic/anhidrotic ectodermal dysplasia cases. Human Mutation, 2011, 32, 70-72. | 1.1 | 240 |
| 618 | The Molecular Basis of Sarcoma. Sarcoma, 2011, 2011, 1-3. | 0.7 | 2 |
| 619 | Lymphoid Enhancer-binding Factor-1 (LEF1) Interacts with the DNA-binding Domain of the Vitamin D Receptor. Journal of Biological Chemistry, 2011, 286, 18444-18451. | 1.6 | 38 |
| 620 | Runx1 modulates adult hair follicle stem cell emergence and maintenance from distinct embryonic skin compartments. Journal of Cell Biology, 2011, 193, 235-250. | 2.3 | 63 |
| 621 | Does Â-catenin have a role in pathogenesis of sebaceous cell carcinoma of the eyelid?. British Journal of Ophthalmology, 2011, 95, 284-287. | 2.1 | 16 |
| 622 | The RNA–Methyltransferase Misu (NSun2) Poises Epidermal Stem Cells to Differentiate. PLoS Genetics, 2011, 7, e1002403. | 1.5 | 160 |
| 623 | Modulation of Tcf3 repressor complex composition regulates <i>cdx4</i> expression in zebrafish. EMBO Journal, 2011, 30, 2894-2907. | 3.5 | 23 |
| 624 | Vitamin D and Wnt/β-Catenin Signaling. , 2011, , 235-250. | | 1 |
| 625 | The Role of Vitamin D and its Receptor in Skin and Hair Follicle Biology. , 2011, , 533-539. | | 0 |
| 626 | Focal adhesion kinase is required for \hat{l}^2 -catenin-induced mobilization of epidermal stem cells. Carcinogenesis, 2012, 33, 2369-2376. | 1.3 | 26 |
| 627 | Differentiated Epidermal Cells Regain the Ability to Regenerate a Skin Equivalent by Increasing the Level of β-Catenin in the Cells. Cells Tissues Organs, 2012, 196, 353-361. | 1.3 | 6 |
| 628 | Role of Adrenomedullin in the Growth and Differentiation of Stem and Progenitor Cells. International Review of Cell and Molecular Biology, 2012, 297, 175-234. | 1.6 | 7 |
| 629 | Cutaneous Hybrid Cyst in a Sprague-Dawley Rat. Journal of Toxicologic Pathology, 2012, 25, 175-178. | 0.3 | 0 |
| 630 | The Adventitia: A Progenitor Cell Niche for the Vessel Wall. Cells Tissues Organs, 2012, 195, 73-81. | 1.3 | 94 |
| 631 | New Pharmaceutical Concepts for Sebaceous Gland Diseases: Implementing Today's Pre-Clinical Data into Tomorrow's Daily Clinical Practice. Current Pharmaceutical Biotechnology, 2012, 13, 1898-1913. | 0.9 | 17 |
| 632 | Dermal Papilla Cells Serially Cultured with Wnt-10b Sustain their Hair Follicle Induction Activity after Transplantation into Nude Mice. Cell Transplantation, 2012, 21, 2313-2324. | 1.2 | 21 |

| | | CITATION REPORT | | |
|-----|--|--------------------------|------|-----------|
| # | Article | | IF | Citations |
| 633 | Anetodermic Pilomatricoma. American Journal of Dermatopathology, 2012, 34, e41-e4 | 5. | 0.3 | 22 |
| 634 | Adult mammalian stem cells: the role of Wnt, Lgr5 and R-spondins. EMBO Journal, 201 | 2, 31, 2685-2696. | 3.5 | 209 |
| 635 | Development and homeostasis of the sebaceous gland. Seminars in Cell and Developm 2012, 23, 928-936. | ental Biology, | 2.3 | 115 |
| 636 | Regeneration of Epidermal Structures. , 2012, , 43-65. | | | 2 |
| 637 | Versican gene: Regulation by the β-catenin signaling pathway plays a significant role ir cell aggregative growth. Journal of Dermatological Science, 2012, 68, 157-163. | ı dermal papilla | 1.0 | 39 |
| 638 | Morphogenesis of chimeric hair follicles in engineered skin substitutes with human ker murine dermal papilla cells. Experimental Dermatology, 2012, 21, 783-785. | atinocytes and | 1.4 | 42 |
| 639 | A Novel Regulatory Factor Recruits the Nucleosome Remodeling Complex to Wingless (Wnt) Signaling Gene Promoters in Mouse Embryonic Stem Cells. Journal of Biological 2012, 287, 41103-41117. | Integrated Chemistry, | 1.6 | 12 |
| 640 | Loss of Cutaneous TSLP-Dependent Immune Responses Skews the Balance of Inflamma Protective to Tumor Promoting. Cancer Cell, 2012, 22, 479-493. | ation from Tumor | 7.7 | 118 |
| 641 | Adult interfollicular tumour-initiating cells are reprogrammed into an embryonic hair fo progenitor-like fate during basal cell carcinoma initiation. Nature Cell Biology, 2012, 14 | llicle 1, 1282-1294. | 4.6 | 117 |
| 642 | Hybrid Follicular Cyst (Pilomatrical and Infundibular) Arising Within a Sebaceous Nevus Dermatology, 2012, 29, 213-216. | . Pediatric | 0.5 | 3 |
| 643 | The hair cycle and Vitamin D receptor. Archives of Biochemistry and Biophysics, 2012, | 523, 19-21. | 1.4 | 37 |
| 644 | Controlling the Stem Cell Compartment and Regeneration In Vivo: The Role of Pluripot Physiological Reviews, 2012, 92, 75-99. | ency Pathways. | 13.1 | 33 |
| 645 | Real-Time Sensing of Cell Morphology by Infrared Waveguide Spectroscopy. PLoS ONE | , 2012, 7, e48454. | 1.1 | 13 |
| 646 | A family business: stem cell progeny join the niche to regulate homeostasis. Nature Rev Cell Biology, 2012, 13, 103-114. | views Molecular | 16.1 | 266 |
| 647 | Immunolocalization of β-catenin and Lef-1 during postnatal hair follicle development ir Histochemica, 2012, 114, 773-778. | ı mice. Acta | 0.9 | 15 |
| 648 | Hairy tale of signaling in hair follicle development and cycling. Seminars in Cell and Dev Biology, 2012, 23, 906-916. | elopmental | 2.3 | 169 |
| 649 | Mesenchymal–epithelial interactions during hair follicle morphogenesis and cycling. and Developmental Biology, 2012, 23, 917-927. | Seminars in Cell | 2.3 | 319 |
| 650 | Protective actions of vitamin D in UVB induced skin cancer. Photochemical and Photob Sciences, 2012, 11, 1808-1816. | iological | 1.6 | 39 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 651 | Adherens Junctions: from Molecular Mechanisms to Tissue Development and Disease. Sub-Cellular Biochemistry, 2012, , . | 1.0 | 6 |
| 652 | Cytoskeletal Regulation of Dermal Regeneration. Cells, 2012, 1, 1313-1327. | 1.8 | 12 |
| 653 | Dynamic Signals for Hair Follicle Development and Regeneration. Stem Cells and Development, 2012, 21, 7-18. | 1.1 | 67 |
| 654 | Development and Homeostasis of the Skin Epidermis. Cold Spring Harbor Perspectives in Biology, 2012, 4, a008383-a008383. | 2.3 | 83 |
| 655 | Wnt/β-Catenin Signaling and Disease. Cell, 2012, 149, 1192-1205. | 13.5 | 4,658 |
| 656 | Epithelial stem cells, wound healing and cancer. Nature Reviews Cancer, 2012, 12, 170-180. | 12.8 | 382 |
| 657 | Tumourigenic characteristics of embryonal carcinoma cells as a model for studying tumour progression of human embryonic stem cells. Cell Proliferation, 2012, 45, 299-310. | 2.4 | 8 |
| 658 | What does the concept of the stem cell niche really mean today?. BMC Biology, 2012, 10, 19. | 1.7 | 155 |
| 659 | Vitamin D and the skin: Physiology and pathophysiology. Reviews in Endocrine and Metabolic Disorders, 2012, 13, 3-19. | 2.6 | 162 |
| 660 | Non-melanoma skin cancer in mouse and man. Archives of Toxicology, 2013, 87, 783-798. | 1.9 | 51 |
| 661 | Lung cancer-initiating cells: a novel target for cancer therapy. Targeted Oncology, 2013, 8, 159-172. | 1.7 | 25 |
| 662 | lα,25(OH)2-Dihydroxyvitamin D3/VDR protects the skin from UVB-induced tumor formation by interacting with the β-catenin pathway. Journal of Steroid Biochemistry and Molecular Biology, 2013, 136, 229-232. | 1.2 | 43 |
| 663 | The cancer stem cell hypothesis applied to oral carcinoma. Oral Oncology, 2013, 49, 738-746. | 0.8 | 48 |
| 664 | RNAi screens in mice identify physiological regulators of oncogenic growth. Nature, 2013, 501, 185-190. | 13.7 | 146 |
| 665 | Probing androgen receptor co-factor selectivity profiles: a chemical tool to determine cross-talk between androgen receptor and β-catenin in vivo. MedChemComm, 2013, 4, 582. | 3.5 | 1 |
| 666 | The Corneal Epithelium and Lens Develop Independently From a Common Pool of Precursors. Developmental Dynamics, 2013, 242, 401-413. | 0.8 | 28 |
| 667 | A novel niche for skin derived precursors in non-follicular skin. Journal of Dermatological Science, 2013, 69, 132-139. | 1.0 | 29 |
| 668 | Wnt Signaling in Skin Development, Homeostasis, and Disease. Cold Spring Harbor Perspectives in Biology, 2013, 5, a008029-a008029. | 2.3 | 205 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 669 | Epidermal Wnt Controls Hair Follicle Induction by Orchestrating Dynamic Signaling Crosstalk between the Epidermis and Dermis. Journal of Investigative Dermatology, 2013, 133, 890-898. | 0.3 | 104 |
| 670 | Hair Follicle: A Novel Source of Multipotent Stem Cells for Tissue Engineering and Regenerative Medicine. Tissue Engineering - Part B: Reviews, 2013, 19, 265-278. | 2.5 | 68 |
| 671 | Yap Controls Stem/Progenitor Cell Proliferation in the Mouse Postnatal Epidermis. Journal of Investigative Dermatology, 2013, 133, 1497-1505. | 0.3 | 61 |
| 672 | Distinct Functions for Wnt/β-Catenin in Hair Follicle Stem Cell Proliferation and Survival and Interfollicular Epidermal Homeostasis. Cell Stem Cell, 2013, 13, 720-733. | 5.2 | 270 |
| 673 | Beta-catenin (CTNNB1) induces Bmp expression in urogenital sinus epithelium and participates in prostatic bud initiation and patterning. Developmental Biology, 2013, 376, 125-135. | 0.9 | 37 |
| 674 | Dickkopf-1 inhibits thyroid cancer cell survival and migration through regulation of β-catenin/E-cadherin signaling. Molecular and Cellular Endocrinology, 2013, 366, 90-98. | 1.6 | 30 |
| 675 | Molecular Organization of Cells. , 2013, , 37-49. | | 0 |
| 676 | Stem Cell Niches. , 2013, , 51-65. | | 1 |
| 677 | Strategies to enhance epithelial–mesenchymal interactions for human hair follicle bioengineering. Journal of Dermatological Science, 2013, 70, 78-87. | 1.0 | 70 |
| 678 | Epithelial Skin Stem Cells. , 2013, , 753-765. | | 0 |
| 679 | Cutaneous wound healing: recruiting developmental pathways for regeneration. Cellular and Molecular Life Sciences, 2013, 70, 2059-2081. | 2.4 | 358 |
| 680 | Chromatin Effector Pygo2 Mediates Wnt-Notch Crosstalk to Suppress Luminal/Alveolar Potential of Mammary Stem and Basal Cells. Cell Stem Cell, 2013, 13, 48-61. | 5.2 | 75 |
| 681 | Epidermal Development in Mammals: Key Regulators, Signals from Beneath, and Stem Cells. International Journal of Molecular Sciences, 2013, 14, 10869-10895. | 1.8 | 85 |
| 682 | On the role of Wnt/l²-catenin signaling in stem cells. Biochimica Et Biophysica Acta - General Subjects, 2013, 1830, 2297-2306. | 1.1 | 79 |
| 684 | Upregulation of interfollicular epidermal and hair infundibulum β-catenin expression in Gsdma3 mutant mice. Acta Histochemica, 2013, 115, 63-69. | 0.9 | 10 |
| 685 | Hair growth-promoting activity of hot water extract of Thuja orientalis. BMC Complementary and Alternative Medicine, 2013, 13, 9. | 3.7 | 58 |
| 686 | EGFR-Ras-Raf Signaling in Epidermal Stem Cells: Roles in Hair Follicle Development, Regeneration, Tissue Remodeling and Epidermal Cancers. International Journal of Molecular Sciences, 2013, 14, 19361-19384. | 1.8 | 38 |
| 687 | The Protective Role of Vitamin D Signaling in Non-Melanoma Skin Cancer. Cancers, 2013, 5, 1426-1438. | 1.7 | 17 |

ARTICLE IF CITATIONS # Planar cell polarity effector gene Intu regulates cell fate-specific differentiation of keratinocytes 688 5.0 19 through the primary cilia. Cell Death and Differentiation, 2013, 20, 130-138. Mitochondrial Reactive Oxygen Species Promote Epidermal Differentiation and Hair Follicle 1.6 276 Development. Science Signaling, 2013, 6, ra8. TCDD Inhibition of Canonical Wnt Signaling Disrupts Prostatic Bud Formation in Mouse Urogenital 690 1.4 19 Sinus. Toxicological Sciences, 2013, 133, 42-53. Destabilization of Heterologous Proteins Mediated by the GSK3ï¿1/2 Phosphorylation Domain of the 691 1.1 ïį1/2-Catenin Protein. Cellular Physiology and Biochemistry, 2013, 32, 1187-1199. Pharmacological modulation of betaâ€eatenin and its applications in cancer therapy. Journal of 692 1.6 81 Cellular and Molecular Medicine, 2013, 17, 449-456. Competitive balance of intrabulge BMP/Wnt signaling reveals a robust gene network ruling stem cell homeostasis and cyclic activation. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 1351-1356. 3.3 169 Cutaneous Notch Signaling in Health and Disease. Cold Spring Harbor Perspectives in Medicine, 2013, 3, 694 2.9 75 a017772-a017772. An inductive signalling network regulates mammalian tooth morphogenesis with implications for 2.4 24 tooth regeneration. Cell Proliferation, 2013, 46, 501-508. Agminated pigmented matricoma: a case of a unique tumor with a multifocal appearance composed of 696 neoplastic matrical cells with a significant component of melanocyte. Journal of Cutaneous 0.7 3 Pathology, 2013, 40, 823-828. Epithelial Wnt Ligand Secretion Is Required for Adult Hair Follicle Growth and Regeneration. Journal 180 of Investigative Dermatology, 2013, 133, 31-41. E2F1 loss induces spontaneous tumour development in Rb-deficient epidermis. Oncogene, 2013, 32, 698 2.6 19 2937-2951. Wht/beta-Catenin Signaling and Small Molecule Inhibitors. Current Pharmaceutical Design, 2013, 19, 699 0.9 194 634-664. Adenovirus-Mediated Wnt5a Expression Inhibits the Telogen-To-Anagen Transition of Hair Follicles in 700 1.1 19 Mice. International Journal of Medical Sciences, 2013, 10, 908-914. Expression of Shh and Wnt Signaling Pathway Proteins in Eyelid Sebaceous Gland Carcinoma: Clinicopathologic Study. , 2013, 54, 370. 14 Characterization of Hair Follicle Development in Engineered Skin Substitutes. PLoS ONE, 2013, 8, 702 1.1 41 e65664. To the Root of the Curl: A Signature of a Recent Selective Sweep Identifies a Mutation That Defines the 1.1 Cornish Rex Cat Breed. PLoS ONE, 2013, 8, e67105. Ectopic Activation of Wnt/l2-Catenin Signaling in Lens Fiber Cells Results in Cataract Formation and 704 1.1 22 Aberrant Fiber Cell Differentiation. PLoS ONE, 2013, 8, e78279. Expression of <i>Sfrp2 </i>Is Increased in Catagen of Hair Follicles and Inhibits Keratinocyte Proliferation. Annals of Dermatology, 2014, 26, 79.

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 706 | Targeting the <scp>N</scp> otch signaling pathway in cancer therapeutics. Thoracic Cancer, 2014, 5, 473-486. | 0.8 | 37 |
| 707 | Kindler syndrome in mice and men. Cancer Biology and Therapy, 2014, 15, 1113-1116. | 1.5 | 6 |
| 708 | Disruption of the temporally regulated cloaca endodermal β-catenin signaling causes anorectal malformations. Cell Death and Differentiation, 2014, 21, 990-997. | 5.0 | 34 |
| 709 | A Pituitary Homeobox 2 (Pitx2):microRNA-200a-3p:β-catenin Pathway Converts Mesenchymal Cells to Amelogenin-expressing Dental Epithelial Cells. Journal of Biological Chemistry, 2014, 289, 27327-27341. | 1.6 | 34 |
| 710 | Macrophages Contribute to the Cyclic Activation of Adult Hair Follicle Stem Cells. PLoS Biology, 2014, 12, e1002002. | 2.6 | 145 |
| 711 | Signaling Involved in Hair Follicle Morphogenesis and Development. International Journal of Molecular Sciences, 2014, 15, 1647-1670. | 1.8 | 277 |
| 712 | Molecular Pathology of Skin Neoplasms of the Head and Neck. Archives of Pathology and Laboratory Medicine, 2014, 138, 759-787. | 1.2 | 50 |
| 713 | Akt Signaling Leads to Stem Cell Activation and Promotes Tumor Development in Epidermis. Stem Cells, 2014, 32, 1917-1928. | 1.4 | 30 |
| 714 | The vertebrate corneal epithelium: From early specification to constant renewal. Developmental Dynamics, 2014, 243, 1226-1241. | 0.8 | 27 |
| 715 | Developing stratified epithelia: lessons from the epidermis and thymus. Wiley Interdisciplinary Reviews: Developmental Biology, 2014, 3, 389-402. | 5.9 | 26 |
| 716 | Molecular Determinants of Head and Neck Cancer. , 2014, , . | | 2 |
| 717 | Heterogeneity and plasticity of epidermal stem cells. Development (Cambridge), 2014, 141, 2559-2567. | 1.2 | 97 |
| 718 | An Overview of Alopecias. Cold Spring Harbor Perspectives in Medicine, 2014, 4, a013615-a013615. | 2.9 | 52 |
| 719 | β-Catenin Activation Regulates Tissue Growth Non–Cell Autonomously in the Hair Stem Cell Niche. Science, 2014, 343, 1353-1356. | 6.0 | 99 |
| 720 | Kindlin-1 controls Wnt and TGF-β availability to regulate cutaneous stem cell proliferation. Nature Medicine, 2014, 20, 350-359. | 15.2 | 112 |
| 721 | Molecular Organization of Cells. , 2014, , 147-160. | | 0 |
| 722 | Hair curvature: a natural dialectic and review. Biological Reviews, 2014, 89, 723-766. | 4.7 | 27 |
| 723 | Epidermal Wnt/β-catenin signaling regulates adipocyte differentiation via secretion of adipogenic factors. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, E1501-9. | 3.3 | 128 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 724 | Wnt/β-catenin signaling in dermal condensates is required for hair follicle formation. Developmental Biology, 2014, 385, 179-188. | 0.9 | 123 |
| 725 | Wnt Signaling and the Control of Human Stem Cell Fate. Stem Cell Reviews and Reports, 2014, 10, 207-229. | 5.6 | 155 |
| 726 | InÂvivo transcriptional governance of hair follicle stem cells by canonical Wnt regulators. Nature Cell Biology, 2014, 16, 179-190. | 4.6 | 180 |
| 727 | Epithelial Stem Cells in Adult Skin. Current Topics in Developmental Biology, 2014, 107, 109-131. | 1.0 | 36 |
| 728 | Asymmetrical proliferative pattern loss during malignant transformation of the oral mucosa. Journal of Oral Pathology and Medicine, 2014, 43, 507-513. | 1.4 | 11 |
| 729 | Partial Proteasome Inhibitors Induce Hair Follicle Growth by Stabilizing β-Catenin. Stem Cells, 2014, 32, 85-92. | 1.4 | 3 |
| 730 | Pygo2 regulates β-catenin–induced activation of hair follicle stem/progenitor cells and skin hyperplasia. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 10215-10220. | 3.3 | 21 |
| 731 | Nucleocytoplasmic shuttling: a common theme in mechanotransduction. Biochemical Society Transactions, 2014, 42, 645-649. | 1.6 | 19 |
| 732 | Wnt7b Is an Important Intrinsic Regulator of Hair Follicle Stem Cell Homeostasis and Hair Follicle Cycling. Stem Cells, 2014, 32, 886-901. | 1.4 | 83 |
| 733 | Epigenetic regulation leading to induced pluripotency drives cancer development in vivo. Biochemical and Biophysical Research Communications, 2014, 455, 10-15. | 1.0 | 25 |
| 734 | Spontaneous tumour regression in keratoacanthomas is driven by Wnt/retinoic acid signalling cross-talk. Nature Communications, 2014, 5, 3543. | 5.8 | 52 |
| 735 | Wnt some lose some: transcriptional governance of stem cells by Wnt/β-catenin signaling. Genes and Development, 2014, 28, 1517-1532. | 2.7 | 215 |
| 736 | Wnt∫βâ€catenin signalling maintains selfâ€renewal and tumourigenicity of head and neck squamous cell carcinoma stemâ€like cells by activating Oct4. Journal of Pathology, 2014, 234, 99-107. | 2.1 | 118 |
| 737 | Tcf3 promotes cell migration and wound repair through regulation of lipocalin 2. Nature Communications, 2014, 5, 4088. | 5.8 | 63 |
| 738 | Plasticity of epithelial stem cells in tissue regeneration. Science, 2014, 344, 1242281. | 6.0 | 464 |
| 739 | Molecular cloning and characterization of the β-catenin gene from fine-wool sheep. Gene, 2014, 546, 277-282. | 1.0 | 8 |
| 740 | Characteristics of pilomatrixoma in children: A review of 137 patients. International Journal of Pediatric Otorhinolaryngology, 2014, 78, 1337-1341. | 0.4 | 46 |
| 742 | A New Horizon in Facial Plastic Surgery: Skin Tissue-Engineering and Stem Cell Therapy—Reality or Dream?. The American Journal of Cosmetic Surgery, 2014, 31, 207-224. | 0.1 | 2 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 743 | Hair typeâ€specific function of canonical Wnt activity in adult mouse skin. Experimental Dermatology, 2014, 23, 881-883. | 1.4 | 1 |
| 744 | Deciphering principles of morphogenesis from temporal and spatial patterns on the integument. Developmental Dynamics, 2015, 244, 905-920. | 0.8 | 21 |
| 745 | Eyelid sebaceous carcinoma: a novel mutation in lymphoid enhancer-binding factor-1. British Journal of Dermatology, 2015, 173, 811-814. | 1.4 | 6 |
| 746 | Cervical cancer stem cells. Cell Proliferation, 2015, 48, 611-625. | 2.4 | 21 |
| 747 | EDA mutation as a cause of hypohidrotic ectodermal dysplasia: a case report and review of the literature. Genetics and Molecular Research, 2015, 14, 10344-10351. | 0.3 | 19 |
| 748 | Topical Application of Oleuropein Induces Anagen Hair Growth in Telogen Mouse Skin. PLoS ONE, 2015, 10, e0129578. | 1.1 | 32 |
| 749 | Embryonic attenuated Wnt/β-catenin signaling defines niche location and long-term stem cell fate in hair follicle. ELife, 2015, 4, e10567. | 2.8 | 57 |
| 750 | Roles of GasderminA3 in Catagen–Telogen Transition During Hair Cycling. Journal of Investigative Dermatology, 2015, 135, 2162-2172. | 0.3 | 26 |
| 751 | The Dynamic Duo: Niche/Stem Cell Interdependency. Stem Cell Reports, 2015, 4, 961-966. | 2.3 | 31 |
| 752 | A conditional transgenic mouse line for targeted expression of the stem cell marker LGR5. Developmental Biology, 2015, 404, 35-48. | 0.9 | 9 |
| 753 | Intraflagellar transport 27 is essential for hedgehog signaling but dispensable for ciliogenesis during hair follicle morphogenesis. Development (Cambridge), 2015, 142, 2194-2202. | 1.2 | 30 |
| 754 | Wntâ€Signalwege bei kutaner Homöostase und Pathologie. JDDG - Journal of the German Society of Dermatology, 2015, 13, 302-307. | 0.4 | 0 |
| 755 | Elaboration and Innervation of the Vibrissal System in the Rock Hyrax (Procavia capensis). Brain, Behavior and Evolution, 2015, 85, 170-188. | 0.9 | 10 |
| 756 | Skin and Skin Appendage Regeneration. , 2015, , 269-292. | | 8 |
| 757 | The Ciliopathy Gene Rpgrip1l Is Essential for Hair Follicle Development. Journal of Investigative Dermatology, 2015, 135, 701-709. | 0.3 | 22 |
| 759 | Cell Adhesion in Epidermal Development and Barrier Formation. Current Topics in Developmental Biology, 2015, 112, 383-414. | 1.0 | 76 |
| 760 | Signaling in Tooth, Hair, and Mammary Placodes. Current Topics in Developmental Biology, 2015, 111, 421-459. | 1.0 | 37 |
| 761 | β-Catenin Signaling Biases Multipotent Lingual Epithelial Progenitors to Differentiate and Acquire Specific Taste Cell Fates. PLoS Genetics, 2015, 11, e1005208. | 1.5 | 56 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 762 | TGF-β1-dependent induction and nuclear translocation of FHL2 promotes keratin expression in pilomatricoma. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2015, 466, 199-208. | 1.4 | 4 |
| 763 | A Two-Stepped Culture Method for Efficient Production of Trichogenic Keratinocytes. Tissue Engineering - Part C: Methods, 2015, 21, 1070-1079. | 1.1 | 25 |
| 764 | Vitamin D receptor, a tumor suppressor in skin. Canadian Journal of Physiology and Pharmacology, 2015, 93, 349-354. | 0.7 | 32 |
| 765 | Wnt signaling in skin homeostasis and pathology. JDDG - Journal of the German Society of Dermatology, 2015, 13, 302-306. | 0.4 | 8 |
| 766 | Hair growth-promoting effect of human dermal stem/progenitor cell-derived conditioned medium. Tissue Engineering and Regenerative Medicine, 2015, 12, 268-275. | 1.6 | 10 |
| 767 | Interfering with stem cell-specific gatekeeper functions controls tumour initiation and malignant progression of skin tumours. Nature Communications, 2015, 6, 5874. | 5.8 | 15 |
| 768 | The Androgen Receptor Antagonizes Wnt/β-Catenin Signaling in Epidermal Stem Cells. Journal of Investigative Dermatology, 2015, 135, 2753-2763. | 0.3 | 46 |
| 769 | Inhibition of Wnt/βâ€catenin pathway promotes regenerative repair of cutaneous and cartilage injury. FASEB Journal, 2015, 29, 4881-4892. | 0.2 | 44 |
| 770 | Ovary and fimbrial stem cells: biology, niche and cancer origins. Nature Reviews Molecular Cell Biology, 2015, 16, 625-638. | 16.1 | 80 |
| 771 | Generation of K14-E7/â^†N87βcat Double Transgenic Mice as a Model of Cervical Cancer. Methods in Molecular Biology, 2015, 1249, 393-406. | 0.4 | 2 |
| 773 | Stem cells and aberrant signaling of molecular systems in skin aging. Ageing Research Reviews, 2015, 19, 8-21. | 5.0 | 25 |
| 774 | Targeting the Wnt pathway in human cancers: Therapeutic targeting with a focus on OMP-54F28. , 2015, 146, 1-11. | | 201 |
| 775 | 3-Deoxysappanchalcone Promotes Proliferation of Human Hair Follicle Dermal Papilla Cells and Hair Growth in C57BL/6 Mice by Modulating WNT/β-Catenin and STAT Signaling. Biomolecules and Therapeutics, 2016, 24, 572-580. | 1.1 | 29 |
| 776 | Disruption of Vitamin D and Calcium Signaling in Keratinocytes Predisposes to Skin Cancer. Frontiers in Physiology, 2016, 7, 296. | 1.3 | 48 |
| 777 | sPLA2-IIA Overexpression in Mice Epidermis Depletes Hair Follicle Stem Cells and Induces Differentiation Mediated Through Enhanced JNK/c-Jun Activation. Stem Cells, 2016, 34, 2407-2417. | 1.4 | 8 |
| 778 | Stem Cell Niche. , 2016, , 57-85. | | 3 |
| 779 | Regenerative Medicine - from Protocol to Patient. , 2016, , . | | 2 |
| 780 | The importance of basonuclin 2 in adult mice and its relation to basonuclin 1. Mechanisms of Development, 2016, 140, 53-73. | 1.7 | 17 |

| # | Article | IF | CITATIONS |
|--|---|--|--|
| 781 | WNT Signaling in Cutaneous Squamous Cell Carcinoma: A Future Treatment Strategy?. Journal of Investigative Dermatology, 2016, 136, 1760-1767. | 0.3 | 20 |
| 782 | Genetically modified laboratory mice with sebaceous glands abnormalities. Cellular and Molecular Life Sciences, 2016, 73, 4623-4642. | 2.4 | 22 |
| 783 | Gene Expression Architecture of Mouse Dorsal and Tail Skin Reveals Functional Differences in Inflammation and Cancer. Cell Reports, 2016, 16, 1153-1165. | 2.9 | 20 |
| 784 | Circumscribed sebaceous neoplasms: a morphological, immunohistochemical and molecular analysis. Pathology, 2016, 48, 454-462. | 0.3 | 20 |
| 785 | Sox9 is a β-catenin-regulated transcription factor that enhances the colony-forming activity of squamous cell carcinoma cells. Molecular Medicine Reports, 2016, 14, 337-342. | 1.1 | 14 |
| 786 | The bad seed: Cancer stem cells in tumor development and resistance. Drug Resistance Updates, 2016, 28, 1-12. | 6.5 | 88 |
| 787 | Wnt∫β atenin pathway in tissue injury: roles in pathology and therapeutic opportunities for regeneration. FASEB Journal, 2016, 30, 3271-3284. | 0.2 | 97 |
| 788 | Gorab Is Required for Dermal Condensate Cells to Respond to Hedgehog Signals during Hair Follicle Morphogenesis. Journal of Investigative Dermatology, 2016, 136, 378-386. | 0.3 | 14 |
| 789 | Wnt/β-catenin signaling plays an ever-expanding role in stem cell self-renewal, tumorigenesis and cancer chemoresistance. Genes and Diseases, 2016, 3, 11-40. | 1.5 | 223 |
| | | | |
| 790 | WNT-SHH Antagonism Specifies and Expands Stem Cells prior to Niche Formation. Cell, 2016, 164, 156-169. | 13.5 | 142 |
| 790 791 | WNT-SHH Antagonism Specifies and Expands Stem Cells prior to Niche Formation. Cell, 2016, 164, 156-169.Compartmentalized Epidermal Activation of β-Catenin Differentially Affects Lineage Reprogramming and Underlies Tumor Heterogeneity. Cell Reports, 2016, 14, 269-281. | 13.5 2.9 | 142 53 |
| 790 791 792 | WNT-SHH Antagonism Specifies and Expands Stem Cells prior to Niche Formation. Cell, 2016, 164, 156-169. Compartmentalized Epidermal Activation of β-Catenin Differentially Affects Lineage Reprogramming and Underlies Tumor Heterogeneity. Cell Reports, 2016, 14, 269-281. WNT signaling in glioblastoma and therapeutic opportunities. Laboratory Investigation, 2016, 96, 137-150. | 13.5 2.9 1.7 | 142 53 200 |
| 790 791 792 793 | WNT-SHH Antagonism Specifies and Expands Stem Cells prior to Niche Formation. Cell, 2016, 164, 156-169.Compartmentalized Epidermal Activation of β-Catenin Differentially Affects Lineage Reprogramming and Underlies Tumor Heterogeneity. Cell Reports, 2016, 14, 269-281.WNT signaling in glioblastoma and therapeutic opportunities. Laboratory Investigation, 2016, 96, 137-150.In silico identification of BESS-DC genes and expression analysis in the silkworm, Bombyx mori. Gene, 2016, 575, 478-487. | 13.5 2.9 1.7 1.0 | 142 53 200 2 |
| 790 791 792 793 794 | WNT-SHH Antagonism Specifies and Expands Stem Cells prior to Niche Formation. Cell, 2016, 164, 156-169.Compartmentalized Epidermal Activation of β-Catenin Differentially Affects Lineage Reprogramming and Underlies Tumor Heterogeneity. Cell Reports, 2016, 14, 269-281.WNT signaling in glioblastoma and therapeutic opportunities. Laboratory Investigation, 2016, 96, 137-150.In silico identification of BESS-DC genes and expression analysis in the silkworm, Bombyx mori. Gene, 2016, 575, 478-487.Epithelial Skin Biology. Current Topics in Developmental Biology, 2016, 116, 357-374. | 13.5 2.9 1.7 1.0 | 142 53 200 2 121 |
| 790 791 792 793 794 | WNT-SHH Antagonism Specifies and Expands Stem Cells prior to Niche Formation. Cell, 2016, 164, 156-169.Compartmentalized Epidermal Activation of β-Catenin Differentially Affects Lineage Reprogramming and Underlies Tumor Heterogeneity. Cell Reports, 2016, 14, 269-281.WNT signaling in glioblastoma and therapeutic opportunities. Laboratory Investigation, 2016, 96, 137-150.In silico identification of BESS-DC genes and expression analysis in the silkworm, Bombyx mori. Gene, 2016, 575, 478-487.Epithelial Skin Biology. Current Topics in Developmental Biology, 2016, 116, 357-374. <h axin2<="" h=""></h> <h axin2<="" h=""><h axin2<="" td=""><h axin2<="" td=""><h axin2<="" td=""><h axin2<="" td=""><td>13.5 2.9 1.7 1.0 1.0 3.3</td><td> 142 53 200 2 121 93 </td></h></h></h></h></h></h></h></h></h></h></h></h></h></h></h></h></h></h></h></h></h></h></h></h></h></h></h></h></h></h></h></h></h></h></h> | 13.5 2.9 1.7 1.0 1.0 3.3 | 142 53 200 2 121 93 |
| 790 791 792 793 794 795 796 | WNT-SHH Antagonism Specifies and Expands Stem Cells prior to Niche Formation. Cell, 2016, 164, 156-169.Compartmentalized Epidermal Activation of β-Catenin Differentially Affects Lineage Reprogramming and Underlies Tumor Heterogeneity. Cell Reports, 2016, 14, 269-281.WNT signaling in glioblastoma and therapeutic opportunities. Laboratory Investigation, 2016, 96, 137-150.In silico identification of BESS-DC genes and expression analysis in the silkworm, Bombyx mori. Gene, 2016, 575, 478-487.Epithelial Skin Biology. Current Topics in Developmental Biology, 2016, 116, 357-374. <h>Axin2</h> marks quiescent hair follicle bulge stem cells that are maintained by autocrine Wht/l²-catenin signaling. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E1498-505.Pilomatricoma of Childhood: A Common Pathologic Diagnosis Yet a Rare Radiologic One. American Journal of Roentgenology, 2016, 206, 182-188. | 13.5 2.9 1.7 1.0 1.0 3.3 1.0 | 142 53 200 2 121 93 30 |
| 790 791 792 793 794 795 796 797 | WNT-SHH Antagonism Specifies and Expands Stem Cells prior to Niche Formation. Cell, 2016, 164, 156-169.Compartmentalized Epidermal Activation of β-Catenin Differentially Affects Lineage Reprogramming and Underlies Tumor Heterogeneity. Cell Reports, 2016, 14, 269-281.WNT signaling in glioblastoma and therapeutic opportunities. Laboratory Investigation, 2016, 96, 137-150.In silico identification of BESS-DC genes and expression analysis in the silkworm, Bombyx mori. Gene, 2016, 575, 478-487.Epithelial Skin Biology. Current Topics in Developmental Biology, 2016, 116, 357-374.Wht[/2-catenin signaling. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E1498-505.Pilomatricoma of Childhood: A Common Pathologic Diagnosis Yet a Rare Radiologic One. American Journal of Roentgenology, 2016, 206, 182-188.Evolutionary re-wiring of p63 and the epigenomic regulatory landscape in keratinocytes and its potential implications on species-specific gene expression and phenotypes. Nucleic Acids Research, 2017, 45, 8208-8224. | 13.5 2.9 1.7 1.0 3.3 1.0 6.5 | 142 53 200 2 121 93 30 39 |

ARTICLE IF CITATIONS From basal cell carcinoma morphogenesis to the alopecia induced by hedgehog inhibitors: connecting 799 16 1.4 the dots. British Journal of Dermatology, 2017, 177, 1485-1494. Adiponectin regulates BMSC osteogenic differentiation and osteogenesis through the Wnt \hat{l}^2 -catenin 1.6 pathway. Scientific Reports, 2017, 7, 3652. Macrophages induce AKT/Î²-catenin-dependent Lgr5+ stem cell activation and hair follicle regeneration 801 5.8 166 through TNF. Nature Communications, 2017, 8, 14091. GLI2 Is a Regulator of \hat{l}^2 -Catenin and Is Associated with Loss of E-Cadherin, Cell Invasiveness, and 0.3 Long-Term Epidermal Regeneration. Journal of Investigative Dermatology, 2017, 137, 1719-1730. Targeted deletion of Crif1 in mouse epidermis impairs skin homeostasis and hair morphogenesis. 803 1.6 9 Scientific Reports, 2017, 7, 44828. 804 Lgr6 is a stem cell marker in mouse skin squamous cell carcinoma. Nature Genetics, 2017, 49, 1624-1632. 9.4 CK11± ablation in keratinocytes induces p53-dependent, sunburn-protective skin hyperpigmentation. 805 Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 3.3 30 E8035-E8044. Correction of aberrant growth preserves tissue homeostasis. Nature, 2017, 548, 334-337. 13.7 806 130 Anti-CXCL4 monoclonal antibody accelerates telogen to anagen transition and attenuates apoptosis 807 0.8 0 of the hair follicle in mice. Experimental and Therapeutic Medicine, 2017, 14, 1001-1008. Notch and its oncogenic activity in human malignancies. European Surgery - Acta Chirurgica 808 Austriaca, 2017, 49, 199-209. Hair growth promoting activity of discarded biocomposite keratin extract. Journal of Biomaterials 809 1.2 5 Applications, 2017, 32, 230-241. Roles of the Hedgehog Signaling Pathway in Epidermal and Hair Follicle Development, Homeostasis, 0.9 and Cancer. Journal of Developmental Biology, 2017, 5, 12. A Tale of Two Signals: AR and WNT in Development and Tumorigenesis of Prostate and Mammary Gland. 811 1.7 38 Cancers, 2017, 9, 14. The tumor suppressor phosphatase PP2A-B56 \hat{l} ± regulates stemness and promotes the initiation of malignancies in a novel murine model. PLoS ONE, 2017, 12, e0188910. 1.1 Involvement of WNT Signaling in the Regulation of Gestational Age-Dependent Umbilical Cord-Derived 813 1.2 9 Mesenchymal Stem Cell Proliferation. Stem Cells International, 2017, 2017, 1-16. Roles of GSK-3 and microRNAs on epithelial mesenchymal transition and cancer stem cells. 814 86 Oncotarget, 2017, 8, 14221-14250. Tissue stiffening promotes keratinocyte proliferation via activation of epidermal growth factor 815 1.2 36 signaling. Journal of Cell Science, 2018, 131, . Regulatory role of <i>LEF-1 </i>in the proliferation of Arbas White Cashmere goat dermal papilla cells. Canadian Journal of Animal Science, 2018, 98, 667-674.

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 817 | Crosstalk mechanisms between the WNT signaling pathway and long non-coding RNAs. Non-coding RNA Research, 2018, 3, 42-53. | 2.4 | 47 |
| 818 | Wnt Signaling in Adult Epithelial Stem Cells and Cancer. Progress in Molecular Biology and Translational Science, 2018, 153, 21-79. | 0.9 | 30 |
| 819 | Carcinogenicity assessment of the Hedgehog pathway inhibitor, vismodegib in Tg.rasH2 mice and Sprague-Dawley rats. Regulatory Toxicology and Pharmacology, 2018, 92, 382-389. | 1.3 | 3 |
| 820 | TGF-β Family Signaling in Epithelial Differentiation and Epithelial–Mesenchymal Transition. Cold Spring Harbor Perspectives in Biology, 2018, 10, a022194. | 2.3 | 90 |
| 821 | Concise Review: Wnt Signaling Pathways in Skin Development and Epidermal Stem Cells. Stem Cells, 2018, 36, 22-35. | 1.4 | 99 |
| 822 | Flexible fate determination ensures robust differentiation in the hair follicle. Nature Cell Biology, 2018, 20, 1361-1369. | 4.6 | 38 |
| 823 | Hedgehog stimulates hair follicle neogenesis by creating inductive dermis during murine skin wound healing. Nature Communications, 2018, 9, 4903. | 5.8 | 182 |
| 824 | Microbiota-Derived Lactate Accelerates Intestinal Stem-Cell-Mediated Epithelial Development. Cell Host and Microbe, 2018, 24, 833-846.e6. | 5.1 | 277 |
| 825 | Suppression of Wnt/β-catenin signaling by EGF receptor is required for hair follicle development. Molecular Biology of the Cell, 2018, 29, 2784-2799. | 0.9 | 41 |
| 826 | Single Cell and Open Chromatin Analysis Reveals Molecular Origin of Epidermal Cells of the Skin. Developmental Cell, 2018, 47, 21-37.e5. | 3.1 | 56 |
| 827 | Plasticity of differentiated cells in wound repair and tumorigenesis, part II: skin and intestine. DMM Disease Models and Mechanisms, 2018, 11, . | 1.2 | 32 |
| 828 | miR-195-5p Regulates Hair Follicle Inductivity of Dermal Papilla Cells by Suppressing Wnt/ <i>î²</i> -Catenin Activation. BioMed Research International, 2018, 2018, 1-13. | 0.9 | 28 |
| 829 | Tumor promoter TPA activates Wnt/β-catenin signaling in a casein kinase 1-dependent manner. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E7522-E7531. | 3.3 | 27 |
| 830 | Pilomatricoma (calcifying epithelioma): MDCT and MR imaging findings in 31 patients with radiological-pathological correlation. European Journal of Radiology, 2018, 106, 92-99. | 1.2 | 7 |
| 831 | The Role of Vitamin D and Its Receptor in Hair Follicle Biology. , 2018, , 521-526. | | 0 |
| 832 | Molecular Organization of Cells. , 2019, , 1-13. | | 0 |
| 833 | Dermal papilla regulation of hair growth and pigmentation. Advances in Stem Cells and Their Niches, 2019, , 115-138. | 0.1 | 3 |
| 834 | Mice lacking the epidermal retinol dehydrogenases SDR16C5 and SDR16C6 display accelerated hair growth and enlarged meibomian glands. Journal of Biological Chemistry, 2019, 294, 17060-17074. | 1.6 | 15 |

| | | EPORT | |
|-----|---|-------|-----------|
| # | Article | IF | Citations |
| 835 | Wnt Signaling Pathways in Keratinocyte Carcinomas. Cancers, 2019, 11, 1216. | 1.7 | 27 |
| 836 | Biomarkers of Human Aging. Healthy Ageing and Longevity, 2019, , . | 0.2 | 11 |
| 837 | Blimp1+ cells generate functional mouse sebaceous gland organoids in vitro. Nature Communications, 2019, 10, 2348. | 5.8 | 30 |
| 838 | Clinical and Therapeutic Implications of Cancer Stem Cells. New England Journal of Medicine, 2019, 380, 2237-2245. | 13.9 | 234 |
| 839 | Eâ€cadherin and p120ctn protein expression are lost in hidradenitis suppurativa lesions. Experimental Dermatology, 2019, 28, 867-871. | 1.4 | 9 |
| 840 | Homeostasis of the sebaceous gland and mechanisms of acne pathogenesis. British Journal of Dermatology, 2019, 181, 677-690. | 1.4 | 90 |
| 841 | An updated classification of hair follicle morphogenesis. Experimental Dermatology, 2019, 28, 332-344. | 1.4 | 108 |
| 842 | Mutant Lef1 controls Gata6 in sebaceous gland development and cancer. EMBO Journal, 2019, 38, . | 3.5 | 16 |
| 843 | Eavesdropping on the conversation between immune cells and the skin epithelium. International Immunology, 2019, 31, 415-422. | 1.8 | 8 |
| 844 | Use of human intra-tissue stem/progenitor cells and induced pluripotent stem cells for hair follicle regeneration. Inflammation and Regeneration, 2019, 39, 4. | 1.5 | 29 |
| 845 | The Stem Cell Niche. , 2019, , 43-65. | | 0 |
| 846 | Transcriptome Analysis of Improved Wool Production in Skin-Specific Transgenic Sheep Overexpressing Ovine β-Catenin. International Journal of Molecular Sciences, 2019, 20, 620. | 1.8 | 23 |
| 847 | Investigation of the mechanism of action of anti-PD-1 treatment by systematic depletion of different immune cell populations in syngeneic models. Annals of Oncology, 2019, 30, xi54. | 0.6 | 0 |
| 848 | A mutation in MAP2 is associated with prenatal hair follicle density. FASEB Journal, 2019, 33, 14479-14490. | 0.2 | 4 |
| 849 | <i>Pten</i> loss in Lgr5 ⁺ hair follicle stem cells promotes SCC development. Theranostics, 2019, 9, 8321-8331. | 4.6 | 20 |
| 850 | Activating Wnt/ \hat{l}^2 -catenin signaling pathway for disease therapy: Challenges and opportunities. , 2019, 196, 79-90. | | 154 |
| 851 | Androgen signaling is essential for development of prostate cancer initiated from prostatic basal cells. Oncogene, 2019, 38, 2337-2350. | 2.6 | 16 |
| 852 | The genome-wide transcription response underlying the dorsal processes and dorsal setae of the body in Dasyaphis mirabilis (Aphididae: Calaphidinae). Oriental Insects, 2019, 53, 1-18. | 0.1 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 853 | Ferutinin directs dental pulp-derived stem cells towards the osteogenic lineage by epigenetically regulating canonical Wnt signaling. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2020, 1866, 165314. | 1.8 | 37 |
| 854 | Stem Cells, Cell Differentiation, and Cancer. , 2020, , 97-107.e5. | | 2 |
| 855 | Guide to Pediatric Urology and Surgery in Clinical Practice. , 2020, , . | | 0 |
| 856 | Role of the Wnt signaling pathway in keratoacanthoma. Cancer Reports, 2020, 3, e1219. | 0.6 | 3 |
| 857 | Perturbation analysis of a multi-morphogen turing reaction-diffusion stripe patterning system reveals key regulatory interactions. Development (Cambridge), 2020, 147, . | 1.2 | 11 |
| 858 | AP-1 and TGFß cooperativity drives non-canonical Hedgehog signaling in resistant basal cell carcinoma. Nature Communications, 2020, 11, 5079. | 5.8 | 47 |
| 860 | Colorectal peritoneal metastases treated by perioperative systemic chemotherapy and cytoreductive surgery with or without HIPEC. A comparative study using the Peritoneal Surface Disease Severity Score (PSDSS). European Journal of Surgical Oncology, 2020, 46, e6. | 0.5 | 0 |
| 862 | P.115 Intracellular calcium responses to ATP in human induced pluripotent stem cell-derived astrocytes in fragile X syndrome. European Neuropsychopharmacology, 2020, 40, S72. | 0.3 | 0 |
| 863 | P.478 Atrial natriuretic peptide: a novel pharmacological target in psychiatry?. European Neuropsychopharmacology, 2020, 40, S270-S271. | 0.3 | 0 |
| 865 | P.870Relationship between type of antipsychotic treatment and psychopathology in acute schizophrenia and schizoaffective patients. European Neuropsychopharmacology, 2020, 40, S483. | 0.3 | 0 |
| 867 | Pulmonary Hypertension in TranscatheterÂMitral Valve Repair for Secondary Mitral Regurgitation. Journal of the American College of Cardiology, 2020, 76, 2595-2606. | 1.2 | 27 |
| 868 | Physical and chemical parameters, Fusarium verticillioides growth and fumonisin production in kernels of nine maize genotypes. Journal of Cereal Science, 2020, 96, 103128. | 1.8 | 1 |
| 869 | The type species of Amphorellopsis and Tintinnopsis (Protozoa:Ciliophora): A new ciliary pattern and some comments in Tintinnina. Journal of King Saud University - Science, 2020, 32, 3454-3462. | 1.6 | 6 |
| 870 | Mise en place d'un protocole de préparation multimodale pour la prévention des lésions du ligament croisé antérieur au sein du FC Girondins de Bordeaux. Journal De Traumatologie Du Sport, 2020, 37, 145-153. | 0.1 | 0 |
| 871 | The lagged effect of state gun laws on the reduction of state-level firearm homicide mortality in the United States from 1999 to 2017. Public Health, 2020, 189, 73-80. | 1.4 | 6 |
| 872 | Functional imaging studies of the adrenal cortex. Revista Espanola De Medicina Nuclear E Imagen Molecular, 2020, 39, 393-403. | 0.1 | 1 |
| 873 | Multi-parametric assessment of biological stability of drinking water produced from groundwater: Reverse osmosis vs. conventional treatment. Water Research, 2020, 186, 116317. | 5.3 | 21 |
| 874 | The number of patients hospitalized with bicycle injuries is increasing - A cry for better road safety. Accident Analysis and Prevention, 2020, 148, 105836. | 3.0 | 18 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 875 | Journal club: Stopping the routine use of contact precautions for management of MRSA and VRE at three academic medical centers: An interrupted time series analysis. American Journal of Infection Control, 2020, 48, 1562-1563. | 1.1 | 0 |
| 876 | 85P MiRNAome deregulation can contribute to overexpression of immune checkpoints: An epigenetic mechanism of checkpoint inhibitor therapy failure. Annals of Oncology, 2020, 31, S1452. | 0.6 | 0 |
| 879 | Increased brine concentration increases nitrate reduction rates in batch woodchip bioreactors treating brine from desalination. Desalination, 2020, 495, 114629. | 4.0 | 9 |
| 880 | MicroRNA profile in the squamous cell carcinoma: prognostic and diagnostic roles. Heliyon, 2020, 6, e05436. | 1.4 | 16 |
| 881 | AGGRESSIVE PAPILLARY CARCINOMA OF THE LATERAL ABERRANT THYROIDE: A CASE REPORT AND REVIEW OF THE LITERATTUREggressive papillary carcinoma of the lateral aberrant thyroide: A case report and review of the literatture. International Journal of Surgery Case Reports, 2020, 75, 433-436. | 0.2 | 4 |
| 882 | The Middle Stone Age occupations of Tiémassas, coastal West Africa, between 62 and 25 thousand years ago. Journal of Archaeological Science: Reports, 2020, 34, 102658. | 0.2 | 3 |
| 883 | How to Develop Statistical Predictive Risk Models in Oncology Nursing to Enhance Psychosocial and Supportive Care. Seminars in Oncology Nursing, 2020, 36, 151089. | 0.7 | 2 |
| 884 | Future of transcatheter mitral valve interventions for secondary mitral regurgitation. Trends in Cardiovascular Medicine, 2020, 31, 495-496. | 2.3 | 0 |
| 886 | Effects of solid-state fermentation and extraction solvents on the antioxidant properties of lentils. Biocatalysis and Agricultural Biotechnology, 2020, 28, 101753. | 1.5 | 15 |
| 887 | Hydrodynamics of an asymmetric heave plate for a point absorber wave energy converter. Ocean Engineering, 2020, 215, 107915. | 1.9 | 9 |
| 888 | The mortality burden of non-trauma fracture for adults with cerebral palsy. Bone Reports, 2020, 13, 100725. | 0.2 | 16 |
| 889 | Microstructure, mechanical properties, and retentive forces of cobalt-chromium removable partial denture frameworks fabricated by selective laser melting followed by heat treatment. Journal of Prosthetic Dentistry, 2022, 127, 115-121. | 1.1 | 14 |
| 890 | Self-reported functional ambulation is related to physical mobility status in polio survivors; a cross-sectional observational study. Annals of Physical and Rehabilitation Medicine, 2020, 64, 101428. | 1.1 | 3 |
| 891 | Hematotoxic Snakebite Victim with Trauma: The Role of Guided Transfusion, Rotational Thromboelastometry, and Tranexamic Acid. Wilderness and Environmental Medicine, 2020, 31, 470-481. | 0.4 | 2 |
| 894 | Endothelial miRNAs reduce leukocyte adhesion by modulating inflammatory signal transduction pathways. Atherosclerosis, 2020, 315, e3. | 0.4 | 0 |
| 895 | Inclisiran reduces LDL-cholesterol independent of genotype in subjects with heterozygous familial hypercholesterolaemia. Atherosclerosis, 2020, 315, e7-e8. | 0.4 | 1 |
| 896 | Is pioglitazone capable of inducing atheroma regression, a step towards drug induced regenerative medicine? A systematic review and meta-analysis. Atherosclerosis, 2020, 315, e135-e136. | 0.4 | 0 |
| 897 | Cholesterol efflux is differently controlled by specific pathways and effectors. Atherosclerosis, 2020, 315, e154-e155. | 0.4 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 898 | How much do LDL-C and TG contribute to the number and the composition of Bcl particles?. Atherosclerosis, 2020, 315, e157. | 0.4 | 0 |
| 899 | Evaluation of adherence to Mediterranean diet, assessed by a food frequency questionnaire, in dyslipidemic patients and evaluation of dietary intervention efficacy. Atherosclerosis, 2020, 315, e219-e220. | 0.4 | 0 |
| 900 | Audit assessing complication of sentinel lymph node biopsy and elective neck dissection. A single institution experience. British Journal of Oral and Maxillofacial Surgery, 2020, 58, e158. | 0.4 | 0 |
| 901 | Advanced TMJ arthroscopy – first experience in UK. British Journal of Oral and Maxillofacial Surgery, 2020, 58, e223. | 0.4 | 0 |
| 902 | Feedback controller for restoring the basal hemodynamic condition with a rotary blood pump used as left ventricular assist device. Biomedical Signal Processing and Control, 2020, 62, 102136. | 3.5 | 4 |
| 903 | Evaluation of a cycle-generative adversarial network-based cone-beam CT to synthetic CT conversion algorithm for adaptive radiation therapy. Physica Medica, 2020, 80, 308-316. | 0.4 | 35 |
| 904 | Predictors of non-suicidal self-injury cessation in adults who self-injured during adolescence. Journal of Affective Disorders Reports, 2020, 1, 100017. | 0.9 | 12 |
| 908 | Exploring factors that support the kindergarten transition patterns of Latino boys. Journal of Applied Developmental Psychology, 2020, 70, 101186. | 0.8 | 1 |
| 909 | Mutation in candidate genes account for a small minority of hypobetalipoproteinemias and NGS analysis support polygenicity in mutation-negative patients. Atherosclerosis, 2020, 315, e45. | 0.4 | 0 |
| 910 | Carotid plaque inflammation is associated with inflammatory-driven glucose metabolism of visceral adipose tissue. Atherosclerosis, 2020, 315, e99. | 0.4 | 1 |
| 911 | Does motion-induced blood pressure variability affect pulse wave velocity and advanced glycation end products relationships in elderly people in the okinawa healthy and long-lived areas of Japan?. Atherosclerosis, 2020, 315, e261-e262. | 0.4 | 0 |
| 912 | The effect of atorvastatin on arterial stiffness after STEMI. Atherosclerosis, 2020, 315, e277. | 0.4 | 0 |
| 913 | Ureterovesical junction deformation during urine storage in the bladder and the effect on vesicoureteral reflux. Journal of Biomechanics, 2020, 113, 110123. | 0.9 | 4 |
| 914 | Towards an integrated surface water quality assessment: Aggregation over multiple pollutants and time. Water Research, 2020, 186, 116330. | 5.3 | 9 |
| 919 | The effect of folate and VitB12 in the treatment of MCI patients with hyperhomocysteinemia. Journal of Clinical Neuroscience, 2020, 81, 65-69. | 0.8 | 6 |
| 920 | Fault Tree Analysis To Understand And Improve Reliability Of Memory Modules Used In Data Center Server Racks. Procedia Manufacturing, 2020, 51, 989-997. | 1.9 | 2 |
| 921 | 14401 When lidocaine isn't enough: The regular use of intravenous sedation and advanced practice anesthesia providers in a high-efficiency dermatologic surgery practice. Journal of the American Academy of Dermatology, 2020, 83, AB136. | 0.6 | 0 |
| 922 | Thigh burn – A magnetic resonance imaging (MRI) related adverse event. Radiology Case Reports, 2020, 15, 2569-2571. | 0.2 | 5 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 923 | DIALYSIS IMPROVES MYOCARDIAL PRESERVATION DURING EX SITU HEART PERFUSION. Canadian Journal of Cardiology, 2020, 36, S117-S118. | 0.8 | 0 |
| 925 | α″ phase-assisted nucleation to obtain ultrafine α precipitates for designing high-strength near-β titanium alloys. Transactions of Nonferrous Metals Society of China, 2020, 30, 2681-2696. | 1.7 | 12 |
| 926 | Comparison effectiveness of acute coronary syndrome treatments on geriatric function. Annales De Cardiologie Et D'Angeiologie, 2020, 69, 173-179. | 0.3 | 0 |
| 927 | Architecting neonicotinoid-scavenging nanocomposite hydrogels for environmental remediation. Applied Materials Today, 2020, 21, 100878. | 2.3 | 69 |
| 928 | Spatial variability of aerosols over Greek archaeological sites using Space-Borne Remote Sensing. Journal of Cultural Heritage, 2020, 46, 207-217. | 1.5 | 3 |
| 929 | First data on latent tuberculosis infection in Syrian refugees with diabetes in Lebanon. Public Health, 2020, 189, 97-100. | 1.4 | 2 |
| 930 | Lessons from the post-genomic era: Globin diversity beyond oxygen binding and transport. Redox Biology, 2020, 37, 101687. | 3.9 | 44 |
| 931 | Prediction of lane change by echo state networks. Transportation Research Part C: Emerging Technologies, 2020, 121, 102841. | 3.9 | 4 |
| 932 | Blood Biochemical and Erythrocytic Morpho-pathological Consequences of Naphthalene Intoxication in Indian Teleost, Anabas testudineus (Bloch). Environmental Toxicology and Pharmacology, 2020, 80, 103490. | 2.0 | 5 |
| 934 | An invited commentary on "Acute care surgery during the COVID-19 pandemic in Spain: Changes in volume, causes and complications. A multicentre retrospective cohort study― International Journal of Surgery, 2020, 83, 107-108. | 1.1 | 1 |
| 935 | Conversion from mini bypass to laparoscopic Roux en Y gastric bypass in an emergency setting: Case report and literature review. International Journal of Surgery Case Reports, 2020, 75, 32-36. | 0.2 | 2 |
| 936 | Aromatics oxidation in the furnace of sulfur recovery units: Model development and optimization. Journal of Natural Gas Science and Engineering, 2020, 83, 103581. | 2.1 | 9 |
| 937 | Prediction of the Technical Success of Endovascular Therapy in Patients with Critical Limb Threatening Ischaemia Using the Global Limb Anatomical Staging System. Journal of Vascular Surgery, 2020, 72, 2211. | 0.6 | 0 |
| 938 | Neuroimaging of the Pituitary Gland. Radiologic Clinics of North America, 2020, 58, 1115-1133. | 0.9 | 30 |
| 939 | Addressing nutritional failure in a cystic fibrosis patient using nutritional and psychological intervention. Clinical Nutrition ESPEN, 2020, 40, 336-339. | 0.5 | 1 |
| 940 | Electrical resistivity survey data for potential aquifer in Banggi Island, Sabah, Malaysia. Data in Brief, 2020, 32, 106194. | 0.5 | 0 |
| 941 | A survey on various applications of prescriptive analytics. International Journal of Intelligent Networks, 2020, 1, 76-84. | 5.8 | 26 |
| 942 | Cyclostratigraphy and astrochronology: Case studies from China. Palaeogeography, Palaeoclimatology, Palaeoecology, 2020, 560, 110017. | 1.0 | 10 |

| | Сітатіс | CITATION REPORT | |
|-----|---|-----------------|-----------|
| # | Article | IF | CITATIONS |
| 943 | Analysis of the metabolic pathways affected by hot-humid or dry climate based on fecal metabolomics coupled with serum metabolic changes in broiler chickens. Poultry Science, 2020, 99, 5526-5546. | 1.5 | 5 |
| 944 | A novel mutation in CYBB induced X-linked chronic granulomatous disease: A case report. Respiratory Medicine Case Reports, 2020, 31, 101213. | 0.2 | 0 |
| 945 | Boundary moving least squares method for 3D elasticity problems. Engineering Analysis With Boundary Elements, 2020, 121, 255-266. | 2.0 | 5 |
| 946 | Macrovoid-free high performance polybenzimidazole hollow fiber membranes for elevated temperature H2/CO2 separations. International Journal of Hydrogen Energy, 2020, 45, 27331-27345. | 3.8 | 13 |
| 947 | Aims and Scope for Series "Sensitizing Agents for Cancer Resistant to Cell Mediated Immunotherapyâ€ 2020, , v. | *, | 0 |
| 948 | Hong Kong Chinese medicine clinical practice guideline for insomnia. European Journal of Integrative Medicine, 2020, 39, 101193. | 0.8 | 1 |
| 949 | Usefulness of magnetic resonance enterography in the clinical decision-making process for patients with inflammatory bowel disease. GastroenterologÃa Y HepatologÃa, 2020, 43, 439-445. | 0.2 | 2 |
| 950 | In search of open and inclusive arenas: Transnational practice of communicative planning in Yongtai, China. Habitat International, 2020, 106, 102288. | 2.3 | 4 |
| 951 | Political ingroup conformity and pro-environmental behavior: Evaluating the evidence from a survey and mousetracking experiments. Journal of Environmental Psychology, 2020, 72, 101524. | 2.3 | 16 |
| 952 | Cavernous Hemangioma of the Tympanic Membrane. Case Report and Review of Literature. Acta Otorrinolaringologica (English Edition), 2020, 71, 393-395. | 0.1 | 0 |
| 953 | Knowledge and perception of parents regarding halitosis in their children in Saudi Arabia. Saudi Dental Journal, 2021, 33, 574-580. | 0.5 | 1 |
| 954 | Tissue-Specific Regulation of the Wnt/β-Catenin Pathway by PAGE4 Inhibition of Tankyrase. Cell Reports, 2020, 32, 107922. | 2.9 | 7 |
| 955 | Fine-tuning Muscarinic Cholinergic Transmission in Alcohol Use Disorder. Biological Psychiatry, 2020, 88, 891-892. | 0.7 | 1 |
| 956 | Application of hyperspectral imaging for detecting and visualizing leaf lard adulteration in minced pork. Infrared Physics and Technology, 2020, 110, 103467. | 1.3 | 31 |
| 957 | Fisetin Promotes Hair Growth by Augmenting TERT Expression. Frontiers in Cell and Developmental Biology, 2020, 8, 566617. | 1.8 | 22 |
| 958 | Mobilization in ECMO as a Bridge to Lung Transplant: Optimizing Function in Patients with Complex Respiratory Support. Archives of Physical Medicine and Rehabilitation, 2020, 101, e43. | 0.5 | 0 |
| 959 | Normative and Stroke Human Movement Database: Potential For Predicting Recovery. Archives of Physical Medicine and Rehabilitation, 2020, 101, e68. | 0.5 | 0 |
| 960 | Acute Rehabilitation Admission Rates and Level of Functional Improvements in Pediatric Patients with Autoimmune Encephalitis. Archives of Physical Medicine and Rehabilitation, 2020, 101, e77. | 0.5 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 961 | Photothermal effect enhanced photocatalysis realized by photonic crystal and microreactor. Applied Surface Science, 2020, 534, 147640. | 3.1 | 16 |
| 962 | To See a Face Like Mine. Cell, 2020, 183, 564-567. | 13.5 | 3 |
| 963 | Simulation on alternating oscillation flow in microchannel pulse tube coupled with active piston using non-equilibrium molecular dynamics. Chemical Physics Letters, 2020, 759, 137965. | 1.2 | 3 |
| 964 | Building plausible futures: Scenario-based strategic planning of industrial development of Kyrgyzstan. Futures, 2020, 124, 102646. | 1.4 | 13 |
| 965 | 7 - Evaluation of a Novel Approach to Health-Care Delivery: The Inclusion of an Indigenous Knowledge Keeper and Art Therapy in a Youth Onset Type 2 Diabetes Clinic. Canadian Journal of Diabetes, 2020, 44, S3-S4. | 0.4 | 1 |
| 966 | Microglial translocator protein and stressor-related disorder. Neurochemistry International, 2020, 140, 104855. | 1.9 | 6 |
| 967 | Synchronous reconstruction of esophageal defect and voice with J-flap after laryngopharyngectomy: Indications and outcomes. Oral Oncology, 2020, 110, 104947. | 0.8 | 2 |
| 968 | Characterization of a phytochelatin synthase gene from Ipomoea pes-caprae involved in cadmium tolerance and accumulation in yeast and plants. Plant Physiology and Biochemistry, 2020, 155, 743-755. | 2.8 | 21 |
| 969 | An Intrinsic Oscillation of Gene Networks Inside Hair Follicle Stem Cells: An Additional Layer That Can Modulate Hair Stem Cell Activities. Frontiers in Cell and Developmental Biology, 2020, 8, 595178. | 1.8 | 27 |
| 970 | Searching for Imaging Biomarkers of Psychotic Dysconnectivity. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2021, 6, 1135-1144. | 1.1 | 2 |
| 971 | The depositional flux of meteoric cosmogenic 10Be from modeling and observation. Earth and Planetary Science Letters, 2020, 550, 116530. | 1.8 | 11 |
| 972 | Terahertz Spoof Surface Plasmonic Logic Gates. IScience, 2020, 23, 101685. | 1.9 | 14 |
| 973 | Imagerie des tumeurs bénignes à cellules notochordales. Journal D'imagerie Diagnostique Et Interventionnelle, 2020, 3, 288-292. | 0.0 | 0 |
| 974 | Un cas fulminant de granulomatose avec polyangéite révélé par une atteinte multiple des nerfs crâniens. Pratique Neurologique - FMC, 2020, 11, 193-195. | 0.1 | 0 |
| 975 | Parathyroid Imaging. Radiologic Clinics of North America, 2020, 58, 1071-1083. | 0.9 | 17 |
| 976 | Arterial blood pressure and arterial blood gas values in conscious pregnant rabbits. Veterinary Anaesthesia and Analgesia, 2020, 47, 849-851. | 0.3 | 6 |
| 977 | Tp63-expressing adult epithelial stem cells cross lineages boundaries revealing latent hairy skin competence. Nature Communications, 2020, 11, 5645. | 5.8 | 9 |
| 978 | 117: A Survey of Canadian Radiotherapy Practices in Cervical Cancer. Radiotherapy and Oncology, 2020, 150, S51. | 0.3 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-------------------|--------------|
| 980 | Efficacy of four weeks of home enteral feeding supplementation after esophagectomy on immune function: a randomized controlled trial Clinical Nutrition ESPEN, 2020, 40, 414. | 0.5 | 0 |
| 981 | Bulbar motor neuron symptoms lead to different types of oropharyngeal dysphagia in mnd/als?. Clinical Nutrition ESPEN, 2020, 40, 471. | 0.5 | 0 |
| 982 | Nutrition care process documentation in obese children and adolescents with metabolic syndrome and/or non-alcoholic fatty liver disease in riyadh hospitals. Clinical Nutrition ESPEN, 2020, 40, 542-543. | 0.5 | 0 |
| 983 | Bmi classification and bioelectrical impedance (BIA) of body composition in men and the relationship with health. Clinical Nutrition ESPEN, 2020, 40, 619-620. | 0.5 | 0 |
| 984 | Comparison of enteral formulas with recommended dietary allowances in the general population. A descriptive study. Clinical Nutrition ESPEN, 2020, 40, 678. | 0.5 | 1 |
| 985 | Formation of ÎAl13Fe4 and the multi-step phase transformations to α-Al8Fe2Si, β-Al5FeSi and δ-Al4FeSi2 in Al–20Si-0.7Fe alloy. Intermetallics, 2020, 127, 106960. | 1.8 | 17 |
| 987 | Sequencing-based detection of 23S rRNA domain V mutations in treatment-naÃ ⁻ ve Helicobacter pylori patients from Malaysia. Journal of Global Antimicrobial Resistance, 2020, 23, 345-348. | 0.9 | 3 |
| 988 | Reliability analysis of dynamic fault trees with spare gates using conditional binary decision diagrams. Journal of Systems and Software, 2020, 170, 110766. | 3.3 | 12 |
| 989 | Geochemical evolution of the lithospheric mantle beneath the Styrian Basin (Western Pannonian) Tj ETQq0 0 0 r | gBT /Overl 0.6 | ock 10 Tf 50 |
| 991 | Paget´s disease of the male breast: An unusual case in a young man and literature review. Current Problems in Cancer Case Reports, 2020, 1, 100019. | 0.1 | 1 |

Honey for upper respiratory tract infections. Pharmacy Today, 2020, 26, 13. 992

| 992 | Honey for upper respiratory tract infections. Pharmacy Today, 2020, 26, 13. | 0.0 | 0 |
|------|---|-----|----|
| 994 | Metabolic profiling, in vitro bioaccessibility and in vivo bioavailability of a commercial bioactive Epilobium angustifolium L. extract. Biomedicine and Pharmacotherapy, 2020, 131, 110670. | 2.5 | 24 |
| 997 | Three simultaneous primary urologic malignancies iA single patient: A case report and review of the literature. International Journal of Surgery Case Reports, 2020, 76, 501-504. | 0.2 | 1 |
| 998 | Quantifying the impact of capillary trapping on coal seam gas recovery. Journal of Natural Gas Science and Engineering, 2020, 83, 103588. | 2.1 | 12 |
| 999 | Renal cancer with extensive level IV intracardiac tumour thrombus removed by robot. Lancet, The, 2020, 396, e88. | 6.3 | 13 |
| 1000 | Clinicopathological and radiological characterization of myofibroblastoma of breast: A single institutional case review. Annals of Diagnostic Pathology, 2020, 48, 151591. | 0.6 | 11 |
| 1001 | Radiological Staging in Early Breast Cancer: the Third Audit. Clinical Oncology, 2020, 32, e174. | 0.6 | 0 |
| 1005 | 52 Acceptance of Telemedicine Screening for COVID-19 Outside Usual Health System Catchment Area. Annals of Emergency Medicine, 2020, 76, S21. | 0.3 | 0 |

| # | Article | IF | CITATIONS |
|------|--|---------|-------------------|
| 1006 | 125 Linkage Outcomes for HIV/HCV Co-Infected and HCV Mono-Infected Patients Participating in an Emergency Department Screening Program. Annals of Emergency Medicine, 2020, 76, S49. | 0.3 | 1 |
| 1007 | Osmotic and ionic regulation, and modulation by protein kinases, FXYD2 peptide and ATP of gill (Na+,) Tj ETQq1 1 | 0.78431 | 4 rgBT /Ov∈ 16 |
| | Biochemistry and Physiology - B Biochemistry and Molecular Biology, 2020, 250, 110507. | | |
| 1008 | Insights into the Genetic Underpinnings of Endocrine Traits from Large-Scale Genome-Wide Association Studies. Endocrinology and Metabolism Clinics of North America, 2020, 49, 725-739. | 1.2 | 1 |
| 1011 | Applying the 3Rs within safety pharmacology assessments for the central nervous system. Journal of Pharmacological and Toxicological Methods, 2020, 105, 106708. | 0.3 | 0 |
| 1012 | Changes in the housing arrangement (single versus paired) in cynomolgus monkeys and the impact on telemetry data in drug safety evaluations. Journal of Pharmacological and Toxicological Methods, 2020, 105, 106833. | 0.3 | 1 |
| 1013 | Peroperative arterial deformations in the computer-assisted planning of fenestrated stentgrafts. Annals of Vascular Surgery, 2020, 68, 111-112. | 0.4 | 1 |
| 1015 | Opinion de comité noÂ407Â: Pathologie thyroÃ⁻dienne et infertilité. Journal of Obstetrics and Gynaecology Canada, 2020, 42, 1283-1286. | 0.3 | 0 |
| 1016 | Necesidad de una disponibilidad real de fármacos oculares tópicos antifúngicos y antiamebianos en el Sistema Sanitario Español. Archivos De La Sociedad Espanola De Oftalmologia, 2020, 95, e81-e82. | 0.1 | 1 |
| 1017 | Pivotal Involvement of the CX3CL1-CX3CR1 Axis for the Recruitment of M2 Tumor-Associated Macrophages in Skin Carcinogenesis. Journal of Investigative Dermatology, 2020, 140, 1951-1961.e6. | 0.3 | 27 |
| 1018 | Inner Mongolian Cashmere Goat Secondary Follicle Development Regulation Research Based on mRNA-miRNA Co-analysis. Scientific Reports, 2020, 10, 4519. | 1.6 | 24 |
| 1019 | The Molecular Anatomy of Mouse Skin during Hair Growth and Rest. Cell Stem Cell, 2020, 26, 441-457.e7. | 5.2 | 198 |
| 1020 | Neuroendocrinology and neurobiology of sebaceous glands. Biological Reviews, 2020, 95, 592-624. | 4.7 | 48 |
| 1021 | Molecular organization of cells. , 2020, , 79-91. | | 0 |
| 1022 | Skin in the Game: Stem Cells in Repair, Cancer, and Homeostasis. Cell, 2020, 181, 492-494. | 13.5 | 3 |
| 1023 | Trichoblastic carcinosarcoma with panfollicular differentiation (panfollicular carcinosarcoma) and CTNNB1 (beta atenin) mutation. Journal of Cutaneous Pathology, 2021, 48, 309-313. | 0.7 | 6 |
| 1024 | AONet: Active Offset Network for crowd flow prediction. Engineering Applications of Artificial Intelligence, 2021, 97, 104022. | 4.3 | 3 |
| 1025 | Mapping the field of English for specific purposes (1980–2018): A co-citation analysis. English for Specific Purposes, 2021, 61, 97-116. | 1.2 | 37 |
| 1026 | The effectiveness of the BuzzyⓇ device to reduce or prevent pain in children undergoing needle-related procedures: The results from a prospective, open-label, randomised, non-inferiority study. International Journal of Nursing Studies, 2021, 113, 103803. | 2.5 | 17 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1027 | CGRP Receptor Antagonism in COVID-19: Potential Cardiopulmonary Adverse Effects. Trends in Molecular Medicine, 2021, 27, 7-10. | 3.5 | 15 |
| 1028 | Not all mice are alike: Mixed-strain housing alters social behaviour. Physiology and Behavior, 2021, 228, 113220. | 1.0 | 7 |
| 1029 | Mercury biomagnification in an ichthyic food chain of an amazon floodplain lake (Puruzinho Lake): Influence of seasonality and food chain modeling. Ecotoxicology and Environmental Safety, 2021, 207, 111249. | 2.9 | 19 |
| 1030 | Physicochemical, thermal and rheological properties of isolated Argentina quinoa starch. LWT - Food Science and Technology, 2021, 135, 110113. | 2.5 | 8 |
| 1031 | Are proactive employees more creative? The roles of multisource information exchange and social exchange-based employee-organization relationships. Personality and Individual Differences, 2021, 170, 110484. | 1.6 | 8 |
| 1032 | Cyclic degradation and pore pressure dynamics of EICP treated hydrocarbon contaminated sands. Soil Dynamics and Earthquake Engineering, 2021, 140, 106369. | 1.9 | 9 |
| 1033 | MOFs derived carbon nanotubes coated CoNi alloy nanocomposites with N-doped rich-defect and abundant cavity structure as efficient trifunctional electrocatalyst. Applied Surface Science, 2021, 536, 147786. | 3.1 | 50 |
| 1034 | COVID-19: reflexiones de urgencia desde los cuidados paliativos ante la próxima epidemia. Medicina ClÃnica, 2021, 156, 29-32. | 0.3 | 3 |
| 1036 | In-vehicle displays to support driver anticipation of traffic conflicts in automated vehicles. Accident Analysis and Prevention, 2021, 149, 105842. | 3.0 | 16 |
| 1037 | Multi-level delumping strategy for thermal enhanced oil recovery simulations at low pressure. Fluid Phase Equilibria, 2021, 528, 112850. | 1.4 | 1 |
| 1038 | Non-linear performance analysis of free headed piles in consolidating soil subjected to lateral loads. Engineering Science and Technology, an International Journal, 2021, 24, 449-457. | 2.0 | 1 |
| 1039 | Classification and discrimination of soybean (Glycine max (L.) Merr.) genotypes based on their isoflavone content. Journal of Food Composition and Analysis, 2021, 95, 103670. | 1.9 | 4 |
| 1040 | Global bounded solution to a chemotaxis-convection model of capillary-sprout growth during tumor angiogenesis. Journal of Mathematical Analysis and Applications, 2021, 495, 124665. | 0.5 | 2 |
| 1041 | Role of Wnt signaling in dermatofibroma induction phenomenon. Journal of Cutaneous Pathology, 2021, 48, 217-220. | 0.7 | 0 |
| 1042 | Cellular heterogeneity and microenvironmental control of skin cancer. Journal of Internal Medicine, 2021, 289, 614-628. | 2.7 | 8 |
| 1043 | How much is possible? An integrative study of intermittent and renewables sources deployment. A case study in Brazil. , 2021, , 511-538. | | 1 |
| 1044 | Smartwatches are more distracting than mobile phones while driving: Results from an experimental study. Accident Analysis and Prevention, 2021, 149, 105846. | 3.0 | 8 |
| 1045 | The diagnosis and treatment of hereditary angioedema patients in Japan: A patient reported outcome survey. Allergology International, 2021, 70, 235-243. | 1.4 | 14 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1046 | Domestic violence in families in the Netherlands during the coronavirus crisis: A mixed method study. Child Abuse and Neglect, 2021, 116, 104800. | 1.3 | 20 |
| 1047 | Accurate pressure tracking to support mechanically ventilated patients using an estimated nonlinear hose model and delay compensation. Control Engineering Practice, 2021, 106, 104660. | 3.2 | 4 |
| 1048 | Candida guilliermondii-induced chorioretinitis in a patient with eating disorder. Journal of Infection and Chemotherapy, 2021, 27, 642-646. | 0.8 | 5 |
| 1049 | ECAP of titanium alloy by sever plastic deformation: A review. Materials Today: Proceedings, 2021, 45, 71-77. | 0.9 | 4 |
| 1050 | Computerized approach for design and generation of face-milled non-generated hypoid gears with low shaft angle. Mechanism and Machine Theory, 2021, 155, 104084. | 2.7 | 14 |
| 1052 | Production of liquid fuel intermediates from furfural via aldol condensation over La2O2CO3-ZnO-Al2O3 catalyst. Catalysis Communications, 2021, 149, 106207. | 1.6 | 20 |
| 1053 | Tracing nitrate source and transformation in a semiarid loess aquifer with the thick unsaturated zone. Catena, 2021, 198, 105045. | 2.2 | 12 |
| 1054 | Forecasting the long-term deterioration of a cut slope in high-plasticity clay using a numerical model. Engineering Geology, 2021, 280, 105912. | 2.9 | 20 |
| 1055 | Neighborhood social environments, healthy resources, and adult diabetes: Accounting for activity space exposures. Health and Place, 2021, 67, 102473. | 1.5 | 11 |
| 1056 | Inter-hours rolling scheduling of behind-the-meter storage operating systems using electricity price forecasting based on deep convolutional neural network. International Journal of Electrical Power and Energy Systems, 2021, 125, 106499. | 3.3 | 73 |
| 1057 | Semantic part segmentation method based 3D object pose estimation with RGB-D images for bin-picking. Robotics and Computer-Integrated Manufacturing, 2021, 68, 102086. | 6.1 | 31 |
| 1058 | Gibbs energy minimization using Lagrange method of undetermined multipliers for electrochemical and thermodynamic modeling of a MCFC with internal steam reforming. Energy Conversion and Management, 2021, 228, 113594. | 4.4 | 10 |
| 1059 | A plane stress model of bond-based Cosserat peridynamics and the effects of material parameters on crack patterns. Engineering Analysis With Boundary Elements, 2021, 123, 48-61. | 2.0 | 14 |
| 1060 | Transcriptional and signalling regulation of skin epithelial stem cells in homeostasis, wounds and cancer. Experimental Dermatology, 2021, 30, 529-545. | 1.4 | 15 |
| 1061 | Home literacy environment and existing knowledge mediate the link between socioeconomic status and language learning skills in dual language learners. Early Childhood Research Quarterly, 2021, 55, 1-14. | 1.6 | 20 |
| 1062 | Optimizing water use between intercropped pea and maize through strip row ratio expansion and N fertilizer reduction in arid areas. Field Crops Research, 2021, 260, 108001. | 2.3 | 8 |
| 1063 | Privacy-preserving data mining for open government data from heterogeneous sources. Government Information Quarterly, 2021, 38, 101544. | 4.0 | 17 |
| 1064 | Validity and Reliability of The 3-Meter Backward Walk Test in Individuals with Stroke. Journal of Stroke and Cerebrovascular Diseases, 2021, 30, 105462. | 0.7 | 15 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1065 | DNA methylation associated with persistent ADHD suggests TARBP1 as novel candidate. Neuropharmacology, 2021, 184, 108370. | 2.0 | 14 |
| 1068 | Rapid determination of thyroid hormones in blood plasma from Glaucous gulls and Baikal seals by HybridSPE®-LC-MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2021, 1162, 122447. | 1.2 | 6 |
| 1069 | Neurologic Emergencies. Emergency Medicine Clinics of North America, 2021, 39, i. | 0.5 | 0 |
| 1070 | Barriers and risks of Mobility-as-a-Service (MaaS) adoption in cities: A systematic review of the literature. Cities, 2021, 109, 103036. | 2.7 | 102 |
| 1071 | The impact of cropping system, tillage and season on shaping soil fungal community in a long-term field trial. European Journal of Soil Biology, 2021, 102, 103253. | 1.4 | 12 |
| 1072 | Estimation of shear fracture load in resistance projection welded sheets with dissimilar strength and thickness. Engineering Failure Analysis, 2021, 120, 105042. | 1.8 | 4 |
| 1073 | Onset of smoldering fires in storage silos: Susceptibility to design, scenario, and material parameters. Fuel, 2021, 284, 118964. | 3.4 | 8 |
| 1074 | Evaluating performance and emissions of a CI engine fueled with n-octanol/diesel and n-butanol/diesel blends under different injection strategies. Fuel, 2021, 284, 119085. | 3.4 | 20 |
| 1075 | Stroke Knowledge in the EstEPA Project, a Population-Based Study. Journal of Stroke and Cerebrovascular Diseases, 2021, 30, 105471. | 0.7 | 8 |
| 1076 | Assessing local governments' perception of the potential implementation of biophilic urbanism in Chile: A latent class approach. Land Use Policy, 2021, 101, 105103. | 2.5 | 5 |
| 1077 | Numerical study of ADS windowless spallation target based on diffuse interface method. Nuclear Engineering and Design, 2021, 371, 110947. | 0.8 | 0 |
| 1078 | Above 10ÂW 2130Ânm Ho:YAP laser intra-cavity pumped with composite YAP/Tm:YAP laser. Optics and Laser Technology, 2021, 136, 106733. | 2.2 | 6 |
| 1079 | Catecholic alkaloid sulfonates and aromatic nitro compounds from Portulaca oleracea and screening of their anti-inflammatory and anti-microbial activities. Phytochemistry, 2021, 181, 112587. | 1.4 | 10 |
| 1080 | Effect of seizure viewing on psychological outcome in persons with epilepsy. Epilepsy and Behavior, 2021, 114, 107605. | 0.9 | 0 |
| 1081 | Crucial role of framework with cytoskeletal actin filaments for shaping microstructure of footpad setae in the ladybird beetle, Harmonia axyridis. Arthropod Structure and Development, 2021, 60, 100998. | 0.8 | 3 |
| 1082 | Patterns of Skin Disease in the Context of a High Prevalence HIV Population in Botswana. Dermatologic Clinics, 2021, 39, 1-14. | 1.0 | 3 |
| 1083 | Experimental and kinetic modeling study of ammonia addition on PAH characteristics in premixed n-heptane flames. Fuel Processing Technology, 2021, 214, 106682. | 3.7 | 37 |
| 1084 | Gas chromatography-mass spectrometry (GC/MS) reveals urine metabolites associated to light and heavy infections by Schistosoma mansoni in mice. Parasitology International, 2021, 80, 102239. | 0.6 | 4 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1085 | Deterioration of mental health despite successful control of the COVID-19 pandemic in South Korea Psychiatry Research, 2021, 295, 113570. | 1.7 | 64 |
| 1086 | Early and differential bacterial colonization on microplastics deployed into the effluents of wastewater treatment plants. Science of the Total Environment, 2021, 757, 143832. | 3.9 | 60 |
| 1087 | Impact of Protease Inhibitor-Based Antiretroviral Therapy on Tacrolimus Intrapatient Variability in HIV-Positive Kidney Transplant Recipients. Transplantation Proceedings, 2021, 53, 984-988. | 0.3 | 3 |
| 1088 | Dynamical diversity of mitochondrial BK channels located in different cell types. BioSystems, 2021, 199, 104310. | 0.9 | 4 |
| 1089 | Analysis of the temporal correlations of TLS range observations from plane fitting residuals. ISPRS Journal of Photogrammetry and Remote Sensing, 2021, 171, 119-132. | 4.9 | 11 |
| 1090 | Near-infrared-responsive functional nanomaterials: the first domino of combined tumor therapy. Nano Today, 2021, 36, 100963. | 6.2 | 30 |
| 1091 | Electrocodeposition of Ni composites and surface treatment of SiC nano-particles. Surface and Coatings Technology, 2021, 406, 126663. | 2.2 | 13 |
| 1093 | Evolution of cooperation through aspiration-based adjustment of interaction range in spatial prisoner's dilemma game. Applied Mathematics and Computation, 2021, 393, 125746. | 1.4 | 6 |
| 1094 | Abstract concept learning in fish. Current Opinion in Behavioral Sciences, 2021, 37, 56-62. | 2.0 | 5 |
| 1095 | Mutational Landscape and Evolutionary Pattern of Liver and Brain Metastasis in Lung Adenocarcinoma. Journal of Thoracic Oncology, 2021, 16, 237-249. | 0.5 | 36 |
| 1096 | Role of outer layer configuration on saline concentration sensitivity of optical fiber probe coated with ZnO/Ag nano-heterostructure. Optics and Laser Technology, 2021, 136, 106722. | 2.2 | 10 |
| 1098 | Anti-inflammatory phytochemicals for the treatment of diabetes and its complications: Lessons learned and future promise. Biomedicine and Pharmacotherapy, 2021, 133, 110975. | 2.5 | 52 |
| 1099 | Effect of adsorbed moisture on the pore size distribution of marine-continental transitional shales: Insights from lithofacies differences and clay swelling. Applied Clay Science, 2021, 201, 105926. | 2.6 | 31 |
| 1100 | Unraveling the myth of closure corrections: Sharpening the definition of opening and closure stresses with an energy approach. International Journal of Fatigue, 2021, 143, 106016. | 2.8 | 8 |
| 1101 | Shionone alleviates NLRP3 inflammasome mediated pyroptosis in interstitial cystitis injury. International Immunopharmacology, 2021, 90, 107132. | 1.7 | 21 |
| 1102 | 3-MCPD and glycidol coexposure induces systemic toxicity and synergistic nephrotoxicity via NLRP3 inflammasome activation, necroptosis, and autophagic cell death. Journal of Hazardous Materials, 2021, 405, 124241. | 6.5 | 25 |
| 1103 | Effect of Young's modulus of active materials on ion transport through solid electrolyte in all-solid-state lithium-ion battery. Journal of Power Sources, 2021, 483, 229212. | 4.0 | 17 |
| 1104 | Synthesis, surface chemical analysis, lifetime studies and degradation mechanisms of Cs-K-Sb photocathodes. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2021, 986, 164724 | 0.7 | 8 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1106 | Finite-time adaptive neural control for nonstrict-feedback stochastic nonlinear systems with input delay and output constraints. Applied Mathematics and Computation, 2021, 393, 125756. | 1.4 | 17 |
| 1107 | Priority knowledge needs for implementing nature-based solutions in the Mediterranean islands. Environmental Science and Policy, 2021, 116, 56-68. | 2.4 | 28 |
| 1108 | Takotsubo syndrome in COVID-19 era: Is psychological distress the key?. Journal of Psychosomatic Research, 2021, 140, 110297. | 1.2 | 16 |
| 1109 | Inequalities and Inequities in Pediatric Respiratory Diseases. Pediatric Clinics of North America, 2021, 68, 293-304. | 0.9 | 3 |
| 1111 | Contamination, exposure and risk assessment of mercury in the soils of an artisanal gold mining community in Ghana. Chemosphere, 2021, 267, 128910. | 4.2 | 40 |
| 1112 | Defect detection methods using boolean functions and the <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si17.svg"><mml:mi>ï†</mml:mi>-coefficient between bit-plane slices. Optics and Lasers in Engineering, 2021, 139, 106474.</mml:math | 2.0 | 3 |
| 1113 | Thermal Hydrolysis of Wastewater Sludge Followed by Fungal Fermentation for Organic Recovery and Hyphae Fiber Production. Engineering, 2021, 7, 203-211. | 3.2 | 12 |
| 1114 | Expansion planning of generation technologies in electric energy systems under water use constraints with renewable resources. Sustainable Energy Technologies and Assessments, 2021, 43, 100828. | 1.7 | 5 |
| 1115 | Experimental study on secondary droplets produced during liquid jet impingement onto a horizon solid surface. Experimental Thermal and Fluid Science, 2021, 120, 110249. | 1.5 | 10 |
| 1116 | The role of accountability in determining the relationship between financial reporting quality and the performance of public organizations: Evidence from Vietnam. Journal of Accounting and Public Policy, 2021, 40, 106801. | 1.1 | 12 |
| 1117 | Circular purchasing in Dutch and Belgian organizations: The role of intrapreneurship and organizational citizenship behavior towards the environment. Journal of Cleaner Production, 2021, 280, 124978. | 4.6 | 25 |
| 1118 | Triterpene-enriched fractions from Eucalyptus tereticornis ameliorate metabolic alterations in a mouse model of diet-induced obesity. Journal of Ethnopharmacology, 2021, 265, 113298. | 2.0 | 10 |
| 1119 | Metabolite profiling of semi-leafless pea (Pisum sativum L.) under progressive soil drought and subsequent re-watering. Journal of Plant Physiology, 2021, 256, 153314. | 1.6 | 13 |
| 1120 | Modeling and optimization of chlorophenol rejection for spiral wound reverse osmosis membrane modules. Chemosphere, 2021, 268, 129345. | 4.2 | 3 |
| 1121 | Multi-response optimization toward efficient and clean (co-)combustions of textile dyeing sludge and second-generation feedstock. Journal of Hazardous Materials, 2021, 408, 124824. | 6.5 | 14 |
| 1122 | Effect of soil amendments on trace element-mediated oxidative stress in plants: Meta-analysis and mechanistic interpretations. Journal of Hazardous Materials, 2021, 407, 124881. | 6.5 | 34 |
| 1123 | Assessment of a Pd–Fe3O4-biochar nanocomposite as a heterogeneous catalyst for the solvent-free Suzuki-Miyaura reaction. Materials Chemistry and Physics, 2021, 259, 124176. | 2.0 | 12 |
| 1124 | Comparative study of different enhanced oil recovery scenarios by silica nanoparticles: An approach to time-dependent wettability alteration in carbonates. Journal of Molecular Liquids, 2021, 324, 115093. | 2.3 | 32 |

| | | REF ORT | |
|------|---|---------|-----------|
| # | Article | IF | CITATIONS |
| 1125 | Learning performance of LapSVM based on Markov subsampling. Neurocomputing, 2021, 432, 10-20. | 3.5 | 2 |
| 1127 | A triple bottom line balanced set of key performance indicators to measure the sustainability performance of industrial supply chains. Sustainable Production and Consumption, 2021, 26, 648-691. | 5.7 | 66 |
| 1128 | Skin Cyst: A Pathological Dead-End With a New Twist of Morphogenetic Potentials in Organoid Cultures. Frontiers in Cell and Developmental Biology, 2020, 8, 628114. | 1.8 | 4 |
| 1129 | Hair follicle stem cells as a skinâ€organizing signaling center during adult homeostasis. EMBO Journal, 2021, 40, e107135. | 3.5 | 28 |
| 1131 | Update on Molecular Genetic Alterations of Cutaneous Adnexal Neoplasms. Surgical Pathology Clinics, 2021, 14, 251-272. | 0.7 | 8 |
| 1132 | Photobiomodulation therapy for hair regeneration: A synergetic activation of β-CATENIN in hair follicle stem cells by ROS and paracrine WNTs. Stem Cell Reports, 2021, 16, 1568-1583. | 2.3 | 27 |
| 1134 | Human Wnt/β-Catenin Regulates Alloimmune Signaling during Allogeneic Transplantation. Cancers, 2021, 13, 3798. | 1.7 | 7 |
| 1135 | Acral Calcified Angioleiomyoma Along with Radiological Features. Biomedical Journal of Scientific & Technical Research, 2021, 38, . | 0.0 | 0 |
| 1136 | A systematic summary of survival and death signalling during the life of hair follicle stem cells. Stem Cell Research and Therapy, 2021, 12, 453. | 2.4 | 46 |
| 1137 | Exploring the Interplay of Telomerase Reverse Transcriptase and β-Catenin in Hepatocellular Carcinoma. Cancers, 2021, 13, 4202. | 1.7 | 9 |
| 1138 | Red ginseng oil promotes hair growth and protects skin against UVC radiation. Journal of Ginseng Research, 2021, 45, 498-509. | 3.0 | 13 |
| 1139 | Induction of lef1 during zebrafish fin regeneration. Developmental Dynamics, 2000, 219, 282-286. | 0.8 | 133 |
| 1142 | The landscape of GPCR signaling in the regulation of epidermal stem cell fate and skin homeostasis. Stem Cells, 2020, 38, 1520-1531. | 1.4 | 12 |
| 1143 | Wnt/β-Catenin Signaling and Oral Cancer Metastasis. , 2009, , 231-264. | | 1 |
| 1144 | The Wnt/β-catenin Signaling Circuitry in Head and Neck Cancer. , 2014, , 199-214. | | 1 |
| 1145 | Mouse Models of Nonmelanoma Skin Cancer. Methods in Molecular Biology, 2015, 1267, 217-250. | 0.4 | 8 |
| 1146 | The Vitamin D Receptor as Tumor Suppressor in Skin. Advances in Experimental Medicine and Biology, 2020, 1268, 285-306. | 0.8 | 47 |
| 1147 | The Hair Follicle Stem Cell Niche: The Bulge and Its Environment. Pancreatic Islet Biology, 2015, , 1-26. | 0.1 | 2 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1148 | The Molecular Composition and Function of Desmosomes. Handbook of Experimental Pharmacology, 2004, , 137-193. | 0.9 | 20 |
| 1149 | Stem Cell Niche. , 2011, , 81-101. | | 3 |
| 1150 | Adherens Junctions and Cancer. Sub-Cellular Biochemistry, 2012, 60, 379-414. | 1.0 | 57 |
| 1151 | Stem Cell Niches. , 2004, , 59-72. | | 1 |
| 1152 | Diseases of the hair. , 2012, , 967-1050. | | 3 |
| 1153 | Tumors of the hair follicle. , 2012, , 1445-1487. | | 3 |
| 1154 | Stem Cells, Cell Differentiation, and Cancer. , 2014, , 98-107.e3. | | 1 |
| 1155 | Regulation of desmosome assembly and adhesion. Seminars in Cell and Developmental Biology, 2004, 15, 665-77. | 2.3 | 117 |
| 1156 | Stem cells, cancer, and cancer stem cells. , 0, . | | 3 |
| 1157 | Molecular Genetics of the Hair Follicle: The State of the Art. Proceedings of the Society for Experimental Biology and Medicine, 2000, 223, 1-7. | 2.0 | 15 |
| 1160 | Wnt signaling maintains the hair-inducing activity of the dermal papilla. Genes and Development, 2000, 14, 1181-1185. | 2.7 | 416 |
| 1161 | <i>l̂³</i> -Catenin is regulated by the APC tumor suppressor and its oncogenic activity is distinct from that of <i>l̂²</i> -catenin. Genes and Development, 2000, 14, 1319-1331. | 2.7 | 166 |
| 1162 | Wnt signaling and cancer. Genes and Development, 2000, 14, 1837-1851. | 2.7 | 2,589 |
| 1163 | Role of Â-catenin in Epidermal Stem Cell Expansion, Lineage Selection, and Cancer. Cold Spring Harbor Symposia on Quantitative Biology, 2008, 73, 503-512. | 2.0 | 58 |
| 1164 | Neural Wiskott-Aldrich syndrome protein modulates Wnt signaling and is required for hair follicle cycling in mice. Journal of Clinical Investigation, 2010, 120, 446-456. | 3.9 | 31 |
| 1165 | Induction of the hair growth phase in postnatal mice by localized transient expression of Sonic hedgehog. Journal of Clinical Investigation, 1999, 104, 855-864. | 3.9 | 226 |
| 1166 | General Themes in Cellâ \in "Cell Junctions and Cell Adhesion. , 2001, , . | | 2 |
| 1167 | Regulation of Hematopoietic Stem Cell Self-Renewal. Endocrine Reviews, 2003, 58, 283-295. | 7.1 | 97 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1168 | β-catenin signalling modulates proliferative potential of human epidermal keratinocytes independently of intercellular adhesion. Development (Cambridge), 1999, 126, 2285-2298. | 1.2 | 211 |
| 1169 | Roles for PDGF-A and sonic hedgehog in development of mesenchymal components of the hair follicle. Development (Cambridge), 1999, 126, 2611-2621. | 1.2 | 195 |
| 1170 | β-catenin signaling can initiate feather bud development. Development (Cambridge), 1999, 126, 3509-3521. | 1.2 | 163 |
| 1171 | Multiple roles for activated LEF/TCF transcription complexes during hair follicle development and differentiation. Development (Cambridge), 1999, 126, 4557-4568. | 1.2 | 896 |
| 1172 | A two-step mechanism generates the spacing pattern of the ciliated cells in the skin of <i>Xenopus</i> embryos. Development (Cambridge), 1999, 126, 4715-4728. | 1.2 | 176 |
| 1173 | Activation of the Notch pathway in the hair cortex leads to aberrant differentiation of the adjacent hair-shaft layers. Development (Cambridge), 2000, 127, 2421-2432. | 1.2 | 97 |
| 1174 | Evidence that members of the Cut/Cux/CDP family may be involved in AER positioning and polarizing activity during chick limb development. Development (Cambridge), 2000, 127, 5133-5144. | 1.2 | 40 |
| 1175 | Parathyroid hormone-related protein maintains mammary epithelial fate and triggers nipple skin differentiation during embryonic breast development. Development (Cambridge), 2001, 128, 513-525. | 1.2 | 153 |
| 1176 | Expression of ΔNLef1 in mouse epidermis results in differentiation of hair follicles into squamous epidermal cysts and formation of skin tumours. Development (Cambridge), 2002, 129, 95-109. | 1.2 | 259 |
| 1177 | Regulation of hair follicle development by the TNF signal ectodysplasin and its receptor Edar. Development (Cambridge), 2002, 129, 2541-2553. | 1.2 | 198 |
| 1178 | Plakoglobin and β-catenin: Protein interactions, regulation and biological roles. Journal of Cell Science, 2000, 113, 3127-3139. | 1.2 | 310 |
| 1179 | Cross-regulation of the Wnt signalling pathway: a role of MAP kinases. Journal of Cell Science, 2000, 113, 911-919. | 1.2 | 64 |
| 1180 | Hair follicle predetermination. Journal of Cell Science, 2001, 114, 3419-3431. | 1.2 | 195 |
| 1181 | Hyperproliferation, induction of c-Myc and 14-3-3σ, but no cell fragility in keratin-10-null mice. Journal of Cell Science, 2002, 115, 2639-2650. | 1.2 | 106 |
| 1182 | Physiological Functions of Pten in Mouse Tissues Cell Structure and Function, 2003, 28, 11-21. | 0.5 | 98 |
| 1183 | Polycomb-Mediated Repression and Sonic Hedgehog Signaling Interact to Regulate Merkel Cell Specification during Skin Development. PLoS Genetics, 2016, 12, e1006151. | 1.5 | 53 |
| 1184 | Dkk4 and Eda Regulate Distinctive Developmental Mechanisms for Subtypes of Mouse Hair. PLoS ONE, 2010, 5, e10009. | 1.1 | 52 |
| 1185 | A Screen for Key Genes and Pathways Involved in High-Quality Brush Hair in the Yangtze River Delta White Goat. PLoS ONE, 2017, 12, e0169820. | 1.1 | 16 |

| | CHATION | REPORT | |
|------|---|--------|-----------|
| # | Article | IF | CITATIONS |
| 1186 | Adult stem and transit-amplifying cell location. Histology and Histopathology, 2006, 21, 995-1027. | 0.5 | 54 |
| 1187 | Detection of genomic signatures for pig hairlessness using high-density SNP data. Frontiers of Agricultural Science and Engineering, 2014, 1, 307. | 0.9 | 6 |
| 1188 | MicroRNA-148b promotes proliferation of hair follicle cells by targeting NFAT5. Frontiers of Agricultural Science and Engineering, 2016, 3, 72. | 0.9 | 7 |
| 1189 | The Tumor Suppressor Actions of the Vitamin D Receptor in Skin. , 2014, 810, 282-302. | | 11 |
| 1190 | Primordial germ cell migration and the Wnt signaling pathway. Animal Reproduction, 2017, 14, 89-101. | 0.4 | 3 |
| 1191 | New Perspectives in the Pharmacological Treatment of Non-Melanoma Skin Cancer. Current Drug Targets, 2016, 17, 353-374. | 1.0 | 8 |
| 1192 | A Treatment Combination of IGF and EGF Promotes Hair Growth in the Angora Rabbit. Genes, 2021, 12, 24. | 1.0 | 17 |
| 1193 | ShRNA-mediated gene silencing of \hat{l}^2 -catenin inhibits growth of human colon cancer cells. World Journal of Gastroenterology, 2007, 13, 6581. | 1.4 | 30 |
| 1194 | Cancer microenvironment, inflammation and cancer stem cells: A hypothesis for a paradigm change and new targets in cancer control. , 2015, 6, 92. | | 52 |
| 1195 | PATHOBIOLOGY OF ANDROGENETIC ALOPECIA. Biomedical Papers of the Medical Faculty of the University Palacký, Olomouc, Czechoslovakia, 2003, 147, 37-41. | 0.2 | 5 |
| 1196 | TCF7L1 promotes skin tumorigenesis independently of β-catenin through induction of LCN2. ELife, 2017, 6, . | 2.8 | 20 |
| 1197 | Coordinated hedgehog signaling induces new hair follicles in adult skin. ELife, 2020, 9, . | 2.8 | 27 |
| 1198 | m6A RNA methylation impacts fate choices during skin morphogenesis. ELife, 2020, 9, . | 2.8 | 25 |
| 1199 | Integumentary Structures. , 2002, , 567-589. | | 1 |
| 1201 | Tiermodelle in der biomedizinischen Forschung. , 2003, , 299-339. | | 0 |
| 1202 | Bronchiolar Epithelium in Idiopathic Pulmonary Fibrosis/Usual Interstitial Fibrosis. Lung Biology in Health and Disease, 2003, , 631-664. | 0.1 | 0 |
| 1204 | In Vivo Functions of Catenins. Handbook of Experimental Pharmacology, 2004, , 105-135. | 0.9 | 2 |
| 1205 | Growth Factor Signaling Pathways in Cancer. , 2004, , 267-315. | | 0 |
| | | | |

| # | Article | IF | Citations |
|------|---|-----|-----------|
| 1207 | Die Haut als Stammzellreservoir. Fortschritte Der Praktischen Dermatologie Und Venerologie, 2005, , 3-6. | 0.0 | 0 |
| 1208 | 皮膚è«ç~ē̃•ã,•ã,°ã∱Šãƒ«ä¼é°å^†å• Nishinihon Journal of Dermatology, 2006, 68, 611-617. | 0.0 | 0 |
| 1211 | Molecular Genetics of the Hair Follicle: The State of the Art. Proceedings of the Society for Experimental Biology and Medicine, 2000, 223, 1-7. | 2.0 | 0 |
| 1212 | Stem Cells: Biology, Ethics and potential for Medicine. L'annuaire Du Collège De France, 2008, , 897-902. | 0.0 | 0 |
| 1213 | Epithelial Stem Cells and the Development of the Thymus, Parathyroid, and Skin. , 2009, , 405-437. | | 0 |
| 1214 | Cancer Stem Cells and Skin Cancer. , 2009, , 251-267. | | 1 |
| 1215 | Wnt Signaling in Development. , 2010, , 1873-1878. | | 1 |
| 1216 | Sebaceous cell carcinoma. , 2010, , 396-407. | | Ο |
| 1217 | Non-Melanoma Skin Cancer: Appendageal Tumours. , 2010, , 121-167. | | 0 |
| 1218 | Expression of Cell-Cell Adhesion Molecules in Matrical Tumors of Hairs, Nails, Teeth and Pituitary Gland. , 2010, , 297-308. | | 0 |
| 1219 | The skin and vitamin D. Human Health Handbooks, 2012, , 92-113. | 0.1 | 0 |
| 1220 | Stem Cell Niche. , 2013, , 79-106. | | 2 |
| 1221 | Molecular Signals Underlying Hair Follicle Morphogenesis and Cutaneous Regeneration. , 2014, , 89-100. | | 0 |
| 1222 | Embryology of the Pilosebaceous Unit. , 2014, , 9-17. | | 0 |
| 1223 | Recent Advances in Hair Biology and in Treatments of Androgenetic Alopecia Journal of Society of Cosmetic Chemists of Japan, 1999, 33, 220-228. | 0.0 | 0 |
| 1224 | Gene Therapy: Will It Replace Hair Transplantation?. International Society of Hair Restoration Surgery, 1999, 9, 79-80. | 0.1 | 0 |
| 1226 | Tumors of the Cutaneous Appendages and the Epidermis. , 2017, , 505-527. | | 0 |
| 1227 | Cancer Stem Cellsâ \in "Biopathology with Reference to Head and Neck Cancers. , 2017, , 37-57. | | 1 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1228 | Coordinated Hedgehog Signaling Induces De Novo Hair Follicles in Primed Epithelial Structures. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 1229 | Molecular Signature of Aging Driven by Wnt Signaling Pathway: Lessons from Nematodes. Healthy Ageing and Longevity, 2019, , 373-398. | 0.2 | 0 |
| 1231 | 1. Stem Cells. , 2019, , 10-36. | | 0 |
| 1232 | The role of CTNNB1Âand LEF1Âin feather follicles development of Anser cygnoides and Anser anser. Genes and Genomics, 2020, 42, 761-771. | 0.5 | 6 |
| 1235 | External Angular Dermoid and Pilomatrixoma. , 2020, , 125-130. | | 0 |
| 1236 | Ligandâ€Independent Actions of the Vitamin D Receptor: More Questions Than Answers. JBMR Plus, 2021, 5, e10578. | 1.3 | 11 |
| 1237 | The Regulation of Catenins in Cancer. , 2005, , 191-202. | | 0 |
| 1238 | Spatial and Temporal Regulation of Hair Follicle Progenitors by Hedgehog Signaling. , 2006, , 41-52. | | Ο |
| 1239 | Tiermodelle in der biomedizinischen Forschung. , 2008, , 207-241. | | 0 |
| 1241 | Wnt signaling maintains the hair-inducing activity of the dermal papilla. Genes and Development, 2000, 14, 1181-5. | 2.7 | 360 |
| 1242 | gamma-catenin is regulated by the APC tumor suppressor and its oncogenic activity is distinct from that of beta-catenin. Genes and Development, 2000, 14, 1319-31. | 2.7 | 152 |
| 1243 | The vitamin D receptor: a tumor suppressor in skin. Discovery Medicine, 2011, 11, 7-17. | 0.5 | 52 |
| 1244 | Dinosaur's feather and chicken's tooth? Tissue engineering of the integument. European Journal of Dermatology, 2001, 11, 286-92. | 0.3 | 22 |
| 1247 | Advances in Hair Restoration. Current Otorhinolaryngology Reports, 2021, 9, 436-441. | 0.2 | 2 |
| 1248 | Basal Cells in the Epidermis and Epidermal Differentiation. Stem Cell Reviews and Reports, 2022, 18, 1883-1891. | 1.7 | 3 |
| 1250 | Stabilization of \hat{l}^2 -catenin promotes melanocyte specification at the expense of the Schwann cell lineage. Development (Cambridge), 2022, 149, . | 1.2 | 6 |
| 1251 | Pilomatrical Acanthoma. American Journal of Dermatopathology, 2022, Publish Ahead of Print, . | 0.3 | 0 |
| 1252 | Cellular Heterogeneity and Plasticity of Skin Epithelial Cells in Wound Healing and Tumorigenesis. Stem Cell Reviews and Reports, 2022, 18, 1912-1925. | 1.7 | 8 |

| | | CITATION RE | PORT | |
|------|--|-------------------|------|-----------|
| # | Article | | IF | CITATIONS |
| 1253 | Desmosomes and disease: an update. Histology and Histopathology, 2002, 17, 1179-9 | 12. | 0.5 | 43 |
| 1255 | Treatment of Androgenetic Alopecia Using PRP to Target Dysregulated Mechanisms ar Frontiers in Medicine, 2022, 9, 843127. | ıd Pathways. | 1.2 | 12 |
| 1256 | Aberrant Wnt Signaling Induces Comedo-Like Changes in the Murine Upper Hair Follicl Investigative Dermatology, 2022, 142, 2603-2612.e6. | e. Journal of | 0.3 | 4 |
| 1257 | Regulation of signaling pathways in hair follicle stem cells. Burns and Trauma, 2022, 10 | D, . | 2.3 | 17 |
| 1260 | Effect of miR-101 on the Proliferation and Apoptosis of Goat Hair Follicle Stem Cells. G 1035. | enes, 2022, 13, | 1.0 | 1 |
| 1261 | BMP-AKT-GSK3Î ² Signaling Restores Hair Follicle Stem Cells Decrease Associated with I <i>Sfrp1</i> . Stem Cells, 2022, 40, 802-817. | Loss of | 1.4 | 5 |
| 1262 | Hedgehog signaling reprograms hair follicle niche fibroblasts to a hyper-activated state Developmental Cell, 2022, 57, 1758-1775.e7. | 2. | 3.1 | 25 |
| 1264 | Hair Follicle Morphogenesis During Embryogenesis, Neogenesis, and Organogenesis. F and Developmental Biology, 0, 10, . | rontiers in Cell | 1.8 | 10 |
| 1266 | Aging in the sebaceous gland. Frontiers in Cell and Developmental Biology, 0, 10, . | | 1.8 | 10 |
| 1267 | Role of vitamin D and calcium signaling in epidermal wound healing. Journal of Endocri Investigation, 2023, 46, 205-212. | nological | 1.8 | 13 |
| 1268 | WNT Happens. , 2022, , . | | | 0 |
| 1270 | Stem Cells in Wound Healing and Scarring. , 2022, , 103-126. | | | 0 |
| 1271 | A Single Nucleotide Polymorphism in the WIF1 Promoter Region Regulates the Wool L Agriculture (Switzerland), 2022, 12, 1858. | ength in Rabbits. | 1.4 | 0 |
| 1275 | Bone marrow-derived vasculogenesis leads to scarless regeneration in deep wounds w defects. Scientific Reports, 2022, 12, . | ith periosteal | 1.6 | 0 |
| 1277 | The dermal papilla dilemma and potential breakthroughs in bioengineering hair follicles Tissue Research, 2023, 391, 221-233. | s. Cell and | 1.5 | 2 |
| 1278 | Skin-specific transgenic overexpression of ovine β-catenin in mice. Frontiers in Genetic | rs, 0, 13, . | 1.1 | 1 |
| 1279 | Molecular characterization of onychomatricoma: Spatial profiling reveals the role of onychofibroblasts in its pathogenesis. Experimental Dermatology, 2023, 32, 491-501. | | 1.4 | 3 |
| 1280 | A Kaleidoscope of Keratin Gene Expression and the Mosaic of Its Regulatory Mechanism Journal of Molecular Sciences, 2023, 24, 5603. | ns. International | 1.8 | 3 |

| | | CITATION RE | CITATION REPORT | | |
|------|---|----------------|-----------------|-----------|--|
| # | Article | | IF | CITATIONS | |
| 1281 | A Case of Multiple Pilomatricomas. Nishinihon Journal of Dermatology, 2023, 85, 46-51 | | 0.0 | 0 | |
| 1282 | Lrig1-expressing epidermal progenitors require SCD1 to maintain the dermal papilla nic Reports, 2023, 13, . | he. Scientific | 1.6 | 0 | |
| 1289 | OCT4's role and mechanism underlying oral squamous cell carcinoma. Journal of Zhejiang University: Science B, 2023, 24, 796-806. | | 1.3 | 1 | |
| 1292 | Cutaneous homeostasis: a balancing cross-talk between epidermal stem cell pool and r pathways. , 2024, , 67-85. | egulatory | | 0 | |
| 1294 | Role of vitamin D in skin and hair biology. , 2024, , 485-509. | | | 0 | |