

CITATION REPORT

List of articles citing

Signal transduction through MAP kinase cascades

DOI: 10.1016/s0065-230x(08)60765-4
Advances in Cancer Research, 1998, 74, 49-139.

Source: <https://exaly.com/paper-pdf/29322317/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1382	A constitutively active and nuclear form of the MAP kinase ERK2 is sufficient for neurite outgrowth and cell transformation. 1998 , 8, 1141-50		286
1381	Phosphorylation of the MAP kinase ERK2 promotes its homodimerization and nuclear translocation. 1998 , 93, 605-15		582
1380	Activation of the MKK/ERK pathway during somatic cell mitosis: direct interactions of active ERK with kinetochores and regulation of the mitotic 3F3/2 phosphoantigen. 1998 , 142, 1533-45		203
1379	Feedback regulation of Raf-1 and mitogen-activated protein kinase (MAP) kinase kinases 1 and 2 by MAP kinase phosphatase-1 (MKP-1). 1998 , 273, 1788-93		57
1378	The MEK1 proline-rich insert is required for efficient activation of the mitogen-activated protein kinases ERK1 and ERK2 in mammalian cells. 1998 , 273, 19909-13		55
1377	Regulation of matrix metalloproteinase expression in tumor invasion. 1999 , 13, 781-792		1276
1376	Leptin induces oxidative stress in human endothelial cells. 1999 , 13, 1231-1238		535
1375	Distinct Roles of JNKs/p38 MAP Kinase and ERKs in Apoptosis and Survival of HCD-57 Cells Induced by Withdrawal or Addition of Erythropoietin. <i>Blood</i> , 1999 , 94, 4067-4076	2.2	43
1374	Mitogen-activated protein kinases: specific messages from ubiquitous messengers. 1999 , 19, 2435-44		1387
1373	Identification of a cytoplasmic-retention sequence in ERK2. 1999 , 274, 30349-52		109
1372	Morphological transformation induced by activation of the mitogen-activated protein kinase pathway requires suppression of the T-type Ca ²⁺ channel. 1999 , 274, 15694-700		15
1371	Phosphorylation of MAP kinases by MAP/ERK involves multiple regions of MAP kinases. 1999 , 274, 16988-94		49
1370	Localization of endogenous Grb10 to the mitochondria and its interaction with the mitochondrial-associated Raf-1 pool. 1999 , 274, 35719-24		64
1369	Dynamin is required for the activation of mitogen-activated protein (MAP) kinase by MAP kinase kinase. 1999 , 274, 35301-4		141
1368	Distinct, constitutively active MAPK phosphatases function in <i>Xenopus</i> oocytes: implications for p42 MAPK regulation In vivo. 1999 , 10, 3729-43		41
1367	The Raf-1/MEK/ERK pathway regulates the expression of the p21(Cip1/Waf1) gene in chondrocytes. 1999 , 274, 30273-9		76
1366	Nuclear localization of mitogen-activated protein kinase kinase 1 (MKK1) is promoted by serum stimulation and G2-M progression. Requirement for phosphorylation at the activation lip and signaling downstream of MKK. 1999 , 274, 6168-74		62

1365	RIP2 is a Raf1-activated mitogen-activated protein kinase kinase. 1999 , 274, 33684-90	70
1364	The N-terminal ERK-binding site of MEK1 is required for efficient feedback phosphorylation by ERK2 in vitro and ERK activation in vivo. 1999 , 274, 34029-35	87
1363	Quantitative relationship among integrin-ligand binding, adhesion, and signaling via focal adhesion kinase and extracellular signal-regulated kinase 2. 1999 , 274, 27119-27	83
1362	p90(RSK) blocks bad-mediated cell death via a protein kinase C-dependent pathway. 1999 , 274, 34859-67	197
1361	Regulation of nuclear localization: a key to a door. 1999 , 15, 291-339	267
1360	Characterization of Raf-1 activation in mitosis. 1999 , 274, 4430-9	35
1359	Modeling deuterium exchange behavior of ERK2 using pepsin mapping to probe secondary structure. 1999 , 10, 685-702	67
1358	MEK wars, a new front in the battle against cancer. 1999 , 5, 736-7	40
1357	Blockade of the MAP kinase pathway suppresses growth of colon tumors in vivo. 1999 , 5, 810-6	840
1356	Scaffolding and protein interactions in MAP kinase modules. 1999 , 26, 219-26	25
1355	Mechanism of protein kinase B activation by insulin/insulin-like growth factor-1 revealed by specific inhibitors of phosphoinositide 3-kinase--significance for diabetes and cancer. 1999 , 82, 409-25	95
1354	MAP kinase pathways. 1999 , 71, 479-500	654
1353	Inhibition of stress-activated p38 mitogen-activated protein kinase induces low-density lipoprotein receptor expression. 1999 , 9, 201-5	16
1352	Activation of mitogen-activated protein kinases (Erk1 and Erk2) cascade results in phosphorylation of NF-M tail domains in transfected NIH 3T3 cells. 1999 , 262, 211-7	48
1351	A rapid and sensitive quantitative kinase activity assay using a convenient 96-well format. 1999 , 269, 342-7	15
1350	Raf signaling stimulates and represses the human collagen X promoter through distinguishable elements. 1999 , 72, 549-57	16
1349	Reduced MAP kinase phosphatase-1 degradation after p42/p44MAPK-dependent phosphorylation. 1999 , 286, 2514-7	374
1348	Cell cycle genes in chondrocyte proliferation and differentiation. 1999 , 18, 109-20	39

1347	Activation of the extracellular signal-regulated protein kinase cascade in the hippocampal CA1 region in a rat model of global cerebral ischemic preconditioning. 1999 , 93, 81-8	126
1346	Characterisation of novel plant genes encoding MEKK/STE11 and RAF-related protein kinases. 1999 , 229, 171-81	27
1345	Plant MAP kinase kinase kinases structure, classification and evolution. 1999 , 233, 1-11	42
1344	Role and regulation of 90 kDa ribosomal S6 kinase (RSK) in signal transduction. 1999 , 151, 65-77	607
1343	Concentration-dependent positive and negative regulation of a MAP kinase by a MAP kinase kinase. 1999 , 18, 6647-57	17
1342	Ap4A induces apoptosis in human cultured cells. 1999 , 456, 175-80	36
1341	Anisomycin does not activate p38MAPK in human platelets. 1999 , 96, 27-35	7
1340	Mitogen-activated protein kinases in schizophrenia. 1999 , 46, 689-96	61
1339	Activation of mitogen-activated protein kinase pathways by cyclic GMP and cyclic GMP-dependent protein kinase in contractile vascular smooth muscle cells. 1999 , 274, 34301-9	114
1338	New insights into the control of MAP kinase pathways. 1999 , 253, 255-70	367
1337	Activation of several MAP kinases upon stimulation of rat alveolar macrophages: role of the NADPH oxidase. 1999 , 366, 231-9	65
1336	The transition from proliferation to differentiation is delayed in satellite cells from mice lacking MyoD. 1999 , 210, 440-55	216
1335	Extracellular signal-regulated kinase 7 (ERK7), a novel ERK with a C-terminal domain that regulates its activity, its cellular localization, and cell growth. 1999 , 19, 1301-12	126
1334	Extracellular signal-regulated kinase activates topoisomerase IIalpha through a mechanism independent of phosphorylation. 1999 , 19, 3551-60	94
1333	Inhibition of mitogen-activated kinase signaling sensitizes HeLa cells to Fas receptor-mediated apoptosis. 1999 , 19, 5991-6002	93
1332	Differential regulation of the cell wall integrity mitogen-activated protein kinase pathway in budding yeast by the protein tyrosine phosphatases Ptp2 and Ptp3. 1999 , 19, 7651-60	88
1331	Plant mitogen-activated protein kinase signalling pathways in the limelight. 2000 , 32, 299-354	3
1330	ATMPK4, an Arabidopsis homolog of mitogen-activated protein kinase, is activated in vitro by AtMEK1 through threonine phosphorylation. 2000 , 122, 1301-10	131

1329	Suppression of malignant growth potentials of v-Src-transformed human gallbladder epithelial cells by adenovirus-mediated dominant negative H-Ras. 2000 , 183, 221-7	8
1328	Effects of pertussis toxin on extracellular signal-regulated kinase activation in hepatocytes by hormones and receptor-independent agents: evidence suggesting a stimulatory role of G(i) proteins at a level distal to receptor coupling. 2000 , 184, 27-36	26
1327	Endocrine treatment in prostate cancer. 2000 , 18, 52-74	126
1326	Pathways to transcription. 2000 , 62, 10-3	5
1325	Teratogen-induced activation of ERK, JNK, and p38 MAP kinases in early postimplantation murine embryos. 2000 , 62, 14-25	22
1324	Integrating the MAP kinase signal into the G1 phase cell cycle machinery. 2000 , 22, 818-26	369
1323	Der Stoffwechsel der Arachidonsäure. 2000 , 30, 342-353	1
1322	The role of MAP kinases in intracellular signal transduction in bronchial epithelium. 2000 , 30, 7-11	56
1321	Various abiotic stresses rapidly activate Arabidopsis MAP kinases ATMPK4 and ATMPK6. <i>Plant Journal</i> , 2000 , 24, 655-65	6.9 492
1320	Negative feedback and ultrasensitivity can bring about oscillations in the mitogen-activated protein kinase cascades. 2000 , 267, 1583-8	461
1319	A causal relationship between unscheduled eicosanoid signaling and tumor development: cancer chemoprevention by inhibitors of arachidonic acid metabolism. 2000 , 153, 11-26	84
1318	[Lys61]N-Ras is able to induce full activation and nuclear accumulation of Cdk4 in NIH3T3 cells. 2000 , 19, 690-9	4
1317	The MAP-kinase ERK2 is a specific substrate of the protein tyrosine phosphatase HePTP. 2000 , 19, 858-69	38
1316	Specific inhibition of FGF-induced MAPK activation by the receptor-like protein tyrosine phosphatase LAR. 2000 , 19, 2346-53	22
1315	A novel assay for the measurement of Raf-1 kinase activity. 2000 , 19, 5030-3	27
1314	Proteins of the ETS family with transcriptional repressor activity. 2000 , 19, 6524-32	107
1313	Development of anticancer drugs targeting the MAP kinase pathway. 2000 , 19, 6594-9	273
1312	Regulation of carbamoyl phosphate synthetase by MAP kinase. 2000 , 403, 328-32	166

1311	A central control for cell growth. 2000 , 403, 255-6		111
1310	RNA aptamers as pathway-specific MAP kinase inhibitors. 2000 , 7, 833-43		61
1309	Mechanisms of action of cyclosporine. 2000 , 47, 119-25		563
1308	Fucoidan inhibits smooth muscle cell proliferation and reduces mitogen-activated protein kinase activity. 2000 , 20, 419-26		39
1307	Transient deactivation of ERK signalling is sufficient for stable entry into G0 in primary avian fibroblasts. 2000 , 10, 1119-22		25
1306	Neurotrophic effect of basic fibroblast growth factor is mediated by the p42/p44 mitogen-activated protein kinase cascade in cultured rat cortical neurons. 2000 , 122, 81-5		50
1305	Oestrogen and growth factor cross-talk and endocrine insensitivity and acquired resistance in breast cancer. 2000 , 82, 501-13		80
1304	Increased activity of MAP, p70S6 and p90rs kinases is associated with AP-1 activation in spontaneous liver tumours, but not in adjacent tissue in mice. 2000 , 82, 1041-50		22
1303	Ephrin-A5 modulates cell adhesion and morphology in an integrin-dependent manner. 2000 , 19, 5396-405		171
1302	MAPK/ERK signaling in activated T cells inhibits CD95/Fas-mediated apoptosis downstream of DISC assembly. 2000 , 19, 5418-28		150
1301	Activation of B-Raf kinase requires phosphorylation of the conserved residues Thr598 and Ser601. 2000 , 19, 5429-39		188
1300	Butyrate-induced erythroid differentiation of human K562 leukemia cells involves inhibition of ERK and activation of p38 MAP kinase pathways. <i>Blood</i> , 2000 , 95, 2391-2396	2.2	183
1299	ATP activates DNA synthesis by acting on P2X receptors in human osteoblast-like MG-63 cells. 2000 , 279, C510-9		85
1298	Cerebral ischemia and seizures induce tyrosine phosphorylation of PYK2 in neurons and microglial cells. 2000 , 20, 6478-87		59
1297	Activation of members of the mitogen-activated protein kinase family by glucose in endothelial cells. 2000 , 279, E782-90		53
1296	Differential expression of cell-cell adhesion proteins and cyclin D in MEK1-transdifferentiated MDCK cells. 2000 , 279, C1472-82		14
1295	WNK1, a novel mammalian serine/threonine protein kinase lacking the catalytic lysine in subdomain II. 2000 , 275, 16795-801		376
1294	Nuclear export of MAP kinase (ERK) involves a MAP kinase kinase (MEK)-dependent active transport mechanism. 2000 , 148, 849-56		174

1293	ERK1b, a 46-kDa ERK isoform that is differentially regulated by MEK. 2000 , 275, 15799-808	59
1292	Human ERK1 induces filamentous growth and cell wall remodeling pathways in <i>Saccharomyces cerevisiae</i> . 2000 , 275, 20638-46	16
1291	Stimulation of DNA synthesis and cell proliferation of human mammary myoepithelial-like cells by hepatocyte growth factor/scatter factor depends on heparan sulfate proteoglycans and sustained phosphorylation of mitogen-activated protein kinases p42/44. 2000 , 275, 17094-9	33
1290	A role for the p38 MAP kinase pathway in the nuclear shuttling of NFATp. 2000 , 275, 13872-8	118
1289	Differential activation of p38 mitogen-activated protein kinase isoforms depending on signal strength. 2000 , 275, 40641-8	79
1288	Induced expression of Rnd3 is associated with transformation of polarized epithelial cells by the Raf-MEK-extracellular signal-regulated kinase pathway. 2000 , 20, 9364-75	89
1287	Stress pathway activation induces phosphorylation of retinoid X receptor. 2000 , 275, 32193-9	77
1286	The differential role of extracellular signal-regulated kinases and p38 mitogen-activated protein kinase in eosinophil functions. 2000 , 165, 2198-204	85
1285	Myeloid cell leukemia 1 is phosphorylated through two distinct pathways, one associated with extracellular signal-regulated kinase activation and the other with G2/M accumulation or protein phosphatase 1/2A inhibition. 2000 , 275, 21688-94	68
1284	Mechanism of heme oxygenase-1 gene activation by cadmium in MCF-7 mammary epithelial cells. Role of p38 kinase and Nrf2 transcription factor. 2000 , 275, 27694-702	325
1283	Cell-Type Specific Integration of Cross-Talk between Extracellular Signal-Regulated Kinase and cAMP Signaling. 2000 , 58, 659-668	172
1282	Phosphorylation of serine 43 is not required for inhibition of c-Raf kinase by the cAMP-dependent protein kinase. 2000 , 275, 28688-94	46
1281	Cloning and characterization of <i>Xenopus</i> Rsk2, the predominant p90 Rsk isozyme in oocytes and eggs. 2000 , 275, 32983-90	21
1280	Activation of the mitogen-activated protein kinase p38 by human cytomegalovirus infection through two distinct pathways: a novel mechanism for activation of p38. 2000 , 74, 1158-67	99
1279	Ras-GAP binding and phosphorylation by herpes simplex virus type 2 RR1 PK (ICP10) and activation of the Ras/MEK/MAPK mitogenic pathway are required for timely onset of virus growth. 2000 , 74, 10417-29	72
1278	BAD Ser-155 phosphorylation regulates BAD/Bcl-XL interaction and cell survival. 2000 , 275, 25865-9	243
1277	Role of MAP kinase signalling pathways in the mode of action of peroxisome proliferators. 2000 , 21, 579-84	18
1276	Both src-dependent and -independent mechanisms mediate phosphatidylinositol 3-kinase regulation of colony-stimulating factor 1-activated mitogen-activated protein kinases in myeloid progenitors. 2000 , 20, 6779-98	76

1275	Role of MAP kinases p42erk-2/p44erk-1 in cementum-derived attachment-protein-mediated cell attachment. 2000 , 79, 1789-93	7
1274	Requirement of SHP2 binding to Grb2-associated binder-1 for mitogen-activated protein kinase activation in response to lysophosphatidic acid and epidermal growth factor. 2000 , 275, 13842-8	108
1273	MEKK1 binds raf-1 and the ERK2 cascade components. 2000 , 275, 40120-7	98
1272	Inhibition of MAP kinase kinase (MEK) results in an anti-inflammatory response in vivo. 2000 , 268, 647-51	49
1271	The ERK-1/2 signaling pathway is involved in the stimulation of branching morphogenesis of fetal mouse submandibular glands by EGF. 2000 , 220, 183-96	96
1270	Expression of activated MAP kinase in <i>Xenopus laevis</i> embryos: evaluating the roles of FGF and other signaling pathways in early induction and patterning. 2000 , 228, 41-56	70
1269	Microtubule inhibitors elicit differential effects on MAP kinase (JNK, ERK, and p38) signaling pathways in human KB-3 carcinoma cells. 2000 , 254, 110-9	143
1268	Therapeutic applications of apoptosis research. 2000 , 256, 1-11	32
1267	Bioengineering models of cell signaling. 2000 , 2, 31-53	104
1266	Association of active extracellular signal-regulated protein kinase with paired helical filaments of inclusion-body myositis muscle suggests its role in inclusion-body myositis tau phosphorylation. 2000 , 156, 1835-40	32
1265	The p44/42 mitogen-activated protein kinase cascade is involved in the induction and maintenance of astrocyte stellation mediated by protein kinase C. 2000 , 36, 251-7	45
1264	The mitogen-activated protein kinase cascade mediates neurotrophic effect of epidermal growth factor in cultured rat hippocampal neurons. 2000 , 282, 89-92	15
1263	Amyloid beta neurotoxicity not mediated by the mitogen-activated protein kinase cascade in cultured rat hippocampal and cortical neurons. 2000 , 292, 1-4	42
1262	Binding and signaling of angiotensin-(1-7) in bovine kidney epithelial cells involves the AT(4) receptor. 2000 , 21, 729-36	15
1261	FGF signals for cell proliferation and migration through different pathways. 2000 , 11, 295-302	211
1260	Cancer chemoprevention through interruption of multistage carcinogenesis. The lessons learnt by comparing mouse skin carcinogenesis and human large bowel cancer. 2000 , 36, 314-29	103
1259	Activation of MAPK cascades by G-protein-coupled receptors: the case of gonadotropin-releasing hormone receptor. 2000 , 11, 91-9	270
1258	Identification of novel MAP kinase pathway signaling targets by functional proteomics and mass spectrometry. 2000 , 6, 1343-54	224

1257	Apoptotic and anti-apoptotic signaling pathways induced by photodynamic therapy with hypericin. 2000 , 40, 157-82	44
1256	Detection of partially phosphorylated forms of ERK by monoclonal antibodies reveals spatial regulation of ERK activity by phosphatases. 2000 , 468, 37-42	41
1255	The mitogenic signaling pathway for fibroblast growth factor-2 involves the tyrosine phosphorylation of cyclin D2 in MCF-7 human breast cancer cells. 2000 , 478, 209-15	25
1254	Expression of Mona (monocytic adapter) in myeloid progenitor cells results in increased and prolonged MAP kinase activation upon macrophage colony-stimulating factor stimulation. 2000 , 480, 113-7	20
1253	Insulin selectively stimulates nuclear phosphoinositide-specific phospholipase C (PI-PLC) beta1 activity through a mitogen-activated protein (MAP) kinase-dependent serine phosphorylation. 2000 , 486, 230-6	34
1252	Early events in M-CSF receptor signaling. 2000 , 17, 155-66	104
1251	p53 mutation and mitotic infidelity. 2000 , 18, 148-55	43
1250	Matrix metalloproteinases and the thyroid. 2000 , 10, 1061-9	32
1249	Treatment of mice with EGF and orthovanadate activates cytoplasmic and nuclear MAPK, p70S6k, and p90rsk in the liver. 2000 , 32, 965-74	14
1248	MAP kinases. 2001 , 101, 2449-76	741
1247	MEK/ERK-mediated proliferation is negatively regulated by P38 map kinase in the human pancreatic cancer cell line, PANC-1. 2001 , 282, 447-53	48
1246	Differential regulation of IL-1beta and TNF-alpha RNA expression by MEK1 inhibitor after focal cerebral ischemia in mice. 2001 , 286, 869-74	30
1245	FGF signaling in chick lens development. 2001 , 233, 394-411	100
1244	Calcium-mediated inactivation of the MAP kinase pathway in sea urchin eggs at fertilization. 2001 , 236, 244-57	42
1243	The role of ERK 1/2 and p38 MAP-kinase pathways in taxol-induced apoptosis in human ovarian carcinoma cells. 2001 , 268, 84-92	87
1242	Involvement of the MAP kinase pathways in induction of GADD45 following UV radiation. 2001 , 269, 64-72	57
1241	Sustained phosphorylation of mitogen-activated protein kinase is required for basic fibroblast growth factor-mediated axonal branch formation in cultured rat hippocampal neurons. 2001 , 38, 309-15	22
1240	Structural organization of the rat mitogen-activated protein kinase phosphatase 2 gene. 2001 , 273, 71-9	12

1239	Activation of mitogen-activated protein kinase phosphatase 2 by gonadotropin-releasing hormone. 2001 , 172, 79-89	45
1238	Activation of an extracellular signal-regulated kinase (ERK) by the insect prothoracicotropic hormone. 2001 , 184, 1-11	64
1237	Role of serine/threonine protein phosphatase 2A in cancer. 2001 , 170, 1-13	155
1236	Tumor cell differentiation by butyrate and environmental stress. 2001 , 171, 173-82	20
1235	Hyperthermia induces gene expression of heat shock protein 70 and phosphorylation of mitogen activated protein kinases in the rat cerebellum. 2001 , 312, 75-8	19
1234	Role of matrix metalloproteinase-9 in progression of mouse skin carcinogenesis. 2001 , 31, 74-82	26
1233	PEA-15 mediates cytoplasmic sequestration of ERK MAP kinase. 2001 , 1, 239-50	264
1232	The c-Jun N-terminal protein kinase family of mitogen-activated protein kinases (JNK MAPKs). 2001 , 33, 1047-63	215
1231	X protein of hepatitis B virus modulates cytokine and growth factor related signal transduction pathways during the course of viral infections and hepatocarcinogenesis. 2001 , 12, 189-205	131
1230	Solution structure of ERK2 binding domain of MAPK phosphatase MKP-3: structural insights into MKP-3 activation by ERK2. 2001 , 7, 387-99	100
1229	Pharmacologic inhibitors of MKK1 and MKK2. 2001 , 332, 417-31	48
1228	Mitogen-activated protein (MAP) kinase pathways: regulation and physiological functions. 2001 , 22, 153-83	2971
1227	Enhanced ROS production in oncogenically transformed cells potentiates c-Jun N-terminal kinase and p38 mitogen-activated protein kinase activation and sensitization to genotoxic stress. 2001 , 21, 6913-26	270
1226	Identification of a C-terminal region that regulates mitogen-activated protein kinase kinase-1 cytoplasmic localization and ERK activation. 2001 , 276, 48494-501	17
1225	Involvement of the MAP kinase ERK2 in MUC1 mucin signaling. 2001 , 281, L86-91	58
1224	Phorbol 12-myristate 13-acetate triggers the protein kinase A-mediated phosphorylation and activation of the PDE4D5 cAMP phosphodiesterase in human aortic smooth muscle cells through a route involving extracellular signal regulated kinase (ERK). 2001 , 60, 1100-11	69
1223	Nociceptor sensitization by extracellular signal-regulated kinases. 2001 , 21, 6933-9	170
1222	The Receptor Tyrosine Kinases. 2001 , 10, 271-288	34

1221	Angiotensin subtype-2 receptor (AT2) negatively regulates subtype-1 receptor (AT1) in signal transduction pathways in cultured porcine adrenal medullary chromaffin cells. 2001 , 19, 1991-9	14
1220	Phospho-specific mitogen-activated protein kinase antibodies for ERK, JNK, and p38 activation. 2001 , 332, 337-43	3
1219	The role of phosphatidylinositol 3-kinase and the mitogen-activated protein kinases in insulin-like growth factor-I-mediated effects in vascular endothelial cells. 2001 , 142, 1710-9	63
1218	The p38 mitogen-activated kinase pathway regulates the human interleukin-10 promoter via the activation of Sp1 transcription factor in lipopolysaccharide-stimulated human macrophages. 2001 , 276, 13664-74	260
1217	Bacterial expression of activated mitogen-activated protein kinases. 2001 , 332, 387-400	21
1216	Ras signaling to transcription activation: analysis with GAL4 fusion proteins. 2001 , 333, 61-73	5
1215	Reduced activation and expression of ERK1/2 MAP kinase in the post-mortem brain of depressed suicide subjects. 2001 , 77, 916-28	263
1214	Evidence for the involvement of Gi2 in activation of extracellular signal-regulated kinases in hepatocytes. 2001 , 2, 13	2
1213	SH2 domain inhibition: a problem solved?. 2001 , 5, 409-15	87
1212	Ovarian epithelial carcinoma tyrosine phosphorylation, cell proliferation, and ezrin translocation are stimulated by interleukin 1alpha and epidermal growth factor. 2001 , 92, 3068-75	71
1211	ERK1/2 is required for myoblast proliferation but is dispensable for muscle gene expression and cell fusion. 2001 , 186, 104-15	196
1210	Ceramide-induced cell death in the prostate cancer cell line LNCaP has both necrotic and apoptotic features. 2001 , 46, 289-97	26
1209	P2X7 nucleotide receptor: Modulation of LPS-induced macrophage signaling and mediator production. 2001 , 53, 91-104	25
1208	12-lipoxygenase metabolite 12(S)-HETE stimulates human pancreatic cancer cell proliferation via protein tyrosine phosphorylation and ERK activation. 2001 , 94, 630-6	71
1207	Nerve growth factor signaling, neuroprotection, and neural repair. 2001 , 24, 1217-81	1008
1206	A direct interaction between JNK1 and CrkII is critical for Rac1-induced JNK activation. 2001 , 20, 3437-46	49
1205	Temporal and quantitative regulation of mitogen-activated protein kinase (MAPK) modulates cell motility and invasion. 2001 , 20, 4209-18	133
1204	Non-regulated and stimulated mechanisms cooperate in the nuclear accumulation of MEK1. 2001 , 20, 7588-96	40

1203	A computational study of feedback effects on signal dynamics in a mitogen-activated protein kinase (MAPK) pathway model. 2001 , 17, 227-39	130
1202	Regulation of p42/p44 mitogen-activated protein kinase by the human adenosine A3 receptor in transfected CHO cells. 2001 , 420, 19-26	23
1201	Sustained Activation of Extracellular Signal-Regulated Kinase (ERK) Signaling in Human Prostate Cancer LNCaP Cells Depleted of Androgen. 2001 , 3, 105-117	2
1200	cAMP potentiates H ₂ O ₂ -induced ERK1/2 phosphorylation without the requirement for MEK1/2 phosphorylation. 2001 , 13, 645-52	17
1199	Signal transduction via the growth hormone receptor. 2001 , 13, 599-616	196
1198	Bob1, a Gim5/MM-1/Pfd5 homolog, interacts with the MAP kinase kinase Byr1 to regulate sexual differentiation in the fission yeast, <i>Schizosaccharomyces pombe</i> . 2001 , 67, 98-106	3
1197	Suppression of ras-mediated transformation and inhibition of tumor growth and angiogenesis by anthrax lethal factor, a proteolytic inhibitor of multiple MEK pathways. 2001 , 98, 4089-94	85
1196	Role of dynamin, Src, and Ras in the protein kinase C-mediated activation of ERK by gonadotropin-releasing hormone. 2001 , 276, 4554-63	83
1195	c-Jun N-terminal kinase activation in <i>Xenopus laevis</i> eggs and embryos. A possible non-genomic role for the JNK signaling pathway. 2001 , 276, 1459-65	48
1194	ERK5 and ERK2 cooperate to regulate NF-kappaB and cell transformation. 2001 , 276, 7927-31	109
1193	Involvement of the activation loop of ERK in the detachment from cytosolic anchoring. 2001 , 276, 24490-7	66
1192	Enhancement of fibroblast growth factor (FGF) activity by an FGF-binding protein. 2001 , 276, 40247-53	103
1191	The complete pathway for catalytic activation of the mitogen-activated protein kinase, ERK2. 2001 , 276, 40817-23	24
1190	Mitotic phosphorylation of Golgi reassembly stacking protein 55 by mitogen-activated protein kinase ERK2. 2001 , 12, 1811-7	99
1189	Ptc1, a type 2C Ser/Thr phosphatase, inactivates the HOG pathway by dephosphorylating the mitogen-activated protein kinase Hog1. 2001 , 21, 51-60	157
1188	Calmodulin binds to K-Ras, but not to H- or N-Ras, and modulates its downstream signaling. 2001 , 21, 7345-54	163
1187	ERK1 and ERK2 activate CCAAT/enhancer-binding protein-beta-dependent gene transcription in response to interferon-gamma. 2001 , 276, 287-97	124
1186	Leptin stimulates catecholamine synthesis in a PKC-dependent manner in cultured porcine adrenal medullary chromaffin cells. 2001 , 142, 4861-71	51

1185	MEKK2 associates with the adapter protein Lad/RIBP and regulates the MEK5-BMK1/ERK5 pathway. 2001 , 276, 5093-100	123
1184	The ERK signaling cascade inhibits gonadotropin-stimulated steroidogenesis. 2001 , 276, 13957-64	168
1183	Beta(2)-adrenergic receptor agonists increase intracellular free Ca(2+) concentration cycling in ventricular cardiomyocytes through p38 and p42/44 MAPK-mediated cytosolic phospholipase A(2) activation. 2001 , 276, 39539-48	32
1182	Inhibition of mitogen-activated protein kinase kinase induces apoptosis of human chondrocytes. 2001 , 276, 13289-94	105
1181	Hydrophobic as well as charged residues in both MEK1 and ERK2 are important for their proper docking. 2001 , 276, 26509-15	69
1180	An early growth response protein (Egr) 1 cis-element is required for gonadotropin-releasing hormone-induced mitogen-activated protein kinase phosphatase 2 gene expression. 2001 , 276, 45604-13	40
1179	Evidence for existence of a nuclear pore complex-mediated, cytosol-independent pathway of nuclear translocation of ERK MAP kinase in permeabilized cells. 2001 , 276, 41755-60	120
1178	Phosphorylation of nuclear phospholipase C beta1 by extracellular signal-regulated kinase mediates the mitogenic action of insulin-like growth factor I. 2001 , 21, 2981-90	96
1177	A conserved docking site in MEKs mediates high-affinity binding to MAP kinases and cooperates with a scaffold protein to enhance signal transmission. 2001 , 276, 10374-86	141
1176	A CalDAG-GEFI/Rap1/B-Raf cassette couples M(1) muscarinic acetylcholine receptors to the activation of ERK1/2. 2001 , 276, 25568-81	63
1175	Cloning and characterization of MST4, a novel Ste20-like kinase. 2001 , 276, 22439-45	50
1174	UVA induces Ser381 phosphorylation of p90RSK/MAPKAP-K1 via ERK and JNK pathways. 2001 , 276, 14572-80	69
1173	ERK7 is an autoactivated member of the MAPK family. 2001 , 276, 21272-9	68
1172	Trophic factor withdrawal: p38 mitogen-activated protein kinase activates NHE1, which induces intracellular alkalinization. 2001 , 21, 7545-57	142
1171	Constitutive activation of extracellular signal-regulated kinase 2 by synergistic point mutations. 2001 , 276, 46469-79	56
1170	A novel mitogen-activated protein kinase is responsive to Raf and mediates growth factor specificity. 2001 , 21, 2235-47	12
1169	Analyzing JNK and p38 mitogen-activated protein kinase activity. 2001 , 332, 319-36	41
1168	Autoregulation of cell-specific MAP kinase control of the tryptophan hydroxylase promoter. 2001 , 276, 21262-71	28

1167	PDE4 cAMP-specific phosphodiesterases. 2001 , 69, 249-315	197
1166	Cellular mechanisms by which oxytocin mediates ovine endometrial prostaglandin F2alpha synthesis: role of G(i) proteins and mitogen-activated protein kinases. 2001 , 65, 1150-5	30
1165	Altered regulation of ERK1b by MEK1 and PTP-SL and modified Elk1 phosphorylation by ERK1b are caused by abrogation of the regulatory C-terminal sequence of ERKs. 2001 , 276, 35280-9	40
1164	Cytochrome p450 and vascular homeostasis. 2001 , 89, 753-62	323
1163	Endothelin-1 induces serine phosphorylation of the adaptor protein p66Shc and its association with 14-3-3 protein in glomerular mesangial cells. 2001 , 276, 26640-7	37
1162	Sustained activation of mitogen-activated protein kinases and activator protein 1 by the hepatitis B virus X protein in mouse hepatocytes in vivo. 2001 , 75, 10348-58	70
1161	Cyclic AMP-mediated inhibition of cell growth requires the small G protein Rap1. 2001 , 21, 3671-83	122
1160	Protein-tyrosine kinase Pyk2 mediates endothelin-induced p38 MAPK activation in glomerular mesangial cells. 2001 , 276, 21521-8	61
1159	p38 mitogen-activated protein kinase-dependent activation of protein phosphatases 1 and 2A inhibits MEK1 and MEK2 activity and collagenase 1 (MMP-1) gene expression. 2001 , 21, 2373-83	170
1158	Mechanism of activation of ERK2 by dual phosphorylation. 2001 , 276, 99-103	62
1157	ERKs regulate cyclic AMP-induced steroid synthesis through transcription of the steroidogenic acute regulatory (StAR) gene. 2001 , 276, 34888-95	124
1156	Identification and characterization of a novel MAP kinase kinase kinase, MLTK. 2001 , 276, 4276-86	91
1155	HOG on the promoter: regulation of the osmotic stress response. 2001 , 2001, pe1	6
1154	Evidence for mitogen-associated protein kinase activation and transduction of mitogenic signals by platelet-derived growth factor in human meningioma cells. 2001 , 94, 293-300	66
1153	Cytokine-responsive induction of SAF-1 activity is mediated by a mitogen-activated protein kinase signaling pathway. 2002 , 22, 1027-35	35
1152	Tonic inhibitory role for cAMP in alpha(1a)-adrenergic receptor coupling to extracellular signal-regulated kinases 1/2. 2002 , 303, 247-56	16
1151	Autophosphorylation of the mammalian multifunctional protein that initiates de novo pyrimidine biosynthesis. 2002 , 277, 24809-17	7
1150	Heat stress activates the yeast high-osmolarity glycerol mitogen-activated protein kinase pathway, and protein tyrosine phosphatases are essential under heat stress. 2002 , 1, 163-73	164

1149	Distinct cell cycle timing requirements for extracellular signal-regulated kinase and phosphoinositide 3-kinase signaling pathways in somatic cell mitosis. 2002 , 22, 7226-41	120
1148	Soluble fibrinogen modulates neutrophil functionality through the activation of an extracellular signal-regulated kinase-dependent pathway. 2002 , 168, 3527-35	48
1147	Identification of the critical features of a small peptide inhibitor of JNK activity. 2002 , 277, 10987-97	176
1146	The herpes simplex virus type 2 R1 protein kinase (ICP10 PK) blocks apoptosis in hippocampal neurons, involving activation of the MEK/MAPK survival pathway. 2002 , 76, 1435-49	94
1145	Chapter 5 Role of cytokines in skeletal muscle growth and differentiation. 2002 , 11, 97-126	1
1144	Growth hormone signal transduction. 2002 , 15, 771-86	62
1143	Extracellular signal regulated kinases are key mediators of mitogenic signals in rat pancreatic stellate cells. 2002 , 51, 579-84	112
1142	MRK, a mixed lineage kinase-related molecule that plays a role in gamma-radiation-induced cell cycle arrest. 2002 , 277, 13873-82	45
1141	Hepatocyte growth factor inhibits anoikis in head and neck squamous cell carcinoma cells by activation of ERK and Akt signaling independent of NFkappa B. 2002 , 277, 25203-8	107
1140	Protection against anoikis and down-regulation of cadherin expression by a regulatable beta-catenin protein. 2002 , 277, 18677-86	29
1139	Mitochondria and apoptosis: new therapeutic targets. <i>Advances in Cancer Research</i> , 2002 , 85, 203-42	5.9 44
1138	Control of lactotrop proliferation by dopamine: essential role of signaling through D2 receptors and ERKs. 2002 , 99, 14530-5	79
1137	Differential Expression of IRS-1 and IRS-2 in Uterine Leiomyosarcomas with Distinct Oncogenic Phenotypes: Lack of Correlation with Downstream Signaling Events. 2002 , 6, 89-96	3
1136	Activation of p42 mitogen-activated protein kinase (MAPK), but not c-Jun NH(2)-terminal kinase, induces phosphorylation and stabilization of MAPK phosphatase XCL100 in <i>Xenopus</i> oocytes. 2002 , 13, 454-68	40
1135	Epidermal growth factor receptor dependence of radiation-induced transcription factor activation in human breast carcinoma cells. 2002 , 13, 2233-44	55
1134	ERK2 enters the nucleus by a carrier-independent mechanism. 2002 , 99, 7496-501	128
1133	Contribution of macrophage migration inhibitory factor to extracellular signal-regulated kinase activation by oxidative stress in cardiomyocytes. 2002 , 277, 24889-95	33
1132	COM crystals activate the p38 mitogen-activated protein kinase signal transduction pathway in renal epithelial cells. 2002 , 277, 36845-52	50

1131	Growth-dependent regulation of mammalian pyrimidine biosynthesis by the protein kinase A and MAPK signaling cascades. 2002 , 277, 15745-51	28
1130	Cell condition-dependent regulation of ERK5 by cAMP. 2002 , 277, 48094-8	17
1129	Hepatocyte growth factor inhibits anoikis by induction of activator protein 1-dependent cyclooxygenase-2. Implication in head and neck squamous cell carcinoma progression. 2002 , 277, 50137-42	51
1128	The UV (Ribotoxic) stress response of human keratinocytes involves the unexpected uncoupling of the Ras-extracellular signal-regulated kinase signaling cascade from the activated epidermal growth factor receptor. 2002 , 22, 5380-94	84
1127	Cementum and periodontal wound healing and regeneration. 2002 , 13, 474-84	195
1126	Identification of novel point mutations in ERK2 that selectively disrupt binding to MEK1. 2002 , 277, 14844-52	77
1125	Calmodulin prevents activation of Ras by PKC in 3T3 fibroblasts. 2002 , 277, 37929-35	52
1124	Constitutive JNK activation in NIH 3T3 fibroblasts induces a partially transformed phenotype. 2002 , 277, 29510-8	32
1123	Phosphorylation of Bcl-2 in G2/M phase-arrested cells following photodynamic therapy with hypericin involves a CDK1-mediated signal and delays the onset of apoptosis. 2002 , 277, 37718-31	90
1122	Stimulus-specific requirements for MAP3 kinases in activating the JNK pathway. 2002 , 277, 49105-10	72
1121	Glucocorticoids inhibit lung cancer cell growth through both the extracellular signal-related kinase pathway and cell cycle regulators. 2002 , 27, 320-8	81
1120	Multiplicity of gonadotropin-releasing hormone signaling: a comparative perspective. 2002 , 141, 111-28	13
1119	Cooperation of protein kinase A and Ras/ERK signaling pathways is required for AP-1-mediated activation of fibroblast growth factor-inducible response element (FIRE). 2002 , 277, 25344-55	7
1118	Transient protein-protein interactions and a random-ordered kinetic mechanism for the phosphorylation of a transcription factor by extracellular-regulated protein kinase 2. 2002 , 277, 12532-40	31
1117	Selective p38 activation in human non-small cell lung cancer. 2002 , 26, 558-64	131
1116	Proliferation of rhesus ovarian surface epithelial cells in culture: lack of mitogenic response to steroid or gonadotropic hormones. 2002 , 143, 2198-207	37
1115	Evidence for phosphatidylinositol 3-kinase-Akt-p7S6K pathway activation and transduction of mitogenic signals by platelet-derived growth factor in meningioma cells. 2002 , 97, 668-75	53
1114	Differential regulation of CD44 expression by lipopolysaccharide (LPS) and TNF-alpha in human monocytic cells: distinct involvement of c-Jun N-terminal kinase in LPS-induced CD44 expression. 2002 , 169, 5660-72	58

1113	The RAS effector RIN1 directly competes with RAF and is regulated by 14-3-3 proteins. 2002 , 22, 916-26	124
1112	Repression of activator protein-1-mediated transcriptional activation by the Notch-1 intracellular domain. 2002 , 277, 7587-97	39
1111	GROWTH FACTOR AND SIGNAL TRANSDUCTION TARGETS FOR CANCER THERAPY. 2002 , 31-53	
1110	Different domains of the mitogen-activated protein kinases ERK3 and ERK2 direct subcellular localization and upstream specificity in vivo. 2002 , 277, 5094-100	12
1109	The complement of protein phosphatase catalytic subunits encoded in the genome of Arabidopsis. 2002 , 129, 908-25	210
1108	MEKK1 plays a critical role in activating the transcription factor C/EBP-beta-dependent gene expression in response to IFN-gamma. 2002 , 99, 7945-50	74
1107	Autocrine loops with positive feedback enable context-dependent cell signaling. 2002 , 282, C545-59	97
1106	A differential role for the mitogen-activated protein kinases in lipopolysaccharide signaling: the MEK/ERK pathway is not essential for nitric oxide and interleukin 1beta production. 2002 , 277, 9077-87	104
1105	Distinct role of p38 and c-Jun N-terminal kinases in IL-10-dependent and IL-10-independent regulation of the costimulatory molecule B7.2 in lipopolysaccharide-stimulated human monocytic cells. 2002 , 168, 1759-69	38
1104	Cyclic AMP-dependent kinase regulates Raf-1 kinase mainly by phosphorylation of serine 259. 2002 , 22, 3237-46	188
1103	Apoptosis and melanogenesis in human melanoma cells induced by anthrax lethal factor inactivation of mitogen-activated protein kinase kinase. 2002 , 99, 3052-7	128
1102	ERK8, a new member of the mitogen-activated protein kinase family. 2002 , 277, 16733-43	94
1101	Inhibition of aldose reductase enhances HeLa cell sensitivity to chemotherapeutic drugs and involves activation of extracellular signal-regulated kinases. 2002 , 13, 859-68	34
1100	Retinoic acid activation of the ERK pathway is required for embryonic stem cell commitment into the adipocyte lineage. <i>Biochemical Journal</i> , 2002 , 361, 621-7	3.8 105
1099	Extracellular signal-regulated protein kinase activation during reoxygenation is required to restore ischaemia-induced endothelial barrier failure. <i>Biochemical Journal</i> , 2002 , 367, 873-9	3.8 29
1098	Synergistic induction of apoptosis by simultaneous disruption of the Bcl-2 and MEK/MAPK pathways in acute myelogenous leukemia. <i>Blood</i> , 2002 , 99, 3461-4	2.2 108
1097	Analysis of c-Jun N-terminal kinase regulation and function. 2002 , 345, 413-25	7
1096	Flavonoid phytochemicals regulate activator protein-1 signal transduction pathways in endometrial and kidney stable cell lines. 2002 , 132, 1848-53	46

1095	Cell volume and ion changes during apoptotic cell death. <i>Advances in Cancer Research</i> , 2002 , 85, 175-2015.9	5
1094	MAP kinases contribute to IL-8 secretion by intestinal epithelial cells via a posttranscriptional mechanism. 2002 , 283, C31-41	108
1093	Inhibitors of farnesyl protein transferase and MEK1,2 induce apoptosis in fibroblasts transformed with farnesylated but not geranylgeranylated H-Ras. 2002 , 273, 138-46	27
1092	Differential role of MAP kinases in stimulation of hepatocyte growth by EGF and G-protein-coupled receptor agonists. 2002 , 291, 588-92	11
1091	Control and biochemical nature of the ecdysteroidogenic pathway. 2002 , 47, 883-916	400
1090	Cell volume control and signal transduction in apoptosis. 2002 , 30, 541-51	36
1089	Ras/Raf signalling and emerging pharmacotherapeutic targets. 2002 , 3, 709-18	48
1088	Vitamin D receptor: a potential target for intervention. 2002 , 60, 123-30; discussion 130-1	38
1087	The anti-metastatic agent imidazolium trans-imidazoledimethylsulfoxide-tetrachlororuthenate induces endothelial cell apoptosis by inhibiting the mitogen-activated protein kinase/extracellular signal-regulated kinase signaling pathway. 2002 , 403, 209-18	58
1086	Selective dephosphorylation of the threonine(183) residue of ERK2 upon (alpha)IIb(beta)3 engagement in platelets. 2002 , 521, 145-51	8
1085	Pyrrolizidine alkaloid clivorine inhibits human normal liver L-02 cells growth and activates p38 mitogen-activated protein kinase in L-02 cells. 2002 , 40, 1685-90	27
1084	Ras-MAP kinase signaling pathways and control of cell proliferation: relevance to cancer therapy. 2002 , 39, 285-330	80
1083	Evidence for a role of mitogen-activated protein kinases in proliferating and differentiating odontogenic epithelia of inflammatory and developmental cysts. 2002 , 93, 720-9	13
1082	Crystal structures of MAP kinase p38 complexed to the docking sites on its nuclear substrate MEF2A and activator MKK3b. 2002 , 9, 1241-9	274
1081	Hypericin in cancer treatment: more light on the way. 2002 , 34, 221-41	348
1080	Mitogen-activated protein kinase cascades in plants: a new nomenclature. 2002 , 7, 301-8	891
1079	EGF receptor targeting in therapy-resistant human tumors. 2002 , 5, 11-8	35
1078	Pharmacological inhibitors of MAPK pathways. 2002 , 23, 40-5	377

1077	The protein kinase ERK3 is encoded by a single functional gene: genomic analysis of the ERK3 gene family. 2002 , 80, 673-80	16
1076	Epithelial growth factor receptor interacting agents. 2002 , 16, 1041-63	35
1075	Pharmacodynamic studies of the epidermal growth factor receptor inhibitor ZD1839 in skin from cancer patients: histopathologic and molecular consequences of receptor inhibition. 2002 , 20, 110-24	405
1074	Identification of a C-terminal region that is required for the nuclear translocation of ERK2 by passive diffusion. 2002 , 277, 37777-82	5
1073	Red wine polyphenols inhibit the growth of colon carcinoma cells and modulate the activation pattern of mitogen-activated protein kinases. 2002 , 132, 2814-8	48
1072	A novel specific role for I kappa B kinase complex-associated protein in cytosolic stress signaling. 2002 , 277, 31918-28	88
1071	New insights into the molecular actions of serotonergic antimigraine drugs. 2002 , 94, 77-92	56
1070	Control of MMP-9 expression at the maternal-fetal interface. 2002 , 55, 3-10	46
1069	Fidelity and spatio-temporal control in MAP kinase (ERKs) signalling. 2002 , 64, 755-63	347
1068	MAP kinase cascade signaling and endocytic trafficking: a marriage of convenience?. 2002 , 12, 173-7	88
1067	Modulation of the Ras/Raf/MEK/ERK pathway by Ca(2+), and calmodulin. 2002 , 14, 649-54	338
1066	CCL20/macrophage inflammatory protein-3alpha production in LPS-stimulated neutrophils is enhanced by the chemoattractant formyl-methionyl-leucyl-phenylalanine and IFN-gamma through independent mechanisms. 2002 , 32, 3515-24	30
1065	Selectivity in overlapping MAP kinase cascades. 2002 , 218, 343-54	21
1064	Effect of prolonged hydroxytamoxifen treatment of MCF-7 cells on mitogen activated kinase cascade. 2002 , 98, 698-706	16
1063	High levels of MMP-1 expression in the absence of the 2G single nucleotide polymorphism is mediated by p38 and ERK1/2 mitogen-activated protein kinases in VMM5 melanoma cells. 2002 , 86, 307-19	36
1062	Proliferation of IL-6-independent multiple myeloma does not require the activity of extracellular signal-regulated kinases (ERK1/2). 2002 , 193, 42-54	22
1061	Matrix metalloproteinases and their role in pancreatic cancer: a review of preclinical studies and clinical trials. 2002 , 9, 668-74	132
1060	Enhanced expression of decay-accelerating factor and CD59/homologous restriction factor 20 in intestinal metaplasia, gastric adenomas and intestinal-type gastric carcinomas but not in diffuse-type carcinomas. 2002 , 40, 339-47	17

1059	Effects of oxalate on the re-initiation of DNA synthesis in LLC-PK1 cells do not involve p42/44 MAP kinase activation. <i>Kidney International</i> , 2002 , 61, 525-33	9.9	16
1058	Gene expression profile of HIV-1 Tat expressing cells: a close interplay between proliferative and differentiation signals. 2002 , 3, 14		68
1057	Ca ²⁺ -mediated activation of ERK in hepatocytes by norepinephrine and prostaglandin F ₂ alpha: role of calmodulin and Src kinases. 2002 , 3, 5		23
1056	Differential activation of mitogen-activated protein kinase pathways in PC12 cells by closely related alpha1-adrenergic receptor subtypes. 1999 , 72, 2388-96		46
1055	BCR mediated signal transduction in immature and mature B cells. 2002 , 82, 41-9		41
1054	MEK/ERK pathway protects ionizing radiation-induced loss of mitochondrial membrane potential and cell death in lymphocytic leukemia cells. 2002 , 9, 963-71		52
1053	C-Jun N-terminal kinase is required for phorbol ester- and thapsigargin-induced apoptosis in the androgen responsive prostate cancer cell line LNCaP. 2002 , 21, 1017-27		47
1052	Localization of the human oxytocin receptor in caveolin-1 enriched domains turns the receptor-mediated inhibition of cell growth into a proliferative response. 2002 , 21, 1658-67		81
1051	Cell transformation by v-Jun deactivates ERK MAP kinase signalling. 2002 , 21, 6540-8		16
1050	Induction of p53 accumulation by Moloney murine leukemia virus-ts1 infection in astrocytes via activation of extracellular signal-regulated kinases 1/2. 2002 , 82, 693-702		22
1049	Monitoring post-translational modification of proteins with allosteric ribozymes. 2002 , 20, 810-5		56
1048	Hepatitis C virus core protein induces cell proliferation and activates ERK, JNK, and p38 MAP kinases together with the MAP kinase phosphatase MKP-1 in a HepG2 Tet-Off cell line. 2002 , 292, 272-84		106
1047	ROS, stress-activated kinases and stress signaling in cancer. 2002 , 3, 420-5		509
1046	The role of apoptosis in response to photodynamic therapy: what, where, why, and how. 2002 , 1, 1-21		909
1045	Lovastatin is a potent inhibitor of meningioma cell proliferation: evidence for inhibition of a mitogen associated protein kinase. 2002 , 56, 133-42		54
1044	Regulation of Raf-1 activation and signalling by dephosphorylation. 2002 , 21, 64-71		211
1043	Regulation of matrix metalloproteinases: an overview. 2003 , 253, 269-85		857
1042	Ethanol metabolism results in a G ₂ /M cell-cycle arrest in recombinant Hep G2 cells. 2003 , 38, 385-93		24

1041	Discussion of the role of the extracellular signal-regulated kinase-phospholipase A2 pathway in production of reactive oxygen species in Alzheimer's disease. 2003 , 28, 319-26	31
1040	Interleukin-10 and the regulation of mitogen-activated protein kinases: are these signalling modules targets for the anti-inflammatory action of this cytokine?. 2003 , 15, 255-67	54
1039	Solution structure of the MAPK phosphatase PAC-1 catalytic domain. Insights into substrate-induced enzymatic activation of MKP. 2003 , 11, 155-64	41
1038	Expression and activation of MAP kinases, ERK1/2, in the human villous trophoblasts. 2003 , 24, 164-72	37
1037	Role of mitogen-activated protein kinases in endothelin ETB receptor up-regulation after organ culture of rat mesenteric artery. 2003 , 482, 39-47	30
1036	MAP kinase modules: many roads home. 2003 , 13, R886-8	91
1035	Membrane-associated serine/threonine protein phosphatase in endometrial cancer. 2003 , 189, 1666-9	6
1034	Inhibition of the MEK/ERK pathway has no effect on agonist-induced aggregation of human platelets. 2003 , 65, 1243-50	29
1033	Inhibition of pancreatic stellate cell activation by the hydroxymethylglutaryl coenzyme A reductase inhibitor lovastatin. 2003 , 65, 1295-303	32
1032	The extracellular signal-regulated kinase cascade suppresses amyloid beta protein-induced promotion of glutamate clearance in cultured rat cortical astrocytes. 2003 , 979, 179-87	14
1031	Different influences of hyperglycemic duration on phosphorylated extracellular signal-regulated kinase 1/2 in rat heart. 2003 , 74, 23-32	21
1030	Alternate interferon signaling pathways. 2003 , 100, 1-29	78
1029	Roles of JNK-1 and p38 in selective induction of apoptosis by capsaicin in ras-transformed human breast epithelial cells. 2003 , 103, 475-82	83
1028	Enhancement of tumor radioresponse by combined treatment with gefitinib (Iressa, ZD1839), an epidermal growth factor receptor tyrosine kinase inhibitor, is accompanied by inhibition of DNA damage repair and cell growth in oral cancer. 2003 , 107, 1030-7	78
1027	Kaempferol-induced growth inhibition and apoptosis in A549 lung cancer cells is mediated by activation of MEK-MAPK. 2003 , 197, 110-21	111
1026	EGF-stimulated signaling by means of PI3K, PLCgamma1, and PKC isozymes regulates branching morphogenesis of the fetal mouse submandibular gland. 2003 , 227, 216-26	44
1025	Activation of the stress-activated JNK and p38 MAP kinases in human cells by Photofrin-mediated photodynamic therapy. 2003 , 71, 77-85	19
1024	Novel approaches with targeted therapies in bladder cancer. Therapy of bladder cancer by blockade of the epidermal growth factor receptor family. 2003 , 46 Suppl, S85-104	98

1023	Inhibition of the phosphatidylinositol 3'-kinase signaling pathway increases the responsiveness of pancreatic carcinoma cells to sulindac. 2003 , 7, 354-63	20
1022	Synthesis and evaluation of 4-anilino-6,7-dialkoxy-3-quinolinecarbonitriles as inhibitors of kinases of the Ras-MAPK signaling cascade. 2003 , 13, 3031-4	26
1021	Biochemical and functional analysis of CTR1, a protein kinase that negatively regulates ethylene signaling in Arabidopsis. <i>Plant Journal</i> , 2003 , 33, 221-33	6.9 307
1020	Fidelity and spatio-temporal control in MAP kinase (ERKs) signalling. 2003 , 270, 3291-9	138
1019	Structural and functional analysis of a new cytokine, ML-1 (interleukin-17F). 2003 , 52, 117-122	7
1018	Over-expression of the mitogen-activated protein kinase (MAPK) kinase (MEK)-MAPK in hepatocellular carcinoma: its role in tumor progression and apoptosis. 2003 , 3, 19	208
1017	Delayed but sustained induction of mitogen-activated protein kinase activity is associated with beta-adrenergic receptor-mediated morphological differentiation of astrocytes. 2004 , 88, 12-22	24
1016	Impact of parvovirus H-1 infection on the expression of genes related to the MAPK signaling pathway in gastric cancer cells. 2003 , 4, 174-179	
1015	Structural basis for p38alpha MAP kinase quinazolinone and pyridol-pyrimidine inhibitor specificity. 2003 , 10, 764-9	176
1014	Identification of MEK1 as a novel target for the treatment of neuropathic pain. 2003 , 138, 751-6	79
1013	An essential function of the mitogen-activated protein kinase Erk2 in mouse trophoblast development. 2003 , 4, 964-8	299
1012	Adipocyte functions are modulated by cell size change: potential involvement of an integrin/ERK signalling pathway. 2003 , 27, 1178-86	98
1011	The protein tyrosine phosphatase HePTP regulates nuclear translocation of ERK2 and can modulate megakaryocytic differentiation of K562 cells. 2003 , 17, 366-78	35
1010	Receptor protein tyrosine phosphatase alpha signaling is involved in androgen depletion-induced neuroendocrine differentiation of androgen-sensitive LNCaP human prostate cancer cells. 2003 , 22, 6704-16	58
1009	Type-2A protein phosphatase activity is required to maintain death receptor responsiveness. 2003 , 22, 7677-86	34
1008	MAPK phosphatase DUSP16/MKP-7, a candidate tumor suppressor for chromosome region 12p12-13, reduces BCR-ABL-induced transformation. 2003 , 22, 7728-36	41
1007	Analyzing mitogen-activated protein kinase (MAPK) activities in T cells. 2004 , Chapter 11, Unit 11.8	3
1006	Four-dimensional organization of protein kinase signaling cascades: the roles of diffusion, endocytosis and molecular motors. 2003 , 206, 2073-82	134

1005	Extra-cellular signal-regulated ERK-1/ERK-2 pathway activation in human salivary gland mucoepidermoid carcinoma: association to aggressive tumor behavior and tumor cell proliferation. 2003 , 163, 957-67	70
1004	Identification of four sites of stimulated tyrosine phosphorylation in the MUC1 cytoplasmic tail. 2003 , 310, 341-6	47
1003	Status of epidermal growth factor receptor antagonists in the biology and treatment of cancer. 2003 , 21, 2787-99	1051
1002	Raf1 plays a pivotal role in lipopolysaccharide-induced activation of dendritic cells. 2003 , 308, 353-60	11
1001	Leukotactin-1-induced ERK activation is mediated via Gi/Go protein/PLC/PKC delta/Ras cascades in HOS cells. 2003 , 73, 447-59	17
1000	Examining the mechanism of Erk nuclear translocation using green fluorescent protein. 2003 , 285, 208-20	58
999	Prothoracicotropic hormone stimulated extracellular signal-regulated kinase (ERK) activity: the changing roles of Ca(2+)- and cAMP-dependent mechanisms in the insect prothoracic glands during metamorphosis. 2003 , 205, 159-68	38
998	Anti-proliferative effects and cell death mediated by two isoforms of dopamine D2 receptors in pituitary tumor cells. 2003 , 206, 49-62	59
997	Effect of trans-resveratrol on signal transduction pathways involved in paclitaxel-induced apoptosis in human neuroblastoma SH-SY5Y cells. 2003 , 42, 419-29	50
996	Transcriptional regulation by the MAP kinase signaling cascades. 2003 , 320, 3-21	395
995	Protein kinases and their involvement in the cellular responses to genotoxic stress. 2003 , 543, 31-58	35
994	Delayed rectifier K currents in NF1 Schwann cells. Pharmacological block inhibits proliferation. 2003 , 13, 136-46	22
993	Impairment of phosphatase 2A contributes to the prolonged MAP kinase phosphorylation in Alzheimer's disease fibroblasts. 2003 , 14, 458-69	29
992	Anticancer Agents from Unique Natural Products Sources. 2003 , 41, 15-38	18
991	Hepatocyte growth factor/scatter factor mediates angiogenesis through positive VEGF and negative thrombospondin 1 regulation. 2003 , 100, 12718-23	293
990	Identification of novel ERK2 substrates through use of an engineered kinase and ATP analogs. 2003 , 278, 14926-35	96
989	Cardiomyocytes overexpressing TNF-alpha attract migration of embryonic stem cells via activation of p38 and c-Jun amino-terminal kinase. 2003 , 17, 2231-9	45
988	Phosphorylation of Raf-1 by p21-activated kinase 1 and Src regulates Raf-1 autoinhibition. 2003 , 278, 11221-6	77

987	Regulation of ERK1 and ERK2 by glucose and peptide hormones in pancreatic beta cells. 2003 , 278, 32517-25	109
986	Combination of two activating mutations in one HOG1 gene forms hyperactive enzymes that induce growth arrest. 2003 , 23, 4826-40	48
985	The herpes simplex virus type 2 R1 protein kinase (ICP10 PK) functions as a dominant regulator of apoptosis in hippocampal neurons involving activation of the ERK survival pathway and upregulation of the antiapoptotic protein Bag-1. 2003 , 77, 1292-305	87
984	Rapid turnover of extracellular signal-regulated kinase 3 by the ubiquitin-proteasome pathway defines a novel paradigm of mitogen-activated protein kinase regulation during cellular differentiation. 2003 , 23, 4542-58	105
983	Impact of parvovirus H-1 infection on the expression of genes related to the MAPK signaling pathway in gastric cancer cells. 2003 , 4, 174-179	
982	High density lipoprotein-induced endothelial nitric-oxide synthase activation is mediated by Akt and MAP kinases. 2003 , 278, 9142-9	289
981	Combined action of ERK and NF kappa B mediates the protective effect of phorbol ester on Fas-induced apoptosis in Jurkat cells. 2003 , 278, 10934-41	37
980	Negative regulation of MAPKK by phosphorylation of a conserved serine residue equivalent to Ser212 of MEK1. 2003 , 278, 8118-25	30
979	pp90RSK- and protein kinase C-dependent pathway regulates p42/44MAPK-induced LDL receptor transcription in HepG2 cells. 2003 , 44, 584-93	19
978	Forced expression of the H11 heat shock protein can be regulated by DNA methylation and trigger apoptosis in human cells. 2003 , 278, 37600-9	48
977	Anthrax toxin: structures, functions and tumour targeting. 2003 , 3, 843-53	48
976	The response of extracellular signal-regulated kinase (ERK) to androgen-induced proliferation in the androgen-sensitive prostate cancer cell line, LNCaP. 2003 , 78, 11-6	12
975	Regulation of insulin gene transcription by ERK1 and ERK2 in pancreatic beta cells. 2003 , 278, 32969-77	123
974	Ethylene rapidly up-regulates the activities of both monomeric GTP-binding proteins and protein kinase(s) in epicotyls of pea. 2003 , 131, 1718-26	20
973	Characterization of growth factor-induced serine phosphorylation of tumor necrosis factor-alpha converting enzyme and of an alternatively translated polypeptide. 2003 , 278, 18617-27	94
972	Signal transduction--directed cancer treatments. 2003 , 43, 199-231	76
971	Mitogen activated protein (MAP) kinase signal transduction pathways and novel anti-inflammatory targets. 2003 , 52, 144-51	324
970	c-Src is activated by the epidermal growth factor receptor in a pathway that mediates JNK and ERK activation by gonadotropin-releasing hormone in COS7 cells. 2003 , 278, 32618-30	59

969	Enhanced activation of mitogen-activated protein kinase and myosin light chain kinase by the Pro33 polymorphism of integrin beta 3. 2003 , 278, 3860-7		46
968	Extracellular signal-regulated kinase 2 is necessary for mesoderm differentiation. 2003 , 100, 12759-64		255
967	Up-regulation of cyclooxygenase-2 and apoptosis resistance by p38 MAPK in hypericin-mediated photodynamic therapy of human cancer cells. 2003 , 278, 52231-9		105
966	Increased expression of cytochrome P450 2E1 induces heme oxygenase-1 through ERK MAPK pathway. 2003 , 278, 29693-700		56
965	DeltaRaf-1:ER* bypasses the cyclic AMP block of extracellular signal-regulated kinase 1 and 2 activation but not CDK2 activation or cell cycle reentry. 2003 , 23, 9303-17		15
964	Negative role of cAMP-dependent protein kinase A in RANTES-mediated transcription of proinflammatory mediators through Raf. 2003 , 17, 734-6		10
963	Combined-modality treatment of solid tumors using radiotherapy and molecular targeted agents. 2003 , 21, 2760-76		115
962	Docking sites on mitogen-activated protein kinase (MAPK) kinases, MAPK phosphatases and the Elk-1 transcription factor compete for MAPK binding and are crucial for enzymic activity. <i>Biochemical Journal</i> , 2003 , 370, 1077-85	3.8	85
961	ERK1/2 achieves sustained activation by stimulating MAPK phosphatase-1 degradation via the ubiquitin-proteasome pathway. 2003 , 278, 21534-41		107
960	Tumor necrosis factor-alpha induces functionally active hyaluronan-adhesive CD44 by activating sialidase through p38 mitogen-activated protein kinase in lipopolysaccharide-stimulated human monocytic cells. 2003 , 278, 37275-87		66
959	Identification of novel protein-protein interactions using a versatile mammalian tandem affinity purification expression system. 2003 , 2, 1225-33		98
958	MEK inhibition of pancreatic carcinoma cells by U0126 and its effect in combination with sulindac. 2003 , 27, 337-44		28
957	Induction of fetal hemoglobin expression by the histone deacetylase inhibitor apicidin. <i>Blood</i> , 2003 , 101, 2001-7	2.2	106
956	Amyloid beta peptide specifically promotes phosphorylation and nuclear translocation of the extracellular signal-regulated kinase in cultured rat cortical astrocytes. 2003 , 93, 272-8		10
955	Differential activation of extracellular signal-regulated protein kinase in primary afferent neurons regulates brain-derived neurotrophic factor expression after peripheral inflammation and nerve injury. 2003 , 23, 4117-26		203
954	Butyric acid sensitizes Vero cells to ricin-induced apoptosis via accelerated activation of multiple signal transduction pathways. 2003 , 28, 475-85		7
953	Sphingosine-1-phosphate inhibition of apoptosis requires mitogen-activated protein kinase phosphatase-1 in mouse fibroblast C3H10T 1/2 cells. 2003 , 133, 3343-9		15
952	G alpha 13-mediated transformation and apoptosis are permissively dependent on basal ERK activity. 2003 , 285, C922-34		14

951	Novel targeted agents in the treatment of lung cancer. 2004 , 13, 609-29	2
950	Structure of MAPKs. 2004 , 250, 127-44	17
949	Extracellular signal-regulated kinases are involved in the acute activation of steroidogenesis in immature rat Leydig cells by human chorionic gonadotropin. 2004 , 145, 4629-34	80
948	ERK and p38 MAPK-activated protein kinases: a family of protein kinases with diverse biological functions. 2004 , 68, 320-44	1737
947	Switching of bradykinin-mediated nociception following partial sciatic nerve injury in mice. 2004 , 308, 1158-64	72
946	WNK1 activates ERK5 by an MEKK2/3-dependent mechanism. 2004 , 279, 7826-31	129
945	Docking interactions in the c-Jun N-terminal kinase pathway. 2004 , 279, 11843-52	58
944	The structure of the MAPK scaffold, MP1, bound to its partner, p14. A complex with a critical role in endosomal map kinase signaling. 2004 , 279, 23422-30	59
943	MKP-3 has essential roles as a negative regulator of the Ras/mitogen-activated protein kinase pathway during Drosophila development. 2004 , 24, 573-83	38
942	Differential kinetic and spatial patterns of beta-arrestin and G protein-mediated ERK activation by the angiotensin II receptor. 2004 , 279, 35518-25	402
941	Different effects of point mutations within the B-Raf glycine-rich loop in colorectal tumors on mitogen-activated protein/extracellular signal-regulated kinase kinase/extracellular signal-regulated kinase and nuclear factor kappaB pathway and cellular transformation. 2004 , 64, 3428-35	61
940	Assembly protein precursor (pUL80.5 homolog) of simian cytomegalovirus is phosphorylated at a glycogen synthase kinase 3 site and its downstream "priming" site: phosphorylation affects interactions of protein with itself and with major capsid protein. 2004 , 78, 13501-11	16
939	A novel role for mixed-lineage kinase-like mitogen-activated protein triple kinase alpha in neoplastic cell transformation and tumor development. 2004 , 64, 3855-64	41
938	Phosphorylation of golgin-160 by mixed lineage kinase 3. 2004 , 117, 751-60	24
937	IQGAP1 binds ERK2 and modulates its activity. 2004 , 279, 17329-37	166
936	Akt phosphorylation and gefitinib efficacy in patients with advanced non-small-cell lung cancer. 2004 , 96, 1133-41	333
935	Reciprocal regulation between Slt2 MAPK and isoforms of Msg5 dual-specificity protein phosphatase modulates the yeast cell integrity pathway. 2004 , 279, 11027-34	61
934	Characterization of OSR1, a member of the mammalian Ste20p/germinal center kinase subfamily. 2004 , 279, 11129-36	66

933	Active mutants of the human p38alpha mitogen-activated protein kinase. 2004 , 279, 47040-9	57
932	<i>Aeromonas hydrophila</i> cytotoxic enterotoxin activates mitogen-activated protein kinases and induces apoptosis in murine macrophages and human intestinal epithelial cells. 2004 , 279, 37597-612	71
931	Monocyte surface-bound IL-15 can function as an activating receptor and participate in reverse signaling. 2004 , 172, 4225-34	48
930	Signaling cross-talk from Gbeta4 subunit to Elk-1 in the rapid action of androgens. 2004 , 279, 2403-13	31
929	Role of mitogen-activated protein kinase activation in injured and intact primary afferent neurons for mechanical and heat hypersensitivity after spinal nerve ligation. 2004 , 24, 10211-22	266
928	Human SAD1 kinase is involved in UV-induced DNA damage checkpoint function. 2004 , 279, 31164-70	37
927	The death effector domain protein PEA-15 prevents nuclear entry of ERK2 by inhibiting required interactions. 2004 , 279, 12840-7	67
926	Trihydrophobin 1 is a new negative regulator of A-Raf kinase. 2004 , 279, 10167-75	16
925	MEK1 and MEK2, different regulators of the G1/S transition. 2004 , 279, 43861-9	86
924	Involvement of the ERK signaling cascade in protein kinase C-mediated cell cycle arrest in intestinal epithelial cells. 2004 , 279, 9233-47	64
923	Stimulus-coupled spatial restriction of extracellular signal-regulated kinase 1/2 activity contributes to the specificity of signal-response pathways. 2004 , 24, 10145-50	80
922	Nitric oxide inhibition of ERK1/2 activity in cells expressing neuronal nitric-oxide synthase. 2004 , 279, 3933-40	27
921	Modular construction of a signaling scaffold: MORG1 interacts with components of the ERK cascade and links ERK signaling to specific agonists. 2004 , 101, 6981-6	81
920	Glucose regulates interleukin-8 production in aortic endothelial cells through activation of the p38 mitogen-activated protein kinase pathway in diabetes. 2004 , 279, 31930-6	51
919	Targeting the epidermal growth factor receptor. 2004 , 91, 418-24	126
918	Conferring specificity on the ubiquitous Raf/MEK signalling pathway. 2004 , 90, 283-8	133
917	Dexamethasone inhibits IL-12p40 production in lipopolysaccharide-stimulated human monocytic cells by down-regulating the activity of c-Jun N-terminal kinase, the activation protein-1, and NF-kappa B transcription factors. 2004 , 172, 318-30	117
916	Synergistic activation of signalling to extracellular signal-regulated kinases 1 and 2 by epidermal growth factor and 4 beta-phorbol 12-myristate 13-acetate. 2004 , 271, 3905-13	15

915	Differential activation of MAPK in injured and uninjured DRG neurons following chronic constriction injury of the sciatic nerve in rats. 2004 , 20, 2881-95	117
914	Phosphorylation of ERK and CREB in cultured hippocampal neurons after haloperidol and risperidone administration. 2004 , 58, 262-7	32
913	cAMP blocks MAPK activation and sclerotial development via Rap-1 in a PKA-independent manner in <i>Sclerotinia sclerotiorum</i> . 2005 , 55, 299-311	43
912	p53 can inhibit cell proliferation through caspase-mediated cleavage of ERK2/MAPK. 2004 , 11, 596-607	36
911	Negative feedback loop in T-cell activation through MAPK-catalyzed threonine phosphorylation of LAT. 2004 , 23, 2577-85	35
910	Genetic complementation of cytokine signaling identifies central role of kinases in hematopoietic cell proliferation. 2004 , 23, 1214-20	9
909	Structures of human MAP kinase kinase 1 (MEK1) and MEK2 describe novel noncompetitive kinase inhibition. 2004 , 11, 1192-7	511
908	Importance of ERK1/2 in upregulation of endothelin type B receptors in cerebral arteries. 2004 , 142, 1155-61	58
907	Gefitinib ('Iressa', ZD1839), an epidermal growth factor receptor tyrosine kinase inhibitor, up-regulates p27KIP1 and induces G1 arrest in oral squamous cell carcinoma cell lines. 2004 , 40, 43-51	39
906	Differentiation-inducing factor-1-induced growth arrest of K562 leukemia cells involves the reduction of ERK1/2 activity. 2004 , 485, 21-9	23
905	Roles of p38 and JNK mitogen-activated protein kinase pathways during cantharidin-induced apoptosis in U937 cells. 2004 , 67, 1811-8	73
904	Daphnetin induced differentiation of human renal carcinoma cells and its mediation by p38 mitogen-activated protein kinase. 2004 , 67, 1779-88	70
903	Cell cycle- and protein kinase C-specific effects of resiniferatoxin and resiniferonol 9,13,14-ortho-phenylacetate in intestinal epithelial cells. 2004 , 67, 1873-86	10
902	Opposite effects of inhibitors of mitogen-activated protein kinase pathways on the egr-1 and beta-globin expression in erythropoietin-responsive murine erythroleukemia cells. 2004 , 16, 223-34	15
901	Structure and regulation of MAPK phosphatases. 2004 , 16, 769-79	366
900	Antigen receptor-mediated signaling pathways in transitional immature B cells. 2004 , 16, 881-9	17
899	Counting on mitogen-activated protein kinases--ERKs 3, 4, 5, 6, 7 and 8. 2004 , 16, 1345-54	107
898	The role of the extracellular signal-regulated kinase pathway in cerebellar abnormalities in schizophrenia. 2004 , 3, 94-9	27

897	MAP kinases and their roles in pancreatic beta-cells. 2004 , 40, 191-200		21
896	Restoration of impaired p38 activation by insulin in insulin resistant skeletal muscle cells treated with thiazolidinediones. 2004 , 260, 55-64		4
895	Transforming growth factor-beta effects on meningioma cell proliferation and signal transduction pathways. 2004 , 66, 9-16		36
894	MAP kinases and their roles in pancreatic cells. 2004 , 2004, 191-200		2
893	A genomic perspective of protein kinases in Plasmodium falciparum. 2005 , 58, 180-9		121
892	Resistance to signal activation governs design features of the MAP kinase signaling module. 2004 , 85, 311-22		19
891	Activated glia induce neuron death via MAP kinase signaling pathways involving JNK and p38. 2004 , 45, 170-9		143
890	Entire mitogen activated protein kinase (MAPK) pathway is present in preimplantation mouse embryos. 2004 , 231, 72-87		64
889	Inducible expression of a MAP kinase phosphatase-3-GFP chimera specifically blunts fibroblast growth and ras-dependent tumor formation in nude mice. 2004 , 199, 441-50		27
888	The substitution pattern of anthocyanidins affects different cellular signaling cascades regulating cell proliferation. 2004 , 48, 318-25		86
887	Synthesis and structure-activity relationships of thioflavone derivatives as specific inhibitors of the ERK-MAP kinase signaling pathway. <i>Bioorganic and Medicinal Chemistry</i> , 2004 , 12, 2397-407	3-4	38
886	A 384-well cell-based phospho-ERK assay for dopamine D2 and D3 receptors. 2004 , 333, 265-72		31
885	Selenomethionine stimulates MAPK (ERK) phosphorylation, protein oxidation, and DNA synthesis in gastric cancer cells. 2004 , 49, 184-90		11
884	Regulated fast nucleocytoplasmic shuttling observed by reversible protein highlighting. 2004 , 306, 1370-3		682
883	Platelet-released supernatant increases matrix metalloproteinase-2 production, migration, proliferation, and tube formation of human umbilical vascular endothelial cells. 2004 , 75, 1255-61		25
882	Induction of granulocyte-macrophage colony-stimulating factor by a new cytokine, ML-1 (IL-17F), via Raf 1-MEK-ERK pathway. 2004 , 114, 444-50		64
881	Development of rationally designed, target-based agents for the treatment of advanced colorectal cancer. 2004 , 4, 107-23		4
880	The interleukin (IL)-2 family cytokines: survival and proliferation signaling pathways in T lymphocytes. 2004 , 33, 109-42		111

879	Molecular regulation of pancreatic stellate cell function. 2004 , 3, 26	116
878	Sef is a spatial regulator for Ras/MAP kinase signaling. 2004 , 7, 33-44	244
877	Investigation of intracellular signalling events mediating the mechanism of action of 7-hydroxycoumarin and 6-nitro-7-hydroxycoumarin in human renal cells. 2004 , 205, 69-79	28
876	Neurotrophin-3-induced PI-3 kinase/Akt signaling rescues cortical neurons from apoptosis. 2004 , 187, 38-46	43
875	Involvement of p38 mitogen-activated protein kinase in gemcitabine-induced apoptosis in human pancreatic cancer cells. 2004 , 316, 71-7	69
874	Flt3 mutation activates p21WAF1/CIP1 gene expression through the action of STAT5. 2004 , 316, 85-92	29
873	SNT-2 interacts with ERK2 and negatively regulates ERK2 signaling in response to EGF stimulation. 2004 , 324, 1011-7	13
872	Role of the ERK-mediated signaling pathway in mesenchyme formation and differentiation in the sea urchin embryo. 2004 , 268, 384-402	59
871	Identifying specific kinase substrates through engineered kinases and ATP analogs. 2004 , 32, 389-97	9
870	Activation of extracellular signal-regulated protein kinase in dorsal horn neurons in the rat neuropathic intermittent claudication model. 2004 , 109, 64-72	36
869	A walk-through of the yeast mating pheromone response pathway. 2004 , 25, 1465-76	129
868	Mitogen-activated protein kinases and the evolution of Alzheimer's: a revolutionary neurogenetic axis for therapeutic intervention?. 2004 , 73, 359-77	45
867	Activation of extracellular signal-regulated protein kinase in the dorsal root ganglion following inflammation near the nerve cell body. 2004 , 126, 1011-21	62
866	Serotonin-mediated phosphorylation of extracellular regulated kinases in platelets of patients with panic disorder versus controls. 2004 , 44, 627-39	19
865	Activation of extracellular signal-regulated kinases in the sciatic nerves of rats with experimental autoimmune neuritis. 2004 , 372, 57-61	14
864	MAPK activation in nociceptive neurons and pain hypersensitivity. 2004 , 74, 2643-53	270
863	Regulation of MMP-9 gene expression for the development of novel molecular targets against cancer and inflammatory diseases. 2004 , 8, 473-89	52
862	Analysis of the ERK1,2 transcriptome in mammary epithelial cells. <i>Biochemical Journal</i> , 2004 , 381, 635-44.8	26

861	Integrating basic science and clinical research in bladder cancer: update from the first bladder Specialized Program of Research Excellence (SPORE). 2004 , 14, 295-300		16
860	BCR/ABL kinase inhibition by imatinib mesylate enhances MAP kinase activity in chronic myelogenous leukemia CD34+ cells. <i>Blood</i> , 2004 , 103, 3167-74	2.2	145
859	ERK5 is targeted to myocyte enhancer factor 2A (MEF2A) through a MAPK docking motif. <i>Biochemical Journal</i> , 2004 , 381, 693-9	3.8	27
858	Escherichia coli LPS induces heat shock protein 25 in intestinal epithelial cells through MAP kinase activation. 2004 , 286, G645-52		49
857	p38 Mitogen-activated protein kinase regulates vasoconstriction in spontaneously hypertensive rats. 2004 , 95, 267-72		17
856	Prevention of TNF-alpha-induced apoptosis in polyamine-depleted IEC-6 cells is mediated through the activation of ERK1/2. 2004 , 286, G479-90		37
855	Cisplatin-induced cell death is EGFR/src/ERK signaling dependent in mouse proximal tubule cells. 2004 , 287, F543-9		181
854	Mitogenic signal transduction pathways in meningiomas: novel targets for meningioma chemotherapy?. 2005 , 64, 1029-36		49
853	Role of mitogen activated protein kinases and protein kinase C in cadmium-induced apoptosis of primary epithelial lung cells. 2005 , 211, 253-64		54
852	Protein-protein interactions in the regulation of the extracellular signal-regulated kinase. 2005 , 29, 57-74		85
851	Germinal vesicle breakdown is not fully dependent on MAPK activation in maturing oocytes of marine nemertean worms. 2005 , 70, 91-102		19
850	2C4, a monoclonal antibody against HER2, disrupts the HER kinase signaling pathway and inhibits ovarian carcinoma cell growth. 2005 , 104, 2701-8		64
849	Raf kinase inhibitors in oncology. 2005 , 28, 101-7		30
848	Hypotension and short-term anaesthesia induce ERK1/2 phosphorylation in autonomic nuclei of the brainstem. 2005 , 22, 2257-70		32
847	WNK1: analysis of protein kinase structure, downstream targets, and potential roles in hypertension. 2005 , 15, 6-10		48
846	Combined inhibition of extracellular signal-regulated kinases and HSP90 sensitizes human colon carcinoma cells to ionizing radiation. 2005 , 24, 3011-9		24
845	A-Raf and Raf-1 work together to influence transient ERK phosphorylation and G1/S cell cycle progression. 2005 , 24, 5207-17		30
844	Control of MAPK signalling: from complexity to what really matters. 2005 , 24, 5533-42		158

843	ERK1/2 and p38 regulate trophoblasts differentiation in human term placenta. 2005 , 566, 409-23	112
842	Enhanced transcription of contractile 5-hydroxytryptamine 2A receptors via extracellular signal-regulated kinase 1/2 after organ culture of rat mesenteric artery. 2005 , 96, 282-8	15
841	Stratifin-induced matrix metalloproteinase-1 in fibroblast is mediated by c-fos and p38 mitogen-activated protein kinase activation. 2005 , 125, 230-8	49
840	Molecular predictors of clinical outcome in patients with head and neck squamous cell carcinoma. 2005 , 86, 347-63	140
839	Stretch-induced Raf-1 activation in mesangial cells requires actin cytoskeletal integrity. 2005 , 17, 311-20	15
838	MAPK pathway contributes to density- and hypoxia-induced expression of the tumor-associated carbonic anhydrase IX. 2005 , 1729, 41-9	57
837	Ultraviolet radiation-induced apoptosis in keratinocytes: on the role of cytosolic factors. 2005 , 1755, 90-106	71
836	Serum thymic factor, FTS, attenuates cisplatin nephrotoxicity by suppressing cisplatin-induced ERK activation. 2005 , 70, 1408-16	14
835	Ursolic acid promotes the release of macrophage migration inhibitory factor via ERK2 activation in resting mouse macrophages. 2005 , 70, 1497-505	38
834	Signalling pathways regulating the invasive differentiation of human trophoblasts: a review. 2005 , 26 Suppl A, S21-30	144
833	Trophoblast signalling: knowns and unknowns--a workshop report. 2005 , 26 Suppl A, S49-51	13
832	MEK partner 1 (MP1): regulation of oligomerization in MAP kinase signaling. 2005 , 94, 708-19	22
831	Trying to compose the puzzle with all the pieces: epidermal growth factor receptor tyrosine kinase inhibitors in non-small cell lung cancer. 2005 , 205, 355-63	26
830	Effects of epidermal growth factor (EGF), transforming growth factor-alpha (TGFalpha), and 2,3,7,8-tetrachlorodibenzo-p-dioxin on fusion of embryonic palates in serum-free organ culture using wild-type, EGF knockout, and TGFalpha knockout mouse strains. 2005 , 73, 447-54	20
829	Distribution of extracellular signal-regulated kinase 1- and 2-activated neurons in the rat periaqueductal gray matter after noxious stimulation. 2005 , 284, 460-5	7
828	Inhibitors of the epidermal growth factor receptor in apple juice extract. 2005 , 49, 317-28	58
827	Blockade of epidermal growth factor receptor (EGFR) activity. 2005 , 53, 179-92	17
826	A novel angiogenic role for prostaglandin F2alpha-FP receptor interaction in human endometrial adenocarcinomas. 2005 , 65, 7707-16	89

825	The intracellular signaling cascade and stress. 2005 , 15, 643-663	
824	MAPK signaling regulates endothelial cell assembly into networks and expression of MT1-MMP and MMP-2. 2005 , 288, C659-68	48
823	The love-hate relationship between Ras and Notch. 2005 , 19, 1825-39	146
822	Galectin-3 and soluble fibrinogen act in concert to modulate neutrophil activation and survival: involvement of alternative MAPK pathways. 2005 , 15, 519-27	88
821	Different activation of mitogen-activated protein kinase and Akt signaling is associated with aggressive phenotype of human meningiomas. 2005 , 11, 4074-82	96
820	Activation of mitogen-activated protein kinases by peroxisome proliferator-activated receptor ligands: an example of nongenomic signaling. 2005 , 68, 933-41	86
819	Recruitment of the extracellular signal-regulated kinase/ribosomal S6 kinase signaling pathway to the NFATc4 transcription activation complex. 2005 , 25, 907-20	44
818	Transcriptional regulation of tissue-specific genes by the ERK5 mitogen-activated protein kinase. 2005 , 25, 8553-66	74
817	The Pro33 isoform of integrin beta3 enhances outside-in signaling in human platelets by regulating the activation of serine/threonine phosphatases. 2005 , 280, 21756-62	37
816	Promises and pitfalls in the prediction of antiepidermal growth factor receptor activity. 2005 , 5, 727-35	2
815	A positive feedback loop that regulates cyclooxygenase-2 expression and prostaglandin F2alpha synthesis via the F-series-prostanoid receptor and extracellular signal-regulated kinase 1/2 signaling pathway. 2005 , 146, 4657-64	47
814	Cdc2-mediated inhibition of epidermal growth factor activation of the extracellular signal-regulated kinase pathway during mitosis. 2005 , 280, 24524-31	29
813	A theoretical framework for specificity in cell signaling. 2005 , 1, 2005.0023	57
812	Cyclooxygenase-2 and epidermal growth factor receptor: pharmacologic targets for chemoprevention. 2005 , 23, 254-66	328
811	CCAAT/enhancer binding proteins and interferon signaling pathways. 2005 , 25, 757-69	26
810	Suppression of urokinase expression and invasion by a soybean Kunitz trypsin inhibitor are mediated through inhibition of Src-dependent signaling pathways. 2005 , 280, 31428-37	14
809	Convergence of cell cycle regulation and growth factor signals on GRASP65. 2005 , 280, 23048-56	66
808	Regulation of B7.1 costimulatory molecule is mediated by the IFN regulatory factor-7 through the activation of JNK in lipopolysaccharide-stimulated human monocytic cells. 2005 , 175, 5690-700	34

807	The p38alpha/beta MAPK functions as a molecular switch to activate the quiescent satellite cell. 2005 , 169, 105-16	195
806	Activation of TRAP/mediator subunit TRAP220/Med1 is regulated by mitogen-activated protein kinase-dependent phosphorylation. 2005 , 25, 10695-710	51
805	Cyclooxygenase-2 inhibitor SC-236 [4-[5-(4-chlorophenyl)-3-(trifluoromethyl)-1-pyrazol-1-yl] benzenesulfonamide] suppresses nuclear factor-kappaB activation and phosphorylation of p38 mitogen-activated protein kinase, extracellular signal-regulated kinase, and c-Jun N-terminal kinase in human mast cell line cells. 2005 , 314, 27-34	21
804	bHLH-zip transcription factor Spz1 mediates mitogen-activated protein kinase cell proliferation, transformation, and tumorigenesis. 2005 , 65, 4041-50	26
803	Up-regulation of CXCR4 expression in PC-3 cells by stromal-derived factor-1alpha (CXCL12) increases endothelial adhesion and transendothelial migration: role of MEK/ERK signaling pathway-dependent NF-kappaB activation. 2005 , 65, 9891-8	177
802	IQGAP1 is a scaffold for mitogen-activated protein kinase signaling. 2005 , 25, 7940-52	179
801	The extracellular signal-regulated kinase isoform ERK1 is specifically required for in vitro and in vivo adipogenesis. 2005 , 54, 402-11	252
800	STAT-1 mediates the stimulatory effect of IL-10 on CD14 expression in human monocytic cells. 2005 , 174, 7823-32	29
799	Protein phosphatase 2A activity associated with Golgi membranes during the G2/M phase may regulate phosphorylation of ERK2. 2005 , 280, 11590-8	8
798	From XenoMouse [®] Technology to Panitumumab (ABX-EGF). 2005 , 647-657	3
797	Ubiquitin chains in the ladder of MAPK signaling. 2005 , 2005, re5	49
796	Signaling pathways involved in adenosine triphosphate-induced endothelial cell barrier enhancement. 2005 , 97, 115-24	63
795	The MAPK signalling pathways and colorectal cancer. 2005 , 6, 322-7	625
794	WAVE3 promotes cell motility and invasion through the regulation of MMP-1, MMP-3, and MMP-9 expression. 2005 , 308, 135-45	94
793	Synthesis of a potent and selective inhibitor of p90 Rsk. 2005 , 7, 1097-9	52
792	Raf: a strategic target for therapeutic development against cancer. 2005 , 23, 6771-90	230
791	Hydrogen exchange solvent protection by an ATP analogue reveals conformational changes in ERK2 upon activation. 2005 , 353, 600-12	38
790	New insights into the catalytic activation of the MAPK phosphatase PAC-1 induced by its substrate MAPK ERK2 binding. 2005 , 354, 777-88	33

789	Developmental regulation of activated ERK expression in the spinal cord and dorsal root ganglion of the chick embryo. 2005 , 52, 11-9	17
788	Hypoxia-induced IL-6 production is associated with activation of MAP kinase, HIF-1, and NF-kappaB on HEI-OC1 cells. 2005 , 207, 59-67	63
787	Proangiogenic activity of beta-carotene is coupled with the activation of endothelial cell chemotaxis. 2005 , 1740, 222-39	22
786	MAPKs mediate the activation of cytosolic phospholipase A2 by amyloid beta(25-35) peptide in bovine retina pericytes. 2005 , 1733, 172-86	20
785	Activation of phospholipase A(2) and MAP kinases by oxidized low-density lipoproteins in immortalized GP8.39 endothelial cells. 2005 , 1735, 135-50	33
784	Involvement of MEK-ERK signaling pathway in the inhibition of cell growth by troglitazone in human pancreatic cancer cells. 2005 , 332, 89-94	34
783	Proteome analysis of separated male and female gametocytes reveals novel sex-specific Plasmodium biology. 2005 , 121, 675-87	290
782	Differential modulation of normal and tumor cell proliferation by reactive oxygen species. 2005 , 59, 169-74	106
781	Ha-Ras sensitizes transformed mouse skin cells to Anisomycin-induced apoptosis. 2005 , 579, 6459-64	10
780	Activation of p38 MAPK in primary afferent neurons by noxious stimulation and its involvement in the development of thermal hyperalgesia. 2005 , 113, 51-60	73
779	A walk-through of the yeast mating pheromone response pathway. 2005 , 26, 339-50	247
778	N-methyl-D-aspartate (NMDA) and the regulation of mitogen-activated protein kinase (MAPK) signaling pathways: a revolving neurochemical axis for therapeutic intervention?. 2005 , 77, 252-82	87
777	The ERK/MAPK pathway, as a target for the treatment of neuropathic pain. 2005 , 9, 699-713	101
776	A SURVEY OF NOVEL MOLECULAR TARGETS FOR ANTICANCER DRUG DISCOVERY. 2006 , 1-35	
775	MEK-ERK signaling plays diverse roles in the regulation of facial chondrogenesis. 2006 , 312, 1079-92	24
774	Role of MAPKs in development and differentiation: lessons from knockout mice. 2006 , 88, 1091-8	121
773	Signaling from p53 to NF-kappaB determines the chemotherapy responsiveness of neuroblastoma. <i>Neoplasia</i> , 2006 , 8, 967-77	6.4 22
772	Ad-IRF-1 induces apoptosis in esophageal adenocarcinoma. <i>Neoplasia</i> , 2006 , 8, 31-7	6.4 8

771	Chronic pancreatitis: evolving paradigms. 2006 , 6, 440-9	40
770	Bistability, stochasticity, and oscillations in the mitogen-activated protein kinase cascade. 2006 , 90, 1961-78	71
769	Integrating time-course microarray gene expression profiles with cytotoxicity for identification of biomarkers in primary rat hepatocytes exposed to cadmium. 2006 , 22, 77-87	27
768	Targeting the ERK signaling pathway in cancer therapy. 2006 , 38, 200-11	318
767	The MAP kinase ERK5 binds to and phosphorylates p90 RSK. 2006 , 449, 8-16	47
766	Blockade of the ERK pathway markedly sensitizes tumor cells to HDAC inhibitor-induced cell death. 2006 , 339, 1171-7	37
765	Activation of transcriptional activities of AP1 and SRE by a novel zinc finger protein ZNF445. 2006 , 367, 89-100	12
764	MAPK regulation and caspase activation are required in DMNQ S-52 induced apoptosis in Lewis lung carcinoma cells. 2006 , 233, 57-67	6
763	Protein kinase C modulates ecdysteroidogenesis in the prothoracic gland of the tobacco hornworm, <i>Manduca sexta</i> . 2006 , 251, 78-87	34
762	MAP-quest: could we produce constitutively active variants of MAP kinases?. 2006 , 252, 231-40	15
761	BDNF in sensory neurons and chronic pain. 2006 , 55, 1-10	164
760	A functional genomic and proteomic perspective of sea urchin calcium signaling and egg activation. 2006 , 300, 416-33	51
759	Analysis of mitogen-activated protein kinase activation and interactions with regulators and substrates. 2006 , 40, 213-23	25
758	Role of lipids in the MAPK signaling pathway. 2006 , 45, 102-19	34
757	Epidermal growth factor receptor pathway inhibitors. 2006 , 1, 299-310	5
756	Differences in gene expression between noninvasive and invasive transitional cell carcinoma of the human bladder using complementary deoxyribonucleic acid microarray: preliminary results. 2006 , 24, 109-15	17
755	Involvement of protein kinases on the upregulation of endothelin receptors in rat basilar and mesenteric arteries. 2006 , 231, 403-11	7
754	Molecular mechanisms of prothrombotic risk due to genetic variations in platelet genes: Enhanced outside-in signaling through the Pro33 variant of integrin beta3. 2006 , 231, 505-13	24

753	Cadmium toxicity on arterioles vascular smooth muscle cells of spontaneously hypertensive rats. 2006 , 3, 323-8	17
752	Neuronal nitric oxide synthase-induced S-nitrosylation of H-Ras inhibits calcium ionophore-mediated extracellular-signal-regulated kinase activity. <i>Biochemical Journal</i> , 2006 , 397, 329-36 ^{3,8}	37
751	PTEN and PIK3CA Expression Is Associated with Prolonged Survival after Gefitinib Treatment in EGFR-Mutated Lung Cancer Patients. 2006 , 1, 629-634	25
750	PTEN and PIK3CA Expression Is Associated with Prolonged Survival after Gefitinib Treatment in EGFR-Mutated Lung Cancer Patients. 2006 , 1, 629-634	62
749	TNF-alpha and phosphorylation of ERK in DRG and spinal cord: insights into mechanisms of sciatica. 2006 , 31, 523-9	42
748	The Raf-1 pathway: a molecular target for treatment of select neuroendocrine tumors?. 2006 , 17, 139-42	40
747	A multiscale mathematical model of cancer, and its use in analyzing irradiation therapies. 2006 , 3, 7	128
746	Identification of G2/M targets for the MAP kinase pathway by functional proteomics. 2006 , 6, 4541-53	17
745	Role of ERK 1/2 signaling in neuronal differentiation of cultured embryonic stem cells. 2006 , 48, 513-23	105
744	Helicobacter pylori CagA transfection of gastric epithelial cells induces interleukin-8. 2006 , 8, 97-106	96
743	Differential expression genes analyzed by cDNA array in the regulation of rat hepatic fibrogenesis. 2006 , 26, 1126-37	25
742	Role of mitogen-activated protein (MAP) kinases in cardiovascular diseases. 2005 , 23, 247-54	12
741	Activation of extracellular signal-regulated kinase (ERK) in G2 phase delays mitotic entry through p21CIP1. 2006 , 39, 261-79	34
740	ERK MAP kinase in G cell cycle progression and cancer. 2006 , 97, 697-702	182
739	Upregulation of fibroblast growth factor receptor 3 and epidermal growth factor receptors, in association with Raf-1, in urothelial dysplasia and carcinoma in situ after the Chernobyl accident. 2006 , 97, 1168-74	7
738	MAPK signalling: ERK5 versus ERK1/2. 2006 , 7, 782-6	331
737	ERK1/2 inhibition attenuates cerebral blood flow reduction and abolishes ET(B) and 5-HT(1B) receptor upregulation after subarachnoid hemorrhage in rat. 2006 , 26, 846-56	63
736	Absence of classical MAP kinase pathway signalling in Merkel cell carcinoma. 2006 , 126, 1135-42	47

735	B-Raf and C-Raf are required for Ras-stimulated p42 MAP kinase activation in <i>Xenopus</i> egg extracts. 2006 , 25, 3307-15		5
734	Cellular, molecular and immunological mechanisms in the pathophysiology of vein graft intimal hyperplasia. 2006 , 84, 115-24		124
733	Epidermal growth factor receptor directed therapy in head and neck cancer. 2006 , 57, 25-43		44
732	Characterization of ATP-independent ERK inhibitors identified through in silico analysis of the active ERK2 structure. 2006 , 16, 6281-7		51
731	Discovering new MAP kinase inhibitors. 2006 , 13, 807-9		2
730	Three acetylated flavonol glycosides from <i>Forsteronia refracta</i> that specifically inhibit p90 RSK. <i>Bioorganic and Medicinal Chemistry</i> , 2006 , 14, 3974-7	3-4	16
729	Erk is involved in the differentiation induced by diallyl disulfide in the human gastric cancer cell line MGC803. 2006 , 11, 408-23		27
728	Epidermal growth factor receptor-induced activator protein 1 activity controls density-dependent growth inhibition in normal rat kidney fibroblasts. 2006 , 34, 101-8		0
727	Benzo[a]pyrene-induced cell cycle progression is through ERKs/cyclin D1 pathway and requires the activation of JNKs and p38 mapk in human diploid lung fibroblasts. 2006 , 287, 79-89		26
726	MZ3 induces apoptosis in human leukemia cells. 2007 , 59, 397-405		16
725	Incorporating expression data in metabolic modeling: a case study of lactate dehydrogenase. 2006 , 240, 464-74		15
724	Mitogen-activated protein kinase/extracellular regulated kinase signalling and memory stabilization: a review. 2006 , 5 Suppl 2, 61-72		132
723	Mitogen-activated protein kinase (MAPK)-docking sites in MAPK kinases function as tethers that are crucial for MAPK regulation in vivo. 2006 , 18, 123-34		37
722	Retinol induces the ERK1/2-dependent phosphorylation of CREB through a pathway involving the generation of reactive oxygen species in cultured Sertoli cells. 2006 , 18, 1685-94		41
721	Continuous ERK activation downregulates antiproliferative genes throughout G1 phase to allow cell-cycle progression. 2006 , 16, 1171-82		181
720	Pharmacogenomics of epidermal growth factor receptor (EGFR) tyrosine kinase inhibitors. 2006 , 1766, 217-29		27
719	Docking interactions induce exposure of activation loop in the MAP kinase ERK2. 2006 , 14, 1011-9		134
718	Enhancement of esculletin on Taxol-induced apoptosis in human hepatoma HepG2 cells. 2006 , 210, 55-62		52

7 ¹⁷	RACK1 regulates Ki-Ras-mediated signaling and morphological transformation of NIH 3T3 cells. 2007 , 120, 961-9	7
7 ¹⁶	Biological activities of malvidin, a red wine anthocyanidin. 2006 , 50, 390-5	12
7 ¹⁵	Antitumor effects of two less-calcemic vitamin D analogs (Paricalcitol and QW-1624F2-2) in squamous cell carcinoma cells. 2006 , 70, 483-92	16
7 ¹⁴	EGFR tyrosine kinase inhibitors decrease VEGF expression by both hypoxia-inducible factor (HIF)-1-independent and HIF-1-dependent mechanisms. 2006 , 66, 3197-204	229
7 ¹³	Balance between polyoma enhancing activator 3 and activator protein 1 regulates Helicobacter pylori-stimulated matrix metalloproteinase 1 expression. 2006 , 66, 5111-20	39
7 ¹²	Cyclic AMP selectively uncouples mitogen-activated protein kinase cascades from activating signals. 2006 , 26, 3039-47	28
7 ¹¹	Seminal plasma promotes the expression of tumorigenic and angiogenic genes in cervical adenocarcinoma cells via the E-series prostanoid 4 receptor. 2006 , 147, 3356-65	26
7 ¹⁰	ERK/MAPK regulates the Kv4.2 potassium channel by direct phosphorylation of the pore-forming subunit. 2006 , 290, C852-61	140
7 ⁰⁹	Vascular endothelial growth factor promotes cardiomyocyte differentiation of embryonic stem cells. 2006 , 291, H1653-8	66
7 ⁰⁸	Determinants that control the specific interactions between TAB1 and p38alpha. 2006 , 26, 3824-34	27
7 ⁰⁷	Evidence that tight junctions are disrupted due to intimate bacterial contact and not inflammation during attaching and effacing pathogen infection in vivo. 2006 , 74, 6075-84	75
7 ⁰⁶	Modulation of autocrine TNF-alpha-stimulated matrix metalloproteinase 9 (MMP-9) expression by mitogen-activated protein kinases in THP-1 monocytic cells. 2006 , 387, 69-78	36
7 ⁰⁵	The gatekeeper residue controls autoactivation of ERK2 via a pathway of intramolecular connectivity. 2006 , 103, 18101-6	82
7 ⁰⁴	Negative regulation of the alpha interferon-induced antiviral response by the Ras/Raf/MEK pathway. 2006 , 80, 4422-30	70
7 ⁰³	Cooperation of ERK and SCFSkp2 for MKP-1 destruction provides a positive feedback regulation of proliferating signaling. 2006 , 281, 915-26	104
7 ⁰²	JX401, A p38alpha inhibitor containing a 4-benzylpiperidine motif, identified via a novel screening system in yeast. 2006 , 70, 1395-405	18
7 ⁰¹	Inhibition of the Na ⁺ -H ⁺ exchanger isoform-1 and the extracellular signal-regulated kinase induces apoptosis: a time course of events. 2006 , 18, 211-22	14
7 ⁰⁰	ROS-production-mediated activation of AP-1 but not NFkappaB inhibits glutamate-induced HT4 neuronal cell death. 2006 , 8, 1339-49	22

699	Localization of ERK/MAP kinase is regulated by the alpha herpesvirus tegument protein Us2. 2006 , 80, 7159-68	24
698	Gi protein-mediated translocation of serine/threonine phosphatase to the plasma membrane and apoptosis of ovarian cancer cell in response to gonadotropin-releasing hormone antagonist cetorelix. 2006 , 26, 37-41	11
697	B-Raf is critical for MAPK activation during mitosis and is regulated in an M phase-dependent manner in Xenopus egg extracts. 2006 , 281, 22586-96	9
696	Insulin enhances growth hormone induction of the MEK/ERK signaling pathway. 2006 , 281, 982-92	36
695	IL-1 beta and TNF-alpha regulation of the adenosine receptor (A2A) expression: differential requirement for NF-kappa B binding to the proximal promoter. 2006 , 177, 7173-83	68
694	ERK8 down-regulates transactivation of the glucocorticoid receptor through Hic-5. 2006 , 281, 16821-32	31
693	ERK activation in arsenite-treated G1-enriched CL3 cells contributes to survival, DNA repair inhibition, and micronucleus formation. 2006 , 89, 164-72	5
692	Dynamics of the Ras/ERK MAPK cascade as monitored by fluorescent probes. 2006 , 281, 8917-26	258
691	Activation of Src-family kinases in spinal microglia contributes to mechanical hypersensitivity after nerve injury. 2006 , 26, 8680-90	123
690	Insulin reverses growth hormone-induced homologous desensitization. 2006 , 281, 21594-21606	11
689	Inhibition of glucose-stimulated activation of extracellular signal-regulated protein kinases 1 and 2 by epinephrine in pancreatic beta-cells. 2006 , 55, 1066-73	31
688	A selective cellular screening assay for B-Raf and c-Raf kinases. 2007 , 12, 818-27	3
687	A functional role for p38 MAPK in modulating mitotic transit in the absence of stress. 2007 , 282, 22984-92	50
686	p38 and ERK1/2 MAPKs mediate the interplay of TNF-alpha and IL-10 in regulating oxidative stress and cardiac myocyte apoptosis. 2007 , 293, H3524-31	100
685	Identification of S664 TSC2 phosphorylation as a marker for extracellular signal-regulated kinase mediated mTOR activation in tuberous sclerosis and human cancer. 2007 , 67, 7106-12	122
684	Renin-stimulated TGF-beta1 expression is regulated by a mitogen-activated protein kinase in mesangial cells. <i>Kidney International</i> , 2007 , 72, 45-52	9.9 190
683	Panitumumab a novel drug in cancer treatment. 2007 , 18 Suppl 6, vi16-21	24
682	11th annual Inflammatory and Immune Diseases Drug Discovery and Development Summit 12-13 March 2007, San Francisco, USA. 2007 , 16, 909-17	16

681	Extracellular signal-regulated kinase/mitogen-activated protein kinase regulates actin organization and cell motility by phosphorylating the actin cross-linking protein EPLIN. 2007 , 27, 8190-204		58
680	Effects of brief cutaneous JP-8 jet fuel exposures on time course of gene expression in the epidermis. 2007 , 95, 495-510		19
679	Microtubule disruption and tumor suppression by mitogen-activated protein kinase phosphatase 4. 2007 , 67, 10711-9		29
678	Phase I targeted combination trial of sorafenib and erlotinib in patients with advanced solid tumors. 2007 , 13, 4849-57		74
677	MEK1/2 inhibitors block basal and transforming growth factor 1beta1-stimulated JC virus multiplication. 2007 , 81, 6412-8		20
676	Mps1 activation loop autophosphorylation enhances kinase activity. 2007 , 282, 30553-61		66
675	Requirement for ERK MAP kinase in mouse preimplantation development. 2007 , 134, 2751-9		27
674	The complete pathway for ERK2-catalyzed reaction. Evidence for an iso random Bi Bi mechanism. 2007 , 282, 27678-84		9
673	Targeting receptor tyrosine kinases and their signal transduction routes in head and neck cancer. 2007 , 18, 421-30		36
672	Intensity-dependent activation of extracellular signal-regulated protein kinase 5 in sensory neurons contributes to pain hypersensitivity. 2007 , 321, 28-34		17
671	p38 mitogen-activated protein kinase contributes to angiotensin II-stimulated migration of rat aortic smooth muscle cells. 2007 , 105, 74-81		30
670	ERK1/2 phosphorylation is an independent predictor of complete remission in newly diagnosed adult acute lymphoblastic leukemia. <i>Blood</i> , 2007 , 109, 5473-6	2.2	42
669	MEK blockade converts AML differentiating response to retinoids into extensive apoptosis. <i>Blood</i> , 2007 , 109, 2121-9	2.2	36
668	Genistein-induced apoptosis of human breast cancer MCF-7 cells involves calpain-caspase and apoptosis signaling kinase 1-p38 mitogen-activated protein kinase activation cascades. 2007 , 18, 649-57		48
667	Aggregated ursolic acid, a natural triterpenoid, induces IL-1beta release from murine peritoneal macrophages: role of CD36. 2007 , 178, 4854-64		58
666	Prolongation of cardiac allograft survival by inhibition of ERK1/2 signaling in a mouse model. 2007 , 83, 323-32		17
665	Interaction of antinflammin-1 with uteroglobin-binding protein induces phosphorylation of ERK1/2 in NIH 3T3 cells. 2007 , 28, 2137-45		2
664	Overcoming resistance to molecularly targeted anticancer therapies: Rational drug combinations based on EGFR and MAPK inhibition for solid tumours and haematologic malignancies. 2007 , 10, 81-100		62

663	Selenium effectively inhibits ROS-mediated apoptotic neural precursor cell death in vitro and in vivo in traumatic brain injury. 2007 , 1772, 1199-210	81
662	Thymoquinone attenuates proinflammatory responses in lipopolysaccharide-activated mast cells by modulating NF-kappaB nuclear transactivation. 2007 , 1770, 556-64	59
661	Hepatocyte growth factor at S phase induces G2 delay through sustained ERK activation. 2007 , 356, 300-5	6
660	Bone morphogenetic protein-4 inhibits heat-induced apoptosis by modulating MAPK pathways in human colon cancer HCT116 cells. 2007 , 256, 207-17	28
659	Approximations and their consequences for dynamic modelling of signal transduction pathways. 2007 , 207, 40-57	32
658	Interleukin-10 expression in macrophages during phagocytosis of apoptotic cells is mediated by homeodomain proteins Pbx1 and Prep-1. 2007 , 27, 952-64	171
657	Dorsal root ganglion regulates the transient ERK activation in the dorsal horn of the spinal cord during development. 2007 , 58, 402-5	
656	Effects of MEK-Specific Inhibitor U0126 on the Conidial Germination, Appressorium Production, and Pathogenicity of <i>Setosphaeria turcica</i> . 2007 , 6, 78-85	1
655	Ras as a therapeutic target in hematologic malignancies. 2007 , 12, 271-84	20
654	The non-genomic crosstalk between PPAR-gamma ligands and ERK1/2 in cancer cell lines. 2007 , 11, 1071-85	30
653	Selected Molecular Mechanisms of Metal Toxicity and Carcinogenicity. 2007 , 79-100	8
652	Use of docking peptides to design modular substrates with high efficiency for mitogen-activated protein kinase extracellular signal-regulated kinase. 2007 , 2, 665-73	21
651	Substrate and docking interactions in serine/threonine protein kinases. 2007 , 107, 5065-81	101
650	Smooth muscle cell signal transduction: implications of vascular biology for vascular surgeons. 2007 , 45 Suppl A, A15-24	84
649	Targeted Therapeutics in Cancer Treatment. 2007 , 117-148	
648	Hyperthermic sensitizers targeting heat-induced signal transductions. 2007 , 15, 35-40	4
647	Insulin-like growth factors induce apoptosis as well as proliferation in LIM 1215 colon cancer cells. 2007 , 100, 58-68	15
646	Stretch-activated signaling pathways responsible for early response gene expression in fetal lung epithelial cells. 2007 , 210, 133-43	68

645	Pivotal role of Smad3 in a mouse model of T cell-mediated hepatitis. 2008 , 47, 113-26	20
644	Are MAP kinases drug targets? Yes, but difficult ones. 2007 , 2, 1116-40	34
643	Phosphorylation of MCT-1 by p44/42 MAPK is required for its stabilization in response to DNA damage. 2007 , 26, 2283-9	20
642	Differential regulation and properties of MAPKs. 2007 , 26, 3100-12	1075
641	The ERK1/2 mitogen-activated protein kinase pathway as a master regulator of the G1- to S-phase transition. 2007 , 26, 3227-39	830
640	PAC1 is a direct transcription target of E2F-1 in apoptotic signaling. 2007 , 26, 6526-35	20
639	Involvement of selenoprotein P in the regulation of redox balance and myofibroblast viability in idiopathic pulmonary fibrosis. 2007 , 12, 1235-44	22
638	5-Aminoimidazole-4-carboxamide-1-beta-4-ribofuranoside stimulates tyrosine hydroxylase activity and catecholamine secretion by activation of AMP-activated protein kinase in PC12 cells. 2007 , 19, 621-31	17
637	Emerging role of mitogen-activated protein kinases in peripheral neuropathies. 2007 , 12, 175-94	23
636	Fibroblast growth factor receptor 3 kinase domain mutation increases cortical progenitor proliferation via mitogen-activated protein kinase activation. 2007 , 100, 1565-78	25
635	Activation of extracellular signal-regulated protein kinases 5 in primary afferent neurons contributes to heat and cold hyperalgesia after inflammation. 2007 , 102, 1614-1624	17
634	Atypical mitogen-activated protein kinases: structure, regulation and functions. 2007 , 1773, 1376-87	172
633	Regulation of gene transcription by mitogen-activated protein kinase signaling pathways. 2007 , 1773, 1285-98	186
632	Apoptosis induced by the monomers HEMA and TEGDMA involves formation of ROS and differential activation of the MAP-kinases p38, JNK and ERK. 2007 , 23, 34-9	102
631	The role of intracellular signaling in insulin-mediated regulation of drug metabolizing enzyme gene and protein expression. 2007 , 113, 88-120	127
630	In vitro and in vivo stimulation of extracellular signal-regulated kinase (ERK) by the prothoracicotropic hormone in prothoracic gland cells and its developmental regulation in the silkworm, <i>Bombyx mori</i> . 2007 , 53, 622-31	48
629	MAPK Signaling in Human Diseases. 2006 , 135-149	1
628	C-reactive protein induces phosphorylation of insulin receptor substrate-1 on Ser307 and Ser 612 in L6 myocytes, thereby impairing the insulin signalling pathway that promotes glucose transport. 2007 , 50, 840-9	77

627	MAP kinases: differential activation following in vivo and ex vivo irradiation. 2007 , 294, 65-72	8
626	BRD7 suppresses the growth of Nasopharyngeal Carcinoma cells (HNE1) through negatively regulating beta-catenin and ERK pathways. 2007 , 303, 141-9	62
625	Cisplatin cytotoxicity of auditory cells requires secretions of proinflammatory cytokines via activation of ERK and NF-kappaB. 2007 , 8, 338-55	151
624	Functional renin receptors in renal mesangial cells. 2007 , 9, 133-9	24
623	Epithelial growth factor receptor (EGFR) pathway and renal cell carcinoma. 2007 , 2, 99-105	3
622	New prospects for management and treatment of inoperable and recurrent skull base meningiomas. 2008 , 86, 109-22	23
621	Quasi steady-state approximations in complex intracellular signal transduction networks: a word of caution. 2008 , 43, 1318-1344	37
620	A novel quinoline, MT477: suppresses cell signaling through Ras molecular pathway, inhibits PKC activity, and demonstrates in vivo anti-tumor activity against human carcinoma cell lines. 2008 , 26, 223-32	42
619	Inhibition of ERK and activation of p38 are involved in diallyl disulfide induced apoptosis of leukemia HL-60 cells. 2008 , 31, 786-93	24
618	Using <i>Caenorhabditis elegans</i> as a model organism for evaluating extracellular signal-regulated kinase docking domain inhibitors. 2008 , 2, 81-92	9
617	Evidence that cisplatin-induced auditory damage is attenuated by downregulation of pro-inflammatory cytokines via Nrf2/HO-1. 2008 , 9, 290-306	78
616	Stem cell factor/c-kit signaling mediated cardiac stem cell migration via activation of p38 MAPK. 2008 , 103, 265-73	68
615	Additive effects of PI3-kinase and MAPK activities on NB4 cell granulocyte differentiation: potential role of phosphatidylinositol 3-kinase gamma. 2008 , 134, 861-72	9
614	Possible linkage between glutamate transporter and mitogen-activated protein kinase cascade in cultured rat cortical astrocytes. 2001 , 76, 217-23	39
613	Integrins stimulate phosphorylation of neurofilament NF-M subunit KSP repeats through activation of extracellular regulated-kinases (Erk1/Erk2) in cultured motoneurons and transfected NIH 3T3 cells. 2001 , 76, 703-10	11
612	Dual roles of the MAPK/ERK1/2 cell signaling pathway after stroke. 2008 , 86, 1659-69	176
611	Mechanisms of inhibition of dehydroepiandrosterone upon corticosterone release from rat zona fasciculata-reticularis cells. 2008 , 104, 359-68	3
610	GRP78 and Raf-1 cooperatively confer resistance to endoplasmic reticulum stress-induced apoptosis. 2008 , 215, 627-35	51

609	Role of proinflammatory cytokines in cisplatin-induced vestibular hair cell damage. 2008 , 30, 1445-56	25
608	The biological properties of cetuximab. 2008 , 68, 93-106	96
607	Eupalinin A isolated from <i>Eupatorium chinense</i> L. induces autophagocytosis in human leukemia HL60 cells. <i>Bioorganic and Medicinal Chemistry</i> , 2008 , 16, 721-31	3-4 35
606	2-Alkylamino- and alkoxy-substituted 2-amino-1,3,4-oxadiazoles-O-Alkyl benzohydroxamate esters replacements retain the desired inhibition and selectivity against MEK (MAP ERK kinase). 2008 , 18, 6171-4	53
605	The roles of MAPKs in disease. 2008 , 18, 436-42	179
604	Phospho-ERK staining is a poor indicator of the mutational status of BRAF and NRAS in human melanoma. 2008 , 128, 2003-12	65
603	Evolution of mechanisms of Ca ²⁺ -signaling. Role of Ca ²⁺ in regulation of fundamental cell functions. 2008 , 44, 399-413	
602	IQGAP3 regulates cell proliferation through the Ras/ERK signalling cascade. 2008 , 10, 971-8	82
601	Protective effects of astaxanthin on 6-hydroxydopamine-induced apoptosis in human neuroblastoma SH-SY5Y cells. 2008 , 107, 1730-40	130
600	Inhibition of toll-like receptor-4, nuclear factor-kappaB and mitogen-activated protein kinase by lignocaine may involve voltage-sensitive sodium channels. 2008 , 35, 1052-8	24
599	Down-regulation of the PI3-kinase/Akt pathway by ERK MAP kinase in growth factor signaling. 2008 , 13, 941-7	49
598	The anti-apoptotic activity associated with phosphatidylinositol transfer protein alpha activates the MAPK and Akt/PKB pathway. 2008 , 1783, 1700-6	4
597	Role of mitogen-activated protein kinases in aryl hydrocarbon receptor signaling. 2008 , 172, 93-104	56
596	DUSP6/MKP-3 inactivates ERK1/2 but fails to bind and inactivate ERK5. 2008 , 20, 836-43	60
595	Q39, a novel synthetic Quinoxaline 1,4-Di-N-oxide compound with anti-cancer activity in hypoxia. 2008 , 581, 262-9	33
594	The toxic effect of pyrrolizidine alkaloid clivorine on the human embryonic kidney 293 cells and its primary mechanism. 2008 , 60, 87-93	23
593	In vitro induction of hydrolytic activity in human gingival and pulp fibroblasts by triethylene glycol dimethacrylate and monocyte chemotactic protein-1. 2008 , 24, 1461-7	21
592	H ₂ S-induced pancreatic acinar cell apoptosis is mediated via JNK and p38 MAP kinase. 2008 , 12, 1374-83	33

591	Smooth muscle signalling pathways in health and disease. 2008 , 12, 2165-80	160
590	Distinct MAPK signaling pathways, p21 up-regulation and caspase-mediated p21 cleavage establishes the fate of U937 cells exposed to 3-hydrogenkwadaphnin: differentiation versus apoptosis. 2008 , 230, 86-96	9
589	The c-myc promoter: still MysterY and challenge. <i>Advances in Cancer Research</i> , 2008 , 99, 113-333	5.9 145
588	Activation of extracellular signal-regulated protein kinase in sensory neurons after noxious gastric distention and its involvement in acute visceral pain in rats. 2008 , 134, 1094-103	37
587	The nuclear Dbf2-related kinase COT1 and the mitogen-activated protein kinases MAK1 and MAK2 genetically interact to regulate filamentous growth, hyphal fusion and sexual development in <i>Neurospora crassa</i> . 2008 , 179, 1313-25	80
586	Prostaglandin E2 and F2alpha activate the FP receptor and up-regulate cyclooxygenase-2 expression via the cyclic AMP response element. 2008 , 285, 51-61	47
585	Effect of 2-hydroxyethyl methacrylate on human pulp cell survival pathways ERK and AKT. 2008 , 34, 684-8	50
584	Nitric oxide-proton stimulation of trigeminal ganglion neurons increases mitogen-activated protein kinase and phosphatase expression in neurons and satellite glial cells. 2008 , 157, 542-55	29
583	The candidate MAP kinase phosphorylation substrate DPL-1 (DP) promotes expression of the MAP kinase phosphatase LIP-1 in <i>C. elegans</i> germ cells. 2008 , 316, 50-61	11
582	Induction of apoptosis by KI0477959 through activation of caspase-3 in human leukemia cell line, HL-60 cells. 2008 , 118, 1384-99	1
581	Major contribution of MEK1 to the activation of ERK1/ERK2 and to the growth of LS174T colon carcinoma cells. 2008 , 372, 845-9	16
580	Resveratrol inhibits EMMPRIN expression via P38 and ERK1/2 pathways in PMA-induced THP-1 cells. 2008 , 374, 517-21	57
579	Crystal structure of human mono-phosphorylated ERK1 at Tyr204. 2008 , 377, 1123-7	35
578	Up-regulation of thromboxane A2 receptor expression by lipid soluble smoking particles through post-transcriptional mechanisms. 2008 , 196, 608-16	25
577	Amentoflavone inhibits experimental tumor metastasis through a regulatory mechanism involving MMP-2, MMP-9, prolyl hydroxylase, lysyl oxidase, VEGF, ERK-1, ERK-2, STAT-1, NM23 and cytokines in lung tissues of C57BL/6 mice. 2008 , 30, 711-27	71
576	Brain-derived neurotropic factor/TrkB signaling in the pathogenesis and novel pharmacotherapy of schizophrenia. 2008 , 16, 183-93	97
575	Selected combination therapy with sorafenib: a review of clinical data and perspectives in advanced solid tumors. 2008 , 13, 845-58	90
574	Enzymatic activity and substrate specificity of mitogen-activated protein kinase p38alpha in different phosphorylation states. 2008 , 283, 26591-601	61

573 Gefitinib: a consideration of cost. **2008**, 8, 223-32

572 Subtype activation and interaction of protein kinase C and mitogen-activated protein kinase controlling receptor expression in cerebral arteries and microvessels after subarachnoid hemorrhage. **2008**, 39, 185-90 51

571 Anti-inflammatory activity of *Schizonepeta tenuifolia* through the inhibition of MAPK phosphorylation in mouse peritoneal macrophages. **2008**, 36, 1145-58 17

570 Phospholipase D1 plays a key role in TNF-alpha signaling. **2008**, 180, 6027-34 23

569 Isolation of intrinsically active (MEK-independent) variants of the ERK family of mitogen-activated protein (MAP) kinases. **2008**, 283, 34500-10 41

568 Oncogenes and Signal Transduction. **2008**, 17-30

567 Erythropoietin enhancement of rat pancreatic tumor cell proliferation requires the activation of ERK and JNK signals. **2008**, 295, C394-405 13

566 *Biophytum sensitivum* (L.) DC inhibits tumor cell invasion and metastasis through a mechanism involving regulation of MMPs, prolyl hydroxylase, lysyl oxidase, nm23, ERK-1, ERK-2, STAT-1, and proinflammatory cytokine gene expression in metastatic lung tissue. **2008**, 7, 42-50 9

565 Activated protein C up-regulates IL-10 and inhibits tissue factor in blood monocytes. **2008**, 181, 2165-73 47

564 Suppression of astrovirus replication by an ERK1/2 inhibitor. **2008**, 82, 7475-82 44

563 A connection between MAPK pathways and circadian clocks. **2008**, 7, 2630-4 51

562 Estradiol-17beta-induced human neural progenitor cell proliferation is mediated by an estrogen receptor beta-phosphorylated extracellularly regulated kinase pathway. **2008**, 149, 208-18 46

561 Addition of PTK787/ZK 222584 can lower the dosage of amsacrine to achieve equal amounts of acute myeloid leukemia cell death. **2008**, 19, 45-54 11

560 Nicorandil, an adenosine triphosphate-sensitive potassium channel opener, inhibits muscarinic acetylcholine receptor-mediated activation of extracellular signal-regulated kinases in PC12 cells. **2008**, 107, 1892-8 1

559 Epidermal growth factor receptor inhibitors in the treatment of lung cancer: reality and hopes. **2008**, 20, 162-75 39

558 Antitumor activity of F90, an epidermal growth factor receptor tyrosine kinase inhibitor, on glioblastoma cell line SHG-44. **2008**, 121, 1702-1706 2

557 Aberrant signaling in T-cell acute lymphoblastic leukemia: biological and therapeutic implications. **2008**, 41, 344-50 17

556 Alcoholic pancreatitis: pathogenesis, incidence and treatment with special reference to the associated pain. **2009**, 6, 2763-82 6

555	Single Linkage Clustering Fit for Establishing Theoretical MAPK/Erk Signaling Pathway in Human Soft Tissue Sarcoma Samples. 2009 ,	
554	Selectivity of docking sites in MAPK kinases. 2009 , 284, 13165-73	93
553	(V600E)BRAF is associated with disabled feedback inhibition of RAF-MEK signaling and elevated transcriptional output of the pathway. 2009 , 106, 4519-24	444
552	Recent Studies on Prothoracic Gland Cell Growth and Ecdysteroidogenesis in the Silkworm, <i>Bombyx mori</i> . 2009 , 271-281	2
551	MAPK signaling pathways in the regulation of hematopoiesis. 2009 , 86, 237-50	179
550	Bone morphogenetic protein 4 stimulates neuronal differentiation of neuronal stem cells through the ERK pathway. 2009 , 41, 116-25	40
549	A novel role of interleukin-13 receptor alpha2 in pancreatic cancer invasion and metastasis. 2009 , 69, 8678-85	95
548	Retinoic acid regulates Fas-induced apoptosis in Jurkat T cells: reversal of mitogen-mediated repression of Fas DISC assembly. 2009 , 85, 469-80	14
547	Dynamic Analysis of Feedback Loops in Extra-Cellular Signal Regulated Kinase Signal Network. 2009 ,	
546	Activation of extracellular signal-regulated protein kinases 5 in the spinal cord contributes to the neuropathic pain behaviors induced by CCI in rats. 2009 , 31, 1037-43	5
545	Atrial natriuretic peptide promotes pancreatic islet beta-cell growth and Akt/Foxo1a/cyclin D2 signaling. 2009 , 150, 5455-65	25
544	Development of extracellular signal-regulated kinase inhibitors. 2009 , 9, 678-89	26
543	New trends in epidermal growth factor receptor-directed monoclonal antibodies. 2009 , 1, 965-82	10
542	G protein-coupled receptor 30 expression is up-regulated by EGF and TGF alpha in estrogen receptor alpha-positive cancer cells. 2009 , 23, 1815-26	111
541	Frontiers: PED/PEA-15, a multifunctional protein controlling cell survival and glucose metabolism. 2009 , 297, E592-601	63
540	Effects of hyaluronan oligosaccharide on the expression of MMP-1 in periodontal ligament cells. 2009 , 54, 757-63	10
539	Additive effect of PTK787/ZK 222584, a potent inhibitor of VEGFR phosphorylation, with Idarubicin in the treatment of acute myeloid leukemia. 2009 , 37, 679-91	9
538	Enhanced clonogenic survival induced by protein tyrosine phosphatase (PTP) inhibition after Cr(VI) exposure is mediated by c-Raf and Ras activity. 2009 , 21, 727-36	5

537	ERK1/2, but not ERK5, is necessary and sufficient for phosphorylation and activation of c-Fos. 2009 , 21, 969-77	36
536	Cancer therapy targeted at cellular signal transduction mechanisms: strategies, clinical results, and unresolved issues. 2009 , 625, 6-22	18
535	Inhibition of extracellular signal-regulated kinase 1 by adenovirus mediated small interfering RNA attenuates hepatic fibrosis in rats. 2009 , 50, 1524-36	44
534	p75 neurotrophin receptor is implicated in the ability of neurotrophin-3 to negatively modulate activated ERK1/2 signaling in TrkA-expressing adult sensory neurons. 2009 , 516, 49-58	7
533	Targeted inhibition of the EGFR pathways enhances Zn-BC-AM PDT-induced apoptosis in well-differentiated nasopharyngeal carcinoma cells. 2009 , 108, 1356-63	18
532	Aldosterone regulates cellular turnover and mitogen-activated protein kinase family expression in the neonatal rat kidney. 2009 , 219, 724-33	16
531	Different modulation of the outputs of yeast MAPK-mediated pathways by distinct stimuli and isoforms of the dual-specificity phosphatase Msg5. 2009 , 281, 345-59	17
530	Inhibition of MEK signaling enhances the ability of cytarabine to induce growth arrest and apoptosis of acute myelogenous leukemia cells. 2009 , 14, 1108-20	27
529	Cellular and molecular studies of the initial process of the photodynamic therapy in HEp-2 cells using LED light source and two different photosensitizers. 2009 , 33, 785-95	10
528	Post-translational and transcriptional regulation of glycolipid glycosyltransferase genes in apoptotic breast carcinoma cells: VII. Studied by DNA-microarray after treatment with L-PPMP. 2009 , 26, 647-61	7
527	Polyphenol-rich pomegranate fruit extract (POMx) suppresses PMACI-induced expression of pro-inflammatory cytokines by inhibiting the activation of MAP Kinases and NF-kappaB in human KU812 cells. 2009 , 6, 1	95
526	Curcumin reduced the side effects of mitomycin C by inhibiting GRP58-mediated DNA cross-linking in MCF-7 breast cancer xenografts. 2009 , 100, 2040-5	28
525	The TAK1-JNK cascade is required for IRF3 function in the innate immune response. 2009 , 19, 412-28	44
524	The proteasome inhibitor bortezomib interacts synergistically with the histone deacetylase inhibitor suberoylanilide hydroxamic acid to induce T-leukemia/lymphoma cells apoptosis. 2009 , 23, 1507-14	81
523	Cardioprotection by polysaccharide sulfate against ischemia/reperfusion injury in isolated rat hearts. 2009 , 30, 54-60	18
522	Phosphoproteomics reveals new ERK MAP kinase targets and links ERK to nucleoporin-mediated nuclear transport. 2009 , 16, 1026-35	129
521	Sustained activation of ERK1/2 by NGF induces microRNA-221 and 222 in PC12 cells. 2009 , 276, 3269-76	87
520	Activator protein-1 mediates docosahexaenoic acid-induced apoptosis of human gastric cancer cells. 2009 , 1171, 163-9	25

519	Dietary polyphenols can modulate the intestinal inflammatory response. 2009 , 67, 363-78	169
518	Induction of differentiation and mineralization in rat tooth germ cells on PVA through inhibition of ERK1/2. 2009 , 30, 541-7	11
517	Crystal structures of MEK1 binary and ternary complexes with nucleotides and inhibitors. 2009 , 48, 2661-74	122
516	Protein Kinases and Phosphatases for Stress Signal Transduction in Plants. 2009 , 123-163	5
515	Anti-epidermal growth factor receptor monoclonal antibodies in cancer treatment. 2009 , 35, 354-63	99
514	Blockade of constitutively activated ERK signaling enhances cytotoxicity of microtubule-destabilizing agents in tumor cells. 2009 , 378, 650-5	16
513	Troglitazone increases expression of E-cadherin and claudin 4 in human pancreatic cancer cells. 2009 , 380, 614-9	11
512	Microarray analysis reveals distinct signaling pathways transcriptionally activated by infection with bovine viral diarrhea virus in different cell types. 2009 , 142, 188-99	14
511	The role of kisspeptin and GPR54 in the hippocampus. 2009 , 30, 16-25	40
510	Injury-induced mineralocorticoid receptor expression involves differential promoter usage: a novel role for the rat MRbeta variant. 2009 , 305, 56-62	6
509	Dynamics and variability of ERK2 response to EGF in individual living cells. 2009 , 36, 885-93	199
508	KSP inhibitor ARRY-520 as a substitute for Paclitaxel in Type I ovarian cancer cells. 2009 , 7, 63	18
507	Crosstalk between growth hormone and insulin signaling. 2009 , 80, 125-53	30
506	PI-3 kinase activity is necessary for ERK1/2-induced disruption of mammary epithelial architecture. 2009 , 11, R29	12
505	Distinct growth factor-induced dynamic mass redistribution (DMR) profiles for monitoring oncogenic signaling pathways in various cancer cells. 2009 , 29, 182-94	13
504	How molecular pathology is changing and will change the therapeutics of patients with follicular cell-derived thyroid cancer. 2009 , 62, 414-21	19
503	Growth-inhibitory and antiangiogenic activity of the MEK inhibitor PD0325901 in malignant melanoma with or without BRAF mutations. <i>Neoplasia</i> , 2009 , 11, 720-31	6.4 73
502	Tight control of MEK-ERK activation is essential in regulating proliferation, survival, and cytokine production of CD34+-derived neutrophil progenitors. <i>Blood</i> , 2009 , 114, 3402-12	2.2 33

501	Hwanggunchungyitang prevents cadmium-induced ototoxicity through suppression of the activation of caspase-9 and extracellular signal-related kinase in auditory HEI-OC1 cells. 2009 , 32, 213-9	7
500	Integration of anti-epidermal growth factor receptor therapies with cytotoxic chemotherapy. 2010 , 16, 226-34	5
499	Hepatoprotective effects of <i>Sedum sarmentosum</i> on D-galactosamine/lipopolysaccharide-induced murine fulminant hepatic failure. 2010 , 114, 147-57	32
498	Expression of TNF-alpha and IL-6 in HMC-1 cells treated with bisphenol A is attenuated by plant-originating glycoprotein (75 kDa) by blocking p38 MAPK. 2010 , 382, 51-61	13
497	Cytotoxic effects of 7-O-butyl naringenin on human breast cancer MCF-7 cells. 2010 , 19, 717-724	13
496	PTTH-stimulated ERK phosphorylation in prothoracic glands of the silkworm, <i>Bombyx mori</i> : role of Ca(2+)/calmodulin and receptor tyrosine kinase. 2010 , 56, 93-101	37
495	MAP kinase activation increases BK polyomavirus replication and facilitates viral propagation in vitro. 2010 , 170, 21-9	11
494	Spry2 expression correlates with BRAF mutation in thyroid cancer. 2010 , 148, 1282-7; discussion 1287	9
493	Regulation of cell proliferation and apoptosis in neuroblastoma cells by ccp1, a FGF2 downstream gene. 2010 , 10, 657	7
492	Cocoa-enriched diets enhance expression of phosphatases and decrease expression of inflammatory molecules in trigeminal ganglion neurons. 2010 , 1323, 18-32	30
491	AEE788 is a vascular endothelial growth factor receptor tyrosine kinase inhibitor with antiproliferative and proapoptotic effects in acute myeloid leukemia. 2010 , 38, 641-52	6
490	Role of mitogen-activated protein kinase in Zn-BC-AM PDT-induced apoptosis in nasopharyngeal carcinoma cells. 2010 , 28, 239-48	6
489	Insulin like growth factor-1 prevents 1-mentyl-4-phenylpyridinium-induced apoptosis in PC12 cells through activation of glycogen synthase kinase-3beta. 2010 , 271, 5-12	27
488	Mycoepoxydiene, a fungal polyketide, induces cell cycle arrest at the G2/M phase and apoptosis in HeLa cells. 2010 , 20, 7054-8	48
487	F-Prostaglandin receptor regulates endothelial cell function via fibroblast growth factor-2. 2010 , 11, 8	16
486	SIAH1 induced apoptosis by activation of the JNK pathway and inhibited invasion by inactivation of the ERK pathway in breast cancer cells. 2010 , 101, 73-9	26
485	ZAK inhibits human lung cancer cell growth via ERK and JNK activation in an AP-1-dependent manner. 2010 , 101, 1374-81	29
484	Activation of the EGFR/ERK pathway in high-grade mucoepidermoid carcinomas of the salivary glands. 2010 , 103, 510-6	40

483	Inhibitory effects of cilostazol on proliferation of vascular smooth muscle cells (VSMCs) through suppression of the ERK1/2 pathway. 2010 , 17, 1009-18		29
482	Mammalian MAP Kinases. 2010 , 1315-1328		
481	Identification of predictive markers of response to the MEK1/2 inhibitor selumetinib (AZD6244) in K-ras-mutated colorectal cancer. <i>Molecular Cancer Therapeutics</i> , 2010 , 9, 3351-62	6.1	66
480	Blockade of the extracellular signal-regulated kinase pathway enhances the therapeutic efficacy of microtubule-destabilizing agents in human tumor xenograft models. 2010 , 16, 1170-8		14
479	Arrestin orchestrates crosstalk between G protein-coupled receptors to modulate the spatiotemporal activation of ERK MAPK. 2010 , 106, 79-88		43
478	ERK5 is required for VEGF-mediated survival and tubular morphogenesis of primary human microvascular endothelial cells. 2010 , 123, 3189-200		37
477	h3/Acidic calponin: an actin-binding protein that controls extracellular signal-regulated kinase 1/2 activity in nonmuscle cells. 2010 , 21, 1409-22		22
476	Pseudorabies virus tegument protein Us2 recruits the mitogen-activated protein kinase extracellular-regulated kinase (ERK) to membranes through interaction with the ERK common docking domain. 2010 , 84, 8398-408		13
475	p38 ^{MAPK} is a MTOC-associated protein regulating spindle assembly, spindle length and accurate chromosome segregation during mouse oocyte meiotic maturation. 2010 , 9, 4130-43		35
474	Extracellular signal-regulated kinase 8-mediated c-Jun phosphorylation increases tumorigenesis of human colon cancer. 2010 , 70, 3218-27		37
473	Therapeutic targeting of EGFR in malignant gliomas. 2010 , 14, 303-16		20
472	Phase II evaluation of sorafenib in advanced and metastatic squamous cell carcinoma of the head and neck: Southwest Oncology Group Study S0420. 2010 , 28, 3330-5		99
471	Amyloid- β s a modulator of synaptic plasticity. 2010 , 22, 741-63		170
470	The scaffold protein Shoc2/SUR-8 accelerates the interaction of Ras and Raf. 2010 , 285, 7818-26		44
469	Computational prediction and experimental verification of new MAP kinase docking sites and substrates including Gli transcription factors. 2010 , 6, e1000908		61
468	Physicochemical control of adult stem cell differentiation: shedding light on potential molecular mechanisms. 2010 , 2010, 743476		34
467	Employing a Mechanistic Model for the MAPK Pathway to Examine the Impact of Cellular all or None Behavior on Overall Tissue Response. 2010 , 8, 347-67		2
466	Genetic demonstration of a redundant role of extracellular signal-regulated kinase 1 (ERK1) and ERK2 mitogen-activated protein kinases in promoting fibroblast proliferation. 2010 , 30, 2918-32		62

465	Induction of dual specificity phosphatase 1 (DUSP1) by gonadotropin-releasing hormone (GnRH) and the role for gonadotropin subunit gene expression in mouse pituitary gonadotroph L beta T2 cells. 2010 , 82, 352-62		10
464	Present and future evolution of advanced breast cancer therapy. 2010 , 12 Suppl 2, S1		40
463	Hypericins as potential leads for new therapeutics. <i>International Journal of Molecular Sciences</i> , 2010 , 11, 562-94	6.3	215
462	Oxidative stress in NSC-741909-induced apoptosis of cancer cells. 2010 , 8, 37		28
461	Vascular endothelial growth factor and epidermal growth factor signaling pathways as therapeutic targets for colorectal cancer. 2010 , 138, 2163-76		74
460	Adjuvant properties of AcF1, an immunostimulant fraction of <i>Alchornea cordifolia</i> extract. 2010 , 39, 132-58		7
459	NGF protects dorsal root ganglion neurons from oxaliplatin by modulating JNK/SapK and ERK1/2. 2010 , 486, 141-5		46
458	Pem renders tumor cells resistant to apoptotic cell death induced by a CD8+ T cell-mediated immune response or anticancer drug treatment. 2010 , 293, 181-8		2
457	Targeted delivery of NRASQ61R and Cre-recombinase to post-natal melanocytes induces melanoma in <i>Ink4a/Arflox/lox</i> mice. 2010 , 23, 531-41		25
456	Cardiovascular risk factors regulate the expression of vascular endothelin receptors. 2010 , 127, 148-55		34
455	EGFR and KRAS in colorectal cancer. 2010 , 51, 71-119		83
454	The regulatory mechanism of Eudesmol is through the suppression of caspase-1 activation in mast cell-mediated inflammatory response. 2011 , 33, 178-85		44
453	<i>Fritillaria ussuriensis</i> extract inhibits the production of inflammatory cytokine and MAPKs in mast cells. 2011 , 75, 1440-5		21
452	The novel anti-MEK small molecule AZD6244 induces BIM-dependent and AKT-independent apoptosis in diffuse large B-cell lymphoma. <i>Blood</i> , 2011 , 118, 1052-61	2.2	28
451	Quantitative phosphoproteomics strategies for understanding protein kinase-mediated signal transduction pathways. 2011 , 8, 81-94		62
450	Angiotensin II-induced MMP-2 activity and MMP-14 and basigin protein expression are mediated via the angiotensin II receptor type 1-mitogen-activated protein kinase 1 pathway in retinal pigment epithelium: implications for age-related macular degeneration. 2011 , 178, 2665-81		57
449	CCAAT/enhancer-binding protein- β participates in oxidized LDL-enhanced proliferation in 3T3-L1 cells. 2011 , 93, 1510-9		6
448	TGF- β stimulated aberrant expression of class III β -tubulin via the ERK signaling pathway in cultured retinal pigment epithelial cells. 2011 , 415, 367-72		16

447	Flavonoids inhibit high glucose-induced up-regulation of ICAM-1 via the p38 MAPK pathway in human vein endothelial cells. 2011 , 415, 602-7	68
446	Differential activation of mitogen-activated protein kinases and glial cells in the trigeminal sensory nuclear complex following lingual nerve injury. 2011 , 69, 100-10	16
445	Adenosine A(2A)R modulates cardiovascular function by activating ERK1/2 signal in the rostral ventrolateral medulla of acute myocardial ischemic rats. 2011 , 89, 182-7	11
444	Photodynamic therapy (PDT) - Initiation of apoptosis via activation of stress-activated p38 MAPK and JNK signal pathway in H460 cell lines. 2011 , 8, 254-63	32
443	Role of MAPK p38 in the cellular responses to pore-forming toxins. 2011 , 32, 601-6	54
442	Inhibition of ERK phosphorylation by substance P N-terminal fragment decreases capsaicin-induced nociceptive response. 2011 , 61, 608-13	18
441	The Role of the Leukemia Inhibitory Factor (LIF) - Pathway in Derivation and Maintenance of Murine Pluripotent Stem Cells. 2011 , 2, 280-97	46
440	Erk in kidney diseases. 2011 , 2011, 768512	30
439	Irreversible EGFR inhibitor EKB-569 targets low-LET γ radiation-triggered rel orchestration and potentiates cell death in squamous cell carcinoma. 2011 , 6, e29705	13
438	p16Ink4a suppression of lung adenocarcinoma by Bmi-1 in the presence of p38 activation. 2011 , 6, 423-31	8
437	Changes in expression of mRNA for interleukin-8 and effects of interleukin-8 receptor inhibitor in the spinal dorsal horn in a rat model of lumbar disc herniation. 2011 , 36, 2139-46	43
436	Targeting the extracellular signal-regulated kinase pathway in cancer therapy. 2011 , 34, 1781-4	49
435	Inactivation of cystein-aspartic acid protease (caspase)-1 by saikosaponin A. 2011 , 34, 817-23	12
434	Comparative analysis of Erk phosphorylation suggests a mixed strategy for measuring phospho-form distributions. 2011 , 7, 482	33
433	The role of stem cell factor and c-KIT in keloid pathogenesis: do tyrosine kinase inhibitors have a potential therapeutic role?. 2011 , 164, 372-86	13
432	Transforming growth factor- β attenuates hepatic fibrosis: possible involvement of matrix metalloproteinase-1. 2011 , 31, 572-84	9
431	Contribution of transcript stability to a conserved procyanidin-induced cytokine response in β cells. 2011 , 12, 378-89	13
430	Activation of p38 MAPK by damnacanthal mediates apoptosis in SKHep 1 cells through the DR5/TRAIL and TNFR1/TNF- α and p53 pathways. 2011 , 650, 120-9	34

429	Enhanced airway smooth muscle cell thromboxane receptor signaling via activation of JNK MAPK and extracellular calcium influx. 2011 , 650, 629-38	15
428	Neuroprotective effects of icariin on corticosterone-induced apoptosis in primary cultured rat hippocampal neurons. 2011 , 1375, 59-67	85
427	The expression and activation of ERK/MAPK pathway in human esophageal cancer cell line EC9706. 2011 , 38, 865-72	13
426	Analysis of transforming growth factor β receptor expression and signaling in higher grade meningiomas. 2011 , 103, 277-85	19
425	Overexpression of the mitogen-activated protein kinase gene OsMAPK33 enhances sensitivity to salt stress in rice (<i>Oryza sativa</i> L.). 2011 , 36, 139-51	66
424	Inhibition of cerebrovascular raf activation attenuates cerebral blood flow and prevents upregulation of contractile receptors after subarachnoid hemorrhage. 2011 , 12, 107	28
423	Decreased expression of dual-specificity phosphatase 9 is associated with poor prognosis in clear cell renal cell carcinoma. 2011 , 11, 413	28
422	Characterization of ERK docking domain inhibitors that induce apoptosis by targeting Rsk-1 and caspase-9. 2011 , 11, 7	28
421	PKC β -induced PU.1 phosphorylation promotes hematopoietic stem cell differentiation to dendritic cells. 2011 , 29, 297-306	37
420	Small-molecule inhibitors of the ERK signaling pathway: Towards novel anticancer therapeutics. 2011 , 6, 38-48	53
419	The Raf kinase inhibitor PLX5568 slows cyst proliferation in rat polycystic kidney disease but promotes renal and hepatic fibrosis. 2011 , 26, 3458-65	34
418	The molecular genetics and tumor pathogenesis of meningiomas and the future directions of meningioma treatments. 2011 , 30, E6	121
417	Alcohol-fermented soybean increases the expression of receptor-interacting protein 2 and IB kinase β in mouse peritoneal macrophages. 2011 , 14, 1181-9	1
416	Mitogen-activated protein kinase (MAPK) phosphatase 3-mediated cross-talk between MAPKs ERK2 and p38alpha. 2011 , 286, 16150-62	48
415	Understanding the role of growth factors in embryonic development: insights from the lens. 2011 , 366, 1204-18	74
414	Mitogen-activated protein kinase regulated by the CLAVATA receptors contributes to shoot apical meristem homeostasis. 2011 , 52, 14-29	113
413	Neural differentiation of brain-derived neurotrophic factor-expressing human umbilical cord blood-derived mesenchymal stem cells in culture via TrkB-mediated ERK and β -catenin phosphorylation and following transplantation into the developing brain. 2011 , 20, 1855-66	29
412	Protein arginine methyltransferase 5 regulates ERK1/2 signal transduction amplitude and cell fate through CRAF. 2011 , 4, ra58	94

411	ICER evokes Dusp1-p38 pathway enhancing chemotherapy sensitivity in myeloid leukemia. 2011 , 17, 742-52	4
410	Mechanisms and pathways of growth failure in primordial dwarfism. 2011 , 25, 2011-24	151
409	Is galectin-1 a trigger for trophoblast cell fusion?: the MAP-kinase pathway and syncytium formation in trophoblast tumour cells BeWo. 2011 , 17, 747-57	18
408	Targets and mechanisms of photodynamic therapy in lung cancer cells: a brief overview. <i>Cancers</i> , 2011 , 3, 1014-41	6.6 50
407	IL-6 production is positively regulated by two distinct Src homology domain 2-containing tyrosine phosphatase-1 (SHP-1)-dependent CCAAT/enhancer-binding protein β and NF- κ B pathways and an SHP-1-independent NF- κ B pathway in lipopolysaccharide-stimulated bone marrow-derived macrophages. 2011 , 186, 5443-56	39
406	Cellular iron depletion stimulates the JNK and p38 MAPK signaling transduction pathways, dissociation of ASK1-thioredoxin, and activation of ASK1. 2011 , 286, 15413-27	81
405	Stromal interaction essential for vascular endothelial growth factor A-induced tumour growth via transforming growth factor- β signalling. 2011 , 105, 1856-63	3
404	<i>Vernonia cinerea</i> Less. inhibits tumor cell invasion and pulmonary metastasis in C57BL/6 mice. 2011 , 10, 178-91	16
403	Protective effect of a <i>Chrysanthemum indicum</i> containing formulation in cadmium-induced ototoxicity. 2011 , 39, 587-600	7
402	Essential roles for soluble virion-associated heparan sulfonated proteoglycans and growth factors in human papillomavirus infections. 2012 , 8, e1002519	123
401	Mitogen-activated protein kinase phosphorylation of splicing factor 45 (SPF45) regulates SPF45 alternative splicing site utilization, proliferation, and cell adhesion. 2012 , 32, 2880-93	43
400	Effect of connective tissue growth factor on protein kinase expression and activity in human corneal fibroblasts. 2012 , 53, 8076-85	12
399	P90 RSK arranges Chk1 in the nucleus for monitoring of genomic integrity during cell proliferation. 2012 , 23, 1582-92	37
398	Gut-derived lipopolysaccharide promotes T-cell-mediated hepatitis in mice through Toll-like receptor 4. 2012 , 5, 1090-102	24
397	TIEG1 inhibits breast cancer invasion and metastasis by inhibition of epidermal growth factor receptor (EGFR) transcription and the EGFR signaling pathway. 2012 , 32, 50-63	46
396	The C-terminal kinase and ERK-binding domains of <i>Drosophila</i> S6KII (RSK) are required for phosphorylation of the protein and modulation of circadian behavior. 2012 , 287, 16748-58	8
395	Mycalamide A shows cytotoxic properties and prevents EGF-induced neoplastic transformation through inhibition of nuclear factors. 2012 , 10, 1212-24	38
394	The <i>Salvia miltiorrhiza</i> monomer IH764-3 induces apoptosis of hepatic stellate cells in vivo in a bile duct ligation-induced model of liver fibrosis. 2012 , 6, 1231-8	9

393	Targeting the vascular endothelial growth factor in hematologic malignancies. 2012 , 89, 373-84	12
392	ERK5: structure, regulation and function. 2012 , 24, 2187-96	144
391	Synthesis and biological evaluation of combretastatin-amidobenzothiazole conjugates as potential anticancer agents. 2012 , 56, 166-78	30
390	Up-regulation of pro-apoptotic protein Bim and down-regulation of anti-apoptotic protein Mcl-1 cooperatively mediate enhanced tumor cell death induced by the combination of ERK kinase (MEK) inhibitor and microtubule inhibitor. 2012 , 287, 10289-10300	17
389	Depletion of glutamine enhances sodium butyrate-induced erythroid differentiation of K562 cells. 2012 , 152, 509-19	9
388	Target molecules of food phytochemicals: food science bound for the next dimension. 2012 , 3, 462-76	63
387	Surfing the big WAVE: Insights into the role of WAVE3 as a driving force in cancer progression and metastasis. 2013 , 24, 287-97	19
386	Zespół Costello jako przykład rzadkich zaburzeń funkcji szlaku sygnałowego Ras-MAPK: obraz kliniczny i diagnostyka molekularna choroby. 2012 , 87, 19-32	1
385	Rosiglitazone suppresses lipopolysaccharide-induced matrix metalloproteinase-2 activity in rat aortic endothelial cells via Ras-MEK1/2 signaling. 2012 , 158, 54-8	11
384	Lipopolysaccharide-induced stem cell factor messenger RNA expression and production in odontoblast-like cells. 2012 , 38, 623-7	3
383	Diallyl trisulfide suppresses the adipogenesis of 3T3-L1 preadipocytes through ERK activation. 2012 , 50, 478-84	35
382	Regulation of CD44 expression by tumor necrosis factor- α and its potential role in breast cancer cell migration. 2012 , 66, 144-50	18
381	Targeting Raf/MEK/ERK pathway in pituitary adenomas. 2012 , 48, 389-95	22
380	Extracellular regulated kinase5 is expressed in fetal mouse submandibular glands and is phosphorylated in response to epidermal growth factor and other ligands of the ErbB family of receptors. 2012 , 54, 801-8	5
379	Spermidine inhibits MMP-2 via modulation of histone acetyltransferase and histone deacetylase in HDFs. 2012 , 51, 1003-7	14
378	Logic-based models in systems biology: a predictive and parameter-free network analysis method. 2012 , 4, 1323-37	72
377	Prothoracicotropic Hormone. 2012 , 1-62	24
376	Novel targeted agents for the treatment of advanced breast cancer. 2012 , 4, 893-914	9

375	Osmostress induces autophosphorylation of Hog1 via a C-terminal regulatory region that is conserved in p38 β . 2012 , 7, e44749	22
374	Regulation of epidermal growth factor receptor signaling and erlotinib sensitivity in head and neck cancer cells by miR-7. 2012 , 7, e47067	59
373	Programmed Cell Death in the Gastrointestinal Tract. 2012 , 379-414	1
372	Berberine inhibits pulmonary metastasis through down-regulation of MMP in metastatic B16F-10 melanoma cells. 2012 , 26, 568-78	29
371	IL-13 regulates cancer invasion and metastasis through IL-13R α via ERK/AP-1 pathway in mouse model of human ovarian cancer. 2012 , 131, 344-56	100
370	Inhibition of p38 MAPK-dependent excision repair cross-complementing 1 expression decreases the DNA repair capacity to sensitize lung cancer cells to etoposide. <i>Molecular Cancer Therapeutics</i> , 2012 , 11, 561-71	6.1 27
369	Sequestosome 1/p62: a multi-domain protein with multi-faceted functions. 2012 , 7, 189-201	5
368	Mitogen-activated protein kinases mediate Mycobacterium tuberculosis-induced CD44 surface expression in monocytes. 2012 , 37, 41-54	4
367	A continuous spectrophotometric assay for mitogen-activated protein kinase kinases. 2012 , 421, 191-7	4
366	Inhibitory effect of bufalin and cinobufagin on steroidogenesis via the activation of ERK in human adrenocortical cells. 2012 , 165, 1868-1876	15
365	Phosphorylation of the M3/6 dual-specificity phosphatase enhances the activation of JNK by arsenite. 2012 , 24, 664-76	14
364	CRP promotes MMP-10 expression via c-Raf/MEK/ERK and JAK1/ERK pathways in cardiomyocytes. 2012 , 24, 810-8	13
363	MKP-7, a negative regulator of JNK, regulates VCAM-1 expression through IRF-1. 2012 , 24, 866-72	11
362	Redox signaling and histone acetylation in acute pancreatitis. 2012 , 52, 819-37	63
361	Gender-specific role of the protein tyrosine phosphatase receptor type R gene in major depressive disorder. 2012 , 136, 591-8	12
360	Ginsenoside Rh1 suppresses matrix metalloproteinase-1 expression through inhibition of activator protein-1 and mitogen-activated protein kinase signaling pathway in human hepatocellular carcinoma cells. 2012 , 679, 24-33	43
359	Prolactin and epidermal growth factor stimulate adipophilin synthesis in HC11 mouse mammary epithelial cells via the PI3-kinase/Akt/mTOR pathway. 2012 , 1823, 987-96	24
358	Combined effect of histone deacetylase inhibitor suberoylanilide hydroxamic acid and anti-CD20 monoclonal antibody rituximab on mantle cell lymphoma cells apoptosis. 2012 , 36, 749-55	7

357	Regulation of cigarette smoke-mediated mucin expression by hypoxia-inducible factor-1β via epidermal growth factor receptor-mediated signaling pathways. 2012 , 32, 282-92	35
356	p38 MAPK activation, JNK inhibition, neoplastic growth inhibition, and increased gap junction communication in human lung carcinoma and Ras-transformed cells by 4-phenyl-3-butenoic acid. 2012 , 113, 269-81	16
355	Stimulation of periodontal ligament stem cells by dentin matrix protein 1 activates mitogen-activated protein kinase and osteoblast differentiation. 2013 , 84, 389-95	6
354	Pemetrexed downregulates ERCC1 expression and enhances cytotoxicity effected by resveratrol in human nonsmall cell lung cancer cells. 2013 , 386, 1047-59	9
353	Independent of ErbB1 gene copy number, EGF stimulates migration but is not associated with cell proliferation in non-small cell lung cancer. 2013 , 13, 38	15
352	Role of the extracellular signal-regulated kinase 1/2 pathway in driving tricalcium silicate-induced proliferation and biomineralization of human dental pulp cells in vitro. 2013 , 39, 1023-9	29
351	[6]-Shogaol inhibits the production of proinflammatory cytokines via regulation of NF-β and phosphorylation of JNK in HMC-1 cells. 2013 , 35, 462-70	8
350	Seasonal variations of cellular stress response of the gilthead sea bream (<i>Sparus aurata</i>). 2013 , 183, 625-39	29
349	Acteoside inhibits type I allergy through the down-regulation of Ca/NFAT and JNK MAPK signaling pathways in basophilic cells. 2013 , 67, 790-8	19
348	Gene Expression Profiling Reveals Regulation of ERK Phosphorylation by Androgen-Induced Tumor Suppressor U19/EAF2 in the Mouse Prostate. 2013 , 6, 247-61	13
347	Phosphorylation of serine 4,642 in the C-terminus of plectin by MNK2 and PKA modulates its interaction with intermediate filaments. 2013 , 126, 4195-207	23
346	Nucleus-localized 21.5-kDa myelin basic protein promotes oligodendrocyte proliferation and enhances neurite outgrowth in coculture, unlike the plasma membrane-associated 18.5-kDa isoform. 2013 , 91, 349-62	21
345	Requirement of B-Raf, C-Raf, and A-Raf for the growth and survival of mouse embryonic stem cells. 2013 , 319, 2801-11	10
344	Mechanism of maprotiline-induced apoptosis: role of [Ca ²⁺] _i , ERK, JNK and caspase-3 signaling pathways. 2013 , 304, 1-12	19
343	Depletion of ERK2 but not ERK1 abrogates oncogenic Ras-induced senescence. 2013 , 25, 2540-7	30
342	Peripherally injected linalool and bergamot essential oil attenuate mechanical allodynia via inhibiting spinal ERK phosphorylation. 2013 , 103, 735-41	31
341	Microalgal compounds modulate carcinogenesis in the gastrointestinal tract. 2013 , 31, 92-8	42
340	CpG oligodeoxynucleotide induces apoptosis and cell cycle arrest in A20 lymphoma cells via TLR9-mediated pathways. 2013 , 54, 327-37	15

339	Protective effect of creatine against 6-hydroxydopamine-induced cell death in human neuroblastoma SH-SY5Y cells: Involvement of intracellular signaling pathways. 2013 , 238, 185-94	33
338	Dimensionality reduction of bistable biological systems. 2013 , 75, 373-92	1
337	Decreased expression and prognostic role of mitogen-activated protein kinase phosphatase 4 in hepatocellular carcinoma. 2013 , 17, 756-65	14
336	Structural modifications of (Z)-3-(2-aminoethyl)-5-(4-ethoxybenzylidene)thiazolidine-2,4-dione that improve selectivity for inhibiting the proliferation of melanoma cells containing active ERK signaling. 2013 , 11, 3706-32	26
335	Role of inflammation and its mediators in acute ischemic stroke. 2013 , 6, 834-51	238
334	Impaired long-term expansion and self-renewal potential of pediatric acute myeloid leukemia-initiating cells by PTK787/ZK 222584. 2013 , 11, 339-48	5
333	Mitogen-activated protein kinases and their role in radiation response. 2013 , 4, 401-8	208
332	DUSP6, a tumor suppressor, is involved in differentiation and apoptosis in esophageal squamous cell carcinoma. 2013 , 6, 1624-1630	16
331	Involvement of exercise-induced macrophage migration inhibitory factor in the prevention of fatty liver disease. 2013 , 218, 339-48	8
330	DMSO-soluble cigarette smoke particles alter the expression of endothelin B receptor in rat coronary artery. 2013 , 50, 238-48	9
329	Cellular responses to hypoxia in the pulmonary circulation. 2013 , 14, 111-6	35
328	HMG-CoA reductase inhibitors induce apoptosis of lymphoma cells by promoting ROS generation and regulating Akt, Erk and p38 signals via suppression of mevalonate pathway. 2013 , 4, e518	99
327	Distinct roles of β arrestin 1 and β arrestin 2 in ORG27569-induced biased signaling and internalization of the cannabinoid receptor 1 (CB1). 2013 , 288, 9790-9800	98
326	Activation of RAW264.7 mouse macrophage cells in vitro through treatment with recombinant ricin toxin-binding subunit B: involvement of protein tyrosine, NF- κ B and JAK-STAT kinase signaling pathways. 2013 , 32, 729-35	18
325	Hydrogen-rich saline attenuates vascular smooth muscle cell proliferation and neointimal hyperplasia by inhibiting reactive oxygen species production and inactivating the Ras-ERK1/2-MEK1/2 and Akt pathways. 2013 , 31, 597-606	23
324	The distribution and possible role of ERK8 in mouse oocyte meiotic maturation and early embryo cleavage. 2013 , 19, 190-200	5
323	Activation of p38 MAPK through transient receptor potential A1 in a rat model of gastric distension-induced visceral pain. 2013 , 24, 68-72	21
322	Cyclooxygenase-2 is induced by p38 MAPK and promotes cell survival. 2013 , 29, 1999-2004	3

321	HER-3 expression in HER-2-amplified breast carcinoma. 2013 , 17, 446-9	3
320	WNT3 inhibits cerebellar granule neuron progenitor proliferation and medulloblastoma formation via MAPK activation. 2013 , 8, e81769	55
319	Effects of oxaliplatin on mouse myenteric neurons and colonic motility. 2013 , 7, 30	42
318	Expression and activation of mitogen-activated protein kinases in matured porcine oocytes under thermal stress. 2014 , 60, 388-94	4
317	BikDDA, a mutant of Bik with longer half-life expression protein, can be a novel therapeutic gene for triple-negative breast cancer. 2014 , 9, e92172	5
316	Therapeutic options for HER-2 positive breast cancer: Perspectives and future directions. 2014 , 5, 440-54	11
315	Phosphorylation networks in the abscisic Acid signaling pathway. 2014 , 35, 27-56	7
314	Cordyceps sinensis prevents apoptosis in mouse liver with D-galactosamine/lipopolysaccharide-induced fulminant hepatic failure. 2014 , 42, 427-41	12
313	Valproic acid, an anti-epileptic drug and a histone deacetylase inhibitor, in combination with proteasome inhibitors exerts antiproliferative, pro-apoptotic and chemosensitizing effects in human colorectal cancer cells: underlying molecular mechanisms. 2014 , 34, 513-32	16
312	Evaluation of peroxisome proliferator-activated receptor agonists on interleukin-5-induced eosinophil differentiation. 2014 , 142, 484-91	6
311	Mitogen-activated protein kinases in gliomas and correlation with patients' prognosis. 2014 , 129, 226-233	2
310	Validation by isolation and expression analyses of the mitogen-activated protein kinase gene family in the grapevine (<i>Vitis vinifera</i> L.). 2014 , 20, 255-262	11
309	Radiolabeled Cetuximab Conjugates for EGFR Targeted Cancer Diagnostics and Therapy. 2014 , 7, 311-38	52
308	Mutation of potential MAPK phosphorylation sites in the Notch antagonist Hairless. 2014 , 151, 102-8	1
307	Stem cells and kidney regeneration. 2014 , 113, 201-9	38
306	Rational approaches, design strategies, structure activity relationship and mechanistic insights for anticancer hybrids. 2014 , 77, 422-87	266
305	Sulfuretin inhibits 6-hydroxydopamine-induced neuronal cell death via reactive oxygen species-dependent mechanisms in human neuroblastoma SH-SY5Y cells. 2014 , 74, 53-64	26
304	Extracellular signal-regulated kinase phosphorylation in forebrain neurones contributes to osmoregulatory mechanisms. 2014 , 592, 1637-54	10

303	The clinical development of MEK inhibitors. 2014 , 11, 385-400	268
302	Sorafenib regulating ERK signals pathway in gastric cancer cell. 2014 , 38, 438-43	
301	RAF signaling in neuroendocrine neoplasms: from bench to bedside. 2014 , 40, 974-9	16
300	Toll-like receptor 6 mediated inflammatory and functional responses of zinc oxide nanoparticles primed macrophages. 2014 , 142, 453-64	30
299	Crosstalk between kinases, phosphatases and miRNAs in cancer. 2014 , 107 Pt B, 167-87	10
298	Roles of MAPKAPK-2 and HSP27 in the reduction of renal ischemia-reperfusion injury by ischemic postconditioning in rats. 2014 , 46, 1455-64	6
297	Bornyl caffeate induces apoptosis in human breast cancer MCF-7 cells via the ROS- and JNK-mediated pathways. 2014 , 35, 113-23	24
296	MAP4K4 deletion inhibits proliferation and activation of CD4(+) T cell and promotes T regulatory cell generation in vitro. 2014 , 289, 15-20	14
295	p90 ribosomal S6 kinase 1 (RSK1) isoenzyme specifically regulates cytokinesis progression. 2014 , 26, 208-19	6
294	MicroRNA-197 reverses the drug resistance of fluorouracil-induced SGC7901 cells by targeting mitogen-activated protein kinase 1. 2015 , 12, 5019-25	19
293	Kynurenic acid modulates experimentally induced inflammation in the trigeminal ganglion. 2015 , 16, 99	40
292	Electrical stimulation with periodic alternating intervals stimulates neuronal cells to produce neurotrophins and cytokines through activation of mitogen-activated protein kinase pathways. 2015 , 123, 403-8	6
291	Selected Molecular Mechanisms of Metal Toxicity and Carcinogenicity. 2015 , 173-196	11
290	Inhibition of odontogenic differentiation of human dental pulp cells by dental resin monomers. 2015 , 19, 8	16
289	Experience with erlotinib in the treatment of non-small cell lung cancer. 2015 , 9, 146-63	19
288	Protective effect of ixerisoside A against UVB-induced pro-inflammatory cytokine production in human keratinocytes. 2015 , 35, 1411-8	9
287	QKI-5 suppresses cyclin D1 expression and proliferation of oral squamous cell carcinoma cells via MAPK signalling pathway. 2015 , 44, 562-7	27
286	Benzo[a]pyrene-induced cell cycle progression occurs via ERK-induced Chk1 pathway activation in human lung cancer cells. 2015 , 773, 1-8	15

285	The molecular mechanisms and therapeutic potential of microRNA-7 in cancer. 2015 , 19, 415-26		31
284	Restoration of IRF1-dependent anticancer effects by MEK inhibition in human cancer cells. 2015 , 357, 575-81		15
283	Vitamin D Control of Hematopoietic Cell Differentiation and Leukemia. 2015 , 116, 1500-12		19
282	Ionizing radiation-inducible miR-30e promotes glioma cell invasion through EGFR stabilization by directly targeting CBL-B. 2015 , 282, 1512-25		29
281	Pharmacologic Inhibition of MNKs in Acute Myeloid Leukemia. 2015 , 88, 380-9		24
280	Expression of phosphorylated extracellular signal-regulated kinase at the invasive front of hepatic colorectal metastasis. 2015 , 9, 1261-1265		7
279	Apigenin inhibits PMA-induced expression of pro-inflammatory cytokines and AP-1 factors in A549 cells. 2015 , 403, 95-106		34
278	Small-molecule inhibitors of ERK-mediated immediate early gene expression and proliferation of melanoma cells expressing mutated BRAf. <i>Biochemical Journal</i> , 2015 , 467, 425-38	3.8	22
277	Erk2 but not Erk1 regulates crosstalk between Met and EGFR in squamous cell carcinoma cell lines. 2015 , 14, 54		15
276	Role of p38MAPK in apoptosis and autophagy responses to photodynamic therapy with Chlorin e6. 2015 , 12, 84-91		15
275	Improving arteriovenous fistula patency: Transdermal delivery of diclofenac reduces cannulation-dependent neointimal hyperplasia via AMPK activation. 2015 , 71, 108-15		3
274	Interplay between receptor tyrosine kinases and hypoxia signaling in cancer. 2015 , 62, 101-14		21
273	Context dependent non canonical WNT signaling mediates activation of fibroblasts by transforming growth factor- β . 2015 , 334, 246-59		4
272	Targeted inhibition of p38MAPK-enhanced autophagy in SW620 cells resistant to photodynamic therapy-induced apoptosis. 2015 , 30, 1967-75		4
271	Nuclear matrix-associated protein SMAR1 regulates alternative splicing via HDAC6-mediated deacetylation of Sam68. 2015 , 112, E3374-83		34
270	Insights into IL-37, the role in autoimmune diseases. 2015 , 14, 1170-5		58
269	Delivery of mitogen-activated protein kinase inhibitor for hepatocellular carcinoma stem cell therapy. 2015 , 7, 1012-20		9
268	Molecular markers for colon diagnosis, prognosis and targeted therapy. 2015 , 111, 96-102		38

267	Redundancy in the World of MAP Kinases: All for One. 2016 , 4, 67	34
266	Cutaneous toxicity from epidermal growth factor receptor inhibitors: would a subcutaneous desensitization be helpful? Case report. 2016 , 102,	4
265	Temozolomide inhibits cellular growth and motility via targeting ERK signaling in glioma C6 cells. 2016 , 14, 5732-5738	11
264	Shotgun proteomic analysis of <i>Bombyx mori</i> brain: emphasis on regulation of behavior and development of the nervous system. 2016 , 23, 15-27	3
263	Allosteric modulators of MEK1: drug design and discovery. 2016 , 88, 485-97	12
262	Discovery of (S)-1-(1-(4-Chloro-3-fluorophenyl)-2-hydroxyethyl)-4-(2-((1-methyl-1H-pyrazol-5-yl)amino)pyrimidin-4-yl)pyridin-2(1H)-one (GDC-0994), an Extracellular Signal-Regulated Kinase 1/2 (ERK1/2) Inhibitor in Early Clinical Studies. 2016 , 50, 5478-80	7
261	Tracheal Smooth Muscle Cells Stimulated by Stem Cell Factor-c-Kit Coordinate the Production of Transforming Growth Factor- β and Fibroblast Growth Factor-2 Mediated by Chemokine (C-C Motif) Ligand 3. 2016 , 36, 401-11	2
260	Induction of integrin β by sustained ERK activity promotes the invasiveness of TGF β induced mesenchymal tumor cells. 2016 , 376, 339-46	19
259	Extracellular-signal regulated kinase 8 of <i>Trypanosoma brucei</i> uniquely phosphorylates its proliferating cell nuclear antigen homolog and reveals exploitable properties. 2016 , 15, 2827-41	3
258	The relationship between p53/p21/Rb and MAPK signaling pathways in human endometrium-derived stem cells under oxidative stress. 2016 , 10, 185-193	3
257	MAP4K4 deficiency in CD4(+) T cells aggravates lung damage induced by ozone-oxidized black carbon particles. 2016 , 46, 246-254	17
256	Comparative transcriptomic profiling of larvae and post-larvae of <i>Macrobrachium rosenbergii</i> in response to metamorphosis and salinity exposure. 2016 , 38, 1061-1076	7
255	Mitogen-activated protein kinase 1 from disk abalone (<i>Haliotis discus discus</i>): Roles in early development and immunity-related transcriptional responses. <i>Fish and Shellfish Immunology</i> , 2016 , 59, 57-65	4-3 3
254	Targeting MAPK Signaling in Age-Related Macular Degeneration. 2016 , 8, 23-30	31
253	Mitogen-Activated Protein Kinases Are Activated in Placental Injury in Rat Model of Acute Pancreatitis in Pregnancy. 2016 , 45, 850-7	11
252	p38 β Mitogen-Activated Protein Kinase Modulates Its Own Basal Activity by Autophosphorylation of the Activating Residue Thr180 and the Inhibitory Residues Thr241 and Ser261. 2016 , 36, 1540-54	11
251	Effects of Fluoride on the Expression of p38MAPK Signaling Pathway-Related Genes and Proteins in Spleen Lymphocytes of Mice. 2016 , 173, 333-8	9
250	Anti-Inflammatory Effect of Apigenin on LPS-Induced Pro-Inflammatory Mediators and AP-1 Factors in Human Lung Epithelial Cells. 2016 , 39, 138-147	54

249	Cell signaling as a cognitive process. 2017 , 36, 568-582		52
248	Aldosterone activates the oncogenic signals ERK1/2 and STAT3 via redox-regulated mechanisms. 2017 , 56, 1868-1883		6
247	P38. 2017 , 805-815		
246	Transforming Growth Factor Beta Family in the Pathogenesis of Meningiomas. 2017 , 104, 113-119		10
245	The X-linked juvenile retinoschisis protein retinoschisin is a novel regulator of mitogen-activated protein kinase signalling and apoptosis in the retina. 2017 , 21, 768-780		11
244	ERK and p38 Upregulation versus Bcl-6 Downregulation in Rat Kidney Epithelial Cells Exposed to Prolonged Hypoxia. 2017 , 26, 1441-1451		5
243	Assessment of mTOR pathway molecules during implantation in rats. 2017 , 92, 450-458		6
242	The transcription factor HOXB7 regulates ERK kinase activity and thereby stimulates the motility and invasiveness of pancreatic cancer cells. 2017 , 292, 17681-17702		15
241	The analgesic activities of <i>Stauntonia brachyanthera</i> and YM through regulating inflammatory mediators and directly controlling the sodium channel prompt. 2017 , 7, 7574		4
240	A compendium of ERK targets. 2017 , 591, 2607-2615		66
239	Cellular and molecular effects of yeast probiotics on cancer. 2017 , 43, 96-115		30
238	Study of the protective effect of dexamethasone on cisplatin-induced ototoxicity in rats. 2017 , 32, 873-880		2
237	Sulfuretin Attenuates MPP ⁺ -Induced Neurotoxicity through Akt/GSK3 β and ERK Signaling Pathways. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	17
236	Eicosapentaenoic Acid (EPA) Induced Macrophages Activation through GPR120-Mediated Raf-ERK1/2-IKK α -NF- κ B p65 Signaling Pathways. 2017 , 9,		17
235	Epidermal Growth Factor Receptor Cell Proliferation Signaling Pathways. <i>Cancers</i> , 2017 , 9,	6.6	628
234	Lipopolysaccharide potentiates platelet responses via toll-like receptor 4-stimulated Akt-Erk-PLA2 signalling. 2017 , 12, e0186981		29
233	Role of MEK partner-1 in cancer stemness through MEK/ERK pathway in cancerous neural stem cells, expressing EGFRviii. 2017 , 16, 140		18
232	Crosstalk between p38 MAPK and caspase-9 regulates mitochondria-mediated apoptosis induced by tetra- μ (4-carboxyphenoxy) phthalocyanine zinc photodynamic therapy in LoVo cells. 2018 , 39, 61-70		16

231	Curcumin prevents lipopolysaccharide-induced matrix metalloproteinase-2 activity via the Ras/MEK1/2 signaling pathway in rat vascular smooth muscle cells. 2017 , 16, 4315-4319	6
230	Isoform-selective activity-based profiling of ERK signaling. 2018 , 9, 2419-2431	26
229	ERK Is a Critical Regulator of JC Polyomavirus Infection. 2018 , 92,	24
228	Identification and analysis of an MKK4 homologue in response to the nucleus grafting operation and antigens in the pearl oyster, <i>Pinctada fucata</i> . <i>Fish and Shellfish Immunology</i> , 2018 , 73, 279-287	4-3 8
227	The interplay of reactive oxygen species and the epidermal growth factor receptor in tumor progression and drug resistance. 2018 , 37, 61	60
226	Tenascin-C derived signaling induces neuronal differentiation in a three-dimensional peptide nanofiber gel. 2018 , 6, 1859-1868	22
225	Gambogic Acid Induces Cell Apoptosis and Inhibits MAPK Pathway in PTEN/p53 Prostate Cancer Cells In Vitro and Ex Vivo. 2018 , 24, 109-116	11
224	Eupatilin suppresses the allergic inflammatory response in vitro and in vivo. 2018 , 42, 1-8	18
223	Discovery and Development of GDC-0994: A Selective and Efficacious Small Molecule Inhibitor of ERK1/2. 2018 , 1-28	2
222	Immunosuppressive potential of astemizole against LPS activated T cell proliferation and cytokine secretion in RAW macrophages, zebrafish larvae and mouse splenocytes by modulating MAPK signaling pathway. 2018 , 65, 268-278	8
221	Appropriate Sequence for Afatinib and Cisplatin Combination Improves Anticancer Activity in Head and Neck Squamous Cell Carcinoma. 2018 , 8, 432	8
220	Chemoproteomic Discovery of a Ritanserin-Targeted Kinase Network Mediating Apoptotic Cell Death of Lung Tumor Cells. 2018 , 94, 1246-1255	9
219	Stimulation of JNK Phosphorylation by the PTHH in Prothoracic Glands of the Silkworm,. 2018 , 9, 43	3
218	Protein kinase C β regulates nuclear translocation of extracellular signal-regulated kinase, which contributes to bradykinin-induced cyclooxygenase-2 expression. 2018 , 8, 8535	10
217	Pioglitazone's beneficial effects on erectile function preservation after cavernosal nerve injury in the rat are negated by inhibition of the insulin-like growth factor-1 receptor: a preclinical study. 2019 , 31, 1-8	5
216	Interleukin-1 β promotes interleukin-6 expression via ERK1/2 signaling pathway in canine dermal fibroblasts. 2019 , 14, e0220262	15
215	Protective effects of 6,7,4'-trihydroxyisoflavone, a major metabolite of daidzein, on 6-hydroxydopamine-induced neuronal cell death in SH-SY5Y human neuroblastoma cells. 2019 , 42, 1081-1091	6
214	ERK1/ATF-2 signaling axis contributes to interleukin-1 β induced MMP-3 expression in dermal fibroblasts. 2019 , 14, e0222869	12

213	7,8,4'-Trihydroxyisoflavone, a Metabolized Product of Daidzein, Attenuates 6-Hydroxydopamine-Induced Neurotoxicity in SH-SY5Y Cells. 2019 , 27, 363-372		8
212	JCPyV-Induced MAPK Signaling Activates Transcription Factors during Infection. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6-3	9
211	promotes hepatocyte proliferation via NF- B and ERK pathway by targeting , and. 2019 , 47, 3786-3792		9
210	Phylogenetically conserved TAK1 participates in Branchiostoma belcheri innate immune response to LPS stimulus. <i>Fish and Shellfish Immunology</i> , 2019 , 94, 264-270	4-3	2
209	Identification and Characterization of Mitogen-Activated Protein Kinase (MAPK) Genes in Sunflower (<i>L.</i>). 2019 , 8,		11
208	Protective effect of PACAP-38 on retinal pigmented epithelium in an in vitro and in vivo model of diabetic retinopathy through EGFR-dependent mechanism. 2019 , 119, 170108		22
207	Computational Modeling of Designed Ankyrin Repeat Protein Complexes with Their Targets. 2019 , 431, 2852-2868		2
206	Clathrin Heavy Chain Knockdown Impacts CXCR4 Signaling and Post-translational Modification. 2019 , 7, 77		4
205	Nucleus, Cytoskeleton, and Mitogen-Activated Protein Kinase p38 Dynamics during In Vitro Maturation of Porcine Oocytes. 2019 , 9,		1
204	Angio-associated migratory cell protein interacts with epidermal growth factor receptor and enhances proliferation and drug resistance in human non-small cell lung cancer cells. 2019 , 61, 10-19		8
203	Efficacy of combination therapy with zoledronic acid and cetuximab for unresectable rectal cancer with bone metastases: A case report. 2019 , 10, 571-574		3
202	Partial agonistic effect of cetuximab on epidermal growth factor receptor and Src kinase activation in triple-negative breast cancer cell lines. 2019 , 54, 1345-1356		4
201	Membrane Potential Depolarization Alters Calcium Flux and Phosphate Signaling During Osteogenic Differentiation of Human Mesenchymal Stem Cells. 2019 , 1, 56-66		14
200	Tyrosine nitration of human ERK1 introduces an intra-hydrogen bond by molecular dynamics simulations. 2019 , 30, 1459-1470		3
199	Cascade Signals of Papaverine Inhibiting LPS-Induced Retinal Microglial Activation. 2019 , 68, 111-119		7
198	Gene expression profiles at different stages for formation of pearl sac and pearl in the pearl oyster <i>Pinctada fucata</i> . 2019 , 20, 240		8
197	Transcriptional profiling and localization of GUL-1, a COT-1 pathway component, in <i>Neurospora crassa</i> . 2019 , 126, 1-11		5
196	Stem extract of <i>Tabebuia chrysantha</i> induces apoptosis by targeting sEGFR in Ehrlich Ascites Carcinoma. 2019 , 235, 219-226		7

195	EIF2 β CHOP-BCL-2/JNK and IRE1 β XBP1/JNK signaling promote apoptosis and inflammation and support the proliferation of Newcastle disease virus. 2019 , 10, 891	42
194	Development of a Novel EGFR-Targeting Antibody-Drug Conjugate for Pancreatic Cancer Therapy. 2019 , 14, 93-105	17
193	Focal Rosai-Dorfman disease coexisting with lymphoma in the same anatomic site: a localized histiocytic proliferation associated with MAPK/ERK pathway activation. 2019 , 32, 16-26	19
192	Effect of heat stress on mitogen-activated protein kinases in the hypothalamic-pituitary-gonadal axis of developing Wenchang chicks. 2020 , 99, 567-577	2
191	Molecular cloning and characterization of a cDNA encoding extracellular signal-regulated kinase (ERK) from the blood clam <i>Tegillarca granosa</i> . 2020 , 105, 103602	
190	Proliferative signaling by ERBB proteins and RAF/MEK/ERK effectors in polycystic kidney disease. 2020 , 67, 109497	11
189	Relationship between aldose reductase enzyme and the signaling pathway of protein kinase C in an in vitro diabetic retinopathy model. 2020 , 98, 243-251	5
188	CXCL12/CXCR4 signal transduction in diseases and its molecular approaches in targeted-therapy. 2020 , 217, 91-115	28
187	Downregulation of DUSP9 Promotes Tumor Progression and Contributes to Poor Prognosis in Human Colorectal Cancer. 2020 , 10, 547011	3
186	Receptor-Like Protein Kinases Function Upstream of MAPKs in Regulating Plant Development. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3 1
185	Biotherapeutic Antibodies for the Treatment of Head and Neck Cancer: Current Approaches and Future Considerations of Photothermal Therapies. 2020 , 10, 559596	4
184	Opportunities and Challenges in Studies of Host-Pathogen Interactions and Management of in Tomatoes. 2020 , 9,	6
183	Seasonal cellular stress responses of commercially important invertebrates at different habitats of the North Aegean Sea. 2020 , 250, 110778	2
182	Targeting kinases with thymoquinone: a molecular approach to cancer therapeutics. 2020 , 25, 2294-2306	12
181	HPO iron chelator, CP655, causes the G1/S phase cell cycle block via p21 upregulation. 2020 , 8, 568-583	1
180	Regulation of Anti-Oxidative, Anti-Inflammatory, and Anti-Apoptotic Activity of Advanced Cooling Composition (ACC) in UVB-Irradiated Human HaCaT Keratinocytes. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3 3
179	Genome-wide identification and functional characterization of cotton (<i>Gossypium hirsutum</i>) MAPKKK gene family in response to drought stress. 2020 , 20, 217	12
178	Neuroprotective Effect of Chlorogenic Acid on Mitochondrial Dysfunction-Mediated Apoptotic Death of DA Neurons in a Parkinsonian Mouse Model. 2020 , 2020, 6571484	50

177	Pleiotropic Roles of Calmodulin in the Regulation of KRas and Rac1 GTPases: Functional Diversity in Health and Disease. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	7
176	Genome-wide identification of the mitogen-activated protein kinase (MAPK) family in cotton (<i>Gossypium hirsutum</i>) reveals GhMPK6 involved in fiber elongation. 2020 , 103, 391-407		2
175	Effect of Lipopolysaccharide and Muramyl Dipeptide on Apoptosis of Bovine Mammary Gland Lymphocytes. 2020 , 10,		2
174	Inhibitory Effect of Manassantin B Isolated from <i>Saururus chinensis</i> on Skin Heat Aging. 2020 , 7, 47		
173	EPS8 phosphorylation by Src modulates its oncogenic functions. 2020 , 123, 1078-1088		0
172	Comparative expression of immunohistochemical biomarkers in cribriform and pattern 4 non-cribriform prostatic adenocarcinoma. 2020 , 114, 104400		5
171	Effect of water temperature on cellular stress responses in meagre (<i>Argyrosomus regius</i>). 2020 , 46, 1075-1091	14	
170	New and Emerging Targeted Therapies for Pediatric Acute Myeloid Leukemia (AML). 2020 , 7,		10
169	Novel Roles of Chloroquine and Hydroxychloroquine in Graves' Orbitopathy Therapy by Targeting Orbital Fibroblasts. 2020 , 105,		6
168	Analysis of pain markers and epidural fibrosis caused by repeated spinal surgery in Sprague-Dawley rats. 2021 , 22, 16		0
167	Development of a TSR-Based Method for Protein 3-D Structural Comparison With Its Applications to Protein Classification and Motif Discovery. 2020 , 8, 602291		0
166	Protection of 6-OHDA neurotoxicity by PGF through FP-ERK-Nrf2 signaling in SH-SY5Y cells. 2021 , 450, 152686		1
165	N-glycosylated GPNMB ligand independently activates mutated EGFR signaling and promotes metastasis in NSCLC. 2021 , 112, 1911-1923		5
164	Zn influx activates ERK and Akt signaling pathways. 2021 , 118,		7
163	Targeted therapy of human leukemia xenografts in immunodeficient zebrafish. 2021 , 11, 5715		3
162	Could Pomegranate Fight Against SARS-CoV-2?.		1
161	Playing the Whack-A-Mole Game: ERK5 Activation Emerges Among the Resistance Mechanisms to RAF-MEK1/2-ERK1/2- Targeted Therapy. 2021 , 9, 647311		4
160	A novel protein encoded by circMAPK1 inhibits progression of gastric cancer by suppressing activation of MAPK signaling. 2021 , 20, 66		29

- 159 A phylogenetic study of the members of the MAPK and MEK families across Viridiplantae. **2021**, 16, e0250584 0
- 158 Pyruvate kinase M2 in chronic inflammations: a potpourri of crucial protein-protein interactions. **2021**, 37, 653-678 4
- 157 B-Lymphoblastic Leukemia With Aberrant CD5 Expression. **2021**, 156, 586-595
- 156 LncRNA CD27-AS1 promotes acute myeloid leukemia progression through the miR-224-5p/PBX3 signaling circuit. **2021**, 12, 510 3
- 155 RAF-MEK-ERK pathway in cancer evolution and treatment. **2021**, 7
- 154 Stochastic modulation evidences a transitory EGF-Ras-ERK MAPK activity induced by PRMT5. **2021**, 133, 104339 3
- 153 Myc-associated zinc-finger protein promotes clear cell renal cell carcinoma progression through transcriptional activation of the MAP2K2-dependent ERK pathway. **2021**, 21, 323 4
- 152 *Giardia duodenalis* extracellular vesicles regulate the proinflammatory immune response in mouse macrophages in vitro via the MAPK, AKT and NF- κ B pathways. **2021**, 14, 358 1
- 151 Biomarkers and cell-based models to predict the outcome of neoadjuvant therapy for rectal cancer patients. **2021**, 9, 60 3
- 150 Trametinib enhances ATRA-induced differentiation in AML cells. **2021**, 1-12 0
- 149 Epitope Mapping of an Antihuman EGFR Monoclonal Antibody (EMab-134) Using the REMAP Method. **2021**, 40, 191-195 10
- 148 regulates proinflammatory immune response in mouse macrophages via activating the MAPK, AKT, and NF- κ B pathways. **2021**, 22, 782-790
- 147 Circular RNAs' cap-independent translation protein and its roles in carcinomas. **2021**, 20, 119 13
- 146 Cervical carcinoma high expressed 1 (CCHE1): An oncogenic lncRNA in diverse neoplasms. **2021**, 142, 112003 2
- 145 The Science of Neoplasia and Its Relationship to Aging. **2003**, 363-373 1
- 144 Clinical development of epidermal growth factor receptor (EGFR) tyrosine kinase inhibitors: what lessons have we learned?. **2008**, 610, 128-43 4
- 143 Signal Transduction Pathways as Therapeutic Targets in Cancer Therapy. **2010**, 37-83 2
- 142 The microtubule-associated C-I subfamily of TRIM proteins and the regulation of polarized cell responses. **2012**, 770, 105-18 6

141	Cellular Signaling and Polyamines in the Control of Apoptosis in Intestinal Epithelial Cells. 2006 , 233-248	1
140	Crosstalk Between COX-2 and EGFR: A Potential Therapeutic Opportunity. 2008 , 325-339	2
139	Use of inhibitors in the study of MAP kinases. 2010 , 661, 107-22	19
138	Regulation/modulation of sensory neuron sodium channels. 2014 , 221, 111-35	31
137	Signal transduction pathways activated by CpG-DNA. 2000 , 247, 77-92	31
136	Macrophage interactions. 2002 , 271, 115-41	24
135	Predicting pathway perturbations in Down syndrome. 2003 , 21-37	28
134	Mechanisms of hepatocyte growth regulation by hormones and growth factors. 2000 , 209-246	7
133	Prothoracicotropic Hormone. 2005 , 61-123	30
132	Apoptosis in the Gastrointestinal Tract. 2006 , 345-373	5
131	Angiogenesis, Basic Mechanisms, and Role in Head and Neck Squamous Cell Carcinoma. 2003 , 81-100	1
130	Nitric Oxide, Oxidative Stress, and Signal Transduction. 2000 , 329-342	3
129	Epidermal growth factor receptor pathway inhibitors. 2005 , 22, 205-23	11
128	Influence of aging and caloric restriction on activation of Ras/MAPK, calcineurin, and CaMK-IV activities in rat T cells. <i>Proceedings of the Society for Experimental Biology and Medicine</i> , 2000 , 223, 163-9	27
127	Inhibition of the ER-kinase cascade by PD98059 and UO126 counteracts ischemic preconditioning in pig myocardium. 2000 , 36, 218-29	88
126	A specific protein-protein interaction accounts for the in vivo substrate selectivity of Ptp3 towards the Fus3 MAP kinase. 1999 , 13, 2811-27	47
125	Structure, function, and biology of SHIP proteins. 2000 , 14, 505-520	130
124	TNF-alpha mediates SDF-1 alpha-induced NF-kappa B activation and cytotoxic effects in primary astrocytes. 2001 , 108, 425-35	92

123	Therapeutic targeting of the MEK/MAPK signal transduction module in acute myeloid leukemia. 2001 , 108, 851-9	251
122	Butyrate-induced erythroid differentiation of human K562 leukemia cells involves inhibition of ERK and activation of p38 MAP kinase pathways. <i>Blood</i> , 2000 , 95, 2391-2396	2.2 7
121	Molecular Mechanisms of Oxidant-Induced Pulmonary Carcinogenesis. 2004 , 493-512	1
120	FGF-induced lens cell proliferation and differentiation is dependent on MAPK (ERK1/2) signalling. 2001 , 128, 5075-5084	142
119	Nuclear import of activated D-ERK by DIM-7, an importin family member encoded by the gene moleskin. 2001 , 128, 1403-1414	68
118	The role of transient ERK2 signals in fibronectin- and insulin-mediated DNA synthesis. 2000 , 113, 4499-4510	36
117	The nucleus, a site for signal termination by sequestration and inactivation of p42/p44 MAP kinases. 2001 , 114, 3433-3443	106
116	Extracellular signal regulated kinase (ERK)/mitogen activated protein kinase (MAPK)-independent functions of Raf kinases. 2002 , 115, 1575-1581	105
115	Matrix metalloproteinases and their role in pancreatic cancer: A review of preclinical studies and clinical trials. 2002 , 9, 668	8
114	Investigating differential dynamics of the MAPK signaling cascade using a multi-parametric global sensitivity analysis. 2009 , 4, e4560	29
113	Cigarette smoke upregulates rat coronary artery endothelin receptors in vivo. 2012 , 7, e33008	29
112	TFPI alpha and beta regulate mRNAs and microRNAs involved in cancer biology and in the immune system in breast cancer cells. 2012 , 7, e47184	11
111	Gene expression profiles in relation to tension and dissociation in borderline personality disorder. 2013 , 8, e70787	8
110	Genome-wide identification of MAPKK and MAPKKK gene families in tomato and transcriptional profiling analysis during development and stress response. 2014 , 9, e103032	64
109	RNA-Seq Analysis Reveals MAPKKK Family Members Related to Drought Tolerance in Maize. 2015 , 10, e0143128	25
108	ERK2 and JNK1 contribute to TNF- β -induced IL-8 expression in synovial fibroblasts. 2017 , 12, e0182923	32
107	Therapeutic Targets of Type 2 Diabetes: an Overview. 2017 , 1,	2
106	Genistein inhibits the growth and regulates the migration and invasion abilities of melanoma cells via the FAK/paxillin and MAPK pathways. 2017 , 8, 21674-21691	63

105	Divergent behaviors and underlying mechanisms of cell migration and invasion in non-metastatic T24 and its metastatic derivative T24T bladder cancer cell lines. 2015 , 6, 522-36	43
104	Molecular differences in the KRAS gene mutation between a primary tumor and related metastatic sites - case report and a literature review. 2010 , 48, 597-602	6
103	Intra-Cellular Calcium Signaling Pathways (PKC, RAS/RAF/MAPK, PI3K) in Lamina Cribrosa Cells in Glaucoma. 2020 , 10,	6
102	Human Papillomavirus and Cellular Pathways: Hits and Targets. 2021 , 10,	2
101	Down-regulation of extracellular signal-regulated kinase 1/2 activity in P-glycoprotein-mediated multidrug resistant hepatocellular carcinoma cells. 2009 , 15, 1443-51	15
100	Effect of mitogen-activated protein kinase signal transduction pathway on multidrug resistance induced by vincristine in gastric cancer cell line MGC803. 2004 , 10, 795-9	13
99	Anti-parkinsonian effects of octacosanol in 1-methyl-4-phenyl-1,2,3,6 tetrahydropyridine-treated mice. 2012 , 7, 1080-7	9
98	Peimine Inhibits the Production of Proinflammatory Cytokines Through Regulation of the Phosphorylation of NF- κ B and MAPKs in HMC-1 Cells. 2017 , 13, S359-S364	14
97	Allele Frequencies of the Epidermal Growth Factor Receptors Polymorphism R521K in Colorectal Cancer Patients and Healthy Subjects Indicate a Risk-Reducing Effect of K521 in Syrian Population. 2013 , 5, 202-6	3
96	Angiotensin II-related hypertension and eye diseases. 2014 , 6, 968-84	25
95	Regulation of Dual-Specificity Phosphatase 14 (DUSP14) by NSC-87877. <i>Bulletin of the Korean Chemical Society</i> , 2009 , 30, 1190-1192	1.2 8
94	Inhibition of Dual-specificity phosphatase 14 (DUSP14) by Ethyl-3,4-dephostatin. <i>Bulletin of the Korean Chemical Society</i> , 2011 , 32, 2135-2136	1.2 2
93	Animal models of melanoma: a somatic cell gene delivery mouse model allows rapid evaluation of genes implicated in human melanoma. 2011 , 30, 153-62	24
92	Selection of Luteolin as a potential antagonist from molecular docking analysis of EGFR mutant. 2018 , 14, 241-247	9
91	p38-mediated cell growth and survival drive rapid embryonic wound repair. 2021 , 37, 109874	2
90	RNF20 affects porcine adipocyte differentiation via regulation of mitotic clonal expansion. 2021 , 54, e13131	2
89	Cell Signaling by Endothelin Peptides. 2001 , 115-140	2
88	Bacterial CpG DNA in Septic Shock. 2002 , 388-397	

- 87 Bacterial CpG DNA in Septic Shock. **2002**, 388-397
- 86 Signal Transduction Pathways Modulate Androgen Receptor Transcriptional Activity. **2002**, 57-90
- 85 Serine/Threonine Kinases and Phosphatases.
- 84 Signal Transduction Abnormalities as Therapeutic Targets. **2002**, 287-323
- 83 The Breast Cancer Phenotype and Endocrine Response. **2002**, 301-342 1
- 82 Xc,v Mammalian MAP Kinases. **2003**, 365-375
- 81 Mitogen-Activated Protein (MAP) Kinases and Receptors. **2004**, 252-257
- 80 Growth Factor Signaling Pathways in Cancer. **2004**, 267-315
- 79 ?????????ERK?????????????. *Japanese Journal of Pediatric Nephrology*, **2007**, 20, 147-151 0
- 78 Epidermal Growth Factor Receptor Inhibition in NonSmall Cell Lung Cancer. *Translational Medicine Series*, **2007**, 81-96
- 77 Radiation Induced DNA-Damage/Repair and Associated Signaling Pathways. **2008**, 249-266 1
- 76 Mitogen-activated Protein Kinases (MAPKs): ERKs, JNKs, and p38s. 1
- 75 Influence of Aging and Caloric Restriction on Activation of Ras/MAPK, Calcineurin, and CaMK-IV Activities in Rat T Cells. *Proceedings of the Society for Experimental Biology and Medicine*, **2000**, 223, 163-169
- 74 Modulation of MAPK Pathways by Food Phytochemicals. *Oxidative Stress and Disease*, **2008**,
- 73 The protective effect of anti-oxidant in cadmium-induced hair cell death. *Oriental Pharmacy and Experimental Medicine*, **2009**, 9, 285-291 2
- 72 Epidermal Growth Factor Receptor Inhibitors in the Treatment of Non-small Cell Lung Cancer. **2010**, 205-226 0
- 71 MyD88 expression and anti-apoptotic signals of paclitaxel in epithelial ovarian cancer cells. *Korean Journal of Obstetrics and Gynecology*, **2010**, 53, 330
- 70 Targeted Therapeutics in Cancer Treatment. **2011**, 403-461

69	In vivo Effect of NSC-95397 as a DUSP14 Inhibitor. <i>Bulletin of the Korean Chemical Society</i> , 2011 , 32, 4438-4440		
68	The Human Epidermal Growth Factor Receptor (HER) Family: Structure and Function. 2014 , 7-17		
67	P38. 2014 , 1-11		
66	Metals, Metalloids and Oxidative Stress. 1999 , 53-95		
65	Distinct Roles of JNKs/p38 MAP Kinase and ERKs in Apoptosis and Survival of HCD-57 Cells Induced by Withdrawal or Addition of Erythropoietin. <i>Blood</i> , 1999 , 94, 4067-4076	2.2	2
64	Inhibitory Effect of Semen Sinapis Albae on Immediate Hypersensitivity Reaction. <i>The Journal of Korean Medicine Ophthalmology and Otolaryngology and Dermatology</i> , 2014 , 27, 177-188		
63	Pathway Analysis of Highly Conserved Mitogen Activated Protein Kinases (MAPKs). <i>SpringerBriefs in Applied Sciences and Technology</i> , 2016 , 71-82	0.4	0
62	MEK5/ERK5. 2016 , 1-23		
61	Small Molecule Inhibitors. 2017 , 771-795		
60	Kidney. 2018 , 145-190		
59	Encyclopedia of Signaling Molecules. 2018 , 3052-3074		
58	CHOP and IRE1 β BP1/JNK signaling promote Newcastle Disease Virus induced apoptosis and benefit virus proliferation.		
57	Inhibition of gonadotropin-stimulated steroidogenesis by the erk cascade.		1
56	Proteomic analysis of hypothalamus in prepubertal and pubertal female goat. <i>Journal of Proteomics</i> , 2022 , 251, 104411	3.9	0
55	Developing Kinase Inhibitors Using Computer-Aided Drug Design Approaches. 2020 , 81-108		
54	LINC00978 promotes hepatocellular carcinoma carcinogenesis partly via activating the MAPK/ERK pathway. <i>Bioscience Reports</i> , 2020 , 40,	4.1	3
53	Shotgun analysis to identify differences in protein expression between granulocytes and hyalinocytes of the European flat oyster <i>Ostrea edulis</i> . <i>Fish and Shellfish Immunology</i> , 2021 , 119, 678-694	4.3	1
52	The Therapeutic Potential of MAPK/ERK Inhibitors in the Treatment of Colorectal Cancer. <i>Current Cancer Drug Targets</i> , 2021 ,	2.8	2

51	CD69 mediates the protective role of adipose tissue-derived mesenchymal stem cells against <i>Pseudomonas aeruginosa</i> pulmonary infection. <i>Clinical and Translational Medicine</i> , 2021 , 11, e563	5.7	1
50	Zn ²⁺ influx activates ERK and Akt signaling pathways through a common mechanism.		1
49	Molecular Aspects of Brain Ischemia in Mammals. 2003 , 103-118		
48	Meningioma. 2008 , 83-144		
47	Innovative Rational-Derived, Target-Based and Cytotoxic Therapies for Breast Cancer and Other Malignancies. 2006 , 741-780		
46	Cloning and characterization of mouse extracellular-signal-regulated protein kinase 3 as a unique gene product of 100 kDa. <i>Biochemical Journal</i> , 2000 , 346 Pt 1, 169-75	3.8	18
45	Regulation of the gene promoter for extracellular signal-regulated protein kinase 2 by transcription factors NF-Y and Sp3. <i>Biochemical Journal</i> , 2000 , 347 Pt 1, 155-61	3.8	4
44	Diffusion control of protein phosphorylation in signal transduction pathways. <i>Biochemical Journal</i> , 2000 , 350 Pt 3, 901-7	3.8	36
43	Meaningful relationships: the regulation of the Ras/Raf/MEK/ERK pathway by protein interactions. <i>Biochemical Journal</i> , 2000 , 351 Pt 2, 289-305	3.8	372
42	Signaling from p53 to NF-kappa B determines the chemotherapy responsiveness of neuroblastoma. <i>Neoplasia</i> , 2006 , 8, 964-74	6.4	11
41	The interferon signaling network and transcription factor C/EBP-beta. <i>Cellular and Molecular Immunology</i> , 2007 , 4, 407-18	15.4	46
40	Inhibition of protein-protein interactions with low molecular weight compounds. 2008 , 5, 21-32		2
39	Indoleamine 2,3-dioxygenase-1 (IDO1) enhances survival and invasiveness of endometrial stromal cells via the activation of JNK signaling pathway. <i>International Journal of Clinical and Experimental Pathology</i> , 2013 , 6, 431-44	1.4	28
38	The mitogen-activated protein kinase kinase MKK2 positively regulates constitutive cold resistance in the potato. <i>Environmental and Experimental Botany</i> , 2022 , 194, 104702	5.9	2
37	Cellular Stress Responses of the Endemic Freshwater Fish Species <i>Alburnus vistoncus</i> Freyhof & Kottelat, 2007 in a Constantly Changing Environment. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 11021	2.6	1
36	Synthetic Optimization and MAPK Pathway Activation Anticancer Mechanism of Polyisoprenylated Cysteinyl Amide Inhibitors. <i>Cancers</i> , 2021 , 13,	6.6	1
35	ErbB tyrosine kinase receptor inhibitors in breast cancer treatment. 2004 , 6, 12-21		1
34	Selected molecular mechanisms of metal toxicity and carcinogenicity. 2022 , 253-278		

33	Proteomic Changes in the Monolayer and Spheroid Melanoma Cell Models of Acquired Resistance to BRAF and MEK1/2 Inhibitors.. <i>ACS Omega</i> , 2022 , 7, 3293-3311	3.9	0
32	Development of small molecule extracellular signal-regulated kinases (ERKs) inhibitors for cancer therapy. <i>Acta Pharmaceutica Sinica B</i> , 2022 ,	15.5	2
31	miR-132-3p Modulates DUSP9-Dependent p38/JNK Signaling Pathways to Enhance Inflammation in the Amnion Leading to Labor.. <i>International Journal of Molecular Sciences</i> , 2022 , 23,	6.3	
30	Targeted therapies in the medical management of craniopharyngioma.. <i>Pituitary</i> , 2022 , 1	4.3	2
29	Genome-wide analysis of the hard clam mitogen-activated protein kinase kinase gene family and their transcriptional profiles under abiotic stress.. <i>Marine Environmental Research</i> , 2022 , 176, 105606	3.3	1
28	Image_1.pdf. 2019 ,		
27	Table_1.DOCX. 2020 ,		
26	Table_2.DOCX. 2020 ,		
25	Table_3.DOCX. 2020 ,		
24	Table_4.DOCX. 2020 ,		
23	Data_Sheet_1.PDF. 2018 ,		
22	Immunohistochemical determination of mTOR pathway molecules in ovaries and uterus in rat estrous cycle stages. <i>Histology and Histopathology</i> , 2020 , 35, 1337-1351	1.4	
21	GmMKK4-activated GmMPK6 stimulates GmERF113 to trigger resistance to <i>Phytophthora sojae</i> in soybean.. <i>Plant Journal</i> , 2022 ,	6.9	2
20	Role of PKC δ and ERK1/2 in trombin-stimulated vascular smooth muscle cells proliferation. 2013 , 47, 5-9		
19	Resveratrol and resveratrol nano-delivery systems in the treatment of inflammatory bowel disease. <i>Journal of Nutritional Biochemistry</i> , 2022 , 109101	6.3	2
18	Expression of active B-Raf proto-oncogene in kidney collecting ducts induces cyst formation in normal mice and accelerates cyst growth in mice with polycystic kidney disease. <i>Kidney International</i> , 2022 ,	9.9	0
17	Genome-wide identification of mitogen-activated protein kinase (MAPK) gene family in yellow catfish (<i>Pelteobagrus fulviadraco</i>) and their expression profiling under the challenge of <i>Aeromonas hydrophila</i> . <i>Journal of Fish Biology</i> ,	1.9	
16	Roles of Reactive Oxygen Species in Vascular Complications of Diabetes: Therapeutic Properties of Medicinal Plants and Food. <i>Oxygen</i> , 2022 , 2, 246-268		1

15	The overview of Mitogen-activated extracellular signal-regulated kinase (MEK)-based dual inhibitor in the treatment of cancers. <i>Bioorganic and Medicinal Chemistry</i> , 2022 , 70, 116922	3.4	0
14	Identification of 4-anilino-3-quinolinecarbonitrile inhibitors of mitogen-activated protein/extracellular signal-regulated kinase 1 kinase. <i>Molecular Cancer Therapeutics</i> , 2004 , 3, 755-762	6.1	3
13	Selective inhibitors of MEK1/ERK44/42 and p38 mitogen-activated protein kinases potentiate apoptosis induction by sulindac sulfide in human colon carcinoma cells. 2005 , 4, 51-59		6
12	Anti-hyperalgesic effects of photobiomodulation therapy (904 nm) on streptozotocin-induced diabetic neuropathy imply MAPK pathway and calcium dynamics modulation. 2022 , 12,		1
11	Upregulation of Nav1.6 Mediated by the p38 MAPK Pathway in the Dorsal Root Ganglia Contributes to Cancer-Induced Bone Pain in Rats. 2022 , 11, 3375		0
10	Not your Mother's MAPKs: Apicomplexan MAPK function in daughter cell budding. 2022 , 18, e1010849		0
9	Embryonic transcriptome unravels mechanisms and pathways underlying embryonic development with respect to muscle growth, egg production, and plumage formation in native and broiler chickens. 2023 , 13,		0
8	A RAF-like kinase mediates a deeply conserved, ultra-rapid auxin response.		1
7	Molecular Dissection of Somatic Skeletal Disease in Neurofibromatosis Type 1.		0
6	Red porgy's (<i>Pagrus pagrus</i>) cellular physiology and antioxidant defense in response to seasonality. 2023 , 113, 103527		0
5	Regulatory pathways of inflammation. 2023 , 19-27		0
4	Current Advances in Papillary Craniopharyngioma: State-Of-The-Art Therapies and Overview of the Literature. 2023 , 13, 515		0
3	VEGF Stimulates Activation of ERK5 in the Absence of C-Terminal Phosphorylation Preventing Nuclear Localization and Facilitating AKT Activation in Endothelial Cells. 2023 , 12, 967		0
2	Photoprotective Effects of <i>Dendrobium nobile</i> Lindl. Polysaccharides against UVB-Induced Oxidative Stress and Apoptosis in HaCaT Cells. 2023 , 24, 6120		0
1	SakA Regulates Morphological Development, Ochratoxin A Biosynthesis and Pathogenicity of <i>Aspergillus westerdijkiae</i> and the Response to Different Environmental Stresses. 2023 , 15, 292		0