

CITATION REPORT

List of articles citing

Deliberate self harm: systematic review of efficacy of psychosocial and pharmacological treatments in preventing repetition

DOI: 10.1136/bmj.317.7156.441

BMJ: British Medical Journal, 1998, 317, 441-7.

Source: <https://exaly.com/paper-pdf/29345481/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
292	Establishing Safety with Patients with Dissociative Identity Disorder. 1997 , 2, 133-155		
291	Variations in psychiatric practice. Neither unacceptable nor unavoidable, only under-researched. <i>British Journal of Psychiatry</i> , 1999 , 175, 303-5	5.4	10
290	Use of an adolescent in-patient unit. 1999 , 5, 192-199		6
289	Bungy Jumping Through Life: What Young People Say Promotes Well-Being and Resilience. 1999 , 9, 159-168		11
288	Deliberate self harm. 1999 , 8, 137-43		7
287	Repetition of self harm. 1999 , 3, 181-184		
286	Psychosocial versus pharmacological treatments for deliberate self harm. 2000 , CD001764		78
285	Suicide in young people. Study of 174 cases, aged under 25 years, based on coroners' and medical records. <i>British Journal of Psychiatry</i> , 1999 , 175, 271-6	5.4	100
284	Crisis telephone consultation for deliberate self-harm patients: effects on repetition. <i>British Journal of Psychiatry</i> , 1999 , 175, 23-7	5.4	84
283	Suicide in the Montreal subway system: characteristics of the victims, antecedents, and implications for prevention. 1999 , 44, 690-6		29
282	Severe self-injurious behavior associated with treatment-resistant schizophrenia: treatment with maintenance electroconvulsive therapy. 2000 , 16, 302-8		12
281	Youth suicidal behavior: assessment and intervention. 2000 , 56, 1131-52		31
280	Adolescent suicide attempters: post-attempt course and implications for treatment. 2000 , 7, 161-173		19
279	An evaluation of the implementation of a liaison service in an A&E department. 2000 , 7, 391-7		13
278	Selecting Your Options: A Pilot Study of Short Interventions with Patients Who Deliberately Self Harm. 2000 , 8, 349-354		17
277	Cortisol in violent suicidal behaviour: association with personality and monoaminergic activity. <i>Journal of Affective Disorders</i> , 2000 , 60, 181-9	6.6	78
276	Suicide: An Australian psychological society discussion paper. 2000 , 35, 1-28		29

275	Pharmacological provocation and prevention of suicidal behaviour. 2000 , 12, 54-61		2
274	Interventions to reduce repetition of deliberate self-harm. 2000 , 12, 44-47		12
273	Preventive interventions for youth suicide: a risk factor-based approach. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, 388-407	2.6	53
272	Rational Suicide, Hastened Death, and Self-Destructive Behaviors. 2000 , 28, 540-550		6
271	The timing of acts of deliberate self-harm: is there any relation with suicidal intent, mental disorder or psychiatric management?. 2000 , 49, 3-6		17
270	A national survey of the hospital services for the management of adult deliberate self-harm. <i>Psychiatric Bulletin</i> , 2001 , 25, 53-55		18
269	Suicide attempts and serious suicide threats in the city of Riga and resulting contacts with medical services. 2001 , 55, 279-86		6
268	Management of patients who deliberately harm themselves. <i>BMJ: British Medical Journal</i> , 2001 , 322, 213-5		58
267	Dissociative identity disorder and the nurse-patient relationship in the acute care setting: an action research study. 2001 , 10, 20-32		12
266	Consumers of mental health services. 2001 , 31 Suppl, 60-83		6
265	Psychosocial and pharmacological treatment of patients following deliberate self-harm: the methodological issues involved in evaluating effectiveness. 2001 , 31, 169-80		26
264	Effective problem solving in suicide attempters depends on specific autobiographical recall. 2001 , 31, 386-96		151
263	Abuse and deliberate self-poisoning in women: a matched case-control study. 2001 , 25, 1291-302		20
262	Depression, suicide and deliberate self-harm in adolescence. 2001 , 57, 47-60		57
261	Randomised controlled trial of brief psychological intervention after deliberate self poisoning. <i>BMJ: British Medical Journal</i> , 2001 , 323, 135-8		264
260	Young People's Pathways to Well-being Following a Suicide Attempt. 2002 , 4, 25-32		8
259	OPUS study: suicidal behaviour, suicidal ideation and hopelessness among patients with first-episode psychosis. One-year follow-up of a randomised controlled trial. <i>British Journal of Psychiatry</i> , 2002 , 43, s98-106	5.4	211
258	Why are we not getting any closer to preventing suicide?. <i>British Journal of Psychiatry</i> , 2002 , 181, 372-4	5.4	99

257	General practice based intervention to prevent repeat episodes of deliberate self harm: cluster randomised controlled trial. 2002 , 324, 1254-7		63
256	Trends in Attempted Suicide in Adolescents and Young Adults in Gent, 1986-1995. <i>Archives of Suicide Research</i> , 2002 , 6, 135-141	2.3	4
255	Emergency presentations to an inner-city adolescent psychiatric service. 2002 , 25, 397-404		12
254	Telephone contact with patients in the year after a suicide attempt: does it affect treatment attendance and outcome? A randomised controlled study. 2002 , 17, 82-91		83
253	Fatal and non-fatal repetition of self-harm. Systematic review. <i>British Journal of Psychiatry</i> , 2002 , 181, 193-9	5.4	866
252	Bipolar disorder. 2002 , 359, 241-7		305
251	Problems reported by self-harm patients: perception, hopelessness, and suicidal intent. 2002 , 53, 819-22		51
250	Improving the delivery and organisation of mental health services: beyond the conventional randomised controlled trial. <i>British Journal of Psychiatry</i> , 2002 , 180, 13-8	5.4	43
249	Zelfcontrole bij de behandeling van automutilatie; twee gevalsbeschrijvingen. 2002 , 22, 132-137		
248	Psychiatric Assessment and Management of Deliberate Self-poisoning Patients. 2003 , 31, 16-19		1
247	Prefrontal 5-HT _{2a} receptor binding index, hopelessness and personality characteristics in attempted suicide. <i>Journal of Affective Disorders</i> , 2003 , 74, 149-58	6.6	154
246	Patterns of self-harm and attempted suicide among white and black/mixed race female prisoners. 2003 , 13, 229-40		42
245	Multiple meanings of self harm: a critical review. 2003 , 12, 177-85		95
244	Repetition risk for adolescent self-poisoning: a multiple event survival analysis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2003 , 37, 212-8	2.6	18
243	Predictors of outcome following brief psychodynamic-interpersonal therapy for deliberate self-poisoning. <i>Australian and New Zealand Journal of Psychiatry</i> , 2003 , 37, 532-6	2.6	15
242	Summary Australian and New Zealand Clinical Practice Guideline for the Management of Adult Deliberate Self-Harm (2003). 2003 , 11, 150-155		32
241	Youth suicide risk and preventive interventions: a review of the past 10 years. 2003 , 42, 386-405		861
240	Service variation in baseline variables and prediction of risk in a randomised controlled trial of psychological treatment in repeated parasuicide: the POPMACT Study. 2003 , 49, 58-69		25

239	Life Course Factors Associated With Suicidal Behaviors in Young People. 2003 , 46, 1137-1156		49
238	Risk of suicide and related adverse outcomes after exposure to a suicide prevention programme in the US Air Force: cohort study. 2003 , 327, 1376		229
237	Suizidaliteit. 2003 , 1745-1763		1
236	Attendance at the accident and emergency department in the year before suicide: retrospective study. <i>British Journal of Psychiatry</i> , 2003 , 183, 28-33	5.4	180
235	The neurobiology of suicide and suicidality. 2003 , 48, 292-300		81
234	Adolescent Self-Mutilatory Behavior: Psychopharmacological Treatment. 2003 , 8, 10-12		3
233	Internet Resources: Genetic and Rare Disorders. 2003 , 8, 12-12		
232	Unit for suicide research, University of Gent, Belgium. <i>British Journal of Psychiatry</i> , 2003 , 183, 260-1	5.4	2
231	Suicide following discharge from in-patient psychiatric care. 2004 , 10, 434-438		25
230	Pharmacotherapy in dual diagnosis. 2004 , 10, 413-424		7
229	Psychiatric diagnoses and suicide: revisiting the evidence. <i>Crisis</i> , 2004 , 25, 147-55	2.8	280
228	Therapist sensitivity towards emotional life-career issues and the working alliance with suicide attempters. <i>Archives of Suicide Research</i> , 2004 , 8, 203-13	2.3	37
227	Psychosocial Treatment of Youth Suicide: A Systematic Review of the Research. 2004 , 14, 147-162		12
226	The use of mindfulness-based approaches for suicidal patients. <i>Archives of Suicide Research</i> , 2004 , 8, 315-29		58
225	Psychological and psychosocial interventions after attempted suicide: an overview of treatment studies. <i>Crisis</i> , 2004 , 25, 108-17	2.8	52
224	Self-harm in young people: a perspective for mental health nursing care. 2004 , 51, 222-8		19
223	Comorbidity in young people: perspectives and challenges. 2004 , 16, 47-53		7
222	Utilization of the emergency department after self-inflicted injury. 2004 , 11, 136-142		43

221	Preventing suicide in primary care patients: the primary care physician's role. 2004 , 26, 337-45		96
220	Self-cutting: patient characteristics compared with self-poisoners. 2004 , 34, 199-208		50
219	Substance use and male gender as risk factors for deaths and suicide--a 5-year follow-up study after deliberate self-harm. 2004 , 39, 720-4		55
218	Serotonin transporter gene may be involved in short-term risk of subsequent suicide attempts. 2004 , 55, 46-51		67
217	Deliberate self-harm. 2004 , 32, 38-42		4
216	Adolescents with suicidal behaviour: attendance at A&E and six month follow-up. 2004 , 21, 78-84		11
215	Crisis card following self-harm: 12-month follow-up of a randomised controlled trial. <i>British Journal of Psychiatry</i> , 2005 , 187, 186-7	5-4	56
214	Development of a Clinical Guide to Enhance Care for Suicidal Patients.. 2005 , 36, 208-218		12
213	Is suicide ideation a surrogate endpoint for geriatric suicide?. 2005 , 35, 193-205		16
212	Accident and emergency staff's perceptions of deliberate self-harm: attributions, emotions and willingness to help. 2005 , 44, 255-67		98
211	Suicide Prevention in Older Adults.. 2005 , 12, 242-259		55
210	Depression and suicidal behaviors in Medicare primary care patients under age 65. 2005 , 20, 397-403		15
209	Ethical and legal issues in suicide research. 2005 , 28, 23-41		74
208	Suicide risk and antidepressants: beyond the controversy. 2005 , 65, 179-184		0
207	Zorgelijke preoccupaties en zelfverwonding. 2005 , 25, 58-63		
206	Suizidprevention: Vorgehensweisen und Wirksamkeit. 2005 , 15, 12-19		1
205	Ziprasidone as a Weight-Neutral Alternative in the Treatment of Self-Injurious Behavior in Adolescent Females. 2005 , 10, 1-6		6
204	Touch Deprivation and Aggression Against Self Among Adolescents. 2005 , 117-140		4

203	Understanding resolution of deliberate self harm: qualitative interview study of patients' experiences. 2005 , 330, 1112		83
202	Problem solving deteriorates following mood challenge in formerly depressed patients with a history of suicidal ideation. 2005 , 114, 421-31		177
201	Clinical management of deliberate self-harm in young people: the need for evidence-based approaches to reduce repetition. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005 , 39, 121-8	2.6	44
200	Postcards from the EDge project: randomised controlled trial of an intervention using postcards to reduce repetition of hospital treated deliberate self poisoning. 2005 , 331, 805		175
199	Prediction of repeated parasuicide after 1-12 months. 2005 , 20, 101-9		43
198	Effect of a Suicide Prevention Centre for young people with suicidal behaviour in Copenhagen. 2005 , 20, 121-8		14
197	Deliberate self-harm in adolescence: a challenge for schools. 2006 , 34, 161-175		28
196	[Reduction in short-term repetition of attempted suicide associated with new organization of psychiatric management of suicide attempters. Two cohorts]. 2006 , 35, 759-63		3
195	Characteristics of adolescent suicide attempters admitted to an acute psychiatric ward in Taiwan. 2006 , 69, 428-35		20
194	Managing depression and suicide risk in men presenting to primary care physicians. 2006 , 33, 211-21, x-xi		2
193	Management of the depressed, suicidal child or adolescent. 2006 , 15, 999-1013, x		11
192	A treatment protocol for suicidal patients in a day hospital setting: preliminary results. <i>Psychiatry Research</i> , 2006 , 143, 307-10	9.9	3
191	Exploring the relationship between area characteristics and self-harm: Old and new approaches. <i>Crisis</i> , 2006 , 27, 88-91	2.8	4
190	Suicide and its prevention among older adults. 2006 , 51, 143-54		52
189	Suicidal behaviour and cognitive problem solving therapy: theory, application and review. 2006 , 23, 29-32		3
188	Suicidality, depression, and mental health service use in Canada. 2006 , 51, 35-41		33
187	Self-harm in British South Asian women: psychosocial correlates and strategies for prevention. 2006 , 5, 7		28
186	Assessment and treatment of the youthful suicidal patient. 2001 , 932, 106-28; discussion 128-31		38

185	Depression is the core of suicidality--its treatment is the cure. 2006 , 114, 149-50	8
184	The Self-Injury Questionnaire: evaluation of the psychometric properties in a clinical population. 2006 , 13, 221-7	20
183	Can mainstream health services provide meaningful care for people who self-harm? A critical reflection. 2006 , 13, 429-36	19
182	The national suicide prevention strategy for England: the reality of a national strategy for the nursing profession. 2006 , 13, 641-50	21
181	Self-harm in the UK: differences between South Asians and Whites in rates, characteristics, provision of service and repetition. 2006 , 41, 782-8	52
180	Determinants of psychiatric hospitalization after attempted suicide. 2006 , 28, 424-30	35
179	Availability, content and quality of local guidelines for the assessment of suicide attempters in university and general hospitals in the Netherlands. 2006 , 28, 336-42	10
178	Psychosocial treatments of suicidal behaviors: a practice-friendly review. 2006 , 62, 161-70	93
177	Deliberate Self-Harm: Have We Scratched the Surface?. 2006 , 23, 186-199	8
176	Expert and lay explanations of suicidal behaviour: comparison of the general population's, suicide attempters', general practitioners' and psychiatrists' views. 2006 , 52, 535-51	7
175	Suicide and unemployment: what are the missing links?. <i>Archives of Suicide Research</i> , 2007 , 11, 327-35	2.3 28
174	Policy on the prevention of suicidal behaviour; one treatment for all may be an unrealistic expectation. 2007 , 100, 461-4	3
173	Two generations of Slovenian suicidal adolescent inpatients. 2007 , 53, 274-84	
172	The Green Card Clinic: overview of a brief patient-centred intervention following deliberate self-harm. 2007 , 15, 35-41	14
171	Suicide and deliberate self-harm. 245-269	1
170	Do antidepressants reduce suicide rates?. 2007 , 121, 274-7	25
169	Suicidality in people surviving a traumatic brain injury: prevalence, risk factors and implications for clinical management. 2007 , 21, 1335-51	119
168	Addressing suicidal ideations through the realization of meaningful personal goals. <i>Crisis</i> , 2007 , 28, 16-25.8	65

167	Cognitive-behavioral therapy for deliberate self-harm. <i>Crisis</i> , 2007 , 28, 175-82	2.8	31
166	Why do young people self-harm?. 2007 , 2, 20-23		
165	Policy on the prevention of suicidal behaviour; one treatment for all may be an unrealistic expectation. 2007 , 100, 461-464		6
164	The emergency department. 751-760		
163	Stopping Self-Harm Once and for All. 2007 , 191-213		3
162	Graphology for the diagnosis of suicide attempts: a blind proof of principle controlled study. 2007 , 61, 411-5		10
161	A controlled trial of personal construct psychotherapy for deliberate self-harm. 2007 , 80, 23-37		19
160	Cognitive Reactivity, Suicidal Ideation and Future Fluency: Preliminary Investigation of a Differential Activation Theory of Hopelessness/Suicidality. 2008 , 32, 83-104		106
159	Implementing clinical guidelines for self harm - highlighting key issues arising from the NICE guideline for self-harm. 2008 , 81, 377-97		9
158	Dialectical behaviour therapy for borderline personality disorder among adolescents and young adults: Pilot study, extending the research findings in new settings and cultures. 2008 , 12, 18-29		12
157	Early intervention and suicide prevention. 2008 , 2, 119-21		3
156	Prevention of Mental Disorders: Promises, Limitations, and Barriers. <i>Cognitive and Behavioral Practice</i> , 2008 , 15, 47-52	2.3	11
155	Life problems and deliberate self-harm: associations with gender, age, suicidal intent and psychiatric and personality disorder. <i>Journal of Affective Disorders</i> , 2008 , 109, 139-48	6.6	62
154	Safe in our hands?: a study of suicide and self-harm in asylum seekers. 2008 , 15, 235-44		83
153	[Epidemiology of drug poisoning in the Ramón y Cajal University Hospital during a year]. 2008 , 208, 432-6		3
152	Coma induced by intoxication. 2008 , 90, 175-91		5
151	Chapter 7; Depression and Anxiety. 2008 , 50, 151-189		4
150	Cognitive-behavioural intervention for self-harm: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2008 , 192, 202-11	5.4	128

149	Assessing risk and managing patients who deliberately self harm. 2008 , 69, M156-7		
148	Effectiveness of brief intervention and contact for suicide attempters: a randomized controlled trial in five countries. 2008 , 86, 703-9		285
147	Lost in translation: Art psychotherapy with patients presenting suicidal states. 2008 , 13, 2-12		2
146	Risk of suicide after suicide attempt according to coexisting psychiatric disorder: Swedish cohort study with long term follow-up. 2008 , 337, a2205		230
145	Understanding self-harm and suicide websites: a qualitative interview study of young adult website users. <i>Crisis</i> , 2008 , 29, 118-22	2.8	100
144	[Which are the recent clinical findings regarding the association between depression and suicide?]. 2009 , 31 Suppl 1, S18-25		21
143	The mystery of the well-attended group. A model of Personal Construct Therapy for adolescent self-harm and depression in a community CAMHS service. 2009 , 22, 347-359		2
142	A randomized controlled multicenter trial of post-suicide attempt case management for the prevention of further attempts in Japan (ACTION-J). 2009 , 9, 364		21
141	Suicide among Italian adolescents: 1970-2002. 2009 , 18, 525-33		19
140	'I can actually talk to them now': qualitative results of an educational intervention for emergency nurses caring for clients who self-injure. <i>Journal of Clinical Nursing</i> , 2009 , 18, 2838-45	3.2	21
139	The struggle to prevent and evaluate: application of population attributable risk and preventive fraction to suicide prevention research. 2009 , 39, 548-57		27
138	Chain of care for patients with intentional self-harm: an effective strategy to reduce suicide rates?. 2009 , 39, 614-22		4
137	Patterns and predictors of re-admission to hospital with self-poisoning in Scotland. 2009 , 123, 134-7		11
136	Deliberate self-harm in young people: attendance at a paediatric emergency department. 2009 , 26, 114-118		2
135	Prevention of suicide in ethnic minorities in the UK. 2009 , 2, 10-17		1
134	Interventions for self-harm: are we measuring outcomes in the most appropriate way?. <i>British Journal of Psychiatry</i> , 2010 , 197, 502-3; author reply 503	5.4	15
133	Six year follow-up of a clinical sample of self-harm patients. <i>Journal of Affective Disorders</i> , 2010 , 121, 247-52	6.6	44
132	Psychosocial assessment and repetition of self-harm: the significance of single and multiple repeat episode analyses. <i>Journal of Affective Disorders</i> , 2010 , 127, 257-65	6.6	62

131	Helping young people who self-harm: perspectives from England. 2010 , 23, 52-60	6
130	Suicide and self-harm. 2010 , 693-713	
129	Method of attempted suicide as predictor of subsequent successful suicide: national long term cohort study. 2010 , 341, c3222	229
128	The effect of referral for brief intervention for alcohol misuse on repetition of deliberate self-harm: an exploratory randomized controlled trial. 2010 , 40, 1821-8	27
127	Managing the unmanageable: Cognitive behaviour therapy for deliberate self-harm. 2010 , 24, 135-149	3
126	Group-based problem-solving therapy in self-poisoning females: A pilot study. 2010 , 10, 201-213	7
125	Clinical Care of Deliberate Self-Harm Patients: An Evidence-Based Approach. 2011 , 329-351	5
124	Risk assessment following self-harm: comparison of mental health nurses and psychiatrists. 2011 , 67, 127-39	15
123	Factors predictive of ten-year mortality in severe anorexia nervosa patients. 2011 , 123, 62-70	55
122	Chain of care for patients who have attempted suicide: a follow-up study from Bflum, Norway. 2011 , 11, 81	24
121	Te Ira Tangata: a Zelen randomised controlled trial of a treatment package including problem solving therapy compared to treatment as usual in Maori who present to hospital after self harm. 2011 , 12, 117	6
120	Can supervising self-harm be part of ethical nursing practice?. 2011 , 18, 79-87	13
119	Temporal trends in self harm and aggression on a paediatric mental health ward. 2011 , 19, 64-9	12
118	Preventing repetition of attempted suicide--II. The Amager project, a randomized controlled trial. 2011 , 65, 292-8	45
117	Effect of assertive outreach after suicide attempt in the AID (assertive intervention for deliberate self harm) trial: randomised controlled trial. 2012 , 345, e4972	50
116	Deliberate self-harm in adolescents aged 12-18: a cross-sectional survey of 18,104 students. 2012 , 42, 550-60	9
115	The European Psychiatric Association (EPA) guidance on suicide treatment and prevention. 2012 , 27, 129-41	187
114	Suicide attempt presentations at the emergency department: outcomes from a pilot study examining precipitating factors in deliberate self-harm and issues in primary care physician management. 2012 , 51, 66-76	8

113	Disorders of consciousness induced by intoxication. 2012 , 30, 359-84, x-xi		1
112	Psychotherapeutic approaches to non-suicidal self-injury in adolescents. 2012 , 6, 14		41
111	Help-seeking behavior among Japanese school students who self-harm: results from a self-report survey of 18,104 adolescents. 2012 , 8, 561-9		20
110	Post-Admission Cognitive Therapy: A Brief Intervention for Psychiatric Inpatients Admitted After a Suicide Attempt. <i>Cognitive and Behavioral Practice</i> , 2012 , 19, 233-244	2.3	48
109	Postoperative wound manipulation after self-mutilation in borderline personality disorder: a plastic reconstructive challenge. 2012 , 35, 257-263		1
108	Employing crisis postcards with case management in Kaohsiung, Taiwan: 6-month outcomes of a randomised controlled trial for suicide attempters. <i>BMC Psychiatry</i> , 2013 , 13, 191	4.2	12
107	Effectiveness of lithium in subjects with treatment-resistant depression and suicide risk: a protocol for a randomised, independent, pragmatic, multicentre, parallel-group, superiority clinical trial. <i>BMC Psychiatry</i> , 2013 , 13, 212	4.2	14
106	Post-therapy functional impairment as a treatment outcome measure in non-suicidal self-injury disorder using archival data. 2013 , 7, 69-79		6
105	Service user perspectives on psychosocial assessment following self-harm and its impact on further help-seeking: a qualitative study. <i>Journal of Affective Disorders</i> , 2013 , 145, 315-23	6.6	55
104	A systematic review of the literature on counselling and psychotherapy for the prevention of suicide: 1. Quantitative outcome and process studies. 2013 , 13, 164-183		10
103	Post-Admission Cognitive Therapy (PACT) for the Prevention of Suicide in Military Personnel With Histories of Trauma: Treatment Development and Case Example. 2013 , 12, 457-473		6
102	Contribution of plants and traditional medicines to the disparities and similarities in acute poisoning incidents in Botswana, South Africa and Uganda. 2014 , 11, 425-38		5
101	Recurrent self-harm. 2014 , 67-84		
100	Risk factors for repetition of self-harm: a systematic review of prospective hospital-based studies. <i>PLoS ONE</i> , 2014 , 9, e84282	3.7	81
99	Effectiveness of lithium in subjects with treatment-resistant depression and suicide risk: results and lessons of an underpowered randomised clinical trial. 2014 , 7, 731		15
98	Factors associated with self-cutting as a method of self-harm: findings from the Irish National Registry of Deliberate Self-Harm. 2014 , 24, 292-7		16
97	Intento de Suicidio en Adolescentes Mexicanos: Perspectiva desde el Consenso Cultural. 2014 , 4, 1446-1458		2
96	Can early follow-up after deliberate self-harm reduce repetition? A prospective study of 325 patients. <i>Journal of Affective Disorders</i> , 2014 , 152-154, 320-5	6.6	5

95	Switching suicide methods in order to achieve lethality: a study of Greek suicide victims. 2014 , 38, 438-42		9
94	Brief psychological intervention after self-harm: randomised controlled trial from Pakistan. <i>British Journal of Psychiatry</i> , 2014 , 204, 462-70	5.4	48
93	Group problem-solving skills training for self-harm: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2014 , 204, 383-90	5.4	17
92	Liver transplant for intentional acetaminophen overdose: a survey of transplant clinicians? experiences with recommendations. <i>Psychosomatics</i> , 2014 , 55, 602-12	2.6	6
91	Early Intervention for Self-Harm and Suicidality. 2014 , 255-266		0
90	Structured follow-up by general practitioners after deliberate self-poisoning: a randomised controlled trial. <i>BMC Psychiatry</i> , 2015 , 15, 245	4.2	9
89	Primary prevention of suicide and suicidal behaviour for adolescents in school settings. <i>The Cochrane Library</i> , 2015 ,	5.2	1
88	WITHDRAWN: Psychosocial and pharmacological treatments for deliberate self harm. <i>The Cochrane Library</i> , 2015 , CD001764	5.2	19
87	Interventions for self-harm in children and adolescents. <i>The Cochrane Library</i> , 2015 , CD012013	5.2	94
86	Early Intervention for Better Mental Health Services. 2015 , 1990-2010		5
85	Effect of Systematic Follow-Up by General Practitioners after Deliberate Self-Poisoning: A Randomised Controlled Trial. <i>PLoS ONE</i> , 2015 , 10, e0143934	3.7	13
84	Pharmacological interventions for self-harm in adults. <i>The Cochrane Library</i> , 2015 , CD011777	5.2	32
83	Short-term and long-term effects of psychosocial therapy for people after deliberate self-harm: a register-based, nationwide multicentre study using propensity score matching. <i>Lancet Psychiatry</i> , 2015 , 2, 49-58	23.3	58
82	Interventions to prevent repeat suicidal behavior in patients admitted to an emergency department for a suicide attempt: a meta-analysis. <i>Journal of Affective Disorders</i> , 2015 , 175, 66-78	6.6	78
81	Disobedient objects: Group Art Therapy for male patients with mild learning disabilities in a locked environment. <i>Group Analysis</i> , 2015 , 48, 16-37	1.4	0
80	Letters, green cards, telephone calls and postcards: systematic and meta-analytic review of brief contact interventions for reducing self-harm, suicide attempts and suicide. <i>British Journal of Psychiatry</i> , 2015 , 206, 184-90	5.4	114
79	Development of an Intervention for Nonsuicidal Self-Injury in Young Adults: An Open Pilot Trial. <i>Cognitive and Behavioral Practice</i> , 2015 , 22, 491-503	2.3	14
78	Neurocognitive dysfunction and pharmacological intervention using guanfacine in a rhesus macaque model of self-injurious behavior. <i>Translational Psychiatry</i> , 2015 , 5, e567	8.6	14

77	Does Insurance Matter? Implementing Dialectical Behavior Therapy with Two Groups of Youth Engaged in Deliberate Self-harm. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2015 , 42, 449-61	3.1	8
76	Mechanisms of brief contact interventions in clinical populations: a systematic review. <i>BMC Psychiatry</i> , 2016 , 16, 194	4.2	21
75	Dialectical behaviour therapy in an inpatient unit for women with a learning disability: Service users' perspectives. <i>Journal of Intellectual Disabilities</i> , 2016 , 20, 263-80	1.8	11
74	Psychosocial interventions following self-harm in adults: a systematic review and meta-analysis. <i>Lancet Psychiatry</i> , 2016 , 3, 740-750	23.3	109
73	Psychosocial interventions to prevent repeated self-harm. <i>Lancet Psychiatry</i> , 2016 , 3, 697-698	23.3	1
72	Royal Australian and New Zealand College of Psychiatrists clinical practice guideline for the management of deliberate self-harm. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016 , 50, 939-1000	2.6	81
71	Exploring the association of deliberate self-harm with emotional relief using a novel Implicit Association Test. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2016 , 7, 91-102	4.1	21
70	Profile differences between overdose and non-overdose suicide attempts in a multi-ethnic Asian society. <i>BMC Psychiatry</i> , 2016 , 16, 379	4.2	13
69	Brief Contact Interventions. 2016 , 466-479		0
68	Investigating the feasibility of an enhanced contact intervention in self-harm and suicidal behaviour: a protocol for a randomised controlled trial delivering a Social support and Wellbeing Intervention following Self Harm (SWISH). <i>BMJ Open</i> , 2016 , 6, e012043	3	2
67	Psychosocial interventions for self-harm in adults. <i>The Cochrane Library</i> , 2016 , CD012189	5.2	92
66	Management of Self-Harm Injuries in the Maxillofacial Region: A Report of 2 Cases and Review of the Literature. <i>Journal of Oral and Maxillofacial Surgery</i> , 2016 , 74, 1198.e1-9	1.8	3
65	Associations between self-harm and distinct types of impulsivity. <i>Psychiatry Research</i> , 2017 , 250, 10-16	9.9	4
64	Unveiling self-harm behaviour: what can social media site Twitter tell us about self-harm? A qualitative exploration. <i>Journal of Clinical Nursing</i> , 2017 , 26, 1690-1704	3.2	13
63	Patient Self-Harm in the Emergency Department: An Evidence- Based Approach. 2017 ,		2
62	References. 2017 , 278-313		
61	Using photo-elicitation to understand reasons for repeated self-harm: a qualitative study. <i>BMC Psychiatry</i> , 2018 , 18, 98	4.2	12
60	Is the association of deliberate self-harm with emotional relief stable or dependent on emotional context?. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2018 , 60, 61-68	2.6	2

59	Preliminary evaluation of an intensive integrated individual and family therapy model for self-harming adolescents. <i>BMC Psychiatry</i> , 2018 , 18, 371	4.2	4
58	Association between completed suicide and bipolar disorder: A systematic review of the literature. <i>Journal of Affective Disorders</i> , 2019 , 242, 111-122	6.6	83
57	Acceptability and feasibility pilot randomised controlled trial of medical skin camouflage for recovery of women prisoners with self-harm scarring (COVER): the study protocol. <i>BMJ Open</i> , 2019 , 9, e021891	3	1
56	Perfectionism and Social Problem Solving as Predictors of Nonsuicidal Self-Injury in Ethn racially Diverse College Students: Findings Controlling for Concomitant Suicide Risk. <i>Social Work</i> , 2019 , 64, 165-174	1.4	2
55	Self-Inflicted Injury-Canadian Hospitals Injury Reporting and Prevention Program (CHIRPP-SI): a new surveillance tool for detecting self-inflicted injury events in emergency departments. <i>Canadian Journal of Public Health</i> , 2019 , 110, 244-252	3.2	3
54	Psychosocial Interventions for People Who Self-Harm: Methodological Issues Involved in Trials to Evaluate Effectiveness. <i>Archives of Suicide Research</i> , 2020 , 24, S32-S93	2.3	12
53	Neurocognitive vulnerability to youth suicidal behavior. <i>Journal of Psychiatric Research</i> , 2020 , 131, 119-136	3.6	1
52	Body-focused repetitive behaviors and non-suicidal self-injury: A comparison of clinical characteristics and symptom features. <i>Journal of Psychiatric Research</i> , 2020 , 124, 115-122	5.2	5
51	Universal interventions for suicide prevention in high-income Organisation for Economic Co-operation and Development (OECD) member countries: a systematic review. <i>Injury Prevention</i> , 2021 , 27, 184-193	3.2	3
50	Risk factors for self-harm repetition in adolescents: A systematic review. <i>Clinical Psychology Review</i> , 2021 , 88, 102048	10.8	3
49	Cost-Effectiveness of a Culturally Adapted Manual-Assisted Brief Psychological Intervention for Self-Harm in Pakistan: A Secondary Analysis of the Culturally Adapted Manual-Assisted Problem-Solving Training Randomized Controlled Trial. <i>Value in Health Regional Issues</i> , 2021 , 25, 150-156	1.6	
48	The Rights To Die And The Duty To Save: A Reflection On Ethical Presuppositions In Suicide Research. 2008 , 353-373		3
47	Suicide Among South Asian Youth in America. 2018 , 83-97		2
46	Males with Non-suicidal Self-Injury and Eating Disorder: A Unique Approach. 2014 , 341-351		1
45	Treatment of Adolescent Suicide Attempters. 2003 , 295-321		6
44	Cognitive behavioral therapy after deliberate self-harm in adolescence. 2003 , 251-270		4
43	The cost of hospital care in the year before and after parasuicide. <i>Crisis</i> , 1999 , 20, 178-83	2.8	10
42	A description of a psychosocial/psychoeducational intervention for persons with recurrent suicide attempts. <i>Crisis</i> , 2002 , 23, 156-60	2.8	17

41	Problem-solving intervention for suicidal crises in the psychiatric emergency service. <i>Crisis</i> , 2003 , 24, 134-6	2.8	5
40	Assessment and aftercare for deliberate self-harm patients provided by a general hospital psychiatric service. <i>Crisis</i> , 2003 , 24, 145-50	2.8	5
39	Suicide prevention: a pragmatic review of recent studies. <i>Crisis</i> , 2005 , 26, 128-40	2.8	57
38	Reassessment of suicide attempters at home, shortly after discharge from hospital. <i>Crisis</i> , 2010 , 31, 303-10	2.8	8
37	Ethical issues relevant to the assessment of suicide risk in nonclinical research settings. <i>Crisis</i> , 2012 , 33, 54-9	2.8	5
36	A Pilot Study on the Efficacy of Volunteer Mentorship for Young Adults With Self-Harm Behaviors Using a Quasi-Experimental Design. <i>Crisis</i> , 2016 , 37, 415-426	2.8	5
35	Psychiatric Consultation and Referral of Persons Who Have Attempted Suicide. <i>Crisis</i> , 2017 , 38, 261-268	2.8	6
34	Strategies in suicide prevention. 2009 , 382-384		11
33	The psychological and behavioural treatment of suicidal behaviour. 2009 , 428-438		3
32	Suicide in children and adolescents in England and Wales 1970-1998. <i>British Journal of Psychiatry</i> , 2001 , 178, 469-74	5.4	59
31	A survey of admissions following self-poisoning. <i>Psychiatric Bulletin</i> , 2005 , 29, 305-308		3
30	Psychological treatment of suicidal patients. 2001 , 161-172		1
29	Empirically Supported Treatments and General Therapy Guidelines for Non-Suicidal Self-Injury. <i>Journal of Mental Health Counseling</i> , 2006 , 28, 166-185	1	115
28	Suicide and self-inflicted injury hospitalizations in Canada (1979 to 2014/15). <i>Health Promotion and Chronic Disease Prevention in Canada: Research, Policy and Practice</i> , 2016 , 36, 243-251	2.2	17
27	Vers une approche intégrative et multi-systémique de l'adolescent suicidant et de sa famille. <i>Thérapie Familiale</i> , 2010 , 31, 133	0.2	2
26	Self-wounding: a literature review. <i>Mental Health Practice</i> , 2003 , 6, 35-37	0.4	14
25	Parasuizid. 2000 , 247-272		
24	Suizidalität im Alter. 2000 , 647-653		

23 Suizidalit . **2000**, 137-148

22 Parasuicide. **2001**, 1957-1973

21  Afecta el contacto telef nico con los pacientes en el a  posterior a un intento de suicido a la asistencia al tratamiento y la evoluci ? Un estudio controlado distribuido al azar. *European Psychiatry (Ed Espa ola)*, **2002**, 9, 380-389

20 Self harm. **2003**, 267-275

19 Self-poisoning. *Psychiatric Bulletin*, **2005**, 29, 472-472

18 Older Adults at Risk for Suicide. **2006**, 149-161

17 Suizidalit . **2008**, 2283-2308

1

16 Cognitive treatment of suicidal adults. **2009**, 414-420

15 Innovative psychosocial rehabilitation of suicidal young people. **2009**, 686-690

14 Why are we not getting any closer to preventing suicide?. **2009**, 141-146

13 Suicide. **2010**, 1463-1471

12 Understanding adolescents' self injurious behaviors: A review of the literature. *The Korea Journal of Youth Counseling*, **2010**, 18, 1-24

0 3

11 Suicide and deliberate self-harm. **2012**, 335-348

10 Impulse control disorders. **2012**, 911-919

9 References. **2013**, 263-281

8 Suicide and Attempted Suicide. 413-431

7 A multicentre programme of clinical and public health research in support of the National Suicide Prevention Strategy for England. *Programme Grants for Applied Research*, **2013**, 1, 1-216

1.5 2

6 Intensive supportive ambulatory aftercare may increase adherence to treatment and decrease depressive symptoms in patients after a suicide attempt. *French Journal of Psychiatry*, **2020**, 2-4, 39-47

0.1

5	Unmet Needs in Psychiatry: Bipolar Depression. 2020 , 39-82		2
4	Cost-Effectiveness of a Culturally Adapted Manual-Assisted Brief Psychological Intervention for Self-Harm in Pakistan: A Secondary Analysis of the Culturally Adapted Manual-Assisted Brief Psychological Randomized Controlled Trial. <i>Value in Health Regional Issues</i> , 2021 , 27, 65-71	1.6	0
3	Psychological therapies and non-suicidal self-injury in LGBTIQ in accident and emergency departments in the UK: a scoping review. 1-9		
2	Suicide Prevention Among Elderly. 2022 , 1-23		0
1	Suicide Prevention Among Elderly. 2022 , 443-465		0