

# CITATION REPORT

List of articles citing

## Quantitative Analysis of Silicate Glass in Ceramic Materials by the Rietveld Method

DOI: [10.4028/www.scientific.net/msf.278-281.87](https://doi.org/10.4028/www.scientific.net/msf.278-281.87)  
Materials Science Forum, 1998, 278-281, 87-92.

**Source:** <https://exaly.com/paper-pdf/29355984/citation-report.pdf>

**Version:** 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
165	The invariant laws of the amorphization processes by mechanical alloying. <b>2001</b> , 81, 1917-1937		83
164	Glow-discharge nitriding of sintered stainless steels. <b>2001</b> , 139, 251-256		60
163	Air treatment of pure titanium by furnace and glow-discharge processes. <b>2001</b> , 141, 103-107		40
162	Determina de fase vrea em bauxitas refratrias. <i>Ceramica</i> , <b>2002</b> , 48, 61-69	1	18
161	Influence of the treatment atmosphere on the characteristics of glow-discharge treated sintered stainless steels. <b>2002</b> , 149, 192-197		9
160	Cu/MgO Samples Prepared by Mechanochemistry for Catalytic Application. <b>2002</b> , 206, 71-81		34
159	Glow-discharge nitriding and post-oxidising treatments of AISI H11 steel. <b>2003</b> , 162, 61-66		48
158	Combination of mechanochemical activation and self-propagating behaviour for the synthesis of Ti aluminides. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2003</b> , 361, 23-28	5.3	31
157	Investigation of SiCO glasses synthesized with extensive ball milling. <i>Journal of Non-Crystalline Solids</i> , <b>2003</b> , 319, 117-128	3.9	8
156	Pyrolysis pathway of sol-gel derived organic/inorganic hybrid nanocomposites. <i>Journal of Non-Crystalline Solids</i> , <b>2003</b> , 322, 22-28	3.9	8
155	Quantitative analysis of iron oxide particles embedded in an amorphous xerogel matrix. <i>Journal of Non-Crystalline Solids</i> , <b>2003</b> , 325, 251-257	3.9	18
154	Compositional effects on the mechanochemical synthesis of Fe/Ti and Cu/Ti amorphous alloys by mechanical alloying. <i>Journal of Alloys and Compounds</i> , <b>2003</b> , 352, 92-98	5.7	14
153	Mechanochemical study of the hydriding properties of nanostructured Mg <sub>2</sub> Ni/Ti composites. <b>2004</b> , 19, 3279-3289		26
152	Sol-gel synthesis of polymer-YSZ hybrid materials for SOFC technology. <i>Journal of the European Ceramic Society</i> , <b>2004</b> , 24, 1371-1374	6	25
151	Mechanical work and conversion degree in mechanically induced processes. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2004</b> , 382, 280-287	5.3	72
150	Glow-discharge and furnace treatments of Ti-6Al-4V. <b>2004</b> , 184, 255-262		53
149	Mechanical processing and self-sustaining high-temperature synthesis of TiC powders. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2004</b> , 375-377, 800-803	5.3	31

148	Controlled Reduction of NiO Using Reactive Ball Milling under Hydrogen Atmosphere Leading to Ni/NiO Nanocomposites. <b>2004</b> , 16, 5664-5669		38
147	Optimized Synthesis of the Elusive $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> Phase via Sol-Gel Chemistry. <b>2004</b> , 16, 5542-5548		117
146	YSZ freestanding films from hybrid polymer/oxide composites by the sol-gel process: Influence of polymer features on ceramic microstructure. <i>Journal of the European Ceramic Society</i> , <b>2005</b> , 25, 2647-2650	6	3
145	Diclofenac-beta-cyclodextrin binary systems: physicochemical characterization and in vitro dissolution and diffusion studies. <b>2005</b> , 6, E464-72		45
144	Improvement of wear resistance of Ti-6Al-4V alloy by means of thermal oxidation. <i>Materials Letters</i> , <b>2005</b> , 59, 2159-2162	3-3	101
143	In vitro interaction between surface-treated Ti-6Al-4V titanium alloy and human peripheral blood mononuclear cells. <b>2005</b> , 74, 197-207		19
142	Linking the flame-retardant mechanisms of an ethylene-acrylate copolymer, chalk and silicone elastomer system with its intumescent behaviour. <b>2005</b> , 29, 407-423		23
141	Kinetics of structural evolution in immiscible Ag-Cu and Co-Cu systems under mechanical processing conditions. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2005</b> , 402, 208-214	5-3	18
140	Structural and Microstructural Evolution During Pyrolysis of Hybrid Polydimethylsiloxane-Titania Nanocomposites. <b>2005</b> , 34, 53-62		37
139	Simultaneous spark plasma synthesis and consolidation of WC/Co composites. <b>2005</b> , 20, 734-741		19
138	Thermodynamic properties and absorption-desorption kinetics of Mg <sub>87</sub> Ni <sub>10</sub> Al <sub>3</sub> alloy synthesised by reactive ball milling under H <sub>2</sub> atmosphere. <i>Journal of Alloys and Compounds</i> , <b>2005</b> , 404-406, 27-30	5-7	17
137	Luminescence Properties of Neodymium-Doped Yttrium Aluminium Garnet Obtained by the Co-Precipitation Method Combined with the Mechanical Process. <b>2005</b> , 106, 7-16		17
136	Wear behaviour of iron boride coatings produced by VPS technique on carbon steels. <b>2006</b> , 260, 825-831		18
135	Quantitative Analysis of Crystalline and Amorphous Phases in Glass-Ceramic Composites Like LTCC by the Rietveld Method. <i>Journal of the American Ceramic Society</i> , <b>2006</b> , 89, 2632-2637	3-8	51
134	Crystallite size refinement in elemental species under mechanical processing conditions. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2006</b> , 422, 198-204	5-3	24
133	Improvement of wear and corrosion resistance of RPS Ti/TiN coatings by means of thermal oxidation. <b>2006</b> , 200, 3650-3655		22
132	On the formation of expanded austenite during plasma nitriding of an AISI 316L austenitic stainless steel. <b>2006</b> , 201, 4215-4218		93
131	Sliding wear resistance of reactive plasma sprayed Ti/TiN coatings. <b>2006</b> , 260, 832-837		20

130	Structural analysis of barium hexaferrite embedded in an amorphous matrix. <i>Materials Letters</i> , <b>2006</b> , 60, 1076-1079	3.3	5
129	A study by thermal treatment and X-ray powder diffraction on burnt fragmented bones from tombs II, IV and IX belonging to the hypogeic necropolis of Sa Figuṽhear Ittiri, Sassari (Sardinia, Italy). <b>2007</b> , 34, 1731-1737		34
128	Stabilization of metastable phases in spatially restricted fields: the case of the Fe <sub>2</sub> O <sub>3</sub> polymorphs. <b>2007</b> , 136, 345-54; discussion 395-407		48
127	High temperature behaviour of NiCrAlY coatings made by laser cladding. <b>2008</b> , 202, 2208-2213		39
126	Electrochemical performance of mechanically treated SnO <sub>2</sub> powders for OER in acid solution. <b>2008</b> , 38, 907-913		29
125	Nexus, crystallographic computing all around the world. <b>2008</b> , 64, 214-7		
124	Anthropological and physicochemical investigation of the burnt remains of Tomb IX in the Sa Figuṽ hypogeal necropolis (Sassari, Italy) [Early Bronze Age. <b>2008</b> , 18, 167-177		9
123	A combined experimental and numerical approach to the kinetics of mechanically induced phase transformations. <i>Acta Materialia</i> , <b>2008</b> , 56, 905-912	8.4	26
122	A mechanistic study of Ag <sub>50</sub> Cu <sub>50</sub> solid solution formation by mechanical alloying. <i>Acta Materialia</i> , <b>2008</b> , 56, 2344-2352	8.4	41
121	Kinetics of allotropic phase transformation in cobalt powders undergoing mechanical processing. <i>Scripta Materialia</i> , <b>2008</b> , 58, 126-129	5.6	26
120	Mechanochemical hydrogenation of ZrCuAlNi based powders. <i>Journal of Alloys and Compounds</i> , <b>2008</b> , 454, 83-88	5.7	3
119	Mechanochemical hydrogenation of ZrCuAlNi based powders. <i>Journal of Alloys and Compounds</i> , <b>2008</b> , 455, 106-112	5.7	2
118	Weakness of the hot spots approach to the kinetics of mechanically induced phase transformations. <i>Journal of Alloys and Compounds</i> , <b>2008</b> , 465, 540-546	5.7	14
117	A new calibration of the XRD technique for the study of archaeological burned human remains. <b>2008</b> , 35, 2171-2178		79
116	Analysis of crystallization behavior of Fe <sub>48</sub> Cr <sub>15</sub> Mo <sub>14</sub> Y <sub>2</sub> C <sub>15</sub> B <sub>6</sub> bulk metallic glass by synchrotron radiation. <b>2008</b> , 23, 2166-2173		14
115	Hydrogen desorption mechanism of 2NaBH <sub>4</sub> +MgH <sub>2</sub> composite prepared by high-energy ball milling. <i>Scripta Materialia</i> , <b>2009</b> , 60, 1129-1132	5.6	61
114	A structure investigation of Pt-Co bimetallic catalysts fabricated by mechanical alloying. <i>Materials Chemistry and Physics</i> , <b>2009</b> , 114, 227-234	4.4	9
113	Mechanochemical effects in the formation of Ag <sub>50</sub> Cu <sub>50</sub> solid solutions by mechanical alloying. <i>Materials Chemistry and Physics</i> , <b>2009</b> , 115, 641-644	4.4	4

112	Drug mechanochemical activation. <b>2009</b> , 98, 3961-86		109
111	Mechanochemical synthesis and electrochemical properties of nanostructured electrode materials for Li ion batteries. <b>2009</b> , 13, 239-243		9
110	On the controversial formation of silver diboride: Processing of Ag + 2B powders by spark plasma sintering. <b>2009</b> , 469, 1991-1995		5
109	Nanostructured bimetallic alloys prepared via mechanochemical synthesis as PEMFC electrocatalysts for automotive applications. <b>2009</b> , 39, 2115-2121		
108	The potential of X-ray diffraction in the analysis of burned remains from forensic contexts. <i>Journal of Forensic Sciences</i> , <b>2009</b> , 54, 534-9	1.8	51
107	Polymer-derived mullite $\beta$ -SiC-based nanocomposites. <i>Journal of the European Ceramic Society</i> , <b>2009</b> , 29, 3079-3090	6	40
106	Hydrogenation of carbon monoxide under mechanical activation conditions. <b>2009</b> , 366, 201-205		13
105	Highly Active Photocatalytic TiO <sub>2</sub> Powders Obtained by Thermohydrolysis of TiCl <sub>4</sub> in Water. <b>2009</b> , 113, 15166-15174		151
104	A mechanistic study of TiO <sub>2</sub> anatase-to-rutile phase transformation under mechanical processing conditions. <i>Journal of Alloys and Compounds</i> , <b>2009</b> , 468, 22-27	5.7	23
103	A phenomenological microscopic view of chemical reactivity of nanocrystalline materials under shear. <i>Journal of Alloys and Compounds</i> , <b>2009</b> , 483, 642-644	5.7	2
102	The influence of mechanical processing on the photoelectrochemical behaviour of TiO <sub>2</sub> powders. <i>Journal of Alloys and Compounds</i> , <b>2009</b> , 477, 583-587	5.7	6
101	An X-ray Diffraction (XRD) and X-ray Fluorescence (XRF) investigation in human and animal fossil bones from Holocene to Middle Triassic. <b>2009</b> , 36, 1857-1868		58
100	Mesoporous NiCo <sub>2</sub> O <sub>4</sub> Spinel: Influence of Calcination Temperature over Phase Purity and Thermal Stability. <i>Crystal Growth and Design</i> , <b>2009</b> , 9, 4814-4821	3.5	67
99	Structural and mechanistic inferences in the mechanochemical synthesis of nanostructured Ni-Sn and Co-Sn alloys. <b>2009</b> , 144, 012025		2
98	Structural and luminescence properties of europium(III)-doped zirconium carbonates and silica-supported Eu <sup>3+</sup> -doped zirconium carbonate nanoparticles. <b>2010</b> , 12, 993-1002		15
97	Cremation practices coexisting at the S'illot des Porros Necropolis during the Second Iron Age in the Balearic Islands (Spain). <b>2010</b> , 61, 440-52		14
96	A funerary rite study of the Phoenician-Punic necropolis of Mount Sirai (Sardinia, Italy). <b>2010</b> , 20, 144-157		13
95	Quantitative mineralogical composition of complex mineral wastes--contribution of the Rietveld method. <b>2010</b> , 30, 378-88		60

94	Microstructural study of the LiBH <sub>4</sub> /MgH <sub>2</sub> reactive hydride composite with and without Ti-isopropoxide additive. <i>Acta Materialia</i> , <b>2010</b> , 58, 5683-5694	8.4	65
93	Estrutura e propriedades do $\alpha\beta$ inoxidável austenítico AISI 316L Grau ASTM F138 nitretado sob plasma $\beta$ baixa temperatura. <b>2010</b> , 63, 137-141		4
92	Hydrogen Sorption Properties of the Complex Hydride Mg <sub>2</sub> FeH <sub>6</sub> Consolidated by HPT. <i>Materials Science Forum</i> , <b>2010</b> , 667-669, 1053-1058	0.4	3
91	Kinetic processes and mechanisms of mechanical alloying. <b>2010</b> , 92-110		4
90	Rietveld texture analysis from TOF neutron diffraction data. <b>2010</b> , 25, 283-296		140
89	Amorphisation of Cr <sub>10</sub> Co mixture by mechanical alloying. <i>Journal of Non-Crystalline Solids</i> , <b>2010</b> , 356, 1052-1056	3.9	25
88	TiO <sub>2</sub> photocatalysts prepared by thermohydrolysis of TiCl <sub>4</sub> in aqueous solutions. <b>2010</b> , 175, 225-228		5
87	A multi-technique approach by XRD, XRF, FT-IR to characterize the diagenesis of dinosaur bones from Spain. <b>2011</b> , 310, 92-107		61
86	Relation between conductance, photoluminescence bands and structure of ITO nanoparticles prepared by various chemical methods. <b>2011</b> , 6, 429		10
85	Thermodynamic and Kinetic Investigations on Pure and Doped NaBH <sub>4</sub> /MgH <sub>2</sub> System. <b>2011</b> , 115, 3151-3162		45
84	Influence of curing temperature on the evolution of magnesium oxychloride cement. <i>Journal of Materials Science</i> , <b>2011</b> , 46, 6726-6733	4.3	70
83	A few details of the austenite to martensite phase transformation in 304 stainless steel powders under mechanical processing. <i>Acta Materialia</i> , <b>2011</b> , 59, 2069-2074	8.4	24
82	Hydrogenation of carbon monoxide over nanostructured systems: A mechanochemical approach. <b>2011</b> , 257, 8165-8170		12
81	2Mg-Fe Alloy Processed by Hot Extrusion: Influence of Particle Size and Extrusion Reduction Ratio on Hydrogenation Properties. <i>Materials Science Forum</i> , <b>2011</b> , 691, 3-9	0.4	2
80	Amorphous Al <sub>1-x</sub> Ti <sub>x</sub> , Al <sub>1-x</sub> V <sub>x</sub> , and Al <sub>1-x</sub> Fe <sub>x</sub> phases in the hydrogen cycled TiCl <sub>3</sub> , VCl <sub>3</sub> and FeCl <sub>3</sub> enhanced NaAlH <sub>4</sub> systems. <i>Journal of Alloys and Compounds</i> , <b>2012</b> , 521, 112-120	5.7	12
79	Quantitative Phase Analysis: Method Developments. <b>2012</b> , 233-242		1
78	Formation of a Al <sub>50</sub> Fe <sub>50</sub> solid solution by mechanical alloying. <i>Materials Chemistry and Physics</i> , <b>2012</b> , 133, 500-506	4.4	2
77	On the role of mechanical properties in the early stages of the mechanical alloying of Ag <sub>50</sub> Cu <sub>50</sub> powder mixtures. <i>Scripta Materialia</i> , <b>2012</b> , 67, 104-107	5.6	6

76	Are processing conditions similar in ball milling and high-pressure torsion? The case of the tetragonal-to-monoclinic phase transition in ZrO <sub>2</sub> powders. <i>Scripta Materialia</i> , <b>2012</b> , 67, 340-343	5.6	25
75	Deformation conditions for Ni powders undergoing mechanical processing. <b>2012</b> , 73, 770-776		4
74	Mechanical processing of Fe powders. <i>Journal of Materials Science</i> , <b>2012</b> , 47, 4757-4762	4.3	7
73	Crystallization of inorganic silica based on interaction between polyimide and silica by sol-gel method. <b>2013</b> , 66, 193-198		2
72	The Decomposition of Ag Oxalate in Ball Drop, Rod Drop, and Ball Milling Experiments: A Tentative Estimation of the Volume of Trapped Powder. <b>2013</b> , 44, 166-174		2
71	Formation of metastable solid solutions by mechanical alloying of immiscible Ag and Bi. <i>Journal of Alloys and Compounds</i> , <b>2013</b> , 576, 80-85	5.7	12
70	Electronic conductivity of vanadium-tellurite glass-ceramics. <i>Journal of Non-Crystalline Solids</i> , <b>2013</b> , 378, 196-200	3.9	25
69	Surface area effects on the early stages of the mechanical alloying of Ag <sub>50</sub> Cu <sub>50</sub> powder mixtures. <i>Journal of Alloys and Compounds</i> , <b>2013</b> , 581, 298-302	5.7	2
68	Anatase-to-Rutile Phase Transition in TiO <sub>2</sub> Nanoparticles Irradiated by Visible Light. <b>2013</b> , 117, 7850-7857		92
67	Quantitative Rietveld analysis of the crystalline and amorphous phases in coal fly ashes. <b>2013</b> , 105, 314-317		38
66	Nanocasting of Mesoporous In-TM (TM = Co, Fe, Mn) Oxides: Towards 3D Diluted-Oxide Magnetic Semiconductor Architectures. <b>2013</b> , 23, 900-911		35
65	A systematic investigation of the mechanochemical decomposition of Ag oxalate in rod drop experiments. <i>Journal of Alloys and Compounds</i> , <b>2013</b> , 554, 426-431	5.7	9
64	Quantitative firing transformations of a triaxial ceramic by X-ray diffraction methods. <i>Ceramica</i> , <b>2014</b> , 60, 524-531	1	16
63	On the Electrodeposition of Niobium from 1-Butyl-1-Methylpyrrolidinium Bis(trifluoromethylsulfonyl)imide at Conductive Diamond Substrates. <i>Electrocatalysis</i> , <b>2014</b> , 5, 16-22	2.7	13
62	Kinetics of nanoporous Au formation by chemical dealloying. <i>Scripta Materialia</i> , <b>2014</b> , 76, 57-60	5.6	12
61	Crystallization, phase evolution and corrosion of Fe-based metallic glasses: An atomic-scale structural and chemical characterization study. <i>Acta Materialia</i> , <b>2014</b> , 71, 20-30	8.4	47
60	Mechanochemistry of TiO <sub>2</sub> powder mixtures. <i>Acta Materialia</i> , <b>2014</b> , 80, 435-444	8.4	42
59	Thermophysical characterization of Mg <sub>51</sub> Zn eutectic metal alloy: A phase change material for thermal energy storage in direct steam generation applications. <i>Energy</i> , <b>2014</b> , 72, 414-420	7.9	58



58	Reduction of grain size in metals and metal mixtures processed by ball milling. <i>Scripta Materialia</i> , <b>2014</b> , 88, 9-12	5.6	15
57	Hydrogen storage properties of 2MgBe after the combined processes of hot extrusion and cold rolling. <i>Journal of Alloys and Compounds</i> , <b>2014</b> , 586, S409-S412	5.7	12
56	Quantitative Phase Analysis by the Rietveld Method for Forensic Science. <i>Journal of Forensic Sciences</i> , <b>2015</b> , 60, 1040-5	1.8	4
55	Nanocrystalline yttria: Grain growth depression by thermal annealing in air. <i>Scripta Materialia</i> , <b>2015</b> , 104, 33-36	5.6	0
54	Compositional Development as a Function of Spray Distance in Unshrouded/Shrouded Plasma-Sprayed Cr <sub>3</sub> C <sub>2</sub> -NiCr Coatings. <i>Journal of Thermal Spray Technology</i> , <b>2015</b> , 24, 515-533	2.5	12
53	Coarsening of nanoporous Au: Relationship between structure and mechanical properties. <i>Acta Materialia</i> , <b>2015</b> , 99, 29-38	8.4	34
52	Volcanic ash as flux in clay based triaxial ceramic materials, effect of the firing temperature in phases and mechanical properties. <i>Ceramics International</i> , <b>2015</b> , 41, 6169-6177	5.1	28
51	Processing, Mechanical and Optical Properties of Additive-Free ZrC Ceramics Prepared by Spark Plasma Sintering. <i>Materials</i> , <b>2016</b> , 9,	3.5	8
50	Microstructure Characterization of Some Quantum Dots Synthesized by Mechanical Alloying. <b>2016</b> , 385-423		2
49	Extended and local structural description of a kaolinitic clay, its fired ceramics and intermediates: An XRD and XANES analysis. <i>Applied Clay Science</i> , <b>2016</b> , 124-125, 39-45	5.2	20
48	Combined X-ray diffraction and fluorescence analysis in the cultural heritage field. <i>Microchemical Journal</i> , <b>2016</b> , 126, 423-430	4.8	14
47	Continuous-Flow O-Alkylation of Biobased Derivatives with Dialkyl Carbonates in the Presence of Magnesium-Aluminium Hydrotalcites as Catalyst Precursors. <i>ChemSusChem</i> , <b>2017</b> , 10, 1571-1583	8.3	10
46	Structural characterization and magnetic properties of Al <sub>82</sub> Fe <sub>16</sub> TM <sub>2</sub> (TM: Ti, Ni, Cu) alloys prepared by mechanical alloying. <i>Journal of Non-Crystalline Solids</i> , <b>2017</b> , 468, 67-73	3.9	3
45	Influence of Al <sub>2</sub> O <sub>3</sub> content on crystallization behaviors of blast furnace slags in directional solidification process. <i>International Journal of Heat and Mass Transfer</i> , <b>2017</b> , 113, 286-294	4.9	12
44	Titanium diboride ceramics for solar thermal absorbers. <i>Solar Energy Materials and Solar Cells</i> , <b>2017</b> , 169, 313-319	6.4	51
43	Kinetic study of the magnesium oxychloride cement cure reaction. <i>Journal of Materials Science</i> , <b>2017</b> , 52, 7637-7646	4.3	16
42	Potentially harmful elements released by volcanic ashes: Examples from the Mediterranean area. <i>Journal of Volcanology and Geothermal Research</i> , <b>2017</b> , 337, 16-28	2.8	11
41	Phase Change Cooling and Crystallization Characteristics of Blast Furnace Slags with Various MgO/Al <sub>2</sub> O <sub>3</sub> Ratios. <i>Energy &amp; Fuels</i> , <b>2017</b> , 31, 10212-10221	4.1	8



40	Effect of sintering parameters using the central composite design method, electronic structure and physical properties of yttria-partially stabilized ZrO <sub>2</sub> commercial ceramics. <i>Materials Science-Poland</i> , <b>2017</b> , 35, 225-238	0.6	1
39	Effect of low NiO doping on anomalous light scattering in zinc aluminosilicate glass-ceramics. <i>Journal of Non-Crystalline Solids</i> , <b>2017</b> , 473, 152-169	3.9	9
38	Gyroidal structures as approximants to nanoporous metal foams: clues from mechanical properties. <i>Journal of Materials Science</i> , <b>2017</b> , 52, 1106-1122	4.3	20
37	Fabrication and microstructural characterization of the novel optical ceramic consisting of $\gamma$ -Al <sub>2</sub> O <sub>3</sub> @amorphous alumina nanocomposite core/shell structure. <i>Journal of the European Ceramic Society</i> , <b>2018</b> , 38, 3297-3304	6	7
36	Anatase and rutile in evonik aerioxide P25: Heterojunctioned or individual nanoparticles?. <i>Catalysis Today</i> , <b>2018</b> , 300, 12-17	5.3	105
35	Nanoporous Au Foams: Variation of effective Young's modulus with ligament size. <i>Scripta Materialia</i> , <b>2018</b> , 144, 22-26	5.6	14
34	A comprehensive study on compositional and structural changes in 45S5 bioglass products exposed to simulated body fluid. <i>Journal of the American Ceramic Society</i> , <b>2018</b> , 101, 116-130	3.8	8
33	Microlite orientation in obsidian flow measured by synchrotron X-ray diffraction. <i>Contributions To Mineralogy and Petrology</i> , <b>2018</b> , 173, 1	3.5	4
32	Far from the equilibrium crystallization of oxide quantum dots in dried inorganic gels. <i>Journal Physics D: Applied Physics</i> , <b>2018</b> , 51, 255303	3	
31	Effect of Flame Spray Deposition Parameters on The Microstructure of Al <sub>2</sub> O <sub>3</sub> - 13 %TiO <sub>2</sub> Coatings Applied Onto 7075 Aluminum Alloy. <i>Materials Research</i> , <b>2018</b> , 21,	1.5	8
30	Synergistic interplay of Zn and Rh-Cr promoters on GaO based photocatalysts for water splitting. <i>Physical Chemistry Chemical Physics</i> , <b>2018</b> , 20, 23515-23521	3.6	3
29	Silica coated hard-magnetic strontium hexaferrite nanoparticles. <i>Advanced Powder Technology</i> , <b>2019</b> , 30, 1976-1984	4.6	10
28	Application of Rietveld Refinement and Williamson Hall Analysis in Ultra-Low Carbon to High Carbon Steels. <i>Materials Science Forum</i> , <b>2019</b> , 969, 3-8	0.4	
27	Compatible Ag Complex-Assisted Ultrafine Copper Pattern Deposition on Poly(ethylene terephthalate) Film with Micro Inkjet Printing. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 44811-44819	8.5	17
26	The role of alkaline activation in the structural transformations of aluminosiliceous industrial wastes towards zeolite production. <i>Materials Today Communications</i> , <b>2019</b> , 21, 100624	2.5	9
25	Solid-state phase transformation in a lithium disilicate-based glass-ceramic. <i>Journal of Non-Crystalline Solids</i> , <b>2019</b> , 513, 9-14	3.9	5
24	Revisiting structural and photocatalytic properties of g-C <sub>3</sub> N <sub>4</sub> /TiO <sub>2</sub> : Is surface modification of TiO <sub>2</sub> by calcination with urea an effective route to Solar photocatalyst?. <i>Catalysis Today</i> , <b>2019</b> , 335, 252-261	5.3	25
23	Analysis of the micro and substructural evolution during severe plastic deformation of ARMCO iron and consequences in mechanical properties. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2019</b> , 740-741, 108-120	5.3	28

22	Spark plasma sintered CaO-rich bioglass-derived glass-ceramics with different crystallinity ratios: A detailed investigation of their behaviour during biological tests in SBF. <i>Journal of the European Ceramic Society</i> , <b>2019</b> , 39, 1603-1612	6	2
21	Magnetic Properties and the Electronic Structure of the GdT <sub>b</sub> Co Compound. <i>Materials</i> , <b>2020</b> , 13,	3.5	0
20	X-ray analysis and Rietveld refinement of polyvinyl alcohol. <i>Materials Letters</i> , <b>2020</b> , 265, 127434	3.3	5
19	Enhanced Solar Light Photocatalytic Activity of Ag Doped TiO-AgPO Composites. <i>Nanomaterials</i> , <b>2020</b> , 10,	5.4	20
18	Plasma Spraying of CaCO <sub>3</sub> Coatings from Oyster and Mussel Shell. <i>Journal of Thermal Spray Technology</i> , <b>2020</b> , 29, 1144-1171	2.5	1
17	Carbide dissolution in WC-17Co thermal spray coatings: Part 1-project concept and as-sprayed coatings. <i>Journal of Alloys and Compounds</i> , <b>2021</b> , 856, 157464	5.7	6
16	Deep insight into phase transition and crystallization of high temperature molten slag during cooling: A review. <i>Applied Thermal Engineering</i> , <b>2021</b> , 184, 116260	5.8	3
15	Influence of the Spark Plasma Sintering temperature on the structure and dielectric properties of BaTi(1-x)ZrxO <sub>3</sub> ceramics. <i>Ceramics International</i> , <b>2021</b> , 47, 3614-3625	5.1	6
14	A Simple Ball Milling and Thermal Oxidation Method for Synthesis of ZnO Nanowires Decorated with Cubic ZnO Nanoparticles. <i>Nanomaterials</i> , <b>2021</b> , 11,	5.4	2
13	Structural changes and pseudo-piezoelectric behaviour of field assisted sintered calcium titanate. <i>Materialia</i> , <b>2021</b> , 15, 100998	3.2	3
12	Fabrication and Characterization of Quinary High Entropy-Ultra-High Temperature Diborides. <i>Ceramics</i> , <b>2021</b> , 4, 108-120	1.7	2
11	Thermally induced metallurgical transformations in WC-17Co thermal spray coatings as a function of carbide dissolution: Part 2 - Heat-treated coatings. <i>International Journal of Refractory Metals and Hard Materials</i> , <b>2021</b> , 96, 105486	4.1	5
10	Direct gas phase synthesis of amorphous Si/C nanoparticles as anode material for lithium ion battery. <i>Journal of Alloys and Compounds</i> , <b>2021</b> , 870, 159315	5.7	5
9	Unveiling the Formation Mechanism and Phase Purity Control of Nanostructured Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> via a Hydrothermal Process. <i>Crystal Growth and Design</i> , <b>2021</b> , 21, 5440-5450	3.5	2
8	Structure and anomalous light scattering of Er-doped transparent glass-ceramics containing ZnO nanocrystals. <i>Journal of Non-Crystalline Solids</i> , <b>2021</b> , 571, 121067	3.9	3
7	Influence of vacancy defect on the structural and optical properties of hexagonal barium titanate ceramics: Experimental and theoretical analysis. <i>Materials Letters</i> , <b>2021</b> , 304, 130582	3.3	0
6	Thermally induced metallurgical processes in Cr <sub>3</sub> C <sub>2</sub> -NiCr thermal spray coatings as a function of carbide dissolution. <i>Journal of Alloys and Compounds</i> , <b>2017</b> , 728, 445-463	5.7	23
5	Full-profile search-match by the Rietveld method. <i>Journal of Applied Crystallography</i> , <b>2019</b> , 52, 587-598	3.8	21

4	Evaluation of Non Crystalline Phase in AZS Refractories by XRD Methods. <i>New Journal of Glass and Ceramics</i> , <b>2011</b> , 01, 28-33	0.6	9
3	Distinct chemical and mineralogical composition of Icelandic dust compared to northern African and Asian dust. <i>Atmospheric Chemistry and Physics</i> , <b>2020</b> , 20, 13521-13539	6.8	9
2	Transparent materials based on semiconducting ZnO: glass-ceramics and optical ceramics doped with rare-earth and transition-metal ions. <i>Journal of Non-Crystalline Solids</i> , <b>2022</b> , 588, 121625	3.9	0
1	Hydration resistance and mechano-physical properties improvement of a magnesia-dolomite dense refractory by hercynite spinel. <i>Materials Chemistry and Physics</i> , <b>2022</b> , 287, 126314	4.4	0