CITATION REPORT List of articles citing

Prognostic significance of microvascular obstruction by magnetic resonance imaging in patients with acute myocardial infarction

DOI: 10.1161/01.cir.97.8.765 Circulation, 1998, 97, 765-72.

Source: https://exaly.com/paper-pdf/29369928/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1199	Microvascular injury in reperfused infarcted myocardium: noninvasive assessment with contrast-enhanced echoplanar magnetic resonance imaging. 1998 , 32, 787-93		51
1198	Quantification and time course of microvascular obstruction by contrast-enhanced echocardiography and magnetic resonance imaging following acute myocardial infarction and reperfusion. 1998 , 32, 1756-64		256
1197	Magnitude and time course of microvascular obstruction and tissue injury after acute myocardial infarction. <i>Circulation</i> , 1998 , 98, 1006-14	16.7	391
1196	Visualization and quantification of myocardial mass at risk using three-dimensional contrast echocardiography. 1998 , 40, 314-21		11
1195	L-Arginine: a novel therapy for coronary artery disease?. 1999 , 8, 1785-1793		11
1194	Prediction of myocardial viability by MRI. <i>Circulation</i> , 1999 , 99, 727-9	16.7	23
1193	Current clinical relevance of cardiovascular magnetic resonance and its relationship to nuclear cardiology. 1999 , 6, 462-9		3
1192	Wintergreen panel summaries. 1999 , 6, 93-155		21
1191	Reperfusion revisited: beyond TIMI 3 flow. 1999 , 22, IV20-9		20
1190	Current state of thrombolytic therapy. 1999 , 1, 212-20		2
1189	Blood pool contrast agents for cardiovascular MR imaging. 1999 , 10, 395-403		76
1188	Assessment of myocardial viability by MRI. 1999 , 10, 418-22		23
1187	MRI of myocardial infarction. 1999 , 10, 686-93		29
1186	Relationship of MRI delayed contrast enhancement to irreversible injury, infarct age, and contractile function. <i>Circulation</i> , 1999 , 100, 1992-2002	16.7	1961
1185	The significance of persistent ST elevation versus early resolution of ST segment elevation after primary PTCA. 1999 , 34, 1932-8		161
1184	Microvascular integrity after reperfusion therapy. 1999 , 138, S76-8		27
1183	Early predictors of left ventricular remodeling after acute myocardial infarction. 1999 , 138, S79-83		34

(2000-1999)

1182	An interleaved T1-T2* imaging sequence for assessing myocardial injury. 1999 , 1, 145-51	6
1181	Magnetic resonance first-pass myocardial perfusion imaging. 2000 , 11, 383-98	52
1180	Magnetic resonance imaging of myocardial infarct. 2000 , 11, 372-82	15
1179	The role of cardiovascular magnetic resonance in heart failure. 2000 , 2, 241-52	40
1178	Blood pool MR contrast agents for cardiovascular imaging. 2000 , 12, 890-8	43
1177	ST-Segment resolution as a marker of epicardial and myocardial reperfusion after thrombolysis: insights from the TIMI 14 and in TIME-II trials. 2000 , 33 Suppl, 67-72	19
1176	The role of myocardial viability in deriving benefit from reestablishing infarct-related artery flow after acute myocardial infarction. 2000 , 42, 455-470	10
1175	Microvascular dysfunction in acute myocardial infarction: focus on the roles of platelet and inflammatory mediators in the no-reflow phenomenon. 2000 , 85, 50B-60B	90
1174	Achieving tissue-level perfusion in the setting of acute myocardial infarction. 2000 , 85, 39C-46C	21
1173	T1-relaxation kinetics of extracellular, intracellular and intravascular MR contrast agents in normal and acutely reperfused infarcted myocardium using echo-planar MR imaging. 2000 , 10, 310-8	64
1172	Treatment strategies for microvascular dysfunction following acute myocardial infarction. 2000 , 2, 405-10	1
1171	Akuter Myokardinfarkt âlþrimlæ Angioplastie oder Thrombolyse?. 2000 , 41, 1331-1343	1
1170	Cardiovascular magnetic resonance: myocardial perfusion. 2000 , 25, 409-16	32
1169	Evaluation of myocardial viability by MRI. 2000 , 25, 417-30	52
1168	Microvascular integrity and the time course of myocardial sodium accumulation after acute infarction. 2000 , 87, 648-55	43
1167	Coronary Circulation and Myocardial Ischemia. 2000,	
1166	Microvascular obstruction and left ventricular remodeling early after acute myocardial infarction. <i>Circulation</i> , 2000 , 101, 2734-41	223
1165	Troponin, embolization and restoration of microvascular integrity. 2000 , 21, 1117-9	11

1164	Myocardial viability using MR imaging: is it ready for clinical use?. 2000 , 174, 1741-3		4
1163	[The MR signal behavior of a 4-week-old occlusive myocardial infarct in an animal experiment]. 2000 , 172, 527-33		2
1162	Recognition of the importance of embolization in atherosclerotic vascular disease. <i>Circulation</i> , 2000 , 101, 570-80	ó.7	634
1161	Acute myocardial infarction: thrombolysis. 2000 , 83, 122-6		27
1160	Non-invasive coronary artery imaging with electron beam computed tomography and magnetic resonance imaging. 2000 , 84, 442-8		17
1159	Elevated troponin I level on admission is associated with adverse outcome of primary angioplasty in acute myocardial infarction. <i>Circulation</i> , 2000 , 102, 1611-6	б.7	72
1158	Importance of microembolization and inflammation in atherosclerotic heart disease. 2000 , 140, S90-102		23
1157	MR contrast media for myocardial viability, microvascular integrity and perfusion. 2000 , 34, 179-95		20
1156	Contractile reserve and contrast uptake pattern by magnetic resonance imaging and functional recovery after reperfused myocardial infarction. 2000 , 36, 1835-40		87
1155	Contrast-enhanced magnetic resonance imaging of myocardium at risk: distinction between reversible and irreversible injury throughout infarct healing. 2000 , 36, 1985-91		434
1154	Transmural contractile reserve after reperfused myocardial infarction in dogs. 2000 , 36, 2339-46		28
1153	Shifting the open-artery hypothesis downstream: the quest for optimal reperfusion. 2001 , 37, 9-18		201
1152	Subclinical cardiotoxic effects of anthracyclines as assessed by magnetic resonance imaging-a pilot study. 2001 , 141, 1007-13		120
1151	ST segment resolution as a tool for assessing the efficacy of reperfusion therapy. 2001 , 38, 1283-94		212
1150	A randomized double-blind trial of intravenous trimetazidine as adjunctive therapy to primary angioplasty for acute myocardial infarction. 2001 , 77, 263-73		41
1149	Myocardial Perfusion and Viability. 2001 , 00, A11.3.1		
1148	Admission troponin T level predicts clinical outcomes, TIMI flow, and myocardial tissue perfusion after primary percutaneous intervention for acute ST-segment elevation myocardial infarction. Circulation, 2001, 104, 630-5	ó.7	74
1147	New concepts in characterization of ischemically injured myocardium by MRI. 2001, 226, 367-76		23

1146 [Interventional therapy of the acute cardiac in	nfarct]. 2001 , 42, 686-98	2
Subacute myocardial infarction: assessment be regional function. 2001 , 13, 8-14	by STIR T2-weighted MR imaging in comparison to	20
Subacute myocardial infarction: assessment b regional function. 2001 , 13, 8-14	by STIR T2-weighted MR imaging in comparison to	
Time course of contrast enhancement pattern infarction and viability: a feasibility study. 200	ns after Gd-BOPTA in correlation to myocardial)1 , 14, 789-94	14
Cardiac MRI for assessment of myocardial per 8, 207-14	rfusion: current status and future perspectives. 2001,	14
1141 [Interaction of the coronary macro- and micro	ocirculation]. 2001 , 90, 946-52	4
Association of noninvasive markers of corona obstruction in patients with acute myocardial	ry artery reperfusion to assess microvascular I infarction treated with primary angioplasty. 2001 , 88, 342-6	23
1139 Cardiac MRI: where are we?. 2001 , 10, 35-41		1
1138 Interventions in acute myocardial infarction. 2	2001 , 26, 619-72	3
1137 The coronary no-reflow phenomenon: a revie	w of mechanisms and therapies. 2001 , 22, 729-39	207
Relation between Gd-DTPA contrast enhance and center of myocardial infarction. <i>Circulation</i>	ement and regional inotropic response in the periphery on, 2001 , 104, 998-1004	66
1135 New aspects of pharmacological reperfusion:	from macro- to microlysis. 2001 , 3, C62-C68	
1134 Imaging myocardial area at risk and final infar	-ct size. 2001 , 3, C36-C46	4
1133 Advanced cardiac MR imaging of ischemic hea	art disease. 2001 , 21, 1047-74	40
Prevention of distal embolization during coroversels using porous filter protection. <i>Circula</i>	onary angioplasty in saphenous vein grafts and native tion, 2001 , 104, 2436-41	150
1131 No-reflow phenomenon. <i>Circulation</i> , 2002 , 10	16.7	460
Incidence and clinical significance of distal em myocardial infarction. 2002 , 23, 1112-7	nbolization during primary angioplasty for acute	463
1129 Assessment of myocardial viability by cardiov	rascular magnetic resonance imaging. 2002 , 23, 602-19	111

1128	Slowed ST segment recovery despite early infarct artery patency in patients with Q waves at presentation with a first acute myocardial infarction. Implications of initial Q waves on myocyte reperfusion. 2002 , 23, 1449-55	19
1127	Retinal arteriolar narrowing and risk of coronary heart disease in men and women. The Atherosclerosis Risk in Communities Study. 2002 , 287, 1153-9	527
1126	Left ventricular remodeling after infarction: sequential MR imaging with oral nicorandil therapy in rat model. 2002 , 224, 830-7	27
1125	Platelet glycoprotein IIb/IIIa inhibition and atheroembolism during bypass graft angioplasty: a cup half full. <i>Circulation</i> , 2002 , 106, 2994-6	10
1124	Prognostic significance of admission cardiac troponin T in patients treated successfully with direct percutaneous interventions for acute ST-segment elevation myocardial infarction. 2002 , 30, 2229-35	24
1123	Clinical utility of contrast echocardiography in the management of patients with acute myocardial infarction. 2002 , 4, C27-C34	4
1122	Imaging of myocardial infarction: comparison of magnevist and gadophrin-3 in rabbits. 2002, 39, 1392-8	60
1121	Effect of additional temporary glycoprotein IIb/IIIa receptor inhibition on troponin release in elective percutaneous coronary interventions after pretreatment with aspirin and clopidogrel (TOPSTAR trial). 2002 , 40, 662-8	96
1120	Open perforator hypothesis: bridging epicardial and microvascular circulation. 2002 , 40, 1214-5	
1119	K(ATP) channel opening is an endogenous mechanism of protection against the no-reflow phenomenon but its function is compromised by hypercholesterolemia. 2002 , 40, 1339-46	53
1118	Failed reperfusion after thrombolytic therapy: recognition and management. 2002, 31, 113-21	5
1117	Dosage de la troponine I chez des patients admis aux urgences : comparaison des r\u00e8ultats obtenus sur AxSYM\u00dd et Stratus\u00e4 CS (dosages en urgence de la troponine I). 2002 , 17, 341-347	
1116	Intravenous myocardial contrast echocardiography predicts left ventricular remodeling in patients with acute myocardial infarction. 2002 , 15, 849-56	27
1115	[Prognostic value of persistent ST-segment elevation after successful primary angioplasty]. 2002 , 55, 816-22	9
1114	Microvascular reperfusion injury: rapid expansion of anatomic no reflow during reperfusion in the rabbit. 2002 , 283, H1099-107	98
1113	Relationship between no reflow and infarct size as influenced by the duration of ischemia and reperfusion. 2002 , 282, H766-72	83
1112	The significance of perfusion defect at myocardial perfusion MR imaging in a cat model of acute reperfused myocardial infarction. 2002 , 3, 235-9	1
1111	Administration of glycoprotein IIb-IIIa inhibitors in patients with ST-segment elevation myocardial infarction. 2002 , 22, 864-88	2

(2003-2002)

1110	Reliability of resolution of ST-segment elevation after coronary reperfusion in predicting myocardial salvage in anterior wall acute myocardial infarction. 2002 , 90, 227-32	7
1109	Frequency of incomplete reperfusion in patients with acute myocardial infarction undergoing primary angioplasty. 2002 , 90, 316-8	2
1108	Simultaneously monitoring both T(1) and T(2)* signal intensities on a bolus injection of Gd-DTPA may distinguish infarcted myocardium. 2002 , 15, 532-40	4
1107	Cardiac MRI: recent progress and continued challenges. 2002 , 16, 111-27	86
1106	The potential of contrast-enhanced magnetic resonance imaging for predicting left ventricular remodeling. 2002 , 16, 633-40	22
1105	Blood pool contrast-enhanced MRI detects suppression of microvascular permeability in early postinfarction reperfusion after nicorandil therapy. 2002 , 47, 896-902	11
1104	Coronary perforation as a potential complication derived from coronary thrombectomy with the X-Sizer device. 2002 , 56, 378-82	13
1103	Impaired coronary flow and left ventricular dysfunction after mechanical recanalization in acute myocardial infarction: role of neurohumoral activation?. 2002 , 97, 399-408	23
1102	Clinical relevance of left ventricular volume assessment by gated myocardial SPET in patients with coronary artery disease. 2002 , 29, 957-66	12
1101	Pharmacologic reperfusion therapy for acute myocardial infarction. 2002 , 14, 179-96	9
1100	MR imaging at rest early after myocardial infarction: detection of preserved function in regions with evidence for ischemic injury and non-transmural myocardial infarction. 2003 , 13, 498-506	25
1099	Assessment of myocardial viability by MR imaging. 2003 , 13, 52-61	38
1098	Myocardial perfusion imaging by magnetic resonance imaging. 2003 , 5, 63-8	11
1097	Hyperbaric oxygen as a chemotherapy adjuvant in the treatment of metastatic lung tumors in a rat model. 2003 , 125, 85-95; discussion 95	47
1096	[Magnetic resonance imaging early after acute myocardial infarction. A visual analysis of myocardial perfusion based on a 17 segment model]. 2003 , 52, 7-14	4
1095	Usefulness of preprocedural coronary lesion morphology as assessed by intravascular ultrasound in predicting Thrombolysis In Myocardial Infarction frame count after percutaneous coronary intervention in patients with Q-wave acute myocardial infarction. 2003 , 91, 870-2	6
1094	Society of cardiac angiography and interventions: suggested management of the no-reflow phenomenon in the cardiac catheterization laboratory. 2003 , 60, 194-201	54
1093	The added clinical value of second generation ultrasound contrast agents. 2003 , 20 Suppl 1, S3-9	1

1092	Assessment of myocardial viability in patients with postischemic left ventricular dysfunction: role of myocardial contrast echocardiography. 2003 , 20 Suppl 1, S19-29	2
1091	Cardiac magnetic resonance (CMR) imaging: a noninvasive tool for functional and morphological assessment of coronary artery disease: current clinical applications and potential future concepts. 2003 , 16, 457-63	6
1090	Individuals at increased coronary heart disease risk are characterized by an impaired microvascular function in skin. 2003 , 33, 536-42	193
1089	[Angiographic results of thrombectomy performed with two new devices in lesions with intracoronary thrombus]. 2003 , 56, 271-80	3
1088	Valoracifi de la viabilidad miocfidica en pacientes prerrevascularizacifi. 2003 , 56, 721-733	
1087	Prediction of clinical outcome after mechanical revascularization in acute myocardial infarction by markers of myocardial reperfusion. 2003 , 41, 532-8	83
1086	Thrombolysis in myocardial infarction myocardial perfusion grade in angiography correlates with myocardial salvage in patients with acute myocardial infarction treated with stenting or thrombolysis. 2003 , 41, 925-9	52
1085	Myocardial viability in chronic ischemic heart disease: comparison of contrast-enhanced magnetic resonance imaging with (18)F-fluorodeoxyglucose positron emission tomography. 2003 , 41, 1341-8	156
1084	Delayed contrast-enhanced magnetic resonance imaging for the prediction of regional functional improvement after acute myocardial infarction. 2003 , 42, 895-901	266
1083	Myocardial viability assessment by contrast-enhanced magnetic resonance imaging. 2003 , 42, 902-4	21
1082	Intracoronary thrombectomy improves myocardial reperfusion in patients undergoing direct angioplasty for acute myocardial infarction. 2003 , 42, 1395-402	158
1081	Combination pharmacotherapy with reduced-dose fibrinolytic and platelet GP IIb/IIIa inhibition. 2003 , 25, 421-6	
1080	Quantitative clinical assessment of chronic anterior myocardial infarction with delayed enhancement magnetic resonance imaging and QRS scoring. 2003 , 146, 359-66	43
1079	Can the premises of the spasm of resistance vessel concept permit improvement in the treatment and prevention of ischemic heart disease?. 2003 , 60, 36-51	7
1078	A score predicts failure of reperfusion after fibrinolytic therapy for acute myocardial infarction. 2003 , 145, 508-14	16
1077	Cardiac MR imaging. 2003 , 41, 17-28	9
1076	Hyperoxemic perfusion for treatment of reperfusion microvascular ischemia in patients with myocardial infarction. 2003 , 3, 253-63	22
1075	Transcatheter embolisation of a large unilateral pulmonary arteriovenous malformation. 2003, 89, 737	1

Noninvasive imaging of myocardial viability: current techniques and future developments. 2003, 93, 1146-58 82 No-reflow phenomenon persists long-term after ischemia/reperfusion in the rat and predicts 16.7 101 infarct expansion. Circulation, 2003, 108, 2911-7 1072 Myocardial reperfusion: its assessment and its relation to clinical outcomes. 2003, 1, 120-7 3 Temporal evolution and functional outcome of no reflow: sustained and spontaneously reversible 83 patterns following successful coronary recanalisation. 2003, 89, 731-7 Characterization of viable and nonviable myocardium at MR imaging: comparison of 1070 gadolinium-based extracellular and blood pool contrast materials versus manganese-based 48 contrast materials in a rat myocardial infarction model. 2003, 226, 731-8 Aqueous oxygen attenuation of reperfusion microvascular ischemia in a canine model of 1069 19 myocardial infarction. 2003, 49, 716-20 Effect of intraaortic balloon pumping on left ventricular function in patients with persistent ST 1068 9 segment elevation after revascularization for acute myocardial infarction. 2003, 67, 35-9 Relation between the timing of the last preinfarction angina and microvascular reperfusion in 1067 3 patients with recanalized acute myocardial infarction. 2003, 44, 845-54 1066 Glycoprotein IIb/IIIa Receptor Inhibitors. 2004, 97-108 Admission troponin T, advanced age and male gender identify patients with improved myocardial 1065 tissue perfusion after abciximab administration for ST-segment elevation myocardial infarction. 7 2004, 92, 1214-20 1064 [Early left ventricular remodelling following acute coronary accident]. 2004, 20, 643-50 1 Comparison of TIMI Myocardial Perfusion Grade with Coronary Flow Reserve for Prediction of 1063 6 Recovery of LV Function and LV Remodeling in Acute Myocardial Infarction. 2004, 34, 247 ACC/AHA Guidelines for the Management of Patients With ST-Elevation Myocardial Infarction. 1062 16.7 59 Circulation, 2004, 110, Assessing myocardial perfusion with the transthoracic Doppler technique in patients with $_{1061}$ reperfused anterior myocardial infarction: comparison with angiographic, enzymatic and 33 electrocardiographic indices. 2004, 25, 1526-33 Ischemic cardiomyopathy: value of different MRI techniques for prediction of functional recovery 1060 36 after revascularization. 2004, 182, 95-100 1059 Contrast-enhanced MR imaging of the heart: overview of the literature. 2004, 232, 653-68 119 Acute myocardial infarction: evaluation with first-pass enhancement and delayed enhancement MR 166 1058 imaging compared with 201Tl SPECT imaging. 2004, 232, 49-57 Myocardial viability: breath-hold 3D MR imaging of delayed hyperenhancement with variable 1057 45 sampling in time. 2004, 230, 845-51

1056	Acute myocardial infarction: tissue characterization with T1rho-weighted MR imaginginitial experience. 2004 , 232, 606-10	40
1055	MRI of cardiac morphology and function after percutaneous transluminal septal myocardial ablation for hypertrophic obstructive cardiomyopathy. 2004 , 182, 523-7	24
1054	The role of cardiovascular magnetic resonance in the evaluation of patients with heart failure. 2004 , 2, 53-9	7
1053	Microvascular alterations after temporary coronary artery occlusion: the no-reflow phenomenon. 2004 , 9, 163-72	26
1052	Infarct involution and improved function during healing of acute myocardial infarction: the role of microvascular obstruction. 2004 , 6, 917-25	67
1051	Impact of microvascular dysfunction on left ventricular remodeling and long-term clinical outcome after primary coronary angioplasty for acute myocardial infarction. <i>Circulation</i> , 2004 , 109, 1121-6	339
1050	Relation between different methods for analysing ST segment deviation and infarct size as assessed by positron emission tomography. 2004 , 90, 887-92	20
1049	Influence of contrast agent dose and image acquisition timing on the quantitative determination of nonviable myocardial tissue using delayed contrast-enhanced magnetic resonance imaging. 2004 , 6, 541-8	29
1048	Clinical indications for cardiovascular magnetic resonance (CMR): Consensus Panel report. 2004 , 6, 727-65	166
1047	Nuclear Cardiology and Correlative Imaging. 2004,	2
1046	Role of platelets in coronary thrombosis and reperfusion of ischemic myocardium. 2004 , 61, 498-511	293
1045	The extent of myocardial damage assessed by contrast-enhanced MRI is a major determinant of N-BNP concentration after myocardial infarction. 2004 , 6, 555-60	27
1044	Hyperbaric oxygen solution infused into the anterior interventricular vein at reperfusion reduces infarct size in swine. 2004 , 287, H2234-40	7
1043	Prognostic implication of ST-segment resolution following primary percutaneous transluminal coronary angioplasty for ST-elevation acute myocardial infarction. 2004 , 34, 551-6	4
1042	Cardiac MRI for the Assessment of Myocardial Viability. 2004 , 8, 2-8	
1041	Usefulness of impairment of coronary microcirculation in predicting left ventricular dilation after acute myocardial infarction. 2004 , 93, 974-8	22
1040	Cardiovascular magnetic resonance and the role of adenosine pharmacologic stress. 2004 , 94, 26D-31D; discussion 31D-32D	23
1039	Discussion following Dr. Pennell's presentation. 2004 , 94, 31-32	9

1038	MRI in coronary artery disease. 2004 , 14, 2155-62	13
1037	Mapping myocardial viability using interleaved T1-T2* weighted imaging. 2004 , 20, 135-43	3
1036	Relation of lateral ST-segment elevation pattern to myocardial salvage in patients with recanalized anterolateral acute myocardial infarction. 2004 , 27, 106-11	2
1035	[Cardio-MRT. The multimodal functional analysis of the future]. 2004 , 93 Suppl 4, IV36-47	6
1034	Assessment of myocardial ischemia and viability using cardiac magnetic resonance. 2004 , 6, 62-9	2
1033	Computed tomography assessment of myocardial perfusion, viability, and function. 2004 , 19, 800-15	61
1032	MR and CT assessment for ischemic cardiac disease. 2004 , 19, 659-75	19
1031	Imaging of myocardial perfusion with magnetic resonance. 2004 , 19, 750-7	71
1030	Magnetic resonance imaging for the assessment of myocardial viability. 2004 , 19, 771-88	61
1029	Evaluation of heart perfusion in patients with acute myocardial infarction using dynamic contrast-enhanced magnetic resonance imaging. 2004 , 20, 403-10	19
1028	Modified Look-Locker inversion recovery (MOLLI) for high-resolution T1 mapping of the heart. 2004 , 52, 141-6	1264
1027	Angiographic predictors of left ventricular ejection fraction after successful angioplasty in acute myocardial infarction: an angiographic risk score for use in the catheterization laboratory. 2004 , 61, 338-43	3
1026	Realignment of myocardial first-pass MR perfusion images using an automatic detection of the heart-lung interface. 2004 , 22, 1001-9	7
1025	Evaluation of ischemic heart disease with cardiac magnetic resonance and computed tomography. 2004 , 2, 601-15	2
1024	Clinical indications for cardiovascular magnetic resonance (CMR): Consensus Panel report. 2004 , 25, 1940-65	541
1023	Fiabilidad de los fidices de viabilidad miocfidica por resonancia magntica para predecir la mejorfide la funcifi sistlica en pacientes con un primer infarto reciente y arteria abierta. 2004 , 57, 826-833	8
1022	MR imaging in ischemic heart disease. 2004 , 42, 651-73, vii	2
1021	Estudio de perfusiñ en pacientes postinfarto mediante ecografa miocadica con inyeccia de contraste intracoronario. Implicaciones y relacia con la angiografa y la resonancia magnatica. 2004 , 57, 20-28	3

1020	Valor prontico de marcadores no invasivos de reperfusiti coronaria frente a flujo TIMI 3 en pacientes tratados con angioplastia primaria. 2004 , 57, 524-530	1
1019	Myocardial Echocardiography With Intracoronary Injection of Contrast in Post-Infarction Patients. Implications and Comparison With Angiography and Magnetic Resonance Imaging. 2004 , 57, 20-28	
1018	Prognostic Value of Noninvasive Markers of Coronary Reperfusion Compared to TIMI 3 Flow in Patients Treated With Primary Angioplasty. 2004 , 57, 524-530	
1017	Real Time Myocardial Contrast Echocardiography to Predict Left Ventricular Wall Motion Recovery After Reperfused Acute Myocardial Infarction. 2004 , 57, 815-825	O
1016	Reliability of Cardiac Magnetic Resonance Imaging Indicators of Myocardial Viability for Predicting the Recovery of Systolic Function After a First Acute Myocardial Infarction With a Patent Culprit Artery. 2004 , 57, 826-833	1
1015	Glycoprotein IIb/IIIa inhibitors and no-reflow. 2004 , 43, 284-6	17
1014	Reduction of "no-reflow" phenomenon by intra-aortic balloon counterpulsation in a randomized magnetic resonance imaging experimental study. 2004 , 43, 1291-8	47
1013	Frequency, correlates, and clinical implications of myocardial perfusion after primary angioplasty and stenting, with and without glycoprotein IIb/IIIa inhibition, in acute myocardial infarction. 2004 , 44, 305-12	150
1012	Cardiovascular magnetic resonance imaging: current and emerging applications. 2004, 44, 1164-71	137
1011	The quantification of infarct size. 2004 , 44, 1533-42	270
1011	ACC/AHA guidelines for the management of patients with ST-elevation myocardial infarction; A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee to Revise the 1999 Guidelines for the Management of patients with acute	270 830
	ACC/AHA guidelines for the management of patients with ST-elevation myocardial infarction; A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee to Revise the 1999 Guidelines for the Management of patients with acute myocardial infarction). 2004, 44, E1-E211 Accurate and objective infarct sizing by contrast-enhanced magnetic resonance imaging in a capine	
1010	ACC/AHA guidelines for the management of patients with ST-elevation myocardial infarction; A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee to Revise the 1999 Guidelines for the Management of patients with acute myocardial infarction). 2004, 44, E1-E211 Accurate and objective infarct sizing by contrast-enhanced magnetic resonance imaging in a canine myocardial infarction model. 2004, 44, 2383-9	830
1010	ACC/AHA guidelines for the management of patients with ST-elevation myocardial infarction; A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee to Revise the 1999 Guidelines for the Management of patients with acute myocardial infarction). 2004, 44, E1-E211 Accurate and objective infarct sizing by contrast-enhanced magnetic resonance imaging in a canine myocardial infarction model. 2004, 44, 2383-9 Ecocardiograffi de perfusifi miocfidica en tiempo real para la prediccifi de la recuperacifi de la	830 395
1010	ACC/AHA guidelines for the management of patients with ST-elevation myocardial infarction; A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee to Revise the 1999 Guidelines for the Management of patients with acute myocardial infarction). 2004, 44, E1-E211 Accurate and objective infarct sizing by contrast-enhanced magnetic resonance imaging in a canine myocardial infarction model. 2004, 44, 2383-9 Ecocardiograffi de perfusifi miocfidica en tiempo real para la prediccifi de la recuperacifi de la funcifi ventricular despus del infarto agudo de miocardio reperfundido. 2004, 57, 815-825 Detection of microvascular injury by evaluating epicardial blood flow in early reperfusion following primary angioplasty. 2004, 96, 389-96	830 395 0
1010	ACC/AHA guidelines for the management of patients with ST-elevation myocardial infarction; A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee to Revise the 1999 Guidelines for the Management of patients with acute myocardial infarction). 2004, 44, E1-E211 Accurate and objective infarct sizing by contrast-enhanced magnetic resonance imaging in a canine myocardial infarction model. 2004, 44, 2383-9 Ecocardiografa de perfusia miocadica en tiempo real para la prediccia de la recuperacia de la funcia ventricular despus del infarto agudo de miocardio reperfundido. 2004, 57, 815-825 Detection of microvascular injury by evaluating epicardial blood flow in early reperfusion following primary angioplasty. 2004, 96, 389-96 Adjunctive effect of hyperbaric oxygen treatment after thrombolysis on left ventricular function in	830 395 0
1010 1009 1008 1007	ACC/AHA guidelines for the management of patients with ST-elevation myocardial infarction; A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee to Revise the 1999 Guidelines for the Management of patients with acute myocardial infarction). 2004, 44, E1-E211 Accurate and objective infarct sizing by contrast-enhanced magnetic resonance imaging in a canine myocardial infarction model. 2004, 44, 2383-9 Ecocardiografa de perfusia miocadica en tiempo real para la prediccia de la recuperacia de la funcia ventricular despus del infarto agudo de miocardio reperfundido. 2004, 57, 815-825 Detection of microvascular injury by evaluating epicardial blood flow in early reperfusion following primary angioplasty. 2004, 96, 389-96 Adjunctive effect of hyperbaric oxygen treatment after thrombolysis on left ventricular function in patients with acute myocardial infarction. 2004, 148, E14 Imaging techniques for the assessment of myocardial hibernation. Report of a Study Group of the European Society of Cardiology. 2004, 25, 815-36	830 395 0 13

(2005-2005)

1002	Incidence and management of "no-reflow" following percutaneous coronary interventions. 2005 , 329, 78-85	9
1001	Automatic fuzzy classification of the washout curves from magnetic resonance first-pass perfusion imaging after myocardial infarction. 2005 , 40, 545-55	6
1000	Plasminogen activator inhibitor-1 4G/5G polymorphism and efficacy of reperfusion therapy in acute myocardial infarction. 2005 , 16, 511-5	7
999	Persistent hyperglycemia is associated with left ventricular dysfunction in patients with acute myocardial infarction. 2005 , 69, 23-8	20
998	Cardiovascular magnetic resonance: structure, function, perfusion, and viability. 2005, 12, 324-36	22
997	Incremental prognostic value of combined perfusion and function assessment during myocardial gated SPECT in patients aged 75 years or older. 2005 , 12, 662-70	28
996	Tissue edema does not change gadolinium-diethylenetriamine pentaacetic acid (Gd-DTPA)-enhanced T1 relaxation times of viable myocardium. 2005 , 21, 744-51	17
995	Value of contrast-enhanced, balanced cine-MR sequences in the assessment of apparent infarct size after acute myocardial infarction: a prospective comparison with delayed-enhancement sequences. 2005 , 22, 765-71	10
994	Enhanced viability imaging: improved contrast in myocardial delayed enhancement using dual inversion time subtraction. 2005 , 53, 1484-9	11
993	Brief repetitive balloon occlusions enhance reperfusion during percutaneous coronary intervention for acute myocardial infarction: a pilot study. 2005 , 65, 361-7	179
992	Microvascular obstruction in acute coronary syndromes: onward to a new therapeutic target. 2005 , 66, 170-2	6
991	[Acute coronary syndrome: unstable angina and myocardial infarction]. 2005, 46, 265-74	8
990	[Indications for cardiovascular magnetic resonance imaging]. 2005, 100, 219-25	2
989	Coronary circulation and interventional cardiology. 2005 , 33, 1735-42	9
988	["Integrated care"the Essen concept: organizational strategies in the treatment of acute myocardial infarction]. 2005 , 94 Suppl 4, IV/90-93	
987	Volumetric assessment of myocardial viability in rats using 3D double contrast enhanced T1 and T2-weighted MRI. 2005 , 18, 302-8	1
986	Cardiac imaging to identify patients at risk for developing heart failure after myocardial infarction. 2005 , 2, 183-8	14
985	Current Assessments of the Adequacy of Myocardial Perfusion During Acute MI. 2005 , 7, 25-34	

984	Coronary No-reflow Phenomenon. 2005 , 7, 75-80		13
983	Approaches for Assessing Myocardial Viability With Multidetector-Row CT. 2005 , 207-216		
982	Gadomer-enhanced MR imaging in the detection of microvascular obstruction: alleviation with nicorandil therapy. 2005 , 236, 510-8		14
981	Comparison of pre-hospital combination-fibrinolysis plus conventional care with pre-hospital combination-fibrinolysis plus facilitated percutaneous coronary intervention in acute myocardial infarction. 2005 , 26, 1956-63		69
980	Contrast media in cardiovascular magnetic resonance. 2005 , 11, 2151-61		9
979	Oxidative stress in myocardial ischaemia reperfusion injury: a renewed focus on a long-standing area of heart research. 2005 , 10, 187-97		28
978	Standardizing the definition of hyperenhancement in the quantitative assessment of infarct size and myocardial viability using delayed contrast-enhanced CMR. 2005 , 7, 481-5		283
977	Computer Vision Beyond the Visible Spectrum. 2005,		7
976	ACCF/AHA clinical competence statement on cardiac imaging with computed tomography and magnetic resonance. <i>Circulation</i> , 2005 , 112, 598-617	16.7	73
975	Troponin elevation after percutaneous coronary intervention directly represents the extent of irreversible myocardial injury: insights from cardiovascular magnetic resonance imaging. <i>Circulation</i> , 2005 , 111, 1027-32	16.7	312
974	[Intensive care in cardiovascular medicine acute coronary syndrome]. 2005, 130, 677-82		О
973	[Detection and characterization of left ventricular thrombi by MRI compared to transthoracic echocardiography]. 2005 , 177, 344-9		10
972	Usefulness of quantitative intravenous myocardial contrast echocardiography to analyze microvasculature perfusion in patients with a recent myocardial infarction and an open infarct-related artery: comparison with intracoronary myocardial contrast echocardiography. 2005 ,		8
971	6, 164-74 Assessment of reperfused acute myocardial infarction with two-phase contrast-enhanced helical CT: prediction of left ventricular function and wall thickness. 2005 , 235, 804-11		85
970	Differentiating acute myocardial infarction from myocarditis: diagnostic value of early- and delayed-perfusion cardiac MR imaging. 2005 , 237, 75-82		171
969	Combined prognostic utility of ST-segment recovery and myocardial blush after primary percutaneous coronary intervention in acute myocardial infarction. 2005 , 26, 667-74		145
968	Sequelae of acute myocardial infarction regarding cardiac structure and function and their prognostic significance as assessed by magnetic resonance imaging. 2005 , 26, 549-57		400
967	Handbook of Cardiac Anatomy, Physiology, and Devices. 2005 ,		15

(2006-2005)

966	Infarct angioplasty: beyond stents and glycoprotein IIb/IIIa inhibitors. 2005, 91 Suppl 3, iii2-6	6
965	The prognostic significance of microvascular obstruction after myocardial infarction as defined by cardiovascular magnetic resonance. 2005 , 26, 532-3	21
964	La resonancia magntica en la evaluaciñ de la aterotrombosis, del miocardio isqumico, hibernado o cicatrizado y de la microcirculaciñ. 2005 , 58, 14-21	О
963	Why do we need magnetic resonance imaging in cardiology?. 2005 , 39, 260-3	5
962	Myocardial ischemia/reperfusion-injury, a clinical view on a complex pathophysiological process. 2005 , 100, 179-90	339
961	Very early cardiac magnetic resonance imaging for quantification of myocardial tissue perfusion in patients receiving tirofiban before percutaneous coronary intervention for ST-elevation myocardial infarction. 2005 , 149, 564	27
960	Attenuation of reperfusion microvascular ischemia by aqueous oxygen: experimental and clinical observations. 2005 , 149, 580-4	19
959	Intervencionismo en el contexto del infarto de miocardio. Conceptos actuales. 2005 , 58, 567-584	7
958	Percutaneous Coronary Intervention in Myocardial Infarction. Current Concepts. 2005 , 58, 567-584	1
957	X-sizer for thrombectomy in acute myocardial infarction improves ST-segment resolution: results of the X-sizer in AMI for negligible embolization and optimal ST resolution (X AMINE ST) trial. 2005 , 46, 246-52	158
956	ACCF/AHA clinical competence statement on cardiac imaging with computed tomography and magnetic resonance: a report of the American College of Cardiology Foundation/American Heart Association/American College of Physicians Task Force on Clinical Competence and Training. 2005,	161
955	Duration of ischemia is a major determinant of transmurality and severe microvascular obstruction after primary angioplasty: a study performed with contrast-enhanced magnetic resonance. 2005 , 46, 1229-35	167
954	Usefulness of a comprehensive cardiovascular magnetic resonance imaging assessment for predicting recovery of left ventricular wall motion in the setting of myocardial stunning. 2005 , 46, 1747-52	91
953	Cardiovascular Biomarkers. 2006,	2
952	Myocardial perfusion in ST-elevation myocardial infarction treated successfully with primary angioplasty. 2006 , 40, 96-104	10
951	MRI of myocardial perfusion. 2006 , 27, 2-10	15
950	Association of C-reactive protein and myocardial perfusion in patients with ST-elevation acute myocardial infarction. 2006 , 186, 177-83	26
949	Noninvasive analysis of coronary artery disease with combination of MDCT and functional MRI. 2006 , 13, 177-85	2

948 [Cardiac imaging]. **2006**, 87, 849-52

947	No-reflow phenomenon and prognosis in patients with acute myocardial infarction. 2006 , 3, 499-506	144
946	Reproducibility of chronic and acute infarct size measurement by delayed enhancement-magnetic resonance imaging. 2006 , 47, 1641-5	538
945	The year in cardiac imaging. 2006 , 48, 2324-39	2
944	Thrombus Aspiration during Percutaneous coronary intervention in Acute myocardial infarction Study (TAPAS)study design. 2006 , 151, 597.e1-597.e7	32
943	Nicorandil reduces myocardial no-reflow by protection of endothelial function via the activation of KATP channel. 2006 , 374, 100-5	18
942	Magnetic resonance first pass perfusion imaging for detecting coronary artery disease. 2006 , 57, 412-6	13
941	Intracoronary aqueous oxygen perfusion, performed 24 h after the onset of postinfarction reperfusion, experimentally reduces infarct size and improves left ventricular function. 2006 , 113, 371-5	16
940	Computer-Assisted Analysis of 4D Cardiac MR Image Sequences after Myocardial Infarction. 2006 , 45, 377-383	11
939	Microvascular Obstruction after Successful Fibrinolytic Therapy in Acute Myocardial Infarction. Comparison of Reteplase vs Reteplase+Abciximab: A Cardiovascular Magnetic Resonance Study. 2006 , 2, 182618680600200	
938	Cardiovascular Magnetic Resonance: Basic Principles, Methods and Techniques. 28-68	
937	Are retinal microvascular abnormalities associated with large artery endothelial dysfunction and intima-media thickness? The Hoorn Study. 2006 , 110, 597-604	56
936	Myocardial perfusion imaging in the elderly: a review. 2006 , 27, 529-34	5
935	Pressure-derived collateral flow index: a strong predictor of late left ventricular remodeling after thrombolysis for acute myocardial infarction. 2006 , 17, 139-44	9
934	ERRATUM. 2006 , 41, 667	
933	Pretreatment with fosinopril or valsartan reduces myocardial no-reflow after acute myocardial infarction and reperfusion. 2006 , 17, 463-9	21
932	Assessment of myocardial viability using delayed enhancement magnetic resonance imaging at 3.0 Tesla. 2006 , 41, 661-7	64
931	Role of adenosine as adjunctive therapy in acute myocardial infarction. 2006 , 24, 116-47	76

(2006-2006)

930	Pretreatment with simvastatin reduces myocardial no-reflow by opening mitochondrial K(ATP) channel. 2006 , 149, 243-9	38
929	Characterization of the peri-infarction zone using T2-weighted MRI and delayed-enhancement MRI in patients with acute myocardial infarction. 2006 , 16, 2350-7	40
928	Imaging microvascular obstruction and its clinical significance following acute myocardial infarction. 2006 , 11, 305-12	19
927	Diagnostic and imaging considerations: role of viability. 2006 , 11, 125-34	3
926	MRI demonstration of acute myocardial infarction due to posttraumatic coronary artery dissection. 2006 , 22, 97-100	7
925	Different effects of adenosine and calcium channel blockade on myocardial no-reflow after acute myocardial infarction and reperfusion. 2006 , 20, 167-75	6
924	The no-reflow phenomenon: A basic mechanism of myocardial ischemia and reperfusion. 2006, 101, 359-72	165
923	Assessment of no-reflow regions using cardiac MRI. 2006 , 101, 383-90	51
922	Comparison between contrast echocardiography and magnetic resonance imaging to predict improvement of myocardial function after primary coronary intervention. 2006 , 97, 361-6	17
921	Effect of impaired myocardial reperfusion on left ventricular remodeling in patients with anterior wall acute myocardial infarction treated with primary coronary intervention. 2006 , 98, 725-8	37
920	Contrast-enhanced cardiac magnetic resonance in the evaluation of myocardial infarction and myocardial viability in patients with ischemic heart disease. 2006 , 31, 128-68	23
919	Valoracifi de la viabilidad miocfidica mediante resonancia magntica. 2006 , 6, 49E-56E	
918	MRI relaxation fluctuations in acute reperfused hemorrhagic infarction. 2006 , 56, 1311-9	29
917	Quantitative myocardial infarction on delayed enhancement MRI. Part I: Animal validation of an automated feature analysis and combined thresholding infarct sizing algorithm. 2006 , 23, 298-308	121
916	Tissue characterization of myocardial infarction using T1rho: influence of contrast dose and time of imaging after contrast administration. 2006 , 24, 1040-6	10
915	Influence of time-to-treatment, TIMI-flow grades, and ST-segment resolution on infarct size and infarct transmurality as assessed by delayed enhancement magnetic resonance imaging. 2007 , 28, 1433-9	56
914	[Contrast-enhanced MR and MSCT for the assessment of myocardial viability]. 2006, 178, 771-80	3
913	Microvascular obstruction and myocardial function after acute myocardial infarction: assessment by using contrast-enhanced cine MR imaging. 2006 , 240, 529-36	17

912	Delayed enhancement MR imaging: utility in myocardial assessment. 2006 , 26, 795-810	120
911	Usefulness of Magnetic Resonance Imaging in Cardiac and Enovascular Intervention. 2006, 2, 299-313	
910	No-reflow: a heterogeneous clinical phenomenon with multiple therapeutic strategies. 2006 , 12, 3807-15	10
909	Peri-infarct ischemia determined by cardiovascular magnetic resonance evaluation of myocardial viability and stress perfusion predicts future cardiovascular events in patients with severe ischemic cardiomyopathy. 2006 , 8, 773-9	22
908	Microvascular perfusion 1 week and 6 months after myocardial infarction by first-pass perfusion cardiovascular magnetic resonance imaging. 2006 , 92, 1801-7	29
907	CT and MRI of coronary artery disease: evidence-based review. 2006 , 187, S483-99	6
906	Characterization of acute and chronic myocardial infarcts by multidetector computed tomography: comparison with contrast-enhanced magnetic resonance. <i>Circulation</i> , 2006 , 113, 823-33	342
905	Chronic pre-treatment of statins is associated with the reduction of the no-reflow phenomenon in the patients with reperfused acute myocardial infarction. 2006 , 27, 534-9	106
904	Characterization of microvascular dysfunction after acute myocardial infarction by cardiovascular magnetic resonance first-pass perfusion and late gadolinium enhancement imaging. 2006 , 8, 831-7	52
903	Troponin-I concentration 72 h after myocardial infarction correlates with infarct size and presence of microvascular obstruction. 2007 , 93, 1547-51	56
902	Targeting angiogenesis versus myogenesis with cardiac cell therapy. 2006 , 4, 745-53	2
901	Different effects of tirofiban and aspirin plus clopidogrel on myocardial no-reflow in a mini-swine model of acute myocardial infarction and reperfusion. 2006 , 92, 1131-7	35
900	Impact of unrecognized myocardial scar detected by cardiac magnetic resonance imaging on event-free survival in patients presenting with signs or symptoms of coronary artery disease. Circulation, 2006, 113, 2733-43	554
899	Bildverarbeitung ffl die Medizin 2006. 2006 ,	
898	Effect of distal embolization on myocardial perfusion reserve after percutaneous coronary intervention: a quantitative magnetic resonance perfusion study. <i>Circulation</i> , 2007 , 116, 1458-64	77
897	Novel cardiovascular MRI and CT methods for evaluation of ischemic heart disease. 2007 , 5, 791-802	8
896	Post-infarction treatment with simvastatin reduces myocardial no-reflow by opening of the KATP channel. 2007 , 9, 30-6	21
895	Late gadolinium-enhanced cardiovascular magnetic resonance evaluation of infarct size and microvascular obstruction in optimally treated patients after acute myocardial infarction. 2007 , 9, 765-70	48

(2007-2007)

894	Microcirculatory dysfunction in ST-elevation myocardial infarction: cause, consequence, or both?. 2007 , 28, 788-97	127
893	Irreversible myocardial injury: assessment with cardiovascular delayed-enhancement MR imaging and comparison of 1.5 and 3.0 Tinitial experience. 2007 , 242, 735-42	25
892	Prediction of left ventricular remodeling and analysis of infarct resorption in patients with reperfused myocardial infarcts by using contrast-enhanced MR imaging. 2007 , 245, 95-102	84
891	["Dead or alive?": how and why myocardial viability imaging by cardiac MRI works]. 2007, 179, 1016-24	3
890	Age-related vascular stiffness and left ventricular size after myocardial infarction. 2007, 16, 222-8	11
889	No-reflow phenomenon after acute myocardial infarction is associated with reduced clot permeability and susceptibility to lysis. 2007 , 27, 2258-65	44
888	Safety and diagnostic accuracy of stress cardiac magnetic resonance imaging vs exercise tolerance testing early after acute ST elevation myocardial infarction. 2007 , 93, 1363-8	36
887	Global longitudinal strain measured by two-dimensional speckle tracking echocardiography is closely related to myocardial infarct size in chronic ischaemic heart disease. 2007 , 113, 287-96	145
886	Diagnostic accuracy of myocardial hypoenhancement on multidetector computed tomography in identifying myocardial infarction in patients admitted with acute chest pain syndrome. 2007 , 31, 780-8	17
885	Evaluation of acute myocardial infarction with late enhancement pattern on MRI compared with 201Tl and 99mTc-hydroxymethylenediphosphonate (HMDP) dual single photon emission computed tomography (SPECT) images. 2007 , 42, 765-70	8
884	Short- and long-term changes in myocardial function, morphology, edema, and infarct mass after ST-segment elevation myocardial infarction evaluated by serial magnetic resonance imaging. 2007 , 154, 929-36	61
883	In patients with ST-segment elevation myocardial infarction with cardiogenic shock treated with percutaneous coronary intervention, admission glucose level is a strong independent predictor for 1-year mortality in patients without a prior diagnosis of diabetes. 2007 , 154, 1184-90	35
882	Sixty-four-MSCT in the characterization of porcine acute and subacute myocardial infarction: determination of transmurality in comparison to magnetic resonance imaging and histopathology. 2007 , 62, 235-46	36
881	Ischaemic and non-ischaemic cardiomyopathiescardiac MRI appearances with delayed enhancement. 2007 , 62, 395-403	39
880	Different effects of postconditioning on myocardial no-reflow in the normal and hypercholesterolemic mini-swines. 2007 , 73, 137-42	47
879	Effect of microvascular reperfusion on prognosis and left ventricular function in anterior wall myocardial infarction treated with primary angioplasty. 2007 , 114, 183-7	13
878	Carvedilol preserves endothelial junctions and reduces myocardial no-reflow after acute myocardial infarction and reperfusion. 2007 , 115, 334-41	15
877	Simultaneous visualization of myocardial scar, no-reflow phenomenon, ventricular and atrial thrombi by cardiac magnetic resonance. 2007 , 115, e10-1	5

876	Role of pre-infarction angina and inflammatory status in the extent of microvascular obstruction detected by MRI in myocardial infarction patients treated by PCI. 2007 , 121, 139-47	27
875	Evoluciñ a medio plazo de la perfusiñ miocfdica y remodelado ventricular despus del infarto agudo de miocardio. 2007 , 60, 468-470	2
874	Perfusili mioclidica alterada tras un infarto en pacientes con flujo TIMI 3 mantenido. ¿Slo un fenimeno agudo?. 2007 , 60, 486-492	8
873	Coronary microvascular dysfunction. 2007 , 356, 830-40	1151
872	IRM des cardiopathies ischîniques : indications et protocoles. 2007 , 47, 315-330	1
871	Prognostic significance of electrocardiogram and cine magnetic resonance imaging parameters in patients with idopathic dilated cardiomyopathy. 2007 ,	
870	Surgery for myocardial salvage in acute myocardial infarction and acute coronary syndromes. 2007 , 3, 181-210	8
869	Contrast-enhanced magnetic resonance imaging in the assessment of myocardial infarction and viability. 2007 , 15, 105-105	
868	Medium-Term Changes in Myocardial Perfusion and Ventricular Remodeling Following Acute Myocardial Infarction. 2007 , 60, 468-470	
867	Abnormal Myocardial Perfusion After Infarction in Patients With Persistent TIMI Grade-3 Flow. Only an Acute Phenomenon?. 2007 , 60, 486-492	
866	Delayed contrast enhancement magnetic resonance imaging for the assessment of cardiac disease. 2007 , 16, 70-8	23
865	Diagnostic value of contrast-enhanced magnetic resonance imaging and single-photon emission computed tomography for detection of myocardial necrosis early after acute myocardial infarction. 2007 , 49, 208-16	113
864	Acute myocardial infarction early viability assessment by 64-slice computed tomography immediately after coronary angiography: comparison with low-dose dobutamine echocardiography. 2007 , 49, 1178-85	81
863	Early prediction of infarct size by strain Doppler echocardiography after coronary reperfusion. 2007 , 49, 1715-21	104
862	The search for myocardial protection: is there still hope?. 2007 , 50, 406-8	5
861	Retinal arteriolar narrowing and left ventricular remodeling: the multi-ethnic study of atherosclerosis. 2007 , 50, 48-55	114
860	Molecular Magnetic Resonance Imaging. 1637-1653	
859	Percutaneous coronary arterial thrombectomy for acute myocardial infarction reduces no-reflow phenomenon and protects against left ventricular remodeling related to the proximal left anterior descending and right coronary artery. 2007 , 48, 287-302	10

(2007-2008)

858	High dose adenosine for suboptimal myocardial reperfusion after primary PCI: A randomized placebo-controlled pilot study. 2008 , 71, 283-9	61
857	MR imaging in assessing cardiovascular interventions and myocardial injury. 2007 , 2, 1-15	14
856	Myocardial T1 mapping: application to patients with acute and chronic myocardial infarction. 2007 , 58, 34-40	259
855	Magnetic resonance imaging for ischemic heart disease. 2007 , 26, 3-13	35
854	Simultaneous myocardial and fat suppression in magnetic resonance myocardial delayed enhancement imaging. 2007 , 26, 927-33	5
853	MRI evaluation of microvascular obstruction in experimental reperfused acute myocardial infarction using a T1 and T2 preparation pulse sequence. 2007 , 26, 1486-92	7
852	Evaluation of regional myocardial function using automated wall motion analysis of cine MR images: Contribution of parametric images, contraction times, and radial velocities. 2007 , 26, 1127-32	15
851	Quantitation of infarct size in patients with chronic coronary artery disease using rest-redistribution Tl-201 myocardial perfusion SPECT: correlation with contrast-enhanced cardiac magnetic resonance. 2007 , 14, 59-67	6
850	Computer-assisted calculation of myocardial infarct size shortens the evaluation time of contrast-enhanced cardiac MRI. 2008 , 28, 1-7	6
849	Prospective, multicenter study of thrombectomy in patients with acute myocardial infarction: the X-Tract AMI registry. 2007 , 20, 44-50	14
848	Coronary endarterectomy on beating heart: is it worth doing?. 2007 , 22, 69-72	8
847	Delayed presentation of low molecular weight heparin treatment failure in a patient with mitral valve prosthesis. 2007 , 22, 61-2	4
846	Surgical repair of a congenital left ventricular aneurysm. 2007 , 22, 62-5	3
845	Blind surgical coronary revascularization. 2007 , 22, 65-6	
844	The role of noninvasive imaging in assessing hemodynamically significant coronary artery stenoses. 2007 , 22, 67-9	
843	Cardiac valve papillary fibroelastoma: surgical excision for revealed or potential embolization. 2007 , 22, 72-3	6
842	Anaesthesiological and ventilatory precautions during cardiac surgery in Steinert's disease. 2007 , 22, 74-5	5
841	A case report of coronary subclavian steal syndrome in a young woman. 2007 , 22, 76-7	4

840	Utility of cardiovascular magnetic resonance to predict left ventricular recovery after primary percutaneous coronary intervention for patients presenting with acute ST-segment elevation myocardial infarction. 2007 , 100, 211-6	18
839	Comparison of myocardial infarct size assessed with contrast-enhanced magnetic resonance imaging and left ventricular function and volumes to predict mortality in patients with healed myocardial infarction. 2007 , 100, 930-6	533
838	Morphologic validation of reperfused hemorrhagic myocardial infarction by cardiovascular magnetic resonance. 2007 , 100, 1322-7	79
837	Value of T2-weighted, first-pass and delayed enhancement, and cine CMR to differentiate between acute and chronic myocardial infarction. 2007 , 17, 610-7	32
836	Determinants and impact of microvascular obstruction in successfully reperfused ST-segment elevation myocardial infarction. Assessment by magnetic resonance imaging. 2007 , 17, 2572-80	106
835	Accuracy of contrast-enhanced cine-MR sequences in the assessment of left ventricular function: comparison with precontrast cine-MR sequences. Results of a bicentric study. 2007 , 17, 2838-44	9
834	Assessment of non-reperfused and reperfused myocardial infarction using diffusible or deposited radiolabelled perfusion imaging agents. 2007 , 34, 330-7	1
833	Significance of late gadolinium enhancement in cardiovascular magnetic resonance imaging (CMR). 2007 , 32, 129-37	60
832	Cardiovascular MRI for stem cell therapy. 2007 , 9, 45-50	8
831	Prognosis following acute myocardial infarction: insights from cardiovascular magnetic resonance. 2007 , 9, 57-62	3
830	Diagnostic value of late gadolinium-enhanced MRI and first-pass dynamic MRI for predicting functional recovery in patients after acute myocardial infarction. 2007 , 25, 263-71	6
829	Upfront thrombus aspiration in primary coronary intervention for patients with ST-segment elevation acute myocardial infarction: report of the VAMPIRE (VAcuuM asPIration thrombus REmoval) trial. 2008 , 1, 424-31	112
828	3.0 T cardiovascular magnetic resonance in patients treated with coronary stenting for myocardial infarction: evaluation of short term safety and image quality. 2008 , 24, 283-91	8
827	Contrast-enhanced magnetic resonance imaging in the assessment of myocardial infarction and viability. 2008 , 15, 105-17	42
826	Prognostic impact of contrast-enhanced CMR early after acute ST segment elevation myocardial infarction (STEMI) in a regional STEMI network: results of the "Herzinfarktverbund Essen". 2008 , 33, 136-42	35
825	[Cardiac magnetic resonance imaging in the diagnosis of acute coronary syndrome. Basics and clinical value]. 2008 , 33, 129-35	4
824	Analysis of microvascularity after reperfused acute myocardial infarction using the maximum slope method of contrast-enhanced magnetic resonance imaging. 2008 , 26, 296-304	2
823	Late gadolinium-enhanced cardiac magnetic resonance. 2008 , 10, 72-8	16

822	Magnetic resonance imaging in the assessment of ventricular remodeling and viability. 2008 , 5, 5-10	11
821	Cell therapy for acute myocardial infarctionwhere do we go from here?. 2008, 1, 64-70	3
820	Late gadolinium uptake demonstrated with magnetic resonance in patients where automated PERFIT analysis of myocardial SPECT suggests irreversible perfusion defect. 2008 , 8, 17	1
819	Quantitative characterization of myocardial infarction by cardiovascular magnetic resonance predicts future cardiovascular events in patients with ischemic cardiomyopathy. 2008 , 10, 17	4 ¹
818	Utility of Cardiac Magnetic Resonance to assess association between admission hyperglycemia and myocardial damage in patients with reperfused ST-segment elevation myocardial infarction. 2008 , 10, 2	7
817	Stimulated-echo acquisition mode (STEAM) MRI for black-blood delayed hyperenhanced myocardial imaging. 2008 , 27, 229-38	5
816	Concordant improvements in coronary flow reserve and ST-segment resolution during percutaneous coronary intervention for acute myocardial infarction: a benefit of postconditioning. 2008 , 72, 212-20	95
815	Evaluation of the microcirculation: advances in cardiac magnetic resonance perfusion imaging. 2008 , 15, 698-708	20
814	Cell therapy in myocardial infarction: emphasis on the role of MRI. 2008, 18, 548-69	19
813	'No-reflow' after acute myocardial infarction: direct visualisation of microvascular obstruction by gadolinium-enhanced CMR. 2008 , 16, 179-81	27
812	Rapid short-duration hypothermia with cold saline and endovascular cooling before reperfusion reduces microvascular obstruction and myocardial infarct size. 2008 , 8, 7	88
811	Assessment and key targets for therapy in the post-myocardial infarction patient with left ventricular dysfunction. 2008 , 102, 5G-12G	4
810	Cardiac magnetic resonance imaging: techniques and principles. 2008, 43, 173-82	11
809	Myocardial ischemia: current concepts and future perspectives. 2008 , 52, 67-78	72
808	Effect of Persistent Microvascular Obstruction on Post-infarction Ventricular Remodeling Following Intracoronary Bone-Marrow Cell Transplantation: A Contrast-Enhanced Cardiac Magnetic Resonance Study. 2008 , 61, 602-610	
807	Association of impaired thrombolysis in myocardial infarction myocardial perfusion grade with ventricular fibrillation following fibrinolytic therapy for ST-segment elevation myocardial infarction. 2008 , 51, 546-51	25
806	Relation between the assessment of microvascular injury by cardiovascular magnetic resonance and coronary Doppler flow velocity measurements in patients with acute anterior wall myocardial infarction. 2008 , 51, 2230-8	61
805	Microvascular obstruction the final frontier for a complete myocardial reperfusion. 2008 , 51, 2239-40	14

804	Functional recovery after acute myocardial infarction: comparison between angiography, electrocardiography, and cardiovascular magnetic resonance measures of microvascular injury. 2008 , 52, 181-9		279
803	Contrast-enhanced cardiac MRI in myocardial infarction. 2008 , 17, 290-8		7
802	[Indications for MRI in coronary disease]. 2008, 37, 716-23		2
801	Left ventricular systolic dyssynchrony is a predictor of cardiac remodeling after myocardial infarction. 2008 , 156, 1124-32		21
800	Impacto de la obstruccifi microvascular persistente en el remodelado ventricular postinfarto tras el implante intracoronario de cíulas mononucleadas de màula Bea: un estudio de cardiorresonancia con contraste. 2008 , 61, 602-610		3
799	Myocardial perfusion assessed by contrast echocardiography correlates with angiographic perfusion parameters in patients with a first acute myocardial infarction successfully treated with angioplasty. 2008 , 24, 633-9		16
79 ⁸	Rehaussement tardif en IRM cardiaque. 2008 , 48, 168-177		
797	Comparison of delayed enhancement patterns on multislice computed tomography immediately after coronary angiography and cardiac magnetic resonance imaging in acute myocardial infarction. 2009 , 95, 624-9		22
796	Primary Percutaneous Coronary Intervention. 2008 , 91-117		
795	Myocyte Protection by Device Therapy. 2008 , 248-264		
795 794	Myocyte Protection by Device Therapy. 2008, 248-264 Noninvasive separation of large, medium, and small myocardial infarcts in survivors of reperfused ST-elevation myocardial infarction: a comprehensive tissue Doppler and speckle-tracking echocardiography study. 2008, 1, 189-96, 2 p following 196		103
	Noninvasive separation of large, medium, and small myocardial infarcts in survivors of reperfused ST-elevation myocardial infarction: a comprehensive tissue Doppler and speckle-tracking	16.7	103
794	Noninvasive separation of large, medium, and small myocardial infarcts in survivors of reperfused ST-elevation myocardial infarction: a comprehensive tissue Doppler and speckle-tracking echocardiography study. 2008 , 1, 189-96, 2 p following 196 Intracoronary compared with intravenous bolus abciximab application in patients with ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention: the randomized	16.7	
794 793	Noninvasive separation of large, medium, and small myocardial infarcts in survivors of reperfused ST-elevation myocardial infarction: a comprehensive tissue Doppler and speckle-tracking echocardiography study. 2008, 1, 189-96, 2 p following 196 Intracoronary compared with intravenous bolus abciximab application in patients with ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention: the randomized Leipzig immediate percutaneous coronary intervention abciximab IV versus IC in ST-elevation myocardial infanction totals Circulation 2008, 118, 1257 Carvedilol reduces myocardial no-reflow by decreasing endothelin-1 via activation of the	16.7	246
794 793 792	Noninvasive separation of large, medium, and small myocardial infarcts in survivors of reperfused ST-elevation myocardial infarction: a comprehensive tissue Doppler and speckle-tracking echocardiography study. 2008, 1, 189-96, 2 p following 196 Intracoronary compared with intravenous bolus abciximab application in patients with ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention: the randomized Leipzig immediate percutaneous coronary intervention abciximab IV versus IC in ST-elevation myocardial infarction talk Circulation 2008, 118, 13-57 Carvedilol reduces myocardial no-reflow by decreasing endothelin-1 via activation of the ATP-sensitive K+ channel. 2008, 23, 111-5 Infarct size by contrast enhanced cardiac magnetic resonance is a stronger predictor of outcomes than left ventricular ejection fraction or end-systolic volume index: prospective cohort study. 2008,	16.7	246
794 793 792 791	Noninvasive separation of large, medium, and small myocardial infarcts in survivors of reperfused ST-elevation myocardial infarction: a comprehensive tissue Doppler and speckle-tracking echocardiography study. 2008, 1, 189-96, 2 p following 196 Intracoronary compared with intravenous bolus abciximab application in patients with ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention: the randomized Leipzig immediate percutaneous coronary intervention abciximab IV versus IC in ST-elevation moderation and the factorial and the facto		246
794 793 792 791 790	Noninvasive separation of large, medium, and small myocardial infarcts in survivors of reperfused ST-elevation myocardial infarction: a comprehensive tissue Doppler and speckle-tracking echocardiography study. 2008, 1, 189-96, 2 p following 196 Intracoronary compared with intravenous bolus abciximab application in patients with ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention: the randomized Leipzig immediate percutaneous coronary intervention abciximab IV versus IC in ST-elevation moderate in the control of the ATP-sensitive K+ channel. 2008, 23, 111-5 Infarct size by contrast enhanced cardiac magnetic resonance is a stronger predictor of outcomes than left ventricular ejection fraction or end-systolic volume index: prospective cohort study. 2008, 94, 730-6 Images in cardiovascular medicine. The complex pathophysiology of acute myocardial infarction imaged by cardiovascular magnetic resonance: infarction, edema, microvascular obstruction, and inducible ischemia. Circulation, 2008, 118, e89-92		246 6 312 5

(2009-2008)

786	Acute ST-segment elevation myocardial infarction: American College of Chest Physicians Evidence-Based Clinical Practice Guidelines (8th Edition). 2008 , 133, 708S-775S	88
7 ⁸ 5	Evaluation of myocardial perfusion and deformation in patients with acute myocardial infarction treated with primary angioplasty and stent placement. 2008 , 19, 497-506	9
7 ⁸ 4	Optimal imaging strategies to assess coronary blood flow and risk for patients with coronary artery disease. 2008 , 23, 599-606	13
7 ⁸ 3	Maximum persisting single lead ST elevation after primary angioplasty: a good predictor of left ventricular dilatation assessed by magnetic resonance imaging. 2008 , 9, 1113-9	
782	Multidetector computed tomography in reperfused acute myocardial infarction. Assessment of infarct size and no-reflow in comparison with cardiac magnetic resonance imaging. 2008 , 43, 773-81	34
781	Evaluation of acute coronary syndromes by cardiac magnetic resonance imaging. 2008 , 19, 25-32	10
78o	Diagnostic and prognostic value of cardiac magnetic resonance imaging in assessing myocardial viability. 2008 , 19, 15-24	35
779	Myocardial Imaging in CAD: Beyond Ischemia and Viability. 295-304	
778	. 2008,	
777	Acute Coronary Syndromes and Acute Myocardial Infarction. 2008, 589-646	
777 776	Acute Coronary Syndromes and Acute Myocardial Infarction. 2008, 589-646 Evaluating the Patient with LV Dysfunction for Potential Revascularization. 111-135	
776	Evaluating the Patient with LV Dysfunction for Potential Revascularization. 111-135	5
776 775	Evaluating the Patient with LV Dysfunction for Potential Revascularization. 111-135 Tirofiban Preserves Endothelial Junctions and Decreases Endothelin-1. 2008, 76, 171-183 Area at risk and viability after myocardial ischemia and reperfusion can be determined by	5
776 775 774	Evaluating the Patient with LV Dysfunction for Potential Revascularization. 111-135 Tirofiban Preserves Endothelial Junctions and Decreases Endothelin-1. 2008, 76, 171-183 Area at risk and viability after myocardial ischemia and reperfusion can be determined by contrast-enhanced cardiac magnetic resonance imaging. 2009, 43, 13-23 Myocardial scars are an underestimated cardiovascular burden in patients with internal carotid	
776 775 774 773	Evaluating the Patient with LV Dysfunction for Potential Revascularization. 111-135 Tirofiban Preserves Endothelial Junctions and Decreases Endothelin-1. 2008, 76, 171-183 Area at risk and viability after myocardial ischemia and reperfusion can be determined by contrast-enhanced cardiac magnetic resonance imaging. 2009, 43, 13-23 Myocardial scars are an underestimated cardiovascular burden in patients with internal carotid artery stenosis. 2009, 28, 80-7 Infarct tissue heterogeneity assessed with contrast-enhanced MRI predicts spontaneous ventricular arrhythmia in patients with ischemic cardiomyopathy and implantable cardioverter-defibrillator.	5
776 775 774 773 772	Evaluating the Patient with LV Dysfunction for Potential Revascularization. 111-135 Tirofiban Preserves Endothelial Junctions and Decreases Endothelin-1. 2008, 76, 171-183 Area at risk and viability after myocardial ischemia and reperfusion can be determined by contrast-enhanced cardiac magnetic resonance imaging. 2009, 43, 13-23 Myocardial scars are an underestimated cardiovascular burden in patients with internal carotid artery stenosis. 2009, 28, 80-7 Infarct tissue heterogeneity assessed with contrast-enhanced MRI predicts spontaneous ventricular arrhythmia in patients with ischemic cardiomyopathy and implantable cardioverter-defibrillator. 2009, 2, 183-90 Presence and extent of cardiac magnetic resonance microvascular obstruction in reperfused non-ST-elevated myocardial infarction and correlation with infarct size and myocardial enzyme	5 329
776 775 774 773 772 771	Evaluating the Patient with LV Dysfunction for Potential Revascularization. 111-135 Tirofiban Preserves Endothelial Junctions and Decreases Endothelin-1. 2008, 76, 171-183 Area at risk and viability after myocardial ischemia and reperfusion can be determined by contrast-enhanced cardiac magnetic resonance imaging. 2009, 43, 13-23 Myocardial scars are an underestimated cardiovascular burden in patients with internal carotid artery stenosis. 2009, 28, 80-7 Infarct tissue heterogeneity assessed with contrast-enhanced MRI predicts spontaneous ventricular arrhythmia in patients with ischemic cardiomyopathy and implantable cardioverter-defibrillator. 2009, 2, 183-90 Presence and extent of cardiac magnetic resonance microvascular obstruction in reperfused non-ST-elevated myocardial infarction and correlation with infarct size and myocardial enzyme release. 2009, 113, 50-8 Computer-assisted myocardial blush quantification after percutaneous coronary angioplasty for	5 329 24

768	Infarct haemorrhage detected by cardiac magnetic resonance imaging: are we seeing the latest culprit in adverse left ventricular remodelling?. 2009 , 30, 1431-3		5
767	Assessment of microvascular obstruction and prediction of short-term remodeling after acute myocardial infarction: cardiac MR imaging study. 2009 , 250, 363-70		98
766	[Quantification of microvascular obstruction in acute myocardial infarction using cardiac MRI]. 2009 , 181, 669-74		4
765	Science to practice: can the combination of resting first-pass myocardial perfusion and late gadolinium-enhanced cardiovascular MR imaging help identify myocardial infarction resulting from coronary microembolization?. 2009 , 250, 609-11		4
764	C-reactive protein, infarct size, microvascular obstruction, and left-ventricular remodelling following acute myocardial infarction. 2009 , 30, 1180-6		127
763	Hotline sessions of the 30th European Congress of Cardiology. 2009 , 30, 1151		
762	Relation between signal intensity on T2-weighted MR images and presence of microvascular obstruction in patients with acute myocardial infarction. 2009 , 193, W321-6		18
761	The prognostic implications of cardiovascular magnetic resonance. 2009 , 2, 243-50		31
760	Effect of cardiac rehabilitation on angiogenic cytokines in postinfarction patients. 2009 , 95, 1012-8		27
759	Prognostic significance of delayed-enhancement magnetic resonance imaging: survival of 857 patients with and without left ventricular dysfunction. <i>Circulation</i> , 2009 , 120, 2069-76	16.7	164
759 75 ⁸		16.7 16.7	
	patients with and without left ventricular dysfunction. <i>Circulation</i> , 2009 , 120, 2069-76 Use of cardiovascular magnetic resonance imaging in acute coronary syndromes. <i>Circulation</i> , 2009 ,	Í	
75 ⁸	patients with and without left ventricular dysfunction. <i>Circulation</i> , 2009 , 120, 2069-76 Use of cardiovascular magnetic resonance imaging in acute coronary syndromes. <i>Circulation</i> , 2009 , 119, 1671-81 Relation between myocardial infarct size and ventricular tachyarrhythmia among patients with preserved left ventricular ejection fraction following fibrinolytic therapy for ST-segment elevation	Í	71
75 ⁸	Use of cardiovascular magnetic resonance imaging in acute coronary syndromes. <i>Circulation</i> , 2009 , 119, 1671-81 Relation between myocardial infarct size and ventricular tachyarrhythmia among patients with preserved left ventricular ejection fraction following fibrinolytic therapy for ST-segment elevation myocardial infarction. 2009 , 104, 475-9 Effect of coronary collaterals on microvascular obstruction as assessed by magnetic resonance imaging in patients with acute ST-elevation myocardial infarction treated by primary coronary	Í	71
75 ⁸ 757 75 ⁶	Use of cardiovascular magnetic resonance imaging in acute coronary syndromes. <i>Circulation</i> , 2009 , 119, 1671-81 Relation between myocardial infarct size and ventricular tachyarrhythmia among patients with preserved left ventricular ejection fraction following fibrinolytic therapy for ST-segment elevation myocardial infarction. 2009 , 104, 475-9 Effect of coronary collaterals on microvascular obstruction as assessed by magnetic resonance imaging in patients with acute ST-elevation myocardial infarction treated by primary coronary intervention. 2009 , 104, 1204-9 Myocardium selective densitometric perfusion assessment after acute myocardial infarction. 2009 ,	Í	71 17 33
758 757 756 755	Use of cardiovascular magnetic resonance imaging in acute coronary syndromes. <i>Circulation</i> , 2009 , 119, 1671-81 Relation between myocardial infarct size and ventricular tachyarrhythmia among patients with preserved left ventricular ejection fraction following fibrinolytic therapy for ST-segment elevation myocardial infarction. 2009 , 104, 475-9 Effect of coronary collaterals on microvascular obstruction as assessed by magnetic resonance imaging in patients with acute ST-elevation myocardial infarction treated by primary coronary intervention. 2009 , 104, 1204-9 Myocardium selective densitometric perfusion assessment after acute myocardial infarction. 2009 , 10, 49-54	Í	71 17 33 5
758 757 756 755 754	Use of cardiovascular magnetic resonance imaging in acute coronary syndromes. <i>Circulation</i> , 2009, 119, 1671-81 Relation between myocardial infarct size and ventricular tachyarrhythmia among patients with preserved left ventricular ejection fraction following fibrinolytic therapy for ST-segment elevation myocardial infarction. 2009, 104, 475-9 Effect of coronary collaterals on microvascular obstruction as assessed by magnetic resonance imaging in patients with acute ST-elevation myocardial infarction treated by primary coronary intervention. 2009, 104, 1204-9 Myocardium selective densitometric perfusion assessment after acute myocardial infarction. 2009, 10, 49-54 Cardiac magnetic resonance imaging: techniques and clinical applications. 2009, 44, 67-83 Comparison of the angiographic myocardial blush grade with delayed-enhanced cardiac magnetic resonance for the assessment of microvascular obstruction in acute myocardial infarctions. 2009,	Í	71 17 33 5

75°	Vessel masking improves densitometric myocardial perfusion assessment. 2009 , 25, 229-36	8
749	Investigation of T2-weighted signal intensity of infarcted myocardium and its correlation with delayed enhancement magnetic resonance imaging in a porcine model with reperfused acute myocardial infarction. 2009 , 25 Suppl 1, 111-9	14
748	Signal intensity enhances diagnostic capacity in myocardial infarction. 2009 , 25, 545-7	
747	Magnetic resonance imaging of persistent myocardial obstruction after myocardial infarction. A tool becoming increasingly important in clinical cardiology?. 2009 , 25, 549-50	2
746	Association of TIMI myocardial perfusion grade and ST-segment resolution with cardiovascular magnetic resonance measures of microvascular obstruction and infarct size following ST-segment elevation myocardial infarction. 2009 , 27, 123-9	26
745	Non-invasive imaging of microvascular damage. 2009 , 16, 811-31	4
744	MRI with late gadolinium enhancement as a predictor of ventricular arrhythmias. 2009 , 2, 116-123	2
743	Assessment of coronary artery disease with a combined magnetic resonance examination. 2009 , 2, 157-163	
742	Technetium-99m pyrophosphate/thallium-201 dual-isotope SPECT imaging predicts reperfusion injury in patients with acute myocardial infarction after reperfusion. 2009 , 36, 230-6	7
74 ¹	Appearance of microvascular obstruction on high resolution first-pass perfusion, early and late gadolinium enhancement CMR in patients with acute myocardial infarction. 2009 , 11, 33	71
740	Intraindividual comparison of myocardial delayed enhancement MR imaging using gadobenate dimeglumine at 1.5 T and 3 T. 2009 , 19, 1124-31	13
739	Major prognostic impact of persistent microvascular obstruction as assessed by contrast-enhanced cardiac magnetic resonance in reperfused acute myocardial infarction. 2009 , 19, 2117-26	61
738	Detection and characteristics of microvascular obstruction in reperfused acute myocardial infarction using an optimized protocol for contrast-enhanced cardiovascular magnetic resonance imaging. 2009 , 19, 2904-12	48
737	Microvascular obstruction is a major determinant of infarct healing and subsequent left ventricular remodelling following primary percutaneous coronary intervention. 2009 , 30, 1978-85	131
736	Release of necrosis markers and cardiovascular magnetic resonance-derived microvascular perfusion in reperfused ST-elevation myocardial infarction. 2009 , 124, 592-600	4
735	The DD genotype of the angiotensin converting enzyme gene independently associates with CMR-derived abnormal microvascular perfusion in patients with a first anterior ST-segment elevation myocardial infarction treated with thrombolytic agents. 2009 , 124, e56-61	
734	Remote periconditioning reduces myocardial no-reflow by the activation of K ATP channel via inhibition of Rho-kinase. 2009 , 133, 179-84	17
733	Role of inflammation in the extent of microvascular obstruction in patients undergoing primary PCI. 2009 , 135, 273-5	3

732	Enalapril-induced cough is associated with non-severe heart failure. 2009 , 135, 275-6	7
731	Association of Thrombolysis in Myocardial Infarction Myocardial Perfusion Grade with cardiovascular magnetic resonance measures of infarct architecture after primary percutaneous coronary intervention for ST-segment elevation myocardial infarction. 2009 , 158, 84-91	15
730	Thrombus aspiration during primary percutaneous coronary intervention improves myocardial reperfusion and reduces infarct size: the EXPIRA (thrombectomy with export catheter in infarct-related artery during primary percutaneous coronary intervention) prospective, randomized	287
729	Effect of intravenous FX06 as an adjunct to primary percutaneous coronary intervention for acute ST-segment elevation myocardial infarction results of the F.I.R.E. (Efficacy of FX06 in the Prevention of Myocardial Reperfusion Injury) trial. 2009 , 53, 720-9	123
728	Myocardial no-reflow in humans. 2009 , 54, 281-92	569
727	The role of cardiovascular magnetic resonance imaging in heart failure. 2009 , 54, 1407-24	289
726	Cardiovascular magnetic resonance in patients with myocardial infarction: current and emerging applications. 2009 , 55, 1-16	250
725	Prognostic value of myocardial infarct size and contractile reserve using magnetic resonance imaging. 2009 , 54, 1770-7	133
724	Microemboli and microvascular obstruction in acute coronary thrombosis and sudden coronary death: relation to epicardial plaque histopathology. 2009 , 54, 2167-73	125
723	Prognostic value of a comprehensive cardiac magnetic resonance assessment soon after a first ST-segment elevation myocardial infarction. 2009 , 2, 835-42	89
722	Early electrocardiographic findings and MR imaging-verified microvascular injury and myocardial infarct size. 2009 , 2, 1187-94	39
721	Indications cliniques appropriès de lâIRM en pathologie cardio-vasculaire. 2009 , 1, 34-50	1
720	The CMR examination in heart failure. 2009 , 5, 283-300, v	18
719	Targeting angiogenesis to restore the microcirculation after reperfused MI. 2009, 6, 515-23	101
718	The effect of statins on the no-reflow phenomenon: an observational study in patients with hyperglycemia before primary angioplasty. 2009 , 9, 81-9	15
717	Prognostic value of coronary revascularisation-related myocardial injury: a cardiac magnetic resonance imaging study. 2009 , 95, 1937-43	62
716	Evaluation of myocardial viability by multidetector CT. 2009 , 3, S2-12	7
715	[Current indications for cardiac MR imaging]. 2009 , 90, 1144-60	3

(2010-2009)

714	Risk stratification for therapeutic management and prognosis. 2009 , 5, 437-55, vii	3
713	Left ventricle longitudinal deformation assessment by mitral annulus displacement or global longitudinal strain in chronic ischemic heart disease: are they interchangeable?. 2009 , 22, 823-30	38
712	Diagnostic et facteur pronostic en imagerie par rŝonance magntique de lâlhfarctus du myocarde. 2009 , 2009, 24-26	
711	Myocardial abnormalities underlying persistent ST-segment elevation after anterior myocardial infarction. 2009 , 10, 44-50	9
710	Cardiac MRI in ischemic heart disease. 2009 , 73, 1577-88	57
709	Prognostic value of microvascular damage determined by cardiac magnetic resonance in non ST-segment elevation myocardial infarction: comparison between first-pass and late gadolinium-enhanced images. 2010 , 45, 725-32	16
708	Non-invasive coronary flow reserve after successful primary angioplasty for acute anterior myocardial infarction is an independent predictor of left ventricular adverse remodelling. 2010 , 11, 711-8	11
707	Prevention of left ventricular remodelling after acute myocardial infarction: an update. 2010 , 5, 196-207	16
706	Thrombocytopenia in Patients With an Acute Coronary Syndrome (from the Global Registry of Acute Coronary Events [GRACE]). 2010 , 2010, 354-357	
705	Thrombus Aspiration During Primary Percutaneous Coronary Intervention Improves Myocardial Reperfusion and Reduces Infarct Size: The EXPIRA (Thrombectomy With Export Catheter in Infarct-Related Artery During Primary Percutaneous Coronary Intervention) Prospective,	1
704	Myocardial scar as arrhythmia risk in patients with hypertrophic cardiomyopathy. 2010 , 25, 276-81	3
703	Predictive value of cardiac troponin-I compared to creatine kinase-myocardial band for the assessment of infarct size as measured by cardiac magnetic resonance. 2010 , 11, 587-92	9
702	Prognostic significance of preprocedural troponin-I in patients with non-ST elevation acute coronary syndromes undergoing percutaneous coronary intervention. 2010 , 21, 261-5	4
701	Post-reperfusion enhancement of CD14(+)CD16(-) monocytes and microvascular obstruction in ST-segment elevation acute myocardial infarction. 2010 , 74, 1175-82	19
700	Evaluating microvascular obstruction after acute myocardial infarction using cardiac magnetic resonance imaging and 201-thallium and 99m-technetium pyrophosphate scintigraphy. 2010 , 74, 2633-40	6
699	Automated assessment of myocardial viability after acute myocardial infarction by global longitudinal peak strain on low-dose dobutamine stress echocardiography. 2010 , 74, 2158-65	8
698	Rheolytic thrombectomy: any role left?. 2010 , 2, 57-65	2
697	Clinical implications of microvascular obstruction and intramyocardial haemorrhage in acute myocardial infarction using cardiovascular magnetic resonance imaging. 2010 , 20, 2572-8	44

6

[Late gadolinium enhancement in the diagnostics of ischemic heart disease: technical principles, 696 contrast optimization and clinical application]. 2010, 50, 523-31 The index of microcirculatory resistance measured acutely predicts the extent and severity of 695 132 myocardial infarction in patients with ST-segment elevation myocardial infarction. 2010, 3, 715-22 Viability assessment with MRI is superior to FDG-PET for viability: Pro. 2010, 17, 292-7 8 694 Recent Developments in Outcomes Research in Cardiovascular MRI. 2010, 3, 175-186 693 The use of cardiovascular magnetic resonance in acute myocardial infarction. 2010, 12, 76-81 692 10 Intramyocardial hemorrhage and microvascular obstruction after primary percutaneous coronary 691 82 intervention. 2010, 26, 49-55 Head to head comparison of quantitative versus visual analysis of contrast CMR in the setting of 690 myocardial stunning after STEMI: implications on late systolic function and patient outcome. 2010, 7 26, 559-69 Treatment with the C5a receptor antagonist ADC-1004 reduces myocardial infarction in a porcine 689 33 ischemia-reperfusion model. 2010, 10, 45 Comparative analysis of cardiac magnetic resonance viability indexes to predict functional recovery 688 4 after successful percutaneous coronary intervention in acute myocardial infarction. 2010, 105, 598-604 Effect of coronary collaterals on long-term prognosis in patients undergoing primary angioplasty 687 39 for acute ST-elevation myocardial infarction. 2010, 106, 605-11 Relation between infarct size in ST-segment elevation myocardial infarction treated successfully by percutaneous coronary intervention and left ventricular ejection fraction three months after the 686 23 infarct. 2010, 106, 635-40 Usefulness of serial assessment of B-type natriuretic peptide, troponin I, and C-reactive protein to 685 predict left ventricular remodeling after acute myocardial infarction (from the REVE-2 study). 2010, 77 106, 1410-6 Cardiovascular magnetic resonance imaging of myocardial infarction, viability, and 684 38 cardiomyopathies. 2010, 35, 176-220 Automated segmentation of myocardial scar in late enhancement MRI using combined intensity 683 58 and spatial information. 2010, 64, 586-94 Apyrase treatment of myocardial infarction according to a clinically applicable protocol fails to 682 16 reduce myocardial injury in a porcine model. 2010, 10, 1 The contribution of intramyocardial hemorrhage to the "no-reflow phenomenon": a study

Acute Myocardial Infarction. 2010, 241-252

performed by cardiac magnetic resonance. **2010**, 27, 1120-9

Perfusion assessed by real-time contrast echocardiography correlates with clinical and

echocardiographic parameters in patients with first STEMI treated with PCI - 6-month follow-up.

2010, 6, 176-82

681

680

(2010-2010)

678	Pathophysiology of myocardial injury and remodeling: implications for molecular imaging. 2010 , 51 Suppl 1, 102S-106S	12
677	Strain echocardiography and wall motion score index predicts final infarct size in patients with non-ST-segment-elevation myocardial infarction. 2010 , 3, 187-94	69
676	Concurrent microvascular and infarct remodeling after successful reperfusion of ST-elevation acute myocardial infarction. 2010 , 3, 208-15	19
675	Assessment of severe reperfusion injury with T2* cardiac MRI in patients with acute myocardial infarction. 2010 , 96, 1885-91	57
674	ACCF/ACR/AHA/NASCI/SCMR 2010 expert consensus document on cardiovascular magnetic resonance: a report of the American College of Cardiology Foundation Task Force on Expert Consensus Documents. <i>Circulation</i> , 2010 , 121, 2462-508	7 248
673	Noninvasive MR characterization of structural and functional components of reperfused infarct. 2010 , 51, 1093-102	8
672	CMR for characterization of the myocardium in acute coronary syndromes. 2010 , 7, 624-36	41
671	Is the myocardial blush grade scored by the operator during primary percutaneous coronary intervention of prognostic value in patients with ST-elevation myocardial infarction in routine clinical practice?. 2010 , 3, 216-23	15
670	Microvascular obstruction remains a portent of adverse remodeling in optimally treated patients with left ventricular systolic dysfunction after acute myocardial infarction. 2010 , 3, 360-7	57
669	Relationship between no-reflow phenomenon and serotonin levels in patients with acute ST-elevation myocardial infarction who underwent primary percutaneous intervention. 2010 , 10, 253-9	7
668	Right ventricular involvement in acute left ventricular myocardial infarction: prognostic implications of MRI findings. 2010 , 194, 592-8	56
667	Prediction of 1-year mortality with different measures of ST-segment recovery in all-comers after primary percutaneous coronary intervention for acute myocardial infarction. 2010 , 3, 522-9	12
666	Postconditioning: from experimental proof to clinical concept. 2010 , 3, 39-44	14
665	The accuracy of deceleration time of diastolic coronary flow measured by transthoracic echocardiography in predicting long-term left ventricular infarct size and function after reperfused myocardial infarction. 2010 , 11, 823-8	4
664	Impact of early vs. late microvascular obstruction assessed by magnetic resonance imaging on long-term outcome after ST-elevation myocardial infarction: a comparison with traditional prognostic markers. 2010 , 31, 2660-8	176
663	Cardiovascular MRI in acute myocardial infarction. 2010 , 2, 327-339	1
662	[Delayed myocardial enhancement: Optimizing the MR imaging protocol]. 2010 , 91, 598-601	7
661	[Mechanisms of delayed myocardial enhancement and value of MR and CT contrast materials in the evaluation of myocardial viability]. 2010 , 91, 751-7	2

660	Serum soluble ST2: a potential novel mediator in left ventricular and infarct remodeling after acute myocardial infarction. 2010 , 55, 243-50	216
659	ACCF/ACR/AHA/NASCI/SCMR 2010 expert consensus document on cardiovascular magnetic resonance: a report of the American College of Cardiology Foundation Task Force on Expert Consensus Documents. 2010 , 55, 2614-62	461
658	Microvascular obstruction: underlying pathophysiology and clinical diagnosis. 2010 , 55, 1649-60	191
657	5-year prognostic value of no-reflow phenomenon after percutaneous coronary intervention in patients with acute myocardial infarction. 2010 , 55, 2383-9	291
656	Prognostic significance and determinants of myocardial salvage assessed by cardiovascular magnetic resonance in acute reperfused myocardial infarction. 2010 , 55, 2470-9	340
655	Quantitative tissue characterization of infarct core and border zone in patients with ischemic cardiomyopathy by magnetic resonance is associated with future cardiovascular events. 2010 , 55, 2762-8	82
654	Predicting late myocardial recovery and outcomes in the early hours of ST-segment elevation myocardial infarction traditional measures compared with microvascular obstruction, salvaged myocardium, and necrosis characteristics by cardiovascular magnetic resonance. 2010 , 55, 2459-69	174
653	Impact of systolic and diastolic deformation indexes assessed by strain-encoded imaging to predict persistent severe myocardial dysfunction in patients after acute myocardial infarction at follow-up. 2010 , 56, 1056-62	41
652	Value of a new multiparametric score for prediction of microvascular obstruction lesions in ST-segment elevation myocardial infarction revascularized by percutaneous coronary intervention. 2010 , 103, 512-21	11
651	Characterizing post-myocardial infarction microvascular obstruction by ECG: we could learn more from cardiac magnetic resonance imaging. 2010 , 63, 1120-2	
650	The sum of ST-segment elevation is the best predictor of microvascular obstruction in patients treated successfully by primary percutaneous coronary intervention. Cardiovascular magnetic resonance study. 2010 , 63, 1145-54	8
649	Relation of B-type natriuretic peptide (BNP) and infarct size as assessed by contrast-enhanced MRI. 2010 , 144, 53-8	16
648	Pathology, imaging and treatment of cardiac microvascular obstruction. 2010 , 125, 107-9	2
647	Intracoronary compared with intravenous bolus abciximab application during primary percutaneous coronary intervention: design and rationale of the Abciximab Intracoronary versus intravenously Drug Application in ST-Elevation Myocardial Infarction (AIDA STEMI) trial. 2010 , 159, 547-54	61
646	Endothelin-1 release in acute myocardial infarction as a predictor of long-term prognosis and no-reflow assessed by contrast-enhanced magnetic resonance imaging. 2010 , 159, 882-90	53
645	Early ST-segment recovery after primary percutaneous coronary intervention accurately predicts long-term prognosis after acute myocardial infarction. 2010 , 159, 1005-11	5
644	Relationship between myocardial blush grades, staining, and severe microvascular damage after primary percutaneous coronary intervention a study performed with contrast-enhanced magnetic resonance in a large consecutive series of patients. 2010 , 159, 1124-32	21
643	Predicting chronic left ventricular dysfunction 90 days after ST-segment elevation myocardial infarction: An Assessment of Pexelizumab in Acute Myocardial Infarction (APEX-AMI) Substudy. 2010 , 160, 272-8	26

642	Resonancia magntica cardilca en pediatril: cuildo ayudamos al cardilogo infantil (y cuildo no). 2010 , 8, 313-317	
641	Caracterizacifi de la obstruccifi microvascular post-IM mediante ECG: podemos obtener mil informacifi de la resonancia magnitica cardiaca. 2010 , 63, 1120-1122	2
640	La suma de la elevacifi del segmento ST predice mejor la obstruccifi microvascular en pacientes tratados con xito con una intervencifi coronaria percutfiea primaria. Un estudio de resonancia magntica cardiovascular. 2010 , 63, 1145-1154	20
639	The emerging clinical role of cardiovascular magnetic resonance imaging. 2010 , 26, 313-22	22
638	Cardiovascular Magnetic Resonance: Basic Principles, Methods, and Techniques. 2010 , 30-71	1
637	Prevention and treatment of no-reflow. 2010 , 12, 81-91	12
636	Cardiac magnetic resonance imaging: current status and future directions. 2010 , 8, 1175-89	5
635	Imaging surrogate end points in heart failure trials. 2011 , 7, 509-18	1
634	Cardiac Magnetic Resonance Imaging in 1schemic Heart Disease. 2011 , 6, 453-73	
633	Intraluminal thrombus in facilitated versus primary percutaneous coronary intervention: an angiographic substudy of the ASSENT-4 PCI (Assessment of the Safety and Efficacy of a New Treatment Strategy with Percutaneous Coronary Intervention) trial. 2011 , 57, 1867-73	24
632	Dark regions of no-reflow on late gadolinium enhancement magnetic resonance imaging result in scar formation after atrial fibrillation ablation. 2011 , 58, 177-85	81
631	Detection and quantification of myocardial reperfusion hemorrhage using T2*-weighted CMR. 2011 , 4, 1274-83	69
630	Use of nicorandil in cardiovascular disease and its optimization. 2011 , 71, 1105-19	46
629	Regional myocardial function after intracoronary bone marrow cell injection in reperfused anterior wall infarction - a cardiovascular magnetic resonance tagging study. 2011 , 13, 22	28
628	Imagerie en coupes du coeur et des vaisseaux. 2011 ,	
627	A multicenter, randomized, controlled study of mechanical left ventricular unloading with counterpulsation to reduce infarct size prepercutaneous coronary intervention for acute myocardial infarction: rationale and design of the Counterpulsation Reduces Infarct Size Acute	16
626	Ischemic heart disease: comprehensive evaluation by cardiovascular magnetic resonance. 2011 , 162, 16-30	34
625	Quantitative Blush Evaluator accurately quantifies microvascular dysfunction in patients with ST-elevation myocardial infarction: comparison with cardiovascular magnetic resonance. 2011 , 162, 372-381.	e2 ¹⁶

624	Comparison of visual scoring and quantitative planimetry methods for estimation of global infarct size on delayed enhanced cardiac MRI and validation with myocardial enzymes. 2011 , 78, 87-92	24
623	No-reflow disrupts the expression and distribution of connexin 43 in a swine model. 2011 , 82, 404-9	3
622	Dynamic Changes in ST Segment Resolution After Myocardial Infarction and the Association with Microvascular Injury on Cardiac Magnetic Resonance Imaging. 2011 , 20, 111-8	20
621	Evolution of myocardial perfusion during primary angioplasty in spontaneously reperfused infarct-related artery: impact on long-term clinical outcomes and left ventricular function recovery. 2011 , 147, 25-31	10
620	Cardiac magnetic resonance imaging and endothelin-1: a step forward in the detection of microvascular obstruction. 2011 , 64, 89-91	4
619	Cardiac Magnetic Resonance Imaging and Endothelin-1: A Step Forward in the Detection of Microvascular Obstruction. 2011 , 64, 89-91	
618	Cardiovascular magnetic resonance: applications in daily practice. 2011 , 19, 246-54	13
617	Delayed contrast enhancement on MR images of myocardium: past, present, future. 2011 , 261, 358-74	114
616	Ischemic Heart Disease. 2011 , 203-273	
615	Angiographic patterns of myocardial reperfusion after primary angioplasty and ventricular remodeling. 2011 , 22, 507-14	11
614	Mechanical assistance by intra-aortic balloon pump counterpulsation during reperfusion increases coronary blood flow and mitigates the no-reflow phenomenon: an experimental study. 2011 , 35, 867-74	26
613	Grade 3 ischemia on the admission electrocardiogram is associated with severe microvascular injury on cardiac magnetic resonance imaging after ST elevation myocardial infarction. 2011 , 44, 49-57	25
612	Importance of standardized assessment of late gadolinium enhancement for quantification of infarct size by cardiac magnetic resonance: implications for comparison with electrocardiogram. 2011 , 44, 538-43	3
611	Cardiac magnetic resonance imaging: A teaching atlas with emphasizing current clinical indications.	
	2011 , 23, 255-66	
610	2011, 23, 255-66 The role of cardiovascular magnetic resonance in patients with acute coronary syndromes. 2011, 54, 230-9	5
610	The role of cardiovascular magnetic resonance in patients with acute coronary syndromes. 2011 ,	5
	The role of cardiovascular magnetic resonance in patients with acute coronary syndromes. 2011 , 54, 230-9	

(2011-2011)

606	[Usefulness of diastolic deceleration time assessed by transthoracic Doppler measurement in the detection of sustained microvascular obstruction in STEMI patients treated by primary PTCA]. 2011 , 60, 119-26	
605	Functional cardiac MR imaging with true fast imaging with steady-state free precession before and after intravenous injection of contrast medium: comparison of image quality and accuracy. 2011 , 21, 702-11	8
604	Established and novel biomarkers in ST-elevation myocardial infarction. 2011 , 7, 523-46	
603	Intracoronary versus intravenous bolus abciximab application in patients with ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention: 6-month effects on infarct size and left ventricular function. The randomised Leipzig Immediate PercutaneouS	19
602	Impact of hyperglycemia at admission in patients with acute ST-segment elevation myocardial infarction as assessed by contrast-enhanced MRI. 2011 , 100, 649-59	35
601	Optimal timing of hypothermia in relation to myocardial reperfusion. 2011 , 106, 697-708	28
600	Relationship between retrograde coronary blood flow and the extent of no-reflow and infarct size in a porcine ischemia-reperfusion model. 2011 , 4, 99-105	1
599	The cardiac magnetic resonance (CMR) approach to assessing myocardial viability. 2011 , 18, 1095-102	37
598	The no-reflow phenomenon associated with percutaneous coronary intervention: its mechanisms and treatment. 2011 , 26, 2-11	8
597	Myocardial salvage determined by cardiac magnetic resonance is the most important prognostic imaging indicator in acute myocardial infarction. 2011 , 13, 3-5	
596	The role of cardiac MR in new-onset heart failure. 2011 , 13, 185-93	10
595	Cardiac magnetic resonance imaging parameters as surrogate endpoints in clinical trials of acute myocardial infarction. 2011 , 12, 204	37
594	Papillary muscle involvement in myocardial infarction: initial results using multicontrast late-enhancement MRI. 2011 , 33, 211-6	12
593	Cardiovascular MRI for the assessment of heart failure: focus on clinical management and prognosis. 2011 , 33, 275-86	6
592	Quantitative tracking of edema, hemorrhage, and microvascular obstruction in subacute myocardial infarction in a porcine model by MRI. 2011 , 66, 1129-41	82
591	The role of non-invasive imaging in patients with suspected acute coronary syndrome. 2011 , 84 Spec No 3, S269-79	5
590	MRI in acute myocardial infarction. 2011 , 32, 284-93	76
589	Timing of cardiovascular MR imaging after acute myocardial infarction: effect on estimates of infarct characteristics and prediction of late ventricular remodeling. 2011 , 261, 116-26	65

588	A Review of Mild Hypothermia as an Adjunctive Treatment for ST-Elevation Myocardial Infarction. 2011 , 1, 129-41	23
587	Aldosterone and cortisol predict medium-term left ventricular remodelling following myocardial infarction. 2011 , 13, 1305-13	34
586	Vasoconstrictor potential of coronary aspirate from patients undergoing stenting of saphenous vein aortocoronary bypass grafts and its pharmacological attenuation. 2011 , 108, 344-52	75
585	Effect of erythropoietin as an adjunct to primary percutaneous coronary intervention: a randomised controlled clinical trial. 2011 , 97, 1560-5	60
584	Growth-differentiation factor 15 as predictor of mortality in acute reperfused ST-elevation myocardial infarction: insights from cardiovascular magnetic resonance. 2011 , 97, 632-40	46
583	Thin-cap fibroatheroma as high-risk plaque for microvascular obstruction in patients with acute coronary syndrome. 2011 , 4, 620-7	35
582	No-reflow phenomenon: maintaining vascular integrity. 2011 , 16, 244-50	94
581	Cardiovascular MR Manual. 2011,	5
580	Intracoronary autologous mononucleated bone marrow cell infusion for acute myocardial infarction: results of the randomized multicenter BONAMI trial. 2011 , 32, 1748-57	132
579	Improved detection of subendocardial hyperenhancement in myocardial infarction using dark blood-pool delayed enhancement MRI. 2011 , 196, 339-48	26
578	Cardiac imaging after myocardial infarction. 2011 , 32, 272-83	75
577	Assessment of cardiac ischaemia and viability: role of cardiovascular magnetic resonance. 2011 , 32, 799-809	57
576	High-dose intracoronary adenosine for myocardial salvage in patients with acute ST-segment elevation myocardial infarction. 2011 , 32, 867-77	111
575	Increased coronary blood flow and cardiac contractile efficiency with intraaortic balloon counterpulsation in a porcine model of myocardial ischemia-reperfusion injury. 2011 , 57, 375-81	9
574	Computed tomography imaging in myocardial infarction. 2011 , 9, 211-21	4
573	Reperfusion haemorrhage as determined by cardiovascular MRI is a predictor of adverse left ventricular remodelling and markers of late arrhythmic risk. 2011 , 97, 453-9	113
572	Influence of radiographic contrast media (iodixanol und iomeprol) on the morphology of human arterial and venous endothelial cells on extracellular matrix in vitro. 2011 , 48, 41-56	8
571	The role of cardiac magnetic resonance in the evaluation of patients presenting with suspected or confirmed acute coronary syndrome. 2011 , 2011, 605785	6

570	cardiomyopathies. 2012 , 10, 223-33	7
569	Managing no-reflow during percutaneous coronary intervention. 2012 , 4, 461-472	
568	Microvascular Resistance Predicts Myocardial Salvage and Infarct Characteristics in ST-Elevation Myocardial Infarction. 2012 , 1, e002246	66
567	CT Assessment of Myocardial Viability: Quantitive Imaging. 2012 , 193-205	
566	CT Approaches for the Assessment of Myocardial Viability. 2012 , 173-184	
565	Prehospital abciximab in ST-segment elevation myocardial infarction: results of the randomized, double-blind MISTRAL study. 2012 , 5, 69-76, S1	17
564	The microvasculature after reperfused myocardial infarction: to examine or not to examine?. 2012 , 1, e003392	1
563	Coronary microvascular dysfunction in the clinical setting: from mystery to reality. 2012 , 33, 2771-2782b	150
562	Conditioning the heart to prevent myocardial reperfusion injury during PPCI. 2012 , 1, 13-32	12
561	Pathophysiology of coronary thrombus formation and adverse consequences of thrombus during PCI. 2012 , 8, 168-76	28
560	Why are We Interested in Viability?. 2012 , 155-171	
559	Hypothermia and percutaneous coronary intervention during acute myocardial infarction. 2012 , 4, 235-243	5
558	Cardiac magnetic resonance derived late microvascular obstruction assessment post ST-segment elevation myocardial infarction is the best predictor of left ventricular function: a comparison of angiographic and cardiac magnetic resonance derived measurements. 2012 , 28, 1971-81	37
557	Apport de lâIRM cardiaque dans le diagnostic des complications de lâInfarctus du myocarde. 2012 , 93, 611-619	
556	L'imagerie par r§onance magntique dans les cardiopathies ischmiques : indications et non indications. 2012 , 2012, 9-15	
555	Evaluation of myocardial ischemia and viability by noninvasive cardiac imaging. 2012 , 10, 55-73	6
554	Coronary no reflow. 2012 , 52, 873-82	115
553	Myocardial edema: a translational view. 2012 , 52, 931-9	65

552	Impact of early abciximab administration on infarct size in patients with ST-elevation myocardial infarction. 2012 , 155, 230-5	14
551	Late microvascular obstruction after acute myocardial infarction: relation with cardiac and inflammatory markers. 2012 , 157, 391-6	46
550	Myocardial infarction in the young. 2012 , 159, 154-5	
549	Assessment of myocardial viability using multidetector computed tomography in patients with reperfused acute myocardial infarction. 2012 , 67, 754-65	2
548	Patterns of myocardial perfusion in the acute and chronic stage after myocardial infarction: a cardiac magnetic resonance study. 2012 , 81, 767-72	5
547	Cardiac imaging techniques for physicians: late enhancement. 2012 , 36, 529-42	104
546	Cardiovascular magnetic resonance by non contrast T1-mapping allows assessment of severity of injury in acute myocardial infarction. 2012 , 14, 15	194
545	Cardiovascular magnetic resonance of myocardial edema using a short inversion time inversion recovery (STIR) black-blood technique: diagnostic accuracy of visual and semi-quantitative assessment. 2012 , 14, 22	33
544	Prognostic value at 5 years of microvascular obstruction after acute myocardial infarction assessed by cardiovascular magnetic resonance. 2012 , 14, 46	69
543	CMR of microvascular obstruction and hemorrhage in myocardial infarction. 2012 , 14, 68	112
542	Overview of large animal myocardial infarction models (review). 2012 , 99, 365-81	19
541	Patterns of myocardial late enhancement: typical and atypical features. 2012 , 105, 300-8	24
540	Prognostic value of myocardial viability by delayed-enhanced magnetic resonance in patients with coronary artery disease and low ejection fraction: impact of revascularization therapy. 2012 , 59, 825-35	127
539	Association between angiographic complications and clinical outcomes among patients with acute coronary syndrome undergoing percutaneous coronary intervention: an EARLY ACS (Early Glycoprotein IIb/IIIa Inhibition in Non-ST-Segment Elevation Acute Coronary Syndrome)	17
538	Time-dependent detrimental effects of distal embolization on myocardium and microvasculature during primary percutaneous coronary intervention. 2012 , 5, 1170-7	22
537	Cardiac MRI in the diagnosis of complications of myocardial infarction. 2012 , 93, 578-85	6
536	Acute chest pain: the role of MR imaging and MR angiography. 2012 , 81, 3680-90	13
535	The size does not matter - the presence of microvascular obstruction but not its extent corresponds to larger infarct size in reperfused STEMI. 2012 , 81, 2839-43	8

534	Multidetector computed tomography predictors of late ventricular remodeling and function after acute myocardial infarction. 2012 , 81, 2648-57	6
533	MRI of acute vascular syndromes: the emerging role of cardiovascular MRI in the diagnosis and treatment of AMI and stroke. 2012 , 10, 1101-8	
532	Stress repair mechanism activity explains inflammation and apoptosis. 2012, 03, 459-503	1
531	Imaging the myocardial microcirculation post-myocardial infarction. 2012 , 9, 282-92	13
530	Role of first pass and delayed enhancement in assessment of segmental functional recovery after acute myocardial infarction. 2012 , 117, 1294-308	3
529	Management of Myocardial Reperfusion Injury. 2012,	88
528	Cardioprotection. 2012 , 369-388	1
527	High-throughput 13-parameter immunophenotyping identifies shifts in the circulating T-cell compartment following reperfusion in patients with acute myocardial infarction. 2012 , 7, e47155	24
526	Index of microcirculatory resistance as predictor for microvascular functional recovery in patients with anterior myocardial infarction. 2012 , 27, 1044-50	17
525	Delayed enhancement cardiac magnetic resonance imaging can identify the risk for ventricular tachycardia in chronic Chagas' heart disease. 2012 , 98, 421-30	47
524	The assessment of endothelial function: from research into clinical practice. <i>Circulation</i> , 2012 , 126, 753-6 7 6.7	749
523	Effect of bivalirudin compared with unfractionated heparin plus abciximab on infarct size and myocardial recovery after primary percutaneous coronary intervention: the horizons-AMI CMRI substudy. 2012 , 79, 1083-9	20
522	MGUard versus bAre-metal stents plus manual thRombectomy in ST-elevation myocarDial infarction pAtieNts-(GUARDIAN) trial: study design and rationale. 2012 , 79, 1118-26	15
521	Impact of microvascular obstruction and infarct size on left ventricular remodeling in reperfused myocardial infarction: a contrast-enhanced cardiac magnetic resonance imaging study. 2012 , 28, 835-42	32
520	Timely recognition of cardiovascular toxicity by anticancer agents: a common objective of the pharmacologist, oncologist and cardiologist. 2012 , 12, 93-107	10
519	Konsensusempfehlungen der DRG/DGK/DGPK zum Einsatz der Herzbildgebung mit Computertomographie und Magnetresonanztomographie. 2012 , 6, 105-125	16
518	The role of cardiac magnetic resonance imaging following acute myocardial infarction. 2012 , 22, 1757-68	13
517	Relationship and prognostic value of microvascular obstruction and infarct size in ST-elevation myocardial infarction as visualized by magnetic resonance imaging. 2012 , 101, 487-95	53

516	Principles, current status and clinical implications of ischaemic heart disease assessment by cardiac magnetic resonance imaging. 2012 , 42, 7-17	9
515	Usefulness of transient and persistent no reflow to predict adverse clinical outcomes following percutaneous coronary intervention. 2012 , 109, 478-85	50
514	Evidence for medical management versus revascularization for coronary artery disease: guidance from cardiac magnetic resonance imaging and computed tomography. 2012 , 47, 220-7	
513	Thrombus aspiration during primary percutaneous coronary intervention is associated with reduced myocardial edema, hemorrhage, microvascular obstruction and left ventricular remodeling. 2012 , 14, 19	17
512	Hybrid SPECT/cardiac-gated first-pass perfusion CT: locating transplanted cells relative to infarcted myocardial targets. 2012 , 7, 76-84	7
511	Time-dependency, predictors and clinical impact of infarct transmurality assessed by magnetic resonance imaging in patients with ST-elevation myocardial infarction reperfused by primary coronary percutaneous intervention. 2012 , 101, 191-200	15
510	Methods of creatine kinase-MB analysis to predict mortality in patients with myocardial infarction treated with reperfusion therapy. 2013 , 14, 123	17
509	Thrombus Aspiration in ThrOmbus containing culpRiT lesions in Non-ST-Elevation Myocardial Infarction (TATORT-NSTEMI): study protocol for a randomized controlled trial. 2013 , 14, 110	9
508	Chest Pain with Normal Coronary Arteries. 2013,	2
507	Acute myocardial infarction: early CT aspects of myocardial microcirculation obstruction after percutaneous coronary intervention. 2013 , 23, 2405-12	8
506	The effect of microvascular obstruction and intramyocardial hemorrhage on contractile recovery in reperfused myocardial infarction: insights from cardiovascular magnetic resonance. 2013 , 15, 58	50
505	Risk assessment following ST-segment elevation myocardial infarction. 2013 , 66, 603-5	
504	Tcnicas de imagen no invasivas en la investigaciñ cardiovascular. 2013 , 13, 64-72	
503	Postconditioning attenuates no-reflow in STEMI patients. 2013 , 108, 383	65
502	Myocardial conditioning: opportunities for clinical translation. 2013 , 113, 439-50	85
501	Prognostic value of stress cardiac magnetic resonance imaging in patients with known or suspected coronary artery disease: a systematic review and meta-analysis. 2013 , 62, 826-38	155
500	Relationship between myocardial reperfusion, infarct size, and mortality: the INFUSE-AMI (Intracoronary Abciximab and Aspiration Thrombectomy in Patients With Large Anterior Myocardial Infarction) trial. 2013 , 6, 718-24	34
499	Novel MRI and CT Approaches for the Characterization of Myocardial Infarct. 2013 , 1, 233-245	

498	Review of Journal of Cardiovascular Magnetic Resonance 2012. 2013 , 15, 76	5
497	Magnetic resonance imaging-defined areas of microvascular obstruction after acute myocardial infarction represent microvascular destruction and haemorrhage. 2013 , 34, 2346-53	141
496	Prevalence and distribution of late gadolinium enhancement in a large population of patients with Duchenne muscular dystrophy: effect of age and left ventricular systolic function. 2013 , 15, 107	80
495	Chronic manifestation of postreperfusion intramyocardial hemorrhage as regional iron deposition: a cardiovascular magnetic resonance study with ex vivo validation. 2013 , 6, 218-28	60
494	The effect of prethrombolytic cyclosporine-A injection on clinical outcome of acute anterior ST-elevation myocardial infarction. 2013 , 31, e34-9	45
493	Chronic pretreatment of metformin is associated with the reduction of the no-reflow phenomenon in patients with diabetes mellitus after primary angioplasty for acute myocardial infarction. 2013 , 31, 60-4	16
492	MRI quantification of left ventricular function in microinfarct versus large infarct in swine model. 2013 , 29, 159-68	7
491	Intracoronary abciximab reduces death and major adverse cardiovascular events in acute coronary syndromes: a meta-analysis of clinical trials. 2013 , 168, 1298-305	14
490	Evaluaciñ del riesgo tras infarto de miocardio con elevaciñ del segmento ST. 2013 , 66, 603-605	8
489	The role of cardiac magnetic resonance imaging (MRI) in acute myocardial infarction (AMI). 2013 , 22, 243-55	26
488	Predictors of cardiovascular magnetic resonance-derived microvascular obstruction on patient admission in STEMI. 2013 , 166, 77-84	18
487	Relationship of cardiac biomarkers and reversible and irreversible myocardial injury following acute myocardial infarction as determined by cardiovascular magnetic resonance. 2013 , 166, 458-64	32
486	Closed versus open cell stent for high-risk percutaneous coronary interventions in ST-elevation acute myocardial infarction: the Closed versus Open Cells stent for High risk percutaneous coronary Interventions in ST-Elevation acute myocardial infarction (COCHISE) pilot study. 2013 ,	4
485	Cardiovascular magnetic resonance-derived intramyocardial hemorrhage after STEMI: Influence on long-term prognosis, adverse left ventricular remodeling and relationship with microvascular obstruction. 2013 , 167, 2047-54	64
484	Intracoronary ECG during primary percutaneous coronary intervention for ST-segment elevation myocardial infarction predicts microvascular obstruction and infarct size. 2013 , 165, 61-6	12
483	Effect of macroscopic-positive thrombus retrieval during primary percutaneous coronary intervention with thrombus aspiration on myocardial infarct size and microvascular obstruction. 2013 , 111, 159-65	5
482	Impaired coronary flow reserve after a recent myocardial infarction: correlation with infarct size and extent of microvascular obstruction. 2013 , 167, 351-6	17
481	Microvascular obstruction in the right ventricle in reperfused anterior myocardial infarction. Macroscopic and pathologic evidence in a swine model. 2013 , 132, 592-8	9

480	Valor pron\(\text{tico}\) a largo plazo del an\(\text{lisis}\) sompleto de los \(\text{fidices}\) de resonancia magn\(\text{tica}\) cardiaca tras un infarto de miocardio con elevaci\(\text{li}\) del segmento ST. 2013 , 66, 613-622	18
479	Long-term prognostic value of a comprehensive assessment of cardiac magnetic resonance indexes after an ST-segment elevation myocardial infarction. 2013 , 66, 613-22	
478	Assessing myocardial recovery following ST-segment elevation myocardial infarction: short- and long-term perspectives using cardiovascular magnetic resonance. 2013 , 11, 203-19	48
477	Myocardial 'no-reflow'diagnosis, pathophysiology and treatment. 2013 , 167, 1798-806	34
476	Microcirculatory function and left ventricular recovery after STEMI, exploring the hidden territories. 2013 , 21, 236-7	
475	Gender differences in contrast-enhanced magnetic resonance imaging after acute myocardial infarction. 2013 , 29, 643-50	6
474	Value of two-dimensional longitudinal strains analysis to assess the impact of thrombus aspiration during primary percutaneous coronary intervention on left ventricular function: a speckle tracking imaging substudy of the EXPIRA trial. 2014 , 31, 842-7	
473	MR imaging of myocardial infarction. 2013 , 33, 1383-412	71
472	Head-to-head comparison of 1 week versus 6 months CMR-derived infarct size for prediction of late events after STEMI. 2013 , 29, 1499-509	7
471	Prognostic importance of myocardial infarct characteristics. 2013 , 14, 313-5	13
47 ¹	Prognostic importance of myocardial infarct characteristics. 2013, 14, 313-5 Low-dose dobutamine adds incremental value to late gadolinium enhancement cardiac magnetic resonance in the prediction of adverse remodelling following acute myocardial infarction. 2013, 14, 906-13	13
	Low-dose dobutamine adds incremental value to late gadolinium enhancement cardiac magnetic	
470	Low-dose dobutamine adds incremental value to late gadolinium enhancement cardiac magnetic resonance in the prediction of adverse remodelling following acute myocardial infarction. 2013 , 14, 906-13	4
47° 469	Low-dose dobutamine adds incremental value to late gadolinium enhancement cardiac magnetic resonance in the prediction of adverse remodelling following acute myocardial infarction. 2013 , 14, 906-13 Image-guided therapies for myocardial repair: concepts and practical implementation. 2013 , 14, 741-51 Detection of acute reperfusion myocardial hemorrhage with cardiac MR imaging: T2 versus T2.	13
47° 469 468	Low-dose dobutamine adds incremental value to late gadolinium enhancement cardiac magnetic resonance in the prediction of adverse remodelling following acute myocardial infarction. 2013 , 14, 906-13 Image-guided therapies for myocardial repair: concepts and practical implementation. 2013 , 14, 741-51 Detection of acute reperfusion myocardial hemorrhage with cardiac MR imaging: T2 versus T2. 2013 , 269, 387-95 Magnetic resonance imaging of cardiovascular fibrosis and inflammation: from clinical practice to	4 13 62
47° 469 468 467	Low-dose dobutamine adds incremental value to late gadolinium enhancement cardiac magnetic resonance in the prediction of adverse remodelling following acute myocardial infarction. 2013, 14, 906-13 Image-guided therapies for myocardial repair: concepts and practical implementation. 2013, 14, 741-51 Detection of acute reperfusion myocardial hemorrhage with cardiac MR imaging: T2 versus T2. 2013, 269, 387-95 Magnetic resonance imaging of cardiovascular fibrosis and inflammation: from clinical practice to animal studies and back. 2013, 2013, 676489 Relationship of plasma neuropeptide Y with angiographic, electrocardiographic and coronary	4 13 62 14
470 469 468 467 466	Low-dose dobutamine adds incremental value to late gadolinium enhancement cardiac magnetic resonance in the prediction of adverse remodelling following acute myocardial infarction. 2013, 14, 906-13 Image-guided therapies for myocardial repair: concepts and practical implementation. 2013, 14, 741-51 Detection of acute reperfusion myocardial hemorrhage with cardiac MR imaging: T2 versus T2. 2013, 269, 387-95 Magnetic resonance imaging of cardiovascular fibrosis and inflammation: from clinical practice to animal studies and back. 2013, 2013, 676489 Relationship of plasma neuropeptide Y with angiographic, electrocardiographic and coronary physiology indices of reperfusion during ST elevation myocardial infarction. 2013, 99, 1198-203 Glucagon-like peptide-1 preserves coronary microvascular endothelial function after cardiac arrest	4 13 62 14 31

462	Coronary wave energy: a novel predictor of functional recovery after myocardial infarction. 2013 , 6, 166-75	5	24
461	Monitoring of monocyte recruitment in reperfused myocardial infarction with intramyocardial hemorrhage and microvascular obstruction by combined fluorine 19 and proton cardiac magnetic 16 resonance imaging. <i>Circulation</i> , 2013 , 128, 1878-88	.7	37
460	Perfusion MRI at rest in subacute and chronic myocardial infarct. 2013 , 54, 401-11		4
459	Myocardial ischemia-reperfusion injury: a neglected therapeutic target. 2013 , 123, 92-100		1250
458	Emerging roles for cardiovascular magnetic resonance. 2013 , 13 Suppl 6, s3-8		
457	Spontaneous and procedural plaque embolisation in native coronary arteries: pathophysiology, diagnosis, and prevention. 2013 , 2013, 364247		9
456	MRI for acute chest pain: current state of the art. 2013 , 37, 1290-300		13
455	Prognostic value of the Index of Microcirculatory Resistance measured after primary percutaneous coronary intervention. <i>Circulation</i> , 2013 , 127, 2436-41	.7	215
454	CMR imaging for the evaluation of myocardial stunning after acute myocardial infarction: a meta-analysis of prospective trials. 2013 , 14, 1080-91		21
453	Adjunctive thrombus aspiration versus conventional percutaneous coronary intervention in ST-elevation myocardial infarction. 2013 , 81, 922-9		11
452	Cardiac MRI of acute coronary syndrome. 2013 , 9, 351-70		O
451	Postconditioning the heart of ST-elevation myocardial infarction patients. 2013 , 77, 1123-30		7
450	Microvascular Obstruction After Primary Percutaneous Coronary Intervention: Pathogenesis, Diagnosis and Prognostic Significance. 2013 , 11, 245-262		1
449	Quantitative magnetic resonance imaging can distinguish remodeling mechanisms after acute myocardial infarction based on the severity of ischemic insult. 2013 , 70, 1095-105		28
448	Application of adenosine stress echocardiography in the prognosis of acute myocardial infarction following percutaneous coronary interventional therapy. 2013 , 6, 727-730		1
447	Comparison of triple anti-platelet therapy and dual anti-platelet therapy in patients with acute myocardial infarction who had no-reflow phenomenon during percutaneous coronary intervention. 2013 , 77, 2973-81		10
446	Myocardial salvage is reduced in primary PCI-treated STEMI patients with microvascular obstruction, demonstrated by early and late CMR. 2013 , 8, e71780		12
445	Ischemic Heart Disease: A Comprehensive Evaluation Using Cardiovascular Magnetic Resonance. 2013 , 49, 17		1

444	Longitudinal strain is a marker of microvascular obstruction and infarct size in patients with acute ST-segment elevation myocardial infarction. 2014 , 9, e86959	27
443	Etiology and clinical implications of microvascular dysfunction in patients with acute myocardial infarction. 2014 , 55, 185-9	23
442	Role of cardiovascular magnetic resonance in assessment of acute coronary syndrome. 2014 , 6, 405-14	
441	Magnetic resonance susceptibility weighted phase imaging for the assessment of reperfusion intramyocardial hemorrhage. 2014 , 71, 1210-20	14
440	Susceptibility-weighted cardiovascular magnetic resonance in comparison to T2 and T2 star imaging for detection of intramyocardial hemorrhage following acute myocardial infarction at 3 Tesla. 2014 , 16, 86	15
439	The REFLO-STEMI trial comparing intracoronary adenosine, sodium nitroprusside and standard therapy for the attenuation of infarct size and microvascular obstruction during primary percutaneous coronary intervention: study protocol for a randomised controlled trial. 2014 , 15, 371	12
438	Independent prognostic value of MRI beyond existing methods of determining cardiovascular risk is there a role?. 2014 , 12, 13-6	
437	Prognostic value of late gadolinium enhancement in cardiovascular magnetic resonance imaging after acute ST-elevation myocardial infarction in comparison with single-photon emission tomography using Tc99m-Sestamibi. 2014 , 15, 216-25	33
436	Established and emerging cardiovascular magnetic resonance techniques for prognostication and guiding therapy in heart failure. 2014 , 12, 45-55	4
435	MRI demonstrates a decrease in myocardial infarct healing and increase in compensatory ventricular hypertrophy following mechanical microvascular obstruction. 2014 , 40, 906-14	9
434	Association of longitudinal changes in left ventricular structure and function with myocardial fibrosis: the Multi-Ethnic Study of Atherosclerosis study. 2014 , 64, 508-15	54
433	Characterizing the inflammatory tissue response to acute myocardial infarction by clinical multimodality noninvasive imaging. 2014 , 7, 811-8	65
432	Impact of manual thrombectomy on myocardial reperfusion as assessed by ST-segment resolution in STEMI patients treated by primary PCI. 2014 , 107, 672-80	3
431	Cell therapy in reperfused acute myocardial infarction does not improve the recovery of perfusion in the infarcted myocardium: a cardiac MR imaging study. 2014 , 272, 113-22	11
430	Noninvasive assessment of endothelial function: the classic methods and the new peripheral arterial tonometry. 2014 , 62, 856-64	11
429	Cardiac magnetic resonance imaging for ischemic heart disease: update on diagnosis and prognosis. 2014 , 23, 21-31	4
428	The prognostic impact of myocardial late gadolinium enhancement. 2014 , 22, 128-39	6
427	Cytochrome c release in acute myocardial infarction predicts poor prognosis and myocardial reperfusion on contrast-enhanced magnetic resonance imaging. 2014 , 25, 66-72	10

426	Myocardial viability and microvascular obstruction: role of cardiac magnetic resonance imaging. 2014 , 22, 246-52	3
425	Thermodilution-derived coronary blood flow pattern immediately after coronary intervention as a predictor of microcirculatory damage and midterm clinical outcomes in patients with ST-segment-elevation myocardial infarction. 2014 , 7, 149-55	21
424	Cardiac MRI assessment of myocardial perfusion. 2014 , 10, 349-58	22
423	Automated quantification of myocardial salvage in a rat model of ischemia-reperfusion injury using 3D high-resolution magnetic resonance imaging (MRI). 2014 , 3,	6
422	CMD in Obstructive CAD. 2014 , 145-180	
421	Effect of ischemic postconditioning on microvascular obstruction in reperfused myocardial infarction. Results of a randomized study in patients and of an experimental model in swine. 2014 , 175, 138-46	27
420	Coronary Microvascular Dysfunction. 2014 ,	16
419	The beneficial effects of postconditioning on no-reflow phenomenon after percutaneous coronary intervention in patients with ST-elevation acute myocardial infarction. 2014 , 38, 208-14	18
418	VWF-mediated leukocyte recruitment with chromatin decondensation by PAD4 increases myocardial ischemia/reperfusion injury in mice. 2014 , 123, 141-8	168
417	Klinischer Nutzen einer Kardio-MRT-Untersuchung bei Patienten mit akutem Myokardinfarkt. 2014 , 8, 78-84	
416	Cardiac magnetic resonance imaging findings and the risk of cardiovascular events in patients with recent myocardial infarction or suspected or known coronary artery disease: a systematic review of prognostic studies. 2014 , 63, 1031-45	98
415	CT Imaging of Myocardial Perfusion and Viability. 2014 ,	
414	Cardiac magnetic resonance for prognostic assessment: present applications and future directions. 2014 , 12, 771-82	4
413	Early change in invasive measures of microvascular function can predict myocardial recovery following PCI for ST-elevation myocardial infarction. 2014 , 35, 1971-80	52
412	Pre-angiography total ST-segment resolution is not a reliable predictor of an open infarct-related artery. 2014 , 25, 826-30	1
411	Impact of microvascular obstruction on the assessment of coronary flow reserve, index of microcirculatory resistance, and fractional flow reserve after ST-segment elevation myocardial infarction. 2014 , 64, 1894-904	99
410	Prognostic value of delayed enhancement cardiac magnetic resonance imaging in mitral valve repair. 2014 , 98, 1557-63	19
409	Magnetic resonance imaging dynamic contrast enhancement (DCE) characteristics of healed myocardial infarction differ from viable myocardium. 2014 , 32, 1191-7	3

408	MR myocardial perfusion imaging: insights on techniques, analysis, interpretation, and findings. 2014 , 34, 1636-57	15
407	Effect of microvascular obstruction and intramyocardial hemorrhage by CMR on LV remodeling and outcomes after myocardial infarction: a systematic review and meta-analysis. 2014 , 7, 940-52	143
406	Comprehensive prognosis assessment by CMR imaging after ST-segment elevation myocardial infarction. 2014 , 64, 1217-26	238
405	Meta-analysis of MACE in MI: what's the MO?. 2014 , 7, 953-5	1
404	CMR assessment of microvascular obstruction in STEMI: ready for prime time?. 2014 , 64, 1227-30	5
403	Microvascular obstruction in patients with non-ST-elevation myocardial infarction: a contrast-enhanced cardiac magnetic resonance study. 2014 , 30, 1087-95	12
402	Evidence of myocardial scarring and microvascular obstruction on cardiac magnetic resonance imaging in a series of patients presenting with myocardial infarction without obstructed coronary arteries. 2014 , 30, 1097-103	4
401	Microvascular obstruction assessed by 3-tesla magnetic resonance imaging in acute myocardial infarction is correlated with plasma troponin I levels. 2014 , 14, 57	6
400	An emerging role for the miR-26 family in cardiovascular disease. 2014 , 24, 241-8	48
399	Prognostic value of microvascular obstruction and infarct size, as measured by CMR in STEMI patients. 2014 , 7, 930-9	195
398	Quantification of myocardial salvage by myocardial perfusion SPECT and cardiac magnetic resonancereference standards for ECG development. 2014 , 47, 525-34	2
397	Influence of microvascular obstruction on regional myocardial deformation in the acute phase of myocardial infarction: a speckle-tracking echocardiography study. 2014 , 27, 93-100	16
396	A role for pericytes in coronary no-reflow. 2014 , 11, 427-32	69
395	Mechanical Removal of Thrombus from Culprit Lesions. 2014 , 99-104	
394	Aqueous Oxygen for Treatment of ST-Segment Elevation Myocardial Infarction. 2014 , 502-508	
393	Protective effect of pre-infarction angina on microvascular obstruction after primary percutaneous coronary intervention is blunted in humans by cardiovascular risk factors. 2014 , 78, 1935-41	9
392	Role of cardiovascular magnetic resonance in acute coronary syndrome. 2015 , 2015, 24	1
391	Time elapsed after contrast injection is crucial to determine infarct transmurality and myocardial functional recovery after an acute myocardial infarction. 2015 , 17, 43	17

(2015-2015)

390	"Optimized" delivery of intracoronary supersaturated oxygen in acute anterior myocardial infarction: a feasibility and safety study. 2015 , 86 Suppl 1, S51-7	5
389	Prediction of myocardial tissue loss by quantitative densitometric myocardial blush parameters following ST-elevation myocardial infarction. 2015 , 102, 206-15	
388	Risk stratification by cardiac magnetic resonance imaging after ST-elevation myocardial infarction. 2015 , 30, 681-9	38
387	Physiological Implications of Myocardial Scar Structure. 2015 , 5, 1877-909	115
386	Clinical and Angiographic Predictors of Microvascular Dysfunction in ST-Segment Elevation Myocardial Infarction. 2015 , 56, 1235-43	7
385	Imaging of reperfused intramyocardial hemorrhage with cardiovascular magnetic resonance susceptibility weighted imaging (SWI). 2015 , 10, e0123560	1
384	Intramyocardial hemorrhage: an enigma for cardiac MRI?. 2015 , 2015, 859073	7
383	Prognostic significance of quantitative assessment of focal myocardial fibrosis in patients with heart failure with preserved ejection fraction. 2015 , 191, 314-9	43
382	Magnetic Resonance Imaging of the Myocardium, Coronary Arteries, and Anomalous Origin of Coronary Arteries. 2015 , 283-337	1
381	End-systolic wall stress predicts post-discharge heart failure after acute myocardial infarction. 2015 , 108, 310-20	12
380	Automatic detection of microvascular obstruction in patients with myocardial infarction. 2015,	0
379	Doppler-derived intracoronary physiology indices predict the occurrence of microvascular injury and microvascular perfusion deficits after angiographically successful primary percutaneous coronary intervention. 2015 , 8, e001786	42
378	Magnetic resonance imaging of microvascular obstruction in hypertrophic obstructive cardiomyopathy after percutaneous transluminal septal myocardial ablation. 2015 , 56, 1323-8	5
377	Presence of myocardial hypoenhancement on multidetector computed tomography after primary percutaneous coronary intervention in acute myocardial infarction predicts poor prognosis. 2015 , 184, 101-107	5
376	Prediction of functional recovery by cardiac magnetic resonance feature tracking imaging in first time ST-elevation myocardial infarction. Comparison to infarct size and transmurality by late gadolinium enhancement. 2015 , 183, 162-70	45
375	Practical Textbook of Cardiac CT and MRI. 2015,	1
374	Effect of infarct severity on regional and global left ventricular remodeling in patients with successfully reperfused ST segment elevation myocardial infarction. 2015 , 274, 93-102	20
373	Late gadolinium enhancement imaging in assessment of myocardial viability: techniques and clinical applications. 2015 , 53, 397-411	22

372	Cellular postconditioning: allogeneic cardiosphere-derived cells reduce infarct size and attenuate microvascular obstruction when administered after reperfusion in pigs with acute myocardial infarction. 2015 , 8, 322-32	65
371	Cyclosporine A reduces microvascular obstruction and preserves left ventricular function deterioration following myocardial ischemia and reperfusion. 2015 , 110, 18	26
370	The prognostic value of global circumferential strain in patients with suspected myocardial disease. 2015 , 8, 550-552	5
369	Magnetic Resonance for Noninvasive Detection of Microcirculatory Disease Associated With Allograft Vasculopathy: Intracoronary Measurement Validation. 2015 , 68, 571-8	6
368	Usefulness of cardiac MRI in the prognosis and follow-up of ischemic heart disease. 2015 , 57, 201-212	
367	Magnetic resonance imaging. 2015 , 127-169	3
366	Myocardial infarction. 2015 , 271-325	
365	Myocardial viability. 2015 , 327-365	
364	Novel therapeutics in myocardial infarction: targeting microvascular dysfunction and reperfusion injury. 2015 , 36, 605-16	40
363	Prediction of long-term outcome after acute myocardial infarction using circulating miR-145. 2015 , 75, 85-91	23
362	Microvascular obstruction on delayed enhancement cardiac magnetic resonance imaging after acute myocardial infarction, compared with myocardial (201)Tl and (123)I-BMIPP dual SPECT findings. 2015 , 84, 1516-1524	2
361	Resonancia magntica para la detecciñ no invasiva de la enfermedad microcirculatoria asociada a la vasculopatñ de alotrasplante: validaciñ de la determinaciñ intracoronaria. 2015 , 68, 571-578	7
360	Acute Myocardial Infarction. 2015 , 155-166	
359	Diagnostic value of contrast-enhanced cardiac magnetic resonance in patients with acute coronary syndrome with normal coronary arteries. 2015 , 33, 410-7	7
358	Coronary Microembolization Induces Cardiomyocyte Apoptosis Through the LOX-1-Dependent Endoplasmic Reticulum Stress Pathway Involving JNK/P38 MAPK. 2015 , 31, 1272-81	31
357	Relation of circumferential and longitudinal strain to other independent prognostic imaging markers in first time ST-elevation myocardial infarction. 2015 , 186, 202-3	2
356	Usefulness of cardiac MRI in the prognosis and follow-up of ischemic heart disease. 2015 , 57, 201-12	1
355	Novel insights into an "old" phenomenon: the no reflow. 2015 , 187, 273-80	76

354	Ischemic preconditioning-an unfulfilled promise. 2015 , 16, 101-8	7
353	Angiopoietin-like 4 serum levels on admission for acute myocardial infarction are associated with no-reflow. 2015 , 187, 511-6	13
352	Effect of ischemic postconditioning on myocardial salvage in patients undergoing primary percutaneous coronary intervention for ST-segment elevation myocardial infarction: cardiac magnetic resonance substudy of the POST randomized trial. 2015 , 31, 629-37	19
351	Cardiovascular MR Manual. 2015 ,	5
350	High-sensitivity troponin T predicts infarct scar characteristics and adverse left ventricular function by cardiac magnetic resonance imaging early after reperfused acute myocardial infarction. 2015 , 170, 715-725.e2	25
349	Six-Year Prognostic Value of Microvascular Obstruction After Reperfused ST-Elevation Myocardial Infarction as Assessed by Contrast-Enhanced Cardiovascular Magnetic Resonance. 2015 , 116, 1022-7	23
348	The Role of Cardiac MRI in Patients with Troponin-Positive Chest Pain and Unobstructed Coronary Arteries. 2015 , 8, 28	34
347	Role of Non-Transferrin-Bound Iron in the pathogenesis of cardiotoxicity in patients with ST-elevation myocardial infarction assessed by Cardiac Magnetic Resonance Imaging. 2015 , 199, 326-32	13
346	Adenosine as an Adjunct Therapy in ST Elevation Myocardial Infarction Patients: Myth or Truth?. 2015 , 29, 481-93	7
345	The no-reflow phenomenon: State of the art. 2015 , 108, 661-74	90
344	Predictors of acute myocardial infarct size in STEMI patients receiving thrombolytic therapy: A delayed contrast enhanced cardiac MRI study. 2015 , 67, 122-7	4
343	Cardiac MRI: a central prognostic tool in myocardial fibrosis. 2015 , 12, 18-29	113
342	Serial assessments of microvascular obstruction by contrast-enhanced magnetic resonance predict contractile recovery and clinical outcome after reperfused acute myocardial infarction. 2015 , 62, 345-57	3
341	Pathophysiological aspects and management workflow of coronary microvascular obstruction in ST-segment elevation myocardial infarction. 2016 , 10, 10	
340	The Role of Cardiovascular Magnetic Resonance Imaging in Heart Failure. 2016 , 2, 115-122	21
339	No-Reflow Phoenomenon by Intracoronary Thrombus in Acute Myocardial Infarction. 2016 , 52, 38-44	7
338	Prognostic utility of myocardial blush grade after PCI in patients with NSTE-ACS: Analysis from the ACUITY trial. 2016 , 88, 215-24	5
337	Comparison of 30-day mortality and myocardial scar indices for patients treated with prehospital reduced dose fibrinolytic followed by percutaneous coronary intervention versus percutaneous coronary intervention alone for treatment of ST-elevation myocardial infarction. 2016 , 88, 709-715	1

336	Neutrophil to Lymphocyte Ratio Is Related to Electrocardiographic Sign of Spontaneous Reperfusion in Patients with ST-segment Elevation Myocardial Infarction. 2016 , 47, 180-5	5
335	Age-independent myocardial infarct quantification by signal intensity percent infarct mapping in swine. 2016 , 43, 911-20	3
334	The Index of Microcirculatory Resistance Postpercutaneous Coronary Intervention Predicts Left Ventricular Recovery in Patients With Thrombolyzed ST-Segment Elevation Myocardial Infarction. 2016 , 29, 146-54	4
333	Ventricular longitudinal function is associated with microvascular obstruction and intramyocardial haemorrhage. 2016 , 3, e000337	7
332	Persistent Microvascular Obstruction After Myocardial Infarction Culminates in the Confluence of Ferric Iron Oxide Crystals, Proinflammatory Burden, and Adverse Remodeling. 2016 , 9,	19
331	"Rusty Hearts": Is It Time to Rethink Iron Chelation Therapies in Post-Myocardial-Infarction Setting?. 2016 , 9,	3
330	New perspectives on the role of cardiac magnetic resonance imaging to evaluate myocardial salvage and myocardial hemorrhage after acute reperfused ST-elevation myocardial infarction. 2016 , 14, 843-54	9
329	Comprehensive assessment of microcirculation after primary percutaneous intervention in ST-segment elevation myocardial infarction: insight from thermodilution-derived index of microcirculatory resistance and coronary flow reserve. 2016 , 27, 34-9	16
328	Impacts of nicorandil on infarct myocardium in comparison with nitrate: assessed by cardiac magnetic resonance imaging. 2016 , 31, 1430-7	18
327	Targeting reperfusion injury in patients with ST-segment elevation myocardial infarction: trials and	
)-/	tribulations. 2017 , 38, 935-941	167
326	Risk assessment in patients with an acute ST-elevation myocardial infarction. 2016 , 5, 581-593	167 5
		, , ,
326	Risk assessment in patients with an acute ST-elevation myocardial infarction. 2016 , 5, 581-593 Efficacy and Safety of Local Intracoronary Drug Delivery in Treatment of No-Reflow Phenomenon:	5
326 325	Risk assessment in patients with an acute ST-elevation myocardial infarction. 2016 , 5, 581-593 Efficacy and Safety of Local Intracoronary Drug Delivery in Treatment of No-Reflow Phenomenon: A Pilot Study. 2016 , 29, 496-504 Reducing Microvascular Dysfunction in Revascularized Patients with ST-Elevation Myocardial Infarction by Off-Target Properties of Ticagrelor versus Prasugrel. Rationale and Design of the	5 7
326 325 324	Risk assessment in patients with an acute ST-elevation myocardial infarction. 2016 , 5, 581-593 Efficacy and Safety of Local Intracoronary Drug Delivery in Treatment of No-Reflow Phenomenon: A Pilot Study. 2016 , 29, 496-504 Reducing Microvascular Dysfunction in Revascularized Patients with ST-Elevation Myocardial Infarction by Off-Target Properties of Ticagrelor versus Prasugrel. Rationale and Design of the REDUCE-MVI Study. 2016 , 9, 249-256 Sonoreperfusion Therapy Kinetics in Whole Blood Using Ultrasound, Microbubbles and Tissue	5 7 12
326 325 324 323	Risk assessment in patients with an acute ST-elevation myocardial infarction. 2016 , 5, 581-593 Efficacy and Safety of Local Intracoronary Drug Delivery in Treatment of No-Reflow Phenomenon: A Pilot Study. 2016 , 29, 496-504 Reducing Microvascular Dysfunction in Revascularized Patients with ST-Elevation Myocardial Infarction by Off-Target Properties of Ticagrelor versus Prasugrel. Rationale and Design of the REDUCE-MVI Study. 2016 , 9, 249-256 Sonoreperfusion Therapy Kinetics in Whole Blood Using Ultrasound, Microbubbles and Tissue Plasminogen Activator. 2016 , 42, 3001-3009 Effects of 12 weeks of atorvastatin therapy on myocardial fibrosis and circulating fibrosis	5 7 12 6
326 325 324 323 322	Risk assessment in patients with an acute ST-elevation myocardial infarction. 2016 , 5, 581-593 Efficacy and Safety of Local Intracoronary Drug Delivery in Treatment of No-Reflow Phenomenon: A Pilot Study. 2016 , 29, 496-504 Reducing Microvascular Dysfunction in Revascularized Patients with ST-Elevation Myocardial Infarction by Off-Target Properties of Ticagrelor versus Prasugrel. Rationale and Design of the REDUCE-MVI Study. 2016 , 9, 249-256 Sonoreperfusion Therapy Kinetics in Whole Blood Using Ultrasound, Microbubbles and Tissue Plasminogen Activator. 2016 , 42, 3001-3009 Effects of 12 weeks of atorvastatin therapy on myocardial fibrosis and circulating fibrosis biomarkers in statin-nawe patients with hypertension with atherosclerosis. 2016 , 64, 1194-9 Relation Between Neutrophil-to-Lymphocyte Ratio and Index of Microcirculatory Resistance in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous	5 7 12 6 7

318 Essentials in Stable Angina Pectoris. **2016**,

317	Cardiovascular magnetic resonance imaging: what the general cardiologist should know. 2016 , 102, 1589-603	21
316	Estudo SAVEME (Salvamento Miocidico Apil Angioplastia de Resgate: Avaliaio por Ressoniicia Magnitica). Racional e desenho do estudo. 2016 , 24, 9-13	
315	SAVEME (Myocardial Salvage After Rescue Angioplasty: Evaluation by Magnetic Resonance) Study: Rationale and Study Design. 2016 , 24, 9-13	
314	Remote ischaemic preconditioning reduces myocardial ischaemic reperfusion injury in patients with ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention. 2016 , 71, 596-603	20
313	Identification of High-Risk Patients with Non-ST Segment Elevation Myocardial Infarction using Strain Doppler Echocardiography: Correlation with Cardiac Magnetic Resonance Imaging. 2016 , 10, 51-9	3
312	Ischemic time is a better predictor than door-to-balloon time for mortality and infarct size in ST-elevation myocardial infarction. 2016 , 87, 1194-200	21
311	The role of ADAMTS13 in acute myocardial infarction: cause or consequence?. 2016 , 111, 194-203	13
310	The Future of Cardiovascular Imaging. <i>Circulation</i> , 2016 , 133, 2640-61	23
309	Intracoronary nitroglycerin injection through a microcatheter for coronary no-reflow following percutaneous coronary intervention. 2016 , 214, 400-2	3
308	Proximal culprit lesion and coronary artery occlusion independently predict the risk of microvascular obstruction in acute myocardial infarction. 2016 , 32, 1235-42	3
307	Effect of Thrombus Composition and Viscosity on Sonoreperfusion Efficacy in a Model of Micro-Vascular Obstruction. 2016 , 42, 2220-31	7
306	Association between clinical parameters and ST-segment resolution after primary percutaneous coronary intervention in patients with acute ST-segment elevation myocardial infarction. 2016 , 52, 156-62	О
305	Unexpected High Incidence of Coronary Vasoconstriction in the Reduction of Microvascular Injury Using Sonolysis (ROMIUS) Trial. 2016 , 42, 1919-28	15
304	No reflow phenomenon in percutaneous coronary interventions in ST-segment elevation myocardial infarction. 2016 , 68, 539-51	53
303	Kinetics of coagulation in ST-elevation myocardial infarction following successful primary percutaneous coronary intervention. 2016 , 137, 64-71	8
302	Comparison between visual grading and planimetric quantification of microvascular obstruction extent assessment in reperfused acute myocardial infarction. 2016 , 26, 2166-75	4
301	Reperfusion Therapy for Acute Myocardial Infarction. 2016 ,	

300 Mechanical Reperfusion for STEMI. 2016,

299	Intramyocardial Hemorrhage in Acute Myocardial Infarction: Prognostic Biomarker and Treatment Target?. 2016 , 9, e004418	5
298	Early diagnosis of myocardial infarction in clinic through CK-MB detection using magnetic separation integrated with chemiluminescence. 2016 , 8, 2718-2722	2
297	Hydrogen sulfide promotes angiogenesis by downregulating miR-640 via the VEGFR2/mTOR pathway. 2016 , 310, C305-17	42
296	Amelioration of persistent left ventricular function impairment through increased plasma ascorbate levels following myocardial infarction. 2016 , 21, 75-83	14
295	The challenges and impact of microvascular injury in ST-elevation myocardial infarction. 2016 , 14, 431-43	21
294	Facing Time in Ischemic Stroke: An Alternative Hypothesis for Collateral Failure. 2016 , 26, 141-51	29
293	Thrombus aspiration in acute myocardial infarction. 2016 , 13, 418-28	27
292	MRI in the assessment of ischaemic heart disease. 2016 , 102, 239-52	17
291	Enhancement patterns detected by multidetector computed tomography are associated with microvascular obstruction and left ventricular remodelling in patients with acute myocardial infarction. 2016 , 37, 684-92	15
2 90	Tâlmapping for assessment of myocardial injury and microvascular obstruction at one week post myocardial infarction. 2016 , 85, 279-285	10
289	Coronary microvascular obstruction in acute myocardial infarction. 2016 , 37, 1024-33	201
288	Rheolityc thrombectomy in acute myocardial infarction: Effect on microvascular obstruction, infarct size, and left ventricular remodeling. 2016 , 87, E1-8	3
287	Relationship between QRS score and microvascular obstruction after acute anterior myocardial infarction. 2016 , 67, 321-6	11
286	Incremental prognostic value of the SYNTAX score to late gadolinium-enhanced magnetic resonance images for patients with stable coronary artery disease. 2016 , 31, 871-80	5
285	Fentheno de no-reflow coronario: revisiti actualizada de un fentheno antiguo. 2017 , 52, 155-161	
284	Impact of thermodilution-derived coronary blood flow patterns after percutaneous coronary intervention on mid-term left ventricular remodeling in patients with ST elevation myocardial infarction. 2017 , 32, 1-7	1
283	Predictors of no- reflow during primary angioplasty for acute myocardial infarction, from Medical College Hospital, Trivandrum. 2017 , 69 Suppl 1, S34-S45	14

282	A Econjugation-containing soft and conductive injectable polymer hydrogel highly efficiently rebuilds cardiac function after myocardial infarction. 2017 , 122, 63-71	103
281	Delayed therapeutic hypothermia protects against the myocardial no-reflow phenomenon independently of myocardial infarct size in a rat ischemia/reperfusion model. 2017 , 236, 400-404	18
280	Management of No-Reflow Phenomenon in the Catheterization Laboratory. 2017 , 10, 215-223	99
279	A review of strategies for infarct size reduction during acute myocardial infarction. 2017 , 18, 374-383	7
278	Cardiac magnetic resonance imaging in heart failure: where the alphabet begins!. 2017 , 22, 385-399	17
277	Lactated Ringer's solution for preventing myocardial reperfusion injury. 2017 , 15, 1-8	4
276	Inertial Cavitation Ultrasound with Microbubbles Improves Reperfusion Efficacy When Combined with Tissue Plasminogen Activator in an In Vitro Model of Microvascular Obstruction. 2017 , 43, 1391-1400	10
275	Clinical recommendations of cardiac magnetic resonance, Part I: ischemic and valvular heart disease: a position paper of the working group 'Applicazioni della Risonanza Magnetica' of the Italian Society of Cardiology. 2017 , 18, 197-208	19
274	P wave peak time; a novel electrocardiographic parameter in the assessment of coronary no-reflow. 2017 , 50, 584-590	11
273	Relationship between R-wave peak time and no-reflow in ST elevation myocardial infarction treated with a primary percutaneous coronary intervention. 2017 , 28, 326-331	6
272	Identification of High-Risk Patients After ST-Segment-Elevation Myocardial Infarction: Comparison Between Angiographic and Magnetic Resonance Parameters. 2017 , 10, e005841	17
271	Biomarker release after percutaneous coronary intervention in patients without established myocardial infarction as assessed by cardiac magnetic resonance with late gadolinium enhancement. 2017 , 90, 87-93	3
270	Lymphocyte Communication in Myocardial Ischemia/Reperfusion Injury. 2017 , 26, 660-675	38
269	Microvessels of the heart: Formation, regeneration, and dysfunction. 2017 , 24, e12338	2
268	Current perspectives in coronary microvascular dysfunction. 2017 , 24, e12340	24
267	Role of Cardiac Magnetic Resonance Imaging in Myocardial Infarction. 2017 , 19, 101	9
266	Effect of chronic pretreatment with beta-blockers on no-reflow phenomenon in diabetic patients with acute ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention. 2017 , 69, 171-175	2
265	New and revisited approaches to preserving the reperfused myocardium. 2017 , 14, 679-693	39

264	The importance of no-reflow/microvascular obstruction in the STEMI patient. 2017, 38, 3511-3513	15
263	Relationship between microvascular obstruction and adverse events following primary percutaneous coronary intervention for ST-segment elevation myocardial infarction: an individual patient data pooled analysis from seven randomized trials. 2017 , 38, 3502-3510	141
262	Clinical predictors for the manifestation of late gadolinium enhancement after acute myocardial infarction. 2017 , 96, e7004	О
261	Colors of Myocardial Infarction: Can They Predict the Future?. 2017 , 10,	
260	Prognostic Stratification of Patients With ST-Segment-Elevation Myocardial Infarction (PROSPECT): A Cardiac Magnetic Resonance Study. 2017 , 10,	28
259	Combined analysis of the safety of intra-coronary drug delivery during primary percutaneous coronary intervention for acute myocardial infarction: A study of three clinical trials. 2017 , 6, 2048004017725	5988
258	The MRI characteristics of the no-flow region are similar in reperfused and non-reperfused myocardial infarcts: an MRI and histopathology study in swine. 2017 , 1, 2	1
257	The Role of Nitric Oxide during Sonoreperfusion of Microvascular Obstruction. 2017 , 7, 3527-3538	15
256	Capillary pericytes mediate coronary no-reflow after myocardial ischaemia. 2017, 6,	68
255	Value of 3-Dimensional Speckle Tracking Echocardiography in the Prediction of Microvascular Obstruction and Left Ventricular Remodeling in Patients With ST-Elevation Myocardial Infarction. 2017 , 81, 353-360	7
254	Hemorrhage promotes inflammation and myocardial damage following acute myocardial infarction: insights from a novel preclinical model and cardiovascular magnetic resonance. 2017 , 19, 50	19
253	Abnormal elevation of myocardial necrosis biomarkers after coronary artery bypass grafting without established myocardial infarction assessed by cardiac magnetic resonance. 2017 , 12, 122	2
252	Cardiovascular magnetic resonance imaging assessment of outcomes in acute myocardial infarction. 2017 , 9, 109-133	16
251	Cardiovascular magnetic resonance imaging in heart failure. 2018 , 16, 237-248	4
250	Stem-cell therapy in ST-segment elevation myocardial infarction with reduced ejection fraction: A multicenter, double-blind randomized trial. 2018 , 41, 392-399	18
249	Predictive performance of dual modality of computed tomography angiography and intravascular ultrasound for no-reflow phenomenon after percutaneous coronary stenting in stable coronary artery disease. 2018 , 33, 1121-1128	1
248	Prevalence and Predictive Value of Microvascular Flow Abnormalities after Successful Contemporary Percutaneous Coronary Intervention in Acute ST-Segment Elevation Myocardial Infarction. 2018 , 31, 674-682	14
247	Reperfusion ventricular arrhythmia bursts identify larger infarct size in spite of optimal epicardial and microvascular reperfusion using cardiac magnetic resonance imaging. 2018 , 7, 246-256	5

246	Role of cardiovascular magnetic resonance in acute and chronic ischemic heart disease. 2018 , 34, 67-80	15
245	Doppler Versus Thermodilution-Derived Coronary Microvascular Resistance to Predict Coronary Microvascular Dysfunction in Patients With Acute Myocardial Infarction or Stable Angina Pectoris. 2018 , 121, 1-8	42
244	The influence of microvascular injury on native T1 and T2* relaxation values after acute myocardial infarction: implications for non-contrast-enhanced infarct assessment. 2018 , 28, 824-832	10
243	Implications of disturbances in circadian rhythms for cardiovascular health: A new frontier in free radical biology. 2018 , 119, 85-92	34
242	Cardiosphere-Derived Cells and Ischemic Heart Failure. 2018 , 26, 8-21	29
241	Myocardial Viability in Ischaemic Heart Disease. 2018 , 347-384	
240	Microvascular obstruction in ST elevation myocardial infarction patients undergoing primary percutaneous coronary intervention: another frontier to conquer?. 2018 , 10, 1343-1346	2
239	MR findings of microvascular perfusion in infarcted and remote myocardium early after successful primary PCI. 2018 , 13, e0206723	3
238	Noninvasive Evaluation of No-Reflow Phenomenon. 2018 , 11, e008576	
237	Assessing the Coronary Microcirculation in Patients After Primary Percutaneous Coronary Intervention. 2018 , 7, e009828	1
236	Clinical Endothelial Dysfunction: Prognosis and Therapeutic Target. 2018, 683-697	O
235	Strain analysis is superior to wall thickening in discriminating between infarcted myocardium with and without microvascular obstruction. 2018 , 28, 5171-5181	12
234	No-reflow phenomenon in the heart and brain. 2018 , 315, H550-H562	65
233	Non-contrast assessment of microvascular integrity using arterial spin labeled cardiovascular magnetic resonance in a porcine model of acute myocardial infarction. 2018 , 20, 45	8
232	Killing Many Birds With Two Stones: Hypoxia and Fibrosis Can Generate Ectopic Beats in a Human Ventricular Model. 2018 , 9, 764	10
231	Advances in Coronary No-Reflow Phenomenon-a Contemporary Review. 2018 , 20, 44	13
230	Myocardium segmentation from DE MRI with guided random walks and sparse shape representation. 2018 , 13, 1579-1590	1
229	Epidemiology of Coronary Microvascular Obstruction. 2018 , 53-68	

Prognosis of Coronary Microvascular Obstruction. **2018**, 201-207

227	Prevention of Coronary Microvascular Obstruction by Addressing Distal Embolization. 2018, 237-253	
226	Temporal Evolution of Coronary Microvascular Obstruction. 2018, 325-339	
225	Long-Term Management After Coronary Microvascular Obstruction Complicating Reperfusion in ST-Elevation Myocardial Infarction. 2018 , 341-357	
224	No-Reflow Phenomenon. 2018 , 1007-1015	
223	Diagnostic performance of intravoxel incoherent motion diffusion-weighted imaging in the assessment of the dynamic status of myocardial perfusion. 2018 , 48, 1602-1609	10
222	Microvascular obstruction in non-infarct related coronary arteries is an independent predictor of major adverse cardiovascular events in patients with ST segment-elevation myocardial infarction. 2018 , 273, 22-28	10
221	Microvascular perfusion in infarcted and remote myocardium after successful primary PCI: angiographic and CMR findings. 2019 , 29, 941-950	5
220	BOLD cardiac MRI for differentiating reversible and irreversible myocardial damage in ST segment elevation myocardial infarction. 2019 , 29, 951-962	2
219	Resolution of ST deviation after myocardial infarction in patients with and without sleep-disordered breathing. 2019 , 23, 8-16	6
218	Coronary no-reflow in the modern era: a review of advances in diagnostic techniques and contemporary management. 2019 , 17, 605-623	6
217	Pathophysiology, Diagnosis, and Management of the No-Reflow Phenomenon. 2019 , 33, 589-597	19
216	From Bench to Clinic: Translation of Cardiovascular Tissue Engineering Products to Clinical Applications. 2019 , 125-140	
215	Cardiovascular Magnetic Resonance. 2019 , 38-90	1
214	CMR to Assess Morphology, Function, Perfusion, and Viability. 2019 , 282-326	
213	Cardiovascular Regenerative Medicine. 2019,	3
212	Chilling Out With STEMI: Does Hypothermia Impact Microvascular Obstruction?. 2019 , 20, 731-732	
211	Coronary microvascular obstruction: the new frontier in cardioprotection. 2019 , 114, 45	106
211	Coronary microvascular obstruction: the new frontier in cardioprotection. 2019 , 114, 45	106

Acute Myocardial Infarction: Cardiovascular Magnetic Resonance Detection and Characterization. **2019**, 241-250.e3

209	. 2019,	2
208	Reperfusion Microvascular Ischemia After Prolonged Coronary Occlusion: Implications And Treatment With Local Supersaturated Oxygen Delivery. 2019 , 7, 65-79	4
207	Relationship between admission Q waves and microvascular injury in patients with ST-elevation myocardial infarction treated with primary percutaneous coronary intervention. 2019 , 297, 1-7	3
206	The Importance of Measuring Coronary Blood Flow for Clinical Decision Making. 2019 , 15, 320-321	О
205	Acute Microvascular Impairment Post-Reperfused STEMI Is Reversible and Has Additional Clinical Predictive Value: A CMR OxAMI Study. 2019 , 12, 1783-1793	14
204	Acute Myocardial Infarction and Postinfarction Remodeling. 2019, 161-174	
203	Myocardial Viability. 2019 , 262-281.e3	
202	Targeting an Ischemic Time . 2019 , 8, e013067	0
201	Time-Dependent Myocardial Necrosis in Patients With ST-Segment-Elevation Myocardial Infarction Without Angiographic Collateral Flow Visualized by Cardiac Magnetic Resonance Imaging: Results From the Multicenter STEMI-SCAR Project. 2019 , 8, e012429	17
200	The Potential Use of the Index of Microcirculatory Resistance to Guide Stratification of Patients for Adjunctive Therapy in Acute Myocardial Infarction. 2019 , 12, 951-966	15
199	Myocardial hypothermia induced after reperfusion does not prevent adverse left ventricular remodeling nor improve cardiac function. 2019 , 229, 98-103	1
198	Neuropeptide-Y causes coronary microvascular constriction and is associated with reduced ejection fraction following ST-elevation myocardial infarction. 2019 , 40, 1920-1929	28
197	Impact of smoking on cardiac magnetic resonance infarct characteristics and clinical outcome in patients with non-ST-elevation myocardial infarction. 2019 , 35, 1079-1087	Ο
196	Which high-sensitivity troponin variable best characterizes infarct size and microvascular obstruction?. 2019 , 112, 334-342	5
195	Predictors and outcomes of no-reflow phenomenon in patients with acute ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. 2019 , 30, 270-276	10
194	Ticagrelor Reduces Ischemia-Reperfusion Injury Through the NF- B -Dependent Pathway in Rats. 2019 , 74, 13-19	12
193	Assessment of myocardial viability by myocardial contrast echocardiography: current perspectives. 2019 , 34, 495-501	2

192	Complete versus simplified Selvester QRS score for infarct severity assessment in ST-elevation myocardial infarction. 2019 , 19, 285		4
191	Effect of Platelet GPIIb/IIIa Receptor Blockade With MK383 on Infarct Size and Myocardial Blood Flow in a Canine Reocclusion Model. 2019 , 24, 182-192		1
190	The coronary circulation in acute myocardial ischaemia/reperfusion injury: a target for cardioprotection. 2019 , 115, 1143-1155		77
189	Coronary Physiology and Pathophysiology. 2019 , 60-67.e1		
188	Effect of Low-Dose Intracoronary Alteplase During Primary Percutaneous Coronary Intervention on Microvascular Obstruction in Patients With Acute Myocardial Infarction: A Randomized Clinical Trial. 2019 , 321, 56-68		54
187	Evaluation of Microvascular Injury in Revascularized Patients With ST-Segment-Elevation Myocardial Infarction Treated With Ticagrelor Versus Prasugrel. <i>Circulation</i> , 2019 , 139, 636-646	16.7	16
186	Effect of Intravascular Cooling on Microvascular Obstruction (MVO) in Conscious Patients with ST-Elevation Myocardial Infarction Undergoing Primary PCI: Results from the COOL AMI EU Pilot Study. 2019 , 20, 799-804		6
185	Microvascular obstruction extent predicts major adverse cardiovascular events in patients with acute myocardial infarction and preserved ejection fraction. 2019 , 29, 2369-2377		17
184	Evaluation of intracoronary hyperoxemic oxygen therapy in acute anterior myocardial infarction: The IC-HOT study. 2019 , 93, 882-890		14
183	Determinants and prognostic value of cardiac magnetic resonance imaging-derived infarct characteristics in non-ST-elevation myocardial infarction. 2020 , 21, 67-76		3
182	Cardiac Imaging in Heart Failure. 2020 , 418-448.e5		
181	Assessing Coronary Microvascular Dysfunction in Ischaemic Heart Disease: Little Things Can Make a Big Difference. 2020 , 29, 118-127		2
180	Microcirculation. 2020,		1
179	Invasive Evaluation of the Microvasculature in Acute Myocardial Infarction: Coronary Flow Reserve versus the Index of Microcirculatory Resistance. 2019 , 9,		5
178	Biomechanics of infarcted left Ventricle-A review of experiments. 2020 , 103, 103591		3
177	Non-infarct related artery microvascular obstruction is associated with worse persistent diastolic dysfunction in patients with revascularized ST elevation myocardial infarction. 2020 , 300, 27-33		4
176	Ultrasound-Targeted Microbubble Cavitation with Sodium Nitrite Synergistically Enhances Nitric Oxide Production and Microvascular Perfusion. 2020 , 46, 667-678		4
175	Decreased atrioventricular plane displacement after acute myocardial infarction yields a concomitant decrease in stroke volume. 2020 , 128, 252-263		5

174	State of the Art: No-Reflow Phenomenon. 2020 , 38, 563-573	9
173	Therapeutic Hypothermia in STEMI. 2021 , 29, 77-84	1
172	A Challenging and Unexpected Case of MINOCA Using Multimodality Imaging. 2020, 2, 1564-1569	
171	Estimation of Major Adverse Cardiovascular Events in Patients With Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention: A Risk Prediction Score Model From a Derivation and Validation Study. 2020 , 7, 603621	3
170	Acute myocardial infarction and cardiogenic shock: Should we unload the ventricle before percutaneous coronary intervention?. 2020 , 63, 607-622	4
169	Coronary perivascular epicardial adipose tissue and major adverse cardiovascular events after ST segment-elevation myocardial infarction. 2020 , 302, 27-35	4
168	All-cause mortality and the risk of stroke with selective aspiration thrombectomy in patients with ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention: A nationwide retrospective cohort study. 2020 , 99, e19590	1
167	Action of iron chelator on intramyocardial hemorrhage and cardiac remodeling following acute myocardial infarction. 2020 , 115, 24	12
166	Low-Dose Alteplase During Primary Percutaneous Coronary Intervention According to Ischemic Time. 2020 , 75, 1406-1421	8
165	ESC Working Group on Coronary Pathophysiology and Microcirculation position paper on 'coronary microvascular dysfunction in cardiovascular disease'. 2020 , 116, 741-755	57
164	Index of microvascular resistance and outcomes following intra-coronary thrombolysis with percutaneous intervention in STEMI: a meta-analysis of randomized control trials. 2020 , 49, 487-491	3
163	One-year outcomes of supersaturated oxygen therapy in acute anterior myocardial infarction: The IC-HOT study. 2021 , 97, 1120-1126	7
162	Hemorrhage promotes chronic adverse remodeling in acute myocardial infarction: a T , T and BOLD study. 2021 , 34, e4404	2
161	A deep learning approach for the segmentation of myocardial diseases. 2021,	1
160	Prognosis of early pre-discharge and late left ventricular dilatation by cardiac magnetic resonance imaging after acute myocardial infarction. 2021 , 37, 1711-1720	1
159	Low Ankle-Brachial Index is Associated with Microvascular Coronary Obstruction After Primary PCI. 2021 , 17, 23-32	
158	Microvascular Obstruction: How to Find the Traces of a Transient Pathology After Myocardial Infarction. 2021 , 14, e012324	
157	Prognostic value of myocardial scar by magnetic resonance imaging in patients undergoing coronary artery bypass graft. 2021 , 326, 49-54	О

156	Cardiovascular Magnetic Resonance Imaging and Heart Failure. 2021 , 23, 35	2
155	JCS 2018 Guideline on Diagnosis of Chronic Coronary Heart Diseases. 2021 , 85, 402-572	11
154	For Prediction of "No-Reflow," How Precise is PRECISE-DAPT?. 2022 , 73, 7-8	
153	Enhancement patterns detected by multidetector computed tomography are associated with the long-term prognosis of patients with acute myocardial infarction. 2021 , 36, 1784-1793	
152	Relationship between blood viscosity and no-reflow phenomenon in ST-segment elevation myocardial infarction performed in primary percutaneous coronary interventions. 2021 , 15, 659-667	1
151	Brazilian Society of Cardiology Guidelines on Unstable Angina and Acute Myocardial Infarction without ST-Segment Elevation - 2021. 2021 , 117, 181-264	7
150	Myocardial preservation during primary percutaneous intervention: It's time to rethink?. 2021 , 73, 395-403	
149	Acute Coronary Syndromes (ACS)-Unravelling Biology to Identify New Therapies-The Microcirculation as a Frontier for New Therapies in ACS. 2021 , 10,	1
148	Functional Coronary Angiography-Derived Index of Microcirculatory Resistance in Patients With ST-Segment Elevation Myocardial Infarction. 2021 , 14, 1670-1684	2
147	Predictors of myocardial reperfusion syndrome: a modern view of the issue and current problems. Part 2: no-reflow phenomenon (literature review). 2021 , 20, 4-10	
146	Tissue Mitral Annular Displacement in Patients With Myocardial Infarction - Comparison With Global Longitudinal Strain. 2021 , 3, 530-539	О
145	Quantification of myocardial hemorrhage using T2* cardiovascular magnetic resonance at 1.5T with ex-vivo validation. 2021 , 23, 104	O
144	Non-nuclear Cardiac Imaging Modalities: CT and MRI. 2021 , 145-181	
143	Role of Cardiovascular Magnetic Resonance in Ischemic Cardiomyopathy. 2021 , 17, 41-56	1
142	Analysis of the Left Ventricle After Myocardial Infarction Combining 4D Cine-MR and 3D DE-MR Image Sequences. 2006 , 56-60	4
141	Myocardial Perfusion, Viability, and Functional Assessment with Contrast CT. 2007 , 270-282	1
140	Magnetic resonance imaging in acute myocardial infarction. 1999 , 14, 480-4	5
139	Combination therapy reduces the incidence of no-reflow after primary per-cutaneous coronary intervention in patients with ST-segment elevation acute myocardial infarction. 2015 , 12, 135-42	22

138	Microvascular Obstruction Evaluation Using Cardiovascular Magnetic Resonance (CMR) in ST-Elevated Myocardial Infarction (STEMI) Patients. 2015 , 80, 536-43	1
137	Depression and myocardial injury in ST-segment elevation myocardial infarction: A cardiac magnetic resonance imaging study. 2020 , 8, 1232-1240	2
136	Cardiovascular magnetic resonance imaging of scar development following pulmonary vein isolation: a prospective study. 2014 , 9, e104844	10
135	No-Reflow Phenomenon in Central Retinal Artery Occlusion: Incidence, Risk Factors, and Clinical Implications. 2015 , 10, e0142852	10
134	Assessment of the relationship between reperfusion success and T-peak to T-end interval in patients with ST elevation myocardial infarction treated with percutaneous coronary intervention. 2018 , 19, 50-57	2
133	Sustained nicorandil administration reduces the infarct size in ST-segment elevation myocardial infarction patients with primary percutaneous coronary intervention. 2019 , 21, 163-171	7
132	Relationship between the mismatch of 123I-BMIPP and 201Tl myocardial single-photon emission computed tomography and autonomic nervous system activity in patients with acute myocardial infarction. 2006 , 47, 193-207	1
131	Novel Imaging Techniques for Heart Failure. 2016 , 2, 27-34	3
130	Emerging concepts for myocardial late gadolinium enhancement MRI. 2013, 9, 185-90	67
129	Assessing Coronary Blood Flow Physiology in the Cardiac Catheterisation Laboratory. 2017 , 13, 232-243	10
129 128	Assessing Coronary Blood Flow Physiology in the Cardiac Catheterisation Laboratory. 2017, 13, 232-243 Continuous heliox breathing and the extent of anatomic zone of noreflow and necrosis following ischemia/reperfusion in the rabbit heart. 2013, 8, 1-5	10
	Continuous heliox breathing and the extent of anatomic zone of noreflow and necrosis following	
128	Continuous heliox breathing and the extent of anatomic zone of noreflow and necrosis following ischemia/reperfusion in the rabbit heart. 2013, 8, 1-5 Pericardium-covered stent: a reality for coronary interventions of the future?. 2012, 4, 411-418 The REFLO-STEMI (REperfusion Facilitated by LOcal adjunctive therapy in ST-Elevation Myocardial Infarction) trial: a randomised controlled trial comparing intracoronary administration of adenosine or sodium nitroprusside with control for attenuation of microvascular obstruction during primary	6
128	Continuous heliox breathing and the extent of anatomic zone of noreflow and necrosis following ischemia/reperfusion in the rabbit heart. 2013 , 8, 1-5 Pericardium-covered stent: a reality for coronary interventions of the future?. 2012 , 4, 411-418 The REFLO-STEMI (REperfusion Facilitated by LOcal adjunctive therapy in ST-Elevation Myocardial Infarction) trial: a randomised controlled trial comparing intracoronary administration of adenosine	6
128 127 126	Continuous heliox breathing and the extent of anatomic zone of noreflow and necrosis following ischemia/reperfusion in the rabbit heart. 2013, 8, 1-5 Pericardium-covered stent: a reality for coronary interventions of the future?. 2012, 4, 411-418 The REFLO-STEMI (REperfusion Facilitated by LOcal adjunctive therapy in ST-Elevation Myocardial Infarction) trial: a randomised controlled trial comparing intracoronary administration of adenosine or sodium nitroprusside with control for attenuation of microvascular obstruction during primary percutaneous coronary intervention. 2016, 3, 1-48 Emidec: A Database Usable for the Automatic Evaluation of Myocardial Infarction from	6 2 7
128 127 126	Continuous heliox breathing and the extent of anatomic zone of noreflow and necrosis following ischemia/reperfusion in the rabbit heart. 2013, 8, 1-5 Pericardium-covered stent: a reality for coronary interventions of the future?. 2012, 4, 411-418 The REFLO-STEMI (REperfusion Facilitated by LOcal adjunctive therapy in ST-Elevation Myocardial Infarction) trial: a randomised controlled trial comparing intracoronary administration of adenosine or sodium nitroprusside with control for attenuation of microvascular obstruction during primary percutaneous coronary intervention. 2016, 3, 1-48 Emidec: A Database Usable for the Automatic Evaluation of Myocardial Infarction from Delayed-Enhancement Cardiac MRI. 2020, 5, 89	6 2 7 22
128 127 126 125	Continuous heliox breathing and the extent of anatomic zone of noreflow and necrosis following ischemia/reperfusion in the rabbit heart. 2013, 8, 1-5 Pericardium-covered stent: a reality for coronary interventions of the future?. 2012, 4, 411-418 The REFLO-STEMI (REperfusion Facilitated by LOcal adjunctive therapy in ST-Elevation Myocardial Infarction) trial: a randomised controlled trial comparing intracoronary administration of adenosine or sodium nitroprusside with control for attenuation of microvascular obstruction during primary percutaneous coronary intervention. 2016, 3, 1-48 Emidec: A Database Usable for the Automatic Evaluation of Myocardial Infarction from Delayed-Enhancement Cardiac MRI. 2020, 5, 89 Post myocardial infarction of the left ventricle: the course ahead seen by cardiac MRI. 2012, 2, 113-27 Microvascular obstruction after successful fibrinolytic therapy in acute myocardial infarction. Comparison of reteplase vs reteplase+abciximab: A cardiovascular magnetic resonance study. 2006,	6 2 7 22 20

120	Pre-infarction angina predicts thrombus burden in patients admitted for ST-segment elevation myocardial infarction. 2012 , 7, 1396-405	17
119	A simple nomogram for early prediction of myocardial reperfusion after pre-hospital thrombolysis. 2011 , 7, 248-55	3
118	Reperfusion injury components and manifestations determined by cardiovascular MR and MDCT imaging. 2010 , 2, 1-14	6
117	Magnetic resonance imaging characterization of circumferential and longitudinal strain under various coronary interventions in swine. 2013 , 5, 472-83	5
116	Temporal course of microvascular obstruction after myocardial infarction assessed by MRI. 2016 , 22, 151-5	1
115	Evaluation of the Clinical and Procedural Predictive Factors of no-Reflow Phenomenon Following Primary Percutaneous Coronary Intervention. 2015 , 4, e25414	17
114	Effect of Ranolazine in Patients with Chest Pain and Normal Coronaries- A Hospital Based Study. 2017 , 11, OC14-OC16	4
113	The Index of Microcirculatory Resistance after Primary Percutaneous Coronary Intervention Predicts Long-Term Clinical Outcomes in Patients with ST-Segment Elevation Myocardial Infarction. 2021 , 10,	1
112	Epicardial transplantation of autologous atrial appendage micrograftsâ valuation of safety and feasibility in pigs after coronary artery occlusion.	
111	Role of magnetic resonance techniques in viability assessment. 2000 , 177-197	
111	Role of magnetic resonance techniques in viability assessment. 2000 , 177-197 Infarktdiagnostik. 2002 , 147-150	
110	Infarktdiagnostik. 2002 , 147-150	
110	Infarktdiagnostik. 2002 , 147-150 Enhancement of Coronary Blood Flow as Myocardial Salvage Therapy. 2002 , 178-190	
110	Infarktdiagnostik. 2002, 147-150 Enhancement of Coronary Blood Flow as Myocardial Salvage Therapy. 2002, 178-190 Transmural myocardial infarction. Focus on current strategies of myocardial reperfusion. 2003, 737-757	
110 109 108	Infarktdiagnostik. 2002, 147-150 Enhancement of Coronary Blood Flow as Myocardial Salvage Therapy. 2002, 178-190 Transmural myocardial infarction. Focus on current strategies of myocardial reperfusion. 2003, 737-757 Assessing Reperfusion and Prognostic Infarct Sizing with Biochemical Markers. 2003, 59-86 Quantitative Analysis Using Overlap Images with Technetium-99m Pyrophosphate Thallium-201 Dual-isotope SPECT to Evaluate Microvascular Reperfusion Injury Following Successful Coronary	
110 109 108 107	Infarktdiagnostik. 2002, 147-150 Enhancement of Coronary Blood Flow as Myocardial Salvage Therapy. 2002, 178-190 Transmural myocardial infarction. Focus on current strategies of myocardial reperfusion. 2003, 737-757 Assessing Reperfusion and Prognostic Infarct Sizing with Biochemical Markers. 2003, 59-86 Quantitative Analysis Using Overlap Images with Technetium-99m Pyrophosphate Thallium-201 Dual-isotope SPECT to Evaluate Microvascular Reperfusion Injury Following Successful Coronary Intervention in Patients with Acute Myocardial Infarction. 2004, 16, 117-126	

(2009-2004)

102	Differences Between Unstable Angina and Acute Myocardial Infarction: Pathophysiological and Clinical Spectrum. 2004 , 143-170
101	Cardiac Rupture: Pathobiology, Diagnosis, Medical Management, and Surgical Intervention. 2004 , 597-628
100	Tissue Inflammation Impairs Tissue-Level Perfusion and Promotes Left Ventricular Remodeling in Patients With Acute Myocardial Infarction. 2005 , 3, 83-90
99	Cardiovascular MR Image Analysis. 2005 , 193-239
98	Biomarkers of Necrosis for Risk Assessment and Management of ST-Elevation Myocardial Infarction. 2006 , 93-102
97	Abrupt vessel closure and no-reflow. 2006 , 85-101
96	Multi-Detector Computed Tomography for Assessing the Left Ventricular Function, Perfusion and Viability. 2007 , 37, 191
95	Myocardial Infarction and Viability With an Emphasis on Imaging Delayed Enhancement. 2008, 351-375
94	Use of a thrombus extraction catheter (Thrombuster II(R)) in an acute myocardial infarction. 2008 , 3, 529-31
93	Clinical Applications of CMR Techniques for Assessment of Regional Ventricular Function. 2008 , 155-174 1
93 92	Clinical Applications of CMR Techniques for Assessment of Regional Ventricular Function. 2008, 155-174 Acute Myocardial Infarction and Postinfarct Remodeling. 2008, 287-303
92	Acute Myocardial Infarction and Postinfarct Remodeling. 2008, 287-303
92	Acute Myocardial Infarction and Postinfarct Remodeling. 2008, 287-303 Myocardial Perfusion Using First-Pass Gadolinium-Enhanced Cardiac Magnetic Resonance. 2008, 313-329
92 91 90	Acute Myocardial Infarction and Postinfarct Remodeling. 2008, 287-303 Myocardial Perfusion Using First-Pass Gadolinium-Enhanced Cardiac Magnetic Resonance. 2008, 313-329 Cardiac MRI in Diagnosis of Myocardial Disease in HIV-Infected Patients. 2009, 85-98 Pathology of and therapeutic strategy for microvascular dysfunction in patients with acute
92 91 90 89	Acute Myocardial Infarction and Postinfarct Remodeling. 2008, 287-303 Myocardial Perfusion Using First-Pass Gadolinium-Enhanced Cardiac Magnetic Resonance. 2008, 313-329 Cardiac MRI in Diagnosis of Myocardial Disease in HIV-Infected Patients. 2009, 85-98 Pathology of and therapeutic strategy for microvascular dysfunction in patients with acute myocardial infarction. 2009, 121, 91-98
92 91 90 89 88	Acute Myocardial Infarction and Postinfarct Remodeling. 2008, 287-303 Myocardial Perfusion Using First-Pass Gadolinium-Enhanced Cardiac Magnetic Resonance. 2008, 313-329 Cardiac MRI in Diagnosis of Myocardial Disease in HIV-Infected Patients. 2009, 85-98 Pathology of and therapeutic strategy for microvascular dysfunction in patients with acute myocardial infarction. 2009, 121, 91-98 Pathophysiology Basics of Acute Myocardial Infarction. 2009, 1-14 The Assessment of Myocardial Reperfusion and Its Clinical Significance in Acute Myocardial
92 91 90 89 88	Acute Myocardial Infarction and Postinfarct Remodeling. 2008, 287-303 Myocardial Perfusion Using First-Pass Gadolinium-Enhanced Cardiac Magnetic Resonance. 2008, 313-329 Cardiac MRI in Diagnosis of Myocardial Disease in HIV-Infected Patients. 2009, 85-98 Pathology of and therapeutic strategy for microvascular dysfunction in patients with acute myocardial infarction. 2009, 121, 91-98 Pathophysiology Basics of Acute Myocardial Infarction. 2009, 1-14 The Assessment of Myocardial Reperfusion and Its Clinical Significance in Acute Myocardial Infarction. 2009, 223-240

84	Myocardial Viability. 2010 , 267-283
83	Studio post-infarto acuto e cronico. 2010 , 91-101
82	Ischemic Heart Disease. 2010 , 387-438
81	Dilated Cardiomyopathy and Myocardial Infarction. 2010 , 121-132
80	Acute Myocardial Infarction. 2010 , 253-266
79	Noninvasive Imaging of the Vulnerable Myocardium: Cardiac MRI and CT Based. 2011 , 433-451
78	Redefining the Success of Mechanical Reperfusion. 2010 , 221-226
77	Contrast Cardiac MR âlʿAnatomy, Physiology, Viability and Perfusion. 75-90
76	MRI for Functional Assessment of Coronary Artery Disease. 291-300
75	Myocardial Contrast Echocardiography After Myocardial Infarction. 2011 , 231-232
74	Cardiac magnetic resonance imaging. 2011 , 173-179
73	Apport de lâIRM dans lâEnquEe tiologique dâIIn trouble du rythme ventriculaire. 2011 , 137-147
72	IRM de la micro-obstruction vasculaire dans lâlhfarctus du myocarde aigu. 2011 , 179-194
71	Therapeutic Hypothermia as a Treatment of Myocardial Infarction and Cardiogenic Shock. 2012 , 107-117
70	Role of Cardiovascular Magnetic Resonance in the Assessment of Patients with Acute Myocardial Infarction. 2012 , 191-212
69	Cardiac Catheter Laboratory. 2012 , 103-133
68	Magnetic resonance imaging: Role in diagnosis and risk stratification. 2012 , 93-103
67	Coronary No-Reflow Following Percutaneous Coronary Intervention. 2013, 1-26

66	The Role of Microvascular Coronary Dysfunction in Acute Myocardial Infarction. 2013 , 173-186
65	Acute myocardial infarction.
64	Monitoring the Sequelae of Coronary Microembolization on Myocardium Using Noninvasive Imaging (Review). 2014 , 04, 601-622
63	Prediction for cardiovascular events using cardiac magnetic resonance in patients with coronary artery disease. 2014 , 25, 380-387
62	Coronary No-Reflow Following Percutaenous Coronary Intervention. 2015 , 1865-1884
61	Ischemic Heart Disease. 2015 , 371-410
60	Determining microvascular obstruction and infarct size with steady-state free precession imaging cardiac MRI. 2015 , 10, e0119788
59	J Wave and Cardiac Death in Inferior Wall Myocardial Infarction. 2015 , 16, 67-77
58	Magnetic Resonance Imaging Before and After CABG. 2016 , 497-504
57	Microvascular Angina: Diagnosis, Prognosis and Treatment. 2016 , 65-93
56	Microcirculatory Dysfunction. 2017 , 39-53
56	Microcirculatory Dysfunction. 2017 , 39-53
56 55	Microcirculatory Dysfunction. 2017 , 39-53 Magnetic Resonance Imaging in Myocardial Fibrosis Related to Ischemic Events. 2017 , 2, 250-253
56 55 54	Microcirculatory Dysfunction. 2017, 39-53 Magnetic Resonance Imaging in Myocardial Fibrosis Related to Ischemic Events. 2017, 2, 250-253 Cardiac Magnetic Resonance and Myocardial Viability: Why Is It so Important?. 2017, 2, 228-234 Role of no reflow and microvascular obstruction in the prognostic stratification of STEMI patients.
56 55 54 53	Microcirculatory Dysfunction. 2017, 39-53 Magnetic Resonance Imaging in Myocardial Fibrosis Related to Ischemic Events. 2017, 2, 250-253 Cardiac Magnetic Resonance and Myocardial Viability: Why Is It so Important?. 2017, 2, 228-234 Role of no reflow and microvascular obstruction in the prognostic stratification of STEMI patients. 2018, 19, 346-349
56 55 54 53	Microcirculatory Dysfunction. 2017, 39-53 Magnetic Resonance Imaging in Myocardial Fibrosis Related to Ischemic Events. 2017, 2, 250-253 Cardiac Magnetic Resonance and Myocardial Viability: Why Is It so Important?. 2017, 2, 228-234 Role of no reflow and microvascular obstruction in the prognostic stratification of STEMI patients. 2018, 19, 346-349 Acute Myocardial Infarction. 2019, 251-261.e4

48	Relaxometry: Applications in the Heart. 2020 , 1, 239-265	
47	Human Recombinant Apyrase Therapy Protects Against Myocardial Ischemia/Reperfusion Injury and Preserves Left Ventricular Systolic Function in Rats, as Evaluated by 7T Cardiovascular Magnetic Resonance Imaging. 2020 , 21, 647-659	2
46	Quantitative T1 Mapping for Detecting Microvascular Obstruction in Reperfused Acute Myocardial Infarction: Comparison with Late Gadolinium Enhancement Imaging. 2020 , 21, 978-986	2
45	Cardiac Magnetic Resonance Imaging. 2005 , 249-269	
44	Teaching File Case 119. 2008 , 228-229	
43	Teaching File Case 8. 2008 , 97-98	
42	Ischemic Heart Disease and Non-Ischemic Cardiomyopathies. 2008, 25-40	
41	Low-dose intracoronary alteplase during primary percutaneous coronary intervention in patients with acute myocardial infarction: the T-TIME three-arm RCT. 2020 , 7, 1-86	
40	Established and emerging cardiovascular magnetic resonance techniques for the assessment of stable coronary heart disease and acute coronary syndromes. 2014 , 4, 330-44	7
39	Pericarditis after myocardial infarction. 2003 , 30, 246-7	3
38	Angiographic determinants of infarct size after successful percutaneous intervention for acute ST-elevation myocardial infarction: the impact of distal embolisation. 2002 , 10, 353-359	2
37	The diagnosis and treatment of the no-reflow phenomenon in patients with myocardial infarction undergoing percutaneous coronary intervention. 2008 , 13, 121-8	28
36	Comprehensive cardiac magnetic resonance imaging. 2009 , 21, 339-45	5
35	Functional cardiac magnetic resonance imaging (MRI) in the assessment of myocardial viability and perfusion: an evidence-based analysis. 2003 , 3, 1-82	
34	MRI manifestations of persistent microvascular obstruction and acute left ventricular remodeling in an experimental reperfused myocardial infarction. 2012 , 2, 12-20	7
33	CT imaging of myocardial viability: experimental and clinical evidence. 2007 , 18, 169-74	7
32	Photoplethysmographic assessment of arterial stiffness and endothelial function. 2022, 235-276	O
31	Prognostic relevance of peri-infarct zone measured by cardiovascular magnetic resonance in patients with ST-segment elevation myocardial infarction. 2022 , 347, 83-88	1

(2022-2020)

30	A 3D deep learning approach based on Shape Prior for automatic segmentation of myocardial diseases. 2020 ,	1
29	Coronary blood flow in heart failure: cause, consequence and bystander 2022, 117, 1	3
28	Pitfalls and Pearls in the Imaging of Cardiac Ischemia. 2022,	
27	Proceedings of the 4th Invitational Wintergreen Conference. Wintergreen, Virginia, USA. July 12-14, 1998. Abstracts. 1999 , 6, 93-155	9
26	Hyperglycemia and Intramyocardial Hemorrhage in Patients with ST-Segment Elevation Myocardial Infarction.	
25	Development and Validation of a Clinical and Laboratory-Based Nomogram for Predicting Coronary Microvascular Obstruction in NSTEMI Patients After Primary PCI 2022 , 18, 155-169	О
24	Value of Fast MVO Identification From Contrast-Enhanced Cine (CE-SSFP) Combined With Myocardial Strain in Predicting Adverse Events in Patients After ST-Elevation Myocardial Infarction 2021 , 8, 804020	О
23	Late Gadolinium Enhancement Cardiac Magnetic Resonance Imaging: From Basic Concepts to Emerging Methods 2022 , 194,	O
22	The impact of left ventricular geometry and remodeling on prognosis of heart failure in ischemic cardiomyopathy 2022 ,	
21	A Narrative Review of the Classical and Modern Diagnostic Methods of the No-Reflow Phenomenon 2022 , 12,	O
20	Data_Sheet_1.PDF. 2020 ,	
19	Table_1.DOCX. 2020 ,	
18	Video_1.AVI. 2018 ,	
17	Video_2.AVI. 2018 ,	
16	Video_3.AVI. 2018 ,	
15	Video_4.AVI. 2018 ,	
14	Challenges facing the clinical translation of cardioprotection: 35 years after the discovery of ischemic preconditioning 2022 , 106995	2
13	Hyperglycemia and intramyocardial hemorrhage in patients with ST-segment elevation myocardial infarction. 2022 ,	

12	Epicardial transplantation of autologous atrial appendage micrografts: evaluation of safety and feasibility in pigs after coronary artery occlusion. 2022 , 56, 352-360	0
11	Soluble ST2 in coronary artery disease: Clinical biomarkers and treatment guidance. 9,	O
10	Increasing myocardial edema is associated with greater microvascular obstruction in ST-segment elevation myocardial infarction. 2022 , 323, H818-H824	0
9	Effect of Ultrasound Pulse Length on Sonoreperfusion Therapy. 2022,	O
8	The Merits, Limitations, and Future Directions of Cost-Effectiveness Analysis in Cardiac MRI with a Focus on Coronary Artery Disease: A Literature Review. 2022 , 9, 357	O
7	Myocardial Viability Testing in the Management of Ischemic Heart Failure. 2022 , 12, 1760	2
6	Acute Perimyocarditis Masquerading as Acute Coronary Syndrome with Spontaneous Resolution of Increased Left Ventricular Wall Thickness. 2009 , 38, 278-279	О
5	Cardiac magnetic resonance feature tracking global and segmental strain in acute and chronic ST-elevation myocardial infarction. 2022 , 12,	O
4	Zinc supplementation in patients with acute myocardial infarction.	O
3	The Vessel Has Been Recanalized: Now What?.	O
2	Conductive and Thermo-Responsive Composite Hydrogels with Poly(N-isopropylacrylamide) and Carbon Nanotubes Fabricated by Two-Step Photopolymerization. 2023 , 15, 1022	О
1	Heart Diseases in Geriatric Patients. 2023 , 109-135	O