

CITATION REPORT

List of articles citing

Optical properties of metallic films for vertical-cavity optoelectronic devices

DOI: 10.1364/ao.37.005271
Applied Optics, 1998, 37, 5271-83.

Source: <https://exaly.com/paper-pdf/29401363/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2254	Single-molecule fluorescence near a metal layer. 1999 , 247, 1-9		83
2253	Effect of hydrogen insertion on the optical properties of Pd-coated magnesium lanthanides. 1999 , 44, 3093-3100		28
2252	A theoretical investigation of single-molecule fluorescence detection on thin metallic layers. 2000 , 78, 2151-8		63
2251	Structural characteristics of bright copper surfaces. 2001 , 514, 56-66		30
2250	Theoretical study of single molecule fluorescence in a metallic nanocavity. 2002 , 80, 315-317		86
2249	Organic microcavity light-emitting diodes with metal mirrors: dependence of the emission wavelength on the viewing angle. <i>Applied Optics</i> , 2002 , 41, 7650-6	1.7	39
2248	Comparative reflection and structural analyses of copper and zinc coatings electrodeposited from acid sulfate solutions with and without additives. 2002 , 161, 188-194		13
2247	Accessing Surface Plasmons with Ni Microarrays for Enhanced IR Absorption by Monolayers. 2003 , 107, 11871-11879		67
2246	Influence of interface-dipole interactions on the efficiency of fluorescence light collection near surfaces. 2003 , 28, 941-3		29
2245	Surface plasmon waveguides with gradually doped or NiAl intermetallic compound buried contact for terahertz quantum cascade lasers. 2003 , 94, 3249-3252		7
2244	Ohmic loss in frequency-selective surfaces. 2003 , 93, 5346-5358		54
2243	Scaffolding for nanotechnology: extraordinary infrared transmission of metal microarrays for stacked sensors and surface spectroscopy. 2004 , 15, S495-S503		32
2242	Dual-band infrared single-layer metallodielectric photonic crystals. 2004 , 85, 1835-1837		15
2241	Waveguide design for mid- and far-infrared p-Si/SiGe quantum cascade lasers. 2004 , 19, 76-81		21
2240	Reflection and structural analyses of mirror-bright metal coatings. 2004 , 8, 526-531		15
2239	Asymmetric Bragg mirrors for the reduction of emission wavelength dependence on the viewing angle in organic microcavity light emitting diodes. 2004 , 236, 303-311		14
2238	Investigations of manufacture artifacts on nano-scale FSS performance.		1

2237	Multiband planar infrared metallodielectric photonic crystals designed using genetic algorithms with fabrication constraints.	3
2236	Improved analytical fit of gold dispersion: Application to the modeling of extinction spectra with a finite-difference time-domain method. 2005 , 71,	523
2235	Dependence of the emission from tris (8-hydroxyquinoline) aluminum based microcavity on device thickness and the emission layer position. 2005 , 489, 235-244	6
2234	Nanostructural Analysis of Bright Metal Surfaces in Relation to their Reflectivities. 2005 , 425-473	4
2233	Optical properties of magnetron-sputtered and rolled aluminum. 2005 , 98, 083505	25
2232	Propagating modes in subwavelength cylindrical holes. 2005 , 23, 2675	22
2231	Effect of the plasmonic dispersion relation on the transmission properties of subwavelength cylindrical holes. 2005 , 72,	79
2230	Resonant-cavity enhanced thermal emission. 2005 , 72,	174
2229	Metallic photonic crystals with strong broadband absorption at optical frequencies over wide angular range. 2005 , 97, 093104	44
2228	Introduction. 2005 , 13, 755	2
2227	Single-layer multiband infrared metallodielectric photonic crystals designed by genetic algorithm optimization. 2005 , 86, 081102	14
2226	The design and fabrication of planar multiband metallodielectric frequency selective surfaces for infrared applications. 2006 , 54, 1265-1276	68
2225	Model dispersive media in finite-difference time-domain method with complex-conjugate pole-residue pairs. 2006 , 16, 119-121	73
2224	Device optimization of tris-aluminum (Alq3) based bilayer organic light emitting diode structures. 2006 , 15, S92-S98	7
2223	Scattering of vacuum states by dynamic plasmon singularities: generating photons from vacuum. 2006 , 31, 3650-2	6
2222	Optical and electrical properties of hydrided palladium thin films studied by an inversion approach from transmittance measurements. 2006 , 496, 189-196	60
2221	The effects of the doping elements on the optical properties of silver-based alloy layers for storage media usage. 2006 , 515, 936-941	
2220	Optical guided dispersions and subwavelength transmissions in dispersive plasmonic circular holes. 2006 , 14,	3

2219	Spheroidal particle plasmons in amplifying media. 2006 , 84, 125-129	11
2218	Dispersion Study of the Infrared Transmission Resonances of Freestanding Ni Microarrays. 2006 , 1, 87-93	22
2217	Effects of manufacturing artifacts on infrared filter performance. 2006 , 48, 1749-1754	1
2216	Infrared Liquid Crystal Tunable Frequency Selective Surfaces. 2006 ,	4
2215	All-angle negative refraction for surface plasmon waves using a metal-dielectric-metal structure. 2006 , 96, 073907	158
2214	. 2006 ,	
2213	DESIGN AND TRANSMISSION-REFLECTION PROPERTIES OF LIQUID CRYSTALLINE OPTICAL METAMATERIALS WITH LARGE BIREFRINGENCE AND SUB-UNITY OR NEGATIVE-REFRACTIVE INDEX. 2007 , 16, 533-549	3
2212	NONLINEAR AND ELECTRO-OPTICS OF NANO-DISPERSED NEMATIC LIQUID CRYSTALS WITH TUNABLE NEGATIVE-, ZERO-, AND POSITIVE INDICES. 2007 , 16, 381-399	5
2211	Genetically designed multiband metallodielectric frequency selective surface filters for the mid-infrared. 2007 ,	1
2210	Ultrafast studies of gold, nickel, and palladium nanorods. 2007 , 127, 074705	27
2209	Piezoresistor-equipped fluorescence-based cantilever probe for near-field scanning. 2007 , 78, 083106	2
2208	Interaction of an infrared surface plasmon with an excited molecular vibration. 2007 , 126, 151101	12
2207	Dispersion and Extinction of the Plasmon Mode in a Gold Nanoparticle Array at an Air/Glass Interface. 2007 ,	0
2206	Fluorescence detection system using a metal-coated glass micropipette. 2007 ,	
2205	Wave propagation characteristics of a figure-eight shaped nanoaperture. 2007 , 101, 103101	11
2204	Low loss planar negative index metamaterials for the mid-infrared based on frequency selective surfaces. 2007 ,	1
2203	Coupling of surface plasmons in nanostructured metal/dielectric multilayers with subwavelength hole arrays. 2007 , 76,	62
2202	Surface-plasmon-enhanced transmission through metallic film perforated with fractal-featured aperture array. 2007 , 90, 251914	40

2201	Genetic algorithm synthesis of planar zero index metamaterials for the infrared with application to electromagnetic cloaking. 2007 ,	1
2200	Internal excitation and superfocusing of surface plasmon polaritons on a silver-coated optical fiber tip. 2007 , 75,	74
2199	Synthesis of zero-index metamaterial slabs using genetic algorithms. 2007 ,	
2198	FDTD Study of Defect Modes in Two-Dimensional Silver Metallo-Dielectric Photonic Crystal. 2007 ,	
2197	Broadband nanowire-grid polarizers in ultraviolet-visible-near-infrared regions. 2007 , 15, 9510-9	51
2196	Implementation of the critical points model in the recursive convolution method for modelling dispersive media with the finite-difference time domain method. 2007 , 9, 745-748	50
2195	Description of dispersion properties of metals by means of the critical points model and application to the study of resonant structures using the FDTD method. 2007 , 40, 7152-7158	116
2194	Metal Films with Arrays of Tiny Holes: Spectroscopy with Infrared Plasmonic Scaffolding. 2007 , 111, 17459-17472	42
2193	A General Framework for the Finite-Difference Time-Domain Simulation of Real Metals. 2007 , 55, 916-923	16
2192	Development of Chiral Negative Refractive Index Metamaterials for the Terahertz Frequency Regime. 2007 , 55, 3052-3062	32
2191	Extraordinary Infrared Transmission Resonances of Metal Microarrays for Sensing Nanocoating Thickness. 2007 , 111, 12106-12111	6
2190	Tunability of the refractive index of gold nanoparticle dispersions. 2007 , 7, 3418-23	133
2189	Efficient dielectric function for FDTD simulation of the optical properties of silver and gold nanoparticles. 2007 , 446, 115-118	164
2188	Fluorescence-emission control of single CdSe nanocrystals using gold-modified AFM tips. 2007 , 3, 44-9	28
2187	OVERVIEW OF SIMULATION TECHNIQUES FOR PLASMONIC DEVICES. 2007 , 169-182	15
2186	The finite difference time domain calculation of one-dimensional photonic crystals composed of repetitive metallic and dielectric layers. 2007 , 88, 425-432	2
2185	Comparison of gold and silver dispersion laws suitable for FDTD simulations. 2008 , 93, 139-143	99
2184	Optical properties of subwavelength metallic-dielectric multilayers. 2008 , 372, 730-734	7

2183	Optical properties of metal based transparent electrodes on polymer films. 2008 , 516, 5777-5780	40
2182	Resolution improvement of surface plasmon-enhanced, liquid crystal spatial light modulator: Simulation studies. 2008 , 281, 4788-4792	4
2181	Surface plasmon nanophotonics: A tutorial. 2008 , 2, 12-18	23
2180	Plasmonic antenna array at optical frequency made by nanoapertures. 2008 , 93, 171110	23
2179	Nonresonant enhancement of spontaneous emission in metal-dielectric-metal plasmon waveguide structures. 2008 , 78,	133
2178	Low loss multilayer frequency selective surface negative index metamaterials for the mid-infrared. 2008 ,	
2177	Tailoring the resonances of surface plasmas on fractal-featured metal film by adjusting aperture configuration. 2008 , 92, 151902	13
2176	Broadband Polarizers Using Dual-Layer Metallic Nanowire Grids. 2008 , 20, 697-699	17
2175	Electrooptic modulation in thin film barium titanate plasmonic interferometers. 2008 , 8, 4048-52	179
2174	. 2008 , 56, 1308-1320	112
2173	Extraordinary transmission of metal films with arrays of subwavelength holes. 2008 , 59, 179-202	114
2172	Surface plasmon modes of finite, planar, metal-insulator-metal plasmonic waveguides. 2008 , 16, 14902-9	94
2171	Compact and low-loss bent hollow waveguides with distributed Bragg reflector. 2008 , 16, 15069-73	12
2170	Spectral properties of plasmonic resonator antennas. 2008 , 16, 16529-37	112
2169	Optical confinement methods for continued scaling of CMOS image sensor pixels. 2008 , 16, 20457-70	37
2168	Numerical prediction of minimum sub-diffraction-limit image generated by silver surface plasmon lenses. 2008 , 16, 21039-52	7
2167	The role of leaky plasmon waves in the directive beaming of light through a subwavelength aperture. 2008 , 16, 21271-81	47
2166	Tunable SPR coupler by flexible polymer grating. 2008 ,	1

2165	Influence of emissivity on behavior of metallic dust particles in plasmas. 2008 , 15, 073704	10
2164	In Situ Surface-Enhanced Raman Scattering Spectroscopic Study of Pyridine Adsorbed on Gold Electrode Surfaces Comprised of Plasmonic Crystal Structures. 2008 , 112, 17603-17610	16
2163	Nano-Dispersed Organic Liquid and Liquid Crystals for All-Time-Scales Optical Switching and Tunable Negative-and Zero- Index Materials. 2008 , 485, 934-944	15
2162	Designing Liquid Crystalline Nonlinear Optical Meta-materials with Large Birefringence and Sub-unity Refractive Index. 2008 , 488, 88-99	7
2161	Strong coupling between localized and propagating surface plasmons: Experimental observation. 2008 ,	
2160	Optical antennas: A boost for infrared detection. 2008 , 26, 2156-2159	5
2159	Propagating plasmonic mode in nanoscale apertures and its implications for extraordinary transmission. 2008 , 2, 021790	42
2158	Modeling of three-dimensional photoresist profiles exposed by localized fields of high-transmission nano-apertures. 2008 , 19, 275303	8
2157	On thermal radiation from heated metallic dust grains. 2008 , 41, 015202	19
2156	Single-layer metallodielectric nanostructures as dual-band midinfrared filters. 2008 , 92, 263106	23
2155	Rigorous modeling and physical interpretation of terahertz near-field imaging. 2009 , 4,	2
2154	Propagation lengths of surface plasmon polaritons on metal films with arrays of subwavelength holes by infrared imaging spectroscopy. 2009 , 131, 061101	12
2153	Comparison of SiO ₂ , Si ₃ N ₄ , As ₂ S ₃ , and Ge _{0.25} Se _{0.75} dielectric layers for InP- and GaAs-based material systems for midinfrared quantum cascade laser waveguides. 2009 , 106, 053104	3
2152	Effects of electron-boundary scattering on changes in thermorefectance in thin metal films undergoing intraband excitations. 2009 , 105, 093517	25
2151	Multilayer metallo-dielectric ZIMS with matched impedance for the mid-IR. 2009 ,	
2150	Multilayer metallo-dielectric low-loss NIM for the mid-IR: Design and experiment. 2009 ,	0
2149	Midinfrared filters based on extraordinary optical transmission through subwavelength structured gold films. 2009 , 106, 124313	8
2148	Tunable interference of light behind subwavelength apertures. 2009 , 95, 011104	10

2147	Liquid Crystal Nonlinear Optical Meta-Materials. 2009 , 502, 109-120	2
2146	SNOM measurements on metallic nanostructures. 2009 ,	
2145	Modified Surface Plasmon Antenna for Localized Field Enhancement. 2009 ,	
2144	Subwavelength Surface Plasmon Optical Cavity Scaling, Amplification, and Coherence. 2009 , 15, 1521-1528	11
2143	On the Surface Plasmon Resonance Modes of Metal Nanoparticle Chains and Arrays. 2009 , 4, 223-230	23
2142	Surface plasmon polaritons in metallo-dielectric meander-type gratings. 2009 , 90, 355-358	4
2141	On thermal radiation from fusion related metals. 2009 , 84, 38-42	14
2140	Optical properties of sputter deposited transparent and conducting TiO ₂ :Nb films. 2009 , 518, 1254-1258	36
2139	Surface plasmon resonance in nanostructured metal films under the Kretschmann configuration. 2009 , 106, 1243-14	31
2138	Improved red-response in thin film a-Si:H solar cells with soft-imprinted plasmonic back reflectors. 2009 , 95, 1835-03	225
2137	Role of surface plasmon polaritons on optical transmission through double layer metallic hole arrays. 2009 , 79,	116
2136	Experimental study of the interaction between localized and propagating surface plasmons. 2009 , 34, 244-6	196
2135	Influence of Mode Loss on the Feasibility of Grating-Assisted Optical Fiber Surface Plasmon Resonance Refractive Index Sensors. 2009 , 27, 4804-4808	21
2134	Plasmon-enhanced emission from optically-doped MOS light sources. 2009 , 17, 185-92	23
2133	Analysis of surface plasmon waves in metaldielectric- metal structures and the criterion for negative refractive index. 2009 , 17, 1136-43	18
2132	193nm Superlens imaging structure for 20nm lithography node. 2009 , 17, 11309-14	21
2131	Synthesizing low loss negative index metamaterial stacks for the mid-infrared using genetic algorithms. 2009 , 17, 14771-9	26
2130	Side-coupled cavity model for surface plasmon-polariton transmission across a groove. 2009 , 17, 17837-48	23

2129	Demonstration of an ultra-wideband optical fiber inline polarizer with metal nano-grid on the fiber tip. 2009 , 17, 17849-54	21
2128	Metal slit array Fresnel lens for wavelength-scale optical coupling to nanophotonic waveguides. 2009 , 17, 18852-7	15
2127	Plasmonic data storage medium with metallic nano-aperture array embedded in dielectric material. 2009 , 17, 20203-10	26
2126	Modulation of evanescent focus by localized surface plasmons waveguide. 2009 , 17, 22726-34	4
2125	The transmission characteristics of surface plasmon polaritons in ring resonator. 2009 , 17, 24096-101	214
2124	Observation of PT-symmetry breaking in complex optical potentials. 2009 , 103, 093902	1670
2123	A General ADE-FDTD Algorithm for the Simulation of Dispersive Structures. 2009 , 21, 817-819	66
2122	Design of microcavity organic light emitting diodes with optimized electrical and optical performance. 2009 , 48, 2282-9	5
2121	Dispersion Relation and Loss of Subwavelength Confined Mode of Metal-Dielectric-Gap Optical Waveguides. 2009 , 21, 362-364	78
2120	Tuning the fluorescence emission spectra of a single molecule with a variable optical subwavelength metal microcavity. 2009 , 102, 073002	55
2119	Short- and Long-Range Sensing Using Plasmonic Nanostructures: Experimental and Theoretical Studies. 2009 , 113, 15921-15927	38
2118	Integral equation solvers and their applications in the optical regime. 2009 ,	
2117	Optical properties of metal tips for tip-enhanced spectroscopies. 2009 , 113, 7508-13	20
2116	Nano-pillar structure for sensitivity enhancement of SPR sensor. 2009 ,	3
2115	Three-dimensional metamaterials with an ultrahigh effective refractive index over a broad bandwidth. 2009 , 102, 093903	107
2114	Effects of using different plasmonic metals in metal/dielectric/metal subwavelength waveguides on guided dispersion characteristics. 2009 , 11, 075003	4
2113	Full-wave simulation of enhanced outcoupling of organic light-emitting devices with an embedded low-index grid. 2009 , 94, 163302	26
2112	Infrared antenna array based on nano-holes in ultrathin metallic films. 2010 , 51, 30602	1

2111	Investigation on the sensitivity of direct coupling porous silicon membrane waveguide sensor. 2010	
2110	Near-field studies of arrays of chirped subwavelength apertures. 2010 , 4, 253-255	2
2109	Bistable switching using an optical Tamm cavity with a Kerr medium. 2010 , 283, 2622-2626	69
2108	Transparent and conducting TiO ₂ :Nb films made by sputter deposition: Application to spectrally selective solar reflectors. 2010 , 94, 75-79	26
2107	Influence of metal layer on the transmitted spectra of SPR-based optical fiber sensor. 2010 , 6, 346-349	10
2106	Metal Hole Arrays as Resonant Photo-Coupler for Charge Sensitive Infrared Phototransistors. 2010 , 46, 384-390	30
2105	Liquid Crystals Tunable Optical Metamaterials. 2010 , 16, 410-417	41
2104	Searching for better plasmonic materials. 2010 , 4, 795-808	1346
2103	Absorption enhancement of 980nm MSM photodetector with a plasmonic grating structure. 2010 , 283, 1763-1767	32
2102	Infrared transparency and electrical conductivity of non-stoichiometric In _x O _y films. 2010 , 172, 213-224	3
2101	Influence of the substrate on negative index fishnet metamaterials. 2010 , 283, 4770-4774	8
2100	Extraordinary Transmission through Periodic Arrays of Subwavelength Metal by Coating. 2010 , 428-429, 479-482	
2099	Enhanced Surface-Plasmon-Polariton Interference for Nanolithography by a Micro-Cylinder-Lens Array. 2010 , 27, 094205	
2098	Low loss multilayer frequency selective surface NIMs for the Mid-IR: Modeling, synthesis and characterization. 2010 ,	
2097	Broadband characteristics of surface plasmon enhanced solar cells. 2010 ,	1
2096	Influence of electron-boundary scattering on thermoreflectance calculations after intra- and interband transitions induced by short-pulsed laser absorption. 2010 , 81,	19
2095	Group velocity in lossy periodic structured media. 2010 , 82,	26
2094	Analysis of surface electromagnetic wave resonant structures for potential application in an array of compact photoelectron sources. 2010 , 28, C6C63-C6C68	1

2093	Design of optical devices using frequency domain solvers. 2010,	1
2092	Polarization-selective transmission in stacked two-dimensional complementary plasmonic crystal slabs. 2010, 96, 083106	14
2091	Time-domain analysis of surface-plasmon-polariton propagation in Ag nano-films using a generalized polarization approach. 2010,	
2090	Efficient computational models for optical nanowires. 2010,	
2089	Hybrid Dielectric-Metallic Back Reflector for Amorphous Silicon Solar Cells. 2010, 3, 1914-1933	10
2088	The effect of FeF ₂ on the magneto-optic response in FeF ₂ /Fe/FeF ₂ sandwiches. 2010, 43, 155301	7
2087	Tunable electric and magnetic resonances in multilayered metal/dielectric nanoplates at optical frequencies. 2010, 43, 345102	5
2086	Absorption enhancement of MSM photodetector structure with a plasmonic double grating structure. 2010,	3
2085	Review on subwavelength confinement of light with plasmonics. 2010, 57, 1479-1497	67
2084	Tunable fishnet metamaterials infiltrated by liquid crystals. 2010, 96, 193103	76
2083	Theoretical analysis of a nanoscale plasmonic filter based on a rectangular metal-insulator-metal waveguide. 2010, 43, 385102	70
2082	A Numerical Study on Helix Nanowire Metamaterials as Optical Circular Polarizers in the Visible Region. 2010, 22, 1303-1305	16
2081	Tunable gold-coated polymer gratings for surface plasmon resonance coupling and scanning. 2010, 20, 085032	10
2080	Sensitivity of Plasmonic Nanostructures Coated with Thin Oxide Films for Refractive Index Sensing: Experimental and Theoretical Investigations. 2010, 114, 11769-11775	32
2079	Effects of Intrinsic Fano Interference on Surface Enhanced Raman Spectroscopy: Comparison between Platinum and Gold. 2010, 114, 18059-18066	43
2078	Enhancing coupling efficiency and propagating length for surface plasmon polaritons. 2010, 49, 4127-30	1
2077	Color plasmons and trains of plasmons. 2010, 49, 4304-9	1
2076	Radiative engineering of plasmon lifetimes in embedded nanoantenna arrays. 2010, 18, 4526-37	78

2075	Polarization dependence and independence of near-field enhancement through a subwavelength circle hole. 2010 , 18, 5854-60	5
2074	Improved transmission model for metal-dielectric-metal plasmonic waveguides with stub structure. 2010 , 18, 6191-204	172
2073	Multiple extraordinary optical transmission peaks from evanescent coupling in perforated metal plates surrounded by dielectrics. 2010 , 18, 7893-8	10
2072	Charge and current reservoirs for electric and magnetic field enhancement. 2010 , 18, 10388-94	20
2071	Subwavelength electromagnetic dynamics in stacked complementary plasmonic crystal slabs. 2010 , 18, 15389-98	19
2070	Wavelength-dependent transmission through sharp 90 degrees bends in sub-wavelength metallic slot waveguides. 2010 , 18, 16139-45	8
2069	Midwave thermal infrared detection using semiconductor selective absorption. 2010 , 18, 22833-41	10
2068	Finite-difference analysis of plasmon-induced forces of metal nano-clusters by the Lorentz force formulation. 2010 , 18, 27731-47	10
2067	One-dimensional long-range plasmonic-photonic structures. 2010 , 35, 550-2	10
2066	Gold nanorings as substrates for surface-enhanced Raman scattering. 2010 , 35, 760-2	115
2065	Ultrabroadband optical circular polarizers consisting of double-helical nanowire structures. 2010 , 35, 2588-90	78
2064	Strong enhancement of magnetic dipole emission in a multilevel electronic system. 2010 , 35, 3318-20	48
2063	A Generally Optimized FDTD Model for Simulating Arbitrary Dispersion Based on the Maclaurin Series Expansion. 2010 , 28, 2843-2850	9
2062	Similar Structures, Different Characteristics: Optical Performances of Circular Polarizers With Single- and Double-Helical Metamaterials. 2010 ,	3
2061	STRD and Near Field Modeling of Metallic Wedges for Optical Detection Systems. 2010 ,	2
2060	Three-dimensional dispersive metallic photonic crystals with a bandgap and a high cutoff frequency. 2010 , 27, 1878-84	15
2059	Engineering the second harmonic generation pattern from coupled gold nanowires. 2010 , 27, 408	37
2058	A spectral element method calculation of extraordinary light transmission through periodic subwavelength slits. 2010 , 27, 560	7

2057	Light trapping in ultrathin plasmonic solar cells. 2010 , 18 Suppl 2, A237-45	494
2056	Full analytical model for obtaining surface plasmon resonance modes of metal nanoparticle structures embedded in layered media. 2010 , 18, 1722-33	20
2055	Refractive index of silver nanoparticles dispersed in polyvinyl pyrrolidone nanocomposite. 2010 , 57, 872-875	10
2054	Plasmonic light trapping for thin film A-Si:H solar cells. 2010 ,	3
2053	Optical limiting with complex plasmonic nanoparticles. 2010 , 12, 065001	20
2052	Tilted response of fishnet metamaterials at near-infrared optical wavelengths. 2010 , 81,	42
2051	Electromagnetic eigenmodes in a stacked complementary plasmonic crystal slab. 2010 , 82,	15
2050	Plasmonic nanostructures for transparent photovoltaic facades. 2011 ,	
2049	New generation of optical robotic sensor applied to small notch detection. 2011 ,	1
2048	SPP propagation in nonlinear glass-metal interface. 2011 ,	1
2047	Room temperature lasing with high group index in metal-coated GaN nanoring. 2011 , 99, 251111	11
2046	Excitation of dark plasmonic cavity modes via nonlinearly induced dipoles: applications to near-infrared plasmonic sensing. 2011 , 22, 235502	15
2045	Polarization-dependent scanning photoionization microscopy: ultrafast plasmon-mediated electron ejection dynamics in single Au nanorods. 2011 , 5, 3724-35	26
2044	Conformal plasmonic a-Si:H solar cells with non-periodic light trapping patterns. 2011 ,	
2043	Modeling light trapping in nanostructured solar cells. 2011 , 5, 10055-64	183
2042	Experimental realization and modeling of a subwavelength frequency-selective plasmonic metasurface. 2011 , 99, 221106	37
2041	Photocurrent mapping of near-field optical antenna resonances. 2011 , 6, 588-93	66
2040	Optical Responses of Gold Nanoparticles Undergoing a Change to Cluster Aggregates and Laser Beam Characteristics Effect. 2011 , 115, 1561-1568	5

2039	Plasmonic nanoantennas: fundamentals and their use in controlling the radiative properties of nanoemitters. 2011 , 111, 3888-912	1015
2038	Ultrashort laser pulse energy deposition in metal films with phase changes. 2011 , 98, 191105	22
2037	Optical properties and thermal response of copper films induced by ultrashort-pulsed lasers. 2011 , 110, 113102	51
2036	Liquid-Crystalline Nanostructured Optical Metamaterials. 2011 , 225-261	0
2035	Near-field multiple scattering effects of plasmonic nanospheres embedded into thin-film organic solar cells. 2011 , 99, 113304	64
2034	Numerical investigation of a tunable band-pass plasmonic filter with a hollow-core ring resonator. 2011 , 13, 035004	31
2033	Imaging the hidden modes of ultrathin plasmonic strip antennas by cathodoluminescence. 2011 , 11, 4265-9	44
2032	Quality Factor of a Nanobowtie Antenna. 2011 , 29, 3107-3114	6
2031	Modeling and simulation of active plasmonics with the FDTD method by using solid state and Lorentz-Drude dispersive model. 2011 , 28, 352	33
2030	Assessing the maximum transmittance of periodic metal-dielectric multilayers. 2011 , 28, 2529	7
2029	Analytical theory of optical bistability in plasmonic nanoresonators. 2011 , 28, 2820	20
2028	Realization of integrated polarizer and color filters based on subwavelength metallic gratings using a hybrid numerical scheme. 2011 , 50, 415-26	24
2027	Design and global optimization of high-efficiency solar thermal systems with tungsten cermet. 2011 , 19 Suppl 3, A245-57	47
2026	Optical antennas integrated with concentric ring gratings: electric field enhancement and directional radiation. 2011 , 19, 2148-57	48
2025	How to improve the signal-to-noise ratio for circular polarizers consisting of helical metamaterials?. 2011 , 19, 4255-60	48
2024	Passband modes beyond waveguide cutoff in metallic tilted-woodpile photonic crystals. 2011 , 19, 7373-80	2
2023	Coupled 2D Ag nano-resonator chains for enhanced and spatially tailored second harmonic generation. 2011 , 19, 8218-32	16
2022	A periodically coupled plasmon nanostructure for refractive index sensing. 2011 , 19, 8815-20	12

2021	Evidence of surface plasmon resonance in ultrafast laser-induced ripples. 2011 , 19, 9035-43	182
2020	Long-range channel plasmon polaritons in thin metal film V-grooves. 2011 , 19, 9836-47	18
2019	Higher extinction ratio circular polarizers with hetero-structured double-helical metamaterials. 2011 , 19, 10886-94	34
2018	Ultra-wideband optical leaky-wave slot antennas. 2011 , 19, 12392-401	30
2017	Optical design of organic solar cell with hybrid plasmonic system. 2011 , 19, 15908-18	22
2016	Polarization characteristics of the metallic structure with elliptically helical metamaterials. 2011 , 19, 17539-45	8
2015	Multi-scheme approach for efficient surface plasmon polariton generation in metallic conical tips on AFM-based cantilevers. 2011 , 19, 22268-79	34
2014	Exchange of electric and magnetic resonances in multilayered metal/dielectric nanoplates. 2011 , 19, 22942-9	14
2013	Electrically pumped silicon waveguide light sources. 2011 , 19, 24569-76	5
2012	Complex modes and effective refractive index in 3D periodic arrays of plasmonic nanospheres. 2011 , 19, 26027-43	26
2011	Coherent and directional emission at 1.55 μm from PbSe colloidal quantum dot electroluminescent device on silicon. 2011 , 19, 26394-8	10
2010	Femtosecond surface plasmon pulse propagation. 2011 , 36, 250-2	37
2009	Measurement of the dielectric constant of thin films by terahertz time-domain spectroscopic ellipsometry. 2011 , 36, 265-7	53
2008	Angular response of thin-film organic solar cells with periodic metal back nanostrips. 2011 , 36, 478-80	54
2007	Directional far-field response of a spherical nanoantenna. 2011 , 36, 2146-8	8
2006	In-plane plasmonic modes of negative group velocity in perforated waveguides. 2011 , 36, 2504-6	10
2005	The origin of second harmonic generation hotspots in chiral optical metamaterials [Invited]. 2011 , 1, 36	45
2004	INNOVATIVE OPTICAL TACTILE SENSOR FOR ROBOTIC SYSTEM BY GOLD NANOCOMPOSITE MATERIAL. 2011 , 16, 145-158	12

2003	Impact of Nanograting Phase-Shift on Light Absorption Enhancement in Plasmonics-Based Metal-Semiconductor-Metal Photodetectors. 2011 , 2011, 1-8	7
2002	A surface plasmon biosensor based on sub-wavelength metal slit arrays. 2011 , 276, 012139	1
2001	Negative refraction using plasmonic structures that are atomically flat. 269-286	
2000	Supercontinuum ultra wide range confocal microscope for reflectance spectroscopy of living matter and material science surfaces. 2011 , 1, 032143	8
1999	Perovskite-type oxide films combined with gratings for reduction of material consumption and improvement of thermochromism property. 2011 , 112, 2592-2599	13
1998	Investigation of resonant properties of metal core-shell nanoparticles using T-matrix calculations. 2011 , 112, 2733-2740	3
1997	Characterization of plasmonic effects in thin films and metamaterials using spectroscopic ellipsometry. 2011 , 86, 328-376	157
1996	Analytical approaches for nano-plasmonic and micro-millimetric antennas. 2011 , 5, 349	2
1995	Analytical Modeling of Resonant Cavities for Plasmonic-Slot-Waveguide Junctions. 2011 , 3, 220-233	44
1994	Enhanced Sensitivity of Silicon-On-Insulator Surface Plasmon Interferometer With Additional Silicon Layer. 2011 , 3, 538-545	16
1993	The Fundamental Physics of Directive Beaming at Microwave and Optical Frequencies and the Role of Leaky Waves. 2011 , 99, 1780-1805	78
1992	. 2011 , 47, 84-91	11
1991	Broadband polarization-independent resonant light absorption using ultrathin plasmonic super absorbers. 2011 , 2, 517	1237
1990	Foundations of Plasmonics. 2011 , 60, 799-898	96
1989	A submicron plasmonic dichroic splitter. 2011 , 2, 525	89
1988	Photovoltaic performance of ultrasmall PbSe quantum dots. 2011 , 5, 8140-7	185
1987	A Dual-Mode Terahertz Filter Based on a Metallic Resonator Design. 2011 , 32, 1299-1306	3
1986	Color filters featuring high transmission efficiency and broad bandwidth based on resonant waveguide-metallic grating. 2011 , 284, 2473-2479	28

1985	Optical Modeling of Plasmonic Nanoparticles Enhanced Light Emission of Silicon Light-Emitting Diodes. 2011 , 6, 53-57	15
1984	Near-Field Enhancement Through a Single Subwavelength Aperture with Gaps Inside. 2011 , 6, 149-154	5
1983	Low-Cost Fabrication of Pt Thin Films with Controlled Nanostructures and Their Effects on SERS. 2011 , 6, 715-723	6
1982	Plasmonic Enhancement During Femtosecond Laser Drilling of Sub-wavelength Holes in Metals. 2011 , 6, 767-772	2
1981	Tailoring photonic metamaterial resonances for thermal radiation. 2011 , 6, 549	41
1980	A nanometric plasmonic waveguide filter based on Fabry-Pérot resonator. 2011 , 284, 485-489	29
1979	Unidirectional manipulation of surface plasmon polariton by dual-nanocavity in a T-shaped waveguide. 2011 , 284, 795-798	20
1978	Polarization and incidence angle-dependent transmittance of transparent nickel electrodes with various thicknesses. 2011 , 33, 859-864	2
1977	Analysis of nano-grating-assisted light absorption enhancement in metal-semiconductor-metal photodetectors patterned using focused ion-beam lithography. 2011 , 284, 1694-1700	43
1976	Mode transformation in waveguiding plasmonic structures. 2011 , 9, 207-212	12
1975	Enhancement of light-emitting efficiency using combined plasmonic Ag grating and dielectric grating. 2011 , 131, 2382-2386	10
1974	Numerical investigation for SPR-based optical fiber sensor. 2011 , 157, 240-245	48
1973	Amorphous Carbon Gold Nanocomposite Thin Films: Structural and Spectro-ellipsometric Analysis. 2011 , 519, 5924-5932	19
1972	U-shaped multi-band negative-index bulk metamaterials with low loss at visible frequencies. 2011 , 84, 035402	17
1971	A NOVEL SUBWAVELENGTH MICROBOLOMETER FOR TERAHERTZ SENSING. 2011 , 20, 611-619	0
1970	Spectral tuning by selective enhancement of electric and magnetic dipole emission. 2011 , 106, 193004	117
1969	Systematic study of spontaneous emission in a two-dimensional arbitrary inhomogeneous environment. 2011 , 83,	20
1968	Optical transparency and electrical conductivity of nonstoichiometric ultrathin In _x O _y films. 2011 , 29, 041511	2

1967	High pressure ellipsometry: a novel method for measuring the optical properties and electronic structure of materials in diamond anvil cells. 2011 , 82, 033905	3
1966	Rapid computation of light scattering from aperiodic plasmonic structures. 2011 , 84,	11
1965	Gain assisted nanocomposite multilayers with near zero permittivity modulus at visible frequencies. 2011 , 99, 221107	30
1964	Lasing in metal-coated GaN nanostripe at room temperature. 2011 , 98, 131110	11
1963	Experimental Optical Characterization and Polymeric Layouts of Gold PDMS Nanocomposite Sensor for Liquid Detection. 2011 , 11, 1780-1786	15
1962	Simulation of Interference Nanolithography of Second-Exciting Surface-Plasmon Polaritons for Metal Nanograting Fabrication. 2011 , 28, 018101	3
1961	Critical opalescence in hyperbolic metamaterials. 2011 , 13, 125101	9
1960	SPR photo diode detector using transportation phenomenon of photon and electron coupling. 2011 ,	1
1959	Hybrid plasmonic resonance for enhanced refractive index sensing. 2011 , 47, 1294	6
1958	Self-assembled plasmonic electrodes for high-performance organic photovoltaic cells. 2011 , 99, 103306	26
1957	Optical measurement of strain using scattering from nanoparticle pairs on elastomer. 2011 ,	
1956	Surface-enhanced Raman scattering from silver-coated opals. 2011 , 134, 124312	12
1955	Simplified Reflection Fabry-Perot Method for Determination of Electro-Optic Coefficients of Poled Polymer Thin Films. 2011 , 3, 1310-1324	7
1954	Mapping Characterization of SnO ₂ :F Transparent Conductive Oxide Layers by Ellipsometry Technique. 2012 , 51, 10NB01	5
1953	Comprehensive characterization of broadband ultralow reflectance of a porous nickel-phosphorus black surface by numerical simulation. <i>Applied Optics</i> , 2012 , 51, 6917-25	1.7 8
1952	Investigation of surface plasmon resonance in super-period gold nanoslit arrays. 2012 , 29, 1712	7
1951	Temperature- and hydrogen-induced changes in the optical properties of Pd capped V thin films. 2012 , 86, 065702	3
1950	Modeling plasmonics: a Huygens subgridding scheme for Lorentz media. 2012 , 137, 204111	4

1949	Optical rectification effect due to surface plasmon polaritons at normal incidence in a nondiffraction regime. 2012 , 37, 2793-5	15
1948	What makes single-helical metamaterials generate "pure" circularly polarized light?. 2012 , 20, 1552-60	13
1947	Doubly resonant metallic nanostructure for high conversion efficiency of second harmonic generation. 2012 , 20, 4856-70	47
1946	Components for silicon plasmonic nanocircuits based on horizontal Cu-SiO ₂ /Si-SiO ₂ /Cu nanoplasmonic waveguides. 2012 , 20, 5867-81	39
1945	Enhanced in and out-coupling of InGaAs slab waveguides by periodic metal slit arrays. 2012 , 20, 6365-74	5
1944	Light harvesting improvement of organic solar cells with self-enhanced active layer designs. 2012 , 20, 8175-85	27
1943	Angular selective semi-transparent photovoltaics. 2012 , 20 Suppl 2, A265-9	7
1942	Optical characteristics of silicon nanowires grown from tin catalyst layers on silicon coated glass. 2012 , 20, 20266-75	5
1941	Double-layered nanoparticle stacks for spectro-electrochemical applications. 2012 , 37, 3603-5	6
1940	Coupled plasmon-exciton induced transparency and slow light in plexcitonic metamaterials. 2012 , 29, 2297	17
1939	Wideband perfect light absorber at midwave infrared using multiplexed metal structures. 2012 , 37, 371-3	182
1938	Surface plasmon polariton compression through radially and linearly polarized source. 2012 , 37, 545-7	42
1937	Broadband and mid-infrared absorber based on dielectric-thin metal film multilayers. <i>Applied Optics</i> , 2012 , 51, 1109-14	1.7 41
1936	Instantaneous electric energy and electric power dissipation in dispersive media. 2012 , 29, 1048	15
1935	Conditions for admittance-matched tunneling through symmetric metal-dielectric stacks. 2012 , 20 Suppl 5, A578-88	10
1934	Transmission phase control by stacked metal-dielectric hole array with two-dimensional geometric design. 2012 , 20, 16092-103	9
1933	Compact dipole nanoantenna coupler to plasmonic slot waveguide. 2012 , 37, 1124-6	33
1932	Transmission enhancement in a non-adiabatic tapered nano-aperture waveguide. 2012 , 100, 051104	4

1931	Casimir force measurements in Au-Au and Au-Si cavities at low temperature. 2012 , 85,	28
1930	Enhanced broadband optical absorption from nanostructured nickel thin-films for solar energy applications. 2012 ,	1
1929	Band-stop filters based on a coupled circular ring metal-insulator-metal resonator containing nonlinear material. 2012 , 14, 055001	27
1928	Broadband zero reflection plasmonic junctions. 2012 , 29, 1722	9
1927	Controllable plasmonic antennas with ultra narrow bandwidth based on silver nano-flags. 2012 , 101, 153118	21
1926	Integral equation method for analyzing purcell effect in plasmonic system. 2012 ,	
1925	The development of nano-structured plasmonic composite by two-step ion-exchange processes. 2012 ,	
1924	A Computationally Efficient Method for Simulating Metal-Nanowire Dipole Antennas at Infrared and Longer Visible Wavelengths. 2012 , 11, 239-246	3
1923	Surface plasmon drag effect in a dielectrically modulated metallic thin film. 2012 , 20, 1561-74	35
1922	References. 2012 , 307-309	
1921	Overcoming the black body limit in plasmonic and graphene near-field thermophotovoltaic systems. 2012 , 20, A366-84	169
1920	Enabling high-temperature nanophotonics for energy applications. 2012 , 109, 2280-5	166
1919	Tunable plasmonic resonance arising from broken-symmetric silver nanobeads with dielectric cores. 2012 , 14, 114010	37
1918	Finite-Element-Based Generalized Impedance Boundary Condition for Modeling Plasmonic Nanostructures. 2012 , 11, 336-345	32
1917	Circular dichroism from chiral nanomaterial fabricated by on-edge lithography. 2012 , 24, OP321-5	58
1916	Vanadium dioxide based plasmonic modulators. 2012 , 20, 8700-9	53
1915	Study on spontaneous emission in complex multilayered plasmonic system via surface integral equation approach with layered medium Green's function. 2012 , 20, 20210-21	33
1914	Color Filter Based on Surface Plasmon Resonance Utilizing Sub-Micron Periodic Hole Array in Aluminum Thin Film. 2012 , E95-C, 251-254	5

1913	Terrain Reconstruction of Glacial Surfaces : Robotic Surveying Techniques. 2012 , 19, 59-71	3
1912	Radiation efficiency of narrowband coherent thermal emitters. 2012 , 2, 032113	4
1911	Metallic Spiral Three-Dimensional Photonic Crystal with a Full Band Gap at Optical Communication Wavelengths. 2012 , 4, 1155-1162	5
1910	InAs-Based Mid-Infrared Interband Cascade Lasers Near $5.3 \mu\text{m}$. 2012 , 48, 915-921	16
1909	Finite-difference time-domain simulation of light induced charge dynamics in silver nanoparticles. 2012 , 136, 054504	2
1908	Photonic metamaterials: a new class of materials for manipulating light waves. 2012 , 13, 053002	29
1907	Metal-dielectric photonic crystal superlattice: 1D and 2D models and empty lattice approximation. 2012 , 407, 4037-4042	13
1906	A novel plasmonic resonance sensor based on an infrared perfect absorber. 2012 , 45, 205102	66
1905	Optical dielectric function of gold. 2012 , 86,	518
1904	High Extinction Ratio Circular Polarizer With Conical Double-Helical Metamaterials. 2012 , 30, 2442-2446	17
1903	Efficient second-harmonic generation in micrometer-thick slabs with indefinite permittivity. 2012 , 85,	37
1902	Formulation of the finite-difference time-domain method for the analysis of axially symmetric metal nanodevices. 2012 , 59, 1439-1447	
1901	Fast fabrication of a Ag nanostructure substrate using the femtosecond laser for broad-band and tunable plasmonic enhancement. 2012 , 6, 5190-7	58
1900	Strong Intensity Modulation of Surface Plasmon Polaritons by a Dielectric Layer. 2012 , 24, 2214-2217	5
1899	Antenna electrodes for controlling electroluminescence. 2012 , 3, 1005	25
1898	Effects of waveguide behavior during femtosecond-laser drilling of metals. 2012 , 108, 935-941	1
1897	Evanescent wave optical trapping and transport of micro- and nanoparticles on tapered optical fibers. 2012 , 113, 2512-2520	38
1896	Optimization and characterization of Au cuboid nanostructures as a SERS device for sensing applications. 2012 , 97, 189-192	15

1895	Liquid crystal based nonlinear fishnet metamaterials. 2012 , 100, 121113	111
1894	Arrayed metallic micro/nano particles for localized surface plasmon resonance based on metal contact transfer lithography. 2012 ,	
1893	Surface plasmonic enhanced polarimetric longwave infrared photodetection with band pass spectral filtering. 2012 , 27, 065005	12
1892	. 2012 , 30, 3050-3054	13
1891	In-line high efficient fiber polarizer based on surface plasmon. 2012 , 100, 041104	30
1890	Plasmonic Nanoparticles Array for High-Sensitivity Sensing: A Theoretical Investigation. 2012 , 116, 17819-17827	5
1889	Highly sensitivity sensors using thin planar dielectric gratings on flat metallic substrate. 2012 ,	
1888	Wavelength selective uncooled infrared sensor by plasmonics. 2012 , 100, 021111	91
1887	A Rational-Fraction Dispersion Model for Efficient Simulation of Dispersive Material in FDTD Method. 2012 , 30, 2216-2225	18
1886	Surface polariton Cherenkov light radiation source. 2012 , 109, 153902	105
1885	Tunable Polarization States With Helical Metamaterials. 2012 , 24, 1708-1711	3
1884	Near-field simulation of obliquely deposited surface-enhanced Raman scattering substrates. 2012 , 112, 113111	7
1883	Fabrication of large-area ordered and reproducible nanostructures for SERS biosensor application. 2012 , 137, 1785-92	76
1882	Fully analytical description of adiabatic compression in dissipative polaritonic structures. 2012 , 86,	32
1881	Nanoplasmonic structures for biophotonic applications: SERS overview. 2012 , 524, 620-636	14
1880	Prism dispersion effects in near-guided-wave surface plasmon resonance sensors. 2012 , 524, 680-686	10
1879	Through-Silicon Photonic Via and Unidirectional Coupler for High-Speed Data Transmission in Optoelectronic Three-Dimensional LSI. 2012 , 33, 221-223	14
1878	Radius-dependent binding or repelling forces exerted on metal nano-sphere clusters by infrared-induced plasmonic resonance. 2012 , 285, 4553-4557	2

1877	Design of a highly sensitive surface plasmon resonance sensor using aluminum-based diffraction grating. 2012 , 285, 4603-4607	24
1876	Fabrication and Characterization of Large, Perfectly Periodic Arrays of Metallic Nanocups. 2012 , 7, 653-657	3
1875	Polarization properties in helical metamaterials. 2012 , 5, 248-255	8
1874	Optical design of selectively scattering nanostructures for angle sensitive semi-transparent photovoltaics. 2012 ,	
1873	Fabrication and spectroscopic investigation of branched silver nanowires and nanomeshworks. 2012 , 7, 596	13
1872	Single-resonance diffraction gratings for time-domain pulse transformations: integration of optical signals. 2012 , 29, 1734-40	16
1871	Optical behaviour of thick gold and silver films with periodic circular nanohole arrays. 2012 , 45, 485105	22
1870	Optical measurement of directional strain by scattering from nano-disk pairs aligned on an elastomer. 2012 , 23, 315201	7
1869	A novel helical metamaterial absorber: Simulation study with the FDTD method. 2012 ,	1
1868	Broadband absorbers for the mid-IR based on multi-screen frequency selective surfaces. 2012 ,	0
1867	Electromagnetic Interactions with Solids. 2012 , 181-237	
1866	Local field enhancement of nano-structured metallic target irradiated by polarized laser beam. 2012 , 7,	3
1865	FIRST-PRINCIPLE ANALYSIS FOR ELECTROMAGNETIC EIGEN MODES IN AN OPTICAL METAMATERIAL SLAB. 2012 , 132, 129-148	2
1864	Plasmonic coupling in gold nanoring dimers: observation of coupled bonding mode. 2012 , 12, 1648-54	140
1863	Plasmonic versus dielectric enhancement in thin-film solar cells. 2012 , 100, 211914	21
1862	Longitudinal chirality, enhanced nonreciprocity, and nanoscale planar one-way plasmonic guiding. 2012 , 86,	23
1861	Enhancement of local electromagnetic fields in plasmonic crystals of coaxial metallic nanostructures. 2012 , 85,	6
1860	Demonstration of low-loss on-chip integrated plasmonic waveguide based on simple fabrication steps on silicon-on-insulator platform. 2012 , 101, 041117	11

1859	The observation of the localized surface plasmons and its coupling. 2012 , 43, 863-868	8
1858	Metal-dielectric-metal surface plasmon-polariton resonators. 2012 , 85,	53
1857	Design of nanostructured solar cells using coupled optical and electrical modeling. 2012 , 12, 2894-900	189
1856	A scanning surface plasmon resonance sensor based on the phase shift algorithm. 2012 , 23, 045105	4
1855	Light coupling and directional emission of spherical gold nanoparticles as nanosensors. 2012 , 44, 227-233	3
1854	B-CALM: An open-source GPU-based 3D-FDTD with multi-pole dispersion for plasmonics. 2012 , 44, 285-290	9
1853	Optical switch effect of metal-dielectric-metal plasmonic waveguide coupled with stub structure. 2012 , 123, 1326-1328	7
1852	Design of optical antenna for solar energy collection. 2012 , 39, 27-32	33
1851	Theoretical investigation for two cascaded SPR fiber optic sensors. 2012 , 161, 269-273	32
1850	Systematical research on the characteristics of a vertical coupled Fabry-Pérot plasmonic filter. 2012 , 285, 2558-2562	10
1849	Comparison investigation of near- and far-field properties for plasmon resonance of silver nanosphere dimers. 2012 , 10, 16-24	7
1848	. 2012 , 30, 1284-1290	4
1847	Compact Polarization Rotator Based on Surface Plasmon Polariton With Low Insertion Loss. 2012 , 4, 707-714	31
1846	Reflection-mode TERS on Insulin Amyloid Fibrils with Top-Visual AFM Probes. 2013 , 8, 25-33	30
1845	Templated syntheses of Pt thin films with feature sizes of 3, 6 and 9 nm and their effects on SERS. 2013 , 44, 6-11	5
1844	Structurally and materially sensitive hybrid surface plasmon modes in periodic silver-shell nanopillar and its dimer arrays. 2013 , 15, 1	40
1843	Resonant Mode Analysis of the Nanoscale Surface Plasmon Polariton Waveguide Filter with Rectangle Cavity. 2013 , 8, 267-275	46
1842	Influence of the graphene substrate on morphology of the gold thin film. Spectroscopic ellipsometry study. 2013 , 283, 603-611	4

1841	Nanoscale control of Ag nanostructures for plasmonic fluorescence enhancement of near-infrared dyes. 2013 , 6, 496-510	63
1840	Optically active Babinet planar metamaterial film for terahertz polarization manipulation. 2013 , 7, 810-817	21
1839	Search of Extremely Sensitive Near-Infrared Plasmonic Interfaces: A Theoretical Study. 2013 , 8, 1691-1698	5
1838	Helical Metamaterial Absorbers: Broadband and Polarization-Independent in Optical Region. 2013 , 31, 2762-2768	30
1837	Temperature dependent optical properties of silver from spectroscopic ellipsometry and density functional theory calculations. 2013 , 114, 033515	21
1836	Characteristics of Symmetric Surface Plasmon Polariton Mode in Glass/Metal/Glass Waveguide. 2013 , 8, 1621-1625	6
1835	Refractive-Index Sensing with Ultrathin Plasmonic Nanotubes. 2013 , 8, 193-199	59
1834	Optical Fiber Micro-Taper with Circular Symmetric Gold Coating for Sensor Applications Based on Surface Plasmon Resonance. 2013 , 8, 545-554	21
1833	Tuning Colors of Silver Nanoparticle Sheets by Multilayered Crystalline Structures on Metal Substrates. 2013 , 8, 581-590	30
1832	Tunable Omnidirectional Broadband Band-Stop Filter in Symmetric Hybrid Plasmonic Structures. 2013 , 8, 1101-1108	1
1831	Effects of Refractive Index Variations on the Optical Transmittance Spectral Properties of the Nano-Hole Arrays. 2013 , 8, 1245-1251	14
1830	Black tungsten for solar power generation. 2013 , 103, 071105	26
1829	Photonic Crystal Nanocavities Containing Plasmonic Nanoparticles Assembled Using a Laser-Printing Technique. 2013 , 1, 946-951	14
1828	Plasmonic coupling from silver nanoparticle dimer array mediating surface plasmon resonant enhancement on the thin silver film. 2013 , 113, 503-509	4
1827	The application of the microstructured metallic grating to light emission extraction. 2013 , 58, 696-700	2
1826	Optimization of resonant effects in nanostructures via Weierstrass factorization. 2013 , 88,	42
1825	Modeling and Design of Ag, Au, and Cu Nanoplasmonic Structures for Enhancing the Absorption of P3HT:PCBM-Based Photovoltaics. 2013 , 5, 4800509-4800509	9
1824	Three-dimensional plasmonic micro projector for light manipulation. 2013 , 25, 1118-23	25

1823	Configuration-controlled Au nanocluster arrays on inverse micelle nano-patterns: versatile platforms for SERS and SPR sensors. 2013 , 5, 12261-71	38
1822	The optical and electrical properties of silver nanowire mesh films. 2013 , 114, 024302	96
1821	Compact aperiodic metallic groove arrays for unidirectional launching of surface plasmons. 2013 , 13, 5420-4	60
1820	Experimental study of optimized surface-plasmon-mediated tunneling in metal-dielectric multilayers. 2013 , 103, 071109	6
1819	An optimization method for parameter extraction of metals using modified Debye model. 2013 , 2, 426	5
1818	Diffuse scattering from hemispherical nanoparticles at the air-silicon interface. 2013 , 24, 415402	9
1817	Controlling the electric field enhancement factor of photonic nanojets by using the magneto-optical effect. 2013 , 60, 1921-1925	0
1816	Two-Dimensional Ferroelectric Photonic Crystals: Optics and Band Structure. 2013 , 448, 23-28	2
1815	Comparison of Gold and Silver/Gold Bimetallic Surface for Highly Sensitive Near-infrared SPR Sensor at 1550 nm. 2013 , 8, 619-624	28
1814	Hydrogen induced changes in the optical properties of Pd capped V thin films. 2013 , 580, S114-S118	5
1813	Role of metallic absorption on enhancing the light emitting efficiency by plasmonic gratings. 2013 , 114, 113103	4
1812	On the Low-Order Partial-Fraction Fitting of Dielectric Functions at Optical Wavelengths. 2013 , 61, 6128-6135	31
1811	Nonlocal response in thin-film waveguides: Loss versus nonlocality and breaking of complementarity. 2013 , 88,	54
1810	Investigation of propagation properties of Surface Plasmon Polariton mode in AlGaAs/Ag/AlGaAs waveguide. 2013 ,	1
1809	Optimization of debye parameters for dielectric materials and investigation of symmetric SPP mode propagation properties in DMD waveguide. 2013 ,	1
1808	Material Dependence of Metal Grating on SOI Photodiode for Enhanced Quantum Efficiency. 2013 , 25, 1133-1136	6
1807	Metallic wall-based plasmon nanocavities with 1-D photonic crystals. 2013 ,	
1806	Surface plasmon nanocavities composed of metallic wall and 1-D photonic crystal. 2013 ,	

1805	Surface plasmon polariton based band-pass and stop-band filters in symmetric double ring resonators. 2013 , 60, 1910-1914	3
1804	TE photonic modes in metal-insulator-metal structures. 2013 ,	
1803	Metamaterial absorber for the near-IR with curvilinear geometry based on Beziř surfaces. 2013 ,	
1802	Observation of strong transverse magneto-optical Kerr effect on surface plasmonic gratings. 2013 ,	1
1801	Optical spins and nano-antenna array for magnetic therapy. 2013 , 12, 228-32	1
1800	Performance analysis of gallium lanthanum sulfide and cuprous oxide as nanoplasmonic couplers. 2013 ,	1
1799	Metallic cylinder arrays as optical coupler for quantum well infrared photo-detector. 2013 ,	
1798	Au nanostructures by colloidal lithography: from quenching to extensive fluorescence enhancement. 2013 , 1, 536-543	37
1797	Sensing properties of plasmonic ring resonators. 2013 ,	
1796	Silver nanowires for photonics applications. 2013 , 7, 901-919	72
1795	Impact of nonlocal response on metallodielectric multilayers and optical patch antennas. 2013 , 87,	77
1794	Orders of magnitude enhancement of optical nonlinearity in subwavelength metal-nonlinear dielectric gratings. 2013 , 102, 021907	4
1793	Numerical Methods for Calculating Poles of the Scattering Matrix With Applications in Grating Theory. 2013 , 31, 793-801	50
1792	Accounting for Localized Defects in the Optoelectronic Design of Thin-Film Solar Cells. 2013 , 3, 599-604	15
1791	Asymmetric hybrid double dielectric loaded plasmonic waveguides for sensing applications. 2013 , 186, 148-155	13
1790	Spectral radiative properties of tungsten thin films in the infrared. 2013 , 61, 106-113	17
1789	Angular reflection study to reduce plasmonic losses in the dielectrically displaced back reflectors of silicon solar cells. 2013 , 117, 343-349	4
1788	Enhanced Visible Light Sensitivity by Gold Line-and-Space Grating Gate Electrode in Thin Silicon-On-Insulator p-n Junction Photodiode. 2013 , 60, 812-818	5

1787	Predicting the fluorescent enhancement rate by gold and silver nanospheres using finite-difference time-domain analysis. 2013 , 7, 50-8	16
1786	Label-free plasmonic immunosensing for plasmodium in whole blood. 2013 ,	1
1785	Beam focusing with a wide range of focal length from a single slit surrounded by AgBiO ₂ /Ag multilayer gratings. 2013 , 296, 57-60	0
1784	Enhanced photoactivity on Ag/Ag ₃ PO ₄ composites by plasmonic effect. 2013 , 392, 325-330	37
1783	Design and top-down fabrication of metallic L-shape gap nanoantennas supporting plasmon-polariton modes. 2013 , 111, 91-95	6
1782	Calculating scattering cross sections in the near field: Analytic proof and numerical verification. 2013 , 415, 14-17	1
1781	Exploiting the Tunable Optical Response of Metallic Nanoshells. 2013 , 99-149	1
1780	Plasmonics in the ultraviolet with the poor metals Al, Ga, In, Sn, Tl, Pb, and Bi. 2013 , 15, 5415-23	250
1779	GMES: A Python package for solving Maxwell's equations using the FDTD method. 2013 , 184, 1272-1279	1
1778	Nanometal plasmonpolaritons. 2013 , 68, 1-67	23
1777	Rashba plasmon polaritons in semiconductor heterostructures. 2013 , 102, 101105	
1776	Well-defined multibranching gold with surface plasmon resonance in near-infrared region from seeding growth approach using gyroid block copolymer template. 2013 , 25, 1780-6	54
1775	Direct modulation of lanthanide emission at sub-lifetime scales. 2013 , 13, 2264-9	31
1774	Improved plasmonic splitters and demultiplexers. 2013 , 11, 157-165	9
1773	Numerical study on plasmonic waveguiding effect of metallic nanorods structures. 2013 , 124, 828-831	4
1772	Upper bound on the modal material loss rate in plasmonic and metamaterial systems. 2013 , 110, 183901	31
1771	Optical resonances and angular filtering functionality of subwavelength hyperbolic etalons. 2013 , 124, 3623-3626	2
1770	Low-damping epsilon-near-zero slabs: Nonlinear and nonlocal optical properties. 2013 , 87,	59

1769	Structured Nanoaperture Vertical Cavity Surface-Emitting Lasers. 2013 , 19, 4601504-4601504	
1768	Bessel-beam-written nanoslit arrays and characterization of their optical response. 2013 , 102, 193106	11
1767	Thermal Stability of Gold Nanorods for High-Temperature Plasmonic Sensing. 2013 , 117, 11718-11724	37
1766	Plasmonic Coupler for Silicon-Based Micro-Slabs to Plasmonic Nano-Gap Waveguide Mode Conversion Enhancement. 2013 , 31, 1708-1712	9
1765	Robot Tactile Sensing: Gold Nanocomposites As Highly Sensitive Real-Time Optical Pressure Sensors. 2013 , 20, 82-90	9
1764	Analysis of transmittance properties of surface plasmon modes on periodic solid/outline bowtie nanoantenna arrays. 2013 , 20, 064503	38
1763	Topographically Flat Substrates with Embedded Nanoplasmonic Devices for Biosensing. 2013 , 23, 2812-2820	30
1762	Improving Tuning Range and Sensitivity of Localized SPR Sensors With Graphene. 2013 , 25, 867-870	32
1761	Optimization of non-periodic plasmonic light-trapping layers for thin-film solar cells. 2013 , 4, 2095	107
1760	Optical Hybrid-Superlens Hyperlens for Superresolution Imaging. 2013 , 19, 4601305-4601305	15
1759	Theoretical Studies of Plasmonic Effects in Organic Solar Cells. 2013 , 177-210	
1758	Dispersion tailoring in single mode optical fiber by doping silver nanoparticle. 2013 , 111, 399-406	3
1757	. 2013 , 31, 2482-2490	11
1756	Near-field heat transfer between gold nanoparticle arrays. 2013 , 114, 214306	25
1755	An optical nano-antenna system design for radio therapeutic use. 2013 , 41, 21-6	3
1754	Flexible, low-loss, large-area, wide-angle, wavelength-selective plasmonic multilayer metasurface. 2013 , 114, 133104	20
1753	Guiding surface plasmon polariton along 90 degree bend MDM waveguide models. 2013 ,	0
1752	Optical absorption analysis and optimization of gold nanoshells. <i>Applied Optics</i> , 2013 , 52, 1325-9	1.7 27

1751	Surface-Enhanced Infrared Absorption on Elongated Nickel Nanostructures. 2013 , 4, 3945-3949	10
1750	Experimentally feasible green-light negative index metamaterial. 2013 ,	
1749	Plasmon Hybridization and Dipolar Interaction on the Resonances of Helix Metamaterials. 2013 , 5, 2700510-2700510	
1748	Bow-tie nano-antenna assisted generation of extreme ultraviolet radiation. 2013 , 15, 093027	57
1747	Transparency and stability of Ag-based metal-dielectric multilayers. <i>Applied Optics</i> , 2013 , 52, 7479-85	1.7 3
1746	Numerical analysis of the coupling mechanism in long-range plasmonic couplers at 1.55 μm . 2013 , 38, 46-8	10
1745	Efficient third-harmonic generation based on Tamm plasmon polaritons. 2013 , 38, 959-61	26
1744	Efficient integral equation-based analysis of finite periodic structures in the optical frequency range. 2013 , 30, 2510-8	0
1743	Gold strip gratings with binary supercell. 2013 , 38, 2904-6	
1742	1xN plasmonic power splitters based on metal-insulator-metal waveguides. 2013 , 21, 4036-43	30
1741	Wavefront control by stacked metal-dielectric hole array with variable hole shapes. 2013 , 21, 6153-61	6
1740	Understanding the plasmonic properties of dewetting formed Ag nanoparticles for large area solar cell applications. 2013 , 21, 18344-53	33
1739	Blueshift of the surface plasmon resonance in silver nanoparticles: substrate effects. 2013 , 21, 27344-55	58
1738	Multispectral near-perfect metamaterial absorbers using spatially multiplexed plasmon resonance metal square structures. 2013 , 30, 656	114
1737	Compact on-chip plasmonic light concentration based on a hybrid photonic-plasmonic structure. 2013 , 21, 1898-910	13
1736	Characterization of light absorption in thin-film silicon with periodic nanohole arrays. 2013 , 21, 5924-30	34
1735	Interplay between electric and magnetic effect in adiabatic polaritonic systems. 2013 , 21, 7538-48	10
1734	Surface waves in three-dimensional electromagnetic composites and their effect on homogenization. 2013 , 21, 10412-21	9

1733	A hybrid analysis method for plasmonic enhanced terahertz photomixer sources. 2013 , 21, 11115-24	17
1732	Breaking optical diffraction limitation using optical Hybrid-Super-Hyperlens with radially polarized light. 2013 , 21, 14898-906	33
1731	Production of 70-nm Cr dots by laser-induced forward transfer. 2013 , 21, 18525-31	11
1730	Surface phonon-polariton enhanced optical forces in silicon carbide nanostructures. 2013 , 21, 20900-10	14
1729	Surface sensitivity of Rayleigh anomalies in metallic nanogratings. 2013 , 21, 23531-42	32
1728	Multi-level surface enhanced Raman scattering using AgOx thin film. 2013 , 21, 24460-7	33
1727	Perfect blackbody radiation from a graphene nanostructure with application to high-temperature spectral emissivity measurements. 2013 , 21, 30964-74	31
1726	Strong optical interaction of two adjacent rectangular nanoholes in a gold film. 2013 , 21, 31769-81	9
1725	Finite difference time domain study of light transmission through multihole nanostructures in metallic film. 2013 , 1, 154	8
1724	Optimization of extraordinary optical absorption in plasmonic and dielectric structures. 2013 , 30, 1154	23
1723	Nanowire photovoltaic efficiency enhancement using plasmonic coupled nano-fractal antennas. 2013 , 38, 3680-3	6
1722	Broadband polarization-insensitive absorbers in 0325 μ m using helical metamaterials. 2013 , 30, 1368	8
1721	Coupling of localized surface plasmons to U-shaped cavities for high-sensitivity and miniaturized detectors. 2013 , 21, 1531-40	11
1720	Measurement method for light transmittance of layered metamaterials. 2013 , 38, 1811-3	3
1719	Defect-assisted plasmonic crystal sensor. 2013 , 38, 2569-71	7
1718	Photonic nanojet-enhanced nanometer-scale germanium photodiode. <i>Applied Optics</i> , 2013 , 52, 5420-5	1.7 12
1717	A fast and high-order accurate surface perturbation method for nanoplasmonic simulations: basic concepts, analytic continuation and applications. 2013 , 30, 2175-87	7
1716	Wide-angle wavelength-selective multilayer optical metasurfaces robust to interlayer misalignment. 2013 , 30, 27	11

1715	Subwavelength coherent control and coupling of light in plasmonic nanoresonators on dielectric waveguides. 2013 , 30, 450	2
1714	Improving near-field throughput in a hollow metallic tapered waveguide via wavefront modulation. 2013 , 60, 1359-1363	1
1713	Taking Whispering Gallery Mode Biosensing to the Single Protein Limit. 2013 , 271-285	
1712	Metamaterials with angle selective emissivity in the near-infrared. 2013 , 21, 5215-25	12
1711	Nanofocusing via Efficient Excitation Surface Plasmon Polaritons in a Hollow Aluminum Wedge. 2013 , 25, 929-931	5
1710	Stratified composite-loaded plasmonic waveguide for sensing biofluids. 2013 , 1, 164	6
1709	Molding of Plasmonic Resonances in Metallic Nanostructures: Dependence of the Non-Linear Electric Permittivity on System Size and Temperature. 2013 , 6, 4879-4910	89
1708	Far-field disentanglement of modes in hybrid plasmonic-photonic crystals by fluorescence nano-reporters. 2013 , 2, 173-185	13
1707	Surface-plasmon-polariton assisted modification of spontaneous emission of colloidal quantum dots in metal nanostructures. 2013 , 102, 023113	9
1706	Investigation of surface plasmonic Bragg-grating based IMI waveguide. 2013 ,	1
1705	Propagation length and coupling characteristics of a hybrid plasmonic waveguide with a uniform silica layer. 2013 ,	1
1704	Surface plasmon resonances of protein-conjugated gold nanoparticles on graphitic substrates. 2013 , 103, 163702	21
1703	Broadband absorption enhancement of organic solar cells with interstitial lattice patterned metal nanoparticles. 2013 , 102, 251112	12
1702	Fabrication challenges of electrical injection metallic cavity semiconductor nanolasers. 2013 , 28, 124002	40
1701	Metamaterials with custom emissivity polarization in the near-infrared. 2013 , 21, 3872-84	15
1700	Evidence for critical scaling of plasmonic modes at the percolation threshold in metallic nanostructures. 2013 , 103, 171106	14
1699	Interference lithography for metal nanopattern fabrication assisted by surface plasmon polaritons reflecting image. 2013 , 113, 233101	2
1698	High-Q resonance modes observed in a metallic nanocavity. 2013 , 103, 191104	4

1697	Nerve communication model by bio-cells and optical dipole coupling effects. 2013 , 41, 368-75	2
1696	The aspect ratio effect on plasmonic properties and biosensing of bonding mode in gold elliptical nanoring arrays. 2013 , 21, 14090-6	21
1695	Extraordinary optical absorption based on guided-mode resonance. 2013 , 38, 5393-6	24
1694	Blueshift of the surface plasmon resonance in silver nanoparticles studied with EELS. 2013 , 2, 131-138	149
1693	Dual-wavelength orthogonally polarized radiation generated by a tungsten thermal source. 2013 , 21, 28570-82	4
1692	Efficient Excitation of Gap Plasmon Polaritons via Higher-Order Propagating Modes. 2013 , 6, 092001	1
1691	Optimal Design of D-Type Plastic Fibers for Best Sensitivity of SPR Sensors. 2013 , 8-9, 563-573	1
1690	Localized Surface Plasmons Enhanced Light Transmission into c-Silicon Solar Cells. 2013 , 2013, 1-6	9
1689	A Comprehensive Analysis of Plasmonics-Based GaAs MSM-Photodetector for High Bandwidth-Product Responsivity. 2013 , 2013, 1-10	5
1688	SUB-MICRON PLASMONIC WAVEGUIDE FOR EFFICIENT SENSING OF BIO-FLUIDS. 2013 , 42, 1-12	
1687	Plasmonic structure enhanced exciton generation at the interface between the perovskite absorber and copper nanoparticles. 2014 , 2014, 128414	10
1686	Plasmon-enhanced Four-Wave-Mixing for Super-Resolution Applications. 2014 ,	
1685	Time-domain simulation for plasmonic devices. 99-138	
1684	Passive plasmonic waveguide-based devices. 139-179	1
1683	Low-cost plasmonic solar cells prepared by chemical spray pyrolysis. 2014 , 5, 2398-402	9
1682	EFFICIENT ANALYSIS OF ELECTROMAGNETIC FIELDS FOR DESIGNING NANOSCALE ANTENNAS BY USING A BOUNDARY INTEGRAL EQUATION METHOD WITH FAST INVERSE LAPLACE TRANSFORM. 2014 , 146, 155-165	6
1681	Alternative Plasmonic Materials. 2014 , 4, 189-221	7
1680	Enhanced nanoparticle detection with liquid droplet resonators. 2014 , 223, 1971-1988	11

1679	Hybridised extraordinary optical transmission in plasmonic cavity. 2014 , 50, 1860-1862	5
1678	Robust categorization of microfacet BRDF models to enable flexible application-specific BRDF adaptation. 2014 ,	6
1677	The rectenna device: From theory to practice (a review). 2014 , 1, 1	55
1676	Development of CCDs for REXIS on OSIRIS-REx. 2014 ,	1
1675	Generation of entangled matter qubits in two opposing parabolic mirrors. 2014 , 90,	3
1674	Enhancement of contamination growth and damage by absorption centers under UV irradiation. 2014 ,	1
1673	New Trends in Energy Harvesting from Earth Long-Wave Infrared Emission. 2014 , 2014, 1-10	13
1672	Heating processes in plasmonic resonances: a non-linear temperature dependent permittivity model. 2014 ,	
1671	Design of an Optical Trapping Device Based on an Ultra-High Q/V Resonant Structure. 2014 , 6, 1-16	24
1670	Modeling light-induced charge transfer dynamics across a metal-molecule-metal junction: bridging classical electrodynamics and quantum dynamics. 2014 , 141, 224104	8
1669	Simulating the dispersive behavior of semiconductors using the Lorentzian-Drude model for photovoltaic devices. <i>Applied Optics</i> , 2014 , 53, 3294-300	1.7 14
1668	Tunable enhanced 0th-order transmission in a metal-dielectric hole array covered with a subwavelength liquid crystal layer. 2014 , 39, 1262-5	1
1667	Tapered-double-helix Photonic Metamaterial Based Broadband Circular Polarizer for Optical Wavelength Range. 2014 ,	1
1666	Designs of Helix Metamaterials for Broadband and High-Transmission Polarization Rotation. 2014 , 6, 1-7	1
1665	Plasmonic spiderweb nanoantenna surface for broadband hotspot generation. 2014 , 39, 6977-80	7
1664	Surface scattering of core-shell particles with anisotropic shell. 2014 , 31, 162-71	4
1663	Observing abnormally large group velocity at the plasmonic band edge via a universal eigenvalue analysis. 2014 , 39, 158-61	10
1662	Fabrication of planar metamaterials with sharp and strong electromagnetically induced transparency-like characteristics at wavelengths around 820 nm. 2014 , 31, 1000	20

1661	Direct determination of the resonance properties of metallic conical nanoantennas. 2014 , 39, 571-3		12
1660	Biomedical applications of holographic microspectroscopy [invited]. <i>Applied Optics</i> , 2014 , 53, G111-22	1.7	35
1659	Offset semi-parabolic nanoantenna made of a photonic crystal parabolic mirror and a plasmonic bow-tie antenna. <i>Applied Optics</i> , 2014 , 53, 6771-7	1.7	1
1658	Spatial resolution in prism-based surface plasmon resonance microscopy. 2014 , 22, 22771-85		41
1657	Parametric formulation of the dielectric function of palladium and palladium hydride thin films. <i>Applied Optics</i> , 2014 , 53, 5294-306	1.7	8
1656	Broadband optical isolator based on helical metamaterials. 2014 ,		
1655	Fast high-order perturbation of surfaces methods for simulation of multilayer plasmonic devices and metamaterials. 2014 , 31, 1820-31		11
1654	Influence of localized surface plasmon resonance and free electrons on the optical properties of ultrathin Au films: a study of the aggregation effect. 2014 , 22, 5124-32		31
1653	Nonreciprocal optical transmission through a single conical air hole in an Ag film. 2014 , 22, 17546-52		5
1652	Engineering metal-nanoantennae/dye complexes for maximum fluorescence enhancement. 2014 , 22, 22018-30		21
1651	Plasmonic bandpass filters with cascaded rectangular ring resonators. 2014 , 39, 3227-30		7
1650	Thin film characterization for modeling and optimization of silver-dielectric color filters. <i>Applied Optics</i> , 2014 , 53, 1663-73	1.7	12
1649	Metal-semiconductor-metal ion-implanted Si waveguide photodetectors for C-band operation. 2014 , 22, 9150-8		12
1648	Effects of dielectric thickness on optical behavior and tunability of one-dimensional Ag/SiO ₂ multilayered metamaterials. 2014 , 22, 12486-98		10
1647	Band modulation and in-plane propagation of surface plasmons in composite nanostructures. 2014 , 22, 25700-9		7
1646	Theoretical study on the generation of a low-noise plasmonic hotspot by means of a trench-assisted circular nano-slit. 2014 , 22, 26844-53		6
1645	Asymmetric optical transmission through periodic arrays of cone air holes in a metal film. 2014 , 22, 28452-8		6
1644	Quasi-omnidirectional total light absorption in nanostructured gold surfaces. 2014 , 4, 1236		10

1643	Efficient Auxiliary Differential Equation FDTD Method for Dispersive Media. 2014,	
1642	Dual-band infrared metasurface thermal emitter for CO ₂ sensing. 2014, 105, 121107	88
1641	Theoretical predictions for hot-carrier generation from surface plasmon decay. 2014, 5, 5788	475
1640	Circular split-ring core resonators used in nanoscale metal-insulator-metal band-stop filters. 2014, 11, 115902	8
1639	Determination of the electron-phonon coupling constant in tungsten. 2014, 105, 023112	23
1638	Resonant metallic nanostructure for enhanced two-photon absorption in a thin GaAs p-i-n diode. 2014, 105, 011108	7
1637	A method for eliminating Faraday rotation in cryostat windows in longitudinal magneto-optical Kerr effect measurements. 2014, 85, 073106	1
1636	Three-dimensional subwavelength confinement of a photonic nanojet using a plasmonic nanoantenna GAP. 2014, 56, 2700-2706	2
1635	Plasmonic nanogaps for broadband and large spontaneous emission rate enhancement. 2014, 115, 053101	9
1634	Dependence of Plasmonic Properties on Electron Densities for Various Coupled Au Nanostructures. 2014, 118, 27531-27538	19
1633	Near-field plasmonic coupling for enhanced nonlinear absorption by femtosecond pulses in bowtie nanoantenna arrays. 2014, 117, 1841-1848	5
1632	Label-Free Plasmonic Immunosensing for Plasmodium in a Whole Blood Lysate. 2014, 14, 1399-1404	9
1631	Emitters as probes of a complex plasmo-photonic mode. 2014, 2, 10362-10368	6
1630	Numerical analysis of local density of states of plasmons in Si-SiO ₂ -silver nanocavity system. 2014,	
1629	Plasmon resonance based analysis of a single protein conjugated Au nanoshell. 2014, 9, 031017	
1628	Analysis and design of a cross dipole nanoantenna for fluorescence-sensing applications. 2014, 31, 302	17
1627	Single-molecule metal-induced energy transfer (smMIET): resolving nanometer distances at the single-molecule level. 2014, 15, 705-11	32
1626	The redshift of surface plasmon resonance of colloidal gold nanoparticles induced by pressure with diamond anvil cell. 2014, 115, 223503	16

1625	A spherical harmonic transform spectral analysis of a localized surface plasmon on a gold nano shell. 2014 , 35, 2225-30	
1624	Hyperlens-array-implemented optical microscopy. 2014 , 105, 053112	12
1623	Nanophotonics. Plasmoelectric potentials in metal nanostructures. 2014 , 346, 828-31	173
1622	Multi Wavelength Generated by PANDA Ring Resonator for Multi User DWDM WiMAX Network. 2014 , 979, 471-478	
1621	Optical properties and refractive index sensitivity of reactive sputtered oxide coatings with embedded Au clusters. 2014 , 115, 063512	16
1620	Optical second harmonic generation from V-shaped chromium nanohole arrays. 2014 , 53, 02BC11	3
1619	Sensing with metallic nanowires. 2014 ,	
1618	Design of a Simple Integrated Coupler for SPP Excitation in a Dielectric Coated Ag Thin Film. 2014 , 31, 064201	2
1617	Study on dielectric function models for surface plasmon resonance structure. 2014 , 2014, 503749	14
1616	Optical response of large-area aluminum-coated nano-bucket arrays on flexible PET substrates. 2014 ,	
1615	Beam filter and splitter based on surface plasmon propagation in ring metal heterowaveguide. 2014 , 83, 995-1002	3
1614	Electronically controlled wavelength-tunable transmission filter based on metal grating incorporating polymer-dispersed liquid crystal. 2014 , 50, 1968-1970	
1613	Sub-wavelength palladium antenna arrays for hydrogen optical detection in the infrared region. 2014 , 53, 037001	2
1612	Emission-enhanced plasmonic substrates fabricated by nano-imprint lithography. 2014 ,	1
1611	Fitting the optical constants of gold, silver, chromium, titanium, and aluminum in the visible bandwidth. 2014 , 8, 083097	61
1610	Modeling the Quantum Effects in Electromagnetic Devices. 2014 , 619-649	
1609	Wide-incident-angle chromatic polarized transmission on trilayer silver/dielectric nanowire gratings. 2014 , 31, 1211	6
1608	Surface-plasmon-enhanced light transmission intensity with a basic grating in GaN-based LED. 2014 , 35, 043003	2

1607	Conversion Efficiency Improvement in GaAs Solar Cells. 2014 , 53-75	4
1606	Effects of Grating Slant Angle on Surface Plasmon Resonance and its Applications for Sensors. 2014 , 536-537, 342-345	2
1605	Photoluminescence-enhanced plasmonic substrates fabricated by nanoimprint lithography. 2014 , 13, 023007	20
1604	Extraction of lorentz model parameters for dielectrics and their application in nanoplasmonics. 2014 ,	2
1603	The enhanced infrared absorption of quantum well infrared photodetector based on a hybrid structure of periodic gold stripes overlaid with a gold film. 2014 , 328, 91-95	3
1602	Structural, chemical, optical and mechanical properties of Au doped AlN sputtered coatings. 2014 , 255, 130-139	7
1601	Propagation of surface plasmon polariton in the single interface of gallium lanthanum sulfide and silver. 2014 , 4, 58-62	
1600	Optical and spectral tunability of multilayer spherical and cylindrical nanoshells. 2014 , 116, 611-620	16
1599	Numerical Study of Optical Behavior of Nano-Hole Array with Non-Vertical Sidewall Profile. 2014 , 9, 537-544	4
1598	Nano-antennae assisted emission of extreme ultraviolet radiation. 2014 , 526, 119-134	10
1597	Plasmon-enhanced four-wave mixing for superresolution applications. 2014 , 112, 056802	29
1596	Phase study of the generated surface plasmon waves in light transmission through a subwavelength aperture. 2014 , 8, 083094	
1595	Fundamental correction of Mie's scattering theory for the analysis of the plasmonic resonance of a metal nanosphere. 2014 , 89,	5
1594	Optimization of the optical properties of cuprous oxide and silicon-germanium alloy using the Lorentz and Debye models. 2014 , 10, 267-269	4
1593	Metallic Nanowire Array Polymer Hybrid Film for Surface Plasmon Resonance Sensitivity Enhancement and Spectral Range Enlargement. 2014 , 9, 319-326	5
1592	Tunable plasmons in atomically thin gold nanodisks. 2014 , 5, 3548	106
1591	Optical trapping and manipulation of plasmonic nanoparticles: fundamentals, applications, and perspectives. 2014 , 6, 4458-74	92
1590	Surface plasmon resonance based silicon carbide optical waveguide sensor. 2014 , 115, 92-95	11

1589	Electrically driven plasmon chip: Active plasmon filter. 2014 , 7, 012201	17
1588	Nonlinear superchiral meta-surfaces: tuning chirality and disentangling non-reciprocity at the nanoscale. 2014 , 26, 4074-81	97
1587	Comparison of electromagnetically induced transparency between silver, gold, and aluminum metamaterials at visible wavelengths. 2014 , 22, 3526-37	39
1586	Optical properties of ordered Dot-on-Plate nano-sandwich arrays. 2014 , 127, 34-39	6
1585	Modeling electrical and optical spectral responses of homogeneous nanocomposites. 2014 , 61, 111-117	4
1584	Nonlinear optics, active plasmonics and metamaterials with liquid crystals. 2014 , 38, 77-117	100
1583	3D nanostar dimers with a sub-10-nm gap for single-/few-molecule surface-enhanced raman scattering. 2014 , 26, 2353-8	222
1582	Study on polarization properties of twin-hole poling optical fibers. 2014 , 328, 1-7	
1581	Enhanced optical absorption of the plasmonic nanoshell suspension based on the solar photocatalytic hydrogen production system. 2014 , 114, 22-29	40
1580	New materials for tunable plasmonic colloidal nanocrystals. 2014 , 43, 3957-75	335
1579	On the behaviour of nanoparticles in oil-in-water emulsions with different surfactants. 2014 , 10, 1696-704	28
1578	Plasmonic degradation and the importance of over-coating metal nanoparticles for a plasmonic solar cell. 2014 , 122, 208-216	15
1577	Spectral emissivity of copper and nickel in the mid-infrared range between 250 and 900°C. 2014 , 71, 549-554	26
1576	Optical hyperbolic metamaterials based on nanoparticles doped liquid crystals. 2014 , 41, 207-213	5
1575	Regenerable Plasmonic Biosensor Based on Gold Nanolines Pattern and Common Laboratory Spectrophotometer. 2014 , 13, 308-315	10
1574	Independent light-trapping cavity for ultra-sensitive plasmonic sensing. 2014 , 105, 061112	7
1573	Planar micro- and nano-patterning of GaN light-emitting diodes: Guidelines and limitations. 2014 , 115, 084503	4
1572	Optical, electrical and mechanical properties of Ga-doped ZnO thin films under different sputtering powers. 2014 , 38, 87-91	16

1571	Band-stop optical nanofilters with split-ring resonators based on metal-insulator-metal structure. 2014 , 23, 097301	1
1570	Solar absorbers using 1D and 2D periodic nanostructured nickel films. 2014 , 16, 125003	7
1569	Trapping particles using waveguide-coupled gold bowtie plasmonic tweezers. 2014 , 14, 4647-52	48
1568	Tailoring of UV/violet plasmonic properties in Ag, and Cu coated Al concaves arrays. 2014 , 314, 807-814	10
1567	Light Trapping in Finite Arrays of Metallic U-Shaped Cavities for Sensing With High Figures of Merit. 2014 , 26, 1645-1648	2
1566	Copper plasmonics and catalysis: role of electron-phonon interactions in dephasing localized surface plasmons. 2014 , 6, 12450-7	38
1565	Flexible nanocomposites with all-optical tactile sensing capability. 2014 , 4, 2820-2825	15
1564	Nanoparticle attachment on Ag nanorings and nanoantenna for large increases of surface-enhanced Raman scattering. 2014 , 4, 23670-23678	8
1563	Bidirectional molecular reorientation induced by localized surface plasmon. 2014 , 4, 2673-2677	1
1562	Enhanced photocatalytic performance at a Au/N-TiO ₂ hollow nanowire array by a combination of light scattering and reduced recombination. 2014 , 16, 17748-55	22
1561	Optical index measurement of InAs/GaSb type-II superlattice for mid-infrared photodetection at cryogenic temperatures. 2014 , 105, 141103	10
1560	Photovoltaic enhancement due to surface-plasmon assisted visible-light absorption at the inartificial surface of lead zirconate-titanate film. 2014 , 6, 2915-21	20
1559	A long-range polarization-controlled optical tractor beam. 2014 , 8, 846-850	142
1558	Application of the localized surface plasmon resonance to energy harvesting and biosensing. 2014 ,	
1557	Dielectrophoresis-enhanced plasmonic sensing with gold nanohole arrays. 2014 , 14, 2006-12	128
1556	Transparent metallic fractal electrodes for semiconductor devices. 2014 , 14, 5068-74	54
1555	Pushing the high-energy limit of plasmonics. 2014 , 8, 9239-47	46
1554	Scaling of the Surface Plasmon Resonance in Gold and Silver Dimers Probed by EELS. 2014 , 118, 5478-5485	54

1553	Attosecond photostcopy of plasmonic excitations. 2014 , 113, 113903	18
1552	Design and analysis of a gallium lanthanum sulfide based nanoplasmonic coupler yielding 67% efficiency. 2014 , 125, 5374-5377	5
1551	Plasmonic Hybrid Cavity-Channel Structure for Tunable Narrow-Band Optical Absorption. 2014 , 26, 1979-1982	9
1550	Hybrid photonic-plasmonic microcavities for Q/V ratio enhancement. 2014 ,	1
1549	Continuous metasurface for high-performance anomalous reflection. 2014 , 7, 112001	32
1548	Investigation of High Efficiency Unidirectional Emission From Metal Coated Nanocylinder Cavities. 2014 , 32, 3192-3198	6
1547	Digital 3D Local Growth of Iron Oxide Micro- and Nanorods by Laser-Induced Photothermal Chemical Liquid Growth. 2014 , 118, 15448-15454	22
1546	Gradient curvature nanolens for nano-imaging. 2014 , 332, 103-108	1
1545	Theoretical investigation of voltage sensitivity enhancement for surface plasmon resonance based optical fiber sensor with a bimetallic layer. 2014 , 333, 146-150	8
1544	. 2014 , 26, 1726-1729	9
1543	Controlling the surface plasmon excitation efficiency using dielectric magneto-optical cavity. 2014 , 16, 085001	
1542	Bimetallic 3D nanostar dimers in ring cavities: recyclable and robust surface-enhanced Raman scattering substrates for signal detection from few molecules. 2014 , 8, 7986-94	81
1541	Fano Resonances in Compositional Clusters of Aluminum Nanodisks at the UV Spectrum: a Route to Design Efficient and Precise Biochemical Sensors. 2014 , 9, 1447-1456	20
1540	Nanostructured Electrodes Improve the Fill Factor of Organic Photovoltaics. 2014 , 4, 1100-1106	5
1539	Lifetime reduction of a quantum emitter with quasiperiodic metamaterials. 2014 , 90,	12
1538	Perfect coupling of light to a periodic dielectric/metal/dielectric structure. 2014 , 116, 033103	1
1537	UV plasmonic-based sensing properties of aluminum nanoconcave arrays. 2014 , 14, 1514-1520	32
1536	Plasmon resonance tuning in metal nanostars for surface enhanced Raman scattering. 2014 , 25, 235303	40

1535	Ultrafast plasmonic nanowire lasers near the surface plasmon frequency. 2014 , 10, 870-876		217
1534	Plasmonic excitations in ultrathin metal films on dielectric substrates. 2014 , 16, 065014		3
1533	Modeling of the optical properties of silver with use of six fitting parameters. 2014 , 23, 1-5		1
1532	Parameterization of the dielectric function of semiconductor nanocrystals. 2014 , 453, 2-7		16
1531	Self-Organized Ag Nanorings Antenna Substrates for Surface-Enhanced Raman Spectroscopy. 2014 , 9, 375-379		10
1530	Magneto-optic surface plasmon polariton modulator based on refractive index variations. <i>Applied Optics</i> , 2014 , 53, 2539-47	1.7	1
1529	Magnetically assembled Ni@Ag urchin-like ensembles with ultra-sharp tips and numerous gaps for SERS applications. 2014 , 10, 2564-9		17
1528	Temperature dependence of the optical characteristics and surface plasmon resonance of core-shell nanoparticles. 2014 , 21, 063301		7
1527	A hybrid spectral integral - Finite element method for layered media including graphene-like Atomically Thin Layered Materials. 2014 ,		
1526	Quasi-total omnidirectional light absorption in nanostructured gold films. 2014 , 117, 471-475		2
1525	Design of a new photonic/plasmonic microcavity allowing a strong light-matter interaction. 2014 ,		3
1524	Optimal design of gold nanoshells for optical imaging and photothermal therapy. 2014 , 125, 3702-3706		7
1523	Optimal dimensions of gold nanoshells for light backscattering and absorption based applications. 2014 , 146, 468-474		7
1522	Laser-Induced Nanowelding of Linearly Assembled and Silica-Coated Gold Nanorods to Fabricate 2 CoreShell Nanowires. 2014 , 118, 5961-5967		19
1521	Optimized Double-Layered Grating Structures for Chem/Biosensing in Midinfrared Range. 2014 , 14, 2938-2946		5
1520	Enhanced energy confinement induced by metallic coating of central rod in square array photonic crystal of dielectric rods for TM light. 2014 , 16, 075102		2
1519	A polymer-based SERS-active substrate with gyroid-structured gold multibranches. 2014 , 2, 4667-4675		30
1518	Far-infrared optical constants of ZnO and ZnO/Ag nanostructures. 2014 , 4, 20902-20908		48

1517	Enhanced multicolor fluorescence in bioimaging using deep-ultraviolet surface plasmon resonance. 2014 , 104, 223703	26
1516	A plasmonic splitter with flexible power splitting ratio at optical fiber communication waveband. 2014 , 68, 10501	1
1515	Design and performance of a wide-angle infrared plasmonic absorber. 2014 ,	1
1514	Plasmonic Nanostructures for Nanoscale Energy Delivery and Biosensing: Design Fabrication and Characterization. 2014 , 451-502	
1513	Energy Dissipation of Electromagnetic Absorber in Terahertz Gap. 2014 ,	
1512	Extraction of Modeling Parameters for Low-loss Alternative Plasmonic Material. 2015 , 195, 2061-2066	2
1511	Calibration of Ellipso-Height-Topometry with nanoscale gratings of varying materials. 2015 , 126, 4591-4596	2
1510	Comparison of two variants of a novel setup for real time high resolution UV-LED absorption spectroscopy. 2015 ,	1
1509	Impact of the slit geometry on the performance of wire-grid polarisers. 2015 , 23, 32171-8	6
1508	Waveguide-Plasmon Polariton Enhanced Photochemistry. 2015 , 3, 1582-1590	16
1507	Condensation of collective charge ordering in chromium. 2015 , 91,	7
1506	Optical dielectric function of silver. 2015 , 91,	282
1505	Spatial-dispersion-induced birefringence in metamaterials with cubic symmetry. 2015 , 92,	16
1504	Temperature dependence of free carriers and optical phonons in LiInSe ₂ in the terahertz frequency regime. 2015 , 92,	3
1503	Coherence in ultrafast laser-induced periodic surface structures. 2015 , 92,	63
1502	Plasmonic phase-gradient metasurface for spontaneous emission control. 2015 , 92,	21
1501	Spin diffusion in Pt as probed by optically generated spin currents. 2015 , 92,	13
1500	Long-range pure magnon spin diffusion observed in a nonlocal spin-Seebeck geometry. 2015 , 92,	84

1499	Mimicking localized surface plasmons with dielectric particles. 2015 , 92,	20
1498	Light modulation in planar aligned short-pitch deformed-helix ferroelectric liquid crystals. 2015 , 92, 062502	23
1497	Light-Matter Interaction at Surfaces in the Spatiotemporal Limit of Macroscopic Models. 2015 , 115, 137401	37
1496	Generation of Rabi-frequency radiation using exciton-polaritons. 2015 , 92,	12
1495	Propagating Surface Plasmon Polaritons. 2015 , 1-34	
1494	Surface-Wave Enhanced Biosensing. 2015 , 139-162	1
1493	Retrieval of material parameters for uniaxial metamaterials. 2015 , 91,	21
1492	Planar one-way guiding in periodic particle arrays with asymmetric unit cell and general group-symmetry considerations. 2015 , 92,	5
1491	Imaging Nanoscale Electromagnetic Near-Field Distributions Using Optical Forces. 2015 , 5, 10610	50
1490	Propagation at THz Frequencies. 2015 , 160-211	2
1489	Near-field mapping of three-dimensional surface charge poles for hybridized plasmon modes. 2015 , 5, 107221	16
1488	Sub-10 nm near-field localization by plasmonic metal nanoaperture arrays with ultrashort light pulses. 2015 , 5, 17584	7
1487	Advanced lab on Fresnel equations. 2015 , 83, 935-941	3
1486	Surface plasmon polariton excitation by electrostatic modulation and phase grating in indium-tin-oxide coated lithium niobate slabs. 2015 , 118, 063102	15
1485	Effect of the absorption coefficient of aluminium plates on their thermoelastic bending in photoacoustic experiments. 2015 , 117, 245309	21
1484	Pulsed Near-IR Photoresponse in a Bi-metal Contacted Graphene Photodetector. 2015 , 5, 14803	6
1483	The absorption and radiation of a tungsten plasma plume during nanosecond laser ablation. 2015 , 22, 103303	8
1482	Mid-infrared plasmonic inductors: enhancing inductance with meandering lines. 2014 , 4, 3592	9

1481	Replication fidelity assessment of large area sub- μm structured polymer surfaces using scatterometry. 2015 , 3, 045005	9
1480	Dataset on coherent control of fields and induced currents in nonlinear multiphoton processes in a nanosphere. 2015 , 2, 150064	1
1479	Coherent control of radiation patterns of nonlinear multiphoton processes in nanoparticles. 2015 , 5, 12040	9
1478	Optical Fibre Surface Plasmon Resonance Sensor Based on a Palladium-Yttrium Alloy. 2015 , 120, 602-605	9
1477	Gold Nanohole Array with Sub-1 nm Roughness by Annealing for Sensitivity Enhancement of Extraordinary Optical Transmission Biosensor. 2015 , 10, 944	12
1476	Optical switching and bistability in T-shaped nanoplasmonic waveguide. 2015 ,	
1475	Polarized SERS on linear arrays of silver half-shells: SERS re-radiation modulated by local density of optical states. 2015 , 17, 114007	7
1474	Laser-Assisted Detection of Metal Nanoparticles in Liquid He-II. 2015 , 119, 10882-6	7
1473	Stress-induced growth of aluminum nanowires with a range of cross-sections. 2015 , 212, 566-572	11
1472	Highly Sensitive Electro-Plasmonic Switches Based on Fivefold Stellate Polyhedral Gold Nanoparticles. 2015 , 11, 5395-401	11
1471	Design and numerical verification of plasmonic cross antennas to generate localized circularly polarized light for all-optical magnetic recording. 2015 , 50, 29-40	5
1470	Infrared Aluminum Metamaterial Perfect Absorbers for Plasmon-Enhanced Infrared Spectroscopy. 2015 , 25, 6637-6643	107
1469	FRET enhancement in aluminum zero-mode waveguides. 2015 , 16, 782-8	37
1468	A facile high-performance SERS substrate based on broadband near-perfect optical absorption. 2015 , 46, 795-801	14
1467	Large-Area Resonance-Tuned Metasurfaces for On-Demand Enhanced Spectroscopy. 2015 , 2015, 1-7	11
1466	Toward Super-Resolution Imaging at Green Wavelengths Employing Stratified Metal-Insulator Metamaterials. 2015 , 2, 468-482	4
1465	Ultraviolet Beam Focusing in Gallium Arsenide by Direct Excitation of Surface Plasmon Polaritons. 2015 , 2015, 1-7	0
1464	Design and study of nano-plasmonic couplers using aluminium arsenide and alumina. 2015 , 9, 125-130	9

1463	Optical Response of Hybrid PlasmonExciton Nanomaterials in the Presence of Overlapping Resonances. 2015 , 2, 935-941	9
1462	Strong transmittance above the light line in mid-infrared two-dimensional photonic crystals. 2015 , 117, 223101	2
1461	Hot-carrier photocurrent effects at graphene-metal interfaces. 2015 , 27, 164207	52
1460	Morphological studies of resonances in plasmonic metasurfaces for SPR sensing. 2015 ,	
1459	Insight into the eigenmodes of plasmonic nanoclusters based on the Green's tensor method. 2015 , 32, 194	6
1458	An Electromagnetic Study of Metal Enhanced Fluorescence Due to Immobilized Nanoparticle Arrays on Glass Substrates. 2015 , 2, 94-100	4
1457	Infrared Perfect Absorbers Fabricated by Colloidal Mask Etching of Al ₂ O ₃ /Al Trilayers. 2015 , 2, 964-970	144
1456	Simulation of molecular imaging using nanowire optical probe with flat end face. 2015 , 126, 2308-2310	
1455	Fabrication of hard-coated optical absorbers with microstructured surfaces using etched ion tracks: Toward broadband ultra-low reflectance. 2015 , 356-357, 154-159	8
1454	Time Domain Modeling and Simulation from Nanoelectronics to Nanophotonics. 2015 , 185-223	
1453	Complex dielectric properties of anhydrous polycrystalline glucose in the terahertz region. 2015 ,	
1452	Resonance shifts and spill-out effects in self-consistent hydrodynamic nanoplasmonics. 2015 , 6, 7132	195
1451	D7. Fabrication of crystalline silicon nanowires with different dimensions for solar cell applications. 2015 ,	
1450	Surface plasmon-enhanced fluorescence cell imaging in deep-UV region. 2015 , 8, 072401	16
1449	Generalization of electromagnetic scattering by charged grains through incorporation of interband and intraband effects. 2015 , 40, 5070-3	23
1448	Enhanced two-photon-absorption using sub-wavelength antennas. 2015 ,	
1447	End-to-end self-assembly of gold nanorods in isopropanol solution: experimental and theoretical studies. 2015 , 17, 477	11
1446	Ultrahigh quality factor in a metal-embedded semiconductor microdisk cavity. 2015 , 40, 5766-9	2

1445	Broadband Extraordinary Optical Transmission Through a Multilayer Structure With a Periodic Nanoslit Array. 2015 , 7, 1-8	6
1444	Performance analysis of different plasmonic metallic nanoparticles using for ultra-sensitive optical sensor. 2015 ,	1
1443	Near-field single photon detection in a scattering SNOM. 2015 ,	1
1442	. 2015 , 7, 1-13	10
1441	Theoretical approach to surface plasmon scattering microscopy for single nanoparticle detection in near infrared region. 2015 ,	3
1440	First principles simulation of laser-induced periodic surface structure using the particle-in-cell method. 2015 ,	
1439	Plasmonics effects of non-precious metallic nanodisks. 2015 ,	
1438	Modeling and analysis of optical properties of a gold nanoring based on electric and magnetic dipoles. 2015 , 54, 8313-7	10
1437	Numerical modeling and uncertainty analysis of light emitting diodes for photometric measurements. 2015 ,	
1436	Surface-plasmon-based wavefront sensing. 2015 , 2, 1024	8
1435	On the SPR-based optical biosensors. 2015 ,	
1434	Optimization of near-field scanning optical lithography. 2015 ,	3
1433	Dependence between the Refractive-Index Sensitivity of Metallic Nanoparticles and the Spectral Position of Their Localized Surface Plasmon Band: A Numerical and Analytical Study. 2015 , 119, 28551-28559	36
1432	Comparison between highly doped semiconductor and metal infrared antenna. 2015 ,	
1431	Experimental method of fabrication of a matched metal-dielectric structure for a sensor based on the effect of frustrated total internal reflection. 2015 , 51, 609-616	2
1430	Optical Properties of Pure and Alloyed Silver-Copper Nanoparticles Embedded and Coupled in Dielectric Matrixes. 2015 , 11, 717-721	1
1429	Ultrahigh polarimetric image contrast enhancement for skin cancer diagnosis using InN plasmonic nanoparticles in the terahertz range. 2015 , 20, 125007	16
1428	Design of metallic nanoparticle gratings for filtering properties in the visible spectrum. 2015 , 54, 10359-68	2

1427	Silver/cyclic olefin copolymer hollow glass waveguides for infrared laser delivery. 2015 , 54, 9548-53	5
1426	Theoretical investigation of all-metal-based mushroom plasmonic metamaterial absorbers at infrared wavelengths. 2015 , 54, 127104	12
1425	Ripple formation on nickel irradiated with radially polarized femtosecond beams. 2015 , 40, 5172-5	53
1424	Reverse-directional explosive crystallization of microstructures in transparent film on absorbing substrate by a multipulse femtosecond radiation. 2015 , 224, 5-9	2
1423	Resonance tuning of electric field enhancement of nanogaps. 2015 , 8, 092003	9
1422	Tunable SERS-tags-hidden gold nanorattles for theranosis of cancer cells with single laser beam. 2014 , 4, 6709	19
1421	Rapid-response low infrared emission broadband ultrathin plasmonic light absorber. 2014 , 4, 7181	26
1420	Subwavelength metallic cavities with high-Q resonance modes. 2015 , 26, 085201	2
1419	The Effects of Varying Dielectric Spacer Height on the Reflection Resonance Spectrum of Gold Nanorod-on-Mirror Grating Structure. 2015 , 10, 901-909	2
1418	Optical and infrared properties of glancing angle-deposited nanostructured tungsten films. 2015 , 40, 506-9	1
1417	Heteroplasmon hybridization in stacked complementary plasmo-photonic crystals. 2015 , 15, 1904-10	20
1416	Comment on "Towards high efficiency thin-film crystalline silicon solar cells: The roles of light trapping and non-radiative recombinations[J. Appl. Phys. 115, 094501 (2014)]. 2015 , 117, 026101	3
1415	Control of thermal radiative properties using two-dimensional complex gratings. 2015 , 84, 713-721	10
1414	Material effects on V-nanoantenna performance. 2015 , 7, 4179-86	3
1413	Highly sensitive sensors based on magneto-optical surface plasmon resonance in Ag/CeYIG heterostructures. 2015 , 5, 017118	16
1412	MEMS for Plasmon Control of Optical Metamaterials. 2015 , 21, 137-146	18
1411	Nano-Antennae Assisted Emission of Extreme Ultraviolet Radiation. 2015 , 11-38	
1410	Multimodal Broadband Plasmonic Absorber With Densely Packed Metallic Nanostars. 2015 , 27, 786-789	7

1409	Optical and thermal radiative properties of plasmonic nanofluids containing core-shell composite nanoparticles for efficient photothermal conversion. 2015 , 82, 545-554	36
1408	Refractive index susceptibility of the plasmonic palladium nanoparticle: potential as the third plasmonic sensing material. 2015 , 9, 1895-904	91
1407	Surface Plasmon-Enhanced Photodetection in Few Layer MoS ₂ Phototransistors with Au Nanostructure Arrays. 2015 , 11, 2392-8	292
1406	High Temperature Nanoplasmonics: The Key Role of Nonlinear Effects. 2015 , 2, 115-120	37
1405	Thermally evaporated Ag nanoparticle films for plasmonic enhancement in organic solar cells: effects of particle geometry. 2015 , 9, 161-165	8
1404	Nanostructured graphene-based hyperbolic metamaterial performing as a wide-angle near infrared electro-optical switch. <i>Applied Optics</i> , 2015 , 54, 1206-11	1.7 7
1403	Multiple surface plasmon polaritons modes on thin silver film controlled by a two-dimensional lattice of silver nanodimers. 2015 , 17, 1	3
1402	Robust Plasmonic Fano Resonances in E-Shape Nanostructures. 2015 , 10, 1159-1166	6
1401	Overcoming metal-induced fluorescence quenching on plasmo-photonic metasurfaces coated by a self-assembled monolayer. 2015 , 51, 11470-3	28
1400	Novel Plasmonic Probes and Smart Superhydrophobic Devices, New Tools for Forthcoming Spectroscopies at the Nanoscale. 2015 , 209-235	1
1399	Optical properties of thin metal films with nanohole arrays on porous alumina-aluminum structures. 2015 , 5, 68143-68150	9
1398	Backscattering Properties of Gold Nanoshells: Quantitative Analysis and Optimization for Biological Imaging. 2015 , 102, 1511-1519	5
1397	Ultrahigh Enhancement of Electromagnetic Fields by Exciting Localized with Extended Surface Plasmons. 2015 , 119, 19382-19389	50
1396	Phase effects on the optical near-field interaction of a nanohole dimer milled in a gold film. 2015 , 355, 523-532	3
1395	Effective medium analysis of thermally evaporated Ag nanoparticle films for plasmonic enhancement in organic solar cell. 2015 , 85, 294-304	7
1394	Signal enhancement from fluorescently labeled exosomes: Theoretical analysis of fluorescence in the presence of plasmonic nanoparticles. 2015 , 70, 108-116	
1393	Plasmon Injection to Compensate and Control Losses in Negative Index Metamaterials. 2015 , 115, 035502	34
1392	Controlled laser delivery into biological tissue via thin-film optical tunneling and refraction. 2015 ,	2

1391	Numerical simulation of polarization beam splitter with triangular lattice of multi-walled carbon nanotube arrays. 2015 , 356, 182-185	1
1390	Modified Tauc-Lorentz dispersion model leading to a more accurate representation of absorption features below the bandgap. 2015 , 589, 844-851	43
1389	Liquid Crystal Control of Surface Plasmon Resonance Sensor Based on Nanorods. 2015 , 613, 110-120	3
1388	Design of on-chip N-fold orbital angular momentum multicasting using V-shaped antenna array. 2015 , 5, 9662	32
1387	Silver Nanowire-Conducting Polymer-ITO Hybrids for Flexible and Transparent Conductive Electrodes with Excellent Durability. 2015 , 7, 15928-34	45
1386	Raman analysis of gold on WSe ₂ single crystal film. 2015 , 2, 065009	14
1385	Thermo-optic Goos-Hänchen effect in silicon-on-insulator waveguide. 2015 , 120, 497-504	12
1384	Prospects for high-performance thermophotovoltaic conversion efficiencies exceeding the Shockley-Queisser limit. 2015 , 97, 63-69	37
1383	Investigation of the Spatially Dependent Charge Collection Probability in CuInS ₂ /ZnO Colloidal Nanocrystal Solar Cells. 2015 , 2, 864-875	17
1382	Nonlocal ultrafast demagnetization dynamics of Co/Pt multilayers by optical field enhancement. 2015 , 17, 033047	20
1381	Ultraviolet-nanoimprinted packaged metasurface thermal emitters for infrared CO sensing. 2015 , 16, 035005	15
1380	Highly Transparent and Low-Resistance Indium-Free ZnO/Ag/ZnO Multilayer Electrodes for Organic Photovoltaic Devices. 2015 , 44, 3967-3972	23
1379	Modulating the interaction between gold and TiO ₂ nanowires for enhanced solar driven photoelectrocatalytic hydrogen generation. 2015 , 17, 19371-8	13
1378	Hydrogen Detection Using a Single Palladium Nano-Aperture on a Fiber Tip. 2015 , 181-208	2
1377	Graphene as a transparent electrode for amorphous silicon-based solar cells. 2015 , 117, 243102	11
1376	Design of Thermally Poled Twin-Core Fiber Coupler With Electrical Tunability. 2015 , 27, 919-922	2
1375	Dielectric function of Pd hydride thin films in terms of hydrogen concentration and film thickness: A parametric formulation. 2015 , 645, S320-S324	3
1374	Properties of the fundamental TM waveguide mode in the narrow metal/dielectric/metal waveguide. 2015 , 126, 630-634	

1373	Random nanostructured metallic films for environmental monitoring and optical sensing: experimental and computational studies. 2015 , 10, 151	23
1372	Calculation of propagation characteristics of surface plasmons in gold/silver nanowires. 2015 , 54, 3715	14
1371	A Novel Plasmonic Sensor Based on Metal-Insulator-Metal Waveguide With Side-Coupled Hexagonal Cavity. 2015 , 7, 1-12	57
1370	Evolution of the localized surface plasmon resonance and electron confinement effect with the film thickness in ultrathin Au films. 2015 , 17, 1	3
1369	Bowtie Nanoantenna with Single-Digit Nanometer Gap for Surface-Enhanced Raman Scattering (SERS). 2015 , 10, 831-837	51
1368	Nonlocal optical response in metallic nanostructures. 2015 , 27, 183204	214
1367	Fabrication of plasmonic nanopillar arrays based on nanoforming. 2015 , 139, 7-12	8
1366	Graphene plasmonics for tuning photon decay rate near metallic split-ring resonator in a multilayered substrate. 2015 , 23, 2798-807	13
1365	Plasmonic effect of spray-deposited Au nanoparticles on the performance of CSS CdS/CdTe solar cells. 2015 , 350, 69-73	15
1364	Improving field enhancement of 2D hollow tapered waveguides via dielectric microcylinder coupling. 2015 , 48, 065103	3
1363	Polarization-independent and omnidirectional nearly perfect absorber with ultra-thin 2D subwavelength metal grating in the visible region. 2015 , 23, A413-8	57
1362	Tuning of bowtie nano-antenna resonance using As ₂ S ₃ chalcogenide glass substrate. 2015 ,	
1361	Improving coupling efficiency of tapered metallic gaps using spatial amplitude modulation. 2015 , 54, 025102	
1360	Synthesis of Ni Nanoparticles by Femtosecond Laser Ablation in Liquids: Structure and Sizing. 2015 , 119, 13184-13193	35
1359	Solid-phase laser-induced forward transfer of variable shapes using a liquid-crystal spatial light modulator. 2015 , 120, 427-434	16
1358	A Modified Transmission Line Model for Extraordinary Optical Transmission Through Sub-wavelength Slits. 2015 , 10, 1545-1549	1
1357	Thin Perfect Absorbers for Electromagnetic Waves: Theory, Design, and Realizations. 2015 , 3,	324
1356	Lithography-free, broadband, omnidirectional, and polarization-insensitive thin optical absorber. 2015 , 106, 061108	57

1355	Amplified photoacoustic performance and enhanced photothermal stability of reduced graphene oxide coated gold nanorods for sensitive photoacoustic imaging. 2015 , 9, 2711-9	202
1354	Tunable spectral filters based on metallic nanowire gratings. 2015 , 5, 912	7
1353	Electrochemical Tuning of the Dielectric Function of Au Nanoparticles. 2015 , 2, 459-464	62
1352	Metal-dielectric filters for solar-blind silicon ultraviolet detectors. 2015 , 54, 3507-12	25
1351	Aluminum plasmonic multicolor meta-hologram. 2015 , 15, 3122-7	373
1350	Plasmonic Hologram Based on Metallic Nanowire Gratings. 2015 , 27, 813-816	
1349	Method of field expansions for vector electromagnetic scattering by layered periodic crossed gratings. 2015 , 32, 701-9	20
1348	Plasmon-modulated photoluminescence from gold nanostructures and its dependence on plasmon resonance, excitation energy, and band structure. 2015 , 23, 5547-64	30
1347	Surface plasmon resonance sensor based on D-shaped microstructured optical fiber with hollow core. 2015 , 23, 8576-82	184
1346	Re-evaluation of literature values of silver optical constants. 2015 , 23, 2133-44	32
1345	Modeling the specular spectral reflectance of partially ordered alumina nanopores on an aluminum substrate. 2015 , 23, 4506-16	5
1344	MMI resonators based on metal mirrors and MMI mirrors: an experimental comparison. 2015 , 23, 5982-93	5
1343	Polarization rotation and coupling between silicon waveguide and hybrid plasmonic waveguide. 2015 , 23, 9968-78	27
1342	Small divergence substrate emitting quantum cascade laser by subwavelength metallic grating. 2015 , 23, 11462-9	4
1341	Efficient vertical mode expansion method for scattering by arbitrary layered cylindrical structures. 2015 , 23, 14618-29	9
1340	Dispersion-free broadband optical polarization rotation based on helix photonic metamaterials. 2015 , 23, 16772-81	13
1339	Ultrasensitive molecular absorption detection using metal slot antenna arrays. 2015 , 23, 19047-55	8
1338	Nanoslit-microcavity-based narrow band absorber for sensing applications. 2015 , 23, 20715-20	104

1337	Local detection efficiency of a NbN superconducting single photon detector explored by a scattering scanning near-field optical microscope. 2015 , 23, 24873-87		4
1336	Broadband perfect absorber based on one ultrathin layer of refractory metal. 2015 , 40, 2592-5		143
1335	Study of strong dipole and quadrupole plasmon resonance in Ag nanorings antenna. 2015 , 5, 210		7
1334	Low-optical-loss, low-resistance Ag/Ge based ohmic contacts to n-type InP for membrane based waveguide devices. 2015 , 5, 393		14
1333	Investigating the characteristics of TM-pass/TE-stop polarizer designed using plasmonic nanostructures. <i>Applied Optics</i> , 2015 , 54, 4464-70	1.7	4
1332	Plasmonic Tip Based on Excitation of Radially Polarized Conical Surface Plasmon Polariton for Detecting Longitudinal and Transversal Fields. 2015 , 2, 1468-1475		33
1331	Extremely high efficiency in arbitrarily oriented single molecule fluorescence imaging. 2015 , 32, 601		4
1330	Scaling of the nonlinear response of the surface plasmon polariton at a metal/dielectric interface. 2015 , 32, 9		27
1329	Propagation and survival of frequency-bin entangled photons in metallic nanostructures. 2015 , 4, 324-331		4
1328	Tuning the defect mode in ternary photonic crystal with external voltage for designing a controllable optical filter. 2015 , 69, 1		2
1327	Thin anisotropic metasurfaces for simultaneous light focusing and polarization manipulation. 2015 , 32, 318		46
1326	Semi-classical approach to compute RABBITT traces in multi-dimensional complex field distributions. 2015 , 23, 8867-79		16
1325	Plasmonic TM-like cavity modes and the hybridization in multilayer metal-dielectric nanoantenna. 2015 , 23, 16122-32		10
1324	High acoustic strains in Si through ultrafast laser excitation of Ti thin-film transducers. 2015 , 23, 17191-204		14
1323	Aluminum based structures for manipulating short visible wavelength in-plane surface plasmon polariton propagation. 2015 , 23, 22883-9		2
1322	Surface plasmon coupling for suppressing p-GaN absorption and TM-polarized emission in a deep-UV light-emitting diode. 2015 , 40, 4229-32		11
1321	Plasmonic pass-band filter and management of splitting based on an asymmetrical nanodisk cavity. 2015 , 126, 5008-5010		4
1320	Ellipsometry study on Pd thin film grown by atomic layer deposition with Maxwell-Garnett effective medium approximation model. 2015 , 593, 144-149		4

1319	Measurement of Lateral and Interfacial Thermal Conductivity of Single- and Bilayer MoS ₂ and MoSe ₂ Using Refined Optothermal Raman Technique. 2015 , 7, 25923-9	195
1318	Automatic diagnostic by using a new optical sensor. 2015 ,	2
1317	Dynamic control of light emission faster than the lifetime limit using VO ₂ phase-change. 2015 , 6, 8636	84
1316	Quantifying the Efficiency of Plasmonic Materials for Near-Field Enhancement and Photothermal Conversion. 2015 , 119, 25518-25528	105
1315	Light trapping for silicon photovoltaic cells illuminated by solar-pumped laseremitting at 1064 nm. 2015 , 54, 08KD13	1
1314	Projecting high depth-to-width aspect ratio of nanolithography with a four-layer metallic waveguide structure. 2015 , 121, 217-221	1
1313	Texturing the cathode of white organic light-emitting diodes with a lattice of nanoscale scatterers for enhanced light out-coupling. 2015 , 106, 041111	7
1312	Perfect magnetic mirror and simple perfect absorber in the visible spectrum. 2015 , 91,	45
1311	Nanoporous gold leaves: preparation, optical characterization and plasmonic behavior in the visible and mid-infrared spectral regions. 2015 , 5, 2246	10
1310	Broadband optical isolator based on helical metamaterials. 2015 , 32, 778-81	4
1309	Photocurrent enhancement of porphyrin molecules over a wide-wavelength region based on combined use of silver nanoprisms with different aspect ratios. 2015 , 3, 11439-11448	15
1308	N-single-helix photonic-metamaterial based broadband optical range circular polarizer by induced phase lags between helices. <i>Applied Optics</i> , 2015 , 54, 1212-9	1.7 12
1307	Analysis of Silicon Based Surface Plasmon Resonance Sensors with Different Amino Acids. 2015 , 7, 313-322	11
1306	Nanogap effects on near- and far-field plasmonic behaviors of metallic nanoparticle dimers. 2015 , 17, 29293-8	49
1305	Surface Plasmon Interference Lithography Assisted by a FabryPerot Cavity Composed of Subwavelength Metal Grating and Thin Metal Film. 2015 , 32, 104206	2
1304	Plasmon-Mediated Electron Transport in Tip-Enhanced Raman Spectroscopic Junctions. 2015 , 6, 4210-8	17
1303	Near ultraviolet-visible radial wire grid polarizer for tight focusing applications. 2015 , 54, 104101	1
1302	Selective excitation of plasmons superlocalized at sharp perturbations of metal nanoparticles. 2015 , 110, 57004	3

1301	Numerical tool to take nonlocal effects into account in metallo-dielectric multilayers. 2015 , 32, 1581-8	23
1300	Digital super-resolution interference microscopy (DiSRIM). 2015 ,	
1299	Comparison of microfacet BRDF model elements to diffraction BRDF model elements. 2015 ,	2
1298	Enhancing the absorption capabilities of thin-film solar cells using sandwiched light trapping structures. 2015 , 54, 5534-41	13
1297	Role of antenna modes and field enhancement in second harmonic generation from dipole nanoantennas. 2015 , 23, 1715-29	35
1296	Electrically controlled infrared optical transmission and reflection through metallic grating using NEMS technology. 2015 , 121, 1353-1357	3
1295	Broadband High-Performance Infrared Antireflection Nanowires Facilely Grown on Ultrafast Laser Structured Cu Surface. 2015 , 15, 5988-94	58
1294	Shape effects of GeSbTe nanodots on the near-field interaction with a silver triangle antenna. 2015 , 54, 042002	
1293	Comparison of different types of MMI-resonators fabricated on a micron-scale SOI platform. 2015 ,	
1292	Merging Spot Size and Pulse Number Dependence of Femtosecond Laser Ablation Thresholds: Modeling and Demonstration with High Impact Polystyrene. 2015 , 119, 22992-22998	18
1291	Optical and Electrical Excitation of Hybrid Guided Modes in an Organic Nanofiber-Gold Film System. 2015 , 119, 22217-22224	10
1290	Colocalized dark-field scattering, atomic force and surface-enhanced Raman scattering microscopic imaging of single gold nanoparticles. 2015 , 17, 114006	14
1289	Mode size and loss in strongly asymmetric plasmonic waveguide with dielectric cladding. 2015 , 17, 125001	
1288	Circular Dichroism in Off-Resonantly Coupled Plasmonic Nanosystems. 2015 , 15, 8336-41	35
1287	A new look at oxide formation at the copper/electrolyte interface by in situ spectroscopies. 2015 , 17, 31670-9	22
1286	Optimal design of resonant enhanced quantum dot infrared photodetector based on metal-insulator-metal microcavity. 2015 ,	
1285	. 2015 , 20, 313-320	14
1284	Preparation and spectral characteristics of silver nano-sphere doped quartz micro-fiber. 2015 , 68, 79-83	4

1283	Investigating the Optical Transmission Spectra of Plasmonic Spherical Nano-Hole Arrays. 2015 , 10, 511-517	5
1282	Surface-enhanced spectroscopy on plasmonic oligomers assembled by AFM nanoxerography. 2015 , 7, 2009-22	11
1281	Investigation of efficient mathematical permittivity modeling for modal analysis of plasmonics layered structures. 2015 , 126, 323-327	5
1280	Surface plasmon resonances and plasmon hybridization in compositional Al/Al ₂ O ₃ /SiO ₂ nanorings at the UV spectrum to the near infrared region (NIR). 2015 , 66, 9-14	12
1279	Hybrid antireflection structure with moth eye and multilayer coating for organic photovoltaics. 2015 , 12, 37-47	8
1278	Performance optimization of flexible a-Si:H solar cells with nanotextured plasmonic substrate by tuning the thickness of oxide spacer layer. 2015 , 11, 78-87	29
1277	Highly anisotropic metasurface: a polarized beam splitter and hologram. 2014 , 4, 6491	32
1276	Lasing Characteristics of a Metal-Coated GaN Shallow Grating Structure at Room Temperature. 2015 , 21, 475-479	7
1275	Analysis of cuprous oxide-based ultra-compact nanoplasmonic coupler. 2015 , 5, 217-221	6
1274	Rugged optical mirrors for Fourier transform spectrometers operated in harsh environments. 2016 , 9, 2381-2391	7
1273	Electrodynamics for nanophotonics. 2016 , 13-43	
1272	Plasmonics. 2016 , 233-252	
1271	Effective method to study the thickness-dependent dielectric functions of nanometal thin film. 2016 , 41, 4907-4910	18
1270	Quasi-analytical solutions of hybrid platform and the optimization of highly sensitive thin-film sensors for terahertz radiation. 2016 , 33, 2535	3
1269	Effect of Anderson localization on light emission from gold nanoparticle aggregates. 2016 , 7, 2013-2022	10
1268	Differences in Nanosecond Laser Ablation and Deposition of Tungsten, Boron, and WB ₂ /B Composite due to Optical Properties. 2016 , 2016, 1-13	8
1267	Dispersion Curve Engineering of TiO ₂ /Silver Hybrid Substrates for Enhanced Surface Plasmon Resonance Detection. 2016 , 16,	7
1266	An Analytical Model for Evaluation of the Properties of Metallic Coatings in RF Structures. 2016 , 1, 12	2

1265	Design and Analysis of Nano-Structured Gratings for Conversion Efficiency Improvement in GaAs Solar Cells. 2016 , 9, 690	22
1264	A Plasmonic Temperature-Sensing Structure Based on Dual Laterally Side-Coupled Hexagonal Cavities. 2016 , 16,	26
1263	See-through multi-projection three-dimensional display using transparent anisotropic diffuser. 2016 , 24, 14138-51	9
1262	Temperature- and roughness- dependent permittivity of annealed/unannealed gold films. 2016 , 24, 19254-63	28
1261	Transformation from plasmon-induced transparency to -induced absorption through the control of coupling strength in metal-insulator-metal structure. 2016 , 24, 26201-26208	14
1260	Rainbow-trapping by adiabatic tuning of intragroove plasmon coupling. 2016 , 24, 26745-26755	4
1259	Higher-order surface plasmon contributions to passive and active plasmonic interferometry. 2016 , 24, 27309-27318	5
1258	Sideways scattering in double resonant plasmonic nanostructures for light harvesting applications. 2016 , 24, 30234-30244	1
1257	Nonlinear thickness and oxidation-dependent transparency and conductance of sputtered titanium suboxide nanofilms. 2016 , 6, 1837	1
1256	Free-electron mechanisms of low-frequency radiation generation on metal surfaces. 2016 , 41, 4975-4978	12
1255	Design of efficient superconducting nanowire single photon detectors with high polarization sensitivity for polarimetric imaging. 2016 , 33, 2256	14
1254	Geometrical shape design of nanophotonic surfaces for thin film solar cells. 2016 , 24, A1033-44	17
1253	Dual Strong Couplings Between TPPS J-Aggregates and Aluminum Plasmonic States. 2016 , 7, 2786-91	25
1252	Long Distance Enhancement of Nonlinear Optical Properties Using Low Concentration of Plasmonic Nanostructures in Dye Doped Monolithic Sol-Gel Materials. 2016 , 26, 6005-6014	23
1251	Flexible nanofiber-coupled hybrid plasmonic Bragg grating. 2016 , 24, 9316-24	3
1250	Functional Optical Plasmonic Resonators Fabricated via Highly Photosensitive Direct Laser Reduction. 2016 , 4, 529-533	22
1249	Bimetallic Nanocrystals: Syntheses, Properties, and Applications. 2016 , 116, 10414-72	1046
1248	Asymmetric angular-selective thermal emission. 2016 ,	4

1247	Tunable graphene near-IR dielectric loaded waveguides. 2016 , 49, 265102	6
1246	Preferential Excitation of the Hybrid Magnetic-Electric Mode as a Limiting Mechanism for Achievable Fundamental Magnetic Resonance in Planar Aluminum Nanostructures. 2016 , 28, 889-96	13
1245	Submillimeter and far-infrared dielectric properties of thin films. 2016 ,	3
1244	Controlling nanoscale acoustic strains in silicon using chirped femtosecond laser pulses. 2016 , 108, 254102	4
1243	Deep sub-wavelength nanofocusing of UV-visible light by hyperbolic metamaterials. 2016 , 6, 38645	29
1242	Plasmonic photoconductive antennas with rectangular and stepped rods: a theoretical analysis. 2016 , 33, 2502	12
1241	Metal nanoparticle enhanced light absorption in GaAs thin-film solar cell. 2016 ,	3
1240	Hybridized plasmon modes and near-field enhancement of metallic nanoparticle-dimer on a mirror. 2016 , 6, 30011	66
1239	A novel plasmonic nanoantenna structure for solar energy harvesting. 2016 ,	9
1238	Resonant control of fluorescence from aluminium doped zinc oxide films. 2016 , 48, 1	
1237	Tunable power splitter based on MIM waveguide-rectangle cavity system with Kerr material. 2016 , 30, 1650376	6
1236	Tuning subwavelength-structured focus in the hyperbolic metamaterials. 2016 ,	2
1235	Simulation of THz photoconductive antennas loaded by different metallic nanoparticles. 2016 ,	4
1234	Kinetic inductance driven nanoscale 2D and 3D THz transmission lines. 2016 , 6, 25303	6
1233	Femtosecond few- to single-electron point-projection microscopy for nanoscale dynamic imaging. 2016 , 3, 023612	19
1232	Topological design of the film-coupled nanoparticle for the field intensity enhancement over the broadband visible spectrum. 2016 , 108, 201904	8
1231	High Resolution Quantitative Angle-Scanning Widefield Surface Plasmon Microscopy. 2016 , 6, 20195	17
1230	Broadband multiple responses of surface modes in quasicrystalline plasmonic structure. 2016 , 6, 30818	4

1229	Design of Surface Plasmon Resonance Sensor in Plastic Optical Fibers Based on Nano-antenna Arrays. 2016 , 168, 880-883	6
1228	Solar energy conversion via internal photoemission in aluminum, copper, and silver: Band structure effects and theoretical efficiency estimates. 2016 , 119, 183101	7
1227	Wideband long wave infrared metamaterial absorbers based on silicon nitride. 2016 , 120, 203101	17
1226	Comparative time-resolved photoemission from the Cu(100) and Cu(111) surfaces. 2016 , 94,	10
1225	Analysis of nanoscale voids in nanorod plasmonic clusters for imaging applications. 2016 ,	
1224	Dynamic non-reciprocal meta-surfaces with arbitrary phase reconfigurability based on photonic transition in meta-atoms. 2016 , 108, 021110	47
1223	Angular dependent optical wavelength selection in hybrid cavity-channel structure by coupled plasmon resonance. 2016 ,	
1222	Optical properties of single crystalline SrMoO ₃ thin films. 2016 , 119, 055302	16
1221	Structural and optical properties of single and bilayer silver and gold films. 2016 , 58, 2503-2510	13
1220	Cancelation of thermally induced frequency shifts in bimaterial cantilevers by nonlinear optomechanical interactions. 2016 , 109, 054102	10
1219	Ag films grown by remote plasma enhanced atomic layer deposition on different substrates. 2016 , 34, 01A126	16
1218	Enhancing the optical properties of silver nanowire transparent conducting electrodes by the modification of nanowire cross-section using ultra-violet illumination. 2016 , 120, 174903	4
1217	Light transmission coefficients by subwavelength aluminum gratings with dielectric layers. 2016 , 123, 778-783	3
1216	ZnO nanolasers on graphene films. 2016 , 108, 263102	10
1215	Resonant nanoplasmonic platform for fast and early diagnosis of cardiovascular diseases. 2016 ,	1
1214	FDTD Analysis for Light Passing Through Glass Substrate and Its Application to Organic Photovoltaics with Moth Eye Antireflection Coating. 2016 , 29, 209-214	4
1213	Toward Cavity Quantum Electrodynamics with Hybrid Photon Gap-Plasmon States. 2016 , 10, 11360-11368	47
1212	Template-free fabrication of Ag nanowire arrays/Al ₂ O ₃ assembly with flexible collective longitudinal-mode resonance and ultrafast nonlinear optical response. 2016 , 49, 25LT02	4

1211	Laser remote heating in vacuum environment to study temperature dependence of optical properties for bulk materials. 2016,	1
1210	Broadband near-infrared metamaterial absorbers utilizing highly lossy metals. 2016, 6, 39445	175
1209	Solar-blind-ultraviolet extraordinary transmission for ultrasensitive photoconductive detector based on plasmonic subwavelength interdigital electrodes. 2016, 49, 505106	
1208	Tunable multimode electromagnetically induced absorption transmission in metal-insulator-metal resonators. 2016, 6, 025219	7
1207	Simulation and fabrication of polarized organic photodiodes. 2016,	3
1206	Monte Carlo and particle swarm methods applied to the design of surface plasmon resonance sensors. 2016,	0
1205	Comb mode filtering silver mirror cavity for spectroscopic distance measurement. 2016, 87, 093107	2
1204	High temperature nanoplasmonics. 2016,	
1203	Tunable Optical Performances on a Periodic Array of Plasmonic Bowtie Nanoantennas with Hollow Cavities. 2016, 11, 411	37
1202	Plasmon induced transparency in MIM waveguide side coupled slot resonators system with high sensing sensitivity. 2016, 127, 5115-5119	9
1201	Numerical study of propagation properties of surface plasmon polaritons in nonlinear media. 2016, 70, 1	1
1200	Giant and broadband circular asymmetric transmission based on two cascading polarization conversion cavities. 2016, 8, 8189-94	37
1199	Case study on the ultrafast laser ablation of thin aluminum films: dependence on laser parameters and film thickness. 2016, 122, 1	12
1198	Trapping in a Material World. 2016, 3, 719-736	93
1197	Tuning the Composition of Alloy Nanoparticles Through Laser Mixing: The Role of Surface Plasmon Resonance. 2016, 120, 12810-12818	29
1196	Controlling the excitation of radially polarized conical plasmons in plasmonic tips in liquids. 2016, 6, 53273-53281	
1195	Effects of light source on the performance of a Kretschmann surface plasmon resonance sensor. 2016, 26, 065006	2
1194	Double plasmon induced transparency in disk and nanobars coupled nanosystems and its application to plasmonic resonance sensing. 2016, 30, 1650150	1

1193	Quantum Plasmonic Sensing: Beyond the Shot-Noise and Diffraction Limit. 2016 , 3, 992-999	42
1192	Improved nonlinear plasmonic slot waveguide: a full study. 2016 ,	1
1191	Cascaded plasmon resonant field enhancement in protein-conjugated gold nanoparticles: Role of protein shell. 2016 , 1, 61-64	1
1190	Self-Assembled Epitaxial Au-Oxide Vertically Aligned Nanocomposites for Nanoscale Metamaterials. 2016 , 16, 3936-43	75
1189	Plasmon optical trapping using silicon nitride trench waveguides. 2016 , 33, 1182	6
1188	Cultivating Metal Whiskers by Surface Plasmon Polariton Excitation. 2016 , 1, 805-810	9
1187	Spatial frequency characterisation of a far-field superlens to facilitate general purpose imaging. 2016 ,	
1186	Interactions between bacterial surface and nanoparticles govern the performance of "chemical nose" biosensors. 2016 , 83, 115-25	18
1185	Hyperlensing at NIR frequencies using a hemispherical metallic nanowire lens in a sea-urchin geometry. 2016 , 8, 10669-76	4
1184	Metal-insulator-metal waveguides for particle trapping and separation. 2016 , 16, 2302-8	10
1183	Propagation properties and dispersion characteristics of the tapered gap plasmonic waveguides. 2016 , 63, 1466-1472	
1182	Launching surface plasmon waves via vanishingly small periodic gratings. 2016 , 33, 276-85	16
1181	Computational modeling of plasmonic thin-film terahertz photoconductive antennas. 2016 , 33, 748	30
1180	Invisibility of plasmonic nanoparticles in THz region. 2016 , 173, 149-152	
1179	Surface enhanced Raman scattering of dendritic Ag nanostructures grown with anodic aluminium oxide. 2016 , 6, 33348-33352	7
1178	Refractive index retrieval from transmittance measurements. 2016 , 127, 5562-5567	1
1177	A Multimetal Broadband Metamaterial Perfect Absorber With Compact Dimension. 2016 , 8, 1-10	10
1176	A Refractive Index and Temperature Sensor Based on Surface Plasmon Resonance in an Exposed-Core Microstructured Optical Fiber. 2016 , 8, 1-8	22

1175	Split Bullseye Antenna for High-Speed Photodetector in the Range of Visible to Mid-Infrared. 2016 , 28, 1177-1180	7
1174	Optical lattice induced by angular momentum and polygonal plasmonic mode. 2016 , 41, 1478-81	11
1173	Vertical mode expansion method for numerical modeling of biperiodic structures. 2016 , 33, 836-44	7
1172	Experimental Test of Reflectivity Formulas for Turbid Colloids: Beyond the Fresnel Reflection Amplitudes. 2016 , 120, 583-95	10
1171	Infrared dielectric properties of low-stress silicon oxide. 2016 , 41, 1364-7	10
1170	Perfectly absorbing ultra thin interference coatings for hydrogen sensing. 2016 , 41, 1724-7	17
1169	Design of nanobeam photonic crystal resonators for a silicon-on-lithium-niobate platform. 2016 , 24, 5876-85	16
1168	Fabrication and application of a graphene polarizer with strong saturable absorption. 2016 , 4, 41	20
1167	Spectrally Selective Photocapacitance Modulation in Plasmonic Nanochannels for Infrared Imaging. 2016 , 16, 3094-100	14
1166	Excitation of quantum dot by femtosecond plasmon-polariton pulse focused by conducting cone. 2016 , 10, 033511	2
1165	Nonlinear optical response of platinum nanoparticles and platinum ions embedded in sapphire. 2016 , 24, 9955-65	19
1164	Sub-micron period metal lattices fabricated by interfering ultraviolet femtosecond laser processing. 2016 , 122, 1	7
1163	Rise of the Charge Transfer Plasmon: Programmable Concatenation of Conductively Linked Gold Nanorod Dimers. 2016 , 3, 904-911	27
1162	The artificial control of enhanced optical processes in fluorescent molecules on high-emittance metasurfaces. 2016 , 8, 11099-107	15
1161	Measurement of the third order non-linearity of gold-graphene hybrid nanocomposite for near-infrared wavelengths. 2016 ,	
1160	On the bimetallic 1D photonic crystals under angular incidence excitation. 2016 , 30, 1075-1085	2
1159	Voltage-tunable optical transmission of subwavelength metal gratings filled with liquid crystals. 2016 ,	
1158	Design of a high-performance optical tweezer for nanoparticle trapping. 2016 , 122, 1	8

1157	Thickness-dependent free-electron relaxation time of Au thin films in near-infrared region. 2016 , 10, 033009	8
1156	Novel and efficient Mie-metamaterial thermal emitter for thermophotovoltaic systems. 2016 , 24, A868-77	31
1155	Controlling Nanoparticle Interconnectivity in Thin-Film Platinum Catalyst Layers. 2016 , 120, 21364-21372	7
1154	Coupling Quantum Emitters to Random 2D Nanoplasmonic Structures. 2016 , 120, 21837-21842	4
1153	Multiple Rabi Splittings under Ultrastrong Vibrational Coupling. 2016 , 117, 153601	117
1152	Effect of distance-dependent plasmonic coupling between gold nanorods and silicon substrate on second harmonic generation. 2016 ,	
1151	Biomimetic self-templating optical structures fabricated by genetically engineered M13 bacteriophage. 2016 , 85, 853-859	24
1150	Ultrafast Spin Density Wave Transition in Chromium Governed by Thermalized Electron Gas. 2016 , 117, 136801	14
1149	On the frequency-selective features of gold nanorods-based columnar thin film metamaterial absorber. 2016 ,	1
1148	Filtering Characteristics and Applications of Photonic Crystal Fibers Being Selectively Infiltrated With One Aluminum Rod. 2016 , 34, 4972-4980	13
1147	Simulation and analysis of the absorption enhancement in p-i-n InGaN/GaN solar cell using photonic crystal light trapping structures. 2016 , 55, 107102	3
1146	Effect of thickness on optical properties of nickel vertical posts deposited by GLAD technique. 2016 , 62, 146-151	6
1145	Absorption of harmonic light in plasmonic nanostructures. 2016 ,	1
1144	Epitaxial Growth of Atomically Smooth Aluminum on Silicon and Its Intrinsic Optical Properties. 2016 , 10, 9852-9860	47
1143	Synthesis and characterization of gold/water nanofluids suitable for thermal applications produced by femtosecond laser radiation. 2016 , 6, 034001	9
1142	Multilayer tungsten-alumina-based broadband light absorbers for high-temperature applications. 2016 , 6, 2704	75
1141	Polarization control over electric and magnetic dipole resonances of dielectric nanoparticles on metallic films. 2016 , 10, 799-806	67
1140	Manipulation of wavefront using helical metamaterials. 2016 , 24, 18266-76	5

1139	Tailored loss discrimination in indefinite metamaterial-clad hollow-core fibers. 2016 , 24, 15702-9	6
1138	A New Perspective on Plasmonics: Confinement and Propagation Length of Surface Plasmons for Different Materials and Geometries. 2016 , 4, 177-184	79
1137	Single shot embedded surface plasmon microscopy with vortex illumination. 2016 , 24, 10797-805	9
1136	Analytic model for the complex effective index dispersion of metamaterial-cladding large-area hollow core fibers. 2016 , 24, 20515-28	10
1135	Towards nanostructured perovskite solar cells with enhanced efficiency: Coupled optical and electrical modeling. 2016 , 137, 364-370	38
1134	Electrostrictive effect for active control of surface plasmon signals. 2016 , 24, 13264-75	
1133	Design of practicable phase-change metadevices for near-infrared absorber and modulator applications. 2016 , 24, 13563-73	51
1132	Ultralow loss visible surface plasmon based waveguides formed in indium-tin-oxide coated Fe-doped LiNbO ₃ slabs. 2016 , 41, 4150-3	12
1131	Nanosecond UV Laser Ablation of Gold Nanoparticles: Enhancement of Ion Desorption by Thermal-Driven Desorption, Vaporization, or Phase Explosion. 2016 , 120, 20368-20377	22
1130	Integration of nanostructured planar diffractive lenses dedicated to near infrared detection for CMOS image sensors. 2016 , 24, 8809-23	3
1129	Reflective low-sideband plasmonic structural colors. 2016 , 6, 381	16
1128	Design optimization and fabrication of Mach-Zehnder interferometer based on MIM plasmonic waveguides. 2016 , 24, 16224-31	28
1127	Compact gas cell integrated with a linear variable optical filter. 2016 , 24, 2981-3002	22
1126	Multiple-beam reflection interferometer formed in a single-mode fiber for applications in fiber lasers. 2016 , 24, 4512-4518	5
1125	Direct imaging of surface plasmon polariton dispersion in gold and silver thin films. 2016 , 33, C17	4
1124	Experimental observations on noble metal nanonuggets and Fe-Ti oxides, and the transport of platinum group elements in silicate melts. 2016 , 192, 258-278	21
1123	Broadband efficient directional coupling to short-range plasmons: towards hybrid fiber nanotips. 2016 , 24, 7507-24	18
1122	Effect of surface roughness on metal enhanced fluorescence in planar substrates and optical fibers. 2016 , 6, 2128	13

1121	Design of a polarization-insensitive superconducting nanowire single photon detector with high detection efficiency. 2016 , 6, 22710	15
1120	Nonlocal Plasmonic Response and Fano Resonances at Visible Frequencies in Sub-Nanometer Gap Coupling Regime. 2016 , 3, 2467-2474	8
1119	Characteristic analysis for optical antennas: A generalized equivalent circuit model for nanoparticles. 2016 ,	
1118	Tunable Lattice Coupling of Multipole Plasmon Modes and Near-Field Enhancement in Closely Spaced Gold Nanorod Arrays. 2016 , 6, 23159	30
1117	Wave-Mixing Origin and Optimization in Single and Compact Aluminum Nanoantennas. 2016 , 3, 1840-1846	10
1116	Imaging Energy Transfer in Pt-Decorated Au Nanoprisms via Electron Energy-Loss Spectroscopy. 2016 , 7, 3825-3832	26
1115	Space Debris Charging and its Effect on Orbit Evolution. 2016 ,	5
1114	Dual-band absorber for multispectral plasmon-enhanced infrared photodetection. 2016 , 49, 365101	49
1113	Ab initio phonon coupling and optical response of hot electrons in plasmonic metals. 2016 , 94,	89
1112	Fano resonances based on nanoscale plasmonic structure. 2016 ,	1
1111	Spectrally Selective Mid-Infrared Thermal Emission from Molybdenum Plasmonic Metamaterial Operated up to 1000 °C. 2016 , 4, 1987-1992	53
1110	Controlling light by light: photonic crystal-based coherent all-optical transistor. 2016 , 33, 1594	4
1109	Theoretical model for optical properties of symmetric trimer nanoholes in a gold film. 2016 , 33, 1627	1
1108	Selective Plasmonic Enhancement of Electric- and Magnetic-Dipole Radiations of Er Ions. 2016 , 16, 5191-6	39
1107	Ultrafast switching of surface plasmonic conditions in nonplasmonic metals. 2016 , 93,	19
1106	Optical transition energies of isolated molecular monomers and weakly interacting two-dimensional aggregates. 2016 , 93,	14
1105	Lifshitz-Matsubara sum formula for the Casimir pressure between magnetic metallic mirrors. 2016 , 93, 022108	4
1104	Long-Range Plasmon-Assisted Energy Transfer between Fluorescent Emitters. 2016 , 116, 037401	33

1103	Optical anisotropy and dielectric parameters of (Ba _{0.5} Sr _{0.5})Nb ₂ O ₆ films on a Pt(111)/Si(001) substrate. 2016 , 42, 577-580	5
1102	Electromagnetic characterization of bianisotropic metasurfaces on refractive substrates: General theoretical framework. 2016 , 528, 721-737	33
1101	Nanomanipulation and controlled self-assembly of metal nanoparticles and nanocrystals for plasmonics. 2016 , 45, 5672-5716	122
1100	Resonant-state expansion of dispersive open optical systems: Creating gold from sand. 2016 , 93,	49
1099	Metal-dielectric frequency-selective surface for high performance solar window coatings. 2016 ,	2
1098	Plasmon electro-optic effect in a subwavelength metallic nanograting with a nematic liquid crystal. 2016 , 103, 25-29	10
1097	Plasmonic piezoelectric nanomechanical resonator for spectrally selective infrared sensing. 2016 , 7, 11249	99
1096	Polarization-independent metasurface cloak for visible light. 2016 , 33, 2251	8
1095	Exciton Recombination, Energy-, and Charge Transfer in Single- and Multilayer Quantum-Dot Films on Silver Plasmonic Resonators. 2016 , 6, 26204	14
1094	On the origin of third harmonic light from hybrid metal-dielectric nanoantennas. 2016 , 18, 115002	9
1093	Sub-10 nm feature chromium photomasks for contact lithography patterning of square metal ring arrays. 2016 , 6, 23823	12
1092	Broadband absorption enhancement in plasmonic nanoshells-based ultrathin microcrystalline-Si solar cells. 2016 , 6, 24539	28
1091	Investigation of silver nanowires with a PEDOT:PSS layer for haze reduction. 2016 , 69, 1391-1396	1
1090	Ordered array of Ag semishells on different diameter monolayer polystyrene colloidal crystals: An ultrasensitive and reproducible SERS substrate. 2016 , 6, 32314	40
1089	Shape Approaches for Enhancing Plasmon Propagation in Graphene. 2016 , 3, 2170-2175	13
1088	Thermodynamic theory of the plasmoelectric effect. 2016 , 6, 23283	19
1087	Analysis of subwavelength slit transmittances on Ag and Au plates at terahertz range. 2016 ,	
1086	Experimental demonstration of the microscopic origin of circular dichroism in two-dimensional metamaterials. 2016 , 7, 12045	123

1085	Resolution enhancement using plasmonic metamask for wafer-scale photolithography in the far field. 2016 , 6, 30476	6
1084	'Squeezing' near-field thermal emission for ultra-efficient high-power thermophotovoltaic conversion. 2016 , 6, 28472	52
1083	A VLC-based system for optical SPR sensing facility. 2016 ,	2
1082	Dispersion characteristics of optical waveguides based on ZnO nanorods. 2016 , 61, 619-623	0
1081	Optical design of a mid-wavelength infrared InSb nanowire photodetector. 2016 , 27, 315202	13
1080	Enhanced external quantum efficiency in GaN-based vertical-type light-emitting diodes by localized surface plasmons. 2016 , 6, 22659	38
1079	Optical Properties of Plasmonic Mirror-Image Nanoepsilon. 2016 , 11, 327	2
1078	Photoelectric-Charging-Enhanced MEMS Electret Energy Harvester with Vacuum Packaging. 2016 , 773, 012012	4
1077	Bio-inspired optimization algorithms for optical parameter extraction of dielectric materials: A comparative study. 2016 , 25, 105101	
1076	Simultaneous determination of ordinary and extraordinary refractive index dispersions of nematic liquid crystals in the visible and near-infrared regions from an interference spectrum. 2016 , 120, 155502	5
1075	Experimental measurements of optical constants of metals in the two-temperature state. 2016 , 54, 899-901	8
1074	Ablation of gold irradiated by femtosecond laser pulse: Experiment and modeling. 2016 , 774, 012097	12
1073	Micro-light-pipe array with an excitation attenuation filter for lensless digital enzyme-linked immunosorbent assay. 2016 , 55, 03DF03	7
1072	Theoretical simulation of a novel birefringent photonic crystal fiber with surface plasmon resonance around 1300 nm. 2016 , 25, 034209	4
1071	Passive PT-Symmetric Metasurfaces With Directional Field Scattering Characteristics. 2016 , 22, 107-114	2
1070	Transmission light property due to grating-coupled long-range surface plasmon resonance. 2016 , 73, 2539-2546	7
1069	Universal Near-Field Interference Patterns of Fano Resonances in Two-Dimensional Plasmonic Crystals. 2016 , 11, 1377-1383	25
1068	Hole Array Perfect Absorbers for Spectrally Selective Midwavelength Infrared Pyroelectric Detectors. 2016 , 3, 1271-1278	70

1067	Gold-sputtered Blu-ray discs: simple and inexpensive SERS substrates for sensitive detection of melamine. 2016 , 408, 4403-11	12
1066	Plasmonic Metasurfaces for Nonlinear Optics and Quantitative SERS. 2016 , 3, 1371-1384	59
1065	An Innovative Tool for Detection of Small Notches Using a Nanocomposite Optical Sensor. 2016 , 16, 5029-5036	1
1064	Development of FDTD simulation tool for designing micro-nanostructured based optical devices. 2016 ,	
1063	Theoretical investigation into the optimized design of a durable OFSPR hydrogen sensor based on a PdY alloy. 2016 ,	
1062	Micron-sized gold-nickel alloy wire integrated silica optical fibers. 2016 , 6, 1790	9
1061	LIPSS formed on the sidewalls of microholes in stainless steel trepanned by a circularly polarized femtosecond laser. 2016 , 122, 1	3
1060	Analysis of deep-subwavelength Au and Ag slit transmittances at terahertz frequencies. 2016 , 33, 1355	10
1059	Bandwidth control of wavelength-selective uncooled infrared sensors using two-dimensional plasmonic absorbers. 2016 ,	1
1058	The imaging properties of the metal superlens. 2016 , 368, 180-184	4
1057	Optimized higher-order automatic differentiation for the Faddeeva function. 2016 , 205, 132-137	1
1056	Direct time-domain observation of attosecond final-state lifetimes in photoemission from solids. 2016 , 353, 62-7	126
1055	Electro-optic modulation in bulk silicon using surface plasmon resonance. 2016 , 18, 31-35	2
1054	Numerical integral methods to study plasmonic modes in a photonic crystal waveguide with circular inclusions that involve a metamaterial. 2016 , 21, 1-12	5
1053	An advance Towards the Synthesis of Ag Nanorod Arrays with Controlled Surface Roughness for SERS Substrates. 2016 , 3, 294-302	3
1052	Ag Nanoparticles Supported on Yttria-Stabilized Zirconia: A Synergistic System within Redox Environments. 2016 , 120, 5020-5032	3
1051	Metamodelling technique for the efficient design optimisation of metasurfaces. 2016 , 52, 1191-1192	2
1050	Plasmonic trapping and tuning of a gold nanoparticle dimer. 2016 , 24, 4801-4811	12

1049	Tunable plasmonic response of metallic nanoantenna heterodimer arrays modified by atomic-layer deposition. 2016 , 10, 026024	3
1048	Wavelength-selective emitters with pyramid nanogratings enhanced by multiple resonance modes. 2016 , 27, 155402	15
1047	Light-Driven Overall Water Splitting Enabled by a Photo-Dember Effect Realized on 3D Plasmonic Structures. 2016 , 10, 6693-701	34
1046	Image formation properties and inverse imaging problem in aperture based scanning near field optical microscopy. 2016 , 24, 4128-42	8
1045	Molecular transport network security using multi-wavelength optical spins. 2016 , 44, 240-7	1
1044	Investigation on low thermal emittance of Al films deposited by magnetron sputtering. 2016 , 75, 133-138	9
1043	Evidence and implications of direct charge excitation as the dominant mechanism in plasmon-mediated photocatalysis. 2016 , 7, 10545	291
1042	Copper-Graphene-Based Photonic Crystal Fiber Plasmonic Biosensor. 2016 , 8, 1-8	93
1041	Analysis of plasmonic subwavelength waveguide-coupled nanostub and its application in optical switching. 2016 , 122, 1	10
1040	Size-dependent complex dielectric function of Ni, Mo, W, Pb, Zn and Na nanoparticles. Application to sizing. 2016 , 49, 075302	14
1039	Nonlocal dispersion anomalies of Dyakonov-like surface waves at hyperbolic media interfaces. 2016 , 18, 16-22	11
1038	Fast and Slow Ligand Exchange at the Surface of Colloidal Gold Nanoparticles. 2016 , 120, 1673-1682	38
1037	Dispersion Characteristics of Zinc Oxide Nanorods Coated with Thin Silver Layer and Organized in Two-Dimensional Uniform Arrays. 2016 , 317-327	2
1036	Ultralow-Loss CMOS Copper Plasmonic Waveguides. 2016 , 16, 362-6	64
1035	Study the properties of metal-cladding nano-size optical fiber based on a new implementation of finite-difference time-domain. 2016 , 127, 168-173	1
1034	Nonradiative Plasmon Decay and Hot Carrier Dynamics: Effects of Phonons, Surfaces, and Geometry. 2016 , 10, 957-66	380
1033	Emission Quenching of Magnetic Dipole Transitions near a Metal Nanoparticle. 2016 , 3, 27-34	30
1032	Fabrication and analysis of highly-reflective metal-dielectric mirrors for high-performance semiconductor laser applications. 2016 , 16, 155-159	2

1031	Development of a ReaxFF potential for Ag/Zn/O and application to Ag deposition on ZnO. 2016 , 645, 67-73	22
1030	Planar Light Concentration in Micro-Si Solar Cells Enabled by a Metallic Grating Photonic Crystal Architecture. 2016 , 3, 604-610	14
1029	Near-field localization by two dimensional metallic nano-post arrays with ultrashort light pulses. 2016 ,	
1028	Bulk-like Al/Ag bilayer film due to suppression of surface plasmon resonance for high transparent organic light emitting diodes. 2016 , 33, 116-120	31
1027	The Role of Plasmon-Generated Near Fields for Enhanced Circular Dichroism Spectroscopy. 2016 , 3, 578-583	135
1026	Packing density/surface morphology relationship in thin sputtered chromium films. 2016 , 291, 286-291	7
1025	Scalable nanofabrication of U-shaped nanowire resonators with tunable optical magnetism. 2016 , 24, 6367-80	10
1024	Surface Plasmon Resonance Sensor Based On Exposed-Core Microstructured Optical Fiber Placed With A Silver Wire. 2016 , 8, 1-8	22
1023	Dispersion curve-based sensitivity engineering for enhanced surface plasmon resonance detection. 2016 , 370, 299-305	11
1022	Simulated localized surface plasmon spectra of single gold and silver nanobars. 2016 , 127, 3466-3470	5
1021	Hydrogen sensing via anomalous optical absorption of palladium-based metamaterials. 2016 , 27, 185501	6
1020	Highly sensitive surface plasmon resonance sensor utilizing a long period grating with photosensitive cladding. 2016 , 55, 1470-80	22
1019	Complex dielectric properties of anhydrous polycrystalline glucose in the terahertz region. 2016 , 48, 1	7
1018	High Refractive Index Surface Plasmon Resonance Sensor Based on a Silver Wire Filled Hollow Fiber. 2016 , 8, 1-9	18
1017	Optical design of ZnO-based antireflective layers for enhanced GaAs solar cell performance. 2016 , 18, 2906-12	5
1016	. 2016 , 22, 89-97	10
1015	Influence of spatial dispersion in metals on the optical response of deeply subwavelength slit arrays. 2016 , 93,	12
1014	Wave Propagation in Periodic Structures. 2016 , 7-34	

1013	Hydrogen sensing with Pd-coated long-range surface plasmon membrane waveguides. 2016 , 8, 4284-90	18
1012	Broadband azimuthal polarization conversion using gold nanowire enhanced step-index fiber. 2016 , 41, 448-51	16
1011	Gradual plasmon evolution and huge infrared near-field enhancement of metallic bridged nanoparticle dimers. 2016 , 18, 2319-23	18
1010	Modeling of Dispersive Materials Using Dispersion Models for FDTD Application. 2016 , 8, 251-275	2
1009	Increased epidermal laser fluence through simultaneous ultrasonic microporation. 2016 ,	1
1008	Photocatalysis using zero-valent nano-copper for degrading methyl orange under visible light irradiation. 2016 , 53, 155-159	15
1007	Rotation and conversion of transmission mode based on a rotatable elliptical core ring resonator. 2016 , 369, 44-49	12
1006	A Novel Eigenvalue Algorithm for the Complex Band Structure and Eigenmodes of Plasmonic Crystals. 2016 , 8, 1-10	3
1005	An analytical solution for light scattering by metallic cylindrical nanoparticles with core-shell structure. 2016 , 30, 1650041	
1004	Energy Transfer from Quantum Dots to Graphene and MoS ₂ : The Role of Absorption and Screening in Two-Dimensional Materials. 2016 , 16, 2328-33	140
1003	Plasmon-enhanced performance of an ultrathin silicon solar cell using metal-semiconductor core-shell hemispherical nanoparticles and metallic back grating. 2016 , 55, 1779-85	36
1002	Controlling electromagnetic wave through dual heights micro-lens array of a CMOS image sensor. 2016 , 367, 254-258	4
1001	Realizing of plasmon Fano resonance with a metal nanowall moving along MIM waveguide. 2016 , 369, 72-78	16
1000	Internal Photoemission Theory: Comments and Theoretical Limitations on the Performance of Near-Infrared Silicon Schottky Photodetectors. 2016 , 52, 1-10	34
999	Temperature dependent polarization of the thermal radiation emitted by thin, hot tungsten wires. 2016 , 104, 101-111	3
998	Plasmonic Color-Graded Nanosystems with Achromatic Subwavelength Architectures for Light Filtering and Advanced SERS Detection. 2016 , 8, 8024-31	27
997	Femtosecond laser irradiation of dielectric materials containing randomly-arranged nanoparticles. 2016 ,	3
996	Control over the charge transfer in dye-nanoparticle decorated graphene. 2016 , 644, 176-182	5

995	Dual wavelength demultiplexer based on metal-insulator-metal plasmonic circular ring resonators. 2016 , 63, 1078-1086	49
994	Plasmon-Enhanced Autofluorescence Imaging of Organelles in Label-Free Cells by Deep-Ultraviolet Excitation. 2016 , 88, 1407-11	10
993	Effect of Thin Cr and Cu Adhesion Layers on Surface Plasmon Resonance at Au/SiO ₂ Interfaces. 2016 , 52, 1-4	8
992	Morphological Design of Gold Nanopillar Arrays and Their Optical Properties. 2016 , 120, 1178-1185	9
991	A high-order perturbation of surfaces (HOPS) approach to Fokas integral equations: Vector electromagnetic scattering by periodic crossed gratings. 2016 , 101, 1-17	4
990	Light absorption in perovskite solar cell: Fundamentals and plasmonic enhancement of infrared band absorption. 2016 , 124, 143-152	60
989	A novel optical pressure sensor based on surface plasmon polariton resonator. 2016 , 63, 219-223	14
988	Optical Transmission Enhancement of Stacked Plasmonic Apertures. 2016 , 34, 961-968	3
987	Shielding effects in the laser-generated copper plasma under reduced pressures of He atmosphere. 2016 , 170, 19-27	11
986	Analogy of electromagnetically induced transparency in plasmonic nanodisk with a square ring resonator. 2016 , 380, 232-237	15
985	Optimized design of moth eye antireflection structure for organic photovoltaics. 2016 , 13, 201-210	12
984	Optimizing the figure of merit of gold nanoshell-based refractive index sensing. 2016 , 127, 250-253	8
983	Rigorous design of an ultra-high Q/V photonic/plasmonic cavity to be used in biosensing applications. 2016 , 77, 151-161	26
982	Broadband Mid-Infrared Super-Resolution Imaging with Metallic Nanorod-Bridged Dimer Array. 2016 , 11, 797-802	
981	Dipole, Quadrupole, and Octupole Plasmon Resonance Modes in Ag Nanoring Structure: Local Field Enhancement in the Visible and Near Infrared Regions. 2016 , 11, 37-44	19
980	High-sensitivity plasmonic sensor based on perfect absorber with metallic nanoring structures. 2016 , 63, 177-183	30
979	Optical Properties and Liquid Sensitivity of Au-SiO ₂ -Au Nanobelt Structure. 2016 , 11, 1-9	45
978	Nanostructured multilayer polyelectrolyte films with silver nanoparticles as antibacterial coatings. 2016 , 137, 158-66	42

977	A Genetic Algorithm Based Approach for the Extraction of Optical Parameters. 2016 , 8, 245-250	2
976	Exploring the Impact of Nano-Particles Shape on the Performance of Plasmonic Based Fiber Optics Sensors. 2017 , 12, 563-570	8
975	Silicon-on-quartz bonding based SPR chip. 2017 , 23, 1983-1989	4
974	Design Method of a Broadband Wide-Angle Plasmonic Absorber in the Visible Range. 2017 , 12, 117-124	21
973	Performance Analysis of a Differential Evolution Algorithm in Modeling Parameter Extraction of Optical Material. 2017 , 9, 723-731	3
972	Bridging the Gap between Dielectric Nanophotonics and the Visible Regime with Effectively Lossless Gallium Phosphide Antennas. 2017 , 17, 1219-1225	142
971	Subwavelength grating as both emission mirror and electrical contact for VCSELs in any material system. 2017 , 7, 40348	9
970	Fundamentals of Plasmonics. 2017 , 13-35	2
969	Scalable and continuous nanomaterial integration with transgenic fibers for enhanced photoluminescence. 2017 , 4, 281-289	12
968	Nonclassical Plasmonics. 2017 , 37-80	1
967	Time-resolved laser-induced incandescence characterization of metal nanoparticles. 2017 , 123, 1	30
966	Visible Light, Wide-Angle Graded Metasurface for Back Reflection. 2017 , 4, 228-235	54
965	Plasmon enhanced light absorption in aluminium@Hematite core shell hybrid nanocylinders: the critical role of length. 2017 , 7, 2857-2868	10
964	Graphene-based slab waveguide for slow-light propagation and mode filtering. 2017 , 31, 2055-2063	15
963	The effect of Ta dopant on the electronic and optical properties of anatase TiO ₂ : a first-principles study. 2017 , 4, 024002	16
962	Polarization characteristics of diffraction scattering from metal rough surface. 2017 , 421, 565-570	1
961	Femtosecond laser processing of NiPd single and 5x(Ni/Pd) multilayer thin films. 2017 , 417, 16-22	2
960	Mueller matrix modeling of thick anisotropic crystals with metallic coatings. 2017 , 421, 578-584	10

959	Nanosecond laser nanostructuring of fused silica surfaces assisted by a chromium triangle template. 2017 , 418, 481-486	1
958	Investigation of the light-extraction efficiency in 280 nm AlGaIn-based light-emitting diodes having a highly transparent p-AlGaIn layer. 2017 , 121, 013105	36
957	Exciton Emission Intensity Modulation of Monolayer MoS via Au Plasmon Coupling. 2017 , 7, 41175	41
956	Plasmonic Photothermal Therapy in Third and Fourth Biological Windows. 2017 , 121, 684-690	22
955	Elimination of Plasmon Losses and Enhanced Light Extraction of Top-Emitting Organic Light-Emitting Devices Using a Reflective Subelectrode Grid. 2017 , 4, 363-368	30
954	Ultracompact on-chip photothermal power monitor based on silicon hybrid plasmonic waveguides. 2017 , 6, 1121-1131	4
953	Field distribution in waveguide of mid-infrared strain-compensated InAlAs/InGaAs/InP quantum cascade laser. 2017 , 49, 1	1
952	Optical generation of pure spin currents at the indirect gap of bulk Si. 2017 , 110, 042403	11
951	Plasmonic extinction in gold nanoparticle-polymer films as film thickness and nanoparticle separation decrease below resonant wavelength. 2017 , 11, 016002	12
950	Optimized design of a nanocomposite Ta2O5 and Pd multilayer OFSPR H2 sensor: a theoretical analysis. 2017 ,	
949	High-Quality-Factor Mid-Infrared Toroidal Excitation in Folded 3D Metamaterials. 2017 , 29, 1606298	89
948	Influence of Silver Film Quality on the Threshold of Plasmonic Nanowire Lasers. 2017 , 5, 1600856	21
947	Probability distribution function inspired structural optimization for frequency response problems. 2017 , 318, 783-802	9
946	Dielectric function of palladium capped zirconium thin films as a function of absorbed hydrogen. 2017 , 42, 22373-22378	2
945	Electroabsorption modulator based on inverted-rib-type silicon waveguide including double graphene layers. 2017 , 19, 045804	17
944	Simultaneous Plasmonic Measurement of Refractive Index and Temperature Based on a D-Type Fiber Sensor With Gold Wires. 2017 , 17, 2439-2446	23
943	Optical modulation using strain tunable metallo-dielectric films. 2017 , 214, 1600756	
942	Plasma impact on diagnostic mirrors in JET. 2017 , 12, 506-512	24

941	Refractive Index and Temperature Sensing Based on Surface Plasmon Resonance and Directional Resonance Coupling in a PCF. 2017 , 9, 1-7	17
940	Detection of small molecules with surface plasmon resonance by synergistic plasmonic effects of nanostructured surfaces and graphene. 2017 ,	4
939	Surface enhanced thermo lithography. 2017 , 174, 52-58	1
938	Ultrafine tuning of the metal volume fraction in silver/silicate nanocomposites near the percolation threshold. 2017 , 9, 3504-3511	5
937	Nanoparticle-on-mirror cavity modes for huge and/or tunable plasmonic field enhancement. 2017 , 28, 105203	26
936	Dark mode Baraday rotation synergy for enhanced magneto-optics. 2017 , 95,	2
935	Thermal boundary resistance from transient nanocalorimetry: A multiscale modeling approach. 2017 , 95,	15
934	Realisation of 3D metamaterial perfect absorber structures by direct laser writing. 2017 ,	1
933	Pulsed laser chemical vapor deposition of a mixture of W, WO ₂ , and WO ₃ from W(CO) ₆ at atmospheric pressure. 2017 , 626, 145-153	8
932	Design and Analysis of Light Trapping in Thin Film GaAs Solar Cells Using 2-D Photonic Crystal Structures at Front Surface. 2017 , 53, 1-9	13
931	Controlled Synthesis and Flexible Self-Assembly of Monodisperse Core/Shell Hetero-Nanocrystals into Diverse Superstructures. 2017 , 29, 2355-2363	29
930	Laser ablation impulse generated by irradiating aluminum target with nanosecond laser pulses at normal and oblique incidence. 2017 , 110, 014101	8
929	Control over emissivity of zero-static-power thermal emitters based on phase-changing material GST. 2017 , 6, e16194	153
928	Interplay Between In-Plane and Out-of-Plane Resonances of Heptamer Oligomer Nanoapertures. 2017 , 35, 186-192	
927	Cermet based metamaterials for multi band absorbers over NIR to LWIR frequencies. 2017 , 50, 245104	5
926	Meta-Optical Chirality and Emergent Eigen-polarization Modes via Plasmon Interactions. 2017 , 7, 40718	2
925	Theory and technology of SPASERs. 2017 , 9, 79	76
924	A Hollow-Core Photonic Crystal Fiber-Based SPR Sensor With Large Detection Range. 2017 , 9, 1-7	26

923	On-Chip Narrowband Thermal Emitter for Mid-IR Optical Gas Sensing. 2017 , 4, 1371-1380	119
922	An ultra-thin dual-band phase-gradient metasurface using hybrid resonant structures for backward RCS reduction. 2017 , 123, 1	18
921	Classical and ab Initio Plasmonics Meet at Sub-nanometric Noble Metal Rods. 2017 , 4, 1484-1493	43
920	Large area manufacturing of plasmonic colour filters using substrate conformal imprint lithography. 2017 , 1, 015002	5
919	Enhanced photocathode performance through optimization of film thickness and substrate. 2017 , 35, 022202	5
918	Metal nano-grids for transparent conduction in solar cells. 2017 , 169, 68-77	15
917	Impact of 1064 nm 10 ns pulsed laser on the surface morphology, structure, and hardness of Pd80Ni20 alloy. 2017 , 90, 1857-1869	8
916	Design, Fabrication and Characterization of Pressure-Responsive Films Based on The Orientation Dependence of Plasmonic Properties of Ag@Au Nanoplates. 2017 , 7, 1676	3
915	Preparing the future post-mortem analysis of beryllium-based JET and ITER samples by multi-wavelengths Raman spectroscopy on implanted Be, and co-deposited Be. 2017 , 57, 076035	5
914	A facetless regrowth-free single mode laser based on MMI couplers. 2017 , 94, 159-164	4
913	Ripple formation on silver after irradiation with radially polarised ultrashort-pulsed lasers. 2017 , 121, 163106	22
912	Near-Field Intensity Enhancement of a nano-antenna above an inverted Bragg Reflector. 2017 ,	
911	Mid-infrared Fano resonance in heavily doped silicon and metallic nanostructures due to coupling of Wood-Rayleigh anomaly and surface plasmons. 2017 , 50, 205105	13
910	Structural, Optical, Electrical and Electronic Properties of PEDOT: PSS Thin Films and Their Application in Solar Cells. 2017 , 263-288	3
909	Solution-processed colloidal quantum dot/organic hybrid tandem photovoltaic devices with 8.3% efficiency. 2017 , 31, 403-409	19
908	Characterization of anisotropically shaped silver nanoparticle arrays via spectroscopic ellipsometry supported by numerical optical modeling. 2017 , 421, 460-464	8
907	Modeling and optimizing the performance of plasmonic solar cells using effective medium theory. 2017 , 381, 489-493	15
906	Laser annealing of electrodeposited CuInSe ₂ semiconductor precursors: experiment and modeling. 2017 , 5, 1336-1345	6

905	3D Chiral Plasmonic Metamaterials Fabricated by Direct Laser Writing: The Twisted Omega Particle. 2017 , 5, 1700200	50
904	Conditions for magnetic and electronic properties of ultrathin NiFe hydroxide nanosheets as catalysts: a DFT+U study. 2017 , 60, 664-673	5
903	Mechanically Robust, Stretchable Solar Absorbers with Submicron-Thick Multilayer Sheets for Wearable and Energy Applications. 2017 , 9, 18061-18068	8
902	Analysis of Scattering and Absorption Characteristics of Metal Powder Layer for Selective Laser Sintering. 2017 , 22, 1807-1817	22
901	Development of Plasmonic CuO/Cu Composite Arrays as Visible- and Near-Infrared-Light-Driven Plasmonic Photocatalysts. 2017 , 33, 5685-5695	34
900	Plasmonic scattering nanostructures for efficient light trapping in flat CZTS solar cells. 2017 ,	2
899	Strong coupling between localized surface plasmon and Bragg mode on aluminum nanocylinders grating deposited on aluminum film. 2017 , 214, 1600793	1
898	Characterizing the geometrical tolerances of optimized vertical-cavity thermal emitter stack configurations for the mid-infrared via Monte Carlo testing. 2017 ,	1
897	Femtosecond laser absorption, heat propagation, and damage threshold analysis for Au coating on metallic substrates. 2017 , 422, 295-303	4
896	Analytical plasmon dispersion in subwavelength closely spaced Au nanorod arrays from planar metal-insulator-metal waveguides. 2017 , 5, 6079-6085	14
895	Substrate melting during laser heating of nanoscale metal films. 2017 , 113, 237-245	10
894	Fabrication of a cost-effective polymer nanograting as a disposable plasmonic biosensor using nanoimprint lithography. 2017 , 4, 076202	7
893	Plasmonic behavior of III-V semiconductors in far-infrared and terahertz range. 2017 , 13,	14
892	Properly Structured, Any Metal Can Produce Intense Surface Enhanced Raman Spectra. 2017 , 121, 14269-14273	4
891	Metamaterial absorber comprising chromium-gold nanorods-based columnar thin films. 2017 , 11, 043505	26
890	Optical properties of hybrid plasmonic nanofluid based on core/shell nanoparticles. 2017 , 91, 88-92	8
889	High temperature efficient, stable Si wafer-based selective solar absorbers. 2017 , 110, 141101	11
888	Computation of total hemispherical emissivity from directional spectral models. 2017 , 109, 894-906	11

887	Theory of LC circuit-based metamaterials. 2017 , 11, 016016	1
886	Defects-assisted solar absorption of plasmonic nanoshell-based nanofluids. 2017 , 146, 503-510	27
885	Phase-Resolved Observation of the Gouy Phase Shift of Surface Plasmon Polaritons. 2017 , 4, 905-908	10
884	Robust multiscale field-only formulation of electromagnetic scattering. 2017 , 95,	14
883	Ultrathin Polarizers and Waveplates Made of Metamaterials. 2017 , 247-268	1
882	Nanoimprint Lithography for the Fabrication of Metallic Metasurfaces. 2017 , 269-290	1
881	A user-friendly guide to the optimum ultraviolet photolithographic exposure and greyscale dose of SU-8 photoresist on common MEMS, microsystems, and microelectronics coatings and materials. 2017 , 9, 2495-2504	7
880	Efficient light-trapping with quasi-periodic uniaxial nanowrinkles for thin-film silicon solar cells. 2017 , 35, 341-349	12
879	Optical transmission characteristics of epsilon negative tri-metal layer electrode for OLED. 2017 , 188, 112-117	3
878	Plasmon Color Filters and Phase Controllers. 2017 , 81-102	
877	Fundamentals of Electromagnetic Scattering. 2017 , 11-86	
876	Abrogated Cell Contact Guidance on Amino-Functionalized Microgrooves. 2017 , 9, 10461-10471	26
875	Probe Diffusion of Sol-Gel Transition in an Isorefractive Polymer Solution. 2017 , 50, 2916-2922	17
874	Handedness-switchable chiral field in the 1D metal grooves for plasmonic circular dichroism spectroscopy. 2017 , 19, 055001	1
873	Theory of the optical-rectification effect in metallic thin films with periodic modulation. 2017 , 95,	6
872	Fabrication of Metamaterial Absorbers in THz Region and Evaluation of the Absorption Characteristics. 2017 , 100, 15-24	10
871	Hot Carrier-Based Near-Field Thermophotovoltaic Energy Conversion. 2017 , 11, 3001-3009	45
870	Optical constants of electroplated gold from spectroscopic ellipsometry. 2017 , 421, 824-830	6

869	Spectral curve fitting of dielectric constants. 2017 , 7, 015042	7
868	Picosecond Acoustics in Single Quantum Wells of Cubic GaN/(Al,Ga)N. 2017 , 7,	2
867	Scattering-enhanced absorption and interference produce a golden wing color of the burnished brass moth, <i>Diachrysa chrysitis</i> . 2017 , 95, 032405	5
866	Aluminized Film as Saturable Absorber for Generating Passive Q-Switched Pulses in the Two-Micron Region. 2017 , 35, 2470-2475	13
865	Broadband absorption spectroscopy for rapid pH measurement in small volumes using an integrated porous waveguide. 2016 , 142, 169-176	11
864	Nanoscale Dielectric Function of Fe, Pt, Ti, Ta, Al, and V: Application to Characterization of Al Nanoparticles Synthesized by Fs Laser Ablation. 2017 , 12, 1813-1824	2
863	Metal enhanced fluorescence on super-hydrophobic clusters of gold nanoparticles. 2017 , 175, 7-11	12
862	Boosting infrared energy transfer in 3D nanoporous gold antennas. 2017 , 9, 915-922	31
861	Gold nanodisc arrays as near infrared metal-enhanced fluorescence platforms with tuneable enhancement factors. 2017 , 5, 917-925	31
860	Atomic layer deposition of semiconductor oxides on electric sail tethers. 2017 , 621, 195-201	2
859	Efficient Photocurrent Enhancement from Porphyrin Molecules on Plasmonic Copper Arrays: Beneficial Utilization of Copper Nanoantennae on Plasmonic Photoelectric Conversion Systems. 2017 , 9, 750-762	12
858	Numerical simulation of optical dispersion, group velocity, and waveguide properties of gold and silver nanocolloids and hybrids. 2017 , 295, 197-203	9
857	Achieving near-unity absorption in planar semiconductor film on metal substrate. 2017 , 49, 1	2
856	Surface roughness effects on aluminium-based ultraviolet plasmonic nanolasers. 2017 , 7, 39813	20
855	Spurious electro-optic coefficients inferred from modulation ellipsometry measurements in the presence of an air cavity. 2017 , 389, 283-289	5
854	Delayed photo-emission model for beam optics codes. 2017 , 35, 02C102	7
853	Hybrid-Mode-Assisted Long-Distance Excitation of Short-Range Surface Plasmons in a Nanotip-Enhanced Step-Index Fiber. 2017 , 17, 631-637	20
852	Critical Dimensions in Small-Molecule Plasmonic Particle Solar Cells. 2017 , 327-349	

851	Ordered Hexagonal Nanoplasmonic Au Nanoparticle Arrays: AAO-Assisted Thermal Treatment Synthesis and Application as Surface-Enhanced Raman Scattering Substrates. 2017 , 12, 2013-2020	3
850	Efficient Third Harmonic Generation and Nonlinear Subwavelength Imaging at a Higher-Order Anapole Mode in a Single Germanium Nanodisk. 2017 , 11, 953-960	150
849	Theoretical investigation into the optimisation of an optical fibre surface plasmon resonance hydrogen sensor based on a PdY alloy. 2017 , 28, 015104	4
848	Cu Microbelt Network Embedded in Colorless Polyimide Substrate: Flexible Heater Platform with High Optical Transparency and Superior Mechanical Stability. 2017 , 9, 39650-39656	17
847	Plasmonically Enhanced Schottky Photovoltaic Devices. 2017 , 7, 14253	10
846	Gap enhanced fluorescence as a road map for the detection of very weakly fluorescent emitters from visible to ultraviolet. 2017 , 7, 14191	5
845	Refractive index sensitivity analysis of gold nanoparticles. 2017 , 149, 384-390	13
844	The effect of the local field and dipole-dipole interactions on the absorption spectra of noble metals and the plasmon resonance of their nanoparticles. 2017 , 27, 24-31	7
843	An ultra-highly sensitive surface plasmon resonance sensor based on D-shaped optical fiber with a silver-graphene layer. 2017 , 149, 149-154	14
842	Al+Si Interface Optical Properties Obtained in the Si Solar Cell Configuration. 2017 , 214, 1700480	6
841	Plasmon polariton enhanced mid-infrared photodetectors based on Ge quantum dots in Si. 2017 , 122, 133101	17
840	Diurnal cooling for continuous thermal sources under direct subtropical sunlight produced by quasi-Cantor structure. 2017 , 26, 104201	14
839	Wavelength-selective spin-current generator using infrared plasmonic metamaterials. 2017 , 2, 106103	10
838	Surface Plasmon Resonance Sensing Characteristics of Thin Aluminum Films in Aqueous Solution. 2017 , 17, 6258-6267	14
837	Radiative heat transfer in fractal structures. 2017 , 96,	25
836	Extraordinary light transmission through a metal film perforated by a subwavelength hole array. 2017 , 125, 175-188	3
835	Hafnium nitride films for thermorefectance transducers at high temperatures: Potential based on heating from laser absorption. 2017 , 111, 151902	9
834	Finite element analysis of nanosecond pulsed laser ablation of various materials. 2017 , 14, 489-496	5

833	Strong amplitude and phase modulation of optical spatial coherence with surface plasmon polaritons. 2017 , 3, e1700133	16
832	Enhancement of Plasmonic Performance in Epitaxial Silver at Low Temperature. 2017 , 7, 8917	6
831	Estimate of the power of radiative heat transfer in a plasmon nanocomposite. 2017 , 55, 795-801	
830	Carbon nanowalls as a platform for biological SERS studies. 2017 , 7, 13352	15
829	Electrooptical effect in the plasmon structure glass ₁ Th ₂ O ₃ : Sn ₁ ferroelectric ₁ Al with a subwavelength grating. 2017 , 125, 469-475	0
828	Permittivity imaged at the nanoscale using tip-enhanced Raman spectroscopy. 2017 , 2, 365-369	6
827	Optics of exciton-plasmon nanomaterials. 2017 , 29, 443003	56
826	Scalable, "Dip-and-Dry" Fabrication of a Wide-Angle Plasmonic Selective Absorber for High-Efficiency Solar-Thermal Energy Conversion. 2017 , 29, 1702156	71
825	Optical-signal-enhancing metasurface platforms for fluorescent molecules at water-transparent near-infrared wavelengths. 2017 , 7, 37076-37085	5
824	Enhancement of magneto-optical Kerr response by LSPR in magneto plasmonic nanostructures for biological sensors. 2017 , 444, 410-415	7
823	Widely Tunable Infrared Plasmonic Nanoantennas Using Directed Assembly. 2017 , 5, 1700335	16
822	The temperature dependence of optical properties of tungsten in the visible and near-infrared domains: an experimental and theoretical study. 2017 , 50, 455601	40
821	Plasmon-Coupled Whispering Gallery Modes on Nanodisk Arrays for Signal Enhancements. 2017 , 7, 11737	15
820	Strain and thermal conductivity in ultrathin suspended silicon nanowires. 2017 , 96,	20
819	Three-Dimensional Reconstruction of Nuclear Envelope Architecture Using Dual-Color Metal-Induced Energy Transfer Imaging. 2017 , 11, 11839-11846	26
818	Ultrafast nonlinear dynamics of thin gold films due to an intrinsic delayed nonlinearity. 2017 , 19, 094004	3
817	Quantum noise reduction in intensity-sensitive surface-plasmon-resonance sensors. 2017 , 96,	23
816	Stepwise via formation on multilayered metal/polymer structures by CO ₂ laser percussion drilling and its application to multilayered micro and nanoelectronic devices. 2017 , 29, 032002	2

815	Dipole-field-assisted charge extraction in metal-perovskite-metal back-contact solar cells. 2017 , 8, 613	51
814	Signal intensity enhancement of laser ablated volume holograms. 2017 , 73, 400-407	1
813	Low-threshold optical bistability in a metasurface with graphene. 2017 , 50, 434003	11
812	Space-Object Charging and Its Effect on Orbit Evolution. 2017 , 40, 3180-3198	3
811	Enhancement of spontaneous emission in Tamm plasmon structures. 2017 , 7, 9014	45
810	Wearable solar thermoelectric generator driven by unprecedentedly high temperature difference. 2017 , 40, 663-672	66
809	Fresnel coefficients and Fabry-Perot formula for spatially dispersive metallic layers. 2017 , 96,	4
808	Self-Focusing and the Talbot Effect in Conformal Transformation Optics. 2017 , 119, 033902	49
807	Spectrum analysis of slit for real metal at terahertz frequencies. 2017 ,	
806	Thermal emission properties of one-dimensional grating with different parameters. 2017 , 26, 057301	0
805	X-ray diffraction study of laser-driven solid-state diffusional mixing and new phase formation in Ni-Pt multilayers. 2017 , 95,	2
804	Epsilon-Near-Zero Substrate Engineering for Ultrathin-Film Perfect Absorbers. 2017 , 8,	65
803	Optimization of modal sensitivity in nanowire SPR multimode sensor. 2017 ,	
802	Double resonant plasmonic nanoantennas for efficient second harmonic generation in zinc oxide. 2017 , 95,	17
801	Double Fano resonances in individual metallic nanostructure for high sensing sensitivity. 2017 ,	20
800	Electrochemical CO Oxidation at Platinum on Carbon Studied through Analysis of Anomalous in Situ IR Spectra. 2017 , 121, 17176-17187	31
799	Gold Nanostar Substrates for Metal-Enhanced Fluorescence through the First and Second Near-Infrared Windows. 2017 , 29, 6916-6926	44
798	Interferometric control of the absorption in optical patch antennas. 2017 , 7, 2941	5

797	Controlling the Heat Dissipation in Temperature-Matched Plasmonic Nanostructures. 2017 , 17, 5472-5480	19
796	Light energy transformation over a few nanometers. 2017 , 50, 375601	7
795	Hyperbolic Metamaterial-Based UV Absorber. 2017 , 29, 1548-1551	79
794	Unparticle Casimir effect. 2017 , 772, 675-680	9
793	An integrated antireflection design using nanotexture and high-refractive-index glass for organic photovoltaics. 2017 , 14, 1209-1224	3
792	Potential of SPR sensors based on multilayer interfaces with gold and LHM for biosensing applications. 2017 , 7, 199-205	7
791	Dielectric function parameterization by penalized splines. 2017 ,	1
790	Optical Nanowaveguides Based on Zinc Oxide Plasmonic Materials. 2017 , 457-466	
789	Plasmonic Nanostructured Cellular Automata. 2017 , 139, 00001	1
788	Plasmonic resonances in ordered and disordered aluminum nanocavities arrays.. 2017 , 792, 012077	2
787	Temperature tunability of surface plasmon enhanced Smith-Purcell terahertz radiation for semiconductor-based grating. 2017 , 7, 6443	5
786	Ultra-high Q/V hybrid cavity for strong light-matter interaction. 2017 , 2, 086101	30
785	Thermographic measurements of the spin Peltier effect in metal/yttrium-iron-garnet junction systems. 2017 , 96,	32
784	Enhancement of the magneto-optical Kerr effect signal using bilayer metallic structures consisting of Co/noble metal. 2017 , 4, 126203	3
783	Millijoule terahertz coherent transition radiation at LEBRA. 2017 , 56, 032401	6
782	Fast Surface-Plasmon-Mediated Electro-Optics of a Liquid Crystal on a Metal Grating. 2017 , 8,	19
781	Permittivity of gold with a strongly excited electronic subsystem. 2017 , 24, 113106	5
780	0? to 90? arbitrary controllable optical activity with an array of L-shaped silver holes inside a silica cube. 2017 , 31, 1750309	

779	Unraveling delocalized electrons in metal induced gap states from second harmonics. 2017 , 111, 161601	2
778	Near-field chemical mapping of gold nanostructures using a functionalized scanning probe. 2017 , 19, 31063-31071	11
777	A study on the correlation between the dewetting temperature of Ag film and SERS intensity. 2017 , 7, 14771	48
776	Disordered Nanohole Patterns in Metal-Insulator Multilayer for Ultra-broadband Light Absorption: Atomic Layer Deposition for Lithography Free Highly repeatable Large Scale Multilayer Growth. 2017 , 7, 15079	23
775	Low thermal emissivity surfaces using AgNW thin films. 2017 , 28, 505708	6
774	Unrevealed electronic and optical properties of the layered oxychalcogenides (LaO)CuCh(Ch= S, Se, Te): A density-functional study. 2017 , 56, 121201	16
773	Focusing of laser light by circular microcylinders with a metal shell. 2017 , 201, 36-41	3
772	Mid-infrared subwavelength modulator based on grating-assisted coupling of a hybrid plasmonic waveguide mode to a graphene plasmon. 2017 , 9, 17429-17438	8
771	Plasmonic nanochannel structure for narrow-band selective thermal emitter. 2017 , 110, 251102	9
770	Tamm plasmon modes on semi-infinite metallodielectric superlattices. 2017 , 7, 3746	2
769	Polarized surface-enhanced Raman spectroscopy of suspended carbon nanotubes by Pt-Re nanoantennas. 2017 , 96,	4
768	Full-spectrum volumetric solar thermal conversion via photonic nanofluids. 2017 , 9, 14854-14860	58
767	High light extraction efficiency into glass substrate in organic light-emitting diodes by patterning the cathode in graded superlattice with dual periodicity and dual basis. 2017 , 121, 233104	11
766	Imaging Magnetization Structure and Dynamics in Ultrathin Y3Fe5O12/Pt Bilayers with High Sensitivity Using the Time-Resolved Longitudinal Spin Seebeck Effect. 2017 , 7,	17
765	. 2017 , 9, 1-9	2
764	Optical properties of core/shell nanoparticles: Comparison of TiO ₂ /Ag and Ag/TiO ₂ structures. 2017 , 4, 4890-4895	
763	High-Quality Ultrathin Gold Layers with an APTMS Adhesion for Optimal Performance of Surface Plasmon Polariton-Based Devices. 2017 , 9, 25049-25056	34
762	Simulation of femtosecond laser absorption by metallic targets and their thermal evolution. 2017 , 35, 415-428	9

761	Pure spin currents in Ge probed by inverse spin-Hall effect. 2017 , 7, 055907	1
760	Optimizing the Drude-Lorentz model for material permittivity: Method, program, and examples for gold, silver, and copper. 2017 , 95,	57
759	Normal spectral emissivity of GH536 (HastelloyX) in three surface conditions. 2017 , 113, 20-26	24
758	Microstructural features of Sc- and Zr-modified Al-Mg alloys processed by selective laser melting. 2017 , 115, 52-63	229
757	Optical Waveguide Modes Splitting by Bi-Layer Silver Gratings in Thin Film Solar Cells. 2017 , 12, 1581-1587	5
756	Modelling the dielectric function of Au-Ag alloys. 2017 , 694, 857-863	9
755	OPTICAL AND MAGNETO-OPTICAL PROPERTIES OF PERMALLOY THIN FILMS IN 0.78.4 eV PHOTON ENERGY RANGE. 2017 , 114, 31-39	22
754	Enhanced Performance and Diffusion Robustness of Phase-Change Metasurfaces via a Hybrid Dielectric/Plasmonic Approach. 2021 , 11,	3
753	Si grating structure for surface plasmon resonance excitation by back-side normal incidence illumination. 2021 , 14, 036503	3
752	Transient CO desorption from thin Pt films induced by mid-IR pumping. 2021 , 154, 084706	
751	Localized Plasmon Field Effect of Gold Clusters Embedded in Nanoporous Silicon. 2021 , 9, 2002119	1
750	Optimization of transparent amorphous oxide-metal-amorphous oxide multilayer with high figure of merit for high transmittance and low resistivity. 2021 , 112, 110820	1
749	Efficient nano-tweezers via a silver plasmonic bowtie notch with curved grooves. 2021 , 9, 281	5
748	Photocurrent improvement of an ultra-thin silicon solar cell using cascaded cylindrical shape plasmonic nanoparticles. 2021 , 96, 055501	5
747	Simulation of plasmons on a metal nano-ring. 2021 , 1745, 012012	0
746	Fast sputter deposition of MoOx/metal/MoOx transparent electrodes on glass and PET substrates. 2021 , 56, 9047-9064	3
745	Self-Assembly of Silica-Gold Core-Shell Microparticles by Electric Fields Toward Dynamically Tunable Metamaterials. 2021 , 13, 14417-14422	5
744	Scattering by lossy anisotropic scatterers: A modal approach. 2021 , 129, 113104	1

743	Theoretical study of hazardous carbon-di-oxide gas sensing using MIM structure-based SPR sensing scheme. 2021 , 15, 167	1
742	Aluminium, gold-tin and titanium-tungsten alloys for mid-infrared plasmonic gratings. 2021 , 11, 1058	8
741	Influence of Rugate Filters on the Spectral Manifestation of Tamm Plasmon Polaritons. 2021 , 14,	4
740	Plasmonic Layer as a Localized Temperature Control Element for Surface Plasmonic Resonance-Based Sensors. 2021 , 21,	1
739	Flexibly Tunable Surface Waveguide Resonances in Cylindrical Waveguide-Metal-Waveguide Configuration Assisted by Tilted Fiber Grating. 2021 , 39, 1814-1822	1
738	Structural Control over Bimetallic Core-Shell Nanorods for Surface-Enhanced Raman Spectroscopy. 2021 , 6, 7034-7046	12
737	Improve the Local Electric Field Enhancement of Au Cylindrical Nanohole by Pt Coating. 2021 , 16, 1441-1450	
736	Few-Mode Field Quantization of Arbitrary Electromagnetic Spectral Densities. 2021 , 126, 093601	12
735	Optical Forces and Torques on Eccentric Nanoscale Core-Shell Particles. 2021 , 8, 1103-1111	1
734	Coupling of multiple plasma polarization modes in particles-multilayer film system for surface-enhanced Raman scattering. 2021 , 6, 036104	14
733	Enhanced Dye Degradation through Multi-Particle Confinement in a Porous Silicon Substrate: A Highly Efficient, Low Band Gap Photocatalyst. 2021 , 9, 2002238	5
732	Novel External Gold-Coated Side-Leakage Photonic Crystal Fiber for Tunable Broadband Polarization Filter. 2021 , 39, 1791-1799	5
731	Femtosecond Laser Irradiation of a Multilayer Metal-Metal Nanostructure. 2021 , 113, 308-316	1
730	Exploring the optical properties of exposed-core-based photonic-crystal fibers. 2021 , 20, 1260-1269	3
729	A tunable ultrasensitive plasmonic biosensor based on HMoO_3 /graphene hybrid architecture. 2021 , 54, 234005	2
728	Angle-independent plasmonic substrates for multi-mode vibrational strong coupling with molecular thin films. 2021 , 154, 104305	10
727	Tuning higher order electric field resonances in plasmonic hexagonal arrays by oxygen-plasma treatment. 2021 , 127, 1	1
726	Nanoscale nonlinear plasmonics in photonic waveguides and circuits. 2021 , 44, 193-249	9

725	A Highly Sensitive SPR Refractive Index Sensor Based on Microfluidic Channel Assisted With Graphene-Ag Composite Nanowire. 2021 , 13, 1-8	10
724	Dielectric function of six elemental metals. 2021 , 1890, 012008	
723	Direct Laser Writing for the Formation of Large-Scale Gold Microbumps Arrays Generating Hybrid Lattice Plasmon Polaritons in VisNIR Range. 2021 , 9, 2100027	1
722	Broadband Absorption in Patterned Metal/Weakly-Absorbing-Spacer/Metal with Graded Photonic Super-Crystal. 2021 , 8, 114	
721	Photon redistribution of 2T perovskite/Si tandem solar cells induced by the optical coupling layer for higher power conversion efficiency.	0
720	Exploring super-Earth surfaces: Albedo of near-airless magma ocean planets and topography. 2021 , 358, 114175	3
719	Thin-Film Processing of Polypropylene and Polystyrene Sheets by a Continuous Wave CO Laser with the Cu Cooling Base. 2021 , 13,	1
718	Inverse Design of Plasmonic Structures with FDTD. 2021 , 8, 1489-1496	4
717	Nanopatterned metallic transparent electrodes for the near-infrared spectrum. 2021 , 11, 045005	2
716	Evolution of the Laser-Induced Spallation Technique in Film Adhesion Measurement. 2021 , 73, 030802	9
715	Enhancement of high-order harmonic generation in two-dimensional materials by plasmonic fields. 2021 , 103,	0
714	Research from ultraviolet to near-infrared band covering materials based on graphene photonic crystals. 2021 , 11, 1575-1581	1
713	Design of Planar Reconfigurable, Tunable, and Wide Angle Resonant Absorbers for Applications in the IR Spectrum. 2021 , 4, 2100002	2
712	Mie-Resonance-Enhanced Visible Light Absorption in Dielectric-Supported Small Pt Nanoparticles for Photocatalysis. 2021 , 533, 2000557	4
711	Edge-Orientation Dependent Nanoimaging of Mid-Infrared Waveguide Modes in High-Index PtSe ₂ . 2021 , 9, 2100294	3
710	Optical absorption of a metal-liquid crystal-metal plasmonic filter. 2021 , 485, 126735	2
709	Quantum electrodynamics description of localized surface plasmons at a metal nanosphere. 2021 , 103,	1
708	Template-Stripped Ultra-Smooth Aluminum Films (0.2 nm RMS) for the Surface Forces Apparatus. 2021 , 37, 6556-6565	

707	Femtosecond control of phonon dynamics near a magnetic order critical point. 2021 , 12, 2865	1
706	Kretschmann-Based Optical Sensor via Thermally Tunable Refractive Index. 2021 , 11, 616	1
705	Development and analysis of surface plasmon resonance based refractive index sensor for pregnancy testing. 2021 , 140, 106551	20
704	Tunable Ultra-Broadband Terahertz Waveband Absorbers Based on Hybrid Gold-Graphene Metasurface. 2021 , 1907, 012047	0
703	Surface modification of gold nanoparticles by cetirizine through surface plasmon resonance and preliminary study of the in vitro cellular cytotoxicity. 2021 , 330, 115542	4
702	Optimized 3D Finite-Difference-Time-Domain Algorithm to Model the Plasmonic Properties of Metal Nanoparticles with Near-Unity Accuracy. 2021 , 9, 114	0
701	Wide-temperature (up to 100°C) operation of thermostable vanadium oxide based microbolometers with Ti/MgF ₂ infrared absorbing layer for long wavelength infrared (LWIR) detection. 2021 , 547, 149142	6
700	Electro-optical switch based on one-dimensional graphene-plasmonic crystals. 2021 , 115, 111051	3
699	Self-Assembled NanoLotus Pod Metasurface for Light Trapping. 2021 , 8, 1616-1622	1
698	Switching plasmonic resonance in multi-gap infrared metasurface absorber using vanadium dioxide patches. 2021 , 30, 075011	1
697	Confronting theoretical results of localized and additional surface plasmon resonances in silver nanoparticles with electron energy-loss spectroscopy measurements. 2021 , 103,	1
696	Shape optimization for the strong directional scattering of dielectric nanorods. 2021 , 122, 3683-3704	0
695	Highly sensitive circular slotted gold-coated micro channel photonic crystal fiber based plasmonic biosensor. 2021 , 4, 1808	5
694	Towards perfect metallic behavior in optical resonant nanostructures. 2021 , 29, 18458-18468	1
693	Electrochromic Inorganic Nanostructures with High Chromaticity and Superior Brightness. 2021 , 21, 4343-4350	10
692	Directional Raman scattering spectra of metal-sulfur bonds at smooth gold and silver substrates. 2021 , 52, 1246-1255	3
691	Photonic Multilayer Structure Induced High Near-Infrared (NIR) Blockage as Energy-Saving Window. 2021 , 17, e2100654	5
690	Fiber-Optic Surface Plasmon Resonance Sensors and Biochemical Applications: A Review. 2021 , 39, 3781-3791	12

689	Heavily doped silicon: A potential replacement of conventional plasmonic metals. 2021 , 42, 062302		2
688	Influence of an atomistic protrusion at the tip apex on enhancing molecular emission in tunnel junctions: A theoretical study. 2021 , 154, 214706		4
687	Simultaneous harvesting of radiative cooling and solar heating for transverse thermoelectric generation. 2021 , 22, 441-448		2
686	Low Threshold and Long-Range Propagation Plasmonic Nanolaser Enhanced by Black Phosphorus Nanosheets. 2021 , 4, 2100087		
685	Modeling Laser Beam Absorption of Metal Alloys at High Temperatures for Selective Laser Melting. 2021 , 23, 2100137		3
684	Theoretically comparative study of spectrally selective solar absorbers in concentrated solar-thermoelectric generators working at high temperature. <i>Applied Optics</i> , 2021 , 60, 5291-5301	1.7	1
683	Nanoantenna design for enhanced carrier-envelope-phase sensitivity. 2021 , 38, C11		2
682	Visible Photoluminescence of Variable-Length Zinc Oxide Nanorods Embedded in Porous Anodic Alumina Template for Biosensor Applications. 2021 , 11, 756		1
681	Surface Heterostructure of Aluminum with Carbon Nanotubes Obtained by Laser-Oriented Deposition. 2021 , 11, 674		1
680	Effective backscattering and absorption coefficients of light diffusing materials retrieved from reflectance and transmittance spectra of diffuse radiation. 2021 , 68, 605-623		1
679	An infrared energy harvester based on radar cross-section reduction of chiral metasurfaces through phase cancellation approach. 2021 , 11, 11492		4
678	Microscopic analysis of the energy, momentum, and spin distributions in a surface plasmon-polariton wave. 2021 , 11, 2165		1
677	Cost Effective Silver Nanowire-Decorated Graphene Paper for Drop-On SERS Biodetection. 2021 , 11,		1
676	Extraordinary Optical Transmission by Hybrid Phonon-Plasmon Polaritons Using hBN Embedded in Plasmonic Nanoslits. 2021 , 11,		2
675	Influence of seed layers on the reflectance of sputtered aluminum thin films. 2021 , 29, 19472-19485		4
674	Broadband long-wave infrared metamaterial absorber based on single-sized cut-wire resonators. 2021 , 29, 20275-20285		8
673	The Effects of Grating Profile on Dispersion Relations of Surface Plasmon Polaritons in Kretschmann-Raether Configuration. 1		
672	Heat transfer modelling of flashlamp heating for automated tape placement of thermoplastic composites. 2021 , 145, 106381		6

671	MoS with Stable Photoluminescence Enhancement under Stretching via Plasmonic Surface Lattice Resonance. 2021 , 11,	0
670	Near-infrared sensitivity improvement by plasmonic diffraction for a silicon image sensor with deep trench isolation filled with highly reflective metal. 2021 , 29, 21313-21319	3
669	Engineering mode coupling in a hybrid plasmon-photonic cavity for dual-band infrared spectroscopic gas sensing. 2021 , 4, 1827	
668	Tunable polarization-sensitive, long-wave infrared MDM subwavelength grating structure with wide-angle, narrow-band, and high absorption. 2021 , 29, 21473-21491	1
667	Uniaxially oriented nickel aluminum superalloy films sputtered with in situ heating.	
666	Plasmonic Silver Grating for Mid-Infrared Sensing. 2021 ,	1
665	Biomimicry-Gradient-Based Algorithm as Applied to Photonic Devices Design: Inverse Design of Flat Plasmonic Metalenses. 2021 , 11, 5436	1
664	Surface plasmon resonance (SPR)-based biosensor using MXene as a BRE layer and magnesium oxide (MgO) as an adhesion layer. 1	0
663	Modeling the Bulk and Nanometric Dielectric Functions of Au and Ag.	
662	Enhancement of Scattering and Near Field of TiO-Au Nanohybrids Using a Silver Resonator for Efficient Plasmonic Photocatalysis. 2021 , 13, 34714-34723	8
661	On the Localized Surface Plasmonic Resonances of AgPd Alloy Nanoparticles by Experiment and Theory. 2021 , 11, 893	3
660	Fundamental bounds on the performance of monochromatic passive cloaks. 2021 , 29, 24068-24082	0
659	Narrowband mid-infrared absorber based on a mirror-backed low-index dielectric lattice. 2021 , 38, 2306	1
658	Computer Simulation of Hydrodynamic and Thermal Processes in DLD Technology. 2021 , 14,	1
657	Design Analysis of Multisample Single-Analyte Surface Plasmon Resonance Biosensor Based on D-Shape Photonic Crystal Fibers. 1	0
656	Skin effect photon-trapping enhancement in infrared photodiodes. 2021 , 29, 22823-22837	2
655	Fano resonance between Stokes and anti-Stokes Brillouin scattering. 2021 , 3,	3
654	ZrN fractal-graphene-based metamaterial absorber in the visible and near-IR regimes. 2021 , 237, 166769	4

653	Plasmonic Newton's cradle for low-loss subwavelength energy transport: Homogeneous or heterogeneous nanoparticle chains?. 2021 , 27, 66-72	1
652	Rabi splitting obtained in exciton-plasmon polaritons coupling between monolayer black phosphorus with metal.	1
651	Changing Vibration Coupling Strengths of Liquid Acetonitrile with an Angle-Tuned Etalon. 2021 , 125, 8472-8483	3
650	Optical spectra of composite cholesteric elastomers doped with metallic nano-ellipsoids. 1-16	1
649	Quantifying plasmon resonance and interband transition contributions in photocatalysis of gold nanoparticle*. 2021 , 30, 077301	3
648	Nanophotonic inverse design with deep neural networks based on knowledge transfer using imbalanced datasets. 2021 , 29, 28406-28415	2
647	Photonic Stopband Tuning in Metallo-Dielectric Photonic Crystals. 2021 , 10, 085001	2
646	Thermal Homeostasis Enabled by Dynamically Regulating the Passive Radiative Cooling and Solar Heating Based on a Thermochromic Hydrogel. 2021 , 8, 2781-2790	8
645	Multiparticle nanofluid optimization for spectral-splitting energy harvesting. 2021 , 173, 849-860	8
644	NTMpy: An open source package for solving coupled parabolic differential equations in the framework of the three-temperature model. 2021 , 265, 107990	5
643	Highly Sensitive Plasmonic Refractive Index Sensor Using Doped Silicon: an Alternative to MIM Structures. 1	
642	Full characterization of the instrumental polarization effects of the spectropolarimetric mode of SCEXAO/CHARIS. 2021 ,	
641	Sensitivity Enhancement of a Plasmonic Sensor Based on a Side Opening Quasi-D-Shaped Optical Fiber with Au Nanowires. 1	0
640	Tungsten Based Spectrally Selective Absorbers with Anisotropic Rough Surface Texture. 2021 , 11,	0
639	Tunable and plasmon-enhanced four-wave mixing on an aluminum grating. 2021 , 23, 095004	1
638	Bi-ferrocene based molecular rectifier for nano-patch rectenna device. 2021 ,	
637	Active Micromixer of Microfluids via Plasmonic Marangoni Convection. 2021 , 94, 2003-2010	0
636	T-grating on a nano-cavity array based refractive index sensor. 2021 , 38, 2669	1

- 635 Highly sensitive detection of Hg employing SPR sensor modified with chitosan/poly (vinyl alcohol)/SnO film. **2021**, 413, 5703-5714
- 634 Pressure dependent thermoreflectance spectroscopy induced by interband transitions in metallic nano-film. **2021**, 24, 102990 1
- 633 Unravelling ultrashort laser excitation of nickel at 800 nm wavelength. **2021**, 54, 495302 3
- 632 Design and implementation of an ultrathin dielectric/metal/dielectric transparent electrode for Cu₂ZnSnS₄ thin-film photovoltaics. **2021**, 230, 111247 1
- 631 Corrosion Sensor Using Metallic Double Layer in Optical Fiber. **2021**, 20, 513-525
- 630 Design of bullseye optical cavity toward efficient quantum media conversion using gate-defined quantum dot. **2021**, 60, 102003 1
- 629 Strong coupling between hybrid plasmonic/photonic resonances and excitons in metallic photonic crystal/monolayer WS₂ nanostructures. **2021**, 30, 104850 3
- 628 An aluminum-coated asymmetric core-offset Mach-Zehnder interferometer temperature sensor. **2021**, 65, 102591 2
- 627 Performance Enhancement of Surface Plasmon Resonance (SPR) Structure Using a Sinusoidal Diffraction Grating. **2022**, 123-132
- 626 Polarization-independent 2D high diffraction efficiency beam splitter based on two-dimensional grating. **2021**, 29, 32042-32050 4
- 625 Polarization-sensitive terahertz reflective multi-channel beam separation by cascaded configuration. **2021**, 28, 104702
- 624 Rigorous coupled-wave analysis of a multi-layered plasmonic integrated refractive index sensor. **2021**, 29, 36201-36210 2
- 623 Sensitivity enhancement of a fiber plasmonic sensor based on rolled-up Ag/TiO₂ hyperbolic metamaterials. 0
- 622 Metal-insulator-metal waveguide-based optical pressure sensor embedded with arrays of silver nanorods. **2021**, 29, 32365-32376 5
- 621 Self-Patterned CsPbBr₃ Nanocrystal Based Plasmonic Hot-Carrier Photodetector at Telecommunications Wavelengths. 2101474 1
- 620 Insight into excitation wavelength and hotspot effect of noble metal nanoparticles dimer. **2021**, 17, 577-580 0
- 619 Low-Temperature-Processed Transparent Electrodes Based on Compact and Mesoporous Titanium Oxide Layers for Flexible Perovskite Solar Cells. 2
- 618 Conductive mixed-order generalized dispersion model for noble metals in the optical regime. **2021**, 29, 30520-30531

617	Influence of operating conditions on the optical optimization of solar selective absorber coatings. 2021 , 230, 111280	0
616	Investigating the Tradeoff Between Transparency and Efficiency in Semitransparent Bifacial Mesosuperstructured Solar Cells for Millimeter-Scale Applications. 2021 , 11, 1222-1235	1
615	Theoretical Investigation of Photoacoustics From Cancer Cells: Modified Models. 2021 , 27, 1-10	
614	Fiber-Optic Surface Waveguide Modes Excited by Inter/Intra Mode Transition for Refractometric Sensitivity Enhancement. 2021 , 27, 1-8	2
613	Replacing silver by aluminum in solar mirrors by improving solar reflectance with dielectric top layers. 2021 , 29, e00307	0
612	Double D-shaped optical fiber temperature and humidity sensor based on ethanol and polyvinyl alcohol. 2021 , 242, 166972	5
611	Nanoparticle-Based FM-MCF LSPR Biosensor With Open Air-Hole. 2021 , 2,	
610	Nanometer-optical-coating-based visibly tinted films with 24-hour sub-atmospheric passive cooling. 2021 , 46, 5043-5046	4
609	Highly sensitive wide-range target fluorescence biosensors of high-emittance metasurfaces. 2021 , 190, 113423	4
608	Multilayers for efficient thermal energy conversion in high vacuum flat solar thermal panels. 2021 , 735, 138869	2
607	Analytical model to determine the relevant parameters governing the transferred momentum to spherical indenters by laser-induced shock waves. 2021 , 145, 106670	1
606	Polarization Selective Transparent Electrode With Patterned Metal for the 3D Display Pixel. 2021 , 13, 1-7	
605	Click chemistry: An efficient tool to control the functionalization of metallic surfaces with alkyl chains possessing two reactive end groups. 2021 , 566, 150731	0
604	Learning thermal radiative properties of porous media from engineered geometric features. 2021 , 179, 121668	1
603	Performance estimation of a V-shaped perovskite/silicon tandem device: A case study based on a bifacial heterojunction silicon cell. 2021 , 301, 117496	3
602	Optical, structural and electrical properties of sputtered ultrathin chromium films. 2021 , 121, 111530	4
601	Chromium nanostructures for enhancing light trapping in a thin-film solar cell. 2021 , 121, 111548	1
600	Ultra-broadband metamaterial absorber for high solar thermal energy conversion efficiency. 2021 , 620, 413261	2

599	Excitation of plasmonic and photonic modes in metallic lamellar gratings. 2021 , 500, 127324	1
598	Transfer matrix based reverse engineering approach to analyse annealing induced changes in optical transmission of TiO ₂ /Ag/TiO ₂ /Ag multilayer. 2021 , 144, 107392	0
597	Gold nanoparticle based plasmonic sensing for the detection of SARS-CoV-2 nucleocapsid proteins. 2022 , 195, 113669	10
596	Hydrodynamic Approach for Deep-nanometer Scale Topologies: Analysis of Metallic Shell. 2021 ,	
595	Plasmonic triangular nanoprism sensors. 2021 , 2, 32-46	6
594	Optical Properties of Solar Absorber Materials and Structures. 2021 , 1-165	
593	Enhanced Nonlinear Emission from Single Multilayered Metal-Dielectric Nanocavities Resonating in the Near-Infrared. 2021 , 8, 512-520	10
592	High-Q Fano Resonance in Subwavelength Stub-Wall-Coupled MDM Waveguide Structure and Its Terahertz Sensing Application. 2021 , 9, 123939-123949	1
591	Ultra-Compact High-Speed Polarization Division Multiplexing Optical Receiving Chip Enabled by Graphene-on-Plasmonic Slot Waveguide Photodetectors. 2021 , 9, 2001215	9
590	Origin of Shifts in the Surface Plasmon Resonance Frequencies for Au and Ag Nanoparticles. 2016 , 275-294	2
589	Single-Molecule Metal-Induced Energy Transfer (smMIET). 2017 , 75-85	1
588	Comparison of Water Splitting Efficiencies of MNbO ₃ -[(M = Ca, Sr, Ba)]. 2017 , 63-74	1
587	Metal Structures as Advanced Materials in Nanotechnology. 2014 , 615-669	0
586	Cavity and Mirror Design for Vertical-Cavity Surface-Emitting Lasers. 2003 , 259-301	6
585	Nature Inspired Optimization Techniques for Metamaterial Design. 2013 , 97-146	10
584	Detuned multiple plasmon-induced transparency with asymmetric gear-shaped ring resonators. 2017 , 140, 1038-1046	4
583	Computation of scattering resonances in absorptive and dispersive media with applications to metal-dielectric nano-structures. 2020 , 407, 109220	4
582	Optical Effects in Solids. 2019 ,	23

581	Ultranarrow and Wavelength-Tunable Thermal Emission in a Hybrid Metal-Optical Tamm State Structure. 2020 , 7, 1569-1576	19
580	A precise method for determining the principal angle of incidence and the optical constants of metals. 2016 , 27, 015009	8
579	Broadband refractory plasmonic absorber without refractory metals for solar energy conversion. 2021 , 54, 094001	2
578	Optical surface plasmons at a metal-crystal interface with the Drude-Lorentz model for material permittivity. 2021 , 96, 015601	2
577	Electronic structure effects in spatiotemporally resolved photoemission interferograms of copper surfaces. 2017 , 96,	7
576	Thermal transport through the magnetic martensitic transition in Mn_xMGe ($M=Co,Ni$). 2018 , 2,	3
575	Mimicking surface polaritons for unpolarized light with high-permittivity materials. 2019 , 3,	11
574	Charge confinement and thermal transport processes in modulation-doped epitaxial crystals lacking lattice interfaces. 2019 , 3,	2
573	Scattering of light with angular momentum from an array of particles. 2020 , 2,	2
572	Light trapping by arbitrarily thin cavities. 2020 , 2,	5
571	Directly deposited optical-blocking filters for single-photon x-ray imaging spectroscopy. 2017 , 3, 036001	1
570	Localized surface plasmon resonance-based fiber-optic sensor for the detection of triacylglycerides using silver nanoparticles. 2017 , 22, 1-10	16
569	Thermoelectric efficiency optimization of nanoantennas for solar energy harvesting. 2019 , 13, 1	4
568	Tunable wavelength selectivity of photonic metamaterials-based thermal devices. 2019 , 9,	5
567	Structure optimization of metallodielectric multilayer for high-efficiency daytime radiative cooling. 2017 ,	2
566	Optical magnetism in core-satellite nanostructures excited by vector beams. 2018 ,	3
565	Directed assembly of bimetallic nanoarchitectures by interfacial photocatalysis with plasmonic hot electrons. 2018 ,	2
564	SPR-based fiber optic sensor in NIR region. 2019 ,	1

563	Plasmonic-Induced transparency based on MIM waveguide achieved by the structure including a rectangular ring and a rectangular strip. 2019 ,		1
562	Improved Morphological and Localized Surface Plasmon Resonance (LSPR) Properties of Fully Alloyed Bimetallic AgPt and Monometallic Pt NPs Via the One-Step Solid-State Dewetting (SSD) of the Ag/Pt Bilayers. 2019 , 14, 332		8
561	Combined Use of Anisotropic Silver Nanoprisms with Different Aspect Ratios for Multi-Mode Plasmon-Exciton Coupling. 2020 , 15, 15		2
560	Electromagnetic Metamaterials as Artificial Composite Structures. 2012 , 595-682		1
559	Surface Plasmon Resonance Based Sensing of Aqueous Solutions Using Spectral Interferometry. 2016 , 129, 23-27		1
558	Liquid crystal filled dual-channel self-calibration optical-fiber surface plasmon resonance thermometer. <i>Applied Optics</i> , 2020 , 59, 720-725	1.7	2
557	Variable transmission optical filter based on an actuated origami structure. <i>Applied Optics</i> , 2020 , 59, 2963-2968	1.7	1
556	Color-dependent unidirectional scattering of a plasmonic heterodimer investigated by a dipole-dipole interference model. <i>Applied Optics</i> , 2020 , 59, 9667-9672	1.7	1
555	Conductive metal-oxide-based tunable, wideband, and wide-angle metamaterial absorbers operating in the near-infrared and short-wavelength infrared regions. <i>Applied Optics</i> , 2020 , 59, 10912-10919	1.7	8
554	Numerical reproduction and explanation of road surface mirages under grazing-angle scattering. <i>Applied Optics</i> , 2017 , 56, 5550-5558	1.7	3
553	Scene reassembly after multimodal digitization and pipeline evaluation using photorealistic rendering. <i>Applied Optics</i> , 2017 , 56, 7679-7690	1.7	7
552	Wide-angle absorption of visible light from simple bilayers. <i>Applied Optics</i> , 2017 , 56, 9779-9786	1.7	11
551	Nanoscale, tunable, and highly sensitive biosensor utilizing hyperbolic metamaterials in the near-infrared range. <i>Applied Optics</i> , 2018 , 57, 9447-9454	1.7	81
550	Why not use thermal radiation for nanothermometry?. <i>Applied Optics</i> , 2018 , 57, 9508-9511	1.7	1
549	High-performance and cost-effective absorber for visible and near-infrared spectrum based on a spherical multilayered dielectric-metal structure. <i>Applied Optics</i> , 2019 , 58, 4467-4473	1.7	3
548	Simulation study on comprehensive sensing enhancement of BlueP/MoS- and BlueP/WS-based fluoride fiber surface plasmon resonance sensors: analysis founded on damping, field, and optical power. <i>Applied Optics</i> , 2019 , 58, 4518-4525	1.7	5
547	Requirements and applications of accurate modeling of the optical transmission of transparent conducting coatings. <i>Applied Optics</i> , 2019 , 58, 5179-5186	1.7	2
546	Optimization of metallic nanoapertures at short-wave infrared wavelengths for self-induced back-action trapping. <i>Applied Optics</i> , 2019 , 58, 9498-9504	1.7	6

545	Field-only surface integral equations: scattering from a dielectric body. 2020 , 37, 284-293	8
544	Slow-light application using dielectrics in a metallic terahertz plasmonic waveguide. 2020 , 37, 1053-1059	2
543	Single-slot hybrid microring resonator hydrogen sensor. 2017 , 34, 1465	13
542	Plasmonic superlens image reconstruction using intensity data and equivalence to structured light illumination for compensation of losses. 2017 , 34, 2161	8
541	Magnetic permeability in Fresnel's equation. 2019 , 36, 1386	2
540	Design and modeling of third-harmonic plasmonic metasurfaces coupled to multi-quantum well structures. 2019 , 36, 2429	2
539	Efficient broadband infrared absorbers based on core-shell nanostructures. 2019 , 36, 2643	7
538	Influence of spatial dispersion on surface plasmons, nanoparticles, and grating couplers. 2019 , 36, 2989	4
537	On the VO ₂ metasurface-based temperature sensor. 2019 , 36, F123	22
536	Enhanced light extraction from organic light-emitting diodes by reducing plasmonic loss through graded photonic super-crystals. 2020 , 37, 1283	6
535	Asymmetric light transmission based on a 1D triangular metal grating. 2020 , 37, 1428	2
534	Theory of coherent active convolved illumination for superresolution enhancement. 2020 , 37, 2452	2
533	Efficient directional coupling from multilayer-graphene-based long-range SPP waveguide to metal-based hybrid SPP waveguide in mid-infrared range. 2018 , 26, 29509-29520	10
532	Engineering surface lattice resonance of elliptical gold nanodisk array for enhanced strain sensing. 2018 , 26, 33215-33225	6
531	Enhancing THz generation in photomixers using a metamaterial approach. 2019 , 27, 9481-9494	7
530	Ultraviolet luminescence enhancement of planar wide bandgap semiconductor film by a hybrid microsphere cavity/dual metallic nanoparticles sandwich structure. 2019 , 27, 15399-15412	11
529	Electrical detection SPR sensor with grating coupled backside illumination. 2019 , 27, 17763-17770	10
528	Incoherent scattering from dielectric metasurfaces under the influence of electromagnetic eigenmodes. 2019 , 27, 21701-21716	1

527	Dual broadband infrared absorptance enhanced by magnetic polaritons using graphene-covered compound metal gratings. 2019 , 27, 30182-30190	7
526	Full-coloration based on metallic nanostructures through phase discontinuity in Fabry-Perot resonators. 2019 , 27, 33098-33110	5
525	Optical theorems and physical bounds on absorption in lossy media. 2019 , 27, 34323-34342	9
524	Solution-processed antireflective coating for back-contact perovskite solar cells. 2020 , 28, 12650-12660	15
523	Visibility of subsurface nanostructures in scattering-type scanning near-field optical microscopy imaging. 2020 , 28, 6696-6707	11
522	Design and validation of a high-efficiency planar solar thermophotovoltaic system using a spectrally selective emitter. 2020 , 28, 21869-21890	8
521	Plasmon-phonon coupling between mid-infrared chiral metasurfaces and molecular vibrations. 2020 , 28, 21192-21201	10
520	Terahertz optical thickness and birefringence measurement for thermal barrier coating defect location. 2020 , 28, 31535-31552	3
519	Electron energy loss of ultraviolet plasmonic modes in aluminum nanodisks. 2020 , 28, 27405-27414	3
518	Silicon carbide as a material-based high-impedance surface for enhanced absorption within ultra-thin metallic films. 2020 , 28, 31624-31636	3
517	Optical confinement in the nanocoax: coupling to the fundamental TEM-like mode. 2020 , 28, 32152-32164	2
516	Optical properties of tungsten trioxide, palladium, and platinum thin films for functional nanostructures engineering. 2020 , 28, 32049-32060	5
515	Broadband single-channel coherent perfect absorption with a perfect magnetic mirror. 2020 , 28, 35108-35117	2
514	Light management in ultra-thin solar cells: a guided optimisation approach. 2020 , 28, 39093-39111	3
513	Trade-offs in absorption and scattering by nanophotonic structures. 2020 , 28, 36584-36599	3
512	Platinum substrate for surface plasmon microscopy at small angles. 2020 , 45, 3292-3295	2
511	Chiral plasmonic metasurface absorbers in the mid-infrared wavelength range. 2020 , 45, 5372-5375	8
510	Tuning temperature gradients in subwavelength plasmonic nanocones with tilted illumination. 2020 , 45, 5472-5475	1

509	Dynamic tuning of photon-plasmon interaction based on three-dimensionally confined microtube cavities. 2020 , 45, 5720-5723	1
508	Ellipsometric characterization of doped Ge _{0.95} Sn _{0.05} films in the infrared range for plasmonic applications. 2016 , 41, 4398-400	9
507	Metallic gyroids with broadband circular dichroism. 2018 , 43, 863-866	10
506	Plasmonic metasurfaces for subtractive color filtering: optimized nonlinear regression models. 2018 , 43, 4815-4818	10
505	Broadband infrared binary-pattern metasurface absorbers with micro-genetic algorithm optimization. 2019 , 44, 114-117	22
504	High-efficiency couplers for graphene surface plasmon polaritons in the mid-infrared region. 2020 , 45, 264	10
503	Optical dielectric constants of single crystalline silver films in the long wavelength range. 2020 , 10, 693	7
502	Fitting optical properties of metals by Drude-Lorentz and partial-fraction models in the [05;6] eV range. 2020 , 10, 1129	8
501	Simple technique for determining the refractive index of phase-change materials using near-infrared reflectometry. 2020 , 10, 1675	7
500	Comparison of two-dimensional arrays of gold disks and holes for plasmonic enhancement of Ge/Si quantum dot mid-infrared photodetectors. 2018 , 8, 3479	8
499	Temperature calculation in metal substrates during two-photon polymerization. 2019 , 9, 269	2
498	Tunable temperature sensor based on an integrated plasmonic grating. 2019 , 9, 435	14
497	Wide-band and wide-angle, visible- and near-infrared metamaterial-based absorber made of nano-holed tungsten thin film. 2019 , 9, 2358	22
496	Selective thermal emitters with infrared plasmonic indium tin oxide working in the atmosphere. 2019 , 9, 2534	12
495	Standard red green blue (sRGB) color representation with a tailored dual-resonance mode in metal/dielectric stacks. 2019 , 9, 3342	13
494	Maximum length sequence dielectric multilayer reflector. 2018 , 1, 358	4
493	Single mode approach with versatile surface wave phase correction for the extraordinary optical transmission comprehension of 1D period nano-slits arrays. 2018 , 1, 613	4
492	Understanding the plane wave excitation of the metal-insulator-metal gap plasmon mode of a nanoribbons periodic array: role of insulator-metal-insulator lattice mode. 2019 , 2, 389	4

491	Investigation of a SPR based refractive index sensor using a single mode fiber with a large D shaped microfluidic channel. 2019 , 2, 3008	17
490	Plasmonic corrugated waveguide coupled to a rectangular nano-resonator as an optical filter. 2020 , 3, 3314	2
489	Thermal Emitter Design based on Gap and Spacer Plasmon Mode Coupling. 2016 ,	1
488	Numerical study on resonant wavelength control of split ring resonators with inductance variable structures in the optical wavelength region. 2013 , 38, 615-618	1
487	Measurement of ultrashort laser ablation of four metals (Al, Cu, Ni, W) in the single-pulse regime. 2020 , 9, 131-143	3
486	Observing and controlling a Tamm plasmon at the interface with a metasurface. 2020 , 9, 897-903	12
485	Design for quality: reconfigurable flat optics based on active metasurfaces. 2020 , 9, 3505-3534	32
484	Epitaxial aluminum plasmonics covering full visible spectrum. 2020 , 10, 627-637	6
483	Macroscopic QED for quantum nanophotonics: emitter-centered modes as a minimal basis for multiemitter problems. 2020 , 10, 477-489	17
482	Promising method for determining the concentration of nano-sized diamond powders in water suspensions. 2018 , 25, 158-164	3
481	Novel Development of Ultra-Fast and Ultra-High Density Magnetic Recording. 2014 , 134, 26-29	1
480	Fabrication of Electromagnetically Induced Transparency like Metamaterials in THz Region and Evaluation of the Transmittance Characteristics. 2015 , 135, 454-459	5
479	Reflection and structural characteristics of semi-bright and mirror bright nickel coatings. 2002 , 67, 437-443	4
478	Independent Color Filtering of Differently Polarized Light Using Metal-Insulator-Metal Type Guided Mode Resonance Structure. 2016 , 20, 180-187	5
477	Calculating the Threshold Energy of the Pulsed Laser Sintering of Silver and Copper Nanoparticles. 2016 , 20, 601-606	3
476	Rigorous Coupled-Wave Approach for Sandwich Gratings. 2016 , 04, 1439-1445	2
475	Optical Tamm state theory study on asymmetric DBR-metal-DBR structure. 2013 , 62, 167303	2
474	High-efficiency wavefront control with based on helical metamaterials. 2016 , 65, 217802	2

473	Mapping Characterization of SnO ₂ :F Transparent Conductive Oxide Layers by Ellipsometry Technique. 2012 , 51, 10NB01	6
472	Materials design of vertically coupled plasmonic arrays.	2
471	Design of Plasmonic Devices Using Time-Division Parallel Algorithm. 2021 ,	
470	Nonlocal Response of Plasmonic Nanostructures Excited by Dipole Emitters. 2021 ,	
469	Mueller Matrix for Chromium Nanofilms on a Glass Substrate. 2021 ,	0
468	Plasmonic Crystals with Conical Perforations as Multipurpose Optical Elements. 2021 ,	
467	Performance analysis of a photonic crystal fiber polarization filter filled with different materials. <i>Applied Optics</i> , 2021 , 60, 10176-10185	1.7
466	Near-Surface Buried Plasmonic Nanoparticles in Glass as Novel Nonlinear Saturable Absorbers for Ultrafast Lasers. 2101664	1
465	Optical Nano Monopoles for Interconnection Electronic Chips Applications. 2021 , 249, 168142	
464	Angular Scattered Light Intensity of Dipole Multipole Plasmonic Hybridization. 2021 , 125, 23231-23239	2
463	Electrochemistry and Optical Microscopy. 1-80	4
462	Advanced Optoelectronic and Micro-/Nanosensors. 2021 , 253-299	
461	A visible-infrared-compatible camouflage photonic crystal with heat dissipation by radiation in 58 th . 2021 , 100617	2
460	High ultraviolet transparent conducting electrodes formed using tantalum oxide/Ag multilayer. 2021 , 48, 3536-3536	0
459	Two-Dimensional Electromagnetic Scattering Solver. 2022 , 73-98	
458	FDTD Study on Evolution of Trimer Silver@Silica Nanospheres to Dimer for SERS Characteristics. 2021 , 1-6	1
457	Design of Broadband Infrared Photodetectors Enhanced by Dual-Mode Plasmonic Resonant Cavities. 1	
456	Achieving geometrical enhancement of fields in chiral nanoplasmonics using fractional calculus. 1-11	0

- 455 Ultra-Narrow SPP Generation from Ag Grating. **2021**, 21, 1
- 454 Experimental observation of the short-range surface plasmon polariton mode and its longitudinal adiabatic compression in a metallic wedge. **2021**, 29, 37161-37174 1
- 453 Surface plasmon resonance (SPR) based temperature and magnetic field sensor in a dual-core D-shaped photonic crystal fiber (PCF). 1-17 4
- 452 Drude-Lorentz Model for Optical Properties of Photoexcited Transition Metals under Electron-Phonon Nonequilibrium. **2021**, 11, 9902 2
- 451 Cog-shaped refractive index sensor embedded with gold nanorods for temperature sensing of multiple analytes. **2021**, 29, 37541-37554 3
- 450 All-angle negative refraction for surface plasmon waves using a metal-dielectric-metal structure. **2006**, 0
- 449 Numerical Prediction of Minimum Sub-Diffraction-Limit Image Resolved by Silver Surface Plasmon Lenses. **2009**,
- 448 The Sign of Refractive Index of Surface Plasmons in Metal-Dielectric-Metal Structures. **2009**,
- 447 Design of Metal-Slit Fresnel Lens for Enhanced Coupling Efficiency. **2009**, 20, 1-5
- 446 Infrared Planar Zero Index Metamaterials. **2010**,
- 445 Plasmonics. **2010**, 18-1-18-37
- 444 CMOS-compatible Plasmonic Waveguide Platform and Ring Resonator for Nanoscale Electronic-photonic Integrated Circuits. **2012**,
- 443 Plasmonics. **2012**, 279-299
- 442 Numerical study of surface plasmon polariton coupling on the metal-insulator hybrid gratings. **2013**, 62, 167301 3
- 441 Plasmonics and Super-Hydrophobicity: A New Class of Nano-Bio-Devices. **2013**, 501-524
- 440 Deep-UV Surface Plasmon Resonance for Enhancement of Fluorescence Excitation. **2013**, 41, 191
- 439 Thorough Correction to Mie's Solution for Plasmonic Metal Nano-Spheres. **2013**,
- 438 Near Field Properties and Plasmonic Effects of a Periodic Bowtie Antenna Array Embedded in a Substrate with Different Depths. **2013**, 152-156 1

- 437 Size measurement of nanostructure using digital super-resolution interference microscopy. **2014**,
- 436 Splitting of transmission modes in a nanoscale metal ring resonator with a notch. **2014**, 63, 017301 1
- 435 Optical Spin Generated by a Modified Add-Drop Filter for Network Sensors. **2014**, 307-315
- 434 Introduction to Matter Radiation Interaction. **2015**, 107-143
- 433 Unconditionally Stable Fundamental Alternating Direction Implicit FDTD Method for Dispersive Media. **2015**, 85-115 2
- 432 The Synthesis, Structure, and Properties of Titania-Coated Silica Nanowires. **2014**, 135-154
- 431 Development of Active Plasmon Devices Using NEMS Technology. **2015**, 135, 439-444 0
- 430 Deep-UV Surface Plasmon for High Sensitive Fluorescent Bio-Imaging. **2015**, 43, 280
- 429 Earth Long-Wave Infrared Emission, New Ways to Harvest Energy. **2015**, 1-25
- 428 Plasmonic lens with long focal length and tight focusing under illumination of a radially polarized light. **2015**, 64, 097301 1
- 427 Plasmonic propagation and spectral splitting in nanostructured metal wires. **2015**, 64, 097803 0
- 426 Attosecond XUV Pulses and Surface Plasmon Polaritons: Two Case Studies. **2016**, 259-293
- 425 Evaluation of Localized Polarized Light Generated by Nano Antennas for High-Density All-Optical Magnetic Recording. **2016**, 383-389
- 424 Plasmonic Effects of Low-Dimensional Electron Gas in Core-Shell Nanowires. **2016**, 0
- 423 Encyclopedia of Nanotechnology. **2016**, 1207-1216
- 422 Fabrication of Metamaterial Absorbers in THz Region and Evaluation of the Absorption Characteristics. **2016**, 136, 172-179
- 421 Encyclopedia of Nanotechnology. **2016**, 1197-1207 0
- 420 Refractive Indices of Elements and Binary Compounds. **2016**, 33-41

- 419 Introduction to Exotic World of Metamaterials. **2016**, 44, 5
- 418 High-Q Metamaterial Mid-IR Emitter on a Membrane Heater for Gas Sensing Applications. **2016**,
- 417 Encyclopedia of Nanotechnology. **2016**, 1-11
- 416 Optical Investigation of Radiation Induced Conductivity Changes in STT-RAM Cells. **2016**, 2
- 415 Chapter 1 Introduction. **2016**, 1-74
- 414 Chapter 3 Plasmonic Resonators. **2016**, 105-208
- 413 Chapter 5 Plasmonic Enhancement. **2016**, 225-286
- 412 Optimal design of photonic cooling film for buildings based on improved genetic algorithm. **2016**,
- 411 Chapter 7 Dielectric Properties of Bionanocomposites. **2016**, 139-170
- 410 Discussion and Outlook. **2017**, 145-158
- 409 High Efficiency Optical Phase Control Based on Thick Metallic Nanoparticle Arrays. **2017**,
- 408 Earth Long-Wave Infrared Emission, New Ways to Harvest Energy. **2017**, 1875-1899
- 407 Material Loss Omits Nonlinearity in Optically Thick Materials. **2017**,
- 406 Silicon metamaterials for infrared applications. **2017**, 347-372
- 405 Polarization-independent multi-peak plasmonic absorber. **2017**,
- 404 Plasmomechanical suspended nanowire array detectors for mid-infrared spectrum. **2017**,
- 403 Resonance modes in unbalanced Mach-Zehnder interferometers embedded in plasmonic waveguides. **2017**,
- 402 Low cost ellipsometer using a standard commercial polarimeter. **2017**,

- 401 Ultrabroadband polarization-independent absorber based on hyperbolic metamaterial. **2017**,
- 400 Polarization-selective infrared bandpass filter based on a two-layer subwavelength metallic grating. **2017**,
- 399 References. 663-682
- 398 Electro-Optically Tunable Switching Action Enhanced by Long-Range Surface Plasmon. **2018**, 727-731
- 397 Simple field enhancement formulation for gold bipyramids for application in two-photon luminescence and scattering. **2018**,
- 396 Introduction. **2018**, 1-63
- 395 Transmission Characteristics of Periodic Au Slits at Terahertz Regimes. **2018**, 29, 77-82 1
- 394 Interparticle coupling effect of silver-gold heterodimer to enhance light harvesting in ultrathin perovskite solar cell. **2018**, 8, 1 1
- 393 Investigating the optical properties of nanogap optical antennas. **2018**,
- 392 Optical planar filter for visible RGB resonance. **2018**,
- 391 Hyperbolic metamaterials based on metal-dielectric thin layers. **2018**,
- 390 Broadband polarization-independent absorber based on multilayered metamaterial. **2018**,
- 389 Fractal plasmonic metamaterial with tunable properties in the near-infrared. **2018**,
- 388 Plasmonic-induced transparency in a MIM waveguide with two side-coupled rectangular ring disk structures. **2018**,
- 387 Electrical internal quantum efficiency improved by interval doping method. *Applied Optics*, **2018**, 57, 10072-10082 1.7 2
- 386 Property optimization of hybrid plasmonic Bragg gratings through optical admittance matching analysis. **2018**,
- 385 Optical and electrical performance of Schottky diodes on low loss SOI waveguides. **2019**, 2, 74
- 384 High nonlinear behavior of optical reflectivity in surface plasmon resonance structures which contain amorphous As₂S₃ thin films. **2018**,

- 383 Design of a Label-Free Multiplexed Biosensing Platform Based on an Ultracompact Plasmonic Resonant Cavity. **2019**, 263-267
- 382 Ultra-small shape-simplified optical diode derived from topology optimal design in plasmonic waveguide. **2019**, 16, 20190598-20190598 1
- 381 UV-Nanoimprinted Metasurface Thermal Emitters for Infrared CO₂ Sensing. **2019**, 71-86
- 380 Investigation of valence band reconstruction methods for attosecond streaking data from surfaces. **2019**, 27, 9394-9402
- 379 Coupling between subwavelength nano-slit lattice modes and metal-insulator-graphene cavity modes: a semi-analytical model. **2019**, 2, 1296 2
- 378 Molecular spacers in nanocube patch antennas: a platform for embedded molecular electronics. **2019**, 0
- 377 Amplitude spiral zone plates for generation of optical vortices. **2019**,
- 376 Analysis of focusing properties of amplitude zone plates. **2019**,
- 375 Non-passive approximation as a tool to study the realizability of amplifying media. **2019**,
- 374 Spectral and temporal modulations of femtosecond SPP wave packets induced by resonant transmission/reflection interactions with metal-insulator-metal nanocavities. **2019**, 27, 22582-22601 3
- 373 Exploring ultrafast single-photon emission of silicon-vacancy color centers in diamond nano-membranes coupled with gold nano-cones. **2019**, 0
- 372 Functional metamaterials for optical sensing of hydrogen. **2019**,
- 371 Association of Model Neurotransmitters with Lipid Bilayer Membranes.
- 370 Theoretical analysis of the optical Hall effect in a 2D nano-cross-slit grating in the extraordinary optical transmission range. **2019**, 36, 3492
- 369 Suspended core microstructured optical fibers with diverse arrangements of gold-filled holes: study of the polarization characteristics and resonance strength. **2019**, 36, 3364
- 368 A simple and robust surface integral method to model light and matter interactions. **2019**,
- 367 Dual-Color Metal-Induced Energy Transfer (MIET) Imaging for Three-Dimensional Reconstruction of Nuclear Envelope Architecture. **2020**, 2175, 33-45 0
- 366 Surface Plasmon Resonance. **2020**, 61-115

365	Resonance-enhanced transmission of surface plasmon polariton wave-packets through metal-insulator-metal nanocavities. 2020 ,		1
364	Geometrical optimization for silver nanowire mesh as a flexible transparent conductive electrode. <i>Applied Optics</i> , 2020 , 59, 3073-3080	1.7	
363	Design and Simulation of Polarization-Sensitive ENNZ-Lined Apertures for Visible-Light Metasurfaces. 2020 ,		
362	Near-Field Electroluminescent Refrigeration System Consisting of Two Graphene Schottky Diodes. 2020 , 142,		1
361	Consideration of temperature-dependent emissivity of selective emitters in thermophotovoltaic systems. <i>Applied Optics</i> , 2020 , 59, 5457	1.7	1
360	Reflection control by metal-dielectric-metal metasurfaces using offset micropatches at infrared wavelengths. 2020 , 3, 1568		
359	. 2020 ,		
358	Periodicity control of laser-induced periodic nanostructures by thin deposition layer on sapphire substrate. 2020 , 13, 096503		0
357	A numerical study of plasmon-induced enhancement of dipole emission by arrays of silver nanospheres and nanoprisms. 2021 , 2058, 012005		
356	Multi-channel few-mode multicore fiber based surface plasmon resonance biosensor with open air-hole. 2020 , 69, 137802		0
355	Classical Electrodynamics of Solids. 2020 , 13-49		0
354	Dispersion-based intertwined SEIRA and SPR effect detection of 2,4-dinitrotoluene using a plasmonic metasurface. 2020 , 28, 39595-39605		2
353	Investigating the impact of metallic nanoparticles on performance of nanowire-based plasmonic photodetectors. 2020 , 14, 406-410		1
352	The Simulation of Gold Nanoparticle in a TiO ₂ Matrix Absorption and Reflection Spectra. 2020 , 1695, 012115		0
351	Surface Enhanced Raman Scattering of Silver Nanoparticles with Slot Waveguide. 2020 ,		
350	Ultrahigh-figure-of-merit refractive index sensor based on the Rayleigh anomaly resonance. <i>Applied Optics</i> , 2020 , 59, 10980-10985	1.7	3
349	Enhanced absorption per unit mass for infrared arrays using subwavelength metal/dielectric structures. 2021 , 38, 183		2
348	Investigating the Optical Behavior of Single/Multi-Dimensional Photonic Crystal Structures for Photovoltaic Applications. 2020 , 5, 951-958		

- 347 Size-dependent emission of a dipole coupled to a metal nanoparticle. **2020**, 5, 3315-3325
- 346 MEMS Plasmonics and Memristive Plasmonics for Optical Communications. **2020**,
- 345 Resonant Characteristics in Sandwich Gratings. **2020**, 08, 3070-3074
- 344 Design of Compact Long-Wavelength-Pass Filter in Metal-Dielectric-Metal Plasmonic Waveguide with Stubs Using Transmission Line Model. **2020**, E103.C, 11-15
- 343 Optical Force on Asymmetric Au@SiO₂ Core-Shell Particle. **2020**,
- 342 Optical constants of sputtered beryllium thin films determined from photoabsorption measurements in the spectral range 20.4-250 eV. **2020**, 27, 75-82 2
- 341 Enhanced extinction ratios of metasurface polarizers by surface-plasmon interference. **2020**, 37, 673 1
- 340 Asymmetric chiroptical effect from chiral medium filled golden slit grating on substrate. **2020**, 45, 1330-1333
- 339 Nano-antenna synthesis for an arbitrary far-field radiation pattern and polarization based on vector spherical wave functions expansion. *Applied Optics*, **2020**, 59, 2431-2442 1.7 1
- 338 Design of Surface Plasmon Resonance Sensor with Bruggeman Effective Medium Layers. **2020**, 29, 118-122
- 337 Subwavelength high-performance polarizers in the deep ultraviolet region. **2020**, 28, 11652-11665 0
- 336 Magneto-Optic Effects and Enhancement Methods. **2020**,
- 335 Classical electronic and molecular dynamics simulation for optical response of metal system. **2021**, 155, 174118 1
- 334 Photonic Cavity Effects for Enhanced Efficiency in Layered Perovskite-Based Light-Emitting Diodes. **2021**, 11, 1 1
- 333 The performance of surface enhanced Raman scattering and spatial resolution with triangular plate dimer from ultra-ultraviolet to near-infrared range. **2021**, 34, 1 1
- 332 Design of hybrid narrow-band plasmonic absorber based on chalcogenide phase change material in the infrared spectrum. **2021**, 11, 21919 1
- 331 Multi-function beam control of terahertz wave by hybrid metamaterial. **2021**, 31, 126202
- 330 Combination of Porous Silk Fibroin Substrate and Gold Nanocracks as a Novel SERS Platform for a High-Sensitivity Biosensor. **2021**, 11, 1 1

329	Optical rectification by ratchet transport in an asymmetric grating. 2021 , 11, 115006		0
328	High and flat spectral responsivity of quartz tuning fork used as infrared photodetector in tunable diode laser spectroscopy. 2021 , 8, 041409		20
327	Thin-film InAs/GaAs quantum dot solar cell with planar and pyramidal back reflectors. <i>Applied Optics</i> , 2020 , 59, 6304-6308	1.7	2
326	The Design of a Switchable Infrared Hybrid Plasmonic Metasurface Absorber for Energy Harvesting Applications. 2020 ,		
325	Selection of Hydrodynamic Models for the Nonlocal Response of Plasmonic Nanotopologies. 2020 ,		
324	Simple technique for determining the refractive index of phase-change materials using near-infrared reflectometry. 2020 , 10, 1675		
323	Silver nanoparticle on aluminum mirror: active spectroscopy and decay rate enhancement. 2020 , 31, 505206		6
322	Numerical study of biosensor based on MoO_3/Au hyperbolic metamaterial at visible frequencies. 2021 , 54, 034001		3
321	Metal-enhanced bright-field microscopy. 2020 , 59, 9971-9977		1
320	İnce Film Organik Fotovoltaikler İth Alana Bağlı Toplama Modeli.		
319	Analysis of the dielectric function of aluminum (Al) in bulk and nanometric states. 2020 , 710, 90-102		
318	Improving graphene/4H-SiC/graphene MSM UV photodetector sensitivity using interdigitated electrodes formalism and embedded gold plasmonic nanoparticles. 2022 , 148, 107683		0
317	Near-Infrared Spectroscopic Gas Detection Using a Surface Plasmon Resonance Photodetector with 20 nm Resolution.		1
316	Usability of Tilted Plasmon Antenna with Structured Light. 2021 , 8, 504		
315	Magneto-Optical Activity in Nonmagnetic Hyperbolic Nanoparticles. 2021 , 127, 217402		5
314	An Eigenmode Study of Nanoantennas from Terahertz to Optical Frequencies. 2021 , 10, 2782		2
313	Genetic-algorithm-aided ultra-broadband perfect absorbers using plasmonic metamaterials.. 2022 , 30, 1167-1181		1
312	GeSnOI mid-infrared laser technology. 2021 , 10, 232		5

- 311 Simulated Study of High-Sensitivity Gas Sensor with a Metal-PhC Nanocavity via Tamm Plasmon Polaritons. **2021**, 8, 506 1
- 310 Physical properties of rhodium retrieved from modelling its dielectric function by a simulated annealing approach..
- 309 Impact of Pre-Patterned Structures on Features of Laser-Induced Periodic Surface Structures. **2021**, 26, 1
- 308 Double Narrow Notch Spectral Filter Design Using Waveguide Grating on Metal Substrate. **2021**, 09, 3088-3093
- 307 Simulations and Experimental Study of Individual Au Nanoparticle Using Photothermal Heterodyne Imaging (PHI). **2021**, 1-1 2
- 306 Ultra-Broadband Long-Wave Infrared Metasurface Absorber Based on Peano Fractal Curve.
- 305 Optical Properties of Iron to 30 eV. **2021**, 12, 622-638
- 304 Ultra-broadband long-wave infrared metasurface absorber based on Peano fractal curve. **2022**, 33, 105169 2
- 303 Optical calculation of transparency of Ag film cathode in top-emitting OLED application. **2022**, 203, 111038
- 302 Nanoparticle-enhanced absorptivity of copper during laser powder bed fusion. **2022**, 51, 102562 0
- 301 Strong coupling between an inverse bowtie Nano-Antenna and a J-aggregate.. **2021**, 610, 438-445 1
- 300 Comprehensive analysis of an optimized near-field tandem thermophotovoltaic converter. **2022**, 236, 111522 2
- 299 Multi-Objective Optimization Using Function-Expansion-Based Refractive Index Representation for Photonic Devices. **2020**, 0
- 298 Modeling of a plasmonic lens in thin gold and silver films. **2021**,
- 297 Theoretical and experimental study of spiral zone plates in aluminum thin film. **2021**,
- 296 Electromagnetic Analysis of Thin Film with Periodic Metal. **2021**,
- 295 Numerical simulation of a plasmonic lens for laser light focusing. **2021**, 2103, 012174
- 294 Influence of non-Hermitian mode topology on refractive index sensing with plasmonic waveguides. 0

293	Quantum tunneling effect on the surface enhanced Raman process in molecular systems.. 2022 , 30, 4845-4855	
292	Wide-angle and broadband solar absorber made using highly efficient large-area fabrication strategy.. 2022 , 30, 4424-4433	7
291	Light Harvesting in Magnetite-Coated Plasmonic Metal Nanospheres. 2022 , 126, 885-891	0
290	Influence of ROCK Pathway Manipulation on the Actin Cytoskeleton Height.. 2022 , 11,	1
289	Shell thickness-dependent Au@Ag nanorods aggregates for rapid detection of thiram. 2022 , 16, 1448	1
288	Effective mass of cavity-vibration polaritons formed in etalons with liquid carbon tetrachloride.. 2022 , 156, 044508	1
287	Metasurface-empowered spectral and spatial light modulation for disruptive holographic displays.. 2022 ,	1
286	Resonance mode analysis of DNA self-assembled metamolecules with an effective refractive index model.. 2022 , 47, 834-837	
285	Overview of photonic devices based on functional materials-integrated photonic crystal fibers.	0
284	Highly Sensitive Plasmonic Fiber-Optic Sensors using Group IV Transition Metal Nitrides: a Numerical Investigation. 1	1
283	The role of defects, deuterium, and surface morphology on the optical response of beryllium.	1
282	Utilization and efficient computation of polarization factor Q for fast, accurate BRDF modeling.. 2022 , 30, 5803-5816	
281	Surface phonon polaritons for infrared optoelectronics. 2022 , 131, 030901	6
280	Nano-antenna array for high efficiency sunlight harvesting.. 2022 , 30, 7017-7034	1
279	Nanophotonics-enabled High-efficiency Selective Solar Absorbers for Waste Heat Management. 2022 , 1-1	0
278	Surface plasmon resonance sensing with thin films of palladium and platinum - quantitative and real-time analysis.. 2022 ,	1
277	Effect of Adhesive Layers on Photocurrent Enhancement in Near-Infrared Quantum-Dot Photodetectors Coupled with Metal-Nanodisk Arrays. 2021 , 55, 654	
276	Two-dimensional biocompatible plasmonic contact lenses for color blindness correction.. 2022 , 12, 2037	3

- 275 Remarkably enhanced photocatalytic performance of Au/AgNbO₃ heterostructures by coupling piezotronic with plasmonic effects. **2022**, 95, 107031 6
- 274 Photo-induced processes of iron oxide nanoparticles to enhance laser therapy. **2022**, 10, 44-58
- 273 Analysis of a bidirectional metamaterial perfect absorber with band-switchability for multifunctional optical applications. **2022**, 34, 105313 2
- 272 Nano-cylindrical hole metamaterials for high-efficiency ultra-bandwidth two-dimensional diffraction. **2022**, 125, 112065 1
- 271 Wagon wheel Fiber based Surface Plasmon Resonance Biosensors with bimetallic spatially deposited metal layers. **2022**,
- 270 Transient Analysis Method for Plasmonic Devices by PMCHWT with Fast Inverse Laplace Transform. **2022**, 1-1 1
- 269 Microstructured fiber sensor based on resonance coupling between cladding mode and surface plasmon mode for sucrose determination. **2022**, 1-1
- 268 Optical fiber surface plasmon resonance sensor based on the gold-coated hollow fiber structure for the detection of liquid with high refractive index. **2022**, 1-1
- 267 Achieving 9.6% efficiency in 304 nm p-AlGa_n UVB LED via increasing the holes injection and light reflectance.. **2022**, 12, 2591 9
- 266 Optical Properties and Optimization of LaB₆ Thin Films for Photothermal Applications. 2101787 1
- 265 High-Frequency Light Rectification by Nanoscale Plasmonic Conical Antenna in Point-Contact-Insulator-Metal Architecture. 2103785 2
- 264 Biological SERS-active sensor platform based on flexible silk fibroin film and gold nanoislands.. **2022**, 30, 7782-7792 1
- 263 Self-referenced refractive index sensor based on double-dips method with bimetal-dielectric and double-groove grating.. **2022**, 30, 8376-8390 2
- 262 Vibrational Strong Light-Matter Coupling in an Open Microcavity Based on Reflective Germanium Coatings.. **2022**,
- 261 Super-resolution imaging of the third dimension of the actin cytoskeleton using metal-induced energy transfer and micropatterning. **2022**, 0
- 260 Wearable and Biocompatible Blood Oxygen Sensor Based on Heterogeneously Integrated Lasers on a Laser-Induced Graphene Electrode. 0
- 259 Designing plasmonic metasurface absorbers with desirable absorption values for different thermal applications. **2022**, 97, 055504
- 258 Analysis and optimization of the photothermal properties of Au nanoshells and nanospheroids.

257	Quantitative modeling of near-field interactions incorporating polaritonic and electrostatic effects.. 2022 , 30, 11619-11632	1
256	Nonlinear all-optical modulator based on non-Hermitian PT symmetry. 2022 , 10, 980	0
255	Ultrafast imaging analysis of femtosecond laser induced periodic nanoripples on Al film. 2022 , 128, 1	
254	Propagation analysis of space-time surface plasmon polariton wave packet excited by light irradiation on nanobeam structure. 2022 ,	0
253	Combining metal induced energy transfer and atomic force microscopy to probe the mechanoresponse of a focal adhesion. 2022 ,	0
252	Modulating the temporal dynamics of nonlinear ultrafast plasmon resonances. 2022 , 24, 045003	0
251	Design and analysis of the reconfigurable plasmonic absorbers based on hexagonal periodic gratings. 2022 ,	
250	MXenes-Based Fiber-Optic SPR Sensor for Colorectal Cancer Diagnosis. 2022 , 22, 6661-6668	6
249	Optimizing Molecular Light Absorption in the Strong Coupling Regime for Solar Energy Harvesting. 2022 , 107244	0
248	SPASER as Nanoprobe for Biological Applications: Current State and Opportunities. 2100622	0
247	Generation of quasi-cylindrical waves during inhomogeneous heating of a metal by a focused laser pulse. 2022 , 433, 128026	1
246	Prediction of the power conversion efficiency of Perovskite-on-CIGS tandem and triple junctions thin-film cells under solar concentration irradiations by optimization of structural and optoelectronic materials characteristic. 2022 , 280, 115712	0
245	Semiconductor-dielectric-metal solar absorbers with high spectral selectivity. 2022 , 240, 111735	0
244	Which factor determines the optical losses in refractory tungsten thin films at high temperatures?. 2022 , 588, 152927	1
243	Probing ND7/23 neuronal cells before and after differentiation with SERS using Sharp-tipped Au nanopyramid arrays. 2022 , 361, 131724	1
242	Multiple scattering of light in nanoparticle assemblies: User guide for the terms program. 2022 , 284, 108131	1
241	Optimization of a grating structure in hexagonal array with omnidirectional emission for daytime radiative cooling. 2022 , 284, 108165	1
240	Angular dependence of coaxial and quasi-coaxial monitoring systems for process radiation analysis in laser materials processing. 2022 , 155, 107050	1

- 239 Investigation of Plasmonic Lens with Annular Structure for Laser Light Focusing. **2021**,
- 238 Polysorbate- and DNA-Mediated Synthesis and Strong, Stable, and Tunable Near-Infrared Photoluminescence of Plasmonic Long-Body Nanosnowmen. **2021**, 1
- 237 Brochosome-Inspired Metal-Containing Particles as Biomimetic Building Blocks for Nanoplasmonics: Conceptual Generalizations.. **2021**, 6, 0
- 236 Resonant nanocavity-enhanced graphene photodetectors on reflecting silicon-on-insulator wafers. **2021**, 119, 232104 1
- 235 Full-Color Solar-Heat-Resistant Films Based on Nanometer Optical Coatings.. **2021**, 7
- 234 Energy and momentum of the surface plasmon-polariton supported by a thin metal film. **2021**,
- 233 Magnetron sputtered TiO₂ with metal NPs for plasmonic applications. **2021**, 2086, 012018
- 232 Electrically Controlling and Optically Observing the Membrane Potential of Supported Lipid Bilayers.
- 231 Broadband high-efficiency near-infrared graphene phase modulators enabled by metal nanoribbon integrated hybrid plasmonic waveguides. **2022**, 11, 613-623 0
- 230 Multi-mode plasmonic resonance broadband LWIR metamaterial absorber based on lossy metal ring.. **2022**, 30, 473-483 2
- 229 Role of metal-nanostructure features on tip-enhanced photoluminescence of single molecules. **2021**, 155, 214304 0
- 228 A perfect selective metamaterial absorber for high-temperature solar energy harvesting. **2021**, 230, 1165-1174 8
- 227 Optical properties of plasmonic metal nanoparticles on GaN surface. **2021**, 2086, 012127 0
- 226 Effective Medium Theory of Metamaterials and Metasurfaces. **2022**, 0
- 225 Optical fiber hydrogen sensor based on the EVA/Pd coated hollow fiber. **2022**, 1-1
- 224 Continuous and efficient purification of seawater using suspended photothermal nanocomposite fabrics with self-floatation. **2022**, 105270 0
- 223 Unraveling the temperature dynamics and hot electron generation in tunable gap-plasmon metasurface absorbers. **2022**, 1
- 222 Tuning the structural and optical properties of GeSiSn/Si multiple quantum wells and GeSn nanostructures using annealing and a faceted surface as a substrate. **2022**, 593, 153421 1

221 Data_Sheet_1.PDF. 2020,

220 Plasmonic All-Frame-Faceted Octahedral Nanoframes with Eight Engraved Y-Shaped Hot Zones.. 2022, 3

219 Influence of an Atomistic Protrusion on the Substrate on Molecular Luminescence in Tunnel Junctions.

218 Bimetallic nanowire based multianalyte SPR biosensor with Photonic Crystal Fiber. 2022,

217 High Sensitivity Surface Plasmon Resonance Sensor Based on a Ge-Doped Defect and D-Shaped Microstructured Optical Fiber.. 2022, 22, 2

216 Lithography-free wide-angle polarization-independent ultra-broadband absorber based on anti-reflection effect. 2022, 30, 16847 3

215 Surface Plasmon ResonanceBased Refractive Index Biosensor: an External Sensing Approach. 1 0

214 Ultra-Sensitive Si-Based Optical Sensor for Nanoparticle-Size Traditional Water Pollutant Detection. 2022, 9, 289

213 Polarization-selective absorption and transmission metamaterials. 2

212 Plasmon mode manipulation based on multi-layers hyperbolic metamaterials. 2

211 Influence of Electronic Non-Equilibrium on Energy Distribution and Dissipation in Aluminum Studied with an Extended Two-Temperature Model. 2022, 12, 1655 2

210 Optically transparent infrared selective emitter for visible-infrared compatible camouflage. 2022, 30, 17259 0

209 Theoretical Studies and Simulation of GoldSilicaGold Multilayer NanoshellsFor Sensing Applications.

208 Research on the applicability of color vision-based roughness inspection method. 2022, 10, 025016

207 High sensitivity metal-insulator-metal sensor based on ring-hexagonal resonator with a couple of square cavities connected. 0

206 Size distribution evolution and viscosity effect on spherical submicrometer particle generation process by pulsed laser melting in liquid. 2022, 404, 117445 0

205 Design and optimization of mid-infrared hot electron detector based on Al/GaAs fishnet nanostructure for CO2 sensing. *Applied Optics*, 2022, 61, 4270 1.7

204 Transforming Space with Non-Hermitian Dielectrics.. 2022, 128, 183901 1

- 203 A highly sensitive plasmonic refractive index sensor based on concentric triple ring resonator for cancer biomarker and chemical concentration detection. **2022**, 128429 1
- 202 Plasmon resonance based gold nanoparticle doped optical fibre strain sensing. **2022**, 153, 108272
- 201 Gap Effect on Electric Field Enhancement and Photothermal Conversion in Gold Nanostructures. **2022**, 13, 801
- 200 All-optical light control with a AlGaAs-based metal-PhC cavity via multiple optical Tamm states. **2022**, 51, 101030 1
- 199 Radiative Characteristics of a Nanofacet-Sandwiched Structure with Adjustable Spectral Control.
- 198 Enhancing Plasmon Excitation of Small Au Nanoparticles via Light Scattering from Metal-Oxide Supports. 0
- 197 Mid-Infrared Response from Cr/n-Si Schottky Junction with an Ultra-Thin Cr Metal. **2022**, 12, 1750 1
- 196 A method to measure the refractive index for photoluminescence modelling. 0
- 195 Experimental study of the copper-coated hollow fiber surface plasmon resonance sensor. **2022**, 520, 128481
- 194 Near-perfect spectrally-selective metasurface solar absorber based on tungsten octagonal prism array. **2022**, 12, 16823-16834 1
- 193 Error-Controllable Scheme for the LOD-FDTD Method. **2022**, 7, 135-141 1
- 192 Wafer-Scale 200 mm Metal Oxide Infrared Metasurface with Tailored Differential Emissivity Response in the Atmospheric Windows. 2200452 0
- 191 Human Angiotensin I-Converting Enzyme Produced by Different Cells: Classification of the SERS Spectra with Linear Discriminant Analysis. **2022**, 10, 1389 0
- 190 Deep learning based analysis of microstructured materials for thermal radiation control. **2022**, 12, 2
- 189 Absorption Enhancement in a Quantum Dot Thz Detector with a Metal-Semiconductor-Metal Structure. **2022**, 12, 874
- 188 Substrate-Modulated Electric and Magnetic Resonances of Lithium Niobite Nanoparticles Illuminated by White Light. **2022**, 12, 2010 1
- 187 Modulation Technique of Localized Surface Plasmon Resonance of Palladium Nanospheres by Coating with Titanium Dioxide Shell for Application to Photothermal Therapy Agent. **2022**, 17, 0
- 186 Optimum Excitation Wavelength and Photon Energy Threshold for Spintronic Terahertz Emission from Fe/Pt Bilayer. **2022**, 104615 1

- 185 Source/Drain Activation for Flexible Poly-Si Nanoscale pFETs with a Laser-Buffer Layer by CO₂ laser Annealing. **2022**, 11, 065007
- 184 Perfect selective metamaterial absorber with thin-film of GaAs layer in the visible region for solar cell applications. **2022**, 54, 0
- 183 Selectivity of dominant surface plasmon polariton modes using thin metal waveguides with grating structures.
- 182 Polarization insensitive, wide angle and wideband anisotropic metamaterial absorber comprising phase change Ge₂Sb₂Te₅ (GST)/SiO₂ layered media. 1-12 1
- 181 A New Method to Analyse the Role of Surface Plasmon Polaritons on Dielectric-Metal Interfaces. **2022**, 14, 1-9 1
- 180 Calculation of Lateral Optical Energy Flow in Bound Modes in Organic Light-Emitting Diodes.
- 179 Structural characterisation of nanoalloys for (photo)catalytic applications with the Sapphire library.
- 178 Teaching About Metamaterials and Nanotechnologies. **2022**,
- 177 Heat and Temperature Localization via Fabry-Pérot Resonances at the Tip of a Nanofocusing Cone. 2200746
- 176 Why Color Matters Proposing a Quantitative Stability Criterion for Laser Beam Processing of Metals Based on Their Fundamental Optical Properties. **2022**, 12, 1118 1
- 175 A Fractional Model of Complex Permittivity of Conductor Media with Relaxation: Theory vs. Experiments. **2022**, 6, 390 1
- 174 Intensity of photonic nanojets improved by means of a mirror. 1
- 173 A family of perforated submicrometer core-shell plasmonic particles bio-inspired by leafhopper brochosomes. **2022**, 54,
- 172 Single-step fabricated disordered pyramidal nanostructures for large-scale broadband visible light absorber with high-temperature stability. **2022**, 154279 1
- 171 Self-Powered Lithium Niobate Thin-Film Photodetectors. 2203532 3
- 170 Diffraction of laser radiation by a binary zone plate with fractional order. **2022**, 0
- 169 Numerical simulation of the diffraction of optical vortices by a plasmonic lens with a ring structure. **2022**,
- 168 Multi-functional graphene-based tunable beam splitter in terahertz band. 1-18

- 167 A new model for acoustic attenuation of GHz waveguide induced by metal electrodes in piezoelectric composites. **2022**, 107564 0
- 166 Mid-infrared complex permittivity in Bi₂Sb Te₃-Se thin films synthesized using a combinatorial method. **2022**, 757, 139406
- 165 Surface plasmon polariton in Metal-Insulator-Metal configuration. 1-9 0
- 164 Topological edge states of long-range surface plasmon polariton at the telecommunication wavelength.
- 163 Fully Depleted Self-Aligned Heterosandwiched Van Der Waals Photodetectors. 2203283 9
- 162 Dynamical characteristics of the surface plasmon-polariton wave supported by a thin metal film. **2022**, 24, 095003 0
- 161 Rapid Solar Heating of Antimicrobial Ag and Cu₂O Nanostructured Plasmonic Textile for Clean Water Production. 0
- 160 Engineering a strong and stable ultraviolet chiroptical effect in a large-area chiral plasmonic shell. **2022**, 30, 31486 0
- 159 Nesting of multiple polyhedral plasmonic nanoframes into a single entity. **2022**, 13, 2
- 158 Formation of Ag/Pt bimetallic nanoparticles obtained by ion implantation in α -Al₂O₃. **2022**, 51, 101051
- 157 Design of large-area metasurfaces for the mid-IR and suited for CMOS-compatible fabrication by masked lithography. **2022**, 51, 101050
- 156 Efficiency enhancement by transient electron dynamic control in shaped femtosecond laser fabrication of metals. **2022**, 603, 154441
- 155 Modeling thermal response of Mo thin films upon single femtosecond laser irradiation: Dynamics of film melting and substrate softening. **2022**, 196, 123292 1
- 154 Damage threshold evaluation of thin metallic films exposed to femtosecond laser pulses: The role of material thickness. **2022**, 156, 108484 0
- 153 Designing a perfect Phosphorene-Plasmon absorber and investigating its geometric irregularity effects: A simulation study. **2022**, 156, 108519
- 152 Mid-infrared chiral metasurface absorbers with split-ellipse structures. **2022**, 525, 128854
- 151 High-mobility magnetic two-dimensional electron gas in engineered oxide interfaces. 0
- 150 Photon confinement in a silicon cavity of an image sensor by plasmonic diffraction for near-infrared absorption enhancement. **2022**, 30, 35516 0

- 149 A broadband SPR dual-channel sensor based on a PCF coated with sodium-silver for refractive index and temperature measurement. **2022**, 41, 105943 ○
- 148 Scanning-resonance optical sensing based on a laterally graded plasmonic layer optical properties of AgxAl1-x. **2022**, 606, 154770 ○
- 147 Design and analysis of an ultra-high sensitive and tunable metal-insulator-metal waveguide-coupled octagonal ring resonator utilizing gold nanorods. **2022**, 38, 100529 ○
- 146 Dropwise condensation reduces selectivity of sky-facing radiative cooling surfaces. **2022**, 198, 123399 ○
- 145 Novel fractal-textured solar absorber surfaces for concentrated solar power. **2022**, 248, 112010 1
- 144 A fully coupled opto-electro-thermal model to investigate silicon solar cells under real operating conditions. **2022**, 13, 20 ○
- 143 Broadband Infrared Absorption Due to Low Q-factor Dipole Modes of Cr Strips. **2022**, 59-68 ○
- 142 Surface Plasmon Resonance. **2022**, 63-118 ○
- 141 Inverse design of molecule-metal nanoparticle systems interacting with light for desired photophysical properties. **2022**, 24, 22768-22777 ○
- 140 Tailoring optical excitation to control magnetic skyrmion nucleation. **2022**, 106, 2 ○
- 139 Thermal Effect on Thin-Film Formation of the Polymer Sheets by the CO2 Laser with the Copper Base. **2022**, 14, 3508 ○
- 138 Modeling the optical properties of transparent and absorbing dielectrics by means of Symbolic Regression. ○
- 137 Design of Plasmonic Yagi-Uda Nanoantennas for Chip-Scale Optical Wireless Communications. **2022**, 22, 7336 2
- 136 Evolution of high-order Tamm plasmon modes with a metal-PhC cavity. **2022**, 12, ○
- 135 Power Loss Reduction of Angled Metallic Wedge Plasmonic Waveguides via the Interplay between Near-Field Optical Coupling and Modal Coupling. **2022**, 9, 663 ○
- 134 Bi-directional & multi-functional terahertz beam splitter with stacked configuration. **2022**, 137, ○
- 133 Ultrashort Laser Pulse Focusing by Amplitude and Phase Zone Plates. **2022**, 9, 662 ○
- 132 Chemical Interface Damping-Induced Attenuation of Surface Plasmon-Enhanced Raman Spectroscopy. **2022**, 9, 3000-3011 ○

131	Extraordinarily Transparent Metaldielectrics for Infrared and Terahertz Applications. 2022 , 3, 2200190	1
130	An Ultrathin Transparent Radiative Cooling Photonic Structure with a High NIR Reflection. 2201050	1
129	Hyperbolic metamaterials for large-area Surface-Enhanced Raman Scattering (SERS) sensing. 2022 ,	0
128	A Boundary Integral Equation Formalism for Modeling Multiple Scattering of Light from 3D Nanoparticles Incorporating Nonlocal Effects. 2200485	1
127	Hexagonal-boron nitride/graphene van der Waals heterostructure-based wavelength-selective infrared absorbers using plasmonic metasurfaces for multi-spectral infrared photodetectors.	1
126	Metallic support films reduce optical heating in cryogenic correlative light and electron tomography. 2022 , 214, 107901	1
125	Calculation of lateral optical energy flow in bound modes in organic light-emitting diodes. 2022 , 111, 106647	0
124	Surface plasmon polariton in multilayered configuration. 397-406	0
123	Angle-sensitive pixel based on silicon-on-insulator p-n junction photodiode with aluminum grating gate electrode. 2022 ,	0
122	Highly efficient, perfect, large angular and ultrawideband solar energy absorber for UV to MIR range. 2022 , 12,	3
121	A multi-junction-based near-field solar thermophotovoltaic system with a graphite intermediate structure. 2022 , 121, 163503	1
120	Rapid change in polarization accompanying Fabry-Pérot resonance in anodic porous alumina-coated with gold thin film.	0
119	Phonon Inelastic Scattering in Ultrathin HfO ₂ -Based Layer-by-Layer Nanostructure. 2022 , 43,	0
118	Experimental and numerical characterization of a D-shaped PCF refractive index sensor. 2022 , 54,	0
117	55.1: Invited Paper: Thin Metallic Nano-Patterned Transparent Electrodes for Optoelectronic Applications. 2022 , 53, 546-547	0
116	Quantitative modelling of photoluminescence from light-emitting metasurfaces via absorption calculations. 2022 ,	0
115	Spin-accumulation and spin-transport effects induced by surface plasmon-polariton waves.	0
114	Mechanism of nanostructure processing on Au and Ag nano-film by nanosecond laser illuminating cantilevered scanning near-field optical microscopy tip.	0

113	Plasmonic all-optical modulator based on the coupling of a surface Plasmon stub-filter and a meandered MIM waveguide. 2022 , 54,	0
112	Optimization of Colloidal Gold Nanoparticles on Porous Anodic Aluminum Oxide Substrates for Refractometric Sensing.	0
111	Multi-pulse agglomeration effects on ultrashort pulsed direct laser interference patterning of copper. 2022 , 155538	2
110	Impact of substrate on opto-thermal response of thin metallic targets under irradiation with femtosecond laser pulses.	0
109	Fabrication of Gyroid-Structured Metal/Semiconductor Nanoscaffolds with Ultrasensitive SERS Detection via Block Copolymer Templating. 2202280	1
108	Laser diagnostics to characterize the in-flame growth of platinum nanoparticles manufactured by the reactive spray deposition technology. 2022 , 246, 112412	0
107	Hexagonal-Holed Perfect Absorber for Sensing Applications. 2022 ,	0
106	Grating-Based Surface Plasmon Resonance Sensor for Visible Light Employing a Metal/Semiconductor Junction for Electrical Readout. 2022 , 1-1	0
105	First-principle study on electronic structures and optical properties of Au-Cu intermetallic compounds. 2022 , 104864	0
104	Investigation and Analysis of Absorption in One-Dimensional Dielectric-Metal Photonic Crystal Absorbers.	0
103	Ultra-compact Archimedes spiral plasmonic lens with a circular groove for low power optical trapping in the far-field region. 2022 , 30, 44018	0
102	Metal-Induced Energy Transfer (MIET) for Live-Cell Imaging with Fluorescent Proteins.	0
101	Highly ordered laser imprinted plasmonic metasurfaces for polarization sensitive perfect absorption. 2022 , 12,	0
100	Surface Lattice Resonance in Three-Dimensional Plasmonic Arrays Fabricated via Self-Assembly of Silica-Coated Gold Nanoparticles. 2022 ,	0
99	Influence of the temperature-dependent dielectric constant on the photoacoustic effect of gold nanospheres. 2022 , 24, 29667-29682	0
98	Linear Absorption. 2022 , 277-296	0
97	Spectrally stable thermal emitters enabled by material-based high-impedance surfaces.	0
96	Design and numerical simulation of a sensitive plasmonic-based nanosensor utilizing MoS2 monolayer and graphene. 2023 , 131, 109594	3

- 95 Slow-light effects based on the tunable Fano resonance in a Tamm state coupled graphene surface plasmon system. ○
- 94 Dynamic single microparticle manipulation in the far-field region using plasmonic vortex lens multiple arms with a circular groove. ○
- 93 Reflected light microscopy of a gold oxide layer formed on a Au film by ultraviolet/ozone treatment. **2023**, 764, 139631 ○
- 92 Asymmetric metal-semiconductor-metal cavities enhanced broadband mid-infrared detectors. **2023**, 147, 115592 ○
- 91 Tailoring surface topographies on solids with Mid-IR femtosecond laser pulses. **2023**, 612, 155879 1
- 90 OpenSANS: A Semi-Analytical solver for Nonlocal plasmonicS. **2023**, 284, 108609 ○
- 89 A Self-Referenced Refractive Index Sensor Based on Gold Nanoislands. **2023**, 23, 66 ○
- 88 Scattering dominated spatial coherence and phase correlation properties in plasmonic lattice lasers. **2022**, 24, 123002 ○
- 87 Seedless Synthesis of Disulfide-Grafted Gold Nanoflowers with Size and Shape Control and Their Photothermally Mediated Cell Perforation. ○
- 86 Plasmonic Sensors beyond the Phase Matching Condition: A Simplified Approach. **2022**, 22, 9994 ○
- 85 Effect of inexact quarter-wave plate on polarimetric measurements of the optical constants of metals using Monte Carlo method. ○
- 84 Role of Electrode Thickness in NiFe Nanogranular Films for Oxygen Evolution Reaction. ○
- 83 Theory of thermal radiation from a nanoparticle array. **2022**, 121, 241701 ○
- 82 Role of size-dependent damping due to electron-surface scattering on the Al nanoparticle-based deep ultraviolet surface enhanced fluorescence. ○
- 81 Temperature-resilient anapole modes associated with TE polarization in semiconductor nanowires. **2022**, 12, ○
- 80 Enhanced Spontaneous Emission of CsPbI₃ Perovskite Nanocrystals Using a Hyperbolic Metamaterial Modified by Dielectric Nanoantenna. **2023**, 13, 11 ○
- 79 High-efficiency two-dimensional diffraction grating. **2022**, ○
- 78 Nanoscale subparticle imaging of vibrational dynamics using dark-field ultrafast transmission electron microscopy. ○

- 77 Nonlocal effects investigation via the coupling between localized and acoustic plasmons. ○
- 76 Dual-channel-in-one temperature-compensated all-fiber-optic vector magnetic field sensor based on surface plasmon resonance. ○
- 75 Ultrahigh Extinction Ratio Long-Wave Infrared Polarization-Selective Broadband Metamaterial Absorber. 2200269 ○
- 74 MXenes as Alternative Plasmonic Coatings on 1D Photonic Crystals Platforms for Tamm Plasmon Polaritons. **2023**, 13, 198 ○
- 73 Fundamental study of femtosecond laser ablation mechanism in gold and the impact of GHz repetition rate and number of pulses on ablation volume. ○
- 72 Refractive Index Measurement Using SOI Photodiode with SP Antenna toward SOI CMOS-Compatible Integrated Optical Biosensor. **2023**, 23, 568 ○
- 71 Performance and polarization response of slit homogenizers for the GeoCarb mission. **2023**, 16, 195-208 ○
- 70 A Potential-Based Boundary Element Implementation for Modeling Multiple Scattering from Local and Nonlocal Plasmonic Nanowires. 2200722 ○
- 69 Polarization Diversity-enabled LOS/NLOS Identification via Carrier Phase Measurements. **2023**, 1-1 ○
- 68 Loss-Induced Performance Limits of All-Dielectric Metasurfaces for Terahertz Sensing. **2023**, 19, ○
- 67 Polarization and angular insensitive perfect metasurface absorber in near-ultraviolet region. **2023**, 17, ○
- 66 Observation of Ultrabroadband Striped Space-Time Surface Plasmon Polaritons. ○
- 65 Cell shape and tension alter focal adhesion structure. **2023**, 145, 213277 ○
- 64 Plasmon-enhanced Graphene/4HSiC/graphene metal-semiconductor-metal ultraviolet photodetector: Concept and optimization. **2023**, 651, 414623 ○
- 63 Precise regulation and control of hotspots in nanoparticle multilayer SERS substrates. **2023**, 187, 108371 ○
- 62 High-Mobility Magnetic Two-Dimensional Electron Gas in Engineered Oxide Interfaces. **2023**, 15, 2376-2383 ○
- 61 Design and theoretical research of plasmon induced transparency in metal-dielectric-metal waveguide. **2023**, ○
- 60 Spectral manifestation of optical Tamm states in a metal-cholesteric liquid crystals stack. **2023**, 107, ○

- 59 Miniaturized Design of a 1 D Plasmonic Demultiplexer Based on MetalInsulator-Metal Waveguide for Telecommunication Wavelengths. 2
- 58 Fabrication of linear polarizer in 7-14um infrared region by metal-assisted chemical etching. **2023**, 0
- 57 Observation of Weyl Interface States in Non-Hermitian Synthetic Photonic Systems. **2023**, 130, 0
- 56 Coupled Solution of Volume Integral and Hydrodynamic Equations to Analyze Electromagnetic Scattering From Composite Nanostructures. **2023**, 1-1 0
- 55 Broadband and Energy-Concentrated Absorber Based on Hemispherical-Embedded Structure. 2200301 0
- 54 Etalon-Assisted Determination of the Complex Index of Refraction of a Solution for the Study of Strong CavityVibrational Coupling of PF6In Acetonitrile. **2023**, 127, 980-995 0
- 53 Nanostructures for Solar Energy Harvesting. **2023**, 14, 364 0
- 52 Polymer optical fibers based surface plasmon resonance sensors and their applications: A review. **2023**, 77, 103256 0
- 51 Finite Element Models of Gold Nanoparticles and Their Suspensions for Photothermal Effect Calculation. **2023**, 10, 232 0
- 50 Visible-mid infrared ultra-broadband and wide-angle metamaterial perfect absorber based on cermet films with nano-cone structure. **2023**, 0
- 49 Plasmon-Mediated Energy Transfer between Two Systems out of Equilibrium. 0
- 48 Computational modelling of light-matter interaction in aSi with CdSe/ZnS core/shell quantum dots and metal nanoantenna for solar cell applications. **2023**, 98, 055012 0
- 47 Tapered waveguide mode converters for metal-insulator-metal waveguide plasmonic sensors. **2023**, 211, 112601 1
- 46 Highly Efficient Single-Exciton Strong Coupling with Plasmons by Lowering Critical Interaction Strength at an Exceptional Point. **2023**, 130, 0
- 45 Ellipsoid Defect in Trapezoidal-Shaped Cavities Coupled to Multi-resonance Plasmonic MetalInsulator-Metal Waveguide Toward Ultrasensitive Temperature Sensor. 0
- 44 Fuel classification and adulteration detection using a highly sensitive plasmonic sensor. **2023**, 40, 100560 0
- 43 Two-dimensional polarization beam splitter based on cylindrical nano grating. **2023**, 163, 109332 0
- 42 Study of Gold, Silver and Copper Thin Films for Plasmonic Sensors Applications. **2022**, 0

41	Performance analysis of a concentrated direct absorption solar collector (DASC) with nanofluids using computational fluid dynamics and discrete ordinates radiation modelling (CFD-DORM). 2023 , 205, 30-52	0
40	Attosecond field emission. 2023 , 613, 662-666	1
39	Design and analysis of Matts-shaped perfect metamaterial absorber using equivalent circuit model. 2023 , 275, 170605	0
38	Plasmonic near field transducer of nanocomposite with distributed feedback. 2023 , 13, 025004	0
37	Plasmon resonances of graphene-assisted core-bishell nanoparticles. 2023 , 98, 035509	0
36	Large-Area Smooth Conductive Films Enabled by Scalable Slot-Die Coating of Ti 3 C 2 T x MXene Aqueous Inks. 2023 , 33,	0
35	Deep learning-enabled broadband full-Stokes polarimeter with a portable fiber optical spectrometer. 2023 , 48, 1359	0
34	Bound states in the continuum enabling ultra-narrowband perfect absorption. 2023 , 25, 023020	0
33	The Design of a Glycerol Concentration Sensor Based on an LRSP Hybrid Photonic Biosensor. 2023 , 23, 2010	0
32	Distance-controlled surface-enhanced Raman spectroscopy of nanoparticles. 2023 , 48, 1454	0
31	Homogenized transition conditions for plasmonic metasurfaces. 2023 , 107,	0
30	60 nm Span Wavelength-Tunable Vortex Fiber Laser with Intracavity Plasmon Metasurfaces. 2023 , 10, 623-631	0
29	Selectively Exciting and Probing Radiative Plasmon Modes on Short Gold Nanorods by Scanning Tunneling Microscope-Induced Light Emission. 2023 , 10, 743-750	0
28	Role of Size-Dependent Damping Due to Electron Surface Scattering on the Al Nanoparticle-Based Deep Ultraviolet Surface-Enhanced Fluorescence. 2023 , 18, 781-791	0
27	Tuning Light-Matter Interactions with Mid-Infrared Plasmonic Coaxial Apertures. 2023 , 1, 771-778	0
26	Broadband circular dichroism in chiral plasmonic woodpiles. 2023 , 129,	0
25	Solid Particle Swarm Measurement in Jet Fuel Based on Mie Scattering Theory and Extinction Method. 2023 , 23, 2837	0
24	Numerical Analysis and Structure Optimization of Concentric GST Ring Resonator Mounted over SiO2 Substrate and Cr Ground Layer. 2023 , 11, 1257	0

- 23 Chiral Plasmonic Pinwheels Exhibit Orientation-Independent Linear Differential Scattering under Asymmetric Illumination. ○
- 22 Absorption of one-dimensional dielectric-metal photonic-crystal absorbers for terahertz range. **2023**, 24, 83-94 ○
- 21 Performance Enhancement of Surface Plasmon Resonance Sensor Based on 2D Nanomaterial. ○
- 20 Strategies to break the trade-off between infrared transparency and conductivity. **2023**, 136, 101112 ○
- 19 Thermoreflectance-based approach for surface temperature measurements of thin-film gold sensors. **2023**, 94, 034902 ○
- 18 Computational Modeling of Magnetic Field Optical Fiber Sensor Considering Temperature Effects. **2023**, 22, 91-100 ○
- 17 Finite element analysis on the near field properties of metallic cavities with atomic sharpness. **2023**, 47, 106360 ○
- 16 Near-Infrared Trapping by Surface Plasmons in Randomized Platinum-Ceramic Metamaterial for Thermal Barrier Coatings. 2201691 ○
- 15 Improved In Situ Characterization of Electrochemical Interfaces Using Metasurface-Driven Surface-Enhanced IR Absorption Spectroscopy. 2300411 ○
- 14 Surface Plasmon Electrochemistry: Tutorial and Review. **2023**, 11, 196 ○
- 13 Sensitivity Improvement of an Optical Fiber Sensor Based on Surface Plasmon Resonance with Pure Higher-Order Modes. **2023**, 13, 4020 ○
- 12 Programmable Nanophotonic Planar Resonator Filter-Absorber based on Phase-Change InSbTe. ○
- 11 Thermoplasmonic study of AuAg(10) alloy nanospheres. **2023**, 55, ○
- 10 Numerical Assessment of a Metal-Insulator-Metal Waveguide-Based Plasmonic Sensor System for the Recognition of Tuberculosis in Blood Plasma. **2023**, 14, 729 ○
- 9 Evanescent field trapping and propulsion of Janus particles along optical nanofibers. **2023**, 14, ○
- 8 Metal-Induced Energy Transfer (MIET) for Live-Cell Imaging with Fluorescent Proteins. ○
- 7 Coupling Strength and Total Damping Govern Electromagnetically Induced Absorption in Coupled Plasmonic Systems. ○
- 6 Insights into Laser-Matter Interaction from Inside: Wealth of Processes, Multiplicity of Mechanisms and Possible Roadmaps for Energy Localization. **2023**, 3-64 ○

- 5 Flexible correlated 4d² SrMoO₃/mica thin films with enhanced optoelectronic performance and high bending stability. **2023**,
- 4 Simple Method for Optical Detection and Characterization of Surface Agents on Conjugated Gold Nanoparticles.
- 3 Dielectric Cavity-Insulator-Metal (DCIM) Metamaterial Absorber in Visible Range. **2023**, 13, 1401
- 2 On photo-induced electrons in graphene-plasmonic nanoparticles. **2023**, 129,
- 1 Plasmonic refractive index sensing in the early diagnosis of diabetes, anemia, and cancer: An exploration of biological biomarkers. **2023**, 49, 106478