

# Black Carbon in Deep-Sea Sediments

Science

280, 1911-1913

DOI: [10.1126/science.280.5371.1911](https://doi.org/10.1126/science.280.5371.1911)

Citation Report

#	ARTICLE	IF	CITATIONS
2	OCEAN CHEMISTRY: Enhanced: Black Carbon and the Carbon Cycle. <i>Science</i> , 1998, 280, 1903-1904.	6.0	254
3	Alternative timescales: a critical review of Willandra Lakes dating. <i>Archaeology in Oceania</i> , 1998, 33, 169-182.	0.3	36
4	A Simple Method to Separate Pollen for AMS Radiocarbon Dating and its Application to Lacustrine and Marine Sediments. <i>Radiocarbon</i> , 1999, 41, 1-8.	0.8	54
5	Organic Matter Facies and Equilibrium Sorption of Phenanthrene. <i>Environmental Science &amp; Technology</i> , 1999, 33, 1637-1644.	4.6	209
6	Stability of elemental carbon in a savanna soil. <i>Global Biogeochemical Cycles</i> , 1999, 13, 923-932.	1.9	248
7	Virtual fractionation of charcoal from soil organic matter using solid state <sup>13</sup> C NMR spectral editing. <i>Soil Research</i> , 2000, 38, 665.	0.6	57
8	Sedimentary records of black carbon in the sea area of the Nansha Islands since the last glaciation. <i>Science Bulletin</i> , 2000, 45, 1594-1598.	1.7	8
9	Black carbon in soils and sediments: Analysis, distribution, implications, and current challenges. <i>Global Biogeochemical Cycles</i> , 2000, 14, 777-793.	1.9	1,044
10	The molecularly-uncharacterized component of nonliving organic matter in natural environments. <i>Organic Geochemistry</i> , 2000, 31, 945-958.	0.9	618
11	Pore structure of soot deposits from several combustion sources. <i>Chemosphere</i> , 2000, 41, 1125-1135.	4.2	94
12	Quantification of the Soot-Water Distribution Coefficient of PAHs Provides Mechanistic Basis for Enhanced Sorption Observations. <i>Environmental Science &amp; Technology</i> , 2000, 34, 5144-5151.	4.6	329
13	Adsorption onto Aerosol Soot Carbon Dominates Gas-Particle Partitioning of Polycyclic Aromatic Hydrocarbons. <i>Environmental Science &amp; Technology</i> , 2000, 34, 3690-3697.	4.6	349
14	Sorption of Selected Organic Compounds from Water to a Peat Soil and Its Humic-Acid and Humin Fractions: A Potential Sources of the Sorption Nonlinearity. <i>Environmental Science &amp; Technology</i> , 2000, 34, 1254-1258.	4.6	254
15	Radiocarbon distributions in Southern Ocean dissolved and particulate organic matter. <i>Geophysical Research Letters</i> , 2000, 27, 1495-1498.	1.5	72
16	An organic tracer for surface ocean radiocarbon. <i>Paleoceanography</i> , 2000, 15, 541-550.	3.0	47
17	Calculation of global carbon dioxide emissions: Review of emission factors and a new approach taking fuel quality into consideration. <i>Global Biogeochemical Cycles</i> , 2001, 15, 169-181.	1.9	12
18	Comparative analysis of black carbon in soils. <i>Global Biogeochemical Cycles</i> , 2001, 15, 163-167.	1.9	267
19	Carbon isotope geochemistry of the Santa Clara River. <i>Global Biogeochemical Cycles</i> , 2001, 15, 407-416.	1.9	175

#	ARTICLE	IF	CITATIONS
20	Evaluation of a protocol for the quantification of black carbon in sediments. <i>Global Biogeochemical Cycles</i> , 2001, 15, 881-890.	1.9	341
21	Exploratory Analysis of the Effects of Particulate Characteristics on the Variation in Partitioning of Nonpolar Organic Contaminants to Marine Sediments. <i>Water Research</i> , 2001, 35, 4390-4404.	5.3	28
22	An Improved Thermal Oxidation Method for the Quantification of Soot/Graphitic Black Carbon in Sediments and Soils. <i>Environmental Science &amp; Technology</i> , 2001, 35, 3519-3525.	4.6	225
23	A REVIEW OF SOME IMPORTANT FAMILIES OF REFRACTORY MACROMOLECULES: COMPOSITION, ORIGIN, AND FATE IN SOILS AND SEDIMENTS. <i>Soil Science</i> , 2001, 166, 833-847.	0.9	220
24	Pelagic-benthic coupling in the abyssal eastern North Pacific: An 8-year time-series study of food supply and demand. <i>Limnology and Oceanography</i> , 2001, 46, 543-556.	1.6	106
25	Ubiquitous observations of enhanced solid affinities for aromatic organochlorines in field situations: Are in situ dissolved exposures overestimated by existing partitioning models?. <i>Environmental Toxicology and Chemistry</i> , 2001, 20, 1450-1456.	2.2	73
26	World cropland soils as a source or sink for atmospheric carbon. <i>Advances in Agronomy</i> , 2001, 71, 145-191.	2.4	263
27	Carbon Isotopic Composition of DOM. , 2002, , 405-453.		34
28	Distributed Sequestration and Release of PAHs in Weathered Sediment: The Role of Sediment Structure and Organic Carbon Properties. <i>Environmental Science &amp; Technology</i> , 2002, 36, 2636-2644.	4.6	158
29	Black Carbon from the Mississippi River: Quantities, Sources, and Potential Implications for the Global Carbon Cycle. <i>Environmental Science &amp; Technology</i> , 2002, 36, 2296-2302.	4.6	112
30	Soot-Carbon Influenced Distribution of PCDD/Fs in the Marine Environment of the Grenlandsfjords, Norway. <i>Environmental Science &amp; Technology</i> , 2002, 36, 4968-4974.	4.6	106
31	Radiocarbon as a Tool To Apportion the Sources of Polycyclic Aromatic Hydrocarbons and Black Carbon in Environmental Samples. <i>Environmental Science &amp; Technology</i> , 2002, 36, 1774-1782.	4.6	200
32	Carbon isotope geochemistry and nanomorphology of soil black carbon: Black chernozemic soils in central Europe originate from ancient biomass burning. <i>Global Biogeochemical Cycles</i> , 2002, 16, 70-1-70-8.	1.9	165
33	Solubility-Normalized Combined Adsorption-Partitioning Sorption Isotherms for Organic Pollutants. <i>Environmental Science &amp; Technology</i> , 2002, 36, 4689-4697.	4.6	216
34	Black carbon in Slovenian alpine lacustrine sediments. <i>Chemosphere</i> , 2002, 46, 1225-1234.	4.2	57
35	Radiocarbon measurements of black carbon in aerosols and ocean sediments. <i>Geochimica Et Cosmochimica Acta</i> , 2002, 66, 1025-1036.	1.6	75
36	Suspended particle organic composition and cycling in surface and midwaters of the equatorial Pacific Ocean. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2002, 49, 1983-2008.	0.6	90
37	Transport and diagenesis of dissolved and particulate terrigenous organic matter in the North Pacific Ocean. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2002, 49, 2119-2132.	0.6	125

#	ARTICLE	IF	CITATIONS
39	Determination of T1 $\rho$ H Relaxation Rates in Charred and Uncharred Wood and Consequences for NMR Quantitation. <i>Solid State Nuclear Magnetic Resonance</i> , 2002, 22, 50-70.	1.5	67
40	Impact of Remote Protonation on <sup>13</sup> C CPMAS NMR Quantitation of Charred and Uncharred Wood. <i>Solid State Nuclear Magnetic Resonance</i> , 2002, 22, 71-82.	1.5	47
41	New modeling paradigms for the sorption of hydrophobic organic chemicals to heterogeneous carbonaceous matter in soils, sediments, and rocks. <i>Advances in Water Resources</i> , 2002, 25, 985-1016.	1.7	332
42	Burial of Different Types of Organic Carbon in Core 17962 from South China Sea since the Last Glacial Period. <i>Quaternary Research</i> , 2002, 58, 93-100.	1.0	20
43	Changes in terrestrial ecosystem since 30 Ma in East Asia: Stable isotope evidence from black carbon in the South China Sea. <i>Geology</i> , 2003, 31, 1093.	2.0	184
44	Sorption Hysteresis of Benzene in Charcoal Particles. <i>Environmental Science &amp; Technology</i> , 2003, 37, 409-417.	4.6	305
45	Organic and black carbon <sup>13</sup> C and <sup>14</sup> C through the Santa Monica Basin sediment oxic-anoxic transition. <i>Geophysical Research Letters</i> , 2003, 30, .	1.5	55
46	Reinterpreting Literature Sorption Data Considering both Absorption into Organic Carbon and Adsorption onto Black Carbon. <i>Environmental Science &amp; Technology</i> , 2003, 37, 99-106.	4.6	254
47	Enhanced Pesticide Sorption by Soils Containing Particulate Matter from Crop Residue Burns. <i>Environmental Science &amp; Technology</i> , 2003, 37, 3635-3639.	4.6	288
48	Characterization of carbonaceous combustion residues. I. Morphological, elemental and spectroscopic features. <i>Chemosphere</i> , 2003, 51, 785-795.	4.2	153
49	Asynchronous alkenone and foraminifera records from the Benguela Upwelling System. <i>Geochimica Et Cosmochimica Acta</i> , 2003, 67, 2157-2171.	1.6	133
51	Organic Matter in the Contemporary Ocean. , 2003, , 145-180.		15
52	Reburial of fossil organic carbon in marine sediments. <i>Nature</i> , 2004, 427, 336-339.	13.7	231
53	Variable ageing and storage of dissolved organic components in the open ocean. <i>Nature</i> , 2004, 430, 877-881.	13.7	164
54	ROLE OF SOURCE MATRIX IN THE BIOAVAILABILITY OF POLYCYCLIC AROMATIC HYDROCARBONS TO DEPOSIT-FEEDING BENTHIC INVERTEBRATES. <i>Environmental Toxicology and Chemistry</i> , 2004, 23, 2604.	2.2	20
55	Overestimates of black carbon in soils and sediments. <i>Die Naturwissenschaften</i> , 2004, 91, 436-40.	0.6	60
56	Environmental bioavailability of hydrophobic organochlorines in sediments?A review. <i>Remediation</i> , 2004, 14, 55-84.	1.1	7
57	Cycling and composition of organic matter in terrestrial and marine ecosystems. <i>Marine Chemistry</i> , 2004, 92, 39-64.	0.9	328

#	ARTICLE	IF	CITATIONS
58	Examining marine particulate organic matter at sub-micron scales using scanning transmission X-ray microscopy and carbon X-ray absorption near edge structure spectroscopy. <i>Marine Chemistry</i> , 2004, 92, 107-121.	0.9	76
59	Comments on the importance of black carbon in the global carbon cycle. <i>Marine Chemistry</i> , 2004, 92, 197-200.	0.9	62
60	Physical separation of combustion and rock sources of graphitic black carbon in sediments. <i>Marine Chemistry</i> , 2004, 92, 215-223.	0.9	46
61	What happens to terrestrial organic matter in the ocean?. <i>Marine Chemistry</i> , 2004, 92, 307-310.	0.9	65
62	Hydrogen-deficient molecules in natural riverine water samples—evidence for the existence of black carbon in DOM. <i>Marine Chemistry</i> , 2004, 92, 225-234.	0.9	163
63	New directions in black carbon organic geochemistry. <i>Marine Chemistry</i> , 2004, 92, 201-213.	0.9	664
64	Evaluation of Current Techniques for Isolation of Chars as Natural Adsorbents. <i>Environmental Science &amp; Technology</i> , 2004, 38, 4227-4232.	4.6	31
65	Particulate Organic Matter in the Sea: The Composition Conundrum. <i>Ambio</i> , 2004, 33, 565-575.	2.8	198
66	An evaluation of thermal resistance as a measure of black carbon content in diesel soot, wood char, and sediment. <i>Organic Geochemistry</i> , 2004, 35, 217-234.	0.9	157
67	Determination of black carbon in natural organic matter by chemical oxidation and solid-state <sup>13</sup> C nuclear magnetic resonance spectroscopy. <i>Organic Geochemistry</i> , 2004, 35, 923-935.	0.9	113
68	Black carbon in estuarine and coastal ocean dissolved organic matter. <i>Limnology and Oceanography</i> , 2004, 49, 735-740.	1.6	121
69	Quantification of sedimentary black carbon using the chemothermal oxidation method: an evaluation of ex situ pretreatments and standard additions approaches. <i>Limnology and Oceanography: Methods</i> , 2004, 2, 417-427.	1.0	96
70	Characterisation of sedimentary organic matter from three south-eastern Australian estuaries using solid-state <sup>13</sup> C-NMR techniques. <i>Marine and Freshwater Research</i> , 2004, 55, 285.	0.7	10
71	A biomass burning record from the West Equatorial Pacific over the last 360 ky: methodological, climatic and anthropic implications. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2004, 213, 83-99.	1.0	50
72	On the isolation of elemental carbon (EC) for micro-molar <sup>14</sup> C accelerator mass spectrometry: development of a hybrid reference material for <sup>14</sup> C-EC accuracy assurance, and a critical evaluation of the thermal optical kinetic (TOK) EC isolation procedure. <i>Atmospheric Chemistry and Physics</i> , 2005, 5, 2833-2845.	1.9	13
73	Black carbon in a temperate mixed-grass savanna. <i>Soil Biology and Biochemistry</i> , 2005, 37, 1879-1881.	4.2	110
74	Immobilization of Soot Particles in a Silica Matrix: A Sorbent-Carrier System for Studying Organic Chemical Sorption. <i>Environmental Science &amp; Technology</i> , 2005, 39, 6527-6534.	4.6	7
75	Evaluation of Methods To Obtain Geosorbent Fractions Enriched in Carbonaceous Materials That Affect Hydrophobic Organic Chemical Sorption. <i>Environmental Science &amp; Technology</i> , 2005, 39, 3279-3288.	4.6	21

#	ARTICLE	IF	CITATIONS
76	Comparison of polycyclic aromatic hydrocarbon distributions and sedimentary organic matter characteristics in contaminated, coastal sediments from Pensacola Bay, Florida. <i>Marine Environmental Research</i> , 2005, 59, 139-163.	1.1	28
77	Morphological and chemical properties of black carbon in physical soil fractions as revealed by scanning electron microscopy and energy-dispersive X-ray spectroscopy. <i>Geoderma</i> , 2005, 128, 116-129.	2.3	304
78	Black carbon records in Chinese Loess Plateau over the last two glacial cycles and implications for paleofires. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2005, 223, 9-19.	1.0	81
79	Revised black carbon assessment using benzene polycarboxylic acids. <i>Organic Geochemistry</i> , 2005, 36, 1299-1310.	0.9	267
80	Extensive Sorption of Organic Compounds to Black Carbon, Coal, and Kerogen in Sediments and Soils: Mechanisms and Consequences for Distribution, Bioaccumulation, and Biodegradation. <i>Environmental Science &amp; Technology</i> , 2005, 39, 6881-6895.	4.6	1,235
81	Characterization of Charcoal Adsorption Sites for Aromatic Compounds: Insights Drawn from Single-Solute and Bi-Solute Competitive Experiments. <i>Environmental Science &amp; Technology</i> , 2005, 39, 1606-1615.	4.6	180
82	Sources and Cycling of Organic Matter in the Marine Water Column. , 0, , 1-25.		12
83	Black carbon: The reverse of its dark side. <i>Chemosphere</i> , 2006, 63, 365-377.	4.2	452
84	Distinct oxidative stabilities of char versus soot black carbon: Implications for quantification and environmental recalcitrance. <i>Global Biogeochemical Cycles</i> , 2006, 20, n/a-n/a.	1.9	127
85	Soil organic carbon and black carbon storage and dynamics under different fire regimes in temperate mixed-grass savanna. <i>Global Biogeochemical Cycles</i> , 2006, 20, n/a-n/a.	1.9	52
86	Importance of charcoal in determining the age and chemistry of organic carbon in surface soils. <i>Journal of Geophysical Research</i> , 2006, 111, .	3.3	77
87	Light Absorption by Carbonaceous Particles: An Investigative Review. <i>Aerosol Science and Technology</i> , 2006, 40, 27-67.	1.5	2,236
88	Sorption and Desorption Behaviors of Diuron in Soils Amended with Charcoal. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 8545-8550.	2.4	221
89	Preferential erosion of black carbon on steep slopes with slash and burn agriculture. <i>Catena</i> , 2006, 65, 30-40.	2.2	170
90	Sorption of organic pollutants by marine sediments: Implication for the role of particulate organic matter. <i>Chemosphere</i> , 2006, 65, 2493-2501.	4.2	20
91	Production and characterization of synthetic wood chars for use as surrogates for natural sorbents. <i>Organic Geochemistry</i> , 2006, 37, 321-333.	0.9	285
92	Direct molecular evidence for the degradation and mobility of black carbon in soils from ultrahigh-resolution mass spectral analysis of dissolved organic matter from a fire-impacted forest soil. <i>Organic Geochemistry</i> , 2006, 37, 501-510.	0.9	312
93	Black (pyrogenic) carbon: a synthesis of current knowledge and uncertainties with special consideration of boreal regions. <i>Biogeosciences</i> , 2006, 3, 397-420.	1.3	559

#	ARTICLE	IF	CITATIONS
94	Bio-Char Soil Management on Highly Weathered Soils in the Humid Tropics. Books in Soils, Plants, and the Environment, 2006, , 517-529.	0.1	180
95	Terrigenous organic matter sources and reactivity in the North Atlantic Ocean and a comparison to the Arctic and Pacific oceans. Marine Chemistry, 2006, 100, 66-79.	0.9	109
96	Bio-char Sequestration in Terrestrial Ecosystems – A Review. Mitigation and Adaptation Strategies for Global Change, 2006, 11, 403-427.	1.0	2,198
97	Formation, transformation and transport of black carbon (charcoal) in terrestrial and aquatic ecosystems. Science of the Total Environment, 2006, 370, 190-206.	3.9	396
98	Carbon speciation and composition of natural microbial communities in polluted and pristine sediments of the Eastern Mediterranean Sea. Marine Pollution Bulletin, 2006, 52, 1396-1405.	2.3	17
99	Wildfire-Produced Charcoal Directly Influences Nitrogen Cycling in Ponderosa Pine Forests. Soil Science Society of America Journal, 2006, 70, 448-453.	1.2	391
100	RADIOCARBON DATING   Charcoal. , 2007, , 2950-2958.		5
101	An assessment of the use of sediment traps for estimating upper ocean particle fluxes. Journal of Marine Research, 2007, 65, 345-416.	0.3	432
102	Dansgaard’s Oeschger climatic variability revealed by fire emissions in southwestern Iberia. Quaternary Science Reviews, 2007, 26, 1369-1383.	1.4	93
103	Kerogen origin, evolution and structure. Organic Geochemistry, 2007, 38, 719-833.	0.9	950
104	Evaluation of the thermal/optical reflectance method for quantification of elemental carbon in sediments. Chemosphere, 2007, 69, 526-533.	4.2	93
105	Molecular signature and sources of biochemical recalcitrance of organic C in Amazonian Dark Earths. Geochimica Et Cosmochimica Acta, 2007, 71, 2285-2298.	1.6	118
106	The transformation and mobility of charcoal in a fire-impacted watershed. Geochimica Et Cosmochimica Acta, 2007, 71, 3432-3445.	1.6	238
107	How useful is chemical oxidation with dichromate for the determination of “Black Carbon” in fire-affected soils?. Geoderma, 2007, 142, 178-196.	2.3	97
108	How does fire affect the nature and stability of soil organic nitrogen and carbon? A review. Biogeochemistry, 2007, 85, 91-118.	1.7	656
109	Preservation of Organic Matter in Marine Sediments: Controls, Mechanisms, and an Imbalance in Sediment Organic Carbon Budgets?. Chemical Reviews, 2007, 107, 467-485.	23.0	903
110	A 700 Year Sediment Record of Black Carbon and Polycyclic Aromatic Hydrocarbons near the EMEP Air Monitoring Station in Aspöreten, Sweden. Environmental Science & Technology, 2007, 41, 6926-6932.	4.6	105
111	Controls on black carbon storage in soils. Global Biogeochemical Cycles, 2007, 21, .	1.9	284

#	ARTICLE	IF	CITATIONS
112	Preservation of black carbon in the shelf sediments of the East China Sea. <i>Science Bulletin</i> , 2007, 52, 3155-3161.	1.7	32
113	Long-term black carbon dynamics in cultivated soil. <i>Biogeochemistry</i> , 2008, 89, 295-308.	1.7	186
114	Sorption characteristics and mechanisms of organic contaminant to carbonaceous biosorbents in aqueous solution. <i>Science in China Series B: Chemistry</i> , 2008, 51, 464-472.	0.8	30
115	Isotopic evidence for condensed aromatics from non-pyrogenic sources in soils – implications for current methods for quantifying soil black carbon. <i>Rapid Communications in Mass Spectrometry</i> , 2008, 22, 935-942.	0.7	71
116	Sources of molecularly uncharacterized organic carbon in sinking particles from three ocean basins: A coupled $\delta^{14}\text{C}$ and $\delta^{13}\text{C}$ approach. <i>Marine Chemistry</i> , 2008, 111, 199-213.	0.9	27
117	Determination of refractory organic matter in marine sediments by chemical oxidation, analytical pyrolysis and solid-state $^{13}\text{C}$ nuclear magnetic resonance spectroscopy. <i>European Journal of Soil Science</i> , 2008, 59, 430-438.	1.8	21
118	Storage and mobility of black carbon in permafrost soils of the forest tundra ecotone in Northern Siberia. <i>Global Change Biology</i> , 2008, 14, 1367-1381.	4.2	116
119	Transitional Adsorption and Partition of Nonpolar and Polar Aromatic Contaminants by Biochars of Pine Needles with Different Pyrolytic Temperatures. <i>Environmental Science &amp; Technology</i> , 2008, 42, 5137-5143.	4.6	1,446
120	Pan-Arctic patterns in black carbon sources and fluvial discharges deduced from radiocarbon and PAH source apportionment markers in estuarine surface sediments. <i>Global Biogeochemical Cycles</i> , 2008, 22, .	1.9	74
121	Sedimentary record of black carbon in the Pearl River estuary and adjacent northern South China Sea. <i>Applied Geochemistry</i> , 2008, 23, 3464-3472.	1.4	45
122	Can levoglucosan be used to characterize and quantify char/charcoal black carbon in environmental media?. <i>Organic Geochemistry</i> , 2008, 39, 1466-1478.	0.9	123
123	Fate of CuO-derived lignin oxidation products during plant combustion: Application to the evaluation of char input to soil organic matter. <i>Organic Geochemistry</i> , 2008, 39, 1522-1536.	0.9	38
124	A simplified method for the quantification of pyrogenic organic matter in grassland soils via chemical oxidation. <i>Geoderma</i> , 2008, 147, 69-74.	2.3	22
125	Charcoal and carbon storage in forest soils of the Rocky Mountain West. <i>Frontiers in Ecology and the Environment</i> , 2008, 6, 18-24.	1.9	188
126	Centennial black carbon turnover observed in a Russian steppe soil. <i>Biogeosciences</i> , 2008, 5, 1339-1350.	1.3	154
127	Black carbon decomposition and incorporation into soil microbial biomass estimated by $^{14}\text{C}$ labeling. <i>Soil Biology and Biochemistry</i> , 2009, 41, 210-219.	4.2	855
130	Long-term black carbon dynamics in cultivated soil. <i>Biogeochemistry</i> , 2009, 92, 163-176.	1.7	133
131	Black carbon and polycyclic aromatic hydrocarbons (PAHs) in surface sediments of China's marginal seas. <i>Chinese Journal of Oceanology and Limnology</i> , 2009, 27, 297-308.	0.7	38



#	ARTICLE	IF	CITATIONS
132	Structural properties of non-combustion-derived refractory organic matter which interfere with BC quantification. <i>Journal of Analytical and Applied Pyrolysis</i> , 2009, 85, 399-407.	2.6	15
133	Black carbon in marine particulate organic carbon: Inputs and cycling of highly recalcitrant organic carbon in the Gulf of Maine. <i>Marine Chemistry</i> , 2009, 113, 172-181.	0.9	58
134	Effects of Black Carbon on Pyrethroid Availability in Sediment. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 232-238.	2.4	28
135	Benthic organic carbon flux and oxygen penetration reflect different plankton provinces in the Southern Ocean. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2009, 56, 1319-1335.	0.6	39
136	Historical record of black carbon in urban soils and its environmental implications. <i>Environmental Pollution</i> , 2009, 157, 2684-2688.	3.7	79
137	Impacts of woodchip biochar additions on greenhouse gas production and sorption/degradation of two herbicides in a Minnesota soil. <i>Chemosphere</i> , 2009, 77, 574-581.	4.2	526
138	Black carbon decomposition under varying water regimes. <i>Organic Geochemistry</i> , 2009, 40, 846-853.	0.9	318
139	Reconstructing past fire regimes: methods, applications, and relevance to fire management and conservation. <i>Quaternary Science Reviews</i> , 2009, 28, 555-576.	1.4	380
140	Influence of Environmental Factors on Pesticide Adsorption by Black Carbon: pH and Model Dissolved Organic Matter. <i>Environmental Science &amp; Technology</i> , 2009, 43, 4973-4978.	4.6	112
141	Physical and Chemical Effects of Fire on Soil. , 2009, , 105-132.		23
142	Black Carbon's Properties and Role in the Environment: A Comprehensive Review. <i>Sustainability</i> , 2010, 2, 294-320.	1.6	159
143	Black carbon in urban topsoils of Xuzhou (China): environmental implication and magnetic proxy. <i>Environmental Monitoring and Assessment</i> , 2010, 163, 41-47.	1.3	27
144	Association of marine viral and bacterial communities with reference black carbon particles under experimental conditions: an analysis with scanning electron, epifluorescence and confocal laser scanning microscopy. <i>FEMS Microbiology Ecology</i> , 2010, 74, 382-396.	1.3	25
145	Fate of soil-applied black carbon: downward migration, leaching and soil respiration. <i>Global Change Biology</i> , 2010, 16, 1366-1379.	4.2	610
146	Review of the stability of biochar in soils: predictability of O:C molar ratios. <i>Carbon Management</i> , 2010, 1, 289-303.	1.2	847
147	Role of Biochar in Mitigation of Climate Change. <i>ICP Series on Climate Change Impacts, Adaptation, and Mitigation</i> , 2010, , 343-363.	0.4	12
148	Black carbon in grassland ecosystems of the world. <i>Global Biogeochemical Cycles</i> , 2010, 24, .	1.9	81
149	Aged black carbon identified in marine dissolved organic carbon. <i>Geophysical Research Letters</i> , 2010, 37, .	1.5	160

#	ARTICLE	IF	CITATIONS
150	Potential contributions of asphalt and coal tar to black carbon quantification in urban dust, soils, and sediments. <i>Geochimica Et Cosmochimica Acta</i> , 2010, 74, 6830-6840.	1.6	17
151	Controls on the age of vascular plant biomarkers in Black Sea sediments. <i>Geochimica Et Cosmochimica Acta</i> , 2010, 74, 7031-7047.	1.6	101
152	Bioavailability of adsorbed phenanthrene by black carbon and multi-walled carbon nanotubes to <i>Agrobacterium</i> . <i>Chemosphere</i> , 2010, 78, 1329-1336.	4.2	88
153	Charcoal recognition, taphonomy and uses in palaeoenvironmental analysis. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010, 291, 11-39.	1.0	362
154	Plio-Pleistocene vegetation changes in the North China Plain: Magnetostratigraphy, oxygen and carbon isotopic composition of pedogenic carbonates. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010, 297, 502-510.	1.0	20
155	Stormwater and Fire as Sources of Black Carbon Nanoparticles to Lake Tahoe. <i>Environmental Science &amp; Technology</i> , 2011, 45, 2065-2071.	4.6	28
156	Evidence for wildfire in the Meishan section and implications for Permian–Triassic events. <i>Geochimica Et Cosmochimica Acta</i> , 2011, 75, 1992-2006.	1.6	90
157	Variability in oxidative degradation of charcoal: Influence of production conditions and environmental exposure. <i>Geochimica Et Cosmochimica Acta</i> , 2011, 75, 2361-2378.	1.6	104
158	Degradation of grass-derived pyrogenic organic material, transport of the residues within a soil column and distribution in soil organic matter fractions during a 28month microcosm experiment. <i>Organic Geochemistry</i> , 2011, 42, 42-54.	0.9	78
159	C 1s K-edge near edge X-ray absorption fine structure (NEXAFS) spectroscopy for characterizing functional group chemistry of black carbon. <i>Organic Geochemistry</i> , 2011, 42, 1055-1064.	0.9	96
160	Determination of the aromaticity and the degree of aromatic condensation of a thermosequence of wood charcoal using NMR. <i>Organic Geochemistry</i> , 2011, 42, 1194-1202.	0.9	186
161	Contribution of black carbon in recent sediments of the Gulf of Cadiz: Applicability of different quantification methodologies. <i>Quaternary International</i> , 2011, 243, 264-272.	0.7	17
162	Pyrogenic organic matter in soil: Its origin and occurrence, its chemistry and survival in soil environments. <i>Quaternary International</i> , 2011, 243, 251-263.	0.7	165
163	Radiocarbon and stable carbon isotopic insights into provenance and cycling of carbon in Lake Superior. <i>Limnology and Oceanography</i> , 2011, 56, 867-886.	1.6	46
165	Black carbon estimation in French calcareous soils using chemo-thermal oxidation method. <i>Soil Use and Management</i> , 2011, 27, 333-339.	2.6	13
166	A 400-year record of black carbon flux in the Xisha archipelago, South China Sea and its implication. <i>Marine Pollution Bulletin</i> , 2011, 62, 2205-2212.	2.3	26
167	Combustion-derived substances in deep basins of Puget Sound: Historical inputs from fossil fuel and biomass combustion. <i>Environmental Pollution</i> , 2011, 159, 983-990.	3.7	41
168	Effects and fate of biochar from rice residues in rice-based systems. <i>Field Crops Research</i> , 2011, 121, 430-440.	2.3	287

#	ARTICLE	IF	CITATIONS
169	Influence of combustion conditions on yields of solvent-extractable anhydrosugars and lignin phenols in chars: Implications for characterizations of biomass combustion residues. <i>Chemosphere</i> , 2011, 85, 797-805.	4.2	79
170	Carbon and nitrogen degradation on molecular scale of grass-derived pyrogenic organic material during 28 months of incubation in soil. <i>Soil Biology and Biochemistry</i> , 2011, 43, 261-270.	4.2	81
171	Discharge of dissolved black carbon from a fire-affected intertidal system. <i>Limnology and Oceanography</i> , 2012, 57, 1171-1181.	1.6	66
172	An Index-Based Approach to Assessing Recalcitrance and Soil Carbon Sequestration Potential of Engineered Black Carbons (Biochars). <i>Environmental Science &amp; Technology</i> , 2012, 46, 1415-1421.	4.6	292
173	Isotopes in pyrogenic carbon: A review. <i>Organic Geochemistry</i> , 2012, 42, 1529-1539.	0.9	174
174	Impact of grassland burning on soil organic matter as revealed by a synchrotron- and pyrolysis-mass spectrometry-based multi-methodological approach. <i>Organic Geochemistry</i> , 2012, 44, 8-20.	0.9	31
175	Chemical characterization of rice straw-derived biochar for soil amendment. <i>Biomass and Bioenergy</i> , 2012, 47, 268-276.	2.9	517
176	The sequestration sink of soot black carbon in the Northern European Shelf sediments. <i>Global Biogeochemical Cycles</i> , 2012, 26, .	1.9	41
177	Net removal of major marine dissolved organic carbon fractions in the subsurface ocean. <i>Global Biogeochemical Cycles</i> , 2012, 26, .	1.9	178
178	Mineralogical controls on soil black carbon preservation. <i>Global Biogeochemical Cycles</i> , 2012, 26, .	1.9	61
180	Temperature resolved alteration of soil organic matter composition during laboratory heating as revealed by C and N XANES spectroscopy and Py-FIMS. <i>Thermochimica Acta</i> , 2012, 537, 36-43.	1.2	30
181	Dissolved black carbon in grassland streams: Is there an effect of recent fire history?. <i>Chemosphere</i> , 2013, 90, 2557-2562.	4.2	82
182	Stable carbon isotope of black carbon in lake sediments as an indicator of terrestrial environmental changes: An evaluation on paleorecord from Daihai Lake, Inner Mongolia, China. <i>Chemical Geology</i> , 2013, 347, 123-134.	1.4	55
183	Biochar and Microbial Signaling: Production Conditions Determine Effects on Microbial Communication. <i>Environmental Science &amp; Technology</i> , 2013, 47, 11496-11503.	4.6	174
184	Comparison of methods for the characterization and quantification of carbon forms in estuarine and marine sediments from coal mining regions. <i>Organic Geochemistry</i> , 2013, 59, 61-74.	0.9	9
185	Geoengineering Responses to Climate Change. , 2013, , .		3
186	Influence of humic acid on the sorption of pentachlorophenol by aged sediment amended with rice-straw biochar. <i>Applied Geochemistry</i> , 2013, 33, 76-83.	1.4	27
187	Engineered Biochar Reclaiming Phosphate from Aqueous Solutions: Mechanisms and Potential Application as a Slow-Release Fertilizer. <i>Environmental Science &amp; Technology</i> , 2013, 47, 8700-8708.	4.6	595

#	ARTICLE	IF	CITATIONS
188	Molecular Environmental Soil Science. , 2013, , .		3
189	Stable carbon isotopic composition of black carbon in surface soil as a proxy for reconstructing vegetation on the Chinese Loess Plateau. Palaeogeography, Palaeoclimatology, Palaeoecology, 2013, 388, 109-114.	1.0	23
190	Biodegradability of organic matter in fire-affected mineral soils of Southern Spain. Soil Biology and Biochemistry, 2013, 56, 31-39.	4.2	67
191	Global Charcoal Mobilization from Soils via Dissolution and Riverine Transport to the Oceans. Science, 2013, 340, 345-347.	6.0	432
192	Towards reconstruction of past fire regimes from geochemical analysis of charcoal. Organic Geochemistry, 2013, 55, 11-21.	0.9	89
193	Spatial distributions and sequestrations of organic carbon and black carbon in soils from the Chinese loess plateau. Science of the Total Environment, 2013, 465, 255-266.	3.9	34
194	Different pools of black carbon in sediments from the Gulf of Cádiz (SW Spain): Method comparison and spatial distribution. Marine Chemistry, 2013, 151, 13-22.	0.9	38
195	Soot black carbon concentration and isotopic composition in soils from an arid urban ecosystem. Organic Geochemistry, 2013, 59, 87-94.	0.9	37
196	A demonstration of the high variability of chars produced from wood in bushfires. Organic Geochemistry, 2013, 55, 38-44.	0.9	36
197	Contributions of soot to $\delta^{13}\text{C}$ of organic matter in Cretaceous lacustrine deposits, Gyeongsang Basin, Korea: Implication for paleoenvironmental reconstructions. Palaeogeography, Palaeoclimatology, Palaeoecology, 2013, 371, 54-61.	1.0	9
198	The fate of river organic carbon in coastal areas: A study in the Rhône River delta using multiple isotopic ( $\delta^{13}\text{C}$ , $\delta^{14}\text{C}$ ) and organic tracers. Geochimica Et Cosmochimica Acta, 2013, 118, 33-55.	1.6	71
199	Biochar, Tool for Climate Change Mitigation and Soil Management. , 2013, , 73-140.		7
200	Historical Trends of Atmospheric Black Carbon on Tibetan Plateau As Reconstructed from a 150-Year Lake Sediment Record. Environmental Science & Technology, 2013, 47, 2579-2586.	4.6	123
201	Organochlorine Pollutants in Western Antarctic Peninsula Sediments and Benthic Deposit Feeders. Environmental Science & Technology, 2013, 47, 5643-5651.	4.6	42
202	Influence of production conditions on the yield and environmental stability of biochar. Fuel, 2013, 103, 151-155.	3.4	250
203	Recalcitrant Dissolved Organic Carbon Fractions. Annual Review of Marine Science, 2013, 5, 421-445.	5.1	635
204	RADIOCARBON DATING   Charcoal. , 2013, , 353-360.		11
205	Long-Term Carbon Sequestration and Environmental Immobilization of Biochar: A Review. Advanced Materials Research, 2013, 790, 475-478.	0.3	1

#	ARTICLE	IF	CITATIONS
206	The effects of additional black carbon on the albedo of Arctic sea ice: variation with sea ice type and snow cover. <i>Cryosphere</i> , 2013, 7, 1193-1204.	1.5	23
207	Laboratory Tests of Biochars as Absorbents for Use in Recovery or Containment of Marine Crude Oil Spills. <i>Environmental Engineering Science</i> , 2013, 30, 374-380.	0.8	44
208	High-field NMR spectroscopy and FTICR mass spectrometry: powerful discovery tools for the molecular level characterization of marine dissolved organic matter. <i>Biogeosciences</i> , 2013, 10, 1583-1624.	1.3	276
209	Blackcarbon in coastal and large river systems. , 2013, , 200-234.		9
210	Dissolved Organic Matter in Aquatic Systems. , 2014, , 125-156.		82
211	Abundance, distribution, and isotopic composition of particulate black carbon in the northern Gulf of Mexico. <i>Geophysical Research Letters</i> , 2014, 41, 7619-7625.	1.5	17
212	Hidden cycle of dissolved organic carbon in the deep ocean. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 16706-16711.	3.3	136
213	Black carbon accrual during 2000 years of paddy-rice and non-paddy cropping in the Yangtze River Delta, China. <i>Global Change Biology</i> , 2014, 20, 1968-1978.	4.2	47
214	A Preliminary Study of Holocene Climate Change and Human Adaptation in the Horqin Region. <i>Acta Geologica Sinica</i> , 2014, 88, 1784-1791.	0.8	7
215	Dynamics, Chemistry, and Preservation of Organic Matter in Soils. , 2014, , 157-215.		45
216	Weathering of Organic Carbon. , 2014, , 217-238.		39
217	A 700year record of combustion-derived pollution in northern Spain: Tools to identify the Holocene/Anthropocene transition in coastal environments. <i>Science of the Total Environment</i> , 2014, 470-471, 240-247.	3.9	63
218	Organic Matter in the Contemporary Ocean. , 2014, , 151-189.		18
219	Atmospheric Black Carbon Deposit in Beijing and Zhangbei, China. <i>Procedia Earth and Planetary Science</i> , 2014, 10, 383-387.	0.6	6
220	Can functional group composition of alkaline isolates from black carbon-rich soils be identified on a sub-100nm scale?. <i>Geoderma</i> , 2014, 235-236, 163-169.	2.3	13
221	Redox Properties of Plant Biomass-Derived Black Carbon (Biochar). <i>Environmental Science &amp; Technology</i> , 2014, 48, 5601-5611.	4.6	791
222	Graphene in the Aquatic Environment: Adsorption, Dispersion, Toxicity and Transformation. <i>Environmental Science &amp; Technology</i> , 2014, 48, 9995-10009.	4.6	573
223	Production of Black Carbon-like and Aliphatic Molecules from Terrestrial Dissolved Organic Matter in the Presence of Sunlight and Iron. <i>Environmental Science and Technology Letters</i> , 2014, 1, 399-404.	3.9	81

#	ARTICLE	IF	CITATIONS
224	Aged black carbon in marine sediments and sinking particles. <i>Geophysical Research Letters</i> , 2014, 41, 2427-2433.	1.5	94
225	Reduction of nitrobenzene with sulfides catalyzed by the black carbons from crop-residue ashes. <i>Environmental Science and Pollution Research</i> , 2014, 21, 6162-6169.	2.7	22
226	Black carbon: Fire fingerprints in Pleistocene loessâ€™ palaeosol archives in Germany. <i>Organic Geochemistry</i> , 2014, 70, 44-52.	0.9	16
227	Biochar stability in soil: Decomposition during eight years and transformation as assessed by compound-specific 14C analysis. <i>Soil Biology and Biochemistry</i> , 2014, 70, 229-236.	4.2	442
228	Assessing the relationship and influence of black carbon on distribution status of organochlorines in the coastal sediments from Pakistan. <i>Environmental Pollution</i> , 2014, 190, 82-90.	3.7	46
229	Urbanization and the carbon cycle: Current capabilities and research outlook from the natural sciences perspective. <i>Earth's Future</i> , 2014, 2, 473-495.	2.4	159
230	Effects of soot deposition on particle dynamics and microbial processes in marine surface waters. <i>Global Biogeochemical Cycles</i> , 2014, 28, 662-678.	1.9	40
231	Competing uses for China's straw: the economic and carbon abatement potential of biochar. <i>GCB Bioenergy</i> , 2015, 7, 1272-1282.	2.5	115
232	Carbonaceous particles reduce marine microgel formation. <i>Scientific Reports</i> , 2014, 4, 5856.	1.6	21
233	Isotopic composition and speciation of sedimentary nitrogen and carbon in the Okinawa Trough over the past 30â€™ka. <i>Paleoceanography</i> , 2015, 30, 1233-1244.	3.0	7
234	Pyrogenic carbon from tropical savanna burning: production and stable isotope composition. <i>Biogeosciences</i> , 2015, 12, 1849-1863.	1.3	40
235	The Pyrogenic Carbon Cycle. <i>Annual Review of Earth and Planetary Sciences</i> , 2015, 43, 273-298.	4.6	336
236	A non-thermogenic source of black carbon in peat and coal. <i>International Journal of Coal Geology</i> , 2015, 144-145, 15-22.	1.9	17
237	Spectroscopic characterization of oceanic dissolved organic matter isolated by reverse osmosis coupled with electrodialysis. <i>Marine Chemistry</i> , 2015, 177, 278-287.	0.9	22
238	Sperm exposure to carbon-based nanomaterials causes abnormalities in early development of purple sea urchin ( <i>Paracentrotus lividus</i> ). <i>Aquatic Toxicology</i> , 2015, 163, 158-166.	1.9	35
239	Assessment of distribution and sources of pyrogenic carbon in the lower course of the Guadiana River (SW Iberian Peninsula). <i>Journal of Soils and Sediments</i> , 2015, 15, 759-768.	1.5	3
240	High surface adsorption properties of carbon-based nanomaterials are responsible for mortality, swimming inhibition, and biochemical responses in <i>Artemia salina</i> larvae. <i>Aquatic Toxicology</i> , 2015, 163, 121-129.	1.9	83
241	Global Emission Inventory and Atmospheric Transport of Black Carbon. <i>Springer Theses</i> , 2015, , .	0.0	9

#	ARTICLE	IF	CITATIONS
242	Fossil charcoal as Palaeofire indicators: Taphonomy and morphology of charcoal remains in sub-surface Gondwana sediments of South Karanpura coalfield. Journal of the Geological Society of India, 2015, 85, 567-576.	0.5	13
243	Solid phase extraction method for the study of black carbon cycling in dissolved organic carbon using radiocarbon. Marine Chemistry, 2015, 177, 697-705.	0.9	26
244	The Carbon Isotopic Composition of Marine DOC. , 2015, , 335-368.		16
245	Chemical Characterization and Cycling of Dissolved Organic Matter. , 2015, , 21-63.		78
246	Reasons Behind the Long-Term Stability of Dissolved Organic Matter. , 2015, , 369-388.		86
247	Impact of Climate Change and Human Activity on the Eco-environment. Springer Theses, 2015, , .	0.0	10
248	Isotopic exchange on solidâ€”phase micro extraction fiber in sediment under stagnant conditions: Implications for field application of performance reference compound calibration. Environmental Toxicology and Chemistry, 2016, 35, 1978-1985.	2.2	10
249	Spatial Distributions and Seasonal Variations of Dissolved Black Carbon in the Bohai Sea, China. Journal of Coastal Research, 2016, 74, 214-227.	0.1	9
250	Towards a global assessment of pyrogenic carbon from vegetation fires. Global Change Biology, 2016, 22, 76-91.	4.2	256
251	Radiocarbon in the Oceans. , 2016, , 139-166.		2
252	Radiocarbon and Climate Change. , 2016, , .		33
253	Designing advanced biochar products for maximizing greenhouse gas mitigation potential. Critical Reviews in Environmental Science and Technology, 2016, 46, 1367-1401.	6.6	86
254	Quantities and Fluxes of Dissolved and Particulate Black Carbon in the Changjiang and Huanghe Rivers, China. Estuaries and Coasts, 2016, 39, 1617-1625.	1.0	31
255	Black carbon (BC) of urban topsoil of steel industrial city (Anshan), Northeastern China: Concentration, source identification and environmental implication. Science of the Total Environment, 2016, 569-570, 990-996.	3.9	20
256	Role of environmental factors and microorganisms in determining the fate of polycyclic aromatic hydrocarbons in the marine environment. FEMS Microbiology Reviews, 2016, 40, 814-830.	3.9	183
257	Two black carbon pools transported by the Changjiang and Huanghe Rivers in China. Global Biogeochemical Cycles, 2016, 30, 1778-1790.	1.9	62
258	Cycling of black carbon in the ocean. Geophysical Research Letters, 2016, 43, 4477-4482.	1.5	96
259	Terrestrial biome distribution in the Late Neogene inferred from a black carbon record in the northeastern equatorial Pacific. Scientific Reports, 2016, 6, 32847.	1.6	6

#	ARTICLE	IF	CITATIONS
260	Dissolved black carbon in Antarctic lakes: Chemical signatures of past and present sources. <i>Geophysical Research Letters</i> , 2016, 43, 5750-5757.	1.5	27
261	Characterization, Quantification and Compound-specific Isotopic Analysis of Pyrogenic Carbon Using Benzene Polycarboxylic Acids (BPCA). <i>Journal of Visualized Experiments</i> , 2016, , .	0.2	21
262	Abundance and sinking of particulate black carbon in the western Arctic and Subarctic Oceans. <i>Scientific Reports</i> , 2016, 6, 29959.	1.6	21
263	Abiotic reduction of trifluralin and pendimethalin by sulfides in black-carbon-amended coastal sediments. <i>Journal of Hazardous Materials</i> , 2016, 310, 125-134.	6.5	28
264	Microplastic as a Vector for Chemicals in the Aquatic Environment: Critical Review and Model-Supported Reinterpretation of Empirical Studies. <i>Environmental Science &amp; Technology</i> , 2016, 50, 3315-3326.	4.6	1,031
265	Distribution, input pathway and mass inventory of black carbon in sediments of the Gulf of Thailand, SE Asia. <i>Estuarine, Coastal and Shelf Science</i> , 2016, 170, 10-19.	0.9	19
266	Distribution and preservation of black carbon in the East China Sea sediments: Perspectives on carbon cycling at continental margins. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2016, 124, 43-52.	0.6	28
267	Biochar stability in soil: meta-analysis of decomposition and priming effects. <i>GCB Bioenergy</i> , 2016, 8, 512-523.	2.5	731
268	Aggregation Kinetics of Diesel Soot Nanoparticles in Wet Environments. <i>Environmental Science &amp; Technology</i> , 2017, 51, 2077-2086.	4.6	59
269	Photooxidation of pyrogenic organic matter reduces its reactive, labile C pool and the apparent soil oxidative microbial enzyme response. <i>Geoderma</i> , 2017, 293, 10-18.	2.3	11
270	Link between black carbon, fires, climate change, and human activity during the Holocene period shown in the loess-paleosol sequence from Henan, China. <i>Quaternary Research</i> , 2017, 87, 288-297.	1.0	2
271	Vertical distribution and persistence of soil organic carbon in fire-adapted longleaf pine forests. <i>Forest Ecology and Management</i> , 2017, 390, 15-26.	1.4	18
272	Constraining the sources and cycling of dissolved organic carbon in a large oligotrophic lake using radiocarbon analyses. <i>Geochimica Et Cosmochimica Acta</i> , 2017, 208, 102-118.	1.6	19
273	Impacts of water level fluctuations on the physicochemical properties of black carbon and its phenanthrene adsorption-desorption behaviors. <i>Ecological Engineering</i> , 2017, 100, 130-137.	1.6	6
274	The global pyrogenic carbon cycle and its impact on the level of atmospheric CO <sub>2</sub> over past and future centuries. <i>Global Change Biology</i> , 2017, 23, 3205-3218.	4.2	37
275	High Quantities of Microplastic in Arctic Deep-Sea Sediments from the HAUSGARTEN Observatory. <i>Environmental Science &amp; Technology</i> , 2017, 51, 11000-11010.	4.6	630
276	Solid-state <sup>13</sup> C NMR characterization of surface fire effects on the composition of organic matter in both soil and soil solution from a coniferous forest. <i>Geoderma</i> , 2017, 305, 394-406.	2.3	15
277	Seasonal Variation of Terrigenous Polycyclic Aromatic Hydrocarbons along the Marginal Seas of China: Input, Phase Partitioning, and Ocean-Current Transport. <i>Environmental Science &amp; Technology</i> , 2017, 51, 9072-9079.	4.6	56



#	ARTICLE	IF	CITATIONS
278	Organohalogenated contaminants (OHCs) in high-altitude environments: A review and implication for a black carbon relationship. <i>Critical Reviews in Environmental Science and Technology</i> , 2017, 47, 1143-1190.	6.6	6
279	Do Regional Aerosols Contribute to the Riverine Export of Dissolved Black Carbon?. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2017, 122, 2925-2938.	1.3	21
280	Genomic insights into potential interdependencies in microbial hydrocarbon and nutrient cycling in hydrothermal sediments. <i>Microbiome</i> , 2017, 5, 106.	4.9	168
281	Release of Black Carbon From Thawing Permafrost Estimated by Sequestration Fluxes in the East Siberian Arctic Shelf Recipient. <i>Global Biogeochemical Cycles</i> , 2017, 31, 1501-1515.	1.9	12
282	Seasonal dynamics of atmospheric and river inputs of black carbon, and impacts on biogeochemical cycles in Halong Bay, Vietnam. <i>Elementa</i> , 2017, 5, .	1.1	6
283	Distribution and Sources of Dissolved Black Carbon in Surface Waters of the Chukchi Sea, Bering Sea, and the North Pacific Ocean. <i>Frontiers in Earth Science</i> , 0, 5, .	0.8	37
284	Carbon and nitrogen molecular composition of soil organic matter fractions resistant to oxidation. <i>Soil Research</i> , 2017, 55, 809.	0.6	2
285	Benzene polycarboxylic acid " A useful marker for condensed organic matter, but not for only pyrogenic black carbon. <i>Science of the Total Environment</i> , 2018, 626, 660-667.	3.9	30
286	Sources and burial fluxes of soot black carbon in sediments on the Mackenzie, Chukchi, and Bering Shelves. <i>Continental Shelf Research</i> , 2018, 155, 1-10.	0.9	10
287	Characterisation of Biochar Produced by Pyrolysis from Areca Catechu Dust. <i>Materials Today: Proceedings</i> , 2018, 5, 2089-2097.	0.9	17
288	The Anthropocene" A Potential Stratigraphic Definition Based on Black Carbon, Char, and Soot Records. , 2018, , 171-178.		6
289	A Flow Adsorption Microcalorimetry-Logistic Modeling Approach for Assessing Heterogeneity of BrÅnsted-Type Surfaces: Application to Pyrogenic Organic Materials. <i>Environmental Science &amp; Technology</i> , 2018, 52, 6167-6176.	4.6	2
290	Geomorphic influences on the distribution and accumulation of pyrogenic carbon (PyC) following a low severity wildfire in northern New Mexico. <i>Earth Surface Processes and Landforms</i> , 2018, 43, 2207-2218.	1.2	5
291	Refractory organic matter in coastal salt marshes-effect on C sequestration calculations. <i>Science of the Total Environment</i> , 2018, 633, 391-398.	3.9	17
292	Century-scale high-resolution black carbon records in sediment cores from the South Yellow Sea, China. <i>Journal of Oceanology and Limnology</i> , 2018, 36, 114-127.	0.6	10
293	Centennial-scale records of total organic carbon in sediment cores from the South Yellow Sea, China. <i>Journal of Oceanology and Limnology</i> , 2018, 36, 128-138.	0.6	7
294	Chemistry of Soil Organic Matter. <i>Soil Science Society of America Book Series</i> , 2018, , 1-150.	0.3	6
295	Strong binding of apolar hydrophobic organic contaminants by dissolved black carbon released from biochar: A mechanism of pseudomicelle partition and environmental implications. <i>Environmental Pollution</i> , 2018, 232, 402-410.	3.7	88

#	ARTICLE	IF	CITATIONS
296	Cow dung-derived engineered biochar for reclaiming phosphate from aqueous solution and its validation as slow-release fertilizer in soil-crop system. <i>Journal of Cleaner Production</i> , 2018, 172, 2009-2018.	4.6	80
297	Morphology, molecular structure, and stable carbon isotopic composition of black carbon (BC) in urban topsoils. <i>Environmental Science and Pollution Research</i> , 2018, 25, 3301-3312.	2.7	7
298	OBSOLETE: The Anthropocene - a potential stratigraphic definition based on black carbon, char, and soot records. , 2018, , .		0
299	Sorption of organic compounds to two diesel soot black carbons in water evaluated by liquid chromatography and polyparameter linear solvation energy relationship. <i>Water Research</i> , 2018, 144, 709-718.	5.3	19
300	Pyrogenic Carbon Erosion: Implications for Stock and Persistence of Pyrogenic Carbon in Soil. <i>Frontiers in Earth Science</i> , 2018, 6, .	0.8	58
301	Global-scale evidence for the refractory nature of riverine black carbon. <i>Nature Geoscience</i> , 2018, 11, 584-588.	5.4	111
302	Dissolved Black Carbon as an Efficient Sensitizer in the Photochemical Transformation of 17 $\beta$ -Estradiol in Aqueous Solution. <i>Environmental Science &amp; Technology</i> , 2018, 52, 10391-10399.	4.6	89
303	Global fire emissions buffered by the production of pyrogenic carbon. <i>Nature Geoscience</i> , 2019, 12, 742-747.	5.4	140
304	Association of black carbon with heavy metals and magnetic properties in soils adjacent to a cement plant, Xuzhou (China). <i>Journal of Applied Geophysics</i> , 2019, 170, 103802.	0.9	7
305	Biogeochemical Impacts of a Black Carbon Wet Deposition Event in Halong Bay, Vietnam. <i>Frontiers in Marine Science</i> , 2019, 6, .	1.2	11
306	Historical variation of black carbon and PAHs over the last ~200 years in central North China: Evidence from lake sediment records. <i>Science of the Total Environment</i> , 2019, 690, 891-899.	3.9	35
307	Sources and sink of black carbon in Arctic Ocean sediments. <i>Science of the Total Environment</i> , 2019, 689, 912-920.	3.9	18
308	Vertical Distribution of Soil Pyrogenic Matter: A Review. <i>Pedosphere</i> , 2019, 29, 137-149.	2.1	11
309	Abiotic synthesis of graphite in hydrothermal vents. <i>Nature Communications</i> , 2019, 10, 5179.	5.8	14
310	Coral reef carbonate $\delta^{13}C$ records from the northern South China Sea: A useful proxy for seawater $\delta^{13}C$ and the carbon cycle over the past 1.8 Ma. <i>Global and Planetary Change</i> , 2019, 182, 103003.	1.6	16
311	Quantitative forecasting black (pyrogenic) carbon in soils by chemometric analysis of infrared spectra. <i>Journal of Environmental Management</i> , 2019, 251, 109567.	3.8	16
312	Evaluation of a dichromate oxidation method for the isolation and quantification of black carbon in ancient geological samples. <i>Organic Geochemistry</i> , 2019, 133, 20-31.	0.9	5
313	Historical Black Carbon Reconstruction from the Lake Sediments of the Himalayan-Tibetan Plateau. <i>Environmental Science &amp; Technology</i> , 2019, 53, 5641-5651.	4.6	39

#	ARTICLE	IF	CITATIONS
314	Comparison of Black Carbon, Total Organic Carbon, and PAH Concentrations in Surface Sediments from Two Main Rivers in Henan Province, China. <i>Environmental Forensics</i> , 2019, 20, 39-49.	1.3	4
315	Molecular and isotopic composition of modern soils derived from kerogen-rich bedrock and implications for the global C cycle. <i>Biogeochemistry</i> , 2019, 143, 239-255.	1.7	15
316	Anhydrosugars as tracers in the Earth system. <i>Biogeochemistry</i> , 2019, 146, 209-256.	1.7	29
317	Production and Characterisation of Teak Tree Saw Dust and Rice Husk Biochar. <i>Energy, Environment, and Sustainability</i> , 2019, , 291-306.	0.6	1
319	Distribution of Black Carbon in Topsoils of the Northeastern Qinghai-Tibet Plateau Under Natural and Anthropogenic Influences. <i>Archives of Environmental Contamination and Toxicology</i> , 2019, 76, 528-539.	2.1	7
320	Restoring Abandoned Farmland to Mitigate Climate Change on a Full Earth. <i>One Earth</i> , 2020, 3, 176-186.	3.6	60
321	Dissolved black carbon is not likely a significant refractory organic carbon pool in rivers and oceans. <i>Nature Communications</i> , 2020, 11, 5051.	5.8	53
322	Photochemistry after fire: Structural transformations of pyrogenic dissolved organic matter elucidated by advanced analytical techniques. <i>Geochimica Et Cosmochimica Acta</i> , 2020, 290, 271-292.	1.6	25
323	Reaction of Substituted Phenols with Lignin Char: Dual Oxidative and Reductive Pathways Depending on Substituents and Conditions. <i>Environmental Science &amp; Technology</i> , 2020, 54, 15811-15820.	4.6	21
324	Radiocarbonscapes of Sedimentary Organic Carbon in the East Asian Seas. <i>Frontiers in Marine Science</i> , 2020, 7, .	1.2	4
325	Estimating the organic oxygen content of biochar. <i>Scientific Reports</i> , 2020, 10, 13082.	1.6	50
326	Infrared spectroscopy refines chronological assessment, depositional environment and pyrolysis conditions of archeological charcoals. <i>Scientific Reports</i> , 2020, 10, 12427.	1.6	8
327	Modelling the potential for soil carbon sequestration using biochar from sugarcane residues in Brazil. <i>Scientific Reports</i> , 2020, 10, 19479.	1.6	44
328	First interactions with the hydrologic cycle determine pyrogenic carbon's fate in the Earth system. <i>Earth Surface Processes and Landforms</i> , 2020, 45, 2394-2398.	1.2	12
329	On black carbon emission from automotive disc brakes. <i>Journal of Aerosol Science</i> , 2020, 148, 105610.	1.8	17
330	Fires prime terrestrial organic carbon for riverine export to the global oceans. <i>Nature Communications</i> , 2020, 11, 2791.	5.8	71
331	Leachable soil black carbon after biochar application. <i>Organic Geochemistry</i> , 2020, 143, 103996.	0.9	6
332	Temporal physicochemical changes and transformation of biochar in a rice paddy: Insights from a 9-year field experiment. <i>Science of the Total Environment</i> , 2020, 721, 137670.	3.9	54

#	ARTICLE	IF	CITATIONS
333	Organo-mineral complexes protect condensed organic matter as revealed by benzene-polycarboxylic acids. <i>Environmental Pollution</i> , 2020, 260, 113977.	3.7	13
334	Short-Term Effects of Recent Fire on the Production and Translocation of Pyrogenic Carbon in Great Smoky Mountains National Park. <i>Frontiers in Forests and Global Change</i> , 2020, 3, .	1.0	11
335	Biochar Applications in Agriculture and Environment Management. , 2020, , .		9
336	Triplet Photochemistry of Dissolved Black Carbon and Its Effects on the Photochemical Formation of Reactive Oxygen Species. <i>Environmental Science &amp; Technology</i> , 2020, 54, 4903-4911.	4.6	71
337	Spatial variability of sedimentary carbon in South Yellow Sea, China: impact of anthropogenic emission and long-range transportation. <i>Environmental Science and Pollution Research</i> , 2020, 27, 23812-23823.	2.7	10
338	Emission sources and full spectrum of health impacts of black carbon associated polycyclic aromatic hydrocarbons (PAHs) in urban environment: A review. <i>Critical Reviews in Environmental Science and Technology</i> , 2021, 51, 857-896.	6.6	51
339	Abundance and $\delta^{13}C$ of sedimentary black carbon indicate rising wildfire and C4 plants in Northeast China during the early Holocene. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 562, 110075.	1.0	11
340	Stoichiometric relations of C, N, and P in urban top soils in Nanjing, China, and their biogeochemical implications. <i>Journal of Soils and Sediments</i> , 2021, 21, 2154-2164.	1.5	9
341	Impacts of black carbon on environment and health. , 2021, , 107-125.		0
342	Biochar Role in Soil Carbon Stabilization and Crop Productivity. , 2021, , 1-46.		1
343	Characterization of Bael Shell ( <i>Aegle marmelos</i> ) Pyrolytic Biochar. <i>Lecture Notes in Mechanical Engineering</i> , 2021, , 747-760.	0.3	0
344	Pyrogenic Carbon Initiated the Generation of Hydroxyl Radicals from the Oxidation of Sulfide. <i>Environmental Science &amp; Technology</i> , 2021, 55, 6001-6011.	4.6	36
345	Transport of dissolved black carbon from marginal sea sediments to the western North Pacific. <i>Progress in Oceanography</i> , 2021, 193, 102552.	1.5	12
346	Coal fly ash is a major carbon flux in the Chang Jiang (Yangtze River) basin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	7
347	Relationships between dissolved black carbon and dissolved organic matter in streams. <i>Chemosphere</i> , 2021, 271, 129824.	4.2	24
348	Negligible Quantities of Particulate Low-Temperature Pyrogenic Carbon Reach the Atlantic Ocean via the Amazon River. <i>Global Biogeochemical Cycles</i> , 2021, 35, e2021GB006990.	1.9	7
349	Spatial distribution of pyrogenic carbon in Iberian topsoils estimated by chemometric analysis of infrared spectra. <i>Science of the Total Environment</i> , 2021, 790, 148170.	3.9	6
350	Distribution of black carbon and PAHs in sediments of Peninsular Malaysia. <i>Marine Pollution Bulletin</i> , 2021, 172, 112871.	2.3	15

#	ARTICLE	IF	CITATIONS
352	Biochar, Tool for Climate Change Mitigation and Soil Management. , 2012, , 845-893.		7
353	NatÃ¼rlicher Abbau und RÃ¼ckhalt von Schadstoffen. , 2007, , 151-242.		2
354	Adsorption of Dissolved Organic Compounds by Black Carbon. , 2013, , 359-385.		8
355	Environmental Archives of Contaminant Particles. Developments in Paleoenvironmental Research, 2015, , 187-221.	7.5	18
356	Bio-char Sequestration in Terrestrial Ecosystems â€“ A Review. , 2006, 11, 403.		2
358	An added boost in pyrogenic carbon when wildfire burns forest with high pre-fire mortality. Fire Ecology, 2020, 16, .	1.1	4
360	Carbon isotopes in wood combustion/pyrolysis products: experimental and molecular simulation approaches. Geochronometria, 2019, 46, 111-124.	0.2	3
361	Role of Biochar in Mitigation of Climate Change through Carbon Sequestration. International Journal of Current Microbiology and Applied Sciences, 2017, 6, 859-866.	0.0	13
362	Technical Greenhouse-Gas Mitigation Potentials of Biochar Soil Incorporation in Germany. SSRN Electronic Journal, 0, , .	0.4	4
365	Potential impacts of black carbon on the marine microbial community. Aquatic Microbial Ecology, 2015, 75, 27-42.	0.9	25
366	Regulation of atmospheric carbon dioxide by vegetation fires. Climate Research, 2014, 59, 125-133.	0.4	2
367	A REVIEW OF BLACK CARBON STUDY: HISTORY AND CURRENT STATUS. Marine Geology & Quaternary Geology, 2011, 31, 143-156.	0.1	2
368	Methods Development for the Optical Determination of the Black Carbon Content of Loess Samples. American Journal of Analytical Chemistry, 2015, 06, 585-603.	0.3	1
369	Vertical mobility of pyrogenic organic matter in soils: a column experiment. Biogeosciences, 2020, 17, 6457-6474.	1.3	8
372	RECYCLING OF Eucalipto cloeziana UNDER BIOCHAR DIFFERENT PYROLISIS TEMPERATURES. Floresta, 2019, 49, 199.	0.1	1
373	A critical evaluation of interlaboratory data on total, elemental, and isotopic carbon in the carbonaceous particle reference material, NIST SRM 1649a. Journal of Research of the National Institute of Standards and Technology, 2002, 107, 279.	0.4	163
374	Radiocarbon for Studies of Organic Matter Cycling in the Ocean. Pada (Han'guk Haeyang Hakhoe), 2012, 17, 189-201.	0.3	3
375	Use of molecular markers and compound-specific isotopic signatures to trace sources of black carbon in surface sediments of Peninsular Malaysia: Impacts of anthropogenic activities. Marine Chemistry, 2021, 237, 104032.	0.9	4

#	ARTICLE	IF	CITATIONS
376	Natürlicher Abbau und Rückhalt von Schadstoffen. , 2003, , 151-242.		1
377	Bio-Char Soil Management on Highly Weathered Soils in the Humid Tropics. , 2006, , 537-550.		18
378	Particulate Organic Matter. Encyclopedia of Earth Sciences Series, 2011, , 548-548.	0.1	0
384	Global Biogeochemical Restoration to Stabilize CO <sub>2</sub> at Safe Levels in Time to Avoid Severe Climate Change Impacts to Earth's Life Support Systems: Implications for the United Nations Framework Convention on Climate Change. , 2014, , 5-58.		0
385	Distribution of Black Carbon in The Sediments From The Changjiang River. , 0, , .		1
387	The study of atmospherically deposited Spheroidal Carbonaceous Particles (SCP) from the Kongsfjorden, Svalbard. Czech Polar Reports, 2017, 7, 206-215.	0.2	0
388	Black Carbon Content and Distribution in Surface Sediments From Temperate-zone Reservoirs (Poland). Environmental Problems, 2019, 4, 6-13.	0.0	0
389	Measurement of atmospheric black carbon in some South Mediterranean cities. Clean Air Journal, 2019, 29, .	0.2	3
390	Utilization of Agricultural Waste as Biochar for Soil Health. , 2020, , 207-221.		1
391	NMR Characterization of Natural Organic Matter and Clay-Humic Complexes. , 0, , 77-94.		0
392	Utilization of Soot and 210 Po-210 Pb Disequilibria to Constrain Particulate Organic Carbon Fluxes in the Northeastern South China Sea. Frontiers in Marine Science, 2021, 8, .	1.2	5
393	Continental-scale measurements of soil pyrogenic carbon in Europe. Soil Research, 2022, 60, 103-113.	0.6	0
394	The hadal zone is an important and heterogeneous sink of black carbon in the ocean. Communications Earth & Environment, 2022, 3, .	2.6	14
395	Pyrogenic carbon decomposition critical to resolving fire's role in the Earth system. Nature Geoscience, 2022, 15, 135-142.	5.4	22
396	Aggregation Behaviour of Black Carbon in Aquatic Solution: Effect of Ionic Strength and Coexisting Metals. SSRN Electronic Journal, 0, , .	0.4	0
397	A Multi-Method Approach for Deciphering Rockshelter Microstratigraphies—The Role of the Sodicho Rockshelter (SW Ethiopia) as a Geoarchaeological Archive. Geosciences (Switzerland), 2022, 12, 92.	1.0	2
398	Large fluxes of continental-shelf-borne dissolved organic carbon in the East China Sea and the Yellow Sea. Marine Chemistry, 2022, 240, 104097.	0.9	6
399	Current and Future Trends of Low and High Molecular Weight Polycyclic Aromatic Hydrocarbons in Surface Water and Sediments of China: Insights from Their Long-Term Relationships between Concentrations and Emissions. Environmental Science & Technology, 2022, 56, 3397-3406.	4.6	12

#	ARTICLE	IF	CITATIONS
400	Effects of Urbanization Intensity on the Distribution of Black Carbon in Urban Surface Soil in South China. <i>Forests</i> , 2022, 13, 406.	0.9	2
401	A perspective on biochar for repairing damages in the soil-plant system caused by climate change-driven extreme weather events. <i>Biochar</i> , 2022, 4, 1.	6.2	46
402	Reaction kinetics of dissolved black carbon with hydroxyl radical, sulfate radical and reactive chlorine radicals. <i>Science of the Total Environment</i> , 2022, 828, 153984.	3.9	13
403	Bedform segregation and locking increase storage of natural and synthetic particles in rivers. <i>Nature Communications</i> , 2021, 12, 7315.	5.8	5
407	Multiple biomarkers for indicating changes of the organic matter source over the last decades in the Min-Zhe sediment zone, the East China Sea. <i>Ecological Indicators</i> , 2022, 139, 108917.	2.6	3
408	Anthropogenic origin of a change in the fire-climate relationship in northern China after $\sim 1/4$ 2000 yr BP: Evidence from a 15,500-year black carbon record from Dali Lake. <i>Journal of Chinese Geography</i> , 2022, 32, 1136-1156.	1.5	7
409	Dissolved black carbon induced elimination of bisphenol a by peroxymonosulfate activation through HClO mediated oxidation process. <i>Chemical Engineering Journal</i> , 2022, 446, 137179.	6.6	21
410	Isotopic Records of Ancient Wildfires in $C_{4}$ Grasses Preserved in the Sediment of the Ross Sea, Antarctica. <i>Geophysical Research Letters</i> , 2022, 49, .	1.5	1
411	The black carbon cycle and its role in the Earth system. <i>Nature Reviews Earth &amp; Environment</i> , 2022, 3, 516-532.	12.2	52
412	Role of the sedimentary organic matter structure and microporosity on the degradation of nonylphenol by potassium ferrate. <i>Environmental Pollution</i> , 2022, 309, 119740.	3.7	3
414	Vertical distributions of atmospheric black carbon in dry and wet seasons observed at a 356-m meteorological tower in Shenzhen, South China. <i>Science of the Total Environment</i> , 2022, 853, 158657.	3.9	7
415	Of Sea and Smoke: Evidence of Marine Dissolved Organic Matter Deposition from 2020 Western United States Wildfires. <i>Environmental Science and Technology Letters</i> , 2022, 9, 869-876.	3.9	5
416	Microheterogeneous Triplet Oxidation of Hydrophobic Organic Contaminants in Dissolved Black Carbon Solutions under Simulated Solar Irradiation. <i>Environmental Science &amp; Technology</i> , 2022, 56, 14574-14584.	4.6	6
417	Distribution of black carbon in sediments from mangrove wetlands in China. <i>Frontiers in Forests and Global Change</i> , 0, 5, .	1.0	1
418	Atmospheric Particles Are Major Sources of Aged Anthropogenic Organic Carbon in Marginal Seas. <i>Environmental Science &amp; Technology</i> , 2022, 56, 14198-14207.	4.6	10
419	Analytical methods, molecular structures and biogeochemical behaviors of dissolved black carbon. , 2022, 1, .		18
420	Oxidation of petrogenic organic carbon in a large river-dominated estuary. <i>Geochimica Et Cosmochimica Acta</i> , 2022, 338, 136-153.	1.6	3
421	Molecular signature of soil organic matter under different land uses in the Lake Chaohu Basin. , 2022, 1, 212-218.		4

#	ARTICLE	IF	CITATIONS
422	The roles of Fe oxyhydroxide coating and chemical aging in pyrogenic carbon nanoparticle transport in unsaturated porous media. <i>Environmental Pollution</i> , 2023, 317, 120776.	3.7	2
423	Black carbon, pyrogenic carbon. , 2023, , .		0
424	Distinct Radiocarbon Ages Reveal Two Black Carbon Pools Preserved in Large River Estuarine Sediments. <i>Environmental Science &amp; Technology</i> , 2023, 57, 6216-6227.	4.6	1
436	Freshwater organic matter: Characteristics and reactivity. , 2023, , .		0