

CITATION REPORT

List of articles citing

Consistent structure between bacterial and mitochondrial NADH:ubiquinone oxidoreductase (complex I)

DOI: 10.1006/jmbi.1997.1518

Journal of Molecular Biology, 1998, 276, 105-12.

Source: <https://exaly.com/paper-pdf/29414024/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
221	Search for novel redox groups in mitochondrial NADH:ubiquinone oxidoreductase (complex I) by diode array UV/VIS spectroscopy. 1998 , 8, 177-86		17
220	The NADH:ubiquinone oxidoreductase (complex I) from Escherichia coli. 1998 , 1364, 134-46		158
219	Iron-sulfur clusters/semiquinones in complex I. 1998 , 1364, 186-206		355
218	Redox components and structure of the respiratory NADH:ubiquinone oxidoreductase (complex I). 1998 , 1365, 215-9		35
217	Structure-function studies of iron-sulfur clusters and semiquinones in the NADH-Q oxidoreductase segment of the respiratory chain. 1998 , 1365, 301-8		48
216	cDNA of eight nuclear encoded subunits of NADH:ubiquinone oxidoreductase: human complex I cDNA characterization completed. 1998 , 253, 415-22		63
215	. 1999 ,		166
214	The NDUFA1 gene product (MWFE protein) is essential for activity of complex I in mammalian mitochondria. 1999 , 96, 4354-9		64
213	Three classes of inhibitors share a common binding domain in mitochondrial complex I (NADH:ubiquinone oxidoreductase). 1999 , 274, 2625-30		263
212	The mitochondrial respiratory chain and ATP synthase complexes: Composition, structure and mutational studies. 1999 , 37, 629-643		28
211	Oxidative phosphorylation at the fin de siècle. 1999 , 283, 1488-93		1024
210	Human mitochondrial complex I in health and disease. 1999 , 64, 1505-10		139
209	Overexpression of the Escherichia coli nuo-operon and isolation of the overproduced NADH:ubiquinone oxidoreductase (complex I). 1999 , 38, 16261-7		46
208	A reductase/isomerase subunit of mitochondrial NADH:ubiquinone oxidoreductase (complex I) carries an NADPH and is involved in the biogenesis of the complex. <i>Journal of Molecular Biology</i> , 1999 , 292, 569-80	6.5	52
207	Coenzyme Q Oxidation Reduction Reactions in Mitochondrial Electron Transport. 2000 , 65-82		5
206	Immunocytochemical characterization of the mitochondrially encoded ND1 subunit of complex I (NADH : ubiquinone oxidoreductase) in rat brain. 2000 , 75, 383-92		23
205	The nature and mechanism of superoxide production by the electron transport chain: Its relevance to aging. 2000 , 23, 227-53		96

204	Characterization of the human complex I NDUFB7 and 17.2-kDa cDNAs and mutational analysis of 19 genes of the HP fraction in complex I-deficient-patients. 2000 , 106, 385-91	16
203	Function of conserved acidic residues in the PSST homologue of complex I (NADH:ubiquinone oxidoreductase) from <i>Yarrowia lipolytica</i> . 2000 , 275, 23577-82	65
202	Cryo-electron crystallography of two sub-complexes of bovine complex I reveals the relationship between the membrane and peripheral arms. <i>Journal of Molecular Biology</i> , 2000 , 302, 455-64	6.5 66
201	Characterization of the complex I-associated ubisemiquinone species: toward the understanding of their functional roles in the electron/proton transfer reaction. 2000 , 1459, 299-304	38
200	Characterization of two novel redox groups in the respiratory NADH:ubiquinone oxidoreductase (complex I). 2000 , 1459, 305-9	39
199	The respiratory complex I of bacteria, archaea and eukarya and its module common with membrane-bound multisubunit hydrogenases. 2000 , 479, 1-5	276
198	Learning from hydrogenases: location of a proton pump and of a second FMN in bovine NADH-ubiquinone oxidoreductase (Complex I). 2000 , 485, 1-6	67
197	Resolution of the membrane domain of bovine complex I into subcomplexes: implications for the structural organization of the enzyme. 2000 , 39, 7229-35	163
196	Exploring the membrane domain of the reduced nicotinamide adenine dinucleotide-quinone oxidoreductase of <i>Paracoccus denitrificans</i> : characterization of the NQO7 subunit. 2000 , 39, 9411-8	31
195	A century of mitochondrial research: achievements and perspectives. 2001 , 1, 3-31	182
194	Na(+) translocation by bacterial NADH:quinone oxidoreductases: an extension to the complex-I family of primary redox pumps. 2001 , 1505, 45-56	52
193	Identification of two tetranuclear FeS clusters on the ferredoxin-type subunit of NADH:ubiquinone oxidoreductase (complex I). 2001 , 40, 6124-31	70
192	Structures and proton-pumping strategies of mitochondrial respiratory enzymes. 2001 , 30, 23-65	188
191	Catalog of 434 single-nucleotide polymorphisms (SNPs) in genes of the alcohol dehydrogenase, glutathione S-transferase, and nicotinamide adenine dinucleotide, reduced (NADH) ubiquinone oxidoreductase families. 2001 , 46, 385-407	22
190	The insecticide target in the PSST subunit of complex I. 2001 , 57, 932-40	58
189	Introduction: complex I--an L-shaped black box. 2001 , 33, 155-7	16
188	Biogenesis of respiratory complex I. 2001 , 33, 205-12	55
187	The Na ⁺ -translocating NADH:quinone oxidoreductase (NDH I) from <i>Klebsiella pneumoniae</i> and <i>Escherichia coli</i> : implications for the mechanism of redox-driven cation translocation by complex I. 2001 , 33, 179-86	23

186	The origin of cluster N2 of the energy-transducing NADH-quinone oxidoreductase: comparisons of phylogenetically related enzymes. 2001 , 33, 213-22	39
185	Catalytic activity of NADH-ubiquinone oxidoreductase (complex I) in intact mitochondria. evidence for the slow active/inactive transition. 2001 , 276, 9038-44	89
184	Molecular Machines: putting the pieces together. 2001 , 152, F1-10	49
183	A novel, enzymatically active conformation of the Escherichia coli NADH:ubiquinone oxidoreductase (complex I). 2002 , 277, 17970-7	84
182	Species-specific and mutant MWFE proteins. Their effect on the assembly of a functional mammalian mitochondrial complex I. 2002 , 277, 21221-30	53
181	UV radiation increases the reduced coenzyme Q ratio in marine bacteria. 2002 , 7, 320-3	4
180	Disruption of iron-sulphur cluster N2 from NADH: ubiquinone oxidoreductase by site-directed mutagenesis. 2002 , 364, 833-9	41
179	Chapter 1 Structure and Function of the Mitochondrial Oxidative Phosphorylation System. 2002 , 1-34	1
178	Oxidative phosphorylation: structure, function, and intermediary metabolism. 2002 , 53, 25-56	7
177	Mitochondrial Electron Transport and Oxidative Phosphorylation. 2002 , 141-245	1
176	The energy-transducing NADH: quinone oxidoreductase, complex I. 2002 , 23, 345-68	33
175	Abstract. 2002 , 1555, 1-327	1
174	From NADH to ubiquinone in Neurospora mitochondria. 2002 , 1555, 187-91	76
173	The proton-pumping NADH:ubiquinone oxidoreductase (complex I) of Aquifex aeolicus. 2002 , 512, 80-4	13
172	The gene encoding the PSST subunit of respiratory chain complex I is present in more than one copy in yellow lupine. 2002 , 1577, 144-8	
171	Function and structure of complex II of the respiratory chain. 2003 , 72, 77-109	338
170	Mutagenesis of subunit N of the Escherichia coli complex I. Identification of the initiation codon and the sensitivity of mutants to decylubiquinone. 2003 , 42, 4800-8	75
169	Isolation, characterization and electron microscopic single particle analysis of the NADH:ubiquinone oxidoreductase (complex I) from the hyperthermophilic eubacterium Aquifex aeolicus. 2003 , 42, 3032-9	76

168	Characterization and topology of the membrane domain Nqo10 subunit of the proton-translocating NADH-quinone oxidoreductase of <i>Paracoccus denitrificans</i> . 2003 , 42, 4534-43	26
167	The location of NuoL and NuoM subunits in the membrane domain of the <i>Escherichia coli</i> complex I: implications for the mechanism of proton pumping. 2003 , 278, 43114-20	56
166	Proton pumping by NADH:ubiquinone oxidoreductase. A redox driven conformational change mechanism?. 2003 , 545, 9-17	120
165	Two EPR-detectable [4Fe-4S] clusters, N2a and N2b, are bound to the NuoI (TYKY) subunit of NADH:ubiquinone oxidoreductase (Complex I) from <i>Rhodobacter capsulatus</i> . 2003 , 1557, 51-66	19
164	The nuclear encoded subunits of complex I from bovine heart mitochondria. 2003 , 1604, 135-50	306
163	The proton-translocating NADH-quinone oxidoreductase in the respiratory chain: the secret unlocked. 2003 , 42, 2266-74	259
162	Characterization of cluster N5 as a fast-relaxing [4Fe-4S] cluster in the Nqo3 subunit of the proton-translocating NADH-ubiquinone oxidoreductase from <i>Paracoccus denitrificans</i> . 2003 , 278, 15514-22	36
161	Identification and characterization of a common set of complex I assembly intermediates in mitochondria from patients with complex I deficiency. 2003 , 278, 43081-8	147
160	Functional implications from an unexpected position of the 49-kDa subunit of NADH:ubiquinone oxidoreductase. 2003 , 278, 29072-8	74
159	A role for native lipids in the stabilization and two-dimensional crystallization of the <i>Escherichia coli</i> NADH-ubiquinone oxidoreductase (complex I). 2003 , 278, 19483-91	73
158	Analysis of the subunit composition of complex I from bovine heart mitochondria. 2003 , 2, 117-26	302
157	Substrate-induced conformational change in bacterial complex I. 2004 , 279, 23830-6	79
156	Development and characterization of a conditional mitochondrial complex I assembly system. 2004 , 279, 12406-13	59
155	Function and dysfunction of the oxidative phosphorylation system. 2004 , 149-176	11
154	Respiratory chains from aerobic thermophilic prokaryotes. 2004 , 36, 93-105	33
153	A pair of membrane-embedded acidic residues in the NuoK subunit of <i>Escherichia coli</i> NDH-1, a counterpart of the ND4L subunit of the mitochondrial complex I, are required for high ubiquinone reductase activity. 2004 , 43, 773-81	48
152	Subunit proximity in the H ⁺ -translocating NADH-quinone oxidoreductase probed by zero-length cross-linking. 2004 , 43, 3750-5	35
151	Subunit composition of mitochondrial complex I from the yeast <i>Yarrowia lipolytica</i> . 2004 , 1658, 148-56	71

150 EBEC Short Reports Volume 13. **2004**, 1658, 1-263

149	Application of the yeast <i>Yarrowia lipolytica</i> as a model to analyse human pathogenic mutations in mitochondrial complex I (NADH:ubiquinone oxidoreductase). 2004 , 1659, 197-205	32
148	Shaping the mitochondrial proteome. 2004 , 1659, 212-20	101
147	The gross structure of the respiratory complex I: a Lego System. 2004 , 1608, 1-9	114
146	The main external alternative NAD(P)H dehydrogenase of <i>Neurospora crassa</i> mitochondria. 2004 , 1608, 45-52	33
145	Complex I assembly: a puzzling problem. 2004 , 17, 179-86	35
144	Structural Analysis and Subunit Localization of Complex I from <i>Yarrowia lipolytica</i> .. 2004 , 10, 228-229	
143	The Human OXPHOS System. 2004 , 1-27	
142	Energy transduction by respiratory complex I--an evaluation of current knowledge. 2005 , 33, 525-9	59
141	Structure-function relationships in mitochondrial complex I of the strictly aerobic yeast <i>Yarrowia lipolytica</i> . 2005 , 33, 840-4	17
140	Direct transfer of NADH from malate dehydrogenase to complex I in <i>Escherichia coli</i> . 2005 , 42, 251-61	11
139	Sequence analysis of nuclear genes encoding functionally important complex I subunits in children with encephalomyopathy. 2005 , 83, 786-94	14
138	Structure of a mitochondrial supercomplex formed by respiratory-chain complexes I and III. 2005 , 102, 3225-9	280
137	Histidine 129 in the 75-kDa subunit of mitochondrial complex I from <i>Yarrowia lipolytica</i> is not a ligand for [Fe ₄ S ₄] cluster N5 but is required for catalytic activity. 2005 , 280, 5622-5	16
136	Oxidative Phosphorylation in Health and Disease. 2005 ,	2
135	Targeting the NAD7 subunit to mitochondria restores a functional complex I and a wild type phenotype in the <i>Nicotiana glauca</i> CMS II mutant lacking nad7. 2005 , 280, 25994-6001	74
134	Organization of iron-sulfur clusters in respiratory complex I. 2005 , 309, 771-4	162
133	Characterization of the membrane domain subunit NuoK (ND4L) of the NADH-quinone oxidoreductase from <i>Escherichia coli</i> . 2005 , 44, 9545-54	53

132	Characterization of the delta muH+-sensitive ubisemiquinone species (SQ(Nf)) and the interaction with cluster N2: new insight into the energy-coupled electron transfer in complex I. 2005 , 44, 1744-54	90
131	Tracing the evolution of a large protein complex in the eukaryotes, NADH:ubiquinone oxidoreductase (Complex I). <i>Journal of Molecular Biology</i> , 2005 , 348, 857-70	6.5 197
130	The 29.9 kDa subunit of mitochondrial complex I is involved in the enzyme active/de-active transitions. <i>Journal of Molecular Biology</i> , 2005 , 351, 327-33	6.5 15
129	A novel mtDNA ND6 gene mutation associated with LHON in a Caucasian family. 2005 , 332, 1115-21	25
128	Phylogenetic and structural analysis of mitochondrial complex I proteins. 2005 , 345, 55-64	9
127	Conformation-driven and semiquinone-gated proton-pump mechanism in the NADH-ubiquinone oxidoreductase (complex I). 2005 , 579, 4555-61	83
126	Characterization of the membrane domain subunit NuoJ (ND6) of the NADH-quinone oxidoreductase from <i>Escherichia coli</i> by chromosomal DNA manipulation. 2005 , 44, 3562-71	57
125	A nhaD Na ⁺ /H ⁺ antiporter and a pcd homologues are among the <i>Rhodothermus marinus</i> complex I genes. 2005 , 1709, 95-103	7
124	Structure of the hydrophilic domain of respiratory complex I from <i>Thermus thermophilus</i> . 2006 , 311, 1430-6	663
123	Energy converting NADH:quinone oxidoreductase (complex I). 2006 , 75, 69-92	641
122	Possibility of transkingdom gene therapy for complex I diseases. 2006 , 1757, 708-14	31
121	ATR-FTIR redox difference spectroscopy of <i>Yarrowia lipolytica</i> and bovine complex I. 2006 , 45, 5458-67	21
120	Electron paramagnetic resonance studies of the iron-sulfur centers from complex I of <i>Rhodothermus marinus</i> . 2006 , 45, 1002-8	17
119	Interactions between phospholipids and NADH:ubiquinone oxidoreductase (complex I) from bovine mitochondria. 2006 , 45, 241-8	161
118	The three-dimensional structure of complex I from <i>Yarrowia lipolytica</i> : a highly dynamic enzyme. 2006 , 154, 269-79	111
117	Three-dimensional Structure of Eukaryotic Complex I. 2006 , 12, 380-381	1
116	Mitochondrial complex I: structure, function and pathology. 2006 , 29, 499-515	205
115	Proteomic analysis of the subunit composition of complex I (NADH:ubiquinone oxidoreductase) from bovine heart mitochondria. 2007 , 357, 103-25	19

114	Correlation of mitochondrial protein expression in complexes I to V with natural and induced forms of canine idiopathic dilated cardiomyopathy. 2006 , 67, 971-7		5
113	Mitochondrial Respiratory Complex Biogenesis: Communication, Geneexpression and Assembly. 141-170		2
112	Insecticides Design Using Advanced Technologies. 2007 ,		16
111	Exploring the ubiquinone binding cavity of respiratory complex I. 2007 , 282, 29514-20		85
110	Characterization of the NuoM (ND4) subunit in Escherichia coli NDH-1: conserved charged residues essential for energy-coupled activities. 2007 , 282, 36914-22		74
109	NADH as Donor. 2007 , 2,		4
108	Single particle analysis confirms distal location of subunits NuoL and NuoM in Escherichia coli complex I. 2007 , 159, 238-42		45
107	Direct localization of the 51 and 24 kDa subunits of mitochondrial complex I by three-dimensional difference imaging. 2007 , 159, 433-42		30
106	Projection structure of the membrane domain of Escherichia coli respiratory complex I at 8 Å resolution. <i>Journal of Molecular Biology</i> , 2007 , 366, 140-54	6.5	75
105	EXAFS reveals a structural zinc binding site in the bovine NADH-Q oxidoreductase. 2007 , 581, 5645-8		6
104	The flavoprotein subcomplex of complex I (NADH:ubiquinone oxidoreductase) from bovine heart mitochondria: insights into the mechanisms of NADH oxidation and NAD ⁺ reduction from protein film voltammetry. 2007 , 46, 3454-64		39
103	Respiratory complex I: mechanistic and structural insights provided by the crystal structure of the hydrophilic domain. 2007 , 46, 2275-88		174
102	Mitochondrial Electron Transfer and Oxidative Phosphorylation. 168-297		2
101	. 2007 ,		5
100	A novel recurrent mitochondrial DNA mutation in ND3 gene is associated with isolated complex I deficiency causing Leigh syndrome and dystonia. 2007 , 143A, 33-41		78
99	Cyanobacterial NDH-1 complexes: multiplicity in function and subunit composition. 2007 , 131, 22-32		75
98	The use of amphipathic polymers for cryo electron microscopy of NADH:ubiquinone oxidoreductase (complex I). 2007 , 227, 229-35		27
97	Challenges in elucidating structure and mechanism of proton pumping NADH:ubiquinone oxidoreductase (complex I). 2008 , 40, 475-83		31

96	Eukaryotic complex I: functional diversity and experimental systems to unravel the assembly process. 2008 , 280, 93-110	49
95	Membrane and membrane-associated proteins in Triton X-114 extracts of Mycobacterium bovis BCG identified using a combination of gel-based and gel-free fractionation strategies. 2008 , 8, 1859-70	40
94	The production of reactive oxygen species by complex I. 2008 , 36, 976-80	214
93	In Chlamydomonas, the loss of ND5 subunit prevents the assembly of whole mitochondrial complex I and leads to the formation of a low abundant 700 kDa subcomplex. 2008 , 1777, 388-96	32
92	The three families of respiratory NADH dehydrogenases. 2008 , 45, 185-222	83
91	Three-dimensional structure of respiratory complex I from Escherichia coli in ice in the presence of nucleotides. 2008 , 1777, 711-8	36
90	Chemical and NADH-induced, ROS-dependent, cross-linking between subunits of complex I from Escherichia coli and Thermus thermophilus. 2008 , 47, 10262-70	32
89	The Aerobic and Anaerobic Respiratory Chain of Escherichia coli and Salmonella enterica: Enzymes and Energetics. 2008 , 3,	12
88	Hydrophilic Domain of Respiratory Complex I from Thermus thermophilus. 2009 ,	
87	Oxidative Phosphorylation: Building Blocks and Related Components. 2009 , 469-502	7
86	Chapter 1 Visualizing functional flexibility by three-dimensional electron microscopy reconstructing complex I of the mitochondrial respiratory chain. 2009 , 456, 3-27	3
85	Features of subunit NuoM (ND4) in Escherichia coli NDH-1: TOPOLOGY AND IMPLICATION OF CONSERVED GLU144 FOR COUPLING SITE 1. 2009 , 284, 33062-9	32
84	Critical roles of subunit NuoH (ND1) in the assembly of peripheral subunits with the membrane domain of Escherichia coli NDH-1. 2009 , 284, 9814-23	50
83	Architecture of complex I and its implications for electron transfer and proton pumping. 2009 , 1787, 574-83	86
82	New pulsed EPR methods and their application to characterize mitochondrial complex I. 2009 , 1787, 584-92	13
81	Exploring the binding site of acetogenin in the ND1 subunit of bovine mitochondrial complex I. 2009 , 1787, 1106-11	33
80	Structures of membrane proteins. 2010 , 43, 65-158	108
79	Biogenesis of bacterial inner-membrane proteins. 2010 , 67, 2343-62	25

78	The reaction of NADPH with bovine mitochondrial NADH:ubiquinone oxidoreductase revisited: I. Proposed consequences for electron transfer in the enzyme. 2010 , 42, 261-78	6
77	Transmembrane topology of subunit N of complex I (NADH:ubiquinone oxidoreductase) from <i>Escherichia coli</i> . 2010 , 42, 511-6	5
76	Definition of novel cell envelope associated proteins in Triton X-114 extracts of <i>Mycobacterium tuberculosis</i> H37Rv. 2010 , 10, 132	108
75	The role of a conserved tyrosine in the 49-kDa subunit of complex I for ubiquinone binding and reduction. 2010 , 1797, 625-32	58
74	Redox-induced conformational changes within the <i>Escherichia coli</i> NADH ubiquinone oxidoreductase (complex I): an analysis by mutagenesis and FT-IR spectroscopy. 2010 , 1797, 659-63	17
73	Quinone binding and reduction by respiratory complex I. 2010 , 1797, 1883-90	66
72	Spin labeling of the <i>Escherichia coli</i> NADH ubiquinone oxidoreductase (complex I). 2010 , 1797, 1894-900	12
71	A new hypothesis on the simultaneous direct and indirect proton pump mechanisms in NADH-quinone oxidoreductase (complex I). 2010 , 584, 4131-7	35
70	The architecture of respiratory complex I. 2010 , 465, 441-5	513
69	Internal architecture of mitochondrial complex I from <i>Arabidopsis thaliana</i> . 2010 , 22, 797-810	149
68	The subunit composition of mitochondrial NADH:ubiquinone oxidoreductase (complex I) from <i>Pichia pastoris</i> . 2010 , 9, 2318-26	32
67	Pivotal roles of three conserved carboxyl residues of the NuoC (30k) segment in the structural integrity of proton-translocating NADH-quinone oxidoreductase from <i>Escherichia coli</i> . 2010 , 49, 10072-80	11
66	Analysis of functional consequences of haplogroup J polymorphisms m.4216T>C and m.3866T>C in human MT-ND1: mutagenesis of homologous positions in <i>Escherichia coli</i> . 2010 , 10, 358-61	9
65	The structure of eukaryotic and prokaryotic complex I. 2010 , 169, 81-8	90
64	Towards the molecular mechanism of respiratory complex I. 2009 , 425, 327-39	137
63	A nuclear-encoded mitochondrial gene AtCIB22 is essential for plant development in <i>Arabidopsis</i> . 2010 , 37, 667-83	11
62	Redox-coupled protonation of respiratory complex I: the hydrophilic domain. 2011 , 101, 431-8	4
61	Cyanobacterial NDH-1 complexes: novel insights and remaining puzzles. 2011 , 1807, 935-44	186

60	Hydrophilic Domain of Respiratory Complex I from <i>Thermus thermophilus</i> . 2011 ,	
59	Respiratory complex I: A team engine of the cell?. 2011 , 21, 532-40	84
58	Mammalian NADH:ubiquinone oxidoreductase (Complex I) and nicotinamide nucleotide transhydrogenase (Nnt) together regulate the mitochondrial production of H ₂ O ₂ : implications for their role in disease, especially cancer. 2011 , 43, 541-64	24
57	Proteomic approach to characterize mitochondrial complex I from plants. 2011 , 72, 1071-80	40
56	Evolution of respiratory complex I: "supernumerary" subunits are present in the alpha-proteobacterial enzyme. 2011 , 286, 5023-33	74
55	Structural contribution of C-terminal segments of NuoL (ND5) and NuoM (ND4) subunits of complex I from <i>Escherichia coli</i> . 2011 , 286, 34007-14	37
54	Tracing the trail of protons through complex I of the mitochondrial respiratory chain. 2011 , 9, e1001129	18
53	Electron transfer in subunit NuoL (TYKY) of <i>Escherichia coli</i> NADH:quinone oxidoreductase (NDH-1). 2012 , 287, 17363-17373	13
52	On the Mechanism of the Respiratory Complex I. 2012 , 23-59	2
51	Sealing the mitochondrial respirasome. 2012 , 32, 2647-52	77
50	Tracing the tail of ubiquinone in mitochondrial complex I. 2012 , 1817, 1776-84	40
49	A Structural Perspective on Respiratory Complex I. 2012 ,	4
48	Fungicides Acting on Oxidative Phosphorylation. 2012 , 559-691	4
47	The oxidative phosphorylation system in mammalian mitochondria. 2012 , 942, 3-37	130
46	Understanding mitochondrial complex I assembly in health and disease. 2012 , 1817, 851-62	269
45	Reconstruction of a human mitochondrial complex I mutation in the unicellular green alga <i>Chlamydomonas</i> . 2012 , 70, 759-68	15
44	Revealing various coupling of electron transfer and proton pumping in mitochondrial respiratory chain. 2013 , 23, 526-38	29
43	The Respiratory Chain. 2013 , 87-118	

42	Structural characterization of HP1264 reveals a novel fold for the flavin mononucleotide binding protein. 2013 , 52, 1583-93	3
41	Mitochondrial Medicine. 2013 , 1-153	5
40	Mitochondrial complex I protein differs among residual feed intake phenotype in beef cattle. 2013 , 91, 3299-304	19
39	Three-dimensional structure of bovine heart NADH: ubiquinone oxidoreductase (complex I) by electron microscopy of a single negatively stained two-dimensional crystal. 2014 , 63, 167-74	10
38	An update on complex I assembly: the assembly of players. 2014 , 46, 323-8	20
37	On the mechanism of respiratory complex I. 2014 , 46, 255-68	36
36	The Aerobic and Anaerobic Respiratory Chain of Escherichia coli and Salmonella enterica: Enzymes and Energetics. 2014 , 6,	37
35	Entire Respiratory Complex I from Thermus Thermophilus. 2014 , 1-16	
34	A giant molecular proton pump: structure and mechanism of respiratory complex I. 2015 , 16, 375-88	284
33	Mitochondrial respiration and genomic analysis provide insight into the influence of the symbiotic bacterium on host trypanosomatid oxygen consumption. 2015 , 142, 352-62	10
32	Involvement of Acidic Amino Acid Residues in Zn(2+) Binding to Respiratory Complex I. 2015 , 16, 2080-5	1
31	Expression of a mitochondrial gene orfH79 from CMS-Honglian rice inhibits Escherichia coli growth via deficient oxygen consumption. 2016 , 5, 1125	5
30	C4-Dicarboxylate Utilization in Aerobic and Anaerobic Growth. 2016 , 7,	34
29	The multitude of iron-sulfur clusters in respiratory complex I. 2016 , 1857, 1068-1072	40
28	Structure of bacterial respiratory complex I. 2016 , 1857, 892-901	50
27	Structure and function of mitochondrial complex I. 2016 , 1857, 902-14	174
26	Infrared spectroscopic studies on reaction induced conformational changes in the NADH ubiquinone oxidoreductase (complex I). 2016 , 1857, 922-7	3
25	Functional diversity of complex I subunits in Candida albicans mitochondria. 2016 , 62, 87-95	17

24	Synergic regulation of redox potential and oxygen uptake to enhance production of coenzyme Q in <i>Rhodobacter sphaeroides</i> . 2017 , 101, 36-43		17
23	Electron leak from NDUFA13 within mitochondrial complex I attenuates ischemia-reperfusion injury via dimerized STAT3. 2017 , 114, 11908-11913		24
22	A Bacterial Stress Response Regulates Respiratory Protein Complexes To Control Envelope Stress Adaptation. <i>Journal of Bacteriology</i> , 2017 , 199,	3.5	30
21	Identification of NuoX and NuoY Ligand Binding Specificity in the <i>Campylobacter Jejuni</i> Complex I. <i>Journal of Bacteriology & Parasitology</i> , 2017 , 08,		
20	High-throughput assessment of oxidative respiration in fish embryos: Advancing adverse outcome pathways for mitochondrial dysfunction. <i>Aquatic Toxicology</i> , 2018 , 199, 162-173	5.1	41
19	The mechanism of coupling between oxido-reduction and proton translocation in respiratory chain enzymes. <i>Biological Reviews</i> , 2018 , 93, 322-349	13.5	20
18	Mitochondrial Respiratory Complex Biogenesis: Communication, Gene Expression and Assembly. 2018 , 141-170		1
17	Insights into the respiratory chain and oxidative stress. <i>Bioscience Reports</i> , 2018 , 38,	4.1	66
16	The Use of Amphipols for Electron Microscopy. 2018 , 533-590		1
15	Towards understanding the mechanisms of proton pumps in Complex-I of the respiratory chain. <i>Biophysics Reports</i> , 2019 , 5, 219-234	3.5	4
14	Is the NDUFV2 subunit of the hydrophilic complex I domain a key determinant of animal longevity?. <i>FEBS Journal</i> , 2021 , 288, 6652-6673	5.7	3
13	Biochemical consequences of two clinically relevant ND-gene mutations in <i>Escherichia coli</i> respiratory complex I. <i>Scientific Reports</i> , 2021 , 11, 12641	4.9	1
12	1.5 Electron Transport. Structure, Redox-Coupled Protonmotive Activity, and Pathological Disorders of Respiratory Chain Complexes. 2007 , 93-118		8
11	Mitochondrial Electron Transport Complexes as Biochemical Target Sites for Insecticides and Acaricids. 2007 , 197-215		8
10	Characterization of Bacterial Complex I (NDH-1) by a Genetic Engineering Approach. 2012 , 147-169		2
9	Genetic analysis of the nuo locus, which encodes the proton-translocating NADH dehydrogenase in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1998 , 180, 1174-84	3.5	31
8	Mutagenesis of the L, M, and N subunits of Complex I from <i>Escherichia coli</i> indicates a common role in function. <i>PLoS ONE</i> , 2011 , 6, e17420	3.7	34
7	Electron Transport, Oxidative Phosphorylation, and Hydroxylation. 2001 , 1013-1086		

6 References. **2001**, 261-325

5 Regulation of Mitochondrial Respiration in Heart Muscle. **2007**, 3-25

4 The Cpx Stress Response Regulates Turnover of Respiratory Chain Proteins at the Inner Membrane of .. *Frontiers in Microbiology*, **2021**, 12, 732288 5.7 0

3 Roles for Mitochondrial Complex I subunits in regulating synaptic transmission and growth. 2

2 Roles for Mitochondrial Complex I Subunits in Regulating Synaptic Transmission and Growth.. *Frontiers in Neuroscience*, **2022**, 16, 846425 5.1 0

1 Fumarate, a central electron acceptor for Enterobacteriaceae beyond fumarate respiration and energy conservation. **2022**, 0