CITATION REPORT List of articles citing

Beta-amyloid induces local neurite degeneration in cultured hippocampal neurons: evidence for neuritic apoptos

DOI: 10.1006/nbdi.1998.0228 Neurobiology of Disease, 1998, 5, 365-78.

Source: https://exaly.com/paper-pdf/29416091/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
158	The Alzheimer's disease amyloid precursor protein modulates copper-induced toxicity and oxidative stress in primary neuronal cultures. <i>Journal of Neuroscience</i> , 1999 , 19, 9170-9	6.6	188
157	Caspase activity sows the seeds of neuronal death. 1999 , 1, E44-5		36
156	The changing landscape of ischaemic brain injury mechanisms. 1999 , 399, A7-14		911
155	A unifying hypothesis of Alzheimer's disease. II. Pathophysiological processes. 1999 , 14, 525-581		22
154	Bcl-X(L) inhibits apoptosis and necrosis produced by Alzheimer's beta-amyloid1-40 peptide in PC12 cells. <i>Neuroscience Letters</i> , 1999 , 272, 5-8	3.3	30
153	Neuronal apoptosis induced by beta-amyloid is mediated by caspase-8. <i>Neurobiology of Disease</i> , 1999 , 6, 440-9	7.5	178
152	A unifying hypothesis of Alzheimer's disease. IV. Causation and sequence of events. 2000 , 11 Spec No, 213-328		66
151	Caspase-cleaved actin (fractin) immunolabelling of Hirano bodies. 2000, 26, 342-6		34
150	Apoptosis in neurodegenerative disorders. 2000 , 1, 120-9		1203
149	Par-4 induces cholinergic hypoactivity by suppressing ChAT protein synthesis and inhibiting		
	NGF-inducibility of ChAT activity. 2000 , 874, 221-32		10
148		6.6	206
148 147	NGF-inducibility of ChAT activity. 2000, 874, 221-32 Evidence that Wallerian degeneration and localized axon degeneration induced by local	6.6	
	NGF-inducibility of ChAT activity. 2000 , 874, 221-32 Evidence that Wallerian degeneration and localized axon degeneration induced by local neurotrophin deprivation do not involve caspases. <i>Journal of Neuroscience</i> , 2000 , 20, 1333-41	6.6	206
147	NGF-inducibility of ChAT activity. 2000, 874, 221-32 Evidence that Wallerian degeneration and localized axon degeneration induced by local neurotrophin deprivation do not involve caspases. <i>Journal of Neuroscience</i> , 2000, 20, 1333-41 Mechanisms of beta-amyloid neurotoxicity: perspectives of pharmacotherapy. 2000, 11, 329-82 The cell cycle Cdc25A tyrosine phosphatase is activated in degenerating postmitotic neurons in	6.6	206 96
147 146	NGF-inducibility of ChAT activity. 2000, 874, 221-32 Evidence that Wallerian degeneration and localized axon degeneration induced by local neurotrophin deprivation do not involve caspases. <i>Journal of Neuroscience</i> , 2000, 20, 1333-41 Mechanisms of beta-amyloid neurotoxicity: perspectives of pharmacotherapy. 2000, 11, 329-82 The cell cycle Cdc25A tyrosine phosphatase is activated in degenerating postmitotic neurons in Alzheimer's disease. 2000, 157, 1983-90 Ultrastructural evidence of fibrillar beta-amyloid associated with neuronal membranes in	6.6	206 96 81
147 146 145	NGF-inducibility of ChAT activity. 2000, 874, 221-32 Evidence that Wallerian degeneration and localized axon degeneration induced by local neurotrophin deprivation do not involve caspases. <i>Journal of Neuroscience</i> , 2000, 20, 1333-41 Mechanisms of beta-amyloid neurotoxicity: perspectives of pharmacotherapy. 2000, 11, 329-82 The cell cycle Cdc25A tyrosine phosphatase is activated in degenerating postmitotic neurons in Alzheimer's disease. 2000, 157, 1983-90 Ultrastructural evidence of fibrillar beta-amyloid associated with neuronal membranes in behaviorally characterized aged dog brains. 2000, 96, 495-506 DNA damage and apoptosis in the aged canine brain: relationship to Abeta deposition in the	6.6 7·5	206968154

141	EAmyloid Toxicity: Diverse Biological Activities Drive Multiple Cellular Mechanisms. 407-420	1
140	CEP-1347/KT-7515, an inhibitor of SAPK/JNK pathway activation, promotes survival and blocks multiple events associated with Abeta-induced cortical neuron apoptosis. 2001 , 77, 849-63	144
139	Multiple caspases are involved in beta-amyloid-induced neuronal apoptosis. 2001, 65, 45-53	115
138	Neurodegenerative disorders and ischemic brain diseases. 2001 , 6, 69-81	253
137	Compartmental neurodegeneration and synaptic plasticity in the Wld(s) mutant mouse. 2001, 534, 627-39	82
136	Beta -amyloid-(1-42) impairs activity-dependent cAMP-response element-binding protein signaling in neurons at concentrations in which cell survival Is not compromised. 2001 , 276, 17301-6	168
135	Caspases, apoptosis, and Alzheimer disease: causation, correlation, and confusion. 2001, 60, 829-38	131
134	Detection and Analysis of Synaptosis. 2002 , 177-203	
133	Amyloid precursor protein family-induced neuronal death is mediated by impairment of the neuroprotective calcium/calmodulin protein kinase IV-dependent signaling pathway. 2002 , 277, 20979-90	43
132	Apoptosis Techniques and Protocols. 2002,	3
132	Apoptosis Techniques and Protocols. 2002, Amyloid beta-peptide alters the distribution of early endosomes and inhibits phosphorylation of Akt in the presence of 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide (MTT). 2002, 106, 94-100	3
	Amyloid beta-peptide alters the distribution of early endosomes and inhibits phosphorylation of Akt in the presence of 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide (MTT). 2002 ,	
131	Amyloid beta-peptide alters the distribution of early endosomes and inhibits phosphorylation of Akt in the presence of 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide (MTT). 2002, 106, 94-100 Characterization of neuronal dystrophy induced by fibrillar amyloid beta: implications for	11
131	Amyloid beta-peptide alters the distribution of early endosomes and inhibits phosphorylation of Akt in the presence of 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide (MTT). 2002, 106, 94-100 Characterization of neuronal dystrophy induced by fibrillar amyloid beta: implications for Alzheimer's disease. 2002, 114, 265-73	11 144
131 130	Amyloid beta-peptide alters the distribution of early endosomes and inhibits phosphorylation of Akt in the presence of 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide (MTT). 2002, 106, 94-100 Characterization of neuronal dystrophy induced by fibrillar amyloid beta: implications for Alzheimer's disease. 2002, 114, 265-73 Axon pathology in neurological disease: a neglected therapeutic target. 2002, 25, 532-7 Amyloid precursor protein, presenilins, and alpha-synuclein: molecular pathogenesis and	11 144 315
131 130 129	Amyloid beta-peptide alters the distribution of early endosomes and inhibits phosphorylation of Akt in the presence of 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide (MTT). 2002, 106, 94-100 Characterization of neuronal dystrophy induced by fibrillar amyloid beta: implications for Alzheimer's disease. 2002, 114, 265-73 Axon pathology in neurological disease: a neglected therapeutic target. 2002, 25, 532-7 Amyloid precursor protein, presenilins, and alpha-synuclein: molecular pathogenesis and pharmacological applications in Alzheimer's disease. 2002, 54, 469-525	11 144 315
131 130 129 128	Amyloid beta-peptide alters the distribution of early endosomes and inhibits phosphorylation of Akt in the presence of 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide (MTT). 2002, 106, 94-100 Characterization of neuronal dystrophy induced by fibrillar amyloid beta: implications for Alzheimer's disease. 2002, 114, 265-73 Axon pathology in neurological disease: a neglected therapeutic target. 2002, 25, 532-7 Amyloid precursor protein, presenilins, and alpha-synuclein: molecular pathogenesis and pharmacological applications in Alzheimer's disease. 2002, 54, 469-525 Cell death programs in neural development and disease. 2002, 81-86	11 144 315 354

123	Toxicity of substrate-bound amyloid peptides on vascular smooth muscle cells is enhanced by homocysteine. 2002 , 269, 3014-22		30
122	Caspase inhibition protects nerve terminals from in vitro degradation. 2002 , 27, 465-72		13
121	Do apoptotic mechanisms regulate synaptic plasticity and growth-cone motility?. 2002 , 2, 197-214		97
120	Adventures in neural plasticity, aging, and neurodegenerative disorders aboard the CWC beagle. 2003 , 28, 1631-7		4
119	Glutamate, cell death, and hats off to Carl Cotman. 2003, 28, 1621-4		
118	The induction of the TNFalpha death domain signaling pathway in Alzheimer's disease brain. 2003 , 28, 307-18		83
117	Microfluidic Multicompartment Device for Neuroscience Research. 2003, 19, 1551-1556		241
116	Physiological and pathological roles of Apaf1 and the apoptosome. 2003 , 7, 21-34		49
115	Proteasome inhibition arrests neurite outgrowth and causes "dying-back" degeneration in primary culture. 2003 , 74, 906-16		48
114	Amyloid beta protein toxicity mediated by the formation of amyloid-beta protein precursor complexes. 2003 , 54, 781-9		82
113	The proapoptotic proteins Bax and Bak are not involved in Wallerian degeneration. 2003, 10, 260-1		66
112	Spatial resolution of phospholipid scramblase 1 (PLSCR1), caspase-3 activation and DNA-fragmentation in the human hippocampus after cerebral ischemia. 2003 , 43, 79-87		53
111	Neurites undergoing Wallerian degeneration show an apoptotic-like process with Annexin V positive staining and loss of mitochondrial membrane potential. 2003 , 46, 161-9		58
110	Fas and Fas ligand are associated with neuritic degeneration in the AD brain and participate in beta-amyloid-induced neuronal death. <i>Neurobiology of Disease</i> , 2003 , 12, 182-93	7.5	77
109	Ischemic neuronal death in the rat hippocampus: the calpain-calpastatin-caspase hypothesis. <i>Neurobiology of Disease</i> , 2003 , 13, 75-88	7.5	145
108	Derivatives of xanthic acid are novel antioxidants: application to synaptosomes. 2003 , 37, 355-65		28
107	Apoptosis: a key in neurodegenerative disorders. 2004 , 1, 355-71		79
106	Prenatal infection and risk for schizophrenia: IL-1beta, IL-6, and TNFalpha inhibit cortical neuron dendrite development. 2004 , 29, 1221-9		197

(2006-2004)

Glial lipoproteins stimulate axon growth of central nervous system neurons in compartmented cultures. 2004 , 279, 14009-15		138
MGLuR5 activation reduces beta-amyloid-induced cell death in primary neuronal cultures and attenuates translocation of cytochrome c and apoptosis-inducing factor. 2004 , 89, 1528-36		62
N-alpha-p-tosyl-L-lysine chloromethyl ketone (TLCK) suppresses neuritic degeneration caused by different experimental paradigms including in vitro Wallerian degeneration. 2004 , 1030, 81-93		21
Methods for the study of lipid metabolism in neurons. 2004 , 331, 1-16		3
Synaptic changes in Alzheimer's disease: increased amyloid-beta and gliosis in surviving terminals is accompanied by decreased PSD-95 fluorescence. 2004 , 165, 1809-17		194
Rapid annexin-V labeling in synaptosomes. 2004 , 44, 125-31		19
A microfluidic culture platform for CNS axonal injury, regeneration and transport. 2005 , 2, 599-605		850
Small non-fibrillar assemblies of amyloid beta-protein bearing the Arctic mutation induce rapid neuritic degeneration. <i>Neurobiology of Disease</i> , 2005 , 20, 254-66	7.5	71
The generation of a 17 kDa neurotoxic fragment: an alternative mechanism by which tau mediates beta-amyloid-induced neurodegeneration. <i>Journal of Neuroscience</i> , 2005 , 25, 5365-75	6.6	217
Beta-amyloid-induced neuronal apoptosis involves c-Jun N-terminal kinase-dependent downregulation of Bcl-w. <i>Journal of Neuroscience</i> , 2005 , 25, 1149-58	6.6	178
HIV-1 transactivator of transcription protein induces mitochondrial hyperpolarization and synaptic stress leading to apoptosis. 2005 , 174, 4333-44		87
Beta-amyloid-induced reactive astrocytes display altered ability to support dendrite and axon growth from mouse cerebral cortical neurons in vitro. 2005 , 27, 525-32		5
Botulinum neurotoxin C initiates two different programs for neurite degeneration and neuronal apoptosis. 2005 , 168, 607-18		67
Apoptotic mechanisms in the pathophysiology of schizophrenia. 2005 , 29, 846-58		148
Neuronal models for studying lipid metabolism and transport. 2005 , 36, 117-28		11
Apoptotic mechanisms and the synaptic pathology of schizophrenia. 2006 , 81, 47-63		243
Gliotoxin induces caspase-dependent neurite degeneration and calpain-mediated general cytotoxicity in differentiated human neuroblastoma SH-SY5Y cells. 2006 , 345, 1068-74		18
Apoptosis is secondary to non-apoptotic axonal degeneration in neurons exposed to Abeta in distal axons. 2006 , 27, 1224-38		38
	Cultures. 2004, 279, 14009-15 MGLuR5 activation reduces beta-amyloid-induced cell death in primary neuronal cultures and attenuates translocation of cytochrome c and apoptosis-inducing factor. 2004, 89, 1528-36 N-alpha-p-tosyl-L-lysine chloromethyl ketone (TLCK) suppresses neuritic degeneration caused by different experimental paradigms including in vitro Wallerian degeneration. 2004, 1030, 81-93 Methods for the study of lipid metabolism in neurons. 2004, 331, 1-16 Synaptic changes in Alzheimer's disease: increased amyloid-beta and gliosis in surviving terminals is accompanied by decreased PSD-95 Fluorescence. 2004, 165, 1809-17 Rapid annexin-V labeling in synaptosomes. 2004, 44, 125-31 A microfluidic culture platform for CNS axonal injury, regeneration and transport. 2005, 2, 599-605 Small non-fibrillar assemblies of amyloid beta-protein bearing the Arctic mutation induce rapid neuritic degeneration. Neurobiology of Disease, 2005, 20, 254-66 The generation of a 17 KDa neurotoxic fragment: an alternative mechanism by which tau mediates beta-amyloid-induced neurodegeneration. Journal of Neuroscience, 2005, 25, 5365-75 Beta-amyloid-induced neuronal apoptosis involves c-Jun N-terminal kinase-dependent downregulation of Bcl-w. Journal of Neuroscience, 2005, 25, 1149-58 HIV-1 transactivator of transcription protein induces mitochondrial hyperpolarization and synaptic stress leading to apoptosis. 2005, 174, 4333-44 Beta-amyloid-induced reactive astrocytes display altered ability to support dendrite and axon growth from mouse cerebral cortical neurons in vitro. 2005, 27, 525-32 Botulinum neurotoxin C initiates two different programs for neurite degeneration and neuronal apoptosis. 2005, 168, 607-18 Apoptotic mechanisms in the pathophysiology of schizophrenia. 2005, 29, 846-58 Neuronal models for studying lipid metabolism and transport. 2005, 36, 117-28 Apoptotic mechanisms and the synaptic pathology of schizophrenia. 2006, 81, 47-63 Gliotoxin induces caspase-dependent neurite degeneration and calpain-m	Cultures. 2004, 279, 14009-15 MGLURS activation reduces beta-amyloid-induced cell death in primary neuronal cultures and attenuates translocation of cytochrome c and apoptosis-inducing factor. 2004, 89, 1528-36 N-alpha-p-tosyl-L-lysine chloromethyl ketone (TLCK) suppresses neuritic degeneration caused by different experimental paradigms including in vitro Wallerian degeneration. 2004, 1030, 81-93 Methods for the study of lipid metabolism in neurons. 2004, 331, 1-16 Synaptic changes in Alzheimer's disease: increased amyloid-beta and gliosis in surviving terminals is accompanied by decreased PSD-95 fluorescence. 2004, 165, 1809-17 Rapid annexin-V labeling in synaptosomes. 2004, 44, 125-31 A microfluidic culture platform for CNS axonal injury, regeneration and transport. 2005, 2, 599-605 Small non-fibrillar assemblies of amyloid beta-protein bearing the Arctic mutation induce rapid neuritic degeneration. Neurobiology of Disease, 2005, 20, 254-66 The generation of a 17 kDa neurotoxic fragment: an alternative mechanism by which tau mediates beta-amyloid-induced neurodegeneration. Journal of Neuroscience, 2005, 25, 5365-75 6.6 Beta-amyloid-induced neuronal apoptosis involves c-Jun N-terminal kinase-dependent downregulation of Bct-w. Journal of Neuroscience, 2005, 25, 1149-58 HIV-1 transactivator of transcription protein induces mitochondrial hyperpolarization and synaptic stress leading to apoptosis. 2005, 174, 4333-44 Beta-amyloid-induced reactive astrocytes display altered ability to support dendrite and axon growth from mouse cerebral cortical neurons in vitro. 2005, 27, 525-32 Botulinum neurotoxin C initiates two different programs for neurite degeneration and neuronal apoptosis. 2005, 168, 607-18 Apoptotic mechanisms in the pathophysiology of schizophrenia. 2005, 29, 846-58 Neuronal models for studying lipid metabolism and transport. 2005, 36, 117-28 Apoptotic mechanisms and the synaptic pathology of schizophrenia. 2006, 31, 47-63 Gliotoxin induces caspase-dependent neurite degeneration and calp

87	Apoptosis in schizophrenia: pathophysiologic and therapeutic considerations. 2006, 19, 307-12		54
86	Evidence that caspase-1 is a negative regulator of AMPA receptor-mediated long-term potentiation at hippocampal synapses. 2006 , 97, 1104-10		43
85	Protecting the synapse: evidence for a rational strategy to treat HIV-1 associated neurologic disease. 2006 , 1, 20-31		27
84	Spatially distinct and functionally independent mechanisms of axonal degeneration in a model of HIV-associated sensory neuropathy. 2006 , 129, 1330-8		113
83	Neuronal pentraxin 1 contributes to the neuronal damage evoked by amyloid-beta and is overexpressed in dystrophic neurites in Alzheimer's brain. <i>Journal of Neuroscience</i> , 2006 , 26, 12735-47	6.6	75
82	Notice of Concern. 2006 , 58, 135-135		
81	Molecular determinants of Alzheimer disease Alþeptide neurotoxicity. 2007, 2, 397-409		8
80	Formation of amyloids by Abeta-(1-42) on NGF-differentiated PC12 cells: roles of gangliosides and cholesterol. 2007 , 371, 924-33		66
79	Vaccination strategies for Alzheimer's disease: A new hope?. 2007 , 24, 107-19		13
78	Mutant ubiquitin found in Alzheimer's disease causes neuritic beading of mitochondria in association with neuronal degeneration. 2007 , 14, 1721-32		68
77	Hypoxic injury of isolated axons is independent of ionotropic glutamate receptors. <i>Neurobiology of Disease</i> , 2007 , 25, 284-90	7.5	38
76	Blockade of adenosine A(2A) receptors prevents staurosporine-induced apoptosis of rat hippocampal neurons. <i>Neurobiology of Disease</i> , 2007 , 27, 182-9	7.5	43
75	Mitochondrial regulation of neuronal plasticity. 2007, 32, 707-15		107
74	External force-assisted cell positioning inside microfluidic devices. 2007 , 9, 15-23		25
73	Mechanisms of amyloid plaque pathogenesis. Acta Neuropathologica, 2007, 114, 551-71	14.3	80
72	A compartmented neuronal culture system in microdevice format. <i>Journal of Neuroscience Methods</i> , 2007 , 159, 78-85	3	21
71	Microfluidic-based strip assay for testing the effects of various surface-bound inhibitors in spinal cord injury. <i>Journal of Neuroscience Methods</i> , 2008 , 170, 188-96	3	39
70	Delineating the mechanism of Alzheimer's disease A beta peptide neurotoxicity. 2008 , 33, 526-32		92

(2011-2008)

69	Diffuse axonal injury in periventricular leukomalacia as determined by apoptotic marker fractin. 2008 , 63, 656-61		139
68	Protective effect of chuanxiongzine-puerarin in a rat model of transient middle cerebral artery occlusion-induced focal cerebral ischemia. 2008 , 29, 1113-22		20
67	An update on the toxicity of Abeta in Alzheimer's disease. 2008 , 4, 1033-42		28
66	Compartmented neuron cultures for directional infection by alpha herpesviruses. 2009 , Chapter 26, Unit 26.4		31
65	Examination of potential mechanisms of amyloid-induced defects in neuronal transport. <i>Neurobiology of Disease</i> , 2009 , 36, 11-25	7.5	39
64	Protective actions of sex steroid hormones in Alzheimer's disease. 2009 , 30, 239-58		345
63	Different protection of K252a and N-acetyl-L-cysteine against amyloid-beta peptide-induced cortical neuron apoptosis involving inhibition of MLK3-MKK7-JNK3 signal cascades. 2009 , 87, 918-27		28
62	Production of compartmented cultures of rat sympathetic neurons. 2009 , 4, 1869-87		47
61	Tissue plasminogen activator promotes axonal outgrowth on CNS myelin after conditioned injury. 2009 , 109, 706-15		27
60	Novel microfluidic platform for culturing neurons: culturing and biochemical analysis of neuronal components. 2009 , 4, 1573-7		30
59	Compartmentalized microfluidic culture platform to study mechanism of paclitaxel-induced axonal degeneration. 2009 , 218, 124-8		88
58	Neuro-optical microfluidic platform to study injury and regeneration of single axons. <i>Lab on A Chip</i> , 2009 , 9, 2576-81	7.2	69
57	[Visualization of amyloid formation processes on cell membranes: gangliosides as key molecules for the onset of amyloidosis]. <i>Yakugaku Zasshi</i> , 2010 , 130, 1295-303	O	O
56	Low density cell culture of locust neurons in closed-channel microfluidic devices. <i>Journal of Insect Physiology</i> , 2010 , 56, 1003-9	2.4	8
55	The death receptor antagonist FLIP-L interacts with Trk and is necessary for neurite outgrowth induced by neurotrophins. <i>Journal of Neuroscience</i> , 2010 , 30, 6094-105	6.6	13
54	Examination of axonal injury and regeneration in micropatterned neuronal culture using pulsed laser microbeam dissection. <i>Lab on A Chip</i> , 2010 , 10, 2083-92	7.2	44
53	The parkinsonian mimetic, MPP+, specifically impairs mitochondrial transport in dopamine axons. <i>Journal of Neuroscience</i> , 2011 , 31, 7212-21	6.6	108
52	Sensory neuropathy attributable to loss of Bcl-w. <i>Journal of Neuroscience</i> , 2011 , 31, 1624-34	6.6	43

51	Molecular signaling how do axons die?. Advances in Genetics, 2011, 73, 185-217	3.3	26
50	Microfluidic and compartmentalized platforms for neurobiological research. <i>Critical Reviews in Biomedical Engineering</i> , 2011 , 39, 185-200	1.1	34
49	Matter of life and death: the pharmacological approaches targeting apoptosis in brain diseases. <i>Current Pharmaceutical Design</i> , 2011 , 17, 215-29	3.3	53
48	The potential dual effects of anesthetic isoflurane on Alinduced apoptosis. <i>Current Alzheimer Research</i> , 2011 , 8, 741-52	3	32
47	Aggregation state and neurotoxic properties of alzheimer Eamyloid peptide. <i>Current Protein and Peptide Science</i> , 2011 , 12, 235-57	2.8	14
46	Modes of Altoxicity in Alzheimer's disease. <i>Cellular and Molecular Life Sciences</i> , 2011 , 68, 3359-75	10.3	68
45	Prevention of the Emyloid peptide-induced inflammatory process by inhibition of double-stranded RNA-dependent protein kinase in primary murine mixed co-cultures. <i>Journal of Neuroinflammation</i> , 2011 , 8, 72	10.1	40
44	Anchored FRET sensors detect local caspase activation prior to neuronal degeneration. <i>Molecular Neurodegeneration</i> , 2011 , 6, 35	19	13
43	The effect of acetylcholine-like biomimetic polymers on neuronal growth. <i>Biomaterials</i> , 2011 , 32, 3253-	64 5.6	27
42	Co-culture of neurons and glia in a novel microfluidic platform. <i>Journal of Neuroscience Methods</i> , 2011 , 196, 38-44	3	95
41	Increased Lymphocyte Caspase-3 Activity in Patients with Schizophrenia. <i>Journal of Medical Biochemistry</i> , 2011 , 30, 55-61	1.9	4
40	Dysregulation of iron metabolism in Alzheimer's disease, Parkinson's disease, and amyotrophic lateral sclerosis. <i>Advances in Pharmacological Sciences</i> , 2011 , 2011, 378278	4.9	84
39	Differing effects of toxicants (methylmercury, inorganic mercury, lead, amyloid pand rotenone) on cultured rat cerebrocortical neurons: differential expression of rho proteins associated with neurotoxicity. <i>Toxicological Sciences</i> , 2012 , 126, 506-14	4.4	34
38	ROLE OF AUTOPHAGY IN NEURITE DEGENERATION IN VITRO. 2012 , 407-422		
37	Spatiotemporally controlled and multifactor involved assay of neuronal compartment regeneration after chemical injury in an integrated microfluidics. <i>Analytical Chemistry</i> , 2012 , 84, 6444-53	7.8	34
36	Synergistic protective effect of astragaloside IV-tetramethylpyrazine against cerebral ischemic-reperfusion injury induced by transient focal ischemia. <i>Journal of Ethnopharmacology</i> , 2012 , 140, 64-72	5	39
35	Caspase-3 activation as a bifurcation point between plasticity and cell death. <i>Neuroscience Bulletin</i> , 2012 , 28, 14-24	4.3	167
34	Integrated microfluidics platforms for investigating injury and regeneration of CNS axons. <i>Annals of Biomedical Engineering</i> , 2012 , 40, 1268-76	4.7	37

(2016-2012)

33	A microdevice platform for visualizing mitochondrial transport in aligned dopaminergic axons. Journal of Neuroscience Methods, 2012 , 209, 35-9	3	35
32	Creatine pretreatment protects cortical axons from energy depletion in vitro. <i>Neurobiology of Disease</i> , 2012 , 47, 184-93	7.5	16
31	ABCA7 expression is associated with Alzheimer's disease polymorphism and disease status. <i>Neuroscience Letters</i> , 2013 , 556, 58-62	3.3	75
30	Advances in microfluidics-based experimental methods for neuroscience research. <i>Lab on A Chip</i> , 2013 , 13, 509-21	7.2	64
29	Biomimetic choline-like graphene oxide composites for neurite sprouting and outgrowth. <i>ACS Applied Materials & District Materials & Di</i>	9.5	44
28	ATF4: the perpetrator in axonal-mediated neurodegeneration in Alzheimer's disease. <i>CNS and Neurological Disorders - Drug Targets</i> , 2014 , 13, 1483-4	2.6	1
27	Severe, early axonal degeneration following experimental anterior ischemic optic neuropathy. 2014 , 55, 7111-8		10
26	Effects of surface charges of graphene oxide on neuronal outgrowth and branching. <i>Analyst, The</i> , 2014 , 139, 105-15	5	113
25	Leptin gene therapy attenuates neuronal damages evoked by amyloid-hand rescues memory deficits in APP/PS1 mice. <i>Gene Therapy</i> , 2014 , 21, 298-308	4	55
24	Axonally synthesized ATF4 transmits a neurodegenerative signal across brain regions. <i>Cell</i> , 2014 , 158, 1159-1172	56.2	207
23	Mouse hippocampal explant culture system to study isolated axons. <i>Journal of Neuroscience Methods</i> , 2014 , 232, 157-64	3	3
22	The multifaceted nature of amyloid precursor protein and its proteolytic fragments: friends and foes. <i>Acta Neuropathologica</i> , 2015 , 129, 1-19	14.3	147
21	Compartmentalized Platforms for Neuro-Pharmacological Research. <i>Current Neuropharmacology</i> , 2016 , 14, 72-86	7.6	19
20	7-(4-Hydroxyphenyl)-1-phenyl-4E-hepten-3-one, a Diarylheptanoid from Alpinia officinarum, Protects Neurons against Amyloid-Induced Toxicity. <i>Biological and Pharmaceutical Bulletin</i> , 2016 , 39, 1961-1967	2.3	15
19	Functional imaging of neuron-astrocyte interactions in a compartmentalized microfluidic device. <i>Microsystems and Nanoengineering</i> , 2016 , 2, 15045	7.7	17
18	3D compartmented model to study the neurite-related toxicity of Alaggregates included in collagen gels of adaptable porosity. <i>Acta Biomaterialia</i> , 2016 , 37, 38-49	10.8	17
17	Calpain-mediated cleavage of collapsin response mediator protein-2 drives acute axonal degeneration. <i>Scientific Reports</i> , 2016 , 6, 37050	4.9	20
16	Astrocytic CCAAT/Enhancer Binding Protein Regulates Neuronal Viability and Spatial Learning Ability via miR-135a. <i>Molecular Neurobiology</i> , 2016 , 53, 4173-4188	6.2	14

15	G-Protein-Coupled Inwardly Rectifying Potassium (GIRK) Channel Activation by the p75 Neurotrophin Receptor Is Required for Amyloid Toxicity. <i>Frontiers in Neuroscience</i> , 2017 , 11, 455	5.1	17
14	Phosphatidylserine is a marker for axonal debris engulfment but its exposure can be decoupled from degeneration. <i>Cell Death and Disease</i> , 2018 , 9, 1116	9.8	21
13	Evaluation of retrograde labeling profiles of HSV1 H129 anterograde tracer. <i>Journal of Chemical Neuroanatomy</i> , 2019 , 100, 101662	3.2	9
12	Axonal fusion: An alternative and efficient mechanism of nerve repair. <i>Progress in Neurobiology</i> , 2019 , 173, 88-101	10.9	13
11	Preventive and curative effects of grape seed powder on stroke using in vitro and in vivo models of cerebral ischemia/reperfusion. <i>Biomedicine and Pharmacotherapy</i> , 2020 , 125, 109990	7.5	6
10	Blockade of metabotropic glutamate receptor 5 attenuates axonal degeneration in 6-hydroxydopamine-induced model of Parkinson's disease. <i>Molecular and Cellular Neurosciences</i> , 2021 , 110, 103572	4.8	3
9	. IEEE Transactions on Medical Robotics and Bionics, 2021 , 3, 315-327	3.1	4
8	Synaptic activity becomes excitotoxic in neurons exposed to elevated levels of platelet-activating factor. <i>Journal of Clinical Investigation</i> , 2005 , 115, 3185-92	15.9	57
7	Tissue engineered organoids for neural network modelling. <i>Advances in Tissue Engineering & Regenerative Medicine Open Access</i> , 2017 , 3,	2	3
6	Glial Activation and Synaptic Neurotoxicity in Alzheimer's disease: A Focus on Neuroinflammation. <i>Pharmacologia</i> , 2014 , 5, 286-297		2
5	A Mini Review on AlDligomers and its Pathogencity. <i>Journal of the Chosun Natural Science</i> , 2014 , 7, 79-8	86	
4	A Correlative Study on Amyloid 🛭 Induced Cell Death Independent of Caspase Activation. <i>Journal of the Chosun Natural Science</i> , 2014 , 7, 87-91		
3	Activation of sphingosine 1-phosphate receptor-1 by SEW2871 improves cognitive function in Alzheimer's disease model rats. <i>EXCLI Journal</i> , 2013 , 12, 449-61	2.4	21
2	Tissue engineering of the retina: from organoids to microfluidic chips <i>Journal of Tissue Engineering</i> , 2021 , 12, 20417314211059876	7.5	1
1	Advances in Nerve Injury Models on a Chip. 2200227		O