

CITATION REPORT

List of articles citing

BCL-2 family: regulators of cell death

DOI: 10.1146/annurev.immunol.16.1.395

Annual Review of Immunology, 1998, 16, 395-419.

Source: <https://exaly.com/paper-pdf/29420420/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1500	Cytotoxicity and apoptosis mediated by two peptides of innate immunity. 1998 , 189, 107-15		121
1499	CD95 mediated T cell apoptosis and its relevance to immune deviation. 1998 , 17, 3271-6		24
1498	Active role of chondrocyte apoptosis in endochondral ossification. 1998 , 43, 191-204		134
1497	The Bcl-2 protein family: arbiters of cell survival. 1998 , 281, 1322-6		4058
1496	BCL-2 family: regulators of cell death. <i>Annual Review of Immunology</i> , 1998 , 16, 395-419	34.7	1427
1495	Activation of human monocytes induces differential resistance to apoptosis with rapid down regulation of caspase-8/FLICE. 1998 , 95, 14308-13		71
1494	Farnesyltransferase inhibitors induce cytochrome c release and caspase 3 activation preferentially in transformed cells. 1998 , 95, 15356-61		95
1493	The relationship between Bcl2, Bax and p53: consequences for cell cycle progression and cell death. 1998 , 4, 1099-109		331
1492	The intrinsic radioresistance of glioblastoma-derived cell lines is associated with a failure of p53 to induce p21(BAX) expression. 1998 , 95, 14453-8		77
1491	Apoptosis regulator bcl-w is essential for spermatogenesis but appears otherwise redundant. 1998 , 95, 12424-31		264
1490	Impaired thymopoiesis occurring during the thymic involution of tumor-bearing mice is associated with a down-regulation of the antiapoptotic proteins Bcl-XL and A1. 1998 , 23, 89		1
1489	From the Lab to the Clinic: Activation of an Alpha-2 agonist Pathway is Neuroprotective in Models of Retinal and Optic Nerve Injury. 1999 , 9, S17-S21		57
1488	Bcl-2 overexpression does not protect neurons from mutant neurofilament-mediated motor neuron degeneration. 1999 , 19, 6446-56		25
1487	Liposomal ET-18-OCH3 Induces Cytochrome c-Mediated Apoptosis Independently of CD95 (APO-1/Fas) Signaling. 1999 , 94, 3583-3592		38
1486	Phosphatidylinositol 3-Kinase Is Involved in the Protection of Primary Cultured Human Erythroid Precursor Cells From Apoptosis. 1999 , 94, 1568-1577		89
1485	Mutator Phenotype in Human Hematopoietic Neoplasms and Its Association With Deletions Disabling DNA Repair Genes and bcl-2 Rearrangements. 1999 , 94, 2424-2432		28
1484	Assessing apoptosis of developing T cells by flow cytometry. 2000 , 134, 117-31		

1483	Man-made mineral fibers induce apoptosis of human peripheral blood mononuclear cells similarly to chrysotile B. 1999 , 4, 633-7	6
1482	Targeted expression of Bcl-2 in mouse oocytes inhibits ovarian follicle atresia and prevents spontaneous and chemotherapy-induced oocyte apoptosis in vitro. 1999 , 13, 841-50	132
1481	Death signals from the B cell antigen receptor target mitochondria, activating necrotic and apoptotic death cascades in a murine B cell line, WEHI-231. 1999 , 11, 933-41	38
1480	Regulation of bcl-2 family proteins during development and in response to oxidative stress in cardiac myocytes: association with changes in mitochondrial membrane potential. 1999 , 85, 940-9	215
1479	Mice transgenic for BAFF develop lymphocytic disorders along with autoimmune manifestations. 1999 , 190, 1697-710	1222
1478	Expression of caspase and BCL-2 apoptotic family members in mouse preimplantation embryos. 1999 , 61, 231-9	146
1477	Increased susceptibility of thymocytes to apoptosis in mice lacking AIM, a novel murine macrophage-derived soluble factor belonging to the scavenger receptor cysteine-rich domain superfamily. 1999 , 189, 413-22	135
1476	bcl-x prevents apoptotic cell death of both primitive and definitive erythrocytes at the end of maturation. 1999 , 189, 1691-8	117
1475	An essential role for nuclear factor kappaB in promoting double positive thymocyte apoptosis. 1999 , 189, 145-58	190
1474	Anti-apoptotic role of telomerase in pheochromocytoma cells. 1999 , 274, 7264-71	197
1473	A novel BH3-like domain in BID is required for intramolecular interaction and autoinhibition of pro-apoptotic activity. 1999 , 274, 23687-90	41
1472	Regulation of bad phosphorylation and association with Bcl-x(L) by the MAPK/Erk kinase. 1999 , 274, 31108-13	312
1471	bcl-2 gene therapy exacerbates excitotoxicity. 1999 , 10, 1715-20	18
1470	Nix and Nip3 form a subfamily of pro-apoptotic mitochondrial proteins. 1999 , 274, 7-10	223
1469	Bcl-2 and mitochondrial oxygen radicals. New approaches with reactive oxygen species-sensitive probes. 1999 , 274, 29831-7	140
1468	Lymphocyte survival--the struggle against death. 1999 , 15, 113-40	40
1467	Interleukin-3 induces the phosphorylation of a distinct fraction of bcl-2. 1999 , 274, 1033-9	38
1466	Differential involvement of MEK kinase 1 (MEKK1) in the induction of apoptosis in response to microtubule-targeted drugs versus DNA damaging agents. 1999 , 274, 10916-22	58

1465	The molecular mechanism of programmed cell death in <i>C. elegans</i> . 1999 , 887, 92-104	66
1464	Activation of apoptosis and its inhibition. 1999 , 886, 132-57	7
1463	Gene targeting in the analysis of mammalian apoptosis and TNF receptor superfamily signaling. 1999 , 169, 283-302	66
1462	Characterization of Apt- cell lines exhibiting cross-resistance to glucocorticoid- and Fas-mediated apoptosis. 1999 , 6, 796-804	9
1461	Mechanisms of apoptosis by c-Myc. 1999 , 18, 2967-87	377
1460	Transgenic models of lymphoid neoplasia and development of a pan-hematopoietic vector. 1999 , 18, 5268-77	67
1459	Bax membrane insertion during Fas(CD95)-induced apoptosis precedes cytochrome c release and is inhibited by Bcl-2. 1999 , 18, 5991-9	88
1458	p53 accumulation in apoptotic macrophages is an energy demanding process that precedes cytochrome c release in response to nitric oxide. 1999 , 18, 6403-10	61
1457	Integrin-linked kinase regulates phosphorylation of serine 473 of protein kinase B by an indirect mechanism. 1999 , 18, 8024-32	182
1456	The modular nature of apoptotic signaling proteins. 1999 , 55, 1113-28	111
1455	Bcl-2 gene family and related proteins in mammary gland involution and breast cancer. 1999 , 4, 153-64	89
1454	Role of endothelial cell survival and death signals in angiogenesis. 1999 , 3, 101-16	45
1453	A portrait of the Bcl-2 protein family: life, death, and the whole picture. 1999 , 19, 365-77	37
1452	Aiolos transcription factor controls cell death in T cells by regulating Bcl-2 expression and its cellular localization. 1999 , 18, 3419-30	69
1451	Manipulation of outer root sheath cell survival perturbs the hair-growth cycle. 1999 , 18, 3596-603	27
1450	Ref-1 regulates the transactivation and pro-apoptotic functions of p53 in vivo. 1999 , 18, 5609-21	184
1449	Bcl-xL regulates apoptosis by heterodimerization-dependent and -independent mechanisms. 1999 , 18, 632-43	165
1448	Analysis of the Bak protein expression in human polymorphonuclear neutrophils. 1999 , 29, 41-5	11

1447	Apoptosis in experimental rabies in bax-deficient mice. 1999 , 98, 288-94	17
1446	Self-renewal, differentiation or death: regulation and manipulation of hematopoietic stem cell fate. 1999 , 5, 201-8	142
1445	Activation of caspase-8 in transforming growth factor-beta-induced apoptosis of human hepatoma cells. 1999 , 30, 1215-22	85
1444	Activation of the cAMP signaling pathway increases apoptosis in human B-precursor cells and is associated with downregulation of Mcl-1 expression. 1999 , 180, 71-80	61
1443	An IL-2 receptor beta subdomain that controls Bcl-X(L) expression and cell survival. 1999 , 29, 1158-67	18
1442	Regulation of cell survival during B lymphopoiesis: suppressed apoptosis of pro-B cells in P53-deficient mouse bone marrow. 1999 , 29, 2484-90	20
1441	Reversal of Blimp-1-mediated apoptosis by A1, a member of the Bcl-2 family. 1999 , 29, 2988-98	39
1440	A1 expression is stimulated by CD40 in B cells and rescues WEHI 231 cells from anti-IgM-induced cell death. 1999 , 29, 3077-88	72
1439	Adenovirus-mediated E2F-1 gene transfer efficiently induces apoptosis in melanoma cells. 1999 , 86, 2021-33	47
1438	Postnatal distribution of cyp32/caspase 3 mRNA in the mouse central nervous system: an in situ hybridization study. 1999 , 409, 339-57	64
1437	Apoptosis and therapy. 1999 , 187, 127-37	239
1436	T Cell Protocols. 1999 ,	
1435	Selection of the T cell repertoire. <i>Annual Review of Immunology</i> , 1999 , 17, 829-74	34.7 423
1434	Environmental Metal Pollutants, Reactive Oxygen Intermediaries and Genotoxicity. 1999 ,	5
1433	Cell survival promoted by the Ras-MAPK signaling pathway by transcription-dependent and -independent mechanisms. 1999 , 286, 1358-62	1623
1432	Chemo-signal therapy, an emerging new approach to modify drug resistance in breast cancer. 1999 , 25, 271-7	19
1431	Activation and role of caspases in chemotherapy-induced apoptosis. 1999 , 2, 21-29	13
1430	PKR, apoptosis and cancer. 1999 , 31, 123-38	169

1429	Interleukin-7: physiological roles and mechanisms of action. 1999 , 10, 41-60	213
1428	Determination of Apoptosis in Primary Rat Hepatocytes by Real-time Quantitative PCR (TaqMan PCR). 1999 , 13, 561-5	4
1427	Following the development of a CD4 T cell response in vivo: from activation to memory formation. 1999 , 11, 163-71	177
1426	Implications de l'apoptose en pathologie. 1999 , 14, 16-31	
1425	Ca ²⁺ -induced apoptosis through calcineurin dephosphorylation of BAD. 1999 , 284, 339-43	978
1424	A zinc-finger transcription factor induced by TGF-beta promotes apoptotic cell death in epithelial Mv1Lu cells. 1999 , 457, 478-82	84
1423	Solution structure of the proapoptotic molecule BID: a structural basis for apoptotic agonists and antagonists. 1999 , 96, 625-34	347
1422	Fetal anemia and apoptosis of red cell progenitors in Stat5a ^{-/-} 5b ^{-/-} mice: a direct role for Stat5 in Bcl-X(L) induction. 1999 , 98, 181-91	628
1421	Update of diagnostic and prognostic markers in cutaneous malignant melanoma. 1999 , 17, 631-43	20
1420	Apoptosis: mechanisms of life and death in the immune system. 1999 , 103, 548-54	66
1419	Escaping cell death: survival proteins in cancer. 1999 , 248, 30-43	546
1418	Bad overexpression sensitizes NIH/3T3 cells to undergo apoptosis which involves caspase activation and ERK inactivation. 1999 , 264, 724-9	23
1417	Phosphorylation of Bcl-2 and mitochondrial changes are associated with apoptosis of lymphoblastoid cells induced by normal immunoglobulin G. 1999 , 264, 896-901	21
1416	Members of the bcl-2 and caspase families regulate nuclear degeneration during chick lens fibre differentiation. 1999 , 213, 142-56	85
1415	Experimental studies of agents with potential neuroprotective properties. 1999 , 77, 27-28	
1414	Reactive oxygen species activate a Ca ²⁺ -dependent cell death pathway in the unicellular organism <i>Trypanosoma brucei brucei</i> . 1999 , 340, 33-40	80
1413	Heat-shock protein 70 antisense oligomers enhance proteasome inhibitor-induced apoptosis. 1999 , 344, 477-485	57
1412	Reactive oxygen species activate a Ca ²⁺ -dependent cell death pathway in the unicellular organism <i>Trypanosoma brucei brucei</i> . 1999 , 340, 33	35

1411	Heat-shock protein 70 antisense oligomers enhance proteasome inhibitor-induced apoptosis. 1999 , 344, 477	16
1410	Signal transduction pathways that regulate the fate of B lymphocytes. 1999 , 73, 79-152	45
1409	NF-kappaB induces expression of the Bcl-2 homologue A1/Bfl-1 to preferentially suppress chemotherapy-induced apoptosis. 1999 , 19, 5923-9	509
1408	The dynamic link between the integrity of the immune system and zinc status. 2000 , 130, 1399S-406S	285
1407	MEK activity regulates negative selection of immature CD4+CD8+ thymocytes. 2000 , 164, 2326-37	49
1406	Survival mechanisms induced by 12-O-tetradecanoylphorbol-13-acetate in normal human melanocytes include inhibition of apoptosis and increased Bcl-2 expression. 2000 , 10, 412-20	12
1405	B lymphopenia in uremia is related to an accelerated in vitro apoptosis and dysregulation of Bcl-2. 2000 , 15, 502-10	102
1404	Pro-apoptotic treatment with an adenovirus encoding Bax enhances the effect of chemotherapy in ovarian cancer. 2000 , 2, 97-106	38
1403	Actinomycin D induces apoptosis and inhibits growth of pancreatic cancer cells. 2000 , 86, 399-407	93
1402	Mutation of BAX occurs infrequently in acquired immunodeficiency syndrome-related non-Hodgkin's lymphomas. 2000 , 27, 177-82	9
1401	Bcl-xl antisense treatment induces apoptosis in breast carcinoma cells. 2000 , 87, 582-90	67
1400	Differential expression of Bax and Bcl-2 in the assessment of cellular dynamics in fine-needle samples of primary breast carcinomas. 2000 , 42, 264-9	3
1399	Copper induces apoptosis in BA/F3beta cells: Bax, reactive oxygen species, and NFkappaB are involved. 2000 , 184, 161-70	63
1398	Beta cell destruction in the development of autoimmune diabetes in the non-obese diabetic (NOD) mouse. 2000 , 16, 251-61	74
1397	High cyclin-dependent kinase inhibitors in Bcl-2 and Bcl-xL-expressing CD34+-proliferating haematopoietic progenitors. 2000 , 110, 654-62	15
1396	Conference highlight: do T cells care about the mitogen-activated protein kinase signalling pathways?. 2000 , 78, 166-75	24
1395	Reactions of salicylaldehydes with alkyl cyanoacetates on the surface of solid catalysts: syntheses of 4H-chromene derivatives. 2000 , 41, 6993-6996	123
1394	Role of the common cytokine receptor gamma chain (gammac) in thymocyte selection. 2000 , 21, 88-94	22

1393	Gamma chain required for naive CD4+ T cell survival but not for antigen proliferation. 2000 , 1, 54-8	266
1392	Bcl-2 inhibits Bax translocation from cytosol to mitochondria during drug-induced apoptosis of human tumor cells. 2000 , 7, 102-11	267
1391	The BH3 domain is required for caspase-independent cell death induced by Bax and oligomycin. 2000 , 7, 338-49	19
1390	Bcl-xL promotes metastasis of breast cancer cells by induction of cytokines resistance. 2000 , 7, 350-9	54
1389	Ectopic expression of Bcl-2 switches over nuclear signalling for cAMP-induced apoptosis to granulocytic differentiation. 2000 , 7, 1081-9	20
1388	Expression of Bcl-2 inhibited Fas-mediated apoptosis in human hepatocellular carcinoma BEL-7404 cells. 2000 , 10, 233-42	26
1387	Rapid crossing of the pulmonary endothelial barrier by polyethylenimine/DNA complexes. 2000 , 7, 499-504	131
1386	Heat shock proteins--modulators of apoptosis in tumour cells. 2000 , 14, 1161-73	182
1385	Genetic instability is associated with histological transformation of follicle center lymphoma. 2000 , 14, 2142-8	37
1384	Bcl-xS and Bax induce different apoptotic pathways in PC12 cells. 2000 , 19, 1783-93	59
1383	The cytokine hepatocyte growth factor/scatter factor inhibits apoptosis and enhances DNA repair by a common mechanism involving signaling through phosphatidyl inositol 3' kinase. 2000 , 19, 2212-23	142
1382	p53-independent apoptosis associated with c-Myc-mediated block in myeloid cell differentiation. 2000 , 19, 2967-77	32
1381	The c-Myc-interacting adaptor protein Bin1 activates a caspase-independent cell death program. 2000 , 19, 4669-84	96
1380	Bcl-2 family proteins as targets for anticancer drug design. 2000 , 19, 6627-31	162
1379	Expression and function of X chromosome-linked inhibitor of apoptosis protein in Sjögren's syndrome. 2000 , 80, 1421-7	16
1378	The function of PML in p53-dependent apoptosis. 2000 , 2, 730-6	382
1377	CD95's deadly mission in the immune system. 2000 , 407, 789-95	1416
1376	Bcl-2 inhibits calcineurin-mediated Fas ligand expression in antitumor drug-treated baby hamster kidney cells. 2000 , 91, 706-14	8

1375	Cleavage of Bax-alpha and Bcl-x(L) during carboplatin-mediated apoptosis in squamous cell carcinoma cell line. 2000 , 36, 277-85	27
1374	BCL-2 protects peroxynitrite-treated thymocytes from poly(ADP-ribose) synthase (PARS)-independent apoptotic but not from PARS-mediated necrotic cell death. 2000 , 29, 704-13	29
1373	Correlation of tumor markers p53, bcl-2 and cathepsin-D with clinicopathologic features and disease-free survival in laryngeal squamous cell carcinoma. 2000 , 50, 717-24	18
1372	Rsk1 mediates a MEK-MAP kinase cell survival signal. 2000 , 10, 127-35	242
1371	The Raf signal transduction cascade as a target for chemotherapeutic intervention in growth factor-responsive tumors. 2000 , 88, 229-79	77
1370	Is neuronal injury caused by hypoglycemic coma of the necrotic or apoptotic type?. 2000 , 25, 661-7	30
1369	One path to cell death in the nervous system. 2000 , 25, 1373-83	11
1368	Prolongation of murine hybridoma cell survival in stationary batch culture by Bcl-xL expression. 2000 , 34, 131-9	22
1367	Minireview: apoptosis as seen through a lens. 2000 , 5, 203-9	64
1366	Regulation of T cell apoptosis. 2000 , 5, 459-71	23
1365	Early transitory rise in intracellular pH leads to Bax conformation change during ceramide-induced apoptosis. 2000 , 5, 551-60	45
1364	Transforming growth factor-beta induces apoptosis in activated murine T cells through the activation of caspase 1-like protease. 2000 , 204, 46-54	18
1363	Protein phosphatase 1alpha is a Ras-activated Bad phosphatase that regulates interleukin-2 deprivation-induced apoptosis. 2000 , 19, 2237-46	125
1362	The anti-apoptotic activities of Rel and RelA required during B-cell maturation involve the regulation of Bcl-2 expression. 2000 , 19, 6351-60	192
1361	Antisense Downregulation of the Apoptosis-related Bcl-2 and Bcl-xL Proteins: A New Approach to Cancer Therapy. 2000 , 34, 875-887	2
1360	The role of apoptosis in regulating hematopoiesis and hematopoietic stem cells. 2000 , 22, 83-94	36
1359	Differential expression of bcl-2 homologs in human CD34(+) hematopoietic progenitor cells induced to differentiate into erythroid or granulocytic cells. 2000 , 18, 261-72	32
1358	Transcription factors involved in pancreatic islet development. 2000 , 7, 27-34	32

1357	Cell death mechanisms in Parkinson's disease. 2000 , 107, 1-29	187
1356	Bcl-XL is up-regulated by HTLV-I and HTLV-II in vitro and in ex vivo ATLL samples. 2000 , 96, 275-281	94
1355	Functional characterization of an IL-7-dependent CD4+CD8 β Th3-type malignant cell line derived from a patient with a cutaneous T-cell lymphoma. 2000 , 96, 1056-1063	26
1354	The role of immunoglobulin translocations in the pathogenesis of B-cell malignancies. 2000 , 96, 808-822	243
1353	Regulation of apoptosis of synovial fibroblasts. 2001 , 3, 216-39	20
1352	beta-adrenergic receptor/cAMP-mediated signaling and apoptosis of S49 lymphoma cells. 2000 , 279, C1665-74	58
1351	Cardioprotective effect of chronic hyperglycemia: effect on hypoxia-induced apoptosis and necrosis. 2000 , 278, H1948-54	75
1350	When is a "prognostic factor" really prognostic?. 2000 , 18, 3745-7	9
1349	The role of apoptosis in the regulation of hematopoietic stem cells: Overexpression of Bcl-2 increases both their number and repopulation potential. 2000 , 191, 253-64	267
1348	Transforming growth factor-beta 1 induces apoptosis independently of p53 and selectively reduces expression of Bcl-2 in multipotent hematopoietic cells. 2000 , 275, 39137-45	51
1347	STAT1 affects lymphocyte survival and proliferation partially independent of its role downstream of IFN-gamma. 2000 , 164, 1286-92	122
1346	On the self-referential nature of naive MHC class II-restricted T cells. 2000 , 165, 6183-92	20
1345	Apoptosis in Cardiac Biology. 2000 ,	1
1344	Atm and Bax cooperate in ionizing radiation-induced apoptosis in the central nervous system. 2000 , 97, 889-94	127
1343	Attenuation of apoptosis underlies B lymphocyte stimulator enhancement of humoral immune response. 2000 , 192, 953-64	366
1342	Defective Th function induced by a dominant-negative cAMP response element binding protein mutation is reversed by Bcl-2. 2000 , 165, 1762-70	23
1341	10.1007/s10525-008-1013-0. 2000 , 1,	
1340	Mechanisms of cell injury and death in hyperoxia: role of cytokines and Bcl-2 family proteins. 2000 , 22, 517-9	104

1339	Analysis of Bcl-2 protein expression in chronic lymphocytic leukemia. A comparison of three semiquantitation techniques. 2000 , 113, 219-29	39
1338	Dynamic mechanical stretch of organotypic brain slice cultures induces differential genomic expression: relationship to mechanical parameters. 2000 , 122, 224-30	51
1337	BNIP3 heterodimerizes with Bcl-2/Bcl-X(L) and induces cell death independent of a Bcl-2 homology 3 (BH3) domain at both mitochondrial and nonmitochondrial sites. 2000 , 275, 1439-48	259
1336	Cell-Type Specific Integration of Cross-Talk between Extracellular Signal-Regulated Kinase and cAMP Signaling. 2000 , 58, 659-668	172
1335	Structure-based discovery of an organic compound that binds Bcl-2 protein and induces apoptosis of tumor cells. 2000 , 97, 7124-9	1013
1334	Cytochrome c release, mitochondrial membrane depolarization, caspase-3 activation, and Bax-alpha cleavage during IFN-alpha-induced apoptosis in Daudi B lymphoma cells. 2000 , 20, 1121-9	53
1333	A1 functions at the mitochondria to delay endothelial apoptosis in response to tumor necrosis factor. 2000 , 275, 18099-107	79
1332	Plakoglobin regulates the expression of the anti-apoptotic protein BCL-2. 2000 , 275, 10905-11	71
1331	Oxidants and Antioxidants in Apoptosis: Role of Bcl-2. 2000 , 221-243	3
1330	Iodide excess induces apoptosis in thyroid cells through a p53-independent mechanism involving oxidative stress. 2000 , 141, 598-605	137
1329	Mutational inactivation of the proapoptotic gene BAX confers selective advantage during tumor clonal evolution. 2000 , 97, 10872-7	192
1328	Endogenous c-N-Ras provides a steady-state anti-apoptotic signal. 2000 , 275, 19315-23	49
1327	Involvement of apoptosis in the atresia of nonovulatory dominant follicle during the bovine estrous cycle. 2000 , 63, 1313-21	27
1326	Bcl-2, Bax, and c-Fos expression correlates to RPE cell apoptosis induced by UV-light and daunorubicin. 2000 , 20, 25-34	31
1325	Activation of p38 mitogen-activated protein kinase in vivo selectively induces apoptosis of CD8(+) but not CD4(+) T cells. 2000 , 20, 936-46	86
1324	Cytoprotection of human umbilical vein endothelial cells against apoptosis and CTL-mediated lysis provided by caspase-resistant Bcl-2 without alterations in growth or activation responses. 2000 , 164, 4665-71	67
1323	Inhibition of LPS-induced cytokines by Bcl-xL in a murine macrophage cell line. 2000 , 165, 2729-37	24
1322	Ras mediates effector pathways responsible for pre-B cell survival, which is essential for the developmental progression to the late pre-B cell stage. 2000 , 192, 171-82	47

1321	Transgenic overexpression of human Bcl-2 in islet beta cells inhibits apoptosis but does not prevent autoimmune destruction. 2000 , 12, 9-17	55
1320	IL-2R beta agonist P1-30 acts in synergy with IL-2, IL-4, IL-9, and IL-15: biological and molecular effects. 2000 , 165, 4312-8	5
1319	Activated Ras prevents downregulation of Bcl-X(L) triggered by detachment from the extracellular matrix. A mechanism of Ras-induced resistance to anoikis in intestinal epithelial cells. 2000 , 149, 447-56	117
1318	Resistance to apoptosis is correlated with the reduced caspase-3 activation and enhanced expression of antiapoptotic proteins in human cervical multidrug-resistant cells. 2000 , 270, 415-20	58
1317	Characterization of Bax-sigma, a cell death-inducing isoform of Bax. 2000 , 270, 868-79	33
1316	The differential expression of apoptosis factors in the alveolar epithelium is redox sensitive and requires NF-kappaB (RelA)-selective targeting. 2000 , 271, 257-67	54
1315	NGF withdrawal induces apoptosis in CESS B cell line through p38 MAPK activation and Bcl-2 phosphorylation. 2000 , 278, 753-9	36
1314	IL-4-dependent induction of BCL-2 and BCL-X(L) in activated T lymphocytes through a STAT6- and pi 3-kinase-independent pathway. 2000 , 12, 578-87	27
1313	Involvement of EAT/mcl-1, an anti-apoptotic bcl-2-related gene, in murine embryogenesis and human development. 2000 , 259, 127-39	14
1312	Molecular phenotype of the human oocyte by PCR-SAGE. 2000 , 63, 13-24	131
1311	Overexpression of Bcl-2 protects from ultraviolet B-induced apoptosis but promotes hair follicle regression and chemotherapy-induced alopecia. 2000 , 156, 1395-405	43
1310	Mechanisms underlying hypoxia-induced neuronal apoptosis. 2000 , 62, 215-49	239
1309	Age-related changes of apoptotic cell death in human lymphocytes. 2000 , 21, 661-70	59
1308	Anti-angiogenesis therapy: concepts and importance of dosing schedules in clinical trials. 2000 , 3, 223-235	18
1307	Odontogenic ghost cell carcinoma: a case report with reference to the relation between apoptosis and ghost cells. 2000 , 90, 630-5	40
1306	Schizosaccharomyces pombe Rad9 contains a BH3-like region and interacts with the anti-apoptotic protein Bcl-2. 2000 , 481, 122-6	36
1305	Population biology of lymphocytes: the flight for survival. <i>Annual Review of Immunology</i> , 2000 , 18, 83-114.7	367
1304	Apoptosis and Its Modulation by Drugs. 2000 ,	1

1303	Molecular mechanisms of apoptosis induced by cytotoxic chemicals. 2000 , 30, 609-27	287
1302	Signal transduction in primary cultured human erythroid cells. 2000 , 9, 417-23	3
1301	Death of the autoimmune thyrocyte: is it pushed or does it jump?. 2000 , 10, 561-72	18
1300	The evolving pharmacotherapeutic profile of brimonidine, an alpha 2-adrenergic agonist, after four years of continuous use. 2000 , 1, 815-34	52
1299	NMR studies of the anti-apoptotic protein Bcl-xL in micelles. 2000 , 39, 11024-33	93
1298	Study of the secondary structure of the C-terminal domain of the antiapoptotic protein bcl-2 and its interaction with model membranes. 2000 , 39, 7744-52	20
1297	Expression pattern of the bcl-2 homologous protein bad in normal skin, psoriasis vulgaris and keratinocytic tumors. 2000 , 22, 132-7	6
1296	Apoptosis and expression of Bcl-2 and Bax in eutopic endometrium from women with endometriosis. 2000 , 74, 760-6	162
1295	Viral subversion of the immune system. <i>Annual Review of Immunology</i> , 2000 , 18, 861-926	34-7 693
1294	An antibody to p16INK4A recognizes a modified form of galectin-3. 2001 , 20, 167-74	2
1293	Pathways of apoptosis and the modulation of cell death in cancer. 2001 , 15, 931-56, ix	16
1292	Analysis of apoptosis using <i>Xenopus</i> egg extracts. 2001 , Chapter 11, Unit 11.12	4
1291	The ex vivo differential expression of apoptosis signaling cofactors in the developing perinatal lung: essential role of oxygenation during the transition from placental to pulmonary-based respiration. 2001 , 281, 311-6	18
1290	MEK1/2 inhibitors promote Ara-C-induced apoptosis but not loss of Deltapsi(m) in HL-60 cells. 2001 , 286, 1011-8	14
1289	Signaling domains of the interleukin 2 receptor. 2001 , 14, 63-77	154
1288	p53-independent upregulation of KILLER/DR5 TRAIL receptor expression by glucocorticoids and interferon-gamma. 2001 , 262, 154-69	124
1287	EAT/mcl-1 expression in the human embryonal carcinoma cells undergoing differentiation or apoptosis. 2001 , 266, 114-25	15
1286	Quercetin abrogates taxol-mediated signaling by inhibiting multiple kinases. 2001 , 270, 1-12	26

1285	Neuregulin signaling through a PI3K/Akt/Bad pathway in Schwann cell survival. 2001 , 17, 761-7	105
1284	Modeled microgravity inhibits apoptosis in peripheral blood lymphocytes. 2001 , 37, 66-72	33
1283	The ROR nuclear orphan receptor subfamily: critical regulators of multiple biological processes. 2001 , 69, 205-47	178
1282	Long-term behavioral and neurodegenerative effects of perinatal phencyclidine administration: implications for schizophrenia. 2001 , 107, 535-50	205
1281	Carnosol-induced apoptosis and downregulation of Bcl-2 in B-lineage leukemia cells. 2001 , 170, 33-9	65
1280	A new functional domain of Bcl6 family that recruits histone deacetylases. 2001 , 1540, 188-200	36
1279	Organotin-induced caspase activation and apoptosis in human peripheral blood lymphocytes. 2001 , 14, 791-8	43
1278	The role of molecules that mediate apoptosis in T-cell selection. 2001 , 22, 107-11	18
1277	Role of HTLV-I infection in the pathogenesis of Sjögren's syndrome and rheumatoid arthritis. 2001 , 11, 87-90	4
1276	Conformation of the C-terminal domain of the pro-apoptotic protein Bax and mutants and its interaction with membranes. 2001 , 40, 9983-92	34
1275	Expression of the serpin serine protease inhibitor 6 protects dendritic cells from cytotoxic T lymphocyte-induced apoptosis: differential modulation by T helper type 1 and type 2 cells. 2001 , 194, 657-67	170
1274	Stimulation of Apoptosis by Computationally Derived Small Molecules that Bind to BCL-2. 2001 , 1, 107	
1273	Huperzine A protects rat pheochromocytoma cells against oxygen-glucose deprivation. 2001 , 12, 2073-7	27
1272	BCL-6 protein is expressed in precursor T-cell lymphoblastic lymphoma and in prenatal and postnatal thymus. 2001 , 97, 270-6	41
1271	Arsenic trioxide induces apoptosis in human T-cell leukemia virus type 1- and type 2-infected cells by a caspase-3-dependent mechanism involving Bcl-2 cleavage. 2001 , 98, 3762-9	85
1270	New approaches to lymphoma diagnosis. 2001 , 2001, 194-220	60
1269	Immortalization of primary rodent cells by SV40. 2001 , 5, 7-41	
1268	Apoptosis by par-4 protein. 2001 , 215-236	1

1267	Bcl-2 antisense oligonucleotides chemosensitize human gastric cancer in a SCID mouse xenotransplantation model. 2001 , 79, 587-93	52
1266	Neurotrophins prevent HIV Tat-induced neuronal apoptosis via a nuclear factor-kappaB (NF-kappaB)-dependent mechanism. 2001 , 78, 874-89	71
1265	Leakage and aggregation of phospholipid vesicles induced by the BH3-only Bcl-2 family member, BID. 2001 , 268, 48-55	27
1264	Signaling pathways and effector mechanisms pre-programmed cell death. 2001 , 9, 1371-84	104
1263	TrkA induces differentiation but not apoptosis in C6-2B glioma cells. 2001 , 64, 636-45	12
1262	Cobalt chloride induces PC12 cells apoptosis through reactive oxygen species and accompanied by AP-1 activation. 2001 , 64, 646-53	152
1261	Oxides and apoptosis in inflammatory myopathies. 2001 , 55, 249-58	9
1260	Role of p-21-activated kinases in cell survival and apoptotic pathways. 2001 , 52, 542-548	1
1259	Bcl-x(L) antisense oligonucleotides induce apoptosis and increase sensitivity of pancreatic cancer cells to gemcitabine. 2001 , 94, 268-74	57
1258	Elevated Bcl-2 is not a causal event in the positive selection of T cells. 2001 , 31, 1876-82	7
1257	Bcl-2 exerts a pRb-mediated cell cycle inhibitory function in HEC1B endometrial carcinoma cells. 2001 , 81, 184-92	13
1256	Proteolytic loss of bcl-x(L) in FL5.12 Cells undergoing apoptosis induced by MK886. 2001 , 174, 273-81	4
1255	The effect of human bcl-2 and bcl-X genes on dengue virus-induced apoptosis in cultured cells. 2001 , 282, 141-53	33
1254	Transcriptional regulation of the BCL-X gene by NF-kappaB is an element of hypoxic responses in the rat brain. 2001 , 26, 647-59	56
1253	The role of apoptosis in regulating hematopoietic stem cell numbers. 2001 , 6, 239-52	26
1252	Synthetic peptides and non-peptidic molecules as probes of structure and function of Bcl-2 family proteins and modulators of apoptosis. 2001 , 6, 453-62	14
1251	Phosphorylation of Bcl-2 and Bax proteins during hypoxia in newborn piglets. 2001 , 26, 1-9	31
1250	Caspase-3 activity and expression of Bcl-2 family in human neutrophils by Helicobacter pylori water-soluble proteins. 2001 , 6, 207-15	20

1249	The Ca ²⁺ concentration of the endoplasmic reticulum is a key determinant of ceramide-induced apoptosis: significance for the molecular mechanism of Bcl-2 action. 2001 , 20, 2690-701	477
1248	Loss of the maintenance methyltransferase, xDnmt1, induces apoptosis in <i>Xenopus</i> embryos. 2001 , 20, 1963-73	64
1247	Metastatic behavior of human breast carcinomas overexpressing the Bcl-x(L) gene: a role in dormancy and organospecificity. 2001 , 81, 725-34	36
1246	Differential regulation of antiviral T-cell immunity results in stable CD8 ⁺ but declining CD4 ⁺ T-cell memory. 2001 , 7, 913-9	493
1245	Establishment of okadaic acid resistant cell clones using a cDNA expression library. 2001 , 8, 754-66	19
1244	Transfer of bcl-xs plasmid is effective in preventing and inhibiting rat hepatocellular carcinoma induced by N-nitrosomorpholine. 2001 , 8, 1149-56	14
1243	Molecular signals in anti-apoptotic survival pathways. 2001 , 15, 21-34	58
1242	Percentage of activated cytotoxic T-lymphocytes in anaplastic large cell lymphoma and Hodgkin's disease: an independent biological prognostic marker. 2001 , 15, 458-64	35
1241	Apoptotic response to homoharringtonine in human wt p53 leukemic cells is independent of reactive oxygen species generation and implicates Bax translocation, mitochondrial cytochrome c release and caspase activation. 2001 , 15, 567-74	52
1240	Unwinding the loop of Bcl-2 phosphorylation. 2001 , 15, 869-74	116
1239	Induction of chemoresistance in HL-60 cells concomitantly causes a resistance to apoptosis and the synthesis of P-glycoprotein. 2001 , 15, 1377-87	26
1238	Inhibition of the NF-kappa B transcription factor increases Bax expression in cancer cell lines. 2001 , 20, 2805-13	106
1237	Ectopic expression of cyclin D1 amplifies a retinoic acid-induced mitochondrial death pathway in breast cancer cells. 2001 , 20, 3506-18	35
1236	G1-Cdk activity is required for both proliferation and viability of cytokine-dependent myeloid and erythroid cells. 2001 , 20, 4198-208	3
1235	The anti-apoptotic role of interleukin-6 in human cervical cancer is mediated by up-regulation of Mcl-1 through a PI 3-K/Akt pathway. 2001 , 20, 5799-809	129
1234	Death by design: the big debut of small molecules. 2001 , 3, E43-6	15
1233	Apoptotic capability in ageing T cells. 2000 , 121, 151-9	33
1232	Apoptosis and cell death channels in prostate cancer. 2001 , 32, 175-85	32

1231	Differential sensitivity of murine myeloid FDC-P1 cells and apoptosis resistant mutant(s) to anticancer drugs. 2001 , 474, 105-12	1
1230	Alveolar type II cell apoptosis. 2001 , 129, 267-85	36
1229	Structural characterization of erythroid and megakaryocytic differentiation in Friend erythroleukemia cells. 2001 , 29, 563-71	11
1228	Activity of a novel bcl-2/bcl-xL-bispecific antisense oligonucleotide against tumors of diverse histologic origins. 2001 , 93, 463-71	129
1227	Solution structure of the antiapoptotic protein bcl-2. 2001 , 98, 3012-7	364
1226	Association of AIM, a novel apoptosis inhibitory factor, with hepatitis via supporting macrophage survival and enhancing phagocytotic function of macrophages. 2001 , 276, 22910-4	44
1225	A specific isozyme of 2'-5' oligoadenylate synthetase is a dual function proapoptotic protein of the Bcl-2 family. 2001 , 276, 25447-55	60
1224	NF-kappaB1 (p50) homodimers contribute to transcription of the bcl-2 oncogene. 2001 , 276, 45380-6	97
1223	Cutting edge: A/WySnJ transitional B cells overexpress the chromosome 15 proapoptotic Blk gene and succumb to premature apoptosis. 2001 , 167, 6069-72	31
1222	Resistance to Fas-mediated apoptosis in EBV-infected B cell lymphomas is due to defects in the proximal Fas signaling pathway. 2001 , 167, 5404-11	29
1221	Induction of apoptosis and bcl-2 expression in acute lymphoblastic leukaemia and non-Hodgkin's lymphoma in children. 2001 , 31, 191-207	4
1220	Apoptosis: Molecular Mechanisms. 2001 ,	6
1219	Cell cycle control in cellular homeostasis during the immune response: interactions between TH1, TH2 cytokines, and Bcl2 and p53 molecules. 2001 , 16, 63-71	11
1218	Estradiol up-regulates antiapoptotic Bcl-2 messenger ribonucleic acid and protein in tumorigenic ovarian surface epithelium cells. 2001 , 142, 2351-60	96
1217	Spermatogenesis in Bclw-deficient mice. 2001 , 65, 318-32	67
1216	The association of Aiolos transcription factor and Bcl-xL is involved in the control of apoptosis. 2001 , 167, 6366-73	24
1215	Dichotomy of AML1-ETO functions: growth arrest versus block of differentiation. 2001 , 21, 5577-90	122
1214	Predictive value of topoisomerase II alpha immunostaining in urothelial bladder carcinoma. 2001 , 54, 309-13	26

1213	Regulation of Fas ligand-induced apoptosis by TNF. 2001 , 167, 3049-56	54
1212	Downregulation of Bim, a proapoptotic relative of Bcl-2, is a pivotal step in cytokine-initiated survival signaling in murine hematopoietic progenitors. 2001 , 21, 854-64	186
1211	Bcl-2 targets protein phosphatase 1 alpha to Bad. 2001 , 166, 7345-52	50
1210	Wnt-1 signaling inhibits apoptosis by activating beta-catenin/T cell factor-mediated transcription. 2001 , 152, 87-96	343
1209	Apoptosis, Part I: Biochemical assessment. 2001 , 36, 63-107	
1208	Proteasomes modulate balance among proapoptotic and antiapoptotic Bcl-2 family members and compromise functioning of the electron transport chain in leukemic cells. 2001 , 166, 3130-42	117
1207	Differential effects of sex steroids on T and B cells: modulation of cell cycle phase distribution, apoptosis and bcl-2 protein levels. 2001 , 69, 44-58	87
1206	A novel mechanism of cooperation between c-Kit and erythropoietin receptor. Stem cell factor induces the expression of Stat5 and erythropoietin receptor, resulting in efficient proliferation and survival by erythropoietin. 2001 , 276, 1099-106	61
1205	Bid, a widely expressed proapoptotic protein of the Bcl-2 family, displays lipid transfer activity. 2001 , 21, 7268-76	118
1204	Endothelin-1 induces serine phosphorylation of the adaptor protein p66Shc and its association with 14-3-3 protein in glomerular mesangial cells. 2001 , 276, 26640-7	37
1203	Vaccinia virus infection disarms the mitochondrion-mediated pathway of the apoptotic cascade by modulating the permeability transition pore. 2001 , 75, 11437-48	44
1202	Altered Bax expression and decreased apoptosis in bone marrow cells of lupus-susceptible NZB/W mice. 2001 , 10, 785-93	8
1201	Tumoricidal activity of monocyte-derived dendritic cells: evidence for a caspase-8-dependent, Fas-associated death domain-independent mechanism. 2001 , 167, 3565-9	53
1200	Differential transcription of ion transporters, NHE1, ATP1B1, NKCC1 in human peripheral blood lymphocytes activated to proliferation. 2001 , 11, 19-26	24
1199	The regulation of apoptosis by activin and transforming growth factor-beta in early neoplastic and tumorigenic ovarian surface epithelium. 2001 , 86, 2125-35	37
1198	An essential role of the antioxidant gene Bcl-2 in myocardial adaptation to ischemia: an insight with antisense Bcl-2 therapy. 2001 , 3, 403-13	42
1197	Reduced levels of insulin-like growth factor-1 receptor (IGF-1R) suppress cellular signaling in experimental autoimmune sialadenitis (EAS). 2001 , 21, 47-54	6
1196	Bone growth stimulators. New tools for treating bone loss and mending fractures. 2002 , 65, 1-80	12

1195	The proapoptotic 9-2 isozyme of 2-5 (A) synthetase cannot substitute for the sperm functions of the proapoptotic protein, <i>Bax</i> . 2002 , 22, 199-206	2
1194	Bryostatins 1 increases 1-beta-D-arabinofuranosylcytosine-induced cytochrome c release and apoptosis in human leukemia cells ectopically expressing Bcl-x(L). 2002 , 301, 568-77	25
1193	JNK phosphorylation and activation of BAD couples the stress-activated signaling pathway to the cell death machinery. 2002 , 277, 40944-9	178
1192	Mitogen-activated protein kinase/extracellular signal-regulated kinase signaling in activated T cells abrogates TRAIL-induced apoptosis upstream of the mitochondrial amplification loop and caspase-8. 2002 , 169, 2851-60	82
1191	Antitumor effect of G3139 Bcl-2 antisense oligonucleotide is independent of its immune stimulation by CpG motifs in SCID mice. 2002 , 12, 359-67	27
1190	Codon 12 and codon 13 mutations at the K-ras gene induce different soft tissue sarcoma types in nude mice. 2002 , 16, 1642-4	33
1189	Identification of a novel phosphorylation site, Ser-170, as a regulator of bad pro-apoptotic activity. 2002 , 277, 6399-405	61
1188	Molecular heterogeneity of diffuse large B-cell lymphoma: implications for disease management and prognosis. 2002 , 7, 239-52	27
1187	Combined stimulation with interferon alpha and retinoic acid synergistically inhibits proliferation of the glioblastoma cell line GB12. 2002 , 24, 697-704	11
1186	Solution structure of a Bcl-2 homolog from Kaposi sarcoma virus. 2002 , 99, 3428-33	110
1185	Survival and cell cycle control in early hematopoiesis: role of bcl-2, and the cyclin dependent kinase inhibitors P27 and P21. 2002 , 43, 51-7	21
1184	Bcl-2 clearance: optimising outcomes in follicular non-Hodgkin's lymphoma. 2002 , 29 Suppl 1, S14-7	10
1183	Doxorubicin induces apoptosis and CD95 gene expression in human primary endothelial cells through a p53-dependent mechanism. 2002 , 277, 10883-92	125
1182	Hepatitis B virus X protein differentially regulates cell cycle progression in X-transforming versus nontransforming hepatocyte (AML12) cell lines. 2002 , 277, 8730-40	59
1181	Cell cycle regulation in human hematopoietic stem cells: from isolation to activation. 2002 , 43, 493-501	10
1180	Regulation of gene expression by internal ribosome entry sites or cryptic promoters: the eIF4G story. 2002 , 22, 7372-84	100
1179	Murine ovarian development is not affected by inactivation of the bcl-2 family member diva. 2002 , 22, 6866-70	26
1178	The forkhead transcription factor FoxO regulates transcription of p27Kip1 and Bim in response to IL-2. 2002 , 168, 5024-31	503

1177	Pro-inflammatory cytokines tumor necrosis factor alpha and interleukin-6 and survival factor epidermal growth factor positively regulate the murine GSTA4 enzyme in hepatocytes. 2002 , 277, 17892-900	35
1176	Development of a human neuronal cell model for human immunodeficiency virus (HIV)-infected macrophage-induced neurotoxicity: apoptosis induced by HIV type 1 primary isolates and evidence for involvement of the Bcl-2/Bcl-xL-sensitive intrinsic apoptosis pathway. 2002 , 76, 9407-19	78
1175	I-kappa B kinases alpha and beta have distinct roles in regulating murine T cell function. 2002 , 168, 3721-31	25
1174	Immune mechanisms in neurological disease. 2002 , 1501-1526	1
1173	Involvement of Bcl-2 and IL-2R in HIV-positive patients whose CD4 cell counts fail to increase rapidly with highly active antiretroviral therapy. 2002 , 16, 1093-101	22
1172	Activation-induced cell death of aggressive histology lymphomas by CD40 stimulation: induction of bax. 2002 , 100, 217-23	43
1171	Interleukin-7: from bench to clinic. 2002 , 99, 3892-904	417
1170	Expression levels of apoptosis-related proteins predict clinical outcome in anaplastic large cell lymphoma. 2002 , 99, 4540-6	103
1169	Perturbation of B-cell development in mice overexpressing the Bcl-2 homolog A1. 2002 , 99, 3350-9	27
1168	T cell ageing and immune surveillance. 2002 , 13, 159-172	
1167	Bcl-2 family members as prognostic indicators in AML. 2002 , 7, 21-31	6
1166	Interaction between the antiapoptotic protein Nr-13 and cytochrome c. Antagonistic effect of the BH3 domain of Bax. 2002 , 41, 8540-50	9
1165	Clinical significance of molecular expression profiles of H ₂ O ₂ cell tumors of the thyroid gland analyzed via tissue microarrays. 2002 , 160, 175-83	66
1164	Bcl-2 overexpression increases survival in human retinal pigment epithelial cells exposed to H ₂ O ₂ . 2002 , 74, 663-9	50
1163	3-Hydroxy-3-methyl-glutaryl coenzyme A reductase inhibitors, atorvastatin and simvastatin, induce apoptosis of vascular smooth muscle cells by downregulation of Bcl-2 expression and Rho A prenylation. 2002 , 161, 17-26	163
1162	Alcohol and mitochondria: a dysfunctional relationship. 2002 , 122, 2049-63	362
1161	Inhibition of proteasome activity is involved in cobalt-induced apoptosis of human alveolar macrophages. 2002 , 283, L849-58	42
1160	Expression of Bcl-2 family member Bid in normal and malignant tissues. 2002 , 4, 129-40	64

1159	Axonal self-destruction and neurodegeneration. 2002 , 296, 868-71	540
1158	Japanese encephalitis virus infection initiates endoplasmic reticulum stress and an unfolded protein response. 2002 , 76, 4162-71	273
1157	Apoptosis and heart failure: mechanisms and therapeutic implications. 2002 , 2, 43-57	52
1156	Sequence and functional similarities between pro-apoptotic Bid and plant lipid transfer proteins. 2002 , 1553, 331-40	25
1155	Radiation-induced apoptosis in MOLT-4 cells requires de novo protein synthesis independent of de novo RNA synthesis. 2002 , 514, 199-203	12
1154	Cytokine regulation of pro- and anti-apoptotic genes in rat hepatocytes: NF-kappaB-regulated inhibitor of apoptosis protein 2 (IAP2) prevents apoptosis. 2002 , 36, 742-50	130
1153	Activated T cell death in vivo mediated by proapoptotic bcl-2 family member bim. 2002 , 16, 759-67	477
1152	Cdc2 phosphorylation of BAD links the cell cycle to the cell death machinery. 2002 , 9, 1005-16	252
1151	IL-2 and autoimmune disease. 2002 , 13, 369-78	82
1150	Intragenomic conflict and cancer. 2002 , 59, 170-9	21
1149	Small is not beautiful: antagonizing functions for the prion protein PrP(C) and its homologue Dpl. 2002 , 25, 150-4	65
1148	The anti-inflammatory action of glucocorticoids is mediated by cell type specific regulation of apoptosis. 2002 , 189, 1-9	93
1147	Methionine restriction induces apoptosis of prostate cancer cells via the c-Jun N-terminal kinase-mediated signaling pathway. 2002 , 179, 51-8	19
1146	Se-methylselenocysteine induces apoptosis through caspase activation and Bax cleavage mediated by calpain in SKOV-3 ovarian cancer cells. 2002 , 182, 83-92	45
1145	Transforming growth factor-beta induced cell death in the developing chick retina is mediated via activation of c-jun N-terminal kinase and downregulation of the anti-apoptotic protein Bcl-X(L). 2002 , 330, 239-42	16
1144	Bcl-2 Family Proteins and the Dysregulation of Programmed Cell Death. 2002 , 179-197	0
1143	Loss of Anti-apoptotic Genes in Aging Rat Crura. 2002 , 168, 2296-2300	39
1142	Antisense Oligonucleotide Therapy in Urology. 2002 , 168, 239-247	25

1141	Linaje y muerte celular programadas: implicaciones en la biolog� del desarrollo y en biomedicina.. 2002 , 22, 449	
1140	Adrenocortical carcinoma: clinical, morphologic, and molecular characterization. 2002 , 20, 941-50	214
1139	Transcriptional and physiological responses of HepG2 cells exposed to diethyl maleate: time course analysis. 2002 , 8, 115-22	13
1138	Nitration of Bax and Bcl-2 proteins during hypoxia in cerebral cortex of newborn piglets and the effect of nitric oxide synthase inhibition. 2002 , 81, 65-72	4
1137	A novel, extraneuronal role for cyclin-dependent protein kinase 5 (CDK5): modulation of cAMP-induced apoptosis in rat leukemia cells. 2002 , 277, 20783-93	50
1136	Chromosomal translocations and their role in the pathogenesis of non-Hodgkin's lymphomas. 2002 , 34, 397-409	7
1135	Implications physiopathologiques des alt�ations des g�es impliqu� dans la r�gulation de la mort cellulaire. 2002 , 18, 861-873	
1134	Endoplasmic reticulum, Bcl-2 and Ca ²⁺ handling in apoptosis. 2002 , 32, 413-20	91
1133	Cell-specific regulation of apoptosis by glucocorticoids: implication to their anti-inflammatory action. 2002 , 64, 843-50	133
1132	Focus on lymphomas. 2002 , 2, 363-6	18
1131	Bcl-x(L) confers multi-drug resistance in several squamous cell carcinoma cell lines. 2002 , 38, 41-8	28
1130	TNF receptor subtype signalling: differences and cellular consequences. 2002 , 14, 477-92	505
1129	The anti-apoptotic molecules Bcl-xL and Bcl-w target protein phosphatase 1alpha to Bad. 2002 , 32, 1847-55	46
1128	ITM2BS regulates apoptosis by inducing loss of mitochondrial membrane potential. 2002 , 32, 3498-505	24
1127	Bcl-X(L) is a chemoresistance factor in human melanoma cells that can be inhibited by antisense therapy. 2002 , 99, 29-34	73
1126	Regulatory effect of bcl-2 family proteins in CPB-induced cardiomyocyte apoptosis in dog hearts. 2002 , 22, 103-6	
1125	Down regulation of bcl2 expression in invasive ductal carcinomas is both estrogen- and progesterone-receptor dependent and associated with poor prognostic factors. 2002 , 8, 26-30	22
1124	Cyclin D3 and p53 mediate sulforaphane-induced cell cycle delay and apoptosis in non-transformed human T lymphocytes. 2002 , 59, 2004-12	36

1123	Acetaminophen induces a caspase-dependent and Bcl-XL sensitive apoptosis in human hepatoma cells and lymphocytes. 2002 , 90, 38-50	53
1122	Imperatorin, a furanocoumarin from <i>Angelica dahurica</i> (Umbelliferae), induces cytochrome c-dependent apoptosis in human promyelocytic leukaemia, HL-60 Cells. 2002 , 91, 40-8	52
1121	Co-transfection with cDNA encoding the Bcl family of anti-apoptotic proteins improves the efficiency of transfection in primary fetal neural stem cells. 2002 , 117, 153-8	11
1120	Cellular specificity related to monoglyceride-induced cell death. 2002 , 83, 221-30	9
1119	Apoptosis in B-cell lymphomas and reactive lymphoid tissues always involves activation of caspase 3 as determined by a new in situ detection method. 2002 , 196, 307-15	31
1118	Altered apoptotic gene expression and acquired apoptotic resistance in cadmium-transformed human prostate epithelial cells. 2002 , 52, 236-44	54
1117	Inhibition of Bcl-xL expression sensitizes T-cell acute lymphoblastic leukemia cells to chemotherapeutic drugs. 2002 , 26, 311-6	28
1116	Spontaneous apoptosis in primary cultures of human and rat hepatocytes: molecular mechanisms and regulation by dexamethasone. 2002 , 9, 945-55	54
1115	The subcellular localization of cyclin dependent kinase 2 determines the fate of mesangial cells: role in apoptosis and proliferation. 2002 , 21, 1750-8	51
1114	MBP-1 mediated apoptosis involves cytochrome c release from mitochondria. 2002 , 21, 2775-84	19
1113	NF-kappaB-dependent MnSOD expression protects adenocarcinoma cells from TNF-alpha-induced apoptosis. 2002 , 21, 3917-24	99
1112	Resistance to fludarabine-induced apoptosis in Epstein-Barr virus infected B cells. 2002 , 21, 4473-80	18
1111	Down regulation of p53 with HPV E6 delays and modifies cell death in oxidant response of human diploid fibroblasts: an apoptosis-like cell death associated with mitosis. 2002 , 21, 5313-24	16
1110	Chemotherapy: targeting the mitochondrial cell death pathway. 2002 , 21, 8786-803	350
1109	BAFF: a fundamental survival factor for B cells. 2002 , 2, 465-75	531
1108	Lymphocide: cytokines and the control of lymphoid homeostasis. 2002 , 2, 817-30	133
1107	Expression of different survivin variants in gastric carcinomas: first clues to a role of survivin-2B in tumour progression. 2002 , 86, 737-43	113
1106	TNF ligands and receptors--a matter of life and death. 2002 , 135, 855-75	260

1105	The chemical biology of apoptosis. Exploring protein-protein interactions and the life and death of cells with small molecules. 2002 , 9, 1059-72	79
1104	Be careful with the primers when screening your clones by polymerase chain reaction. 2002 , 308, 189-91	0
1103	Chemically Induced Differentiation of the Cells of Tumor Lines. 2002 , 33, 263-278	2
1102	Characterization of an anti-apoptotic glycoprotein encoded by Kaposi's sarcoma-associated herpesvirus which resembles a spliced variant of human survivin. 2002 , 21, 2602-15	136
1101	Linking oxidative stress and genetics of aging with p66Shc signaling and forkhead transcription factors. 2003 , 4, 181-91	37
1100	Mechanisms of apoptosis in the heart. 2003 , 23, 447-59	104
1099	Transcriptional activation of known and novel apoptotic pathways by Nur77 orphan steroid receptor. 2003 , 22, 6526-36	99
1098	Paradoxical effects of a stress signal on pro- and anti-apoptotic machinery in HTLV-1 Tax expressing cells. 2003 , 245, 99-113	21
1097	Antisense oligonucleotide therapy for urologic tumors. 2003 , 4, 60-9	5
1096	Expression of p53, bcl-2 and growth hormone receptor in actinic keratosis, hypertrophic type. 2003 , 295, 102-8	11
1095	A multimeric model for murine anti-apoptotic protein Bcl-2 and structural insights for its regulation by post-translational modification. 2003 , 9, 298-303	11
1094	The induction of heat shock protein-72 attenuates cisplatin-induced acute renal failure in rats. 2003 , 446, 116-24	25
1093	A small inhibitor of the interaction between Bax and Bcl-X(L) can synergize with methylprednisolone to induce apoptosis in Bcl-X(L)-overexpressing breast-cancer cells. 2003 , 129, 437-48	12
1092	Hematopoietic stem cells and other hematopoietic cells show broad resistance to chemotherapeutic agents in vivo when overexpressing bcl-2. 2003 , 31, 631-9	30
1091	Pleiotropic anti-apoptotic activity of glucocorticoids in ovarian follicular cells. 2003 , 66, 1393-401	48
1090	Apoptosis of infiltrating T cells in the central nervous system of mice infected with Theiler's murine encephalomyelitis virus. 2003 , 315, 110-23	17
1089	Expression ratios of the Bcl-2 family proteins and disease activity in multiple sclerosis. 2003 , 134, 158-65	33
1088	Regulation of apoptosis by Bcl-2 family proteins. 2003 , 7, 249-57	356

1087	Induction of apoptosis and chemosensitization of mesothelioma cells by Bcl-2 and Bcl-xL antisense treatment. 2003 , 106, 160-6	60
1086	Characterization of apoptosis signal transduction pathways in HL-5 cardiomyocytes exposed to ischemia/reperfusion oxidative stress model. 2003 , 195, 27-37	57
1085	Kaempferol-induced growth inhibition and apoptosis in A549 lung cancer cells is mediated by activation of MEK-MAPK. 2003 , 197, 110-21	111
1084	Transforming growth factor-beta and tumor necrosis factor-alpha cooperate to induce apoptosis in the oligodendroglial cell line OLI-neu. 2003 , 73, 324-33	15
1083	Alsterpaullone, a novel cyclin-dependent kinase inhibitor, induces apoptosis by activation of caspase-9 due to perturbation in mitochondrial membrane potential. 2003 , 36, 183-94	55
1082	Against the self: dendritic cells versus cancer. 2003 , 111, 805-17	5
1081	Apoptosis of CD4+ and CD8+ T cells during experimental infection with Mycobacterium avium is controlled by Fas/FasL and Bcl-2-sensitive pathways, respectively. 2003 , 81, 480-6	16
1080	Expression of apoptosis-related markers and HER-2/neu in thymic epithelial tumours. 2003 , 43, 165-72	47
1079	Mcl-1 antisense therapy chemosensitizes human melanoma in a SCID mouse xenotransplantation model. 2003 , 120, 1081-6	85
1078	Bcl-xL overexpression protects from apoptosis induced by HMG-CoA reductase inhibitors in murine tubular cells. 2003 , 64, 181-91	27
1077	Abnormal expression of apoptosis-related genes in haematological malignancies: overexpression of MYC is poor prognostic sign in mantle cell lymphoma. 2003 , 120, 434-41	76
1076	ALK-negative systemic anaplastic large cell lymphoma: differential diagnostic and prognostic aspects--a review. 2003 , 200, 4-15	97
1075	Prolegomenon for chronic lymphocytic leukaemia. 2003 , 58, 588-600	7
1074	Functional screening of genes suppressing TRAIL-induced apoptosis: distinct inhibitory activities of Bcl-XL and Bcl-2. 2003 , 88, 910-7	35
1073	Effect of theophylline and specific phosphodiesterase IV inhibition on proliferation and apoptosis of progenitor cells in bronchial asthma. 2003 , 138, 1147-55	8
1072	A1/Bfl-1 expression is restricted to TCR engagement in T lymphocytes. 2003 , 10, 1059-67	38
1071	Induction of mitochondrion-mediated apoptosis of CHO cells by tripchlorolide. 2003 , 13, 295-300	8
1070	Intermittent hypoxia attenuates ischemia/reperfusion induced apoptosis in cardiac myocytes via regulating Bcl-2/Bax expression. 2003 , 13, 385-91	111

1069	Bfl-1S, a novel alternative splice variant of Bfl-1, localizes in the nucleus via its C-terminus and prevents cell death. 2003 , 22, 2457-65	33
1068	c-Myc degradation induced by DNA damage results in apoptosis of CHO cells. 2003 , 22, 3252-9	21
1067	The future of antisense therapy: combination with anticancer treatments. 2003 , 22, 6579-88	64
1066	Photodamage to multiple Bcl-xL isoforms by photodynamic therapy with the phthalocyanine photosensitizer Pc 4. 2003 , 22, 9197-204	55
1065	Microtubule-targeted anticancer agents and apoptosis. 2003 , 22, 9075-86	379
1064	Protective strategies against ischemic injury of the liver. 2003 , 125, 917-36	421
1063	Apoptosis in the human ovary. 2003 , 6, 24-35	49
1062	Tumor response to radiotherapy regulated by endothelial cell apoptosis. 2003 , 300, 1155-9	1260
1061	AIM inhibits apoptosis of T cells and NKT cells in Corynebacterium-induced granuloma formation in mice. 2003 , 162, 837-47	52
1060	Conversion of Bfl-1, an anti-apoptotic Bcl-2 family protein, to a potent pro-apoptotic protein by fusion with green fluorescent protein (GFP). 2003 , 551, 29-36	11
1059	Mitochondrial membrane permeabilisation by Bax/Bak. 2003 , 304, 455-61	164
1058	Cloning of zebrafish BAD, a BH3-only proapoptotic protein, whose overexpression leads to apoptosis in COS-1 cells and zebrafish embryos. 2003 , 304, 667-75	18
1057	A role for programmed cell death during early neurogenesis in xenopus. 2003 , 260, 31-45	37
1056	In vivo cellular and molecular mechanisms of neuronal apoptosis in the mammalian CNS. 2003 , 69, 287-312	125
1055	Islet cell hyperplasia in transgenic mice overexpressing EAT/mcl-1, a bcl-2 related gene. 2003 , 203, 105-16	8
1054	Calpain-induced Bax-cleavage product is a more potent inducer of apoptotic cell death than wild-type Bax. 2003 , 189, 221-30	105
1053	Mechanisms of cell death by deprivation of depolarizing conditions during cerebellar granule neurons maturation. 2003 , 43, 581-90	22
1052	Parathyroid neoplasms: clinical, histopathological, and tissue microarray-based molecular analysis. 2003 , 34, 54-64	114

1051	The role of Rel/NF-kappaB transcription factors in B lymphocyte survival. 2003 , 15, 159-66	53
1050	Apoptosis: the complex scenario for a silent cell death. 2003 , 5, 2-14	72
1049	Induction of apoptosis by 1,25-dihydroxyvitamin D3 in MCF-7 Vitamin D3-resistant variant can be sensitized by TPA. 2003 , 84, 199-209	42
1048	Targeted expression of BCL-2 attenuates MPP+ but not 6-OHDA induced cell death in dopaminergic neurons. 2003 , 14, 43-51	47
1047	Essentials of Apoptosis. 2003 ,	3
1046	Peptides with anticancer use or potential. 2003 , 25, 1-40	48
1045	The human T-cell lymphoma/leukemia viruses. 2003 , 21, 253-77	24
1044	The role of activated MEK-ERK pathway in quercetin-induced growth inhibition and apoptosis in A549 lung cancer cells. 2004 , 25, 647-59	235
1043	Critical role of c-Jun N-terminal protein kinase activation in troglitazone-induced apoptosis of human HepG2 hepatoma cells. 2003 , 63, 401-8	118
1042	BCL-2 and BCL-XL restrict lineage choice during hematopoietic differentiation. 2003 , 278, 25158-65	45
1041	Overexpression of interleukin-15 protects against Escherichia coli-induced shock accompanied by inhibition of tumor necrosis factor-alpha-induced apoptosis. 2003 , 187, 1442-51	44
1040	In vivo cooperation between Bcl-xL and the phosphoinositide 3-kinase-Akt signaling pathway for the protection of epidermal keratinocytes from apoptosis. 2003 , 17, 610-20	289
1039	Bcl-2, via its BH4 domain, blocks apoptotic signaling mediated by mitochondrial Ras. 2003 , 278, 5775-85	41
1038	Increased expression of Bcl-xL and c-Myc is associated with transformation by Abelson murine leukemia virus. 2003 , 278, 50915-22	10
1037	Regulation of developing B cell survival by RelA-containing NF-kappa B complexes. 2003 , 171, 3963-9	28
1036	Metallothionein is a potential negative regulator of apoptosis. 2003 , 73, 294-300	115
1035	Blockade of phencyclidine-induced cortical apoptosis and deficits in prepulse inhibition by M40403, a superoxide dismutase mimetic. 2003 , 304, 266-71	80
1034	Genetic redox preconditioning differentially modulates AP-1 and NF kappa B responses following cardiac ischemia/reperfusion injury and protects against necrosis and apoptosis. 2003 , 7, 341-53	48

1033	IL-21 induces the apoptosis of resting and activated primary B cells. 2003 , 170, 4111-8	164
1032	Activation of vascular endothelial growth factor receptor-1 sustains angiogenesis and Bcl-2 expression via the phosphatidylinositol 3-kinase pathway in endothelial cells. 2003 , 52, 2959-68	108
1031	Poly(ADP-ribose) polymerase activation and changes in Bax protein expression associated with extracellular ATP-mediated apoptosis in human embryonic kidney 293-P2X7 cells. 2003 , 63, 706-13	13
1030	bcl-2 Expression by Multicolor Flow Cytometric Analysis Assists in the Diagnosis of Follicular Lymphoma in Lymph Node and Bone Marrow. 2003 , 119, 145-151	36
1029	High expression of p21 Waf1 in sarcoid granulomas: a putative role for long-lasting inflammation. 2003 , 74, 295-301	27
1028	Rhabdoviruses and apoptosis. 2003 , 22, 451-76	26
1027	Effect of Bcl-2 antisense oligonucleotide on drug-sensitivity in association with apoptosis in undifferentiated thyroid carcinoma. 2003 , 11, 799	
1026	N-phenethyl-2-phenylacetamide isolated from <i>Xenorhabdus nematophilus</i> induces apoptosis through caspase activation and calpain-mediated Bax cleavage in U937 cells. 2003 , 22, 151	2
1025	Induction of caspase-dependent and -independent apoptosis in response to methionine restriction. 2003 , 22, 415	
1024	bcl-2 expression by multicolor flow cytometric analysis assists in the diagnosis of follicular lymphoma in lymph node and bone marrow. 2003 , 119, 145-51	10
1023	Essential role of A-kinase anchor protein 121 for cAMP signaling to mitochondria. 2003 , 278, 4286-94	86
1022	Current targets for anticancer drug discovery. 2003 , 4, 159-79	71
1021	Role of COX-independent targets of NSAIDs and related compounds in cancer prevention and treatment. 2003 , 37, 261-85	60
1020	Molecular pathogenesis of non-Hodgkin's lymphoma: the role of Bcl-6. 2003 , 44 Suppl 3, S5-12	104
1019	Distinctive roles of PHAP proteins and prothymosin-alpha in a death regulatory pathway. 2003 , 299, 223-6	342
1018	[Basics of antisense oligonucleotide therapy and current therapeutical strategies in urology]. 2003 , 34, 458-68	0
1017	Estrogen receptor-dependent genomic responses in the uterus mirror the biphasic physiological response to estrogen. 2003 , 17, 2070-83	215
1016	Cell death induced by acute renal injury: a perspective on the contributions of apoptosis and necrosis. 2003 , 284, F608-27	275

1015	Bcl-2 phosphorylation is not required for its effects on NFkappaB activity. 2003 , 14, 1167-70	5
1014	Effects of ACE inhibition on myocardial apoptosis in an ischemia-reperfusion rat heart model. 2003 , 41, 880-9	42
1013	Selective adipose tissue ablation by localized, sustained drug delivery. 2003 , 112, 162-70	4
1012	Alterations in apoptotic signaling in human idiopathic cardiomyopathic hearts in failure. 2003 , 284, H268-76	47
1011	Chapter 14 Cell Death Pathways in Amyotrophic Lateral Sclerosis. 2003 , 28, 357-377	
1010	Transendothelial migration leads to protection from starvation-induced apoptosis in CD34+CD14+ circulating precursors: evidence for PECAM-1 involvement through Akt/PKB activation. 2003 , 101, 186-93	47
1009	Characterization of the anti-apoptotic mechanism of Bcl-B. 2003 , 376, 229-36	30
1008	Regulation of cell survival and proliferation by the FOXO (Forkhead box, class O) subfamily of Forkhead transcription factors. 2003 , 31, 292-7	208
1007	Connexin mediates gap junction-independent resistance to cellular injury. 2003 , 23, 430-41	147
1006	Implication of apoptosis in progression of renal diseases. 2003 , 139, 156-72	13
1005	TNF-alpha-induced cell death in ethanol-exposed cells depends on p38 MAPK signaling but is independent of Bid and caspase-8. 2003 , 285, G503-16	46
1004	Molecular mechanisms of irradiation-induced apoptosis. 2003 , 8, d9-19	34
1003	Morphology, molecular regulation and significance of apoptosis in pituitary adenomas. 2004 , 32, 217-34	6
1002	. 2004 , 6, F22-F29	8
1001	Cloning of apoptosis-related genes by representational difference analysis of cDNA. 2004 , 282, 255-73	3
1000	Measurement of changes in apoptosis and cell cycle regulatory kinase Cdk2. 2004 , 282, 131-44	9
999	[Neuroprotection and regeneration after traumatic lesion of the optic nerve]. 2004 , 221, 684-701	8
998	Interaction of biologically active amines with mitochondria and their role in the mitochondrial-mediated pathway of apoptosis. 2004 , 11, 2349-74	61

997	HIV-specific CD8+ T cells: serial killers condemned to die?. 2004 , 2, 153-62	19
996	Downregulation of Bcl-2 by podocytes is associated with progressive glomerular injury and clinical indices of poor renal prognosis in human IgA nephropathy. 2004 , 15, 79-90	44
995	HIV-specific CD8+ T cells exhibit markedly reduced levels of Bcl-2 and Bcl-xL. 2004 , 172, 4444-53	53
994	Critical upstream signals of cytochrome C release induced by a novel Bcl-2 inhibitor. 2004 , 279, 19133-40	81
993	2'-O-methyl-modified phosphorothioate antisense oligonucleotides have reduced non-specific effects in vitro. 2004 , 32, 2008-16	60
992	Evidence that DeltaNp73 promotes neuronal survival by p53-dependent and p53-independent mechanisms. 2004 , 24, 9174-84	59
991	A Bax/Bak-independent mitochondrial death pathway triggered by Drosophila Grim GH3 domain in mammalian cells. 2004 , 279, 1368-75	20
990	Roles of Bim in apoptosis of normal and Bcr-Abl-expressing hematopoietic progenitors. 2004 , 24, 6172-83	131
989	Caspase-3 expression in human gastric carcinoma and its clinical significance. 2004 , 66, 201-9	27
988	Tumor intracellular redox status and drug resistance--serendipity or a causal relationship?. 2004 , 10, 1969-77	99
987	B cell selection defects underlie the development of diabetogenic APCs in nonobese diabetic mice. 2004 , 172, 5086-94	65
986	Lymphoma B cells evade apoptosis through the TNF family members BAFF/BLyS and APRIL. 2004 , 172, 3268-79	247
985	PECAM-1, apoptosis and CD34+ precursors. 2004 , 45, 2205-13	12
984	In Vitro Neurotoxicology. 2004 ,	3
983	Tula hantavirus infection of Vero E6 cells induces apoptosis involving caspase 8 activation. 2004 , 85, 3261-3268	43
982	Generation, maintenance, and function of memory T cells. 2004 , 83, 191-231	4
981	A phase I trial of a Bcl-2 antisense (G3139) and weekly docetaxel in patients with advanced breast cancer and other solid tumors. 2004 , 15, 1274-83	51
980	Bcl-xL and E1B-19K proteins inhibit p53-induced irreversible growth arrest and senescence by preventing reactive oxygen species-dependent p38 activation. 2004 , 279, 17765-71	49

979	Dephosphorylation of Bcl-2 by protein phosphatase 2A results in apoptosis resistance. 2004 , 95, 266-70	37
978	Expression of apoptosis-regulatory proteins in lesions of pulmonary Langerhans cell histiocytosis. 2004 , 45, 20-8	26
977	P2Y receptors activate neuroprotective mechanisms in astrocytic cells. 2004 , 91, 119-32	86
976	Kinase-mediated transcription, activators of nongenotropic estrogen-like signaling (ANGELS), and osteoporosis: a different perspective on the HRT dilemma. 2004 , S41-9	23
975	Expression of Bcl-2 family members and presence of Epstein-Barr virus in the regulation of cell growth and death in classical Hodgkin's lymphoma. 2004 , 44, 257-67	32
974	B-cell homeostasis, competition, resources, and positive selection by self-antigens. 2004 , 197, 102-15	56
973	Restoration of sensitivity to anoikis in Ras-transformed rat intestinal epithelial cells by a Ras inhibitor. 2004 , 11, 244-7	17
972	Hydrogen peroxide produced by Aplysia ink toxin kills tumor cells independent of apoptosis via peroxiredoxin I sensitive pathways. 2004 , 11, 608-17	28
971	Serum bioactive lysophospholipids prevent TRAIL-induced apoptosis via PI3K/Akt-dependent cFLIP expression and Bad phosphorylation. 2004 , 11, 1287-98	67
970	Ribozyme-mediated inhibition of survivin expression increases spontaneous and drug-induced apoptosis and decreases the tumorigenic potential of human prostate cancer cells. 2004 , 23, 386-94	83
969	Bcl-2 inhibition of T-cell proliferation is related to prolonged T-cell survival. 2004 , 23, 3770-80	40
968	Bcl-xES, a BH4- and BH2-containing antiapoptotic protein, delays Bax oligomer formation and binds Apaf-1, blocking procaspase-9 activation. 2004 , 23, 3915-31	25
967	Nuclear FGF-2 facilitates cell survival in vitro and during establishment of metastases. 2004 , 23, 4771-9	35
966	Targeting the mammalian target of rapamycin (mTOR): a new approach to treating cancer. 2004 , 91, 1420-4	251
965	Antidiabetic drug miglitol inhibits myocardial apoptosis involving decreased hydroxyl radical production and Bax expression in an ischaemia/reperfusion rabbit heart. 2004 , 142, 983-90	19
964	CD10 protein expression in tumor and stromal cells of malignant melanoma is associated with tumor progression. 2004 , 17, 1251-8	99
963	Targeted therapies in myeloid leukemia. 2004 , 14, 41-62	39
962	Bcl-XL expression in stem cells facilitates engraftment and reduces the need for host conditioning during bone marrow transplantation. 2004 , 4, 58-64	55

961	An Mll-dependent Hox program drives hematopoietic progenitor expansion. 2004 , 14, 2063-9	149
960	Bcl-2 proteins: master switches at the intersection of death signaling and the survival control by Raf kinases. 2004 , 1644, 149-58	23
959	Enhancement of peripheral benzodiazepine receptor ligand-induced apoptosis and cell cycle arrest of esophageal cancer cells by simultaneous inhibition of MAPK/ERK kinase. 2004 , 67, 1701-10	24
958	LPS-induced apoptosis is dependent upon mitochondrial dysfunction. 2004 , 9, 467-74	31
957	The immune system in the elderly: activation-induced and damage-induced apoptosis. 2004 , 30, 81-94	47
956	Molecular dynamics study of peptide segments of the BH3 domain of the proapoptotic proteins Bak, Bax, Bid and Hrk bound to the Bcl-xL and Bcl-2 proteins. 2004 , 18, 13-22	14
955	Herpes simplex virus infection and apoptosis. 2004 , 23, 141-72	46
954	Role of cell cycle in mediating sensitivity to radiotherapy. 2004 , 59, 928-42	707
953	Stimulation of human Toll-like receptor (TLR) 2 and TLR6 with membrane lipoproteins of Mycoplasma fermentans induces apoptotic cell death after NF-kappa B activation. 2004 , 6, 187-99	122
952	Cdk2 activation acts upstream of the mitochondrion during glucocorticoid induced thymocyte apoptosis. 2004 , 34, 2781-90	21
951	Synthetic retinoids as inducers of apoptosis in ovarian carcinoma cell lines. 2004 , 199, 317-29	38
950	Notch-1 regulates cell death independently of differentiation in murine erythroleukemia cells through multiple apoptosis and cell cycle pathways. 2004 , 199, 418-33	64
949	Role of caspases in the regulation of apoptotic pancreatic islet beta-cells death. 2004 , 200, 177-200	81
948	Toxic action of etoposide on mouse peritoneal macrophages and its modulation by interleukin 3. 2004 , 22, 45-52	3
947	Overexpression of Bcl-2 prevents neomycin-induced hair cell death and caspase-9 activation in the adult mouse utricle in vitro. 2004 , 60, 89-100	66
946	The imbalance in the ratio of Th1 and Th2 helper lymphocytes in uraemia is mediated by an increased apoptosis of Th1 subset. 2004 , 19, 3084-90	40
945	Apoptosis Methods and Protocols. 2004 ,	14
944	Role of Apoptosis in Neurotoxicology. 2004 , 95-132	

943	Prostaglandin E2 activates Src signaling in lung adenocarcinoma cell via EP3. 2004 , 214, 115-20	35
942	Glycogen synthase kinase 3beta inhibitor Chir025 reduces neuronal death resulting from oxygen-glucose deprivation, glutamate excitotoxicity, and cerebral ischemia. 2004 , 188, 378-86	84
941	The phosphorylation status and anti-apoptotic activity of Bcl-2 are regulated by ERK and protein phosphatase 2A on the mitochondria. 2004 , 569, 249-55	100
940	Complestatin prevents apoptotic cell death: inhibition of a mitochondrial caspase pathway through AKT/PKB activation. 2004 , 313, 193-204	15
939	Imaging protein phosphorylation by fluorescence in single living cells. 2004 , 32, 451-5	35
938	Co-delivery of pro-apoptotic BAX with a DNA vaccine recruits dendritic cells and promotes efficacy of autoimmune diabetes prevention in mice. 2004 , 22, 1751-63	18
937	Cyclooxygenase-2, Bcl-2, and chromosome 1p analysis in protoplasmic astrocytomas. 2004 , 35, 317-21	6
936	Cyclosporine-A treatment prevents apoptosis in rat lumbar ganglion cells. 2004 , 106, 129-35	4
935	Cadmium-induced apoptosis through the mitochondrial pathway in rainbow trout hepatocytes: involvement of oxidative stress. 2004 , 69, 247-58	89
934	Apoptotic and autophagic cell death induced by histone deacetylase inhibitors. 2004 , 101, 18030-5	515
933	Molecular biology of sarcomas: update-the cell cycle paradigm. 2004 , 15, 456-467	3
932	Programmed cell death in amyotrophic lateral sclerosis: a mechanism of pathogenic and therapeutic importance. 2004 , 10, 1-7	43
931	Kostmann syndrome: severe congenital neutropenia associated with defective expression of Bcl-2, constitutive mitochondrial release of cytochrome c, and excessive apoptosis of myeloid progenitor cells. 2004 , 103, 3355-61	72
930	Genomic drug discovery for apoptosis regulation using a new computer screening amino acid complement wave method. 2004 , 27, 968-73	5
929	Role of Immunohistochemical Expression of Caspase-3 in Gastric Carcinoma. 2005 , 4, 247-250	
928	Ocular adnexal lymphoma: classification, clinical disease, and molecular biology. 2005 , 18, 187-97, x	36
927	Bcl-XL protein levels determine apoptotic index in pancreatic carcinoma. 2005 , 30, 337-42	17
926	Cytotoxic effect of the Her-2/Her-1 inhibitor PKI-166 on renal cancer cells expressing the connexin 32 gene. 2005 , 97, 294-8	8

925	Induction of thyroid papillary carcinoma cell proliferation by estrogen is associated with an altered expression of Bcl-xL. 2005 , 11, 113-21	73
924	Stress-induced activation of the p53 tumor suppressor in leukemia cells and normal lymphocytes requires mitochondrial activity and reactive oxygen species. 2005 , 105, 4767-75	55
923	Bcl-x(L) prevents apoptosis of late-stage erythroblasts but does not mediate the antiapoptotic effect of erythropoietin. 2005 , 106, 1857-63	57
922	A proteolytic fragment of Mcl-1 exhibits nuclear localization and regulates cell growth by interaction with Cdk1. 2005 , 387, 659-67	67
921	Thallium acetate induces C6 glioma cell apoptosis. 2005 , 1042, 523-30	21
920	E2F1-/- C57BL/6 mice overexpressing a human Bcl-2 transgene in B cells develop a mild autoimmune syndrome. 2005 , 1051, 156-65	4
919	B-Myb as a critical regulator of Bcl-2 in human B cells. 2005 , 114, 23-4	0
918	Expression of the proapoptotic protein Bid is an adverse prognostic factor for radiotherapy outcome in carcinoma of the cervix. 2005 , 92, 449-58	13
917	Mechanism of mitochondrial stress-induced resistance to apoptosis in mitochondrial DNA-depleted C2C12 myocytes. 2005 , 12, 266-78	54
916	Cytochrome c is released in a single step during apoptosis. 2005 , 12, 453-62	184
915	Differential responses of Mcl-1 in photosensitized epithelial vs lymphoid-derived human cancer cells. 2005 , 24, 6987-92	15
914	Inhibition of bcl-2 enhances the efficacy of chemotherapy in renal cell carcinoma. 2005 , 47, 703-9	26
913	BCL-xL overexpression effectively protects against tetrafluoroethylcysteine-induced intramitochondrial damage and cell death. 2005 , 69, 147-57	12
912	Apoptosis in the mammalian CNS: Lessons from animal models. 2005 , 170, 52-66	18
911	Bcl-2, BAX, and apoptosis in endometrial hyperplasia after high dose gestagen therapy: a comparison of responses in patients treated with intrauterine levonorgestrel and systemic medroxyprogesterone. 2005 , 97, 740-50	44
910	Black tea induces tumor cell apoptosis by Bax translocation, loss in mitochondrial transmembrane potential, cytochrome c release and caspase activation. 2005 , 117, 308-15	19
909	Contribution of the Src family of kinases to the appearance of malignant phenotypes in renal cancer cells. 2005 , 43, 188-97	26
908	Investigation of the role of Bax, p21/Waf1 and p53 as determinants of cellular responses in HCT116 colorectal cancer cells exposed to the novel cytotoxic ruthenium(II) organometallic agent, RM175. 2005 , 55, 577-83	62

907	[Molecular aspects of alterations in normal normal conjunctival epithelium. Role of apoptosis-associated genes]. 2005 , 102, 133-9	1
906	[Combination treatment with antisense oligonucleotides and chemotherapy in vitro]. 2005 , 44, 909-14	
905	Changes in expression of bcl-2 and bax in Syrian hamster embryo (SHE) cells exposed to ZnCl ₂ . 2005 , 79, 90-101	11
904	Structure-based design of an agonistic peptide targeting Fas. 2005 , 10, 323-9	5
903	Zinc pyrithione induces apoptosis and increases expression of Bim. 2005 , 10, 369-79	58
902	Sensitization of multiple myeloma and B lymphoma lines to dexamethasone and gamma-radiation-induced apoptosis by CD40 activation. 2005 , 10, 123-34	12
901	Interaction with collagen IV protects lens epithelial cells from Fas-dependent apoptosis by stimulating the production of soluble survival factors. 2005 , 46, 3256-62	17
900	FRET-based reporters for intracellular enzyme activity. 2005 ,	
899	RNA splicing manipulation: strategies to modify gene expression for a variety of therapeutic outcomes. 2005 , 5, 467-83	30
898	T-cell tropism and the role of ORF66 protein in pathogenesis of varicella-zoster virus infection. 2005 , 79, 12921-33	62
897	B cell abnormality and autoimmune disorders. 2005 , 38, 331-7	20
896	Phylogenomics of life-or-death switches in multicellular animals: Bcl-2, BH3-Only, and BNip families of apoptotic regulators. 2005 , 22, 2395-416	95
895	The FLT3 internal tandem duplication mutation prevents apoptosis in interleukin-3-deprived BaF3 cells due to protein kinase A and ribosomal S6 kinase 1-mediated BAD phosphorylation at serine 112. 2005 , 65, 7338-47	37
894	Dexamethasone prevents podocyte apoptosis induced by puromycin aminonucleoside: role of p53 and Bcl-2-related family proteins. 2005 , 16, 2615-25	148
893	Bax and Bak are required for apoptosis induction by sulforaphane, a cruciferous vegetable-derived cancer chemopreventive agent. 2005 , 65, 2035-43	116
892	Intrinsic mechanism of estradiol-induced apoptosis in breast cancer cells resistant to estrogen deprivation. 2005 , 97, 1746-59	200
891	Involvement of Prep1 in the alphabeta T-cell receptor T-lymphocytic potential of hematopoietic precursors. 2005 , 25, 10768-81	39
890	Induction of apoptosis by curcumin and its implications for cancer therapy. 2005 , 5, 117-29	203

889	Human colon cancer cells lacking Bax resist curcumin-induced apoptosis and Bax requirement is dispensable with ectopic expression of Smac or downregulation of Bcl-XL. 2005 , 26, 713-23	75
888	Systemic dissemination and persistence of Th2 and type 2 cells in response to infection with a strictly enteric nematode parasite. 2005 , 175, 5306-13	65
887	Pertussis toxin (PTX) B subunit and the nontoxic PTX mutant PT9K/129G inhibit Tat-induced TGF-beta production by NK cells and TGF-beta-mediated NK cell apoptosis. 2005 , 174, 6054-61	27
886	Cyclic AMP response element-binding protein positively regulates production of IFN-gamma by T cells in response to a microbial pathogen. 2005 , 174, 6357-63	32
885	Molecular interactions of human immunodeficiency virus type 1 with primary human oral keratinocytes. 2005 , 79, 8440-53	22
884	Apoptosis induced by the kinase inhibitor BAY 43-9006 in human leukemia cells involves down-regulation of Mcl-1 through inhibition of translation. 2005 , 280, 35217-27	243
883	Caspase-dependent apoptosis induction by guggulsterone, a constituent of Ayurvedic medicinal plant Commiphora mukul, in PC-3 human prostate cancer cells is mediated by Bax and Bak. 2005 , 4, 1747-54	70
882	Bcl-2 acts in a proangiogenic signaling pathway through nuclear factor-kappaB and CXC chemokines. 2005 , 65, 5063-9	91
881	Dendroaspis natriuretic peptide induces the apoptosis of cardiac muscle cells. 2005 , 27, 33-51	8
880	Caspase-dependent apoptosis induction by phenethyl isothiocyanate, a cruciferous vegetable-derived cancer chemopreventive agent, is mediated by Bak and Bax. 2005 , 11, 2670-9	69
879	Expression of phosphorylated Ser70 of Bcl-2 correlates with malignancy in human colorectal neoplasms. 2005 , 11, 7255-63	41
878	2,3,5-tris(Glutathion-S-yl)hydroquinone (TGHQ)-mediated apoptosis of human promyelocytic leukemia cells is preceded by mitochondrial cytochrome c release in the absence of a decrease in the mitochondrial membrane potential. 2005 , 86, 92-100	11
877	Cotreatment with suberanoylanilide hydroxamic acid and 17-allylamino 17-demethoxygeldanamycin synergistically induces apoptosis in Bcr-Abl+ Cells sensitive and resistant to STI571 (imatinib mesylate) in association with down-regulation of Bcr-Abl, abrogation of signal transducer and activator of transcription 5 activity, and Bax conformational change. 2005 ,	74
876	Bax deletion prevents neuronal loss but not neurological symptoms in a transgenic model of inherited prion disease. 2005 , 102, 238-43	86
875	The adaptor protein HSH2 attenuates apoptosis in response to ligation of the B cell antigen receptor complex on the B lymphoma cell line, WEHI-231. 2005 , 280, 3507-15	14
874	Humanin binds and nullifies Bid activity by blocking its activation of Bax and Bak. 2005 , 280, 15815-24	112
873	Systems biology of apoptosis. 349-372	2
872	The role of apoptosis in the development and function of T lymphocytes. 2005 , 15, 749-69	101

871	Role of estrogen and progesterone in the survival of ovarian tumors--a study of the human ovarian adenocarcinoma cell line OC-117-VGH. 2005 , 68, 360-7	6
870	Sulforaphane-induced cell death in human prostate cancer cells is initiated by reactive oxygen species. 2005 , 280, 19911-24	290
869	Vaticanol C-induced cell death is associated with inhibition of pro-survival signaling in HL60 human leukemia cell line. 2005 , 69, 353-6	20
868	Coadministration of histone deacetylase inhibitors and perifosine synergistically induces apoptosis in human leukemia cells through Akt and ERK1/2 inactivation and the generation of ceramide and reactive oxygen species. 2005 , 65, 2422-32	179
867	Cell cycle arrest and apoptosis induction in hepatocellular carcinoma cells by HMG-CoA reductase inhibitors. Synergistic antiproliferative action with ligands of the peripheral benzodiazepine receptor. 2005 , 43, 808-16	59
866	The tumor suppressor RASSF1A and MAP-1 link death receptor signaling to Bax conformational change and cell death. 2005 , 18, 637-50	152
865	A Src family inhibitor (PP1) potentiates tumor-suppressive effect of connexin 32 gene in renal cancer cells. 2005 , 76, 2711-20	15
864	Enhancement of growth and survival and alterations in Bcl-family proteins in beta-thalassemic erythroid progenitors by novel short-chain fatty acid derivatives. 2005 , 35, 217-26	22
863	Vitamin E prevents cell death induced by mild oxidative stress in chicken skeletal muscle cells. 2005 , 141, 225-40	25
862	Johne's disease in cattle is associated with enhanced expression of genes encoding IL-5, GATA-3, tissue inhibitors of matrix metalloproteinases 1 and 2, and factors promoting apoptosis in peripheral blood mononuclear cells. 2005 , 105, 221-34	48
861	A novel antisense oligonucleotide inhibiting several antiapoptotic Bcl-2 family members induces apoptosis and enhances chemosensitivity in androgen-independent human prostate cancer PC3 cells. 2005 , 4, 1689-98	92
860	Novel trends in follicular development, atresia and corpus luteum regression: a role for apoptosis. 2005 , 11, 93-103	48
859	Mechanisms of neuronal degeneration after ischemic stroke [Emerging targets for novel therapeutic strategies. 2005 , 2, 463-470	6
858	Di-(2-ethylhexyl)phthalate (DEHP) increases Bcl-2/Bax ratio and modifies c-myc expression in Syrian hamster embryo (SHE) cells. 2005 , 158, 237-45	23
857	Prognostic significance of Bax and Fas ligand in erionite and asbestos induced Turkish malignant pleural mesothelioma. 2005 , 50, 189-98	21
856	Terephthalamide derivatives as mimetics of helical peptides: disruption of the Bcl-x(L)/Bak interaction. 2005 , 127, 5463-8	128
855	Terphenyl-Based Bak BH3 alpha-helical proteomimetics as low-molecular-weight antagonists of Bcl-xL. 2005 , 127, 10191-6	181
854	Targeted therapy against Bcl-2-related proteins in breast cancer cells. 2005 , 7, R940-52	75

853	A SURVEY OF NOVEL MOLECULAR TARGETS FOR ANTICANCER DRUG DISCOVERY. 2006 , 1-35	
852	Structure-based design of potent small-molecule inhibitors of anti-apoptotic Bcl-2 proteins. 2006 , 49, 6139-42	257
851	Principles of Radiation Oncology. 2006 , 41-57	4
850	Colon cancer and gene alterations: their immunological implications and suggestions for prognostic indices and improvements in biotherapy. 2006 , 21, 488-505	5
849	The N-terminal domain of Bcl-xL reversibly binds membranes in a pH-dependent manner. 2006 , 45, 14533-42	31
848	Overexpression of HAX-1 protects cardiac myocytes from apoptosis through caspase-9 inhibition. 2006 , 99, 415-23	110
847	Mitochondrial DNA mutations cause resistance to opening of the permeability transition pore. 2006 , 1757, 596-603	10
846	Acid destabilization of the solution conformation of Bcl-xL does not drive its pH-dependent insertion into membranes. 2006 , 15, 248-57	17
845	Deconvoluting the structural and drug-recognition complexity of the G-quadruplex-forming region upstream of the bcl-2 P1 promoter. 2006 , 128, 5404-15	310
844	Peroxynitrite-induced mitochondrial translocation of PKC α causes U937 cell survival. 2006 , 339, 126-31	17
843	20(S)-Ginsenoside Rg3 prevents endothelial cell apoptosis via inhibition of a mitochondrial caspase pathway. 2006 , 349, 987-94	85
842	Intracellular signaling mechanisms of acetaminophen-induced liver cell death. 2006 , 89, 31-41	430
841	Molecular targets and the treatment of myeloid leukemia. 2006 , 88, 216-24	25
840	Targeting Bid to prevent programmed cell death in neurons. 2006 , 34, 1334-40	33
839	C-phycoyanin ameliorates doxorubicin-induced oxidative stress and apoptosis in adult rat cardiomyocytes. 2006 , 47, 9-20	70
838	Genetic abnormalities in soft tissue sarcomas [Implications for treatment. 2006 , 17, 551-557	1
837	Identification and characterization of DEDDL, a human-specific isoform of DEDD. 2006 , 13, 141-53	
836	Respiratory syncytial virus inhibits granulocyte apoptosis through a phosphatidylinositol 3-kinase and NF-kappaB-dependent mechanism. 2006 , 176, 5529-37	94

835	Inhibition of Src activity enhances the tumor-suppressive effect of the connexin 32 gene in Caki-1 renal cancer cells. 2006 , 15, 1359	1
834	Diabetes alters vascular mechanotransduction: pressure-induced regulation of mitogen activated protein kinases in the rat inferior vena cava. 2006 , 5, 18	7
833	Induction of apoptosis and enhancement of chemosensitivity in human prostate cancer LNCaP cells using bispecific antisense oligonucleotide targeting Bcl-2 and Bcl-xL genes. 2006 , 97, 1300-8	54
832	Mechanisms of immune regulation in the peripheral nervous system. 1999 , 9, 343-60	64
831	Trichomonas vaginalis promotes apoptosis of human neutrophils by activating caspase-3 and reducing Mcl-1 expression. 2006 , 28, 439-46	26
830	The Bax pore in liposomes, Biophysics. 2006 , 13, 1403-8	28
829	Epidermal growth factor and serum activate distinct pathways to inhibit the BH3 only protein BAD in prostate carcinoma LNCaP cells. 2006 , 25, 4458-69	14
828	CD95 ligand mediates T-cell receptor-induced apoptosis of a CD4+ CD8+ double positive thymic lymphoma. 2006 , 25, 7587-96	5
827	A forskolin derivative, FSK88, induces apoptosis in human gastric cancer BGC823 cells through caspase activation involving regulation of Bcl-2 family gene expression, dissipation of mitochondrial membrane potential and cytochrome c release. 2006 , 30, 940-6	9
826	Intestinal mucositis: the role of the Bcl-2 family, p53 and caspases in chemotherapy-induced damage. 2006 , 14, 713-31	96
825	Overexpression of peptidylarginine deiminase IV features in apoptosis of haematopoietic cells. 2006 , 11, 183-96	64
824	Deficiency of the Bax gene attenuates denervation-induced apoptosis. 2006 , 11, 967-81	42
823	Antizyme, a natural ornithine decarboxylase inhibitor, induces apoptosis of haematopoietic cells through mitochondrial membrane depolarization and caspases' cascade. 2006 , 11, 1773-88	15
822	Downregulation of protein kinase B/Akt-1 mediates INS-1 insulinoma cell apoptosis induced by dominant-negative suppression of hepatocyte nuclear factor-1alpha function. 2006 , 49, 519-26	13
821	Human ILT2 receptor associates with murine MHC class I molecules in vivo and impairs T cell function. 2006 , 36, 2457-71	31
820	NMR determination that an extended BH3 motif of pro-apoptotic BID is specifically bound to BCL-XL. 2006 , 44 Spec No, S101-7	7
819	Effects of beta-adrenoceptors overexpression on cell survival are mediated by Bax/Bcl-2 pathway in rat cardiac myocytes. 2006 , 78, 98-104	15
818	HIV-1 Tat triggers TGF-beta production and NK cell apoptosis that is prevented by pertussis toxin B. 2006 , 13, 369-72	25

817	Divergent roles of IRE1alpha and PERK in the unfolded protein response. 2006 , 6, 5-36	112
816	Molecular insights into mechanisms of the cell death program: role in the progression of neurodegenerative disorders. 2006 , 3, 269-83	131
815	Pro-oxidant milieu blunts scissors: insight into tumor progression, drug resistance, and novel druggable targets. 2006 , 12, 4469-77	29
814	Gene therapy in liver ischemia and reperfusion injury. 2006 , 12, 2969-75	25
813	Diallyl trisulfide suppresses growth of PC-3 human prostate cancer xenograft in vivo in association with Bax and Bak induction. 2006 , 12, 6836-43	109
812	Overexpression of thymosin beta-4 renders SW480 colon carcinoma cells more resistant to apoptosis triggered by FasL and two topoisomerase II inhibitors via downregulating Fas and upregulating Survivin expression, respectively. 2006 , 27, 936-44	33
811	Enhanced cell transplantation: preventing apoptosis increases cell survival and ventricular function. 2006 , 291, H939-47	36
810	Benzyl isothiocyanate-induced apoptosis in human breast cancer cells is initiated by reactive oxygen species and regulated by Bax and Bak. 2006 , 5, 2931-45	144
809	Premature expression of chemokine receptor CCR9 impairs T cell development. 2006 , 176, 75-84	25
808	NMR solution structure of the major G-quadruplex structure formed in the human BCL2 promoter region. 2006 , 34, 5133-44	271
807	Bcl-2 localized at the nuclear compartment induces apoptosis after transient overexpression. 2006 , 281, 40493-502	44
806	Suppression of survivin expression in glioblastoma cells by the Ras inhibitor farnesylthiosalicylic acid promotes caspase-dependent apoptosis. 2006 , 5, 2337-47	41
805	The effect of phenotype on mechanical stretch-induced vascular smooth muscle cell apoptosis. 2006 , 43, 229-37	29
804	Phenethyl isothiocyanate-induced apoptosis in PC-3 human prostate cancer cells is mediated by reactive oxygen species-dependent disruption of the mitochondrial membrane potential. 2006 , 27, 2223-34	112
803	Berberine, a natural product, induces G1-phase cell cycle arrest and caspase-3-dependent apoptosis in human prostate carcinoma cells. 2006 , 5, 296-308	277
802	Selaginella tamariscina induces apoptosis via a caspase-3-mediated mechanism in human promyelocytic leukemia cells. 2006 , 9, 138-44	26
801	CpG DNA activates survival in murine macrophages through TLR9 and the phosphatidylinositol 3-kinase-Akt pathway. 2006 , 177, 4473-80	56
800	Baicalin-induced apoptosis is mediated by Bcl-2-dependent, but not p53-dependent, pathway in human leukemia cell lines. 2006 , 34, 245-61	38

799	Hydrogen sulfide-induces DNA damage and changes in apoptotic gene expression in human lung fibroblast cells. 2007 , 21, 247-55	122
798	Pancortin-2 interacts with WAVE1 and Bcl-xL in a mitochondria-associated protein complex that mediates ischemic neuronal death. 2007 , 27, 1519-28	41
797	Regulation of tumor cell sensitivity to TRAIL-induced apoptosis by the metastatic suppressor Raf kinase inhibitor protein via Yin Yang 1 inhibition and death receptor 5 up-regulation. 2007 , 179, 5441-53	91
796	Caspase-9-induced mitochondrial disruption through cleavage of anti-apoptotic BCL-2 family members. 2007 , 282, 33888-33895	81
795	Memory CD8+ T cells require CD28 costimulation. 2007 , 179, 6494-503	95
794	D,L-Sulforaphane-induced cell death in human prostate cancer cells is regulated by inhibitor of apoptosis family proteins and Apaf-1. 2007 , 28, 151-62	101
793	Assessing tumor progression factors by somatic gene transfer into a mouse model: Bcl-xL promotes islet tumor cell invasion. 2007 , 5, e276	58
792	Surviving sepsis: bcl-2 overexpression modulates splenocyte transcriptional responses in vivo. 2007 , 292, R1751-9	14
791	Apoptosis induced in HIV-1-exposed, resting CD4+ T cells subsequent to signaling through homing receptors is Fas/Fas ligand-mediated. 2007 , 81, 297-305	7
790	Effects of severe hypocapnia on expression of bax and bcl-2 proteins, DNA fragmentation, and membrane peroxidation products in cerebral cortical mitochondria of newborn piglets. 2007 , 91, 20-7	11
789	Benzo[a]pyrene-7,8-diol-9,10-epoxide causes caspase-mediated apoptosis in H460 human lung cancer cell line. 2007 , 6, 2826-34	12
788	Diazoxide prevents diabetes through inhibiting pancreatic beta-cells from apoptosis via Bcl-2/Bax ratio and p38-beta mitogen-activated protein kinase. 2007 , 148, 81-91	54
787	Biological Applications of Foldamers. 229-265	3
786	Systems Biology. 2007 ,	4
785	Histone deacetylase 7 functions as a key regulator of genes involved in both positive and negative selection of thymocytes. 2007 , 27, 5184-200	49
784	Mitochondria-mediated apoptosis by diallyl trisulfide in human prostate cancer cells is associated with generation of reactive oxygen species and regulated by Bax/Bak. 2007 , 6, 1599-609	109
783	Kruppel-like transcription factor 13 regulates T lymphocyte survival in vivo. 2007 , 178, 5496-504	49
782	SOCS1 silencing enhances antitumor activity of type I IFNs by regulating apoptosis in neuroendocrine tumor cells. 2007 , 67, 5025-32	45

781	The kinase inhibitor sorafenib induces cell death through a process involving induction of endoplasmic reticulum stress. 2007 , 27, 5499-513	185
780	Interleukin-4 inhibits caspase-3 by regulating several proteins in the Fas pathway during initial stages of human T helper 2 cell differentiation. 2007 , 6, 238-51	21
779	Enhanced susceptibility to tumor necrosis factor-related apoptosis-inducing ligand-mediated apoptosis in oral squamous cell carcinoma cells treated with phosphatidylinositol 3-kinase inhibitors. 2007 ,	1
778	Primary follicular lymphoma of the testis and epididymis in adults. 2007 , 31, 1050-8	48
777	Up-regulation of Bcl-2 through ERK phosphorylation is associated with human macrophage survival in an estrogen microenvironment. 2007 , 179, 2330-8	54
776	Interferon- β -induced apoptosis via tumor necrosis factor-related apoptosis-inducing ligand (TRAIL)-dependent and -independent manner. 2007 ,	1
775	Human telomere, oncogenic promoter and 5'-UTR G-quadruplexes: diverse higher order DNA and RNA targets for cancer therapeutics. 2007 , 35, 7429-55	737
774	Age-related impairment of GM-CSF-induced signalling in neutrophils: role of SHP-1 and SOCS proteins. 2007 , 6, 81-93	46
773	Multiple paths to a drug resistance phenotype: mutations, translocations, deletions and amplification of coding genes or promoter regions, epigenetic changes and microRNAs. 2007 , 10, 59-67	147
772	Ouabain activates signaling pathways associated with cell death in human neuroblastoma. 2007 , 1768, 1691-702	90
771	A degradation-resistant c-Myb mutant cooperates with Bcl-2 in enhancing proliferative potential and survival of hematopoietic cells. 2007 , 39, 292-6	3
770	Cytokine-mediated FOXO3a phosphorylation suppresses FasL expression in hemopoietic cell lines: investigations of the role of Fas in apoptosis due to cytokine starvation. 2007 , 38, 74-83	10
769	Superoxide anion: oncogenic reactive oxygen species?. 2007 , 39, 1297-304	127
768	Sensitive Ewing sarcoma and neuroblastoma cell lines have increased levels of BAD expression and decreased levels of BAR expression compared to resistant cell lines. 2007 , 247, 110-4	6
767	Molecular basis of Bcl-xL's target recognition versatility revealed by the structure of Bcl-xL in complex with the BH3 domain of Beclin-1. 2007 , 372, 223-35	147
766	Transduction of anti-cell death protein FNK protects isolated rat hearts from myocardial infarction induced by ischemia/reperfusion. 2007 , 80, 2076-84	20
765	Association of the pre-B cell receptor (BCR) expression level with the quality of pre-BII cell differentiation reveals hierarchical pre-BCR function. 2007 , 44, 1765-74	17
764	Upregulation of Bcl-2 proteins during the transition to pressure overload-induced heart failure. 2007 , 116, 27-33	20

763	Mitochondrial membrane permeabilization in cell death. 2007 , 87, 99-163	2750
762	Distinct promoters mediate constitutive and inducible Bcl-XL expression in malignant lymphocytes. 2007 , 26, 1910-9	11
761	The Unfolded Protein Response. 2007 , 69-155	4
760	Pyrogallol-based molecules as potent inhibitors of the antiapoptotic Bcl-2 proteins. 2007 , 50, 1723-6	40
759	Cancer stem cell: target for anti-cancer therapy. 2007 , 21, 3777-85	210
758	Acute caffeine administration decreased NOS and Bcl2 expression in rat skeletal muscles. 2007 , 55, 96-103	6
757	Apoptotic signal transduction and T cell tolerance. 2007 , 40, 442-52	37
756	ProteinProtein Interactions. 2007 , 87-116	
755	Structure-based design of flavonoid compounds as a new class of small-molecule inhibitors of the anti-apoptotic Bcl-2 proteins. 2007 , 50, 3163-6	36
754	Retinoic acid-mediated differentiation protects against nitrofen-induced apoptosis. 2007 , 80, 406-16	7
753	Alpha-Helix Mimetics in Drug Discovery. 281-299	5
752	Leptin decreases apoptosis and alters BCL-2 : Bax ratio in clonal rodent pancreatic beta-cells. 2007 , 23, 497-502	40
751	EPO receptor, Bax and Bcl-x(L) expressions in murine erythropoiesis after cyclophosphamide treatment. 2007 , 231, 188-99	9
750	Downregulation of NF-kappaB activation in a H4IIE transfectant insensitive to doxorubicin-induced apoptosis. 2007 , 232, 89-98	8
749	Scutellaria baicalensis, a herbal medicine: anti-proliferative and apoptotic activity against acute lymphocytic leukemia, lymphoma and myeloma cell lines. 2007 , 31, 523-30	104
748	Human T cell leukemia virus type 1 Tax-induced signals in cell survival, proliferation, and transformation. 2007 , 7, 34-52	6
747	Unidirectional crosstalk between Bcl-xL and Bcl-2 enhances the angiogenic phenotype of endothelial cells. 2007 , 14, 1657-66	34
746	Ischaemic brain damage after stroke: new insights into efficient therapeutic strategies. International Symposium on Neurodegeneration and Neuroprotection. 2007 , 8, 129-33	24

745	DeltaNp63alpha promotes apoptosis of human epidermal keratinocytes. 2007 , 127, 1980-91	7
744	In vivo apoptosis of CD8(+) lymphocytes in acute myeloid leukemia patients: involvement of soluble HLA-I and Fas ligand. 2007 , 21, 253-60	16
743	Anti-apoptotic signalling by the Dot/Icm secretion system of <i>L. pneumophila</i> . 2007 , 9, 246-64	111
742	Intronic single-nucleotide polymorphisms in Bcl-2 are associated with chronic obstructive pulmonary disease severity. 2007 , 12, 34-41	10
741	Stage I/II follicular lymphoma: spread of bcl-2/IgH+ cells in blood and bone marrow from primary site of disease and possibility of clearance after involved field radiotherapy. 2007 , 137, 216-20	19
740	Molecular targets of cancer chemoprevention by garlic-derived organosulfides. 2007 , 28, 1355-64	87
739	Epothilone-paclitaxel resistant leukemic cells CEM/dEpoB300 are sensitive to albendazole: Involvement of apoptotic pathways. 2007 , 74, 407-14	39
738	The flavonoid component isorhamnetin in vitro inhibits proliferation and induces apoptosis in Eca-109 cells. 2007 , 167, 153-60	40
737	Curcumin down-regulates Ets-1 and Bcl-2 expression in human endometrial carcinoma HEC-1-A cells. 2007 , 106, 541-8	38
736	Therapeutic approaches for muscle wasting disorders. 2007 , 113, 461-87	117
735	Using Ciona to study developmental programmed cell death. 2007 , 17, 147-53	18
734	Up-regulation of Bcl-2 in APP transgenic mice is associated with neuroprotection. 2007 , 25, 179-88	22
733	Possible involvement of queuine in regulation of cell proliferation. 2007 , 29, 159-73	19
732	DNA-damage response network at the crossroads of cell-cycle checkpoints, cellular senescence and apoptosis. 2007 , 8, 377-97	76
731	Tolerogenic effect of fiber tract injury: reduced EAE severity following entorhinal cortex lesion. 2007 , 178, 542-53	22
730	Bone-targeted overexpression of Bcl-2 increases osteoblast adhesion and differentiation and inhibits mineralization in vitro. 2007 , 80, 111-22	25
729	Helix orientations in membrane-associated Bcl-X(L) determined by ¹⁵ N-solid-state NMR spectroscopy. 2007 , 37, 71-80	16
728	Sex difference in survival of patients treated by surgical resection for esophageal cancer. 2007 , 31, 1982-7	20

727	Lysosomal and mitochondrial pathways in miltefosine-induced apoptosis in U937 cells. 2007 , 12, 1257-67	55
726	[Protection and regeneration of sensory epithelia of the inner ear]. 2008 , 56, 13-20	4
725	Effect of activin A on OVCAR-3 Ovarian epithelial cancer cells. 2008 , 20, 186-189	2
724	Protective effect of oxidative stress in HaCaT keratinocytes expressing E7 oncogene. 2008 , 34, 135-41	18
723	Differential regulation of nuclear and mitochondrial Bcl-2 in T cell apoptosis. 2008 , 13, 109-17	5
722	Apoptosis induced by ardisilloside III through BAD dephosphorylation and cleavage in human glioblastoma U251MG cells. 2008 , 13, 247-57	35
721	Rare sugar D-allose induces programmed cell death in hormone refractory prostate cancer cells. 2008 , 13, 1121-34	29
720	The role of Bax in glutamate-induced nerve cell death. 2001 , 76, 295-301	36
719	Oral administration of cyanobacterial bloom extract induced the altered expression of the PP2A, Bax, and Bcl-2 in mice. 2008 , 23, 688-93	9
718	Androgen receptor-dependent regulation of Bcl-xL expression: Implication in prostate cancer progression. 2008 , 68, 453-61	29
717	Dichloroacetate (DCA) sensitizes both wild-type and over expressing Bcl-2 prostate cancer cells in vitro to radiation. 2008 , 68, 1223-31	150
716	G-quadruplexes: targets in anticancer drug design. 2008 , 3, 690-713	414
715	c-Jun NH2-terminal kinase (JNK)-dependent nuclear translocation of apoptosis-inducing factor (AIF) following engagement of membrane immunoglobulin on WEHI-231 B lymphoma cells. 2008 , 104, 1927-36	7
714	Effects of ligands of β -adrenoceptors on mRNA level of apoptotic proteins in developing rat brain. 2008 , 35, 89-94	0
713	BCL-XL regulates TNF-alpha-mediated cell death independently of NF-kappaB, FLIP and IAPs. 2008 , 18, 1020-36	30
712	BCL6 gene amplification/3q27 gain is associated with unique clinicopathological characteristics among follicular lymphoma without BCL2 gene translocation. 2008 , 21, 973-8	34
711	Kruppel-like factor 5 modulates p53-independent apoptosis through Pim1 survival kinase in cancer cells. 2008 , 27, 1-8	56
710	Human tumor-associated viruses and new insights into the molecular mechanisms of cancer. 2008 , 27 Suppl 2, S31-42	131

709	Safer, longer-lasting regulatory T cells with beta-catenin. 2008 , 14, 118-9	5
708	Protection by bicyclol derivatives against acetaminophen-induced acute liver failure in mice and its active mechanism. 2008 , 28, 1226-35	2
707	Selective induction of calcineurin activity and signaling by oligomeric amyloid beta. 2008 , 7, 824-35	75
706	Interferon-alpha induces transient upregulation of c-FLIP through NF-kappaB activation. 2008 , 314, 246-54	15
705	Restoration of tumor suppressor miR-34 inhibits human p53-mutant gastric cancer tumorspheres. 2008 , 8, 266	307
704	Modulation of intracellular Ca ²⁺ signalling in HeLa cells by the apoptotic cell death enhancer PK11195. 2008 , 76, 1628-36	20
703	An essential oil and its major constituent isointermedeol induce apoptosis by increased expression of mitochondrial cytochrome c and apical death receptors in human leukaemia HL-60 cells. 2008 , 171, 332-47	77
702	Tournefoliac acid B attenuates amyloid beta protein-mediated toxicity by abrogating the calcium overload in mitochondria and retarding the caspase 8-truncated Bid-cytochrome c pathway in rat cortical neurons. 2008 , 586, 35-43	8
701	Age-related activation of mitochondrial caspase-independent apoptotic signaling in rat gastrocnemius muscle. 2008 , 129, 542-9	136
700	The mitochondrial death pathway. 2008 , 615, 25-45	72
699	Effects of acute caffeine administration on NOS and Bax/Bcl2 expression in the myocardium of rat. 2008 , 57, 19-25	13
698	Sensitization of Cancer Cells for Chemo/Immuno/Radio-therapy. 2008 ,	2
697	The interaction of the Bax C-terminal domain with negatively charged lipids modifies the secondary structure and changes its way of insertion into membranes. 2008 , 164, 146-52	18
696	Panax ginseng ginsenoside-Rg2 protects memory impairment via anti-apoptosis in a rat model with vascular dementia. 2008 , 115, 441-8	117
695	Bcl-xL is associated with the anti-apoptotic effect of IL-15 on the survival of CD56(dim) natural killer cells. 2008 , 45, 2559-69	17
694	Increase in bax expression and apoptosis are associated in Huntington's disease progression. 2008 , 438, 59-63	22
693	Developmental shift in TcR-mediated rescue of thymocytes from glucocorticoid-induced apoptosis. 2008 , 213, 39-50	18
692	Different roles of IL-15 from IL-2 in differentiation and activation of human CD3+CD56+ NKT-like cells from cord blood in long term culture. 2008 , 8, 927-34	8

691	Ursolic acid induces apoptosis by activating p53 and caspase-3 gene expressions and suppressing NF-kappaB mediated activation of bcl-2 in B16F-10 melanoma cells. 2008 , 8, 974-81	109
690	Expression and localisation of Bcl-2 and Bax proteins in developing rat ovary. 2008 , 84, 56-61	18
689	Androgen cell signaling pathways involved in neuroprotective actions. 2008 , 53, 693-705	102
688	Structures, folding patterns, and functions of intramolecular DNA G-quadruplexes found in eukaryotic promoter regions. 2008 , 90, 1149-71	368
687	Modulation of the BCL-2/BAX ratio by interferon-gamma and hypoxia in human peritoneal and adhesion fibroblasts. 2008 , 90, 1925-30	10
686	Inhibition of osteocyte apoptosis by fluid flow is mediated by nitric oxide. 2008 , 369, 1150-4	65
685	Mitochondrial bax translocation accelerates DNA fragmentation and cell necrosis in a murine model of acetaminophen hepatotoxicity. 2008 , 324, 8-14	137
684	Honokiol, a constituent of oriental medicinal herb magnolia officinalis, inhibits growth of PC-3 xenografts in vivo in association with apoptosis induction. 2008 , 14, 1248-57	88
683	Acylpyrogallols as inhibitors of antiapoptotic Bcl-2 proteins. 2008 , 51, 717-20	67
682	Cyclooxygenase-2 deficiency enhances Th2 immune responses and impairs neutrophil recruitment in hepatic ischemia/reperfusion injury. 2008 , 180, 1843-53	52
681	Anti-oxidant treatment enhances anti-tumor cytotoxicity of (-)-gossypol. 2008 , 7, 767-76	14
680	ERK1/2 activation is required for resveratrol-induced apoptosis in MDA-MB-231 cells. 2008 ,	4
679	Chelerythrine induces apoptosis through a Bax/Bak-independent mitochondrial mechanism. 2008 , 283, 8423-33	46
678	Dynamics of RASSF1A/MOAP-1 association with death receptors. 2008 , 28, 4520-35	66
677	Signal Transduction in the Cardiovascular System in Health and Disease. 2008 ,	
676	Oblimersen combined with docetaxel, adriamycin and cyclophosphamide as neo-adjuvant systemic treatment in primary breast cancer: final results of a multicentric phase I study. 2008 , 19, 1698-705	9
675	Bcl-B expression in human epithelial and nonepithelial malignancies. 2008 , 14, 3011-21	45
674	Expression of p53 and Bcl-xL as predictive markers for larynx preservation in advanced laryngeal cancer. 2008 , 134, 363-9	43

673	Withaferin A causes FOXO3a- and Bim-dependent apoptosis and inhibits growth of human breast cancer cells in vivo. 2008 , 68, 7661-9	190
672	Mitochondrial apoptotic signaling is elevated in cardiac but not skeletal muscle in the obese Zucker rat and is reduced with aerobic exercise. 2008 , 105, 1934-43	40
671	IFN-gamma induces apoptosis in HL-60 cells through decreased Bcl-2 and increased Bak expression. 2008 , 28, 65-72	16
670	Genetically Encoded Fluorescent Indicators to Visualize Molecular Processes in Living Cells. 2008 , 81, 183-192	0
669	Rapidly proliferating CD44hi peripheral T cells undergo apoptosis and delay posttransplantation T-cell reconstitution after allogeneic bone marrow transplantation. 2008 , 112, 4755-64	15
668	Programmed Cell Death in Cancer Progression and Therapy. 2008 ,	3
667	Induction of apoptosis by S-allylmercapto-L-cysteine, a biotransformed garlic derivative, on a human gastric cancer cell line. 2008 ,	2
666	Prostaglandin E2 signals monocyte/macrophage survival to peroxynitrite via protein kinase A converging in bad phosphorylation with the protein kinase C alpha-dependent pathway driven by 5-hydroxyeicosatetraenoic acid. 2008 , 181, 5637-45	12
665	Surface expression of Bcl-2 in chronic lymphocytic leukemia and other B-cell leukemias and lymphomas without a breakpoint t(14;18). 2008 , 14, 618-27	11
664	A functional and regulatory network associated with PIP expression in human breast cancer. 2009 , 4, e4696	28
663	Chaperones of F1-ATPase. 2009 , 284, 17138-17146	23
662	Cutting Edge: Ikaros null thymocytes mature into the CD4 lineage with reduced TCR signal: A study using CD3{zeta} immunoreceptor tyrosine-based activation motif transgenic mice. 2009 , 182, 3955-9	6
661	Differentiation-associated loss of ryanodine receptors: a strategy adopted by monocytes/macrophages to prevent the DNA single-strand breakage induced by peroxynitrite. 2009 , 183, 4449-57	14
660	Stabilization of G-quadruplex in the BCL2 promoter region in double-stranded DNA by invading short PNAs. 2009 , 37, 7570-80	58
659	Cell sex: a new look at cell fate studies. 2009 , 23, 978-84	36
658	PHAPI/pp32 suppresses tumorigenesis by stimulating apoptosis. 2009 , 284, 6946-54	28
657	AZD6244 (ARRY-142886) enhances the therapeutic efficacy of sorafenib in mouse models of gastric cancer. 2009 , 8, 2537-45	24
656	A novel Bcl-XL inhibitor Z36 that induces autophagic cell death in Hela cells. 2009 , 5, 314-20	30

655	Enhanced therapeutic efficacy by simultaneously targeting two genetic defects in tumors. 2009 , 17, 57-64	38
654	Resveratrol alters proliferative responses and apoptosis in human activated B lymphocytes in vitro. 2009 , 139, 1603-8	36
653	Cardioprotective effects of benazepril, an angiotensin-converting enzyme inhibitor, in an ischaemia-reperfusion model of myocardial infarction in rats. 2009 , 10, 201-9	9
652	Targeting Bcl-2 based on the interaction of its BH4 domain with the inositol 1,4,5-trisphosphate receptor. 2009 , 1793, 971-8	54
651	Glucose metabolism and programmed cell death: an evolutionary and mechanistic perspective. 2009 , 21, 885-93	35
650	Mechanism of glutamate-induced neurotoxicity in HT22 mouse hippocampal cells. 2009 , 617, 1-11	154
649	Increased numbers of thymic and peripheral CD4+ CD25+Foxp3+ cells in the absence of CD5 signaling. 2009 , 39, 2233-47	35
648	Non-peptidic small molecule inhibitors against Bcl-2 for cancer therapy. 2009 , 218, 13-21	101
647	Negative modulation of eNOS by laminin involving post-translational phosphorylation. 2009 , 219, 123-31	6
646	Diallyl trisulfide selectively causes Bax- and Bak-mediated apoptosis in human lung cancer cells. 2009 , 50, 201-12	56
645	p53 Cooperates berberine-induced growth inhibition and apoptosis of non-small cell human lung cancer cells in vitro and tumor xenograft growth in vivo. 2009 , 48, 24-37	101
644	Targeted disruption of Bcl-xL in mouse keratinocytes inhibits both UVB- and chemically induced skin carcinogenesis. 2009 , 48, 873-85	33
643	Isolation and functional characterization of single domain antibody modulators of Caspase-3 and apoptosis. 2009 , 157, 226-36	13
642	Polo-like kinase 1 phosphorylates and regulates Bcl-x(L) during pironetin-induced apoptosis. 2009 , 28, 107-16	31
641	Melatonin reduces induction of Bax, caspase and cell death in methamphetamine-treated human neuroblastoma SH-SY5Y cultured cells. 2009 , 46, 433-40	38
640	BH4 peptide derived from Bcl-xL and Bax-inhibitor peptide suppresses apoptotic mitochondrial changes in heat stressed bovine oocytes. 2009 , 76, 637-46	57
639	El inhibidor tisular de la metaloproteinasas-1 es un marcador temprano de disfunci3n endotelial en un modelo murino de lesi3n oxidativa venosa. 2009 , 23, 551-559	
638	Synthesis, structure and reactivity of azosalophen complexes of vanadium(IV): studies on cytotoxic properties. 2009 , 6220-30	25

- 637 Effect of alpha-tocopherol supplementation during boar semen cryopreservation on sperm characteristics and expression of apoptosis related genes. **2009**, 58, 181-9 90
- 636 Nitric oxide sensitizes tumor cells to TRAIL-induced apoptosis via inhibition of the DR5 transcription repressor Yin Yang 1. **2009**, 20, 39-52 70
- 635 The Bcl-2 Family Proteins. **2009**, 25-61
- 634 Oocyte in-vitro maturation: BCL2 mRNA content in cumulus cells reflects oocyte competency. **2009**, 19, 71-84 23
- 633 Estradiol increases the Bax/Bcl-2 ratio and induces apoptosis in the anterior pituitary gland. **2009**, 90, 292-300 30
- 632 Bcl-2 gene therapy prevents aminoglycoside-induced degeneration of auditory and vestibular hair cells. **2009**, 14, 254-66 38
- 631 Identification of lead compounds as antagonists of protein Bcl-xL with a diversity-oriented multidisciplinary approach. **2009**, 52, 7856-67 33
- 630 Apoptosis and pattern of Bcl-2 and Bax expression in the alimentary tract during the colonial blastogenetic cycle of *Botryllus schlosseri* (Urochordata, Ascidiacea). **2009**, 76, 28-42 10
- 629 Tissue inhibitor of metalloproteinase-1 is an early marker of acute endothelial dysfunction in a rodent model of venous oxidative injury. **2009**, 23, 498-505 10
- 628 L'inhibiteur tissulaire de la métalloprotéinase-1 est un marqueur précoce de dysfonction aiguë endothéliale dans un modèle de lésion veineuse oxydative chez le rongeur. **2009**, 23, 538-546
- 627 Cell growth regulation through apoptosis by activin in human gastric cancer SNU-16 cell lines. **2009**,
- 626 BCL2-938C>A and CALCA-1786T>C polymorphisms in aseptic loosened total hip arthroplasty. **2009**, 14, 250-5 13
- 625 Improvement of contractile function in isolated cardiomyocytes from ischemia-reperfusion rats by ginkgolide B pretreatment. **2009**, 54, 3-9 23
- 624 Sunitinib (SUTENT, SU11248) suppresses tumor growth and induces apoptosis in xenograft models of human hepatocellular carcinoma. **2009**, 9, 738-47 30
- 623 Bcl-2 expression enhances myoblast sheet transplantation therapy for acute myocardial infarction. **2010**, 19, 573-88 25
- 622 Tanshinone IIA induces mitochondria dependent apoptosis in prostate cancer cells in association with an inhibition of phosphoinositide 3-kinase/AKT pathway. **2010**, 33, 1828-34 66
- 621 Prognostic significance of CD95, P53, and BCL2 expression in extranodal non-Hodgkin's lymphoma. **2010**, 89, 889-96 20
- 620 Nucleolin/C23 is a negative regulator of hydrogen peroxide-induced apoptosis in HUVECs. **2010**, 15, 249-57 22

619	Inhibition of mammary tumor growth by estrogens: is there a specific role for estrogen receptors alpha and beta?. 2010 , 123, 709-24	10
618	p66Shc--a longevity redox protein in human prostate cancer progression and metastasis : p66Shc in cancer progression and metastasis. 2010 , 29, 207-22	39
617	CREB, a possible upstream regulator of Bcl-2 in trichosanthin-induced HeLa cell apoptosis. 2010 , 37, 1891-6	18
616	Tyrosine phosphorylation of apoptotic proteins during hyperoxia in mitochondria of the cerebral cortex of newborn piglets. 2010 , 35, 1003-9	7
615	Novel herbal flavonoids promote apoptosis but differentially induce cell cycle arrest in human colon cancer cell. 2010 , 28, 1-13	58
614	Differential regulation of caspase-9 by ionizing radiation- and UV-induced apoptotic pathways in thymic cells. 2010 , 688, 78-87	5
613	Transplantation of TAT-Bcl-xL-transduced neural precursor cells: long-term neuroprotection after stroke. 2010 , 40, 265-76	31
612	Butyrate induces cell apoptosis through activation of JNK MAP kinase pathway in human colon cancer RKO cells. 2010 , 185, 174-81	97
611	Rotenone induces apoptosis in MCF-7 human breast cancer cell-mediated ROS through JNK and p38 signaling. 2010 , 49, 141-51	101
610	Signaling gene cascade in silver nanoparticle induced apoptosis. 2010 , 77, 240-5	168
609	Are root exudates more important than other sources of rhizodeposits in structuring rhizosphere bacterial communities?. 2010 , 72, 313-27	586
608	Cell life and death in the anterior pituitary gland: role of oestrogens. 2010 , 22, 758-64	25
607	The serine/threonine kinase LKB1 controls thymocyte survival through regulation of AMPK activation and Bcl-XL expression. 2010 , 20, 99-108	53
606	Gemcitabine combined with gum mastic causes potent growth inhibition and apoptosis of pancreatic cancer cells. 2010 , 31, 741-5	15
605	Pro-apoptotic activity of mBNIP-21 depends on its BNIP-2 and Cdc42GAP homology (BCH) domain and is enhanced by coxsackievirus B3 infection. 2010 , 12, 599-614	8
604	Dioscorealide B from the Traditional Thai Medicine Hua-Khao-Yen Induces Apoptosis in MCF-7 Human Breast Cancer Cells via Modulation of Bax, Bak and Bcl-2 Protein Expression. 2010 , 5, 1934578X1000501	
603	Multiple pathways to the same end: mechanisms of myonuclear apoptosis in sarcopenia of aging. 2010 , 10, 340-9	47
602	Update on options for treatment of metastatic castration-resistant prostate cancer. 2010 , 3, 39-51	21

601	Inhibition of the insulin-like growth factor I receptor by epigallocatechin gallate blocks proliferation and induces the death of Ewing tumor cells. 2010 , 9, 1396-407	39
600	An integrated microfluidic cell array for apoptosis and proliferation analysis induction of breast cancer cells. 2010 , 4, 44104	16
599	Biomimetic microenvironment modulates neural stem cell survival, migration, and differentiation. 2010 , 16, 3747-58	59
598	Tumor-suppressive effect of adenovirus-mediated inhibitor of growth 4 gene transfer in breast carcinoma cells in vitro and in vivo. 2010 , 25, 427-37	18
597	Role of the translocation partner in protection against AID-dependent chromosomal translocations. 2010 , 107, 187-92	23
596	Tau dephosphorylation potentiates apoptosis by mechanisms involving a failed dephosphorylation/activation of Bcl-2. 2010 , 19, 953-62	24
595	The in vitro and in vivo antitumor activity of adenovirus-mediated interleukin-24 expression for laryngocarcinoma. 2010 , 25, 29-38	12
594	Mixed lineage kinase-3 stabilizes and functionally cooperates with TRIBBLES-3 to compromise mitochondrial integrity in cytokine-induced death of pancreatic beta cells. 2010 , 285, 22426-36	32
593	Depletion of BIRC6 leads to retarded bovine early embryonic development and blastocyst formation in vitro. 2010 , 22, 564-79	12
592	Role of estrogens in anterior pituitary gland remodeling during the estrous cycle. 2010 , 38, 25-31	14
591	Withagulin A inhibits hepatic stellate cell viability and procollagen I production through Akt and Smad signaling pathways. 2010 , 31, 944-52	5
590	Leukamenin F suppresses liver fibrogenesis by inhibiting both hepatic stellate cell proliferation and extracellular matrix production. 2010 , 31, 839-48	7
589	Nitric oxide-mediated bcl-2 stabilization potentiates malignant transformation of human lung epithelial cells. 2010 , 42, 578-85	38
588	Calpain activation through galectin-3 inhibition sensitizes prostate cancer cells to cisplatin treatment. 2010 , 1, e101	58
587	Overview of formation of G-quadruplex structures. 2010 , Chapter 17, Unit 17.2.1-17	22
586	Down-regulation of HSP27 sensitizes TRAIL-resistant tumor cell to TRAIL-induced apoptosis. 2010 , 68, 27-38	43
585	Apoptogenic peptides from Tityus discrepans scorpion venom acting against the SKBR3 breast cancer cell line. 2010 , 56, 1497-505	40
584	Molecular events of cellular apoptosis and proliferation in the early tendon healing period. 2010 , 35, 2-10	30

583	Regulation of cell death in human fetal and adult ovaries--role of Bok and Bcl-X(L). 2010 , 330, 17-24	17
582	Mitochondrial death effectors: relevance to sarcopenia and disuse muscle atrophy. 2010 , 1800, 235-44	133
581	Structural insights into mouse anti-apoptotic Bcl-xl reveal affinity for Beclin 1 and gossypol. 2010 , 394, 515-21	14
580	Redox modulation and human bile duct cancer inhibition by curcumin. 2010 , 48, 2265-72	34
579	Periorbital non-Hodgkin's lymphoma after blunt trauma. 2010 , 109, e56-9	7
578	Androgen receptor is a potential therapeutic target for bladder cancer. 2010 , 75, 820-7	68
577	Porphyromonas gingivalis infection sequesters pro-apoptotic Bad through Akt in primary gingival epithelial cells. 2010 , 25, 89-101	84
576	Design of Peptidomimetics. 2010 , 205-248	1
575	UVB-Induced p21 degradation promotes apoptosis of human keratinocytes. 2010 , 9, 1640-8	24
574	Aberrant expression of apoptosis-related molecules in endometriosis: a possible mechanism underlying the pathogenesis of endometriosis. 2011 , 18, 206-18	43
573	Emerging Bcl-2 inhibitors for the treatment of cancer. 2011 , 16, 59-70	80
572	Rational design of new class of BH3-mimetics as inhibitors of the Bcl-xL protein. 2011 , 51, 1249-58	17
571	Nonthermal-plasma-mediated animal cell death. 2011 , 44, 013001	18
570	Bcl-2: a prime regulator of mitochondrial redox metabolism in cancer cells. 2011 , 15, 2975-87	50
569	Endogenous prion protein attenuates experimentally induced colitis. 2011 , 179, 2290-301	24
568	Pathology, pathogenesis and molecular genetics of follicular NHL. 2011 , 24, 95-109	29
567	Perspective of clinical research in follicular NHL: interaction between science and industry. 2011 , 24, 313-21	1
566	Monoclonal antibody targeting MUC1 and increasing sensitivity to docetaxel as a novel strategy in treating human epithelial ovarian cancer. 2011 , 300, 122-33	18

565	TNF- α renders macrophages resistant to a range of cancer chemotherapeutic agents through NF- κ B-mediated antagonism of apoptosis signalling. 2011 , 307, 80-92	14
564	Reactive oxygen species and p38 MAPK regulate Bax translocation and calcium redistribution in salubrinal-induced apoptosis of EBV-transformed B cells. 2011 , 313, 235-48	25
563	Protective effect of Ilex latifolia, a major component of "kudingcha", against transient focal ischemia-induced neuronal damage in rats. 2011 , 133, 558-64	26
562	Protective effect of pyruvate against ethanol-induced apoptotic neurodegeneration in the developing rat brain. 2011 , 61, 1248-55	21
561	Sodium thiosulfate exposure disrupts in vitro and in vivo heart development. 2011 , 3, 469-75	
560	Aging and Apoptosis in Muscle. 2011 , 63-118	7
559	Bowman-Birk protease inhibitor from soybeans enhances cisplatin-induced cytotoxicity in human mesothelioma cells. 2011 , 2, 719-724	4
558	Embryonic lethality in mice lacking the nuclear factor of activated T cells 5 protein due to impaired cardiac development and function. 2011 , 6, e19186	28
557	Nicotinamide inhibits alkylating agent-induced apoptotic neurodegeneration in the developing rat brain. 2011 , 6, e27093	13
556	Molecular Biology and Genetics of Lung Cancer. 2011 , 3-15	2
555	Promises of apoptosis-inducing peptides in cancer therapeutics. 2011 , 12, 1153-65	34
554	Structural changes in the BH3 domain of SOUL protein upon interaction with the anti-apoptotic protein Bcl-xL. 2011 , 438, 291-301	22
553	Deltonin isolated from Dioscorea zingiberensis inhibits cancer cell growth through inducing mitochondrial apoptosis and suppressing Akt and mitogen activated protein kinase signals. 2011 , 34, 1231-9	20
552	Anticancer activity of S-allylmercapto-L-cysteine on implanted tumor of human gastric cancer cell. 2011 , 34, 677-81	21
551	LKB1 regulates TCR-mediated PLC γ activation and thymocyte positive selection. 2011 , 30, 2083-93	28
550	Enhanced antitumor activity by combining an adenovirus harboring ING4 with cisplatin for hepatocarcinoma cells. 2011 , 18, 176-88	34
549	Negative regulation of NaF-induced apoptosis by Bad-CAII complex. 2011 , 287, 131-6	10
548	Recombinant YopJ induces apoptotic cell death in macrophages through TLR2. 2011 , 48, 392-8	13

547	New molecular targets in mantle cell lymphoma. 2011 , 21, 335-46	33
546	Celastrol-induced apoptosis in human HaCaT keratinocytes involves the inhibition of NF- κ B activity. 2011 , 670, 399-408	37
545	Isorhamnetin protects rat ventricular myocytes from ischemia and reperfusion injury. 2011 , 63, 33-8	38
544	ZFAT is a critical molecule for cell survival in mouse embryonic fibroblasts. 2011 , 16, 89-100	10
543	PRICE (PRotein Interface Conservation and Energetics): a server for the analysis of protein-protein interfaces. 2011 , 12, 33-41	15
542	Pharmacological inhibition of HSP90 activity negatively modulates myogenic differentiation and cell survival in C2C12 cells. 2011 , 358, 265-80	19
541	Neuroprotective effect of <i>Salvia sahendica</i> is mediated by restoration of mitochondrial function and inhibition of endoplasmic reticulum stress. 2011 , 36, 2216-26	12
540	Preventive effects of vanillic acid on lipids, bax, bcl-2 and myocardial infarct size on isoproterenol-induced myocardial infarcted rats: a biochemical and in vitro study. 2011 , 11, 58-66	42
539	Bcl-2 expression and triple negative profile in breast carcinoma. 2011 , 28 Suppl 1, S55-61	24
538	Increased stability of Bcl-2 in HSP70-mediated protection against apoptosis induced by oxidative stress. 2011 , 16, 143-52	64
537	Neuroprotection of interleukin-6 against NMDA-induced apoptosis and its signal-transduction mechanisms. 2011 , 19, 484-95	33
536	Forced involution of the functionally differentiated mammary gland by overexpression of the pro-apoptotic protein bax. 2011 , 49, 24-35	12
535	Ginsenoside Rh2 induces Bcl-2 family proteins-mediated apoptosis in vitro and in xenografts in vivo models. 2011 , 112, 330-40	39
534	Prognostic cell biological markers in cervical cancer patients primarily treated with (chemo)radiation: a systematic review. 2011 , 79, 325-34	64
533	Diethylaminoethyl chitosan induces apoptosis in HeLa cells via activation of caspase-3 and p53 expression. 2011 , 84, 571-578	33
532	Mathematical modeling and sensitivity analysis of the integrated TNF α -mediated apoptotic pathway for identifying key regulators. 2011 , 41, 512-28	11
531	Molecular mechanisms of anti-cancer action of garlic compounds in neuroblastoma. 2011 , 11, 398-407	20
530	Phage display screen for peptides that bind Bcl-2 protein. 2011 , 16, 82-9	7

529	Oxidized DJ-1 interacts with the mitochondrial protein BCL-XL. 2011 , 286, 35308-17	66
528	Reactive oxygen species-dependent apoptosis by gugulipid extract of Ayurvedic medicine plant <i>Commiphora mukul</i> in human prostate cancer cells is regulated by c-Jun N-terminal kinase. 2011 , 79, 499-507	36
527	Grape proanthocyanidins induce apoptosis by loss of mitochondrial membrane potential of human non-small cell lung cancer cells in vitro and in vivo. 2011 , 6, e27444	73
526	Targeting oncogenic protein-protein interactions by diversity oriented synthesis and combinatorial chemistry approaches. 2011 , 16, 4408-27	18
525	A dual-readout F2 assay that combines fluorescence resonance energy transfer and fluorescence polarization for monitoring bimolecular interactions. 2011 , 9, 382-93	15
524	Ginsenoside Rg1 protects primary cultured rat hippocampal neurons from cell apoptosis induced by β amyloid protein. 2011 , 49, 501-7	34
523	. 2011 ,	
522	Cell Preservation Technology. 2011 , 179-190	
521	BAX supports the mitochondrial network, promoting bioenergetics in nonapoptotic cells. 2011 , 300, C1466-78	29
520	Nutraceuticals and Cancer. 2012 ,	5
519	Facts and fiction: the impact of hypothermia on molecular mechanisms following major challenge. 2012 , 2012, 762840	23
518	Mitigation of H ₂ O ₂ -Induced Mitochondrial-Mediated Apoptosis in NG108-15 Cells by Novel Mesuagenin C from <i>Mesua kunstleri</i> (King) Kosterm. 2012 , 2012, 156521	7
517	[Significance of pathohistological findings and the expression of Bcl-2 in diagnosis and treatment of oral planocellular carcinoma]. 2012 , 69, 314-9	1
516	In silico methods for designing antagonists to anti-apoptotic members of Bcl-2 family proteins. 2012 , 12, 1144-53	3
515	Compensatory functions of histone deacetylase 1 (HDAC1) and HDAC2 regulate transcription and apoptosis during mouse oocyte development. 2012 , 109, E481-9	96
514	Concurrent sulforaphane and eugenol induces differential effects on human cervical cancer cells. 2012 , 11, 154-65	31
513	The FKBP38 catalytic domain binds to Bcl-2 via a charge-sensitive loop. 2012 , 287, 19665-73	13
512	Cells lacking the fumarase tumor suppressor are protected from apoptosis through a hypoxia-inducible factor-independent, AMPK-dependent mechanism. 2012 , 32, 3081-94	25

511	Intranuclear localization of apoptosis-inducing factor and endonuclease G involves in peroxynitrite-induced apoptosis of spiral ganglion neurons. 2012 , 34, 915-22	16
510	Panax quinquefolium saponins reduce myocardial hypoxia-reoxygenation injury by inhibiting excessive endoplasmic reticulum stress. 2012 , 37, 228-33	39
509	Curcumin exposure modulates multiple pro-apoptotic and anti-apoptotic signaling pathways to antagonize acetaminophen-induced toxicity. 2012 , 9, 58-71	40
508	Silencing of CXCR4 by RNA interference inhibits cell growth and metastasis in human renal cancer cells. 2012 , 28, 2043-8	24
507	Berberine inhibits growth and induces G1 arrest and apoptosis in human cholangiocarcinoma QBC939 cells. 2012 , 119, 341-8	35
506	ZGDHu-1 promotes apoptosis of chronic lymphocytic leukemia cells. 2012 , 41, 533-40	14
505	Attractor landscape analysis reveals feedback loops in the p53 network that control the cellular response to DNA damage. 2012 , 5, ra83	115
504	Clinical features and management of primary colonic lymphoma. 2012 , 45, 73-77	7
503	Celastrus orbiculatus extract induces mitochondrial-mediated apoptosis in human hepatocellular carcinoma cells. 2012 , 32, 621-6	22
502	Protective role of N-trans-feruloyltyramine against β amyloid peptide-induced neurotoxicity in rat cultured cortical neurons. 2012 , 513, 229-32	28
501	Peptide screening to knockdown Bcl-2's anti-apoptotic activity: implications in cancer treatment. 2012 , 50, 796-814	17
500	Involvement of GPR12 in the induction of neurite outgrowth in PC12 cells. 2012 , 87, 30-6	16
499	Inhibition of Plk1 and Pin1 by 5'-nitro-indirubinoxime suppresses human lung cancer cells. 2012 , 316, 97-104	22
498	Antitumor activity of mushroom polysaccharides: a review. 2012 , 3, 1118-30	291
497	Genetic susceptibility to aseptic loosening following total hip arthroplasty: a systematic review. 2012 , 101, 39-55	47
496	The role of estrogen receptor alpha in mediating chemoresistance in breast cancer cells. 2012 , 31, 42	24
495	Critical role of p53 upregulated modulator of apoptosis in benzyl isothiocyanate-induced apoptotic cell death. 2012 , 7, e32267	31
494	Bioactive phytochemical proanthocyanidins inhibit growth of head and neck squamous cell carcinoma cells by targeting multiple signaling molecules. 2012 , 7, e46404	33

493	Sorafenib-induced apoptosis of chronic lymphocytic leukemia cells is associated with downregulation of RAF and myeloid cell leukemia sequence 1 (Mcl-1). 2012 , 18, 19-28	37
492	Multiple mechanisms of immune suppression by B lymphocytes. 2012 , 18, 123-37	99
491	Luminescent quantum dots for molecular toxicology. 2012 , 745, 117-37	3
490	Bim contributes to phenethyl isothiocyanate-induced apoptosis in breast cancer cells. 2012 , 51, 465-74	19
489	Arsenic induces apoptosis in myoblasts through a reactive oxygen species-induced endoplasmic reticulum stress and mitochondrial dysfunction pathway. 2012 , 86, 923-33	120
488	Regulation of cell signaling and porcine reproductive and respiratory syndrome virus. 2012 , 24, 973-80	10
487	Asiatic acid protects primary neurons against C2-ceramide-induced apoptosis. 2012 , 679, 51-9	61
486	Effects of biodegradable Mg β Zn alloy extracts on apoptosis of intestinal epithelial cells. 2012 , 177, 388-393	14
485	Neuroprotection of the leaf and stem of <i>Vitis amurensis</i> and their active compounds against ischemic brain damage in rats and excitotoxicity in cultured neurons. 2012 , 19, 150-9	40
484	Effects of basic fibroblast growth factor and leukaemia inhibitory factor on proliferation and short-term culture of human spermatogonial stem cells. 2012 , 44 Suppl 1, 41-55	71
483	Chronic lymphocytic leukemia: 2013 update on diagnosis, risk stratification and treatment. 2013 , 88, 803-16	124
482	Study of binding thermodynamics in the optimization of BH3 mimetics. 2013 , 82, 394-400	1
481	Statins, Bcl-2, and apoptosis: cell death or cell protection?. 2013 , 48, 308-14	53
480	Effects of high iron and glucose concentrations over the relative expression of Bcl2, Bax, and Mfn2 in MIN6 cells. 2013 , 153, 390-5	7
479	NF- κ B pathway contributes to cadmium-induced apoptosis of porcine granulosa cells. 2013 , 153, 403-10	14
478	B7-H4 enhances oncogenicity and inhibits apoptosis in pancreatic cancer cells. 2013 , 353, 139-51	40
477	Comparisons of Shuidouchi, Natto, and Cheonggukjang in their physicochemical properties, and antimutagenic and anticancer effects. 2013 , 22, 1077-1084	12
476	The orphan nuclear receptor small heterodimer partner negatively regulates pancreatic beta cell survival and hyperglycemia in multiple low-dose streptozotocin-induced type 1 diabetic mice. 2013 , 45, 1538-45	10

475	Misregulation of pre-mRNA alternative splicing in cancer. 2013 , 3, 1228-37	207
474	Signaling the end of chronic lymphocytic leukemia: new frontline treatment strategies. 2013 , 2013, 138-50	24
473	Anti-tumour activity of longikaurin A (LK-A), a novel natural diterpenoid, in nasopharyngeal carcinoma. 2013 , 11, 200	15
472	Insights into thymic involution in tumor-bearing mice. 2013 , 57, 106-14	13
471	p-Coumaric acid attenuates apoptosis in isoproterenol-induced myocardial infarcted rats by inhibiting oxidative stress. 2013 , 168, 3259-66	46
470	Signaling the end of chronic lymphocytic leukemia: new frontline treatment strategies. 2013 , 122, 3723-34	87
469	Fragment-based design, synthesis, and biological evaluation of N-substituted-5-(4-isopropylthiophenol)-2-hydroxynicotinamide derivatives as novel Mcl-1 inhibitors. 2013 , 60, 410-20	20
468	Bcl-2 rs956572 polymorphism is associated with increased anterior cingulate cortical glutamate in euthymic bipolar I disorder. 2013 , 38, 468-75	58
467	Bamboo salt has in vitro anticancer activity in HCT-116 cells and exerts anti-metastatic effects in vivo. 2013 , 16, 9-19	62
466	Post-transplant repopulation of naïve and memory T cells in blood and lymphoid tissue after alemtuzumab-mediated depletion in heart-transplanted cynomolgus monkeys. 2013 , 29, 88-98	18
465	Ethanol extract of the Goldenseal, <i>Hydrastis canadensis</i> , has demonstrable chemopreventive effects on HeLa cells in vitro: Drug-DNA interaction with calf thymus DNA as target. 2013 , 36, 202-14	18
464	Relationship between helix stability and binding affinities: molecular dynamics simulations of Bfl-1/A1-binding pro-apoptotic BH3 peptide helices in explicit solvent. 2013 , 31, 65-77	14
463	Neuroprotection against neuroblastoma cell death induced by depletion of mitochondrial glutathione. 2013 , 18, 702-12	12
462	Sensitization of TRAIL-induced apoptosis in human hepatocellular carcinoma HepG2 cells by phytochemicals. 2013 , 92, 555-61	24
461	Arginase II inhibited lipopolysaccharide-induced cell death by regulation of iNOS and Bcl-2 family proteins in macrophages. 2013 , 35, 396-401	8
460	Do Root Exudates Exert More Influence on Rhizosphere Bacterial Community Structure Than Other Rhizodeposits?. 2013 , 229-242	30
459	Personalizing oncology: perspectives and prospects. 2013 , 31, 1904-11	107
458	An animal model of buccal mucosa cancer and cervical lymph node metastasis induced by U14 squamous cell carcinoma cells. 2013 , 5, 1083-1088	8

457	Antimutagenic activity and preventive effect of black tea on buccal mucosa cancer. 2013 , 6, 595-599	3
456	Placental autophagy regulation by the BOK-MCL1 rheostat. 2013 , 9, 2140-53	45
455	Induction of apoptosis and the regulation of ErbB signaling by laminarin in HT-29 human colon cancer cells. 2013 , 32, 291-5	60
454	Resistance to BH3 mimetic S1 in SCLC cells that up-regulate and phosphorylate Bcl-2 through ERK1/2. 2013 , 169, 1612-23	16
453	The process of apoptosis in a holocrine gland as shown by the avian uropygial gland. 2013 , 296, 504-20	5
452	Triptolide induces apoptosis of PMA-treated THP-1 cells through activation of caspases, inhibition of NF- κ B and activation of MAPKs. 2013 , 43, 1169-75	19
451	Cassia tora L. (Jue-ming-zi) has anticancer activity in TCA8113 cells in vitro and exerts anti-metastatic effects in vivo. 2013 , 5, 1036-1042	18
450	C.J. Tseng (Kudingcha) has anticancer activities in MCF-7 human breast adenocarcinoma cells and exerts anti-metastatic effects. 2013 , 5, 1744-1748	12
449	Bcl-2 correlates with localization but not outcome in human osteosarcoma. 2013 , 6, 559-561	6
448	Anticancer effects of 3,3'-diindolylmethane are associated with G1 arrest and mitochondria-dependent apoptosis in human nasopharyngeal carcinoma cells. 2013 , 5, 655-662	17
447	Bcl-2 promoter sequence G-quadruplex interactions with three planar and non-planar cationic porphyrins: TMPyP4, TMPyP3, and TMPyP2. 2013 , 8, e72462	38
446	Pharmacological effects of active compounds on neurodegenerative disease with gastrodia and uncaria decoction, a commonly used poststroke decoction. 2013 , 2013, 896873	21
445	Pathways of Intrinsic Apoptosis in Neuroblastoma: Targets for Therapeutics and New Drug Development. 2013 ,	
444	Multiple Routes of Motor Neuron Degeneration in ALS. 2013 ,	2
443	A review of molecular events of cadmium-induced carcinogenesis. 2014 , 33, 183-94	124
442	D. candidum has in vitro anticancer effects in HCT-116 cancer cells and exerts in vivo anti-metastatic effects in mice. 2014 , 8, 487-93	25
441	Oxidative stress, a common molecular pathway for kidney disease: role of the redox enzyme p66Shc. 2014 , 36, 313-20	24
440	Combination of bladder cancer-specific oncolytic adenovirus gene therapy with cisplatin on bladder cancer in vitro. 2014 , 35, 10879-90	7

439	Protein phosphatase 6 controls BCR-induced apoptosis of WEHI-231 cells by regulating ubiquitination of Bcl-xL. 2014 , 192, 5720-9	18
438	In vitro anticancer effects of insect tea in TCA8113 cells. 2014 , 10, 1045-51	4
437	and anti-cancer activities of Kuding tea (C.J. Tseng) against oral cancer. 2014 , 7, 709-715	23
436	Increased preventive effect on colon carcinogenesis by use of resistant starch (RS3) as the carrier for polysaccharide of <i>Larimichthys crocea</i> swimming bladder. 2014 , 15, 817-29	17
435	Molecular mechanisms of chemoresistance in osteosarcoma (Review). 2014 , 7, 1352-1362	167
434	Liquiritigenin induces tumor cell death through mitogen-activated protein kinase- (MPAKs-) mediated pathway in hepatocellular carcinoma cells. 2014 , 2014, 965316	22
433	Ubiquitin-proteasomal degradation of antiapoptotic survivin facilitates induction of apoptosis in prostate cancer cells by pristimerin. 2014 , 45, 1735-41	25
432	The metastasis suppressor, N-myc downstream-regulated gene 1 (NDRG1), inhibits stress-induced autophagy in cancer cells. 2014 , 289, 9692-709	69
431	c-Jun NH2 -terminal kinase is a critical node in the death of CD4+ CD8+ thymocytes during <i>Salmonella enterica</i> serovar Typhimurium infection. 2014 , 44, 137-49	10
430	Effects of 3-hydroxyflavone on the cellular and molecular characteristics of bovine embryos produced by somatic-cell nuclear transfer. 2014 , 81, 257-69	3
429	A Systems Biology Approach to Blood. 2014 ,	2
428	Erythropoiesis: from molecular pathways to system properties. 2014 , 844, 37-58	22
427	Enhanced in-vitro and in-vivo suppression of A375 melanoma by combined IL-24/OSM adenoviral-mediated gene therapy. 2014 , 24, 20-31	7
426	Sorbitol induces apoptosis of human colorectal cancer cells via p38 MAPK signal transduction. 2014 , 7, 1992-1996	27
425	Inhibitory effects of Wall ex Lindl. on azoxymethane- and dextran sulfate sodium-induced colon carcinogenesis in C57BL/6 mice. 2014 , 7, 493-498	27
424	Mitochondrial dysfunction in cancer. 2014 , 13, 136-44	32
423	Serum Bcl-2 Levels in Patients with β Thalassemia Minor: A Pilot Study. 2014 , 31, 363-6	2
422	Incorporating targeted agents into future therapy of chronic lymphocytic leukemia. 2014 , 51, 235-48	5

421	DNA damage dependent activation of checkpoint kinase-1 and mitogen-activated protein kinase-p38 are required in malabaricone C-induced mitochondrial cell death. 2014 , 1840, 1014-27	15
420	Biomarkers in advanced larynx cancer. 2014 , 124, 179-87	35
419	Suppression of NAD(P)H-quinone oxidoreductase 1 enhanced the susceptibility of cholangiocarcinoma cells to chemotherapeutic agents. 2014 , 33, 11	37
418	Apicidin-resistant HA22T hepatocellular carcinoma cells massively promote pro-survival capability via IGF-1R/PI3K/Akt signaling pathway activation. 2014 , 35, 303-13	13
417	A dual role for the anti-apoptotic Bcl-2 protein in cancer: mitochondria versus endoplasmic reticulum. 2014 , 1843, 2240-52	142
416	Sertraline, an antidepressant, induces apoptosis in hepatic cells through the mitogen-activated protein kinase pathway. 2014 , 137, 404-15	44
415	Accelerating proliferation of neural stem/progenitor cells in collagen sponges immobilized with engineered basic fibroblast growth factor for nervous system tissue engineering. 2014 , 15, 1062-8	25
414	Apomorphine attenuates ethanol-induced neurodegeneration in the adult rat cortex. 2014 , 74, 8-15	16
413	A ruthenium(II) complex capable of inducing and stabilizing bcl-2 G-quadruplex formation as a potential cancer inhibitor. 2014 , 134, 1-11	22
412	Relative stability of G-quadruplex structures: Interactions between the human Bcl2 promoter region and derivatives of carbazole and diphenylamine. 2014 , 101, 1038-50	6
411	Transplantation of bone marrow mesenchymal stem cells decreases oxidative stress, apoptosis, and hippocampal damage in brain of a spontaneous stroke model. 2014 , 70, 141-54	90
410	Autonomous growth and increased cytotoxicity of natural killer cells expressing membrane-bound interleukin-15. 2014 , 124, 1081-8	89
409	Unbiased transcriptomes of resting human CD4+ CD45RO+ T lymphocytes. 2014 , 44, 1866-9	10
408	Apoptotic cell death under hypoxia. 2014 , 29, 168-76	88
407	New derivatives of lupane triterpenoids disturb breast cancer mitochondria and induce cell death. 2014 , 22, 6270-87	20
406	Apoptosis and gene expression in the developing mouse brain of fusarenon-X-treated pregnant mice. 2014 , 229, 292-302	10
405	La apoptosis: un tema de interés para el laboratorio clínico. 2014 , 7, 39-41	
404	Cytotoxicity and apoptosis induced by alfalfa (Medicago sativa) leaf extracts in sensitive and multidrug-resistant tumor cells. 2014 , 66, 483-91	21

403	Anti-diabetic effect of mulberry leaf polysaccharide by inhibiting pancreatic islet cell apoptosis and ameliorating insulin secretory capacity in diabetic rats. 2014 , 22, 248-57	73
402	Clitocine induces apoptosis and enhances the lethality of ABT-737 in human colon cancer cells by disrupting the interaction of Mcl-1 and Bak. 2014 , 355, 253-63	5
401	Antioxidant, antimutagenic, and In vivo buccal mucosa cancer preventive effects of Fructus Malvae. 2014 , 23, 1341-1348	
400	In vitro antioxidant, anti-mutagenic, anti-cancer and anti-angiogenic effects of Chinese Bowl tea. 2014 , 7, 590-598	29
399	Immune regulation of multiple sclerosis. 2014 , 122, 3-14	22
398	Pu-erh tea has in vitro anticancer activity in TCA8113 cells and preventive effects on buccal mucosa cancer in U14 cells injected mice in vivo. 2014 , 66, 1059-69	12
397	Vitamin D ameliorates hepatic ischemic/reperfusion injury in rats. 2014 , 70, 659-66	29
396	c-Jun NH2-terminal kinase-induced proteasomal degradation of c-FLIPL/S and Bcl2 sensitize prostate cancer cells to Fas- and mitochondria-mediated apoptosis by tetrandrine. 2014 , 91, 457-73	20
395	Antiapoptotic Bcl-2 homolog CED-9 in Caenorhabditis elegans: dynamics of BH3 and CED-4 binding regions and comparison with mammalian antiapoptotic Bcl-2 proteins. 2014 , 82, 1035-47	4
394	Morphine improved the antitumor effects on MCF-7 cells in combination with 5-Fluorouracil. 2014 , 68, 299-305	10
393	Physcion from marine-derived fungus Microsporium sp. induces apoptosis in human cervical carcinoma HeLa cells. 2014 , 169, 255-61	54
392	Helix mimetics: outwards and upwards. 2014 , 24, 717-24	92
391	ROS-mediated JNK/p38-MAPK activation regulates Bax translocation in Sorafenib-induced apoptosis of EBV-transformed B cells. 2014 , 44, 977-85	57
390	Celastrol induces the apoptosis of breast cancer cells and inhibits their invasion via downregulation of MMP-9. 2014 , 32, 2527-32	43
389	Liquiritin modulates ERK- and AKT/GSK-3 β -dependent pathways to protect against glutamate-induced cell damage in differentiated PC12 cells. 2014 , 10, 818-24	32
388	1-O-acetylbritannilactone combined with gemcitabine elicits growth inhibition and apoptosis in A549 human non-small cell lung cancer cells. 2015 , 12, 5568-72	5
387	A comparative study of myocardial molecular phenotypes of two tfr2 ^{hull} mice: role in ischemia/reperfusion. 2015 , 41, 360-71	10
386	Hypericin-mediated photodynamic therapy induces apoptosis of myeloma SP2/0 cells depended on caspase activity in vitro. 2015 , 15, 58	10

385	Silymarin inhibits melanoma cell growth both in vitro and in vivo by targeting cell cycle regulators, angiogenic biomarkers and induction of apoptosis. 2015 , 54, 1328-39	20
384	Therapeutic potential of laminin-biodritin microcapsules for type 1 diabetes mellitus. 2015 , 24, 247-61	9
383	Cancer Chemoprevention by Garlic - A Review. 2015 , 04,	2
382	Ursolic Acid--A Pentacyclic Triterpenoid with a Wide Spectrum of Pharmacological Activities. 2015 , 20, 20614-41	193
381	Comparative assessment of the apoptotic potential of silver nanoparticles synthesized by <i>Bacillus tequilensis</i> and <i>Calocybe indica</i> in MDA-MB-231 human breast cancer cells: targeting p53 for anticancer therapy. 2015 , 10, 4203-22	157
380	Role of Exogenous Hsp72 on Liver Dysfunction during Sepsis. 2015 , 2015, 508101	5
379	ABT-199 (venetoclax) and BCL-2 inhibitors in clinical development. 2015 , 8, 129	164
378	Maslinic acid potentiates the antitumor activities of gemcitabine in vitro and in vivo by inhibiting NF- κ B-mediated survival signaling pathways in human gallbladder cancer cells. 2015 , 33, 1683-90	10
377	Ankaferd Blood Stopper induces apoptosis and regulates PAR1 and EPCR expression in human leukemia cells. 2015 , 16, 19-27	8
376	Antioxidant effect of salvianolic acid B on hippocampal CA1 neurons in mice with cerebral ischemia and reperfusion injury. 2015 , 21, 516-22	33
375	Multicomponent 5-fluorouracil loaded PAMAM stabilized-silver nanocomposites synergistically induce apoptosis in human cancer cells. 2015 , 3, 457-68	50
374	B cells responses and cytokine production are regulated by their immune microenvironment. 2015 , 74, 318-26	171
373	Transcription factors and target genes of pre-TCR signaling. 2015 , 72, 2305-21	8
372	Protection by genistein on cortical neurons against oxidative stress injury via inhibition of NF- κ B, JNK and ERK signaling pathway. 2015 , 53, 1124-32	40
371	Malignant lymphoma of the conjunctiva. 2015 , 60, 444-58	50
370	Role of c-Jun N-terminal kinase activation in apoptosis induced by removal of the growth factors. 2015 , 39, 577-83	4
369	Induction of apoptosis in HCT-116 colon cancer cells by polysaccharide of swim bladder. 2015 , 9, 972-978	7
368	Hematopoietic Signaling Mechanism Revealed from a Stem/Progenitor Cell Cistrome. 2015 , 59, 62-74	29

367	Factors that Determine Sensitivity and Resistances of Tumor Cells Towards Antibody-Targeted Protein Toxins. 2015 , 57-73	1
366	Autophagy is upregulated in ovarian endometriosis: a possible interplay with p53 and heme oxygenase-1. 2015 , 103, 1244-51.e1	52
365	Reactive oxygen species and c-Jun N-terminal kinases contribute to TEMPO-induced apoptosis in L5178Y cells. 2015 , 235, 27-36	19
364	Chronic lymphocytic leukemia: 2015 Update on diagnosis, risk stratification, and treatment. 2015 , 90, 446-60	175
363	Nitric Oxide and Cancer: Pathogenesis and Therapy. 2015 ,	2
362	Interactions between Bcl-xl and its inhibitors: Insights into ligand design from molecular dynamics simulation. 2015 , 59, 1-13	9
361	Elucidation of Acquired Resistance to Bcl-2 and MDM2 Inhibitors in Acute Leukemia In Vitro and In Vivo. 2015 , 21, 2558-68	36
360	Self-Assembled Hybrids of Fluorescent Carbon Dots and PAMAM Dendrimers for Epirubicin Delivery and Intracellular Imaging. 2015 , 7, 11423-35	66
359	Mechanisms of tolvaptan-induced toxicity in HepG2 cells. 2015 , 95, 324-36	22
358	Pivotal Role of Nitric Oxide in Chemo and Immuno Sensitization of Resistant Tumor Cells to Apoptosis. 2015 , 179-201	
357	Exposure to 3G mobile phone signals does not affect the biological features of brain tumor cells. 2015 , 15, 764	12
356	Celecoxib enhanced the cytotoxic effect of cisplatin in drug-resistant human gastric cancer cells by inhibition of cyclooxygenase-2. 2015 , 769, 1-7	8
355	Medicarpin and millepurpan, two flavonoids isolated from Medicago sativa, induce apoptosis and overcome multidrug resistance in leukemia P388 cells. 2015 , 22, 1186-94	26
354	Adenovirus-mediated ING4 Gene Transfer in Osteosarcoma Suppresses Tumor Growth via Induction of Apoptosis and Inhibition of Tumor Angiogenesis. 2015 , 14, 369-78	15
353	What is the status of novel anti-CD20 antibodies for chronic lymphocytic leukemia and are they set to leave rituximab in the shadows?. 2015 , 8, 733-42	8
352	Sorafenib Sensitizes Glioma Cells to the BH3 Mimetic ABT-737 by Targeting MCL1 in a STAT3-Dependent Manner. 2015 , 17, 564-73	37
351	Tetrachlorobenzoquinone triggers the cleavage of Bid and promotes the cross-talk of extrinsic and intrinsic apoptotic signalings in pheochromocytoma (PC) 12 cells. 2015 , 49, 149-57	13
350	Adenovirus-mediated ING4 Gene Transfer in Osteosarcoma Suppresses Tumor Growth via Induction of Apoptosis and Inhibition of Tumor Angiogenesis. 2015 , 14, 617-26	6

349	Analysis of pro-apoptotic protein trafficking to and from mitochondria. 2015 , 1241, 163-80	8
348	Mitochondrial Regulation. 2015 ,	3
347	Dual-functional carbon dots-silver@zinc oxide nanocomposite: in vitro evaluation of cellular uptake and induction of apoptosis. 2015 , 3, 1217-1229	32
346	Effect of actual long-term spaceflight on BDNF, TrkB, p75, BAX and BCL-XL genes expression in mouse brain regions. 2015 , 284, 730-736	36
345	The mitochondrial voltage-dependent anion channel 1 in tumor cells. 2015 , 1848, 2547-75	161
344	BTEB2 prevents neuronal apoptosis via promoting bad phosphorylation in rat intracerebral hemorrhage model. 2015 , 55, 206-216	9
343	Possible Anticancer Mechanisms of Some <i>Costus speciosus</i> Active Ingredients Concerning Drug Discovery. 2016 , 13, 123-143	15
342	Neuroprotective Effects of Salidroside in the MPTP Mouse Model of Parkinson's Disease: Involvement of the PI3K/Akt/GSK3 Pathway. 2016 , 2016, 9450137	28
341	Research Advances on Pathways of Nickel-Induced Apoptosis. 2015 , 17,	48
340	The Octyl Ester of Ginsenoside Rh2 Induces Lysosomal Membrane Permeabilization via Bax Translocation. 2016 , 8,	11
339	The Gastroprotective Effect of <i>Vitex pubescens</i> Leaf Extract against Ethanol-Provoked Gastric Mucosal Damage in Sprague-Dawley Rats. 2016 , 11, e0157431	12
338	Hypoxia Promotes Gastric Cancer Malignancy Partly through the HIF-1 α -Dependent Transcriptional Activation of the Long Non-coding RNA GAPLINC. 2016 , 7, 420	37
337	Methylene blue toxicity in zebrafish cell line is dependent on light exposure. 2016 , 40, 895-905	8
336	Differential Regulation of Bcl-xL Gene Expression by Corticosterone, Progesterone, and Retinoic Acid. 2016 , 30, 309-16	2
335	rno-miR-665 targets BCL2L1 (Bcl-xl) and increases vulnerability to propofol in developing astrocytes. 2016 , 138, 233-42	16
334	Anticancer activity of Ashwagandha against human head and neck cancer cell lines. 2016 , 45, 193-201	10
333	The inhibition of cell proliferation and induction of apoptosis in pancreatic ductal adenocarcinoma cells by verrucarín A, a macrocyclic trichothecene, is associated with the inhibition of Akt/NF- κ B/mTOR prosurvival signaling. 2016 , 49, 1139-47	15
332	Breaking BAG: The Co-Chaperone BAG3 in Health and Disease. 2016 , 37, 672-688	143

331	Glycine inhibits ethanol-induced oxidative stress, neuroinflammation and apoptotic neurodegeneration in postnatal rat brain. 2016 , 96, 1-12	34
330	The Hematopoietic Stem and Progenitor Cell Cistrome: GATA Factor-Dependent cis-Regulatory Mechanisms. 2016 , 118, 45-76	13
329	Diverse mechanisms evolved by DNA viruses to inhibit early host defenses. 2016 , 51, 452-481	22
328	Treatment with dibenzoxanthenes inhibits proliferation and induces apoptosis of HepG2 cells via the intrinsic mitochondrial pathway. 2016 , 6, 72703-72714	4
327	Clitocine potentiates TRAIL-mediated apoptosis in human colon cancer cells by promoting Mcl-1 degradation. 2016 , 21, 1144-57	9
326	Classification of TP53 mutations and HPV predict survival in advanced larynx cancer. 2016 , 126, E292-9	14
325	Combinatorial nanocarrier based drug delivery approach for amalgamation of anti-tumor agents in breast cancer cells: an improved nanomedicine strategy. 2016 , 6, 34053	65
324	Epigallocatechin-3-gallate protects against hepatic ischaemia-reperfusion injury by reducing oxidative stress and apoptotic cell death. 2016 , 44, 1248-1262	17
323	In vitro evaluation of effects of Mg-6Zn alloy extracts on apoptosis of intestinal epithelial cells. 2016 , 31, 1387-1393	
322	Silver nanoparticles from <i>Dendropanax morbifera</i> L'Veille inhibit cell migration, induce apoptosis, and increase generation of reactive oxygen species in A549 lung cancer cells. 2016 , 52, 1012-1019	23
321	Paving the way for new agents; is standard chemotherapy part of the treatment paradigm for chronic lymphocytic leukemia in the future?. 2016 , 9, 679-93	2
320	PNMA2 mediates heterodimeric interactions and antagonizes chemo-sensitizing activities mediated by members of PNMA family. 2016 , 473, 224-229	11
319	Uterine Endometrial Function. 2016 ,	1
318	Influence of chronic alcohol treatment on the expression of the Bdnf, Bax, Bcl-xL, and CASP3 genes in the mouse brain: Role of the C1473G polymorphism in the gene encoding tryptophan hydroxylase 2. 2016 , 50, 262-269	5
317	Bioactive proanthocyanidins inhibit growth and induce apoptosis in human melanoma cells by decreasing the accumulation of β -catenin. 2016 , 48, 624-34	11
316	Profound Actions of an Agonist of Growth Hormone-Releasing Hormone on Angiogenic Therapy by Mesenchymal Stem Cells. 2016 , 36, 663-672	22
315	Equol inhibits growth, induces atresia, and inhibits steroidogenesis of mouse antral follicles in vitro. 2016 , 295, 47-55	9
314	Effect of metformin and sitagliptin on doxorubicin-induced cardiotoxicity in adult male albino rats. 2016 , 35, 1227-1239	18

313	A New G-Quadruplex with Hairpin Loop Immediately Upstream of the Human BCL2 P1 Promoter Modulates Transcription. 2016 , 138, 2563-70	79
312	Carbon dots incorporated polymeric hydrogels as multifunctional platform for imaging and induction of apoptosis in lung cancer cells. 2016 , 141, 242-252	60
311	Antitumor polysaccharides from mushrooms: a review on the structural characteristics, antitumor mechanisms and immunomodulating activities. 2016 , 424, 30-41	271
310	Synthesis and mechanistic aspects of 2-anilinonicotinyl-pyrazolo[1,5-a]pyrimidine conjugates that regulate cell proliferation in MCF-7 cells via estrogen signaling. 2016 , 26, 2077-83	12
309	Bitter apricot essential oil induces apoptosis of human HaCaT keratinocytes. 2016 , 34, 189-198	12
308	Structure, cytotoxic activity and mechanism of protoilludane sesquiterpene aryl esters from the mycelium of <i>Armillaria mellea</i> . 2016 , 184, 119-27	19
307	Beta-arrestin1 and 2 differently modulate metabotropic glutamate receptor 7 signaling in rat developmental sevoflurane-induced neuronal apoptosis. 2016 , 313, 199-212	11
306	Cell cycle kinetics, apoptosis rates and gene expressions of MDR-1, TP53, BCL-2 and BAX in transmissible venereal tumour cells and their association with therapy response. 2017 , 15, 793-807	12
305	Vanillic acid attenuates A β -induced oxidative stress and cognitive impairment in mice. 2017 , 7, 40753	93
304	miR-134: A Human Cancer Suppressor?. 2017 , 6, 140-149	75
303	Regulation of STAT3 and NF- κ B activations by S-nitrosylation in multiple myeloma. 2017 , 106, 245-253	13
302	Chromium IV exposure, via Src/Ras signaling, promotes cell transformation. 2017 , 56, 1808-1815	5
301	Posterior fossa decompression in Chiari I improves denervation of the paraspinal muscles. 2017 , 88, 438-444	6
300	Anthocyanins encapsulated by PLGA@PEG nanoparticles potentially improved its free radical scavenging capabilities via p38/JNK pathway against A β -induced oxidative stress. 2017 , 15, 12	79
299	The long unstructured region of Bcl-xl modulates its structural dynamics. 2017 , 85, 1567-1579	8
298	Selective Targeting of Cancer Cells by Oxidative Vulnerabilities with Novel Curcumin Analogs. 2017 , 7, 1105	31
297	Molecular characterization of infectious pancreatic necrosis virus strains isolated from the three types of salmonids farmed in Chile. 2017 , 14, 17	9
296	The steroidal glycoalkaloids solamargine and solasonine in <i>Solanum</i> plants. 2017 , 112, 253-269	37

295	Inhibition of autophagy prevents cadmium-induced prostate carcinogenesis. 2017 , 117, 56-64	23
294	Cell cycle synchronization and analysis of apoptosis-related gene in skin fibroblasts from domestic cat (<i>Felis silvestris catus</i>) and kodkod (<i>Leopardus guigna</i>). 2017 , 52, 881-889	8
293	Resistance to apoptosis and autophagy leads to enhanced survival in Sertoli cells. 2017 , 23, 370-380	17
292	LncRNA NEAT1 Impacts Cell Proliferation and Apoptosis of Colorectal Cancer via Regulation of Akt Signaling. 2017 , 23, 651-656	58
291	Effect of nutritionally induced hyperlipidaemia on in vitro bovine embryo quality depends on the type of major fatty acid in the diet. 2017 , 29, 1856-1867	10
290	Neural stem/progenitor cells on collagen with anchored basic fibroblast growth factor as potential natural nerve conduits for facial nerve regeneration. 2017 , 50, 188-197	18
289	Effect of silencing the T-Box transcription factor TBX2 in prostate cancer PC3 and LNCaP cells. 2017 , 16, 6050-6058	10
288	Doxycycline synergizes with doxorubicin to inhibit the proliferation of castration-resistant prostate cancer cells. 2017 , 49, 999-1007	12
287	Co-culture with lung cancer A549 cells promotes the proliferation and migration of mesenchymal stem cells derived from bone marrow. 2017 , 14, 2983-2991	13
286	Mdivi-1 attenuates sodium azide-induced apoptosis in H9c2 cardiac muscle cells. 2017 , 16, 5972-5978	4
285	Tumour growth-suppressive effect of arsenic trioxide in squamous cell lung carcinoma. 2017 , 14, 3748-3754	9
284	Synthesis, characterization, and evaluation of Cd[L-proline], a novel histone deacetylase inhibitor that induces epigenetic modification of histone deacetylase isoforms in A549 cells. 2017 , 35, 691-705	5
283	Chronic lymphocytic leukemia: 2017 update on diagnosis, risk stratification, and treatment. 2017 , 92, 946-965	177
282	Aglycone solanidine and solasodine derivatives: A natural approach towards cancer. 2017 , 94, 446-457	14
281	Mitochondrial phosphatase PGAM5 regulates Keap1-mediated Bcl-xL degradation and controls cardiomyocyte apoptosis driven by myocardial ischemia/reperfusion injury. 2017 , 53, 248-257	21
280	Molecular and biochemical evidence on the protective effects of quercetin in isoproterenol-induced acute myocardial injury in rats. 2017 , 31, 1-8	25
279	Prediction of post translation modifications at the contact site between <i>Anaplasma phagocytophilum</i> and human host during autophagosome induction using a bioinformatic approach. 2017 , 31, 76-84	
278	GRIM-19: A master regulator of cytokine induced tumor suppression, metastasis and energy metabolism. 2017 , 33, 1-18	12

277	Salidroside inhibits steroid-induced avascular necrosis of the femoral head via the PI3K/Akt signaling pathway: In vitro and in vivo studies. 2018 , 17, 3751-3757	14
276	Over-expression of Np63 facilitates rat corneal wound healing in vivo. 2017 , 81, 2279-2284	1
275	Organosulfur Compounds of Garlic as Potent Chemotherapeutic Agents Against Cancer. 2017 , 253-272	1
274	Polyphenolic Extract of Euphorbia supina Attenuates Manganese-Induced Neurotoxicity by Enhancing Antioxidant Activity through Regulation of ER Stress and ER Stress-Mediated Apoptosis. 2017 , 18,	19
273	Anticancer Plants: Clinical Trials and Nanotechnology. 2017 ,	1
272	Keratinization of Lung Squamous Cell Carcinoma Is Associated with Poor Clinical Outcome. 2017 , 80, 179-186	17
271	YCl Promotes Neuronal Cell Death by Inducing Apoptotic Pathways in Rats. 2017 , 2017, 2183658	6
270	Long non-coding RNAs in osteosarcoma. 2017 , 8, 20462-20475	78
269	Effect of EGF on Bax, Bcl-2 and Fas expression in ulcerous disease and N87 cell line. 2017 , 118, 695-701	
268	Suppression of gastric cancer by extract from the tuber of amorphophallus konjac via induction of apoptosis and autophagy. 2017 , 38, 1051-1058	9
267	PHENYLPROPANOIDS, EUGENOL SCAFFOLD, AND ITS DERIVATIVES AS ANTICANCER. 2017 , 10, 41	4
266	Bcl-2 degradation is an additional pro-apoptotic effect of polo-like kinase inhibition in cholangiocarcinoma cells. 2017 , 23, 4007-4015	5
265	Activation of the ERK1/2-MAPK Signaling Pathway by Complement Serum in UV-POS-Pretreated ARPE-19 Cells. 2018 , 239, 215-224	7
264	The Multifunctional Protein BAG3: A Novel Therapeutic Target in Cardiovascular Disease. 2018 , 3, 122-131	22
263	Bioactive compound 1,8-Cineole selectively induces G2/M arrest in A431 cells through the upregulation of the p53 signaling pathway and molecular docking studies. 2018 , 46, 57-68	24
262	DNA damage-induced apoptosis and mitogen-activated protein kinase pathway contribute to the toxicity of dronedarone in hepatic cells. 2018 , 59, 278-289	15
261	Long Noncoding RNA GAPLINC Promotes Cells Migration and Invasion in Colorectal Cancer Cell by Regulating miR-34a/c-MET Signal Pathway. 2018 , 63, 890-899	23
260	Zirconium potassium phosphate methyl and/or phenyl phosphonates as heterogeneous catalysts for Knoevenagel condensation under solvent free conditions. 2018 , 268, 251-259	9

259	Apple peel polyphenols reduce mitochondrial dysfunction in mice with DSS-induced ulcerative colitis. 2018 , 57, 56-66	35
258	Use of Liver-Derived Cell Lines for the Study of Drug-Induced Liver Injury. 2018 , 151-177	5
257	Diverse roles of mitochondria in ischemic stroke. 2018 , 16, 263-275	165
256	17 β -Estradiol via SIRT1/Acetyl-p53/NF- κ B Signaling Pathway Rescued Postnatal Rat Brain Against Acute Ethanol Intoxication. 2018 , 55, 3067-3078	28
255	Selective Cannabinoid 2 Receptor Stimulation Reduces Tubular Epithelial Cell Damage after Renal Ischemia-Reperfusion Injury. 2018 , 364, 287-299	18
254	Analysis of neuronal phosphoproteome reveals PINK1 regulation of BAD function and cell death. 2018 , 25, 904-917	20
253	Venetoclax with azacitidine disrupts energy metabolism and targets leukemia stem cells in patients with acute myeloid leukemia. 2018 , 24, 1859-1866	293
252	Neuroprotective Effect of Quercetin Against the Detrimental Effects of LPS in the Adult Mouse Brain. 2018 , 9, 1383	90
251	A mini review of fluoride-induced apoptotic pathways. 2018 , 25, 33926-33935	20
250	Hypothermic machine perfusion attenuates ischemia/reperfusion injury against rat livers donated after cardiac death by activating the Keap1/Nrf2-ARE signaling pathway. 2018 , 18, 815-826	5
249	Tetracaine induces apoptosis through a mitochondrion-dependent pathway in human corneal stromal cells in vitro. 2018 , 37, 350-358	2
248	The mitochondrial pathway is involved in sodium fluoride (NaF)-induced renal apoptosis in mice. 2018 , 7, 792-808	14
247	Synthesis and Biological Activity of Scyllatoxin-Based BH3 Domain Mimetics Containing Two Disulfide Linkages. 2018 , 37, 428-443	
246	The role of apoptosis in acetaminophen hepatotoxicity. 2018 , 118, 709-718	69
245	Mancozeb selectively induces mitochondrial-mediated apoptosis in human gastric carcinoma cells through ROS generation. 2019 , 48, 1-10	15
244	Streptococcal Pyrogenic Exotoxin A-Stimulated Monocytes Mediate Regulatory T-Cell Accumulation through PD-L1 and Kynurenine. 2019 , 20,	6
243	Neuroprotective Effects of Melatonin and Omega-3 on the Central Nervous System Exposed to Electromagnetic Fields in the Pre- and Postnatal Periods. 2019 , 161-191	
242	Tiger frog virus ORF104R interacts with cellular VDAC2 to inhibit cell apoptosis. 2019 , 92, 889-896	2

241	Chronic lymphocytic leukemia: 2020 update on diagnosis, risk stratification and treatment. 2019 , 94, 1266-1287	198
240	How we use venetoclax with hypomethylating agents for the treatment of newly diagnosed patients with acute myeloid leukemia. 2019 , 33, 2795-2804	67
239	HOXA9 Transcriptionally Promotes Apoptosis and Represses Autophagy by Targeting NF- κ B in Cutaneous Squamous Cell Carcinoma. 2019 , 8,	12
238	A Cell's Fate: An Overview of the Molecular Biology and Genetics of Apoptosis. 2019 , 20,	61
237	Cell death pathways in pathogenic trypanosomatids: lessons of (over)kill. 2019 , 10, 93	52
236	MST1 Regulates Neuronal Cell Death via JNK/Casp3 Signaling Pathway in HFD Mouse Brain and HT22 Cells. 2019 , 20,	20
235	Effects of Red Ginseng on Neural Injuries with Reference to the Molecular Mechanisms. 2019 , 2, 116-127	
234	Evaluation of in Vitro Bio-Activities Effects of WST (Wushanshencha). 2019 , 9, 1325	5
233	Targeting Mitochondrial Structure Sensitizes Acute Myeloid Leukemia to Venetoclax Treatment. 2019 , 9, 890-909	82
232	Hesperetin, a Citrus Flavonoid, Attenuates LPS-Induced Neuroinflammation, Apoptosis and Memory Impairments by Modulating TLR4/NF- κ B Signaling. 2019 , 11,	144
231	Sanggenon O induced apoptosis of A549 cells is counterbalanced by protective autophagy. 2019 , 87, 688-698	4
230	Expression Profile and Potential Functions of Circulating Long Noncoding RNAs in Acute Ischemic Stroke in the Southern Chinese Han Population. 2019 , 12, 290	8
229	Tri-ortho-cresyl phosphate (TOCP) induced ovarian failure in mice is related to the Hippo signaling pathway disruption. 2019 , 83, 21-27	8
228	Anti-Neuroinflammatory Property of Phlorotannins from on A β Induced Damage in PC12 Cells. 2018 , 17,	36
227	Mechanistic studies of the apoptosis induced by the macrocyclic natural product tetrandrine in MGC 803 cells. 2019 , 28, 107-115	1
226	Regulatory feedback loops bridge the human gene regulatory network and regulate carcinogenesis. 2019 , 20, 976-984	1
225	The impact of steroids on the injured podocytes in nephrotic syndrome. 2020 , 196, 105490	9
224	Mitochondria as a therapeutic target for ischemic stroke. 2020 , 146, 45-58	59

223	Pharmacological inhibition of androgen receptor expression induces cell death in prostate cancer cells. 2020 , 77, 4663-4673	8
222	Neuroprotective Effect of -Kaur-15-en-17-al-18-oic Acid on Amyloid Beta Peptide-Induced Oxidative Apoptosis in Alzheimer's Disease. 2019 , 25,	6
221	Adenylate Kinase 4 Modulates the Resistance of Breast Cancer Cells to Tamoxifen through an mA-Based Epitranscriptomic Mechanism. 2020 , 28, 2593-2604	27
220	Unc-13 homolog D mediates an antiviral effect of the chromosome 19 microRNA cluster miR-517a. 2020 , 134,	2
219	Genomic landscape in acute myeloid leukemia and its implications in risk classification and targeted therapies. 2020 , 27, 81	18
218	Phytochemicals Targeting Tumor Microenvironment in Gastrointestinal Cancers. 2020 ,	1
217	Mitochondria as a target in cancer treatment. 2020 , 1, 129-139	11
216	Relief of Cadmium-Induced Intestinal Motility Disorder in Mice by CCFM8610. 2020 , 11, 619574	3
215	Targeting apoptosis in cancer therapy. 2020 , 17, 395-417	389
214	Role of Non-Coding RNAs in the Development of Targeted Therapy and Immunotherapy Approaches for Chronic Lymphocytic Leukemia. 2020 , 9,	7
213	rs1016860 of BCL2 3'UTR associates with hsa-miR-629-5p binding potential in breast cancer and gastric cancer in Isfahan population. 2020 , 738, 144457	1
212	Impaired histomorphology might provoke cell cycle regulators alteration in thymus of children with various congenital heart defects. 2020 , 138, 109599	0
211	Sea anemone (<i>Stichodactyla haddoni</i>) induces apoptosis in lung cancer A549 cells: an in vitro evaluation of biological activity of mucus derivatives. 2020 , 75, 1203-1211	
210	Cytogenetics and mutations could predict outcome in relapsed and refractory acute myeloid leukemia patients receiving BCL-2 inhibitor venetoclax. 2020 , 99, 501-511	28
209	A "Three-in-One" Multifunctional Probe for Bcl-2/Mcl-1 Profiling and Visualizing in Situ. 2021 , 22, 326-329	
208	Organelle targeting: Focus on the mitochondria. 2021 , 263-289	
207	Analysis of Proapoptotic Protein Trafficking to and from Mitochondria. 2021 , 2310, 161-178	0
206	Inhibits the Non-Small Cell Lung Cancer via Bax/Bcl-2/Caspase-9/Caspase-3 Pathway. 2021 , 1-13	3

205	Cryptic-site binding mechanism of medium-sized Bcl-xL inhibiting compounds elucidated by McMD-based dynamic docking simulations. 2021 , 11, 5046	2
204	Mitochondrial Fission Protein 1: Emerging Roles in Organellar Form and Function in Health and Disease. 2021 , 12, 660095	14
203	Total flavonoids of ameliorate steroid-induced avascular necrosis of the femoral head via the PI3K/AKT pathway. 2021 , 23,	6
202	The effect of bee bread (Perga) with chemotherapy on MDA-MB-231 cells. 2021 , 48, 2299-2306	0
201	circ_0003204 Regulates Cell Growth, Oxidative Stress, and Inflammation in ox-LDL-Induced Vascular Endothelial Cells via Regulating miR-942-5p/HDAC9 Axis. 2021 , 8, 646832	5
200	Polydatin Attenuates OGD/R-Induced Neuronal Injury and Spinal Cord Ischemia/Reperfusion Injury by Protecting Mitochondrial Function via Nrf2/ARE Signaling Pathway. 2021 , 2021, 6687212	3
199	Lin28a ameliorates glucotoxicity-induced β cell dysfunction and apoptosis. 2021 , 54, 215-220	1
198	Small Molecules in the Treatment of Squamous Cell Carcinomas: Focus on Indirubins. 2021 , 13,	5
197	Molecular mechanisms underlying antitumor activity of camel whey protein against multiple myeloma cells. 2021 , 28, 2374-2380	0
196	An evaluation of venetoclax in combination with azacitidine, decitabine, or low-dose cytarabine as therapy for acute myeloid leukemia. 2021 , 14, 407-417	
195	PCR array analysis identified hyperproliferation but not autophagy or apoptosis in fibrous epulis. 2021 , 35, e23784	
194	Mechanisms of neuronal cell death in ischemic stroke and their therapeutic implications. 2022 , 42, 259-305	26
193	Mitophagy in Cerebral Ischemia and Ischemia/Reperfusion Injury. 2021 , 13, 687246	10
192	Applications of Constrained Helices. 2021 , 107-158	
191	Designing BH3-mimetic Peptide Inhibitors for the Viral Bcl-2 Homologs A179L and BHRF1: Importance of long-range electrostatic interactions.	
190	An Updated Review of Chronic Lymphocytic Leukemia. 2021 , 96, 195-208	
189	How cytosolic compartments play safeguard functions against neuroinflammation and cell death in cerebral ischemia. 2021 , 36, 1445-1467	
188	Expression patterns for Bcl-2, EMA, β catenin, E-cadherin, PAX8, and MIB1 in thymomas. 2021 , 34, 1831-1838	0

187	Hepatoprotective effects of phytochemicals berberine and umbelliferone against methotrexate-induced hepatic intoxication: experimental studies and in silico evidence. 2021 , 28, 67593-67607 ⁴	
186	Therapeutic targeting of BAG3: considering its complexity in cancer and heart disease. 2021 , 131,	5
185	Targeted Therapies for the Evolving Molecular Landscape of Acute Myeloid Leukemia. 2021 , 13,	2
184	Domestic cat embryos generated without zona pellucida are capable of developing in vitro but exhibit abnormal gene expression and a decreased implantation rate. 2021 , 174, 36-46	0
183	Polygoni Multiflori Radix Preparat Delays Skin Aging by Inducing Mitophagy. 2021 , 2021, 5847153	3
182	Apoptosis: Molecular Mechanisms.	3
181	Drugging the Undruggable ¹⁻¹⁵	2
180	Assessment of Cell Death in the Heart. 332-342	1
179	The Regulation of Apoptosis in Animal Cells. 1999 , 122-161	1
178	BCL-2 family members and mitochondria. 2000 , 71-90	1
177	Down-Regulation of the Immune Response. 2003 , 41-78	1
176	Humoral and cellular immune functions of cytokine-treated Schwann cells. 1999 , 468, 151-6	6
175	Reactive Oxygen Species in Cell Fate Decisions. 2009 , 199-221	4
174	Protein phosphorylation networks in motor neuron death. 2002 , 59, 71-109	5
173	Slow but Steady Progress in Cancer Chemoprevention with Phenethyl Isothiocyanate: Fulfilled Promises and Translational Challenges. 2012 , 231-258	3
172	Apoptosis in Bone Cells. 2002 , 151-X	7
171	Spontaneous apoptosis in primary cultures of human and rat hepatocytes: molecular mechanisms and regulation by dexamethasone. 9, 945-955	9
170	Apoptotic response to homoharringtonine in human wt p53 leukemic cells is independent of reactive oxygen species generation and implicates Bax translocation, mitochondrial cytochrome c release and caspase activation. 15, 567-574	2

169	Antisense Oligonucleotide Therapy in Urology. 2002 , 239-247	1
168	Loss of Anti-apoptotic Genes in Aging Rat Crura. 2002 , 2296-2300	1
167	Strong association of SYT-SSX fusion type and morphologic epithelial differentiation in synovial sarcoma. 2000 , 9, 1-8	146
166	A time to kill: viral manipulation of the cell death program. 2002 , 83, 1547-1564	210
165	Control of apoptosis in hematopoietic cells by the Bcl-2 family of proteins. 1999 , 64, 351-8	25
164	Programmed cell death in amyotrophic lateral sclerosis. 2003 , 111, 153-61	41
163	Programmed cell death in amyotrophic lateral sclerosis. 2003 , 111, 153-161	109
162	Death versus survival: functional interaction between the apoptotic and stress-inducible heat shock protein pathways. 2005 , 115, 2633-9	322
161	CD3 hyporesponsiveness and in vitro apoptosis are features of T cells from both malignant and nonmalignant secondary lymphoid organs. 1998 , 102, 1715-23	36
160	Expression of the Death Gene Bik/Nbk Promotes Sensitivity to Drug-Induced Apoptosis in Corticosteroid-Resistant T-Cell Lymphoma and Prevents Tumor Growth in Severe Combined Immunodeficient Mice. 1999 , 94, 1100-1107	40
159	Phosphatidylinositol 3-Kinase Is Involved in the Protection of Primary Cultured Human Erythroid Precursor Cells From Apoptosis. 1999 , 94, 1568-1577	6
158	Bcl-XL is up-regulated by HTLV-I and HTLV-II in vitro and in ex vivo ATLL samples. 2000 , 96, 275-281	29
157	Functional characterization of an IL-7-dependent CD4+CD8 β Th3-type malignant cell line derived from a patient with a cutaneous T-cell lymphoma. 2000 , 96, 1056-1063	1
156	The role of immunoglobulin translocations in the pathogenesis of B-cell malignancies. 2000 , 96, 808-822	12
155	Mode of action of granulocyte-colony stimulating factor (G-CSF) as a novel therapy for stroke in a mouse model. 2020 , 27, 19	20
154	Genetic control of programmed cell death in the <i>Caenorhabditis elegans</i> hermaphrodite germline. 1999 , 126, 1011-1022	443
153	Conditional deletion of the Bcl-x gene from erythroid cells results in hemolytic anemia and profound splenomegaly. 2000 , 127, 4949-4958	151
152	Potential role of nuclear translocation of glyceraldehyde-3-phosphate dehydrogenase in apoptosis and oxidative stress. 2001 , 114, 1643-1653	161

151	p27 deficiency cooperates with Bcl-2 but not Bax to promote T-cell lymphoma. 2008 , 3, e1911	7
150	Structural and functional similarity between the bacterial type III secretion system needle protein PrgI and the eukaryotic apoptosis Bcl-2 proteins. 2009 , 4, e7442	10
149	Characterization of a novel interaction between Bcl-2 members Diva and Harakiri. 2010 , 5, e15575	12
148	Exposure to 1950-MHz TD-SCDMA electromagnetic fields affects the apoptosis of astrocytes via caspase-3-dependent pathway. 2012 , 7, e42332	39
147	Grape proanthocyanidin inhibit pancreatic cancer cell growth in vitro and in vivo through induction of apoptosis and by targeting the PI3K/Akt pathway. 2012 , 7, e43064	61
146	Melatonin protects against apoptosis-inducing factor (AIF)-dependent cell death during acetaminophen-induced acute liver failure. 2012 , 7, e51911	29
145	Association of genetic markers in the BCL-2 family of apoptosis-related genes with endometrial cancer risk in a Chinese population. 2013 , 8, e60915	21
144	Increased leptin response and inhibition of apoptosis in thymocytes of young rats offspring from protein deprived dams during lactation. 2013 , 8, e64220	14
143	Attenuation of sepsis-induced apoptosis by heat shock pretreatment in rats. 2000 , 5, 188-95	17
142	Differential expression of notch signaling-related transcripts accompanies pro-thymocyte proliferation and phenotype transition induced by epidermal growth factor plus insulin in fetal thymus organ cultures. 2004 , 99, 381-8	1
141	RKIP-mediated chemo-immunosensitization of resistant cancer cells via disruption of the NF- κ B/Snail/YY1/RKIP resistance-driver loop. 2014 , 19, 431-45	25
140	Targeting Bcl-2 stability to sensitize cells harboring oncogenic ras. 2015 , 6, 22328-37	6
139	Honokiol inhibits the growth of head and neck squamous cell carcinoma by targeting epidermal growth factor receptor. 2015 , 6, 21268-82	39
138	Chemosensitization of prostate cancer by modulating Bcl-2 family proteins. 2010 , 11, 699-707	71
137	Quercetin Confers Tumoricidal Activity Through Multipathway Mechanisms in A N-Methylnitrosourea Rat Model of Colon Cancer. 2016 , 17, 4991-4998	7
136	[Bcl-2 and Bax protein interaction in B-lymphocytes of peripheral blood in patients with chronic lymphocytic leukemia]. 2005 , 62, 357-63	5
135	Response and adaptation of skeletal muscle to denervation stress: the role of apoptosis in muscle loss. 2009 , 14, 432-52	39
134	In situ hybridisation detects pro-apoptotic gene expression of a Bcl-2 family member in white syndrome-affected coral. 2015 , 117, 155-63	6

133	Cisplatin resistance in an ovarian carcinoma is associated with a defect in programmed cell death control through XIAP regulation. 2003 , 13, 399-404	54
132	Extracts of <i>Opuntia humifusa</i> Fruits Inhibit the Growth of AGS Human Gastric Adenocarcinoma Cells. 2016 , 21, 31-7	3
131	Significance of Bcl-xL in human colon carcinoma. 2008 , 14, 3069-73	32
130	Growth arrest and apoptosis of human hepatocellular carcinoma cells induced by hexamethylene bisacetamide. 2004 , 10, 954-8	3
129	Alpha-fetoprotein triggers hepatoma cells escaping from immune surveillance through altering the expression of Fas/FasL and tumor necrosis factor related apoptosis-inducing ligand and its receptor of lymphocytes and liver cancer cells. 2005 , 11, 2564-9	40
128	Intravenous acid fibroblast growth factor protects intestinal mucosal cells against ischemia-reperfusion injury via regulating Bcl-2/Bax expression. 2005 , 11, 3419-25	14
127	PI 3-kinase pathway is responsible for antiapoptotic effects of atrial natriuretic peptide in rat liver transplantation. 2006 , 12, 1049-55	13
126	Survey of molecular profiling during human colon cancer development and progression by immunohistochemical staining on tissue microarray. 2007 , 13, 699-708	31
125	Dicoumarol enhances gemcitabine-induced cytotoxicity in high NQO1-expressing cholangiocarcinoma cells. 2010 , 16, 2362-70	40
124	Chemoprotective Effects of Resveratrol Against Diethylnitrosamine Induced Hepatocellular Carcinoma in Wistar Rats. 2019 , 15, 549-559	4
123	Relationship Between Feeding Frequency and Growth of One Indian Major Carp <i>Labeo rohita</i> (Ham.) Fingerlings Fed on Different Formulated Diets. 2002 , 5, 1120-1122	3
122	An integrated cellular and sub-cellular model of cancer chemotherapy and therapies that target cell survival. 2015 , 12, 1219-35	6
121	Endoplasmic reticulum stress-induced apoptotic pathway and mitochondrial dysregulation in HeLa cells treated with dichloromethane extract of <i>Dillenia suffruticosa</i> . 2016 , 12, S86-95	2
120	Identification of cancer-associated gene clusters and genes via clustering penalization. 2009 , 2, 1-11	8
119	Cellular and molecular pathways of ischemic neuronal death. 2002 , 35, 67-86	155
118	Gene expression profiling of rewarding effect in methamphetamine treated Bax-deficient mouse. 2007 , 40, 475-85	3
117	Activation of apoptotic protein in U937 cells by a component of turmeric oil. 2009 , 42, 96-100	26
116	Ovarian Follicular Dynamics, Ovarian Follicular Growth, Oocyte Yield, In vitro Embryo Production and Repeated Oocyte Pick Up in Thai Native Heifers Undergoing Superstimulation. 2013 , 26, 488-500	6

115	Protective Effect of Ischemic Preconditioning on Myocardium Against Remote Tissue Injury Following Transient Focal Cerebral Ischemia in Diabetic Rats. 2017 , 109, 516-526	8
114	A comparative analysis of BCL-2 family. 2019 , 15, 299-306	9
113	Transcriptional regulation of Bcl-2 gene by the PR/SET domain family member PRDM10. 2019 , 7, e6941	4
112	Chronic lymphocytic leukemia: 2022 update on diagnostic and therapeutic procedures. 2021 , 96, 1679-1705	19
111	Designing BH3-Mimetic Peptide Inhibitors for the Viral Bcl-2 Homologues A179L and BHRF1: Importance of Long-Range Electrostatic Interactions. 2021 , 6, 26976-26989	2
110	Antigen Receptor-Induced Death of Mature B Lymphocytes. 2000 , 399-427	
109	Use of p53 as Cancer Cell Target for Gene Therapy. 2000 , 235-255	
108	Programmed cell death and its regulation and initiation in <i>C. elegans</i> . 2000 , 35-55	
107	Bcl-2, Bcl-x, and Bax expression by immunohistochemistry in inclusion body myositis: a study of 27 cases. 2001 , 125, 1326-30	7
106	Antisense Downregulation of the Apoptosis-Related Bcl-2 and Bcl-xl Proteins: A New Approach to Cancer Therapy. 2002 , 315-330	
105	Life is short, art long. Bcl-2 and osteoclast survival.	
104	Bcl-2 Family Proteins. 2003 , 13-27	
103	Redox Regulation of Apoptosis. 2003 ,	
102	[Expression of the Bcl-2 family of proteins in peripheral blood B-lymphocytes in patients with chronic lymphocytic leukemia]. 2004 , 61, 41-6	2
101	[The Bcl-2 protein family in malignant diseases]. 2004 , 61, 305-10	2
100	HIV and its manipulation of chemokine receptors Sunil Shaunak. 2004 , 187-200	
99	Monitoring Cell Death. 2005 , 369-379	
98	Virus-induced modulation of apoptotic cell death program. 2005 , 4, 78-83	2

- 97 B Cells and Autoimmunity. **2006**, 139-156
- 96 Natural Agents That Can Sensitize Tumor Cells to Chemotherapy and Radiation Therapy. **2008**, 211-240 3
- 95 PHOSPHOINOSITIDE 3-KINASE ENZYMES AS DOWNSTREAM TARGETS OF THE EGF RECEPTOR. **2008**, 91-111
- 94 Features of the apoptosis markers expression by skin cell with ageing. **2008**, 7, 23-28 1
- 93 [Genes of longevity]. **2008**, 149, 1419-24
- 92 Longevity Genes. **2008**, 2, 499-507
- 91 A Toll Bridge for Tumor-Specific T Cells. **2009**, 173-189
- 90 Protein-Protein Interactions.
- 89 Expression of epidermal growth factors and apoptosis markers in pancreatic ductal adenocarcinoma. **2009**, 47, 667-71 7
- 88 Nuclear Apoptosis and Sarcopenia. **2011**, 173-206
- 87 Immunohistochemistry for the Hematopathology Laboratory. **2011**, 36-45
- 86 Cell Preservation Technology. **2011**, 154-165
- 85 Cell Cycle and Apoptosis. **1999**, 131-169
- 84 Das proapoptotische Gen bak ist in mikrosatelliten-instabilen Tumoren seltener exprimiert als in stabilen Tumoren. **1999**, 547-550
- 83 Effects of Sea Buckthorn (*Hippophae rhamnoides* L.) Fruit Extract on Ultraviolet-induced Apoptosis of Skin Fibroblasts. **2014**, 24, 467-475
- 82 Protective Effect of Aqueous Extracts of *Styela Clava* Tunic Against Apoptosis of HepG2 Cells Induced by Hydrogen Peroxide. **2014**, 24, 595-602
- 81 A Combined Pharmacophore-Based Virtual Screening, Docking Study and Molecular Dynamics (MD) Simulation Approach to Identify Inhibitors with Novel Scaffolds for Myeloid cell leukemia (Mcl-1). **2014**, 35, 2097-2108
- 80 Apoptosis and Cancer. **2015**, 209-242

79	ER β Signal Pathways Regulating Bcl-2 Transcription in Human Endometrial Glands. 2016 , 1-9	
78	Mislocalization of Mitochondrial Intermembrane Space Proteins. 2016 , 45-67	
77	RESEARCH INTO THE FUNCTIONS OF MITOCHONDRIA IN EXPERIMENT. 2019 , 71-77	0
76	Alantolactone suppresses human osteosarcoma through the PI3K/AKT signaling pathway. 2020 , 21, 675-684	5
75	Cellular and Molecular Mechanisms of Garlic Compounds in Common GI Cancers. 2020 , 119-139	0
74	Apoptosis and Cancer. 2020 , 307-353	
73	Novel BAG3 Variants in African American Patients With Cardiomyopathy: Reduced β Adrenergic Responsiveness in Excitation-Contraction. 2020 , 26, 1075-1085	2
72	The Correlation between the Intrinsic and Extrinsic Molecular Markers in the Inhibition of the Lungs Carcinogenesis Growth by Mahkota Dewa Polyphenols on Balb/c Mouse. 2020 , 10, 271-286	
71	Control of apoptosis by using small molecule regulators of Bcl-2 family proteins. 2002 , 217-218	
70	CD95-mediated apoptosis: immune mission to death. 21-38	
69	Reactive oxygen species activate a Ca ²⁺ -dependent cell death pathway in the unicellular organism <i>Trypanosoma brucei brucei</i> . 1999 , 340 (Pt 1), 33-40	27
68	Heat-shock protein 70 antisense oligomers enhance proteasome inhibitor-induced apoptosis. 1999 , 344 Pt 2, 477-85	16
67	Changes in lymphocyte function and subsets in dogs with naturally occurring chronic renal failure. 2010 , 74, 124-9	1
66	Umbelliprenin from <i>Ferula szowitsiana</i> Activates both Intrinsic and Extrinsic Pathways of Apoptosis in Jurkat T-CLL cell line. 2013 , 12, 371-6	20
65	Bcl-xL overexpression and its association with the progress of tongue carcinoma. 2014 , 7, 7360-77	12
64	Wogonoside induces cell cycle arrest and mitochondrial mediated apoptosis by modulation of Bcl-2 and Bax in osteosarcoma cancer cells. 2015 , 8, 63-72	17
63	Long noncoding RNA expression profiles of the doxorubicin-resistant human osteosarcoma cell line MG63/DXR and its parental cell line MG63 as ascertained by microarray analysis. 2015 , 8, 8754-73	30
62	MiR-204 suppresses the progression of acute myeloid leukemia through HGF/c-Met pathway. 2021 , 26, 931-939	1

- 61 Effect of the altered codon position and encoded amino acid on transformation by point mutation in ras genes. **2002**, 4, 58-67
- 60 The concept of intrinsic versus extrinsic apoptosis.. **2022**, 479, 357-384 4
- 59 Crude Saponin from Attenuates A β Induced Neurotoxicity via Antioxidant, Anti-Inflammatory and Anti-Apoptotic Signaling Pathways.. **2021**, 10, 0
- 58 Image_1.tif. **2020**,
- 57 Image_2.tif. **2020**,
- 56 Image_3.tif. **2020**,
- 55 Image_4.tif. **2020**,
- 54 Table_1.docx. **2020**,
- 53 Table_2.docx. **2020**,
- 52 Table_3.docx. **2020**,
- 51 Table_1.DOCX. **2019**,
- 50 Table_2.XLS. **2019**,
- 49 Table_3.XLS. **2019**,
- 48 Table_4.XLSX. **2019**,
- 47 Table_5.XLSX. **2019**,
- 46 Table_6.XLSX. **2019**,
- 45 Table_7.XLSX. **2019**,
- 44 Thallium Induces Antiproliferative and Cytotoxic Activity in Glioblastoma C6 and U373 Cell Cultures via Apoptosis and Changes in Cell Cycle.. **2022**, 40, 814 0

- 43 Aconiti Lateralis Radix Praeparata as Potential Anticancer Herb: Bioactive Compounds and Molecular Mechanisms. **2022**, 13, ○
- 42 Myeloid cell leukemia-1: a formidable barrier to anticancer therapeutics and the quest of targeting it. 278-296 ○
- 41 New Triazacycloalkane Derivatives as Cytotoxic Agents for CLL Treatment: From Proof of Concept to the Targeting Biomolecule. ○
- 40 SKA3 promotes cell growth via the PI3K/AKT/GSK3 β and PI3K/AKT/FOXO1 pathways and is a potential prognostic biomarker for oral squamous cell carcinoma. **2022**, ○
- 39 Polyphenols for the Treatment of Ischemic Stroke: New Applications and Insights. **2022**, 27, 4181 ○
- 38 A Review of Neuroprotective Effects and Mechanisms of Ginsenosides From Panax Ginseng in Treating Ischemic Stroke. 13, ○
- 37 Enhanced oxaliplatin-induced apoptosis following antisense Bcl-xl down-regulation is p53 and Bax dependent: Genetic evidence for specificity of the antisense effect. **2004**, 3, 169-178 21
- 36 Proteasome-mediated degradation of cell division cycle 25C and cyclin-dependent kinase 1 in phenethyl isothiocyanate-induced G2-M-phase cell cycle arrest in PC-3 human prostate cancer cells. **2004**, 3, 567-576 27
- 35 Effects of a phthalate metabolite mixture on both normal and tumoral human prostate cells. ○
- 34 Expression profile of the proapoptotic protein Bax in the human brain. ○
- 33 Synthesis of Scyllatoxin-Based BH3 Domain Mimetics with Diverse Patterns of Native Disulfide Bonds. **2022**, 2, ○
- 32 Remote communication between unstructured and structured regions of Bcl-2 tunes its ligand binding capacity: Mechanistic insights. **2022**, 100, 107736 ○
- 31 A Current View on Pathogenesis, Diagnosis, and Treatment of Some Rare Acute Leukemia Variants. **2022**, 15, 307-326 ○
- 30 Pyridine Heterocycles in the Therapy of Oncological Diseases. ○
- 29 Low-Nutrient Environment-Induced Changes in Inflammation, Cell Proliferation, and PGC-1 β Expression in Stromal Cells with Ovarian Endometriosis. ○
- 28 Dysregulation of cellular membrane homeostasis as a crucial modulator of cancer risk. ○
- 27 Mechanisms of CD40-dependent cDC1 licensing beyond costimulation. 2
- 26 Cancer and Cell Death. 1-16 ○

25	Exploration of connexin-43 modulating, multifunctional silver nanocluster-hydrogel system for theranostic management of cancer. 2022 , 26, 101213	1
24	Discovery of a potent Guanidine derivative that selectively binds and stabilizes the human BCL-2 G-quadruplex DNA and downregulates the transcription. 2023 , 851, 146975	1
23	Preparation of triangular silver nanoparticles and their biological effects in the treatment of ovarian cancer. 2022 , 15,	1
22	Mitochondrial Dysfunction: Pathophysiology and Mitochondria-Targeted Drug Delivery Approaches. 2022 , 14, 2657	0
21	Hepatoprotective Effects of Radish (<i>Raphanus sativus</i> L.) on Acetaminophen-Induced Liver Damage via Inhibiting Oxidative Stress and Apoptosis. 2022 , 14, 5082	0
20	Endoplasmic Reticulum Stress Signaling and Neuronal Cell Death. 2022 , 23, 15186	1
19	Apoptotic Induction of Mitochondria-Anchored Aggregation-Induced Emission Luminogens through the Intrinsic Mitochondrial Pathway. 2022 , 7, 47912-47922	0
18	Regulation of Cell Survival During B Lymphopoiesis: Apoptosis and Bcl-2/Bax Content of Precursor B Cells in Bone Marrow of Mice with Altered Expression of IL-7 and Recombinase-Activating Gene-2. 1999 , 162, 1931-1940	13
17	Annexin V Delays Apoptosis While Exerting an External Constraint Preventing the Release of CD4+ and PrPc+ Membrane Particles in a Human T Lymphocyte Model. 1999 , 162, 5712-5718	9
16	Cytokine-Induced Protein Kinase B Activation and Bad Phosphorylation Do Not Correlate with Cell Survival of Hemopoietic Cells. 1999 , 162, 7002-7009	19
15	In Vivo Overexpression of Dad1, the Defender Against Apoptotic Death-1, Enhances T Cell Proliferation But Does Not Protect Against Apoptosis. 1999 , 163, 1888-1893	4
14	Differential Role for p38 Mitogen-Activated Protein Kinase in Regulating CD40-Induced Gene Expression in Dendritic Cells and B Cells. 1999 , 163, 5786-5795	22
13	Ruthenium Complex HB324 Induces Apoptosis via Mitochondrial Pathway with an Upregulation of Harakiri and Overcomes Cisplatin Resistance in Neuroblastoma Cells In Vitro. 2023 , 24, 952	1
12	Hypoxia-Inducible Factor 1 α and Its Role in Lung Injury: Adaptive or Maladaptive.	0
11	The effect of natural products combination on MCF-7 cells exceeds tamoxifen therapeutic dose effects in vitro. 2023 , 47, 891-904	0
10	The role of mitochondrial dynamics in cerebral ischemia-reperfusion injury. 2023 , 162, 114671	0
9	Resveratrol improves ovarian state by inhibiting apoptosis of granulosa cells. 2023 , 39,	0
8	Report of four acute myeloid leukemia patients with sustained complete remission with less frequent administration of decitabine and venetoclax. 2023 , 64, 897-899	0

- 7 20(S)-Ginsenoside Rh1 inhibits cisplatin-induced hearing loss by inhibiting the MAPK signaling pathway and suppressing apoptosis in vitro. **2023**, 1870, 119461 ○
- 6 Dietary Protection against Cognitive Impairment, Neuroinflammation and Oxidative Stress in Alzheimer's Disease Animal Models of Lipopolysaccharide-Induced Inflammation. **2023**, 24, 5921 ○
- 5 Roles of p53-Mediated Host-Virus Interaction in Coronavirus Infection. **2023**, 24, 6371 ○
- 4 Mutual induced-fit mechanism drives binding between intrinsically disordered Bim and cryptic binding site of Bcl-xL. **2023**, 6, ○
- 3 The effects of mild hypothermia on the electrode insertion trauma in a murine whole organ cochlea culture. 17, ○
- 2 Vascular Stem Cells and the Role of B-Raf Kinase in Survival, Proliferation, and Apoptosis. **2023**, 24, 7483 ○
- 1 Adenosine receptor A1 enhanced mitochondrial biogenesis and exerted neuroprotection after cerebral ischemia through PGC-1 β ○