

Oxygenation predicts radiation response and survival in

Radiotherapy and Oncology

48, 149-156

DOI: [10.1016/s0167-8140\(98\)00044-9](https://doi.org/10.1016/s0167-8140(98)00044-9)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Cervix cancer oxygenation measured following external radiation therapy. International Journal of Radiation Oncology Biology Physics, 1998, 42, 751-753. | 0.4 | 53 |
| 2 | Heterogeneity of tumor oxygenation: relationship to tumor necrosis, tumor size, and metastasis. International Journal of Radiation Oncology Biology Physics, 1998, 42, 717-721. | 0.4 | 54 |
| 3 | Changes in Oxygen Tension During Radiotherapy of Head and Neck Tumours. Acta OncolÃ³gica, 1999, 38, 1037-1042. | 0.8 | 23 |
| 4 | The relationship between elevated interstitial fluid pressure and blood flow in tumors: a bioengineering analysis. International Journal of Radiation Oncology Biology Physics, 1999, 43, 1111-1123. | 0.4 | 119 |
| 5 | A comparison in individual murine tumors of techniques for measuring oxygen levels. International Journal of Radiation Oncology Biology Physics, 1999, 44, 1137-1146. | 0.4 | 50 |
| 6 | A quantitative analysis of the reduction in oxygen levels required to induce up-regulation of vascular endothelial growth factor (VEGF) mRNA in cervical cancer cell lines. British Journal of Cancer, 1999, 80, 1518-1524. | 2.9 | 46 |
| 7 | Association between tissue hypoxia and elevated non-protein sulphhydryl concentrations in human cervical carcinoma xenografts. British Journal of Cancer, 1999, 81, 989-993. | 2.9 | 20 |
| 8 | Carbogen Inhalation in Cervical Cancer: Assessment of Oxygenation Change. Gynecologic Oncology, 1999, 74, 259-264. | 0.6 | 20 |
| 9 | Blood flow and oxygenation status of human tumors. Coloproctology, 1999, 21, 57-69. | 0.3 | 3 |
| 10 | Blood flow and oxygenation status of human tumors. Strahlentherapie Und Onkologie, 1999, 175, 1-9. | 1.0 | 64 |
| 11 | Tumoroxygenierung und Hypoxie. Onkologe, 1999, 5, 1000-1007. | 0.7 | 5 |
| 12 | Comparison of the effectiveness of tirapazamine and carbogen with nicotinamide in enhancing the response of a human tumor xenograft to fractionated irradiation. Radiation Oncology Investigations, 1999, 7, 163-169. | 1.3 | 7 |
| 13 | Tumour proliferation and apoptosis in human uterine cervix carcinoma II: correlations with clinical outcome. Radiotherapy and Oncology, 1999, 50, 93-101. | 0.3 | 42 |
| 14 | Comparison between the comet assay and the oxygen microelectrode for measurement of tumor hypoxia. Radiotherapy and Oncology, 1999, 51, 179-185. | 0.3 | 34 |
| 15 | Monitoring of tumor reoxygenation following irradiation by ³¹ P magnetic resonance spectroscopy: an experimental study of human melanoma xenografts. Radiotherapy and Oncology, 1999, 52, 261-267. | 0.3 | 8 |
| 16 | Oxygenation of head and neck cancer: changes during radiotherapy and impact on treatment outcome. Radiotherapy and Oncology, 1999, 53, 113-117. | 0.3 | 518 |
| 17 | Intratumoral pO ₂ -measurements as predictive assay in the treatment of carcinoma of the uterine cervix. Radiotherapy and Oncology, 1999, 53, 99-104. | 0.3 | 213 |
| 18 | The Use of Needle Biopsies for Radiobiological Assessment of Oxygen Levels in KHT-C Tumors. Radiation Research, 1999, 152, 107. | 0.7 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Regional Tumor Oxygenation and Measurement of Dynamic Changes. Radiation Research, 1999, 152, 239. | 0.7 | 46 |
| 20 | <title>Tumor oximetry: a comparison between near-infrared frequency-domain spectroscopy of hemoglobin saturation and <math>\langle \sup \rangle \langle roman \rangle 19 \langle /roman \rangle \langle /sup \rangle \langle /math \rangle F MRI of hexafluorobenzene</title>. , 1999, , . | | 2 |
| 21 | Review of methods used to study oxygen transport at the microcirculatory level. International Journal of Cancer, 2000, 90, 237-255. | 2.3 | 82 |
| 22 | Tumor radiosensitivity: itâ€™s the subpopulations that count. International Journal of Radiation Oncology Biology Physics, 2000, 47, 549-550. | 0.4 | 4 |
| 23 | A phase I/II evaluation of tirapazamine administered intravenously concurrent with cisplatin and radiotherapy in women with locally advanced cervical cancer. International Journal of Radiation Oncology Biology Physics, 2000, 48, 791-795. | 0.4 | 77 |
| 24 | Pancreatic tumors show high levels of hypoxia. International Journal of Radiation Oncology Biology Physics, 2000, 48, 919-922. | 0.4 | 519 |
| 25 | Hypoxia and necrosis in rat 9L glioma and Morris 7777 hepatoma tumors: comparative measurements using EF5 binding and the Eppendorf needle electrode. International Journal of Radiation Oncology Biology Physics, 2000, 46, 1005-1017. | 0.4 | 53 |
| 26 | Severe anemia is associated with poor tumor oxygenation in head and neck squamous cell carcinomas. International Journal of Radiation Oncology Biology Physics, 2000, 46, 459-466. | 0.4 | 211 |
| 27 | Interrelationship of proliferation and hypoxia in carcinoma of the cervix. International Journal of Radiation Oncology Biology Physics, 2000, 46, 95-99. | 0.4 | 18 |
| 28 | Changes in tumor oxygen tension during radiotherapy of uterine cervical cancer: relationships to changes in vascular density, cell density, and frequency of mitosis and apoptosis. International Journal of Radiation Oncology Biology Physics, 2000, 46, 935-946. | 0.4 | 45 |
| 29 | DYNAMIC CT MEASUREMENT OF CONTRAST MEDIUM WASHIN KINETICS IN CANINE NASAL TUMORS. Veterinary Radiology and Ultrasound, 2000, 41, 403-408. | 0.4 | 12 |
| 30 | Exploiting the hypoxic cancer cell: mechanisms and therapeutic strategies. Trends in Molecular Medicine, 2000, 6, 157-162. | 2.6 | 323 |
| 31 | Pretreatment apoptosis in carcinoma of the cervix correlates with changes in tumour oxygenation during radiotherapy. British Journal of Cancer, 2000, 82, 1177-1182. | 2.9 | 17 |
| 32 | Hypoxia-induced treatment failure in advanced squamous cell carcinoma of the uterine cervix is primarily due to hypoxia-induced radiation resistance rather than hypoxia-induced metastasis. British Journal of Cancer, 2000, 83, 354-359. | 2.9 | 182 |
| 33 | Can Gene Therapy Overcome the Problem of Hypoxia in Radiotherapy?. Journal of Radiation Research, 2000, 41, 201-212. | 0.8 | 23 |
| 34 | Comparison between the comet assay and pimonidazole binding for measuring tumour hypoxia. British Journal of Cancer, 2000, 83, 1525-1531. | 2.9 | 53 |
| 35 | Radiotherapyâ€™Associated Anemia: The Scope of the Problem. Oncologist, 2000, 5, 1-7. | 1.9 | 109 |
| 36 | Both Increased Stability and Transcription Contribute to the Induction of the Urokinase Plasminogen Activator Receptor (uPAR) Message by Hypoxia. Experimental Cell Research, 2000, 255, 250-257. | 1.2 | 35 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Hypoxic cytotoxic agents: a new approach to cancer chemotherapy. <i>Drug Resistance Updates</i> , 2000, 3, 7-13. | 6.5 | 20 |
| 39 | Definitive radiotherapy based on HDR brachytherapy with iridium 192 in uterine cervix carcinoma: report on the Vienna University Hospital findings (1993â€“1997) compared to the preceding period in the context of ICRU 38 recommendations. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2000, 4, 159-172. | 0.6 | 105 |
| 40 | Hypoxia modulated gene expression: angiogenesis, metastasis and therapeutic exploitation. <i>European Journal of Cancer</i> , 2000, 36, 1649-1660. | 1.3 | 244 |
| 41 | Tumor hypoxia and anemia: Impact on the efficacy of radiation therapy. <i>Seminars in Hematology</i> , 2000, 37, 4-8. | 1.8 | 37 |
| 42 | Microenvironment-induced cancer metastasis. <i>International Journal of Radiation Biology</i> , 2000, 76, 589-605. | 1.0 | 327 |
| 43 | Applications of Magnetic Resonance in Model Systems: Cancer Therapeutics. <i>Neoplasia</i> , 2000, 2, 152-165. | 2.3 | 127 |
| 44 | Repeatability and prognostic impact of the pretreatment pO ₂ histography in patients with advanced head and neck cancer. <i>Radiotherapy and Oncology</i> , 2000, 57, 31-37. | 0.3 | 85 |
| 45 | A confirmatory prognostic study on oxygenation status and loco-regional control in advanced head and neck squamous cell carcinoma treated by radiation therapy. <i>Radiotherapy and Oncology</i> , 2000, 57, 39-43. | 0.3 | 274 |
| 46 | Anemia, hypoxia and transfusion in patients with cervix cancer: a review. <i>Radiotherapy and Oncology</i> , 2000, 57, 13-19. | 0.3 | 125 |
| 47 | Tumour oxygenation levels correlate with dynamic contrast-enhanced magnetic resonance imaging parameters in carcinoma of the cervix. <i>Radiotherapy and Oncology</i> , 2000, 57, 53-59. | 0.3 | 197 |
| 48 | Mathematical modeling of chronic hypoxia in tumors considering potential doubling time and hypoxic cell lifetime. <i>Radiotherapy and Oncology</i> , 2000, 54, 171-177. | 0.3 | 17 |
| 49 | Treatment outcome in advanced squamous cell carcinoma of the uterine cervix: relationships to pretreatment tumor oxygenation and vascularization. <i>Radiotherapy and Oncology</i> , 2000, 54, 101-107. | 0.3 | 100 |
| 50 | Differential effects of buthionine sulphoximine in hypoxic and non-hypoxic regions of human cervical carcinoma xenografts. <i>Radiotherapy and Oncology</i> , 2001, 60, 69-73. | 0.3 | 19 |
| 51 | Hypoxia and VEGF mRNA Expression in Human Tumors. <i>Neoplasia</i> , 2001, 3, 500-508. | 2.3 | 50 |
| 52 | Green Fluorescent Protein is a Suitable Reporter of Tumor Hypoxia Despite an Oxygen Requirement for Chromophore Formation. <i>Neoplasia</i> , 2001, 3, 527-534. | 2.3 | 96 |
| 53 | Oxygenation of human tumorsâ€™ implications for combined therapy. <i>Lung Cancer</i> , 2001, 33, S77-S83. | 0.9 | 17 |
| 54 | Integration of Chinese medicine into supportive cancer care:A modern role for an ancient tradition. <i>Cancer Treatment Reviews</i> , 2001, 27, 235-246. | 3.4 | 75 |
| 55 | Imaging hypoxia in tumors. <i>Seminars in Nuclear Medicine</i> , 2001, 31, 321-329. | 2.5 | 117 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 56 | Intratumour heterogeneity in microvessel oxyhaemoglobin saturations. <i>Cancer Letters</i> , 2001, 162, 245-251. | 3.2 | 9 |
| 57 | New strategies and treatment modalities for optimizing patient outcomes. <i>Seminars in Hematology</i> , 2001, 38, 1-7. | 1.8 | 5 |
| 58 | The negative impact of anemia on radiotherapy and chemoradiation outcomes. <i>Seminars in Hematology</i> , 2001, 38, 8-15. | 1.8 | 32 |
| 59 | Tumor Hypoxia: Definitions and Current Clinical, Biologic, and Molecular Aspects. <i>Journal of the National Cancer Institute</i> , 2001, 93, 266-276. | 3.0 | 2,581 |
| 60 | Tumor Oxygen Dynamics with Respect to Growth and Respiratory Challenge: Investigation of the Dunning Prostate R3327-HI Tumor1. <i>Radiation Research</i> , 2001, 156, 510-520. | 0.7 | 55 |
| 61 | Comparison of tumor and normal tissue oxygen tension measurements using OxyLite or microelectrodes in rodents. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2001, 280, H2533-H2544. | 1.5 | 242 |
| 62 | Hypoxic Heterogeneity in Human Tumors. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2001, 24, 467-472. | 0.6 | 118 |
| 63 | Prognostic Radiology: Quantitative Assessment of Tumor Oxygen Dynamics by MRI. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2001, 24, 462-466. | 0.6 | 40 |
| 64 | Editorial. <i>Nuclear Medicine Communications</i> , 2001, 22, 945-947. | 0.5 | 3 |
| 65 | Chromatin Compaction and Tumor Cell Radiosensitivity at 2 Gray. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2001, 24, 509-515. | 0.6 | 15 |
| 66 | Prognostic Significance of a Novel Hypoxia-Regulated Marker, Carbonic Anhydrase IX, in Invasive Breast Carcinoma. <i>Journal of Clinical Oncology</i> , 2001, 19, 3660-3668. | 0.8 | 406 |
| 67 | Prognostic Impact of Tumor Perfusion in MR-Imaging Studies in Ewing Tumors. <i>Strahlentherapie Und Onkologie</i> , 2001, 177, 153-159. | 1.0 | 28 |
| 68 | Tumor oximetry: demonstration of an enhanced dynamic mapping procedure using fluorine-19 echo planar magnetic resonance imaging in the Dunning prostate R3327-AT1 rat tumor. <i>International Journal of Radiation Oncology Biology Physics</i> , 2001, 49, 1097-1108. | 0.4 | 111 |
| 69 | Therapeutic targets in radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2001, 49, 319-326. | 0.4 | 70 |
| 70 | Invasive oxygen measurements and pimonidazole labeling in human cervix carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2001, 49, 581-586. | 0.4 | 79 |
| 71 | A pilot study comparing intratumoral oxygenation using the comet assay following 2.5% and 5% carbogen and 100% oxygen. <i>International Journal of Radiation Oncology Biology Physics</i> , 2001, 49, 575-580. | 0.4 | 26 |
| 72 | Tumor oxygenation after radiotherapy, chemotherapy, and/or hyperthermia predicts tumor free survival. <i>International Journal of Radiation Oncology Biology Physics</i> , 2001, 49, 1119-1125. | 0.4 | 31 |
| 73 | Impact of hemoglobin level and use of recombinant erythropoietin on efficacy of preoperative chemoradiation therapy for squamous cell carcinoma of the oral cavity and oropharynx. <i>International Journal of Radiation Oncology Biology Physics</i> , 2001, 50, 705-715. | 0.4 | 250 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 74 | Elevated tumor lactate concentrations predict for an increased risk of metastases in head-and-neck cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2001, 51, 349-353. | 0.4 | 469 |
| 75 | Simultaneous administration of glucose and hyperoxic gas achieves greater improvement in tumor oxygenation than hyperoxic gas alone. <i>International Journal of Radiation Oncology Biology Physics</i> , 2001, 51, 494-506. | 0.4 | 38 |
| 76 | Tumor size and oxygenation are independent predictors of nodal diseases in patients with cervix cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2001, 51, 699-703. | 0.4 | 74 |
| 77 | Assessment of tumor oxygenation in human cervical carcinoma by use of dynamic Gd-DTPA-enhanced MR imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2001, 14, 750-756. | 1.9 | 71 |
| 78 | Intra- and intertumor heterogeneity in blood perfusion of human cervical cancer before treatment and after radiotherapy. <i>International Journal of Cancer</i> , 2001, 96, 182-190. | 2.3 | 44 |
| 79 | Intratumoral Sickling in a Patient with Cervix Cancer and Sickle Trait: Effect on Blood Flow and Oxygenation. <i>Gynecologic Oncology</i> , 2001, 83, 428-431. | 0.6 | 15 |
| 80 | Low pO ₂ and 1 ²⁵ I-Estradiol Induce VEGF in MCF-7 and MCF-7-5C Cells: Relationship to in vivo Hypoxia. <i>Breast Cancer Research and Treatment</i> , 2001, 67, 51-60. | 1.1 | 23 |
| 81 | Treatment Resistance of Solid Tumors. <i>Medical Oncology</i> , 2001, 18, 243-260. | 1.2 | 471 |
| 82 | Relationship of hypoxia to metastatic ability in rodent tumours. <i>British Journal of Cancer</i> , 2001, 84, 1280-1285. | 2.9 | 82 |
| 83 | Anaemia and its functional consequences in cancer patients: current challenges in management and prospects for improving therapy. <i>British Journal of Cancer</i> , 2001, 84, 31-37. | 2.9 | 90 |
| 84 | Sensitizers and protectors of radiation and chemotherapy. <i>Current Problems in Cancer</i> , 2001, 25, 334-411. | 1.0 | 33 |
| 85 | Oxygenation status of malignant tumors: Pathogenesis of hypoxia and significance for tumor therapy. <i>Seminars in Oncology</i> , 2001, 28, 29-35. | 0.8 | 389 |
| 86 | Prevalence of anemia in cancer patients undergoing radiation therapy. <i>Seminars in Oncology</i> , 2001, 28, 54-59. | 0.8 | 58 |
| 87 | Metabolism of tirapazamine by multiple reductases in the nucleus11Abbreviations: TPZ, tirapazamine; P450 reductase, NADPH:cytochrome P450 reductase; PMSF, phenylmethylsulfonyl fluoride; DTT, dithiothreitol; DHR123, dihydrorhodamine 123; DAPI, 4',6-diamidino-2-phenylindole, dihydrochloride; SN, supernatant from nuclei; LS, low salt; HS, high salt; and NM, nuclear matrix.. <i>Biochemical Pharmacology</i> , 2001, 62, 1201-1209. | 2.0 | 54 |
| 88 | Single-photon emission computed tomography and positron-emission tomography assays for tissue oxygenation. <i>Seminars in Radiation Oncology</i> , 2001, 11, 47-57. | 1.0 | 58 |
| 89 | Magnetic resonance imaging applications in the evaluation of tumor angiogenesis*. <i>Seminars in Radiation Oncology</i> , 2001, 11, 70-82. | 1.0 | 55 |
| 90 | Imaging of whole tumor cut sections using a novel scanning beam confocal fluorescence MACROscope®. <i>Journal of Biomedical Optics</i> , 2001, 6, 326. | 1.4 | 4 |
| 91 | Radiobiological Hypoxia, Oxygen Tension, Interstitial Fluid Pressure and Relative Viable Tumour Area in Two Human Squamous Cell Carcinomas in Nude Mice During Fractionated Radiotherapy. <i>Acta Oncologica</i> , 2001, 40, 519-528. | 0.8 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 92 | Hypoxia in human soft tissue sarcomas: Adverse impact on survival and no association with p53 mutations. <i>British Journal of Cancer</i> , 2001, 84, 1070-1075. | 2.9 | 204 |
| 93 | Measuring Hypoxia in Solid Tumours&Is There a Gold Standard?. <i>Acta Oncol³gica</i> , 2001, 40, 917-923. | 0.8 | 62 |
| 94 | Effects of the Interaction between Carbogen and Nicotinamide on R3230 Ac Tumor Blood Flow in Fischer 344 Rats. <i>Radiation Research</i> , 2001, 155, 724-733. | 0.7 | 7 |
| 95 | Radiobiological Hypoxia, Oxygen Tension, Interstitial Fluid Pressure and Relative Viable Tumour Area in Two Human Squamous Cell Carcinomas in Nude Mice During Fractionated Radiotherapy. <i>Acta Oncol³gica</i> , 2001, 40, 519-528. | 0.8 | 25 |
| 96 | Measurement of Tumor Oxygenation:In VivoComparison of a Luminescence Fiber-optic Sensor and a Polarographic Electrode in the P22 Tumor. <i>Radiation Research</i> , 2001, 155, 837-846. | 0.7 | 76 |
| 97 | Flux Through Multicellular Layers of a Technetium-99m-Nitroimidazole for Imaging Hypoxia. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2002, 17, 515-526. | 0.7 | 4 |
| 98 | [1] Measurement of absolute oxygen levels in cells and tissues using oxygen sensors and 2-nitroimidazole EF5. <i>Methods in Enzymology</i> , 2002, 352, 3-31. | 0.4 | 180 |
| 99 | Impact of Tumor Hypoxia and Anemia on Radiation Therapy Outcomes. <i>Oncologist</i> , 2002, 7, 492-508. | 1.9 | 320 |
| 100 | Managing Anemia in the Cancer Patient: Old Problems, Future Solutions. <i>Oncologist</i> , 2002, 7, 331-341. | 1.9 | 32 |
| 101 | Tumor Hypoxia Has Independent Predictor Impact Only in Patients With Node-Negative Cervix Cancer. <i>Journal of Clinical Oncology</i> , 2002, 20, 680-687. | 0.8 | 255 |
| 102 | Dynamic Breast Tumor Oximetry: The Development of Prognostic Radiology. <i>Technology in Cancer Research and Treatment</i> , 2002, 1, 471-478. | 0.8 | 23 |
| 103 | Pathways of Reductive Fragmentation of Heterocyclic Nitroarylmethyl Quaternary Ammonium Prodrugs of Mechlorethamine. <i>Radiation Research</i> , 2002, 158, 753-762. | 0.7 | 15 |
| 104 | Survival of Patients With Newly Diagnosed Glioblastoma Multiforme Treated With RSR13 and Radiotherapy: Results of a Phase II New Approaches to Brain Tumor Therapy CNS Consortium Safety and Efficacy Study. <i>Journal of Clinical Oncology</i> , 2002, 20, 3149-3155. | 0.8 | 68 |
| 105 | The Range of Oxygenation in SiHa Tumor Xenografts. <i>Radiation Research</i> , 2002, 158, 159-166. | 0.7 | 18 |
| 106 | Raising Hemoglobin: An Opportunity for Increasing Survival?. <i>Oncology</i> , 2002, 63, 19-28. | 0.9 | 31 |
| 107 | The effect of overall treatment time on the survival and toxicity of radical radiotherapy for cervical carcinoma. <i>Radiotherapy and Oncology</i> , 2002, 63, 59-66. | 0.3 | 17 |
| 108 | Oxic and anoxic enhancement of radiation-mediated toxicity by horseradish peroxidase/indole-3-acetic acid gene therapy. <i>International Journal of Radiation Biology</i> , 2002, 78, 173-181. | 1.0 | 25 |
| 109 | Hypoxia-directed cancer therapy. <i>Expert Opinion on Therapeutic Patents</i> , 2002, 12, 777-788. | 2.4 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 110 | Hypoxia as a target for combined modality treatments. <i>European Journal of Cancer</i> , 2002, 38, 240-257. | 1.3 | 167 |
| 111 | Molecular approaches to chemo-radiotherapy. <i>European Journal of Cancer</i> , 2002, 38, 231-239. | 1.3 | 38 |
| 112 | Serum VEGF levels in patients undergoing primary radiotherapy for cervical cancer: impact on progression-free survival. <i>Cancer Letters</i> , 2002, 179, 197-203. | 3.2 | 48 |
| 113 | Tumor Hypoxia Has Independent Predictor Impact Only in Patients With Node-Negative Cervix Cancer. <i>Journal of Clinical Oncology</i> , 2002, 20, 680-687. | 0.8 | 348 |
| 114 | The importance of tumor metabolism in cancer prognosis and therapy; pre-clinical studies on rodent tumors with agents that improve tumor oxygenation. <i>Advances in Enzyme Regulation</i> , 2002, 42, 131-141. | 2.9 | 5 |
| 115 | Expression of hypoxia-inducible factor-1? in oligodendrogliomas. <i>Cancer</i> , 2002, 94, 2317-2318. | 2.0 | 5 |
| 117 | De novo establishment and cost-effectiveness of Papanicolaou Cytology Screening Services in the Socialist Republic of Vietnam. <i>Cancer</i> , 2002, 94, 2312-2314. | 2.0 | 6 |
| 119 | Visual estimate of the percentage of carcinoma is an independent predictor of prostate carcinoma recurrence after radical prostatectomy. <i>Cancer</i> , 2002, 94, 2310-2311. | 2.0 | 1 |
| 121 | The New American Joint Committee on Cancer staging system for cutaneous melanoma. <i>Cancer</i> , 2002, 94, 2305-2307. | 2.0 | 15 |
| 122 | A high number of tumor free axillary lymph nodes from patients with lymph node negative breast carcinoma is associated with poor outcome. <i>Cancer</i> , 2002, 94, 2307-2309. | 2.0 | 8 |
| 123 | Author reply to previously published correspondence. <i>Cancer</i> , 2002, 94, 2316-2317. | 2.0 | 0 |
| 124 | Assessment of morphometric measurements of prostate carcinoma volume. <i>Cancer</i> , 2002, 94, 2309-2310. | 2.0 | 0 |
| 125 | Standards of care for anemia management in oncology. <i>Cancer</i> , 2002, 95, 613-623. | 2.0 | 25 |
| 126 | Quantitative assessment of tumor oxygen dynamics: Molecular imaging for prognostic radiology. <i>Journal of Cellular Biochemistry</i> , 2002, 87, 45-53. | 1.2 | 26 |
| 127 | Multiparameter fluorescence mapping of nonprotein sulfhydryl status in relation to blood vessels and hypoxia in cervical carcinoma xenografts. <i>International Journal of Radiation Oncology Biology Physics</i> , 2002, 52, 837-843. | 0.4 | 5 |
| 128 | Differential oxygen dynamics in two diverse Dunning prostate R3327 rat tumor sublines (MAT-Lu and Tj ETQq1 1 0.784314 rgBT /Overl Biology Physics, 2002, 53, 744-756. | 0.4 | 48 |
| 129 | Hypoxia-inducible factor (HIF1A and HIF2A), angiogenesis, and chemoradiotherapy outcome of squamous cell head-and-neck cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2002, 53, 1192-1202. | 0.4 | 311 |
| 130 | Correlations between in vivo tumor weight, oxygen pressure, 31P NMR spectroscopy, hypoxic microenvironment marking by 125 I-D-iodinated azomycin galactopyranoside (125 I-D-IAZGP), and radiation sensitivity. <i>International Journal of Radiation Oncology Biology Physics</i> , 2002, 54, 903-909. | 0.4 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 131 | Expression of hypoxia-inducible factor-1 \pm in cervical carcinomas: correlation with tumor oxygenation. International Journal of Radiation Oncology Biology Physics, 2002, 53, 854-861. | 0.4 | 348 |
| 132 | Prognostic value of vascular endothelial growth factor in Stage IB carcinoma of the uterine cervix. International Journal of Radiation Oncology Biology Physics, 2002, 54, 768-779. | 0.4 | 47 |
| 133 | Prediction of radiotherapy outcome using dynamic contrast enhanced MRI of carcinoma of the cervix. International Journal of Radiation Oncology Biology Physics, 2002, 54, 759-767. | 0.4 | 165 |
| 134 | Photodynamic therapy. Current Problems in Cancer, 2002, 26, 67-108. | 1.0 | 15 |
| 135 | Molecular pathology of tumor metastasis III. Pathology and Oncology Research, 2003, 9, 49-72. | 0.9 | 10 |
| 136 | Oxygenation Status of Cervical Carcinomas Before and During Spinal Anesthesia for Application of Brachytherapy. Strahlentherapie Und Onkologie, 2003, 179, 633-640. | 1.0 | 16 |
| 137 | Clinical markers of hypoxia and other predictive factors of survival in conservative therapy of squamous-cell carcinoma of the esophagus. International Journal of Colorectal Disease, 2003, 18, 167-171. | 1.0 | 4 |
| 138 | Metabolic classification of human rectal adenocarcinomas: a novel guideline for clinical oncologists?. Journal of Cancer Research and Clinical Oncology, 2003, 129, 321-326. | 1.2 | 93 |
| 139 | Once-weekly dosing of epoetin- γ increases hemoglobin and improves quality of life in anemic cancer patients receiving radiation therapy either concomitantly or sequentially with chemotherapy. Cancer, 2003, 98, 1072-1079. | 2.0 | 98 |
| 140 | GLUT-1 and CAIX as intrinsic markers of hypoxia in carcinoma of the cervix: Relationship to pimonidazole binding. International Journal of Cancer, 2003, 104, 85-91. | 2.3 | 205 |
| 141 | How to overcome (and exploit) tumor hypoxia for targeted gene therapy. Journal of Cellular Physiology, 2003, 197, 312-325. | 2.0 | 64 |
| 142 | Nuclear medicine imaging to predict response to radiotherapy: a review. International Journal of Radiation Oncology Biology Physics, 2003, 55, 5-15. | 0.4 | 82 |
| 143 | Comparison of the comet assay and the oxygen microelectrode for measuring tumor oxygenation in head-and-neck cancer patients. International Journal of Radiation Oncology Biology Physics, 2003, 56, 375-383. | 0.4 | 40 |
| 144 | Significant correlation of hypoxia-inducible factor-1 \pm with treatment outcome in cervical cancer treated with radical radiotherapy. International Journal of Radiation Oncology Biology Physics, 2003, 56, 494-501. | 0.4 | 117 |
| 145 | Anemia in cervical cancers: Impact on survival, patterns of relapse, and association with hypoxia and angiogenesis. International Journal of Radiation Oncology Biology Physics, 2003, 56, 778-787. | 0.4 | 164 |
| 146 | Evaluation of hypoxia-inducible factor-1 \pm (HIF-1 \pm) as an intrinsic marker of tumor hypoxia in U87 MG human glioblastoma: In vitro and xenograft studies. International Journal of Radiation Oncology Biology Physics, 2003, 56, 1184-1193. | 0.4 | 59 |
| 147 | The Effect of Deep Inspiration Breath-hold on Tumour Oxygenation. Clinical Oncology, 2003, 15, 386-393. | 0.6 | 0 |
| 148 | Glucose transporter-1 (GLUT-1): a potential marker of prognosis in rectal carcinoma?. British Journal of Cancer, 2003, 89, 870-876. | 2.9 | 100 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 149 | Estimating hypoxic status in human tumors: A simulation using Eppendorf oxygen probe data in cervical cancer patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2003, 55, 1239-1246. | 0.4 | 37 |
| 150 | Impact of oxygenation status and patient age on DNA content in cancers of the uterine cervix. <i>International Journal of Radiation Oncology Biology Physics</i> , 2003, 56, 929-936. | 0.4 | 4 |
| 151 | Quantitative tissue perfusion measurements in head and neck carcinoma patients before and during radiation therapy with a non-invasive MR imaging spin-labeling technique. <i>Radiotherapy and Oncology</i> , 2003, 67, 27-34. | 0.3 | 45 |
| 152 | Modification of Radiation Response. <i>Medical Radiology</i> , 2003, , . | 0.0 | 7 |
| 153 | Correlation of Tumor Oxygen Dynamics with Radiation Response of the Dunning Prostate R3327-HI Tumor1. <i>Radiation Research</i> , 2003, 159, 621-631. | 0.7 | 57 |
| 154 | Hypoxia-Inducible Erythropoietin Signaling in Squamous Dysplasia and Squamous Cell Carcinoma of the Uterine Cervix and Its Potential Role in Cervical Carcinogenesis and Tumor Progression. <i>American Journal of Pathology</i> , 2003, 162, 1789-1806. | 1.9 | 182 |
| 155 | Distinct Role of Fibroblast Growth Factor-2 and Vascular Endothelial Growth Factor on Tumor Growth and Angiogenesis. <i>American Journal of Pathology</i> , 2003, 162, 1913-1926. | 1.9 | 167 |
| 156 | Dynamic response of breast tumor oxygenation to hyperoxic respiratory challenge monitored with three oxygen-sensitive parameters. <i>Applied Optics</i> , 2003, 42, 2960. | 2.1 | 44 |
| 157 | Prognostic significance of tumor oxygenation in humans. <i>Cancer Letters</i> , 2003, 195, 1-16. | 3.2 | 259 |
| 158 | Chinese medicine and supportive cancer care. <i>Evidence - Based Integrative Medicine</i> , 2003, 1, 11-25. | 0.2 | 2 |
| 159 | New Insights Into Erythropoietin and Epoetin Alfa: Mechanisms of Action, Target Tissues, and Clinical Applications. <i>Oncologist</i> , 2003, 8, 18-29. | 1.9 | 50 |
| 160 | RSR13 Plus Cranial Radiation Therapy in Patients With Brain Metastases: Comparison With the Radiation Therapy Oncology Group Recursive Partitioning Analysis Brain Metastases Database. <i>Journal of Clinical Oncology</i> , 2003, 21, 2364-2371. | 0.8 | 101 |
| 161 | Controversies in the Radiotherapeutic Management of Cervical Cancer. <i>Journal of Clinical Oncology</i> , 2003, 21, 218s-223. | 0.8 | 8 |
| 162 | Pretreatment haemoglobin levels significantly predict the tumour response to primary chemotherapy in human breast cancer. <i>British Journal of Cancer</i> , 2003, 89, 977-982. | 2.9 | 36 |
| 163 | Overexpression of hypoxia-inducible-factor 1 α (HIF-1 α) in oesophageal squamous cell carcinoma correlates with lymph node metastasis and pathologic stage. <i>British Journal of Cancer</i> , 2003, 89, 1042-1047. | 2.9 | 124 |
| 165 | Tumor Oxygenation and Acidification are Increased in Melanoma Xenografts after Exposure to Hyperglycemia and meta-Iodo-benzylguanidine. <i>Radiation Research</i> , 2003, 159, 328-335. | 0.7 | 20 |
| 166 | Bioreductive Prodrugs for Cancer Therapy. , 2004, 90, 515-542. | | 8 |
| 167 | Ultrasound guided pO ₂ measurement of breast cancer reoxygenation after neoadjuvant chemotherapy and hyperthermia treatment. <i>International Journal of Hyperthermia</i> , 2003, 19, 498-506. | 1.1 | 34 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 168 | Nonuniform tumor vascular oxygen dynamics monitored by three-channel near-infrared spectroscopy. , 2003, , . | | 3 |
| 169 | The relationship between temporal variation of hypoxia, polarographic measurements and predictions of tumour response to radiation. <i>Physics in Medicine and Biology</i> , 2004, 49, 4463-4475. | 1.6 | 29 |
| 170 | Near-Infrared Spectroscopy and Imaging of Tumor Vascular Oxygenation. <i>Methods in Enzymology</i> , 2004, 386, 349-378. | 0.4 | 24 |
| 171 | Oxygen Dependence of the Metabolic Activation and Cytotoxicity of Tirapazamine: Implications for Extravascular Transport and Activity in Tumors. <i>Radiation Research</i> , 2004, 161, 656-666. | 0.7 | 46 |
| 172 | Current issues in the utility of ¹⁹ F nuclear magnetic resonance methodologies for the assessment of tumour hypoxia. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2004, 359, 987-996. | 1.8 | 49 |
| 173 | Phase I Study of Tirapazamine Plus Cisplatin/Etoposide and Concurrent Thoracic Radiotherapy in Limited-Stage Small Cell Lung Cancer (S0004). <i>Clinical Cancer Research</i> , 2004, 10, 5418-5424. | 3.2 | 39 |
| 174 | Effect of Radiation and Ibuprofen on Normoxic Renal Carcinoma Cells Overexpressing Hypoxia-Inducible Factors by Loss of von Hippelâ€“Lindau Tumor Suppressor Gene Function. <i>Clinical Cancer Research</i> , 2004, 10, 4158-4164. | 3.2 | 19 |
| 175 | Induction by hypoxia combined with low glucose or low bicarbonate and high posttranslational stability upon reoxygenation contribute to carbonic anhydrase IX expression in cancer cells. <i>International Journal of Oncology</i> , 2004, 24, 995. | 1.4 | 38 |
| 176 | Hypoxia and Anemia: Factors in Decreased Sensitivity to Radiation Therapy and Chemotherapy?. <i>Oncologist</i> , 2004, 9, 31-40. | 1.9 | 314 |
| 177 | Measuring Changes in Tumor Oxygenation. <i>Methods in Enzymology</i> , 2004, 386, 378-418. | 0.4 | 99 |
| 178 | Physiological mechanisms underlying heat-induced radiosensitization. <i>International Journal of Hyperthermia</i> , 2004, 20, 163-174. | 1.1 | 86 |
| 179 | Exploiting tumour hypoxia in cancer treatment. <i>Nature Reviews Cancer</i> , 2004, 4, 437-447. | 12.8 | 2,406 |
| 180 | Hypoxia in tumors: molecular targets for anti-cancer therapeutics. <i>Advances in Enzyme Regulation</i> , 2004, 44, 93-108. | 2.9 | 18 |
| 181 | Hypoxic gene expression and metastasis. <i>Cancer and Metastasis Reviews</i> , 2004, 23, 293-310. | 2.7 | 287 |
| 182 | Effects of texaphyrins on the oxygenation of EMT6 mouse mammary tumors. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004, 58, 1570-1576. | 0.4 | 31 |
| 183 | Pentoxifylline Enhances Tumor Oxygenation and Radiosensitivity in Rat Rhabdomyosarcomas during Continuous Hyperfractionated Irradiation. <i>Strahlentherapie Und Onkologie</i> , 2004, 180, 306-314. | 1.0 | 26 |
| 184 | Effect of the Hypoxic Cell Sensitizer Isometronidazole on Local Control of Two Human Squamous Cell Carcinomas after Fractionated Irradiation. <i>Strahlentherapie Und Onkologie</i> , 2004, 180, 375-382. | 1.0 | 17 |
| 185 | Oxygenation of Tumor Recurrences Following Fractionated Radiotherapy of Primary Tumors. <i>Strahlentherapie Und Onkologie</i> , 2004, 180, 383-390. | 1.0 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 186 | Molecular imaging in oncology by means of nuclear medicine: fact or fiction?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2004, 31, 151-154. | 3.3 | 1 |
| 187 | Badania nad skutecznoÅciÄ... radiochemioterapii chorych na zaawansowanego raka szyjki macicy. <i>Reports of Practical Oncology and Radiotherapy</i> , 2004, 9, S131-S199. | 0.3 | 1 |
| 188 | Tumor R2* is a prognostic indicator of acute radiotherapeutic response in rodent tumors. <i>Journal of Magnetic Resonance Imaging</i> , 2004, 19, 482-488. | 1.9 | 91 |
| 189 | Clinical applications of EPR: overview and perspectives. <i>NMR in Biomedicine</i> , 2004, 17, 335-351. | 1.6 | 133 |
| 190 | Erythropoietin-induced reduction of hypoxia before and during fractionated irradiation contributes to improvement of radioresponse in human glioma xenografts. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004, 59, 250-259. | 0.4 | 52 |
| 191 | Effect of RSR13, an allosteric hemoglobin modifier, on oxygenation in murine tumors: an in vivo electron paramagnetic resonance oximetry and bold MRI study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004, 59, 834-843. | 0.4 | 34 |
| 192 | Prediction of outcome of advanced cervical cancer to thermoradiotherapy according to expression profiles of 35 genes selected by cDNA microarray analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004, 60, 237-248. | 0.4 | 73 |
| 193 | Expression of hypoxic-inducible factor 1Î± predicts metastasis-free survival after radiation therapy alone in stage IIIB cervical squamous cell carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004, 60, 513-521. | 0.4 | 67 |
| 194 | In vivo determination of tumor oxygenation during growth and in response to carbogen breathing using 15C5-loaded alginate capsules as fluorine-19 magnetic resonance imaging oxygen sensors. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004, 60, 909-919. | 0.4 | 28 |
| 195 | Optimization of the Auxiliary Ligand Shell of Cobalt(III)(8-hydroxyquinoline) Complexes as Model Hypoxia-Selective Radiation-Activated Prodrugs. <i>Radiation Research</i> , 2004, 162, 315-325. | 0.7 | 39 |
| 196 | Efaproxiral: a novel radiation sensitiser. <i>Expert Opinion on Investigational Drugs</i> , 2004, 13, 543-550. | 1.9 | 24 |
| 197 | Impact of Correction of Anemia on Clinical Outcome in Patients with Cancer: Recent Data from Head and Neck and Breast Cancer Trials. <i>Supportive Cancer Therapy</i> , 2004, 1, 145-149. | 0.3 | 3 |
| 198 | Overexpression of Dimethylarginine Dimethylaminohydrolase Enhances Tumor Hypoxia: An Insight into the Relationship of Hypoxia and Angiogenesis In Vivo. <i>Neoplasia</i> , 2004, 6, 401-411. | 2.3 | 25 |
| 199 | Functional imaging of intratumoral hypoxia. <i>Molecular Imaging and Biology</i> , 2004, 6, 291-305. | 1.3 | 93 |
| 200 | Low hemoglobin levels: influence on tumor biology and radiotherapy treatment outcome. <i>European Journal of Cancer, Supplement</i> , 2004, 2, 3-10. | 2.2 | 7 |
| 201 | Preclinical and clinical studies: A preview of potential future applications of erythropoietic agents. <i>Seminars in Hematology</i> , 2004, 41, 17-25. | 1.8 | 34 |
| 202 | A phase III randomized study of misonidazole plus radiation vs. radiation alone for cervix cancer. <i>Radiotherapy and Oncology</i> , 2004, 70, 295-299. | 0.3 | 22 |
| 203 | Relationship Between Hemoglobin Levels and Quality of Life During Radiation Therapy Plus Concomitant or Sequential Chemotherapy in Patients With Cancer and Anemia Treated With Epoetin Alfa. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2004, 2, 509-517. | 2.3 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 204 | Is There an Optimal Hemoglobin Level for Patients with Glioblastoma Multiforme?. Cancer Journal (Sudbury, Mass.), 2004, 10, 391-396. | 1.0 | 11 |
| 205 | Carbonic anhydrase IX, a marker of hypoxia: Correlation with clinical outcome in transitional cell carcinoma of the bladder. Oncology Reports, 2004, 11, 1005. | 1.2 | 11 |
| 206 | In vivo determination of tumor oxygenation during growth and in response to carbogen breathing using ¹⁵ C5-loaded alginate capsules as fluorine-19 magnetic resonance imaging oxygen sensors. International Journal of Radiation Oncology Biology Physics, 2004, 60, 909-919. | 0.4 | 22 |
| 207 | Radiogenetic Therapy Using Radiation-Responsive Gene Promoters. Frontiers in Drug Design and Discovery, 2005, 2, 317-330. | 0.3 | 0 |
| 208 | Assessment of the tumor microenvironment in cervix cancer using dynamic contrast enhanced CT, interstitial fluid pressure and oxygen measurements. International Journal of Radiation Oncology Biology Physics, 2005, 62, 1100-1107. | 0.4 | 76 |
| 209 | Intravital imaging of tumour vascular networks using multi-photon fluorescence microscopy. Advanced Drug Delivery Reviews, 2005, 57, 135-152. | 6.6 | 143 |
| 210 | Assessing regional hypoxia in human renal tumours using ¹⁸ F-fluoromisonidazole positron emission tomography. BJU International, 2005, 96, 540-546. | 1.3 | 122 |
| 211 | The impact of anaemia on outcome in cancer. International Journal of Laboratory Hematology, 2005, 27, 1-13. | 0.2 | 46 |
| 212 | Absolute oxygen tension (pO ₂) in murine fatty and muscle tissue as determined by EPR. Magnetic Resonance in Medicine, 2005, 54, 1530-1535. | 1.9 | 78 |
| 213 | Progression of head and neck squamous cell cancer. Cancer and Metastasis Reviews, 2005, 24, 107-127. | 2.7 | 51 |
| 214 | Epoetina Alfa Nel Trattamento Dell'Anemia Secondaria a Chemioterapia. Tumori, 2005, 91, 8-16. | 0.6 | 0 |
| 215 | Darbepoetin Alfa for the Treatment of Chemotherapy-Induced Anemia: Disease Progression and Survival Analysis From Four Randomized, Double-Blind, Placebo-Controlled Trials. Journal of Clinical Oncology, 2005, 23, 6941-6948. | 0.8 | 60 |
| 216 | Tirapazamine Administered as a Neoadjuvant to Radiotherapy Reduces Metastatic Dissemination. Clinical Cancer Research, 2005, 11, 4212-4216. | 3.2 | 21 |
| 217 | Transcriptional targeting of acute hypoxia in the tumour stroma is a novel and viable strategy for cancer gene therapy. Gene Therapy, 2005, 12, 1058-1069. | 2.3 | 14 |
| 218 | VP22-mediated intercellular transport for suicide gene therapy under oxic and hypoxic conditions. Gene Therapy, 2005, 12, 974-979. | 2.3 | 8 |
| 221 | DNA damage induced by a quinoxaline 1,4-di-N-oxide derivative (hypoxic selective agent) in Caco-2 cells evaluated by the comet assay. Mutagenesis, 2005, 20, 165-171. | 1.0 | 20 |
| 222 | Oxygen distribution in murine tumors: characterization using oxygen-dependent quenching of phosphorescence. Journal of Applied Physiology, 2005, 98, 1503-1510. | 1.2 | 90 |
| 223 | Phase II Multicenter Study of Induction Chemotherapy Followed by Concurrent Efavoxir (RSR13) and Thoracic Radiotherapy for Patients With Locally Advanced Non-Small-Cell Lung Cancer. Journal of Clinical Oncology, 2005, 23, 5918-5928. | 0.8 | 30 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 224 | Exogenous and Endogenous Markers of Tumour Oxygenation Status. , 2005, 566, 285-294. | | 20 |
| 225 | Hypoxia-regulated glucose transporter Glut-1 may influence chemosensitivity to some alkylating agents: Results of EORTC (First Translational Award) study of the relevance of tumour hypoxia to the outcome of chemotherapy in human tumour-derived xenografts. International Journal of Oncology, 2005, 26, 1477-84. | 1.4 | 17 |
| 226 | A Noninvasive Approach for Assessing Tumor Hypoxia in Xenografts: Developing a Urinary Marker for Hypoxia. Cancer Research, 2005, 65, 6151-6158. | 0.4 | 10 |
| 227 | Measurement of Hypoxia-related Parameters in Bronchial Mucosa by Use of Optical Spectroscopy. American Journal of Respiratory and Critical Care Medicine, 2005, 171, 1178-1184. | 2.5 | 54 |
| 228 | The hypoxic proteome is influenced by gene-specific changes in mRNA translation. Radiotherapy and Oncology, 2005, 76, 177-186. | 0.3 | 105 |
| 229 | Hypoxia in Breast Cancer. , 2005, 566, 333-342. | | 71 |
| 230 | Current Imaging Paradigms in Radiation Oncology. Radiation Research, 2005, 163, 1-25. | 0.7 | 62 |
| 231 | Highlights from: The 46th Annual Meeting of the American Society of Hematology; San Diego, CA, December 2004. Supportive Cancer Therapy, 2005, 2, 79-83. | 0.3 | 0 |
| 232 | Influence of the Hemoglobin Solution HBOC-201 on Tissue Oxygenation in the Rat R1H-Tumor. Artificial Cells, Blood Substitutes, and Biotechnology, 2005, 33, 379-389. | 0.9 | 7 |
| 233 | Hypoxia augments gelatinase activity in a variety of adenocarcinomas in vitro. Journal of Surgical Research, 2005, 124, 180-186. | 0.8 | 18 |
| 234 | Cell line-dependent differences in uptake and retention of the hypoxia-selective nuclear imaging agent Cu-ATSM. Nuclear Medicine and Biology, 2005, 32, 623-630. | 0.3 | 98 |
| 235 | Efaproxiral: A Radiation Enhancer Used in Brain Metastases from Breast Cancer. Annals of Pharmacotherapy, 2005, 39, 2038-2045. | 0.9 | 1 |
| 236 | Tumour Oxygenation: The Importance of Hypoxia, Anemia, and Angiogenesis in Radiation Therapy. Journal of Medical Imaging and Radiation Sciences, 2005, 36, 21-33. | 0.1 | 2 |
| 237 | Fluorocarbon nanoparticles as multifunctional drug delivery vehicles. Journal of Drug Targeting, 2006, 14, 663-669. | 2.1 | 12 |
| 238 | Neoadjuvant chemotherapy prior to preoperative chemoradiation or radiation in rectal cancer: should we be more cautious?. British Journal of Cancer, 2006, 94, 363-371. | 2.9 | 95 |
| 239 | Cervical cancer: Radiotherapy and hyperthermia. International Journal of Hyperthermia, 2006, 22, 229-234. | 1.1 | 41 |
| 241 | Tirapazamine causes vascular dysfunction in HCT-116 tumour xenografts. Radiotherapy and Oncology, 2006, 78, 138-145. | 0.3 | 17 |
| 242 | Clinical Significance of Immunohistochemical Expression of Hypoxia-Inducible Factorâ€“1Î± as a Prognostic Marker in Rectal Adenocarcinoma. Clinical Colorectal Cancer, 2006, 5, 350-353. | 1.0 | 26 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 243 | mtDNA mutations in invasive cervix tumors: A retrospective analysis. <i>Cancer Letters</i> , 2006, 243, 193-201. | 3.2 | 15 |
| 245 | Expanding Role of Positron Emission Tomography in Cancer of the Uterine Cervix. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2006, 4, 463-469. | 2.3 | 13 |
| 246 | The Interactions of Polarographic Measurements of Oxygen Tension and Histological Grade in Human Glioma. <i>Cancer Journal (Sudbury, Mass)</i> , 2006, 12, 461-466. | 1.0 | 29 |
| 247 | Oxygenated and reoxygenated tumors show better local control in radiation therapy for cervical cancer. <i>International Journal of Gynecological Cancer</i> , 2006, 16, 306-311. | 1.2 | 35 |
| 248 | Hypoxia- and radiation-activated Cre/loxP \hat{a} molecular switch \hat{a} ™ vectors for gene therapy of cancer. <i>Gene Therapy</i> , 2006, 13, 206-215. | 2.3 | 33 |
| 249 | Synthesis and evaluation of novel 8-oxo-8H-cyclopenta[a]acenaphthylene-7-carbonitriles as long-wavelength fluorescent markers for hypoxic cells in solid tumor. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 1562-1566. | 1.0 | 25 |
| 250 | Novel fluorescent markers for hypoxic cells of naphthalimides with two heterocyclic side chains for bioreductive binding. <i>Bioorganic and Medicinal Chemistry</i> , 2006, 14, 2935-2941. | 1.4 | 58 |
| 251 | Endogenous Hypoxia Markers in Locally Advanced Cancers of the Uterine Cervix: Reality or Wishful Thinking?. <i>Strahlentherapie Und Onkologie</i> , 2006, 182, 501-510. | 1.0 | 37 |
| 252 | Impact of Hemoglobin Levels on Tumor Oxygenation: the Higher, the Better?. <i>Strahlentherapie Und Onkologie</i> , 2006, 182, 63-71. | 1.0 | 120 |
| 253 | Hypoxia- and radiation-inducible, breast cell-specific targeting of retroviral vectors. <i>Virology</i> , 2006, 349, 121-133. | 1.1 | 9 |
| 254 | HIV impact on acute morbidity and pelvic tumor control following radiotherapy for cervical cancer. <i>Gynecologic Oncology</i> , 2006, 100, 405-411. | 0.6 | 56 |
| 255 | Radiolytic and cellular reduction of a novel hypoxia-activated cobalt(III) prodrug of a chloromethylbenzindoline DNA minor groove alkylator. <i>Biochemical Pharmacology</i> , 2006, 71, 1683-1694. | 2.0 | 68 |
| 256 | Novel ^1H NMR approach to quantitative tissue oximetry using hexamethyldisiloxane. <i>Magnetic Resonance in Medicine</i> , 2006, 55, 743-748. | 1.9 | 64 |
| 257 | Tumour oxygen dynamics measured simultaneously by near-infrared spectroscopy and ^{19}F magnetic resonance imaging in rats. <i>Physics in Medicine and Biology</i> , 2006, 51, 45-60. | 1.6 | 68 |
| 258 | Carbon Beam Therapy Overcomes the Radiation Resistance of Uterine Cervical Cancer Originating from Hypoxia. <i>Clinical Cancer Research</i> , 2006, 12, 2185-2190. | 3.2 | 126 |
| 259 | Nelfinavir Down-regulates Hypoxia-Inducible Factor $1\hat{\alpha}$ and VEGF Expression and Increases Tumor Oxygenation: Implications for Radiotherapy. <i>Cancer Research</i> , 2006, 66, 9252-9259. | 0.4 | 147 |
| 260 | Concurrent Chemoradiotherapy for Locally Advanced, Nonmetastatic, Squamous Carcinoma of the Head and Neck: Consensus, Controversy, and Conundrum. <i>Journal of Clinical Oncology</i> , 2006, 24, 2612-2617. | 0.8 | 87 |
| 261 | Effects of oxygen on intrinsic radiation sensitivity: A test of the relationship between aerobic and | 1.6 | 117 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 262 | Phase III Study of Efavoximal As an Adjunct to Whole-Brain Radiation Therapy for Brain Metastases. <i>Journal of Clinical Oncology</i> , 2006, 24, 106-114. | 0.8 | 185 |
| 263 | Tumor Hypoxia Imaging with [F-18] Fluoromisonidazole Positron Emission Tomography in Head and Neck Cancer. <i>Clinical Cancer Research</i> , 2006, 12, 5435-5441. | 3.2 | 328 |
| 264 | Expression of the Hypoxia Marker Carbonic Anhydrase 9 Is Associated with Anaplastic Phenotypes in Meningiomas. <i>Clinical Cancer Research</i> , 2007, 13, 68-75. | 3.2 | 30 |
| 265 | The Effects of Efavoxynâ,ç (Efavoximal) on Subcutaneous RIF-1 Tumor Oxygenation and Enhancement of Radiotherapy-Mediated Inhibition of Tumor Growth in Mice. <i>Radiation Research</i> , 2007, 168, 218-225. | 0.7 | 30 |
| 266 | Detection and Characterization of Tumor Hypoxia Using pO ₂ Histography. <i>Antioxidants and Redox Signaling</i> , 2007, 9, 1221-1236. | 2.5 | 628 |
| 267 | In vivo ¹⁹ F Magnetic Resonance Spectroscopy and Chemical Shift Imaging of Tri-Fluoro-Nitroimidazole as a Potential Hypoxia Reporter in Solid Tumors. <i>Clinical Cancer Research</i> , 2007, 13, 3738-3747. | 3.2 | 61 |
| 269 | The Scientific Basis of Chinese Medicine and Cancer Care: A Western Medicine Perspective. <i>Annals of Traditional Chinese Medicine</i> , 2007, , 1-54. | 0.1 | 3 |
| 270 | Modeling of oxygen transport across tumor multicellular layers. <i>Microvascular Research</i> , 2007, 73, 113-123. | 1.1 | 15 |
| 271 | Hypoxia Positron Emission Tomography Imaging With ¹⁸ F-Fluoromisonidazole. <i>Seminars in Nuclear Medicine</i> , 2007, 37, 451-461. | 2.5 | 274 |
| 272 | La place des Â©rythropoÃ©tines en cancérologie. <i>Actualites Pharmaceutiques Hospitalieres</i> , 2007, 3, 12-17. | 0.1 | 0 |
| 273 | Comparison of two hypoxic markers: pimonidazole and glucose transporter 1 (Glut-1). , 2007, , 465-468. | | 2 |
| 274 | Bystander Effects of Bioreductive Drugs: Potential for Exploiting Pathological Tumor Hypoxia with Dinitrobenzamide Mustards. <i>Radiation Research</i> , 2007, 167, 625-636. | 0.7 | 61 |
| 275 | Pharmacokinetic/Pharmacodynamic Model-Guided Identification of Hypoxia-Selective 1,2,4-Benzotriazine 1,4-Dioxides with Antitumor Activity: The Role of Extravascular Transport. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 6392-6404. | 2.9 | 40 |
| 276 | Hypoxia-Selective 3-Alkyl 1,2,4-Benzotriazine 1,4-Dioxides: The Influence of Hydrogen Bond Donors on Extravascular Transport and Antitumor Activity. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 6654-6664. | 2.9 | 43 |
| 277 | Hypoxic Regulation of Glucose Transport, Anaerobic Metabolism and Angiogenesis in Cancer: Novel Pathways and Targets for Anticancer Therapeutics. <i>Chemotherapy</i> , 2007, 53, 233-256. | 0.8 | 299 |
| 278 | Hypoxia and prognosis: the oxygen tension mounts. <i>Frontiers in Bioscience - Landmark</i> , 2007, 12, 3502. | 3.0 | 8 |
| 279 | â€œRadiotherapy predictive assays. , 2007, , 35-50. | | 1 |
| 280 | EPO in cancer anemia: Benefits and potential risks. <i>Critical Reviews in Oncology/Hematology</i> , 2007, 62, 119-125. | 2.0 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 281 | Cell Kinetics. <i>Clinical Oncology</i> , 2007, 19, 370-384. | 0.6 | 22 |
| 282 | The Hypoxic Tumour Microenvironment, Patient Selection and Hypoxia-modifying Treatments. <i>Clinical Oncology</i> , 2007, 19, 385-396. | 0.6 | 68 |
| 283 | Bioreductive Drugs: from Concept to Clinic. <i>Clinical Oncology</i> , 2007, 19, 427-442. | 0.6 | 148 |
| 284 | A prospective phase II trial of the cyclooxygenase-2 inhibitor celecoxib in patients with carcinoma of the cervix with biomarker assessment of the tumor microenvironment. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007, 67, 97-103. | 0.4 | 57 |
| 285 | Correlation of radiation response with tumor oxygenation in the Dunning prostate R3327-AT1 tumor. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007, 67, 1179-1186. | 0.4 | 47 |
| 286 | Patterns and Levels of Hypoxia in Head and Neck Squamous Cell Carcinomas and Their Relationship to Patient Outcome. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007, 69, 1024-1031. | 0.4 | 54 |
| 287 | Role of CD24 Protein in Predicting Metastatic Potential of Uterine Cervical Squamous Cell Carcinoma in Patients Treated With Radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007, 69, 1150-1156. | 0.4 | 19 |
| 288 | Hypoxia-regulated carbonic anhydrase IX expression is associated with poor survival in patients with invasive breast cancer. <i>British Journal of Cancer</i> , 2007, 96, 104-109. | 2.9 | 184 |
| 289 | Increased expression of hypoxia-inducible factor 1 α in type I and type II endometrial carcinomas. <i>Modern Pathology</i> , 2007, 20, 35-43. | 2.9 | 45 |
| 290 | Oxygen sensing and the DNA-damage response. <i>Current Opinion in Cell Biology</i> , 2007, 19, 680-684. | 2.6 | 46 |
| 291 | Effect of intravenously administered iron sucrose on the prevention of anemia in the cervical cancer patients treated with concurrent chemoradiotherapy. <i>Gynecologic Oncology</i> , 2007, 105, 199-204. | 0.6 | 94 |
| 292 | Anemia correction in malignancy management: Threat or opportunity?. <i>Gynecologic Oncology</i> , 2007, 105, 517-529. | 0.6 | 20 |
| 293 | Glucose transporter type 1 expression are associated with poor prognosis in patients with salivary gland tumors. <i>Oral Oncology</i> , 2007, 43, 563-569. | 0.8 | 39 |
| 294 | Determination of tumour hypoxia with the PET tracer [18F]EF3: improvement of the tumour-to-background ratio in a mouse tumour model. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 1348-1354. | 3.3 | 20 |
| 295 | Hypoxia and radiotherapy: opportunities for improved outcomes in cancer treatment. <i>Cancer and Metastasis Reviews</i> , 2007, 26, 241-248. | 2.7 | 364 |
| 296 | Hypoxia, gene expression, and metastasis. <i>Cancer and Metastasis Reviews</i> , 2007, 26, 333-339. | 2.7 | 274 |
| 297 | FDG uptake, a surrogate of tumour hypoxia?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008, 35, 1544-1549. | 3.3 | 84 |
| 298 | Prognostic Impact of HIF-1 α Expression in Patients with Definitive Radiotherapy for Cervical Cancer. <i>Strahlentherapie Und Onkologie</i> , 2008, 184, 169-174. | 1.0 | 56 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 299 | Hypoxia Markers in Human Osteosarcoma: An Exploratory Study. <i>Clinical Orthopaedics and Related Research</i> , 2008, 466, 2052-2059. | 0.7 | 64 |
| 300 | PX478, an inhibitor of hypoxia-inducible factor-1 α , enhances radiosensitivity of prostate carcinoma cells. <i>International Journal of Cancer</i> , 2008, 123, 2430-2437. | 2.3 | 95 |
| 301 | Hypoxia Inducible Factor-1 α and Vascular Endothelial Growth Factor Expression are Associated with a Poor Prognosis in Patients with Nasopharyngeal Carcinoma Receiving Radiotherapy with Carbogen and Nicotinamide. <i>Clinical Oncology</i> , 2008, 20, 606-612. | 0.6 | 45 |
| 302 | Tricyclic [1,2,4]Triazine 1,4-Dioxides As Hypoxia Selective Cytotoxins. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 6853-6865. | 2.9 | 66 |
| 303 | Diffusion-weighted MRI in cervical cancer. <i>European Radiology</i> , 2008, 18, 1058-1064. | 2.3 | 217 |
| 304 | Impact of hemoglobin level on survival in definitive chemoradiotherapy for T4/M1 lymph node esophageal cancer. <i>Ecological Management and Restoration</i> , 2008, 21, 195-200. | 0.2 | 21 |
| 305 | Hypoxic tumor cell radiosensitization through nitric oxide. <i>Nitric Oxide - Biology and Chemistry</i> , 2008, 19, 164-169. | 1.2 | 104 |
| 306 | iNOS as a therapeutic target for treatment of human tumors. <i>Nitric Oxide - Biology and Chemistry</i> , 2008, 19, 217-224. | 1.2 | 73 |
| 307 | Hypoxic regulation of mRNA expression. <i>Cell Cycle</i> , 2008, 7, 1916-1924. | 1.3 | 68 |
| 308 | Investigation of biphasic tumor oxygen dynamics induced by hyperoxic gas intervention: the dynamic phantom approach. <i>Applied Optics</i> , 2008, 47, 242. | 2.1 | 16 |
| 309 | The role of hypoxia in canine cancer. <i>Veterinary and Comparative Oncology</i> , 2008, 6, 213-223. | 0.8 | 9 |
| 310 | Hypoxia downregulates Ku70/80 expression in cervical carcinoma tumors. <i>Radiotherapy and Oncology</i> , 2008, 89, 222-226. | 0.3 | 21 |
| 311 | Non-Invasive Physiology and Pharmacology Using 19F Magnetic Resonance. , 2008, , 197-276. | | 14 |
| 313 | Imaging and Analytical Methods as Applied to the Evaluation of Vasculature and Hypoxia in Human Brain Tumors. <i>Radiation Research</i> , 2008, 170, 677-690. | 0.7 | 48 |
| 314 | Erythropoietin-Stimulating Agents in Oncology. <i>Cancer Journal (Sudbury, Mass)</i> , 2008, 14, 75-84. | 1.0 | 4 |
| 315 | Quantitative Metrics of Net Proliferation and Invasion Link Biological Aggressiveness Assessed by MRI with Hypoxia Assessed by FMISO-PET in Newly Diagnosed Glioblastomas. <i>Cancer Research</i> , 2009, 69, 4502-4509. | 0.4 | 147 |
| 316 | Carbogen breathing increases prostate cancer oxygenation: a translational MRI study in murine xenografts and humans. <i>British Journal of Cancer</i> , 2009, 100, 644-648. | 2.9 | 56 |
| 317 | Erythropoietin as an adjuvant treatment with (chemo) radiation therapy for head and neck cancer. <i>The Cochrane Library</i> , 2009, , CD006158. | 1.5 | 41 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 318 | Human cervical carcinoma xenograft models for studies of the physiological microenvironment of tumors. <i>Journal of Cancer Research and Clinical Oncology</i> , 2009, 135, 1177-1184. | 1.2 | 22 |
| 319 | Influence of anemia on tumor response to preoperative chemoradiotherapy for locally advanced rectal cancer. <i>International Journal of Colorectal Disease</i> , 2009, 24, 1451-1458. | 1.0 | 31 |
| 320 | Assessment of Hypoxia in Human Cervical Carcinoma Xenografts by Dynamic Contrast-Enhanced Magnetic Resonance Imaging. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009, 73, 838-845. | 0.4 | 23 |
| 321 | Monitoring of Tumor Oxygenation Changes in Head-and-Neck Carcinoma Patients Breathing a Hyperoxic Hypercapnic Gas Mixture with a Noninvasive MRI Technique. <i>Strahlentherapie Und Onkologie</i> , 2009, 185, 19-26. | 1.0 | 16 |
| 322 | Hypofractionated Conformal Radiotherapy (HCRT) for Primary and Metastatic Lung Cancers with Small Dimension. <i>Strahlentherapie Und Onkologie</i> , 2009, 185, 27-33. | 1.0 | 14 |
| 323 | Molecular imaging of hypoxia with radiolabelled agents. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 1674-1686. | 3.3 | 190 |
| 324 | Severe hypoxia induces chemo-resistance in clinical cervical tumors through MVP over-expression. <i>Radiation Oncology</i> , 2009, 4, 29. | 1.2 | 35 |
| 325 | Radioresistant cervical cancer shows upregulation of the NHEJ proteins DNA-PKcs, Ku70 and Ku86. <i>British Journal of Cancer</i> , 2009, 101, 816-821. | 2.9 | 144 |
| 326 | A phase I study of the nitroimidazole hypoxia marker SR4554 using 19F magnetic resonance spectroscopy. <i>British Journal of Cancer</i> , 2009, 101, 1860-1868. | 2.9 | 34 |
| 327 | Design of a bioreductively-activated fluorescent pH probe for tumor hypoxia imaging. <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 6952-6958. | 1.4 | 78 |
| 329 | The radiation response of cells from 9L gliosarcoma tumours is correlated with [F18]-EF5 uptake. <i>International Journal of Radiation Biology</i> , 2009, 85, 1137-1147. | 1.0 | 21 |
| 330 | Evaluation of a compartmental model for estimating tumor hypoxia via FMISO dynamic PET imaging. <i>Physics in Medicine and Biology</i> , 2009, 54, 3083-3099. | 1.6 | 61 |
| 331 | Hypoxic activation of the unfolded protein response (UPR) induces expression of the metastasis-associated gene LAMP3. <i>Radiotherapy and Oncology</i> , 2009, 92, 450-459. | 0.3 | 86 |
| 332 | High Resolution Ultra High Field Magnetic Resonance Imaging of Glioma Microvasculature and Hypoxia Using Ultra-Small Particles of Iron Oxide. <i>Investigative Radiology</i> , 2009, 44, 375-383. | 3.5 | 25 |
| 333 | Pre and peri-operative erythropoietin for reducing allogeneic blood transfusions in colorectal cancer surgery.. <i>The Cochrane Library</i> , 2009, , CD007148. | 1.5 | 30 |
| 334 | The Prognostic Value of Hemoglobin in Patients With Anal Cancer Treated With Chemoradiotherapy. <i>Diseases of the Colon and Rectum</i> , 2010, 53, 1127-1134. | 0.7 | 19 |
| 335 | Combined use of hyperthermia and radiation therapy for treating locally advanced cervical carcinoma. , 2010, , CD006377. | | 36 |
| 336 | Phase 1 Study of Tirapazamine in Combination With Radiation and Weekly Cisplatin in Patients With Locally Advanced Cervical Cancer. <i>International Journal of Gynecological Cancer</i> , 2010, 20, 827-833. | 1.2 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 337 | The expressions of carbonic anhydrase 9 and vascular endothelial growth factor in astrocytic tumors predict a poor prognosis. <i>International Journal of Molecular Medicine</i> , 2010, 26, 3-9. | 1.8 | 45 |
| 338 | Biodistribution and dosimetry of ¹⁸ F-EF5 in cancer patients with preliminary comparison of ¹⁸ F-EF5 uptake versus EF5 binding in human glioblastoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 2048-2059. | 3.3 | 55 |
| 339 | Genome-wide identification and annotation of HIF-1 α binding sites in two cell lines using massively parallel sequencing. <i>The HUGO Journal</i> , 2010, 4, 35-48. | 4.1 | 43 |
| 340 | Ultra-early predictive assay for treatment failure using functional magnetic resonance imaging and clinical prognostic parameters in cervical cancer. <i>Cancer</i> , 2010, 116, 903-912. | 2.0 | 69 |
| 341 | The preparation and biological characterization of a new HL91-derivative for hypoxic imaging on stroke mice. <i>Applied Radiation and Isotopes</i> , 2010, 68, 1610-1615. | 0.7 | 10 |
| 342 | Biological Rationales and Clinical Applications of Temperature Controlled Hyperthermia - Implications for Multimodal Cancer Treatments. <i>Current Medicinal Chemistry</i> , 2010, 17, 3045-3057. | 1.2 | 80 |
| 343 | Prognostic significance of CD24 protein expression in patients treated with adjuvant radiotherapy after radical hysterectomy for cervical squamous cell carcinoma. <i>Radiotherapy and Oncology</i> , 2010, 95, 359-364. | 0.3 | 14 |
| 344 | Dynamic contrast-enhanced magnetic resonance imaging of human cervical carcinoma xenografts: Pharmacokinetic analysis and correlation to tumor histomorphology. <i>Radiotherapy and Oncology</i> , 2010, 97, 217-224. | 0.3 | 13 |
| 345 | Combined use of hyperthermia and radiation therapy for treating locally advanced cervix carcinoma. <i>The Cochrane Library</i> , 2010, , CD006377. | 1.5 | 45 |
| 346 | Supportive Cancer Care with Chinese Medicine. , 2010, , . | | 15 |
| 347 | Evaluating repetitive ¹⁸ F-fluoroazomycin-arabinoide (¹⁸ FAZA) PET in the setting of MRI guided adaptive radiotherapy in cervical cancer. <i>Acta Oncologica</i> , 2010, 49, 941-947. | 0.8 | 68 |
| 348 | Identifying hypoxia in human tumors: A correlation study between ¹⁸ F-FMISO PET and the Eppendorf oxygen-sensitive electrode. <i>Acta Oncologica</i> , 2010, 49, 934-940. | 0.8 | 74 |
| 349 | IRM fonctionnelle: nouvel outil pour prédire la réponse des cancers du col utérin à la chimioradiothérapie concomitante?. <i>Imagerie De La Femme</i> , 2011, 21, 143-147. | 0.0 | 2 |
| 350 | Preparation of Nucleosides Derived from 2-Nitroimidazole and <i>d</i> -Arabinose, <i>d</i> -Ribose, and <i>d</i> -Galactose by the Vorbrüggen Method and Their Conversion to Potential Precursors for Tracers To Image Hypoxia. <i>Journal of Organic Chemistry</i> , 2011, 76, 8159-8167. | 1.7 | 10 |
| 351 | Hematopoietic Growth Factors in Oncology. <i>Cancer Treatment and Research</i> , 2011, , . | 0.2 | 5 |
| 352 | Contrast enhanced MR imaging of female pelvic cancers: Established methods and emerging applications. <i>European Journal of Radiology</i> , 2011, 78, 2-11. | 1.2 | 20 |
| 353 | Investigation of hypoxia and carbonic anhydrase IX expression in a renal cell carcinoma xenograft model with oxygen tension measurements and ¹²⁴ I-cG250 PET/CT. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2011, 29, 411-420. | 0.8 | 39 |
| 354 | Hypoxia disrupts the Fanconi anemia pathway and sensitizes cells to chemotherapy through regulation of UBE2T. <i>Radiotherapy and Oncology</i> , 2011, 101, 190-197. | 0.3 | 36 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 355 | miR-210 as a marker of chronic hypoxia, but not a therapeutic target in prostate cancer. <i>Radiotherapy and Oncology</i> , 2011, 101, 203-208. | 0.3 | 37 |
| 356 | Advancing radiation oncology through scientific publication – 100 volumes of <i>Radiotherapy and Oncology</i> . <i>Radiotherapy and Oncology</i> , 2011, 100, 1-6. | 0.3 | 18 |
| 357 | Synergistic Combination of Hyperoxygenation and Radiotherapy by Repeated Assessments of Tumor pO ₂ with EPR Oximetry. <i>Journal of Radiation Research</i> , 2011, 52, 568-574. | 0.8 | 13 |
| 358 | Expression of Hypoxia-inducible Factor 1 α Predicts Clinical Outcome after Preoperative Hyperthermo-chemoradiotherapy for Locally Advanced Rectal Cancer. <i>Journal of Radiation Research</i> , 2011, 52, 821-827. | 0.8 | 19 |
| 359 | Blood Flow Change Quantification in Cervical Cancer before and during Radiation Therapy Using Perfusion CT. <i>Journal of Radiation Research</i> , 2011, 52, 804-811. | 0.8 | 19 |
| 360 | Radiation Sensitizers. <i>Medical Radiology</i> , 2011, , 213-222. | 0.0 | 1 |
| 361 | Molecular Imaging–Based Dose Painting: A Novel Paradigm for Radiation Therapy Prescription. <i>Seminars in Radiation Oncology</i> , 2011, 21, 101-110. | 1.0 | 252 |
| 362 | Positron Emission Tomography Imaging of Cancer Biology: Current Status and Future Prospects. <i>Seminars in Oncology</i> , 2011, 38, 70-86. | 0.8 | 98 |
| 363 | Oxygen-dependent regulation of nitric oxide production by inducible nitric oxide synthase. <i>Free Radical Biology and Medicine</i> , 2011, 51, 1952-1965. | 1.3 | 71 |
| 364 | Novel aliphatic N-oxide of naphthalimides as fluorescent markers for hypoxic cells in solid tumor. <i>European Journal of Medicinal Chemistry</i> , 2011, 46, 3030-3037. | 2.6 | 26 |
| 365 | Hypoxic regulation and prognostic value of LAMP3 expression in breast cancer. <i>Cancer</i> , 2011, 117, 3670-3681. | 2.0 | 57 |
| 366 | Antivascular Effects of Neoadjuvant Androgen Deprivation for Prostate Cancer: An In Vivo Human Study Using Susceptibility and Relaxivity Dynamic MRI. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 80, 721-727. | 0.4 | 54 |
| 367 | Exploratory Study of the Prognostic Value of Microenvironmental Parameters During Fractionated Irradiation in Human Squamous Cell Carcinoma Xenografts. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 80, 1205-1213. | 0.4 | 61 |
| 368 | Synthesis, hypoxia-selective cytotoxicity of new 3-amino-1,2,4-benzotriazine-1,4-dioxide derivatives. <i>European Journal of Medicinal Chemistry</i> , 2011, 46, 919-926. | 2.6 | 20 |
| 369 | Implant strategies for endocervical and interstitial ultrasound hyperthermia adjunct to HDR brachytherapy for the treatment of cervical cancer. <i>Physics in Medicine and Biology</i> , 2011, 56, 3967-3984. | 1.6 | 26 |
| 370 | Inhibition of hypoxia-induced miR-155 radiosensitizes hypoxic lung cancer cells. <i>Cancer Biology and Therapy</i> , 2011, 12, 908-914. | 1.5 | 108 |
| 371 | Endocervical ultrasound applicator for integrated hyperthermia and HDR brachytherapy in the treatment of locally advanced cervical carcinoma. <i>Medical Physics</i> , 2011, 38, 598-611. | 1.6 | 20 |
| 372 | Characterization of the Tumor-Microenvironment in Patient-Derived Cervix Xenografts (OCICx). <i>Cancers</i> , 2012, 4, 821-845. | 1.7 | 44 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 373 | Alpha Particle Emitter Radiolabeled Antibody for Metastatic Cancer: What Can We Learn from Heavy Ion Beam Radiobiology?. <i>Antibodies</i> , 2012, 1, 124-148. | 1.2 | 16 |
| 374 | p53 Ser15 phosphorylation disrupts the p53-RPA70 complex and induces RPA70-mediated DNA repair in hypoxia. <i>Biochemical Journal</i> , 2012, 443, 811-820. | 1.7 | 31 |
| 375 | Mechanisms of blood flow and hypoxia production in rat 9L-epigastric tumors. <i>Tumor Microenvironment and Therapy</i> , 2012, 1, 1-13. | 1.2 | 23 |
| 376 | Utility of Pretreatment Mean Apparent Diffusion Coefficient and Apparent Diffusion Coefficient Histograms in Prediction of Outcome to Chemoradiation in Head and Neck Squamous Cell Carcinoma. <i>Journal of Computer Assisted Tomography</i> , 2012, 36, 131-137. | 0.5 | 42 |
| 377 | Hypoxia-Related Proteins in Patients With Rectal Cancer Undergoing Neoadjuvant Combined Modality Therapy. <i>Diseases of the Colon and Rectum</i> , 2012, 55, 990-995. | 0.7 | 23 |
| 378 | Imaging of Hypoxia Using PET and MRI. <i>Current Pharmaceutical Biotechnology</i> , 2012, 13, 552-570. | 0.9 | 34 |
| 379 | Plasminogen activator inhibitor-1 (PAI-1) expression in relation to hypoxia and oncoproteins in clinical cervical tumors. <i>Strahlentherapie Und Onkologie</i> , 2012, 188, 1139-1145. | 1.0 | 6 |
| 380 | A Phase II Study of Bevacizumab in Combination With Definitive Radiotherapy and Cisplatin Chemotherapy in Untreated Patients With Locally Advanced Cervical Carcinoma: Preliminary Results of RTOG 0417. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 83, 1179-1184. | 0.4 | 82 |
| 381 | Hypoxia imaging with the nitroimidazole 18F-FAZA PET tracer: A comparison with OxyLite, EPR oximetry and 19F-MRI relaxometry. <i>Radiotherapy and Oncology</i> , 2012, 105, 29-35. | 0.3 | 66 |
| 382 | Vascular abnormalities associated with acute hypoxia in human melanoma xenografts. <i>Radiotherapy and Oncology</i> , 2012, 105, 72-78. | 0.3 | 8 |
| 383 | Microenvironment-associated lymph node metastasis of human cervical carcinoma xenografts. <i>Acta Oncologica</i> , 2012, 51, 465-472. | 0.8 | 16 |
| 384 | Recommendations from Gynaecological (GYN) GEC-ESTRO Working Group (IV): Basic principles and parameters for MR imaging within the frame of image based adaptive cervix cancer brachytherapy. <i>Radiotherapy and Oncology</i> , 2012, 103, 113-122. | 0.3 | 342 |
| 385 | 19F NMR: Clinical and Molecular Imaging Applications. <i>Molecular Medicine and Medicinal</i> , 2012, , 461-524. | 0.4 | 0 |
| 386 | On the structural modification of 2-nitroimidazole-99mTc(CO) ₃ complex, a hypoxia marker, for improving in vivo pharmacokinetics. <i>Nuclear Medicine and Biology</i> , 2012, 39, 1236-1242. | 0.3 | 26 |
| 387 | Oxygenation in cervical cancer and normal uterine cervix assessed using blood oxygenation level-dependent (BOLD) MRI at 3T. <i>NMR in Biomedicine</i> , 2012, 25, 1321-1330. | 1.6 | 58 |
| 388 | Overexpression of Cofilin-1 and Phosphoglycerate Kinase 1 in Astrocytomas Involved in Pathogenesis of Radioresistance. <i>CNS Neuroscience and Therapeutics</i> , 2012, 18, 729-736. | 1.9 | 49 |
| 389 | Biological Predictors of Cervical Cancer Response to Radiation Therapy. <i>Seminars in Radiation Oncology</i> , 2012, 22, 143-150. | 1.0 | 31 |
| 390 | High stromal carbonic anhydrase IX expression is associated with nodal metastasis and decreased survival in patients with surgically-treated oral cavity squamous cell carcinoma. <i>Oral Oncology</i> , 2012, 48, 615-622. | 0.8 | 52 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 391 | Targeting tumor hypoxia in nasopharyngeal carcinoma. <i>Head and Neck</i> , 2013, 35, 133-145. | 0.9 | 51 |
| 392 | Synchrotron microbeam radiation therapy induces hypoxia in intracerebral gliosarcoma but not in the normal brain. <i>Radiotherapy and Oncology</i> , 2013, 108, 143-148. | 0.3 | 78 |
| 393 | Understanding the Tumor Microenvironment and Radioresistance by Combining Functional Imaging With Global Gene Expression. <i>Seminars in Radiation Oncology</i> , 2013, 23, 296-305. | 1.0 | 16 |
| 394 | Functional Imaging to Predict Tumor Response in Locally Advanced Cervical Cancer. <i>Current Oncology Reports</i> , 2013, 15, 549-558. | 1.8 | 43 |
| 395 | The Microenvironment of Cervical Carcinoma Xenografts: Associations with Lymph Node Metastasis and Its Assessment by DCE-MRI. <i>Translational Oncology</i> , 2013, 6, 607-617. | 1.7 | 21 |
| 396 | Tumoral Hypoxia in Osteosarcoma in Rats: Preliminary Study of Blood Oxygenation Level-Dependent Functional MRI and ¹⁸ F-Misonidazole PET/CT With Diffusion-Weighted MRI Correlation. <i>American Journal of Roentgenology</i> , 2013, 200, W187-W192. | 1.0 | 8 |
| 397 | Characterisation of mobile lipid resonances in tissue biopsies from patients with cervical cancer and correlation with cytoplasmic lipid droplets. <i>NMR in Biomedicine</i> , 2013, 26, 1096-1102. | 1.6 | 11 |
| 398 | Notch signaling induces EMT in OSCC cell lines in a hypoxic environment. <i>Oncology Letters</i> , 2013, 6, 1201-1206. | 0.8 | 65 |
| 399 | Prognostic Value of HIFs Expression in Head and Neck Cancer: A Systematic Review. <i>PLoS ONE</i> , 2013, 8, e75094. | 1.1 | 52 |
| 400 | PET-MRI Based Molecular Imaging as a Response Marker in Cervical Cancer: A Systematic Review. <i>Current Molecular Imaging</i> , 2013, 2, 66-76. | 0.7 | 1 |
| 401 | Hypoxia promotes tumor cell motility via RhoA and ROCK1 signaling pathways. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 887-888. | 3.3 | 15 |
| 402 | Imaging Tumor Hypoxia to Advance Radiation Oncology. <i>Antioxidants and Redox Signaling</i> , 2014, 21, 313-337. | 2.5 | 77 |
| 403 | Tracer kinetic model selection for dynamic contrast-enhanced magnetic resonance imaging of locally advanced cervical cancer. <i>Acta Oncologica</i> , 2014, 53, 1064-1072. | 0.8 | 21 |
| 404 | Correlations of noninvasive BOLD and TOLD MRI with pO ₂ and relevance to tumor radiation response. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 1863-1873. | 1.9 | 114 |
| 405 | Clinical Imaging of Hypoxia. <i>Cancer Drug Discovery and Development</i> , 2014, , 179-201. | 0.2 | 0 |
| 406 | Comparing CT perfusion with oxygen partial pressure in a rabbit VX2 soft-tissue tumor model. <i>Journal of Radiation Research</i> , 2014, 55, 183-190. | 0.8 | 6 |
| 407 | The Effect of Carbogen Breathing and Nicotinamide Added to Standard (Chemo)Radiation Treatment of Advanced Cervical Cancer in Indonesia. <i>International Journal of Gynecological Cancer</i> , 2014, 24, 1628-1635. | 1.2 | 8 |
| 408 | Role of Vascular Endothelial Growth Factor in Clinically Localized Prostate Cancer Treated with Radiation Therapy. <i>Balkan Medical Journal</i> , 2014, 33, 43-49. | 0.3 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 409 | Radio-induced apoptosis of peripheral blood CD8 T lymphocytes is a novel prognostic factor for survival in cervical carcinoma patients. <i>Strahlentherapie Und Onkologie</i> , 2014, 190, 210-216. | 1.0 | 15 |
| 410 | A prospective clinical study of 18 F-FAZA PET-CT hypoxia imaging in head and neck squamous cell carcinoma before and during radiation therapy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 1544-1552. | 3.3 | 97 |
| 411 | Hypoxia and Cancer. <i>Cancer Drug Discovery and Development</i> , 2014, , . | 0.2 | 7 |
| 412 | Hypoxia as a biomarker for radioresistant cancer stem cells. <i>International Journal of Radiation Biology</i> , 2014, 90, 636-652. | 1.0 | 115 |
| 413 | A study on nitroimidazole-99mTc(CO)3 complexes as hypoxia marker: Some observations towards possible improvement in in vivo efficacy. <i>Nuclear Medicine and Biology</i> , 2014, 41, 600-610. | 0.3 | 26 |
| 415 | Tumor Hypoxia. , 2014, , 205-222. | | 0 |
| 416 | Prediction of treatment response in head and neck carcinomas using IVIM-DWI: Evaluation of lymph node metastasis. <i>European Journal of Radiology</i> , 2014, 83, 783-787. | 1.2 | 69 |
| 417 | DCE-MRI of the hypoxic fraction, radioresponsiveness, and metastatic propensity of cervical carcinoma xenografts. <i>Radiotherapy and Oncology</i> , 2014, 110, 335-341. | 0.3 | 43 |
| 418 | Molecular Imaging of Tumor Hypoxia with Positron Emission Tomography. <i>Radiation Research</i> , 2014, 181, 335-349. | 0.7 | 41 |
| 419 | Inhibition of Growth in a Rabbit VX2 Thigh Tumor Model with Intraarterial Infusion of Carbon Dioxide Saturated Solution. <i>Journal of Vascular and Interventional Radiology</i> , 2014, 25, 469-476. | 0.2 | 5 |
| 420 | Phosphoglycerate kinase 1 promotes radioresistance in U251 human glioma cells. <i>Oncology Reports</i> , 2014, 31, 894-900. | 1.2 | 21 |
| 421 | Simulation of cervical cancer response to radiotherapy. , 2014, , . | | 1 |
| 422 | Correlation Between Tumor Regression Grade and Clinicopathological Parameters in Patients With Squamous Cell Carcinoma of the Esophagus Who Received Neoadjuvant Chemoradiotherapy. <i>Medicine (United States)</i> , 2015, 94, e1407. | 0.4 | 19 |
| 423 | Hypoxia biomarkers in squamous cell carcinoma of the uterine cervix. <i>BMC Cancer</i> , 2015, 15, 805. | 1.1 | 10 |
| 424 | Hypoxic regulation of the PERK/ATF4/LAMP3 arm of the unfolded protein response in head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2015, 37, 896-905. | 0.9 | 28 |
| 425 | Management of Acute Radiation Side Effects. <i>Pediatric Oncology</i> , 2015, , 203-221. | 0.5 | 1 |
| 426 | Short-term pretreatment DCE-MRI in prediction of outcome in locally advanced cervical cancer. <i>Radiotherapy and Oncology</i> , 2015, 115, 379-385. | 0.3 | 23 |
| 427 | Evaluation of Hypoxia With Copper-Labeled Diacetyl-bis(N-Methylthiosemicarbazone). <i>Seminars in Nuclear Medicine</i> , 2015, 45, 177-185. | 2.5 | 34 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 428 | Optimizing Hypoxia Detection and Treatment Strategies. <i>Seminars in Nuclear Medicine</i> , 2015, 45, 163-176. | 2.5 | 40 |
| 429 | A ^{99m} Tc-Labeled Misonidazole Analogue: Step Toward a ^{99m} Tc-Alternative to [¹⁸ F]Fluoromisonidazole for Detecting Tumor Hypoxia. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2015, 30, 79-86. | 0.7 | 10 |
| 431 | Imaging Advances for Target Volume Definition in Radiotherapy. <i>Current Radiology Reports</i> , 2015, 3, 1. | 0.4 | 1 |
| 432 | Hypoxia dose painting in prostate and cervix cancer. <i>Acta OncolÃ³gica</i> , 2015, 54, 1259-1262. | 0.8 | 25 |
| 433 | A rapid Look-Locker imaging sequence for quantitative tissue oximetry. , 2015, , . | | 1 |
| 434 | Imaging in pleural mesothelioma: A review of the 12th International Conference of the International Mesothelioma Interest Group. <i>Lung Cancer</i> , 2015, 90, 148-154. | 0.9 | 18 |
| 435 | Hyperpolarized magnetic resonance spectroscopy for assessing tumor hypoxia. <i>Acta OncolÃ³gica</i> , 2015, 54, 1393-1398. | 0.8 | 8 |
| 437 | Radiation sensitivity assay with a panel of patientâ€™derived spheroids of small cell carcinoma of the cervix. <i>International Journal of Cancer</i> , 2015, 136, 2949-2960. | 2.3 | 27 |
| 438 | Pathophysiological Basis for the Formation of the Tumor Microenvironment. <i>Frontiers in Oncology</i> , 2016, 6, 66. | 1.3 | 152 |
| 439 | The lncRNA PVT1 Contributes to the Cervical Cancer Phenotype and Associates with Poor Patient Prognosis. <i>PLoS ONE</i> , 2016, 11, e0156274. | 1.1 | 132 |
| 440 | Hypoxia-activated prodrugs: paths forward in the era of personalised medicine. <i>British Journal of Cancer</i> , 2016, 114, 1071-1077. | 2.9 | 155 |
| 441 | A role for dynamic contrast-enhanced magnetic resonance imaging in predicting tumour radiation response. <i>British Journal of Cancer</i> , 2016, 114, 1206-1211. | 2.9 | 11 |
| 442 | Liposome encapsulated perfluorohexane enhances radiotherapy in mice without additional oxygen supply. <i>Journal of Translational Medicine</i> , 2016, 14, 268. | 1.8 | 24 |
| 443 | Quantifying hypoxia in human cancers using static PET imaging. <i>Physics in Medicine and Biology</i> , 2016, 61, 7957-7974. | 1.6 | 11 |
| 444 | Hyperthermic Oncology from Bench to Bedside. , 2016, , . | | 5 |
| 445 | Molecular Radio-Oncology. <i>Recent Results in Cancer Research</i> , 2016, , . | 1.8 | 1 |
| 446 | Hypoxia as a Biomarker and for Personalized Radiation Oncology. <i>Recent Results in Cancer Research</i> , 2016, 198, 123-142. | 1.8 | 26 |
| 447 | Neutral ^{99m} Tc(CO) ₃ complexes of â€œclickedâ€•nitroimidazoles for the detection of tumor hypoxia. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2016, 307, 69-77. | 0.7 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 448 | Low Cancer Stem Cell Marker Expression and Low Hypoxia Identify Good Prognosis Subgroups in HPV(+) HNSCC after Postoperative Radiochemotherapy: A Multicenter Study of the DTKK-ROG. <i>Clinical Cancer Research</i> , 2016, 22, 2639-2649. | 3.2 | 127 |
| 449 | Measurement of Tumor Hypoxia in Patients with Advanced Pancreatic Cancer Based on ¹⁸ F-Fluoroazomyin Arabinoside Uptake. <i>Journal of Nuclear Medicine</i> , 2016, 57, 361-366. | 2.8 | 42 |
| 450 | Patient-derived xenograft models of squamous cell carcinoma of the uterine cervix. <i>Cancer Letters</i> , 2016, 373, 147-155. | 3.2 | 13 |
| 451 | Prognosis of Patients With Pathologic T0 N+ Esophageal Squamous Cell Carcinoma After Chemoradiotherapy and Surgical Resection: Results From a Nationwide Study. <i>Annals of Thoracic Surgery</i> , 2016, 101, 1897-1902. | 0.7 | 12 |
| 452 | Concurrent chemobrachytherapy in locally advanced cervical carcinoma: A hypothesis worth exploring. <i>Brachytherapy</i> , 2016, 15, 200-204. | 0.2 | 1 |
| 454 | Efficient preparation of 2-nitroimidazole nucleosides as precursors for hypoxia PET tracers. <i>Monatshefte für Chemie</i> , 2017, 148, 83-90. | 0.9 | 1 |
| 455 | Tumor Hypoxia and Radiotherapy. , 2017, , 1-48. | | 0 |
| 456 | Comparison between model-predicted tumor oxygenation dynamics and vascular-flow-related Doppler indices. <i>Medical Physics</i> , 2017, 44, 2011-2019. | 1.6 | 2 |
| 457 | Chemical Design and Synthesis of Functionalized Probes for Imaging and Treating Tumor Hypoxia. <i>Chemical Reviews</i> , 2017, 117, 6160-6224. | 23.0 | 682 |
| 458 | Molecular mechanisms of hypoxia in cancer. <i>Clinical and Translational Imaging</i> , 2017, 5, 225-253. | 1.1 | 119 |
| 459 | The Application of Iodine Quantitative Information Obtained by Dual-Source Dual-Energy Computed Tomography on Chemoradiotherapy Effect Monitoring for Cervical Cancer: A Preliminary Study. <i>Journal of Computer Assisted Tomography</i> , 2017, 41, 737-745. | 0.5 | 14 |
| 460 | Pretreatment late-phase DCE-MRI predicts outcome in locally advanced cervix cancer. <i>Acta Oncologica</i> , 2017, 56, 675-681. | 0.8 | 7 |
| 461 | Molecular targeting of hypoxia in radiotherapy. <i>Advanced Drug Delivery Reviews</i> , 2017, 109, 45-62. | 6.6 | 146 |
| 462 | Incidence and Predictors of Unsuspected Recurrent Laryngeal Nerve Lymph Node Metastases After Neoadjuvant Chemoradiotherapy in Patients with Esophageal Squamous Cell Carcinoma. <i>World Journal of Surgery</i> , 2018, 42, 2485-2492. | 0.8 | 7 |
| 463 | Targeting the CXCL12/CXCR4 pathway and myeloid cells to improve radiation treatment of locally advanced cervical cancer. <i>International Journal of Cancer</i> , 2018, 143, 1017-1028. | 2.3 | 39 |
| 464 | Image-guided interstitial high-dose-rate brachytherapy for locally recurrent uterine cervical cancer: A single-institution study. <i>Brachytherapy</i> , 2018, 17, 368-376. | 0.2 | 27 |
| 465 | Measurement of Tumor Hypoxia in Patients With Locally Advanced Cervical Cancer Using Positron Emission Tomography with ¹⁸ F-Fluoroazomyin Arabinoside. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018, 102, 1202-1209. | 0.4 | 12 |
| 466 | Smoking Decreases Survival in Locally Advanced Cervical Cancer Treated With Radiation. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2018, 41, 295-301. | 0.6 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 467 | Effect of early use of Chinese herbal products on mortality rate in patients with lung cancer. Journal of Ethnopharmacology, 2018, 211, 1-8. | 2.0 | 22 |
| 468 | A Two-Component Assay for Hypoxia Incorporating Long-Term Nitroreduction and Short-Term DNA-Damage Allows Differentiation of the Three Hypoxia Sub-types. Radiation Research, 2018, 190, 72-87. | 0.7 | 3 |
| 469 | Model-Supported Radiotherapy Personalization: In silico Test of Hyper- and Hypo-Fractionation Effects. Frontiers in Physiology, 2018, 9, 1445. | 1.3 | 3 |
| 470 | Tumor bleeding requiring intervention and the correlation with anemia in uterine cervical cancer for definitive radiotherapy. Japanese Journal of Clinical Oncology, 2018, 48, 892-899. | 0.6 | 7 |
| 471 | Smart Nanoprobes for Visualization of Tumor Microenvironments. Advanced Healthcare Materials, 2018, 7, e1800391. | 3.9 | 47 |
| 472 | Pilot study of combined ¹⁸ F-FDG and dynamic contrast-enhanced PET and dynamic contrast-enhanced CT of locally advanced cervical carcinoma before and during concurrent chemoradiotherapy suggests association between changes in tumor blood volume and treatment response. Cancer Medicine, 2018, 7, 3642-3651. | 1.3 | 12 |
| 473 | Clinical trials targeting hypoxia. British Journal of Radiology, 2019, 92, 20170966. | 1.0 | 24 |
| 474 | Glioblastoma Multiforme: Fewer Tumor Copy Number Segments of the <i>SGK1</i> Gene Are Associated with Poorer Survival. Cancer Genomics and Proteomics, 2018, 15, 273-278. | 1.0 | 8 |
| 475 | Preparation and preliminary evaluation of a tris-metronidazole- ^{99m} Tc(CO) ₃ complex for targeting tumor hypoxia. Journal of Radioanalytical and Nuclear Chemistry, 2018, 317, 1203-1210. | 0.7 | 6 |
| 476 | A computational model of radiolytic oxygen depletion during FLASH irradiation and its effect on the oxygen enhancement ratio. Physics in Medicine and Biology, 2019, 64, 185005. | 1.6 | 117 |
| 477 | Intratumoral heterogeneity and hypoxia gene expression signatures: Is a single biopsy adequate?. Clinical and Translational Radiation Oncology, 2019, 19, 110-115. | 0.9 | 11 |
| 479 | Studying the regression profiles of cervical tumours during radiotherapy treatment using a patient-specific multiscale model. Scientific Reports, 2019, 9, 1081. | 1.6 | 5 |
| 480 | A Role of PET Agents Beyond FDG in Gynecology. Seminars in Nuclear Medicine, 2019, 49, 501-511. | 2.5 | 6 |
| 481 | MPC1 deletion is associated with poor prognosis and temozolomide resistance in glioblastoma. Journal of Neuro-Oncology, 2019, 144, 293-301. | 1.4 | 22 |
| 482 | Hypoxia and angiogenic biomarkers in prostate cancer after external beam radiotherapy (EBRT) alone or combined with high-dose-rate brachytherapy boost (HDR-BTb). Radiotherapy and Oncology, 2019, 137, 38-44. | 0.3 | 6 |
| 483 | Pharmacokinetic analysis of DCE-MRI data of locally advanced cervical carcinoma with the Brix model. Acta Oncologica, 2019, 58, 828-837. | 0.8 | 7 |
| 484 | DCE-MRI and Quantitative Histology Reveal Enhanced Vessel Maturation but Impaired Perfusion and Increased Hypoxia in Bevacizumab-Treated Cervical Carcinoma. International Journal of Radiation Oncology Biology Physics, 2019, 104, 666-676. | 0.4 | 14 |
| 485 | Drug Delivery to Hypoxic Tumors Targeting Carbonic Anhydrase IX. ACS Symposium Series, 2019, , 223-252. | 0.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 486 | A hybrid technique of intracavitary and interstitial brachytherapy for locally advanced cervical cancer: initial outcomes of a single-institute experience. <i>BMC Cancer</i> , 2019, 19, 221. | 1.1 | 33 |
| 487 | Rationale for Combining Radiotherapy and Immune Checkpoint Inhibition for Patients With Hypoxic Tumors. <i>Frontiers in Immunology</i> , 2019, 10, 407. | 2.2 | 44 |
| 488 | DCE-MRI of Tumor Hypoxia and Hypoxia-Associated Aggressiveness. <i>Cancers</i> , 2020, 12, 1979. | 1.7 | 16 |
| 489 | Synergy of hypoxia relief and chromatin remodeling to overcome tumor radiation resistance. <i>Biomaterials Science</i> , 2020, 8, 4739-4749. | 2.6 | 14 |
| 490 | Targeting the Tumor Core: Hypoxia-Responsive Nanoparticles for the Delivery of Chemotherapy to Pancreatic Tumors. <i>Molecular Pharmaceutics</i> , 2020, 17, 2849-2863. | 2.3 | 40 |
| 491 | Four decades with ESTRO. <i>Radiotherapy and Oncology</i> , 2020, 142, 1-5. | 0.3 | 5 |
| 492 | A lineage-tracing tool to map the fate of hypoxic tumour cells. <i>DMM Disease Models and Mechanisms</i> , 2020, 13, . | 1.2 | 4 |
| 493 | DCE-MRI of locally-advanced carcinoma of the uterine cervix: Tofts analysis versus non-model-based analyses. <i>Radiation Oncology</i> , 2020, 15, 79. | 1.2 | 10 |
| 494 | Cellular Uptake of the ATSM ⁶⁴ Cu(II) Complex under Hypoxic Conditions. <i>ChemistryOpen</i> , 2021, 10, 486-492. | 0.9 | 2 |
| 495 | Integration of machine learning and genome-scale metabolic modeling identifies multi-omics biomarkers for radiation resistance. <i>Nature Communications</i> , 2021, 12, 2700. | 5.8 | 95 |
| 496 | Hypoxia and its impact on the tumour microenvironment of gastroesophageal cancers. <i>World Journal of Gastrointestinal Oncology</i> , 2021, 13, 312-331. | 0.8 | 7 |
| 497 | Interfering with Tumor Hypoxia for Radiotherapy Optimization. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021, 40, 197. | 3.5 | 70 |
| 498 | Hypoxia in Solid Tumors: How Low Oxygenation Impacts the α -Six Rs of Radiotherapy. <i>Frontiers in Endocrinology</i> , 2021, 12, 742215. | 1.5 | 38 |
| 499 | In silico investigations of intratumoral heterogeneous interstitial fluid pressure. <i>Journal of Theoretical Biology</i> , 2021, 526, 110787. | 0.8 | 4 |
| 501 | Theoretical Simulation of Tumour Hypoxia Measurements. , 2006, 578, 369-374. | | 1 |
| 502 | PET and SPECT in IMRT: Future Prospects. , 2006, , 171-176. | | 2 |
| 503 | Endogenous Hypoxia Markers: Case Not Proven!. , 2008, 614, 127-136. | | 35 |
| 504 | Hypoxia, Gene Expression, and Metastasis. , 2010, , 43-58. | | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 505 | Randomized Controlled Trials of the Erythroid-Stimulating Agents in Cancer Patients. <i>Cancer Treatment and Research</i> , 2010, 157, 195-215. | 0.2 | 1 |
| 506 | Oxygenation Status of Urogenital Tumors. <i>Advances in Experimental Medicine and Biology</i> , 2011, 701, 101-106. | 0.8 | 3 |
| 507 | Blood Flow and Oxygenation Status of Gastrointestinal Tumors. <i>Advances in Experimental Medicine and Biology</i> , 2012, 737, 133-138. | 0.8 | 3 |
| 508 | Hypoxia and Radiation Therapy. <i>Cancer Drug Discovery and Development</i> , 2014, , 265-281. | 0.2 | 1 |
| 509 | Oxygenation in a Human Tumor Xenograft: Manipulation Through Respiratory Challenge and Antibody-Directed Infarction. <i>Advances in Experimental Medicine and Biology</i> , 2003, 530, 197-204. | 0.8 | 2 |
| 510 | Tumor Oxygen Dynamics: Comparison of 19F MR EPI and Frequency Domain NIR Spectroscopy. <i>Advances in Experimental Medicine and Biology</i> , 2003, 530, 225-236. | 0.8 | 7 |
| 511 | Allosteric Modification of Hemoglobin by RSR13 as a Therapeutic Strategy. <i>Advances in Experimental Medicine and Biology</i> , 2003, 530, 249-259. | 0.8 | 5 |
| 512 | Tumor Oximetry: Comparison of 19F MR EPI and Electrodes. <i>Advances in Experimental Medicine and Biology</i> , 2003, 530, 19-27. | 0.8 | 21 |
| 513 | Non-Invasive PET and Spect Imaging of Tissue Hypoxia Using Isotopically Labeled 2-Nitroimidazoles. <i>Advances in Experimental Medicine and Biology</i> , 2003, 510, 285-292. | 0.8 | 81 |
| 514 | Oxygenation of Cervix Cancers: Impact of Clinical and Pathological Parameters. <i>Advances in Experimental Medicine and Biology</i> , 2003, 510, 31-35. | 0.8 | 10 |
| 515 | Predictive Power of the Tumor Oxygenation Status. <i>Advances in Experimental Medicine and Biology</i> , 1999, 471, 533-539. | 0.8 | 31 |
| 516 | Establishment of Orthotopic Primary Cervix Cancer Xenografts. <i>Methods in Molecular Biology</i> , 2015, 1249, 381-391. | 0.4 | 10 |
| 517 | Relationship between hemoglobin levels and tumor oxygenation. , 2008, , 265-282. | | 2 |
| 518 | Tumor hypoxia and therapeutic resistance. , 2008, , 283-305. | | 8 |
| 519 | Anti-angiogenics and Radiation Therapy. , 2017, , 1-10. | | 2 |
| 520 | Pathophysiology of Solid Tumors. <i>Medical Radiology</i> , 2009, , 51-92. | 0.0 | 43 |
| 521 | Tumor hypoxia and therapeutic resistance. , 2002, , 127-146. | | 9 |
| 522 | Supportive Cancer Care Using Chinese Medicine. , 2010, , 1-37. | | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 523 | Chinese Medicinal Herbs as Source of Rational Anticancer Therapy. , 2016, , 327-362. | | 2 |
| 524 | Disorders of Blood Cell Production in Clinical Oncology. , 2008, , 677-692. | | 2 |
| 525 | Chemical Modifiers of Radiation Response. , 2010, , 55-68. | | 9 |
| 526 | Signaling inhibition with radiation in colorectal cancer: Clinical trials. Seminars in Oncology, 2003, 30, 56-67. | 0.8 | 14 |
| 527 | Hypoxia-stimulated expression of angiogenic growth factors in cervical cancer cells and cervical cancer-derived fibroblasts. International Journal of Gynecological Cancer, 2001, 11, 137-142. | 1.2 | 53 |
| 529 | Investigation of breast tumor hemodynamics using tumor vascular phantoms and FEM simulations. , 2004, , . | | 1 |
| 530 | Flavin Mononucleotide-Based Fluorescent Proteins Function in Mammalian Cells without Oxygen Requirement. PLoS ONE, 2012, 7, e43921. | 1.1 | 35 |
| 532 | Thermoradiotherapy in Advanced Cervical Cancer: Clinical Experiments and Molecular Research. Thermal Medicine(Japanese Journal of Hyperthermic Oncology), 2006, 22, 141-150. | 0.4 | 4 |
| 533 | An international randomised controlled trial to compare TARGeted Intraoperative radioTherapy (TARGIT) with conventional postoperative radiotherapy after breast-conserving surgery for women with early-stage breast cancer (the TARGIT-A trial). Health Technology Assessment, 2016, 20, 1-188. | 1.3 | 51 |
| 534 | Shifting the Immune-Suppressive to Predominant Immune-Stimulatory Radiation Effects by SBRT-Partial Tumor Irradiation Targeting Hypoxic Segment (SBRT-PATHY). Cancers, 2021, 13, 50. | 1.7 | 24 |
| 535 | Chinese Medicine and Biomodulation in Cancer Patientsâ€™Part One. Current Oncology, 2008, 15, 42-48. | 0.9 | 27 |
| 536 | Temporal variation in the response of tumors to hyperoxia with breathing carbogen and oxygen. Medical Gas Research, 2016, 6, 138. | 1.2 | 4 |
| 537 | Cobalt Chloride-induced Apoptosis and Extracellular Signal-regulated Protein Kinase Activation in Human Cervical Cancer HeLa Cells. BMB Reports, 2003, 36, 468-474. | 1.1 | 26 |
| 538 | Optimal level of hemoglobin in cancer patients. , 2002, , 369-390. | | 0 |
| 539 | Ras Signaling and Its Inhibition with Farnesyltransferase Inhibitors: Effects on Radiation Resistance and the Tumor Microenvironment. Medical Radiology, 2003, , 259-274. | 0.0 | 0 |
| 541 | Anemia and Red Cell Factors. Translational Medicine Series, 2008, , 1-20. | 0.0 | 0 |
| 542 | Hypoxia Mediated Signaling Pathways. , 2010, , 2241-2245. | | 0 |
| 544 | Disorders of Blood Cell Production in Clinical Oncology. , 2014, , 532-541.e10. | | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 545 | PET/CT in der Strahlentherapie. , 2016, , 689-724. | | 0 |
| 546 | Combination by Hyperthermia and Radiotherapy and/or Chemo-radiotherapy: Gyneology Cancer. , 2016, , 215-226. | | 0 |
| 547 | Diagnostic Applications of Nuclear Medicine: Uterine Cancers. , 2016, , 1-42. | | 0 |
| 548 | Physiologic and Molecular Basis of PET in Cancer Imaging. , 2017, , 399-427. | | 2 |
| 549 | Diagnostic Applications of Nuclear Medicine: Uterine Cancers. , 2017, , 979-1020. | | 0 |
| 550 | Anti-angiogenics and Radiation Therapy. , 2019, , 349-358. | | 0 |
| 552 | Target-Based Radiosensitization Strategies: Concepts and Companion Animal Model Outlook. <i>Frontiers in Oncology</i> , 2021, 11, 768692. | 1.3 | 5 |
| 553 | Multimodality imaging of hypoxia in preclinical settings. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 54, 259-80. | 0.4 | 47 |
| 554 | Transiently hypoxic tumour cell turnover and radiation sensitivity in human tumour xenografts. <i>British Journal of Cancer</i> , 2022, 126, 1616-1626. | 2.9 | 5 |
| 556 | Correlation of hypoxia PET tracer uptake with hypoxic radioresistance in cancer cells: PET biomarkers of resistance to stereotactic radiation therapy?. <i>Nuclear Medicine and Biology</i> , 2022, 110-111, 10-17. | 0.3 | 0 |
| 557 | Prediction of response to radiotherapy in locally advanced carcinoma cervix using multiparametric MRI: A prospective, single-center, longitudinal study. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2022, , . | 0.7 | 0 |
| 559 | The Role of Imaging Biomarkers to Guide Pharmacological Interventions Targeting Tumor Hypoxia. <i>Frontiers in Pharmacology</i> , 0, 13, . | 1.6 | 15 |
| 560 | Diagnostic Applications of Nuclear Medicine: Uterine Cancers. , 2022, , 1139-1183. | | 0 |
| 561 | A Phase II Randomized Trial of Chemoradiation with or without Metformin in Locally Advanced Cervical Cancer. <i>Clinical Cancer Research</i> , 2022, 28, 5263-5271. | 3.2 | 10 |
| 564 | Radiation Sensitizers. <i>Medical Radiology</i> , 2022, , . | 0.0 | 0 |
| 565 | Development and Validation of a Predictive Model of Therapeutic Effect in Patients with Esophageal Squamous Cell Carcinoma Who Received Neoadjuvant Treatment: A Nationwide Retrospective Study in Japan. <i>Annals of Surgical Oncology</i> , 2023, 30, 2176-2185. | 0.7 | 4 |
| 566 | Fluorinated carbohydrates for ¹⁸ F-positron emission tomography (PET). <i>Chemical Society Reviews</i> , 2023, 52, 3599-3626. | 18.7 | 6 |