

# Radar interferogram filtering for geophysical applications

Geophysical Research Letters

25, 4035-4038

DOI: [10.1029/1998gl900033](https://doi.org/10.1029/1998gl900033)

Citation Report

#	ARTICLE	IF	CITATIONS
1	SAR interferogram filtering with 2D Vondrak filter. , 0, , .		3
2	High resolution interferometric SAR DEMs for hydrological network derivation. , 0, , .		0
3	Measuring near field coseismic displacements from SAR images: Application to the Landers Earthquake. Geophysical Research Letters, 1999, 26, 3017-3020.	1.5	70
4	The SRTM topographic mapping processor. , 0, , .		7
5	Synthetic aperture radar interferometry. Proceedings of the IEEE, 2000, 88, 333-382.	16.4	1,874
6	Noise-residue filtering of interferometric phase images. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2000, 17, 1962.	0.8	26
7	Crustal deformation near Hengill volcano, Iceland 1993-1998: Coupling between magmatic activity and faulting inferred from elastic modeling of satellite radar interferograms. Journal of Geophysical Research, 2000, 105, 25655-25670.	3.3	93
8	2.5-D surface deformation of M6.1 earthquake near Mt Iwate detected by SAR interferometry. Geophysical Research Letters, 2000, 27, 2049-2052.	1.5	106
9	Steady state deformation of the Coso Range, east central California, inferred from satellite radar interferometry. Journal of Geophysical Research, 2001, 106, 13769-13780.	3.3	25
10	Measurement of interseismic strain accumulation across the North Anatolian Fault by satellite radar interferometry. Geophysical Research Letters, 2001, 28, 2117-2120.	1.5	178
11	Triggered slip: Observations of the 17 August 1999 Izmit (Turkey) Earthquake using radar interferometry. Geophysical Research Letters, 2001, 28, 1079-1082.	1.5	110
12	Forest mapping and monitoring with interferometric synthetic aperture radar (InSAR). Progress in Physical Geography, 2001, 25, 159-177.	1.4	98
13	Deformation during the 12 November 1999 Duzce, Turkey, Earthquake, from GPS and InSAR Data. Bulletin of the Seismological Society of America, 2002, 92, 161-171.	1.1	126
14	Coseismic Deformation from the 1999 Mw 7.1 Hector Mine, California, Earthquake as Inferred from InSAR and GPS Observations. Bulletin of the Seismological Society of America, 2002, 92, 1390-1402.	1.1	384
15	<title>Salt diapir movements using SAR interferometry in the Lisan Peninsula, Dead Sea Rift</title>. , 2002, , .		9
16	Estimating Slip Distribution for the Izmit Mainshock from Coseismic GPS, ERS-1, RADARSAT, and SPOT Measurements. Bulletin of the Seismological Society of America, 2002, 92, 138-160.	1.1	80
17	Atmospheric models, GPS and InSAR measurements of the tropospheric water vapour field over Mount Etna. Geophysical Research Letters, 2002, 29, 11-1-11-4.	1.5	101
18	Adaptive noise reduction of InSAR images based on a complex-valued MRF model and its application to a phase unwrapping problem. IEEE Transactions on Geoscience and Remote Sensing, 2002, 40, 699-709.	2.7	79

#	ARTICLE	IF	CITATIONS
19	SAR interferometry and statistical topography. IEEE Transactions on Geoscience and Remote Sensing, 2002, 40, 2567-2581.	2.7	12
20	Preliminary Study to Detect Crustal Deformation by RADARSAT SAR Interferometry. Zisin (Journal of) Tj ETQq1 1 0.784314 rgBT /Over	0.0	0
21	Source model for the Mw6.7, 23 October 2002, Nenana Mountain Earthquake (Alaska) from InSAR. Geophysical Research Letters, 2003, 30, .	1.5	160
22	Dinsar measurement of soil moisture. IEEE Transactions on Geoscience and Remote Sensing, 2003, 41, 2802-2813.	2.7	57
23	Applying differential InSAR to orbital dynamics: a new approach for estimating ERS trajectories. Journal of Geodesy, 2003, 77, 493-502.	1.6	29
24	Monitoring of slow ground deformation by ERS radar interferometry on the Vauvert salt mine (France). Remote Sensing of Environment, 2003, 88, 468-478.	4.6	84
25	Coseismic and early post-seismic slip associated with the 1999 Izmit earthquake (Turkey), from SAR interferometry and tectonic field observations. Geophysical Journal International, 2003, 155, 93-110.	1.0	123
26	Land subsidence in Houston, Texas, measured by radar interferometry and constrained by extensometers. Journal of Geophysical Research, 2003, 108, .	3.3	95
27	Time-dependent land uplift and subsidence in the Santa Clara valley, California, from a large interferometric synthetic aperture radar data set. Journal of Geophysical Research, 2003, 108, .	3.3	423
28	A preliminary fault model of the 2003 July 26, M6.4 northern Miyagi earthquake, northeastern Japan, estimated from joint inversion of GPS, leveling, and InSAR data. Earth, Planets and Space, 2003, 55, 751-757.	0.9	11
29	Coseismic displacements of the footwall of the Chelungpu fault caused by the 1999, Taiwan, Chi-Chi earthquake from InSAR and GPS data. Earth and Planetary Science Letters, 2003, 212, 73-88.	1.8	42
30	Estimation of rock glacier surface deformation using sar interferometry data. IEEE Transactions on Geoscience and Remote Sensing, 2003, 41, 1512-1515.	2.7	56
31	Speckle filtering and coherence estimation of polarimetric sar interferometry data for forest applications. IEEE Transactions on Geoscience and Remote Sensing, 2003, 41, 2254-2263.	2.7	91
32	A modification to the Goldstein radar interferogram filter. IEEE Transactions on Geoscience and Remote Sensing, 2003, 41, 2114-2118.	2.7	228
33	Two-dimensional phase unwrapping for radar interferometry: Developments and new challenges. International Journal of Remote Sensing, 2003, 24, 703-710.	1.3	42
34	Comparison between InSAR and leveling. , 0, , .		2
35	Urban Subsidence Monitoring Using Radar Interferometry. Photogrammetric Engineering and Remote Sensing, 2003, 69, 775-783.	0.3	36
36	A Quantitative Measure for the Quality of INSAR Interferograms Based on Phase Differences. Photogrammetric Engineering and Remote Sensing, 2004, 70, 1131-1137.	0.3	33

#	ARTICLE	IF	CITATIONS
37	Crustal deformation and fault slip during the seismic cycle in the North Chile subduction zone, from GPS and InSAR observations. <i>Geophysical Journal International</i> , 2004, 158, 695-711.	1.0	139
38	Crustal deformation associated with the northern Miyagi earthquake detected by RADARSAT-1 and ENVISAT SAR interferometry. <i>Earth, Planets and Space</i> , 2004, 56, 103-107.	0.9	4
39	A Least Squares Adjustment of Multi-temporal InSAR Data. <i>Photogrammetric Engineering and Remote Sensing</i> , 2005, 71, 197-204.	0.3	31
40	Adaptive filter in SAR interferometry derived DEM. <i>Geo-Spatial Information Science</i> , 2005, 8, 193-196.	2.4	1
41	Introduction on an experimental airborne InSAR system. , 0, , .		8
42	InSAR time series analysis of the 9 July 1998 Azores earthquake. <i>International Journal of Remote Sensing</i> , 2005, 26, 2715-2729.	1.3	10
43	Application of L-band differential SAR interferometry to subsidence rate estimation in reclaimed coastal land. <i>International Journal of Remote Sensing</i> , 2005, 26, 1363-1381.	1.3	22
44	The 1998 Aiquile, Bolivia earthquake: A seismically active fault revealed with InSAR. <i>Earth and Planetary Science Letters</i> , 2005, 232, 39-49.	1.8	35
45	Integrating high-precision aftershock locations and geodetic observations to model coseismic deformation associated with the 1995 Kozani-Grevena earthquake, Greece. <i>Journal of Geophysical Research</i> , 2005, 110, .	3.3	44
46	Interferometric synthetic aperture radar (InSAR) atmospheric correction: GPS, Moderate Resolution Imaging Spectroradiometer (MODIS), and InSAR integration. <i>Journal of Geophysical Research</i> , 2005, 110, .	3.3	146
47	Filtering method for SAR interferograms with strong noise. <i>International Journal of Remote Sensing</i> , 2006, 27, 2991-3000.	1.3	15
48	Multiple Baseline Radar Interferometry Applied to Coastal Land Cover Classification and Change Analyses. <i>GIScience and Remote Sensing</i> , 2006, 43, 283-309.	2.4	37
49	Snake in Phase Domain: A Method for Boundary Detection of Objects in Phase Images. , 2006, , .		2
50	Coseismic ground deformation due to an intraplate earthquake using synthetic aperture radar interferometry: The Mw6.1 Killari, India, earthquake of 29 September 1993. <i>Journal of Geophysical Research</i> , 2006, 111, n/a-n/a.	3.3	11
51	Interferometric synthetic aperture radar atmospheric correction: GPS topography-dependent turbulence model. <i>Journal of Geophysical Research</i> , 2006, 111, n/a-n/a.	3.3	120
52	Subsidence monitoring within the Athens Basin (Greece) using space radar interferometric techniques. <i>Earth, Planets and Space</i> , 2006, 58, 505-513.	0.9	25
53	A Locally Adaptive Filter of Interferometric Phase Images. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2006, 3, 73-77.	1.4	47
54	The 1994-2004 Al Hoceima (Morocco) earthquake sequence: Conjugate fault ruptures deduced from InSAR. <i>Earth and Planetary Science Letters</i> , 2006, 252, 467-480.	1.8	51

#	ARTICLE	IF	CITATIONS
55	The absolute positioning of spaceborne INSAR data using the integer ambiguity method. Photogrammetric Record, 2006, 21, 61-75.	0.4	3
56	The Dahuiyeh (Zarand) earthquake of 2005 February 22 in central Iran: reactivation of an intramountain reverse fault. Geophysical Journal International, 2006, 164, 137-148.	1.0	79
57	Fault identification for buried strike-slip earthquakes using InSAR: The 1994 and 2004 Al Hoceima, Morocco earthquakes. Geophysical Journal International, 2006, 166, 1347-1362.	1.0	86
58	Subsidence of Kolkata (Calcutta) City, India during the 1990s as observed from space by Differential Synthetic Aperture Radar Interferometry (D-InSAR) technique. Remote Sensing of Environment, 2006, 102, 176-185.	4.6	107
59	Combination of Precise Leveling and InSAR Data to Constrain Source Parameters of the Mw = 6.5, 26 December 2003 Bam Earthquake. Pure and Applied Geophysics, 2006, 163, 1-18.	0.8	50
60	Ground deformation at Soufrière Hills Volcano, Montserrat during 1998–2000 measured by radar interferometry and GPS. Journal of Volcanology and Geothermal Research, 2006, 152, 157-173.	0.8	46
61	Surface deformation and subsurface slip of the 28 March 1999 Mw= 6.4 west Himalayan Chamoli earthquake from InSAR analysis. Geophysical Research Letters, 2006, 33, .	1.5	39
62	Source characteristics of the 6 June 2000 Orta-Ankara (central Turkey) earthquake: a synthesis of seismological, geological and geodetic (InSAR) observations, and internal deformation of the Anatolian plate. Geological Society Special Publication, 2007, 291, 259-290.	0.8	30
63	Phase unwrapping in three dimensions with application to InSAR time series. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2007, 24, 2737.	0.8	305
64	Comparative analysis on some filters for wrapped phase maps. Applied Optics, 2007, 46, 7412.	2.1	48
65	Crustal deformation associated with the 1996 Gjálpi subglacial eruption, Iceland: InSAR studies in affected areas adjacent to the Vatnajökull ice cap. Earth and Planetary Science Letters, 2007, 259, 24-33.	1.8	30
66	Ground motion measurement in the Lake Mead area, Nevada, by differential synthetic aperture radar interferometry time series analysis: Probing the lithosphere rheological structure. Journal of Geophysical Research, 2007, 112, .	3.3	154
67	Persistent scatterer interferometric synthetic aperture radar for crustal deformation analysis, with application to Volcán Alcedo, Galápagos. Journal of Geophysical Research, 2007, 112, .	3.3	806
68	Interferogram formation in the presence of complex and large deformation. Geophysical Research Letters, 2007, 34, .	1.5	58
69	Quality assessment of SRTM C- and X-band interferometric data: Implications for the retrieval of vegetation canopy height. Remote Sensing of Environment, 2007, 106, 428-448.	4.6	80
70	Land subsidence in Mashhad Valley, northeast Iran: results from InSAR, levelling and GPS. Geophysical Journal International, 2007, 168, 518-526.	1.0	143
71	Combining InSAR and seismology to study the 2003 Siberian Altai earthquakes-dextral strike-slip and anticlockwise rotations in the northern India-Eurasia collision zone. Geophysical Journal International, 2007, 169, 216-232.	1.0	38
72	Multi-interferogram method for measuring interseismic deformation: Denali Fault, Alaska. Geophysical Journal International, 2007, 170, 1165-1179.	1.0	293

#	ARTICLE	IF	CITATIONS
73	The 2005 Qeshm Island earthquake (Iran)-a link between buried reverse faulting and surface folding in the Zagros Simply Folded Belt?. <i>Geophysical Journal International</i> , 2007, 171, 326-338.	1.0	65
74	Subsidence in the geothermal fields of the Taupo Volcanic Zone, New Zealand from 1996 to 2005 measured by InSAR. <i>Journal of Volcanology and Geothermal Research</i> , 2007, 166, 125-146.	0.8	54
75	Improved filtering parameter determination for the Goldstein radar interferogram filter. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2008, 63, 621-634.	4.9	83
76	Space-based detection of wetlands' surface water level changes from L-band SAR interferometry. <i>Remote Sensing of Environment</i> , 2008, 112, 681-696.	4.6	127
77	Evaluation of earthquake potential and surface deformation by Differential Interferometry. <i>Remote Sensing of Environment</i> , 2008, 112, 782-795.	4.6	30
78	Constraints on surface deformation in the Seattle, WA, urban corridor from satellite radar interferometry time-series analysis. <i>Geophysical Journal International</i> , 2008, 174, 29-41.	1.0	29
79	Coseismic slip model of the 2007 August Pisco earthquake (Peru) as constrained by Wide Swath radar observations. <i>Geophysical Journal International</i> , 2008, 174, 842-848.	1.0	33
80	Least Squares-Based Filter for Remote Sensing Image Noise Reduction. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2008, 46, 2044-2049.	2.7	41
81	Radarsat-1 and ERS InSAR Analysis Over Southeastern Coastal Louisiana: Implications for Mapping Water-Level Changes Beneath Swamp Forests. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2008, 46, 2167-2184.	2.7	115
82	Synthetic aperture radar interferometry observations of the $M = 6.0$ Orta earthquake of 6 June 2000 (NW Turkey): Reactivation of a listric fault. <i>Geochemistry, Geophysics, Geosystems</i> , 2008, 9, .	1.0	13
83	Determining fault slip distribution of the Chi-Chi Taiwan earthquake with GPS and InSAR data using triangular dislocation elements. <i>Journal of Geodynamics</i> , 2008, 45, 163-168.	0.7	26
84	InSAR slip rate determination on the Altyn Tagh Fault, northern Tibet, in the presence of topographically correlated atmospheric delays. <i>Geophysical Research Letters</i> , 2008, 35, .	1.5	202
85	Land subsidence in Iran caused by widespread water reservoir overexploitation. <i>Geophysical Research Letters</i> , 2008, 35, .	1.5	191
86	A multi-temporal InSAR method incorporating both persistent scatterer and small baseline approaches. <i>Geophysical Research Letters</i> , 2008, 35, .	1.5	899
87	Volcanic Deformation Mapping using PSInSAR: Piton de la Fournaise, Stromboli and Vulcano test sites for the Globvolcano project. , 2008, , .		1
88	Noise Reduction in Interferograms Using the Wavelet Packet Transform and Wiener Filtering. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2008, 5, 404-408.	1.4	41
89	Coseismic deformation of the 2007 Chuetsu-oki earthquake derived from PALSAR/InSAR and its fault model. <i>Earth, Planets and Space</i> , 2008, 60, 1099-1104.	0.9	9
90	Evaluation of TerraSAR-X Observations for Wetland InSAR Application. , 2008, , .		4

#	ARTICLE	IF	CITATIONS
91	Singular Unit Restoration Based on Complex-Valued Markov Random Field Model for InSAR Interferograms. , 2008, , .		0
92	SAR interferogram filtering in the wavelet domain using a coherence map mask. , 2008, , .		8
93	InSAR phase analysis: Phase unwrapping for noisy SAR interferograms. , 0, , .		0
94	Monitoring the Coal Mining Subsidence in Jibei Mine Area Using D-InSAR Technique. , 2009, , .		1
95	A simple robust two-scale phase component inversion scheme for persistent scatterer interferometry (dual-scale PSI). Canadian Journal of Remote Sensing, 2009, 35, 399-410.	1.1	7
96	Helmand River Hydrologic Studies Using ALOS PALSAR InSAR and ENVISAT Altimetry. Marine Geodesy, 2009, 32, 320-333.	0.9	29
98	Applications of SAR Interferometry in Earth and Environmental Science Research. Sensors, 2009, 9, 1876-1912.	2.1	136
99	Observation of a Large Landslide on La Reunion Island Using Differential Sar Interferometry (JERS and) Tj ETQq1 1 0,784314 rgBT /Over	2.1	32
100	Recent magmatotectonic activity in the Eastern Snake River Plainâ€“Island Park region revealed by SAR interferometry. Journal of Volcanology and Geothermal Research, 2009, 188, 297-304.	0.8	3
101	Estimating Spatiotemporal Ground Deformation With Improved Persistent-Scatterer Radar Interferometry\$^ast\$. IEEE Transactions on Geoscience and Remote Sensing, 2009, 47, 3209-3219.	2.7	56
102	Windowed Fourier Transform for Noise Reduction of SAR Interferograms. IEEE Geoscience and Remote Sensing Letters, 2009, 6, 418-422.	1.4	9
103	Integrated analysis of PALSAR/Radarsat-1 InSAR and ENVISAT altimeter data for mapping of absolute water level changes in Louisiana wetlands. Remote Sensing of Environment, 2009, 113, 2356-2365.	4.6	101
104	The postseismic response to the 2002<i>M</i>7.9 Denali Fault earthquake: constraints from InSAR 2003-2005. Geophysical Journal International, 2009, 176, 353-367.	1.0	42
105	Ground deformation in an area later damaged by an earthquake: monitoring the Avcilar district of Istanbul, Turkey, by satellite radar interferometry 1992-1999. Geophysical Journal International, 2009, 178, 976-988.	1.0	15
106	Geodetic observations of the ongoing Dabbahu rifting episode: new dyke intrusions in 2006 and 2007. Geophysical Journal International, 2009, 178, 989-1003.	1.0	101
107	Permanent Scatterer investigation of land subsidence in Greater Cairo, Egypt. Geophysical Journal International, 2009, 178, 1238-1245.	1.0	25
108	Improved source modelling through combined use of InSAR and GPS under consideration of correlated data errors: application to the June 2000 Kleifarvatn earthquake, Iceland. Geophysical Journal International, 2009, 176, 389-404.	1.0	127
109	Time series analysis of Mexico City subsidence constrained by radar interferometry. Journal of Applied Geophysics, 2009, 69, 1-15.	0.9	194

#	ARTICLE	IF	CITATIONS
110	Evolution of post-seismic ground deformation of the Athens 1999 earthquake observed by SAR interferometry. <i>Journal of Applied Geophysics</i> , 2009, 69, 16-23.	0.9	12
111	Earthquake fault of the 26 May 2006 Yogyakarta earthquake observed by SAR interferometry. <i>Earth, Planets and Space</i> , 2009, 61, e29-e32.	0.9	47
112	Subsidence associated with the LUSI mud eruption, East Java, investigated by SAR interferometry. <i>Marine and Petroleum Geology</i> , 2009, 26, 1740-1750.	1.5	39
113	An Improvement of the Performance of Multiple-Aperture SAR Interferometry (MAI). <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2009, 47, 2859-2869.	2.7	131
114	Finite fault inversion of DInSAR coseismic displacement of the 2009 L'Aquila earthquake (central Italy). <i>Geophysical Research Letters</i> , 2009, 36, .	1.5	258
115	Estimating Spatiotemporal Ground Deformation With Improved Permanent-Scatterer Radar Interferometry. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2009, 47, 2762-2772.	2.7	10
116	Local, nonlinear adaptive co-registration of master and slave interferometric SAR complex image data for high quality digital elevation map generation. , 2009, , .		0
117	A Spatially Adjusted Elevation Model in Dronning Maud Land, Antarctica, Based on Differential SAR Interferometry. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2009, 47, 2501-2509.	2.7	16
118	Rupture parameters of the 2003 Zemmouri ( $M_w$ 6.8), Algeria, earthquake from joint inversion of interferometric synthetic aperture radar, coastal uplift, and GPS. <i>Journal of Geophysical Research</i> , 2009, 114, .	3.3	49
119	Singular Unit Restoration in Interferograms Based on Complex-Valued Markov Random Field Model for Phase Unwrapping. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2009, 6, 18-22.	1.4	53
120	Differential Synthetic Aperture Radar Interferometry to Investigate Surface Deformation of the Eastern Snake River Plain, Idaho, U.S.A.. <i>Journal of Geology</i> , 2009, 117, 103-108.	0.7	1
121	Surface Displacement and Groundwater Level Changes Associated with the 24 May 2006 Mw 5.4 Morelia Fault Earthquake, Mexicali Valley, Baja California, Mexico. <i>Bulletin of the Seismological Society of America</i> , 2009, 99, 2180-2189.	1.1	11
122	Quantitative analysis of stripmap and spotlight SAR interferometry with COSMO-SkyMed constellation. , 2009, , .		3
123	Monitoring the coseismic deformation of L'Aquila earthquake using D-InSAR technique. , 2010, , .		1
124	Localized Surface Disruptions Observed by InSAR during Strong Earthquakes in Java and Hawai'i. <i>Bulletin of the Seismological Society of America</i> , 2010, 100, 532-540.	1.1	12
125	Mapping accumulated mine subsidence using small stack of SAR differential interferograms in the Southern coalfield of New South Wales, Australia. <i>Engineering Geology</i> , 2010, 115, 1-15.	2.9	97
126	Anisotropic phase-map denoising using a regularized cost-function with complex-valued Markov-random-fields. <i>Optics and Lasers in Engineering</i> , 2010, 48, 650-656.	2.0	32
127	Focusing seismic energy along faults through time-variable rupture modes: Wenchuan earthquake, China. <i>Journal of Earth Science (Wuhan, China)</i> , 2010, 21, 910-922.	1.1	11



#	ARTICLE	IF	CITATIONS
128	Evaluation of TerraSAR-X Observations for Wetland InSAR Application. IEEE Transactions on Geoscience and Remote Sensing, 2010, 48, 864-873.	2.7	84
129	Interferometric Microrelief Sensing With TerraSAR-Xâ€™First Results. IEEE Transactions on Geoscience and Remote Sensing, 2010, 48, 965-970.	2.7	15
130	Detailed rockslide mapping in northern Norway with small baseline and persistent scatterer interferometric SAR time series methods. Remote Sensing of Environment, 2010, 114, 2097-2109.	4.6	133
131	Multi-temporal monitoring of wetland water levels in the Florida Everglades using interferometric synthetic aperture radar (InSAR). Remote Sensing of Environment, 2010, 114, 2436-2447.	4.6	123
132	Optimal combination of InSAR and GPS for measuring interseismic crustal deformation. Advances in Space Research, 2010, 46, 236-249.	1.2	64
133	Extension on the Tibetan plateau: recent normal faulting measured by InSAR and body wave seismology. Geophysical Journal International, 2010, 183, 503-535.	1.0	146
134	Oblique slip on the Puysegur subduction interface in the 2009 July MW 7.8 Dusky Sound earthquake from GPS and InSAR observations: implications for the tectonics of southwestern New Zealand. Geophysical Journal International, 2010, 183, 1265-1286.	1.0	54
135	Stress transfer between thirteen successive dyke intrusions in Ethiopia. Nature Geoscience, 2010, 3, 713-717.	5.4	62
136	Deformation pattern of the 6 and 7 April 2009, $M=6.3$ and $M=5.6$ earthquakes in L'Aquila (Central Italy) revealed by ground and space based observations. Natural Hazards and Earth System Sciences, 2010, 10, 73-87.	1.5	47
137	Monitoring subsidence effects in the urban area of Zonguldak Hardcoal Basin of Turkey by InSAR-GIS integration. Natural Hazards and Earth System Sciences, 2010, 10, 1807-1814.	1.5	31
138	Use of D-InSAR Technique for Monitoring Ground Subsidence in the Yanzhou Coal Mining Area (China). Applied Mechanics and Materials, 0, 34-35, 756-760.	0.2	3
139	Coseismic Deformation of 2009 L'Aquila, Italy Earthquake Derived from Ascending and Descending ENVISAT/ASAR Images. , 2010, , .		0
140	Using L-band SAR coherence to delineate glacier extent. Canadian Journal of Remote Sensing, 2010, 36, S186-S195.	1.1	50
141	Deformation in Hawaii's volcanoes obtained from a ScanSAR-to-stripmap Small Baseline Subset technique. , 2010, , .		0
142	An Estimation Method for InSAR Interferometric Phase Based on MMSE Criterion. IEEE Transactions on Geoscience and Remote Sensing, 2010, 48, 1457-1469.	2.7	15
143	A filtering approach to improve deformation accuracy using large baseline, low coherence DInSAR phase images. , 2010, , .		7
145	Measuring ground deformation of the tropical volcano, Ibu, using ALOS-PALSAR data. Remote Sensing Letters, 2010, 1, 37-44.	0.6	16
146	InSAR observation of the strike-slip faults in the northwest Himalayan frontal thrust system. , 2010, 6, 731-736.		21

#	ARTICLE	IF	CITATIONS
147	Elevation changes (1949â€“1995) of Black Rapids Glacier, Alaska, derived from a multi-baseline InSAR DEM and historical maps. <i>Journal of Glaciology</i> , 2010, 56, 625-634.	1.1	24
148	Subduction earthquake deformation associated with 14 November 2007, Mw 7.8 Tocopilla earthquake in Chile: Results from InSAR and aftershocks. <i>Tectonophysics</i> , 2010, 490, 60-68.	0.9	49
149	Coseismic slip model of the 2008 Wenchuan earthquake derived from joint inversion of interferometric synthetic aperture radar, GPS, and field data. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	111
150	InSAR measurements of surface deformation over permafrost on the North Slope of Alaska. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	142
151	InSAR data as a field guide for mapping minor earthquake surface ruptures: Ground displacements along the Paganica Fault during the 6 April 2009 L'Aquila earthquake. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	45
152	InSAR mapping and modelling of an active Iranian salt extrusion. <i>Journal of the Geological Society</i> , 2010, 167, 155-170.	0.9	41
153	ALOS PALSAR D-InSAR for land subsidence mapping in Jakarta, Indonesia. <i>Canadian Journal of Remote Sensing</i> , 2010, 36, 1-8.	1.1	37
155	Signatures of ERSâ€™ Envisat Interferometric SAR Coherence and Phase of Short Vegetation: An Analysis in the Case of Maize Fields. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2010, 48, 1702-1713.	2.7	44
156	SPEC Methodâ€™ A Fine Coregistration Method for SAR Interferometry. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2011, 49, 28-37.	2.7	22
157	Evaluating ScanSAR Interferometry Deformation Time Series Using Bursted Stripmap Data. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2011, 49, 2335-2342.	2.7	5
158	The Stripmapâ€™ ScanSAR SBAS Approach to Fill Gaps in Stripmap Deformation Time Series With ScanSAR Data. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2011, 49, 4788-4804.	2.7	29
159	Interseismic strain accumulation across the North Anatolian Fault from Envisat InSAR measurements. <i>Geophysical Research Letters</i> , 2011, 38, n/a-n/a.	1.5	52
160	Finite element inversion of DInSAR data from the Mw 6.3 L'Aquila earthquake, 2009 (Italy). <i>Geophysical Research Letters</i> , 2011, 38, n/a-n/a.	1.5	57
161	Inflation and deflation at the steep-sided Llaima stratovolcano (Chile) detected by using InSAR. <i>Geophysical Research Letters</i> , 2011, 38, n/a-n/a.	1.5	23
162	Interseismic strain accumulation across the Manyi fault (Tibet) prior to the 1997 Mw 7.6 earthquake. <i>Geophysical Research Letters</i> , 2011, 38, n/a-n/a.	1.5	26
163	Advanced interferometric synthetic aperture radar (InSAR) time series analysis using interferograms of multiple-orbit tracks: A case study on Miyake-jima. <i>Journal of Geophysical Research</i> , 2011, 116, .	3.3	29
164	Did the September 2010 (Darfield) earthquake trigger the February 2011 (Christchurch) event?. <i>Scientific Reports</i> , 2011, 1, 98.	1.6	24
165	Error analysis of DEM derived from airborne single-pass interferometric SAR data. , 2011, , .		1

#	ARTICLE	IF	CITATIONS
166	Analysis of satellite and in situ ground deformation data integrated by the SISTEM approach: The April 3, 2010 earthquake along the Pernicana fault (Mt. Etna - Italy) case study. Earth and Planetary Science Letters, 2011, 312, 327-336.	1.8	52
167	Reliable phase unwrapping algorithm based on rotational and direct compensators. Applied Optics, 2011, 50, 6225.	2.1	11
168	Ground subsidence in Semarang-Indonesia investigated by ALOS-PALSAR satellite SAR interferometry. Journal of Asian Earth Sciences, 2011, 40, 1079-1088.	1.0	69
169	Mapping arctic landfast ice extent using L-band synthetic aperture radar interferometry. Remote Sensing of Environment, 2011, 115, 3029-3043.	4.6	39
170	A comparison of TerraSAR-X, RADARSAT-2 and ALOS-PALSAR interferometry for monitoring permafrost environments, case study from Herschel Island, Canada. Remote Sensing of Environment, 2011, 115, 3491-3506.	4.6	131
171	An Efficient and Adaptive Approach for Noise Filtering of SAR Interferometric Phase Images. IEEE Geoscience and Remote Sensing Letters, 2011, 8, 1140-1144.	1.4	26
172	Evaluation of the quad-polarimetric Radarsat-2 observations for the wetland InSAR application. Canadian Journal of Remote Sensing, 2011, 37, 484-492.	1.1	19
173	Source model for the 1997 Zirkuh earthquake (MW= 7.2) in Iran derived from JERS and ERS InSAR observations. Geophysical Journal International, 2011, 185, 676-692.	1.0	47
174	Land subsidence in the Cerro Prieto Geothermal Field, Baja California, Mexico, from 1994 to 2005. Journal of Volcanology and Geothermal Research, 2011, 204, 76-90.	0.8	45
175	Interferometric SAR Phase Filtering in the Wavelet Domain Using Simultaneous Detection and Estimation. IEEE Transactions on Geoscience and Remote Sensing, 2011, 49, 1396-1416.	2.7	32
176	Coseismic Slip from the 6 October 2008, Mw 6.3 Damxung Earthquake, Tibetan Plateau, Constrained by InSAR Observations. Pure and Applied Geophysics, 2011, 168, 1749-1758.	0.8	9
177	Detection of ground deformation over Sharm El-Sheikh-Ras Nasrani coastal zone, South Sinai (Egypt), by using time series SAR interferometry. Journal of African Earth Sciences, 2011, 59, 373-383.	0.9	3
178	The spatial and temporal subsidence variability of the East Mesa Geothermal Field, California, USA, and its potential impact on the All American Canal System. International Journal of Remote Sensing, 2011, 32, 3427-3449.	1.3	8
179	Local co-registration for distortion reduction in SAR interferogram using amplitude information - combination of SPEC method and shape-from-shading -, 2011, , .		1
180	Fault Location and Slip Distribution of the 22 February 2011 Mw 6.2 Christchurch, New Zealand, Earthquake from Geodetic Data. Seismological Research Letters, 2011, 82, 789-799.	0.8	90
181	InSAR periodic median adaptive filtering algorithm based on the phase frequency credibility. , 2011, , .		1
182	A wavelet domain detail compensation filtering technique for InSAR interferograms. International Journal of Remote Sensing, 2011, 32, 7985-7995.	1.3	5
183	Dedicated SAR interferometric analysis to detect subtle deformation in evaporite areas around Zaragoza, NE Spain. International Journal of Remote Sensing, 2011, 32, 1861-1884.	1.3	11

#	ARTICLE	IF	CITATIONS
184	DEM generation and error analysis using the first Chinese airborne dual-antenna interferometric SAR data. International Journal of Remote Sensing, 2011, 32, 8485-8504.	1.3	7
185	Improvement of ALOS interferogram quality by use of the local co-registration method using singular-point and amplitude information. , 2012, , .		0
186	The M <sub>w</sub> 6.2 Christchurch earthquake of February 2011: preliminary report. New Zealand Journal of Geology, and Geophysics, 2012, 55, 67-90.	1.0	155
187	Monitoring permafrost environments with InSAR and polarimetry, case studies from Canada. , 2012, , .		4
188	Comparison of DInSAR and persistent scatterer interferometry for ground-motion monitoring in the Venice lagoon. , 2012, , .		0
189	Detection and mapping of soil liquefaction in the 2011 Tohoku earthquake using SAR interferometry. Earth, Planets and Space, 2012, 64, 1267-1276.	0.9	28
190	Joint inversion of the 2011 Tohoku (Japan) earthquake from dinsar and GPS data. , 2012, , .		0
191	Pyramid non-local mean filter for interferometric phase denoising. , 2012, , .		1
192	Land subsidence in the Nile Delta of Egypt observed by persistent scatterer interferometry. Remote Sensing Letters, 2012, 3, 621-630.	0.6	31
193	Adaptive filtering of interferometric phases at building location. , 2012, , .		1
194	Mexico City Subsidence Measured by InSAR Time Series: Joint Analysis Using PS and SBAS Approaches. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2012, 5, 1312-1326.	2.3	96
195	Postseismic motion after the 2001 M <sub>w</sub> 7.8 Kokoxili earthquake in Tibet observed by InSAR time series. Journal of Geophysical Research, 2012, 117, .	3.3	67
196	Reliable estimation of orbit errors in spaceborne SAR interferometry. Journal of Geodesy, 2012, 86, 1147-1164.	1.6	31
197	Surface displacement estimation along Himalayan frontal fault using differential SAR interferometry. Natural Hazards, 2012, 64, 1105-1123.	1.6	7
198	Fault rupture model of the 2008 Dangxiong (Tibet, China) Mw 6.3 earthquake from Envisat and ALOS data. Advances in Space Research, 2012, 50, 952-962.	1.2	14
199	An iterative Goldstein SAR interferogram filter. International Journal of Remote Sensing, 2012, 33, 3443-3455.	1.3	20
200	Polarimetric interferometric coherence optimization based DEM extraction method for ALOS PALSAR data. , 2012, , .		3
201	Monitoring land subsidence and its induced geological hazard with Synthetic Aperture Radar Interferometry: A case study in Morelia, Mexico. Remote Sensing of Environment, 2012, 117, 146-161.	4.6	149

#	ARTICLE	IF	CITATIONS
202	Understanding the 2007â€“2008 eruption of Anak Krakatau Volcano by combining remote sensing technique and seismic data. International Journal of Applied Earth Observation and Geoinformation, 2012, 14, 73-82.	1.4	21
203	InSAR reveals coastal subsidence in the Pearl River Delta, China. Geophysical Journal International, 2012, , no-no.	1.0	71
204	Magma sources involved in the 2002 Nyiragongo eruption, as inferred from an InSAR analysis. Journal of Geophysical Research, 2012, 117, .	3.3	83
205	Shallow creep on the Haiyuan Fault (Gansu, China) revealed by SAR Interferometry. Journal of Geophysical Research, 2012, 117, .	3.3	152
206	Interseismic strain accumulation along the western boundary of the Indian subcontinent. Journal of Geophysical Research, 2012, 117, .	3.3	69
207	Slip in the 2010â€“2011 Canterbury earthquakes, New Zealand. Journal of Geophysical Research, 2012, 117, .	3.3	103
208	Rising of the lowest place on Earth due to Dead Sea waterâ€“level drop: Evidence from SAR interferometry and GPS. Journal of Geophysical Research, 2012, 117, .	3.3	31
209	Depths and focal mechanisms of crustal earthquakes in the central Andes determined from teleseismic waveform analysis and InSAR. Tectonics, 2012, 31, .	1.3	55
210	Urban Digital Elevation Model Reconstruction Using Very High Resolution Multichannel InSAR Data. IEEE Transactions on Geoscience and Remote Sensing, 2012, 50, 4748-4758.	2.7	52
211	Refined filtering of interferometric phase from INSAR data. , 2012, , .		6
212	Usefulness of synthetic aperture radar (SAR) interferometry for digital elevation model (DEM) generation and estimation of land surface displacement in Jharia coal field area. Geocarto International, 2012, 27, 57-77.	1.7	16
213	Estimating horizontal and vertical movements due to underground mining using ALOS PALSAR. Engineering Geology, 2012, 143-144, 18-27.	2.9	40
214	Complexity of the rupture process during the 2009 Lâ€™Aquila, Italy, earthquake. Geophysical Journal International, 2012, 190, 607-621.	1.0	60
215	Recent advances in SAR interferometry time series analysis for measuring crustal deformation. Tectonophysics, 2012, 514-517, 1-13.	0.9	617
216	Improved Ground Subsidence Monitoring Using Small Baseline SAR Interferograms and a Weighted Least Squares Inversion Algorithm. IEEE Geoscience and Remote Sensing Letters, 2012, 9, 437-441.	1.4	35
217	Repeat-Pass SAR Interferometry With Partially Coherent Targets. IEEE Transactions on Geoscience and Remote Sensing, 2012, 50, 271-280.	2.7	233
218	Are numerical weather model outputs helpful to reduce tropospheric delay signals in InSAR data?. Journal of Geodesy, 2013, 87, 267-277.	1.6	36
219	Integrated Denoising and Unwrapping of InSAR Phase Based on Markov Random Fields. IEEE Transactions on Geoscience and Remote Sensing, 2013, 51, 4473-4485.	2.7	34

#	ARTICLE	IF	CITATIONS
220	Improved Goldstein filter for InSAR noise reduction based on local SNR. Journal of Central South University, 2013, 20, 1896-1903.	1.2	13
221	Improved topographic mapping through high-resolution SAR interferometry with atmospheric effect removal. ISPRS Journal of Photogrammetry and Remote Sensing, 2013, 80, 72-79.	4.9	30
222	The large aftershocks triggered by the 2011 Mw 9.0 Tohoku-Oki earthquake, Japan. Journal of Asian Earth Sciences, 2013, 74, 1-10.	1.0	10
223	ScanSAR interferometric processing using existing standard InSAR software for measuring large scale land deformation. Computers and Geosciences, 2013, 51, 439-448.	2.0	9
224	InSAR Phase Noise Reduction Based on Empirical Mode Decomposition. IEEE Geoscience and Remote Sensing Letters, 2013, 10, 1180-1184.	1.4	6
225	Local interpolation of coseismic displacements measured by InSAR. International Journal of Applied Earth Observation and Geoinformation, 2013, 23, 1-17.	1.4	15
226	Rapid strain accumulation on the Ashkabad fault (Turkmenistan) from atmosphere-corrected InSAR. Journal of Geophysical Research: Solid Earth, 2013, 118, 3674-3690.	1.4	57
227	Detecting changes in surface soil moisture content using differential SAR interferometry. International Journal of Remote Sensing, 2013, 34, 7091-7112.	1.3	18
228	Refined Filtering of Interferometric Phase From InSAR Data. IEEE Transactions on Geoscience and Remote Sensing, 2013, 51, 5315-5323.	2.7	29
229	InSAR Local Co-Registration Method Assisted by Shape-From-Shading. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2013, 6, 953-959.	2.3	26
230	Can a creeping segment become a monitor before destructive major earthquakes?. Natural Hazards, 2013, 65, 2161-2173.	1.6	3
231	Slow slip event in the Mexican subduction zone: Evidence of shallower slip in the Guerrero seismic gap for the 2006 event revealed by the joint inversion of InSAR and GPS data. Earth and Planetary Science Letters, 2013, 367, 52-60.	1.8	53
232	Results for aseismic creep on the Hayward fault using polarization persistent scatterer InSAR. Earth and Planetary Science Letters, 2013, 367, 157-165.	1.8	8
233	Spatio-temporal evolution of aseismic slip along the Haiyuan fault, China: Implications for fault frictional properties. Earth and Planetary Science Letters, 2013, 377-378, 23-33.	1.8	110
234	Ionospheric Correction of SAR Interferograms by Multiple-Aperture Interferometry. IEEE Transactions on Geoscience and Remote Sensing, 2013, 51, 3191-3199.	2.7	76
235	Directionally Adaptive Filter for Synthetic Aperture Radar Interferometric Phase Images. IEEE Transactions on Geoscience and Remote Sensing, 2013, 51, 552-559.	2.7	28
236	High-resolution interseismic velocity data along the San Andreas Fault from GPS and InSAR. Journal of Geophysical Research: Solid Earth, 2013, 118, 369-389.	1.4	139
237	Usefulness of adaptive filtering for improved Digital Elevation Model generation. Journal of the Geological Society of India, 2013, 82, 153-161.	0.5	4

#	ARTICLE	IF	CITATIONS
238	Detection of Localized Surface Uplift by Differential SAR Interferometry at the Hangingstone Oil Sand Field, Alberta, Canada. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2013, 6, 2344-2354.	2.3	11
239	Interferometric Phase Denoising by Pyramid Nonlocal Means Filter. IEEE Geoscience and Remote Sensing Letters, 2013, 10, 826-830.	1.4	24
240	Investigating the impact of freezing on the ALOS PALSAR InSAR phase over Siberian forests. Remote Sensing Letters, 2013, 4, 900-909.	0.6	14
241	Feasibility of Along-Track Displacement Measurement From Sentinel-1 Interferometric Wide-Swath Mode. IEEE Transactions on Geoscience and Remote Sensing, 2013, 51, 573-578.	2.7	50
242	Recent mass balance of the Purogangri Ice Cap, central Tibetan Plateau, by means of differential X-band SAR interferometry. Cryosphere, 2013, 7, 1623-1633.	1.5	64
243	Kinematic fault slip evolution source models of the 2008 M7.9 Wenchuan earthquake in China from SAR interferometry, GPS and teleseismic analysis and implications for Longmen Shan tectonics. Geophysical Journal International, 2013, 194, 1138-1166.	1.0	97
244	Fault-zone controls on the spatial distribution of slow-moving landslides. Bulletin of the Geological Society of America, 2013, 125, 473-489.	1.6	67
245	Sinkhole precursors along the Dead Sea, Israel, revealed by SAR interferometry. Geology, 2013, 41, 1019-1022.	2.0	75
246	A simple solution to mitigate noise effects in time-redundant sequences of small baseline multi-look DInSAR interferograms. Remote Sensing Letters, 2013, 4, 609-618.	0.6	26
247	Anomalous far-field geodetic signature related to the 2009 L'Aquila (central Italy) earthquake. Terra Nova, 2013, 25, 343-351.	0.9	9
248	PolInSAR airborne principle verification experiment based on Ku-band multifunction radar system. , 2013, , .		0
249	Broad-scale interseismic deformation and fault slip rates in the central Tibetan Plateau observed using InSAR. Journal of Geophysical Research: Solid Earth, 2013, 118, 5071-5083.	1.4	47
250	A fusion method of improving filtered interferogram quality. , 2013, , .		1
251	RADARSAT-2 InSAR for monitoring permafrost environments: Pangnirtung and Iqaluit. , 2013, , .		1
252	Surface deformations from moderate-sized earthquakes in Mongolia observed by InSAR. Earth, Planets and Space, 2013, 65, 713-723.	0.9	5
253	Monthly migration of a tectonic seismic swarm detected by DInSAR: southwest Peloponnese, Greece. Geophysical Journal International, 2013, 194, 1302-1309.	1.0	27
254	Evolution of dike opening during the March 2011 Kamoamoao fissure eruption, Kālauea Volcano, Hawai'i. Journal of Geophysical Research: Solid Earth, 2013, 118, 897-914.	1.4	89
255	An active ring fault detected at Tendrök volcano by using InSAR. Journal of Geophysical Research: Solid Earth, 2013, 118, 4488-4502.	1.4	18

#	ARTICLE	IF	CITATIONS
256	The 2011 MW 6.8 Burma earthquake: fault constraints provided by multiple SAR techniques. <i>Geophysical Journal International</i> , 2013, 195, 650-660.	1.0	71
257	STUDY ON PRISM DSM APPLICATION TO INUNDATION ANALYSIS AND ITS MODIFICATION METHOD. <i>Journal of Japan Society of Civil Engineers Ser B1 (Hydraulic Engineering)</i> , 2013, 69, I_1549-I_1554.	0.0	0
258	Land Subsidence Characteristics in Bandung City, Indonesia as Revealed by Spaceborne Geodetic Techniques and Hydrogeological Observations. <i>Photogrammetric Engineering and Remote Sensing</i> , 2013, 79, 639-652.	0.3	9
259	Mechanism of deformation around northern Hejin, China, observed by InSAR. <i>Geodesy and Geodynamics</i> , 2013, 4, 41-45.	1.0	1
260	Time-dependent model of creep on the Hayward fault from joint inversion of 18 years of InSAR and surface creep data. <i>Journal of Geophysical Research: Solid Earth</i> , 2013, 118, 1733-1746.	1.4	68
261	InSAR Evidence for an active shallow thrust fault beneath the city of Spokane Washington, USA. <i>Journal of Geophysical Research: Solid Earth</i> , 2013, 118, 1268-1276.	1.4	11
262	Change of apparent segmentation of the San Andreas fault around Parkfield from space geodetic observations across multiple periods. <i>Journal of Geophysical Research: Solid Earth</i> , 2013, 118, 6311-6327.	1.4	26
263	On the use of COSMO/SkyMed data and Weather Models for interferometric DEM generation. <i>European Journal of Remote Sensing</i> , 2013, 46, 250-271.	1.7	12
264	Coseismic slip in the 2010 Yushu earthquake (China), constrained by wide-swath and strip-map InSAR. <i>Natural Hazards and Earth System Sciences</i> , 2013, 13, 35-44.	1.5	26
265	Detection of Forest Clear-Cuts with Shuttle Radar Topography Mission (SRTM) and Tandem-X InSAR Data. <i>Remote Sensing</i> , 2013, 5, 5449-5462.	1.8	21
266	Mapping Land Subsidence Related to Underground Coal Fires in the Wuda Coalfield (Northern China) Using a Small Stack of ALOS PALSAR Differential Interferograms. <i>Remote Sensing</i> , 2013, 5, 1152-1176.	1.8	38
268	Evaluation of InSAR and TomoSAR for Monitoring Deformations Caused by Mining in a Mountainous Area with High Resolution Satellite-Based SAR. <i>Remote Sensing</i> , 2014, 6, 1476-1495.	1.8	40
269	Slope Superficial Displacement Monitoring by Small Baseline SAR Interferometry Using Data from L-band ALOS PALSAR and X-band TerraSAR: A Case Study of Hong Kong, China. <i>Remote Sensing</i> , 2014, 6, 1564-1586.	1.8	19
270	Subsidence Detected by Multi-Pass Differential SAR Interferometry in the Cassino Plain (Central Italy): Joint Effect of Geological and Anthropogenic Factors?. <i>Remote Sensing</i> , 2014, 6, 9676-9690.	1.8	16
271	Landslide observation and volume estimation in central Georgia based on L-band InSAR. <i>Natural Hazards and Earth System Sciences</i> , 2014, 14, 675-688.	1.5	37
272	A METHOD OF FILTERING AND UNWRAPPING SAR INTERFEROMETRIC PHASE BASED ON NONLINEAR PHASE MODEL. <i>Progress in Electromagnetics Research</i> , 2014, 144, 67-78.	1.6	14
274	Modeling of fast ground subsidence observed in southern Saskatchewan (Canada) during 2008-2011. <i>Natural Hazards and Earth System Sciences</i> , 2014, 14, 247-257.	1.5	35
275	Key technology of D-InSAR at X-band for monitoring land subsidence in mining area and its application. <i>Journal of Electronics</i> , 2014, 31, 441-452.	0.2	1



#	ARTICLE	IF	CITATIONS
276	Anomalous surface heave induced by enhanced oil recovery in northern Alberta: InSAR observations and numerical modeling. <i>Journal of Geophysical Research: Solid Earth</i> , 2014, 119, 6630-6649.	1.4	21
277	Rapid uplift in Laguna del Maule volcanic field of the Andean Southern Volcanic zone (Chile) 2007-2012. <i>Geophysical Journal International</i> , 2014, 196, 885-901.	1.0	65
278	Time-averaged discharge rate of subaerial lava at K�lauea Volcano, Hawai�i, measured from TanDEM-X interferometry: Implications for magma supply and storage during 2011-2013. <i>Journal of Geophysical Research: Solid Earth</i> , 2014, 119, 5464-5481.	1.4	88
279	Ground deformation due to steam assisted gravity drainage and cyclic steam stimulation observed by RADARSAT-2 in Alberta's oil sands. , 2014, , .		0
280	InSAR monitoring of ground motions impacts for in-situ sea level measurement: The example of Dakar (Senegal). , 2014, , .		1
281	SAR interferometric phase filtering technique based on bivariate empirical mode decomposition. <i>Remote Sensing Letters</i> , 2014, 5, 743-752.	0.6	3
282	Lava discharge rates determined from TanDEM-X imagery from K�lauea Volcano, Hawai'i. , 2014, , .		0
283	Coseismic fault zone deformation revealed with differential lidar: Examples from Japanese intraplate earthquakes. <i>Earth and Planetary Science Letters</i> , 2014, 405, 244-256.	1.8	83
284	InSAR and A-InSAR: Theory. , 2014, , 1-15.		1
285	Robust differential interferometric synthetic aperture radar deformation phase estimation method based on covariance matrix information of multiple pixels. <i>IET Radar, Sonar and Navigation</i> , 2014, 8, 344-354.	0.9	2
286	Theoretical Accuracy of Along-Track Displacement Measurements from Multiple-Aperture Interferometry (MAI). <i>Sensors</i> , 2014, 14, 17703-17724.	2.1	32
287	Deformation of the western Indian Plate boundary: insights from differential and multi-aperture InSAR data inversion for the 2008 Baluchistan (Western Pakistan) seismic sequence. <i>Geophysical Journal International</i> , 2014, 198, 25-39.	1.0	11
288	Ground deformation at the Aquistore CO <sub>2</sub> storage site in Saskatchewan (Canada) measured by RADARSAT-2 DInSAR. , 2014, , .		0
289	A patch-based filter for InSAR interferograms. , 2014, , .		0
290	A possible breached relay ramp causing the 2013 Lunigiana earthquake (Northern Italy). , 2014, , .		0
291	Adaptive contoured correlation interferometry and its application to differential synthetic aperture radar interferometry. <i>Journal of Applied Remote Sensing</i> , 2014, 8, 083513.	0.6	0
292	Evaluation of RADARSAT-2 DInSAR Seasonal Surface Displacement in Discontinuous Permafrost Terrain, Yellowknife, Northwest Territories, Canada. <i>Canadian Journal of Remote Sensing</i> , 2014, 40, 406-422.	1.1	21
293	Monitoring of surface deformation in open pit mine using DInSAR time-series: a case study in the N5W iron mine (Caraj�s, Brazil) using TerraSAR-X data. <i>Proceedings of SPIE</i> , 2014, , .	0.8	6

#	ARTICLE	IF	CITATIONS
294	Joint earthquake source inversions using seismo-geodesy and 3-D earth models. <i>Geophysical Journal International</i> , 2014, 198, 671-696.	1.0	13
295	SBAS-DInSAR Parallel Processing for Deformation Time-Series Computation. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2014, 7, 3285-3296.	2.3	169
296	Investigating long-term subsidence at Medicine Lake Volcano, CA, using multitemporal InSAR. <i>Geophysical Journal International</i> , 2014, 199, 844-859.	1.0	41
297	Urban subsidence as a local response of Amazonas river flooding observed by satellite SAR interferometry. , 2014, , .		1
298	Resolving three-dimensional surface displacements from InSAR measurements: A review. <i>Earth-Science Reviews</i> , 2014, 133, 1-17.	4.0	361
299	Circular property of complex-valued correlation learning in CMRF-based filtering for synthetic aperture radar interferometry. <i>Neurocomputing</i> , 2014, 134, 165-172.	3.5	18
300	DEM Extraction in Urban Areas Using High-Resolution TerraSAR-X Imagery. <i>Journal of the Indian Society of Remote Sensing</i> , 2014, 42, 279-290.	1.2	11
301	Time-series analysis of subsidence associated with rapid urbanization in Shanghai, China measured with SBAS InSAR method. <i>Environmental Earth Sciences</i> , 2014, 72, 677-691.	1.3	108
302	Detection of vertical slope movement in highly vegetated tropical area of Gunung pass landslide, Malaysia, using L-band InSAR technique. <i>Geosciences Journal</i> , 2014, 18, 61-68.	0.6	42
303	The 2007-08 volcanic eruption on Jebel at Tair island (Red Sea) observed by satellite radar and optical images. <i>Bulletin of Volcanology</i> , 2014, 76, 1.	1.1	43
304	Surface displacement estimation using space-borne SAR interferometry in a small portion along Himalayan Frontal Fault. <i>Optics and Lasers in Engineering</i> , 2014, 53, 164-178.	2.0	8
305	The 2011 Hudson volcano eruption (Southern Andes, Chile): Pre-eruptive inflation and hotspots observed with InSAR and thermal imagery. <i>Bulletin of Volcanology</i> , 2014, 76, 1.	1.1	20
306	InSAR Phase Filtering via Joint Subspace Projection Method: Application in Change Detection. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2014, 11, 1817-1820.	1.4	14
307	Discovering a pull-apart basin using InSAR in Bursa, Turkey. <i>Natural Hazards</i> , 2014, 71, 871-880.	1.6	5
308	RADARSAT-2 D-InSAR for ground displacement in permafrost terrain, validation from Iqaluit Airport, Baffin Island, Canada. <i>Remote Sensing of Environment</i> , 2014, 141, 40-51.	4.6	83
309	Double-Bounce Component in Cross-Polarimetric SAR From a New Scattering Target Decomposition. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2014, 52, 3039-3051.	2.7	73
310	Strain partitioning at the eastern Pamir-Alai revealed through SAR data analysis of the 2008 Nura earthquake. <i>Geophysical Journal International</i> , 2014, 198, 760-774.	1.0	29
311	Multitemporal Multitrack Monitoring of Wetland Water Levels in the Florida Everglades Using ALOS PALSAR Data With Interferometric Processing. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2014, 11, 1355-1359.	1.4	31

#	ARTICLE	IF	CITATIONS
312	The 2013 Lunigiana (Central Italy) earthquake: Seismic source analysis from DInSAR and seismological data, and geodynamical implications for the northern Apennines. <i>Tectonophysics</i> , 2014, 636, 315-324.	0.9	8
313	Joint Correction of Ionosphere Noise and Orbital Error in L-Band SAR Interferometry of Interseismic Deformation in Southern California. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2014, 52, 3421-3427.	2.7	49
314	The Improvement for Baran Phase Filter Derived From Unbiased InSAR Coherence. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2014, 7, 3002-3010.	2.3	18
315	Improved Goldstein SAR Interferogram Filter Based on Empirical Mode Decomposition. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2014, 11, 399-403.	1.4	30
316	X- and C-Band SAR Surface Displacement for the 2013 Lunigiana Earthquake (Northern Italy): A Breached Relay Ramp?. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2014, 7, 2746-2753.	2.3	14
317	Normal faulting sequence in the Pùmquainza Rift constrained by InSAR and teleseismic bodywave seismology. <i>Geochemistry, Geophysics, Geosystems</i> , 2014, 15, 2947-2963.	1.0	20
318	A hybrid method for optimization of the adaptive Goldstein filter. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2014, 98, 29-43.	4.9	20
319	Constraining crustal velocity fields with InSAR for Eastern Turkey: Limits to the block-like behavior of Eastern Anatolia. <i>Journal of Geophysical Research: Solid Earth</i> , 2014, 119, 5215-5234.	1.4	67
320	Geodetic imaging of late postseismic lower crustal flow in Tibet. <i>Earth and Planetary Science Letters</i> , 2014, 404, 136-143.	1.8	28
321	Designing and implementation of variance-dependent Goldstein radar interferogram filtering. <i>Journal of Central South University</i> , 2014, 21, 3295-3301.	1.2	1
322	Forest biomass change estimated from height change in interferometric SAR height models. <i>Carbon Balance and Management</i> , 2014, 9, 5.	1.4	48
323	Fusion of high-resolution DEMs derived from COSMO-SkyMed and TerraSAR-X InSAR datasets. <i>Journal of Geodesy</i> , 2014, 88, 587-599.	1.6	27
324	Interferogram noise reduction algorithm base on maximum A Posteriori estimate. <i>Journal of Electronics</i> , 2014, 31, 200-207.	0.2	0
325	Patterns and mechanisms of coseismic and postseismic slips of the 2011 M W 7.1 Van (Turkey) earthquake revealed by multi-platform synthetic aperture radar interferometry. <i>Tectonophysics</i> , 2014, 632, 188-198.	0.9	32
326	InSAR observations of post-rifting deformation around the Dabbahu rift segment, Afar, Ethiopia. <i>Geophysical Journal International</i> , 2014, 197, 33-49.	1.0	36
327	Evaluating sub-pixel offset techniques as an alternative to D-InSAR for monitoring episodic landslide movements in vegetated terrain. <i>Remote Sensing of Environment</i> , 2014, 147, 133-144.	4.6	134
328	Crustal deformation and stress transfer during a propagating earthquake sequence: The 2013 Cook Strait sequence, central New Zealand. <i>Journal of Geophysical Research: Solid Earth</i> , 2014, 119, 6080-6092.	1.4	45
329	Present-day crustal deformation around Kalpin block, Xinjiang, China, observed by InSAR. <i>Geodesy and Geodynamics</i> , 2014, 5, 23-28.	1.0	3

#	ARTICLE	IF	CITATIONS
330	Generation and Validation of the Interferometric SAR DEMs from TanDEM-X data for Gangotri and Hamtah Glaciers of Indian Himalayas. <i>Procedia Technology</i> , 2014, 16, 793-805.	1.1	18
331	Removal of systematic seasonal atmospheric signal from interferometric synthetic aperture radar ground deformation time series. <i>Geophysical Research Letters</i> , 2014, 41, 6123-6130.	1.5	36
332	Satellite-derived volume loss rates and glacier speeds for the Juneau Icefield, Alaska. <i>Journal of Glaciology</i> , 2014, 60, 743-760.	1.1	24
333	Semipermeable Flow Barriers: Methodology for Early Detection. <i>Canadian Journal of Remote Sensing</i> , 2015, 41, 101-112.	1.1	0
334	Selecting Optimal RADARSAT Constellation Mission Beams for Monitoring Ground Deformation in Alberta's Oil Sands. <i>Canadian Journal of Remote Sensing</i> , 2015, 41, 390-400.	1.1	5
335	The 2013 <i>M<sub>w</sub> 6.2</i> Khaki-Shonbe (Iran) Earthquake: Insights into seismic and aseismic shortening of the Zagros sedimentary cover. <i>Earth and Space Science</i> , 2015, 2, 435-471.	1.1	38
336	3D Acoustic imagery generation by interferometric analysis of long baseline using Interferometric Real Aperture Sonar.. , 2015, , .		1
337	InSAR-based modeling and analysis of sinkholes along the Dead Sea coastline. <i>Geophysical Research Letters</i> , 2015, 42, 8383-8390.	1.5	30
338	The October 23, 2011, Van (Turkey) earthquake and its relationship with neighbouring structures. <i>Scientific Reports</i> , 2014, 4, 3959.	1.6	10
339	Denoising of full resolution differential SAR interferogram based on K-SVD technique. , 2015, , .		3
340	Multi-year observations of Breiðamerkurjökull, a marine-terminating glacier in southeastern Iceland, using terrestrial radar interferometry. <i>Journal of Glaciology</i> , 2015, 61, 42-54.	1.1	28
341	The ups and downs of the TVZ: Geodetic observations of deformation around the Taupo Volcanic Zone, New Zealand. <i>Journal of Geophysical Research: Solid Earth</i> , 2015, 120, 4667-4679.	1.4	43
342	ALOS/PALSAR InSAR Time-Series Analysis for Detecting Very Slow-Moving Landslides in Southern Kyrgyzstan. <i>Remote Sensing</i> , 2015, 7, 8973-8994.	1.8	24
343	Detailed quantification of delta subsidence, compaction and interaction with man-made structures: the case of the NCA airport, France. <i>Natural Hazards and Earth System Sciences</i> , 2015, 15, 1973-1984.	1.5	15
344	Mapping Two-Dimensional Deformation Field Time-Series of Large Slope by Coupling DInSAR-SBAS with MAI-SBAS. <i>Remote Sensing</i> , 2015, 7, 12440-12458.	1.8	37
345	StaMPS Improvement for Deformation Analysis in Mountainous Regions: Implications for the Damavand Volcano and Mosha Fault in Alborz. <i>Remote Sensing</i> , 2015, 7, 8323-8347.	1.8	36
346	A New Perspective on Fault Geometry and Slip Distribution of the 2009 Dachaidan Mw 6.3 Earthquake from InSAR Observations. <i>Sensors</i> , 2015, 15, 16786-16803.	2.1	9
347	Detecting and Quantifying Forest Change: The Potential of Existing C- and X-Band Radar Datasets. <i>PLoS ONE</i> , 2015, 10, e0131079.	1.1	20

#	ARTICLE	IF	CITATIONS
348	Birth of two volcanic islands in the southern Red Sea. <i>Nature Communications</i> , 2015, 6, 7104.	5.8	48
349	The 18 August 2014 Mw 6.2 Mormali, Iran, Earthquake: A Thin-Skinned Faulting in the Zagros Mountain Inferred from InSAR Measurements. <i>Seismological Research Letters</i> , 2015, 86, 775-782.	0.8	32
350	Large-scale deformation caused by dyke intrusion beneath eastern Hainan Island, China observed using InSAR. <i>Journal of Geodynamics</i> , 2015, 88, 52-58.	0.7	12
351	Estimation of Seismic and Aseismic Deformation in Mexicali Valley, Baja California, Mexico, in the 2006–2009 Period, Using Precise Leveling, DInSAR, Geotechnical Instruments Data, and Modeling. <i>Pure and Applied Geophysics</i> , 2015, 172, 3139-3162.	0.8	9
352	Dike model for the 2012–2013 Tolbachik eruption constrained by satellite radar interferometry observations. <i>Journal of Volcanology and Geothermal Research</i> , 2015, 307, 79-88.	0.8	30
353	Improved EMCF-SBAS Processing Chain Based on Advanced Techniques for the Noise-Filtering and Selection of Small Baseline Multi-Look DInSAR Interferograms. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2015, 53, 4394-4417.	2.7	92
354	SAR interferometric phase filtering based on wavelet transform and local frequency estimation. , 2015, , .		2
355	The seismic sequence of January–February 2014 at Cephalonia Island (Greece): constraints from SAR interferometry and GPS. <i>Geophysical Journal International</i> , 2015, 203, 1528-1540.	1.0	24
356	A generalized form of the InSAR phase unwrapping problem based on a compressed sensing technique. , 2015, , .		1
357	A hybrid adaptive method for interferometric phase filtering based on the mode and median filter. , 2015, , .		1
358	Multichannel Phase Unwrapping: Problem Topology and Dual-Level Parallel Computational Model. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2015, 53, 5774-5793.	2.7	14
359	Evaluation of DEM generation based on Interferometric SAR using TanDEM-X data in Tokyo. <i>Physics and Chemistry of the Earth</i> , 2015, 83-84, 166-177.	1.2	37
360	Surface displacement due to the 2014 North Nagano, Japan earthquake estimated from differential interferometry technique with ALOS-2 PALSAR-2 data. , 2015, , .		1
361	A methodology for outperforming filtering results in the interferometric process. <i>Proceedings of SPIE</i> , 2015, , .	0.8	0
362	Experimental Results and Algorithm Analysis of DEM Generation Using Bistatic SAR Interferometry With Stationary Receiver. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2015, 53, 5835-5852.	2.7	15
363	Evaluation of land subsidence from underground coal mining using TimeSAR (SBAS and PSI) in Springfield, Illinois, USA. <i>Natural Hazards</i> , 2015, 79, 1739-1751.	1.6	42
364	Mapping slope movements in Alpine environments using TerraSAR-X interferometric methods. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2015, 109, 178-192.	4.9	39
365	Satellite interferometry for high-precision detection of ground deformation at a carbon dioxide storage site. <i>International Journal of Greenhouse Gas Control</i> , 2015, 42, 188-199.	2.3	28

#	ARTICLE	IF	CITATIONS
366	Nonlocal SAR Interferometric Phase Filtering Through Higher Order Singular Value Decomposition. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2015, 12, 806-810.	1.4	28
367	A comprehensive interferometric process for monitoring land deformation using ASAR and PALSAR satellite interferometric data. <i>GIScience and Remote Sensing</i> , 2015, 52, 58-77.	2.4	12
368	A review of terrestrial radar interferometry for measuring surface change in the geosciences. <i>Earth Surface Processes and Landforms</i> , 2015, 40, 208-228.	1.2	132
369	Subsidence and liquefaction analysis in Mexicali, Mexico, during the Cucapa earthquake (April 4, 2010) using Envisat/Asar and Spot images. <i>Environmental Earth Sciences</i> , 2015, 74, 683-691.	1.3	1
370	High-precision levelling, DInSAR and geomorphological effects in the Emilia 2012 epicentral area. <i>Geomorphology</i> , 2015, 235, 106-117.	1.1	15
371	The February 2014 Cephalonia Earthquake (Greece): 3D Deformation Field and Source Modeling from Multiple SAR Techniques. <i>Seismological Research Letters</i> , 2015, 86, 124-137.	0.8	41
372	A noise model for InSAR time series. <i>Journal of Geophysical Research: Solid Earth</i> , 2015, 120, 2752-2771.	1.4	96
373	Efficient InSAR phase noise reduction via total variation regularization. <i>Science China Information Sciences</i> , 2015, 58, 1-13.	2.7	4
374	Coseismic and postseismic deformation estimation of the 2011 Tohoku earthquake in Kanto Region, Japan, using InSAR time series analysis and GPS. <i>Remote Sensing of Environment</i> , 2015, 168, 374-387.	4.6	16
375	Active tectonics of western Potwar Plateau—Salt Range, northern Pakistan from InSAR observations and seismic imaging. <i>Remote Sensing of Environment</i> , 2015, 168, 265-275.	4.6	35
376	Evaluation of TanDEM-X elevation data for geomorphological mapping and interpretation in high mountain environments—A case study from SE Tibet, China. <i>Geomorphology</i> , 2015, 246, 232-254.	1.1	45
377	The 2008 Nura Mw6.7 earthquake: A shallow rupture on the Main Pamir Thrust revealed by GPS and InSAR. <i>Geodesy and Geodynamics</i> , 2015, 6, 91-100.	1.0	18
378	Kinematics of earthflows in the Northern California Coast Ranges using satellite interferometry. <i>Geomorphology</i> , 2015, 246, 321-333.	1.1	49
379	An Improvement of Ionospheric Phase Correction by Multiple-Aperture Interferometry. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2015, 53, 4952-4960.	2.7	31
380	Temporal stability of InSAR height in a tropical rainforest. <i>Remote Sensing Letters</i> , 2015, 6, 209-217.	0.6	11
381	Coseismic liquefaction phenomenon analysis by COSMO-SkyMed: 2012 Emilia (Italy) earthquake. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2015, 39, 65-78.	1.4	24
382	Improving InSAR elevation models in Antarctica using laser altimetry, accounting for ice motion, orbital errors and atmospheric delays. <i>Remote Sensing of Environment</i> , 2015, 162, 112-118.	4.6	5
383	Silent triggering: Aseismic crustal faulting induced by a subduction slow slip event. <i>Earth and Planetary Science Letters</i> , 2015, 421, 13-19.	1.8	11

#	ARTICLE	IF	CITATIONS
384	Tandem-X interferometry in the prediction of forest inventory attributes in managed boreal forests. <i>Remote Sensing of Environment</i> , 2015, 159, 259-268.	4.6	47
385	Volumetric change quantification of the 2010 Merapi eruption using TanDEM-X InSAR. <i>Remote Sensing of Environment</i> , 2015, 164, 16-25.	4.6	41
386	Measurement of slow-moving along-track displacement from an efficient multiple-aperture SAR interferometry (MAI) stacking. <i>Journal of Geodesy</i> , 2015, 89, 411-425.	1.6	37
387	Characterizing sudden geo-hazards in mountainous areas by D-InSAR with an enhancement of topographic error correction. <i>Natural Hazards</i> , 2015, 75, 2343-2356.	1.6	13
388	Continuous monitoring of snowpack displacement at high spatial and temporal resolution with terrestrial radar interferometry. <i>Geophysical Research Letters</i> , 2015, 42, 813-820.	1.5	14
389	Revised interpretation of recent InSAR signals observed at Llama volcano (Chile). <i>Geophysical Research Letters</i> , 2015, 42, 3870-3879.	1.5	35
390	New evidence for active tectonics at the boundary of the Kashi Depression, China, from time series InSAR observations. <i>Tectonophysics</i> , 2015, 653, 140-148.	0.9	8
391	Identifying Active Faults by Improving Earthquake Locations with InSAR Data and Bayesian Estimation: The 2004 Tabuk (Saudi Arabia) Earthquake Sequence. <i>Bulletin of the Seismological Society of America</i> , 2015, 105, 765-775.	1.1	24
392	A dual-domain interferometric phase filter. <i>Remote Sensing Letters</i> , 2015, 6, 962-971.	0.6	4
393	Extraction of coseismic displacement in the November 22, 2014 Nagano, Japan earthquake from ALOS-2 images. , 2015, , .		1
394	Estimating deformation due to soil liquefaction in Urayasu city, Japan using permanent scatterers. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2015, 109, 152-164.	4.9	8
395	Systematic assessment of atmospheric uncertainties for InSAR data at volcanic arcs using large-scale atmospheric models: Application to the Cascade volcanoes, United States. <i>Remote Sensing of Environment</i> , 2015, 170, 102-114.	4.6	72
396	Measuring the north-south coseismic displacement component with high-resolution multi-aperture InSAR. <i>Terra Nova</i> , 2015, 27, 28-35.	0.9	6
397	Distortion Reduction in Singularity-Spreading Phase Unwrapping With Pseudo-Continuous Spreading and Self-Clustering Active Localization. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2015, 8, 3846-3858.	2.3	11
398	Evaluation of RADARSAT-2 Acquisition Modes for Wetland Monitoring Applications. <i>Canadian Journal of Remote Sensing</i> , 2015, 41, 431-439.	1.1	22
399	Time-Varying Elevation Change at the Centralia Coal Mine in Centralia, Washington (USA), Constrained with InSAR, ASTER, and Optical Imagery. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2015, 8, 919-925.	2.3	10
400	An Improvement of Multiple-Aperture SAR Interferometry Performance in the Presence of Complex and Large Line-of-Sight Deformation. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2015, 8, 1743-1752.	2.3	23
401	Simulation of the SuperSAR Multi-Azimuth Synthetic Aperture Radar Imaging System for Precise Measurement of Three-Dimensional Earth Surface Displacement. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2015, 53, 6196-6206.	2.7	30

#	ARTICLE	IF	CITATIONS
402	Detecting, mapping and monitoring of land subsidence in Jharia Coalfield, Jharkhand, India by spaceborne differential interferometric SAR, GPS and precision levelling techniques. <i>Journal of Earth System Science</i> , 2015, 124, 1359-1376.	0.6	38
403	Segmented lateral dyke growth in a rifting event at Bárðarbunga volcanic system, Iceland. <i>Nature</i> , 2015, 517, 191-195.	13.7	436
404	Volcano-tectonic control of Merapi's lava dome splitting: The November 2013 fracture observed from high resolution TerraSAR-X data. <i>Tectonophysics</i> , 2015, 639, 23-33.	0.9	47
405	InSAR Image Regularization and DEM Error Correction With Fractal Surface Scattering Model. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2015, 53, 1427-1439.	2.7	10
406	Improved Goldstein SAR Interferogram Filter Based on Adaptive-Neighborhood Technique. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2015, 12, 140-144.	1.4	24
407	Mapping forest biomass from space – Fusion of hyperspectral EO1-hyperion data and Tandem-X and WorldView-2 canopy height models. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2015, 35, 359-367.	1.4	58
408	Temporal Stability of X-Band Single-Pass InSAR Heights in a Spruce Forest: Effects of Acquisition Properties and Season. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2015, 53, 1607-1614.	2.7	27
409	Sparse Regularization of Interferometric Phase and Amplitude for InSAR Image Formation Based on Bayesian Representation. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2015, 53, 2123-2136.	2.7	31
410	Topological Characterization and Advanced Noise-Filtering Techniques for Phase Unwrapping of Interferometric Data Stacks. , 2016, , .		2
411	High-spatial-resolution mapping of precipitable water vapour using SAR interferograms, GPS observations and ERA-Interim reanalysis. <i>Atmospheric Measurement Techniques</i> , 2016, 9, 4487-4501.	1.2	10
412	Space Geodetic Observations and Modeling of 2016 Mw 5.9 Menyuan Earthquake: Implications on Seismogenic Tectonic Motion. <i>Remote Sensing</i> , 2016, 8, 519.	1.8	37
413	Wavelet Based Analysis of TanDEM-X and LiDAR DEMs across a Tropical Vegetation Heterogeneity Gradient Driven by Fire Disturbance in Indonesia. <i>Remote Sensing</i> , 2016, 8, 641.	1.8	11
414	Interseismic Deformation of the Altyn Tagh Fault Determined by Interferometric Synthetic Aperture Radar (InSAR) Measurements. <i>Remote Sensing</i> , 2016, 8, 233.	1.8	16
415	TerraSAR-X Data for High-Precision Land Subsidence Monitoring: A Case Study in the Historical Centre of Hanoi, Vietnam. <i>Remote Sensing</i> , 2016, 8, 338.	1.8	22
416	Improved Goldstein Interferogram Filter Based on Local Fringe Frequency Estimation. <i>Sensors</i> , 2016, 16, 1976.	2.1	25
417	The InSAeS4 Airborne X-Band Interferometric SAR System: A First Assessment on Its Imaging and Topographic Mapping Capabilities. <i>Remote Sensing</i> , 2016, 8, 40.	1.8	26
418	Deformation and Source Parameters of the 2015 Mw 6.5 Earthquake in Pishan, Western China, from Sentinel-1A and ALOS-2 Data. <i>Remote Sensing</i> , 2016, 8, 134.	1.8	51
419	Heterogeneous Fault Mechanisms of the 6 October 2008 MW 6.3 Dangxiong (Tibet) Earthquake Using Interferometric Synthetic Aperture Radar Observations. <i>Remote Sensing</i> , 2016, 8, 228.	1.8	4



#	ARTICLE	IF	CITATIONS
420	Continent-Wide 2-D Co-Seismic Deformation of the 2015 Mw 8.3 Illapel, Chile Earthquake Derived from Sentinel-1A Data: Correction of Azimuth Co-Registration Error. Remote Sensing, 2016, 8, 376.	1.8	18
421	Monitoring of Non-Linear Ground Movement in an Open Pit Iron Mine Based on an Integration of Advanced DInSAR Techniques Using TerraSAR-X Data. Remote Sensing, 2016, 8, 409.	1.8	18
422	Source Parameters of the 2003â€“2004 Bange Earthquake Sequence, Central Tibet, China, Estimated from InSAR Data. Remote Sensing, 2016, 8, 516.	1.8	7
423	Deformation and Related Slip Due to the 2011 Van Earthquake (Turkey) Sequence Imaged by SAR Data and Numerical Modeling. Remote Sensing, 2016, 8, 532.	1.8	7
424	A Sparsity-Based InSAR Phase Denoising Algorithm Using Nonlocal Wavelet Shrinkage. Remote Sensing, 2016, 8, 830.	1.8	8
425	The Use of C-/X-Band Time-Gapped SAR Data and Geotechnical Models for the Study of Shanghaiâ€™s Ocean-Reclaimed Lands through the SBAS-DInSAR Technique. Remote Sensing, 2016, 8, 911.	1.8	63
426	Study of Subsidence and Earthquake Swarms in the Western Pakistan. Remote Sensing, 2016, 8, 956.	1.8	14
427	Post-Seismic Deformation from the 2009 Mw 6.3 Dachaidan Earthquake in the Northern Qaidam Basin Detected by Small Baseline Subset InSAR Technique. Sensors, 2016, 16, 206.	2.1	8
428	Two-dimensional phase unwrapping in Doppler Fourier domain optical coherence tomography. Optics Express, 2016, 24, 26129.	1.7	19
429	Growth of a young pingo in the Canadian Arctic observed by RADARSAT-2 interferometric satellite radar. Cryosphere, 2016, 10, 799-810.	1.5	22
430	Satellite SAR Interferometry for Earthâ€™s Crust Deformation Monitoring and Geological Phenomena Analysis. , 0, , .		2
431	Measurement and imaging of infragravity waves in sea ice using InSAR. Geophysical Research Letters, 2016, 43, 6383-6392.	1.5	16
432	Subsidence surveys at Olkaria geothermal field, Kenya. Journal of Spatial Science, 2016, , 1-11.	1.0	3
433	Interferometric SAR Multitemporal Processing: Techniques and Applications. Remote Sensing and Digital Image Processing, 2016, , 145-176.	0.7	23
434	Selfâ€accelerated development of salt karst during flash floods along the Dead Sea Coast, Israel. Journal of Geophysical Research F: Earth Surface, 2016, 121, 17-38.	1.0	27
435	Elevation Changes Inferred From TanDEM-X Data Over the Mont-Blanc Area: Impact of the X-Band Interferometric Bias. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2016, 9, 3870-3882.	2.3	72
436	3D displacement field retrieved by integrating Sentinel-1 InSAR and GPS data: the 2014 South Napa earthquake. European Journal of Remote Sensing, 2016, 49, 1-13.	1.7	27
437	A novel interferogram quality assessment index based on connected area. , 2016, , .		0

#	ARTICLE	IF	CITATIONS
438	Large coverage surface deformation monitoring with multiple insar techniques and multiple sensor SAR datasets: a case study in Linfen-Yuncheng basin, China. , 2016, , .		0
439	Compiling a new glacier inventory for southeastern Qinghaiâ€™Tibet Plateau from Landsat and PALSAR data. Journal of Glaciology, 2016, 62, 579-592.	1.1	22
440	Monitoring of urban subsidence in coastal cities: Case studies Vancouver and Seattle. , 2016, , .		0
441	Surface deformation monitoring using time series TerraSAR-X images over permafrost of Qinghai-Tibet Plateau, China. , 2016, , .		2
442	Proposal of singular-point-removing filters with strong nonlinearity in spectral domain. , 2016, , .		0
443	Estimating accurate water levels for rivers and reservoirs by using SAR products: A multitemporal analysis. Pattern Recognition Letters, 2016, 83, 224-233.	2.6	10
444	Multi-frequency satellite radar imaging of cultural heritage: the case studies of the Yumen Frontier Pass and Niya ruins in the Western Regions of the Silk Road Corridor. International Journal of Digital Earth, 2016, 9, 1224-1241.	1.6	34
445	Glacier elevation and mass changes over the central Karakoram region estimated from TanDEM-X and SRTM/X-SAR digital elevation models. Annals of Glaciology, 2016, 57, 273-281.	2.8	75
446	Airborne and Spaceborne Remote Sensing Characterization for Aquistore Carbon Capture and Storage Site. Canadian Journal of Remote Sensing, 2016, 42, 274-290.	1.1	11
447	Time-scale and mechanism of subsidence at Lassen Volcanic Center, CA, from InSAR. Journal of Volcanology and Geothermal Research, 2016, 320, 117-127.	0.8	20
448	Numerical simulation of groundwater flow and aquifer-system compaction using simulation and InSAR technique: Saveh basin, Iran. Environmental Earth Sciences, 2016, 75, 1.	1.3	34
449	Dome growth, collapse, and valley fill at SoufriÃˆre Hills Volcano, Montserrat, from 1995 to 2013: Contributions from satellite radar measurements of topographic change. , 2016, 12, 1300-1315.		21
450	Potential of C-Band SAR Interferometry for Dam Monitoring. Procedia Computer Science, 2016, 100, 1103-1114.	1.2	17
451	Estimating the 2008 Quetame (Colombia) earthquake source parameters from seismic data and InSAR measurements. Journal of South American Earth Sciences, 2016, 72, 250-265.	0.6	13
452	Monitoring activity at the Daguangbao mega-landslide (China) using Sentinel-1 TOPS time series interferometry. Remote Sensing of Environment, 2016, 186, 501-513.	4.6	145
453	CUDA Optimization of Non-local Means Extended to Wrapped Gaussian Distributions for Interferometric Phase Denoising. Procedia Computer Science, 2016, 80, 166-177.	1.2	6
454	Fast subsidence in downtown of Seattle observed with satellite radar. Remote Sensing Applications: Society and Environment, 2016, 4, 179-187.	0.8	12
455	Bathymetric survey of water reservoirs in north-eastern Brazil based on TanDEM-X satellite data. Science of the Total Environment, 2016, 571, 575-593.	3.9	52

#	ARTICLE	IF	CITATIONS
456	Rapid reinflation following the 2011–2012 rhyodacite eruption at Cordón Caulle volcano (Southern Tj ETQq0 0 0 rgBT /Overlock 10 9552-9562.	1.5	23
457	Graben formation and dike arrest during the 2009 Harrat Lunayyir dike intrusion in Saudi Arabia: Insights from InSAR, stress calculations and analog experiments. <i>Journal of Geophysical Research: Solid Earth</i> , 2016, 121, 2837-2851.	1.4	38
458	Coseismic deformation, field observations and seismic fault of the 17 November 2015 M = 6.5, Lefkada Island, Greece earthquake. <i>Tectonophysics</i> , 2016, 687, 210-222.	0.9	46
459	A Novel InSAR phase denoising method via nonlocal wavelet shrinkage. , 2016, , .		4
460	A filtering algorithm for InSAR interferogram based on wavelet transform and median filter. , 2016, , .		1
461	Source model of the 2015 <i>M</i> 6.4 Pishan earthquake constrained by interferometric synthetic aperture radar and GPS: Insight into blind rupture in the western Kunlun Shan. <i>Geophysical Research Letters</i> , 2016, 43, 1511-1519.	1.5	36
462	Bilateral linear SURE-based SAR interferogram filter. <i>Remote Sensing Letters</i> , 2016, 7, 1190-1198.	0.6	4
463	Efficient noise reduction for interferometric phase image via nonlocal nonconvex low-rank regularisation. <i>IET Signal Processing</i> , 2016, 10, 815-824.	0.9	2
464	A fast InSAR processing system based on Digital Signal Processor. , 2016, , .		2
465	InSAR processing for volcano monitoring and other near-real time applications. <i>Journal of Geophysical Research: Solid Earth</i> , 2016, 121, 2947-2960.	1.4	57
466	Gradual caldera collapse at Bárðarbunga volcano, Iceland, regulated by lateral magma outflow. <i>Science</i> , 2016, 353, aaf8988.	6.0	230
467	Detection of land subsidence in the area of intensive oil production by ALOS PALSAR data. , 2016, , .		1
468	Glacier elevation changes (2012–2016) of the Puruogangri Ice Field on the Tibetan Plateau derived from bi-temporal TanDEM-X InSAR data. <i>International Journal of Remote Sensing</i> , 2016, 37, 5687-5707.	1.3	28
469	Optimal time alignment of tide-gauge tsunami waveforms in nonlinear inversions: Application to the 2015 Illapel (Chile) earthquake. <i>Geophysical Research Letters</i> , 2016, 43, 11,226.	1.5	28
470	Fault plane modelling of the 2003 August 14 Lefkada Island (Greece) earthquake based on the analysis of ENVISAT SAR interferograms. <i>Tectonophysics</i> , 2016, 693, 47-65.	0.9	17
471	Space-Surface Bistatic SAR Image Enhancement Based on Repeat-Pass Coherent Fusion With Beidou-2/Compass-2 as Illuminators. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2016, 13, 1832-1836.	1.4	21
472	Contextual filtering method applied to sub-bands of interferometric image decomposition. , 2016, , .		0
473	Tropical forest heterogeneity from TanDEM-X InSAR and lidar observations in Indonesia. <i>Proceedings of SPIE</i> , 2016, , .	0.8	0

#	ARTICLE	IF	CITATIONS
474	Effects of groundwater withdrawal on land subsidence in Kashan Plain, Iran. <i>Bulletin of Engineering Geology and the Environment</i> , 2016, 75, 1157-1168.	1.6	37
475	Filtering SAR interferometric phase noise using a split-window model. <i>Remote Sensing Letters</i> , 2016, 7, 800-809.	0.6	6
476	Use of a GPS-Derived Troposphere Model to Improve InSAR Deformation Estimates in the San Gabriel Valley, California. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2016, 54, 5365-5374.	2.7	16
477	Detection of mine slope motions in Brazil as revealed by satellite radar interferograms. <i>Bulletin of Engineering Geology and the Environment</i> , 2016, 75, 605-621.	1.6	8
478	Atmospheric correction in time-series SAR interferometry for land surface deformation mapping – A case study of Taiyuan, China. <i>Advances in Space Research</i> , 2016, 58, 310-325.	1.2	19
479	RADARSAT constellation mission for monitoring ground deformation in Alberta's oil sands. , 2016, , .		0
480	A multidisciplinary study of the final episode of the Manda Hararo dyke sequence, Ethiopia, and implications for trends in volcanism during the rifting cycle. <i>Geological Society Special Publication</i> , 2016, 420, 149-163.	0.8	25
481	Improved InSAR Phase Noise Filter in Frequency Domain. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2016, 54, 1185-1195.	2.7	31
482	The backscattering characteristics of wetland vegetation and water-level changes detection using multi-mode SAR: A case study. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2016, 45, 1-13.	1.4	39
483	The present status of subsiding land vulnerable to roof collapse in the Jharia Coalfield, India, as obtained from shorter temporal baseline C-band DInSAR by smaller spatial subset unwrapped phase profiling. <i>International Journal of Remote Sensing</i> , 2016, 37, 176-190.	1.3	13
484	Detection of the 2015 Gorkha earthquake-induced landslide surface deformation in Kathmandu using InSAR images from PALSAR-2 data. <i>Earth, Planets and Space</i> , 2016, 68, .	0.9	11
485	Detecting land uplift associated with enhanced oil recovery using InSAR in the Karamay oil field, Xinjiang, China. <i>International Journal of Remote Sensing</i> , 2016, 37, 1527-1540.	1.3	19
486	Source Model from ALOS-2 ScanSAR of the 2015 Nepal Earthquakes. <i>Journal of Applied Geodesy</i> , 2016, 10, .	0.6	0
487	Modified patch-based locally optimal Wiener method for interferometric SAR phase filtering. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2016, 114, 10-23.	4.9	10
488	Time-series analysis of surface deformation at Brady Hot Springs geothermal field (Nevada) using interferometric synthetic aperture radar. <i>Geothermics</i> , 2016, 61, 114-120.	1.5	31
489	Use of SAR Data for Detecting Floodwater in Urban and Agricultural Areas: The Role of the Interferometric Coherence. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2016, 54, 1532-1544.	2.7	139
490	Review on InSAR based displacement monitoring of Indian Himalayas: issues, challenges and possible advanced alternatives. <i>Geocarto International</i> , 2017, 32, 298-321.	1.7	26
491	Mapping landslide phenomena in landlocked developing countries by means of satellite remote sensing data: the case of Dilijan (Armenia) area. <i>Geomatics, Natural Hazards and Risk</i> , 2017, 8, 225-241.	2.0	18

#	ARTICLE	IF	CITATIONS
492	Source characteristics of the 2015 MW 7.8 Gorkha (Nepal) earthquake and its MW 7.2 aftershock from space geodesy. <i>Tectonophysics</i> , 2017, 712-713, 747-758.	0.9	43
493	Qualitative and quantitative assessment of TanDEM-X DEM over western Himalayan glaciated terrain. <i>Geocarto International</i> , 2017, 32, 442-454.	1.7	10
494	InSAR phase filtering using spatially adapted total generalized variation. <i>Remote Sensing Letters</i> , 2017, 8, 370-379.	0.6	3
495	Coseismic Slip in the 2016 Mw 7.8 Ecuador Earthquake Imaged from Sentinel-1A Radar Interferometry. <i>Seismological Research Letters</i> , 2017, 88, 277-286.	0.8	22
496	Phase and amplitude analyses of SAR data for landslide detection and monitoring in non-urban areas located in the North-Eastern Italian pre-Alps. <i>Environmental Earth Sciences</i> , 2017, 76, 1.	1.3	29
497	Fault geometry of 2015, Mw 7.2 Murghab, Tajikistan earthquake controls rupture propagation: Insights from InSAR and seismological data. <i>Earth and Planetary Science Letters</i> , 2017, 462, 132-141.	1.8	44
498	Toward full exploitation of coherent and incoherent information in Sentinel-1 TOPS data for retrieving surface displacement: Application to the 2016 Kumamoto (Japan) earthquake. <i>Geophysical Research Letters</i> , 2017, 44, 1758-1767.	1.5	68
499	Biomass and InSAR height relationship in a dense tropical forest. <i>Remote Sensing of Environment</i> , 2017, 192, 166-175.	4.6	51
500	Visualizing and interpreting surface displacement patterns on unstable slopes using multi-geometry satellite SAR interferometry (2D InSAR). <i>Remote Sensing of Environment</i> , 2017, 191, 297-312.	4.6	68
501	Measuring Azimuth Deformation With L-Band ALOS-2 ScanSAR Interferometry. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2017, 55, 2725-2738.	2.7	57
502	Measurement of small co-seismic deformation field from multi-temporal SAR interferometry: application to the 19 September 2004 Huntoon Valley earthquake. <i>Geomatics, Natural Hazards and Risk</i> , 2017, 8, 1241-1257.	2.0	13
503	Subsidence at Cerro Prieto Geothermal Field and postseismic slip along the Indiviso fault from 2011 to 2016 RADARSAT DInSAR time series analysis. <i>Geophysical Research Letters</i> , 2017, 44, 2716-2724.	1.5	16
504	Slow movements observed within situ and remote-sensing techniques in the central zone of Chile. <i>International Journal of Remote Sensing</i> , 2017, 38, 7514-7530.	1.3	9
505	Detection of Sinkhole Precursors Through SAR Interferometry: Radar and Geological Considerations. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2017, 14, 871-875.	1.4	19
506	Sentinel-1 observations of the 2016 Menyuan earthquake: A buried reverse event linked to the left-lateral Haiyuan fault. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2017, 61, 14-21.	1.4	52
507	Multidimensional Small Baseline Subset (MSBAS) for volcano monitoring in two dimensions: Opportunities and challenges. Case study Piton de la Fournaise volcano. <i>Journal of Volcanology and Geothermal Research</i> , 2017, 344, 121-138.	0.8	26
508	The 2008 and 2012 Moosiyar Earthquake Sequences: Rare Insights into the Role of Strike Slip and Thrust Faulting within the Simply Folded Belt (Iran). <i>Bulletin of the Seismological Society of America</i> , 2017, . .	1.1	0
509	High-resolution digital elevation models from single-pass TanDEM-X interferometry over mountainous regions: A case study of Inylchek Glacier, Central Asia. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2017, 130, 108-121.	4.9	32

#	ARTICLE	IF	CITATIONS
510	Rupture Process of the Mw 5.8 Pawnee, Oklahoma, Earthquake from Sentinel-1 InSAR and Seismological Data. <i>Seismological Research Letters</i> , 2017, 88, 994-1004.	0.8	56
511	Satellite radar interferometry for monitoring subsidence induced by longwall mining activity using Radarsat-2, Sentinel-1 and ALOS-2 data. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2017, 61, 92-103.	1.4	65
512	The 1996 Mw 6.6 Lijiang earthquake: Application of JERS-1 SAR interferometry on a typical normal-faulting event in the northwestern Yunnan rift zone, SW China. <i>Journal of Asian Earth Sciences</i> , 2017, 146, 221-232.	1.0	12
513	Factors determining subsidence in urbanized floodplains: evidence from MT InSAR in Seville (southern Tj ETQq1 1.0.784314 rgBT /Cv	1.2	6
514	Surface Deformation of North-Central Oklahoma Related to the 2016 Mw 5.8 Pawnee Earthquake from SAR Interferometry Time Series. <i>Seismological Research Letters</i> , 2017, 88, 971-982.	0.8	34
515	Aftershocks, groundwater changes and postseismic ground displacements related to pore pressure gradients: Insights from the 2012 Emilia-Romagna earthquake. <i>Journal of Geophysical Research: Solid Earth</i> , 2017, 122, 5622-5638.	1.4	18
516	Complex multifault rupture during the 2016 Mw 7.8 Kaikoura earthquake, New Zealand. <i>Science</i> , 2017, 356, .	6.0	457
517	The Crustal Deformation Revealed by GPS and InSAR in the Northwest Corner of the Tarim Basin, Northwestern China. <i>Pure and Applied Geophysics</i> , 2017, 174, 1405-1423.	0.8	14
518	Supercycle at the Ecuadorian subduction zone revealed after the 2016 Pedernales earthquake. <i>Nature Geoscience</i> , 2017, 10, 145-149.	5.4	117
519	Short- and long-term ground deformation due to cyclic steam stimulation in Alberta, Canada, measured with interferometric radar. <i>The Leading Edge</i> , 2017, 36, 36-42.	0.4	2
520	From ERS-1/2 to Sentinel-1: two decades of subsidence monitored through A-DInSAR techniques in the Ravenna area (Italy). <i>GIScience and Remote Sensing</i> , 2017, 54, 305-328.	2.4	44
521	Singular Unit Restoration in InSAR Using Complex-Valued Neural Networks in the Spectral Domain. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2017, 55, 1717-1723.	2.7	9
522	Blind Thrusting, Surface Folding, and the Development of Geological Structure in the Mw 6.3 2015 Pishan (China) Earthquake. <i>Journal of Geophysical Research: Solid Earth</i> , 2017, 122, 9359-9382.	1.4	33
523	Using multi-band InSAR data for detecting local deformation phenomena induced by the 2016-2017 Central Italy seismic sequence. <i>Remote Sensing of Environment</i> , 2017, 201, 234-242.	4.6	27
524	Acquisition of a 3 min, two-dimensional glacier velocity field with terrestrial radar interferometry. <i>Journal of Glaciology</i> , 2017, 63, 629-636.	1.1	11
525	Crater Lake Controls on Volcano Stability: Insights From White Island, New Zealand. <i>Geophysical Research Letters</i> , 2017, 44, 11,311-11,319.	1.5	15
526	Joint inversion of GPS, InSAR and teleseismic data sets for the rupture process of the 2015 Gorkha, Nepal, earthquake using a generalized ABIC method. <i>Journal of Asian Earth Sciences</i> , 2017, 148, 121-130.	1.0	19
527	Absolute water storages in the Congo River floodplains from integration of InSAR and satellite radar altimetry. <i>Remote Sensing of Environment</i> , 2017, 201, 57-72.	4.6	42

#	ARTICLE	IF	CITATIONS
528	An Investigation of the Accuracy of Coulomb Stress Changes Inferred From Geodetic Observations Following Subduction Zone Earthquakes. <i>Journal of Geophysical Research: Solid Earth</i> , 2017, 122, 7467-7484.	1.4	3
529	Aeromagnetic, gravity, and Differential Interferometric Synthetic Aperture Radar analyses reveal the causative fault of the 3 April 2017 <i>M</i> <sub>w</sub> 6.5 Moiyabana, Botswana, earthquake. <i>Geophysical Research Letters</i> , 2017, 44, 8837-8846.	1.5	38
530	Near-source high-rate GPS, strong motion and InSAR observations to image the 2015 Lefkada (Greece) Earthquake rupture history. <i>Scientific Reports</i> , 2017, 7, 10358.	1.6	18
531	Interferogram denoising using an iteratively refined nonlocal InSAR filter. <i>Remote Sensing Letters</i> , 2017, 8, 897-906.	0.6	5
532	Glacier elevation changes in the western Nyainqentanglha Range of the Tibetan Plateau as observed by TerraSAR-X/TanDEM-X images. <i>Remote Sensing Letters</i> , 2017, 8, 1142-1151.	0.6	12
533	Decaying Lava Extrusion Rate at El Reventador Volcano, Ecuador, Measured Using High-Resolution Satellite Radar. <i>Journal of Geophysical Research: Solid Earth</i> , 2017, 122, 9966-9988.	1.4	41
534	The complex karst dynamics of the Lisan Peninsula revealed by 25 years of DInSAR observations. <i>Dead Sea, Jordan. ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2017, 130, 358-369.	4.9	15
535	Surface deformation induced by magmatic processes at Pacaya Volcano, Guatemala revealed by InSAR. <i>Journal of Volcanology and Geothermal Research</i> , 2017, 344, 197-211.	0.8	17
536	Earthquake Triggering Inferred from Rupture Histories, DInSAR Ground Deformation and Stress-Transfer Modelling: The Case of Central Italy During August 2016-January 2017. <i>Pure and Applied Geophysics</i> , 2017, 174, 3689-3711.	0.8	25
537	Satellite Monitoring of Cyclic Steam Stimulation without Corner Reflectors. , 2017, , .		1
538	Comparison of TerraSAR-X and ALOS PALSAR Differential Interferometry With Multisource DEMs for Monitoring Ground Displacement in a Discontinuous Permafrost Region. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2017, 10, 4074-4093.	2.3	24
539	Earthquake rupture properties of the 2016 Kumamoto earthquake foreshocks ( <i>M</i> <sub>j</sub> 6.5 and <i>M</i> <sub>j</sub> 6.4) revealed by conventional and multiple-aperture InSAR. <i>Earth, Planets and Space</i> , 2017, 69, .	0.9	31
540	Volcanic deformation of Atosanupuri volcanic complex in the Kussharo caldera, Japan, from 1993 to 2016 revealed by JERS-1, ALOS, and ALOS-2 radar interferometry. <i>Earth, Planets and Space</i> , 2017, 69, .	0.9	18
541	Geodetic Slip Model of the 3 September 2016 <i>M</i> <sub>w</sub> 5.8 Pawnee, Oklahoma, Earthquake: Evidence for Fault-Plane Collapse. <i>Seismological Research Letters</i> , 2017, 88, 983-993.	0.8	15
542	Monitoring land subsidence in the southern part of the lower Liaohe plain, China with a multi-track PS-InSAR technique. <i>Remote Sensing of Environment</i> , 2017, 188, 73-84.	4.6	69
543	The July 11, 1995 Myanmar-China earthquake: A representative event in the bookshelf faulting system of southeastern Asia observed from JERS-1 SAR images. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2017, 55, 43-51.	1.4	10
544	Investigating Long-Term Subsidence at Medicine Lake Volcano, CA, Using Multi Temporal InSAR. <i>Springer Theses</i> , 2017, , 25-58.	0.0	0
545	Systematic Assessment of Atmospheric Uncertainties for InSAR Data at Volcanic Arcs Using Large-Scale Atmospheric Models: Application to the Cascade Volcanoes. <i>Springer Theses</i> , 2017, , 59-90.	0.0	1

#	ARTICLE	IF	CITATIONS
546	Constraining Mechanisms of Volcanic Subsidence at Lassen Volcanic Center, CA, Using InSAR. Springer Theses, 2017, , 125-150.	0.0	0
547	Early aftershocks and afterslip surrounding the 2015 Mw 8.4 Illapel rupture. Earth and Planetary Science Letters, 2017, 457, 282-291.	1.8	31
548	Radar satellites measure ice cover displacements induced by moving vehicles. Cold Regions Science and Technology, 2017, 133, 56-62.	1.6	12
549	Possible structural control on the 2011 eruption of Puyehue-CordÃ³n Caulle Volcanic Complex (southern Chile) determined by InSAR, GPS and seismicity. Geophysical Journal International, 2017, 208, 134-147.	1.0	17
550	Quantifying the Termination Mechanism Along the North Tabriz-North Mishu Fault Zone of Northwestern Iran via Small Baseline PS-InSAR and GPS Decomposition. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2017, 10, 130-144.	2.3	12
551	Mapping Glacier Elevations and Their Changes in the Western Qilian Mountains, Northern Tibetan Plateau, by Bistatic InSAR. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2017, , 1-11.	2.3	9
552	Batch filtering of multi-baseline SAR interferograms. , 2017, , .		0
553	Ground Moving Target Indication in high resolution Synthetic Aperture Radar imagingâ€” a comparison of selected algorithms. , 2017, , .		0
554	Local Fringe Frequency Estimation Based on Multifrequency InSAR for Phase-Noise Reduction in Highly Sloped Terrain. IEEE Geoscience and Remote Sensing Letters, 2017, 14, 1527-1531.	1.4	9
555	Slip Model for the 25 November 2016 Mw 6.6 Aketao Earthquake, Western China, Revealed by Sentinel-1 and ALOS-2 Observations. Remote Sensing, 2017, 9, 325.	1.8	36
556	Pyroclastic Flow Deposits and InSAR: Analysis of Long-Term Subsidence at Augustine Volcano, Alaska. Remote Sensing, 2017, 9, 4.	1.8	8
557	Deriving Dynamic Subsidence of Coal Mining Areas Using InSAR and Logistic Model. Remote Sensing, 2017, 9, 125.	1.8	92
558	Combined Usage of TanDEM-X and CryoSat-2 for Generating a High Resolution Digital Elevation Model of Fast Moving Ice Stream and Its Application in Grounding Line Estimation. Remote Sensing, 2017, 9, 176.	1.8	6
559	First Results from Sentinel-1A InSAR over Australia: Application to the Perth Basin. Remote Sensing, 2017, 9, 299.	1.8	26
560	Comprehensive Annual Ice Sheet Velocity Mapping Using Landsat-8, Sentinel-1, and RADARSAT-2 Data. Remote Sensing, 2017, 9, 364.	1.8	181
561	Monitoring the Response of Roads and Railways to Seasonal Soil Movement with Persistent Scatterers Interferometry over Six UK Sites. Remote Sensing, 2017, 9, 922.	1.8	22
562	Source Parameters of the 2016â€”2017 Central Italy Earthquake Sequence from the Sentinel-1, ALOS-2 and GPS Data. Remote Sensing, 2017, 9, 1182.	1.8	38
563	The 2015â€”2016 Ground Displacements of the Shanghai Coastal Area Inferred from a Combined COSMO-SkyMed/Sentinel-1 DInSAR Analysis. Remote Sensing, 2017, 9, 1194.	1.8	28



#	ARTICLE	IF	CITATIONS
564	Correcting InSAR Topographically Correlated Tropospheric Delays Using a Power Law Model Based on ERA-Interim Reanalysis. <i>Remote Sensing</i> , 2017, 9, 765.	1.8	10
565	Monitoring of Land-Surface Deformation in the Karamay Oilfield, Xinjiang, China, Using SAR Interferometry. <i>Applied Sciences (Switzerland)</i> , 2017, 7, 772.	1.3	22
566	Ground Stability Monitoring of Undermined and Landslide Prone Areas by Means of Sentinel-1 Multi-Temporal InSAR, Case Study from Slovakia. <i>Geosciences (Switzerland)</i> , 2017, 7, 87.	1.0	25
567	Interferometric processing of TerraSAR data from Yunnan mountainous area. , 2017, , .		0
568	A modified joint-pixel based SAR interferogram auto-registration and denoising method. , 2017, , .		0
569	An analytic expression for the phase noise properties of the Goldstein-Werner power spectral filter. , 2017, , .		0
570	Surge dynamics and lake outbursts of Kyagar Glacier, Karakoram. <i>Cryosphere</i> , 2017, 11, 723-739.	1.5	89
571	Wuhan Surface Subsidence Analysis in 2015â€“2016 Based on Sentinel-1A Data by SBAS-InSAR. <i>Remote Sensing</i> , 2017, 9, 982.	1.8	104
572	Detection of Land Subsidence in Kathmandu Valley, Nepal, Using DInSAR Technique. <i>Land</i> , 2017, 6, 39.	1.2	16
573	Characterization of Active Layer Thickening Rate over the Northern Qinghai-Tibetan Plateau Permafrost Region Using ALOS Interferometric Synthetic Aperture Radar Data, 2007â€“2009. <i>Remote Sensing</i> , 2017, 9, 84.	1.8	32
574	SAR Interferogram Filtering of Shearlet Domain Based on Interferometric Phase Statistics. <i>Applied Sciences (Switzerland)</i> , 2017, 7, 141.	1.3	2
575	Experiences from Large-Scale Forest Mapping of Sweden Using TanDEM-X Data. <i>Remote Sensing</i> , 2017, 9, 1253.	1.8	36
576	Spatially distributed ice-thickness modelling for Chhota Shigri Glacier in western Himalayas, India. <i>International Journal of Remote Sensing</i> , 2018, 39, 3320-3343.	1.3	49
577	Pixel-by-Pixel Scattering Mechanism Vector Optimization in High-Resolution PolInSAR. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2018, 56, 2587-2596.	2.7	13
578	Spatial and temporal patterns of deformation at the Tendaho geothermal prospect, Ethiopia. <i>Journal of Volcanology and Geothermal Research</i> , 2018, 357, 56-67.	0.8	15
579	InSAR-BM3D: A Nonlocal Filter for SAR Interferometric Phase Restoration. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2018, 56, 3456-3467.	2.7	69
580	Evidence for cross rift structural controls on deformation and seismicity at a continental rift caldera. <i>Earth and Planetary Science Letters</i> , 2018, 487, 190-200.	1.8	36
581	Investigating slow-moving landslides in the Zhouqu region of China using InSAR time series. <i>Landslides</i> , 2018, 15, 1299-1315.	2.7	110

#	ARTICLE	IF	CITATIONS
582	Deformation patterns, magma supply, and magma storage at Karymsky Volcanic Center, Kamchatka, Russia, 2000–2010, revealed by InSAR. <i>Journal of Volcanology and Geothermal Research</i> , 2018, 352, 106-116.	0.8	11
583	Multi-sensor DInSAR applied to the spatiotemporal evolution analysis of ground surface deformation in Cerro Prieto basin, Baja California, Mexico, for the 1993–2014 period. <i>Natural Hazards</i> , 2018, 92, 225-255.	1.6	11
584	InSAR and GPS derived coseismic deformation and fault model of the 2017 Ms7.0 Jiuzhaigou earthquake in the Northeast Bayanhar block. <i>Tectonophysics</i> , 2018, 726, 86-99.	0.9	58
585	Physical assessment of coastal vulnerability under enhanced land subsidence in Semarang, Indonesia, using multi-sensor satellite data. <i>Advances in Space Research</i> , 2018, 61, 2159-2179.	1.2	39
586	Bayesian estimation of source parameters and associated Coulomb failure stress changes for the 2005 Fukuoka (Japan) Earthquake. <i>Geophysical Journal International</i> , 2018, 213, 261-277.	1.0	9
587	Subsidence in the Kathmandu Basin, before and after the 2015 Mw 7.8 Gorkha Earthquake, Nepal Revealed from Small Baseline Subset-DInSAR Analysis. <i>GIScience and Remote Sensing</i> , 2018, 55, 604-621.	2.4	14
588	Efficient InSAR Phase Noise Reduction via Compressive Sensing in the Complex Domain. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2018, 11, 1615-1632.	2.3	8
589	Fault model of the 2017 Jiuzhaigou Mw 6.5 earthquake estimated from coseismic deformation observed using Global Positioning System and Interferometric Synthetic Aperture Radar data. <i>Earth, Planets and Space</i> , 2018, 70, .	0.9	25
590	Uplift of the Western Transverse Ranges and Ventura Area of Southern California: A Four-Technique Geodetic Study Combining GPS, InSAR, Leveling, and Tide Gauges. <i>Journal of Geophysical Research: Solid Earth</i> , 2018, 123, 836-858.	1.4	25
591	Coherence of Radarsat-2, Sentinel-1, and ALOS-1 PALSAR for monitoring spatiotemporal variations of river ice covers. <i>Canadian Journal of Remote Sensing</i> , 2018, 44, 11-25.	1.1	4
592	An Improved Phase Filter for Differential SAR Interferometry Based on an Iterative Method. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2018, 56, 4477-4491.	2.7	15
593	Experimental Analysis on the Mechanisms of Singular Point Generation in InSAR by Employing Scaled Optical Interferometry. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2018, 56, 3830-3837.	2.7	5
594	Triggered Slow Slip and Afterslip on the Southern Hikurangi Subduction Zone Following the Kaikōura Earthquake. <i>Geophysical Research Letters</i> , 2018, 45, 4710-4718.	1.5	73
595	Source parameters of the 2016 Menyuan earthquake in the northeastern Tibetan Plateau determined from regional seismic waveforms and InSAR measurements. <i>Journal of Asian Earth Sciences</i> , 2018, 158, 103-111.	1.0	27
596	Sentinel-1 observation of the 2017 Sangsefid earthquake, northeastern Iran: Rupture of a blind reserve-slip fault near the Eastern Kopeh Dagh. <i>Tectonophysics</i> , 2018, 731-732, 131-138.	0.9	18
597	The 2015 Mw 6.4 Pishan earthquake, China: geodetic modelling inferred from Sentinel-1A TOPS interferometry. <i>Survey Review</i> , 2018, 50, 522-530.	0.7	5
598	Monitoring interseismic activity on the Ilan Plain (NE Taiwan) using Small Baseline PS-InSAR, GPS and leveling measurements: partitioning from arc-continent collision and backarc extension. <i>Geophysical Journal International</i> , 2018, 212, 264-283.	1.0	7
599	Seasonal and multi-year surface displacements measured by DInSAR in a High Arctic permafrost environment. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2018, 64, 51-61.	1.4	33

#	ARTICLE	IF	CITATIONS
600	Broadscale postseismic deformation and lower crustal relaxation in the central Bayankala Block (central Tibetan Plateau) observed using InSAR data. <i>Journal of Asian Earth Sciences</i> , 2018, 154, 26-41.	1.0	7
601	SAR-revealed slip partitioning on a bending fault plane for the 2014 Northern Nagano earthquake at the northern Itoigawa–Shizuoka tectonic line. <i>Tectonophysics</i> , 2018, 733, 85-99.	0.9	18
602	Rupture process of the 2016 Mw 7.8 Ecuador earthquake from joint inversion of InSAR data and teleseismic P waveforms. <i>Tectonophysics</i> , 2018, 722, 163-174.	0.9	17
603	Crustal Deformation in the Hutubi Underground Gas Storage Site in China Observed by GPS and InSAR Measurements. <i>Seismological Research Letters</i> , 2018, 89, 1467-1477.	0.8	11
604	Feasibility of ALOS2 PALSAR2 Offset-Based Phase Unwrapping of SAR Interferogram in Large and Complex Surface Deformations. <i>IEEE Access</i> , 2018, 6, 45951-45960.	2.6	8
605	Coseismic Displacements from Moderate-Size Earthquakes Mapped by Sentinel-1 Differential Interferometry: The Case of February 2017 Gulpinar Earthquake Sequence (Biga Peninsula, Turkey). <i>Remote Sensing</i> , 2018, 10, 1089.	1.8	26
606	Land Subsidence Monitoring in Greater Vancouver Through Synergy of InSAR and Polarimetric Analysis. <i>Canadian Journal of Remote Sensing</i> , 2018, 44, 202-214.	1.1	7
607	CNN-Based InSAR Denoising and Coherence Metric. , 2018, , .		9
608	CNN-based InSAR Coherence Classification. , 2018, , .		2
609	Integration of SAR Data Into Monitoring of the 2014–2015 Holuhraun Eruption, Iceland: Contribution of the Icelandic Volcanoes Supersite and the FutureVolc Projects. <i>Frontiers in Earth Science</i> , 2018, 6, .	0.8	21
610	Spatiotemporal Evolution of Postseismic Deformation Following the 2001 Mw7.8 Kokoxili, China, Earthquake from 7 Years of Insar Observations. <i>Remote Sensing</i> , 2018, 10, 1988.	1.8	13
611	A Weighted Overlay Method for Liquefaction-Related Urban Damage Detection: A Case Study of the 6 September 2018 Hokkaido Eastern Iwate Earthquake, Japan. <i>Geosciences (Switzerland)</i> , 2018, 8, 487.	1.0	15
612	Bias Removal for Goldstein Filtering Power Using a Second Kind Statistical Coherence Estimator. <i>Remote Sensing</i> , 2018, 10, 1559.	1.8	4
613	Surface deformation and source modeling of Ayaz-Akhtarma mud volcano, Azerbaijan, as detected by ALOS/ALOS-2 InSAR. <i>Progress in Earth and Planetary Science</i> , 2018, 5, .	1.1	2
614	An Efficiency Estimation for Multilooking and Phase Noise Suppression Methods for Spaceborne Interferometric Synthetic Aperture Radars Data Processing. , 2018, , .		2
615	Reformulating the Split-Spectrum Method to Facilitate the Estimation and Compensation of the Ionospheric Phase in SAR Interferograms. <i>Procedia Computer Science</i> , 2018, 138, 318-325.	1.2	14
616	The Parallel SBAS-DInSAR Processing Chain for the Generation of National Scale Sentinel-1 Deformation Time-Series. <i>Procedia Computer Science</i> , 2018, 138, 326-331.	1.2	16
617	Accuracy of Sentinel-1 Interferometry Monitoring System based on Topography-free Phase Images. <i>Procedia Computer Science</i> , 2018, 138, 310-317.	1.2	6

#	ARTICLE	IF	CITATIONS
618	Repeat-pass SAR Interferometry Experiments with Gaofen-3: A Case Study of Ningbo and Nanjing Area. , 2018, , .		3
619	Multi-Temporal Loess Landslide Inventory Mapping with C-, X- and L-Band SAR Datasetsâ€™A Case Study of Heifangtai Loess Landslides, China. Remote Sensing, 2018, 10, 1756.	1.8	62
620	Renewed Post-ruptive Uplift Following the 2011â€“2012 Rhyolitic Eruption of CordÃ³n Caulle (Southern) Tj ETQq0 0 0 rgBT /Overlock J of Geophysical Research: Solid Earth, 2018, 123, 9407-9429.	1.4	12
621	The Intraplate 2016 Mw 6.0 Australia Earthquake Studied by InSAR Data. , 2018, , .		1
622	Using TanDEM-X Pursuit Monostatic Observations with a Large Perpendicular Baseline to Extract Glacial Topography. Remote Sensing, 2018, 10, 1851.	1.8	8
623	InSAR Monitoring of Pipeline Routes. , 2018, , .		1
624	Seven Years of Tandem-X: Volume Loss of Grosser Aletschgletscher, Switzerland. , 2018, , .		2
625	Using Multi-Frequency InSAR Data to Constrain Ground Deformation of Ischia Earthquake. , 2018, , .		3
626	A Simple Phase Unwrapping Errors Correction Algorithm Based on Phase Closure Analysis. , 2018, , .		5
627	Iterative Filtering Based on Adaptive Chebyshev Kernel Functions for Noise Suppression in Differential SAR Interferograms. , 2018, , .		0
628	Two-Dimensional Ground Deformation Monitoring in Shanghai Based on SBAS and MSBAS InSAR Methods. Journal of Earth Science (Wuhan, China), 2018, 29, 960-968.	1.1	18
629	Source model of 2016 Mw6.6 Aketao earthquake, Xinjiang derived from Sentinel-1 InSAR observation. Geodesy and Geodynamics, 2018, 9, 372-377.	1.0	4
630	Interferometric SAR Baseline Estimation by Partitioned High Coherence Areas. , 2018, , .		1
631	A Phase Reconstruction Method for Ground-Based Interferometric SAR. , 2018, , .		0
632	Source Model of the 12 November 2017 M<inf>w</inf> 7.3 Kermanshah Earthquake (Iran-Iraq Border) Inferred from ALOS-2 Scansar and Sentinel-L Data. , 2018, , .		0
633	Proposal of Singular-Unit Compensation in Polarimetric-Interferometric Synthetic Aperture Radar by Phasor-Quaternion Neural Networks. , 2018, , .		3
634	Mapping of slow landslides on the Palos Verdes Peninsula using the California landslide inventory and persistent scatterer interferometry. Landslides, 2018, 15, 439-452.	2.7	26
635	Blind Signal Separation Methods for InSAR: The Potential to Automatically Detect and Monitor Signals of Volcanic Deformation. Journal of Geophysical Research: Solid Earth, 2018, 123, 10,226.	1.4	40

#	ARTICLE	IF	CITATIONS
636	Surface Deformation and Source Modeling for the MW 7.3 Iran Earthquake (November 12, 2017) Exploiting Sentinel-1 and ALOS-2 Insar Data. , 2018, , .		1
637	Monitoring the Vulnerability of the Dam and Dikes in Germano Iron Mining Area after the Collapse of the Tailings Dam of Fundão (Mariana-MG, Brazil) Using DInSAR Techniques with TerraSAR-X Data. Remote Sensing, 2018, 10, 1507.	1.8	40
638	Fusion of Multi-Baseline and Multi-Orbit InSAR DEMs with Terrain Feature-Guided Filter. Remote Sensing, 2018, 10, 1511.	1.8	7
639	The 2017 Mw 7.3 Ezgeleh, Iran earthquake determined from InSAR measurements and teleseismic waveforms. Geophysical Journal International, 2018, 215, 1728-1738.	1.0	24
640	The 2016 Mw 6.5 Nura earthquake in the Trans Alai range, northern Pamir: Possible rupture on a back-thrust fault constrained by Sentinel-1A radar interferometry. Tectonophysics, 2018, 749, 62-71.	0.9	17
641	Evaluation of Atmospheric Effects on Interferograms Using DEM Errors of Fixed Ground Points. Sensors, 2018, 18, 2336.	2.1	2
642	Evaluation of the Stability of the Darbandikhan Dam after the 12 November 2017 Mw 7.3 Sarpol-e Zahab (Iranâ€Iraq Border) Earthquake. Remote Sensing, 2018, 10, 1426.	1.8	19
643	InSAR-Based Mapping to Support Decision-Making after an Earthquake. Remote Sensing, 2018, 10, 899.	1.8	18
644	Step-like displacements of a deep seated gravitational slope deformation observed during the 2016â€2017 seismic events in Central Italy. Engineering Geology, 2018, 246, 337-348.	2.9	13
645	A systematic study of earthquake detectability using Sentinel-1 Interferometric Wide-Swath data. Geophysical Journal International, 0, , .	1.0	31
646	The Causative Fault of the 2016 Mwp 6.1 Petermann Ranges Intraplate Earthquake (Central Australia) Retrieved by C- and L-Band InSAR Data. Remote Sensing, 2018, 10, 1311.	1.8	21
647	Modeling and Detection of Deforestation and Forest Growth in Multitemporal TanDEM-X Data. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2018, 11, 3548-3563.	2.3	16
648	The Relationship between InSAR Coseismic Deformation and Earthquake-Induced Landslides Associated with the 2017 Mw 3.9 Ischia (Italy) Earthquake. Geosciences (Switzerland), 2018, 8, 303.	1.0	18
649	Monitoring Highway Stability in Permafrost Regions with X-band Temporary Scatterers Stacking InSAR. Sensors, 2018, 18, 1876.	2.1	37
650	Advances in three-dimensional deformation mapping from satellite radar observations: application to the 2003 Bam earthquake. Geomatics, Natural Hazards and Risk, 2018, 9, 678-690.	2.0	8
651	Coeval Uplift and Subsidence Reveal Magma Recharging Near Rome (Italy). Geochemistry, Geophysics, Geosystems, 2018, 19, 1484-1498.	1.0	16
652	Estimation of land subsidence in deltaic areas through differential SAR interferometry: the Po River Delta case study (Northeast Italy). International Journal of Remote Sensing, 2018, 39, 8724-8745.	1.3	29
653	Validation of Sea-Ice Topographic Heights Derived From TanDEM-X Interferometric SAR Data With Results From Laser Profiler and Photogrammetry. IEEE Transactions on Geoscience and Remote Sensing, 2018, 56, 6504-6520.	2.7	18

#	ARTICLE	IF	CITATIONS
654	Recent glacier mass balance and area changes in the Kangri Karpo Mountains from DEMs and glacier inventories. <i>Cryosphere</i> , 2018, 12, 103-121.	1.5	61
655	Coherent Change Detection for Multipass SAR. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2018, 56, 6811-6822.	2.7	30
656	Field-based landslide susceptibility assessment in a data-scarce environment: the populated areas of the Rwenzori Mountains. <i>Natural Hazards and Earth System Sciences</i> , 2018, 18, 105-124.	1.5	42
657	Correction of Ionospheric Artifacts in SAR Data: Application to Fault Slip Inversion of 2009 Southern Sumatra Earthquake. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2018, 15, 1327-1331.	1.4	13
658	A NE-Trending Oblique-Slip Fault Responsible for the 2016 Zaduo Earthquake (Qinghai, China) Revealed by InSAR Data. <i>Pure and Applied Geophysics</i> , 2018, 175, 4275-4288.	0.8	13
659	Persistent Scatterer Analysis Using Dual-Polarization Sentinel-1 Data: Contribution From VH Channel. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2018, 11, 3105-3112.	2.3	21
660	Elevation and Mass Changes of the Southern Patagonia Icefield Derived from TanDEM-X and SRTM Data. <i>Remote Sensing</i> , 2018, 10, 188.	1.8	75
661	SBAS Analysis of Induced Ground Surface Deformation from Wastewater Injection in East Central Oklahoma, USA. <i>Remote Sensing</i> , 2018, 10, 283.	1.8	31
662	Thaw Subsidence of a Yedoma Landscape in Northern Siberia, Measured In Situ and Estimated from TerraSAR-X Interferometry. <i>Remote Sensing</i> , 2018, 10, 494.	1.8	69
663	Multi-Temporal DInSAR to Characterise Landslide Ground Deformations in a Tropical Urban Environment: Focus on Bukavu (DR Congo). <i>Remote Sensing</i> , 2018, 10, 626.	1.8	34
664	Monitoring Surface Deformation over a Failing Rock Slope with the ESA Sentinels: Insights from Moosfluh Instability, Swiss Alps. <i>Remote Sensing</i> , 2018, 10, 672.	1.8	44
665	Retrieving Three-Dimensional Co-Seismic Deformation of the 2017 Mw7.3 Iraq Earthquake by Multi-Sensor SAR Images. <i>Remote Sensing</i> , 2018, 10, 857.	1.8	16
666	Intercomparison and Validation of SAR-Based Ice Velocity Measurement Techniques within the Greenland Ice Sheet CCI Project. <i>Remote Sensing</i> , 2018, 10, 929.	1.8	18
667	InSAR-Constrained Interseismic Deformation and Potential Seismogenic Asperities on the Altyn Tagh Fault at 91.5°E-95°E, Northern Tibetan Plateau. <i>Remote Sensing</i> , 2018, 10, 943.	1.8	21
668	InSAR Deformation Analysis with Distributed Scatterers: A Review Complemented by New Advances. <i>Remote Sensing</i> , 2018, 10, 744.	1.8	60
669	Ground subsidence monitoring with SAR interferometry techniques in the rural area of Al Wagan, UAE. <i>Remote Sensing of Environment</i> , 2018, 216, 276-288.	4.6	32
670	Sustained Uplift at a Continental Rift Caldera. <i>Journal of Geophysical Research: Solid Earth</i> , 2018, 123, 5209-5226.	1.4	22
671	InSAR analysis for detecting the route of hydrothermal fluid to the surface during the 2015 phreatic eruption of Hakone Volcano, Japan. <i>Earth, Planets and Space</i> , 2018, 70, .	0.9	28

#	ARTICLE	IF	CITATIONS
672	Shallow deformation of the San Andreas fault 5 years following the 2004 Parkfield earthquake (Mw6) combining ERS2 and Envisat InSAR. <i>Scientific Reports</i> , 2018, 8, 6032.	1.6	10
673	A New Nonlocal Method for Ground-Based Synthetic Aperture Radar Deformation Monitoring. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2018, 11, 3769-3781.	2.3	8
674	Validation of Sentinel-1A and AW3D30 DSMs for the Metropolitan Area of Istanbul, Turkey. <i>PFG - Journal of Photogrammetry, Remote Sensing and Geoinformation Science</i> , 2018, 86, 141-155.	0.7	7
675	Detection of Land Subsidence Associated with Land Creation and Rapid Urbanization in the Chinese Loess Plateau Using Time Series InSAR: A Case Study of Lanzhou New District. <i>Remote Sensing</i> , 2018, 10, 270.	1.8	83
676	Mapping three-dimensional co-seismic surface deformations associated with the 2015 MW7.2 Murghab earthquake based on InSAR and characteristics of crustal strain. <i>Science China Earth Sciences</i> , 2018, 61, 1451-1466.	2.3	8
677	Multi-Sensor InSAR Analysis of Progressive Land Subsidence over the Coastal City of Urayasu, Japan. <i>Remote Sensing</i> , 2018, 10, 1304.	1.8	31
678	Ground subsidence observation of solid waste landfill park using multi-temporal radar interferometry. <i>International Journal of Urban Sciences</i> , 2019, 23, 406-421.	1.3	16
679	Coseismic displacement of the 5 April 2017 Mashhad earthquake (Mw 6.1) in NE Iran through Sentinel-1A TOPS data: New implications for the strain partitioning in the southern Binalud Mountains. <i>Journal of Asian Earth Sciences</i> , 2019, 169, 244-256.	1.0	13
680	Source parameters and seismogenic structure of the 2017 Mw 6.5 Mainling earthquake in the Eastern Himalayan Syntaxis (Tibet, China). <i>Journal of Asian Earth Sciences</i> , 2019, 169, 130-138.	1.0	6
681	An Analytic Expression for the Phase Noise of the Goldstein-Werner Filter. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2019, 57, 6499-6516.	2.7	2
682	Interseismic Quiescence and Triggered Slip of Active Normal Faults of K�lauea Volcano's South Flank During 2001-2018. <i>Journal of Geophysical Research: Solid Earth</i> , 2019, 124, 9780-9794.	1.4	4
683	Chasm at East African Suswa Rift: Possible Explanations. <i>Journal of the Indian Society of Remote Sensing</i> , 2019, 47, 1773-1780.	1.2	4
684	Digital Elevation Model (DEM) Generation with Repeat Pass Interferometry Method Using TerraSAR-X/Tandem-X (Study Case in Bandung Area). <i>IOP Conference Series: Earth and Environmental Science</i> , 2019, 280, 012019.	0.2	1
685	Application of field surveys and multitemporal in-SAR interferometry analysis in the recognition of deep-seated gravitational slope deformation of an urban area of Southern Italy. <i>Geomatics, Natural Hazards and Risk</i> , 2019, 10, 1327-1345.	2.0	6
686	Fault models for the Bodrum-Kos tsunamigenic earthquake (Mw6.6) of 20 July 2017 in the east Aegean Sea. <i>Journal of Geodynamics</i> , 2019, 131, 101646.	0.7	11
687	Slow Slip Event On the Southern San Andreas Fault Triggered by the 2017 Mw 8.2 Chiapas (Mexico) Earthquake. <i>Journal of Geophysical Research: Solid Earth</i> , 2019, 124, 9956-9975.	1.4	46
688	Countrywide Observations of Plate Spreading and Glacial Isostatic Adjustment in Iceland Inferred by Sentinel-1 Radar Interferometry, 2015-2018. <i>Geophysical Research Letters</i> , 2019, 46, 8046-8055.	1.5	18
689	Interferometric SAR Phase Denoising Using Proximity-Based K-SVD Technique. <i>Sensors</i> , 2019, 19, 2684.	2.1	10

#	ARTICLE	IF	CITATIONS
690	Complete three-dimensional near-field surface displacements from imaging geodesy techniques applied to the 2016 Kumamoto earthquake. <i>Remote Sensing of Environment</i> , 2019, 232, 111321.	4.6	32
691	Rapid iceberg calving following removal of tightly packed pro-glacial moraine. <i>Nature Communications</i> , 2019, 10, 3250.	5.8	30
692	SBAS-InSAR Based Deformation Detection of Urban Land, Created from Mega-Scale Mountain Excavating and Valley Filling in the Loess Plateau: The Case Study of Yan'an City. <i>Remote Sensing</i> , 2019, 11, 1673.	1.8	56
693	Iceberg topography and volume classification using TanDEM-X interferometry. <i>Cryosphere</i> , 2019, 13, 1861-1875.	1.5	14
694	Demonstration of Time-Series InSAR Processing in Beijing Using a Small Stack of Gaofen-3 Differential Interferograms. <i>Journal of Sensors</i> , 2019, 2019, 1-13.	0.6	17
695	Detection of land subsidence and its relationship with land cover types using ESA Sentinel satellite data: a case study of Quetta Valley, Pakistan. <i>International Journal of Remote Sensing</i> , 2019, 40, 9572-9603.	1.3	10
696	Heterogeneous Behavior of the Campotosto Normal Fault (Central Italy) Imaged by InSAR GPS and Strong-Motion Data: Insights from the 18 January 2017 Events. <i>Remote Sensing</i> , 2019, 11, 1482.	1.8	21
697	A Systematic Study of Synthetic Aperture Radar Interferograms Produced From ALOS-2 Data for Large Global Earthquakes From 2014 to 2016. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2019, 12, 2397-2408.	2.3	13
698	Using Machine Learning to Automatically Detect Volcanic Unrest in a Time Series of Interferograms. <i>Journal of Geophysical Research: Solid Earth</i> , 2019, 124, 12304-12322.	1.4	45
699	On the Segmentation of the Cephalonia-Lefkada Transform Fault Zone (Greece) from an InSAR Multi-Mode Dataset of the Lefkada 2015 Sequence. <i>Remote Sensing</i> , 2019, 11, 1848.	1.8	6
700	River channel width controls blocking by slow-moving landslides in California's Franciscan foreland. <i>Earth Surface Dynamics</i> , 2019, 7, 879-894.	1.0	17
701	Source Characteristics of the 28 September 2018 Mw 7.4 Palu, Indonesia, Earthquake Derived from the Advanced Land Observation Satellite 2 Data. <i>Remote Sensing</i> , 2019, 11, 1999.	1.8	12
702	InSAR full-resolution analysis of the 2017-2018 Mw 6 earthquakes in Mexico. <i>Remote Sensing of Environment</i> , 2019, 234, 111461.	4.6	31
703	3D Coseismic Deformation Field and Source Parameters of the 2017 Iran-Iraq Mw7.3 Earthquake Inferred from DInSAR and MAI Measurements. <i>Remote Sensing</i> , 2019, 11, 2248.	1.8	5
704	Co-Seismic Deformation and Fault Slip Model of the 2017 Mw 7.3 Darbandikhan, Iran-Iraq Earthquake Inferred from D-InSAR Measurements. <i>Remote Sensing</i> , 2019, 11, 2521.	1.8	16
705	Phase Unwrapping Algorithm Based on Improved Weighted Quality Graph. , 2019, , .		2
706	High-Resolution Elevation Model of Lop Nur Playa Derived from TanDEM-X. <i>Journal of Sensors</i> , 2019, 2019, 1-12.	0.6	2
707	Seasonal Progression of Ground Displacement Identified with Satellite Radar Interferometry and the Impact of Unusually Warm Conditions on Permafrost at the Yamal Peninsula in 2016. <i>Remote Sensing</i> , 2019, 11, 1865.	1.8	30



#	ARTICLE	IF	CITATIONS
708	Ground Deformations Controlled by Hidden Faults: Multi-Frequency and Multitemporal InSAR Techniques for Urban Hazard Monitoring. <i>Remote Sensing</i> , 2019, 11, 2246.	1.8	7
709	Iceland and Subglacial Crustal Deformation Inferred From SAR Pixel Tracking: The 2014 Dike Intrusion Episode in the Bárðarbunga Volcanic System, Iceland. <i>Journal of Geophysical Research: Solid Earth</i> , 2019, 124, 9940-9955.	1.4	0
710	A Phase Filter for Multi-Pass InSAR Stack Data by Hybrid Tensor Rank Representation. <i>IEEE Access</i> , 2019, 7, 135176-135191.	2.6	3
711	Deformation Monitoring for High-Voltage Transmission Lines Using Sentinel-1A Data. <i>IOP Conference Series: Earth and Environmental Science</i> , 2019, 252, 032033.	0.2	2
712	Phase Noise Suppression Efficiency for InSAR Interferograms. , 2019, , .		1
713	Ground Deformation Revealed by Sentinel-1 MSBAS-InSAR Time-Series over Karamay Oilfield, China. <i>Remote Sensing</i> , 2019, 11, 2027.	1.8	19
714	Classification of slope processes based on multitemporal DInSAR analyses in the Himalaya of NW Bhutan. <i>Remote Sensing of Environment</i> , 2019, 233, 111408.	4.6	33
715	Assessing the Use of GACOS Products for SBAS-InSAR Deformation Monitoring: A Case in Southern California. <i>Sensors</i> , 2019, 19, 3894.	2.1	27
716	Estimation of surface deformation due to Pasni earthquake using RADAR interferometry. <i>Geocarto International</i> , 2021, 36, 1630-1645.	1.7	12
717	SAR and Optical Data Comparison for Detecting Co-Seismic Slip and Induced Phenomena during the 2018 Mw 7.5 Sulawesi Earthquake. <i>Sensors</i> , 2019, 19, 3976.	2.1	9
718	Multi-Sensor Geodetic Observations and Modeling of the 2017 Mw 6.3 Jinghe Earthquake. <i>Remote Sensing</i> , 2019, 11, 2157.	1.8	14
719	Reactivation of the Adıyaman Fault (Turkey) through the Mw 5.7 2007 Sivrice earthquake: An oblique listric normal faulting within the Arabian-Anatolian plate boundary observed by InSAR. <i>Journal of Geodynamics</i> , 2019, 131, 101654.	0.7	15
720	Unrest at Domuyo Volcano, Argentina, Detected by Geophysical and Geodetic Data and Morphometric Analysis. <i>Remote Sensing</i> , 2019, 11, 2175.	1.8	17
721	A Simplified Approach to Operational InSAR Monitoring of Volcano Deformation in Low- and Middle-Income Countries: Case Study of Rabaul Caldera, Papua New Guinea. <i>Frontiers in Earth Science</i> , 2019, 6, .	0.8	13
722	Geodetic Mass Balances and Area Changes of Echaurren Norte Glacier (Central Andes, Chile) between 1955 and 2015. <i>Remote Sensing</i> , 2019, 11, 260.	1.8	28
723	Impact of Crustal Rheology on Temperature-Dependent Viscoelastic Models of Volcano Deformation: Application to Taal Volcano, Philippines. <i>Journal of Geophysical Research: Solid Earth</i> , 2019, 124, 978-994.	1.4	12
724	Canopy penetration depth estimation with TanDEM-X and its compensation in temperate forests. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2019, 147, 232-241.	4.9	40
725	The 2016 Mw 6.0 Hutubi earthquake: A blind thrust event along the northern Tian Shan front. <i>Journal of Asian Earth Sciences</i> , 2019, 173, 79-87.	1.0	9

#	ARTICLE	IF	CITATIONS
726	Landslide Susceptibility Mapping of Karakorum Highway Combined with the Application of SBAS-InSAR Technology. <i>Sensors</i> , 2019, 19, 2685.	2.1	70
727	Estimating tree height from TanDEM-X data at the northwestern Canadian treeline. <i>Remote Sensing of Environment</i> , 2019, 231, 111251.	4.6	11
728	Generation of long-term InSAR ground displacement time-series through a novel multi-sensor data merging technique: The case study of the Shanghai coastal area. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2019, 154, 10-27.	4.9	40
729	Seasonal dynamics of a permafrost landscape, Adventdalen, Svalbard, investigated by InSAR. <i>Remote Sensing of Environment</i> , 2019, 231, 111236.	4.6	83
730	Land subsidence in Beijing and its relationship with geological faults revealed by Sentinel-1 InSAR observations. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2019, 82, 101886.	1.4	53
731	Accelerated glacier mass loss (2011–2016) over the Puruogangri ice field in the inner Tibetan Plateau revealed by bistatic InSAR measurements. <i>Remote Sensing of Environment</i> , 2019, 231, 111241.	4.6	41
732	Resolving Teleseismic Earthquake Catalog and InSAR Data Discrepancies in Absolute Space to Explore Rupture Complexity Along the Ecuadorian Megathrust Fault. <i>Journal of Geophysical Research: Solid Earth</i> , 2019, 124, 6703-6719.	1.4	5
733	Widespread Initiation, Reactivation, and Acceleration of Landslides in the Northern California Coast Ranges due to Extreme Rainfall. <i>Journal of Geophysical Research F: Earth Surface</i> , 2019, 124, 1782-1797.	1.0	71
734	Fault Slip Associated with the 2 September 2017 M <sub>5.3</sub> Sulphur Peak, Idaho, Earthquake and Aftershock Sequence. <i>Bulletin of the Seismological Society of America</i> , 2019, 109, 875-887.	1.1	3
735	Instantaneous sea ice drift speed from TanDEM-X interferometry. <i>Cryosphere</i> , 2019, 13, 1395-1408.	1.5	5
736	Inference of the impact of wildfire on permafrost and active layer thickness in a discontinuous permafrost region using the remotely sensed active layer thickness (ReSALT) algorithm. <i>Environmental Research Letters</i> , 2019, 14, 035007.	2.2	64
737	Deep-seated gravitational slope deformation (DSGSD) and slow-moving landslides in the southern Tien Shan Mountains: new insights from InSAR, tectonic and geomorphic analysis. <i>Earth Surface Processes and Landforms</i> , 2019, 44, 2333-2348.	1.2	14
738	DInSAR Analysis and Analytical Modeling of Mount Etna Displacements: The December 2018 Volcano–Tectonic Crisis. <i>Geophysical Research Letters</i> , 2019, 46, 5817-5827.	1.5	73
739	GB-InSAR-Based DEM Generation Method and Precision Analysis. <i>Remote Sensing</i> , 2019, 11, 997.	1.8	9
740	Analysis of Floodplain Dynamics in the Atrato River Colombia Using SAR Interferometry. <i>Water (Switzerland)</i> , 2019, 11, 875.	1.2	15
741	The 2017 Mw 6 Sefid Sang earthquake and its implication for the geodynamics of NE Iran. <i>Geophysical Journal International</i> , 2019, 218, 1227-1245.	1.0	11
742	Examples of different techniques for glaciers motion monitoring using InSAR and RPAS. <i>European Journal of Remote Sensing</i> , 2019, 52, 219-232.	1.7	8
743	The decade-long Machaze–Zinave aftershock sequence in the slowly straining Mozambique Rift. <i>Geophysical Journal International</i> , 2019, 217, 504-531.	1.0	9

#	ARTICLE	IF	CITATIONS
744	Seismic and Geodetic Evidences of a Hydrothermal Source in the Md 4.0, 2017, Ischia Earthquake (Italy). Journal of Geophysical Research: Solid Earth, 2019, 124, 5014-5029.	1.4	20
745	Strain Rate Distribution in Southâ€Central Tibet From Two Decades of InSAR and GPS. Geophysical Research Letters, 2019, 46, 5170-5179.	1.5	55
746	A novel two-step noise reduction approach for interferometric phase images. Optics and Lasers in Engineering, 2019, 121, 1-10.	2.0	14
747	Application of DInSAR Technique to High Coherence Sentinel-1 Images for Dam Monitoring and Result Validation Through <i>In Situ</i> Measurements. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2019, 12, 875-890.	2.3	45
748	Afterslip evolution on the crustal ramp of the Main Himalayan Thrust fault following the 2015 Mw 7.8 Gorkha (Nepal) earthquake. Tectonophysics, 2019, 758, 29-43.	0.9	12
749	Isolation of swarm sources using InSAR: the case of the February 2017 seismic swarm in western Anatolia (Turkey). Geophysical Journal International, 2019, 217, 1479-1495.	1.0	5
750	Characterizing and Monitoring Ground Settlement of Marine Reclamation Land of Xiamen New Airport, China with Sentinel-1 SAR Datasets. Remote Sensing, 2019, 11, 585.	1.8	35
751	Theory and Statistical Description of the Enhanced Multi-Temporal InSAR (E-MTInSAR) Noise-Filtering Algorithm. Remote Sensing, 2019, 11, 363.	1.8	13
752	Mapping pan-Arctic landfast sea ice stability using Sentinel-1 interferometry. Cryosphere, 2019, 13, 557-577.	1.5	35
753	Coseismic and Postseismic Deformation of the 2016 <i>M<sub>w</sub></i> 6.2 Lampa Earthquake, Southern Peru, Constrained by Interferometric Synthetic Aperture Radar. Journal of Geophysical Research: Solid Earth, 2019, 124, 4250-4272.	1.4	15
754	Magma storage and diking revealed by GPS and InSAR geodesy at Pacaya volcano, Guatemala. Bulletin of Volcanology, 2019, 81, 1.	1.1	3
755	A shift from drought to extreme rainfall drives a stable landslide to catastrophic failure. Scientific Reports, 2019, 9, 1569.	1.6	117
756	A Small-Baseline InSAR Inversion Algorithm Combining a Smoothing Constraint and $L_1$ -Norm Minimization. IEEE Geoscience and Remote Sensing Letters, 2019, 16, 1061-1065.	1.4	7
757	SAR Interferometry for Sinkhole Early Warning and Susceptibility Assessment along the Dead Sea, Israel. Remote Sensing, 2019, 11, 89.	1.8	39
758	Measuring Coseismic Deformation With Spaceborne Synthetic Aperture Radar: A Review. Frontiers in Earth Science, 2019, 7, .	0.8	10
759	Co- and post-seismic Deformation Mechanisms of the MW 7.3 Iran Earthquake (2017) Revealed by Sentinel-1 InSAR Observations. Remote Sensing, 2019, 11, 418.	1.8	15
760	Long-term flood-hazard modeling for coastal areas using InSAR measurements and a hydrodynamic model: The case study of Lingang New City, Shanghai. Journal of Hydrology, 2019, 571, 593-604.	2.3	26
761	Detection of Surface Displacement from Large Baseline Data Pairs by Multi-Temporal D-Insar with Application to Bandung Basin, Indonesia. , 2019, , .		1

#	ARTICLE	IF	CITATIONS
762	GB-InSAR Special Issues during its Applications on DEM Generation. , 2019, , .		0
763	Multi-Hazard Analysis of Etna 2018 Eruption by Sar Imaging. , 2019, , .		1
764	Mitigation of atmospheric noise in DinSAR technique. , 2019, , .		1
765	Monitoring of the 2018 Kilauea's eruption in the lower East Rift Zone using multi-temporal PALSAR-2 imagery. , 2019, , .		0
766	Improved Maximum Likelihood Estimation for Optimal Phase History Retrieval of Distributed Scatterers in InSAR Stacks. IEEE Access, 2019, 7, 186319-186327.	2.6	5
767	A Modified Goldstein Filter for Interferogram Denoising Based on Residue Density. , 2019, , .		0
768	Mapping Forested Floodplain Topography Using InSAR and Radar Altimetry. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2019, 12, 5189-5198.	2.3	7
769	The 2007 Ning'er Mw 6.1 Earthquake: A Shallow Rupture in Southwest China Revealed by InSAR Measurements. Earth and Space Science, 2019, 6, 2291-2302.	1.1	3
770	Monitoring Repetitive Mining Induced Deformation using Multi-Temporal InSAR Technology. , 2019, , .		0
771	Monitoring Displacement on National Route and Railway with PALSAR-1 Data by using Multi-Temporal Displacement Decomposition in Chiba Prefecture, Japan. , 2019, , .		1
772	Permafrost Deformation Monitoring Along the Qinghai-Tibet Plateau Engineering Corridor Using InSAR Observations with Multi-Sensor SAR Datasets from 1997â€“2018. Sensors, 2019, 19, 5306.	2.1	34
773	Mining-Induced Time-Series Deformation Investigation Based on SBAS-InSAR Technique: A Case Study of Drilling Water Solution Rock Salt Mine. Sensors, 2019, 19, 5511.	2.1	17
774	Reevaluating Volcanic Deformation Using Atmospheric Corrections: Implications for the Magmatic System of Agung Volcano, Indonesia. Geophysical Research Letters, 2019, 46, 13704-13711.	1.5	22
775	Interseismic Strain Accumulation Across the Zemuhe-Daliangshan Fault Zone in Heavily-Vegetated Southwestern China, From Alos-2 Interferometric Observation. , 2019, , .		1
776	Monitoring A Time-Series Of Land Subsidence In Busan, Korea Using Space-Based Multi-Temporal Sar Observations. , 2019, , .		1
777	Magma reservoir failure and the onset of caldera collapse at K�lauea Volcano in 2018. Science, 2019, 366, .	6.0	112
778	Monitoring Groundwater Change in Californiaâ€™s Central Valley Using Sentinel-1 and GRACE Observations. Geosciences (Switzerland), 2019, 9, 436.	1.0	43
779	Co-Seismic Deformation and Source Model of the 25 April 2015 MW 7.8 Nepal Earthquake and the 12 May 2015 MW 7.2 Aftershock. , 2019, , .		0

#	ARTICLE	IF	CITATIONS
780	Contextual Filtering Methods based on the Subbands and Subspaces Decomposition of Complex SAR Interferograms. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2019, 12, 5321-5333.	2.3	2
781	InSAR monitoring of marsh wetlands flow dynamics in Great Lakes. , 2019, , .		0
782	Coseismic Slip Distribution of the 2019 Mw 7.5 New Ireland Earthquake from the Integration of Multiple Remote Sensing Techniques. Remote Sensing, 2019, 11, 2767.	1.8	5
783	L-Band SAR Disaster Monitoring for Harbor Facilities Using Interferometric Analysis. , 2019, , .		0
784	A Sequential Monte Carlo Framework for Noise Filtering in InSAR Time Series. IEEE Transactions on Geoscience and Remote Sensing, 2020, 58, 1904-1912.	2.7	11
785	Integration of Range Split Spectrum Interferometry and conventional InSAR to monitor large gradient surface displacements. International Journal of Applied Earth Observation and Geoinformation, 2019, 74, 130-137.	1.4	9
786	Coseismic deformation and source model of the 12 November 2017 M <sub>W</sub> 7.3 Kermanshah Earthquake (Iranâ€‘Iraq border) investigated through DInSAR measurements. International Journal of Remote Sensing, 2019, 40, 532-554.	1.3	21
787	High-quality three-dimensional displacement fields from new-generation SAR imagery: application to the 2017 Ezgeleh, Iran, earthquake. Journal of Geodesy, 2019, 93, 573-591.	1.6	27
788	Aftershock Rate and Pore Fluid Diffusion: Insights From the Amatriceâ€‘Vissoâ€‘Norcia (Italy) 2016 Seismic Sequence. Journal of Geophysical Research: Solid Earth, 2019, 124, 995-1015.	1.4	13
789	Evaluation of Several Filtering and Unwrapping Methods for the Interferometric Imaging Radar Altimeter. Lecture Notes in Electrical Engineering, 2019, , 94-103.	0.3	0
790	Interannual variability in glacier contribution to runoff from a highâ€‘elevation Andean catchment: understanding the role of debris cover in glacier hydrology. Hydrological Processes, 2019, 33, 214-229.	1.1	34
791	Modelling the elevation-dependent seasonal amplitude of tropospheric delays in GPS time-series using DInSAR and meteorological data. Geophysical Journal International, 2019, 216, 676-691.	1.0	4
792	Monitoring of long-term land subsidence from 2003 to 2017 in coastal area of Semarang, Indonesia by SBAS DInSAR analyses using Envisat-ASAR, ALOS-PALSAR, and Sentinel-1A SAR data. Advances in Space Research, 2019, 63, 1719-1736.	1.2	77
793	Phasor Quaternion Neural Networks for Singular Point Compensation in Polarimetric-Interferometric Synthetic Aperture Radar. IEEE Transactions on Geoscience and Remote Sensing, 2019, 57, 2510-2519.	2.7	16
794	Ground deformation due to steam cap processes at Reykjanes, SW-Iceland: effects of geothermal exploitation inferred from interferometric analysis of Sentinel-1 images 2015â€‘2017. Geophysical Journal International, 2019, 216, 2183-2212.	1.0	12
795	Post-ruptive Thermoelastic Deflation of Intruded Magma in Usu Volcano, Japan, 1992â€‘2017. Journal of Geophysical Research: Solid Earth, 2019, 124, 335-357.	1.4	18
796	Ground deformation and fissure activity in Datong basin, China 2007â€‘2010 revealed by multi-track InSAR. Geomatics, Natural Hazards and Risk, 2019, 10, 465-482.	2.0	15
797	Non-linear glacier response to calving events, Jakobshavn IsbrÃ¸, Greenland. Journal of Glaciology, 2019, 65, 39-54.	1.1	17

#	ARTICLE	IF	CITATIONS
798	Remarks on correcting ionospheric distortions in L-band radar interferometry. Geocarto International, 2019, 34, 227-242.	1.7	1
799	National Scale Surface Deformation Time Series Generation through Advanced DInSAR Processing of Sentinel-1 Data within a Cloud Computing Environment. IEEE Transactions on Big Data, 2020, 6, 558-571.	4.4	31
800	Coseismic and Postseismic Deformation of the 2016 Mw 6.6 Aketao Earthquake from InSAR Observations and Modelling. Pure and Applied Geophysics, 2020, 177, 265-283.	0.8	2
801	Estimation of recent changes in thickness and mass balance of the Patsio glacier in the Great Himalayan region using geodetic technique and ancillary data. Geocarto International, 2020, 35, 47-63.	1.7	9
802	A new GIS-based technique using an adaptive neuro-fuzzy inference system for land subsidence susceptibility mapping. Journal of Spatial Science, 2020, 65, 401-418.	1.0	75
803	Peatland subsidence and vegetation cover degradation as impacts of the 2015 El Niño event revealed by Sentinel-1A SAR data. International Journal of Applied Earth Observation and Geoinformation, 2020, 84, 101953.	1.4	11
804	Detecting the slope movement after the 2018 Baige Landslides based on ground-based and space-borne radar observations. International Journal of Applied Earth Observation and Geoinformation, 2020, 84, 101949.	1.4	31
805	Deformation associated with sliver transport in Costa Rica: seismic and geodetic observations of the July 2016 Bijagua earthquake sequence. Geophysical Journal International, 2020, 220, 585-597.	1.0	3
806	Detecting Land Subsidence Due to Groundwater Withdrawal in Aliabad Plain, Iran, Using ESA Sentinel-1 Satellite Data. Natural Resources Research, 2020, 29, 1935-1950.	2.2	13
807	Heifangtai loess landslide type and failure mode analysis with ascending and descending Spot-mode TerraSAR-X datasets. Landslides, 2020, 17, 205-215.	2.7	35
808	Research on the method of three-dimensional surface displacements of Tianjin area based on combined multi-source measurements. Journal of Applied Geodesy, 2020, 14, 83-94.	0.6	5
809	Satellite interferometry for mapping surface deformation time series in one, two and three dimensions: A new method illustrated on a slow-moving landslide. Engineering Geology, 2020, 266, 105471.	2.9	66
810	Local land subsidence in Miami Beach (FL) and Norfolk (VA) and its contribution to flooding hazard in coastal communities along the U.S. Atlantic coast. Ocean and Coastal Management, 2020, 187, 105078.	2.0	14
811	Snow depth in Dhundi: an estimate based on weighted bias corrected differential phase observations of dual polarimetric bi-temporal Sentinel-1 data. International Journal of Remote Sensing, 2020, 41, 3031-3053.	1.3	13
812	Lithological control on multiple surface ruptures during the 2016–2017 Amatrice-Norcia seismic sequence. Journal of Geodynamics, 2020, 134, 101676.	0.7	9
813	Mapping water vapour variability over a mountainous tropical island using InSAR and an atmospheric model for geodetic observations. Remote Sensing of Environment, 2020, 237, 111560.	4.6	5
814	The 2018 Mw 7.5 Papua New Guinea Earthquake: A Possible Complex Multiple Faults Failure Event With Deep-Seated Reverse Faulting. Earth and Space Science, 2020, 7, e2019EA000966.	1.1	13
815	A New 3-D Minimum Cost Flow Phase Unwrapping Algorithm Based on Closure Phase. IEEE Transactions on Geoscience and Remote Sensing, 2020, 58, 1857-1867.	2.7	15

#	ARTICLE	IF	CITATIONS
816	Enhanced Interferometric Phase Noise Filtering of the Refined InSAR Filter. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2020, 17, 1528-1532.	1.4	2
817	Hydrological monitoring of high-latitude shallow water bodies from high-resolution space-borne D-InSAR. <i>Remote Sensing of Environment</i> , 2020, 236, 111444.	4.6	19
818	A near 90-year record of the evolution of El Morado Glacier and its proglacial lake, Central Chilean Andes. <i>Journal of Glaciology</i> , 2020, 66, 846-860.	1.1	18
819	InSAR Phase Unwrapping Based on Square-Root Cubature Kalman Filter. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2020, 13, 4627-4641.	2.3	7
820	Early estimation of ground displacements and building damage after seismic events using SAR and LiDAR data: The case of the Amatrice earthquake in central Italy, on 24th August 2016. <i>International Journal of Disaster Risk Reduction</i> , 2020, 51, 101924.	1.8	13
821	Regional-scale hydrological monitoring of wetlands with Sentinel-1 InSAR observations: Case study of the South Florida Everglades. <i>Remote Sensing of Environment</i> , 2020, 251, 112051.	4.6	21
822	Quantitative assessment to the impact of InSAR ionospheric and tropospheric corrections on source parameter modelling: application to the 4th nuclear test, North Korea. <i>Geophysical Journal International</i> , 2020, 224, 86-99.	1.0	4
823	Joint Inversion of Geodetic Observations and Relative Weightingâ€”The 1999 Mw 7.6 Chi-Chi Earthquake Revisited. <i>Remote Sensing</i> , 2020, 12, 3125.	1.8	2
824	Development of a Land Subsidence Forecasting Model Using Small Baseline Subsetâ€”Differential Synthetic Aperture Radar Interferometry and Particle Swarm Optimizationâ€”Random Forest (Case) Tj ETQq0 0 0 r0B /Overlock 10 Tf 5		
825	Pre- and post-failure dynamics of landslides in the Northern Apennines revealed by space-borne synthetic aperture radar interferometry (InSAR). <i>Geomorphology</i> , 2020, 369, 107353.	1.1	19
826	Geodetic Source Modeling of the 2019 M<sub>w</sub> 6.3 DurrÃ«s, Albania, Earthquake: Partial Rupture of a Blind Reverse Fault. <i>Geophysical Research Letters</i> , 2020, 47, e2020GL088990.	1.5	9
827	Evolution assessment of structurally-controlled differential subsidence using SBAS and PS interferometry in an emblematic case in Central Mexico. <i>Engineering Geology</i> , 2020, 279, 105860.	2.9	15
828	Impact of Calving Dynamics on Kangilernata Sermia, Greenland. <i>Geophysical Research Letters</i> , 2020, 47, e2020GL088524.	1.5	3
829	Automatic Detection of Volcanic Surface Deformation Using Deep Learning. <i>Journal of Geophysical Research: Solid Earth</i> , 2020, 125, e2020JB019840.	1.4	22
830	An approach for multi-dimensional land subsidence velocity estimation using time-series Sentinel-1 SAR datasets by applying persistent scatterer interferometry technique. <i>Geocarto International</i> , 2022, 37, 2647-2678.	1.7	9
831	Sensitivity of InSAR and teleseismic observations to earthquake rupture segmentation. <i>Geophysical Journal International</i> , 2020, 223, 875-907.	1.0	8
832	Source modelling and strong ground motion simulations for the 24 January 2020, Mw 6.8 ElazÃ± earthquake, Turkey. <i>Geophysical Journal International</i> , 2020, 223, 1054-1068.	1.0	25
833	Highâ€”Resolution Surface Velocities and Strain for Anatolia From Sentinelâ€”1 InSAR and GNSS Data. <i>Geophysical Research Letters</i> , 2020, 47, e2020GL087376.	1.5	108

#	ARTICLE	IF	CITATIONS
834	Comparing the potential of stereo aerial photographs, stereo very high-resolution satellite images, and TanDEM-X for estimating forest height. <i>International Journal of Remote Sensing</i> , 2020, 41, 6976-6992.	1.3	17
835	Rupture kinematics of 2020 January 24 Mw 6.7 DoÄŸanyol-Sivrice, Turkey earthquake on the East Anatolian Fault Zone imaged by space geodesy. <i>Geophysical Journal International</i> , 2020, 223, 862-874.	1.0	44
836	3D multi-source model of elastic volcanic ground deformation. <i>Earth and Planetary Science Letters</i> , 2020, 547, 116445.	1.8	12
837	Investigation on Mining Subsidence Based on Sentinel-1A Data by SBAS-InSAR technologyâ€™ Case Study of Ningdong Coalfield, China. <i>Earth Sciences Research Journal</i> , 2020, 24, 373-386.	0.4	6
838	Resolving and Analyzing Landfast Ice Deformation by InSAR Technology Combined with Sentinel-1A Ascending and Descending Orbits Data. <i>Sensors</i> , 2020, 20, 6561.	2.1	7
839	The Mw = 5.6 Kanallaki Earthquake of 21 March 2020 in West Epirus, Greece: Reverse Fault Model from InSAR Data and Seismotectonic Implications for Apulia-Eurasia Collision. <i>Geosciences (Switzerland)</i> , 2020, 10, 454.	1.0	18
840	Multi-Segment Rupture Model of the 2016 Kumamoto Earthquake Revealed by InSAR and GPS Data. <i>Remote Sensing</i> , 2020, 12, 3721.	1.8	8
841	The 2019 Mw 5.9 Torkaman chay earthquake in Bozgush mountain, NW Iran: A buried strike-slip event related to the sinistral Shalgun-Yelimsi fault revealed by InSAR. <i>Journal of Geodynamics</i> , 2020, 141-142, 101798.	0.7	4
842	Improved Ice Velocity Measurements with Sentinel-1 TOPS Interferometry. <i>Remote Sensing</i> , 2020, 12, 2014.	1.8	20
843	Surface Deformation due to the 2017-2018 Agung Volcano Eruption from Interferometric Synthetic Aperture Radar (InSAR) Sentinel-1 TOPS. <i>Journal of Physics: Conference Series</i> , 2020, 1577, 012055.	0.3	1
844	An Unsupervised Generative Neural Approach for InSAR Phase Filtering and Coherence Estimation. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2021, 18, 1971-1975.	1.4	23
845	LiCSAR: An Automatic InSAR Tool for Measuring and Monitoring Tectonic and Volcanic Activity. <i>Remote Sensing</i> , 2020, 12, 2430.	1.8	127
846	DeepInSARâ€™A Deep Learning Framework for SAR Interferometric Phase Restoration and Coherence Estimation. <i>Remote Sensing</i> , 2020, 12, 2340.	1.8	31
847	Consideration on Singular-Point Generating Mechanisms by Analyzing the Effect of Phase-and-Polarization Optimization in PolInSAR. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2020, 13, 1625-1638.	2.3	6
848	Surface deformations of 24 January 2020 Sivrice (ElazÄ±ÄŸ)â€™DoÄŸanyol (Malatya) earthquake (Mwâ€™=â€™6.8) along the large segment of the East Anatolian Fault Zone and its comparison with Turkeyâ€™s 100-year-surface ruptures. <i>Mediterranean Geoscience Reviews</i> , 2020, 2, 385-410.	0.6	22
849	Contribution of SAR-driven displacement measurement in assessing the triggering factors of rainfall-induced landslides. <i>Geocarto International</i> , 2020, , 1-21.	1.7	4
850	The Relationship Between Seismic and Aseismic Slip on the Philippine Fault on Leyte Island: Bayesian Modeling of Fault Slip and Geothermal Subsidence. <i>Journal of Geophysical Research: Solid Earth</i> , 2020, 125, e2020JB020052.	1.4	15
851	Evaluating Potential Ground Subsidence Geo-Hazard of Xiamen Xiangâ€™an New Airport on Reclaimed Land by SAR Interferometry. <i>Sustainability</i> , 2020, 12, 6991.	1.6	19



#	ARTICLE	IF	CITATIONS
852	Using <scp>InSAR</scp> to identify hydrological connectivity and barriers in a highly fragmented wetland. <i>Hydrological Processes</i> , 2020, 34, 4417-4430.	1.1	10
853	Localized Subsidence Zones in GÅvle City Detected by Sentinel-1 PSI and Leveling Data. <i>Remote Sensing</i> , 2020, 12, 2629.	1.8	12
854	Small-Baseline Approach for Monitoring the Freezing and Thawing Deformation of Permafrost on the Beiluhe Basin, Tibetan Plateau Using TerraSAR-X and Sentinel-1 Data. <i>Sensors</i> , 2020, 20, 4464.	2.1	17
855	Assessment of Landslide-Induced Geomorphological Changes in HÅtardalur Valley, Iceland, Using Sentinel-1 and Sentinel-2 Data. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 5848.	1.3	17
856	The Complexity of the 2018 Kaktovik Earthquake Sequence in the Northeast of the Brooks Range, Alaska. <i>Geophysical Research Letters</i> , 2020, 47, e2020GL088012.	1.5	6
857	An Optimized Filtering Method of Massive Interferometric SAR Data for Urban Areas by Online Tensor Decomposition. <i>Remote Sensing</i> , 2020, 12, 2582.	1.8	2
858	Time-Series Analysis of Subsidence in Nanning, China, Based on Sentinel-1A Data by the SBAS InSAR Method. <i>PFG - Journal of Photogrammetry, Remote Sensing and Geoinformation Science</i> , 2020, 88, 291-304.	0.7	3
859	Quality assessment and validation of TerraSAR-X digital surface model using LiDAR for urban areas in Jakarta. <i>Journal of Physics: Conference Series</i> , 2020, 1528, 012012.	0.3	0
860	Application of the SBAS-DInSAR technique for deformation monitoring in Tunis City and Mornag plain. <i>Geomatics, Natural Hazards and Risk</i> , 2020, 11, 1346-1377.	2.0	7
861	Surging Dynamics of Glaciers in the Hunza Valley under an Equilibrium Mass State since 1990. <i>Remote Sensing</i> , 2020, 12, 2922.	1.8	19
862	An Interferometric Phase Noise Reduction Method Based on Modified Denoising Convolutional Neural Network. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2020, 13, 4947-4959.	2.3	12
863	A Multi-Sensor Comparative Analysis on the Suitability of Generated DEM from Sentinel-1 SAR Interferometry Using Statistical and Hydrological Models. <i>Sensors</i> , 2020, 20, 7214.	2.1	16
864	Surface Rupture Kinematics and Coseismic Slip Distribution during the 2019 Mw7.1 Ridgecrest, California Earthquake Sequence Revealed by SAR and Optical Images. <i>Remote Sensing</i> , 2020, 12, 3883.	1.8	5
865	InSAR 3-D Coseismic Displacement Field of the 2015 Mw 7.8 Nepal Earthquake: Insights into Complex Fault Kinematics during the Event. <i>Remote Sensing</i> , 2020, 12, 3982.	1.8	7
866	Mainshock Anticipated by Intra-Sequence Ground Deformations: Insights from Multiscale Field and SAR Interferometric Measurements. <i>Geosciences (Switzerland)</i> , 2020, 10, 186.	1.0	15
867	An Application of Sentinel-1, Sentinel-2, and GNSS Data for Landslide Susceptibility Mapping. <i>ISPRS International Journal of Geo-Information</i> , 2020, 9, 561.	1.4	13
868	Very Local Subsidence Near the Hot Spring Region in Hakone Volcano, Japan, Inferred from InSAR Time Series Analysis of ALOS/PALSAR Data. <i>Remote Sensing</i> , 2020, 12, 2842.	1.8	13
869	On the Characterization and Forecasting of Ground Displacements of Ocean-Reclaimed Lands. <i>Remote Sensing</i> , 2020, 12, 2971.	1.8	8

#	ARTICLE	IF	CITATIONS
870	Testing Urban Flood Mapping Approaches from Satellite and In-Situ Data Collected during 2017 and 2019 Events in Eastern Canada. <i>Remote Sensing</i> , 2020, 12, 3141.	1.8	14
871	Estimation of Deformation Intensity above a Flooded Potash Mine Near Berezniki (Perm Krai, Russia) with SAR Interferometry. <i>Remote Sensing</i> , 2020, 12, 3215.	1.8	8
872	A Global Archive of Coseismic DInSAR Products Obtained Through Unsupervised Sentinel-1 Data Processing. <i>Remote Sensing</i> , 2020, 12, 3189.	1.8	10
873	A Phase Filtering Method with Scale Recurrent Networks for InSAR. <i>Remote Sensing</i> , 2020, 12, 3453.	1.8	15
874	Long-term ground multi-level deformation fusion and analysis based on a combination of deformation prior fusion model and OTD-InSAR for longwall mining activity. <i>Measurement: Journal of the International Measurement Confederation</i> , 2020, 161, 107911.	2.5	14
875	Forest Variable Estimations Using TanDEM-X Data in Hyrcanian Forests. <i>Canadian Journal of Remote Sensing</i> , 2020, 46, 166-176.	1.1	2
876	Ground Deformation in The Ciloto Landslides Area Revealed by Multi-Temporal InSAR. <i>Geosciences (Switzerland)</i> , 2020, 10, 156.	1.0	11
877	Cascading Partial Rupture of the Flores Thrust during the 2018 Lombok Earthquake Sequence, Indonesia. <i>Seismological Research Letters</i> , 2020, 91, 2141-2151.	0.8	15
878	Goldilocks conditions required for earthquakes to trigger basaltic eruptions: Evidence from the 2015 Ambrym eruption. <i>Science Advances</i> , 2020, 6, eaaz5261.	4.7	22
879	Gaining or losing ground? Tracking Asia's hunger for new coastal land in the era of sea level rise. <i>Science of the Total Environment</i> , 2020, 732, 139290.	3.9	26
880	The 29 March 2017 Yuzhno-Ozernovskoe Kamchatka Earthquake: Fault Activity in An Extension of the East Kamchatka Fault Zone as Constrained by InSAR Observations. <i>Bulletin of the Seismological Society of America</i> , 2020, 110, 1101-1114.	1.1	0
881	Co-seismic deformation of the 2017 Mw 7.0 Jiuzhaigou Earthquake observed with GaoFen-3 interferometry. <i>International Journal of Remote Sensing</i> , 2020, 41, 6618-6634.	1.3	4
882	Fault Rerupture during the July 2019 Ridgecrest Earthquake Pair from Joint Slip Inversion of InSAR, Optical Imagery, and GPS. <i>Bulletin of the Seismological Society of America</i> , 2020, 110, 1627-1643.	1.1	28
883	Kinematics of Fault Slip Associated with the 6 July 2019 Ridgecrest, California, Earthquake Sequence. <i>Bulletin of the Seismological Society of America</i> , 2020, 110, 1688-1700.	1.1	23
884	A deformation study of Anthemountas graben (northern Greece) based on in situ data and new InSAR results. <i>Arabian Journal of Geosciences</i> , 2020, 13, 1.	0.6	5
885	Long Term Interferometric Temporal Coherence and DInSAR Phase in Northern Peatlands. <i>Remote Sensing</i> , 2020, 12, 1566.	1.8	20
886	60 Years of Glacier Elevation and Mass Changes in the Maipo River Basin, Central Andes of Chile. <i>Remote Sensing</i> , 2020, 12, 1658.	1.8	21
887	Surface Deformation Related to the 2019 Mw 7.1 and 6.4 Ridgecrest Earthquakes in California from GPS, SAR Interferometry, and SAR Pixel Offsets. <i>Seismological Research Letters</i> , 2020, 91, 2035-2046.	0.8	37

#	ARTICLE	IF	CITATIONS
888	Characterizing marsh wetlands in the Great Lakes Basin with C-band InSAR observations. <i>Remote Sensing of Environment</i> , 2020, 242, 111750.	4.6	20
889	LiCSBAS: An Open-Source InSAR Time Series Analysis Package Integrated with the LiCSAR Automated Sentinel-1 InSAR Processor. <i>Remote Sensing</i> , 2020, 12, 424.	1.8	189
890	Evolution of Near-Shore Outwash Fans and Permafrost Spreading Under Their Surface: A Case Study from Svalbard. <i>Remote Sensing</i> , 2020, 12, 482.	1.8	4
891	InSAR Phase Denoising: A Review of Current Technologies and Future Directions. <i>IEEE Geoscience and Remote Sensing Magazine</i> , 2020, 8, 64-82.	4.9	63
892	CorPhU: an algorithm based on phase closure for the correction of unwrapping errors in SAR interferometry. <i>Geophysical Journal International</i> , 2020, 221, 1959-1970.	1.0	21
893	A Framework for Correcting Ionospheric Artifacts and Atmospheric Effects to Generate High Accuracy InSAR DEM. <i>Remote Sensing</i> , 2020, 12, 318.	1.8	5
894	Assessment of Mitigation Strategies for Tropospheric Phase Contributions to InSAR Time-Series Datasets over Two Nicaraguan Volcanoes. <i>Remote Sensing</i> , 2020, 12, 782.	1.8	11
895	On the Use of Weighted Least-Squares Approaches for Differential Interferometric SAR Analyses: The Weighted Adaptive Variable-Length (WAVE) Technique. <i>Sensors</i> , 2020, 20, 1103.	2.1	10
896	Interferometric SAR Phase Filtering With SURE-Based Non-Local Method. <i>IEEE Access</i> , 2020, 8, 66722-66730.	2.6	1
897	Ground Surface Deformation Detection in Complex Landslide Area—Bobonaro, Timor-Leste—Using SBAS DInSAR, UAV Photogrammetry, and Field Observations. <i>Geosciences (Switzerland)</i> , 2020, 10, 245.	1.0	9
898	Ground Deformation and Seismic Fault Model of the M6.4 Durres (Albania) Nov. 26, 2019 Earthquake, Based on GNSS/INSAR Observations. <i>Geosciences (Switzerland)</i> , 2020, 10, 210.	1.0	29
899	Combining ash analyses with remote sensing to identify juvenile magma involvement and fragmentation mechanisms during the 2018/19 small eruption of Peteroa volcano (Southern Andes). <i>Journal of Volcanology and Geothermal Research</i> , 2020, 402, 106984.	0.8	7
900	InSAR Evidence Indicates a Link Between Fluid Injection for Salt Mining and the 2019 Changning (China) Earthquake Sequence. <i>Geophysical Research Letters</i> , 2020, 47, e2020GL087603.	1.5	26
901	A Kalman Filter Time Series Analysis Method for InSAR. <i>Journal of Geophysical Research: Solid Earth</i> , 2020, 125, e2019JB019150.	1.4	22
902	Volcano-Wide Deformation After the 2017 Erta Ale Dike Intrusion, Ethiopia, Observed With Radar Interferometry. <i>Journal of Geophysical Research: Solid Earth</i> , 2020, 125, e2020JB019562.	1.4	15
903	DSM generation with bistatic TanDEM-X InSAR pairs and quality validation in inclined topographies and various land cover classes. <i>Arabian Journal of Geosciences</i> , 2020, 13, 1.	0.6	7
904	Multibaseline Interferometric Phase Denoising Based on Kurtosis in the NSST Domain. <i>Sensors</i> , 2020, 20, 551.	2.1	5
905	Joint Inversion of GPS, Leveling, and InSAR Data for The 2013 Lushan (China) Earthquake and Its Seismic Hazard Implications. <i>Remote Sensing</i> , 2020, 12, 715.	1.8	10

#	ARTICLE	IF	CITATIONS
906	The 2019 Mw 6.4 and Mw 7.1 Ridgecrest earthquake sequence in Eastern California: rupture on a conjugate fault structure revealed by GPS and InSAR measurements. <i>Geophysical Journal International</i> , 2020, 221, 1651-1666.	1.0	17
907	DInSAR method applied to dual-pair interferograms with Sentinel-1 data: a study case on inconsistent unwrapping outputs. <i>International Journal of Remote Sensing</i> , 2020, 41, 4664-4683.	1.3	4
908	Detailed quantification of glacier elevation and mass changes in South Georgia. <i>Environmental Research Letters</i> , 2020, 15, 034036.	2.2	13
909	Application and Evaluation of the Gaofen-3 Satellite on a Terrain Survey with InSAR Technology. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 806.	1.3	3
910	Synthesis of L-Band SAR and Forest Heights Derived from TanDEM-X DEM and 3 Digital Terrain Models for Biomass Mapping. <i>Remote Sensing</i> , 2020, 12, 349.	1.8	9
911	Satellite imaging of the 2015 M7.2 earthquake in the Central Pamir, Tajikistan, elucidates a sequence of shallow strike-slip ruptures of the Sarez-Karakul fault. <i>Geophysical Journal International</i> , 2020, 221, 1696-1718.	1.0	15
912	A constrained small baseline subsets (CSBAS) InSAR technique for multiple subsets. <i>European Journal of Remote Sensing</i> , 2020, 53, 14-26.	1.7	5
913	Structural Controls on Rupture Extent of Recent Sumatran Fault Zone Earthquakes, Indonesia. <i>Journal of Geophysical Research: Solid Earth</i> , 2020, 125, e2019JB018101.	1.4	9
914	Ground-Based Differential Interferometry SAR: A Review. <i>IEEE Geoscience and Remote Sensing Magazine</i> , 2020, 8, 43-70.	4.9	45
915	Characterization of Kyagar Glacier and Lake Outburst Floods in 2018 Based on Time-Series Sentinel-1A Data. <i>Water (Switzerland)</i> , 2020, 12, 184.	1.2	17
916	Processing Technology Based on Radar Signal Design and Classification. <i>International Journal of Aerospace Engineering</i> , 2020, 2020, 1-19.	0.5	14
917	Flood Detection in Built-Up Areas Using Interferometric Phase Statistics of PALSAR-2 Data. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2020, 17, 1904-1908.	1.4	12
918	Influence of different data fusion methods on the accuracy of three-dimensional displacements field. <i>Advances in Space Research</i> , 2020, 65, 1580-1590.	1.2	4
919	InSAR observations over the Taupō Volcanic Zone's cone volcanoes: insights and challenges from the New Zealand volcano supersite. <i>New Zealand Journal of Geology, and Geophysics</i> , 2020, , 1-11.	1.0	13
920	Use of SAR/InSAR in Mining Deformation Monitoring, Parameter Inversion, and Forward Predictions: A Review. <i>IEEE Geoscience and Remote Sensing Magazine</i> , 2020, 8, 71-90.	4.9	72
921	Conjugate ruptures and seismotectonic implications of the 2019 Mindanao earthquake sequence inferred from Sentinel-1 InSAR data. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2020, 90, 102127.	1.4	15
922	Detection of silent subsidence over extensive area by SBAS DInSAR: a case study of Southern Bali, Indonesia. <i>E3S Web of Conferences</i> , 2020, 153, 02003.	0.2	3
923	Unraveling Spatial and Temporal Heterogeneities of Very Slow Rock-Slope Deformations with Targeted DInSAR Analyses. <i>Remote Sensing</i> , 2020, 12, 1329.	1.8	14

#	ARTICLE	IF	CITATIONS
924	Characterizing interseismic deformation of the Xianshuihe fault, eastern Tibetan Plateau, using Sentinel-1 SAR images. <i>Advances in Space Research</i> , 2020, 66, 378-394.	1.2	20
925	Surface deformation observed by InSAR shows connections with water storage change in Southern Ontario. <i>Journal of Hydrology: Regional Studies</i> , 2020, 27, 100661.	1.0	8
926	Retrieval and Prediction of Three-Dimensional Displacements by Combining the DInSAR and Probability Integral Method in a Mining Area. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2020, 13, 1206-1217.	2.3	12
927	Constraints on Complex Faulting during the 1996 Stonâ€“Slano (Croatia) Earthquake Inferred from the DInSAR, Seismological, and Geological Observations. <i>Remote Sensing</i> , 2020, 12, 1157.	1.8	12
928	Triggering relationships between magmatic and faulting processes in the May 2018 eruptive sequence at K��lauea volcano, Hawaii. <i>Geophysical Journal International</i> , 2020, 222, 461-473.	1.0	9
929	Ground Deformation of the Chongming East Shoal Reclamation Area in Shanghai Based on SBAS-InSAR and Laboratory Tests. <i>Remote Sensing</i> , 2020, 12, 1016.	1.8	25
930	Learning Convolutional Sparse Coding on Complex Domain for Interferometric Phase Restoration. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2021, 32, 826-840.	7.2	48
931	Geomorphological and geophysical surveys with InSAR analysis applied to the Picerno earth flow (southern Apennines, Italy). <i>Landslides</i> , 2021, 18, 471-483.	2.7	8
932	Estimation of active surface deformation in the eastern Kachchh region, western India: Application of multi-sensor DInSAR technique. <i>Quaternary International</i> , 2021, 575-576, 130-140.	0.7	33
933	First assessment of the interferometric capabilities of SAOCOM-1A: New results over the Domuyo Volcano, Neuqu��n Argentina. <i>Journal of South American Earth Sciences</i> , 2021, 106, 102882.	0.6	10
934	Ground deformation at the Cerro Blanco caldera: A case of subsidence at the Central Andes BackArc. <i>Journal of South American Earth Sciences</i> , 2021, 106, 102941.	0.6	2
935	Application of satellite SAR interferometry for the detection and monitoring of landslides along the Tijuana - Ensenada Scenic Highway, Baja California, Mexico. <i>Journal of South American Earth Sciences</i> , 2021, 107, 103030.	0.6	6
936	Multiple source analysis from InSAR data and new insights into fault activation: The 2005 Zarand, Iran, earthquake. <i>Terra Nova</i> , 2021, 33, 274-283.	0.9	3
937	Complex co- and postseismic faulting of the 2017��2018 seismic sequence in western Iran revealed by InSAR and seismic data. <i>Remote Sensing of Environment</i> , 2021, 253, 112224.	4.6	20
938	Three-dimensional numerical simulation of the interseismic and coseismic phases associated with the 6 April 2009, Mw 6.3 ��quila earthquake (Central Italy). <i>Tectonophysics</i> , 2021, 798, 228685.	0.9	8
939	Polarimetric Behavior for the Derivation of Sea Ice Topographic Height From TanDEM-X Interferometric SAR Data. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2021, 14, 1095-1110.	2.3	10
940	Map and Quantify the Ground Deformation Around Salt Lake in Hoh Xil, Qinghai-Tibet Plateau Using Time-Series InSAR From 2006 to 2018. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2021, 14, 858-869.	2.3	12
941	Landslide Monitoring and the Inventory Map Validation by Ensemble DInSAR Processing of ASAR and PALSAR Images (Case Study: Doab-Samsami Basin in Chaharmahal and Bakhtiari Province, Iran). <i>Geotechnical and Geological Engineering</i> , 2021, 39, 1201-1222.	0.8	5

#	ARTICLE	IF	CITATIONS
942	Estimation and Compensation of Ionospheric Phase Delay for Multi-Aperture InSAR: An Azimuth Split-Spectrum Interferometry Approach. IEEE Transactions on Geoscience and Remote Sensing, 2022, 60, 1-14.	2.7	5
943	Combining Sentinel-1 Interferometry and Ground-Based Geomatics Techniques for Monitoring Buildings Affected by Mass Movements. Remote Sensing, 2021, 13, 452.	1.8	14
944	Coseismic Fault Slip and Afterslip Associated with the 18 March 2020 M <sub>5.7</sub> Magna, Utah, Earthquake. Seismological Research Letters, 2021, 92, 741-754.	0.8	4
945	Retrieval of digital elevation models from Sentinel-1 radar data—open applications, techniques, and limitations. Open Geosciences, 2021, 13, 532-569.	0.6	54
946	Atmospheric Phase Screen Compensation on Wrapped Ground-Based SAR Interferograms. IEEE Transactions on Geoscience and Remote Sensing, 2022, 60, 1-15.	2.7	8
947	Prediction of Mining-Induced Kinematic 3-D Displacements From InSAR Using a Weibull Model and a Kalman Filter. IEEE Transactions on Geoscience and Remote Sensing, 2022, 60, 1-12.	2.7	6
948	Reconstruction and Evaluation of DEMs From Bistatic Tandem-X SAR in Mountainous and Coastal Areas of China. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2021, 14, 5152-5170.	2.3	7
949	Coseismic deformation and multi-fault slip model of the 2019 Mindanao earthquake sequence derived from Sentinel-1 and ALOS-2 data. Tectonophysics, 2021, 799, 228707.	0.9	6
950	Mapping InSAR deformation of low and moderate earthquakes. Procedia Computer Science, 2021, 181, 214-219.	1.2	5
951	Research of the Triggering Relation, Faulting Mechanism and Two-Dimension Coseismic Displacement of the 2018 Mw 6.4 Hualian Earthquake. Advances in Geosciences, 2021, 11, 193-206.	0.0	0
952	Detection of volcanic unrest onset in La Palma, Canary Islands, evolution and implications. Scientific Reports, 2021, 11, 2540.	1.6	31
953	High-Resolution Water Vapor Maps Obtained by Merging Interferometric Synthetic Aperture Radar and GPS Measurements. Journal of Geophysical Research D: Atmospheres, 2021, 126, .	1.2	6
954	Performance Evaluation of Different SAR-Based Techniques on the 2019 Ridgecrest Sequence. Remote Sensing, 2021, 13, 685.	1.8	0
955	Polarimetric calibration of spaceborne and airborne multifrequency SAR data for scattering-based characterization of manmade and natural features. Advances in Space Research, 2022, 69, 1684-1714.	1.2	14
956	Deriving Centimeter-Level Coseismic Deformation and Fault Geometries of Small-To-Moderate Earthquakes From Time-Series Sentinel-1 SAR Images. Frontiers in Earth Science, 2021, 9, .	0.8	9
957	Co-Seismic Inversion and Post-Seismic Deformation Mechanism Analysis of 2019 California Earthquake. Remote Sensing, 2021, 13, 608.	1.8	3
958	Mapping Complete Three-Dimensional Ice Velocities by Integrating Multi-Baseline and Multi-Aperture InSAR Measurements: A Case Study of the Grove Mountains Area, East Antarctic. Remote Sensing, 2021, 13, 643.	1.8	8
959	Multi-Temporal Small Baseline Interferometric SAR Algorithms: Error Budget and Theoretical Performance. Remote Sensing, 2021, 13, 557.	1.8	13

#	ARTICLE	IF	CITATIONS
960	Monitoring, Analyzing, and Modeling for Single Subsidence Basin in Coal Mining Areas Based on SAR Interferometry with L-Band Data. <i>Scientific Programming</i> , 2021, 2021, 1-10.	0.5	7
961	Nonlinear Modeling of Subsidence From a Decade of InSAR Time Series. <i>Geophysical Research Letters</i> , 2021, 48, e2020GL090970.	1.5	17
962	Recent land deformation detected by Sentinel-1A InSAR data (2016–2020) over Hanoi, Vietnam, and the relationship with groundwater level change. <i>GIScience and Remote Sensing</i> , 2021, 58, 161-179.	2.4	31
963	Application of Sentinel-1 and-2 Images in Measuring the Deformation of Kuh-e-Namak (Dashti) Namakier, Iran. <i>Remote Sensing</i> , 2021, 13, 785.	1.8	2
964	Leveraging time series analysis of radar coherence and normalized difference vegetation index ratios to characterize pre-failure activity of the Mud Creek landslide, California. <i>Natural Hazards and Earth System Sciences</i> , 2021, 21, 629-642.	1.5	12
965	InSAR Monitoring of Landslide Activity in Dominica. <i>Remote Sensing</i> , 2021, 13, 815.	1.8	23
966	Sentinel-1 Big Data Processing with P-SBAS InSAR in the Geohazards Exploitation Platform: An Experiment on Coastal Land Subsidence and Landslides in Italy. <i>Remote Sensing</i> , 2021, 13, 885.	1.8	47
967	Phase-unwrapping method based on local polynomial models and a maximum a posteriori model correction. <i>Applied Optics</i> , 2021, 60, 1121.	0.9	2
968	Source Characteristics of the 2020 Mw 7.4 Oaxaca, Mexico, Earthquake Estimated from GPS, InSAR, and Teleseismic Waveforms. <i>Seismological Research Letters</i> , 2021, 92, 1900-1912.	0.8	13
969	Countrywide Monitoring of Ground Deformation Using InSAR Time Series: A Case Study from Qatar. <i>Remote Sensing</i> , 2021, 13, 702.	1.8	14
970	Deformation analysis of 2020 mw 5.7 Karlıova, Turkey, earthquake using DInSAR method with different incidence angle SAR data. <i>Arabian Journal of Geosciences</i> , 2021, 14, 1.	0.6	9
971	Satellite InSAR survey of structurally-controlled land subsidence due to groundwater exploitation in the Aguascalientes Valley, Mexico. <i>Remote Sensing of Environment</i> , 2021, 254, 112254.	4.6	62
972	Relative Sea-Level Rise Scenario for 2100 along the Coast of South Eastern Sicily (Italy) by InSAR Data, Satellite Images and High-Resolution Topography. <i>Remote Sensing</i> , 2021, 13, 1108.	1.8	26
973	Measuring land deformation in a mega city Karachi-Pakistan with sentinel SAR interferometry. <i>Geocarto International</i> , 2022, 37, 4974-4993.	1.7	9
974	Present-day orogenic processes in the western Kalpin nappe explored by interseismic GNSS measurements and coseismic InSAR observations of the 2020 Mw 6.1 Kalpin event. <i>Geophysical Journal International</i> , 2021, 226, 928-940.	1.0	5
975	Estimation of regional surface deformation post the 2001 Bhuj earthquake in the Kachchh region, Western India using RADAR interferometry. <i>Geocarto International</i> , 2022, 37, 5249-5277.	1.7	27
976	Probing the Fault Complexity of the 2017 Ms 7.0 Jiuzhaigou Earthquake Based on the InSAR Data. <i>Remote Sensing</i> , 2021, 13, 1573.	1.8	11
977	Multi-sensor remote sensing to map glacier debris cover in the Greater Caucasus, Georgia. <i>Journal of Glaciology</i> , 2021, 67, 685-696.	1.1	11

#	ARTICLE	IF	CITATIONS
978	Toward a Comprehensive Dam Monitoring: On-Site and Remote-Retrieved Forcing Factors and Resulting Displacements (GNSS and PSInSAR). <i>Remote Sensing</i> , 2021, 13, 1543.	1.8	20
979	Monitoring and Analysis of Ground Deformation in Mining Area Based on SBAS Technology. <i>IOP Conference Series: Earth and Environmental Science</i> , 2021, 719, 042049.	0.2	1
980	Primary and Secondary Environmental Effects Triggered by the 30 October 2020, Mw = 7.0, Samos (Eastern Aegean Sea, Greece) Earthquake Based on Post-Event Field Surveys and InSAR Analysis. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 3281.	1.3	13
981	Interpreting C-band InSAR ground deformation data for large-scale groundwater management in Australia. <i>Journal of Hydrology: Regional Studies</i> , 2021, 34, 100774.	1.0	14
982	Optimization of three-dimensional multi-level surface deformation in mining areas through integration of deformation fusion model and Lagrange multiplier method based on single high resolution OTD-InSAR pair. <i>Measurement: Journal of the International Measurement Confederation</i> , 2021, 174, 109050.	2.5	3
983	Variational Bayesian Independent Component Analysis for InSAR Displacement TimeSeries With Application to Central California, USA. <i>Journal of Geophysical Research: Solid Earth</i> , 2021, 126, e2020JB020845.	1.4	15
984	Analysis of Surface Deformation in East Dongting Lake Based on 2016-2019 Sentinel-1A Dataset. <i>Journal of Sensors</i> , 2021, 2021, 1-14.	0.6	2
985	Earthquake Source Investigation of the Kanallaki, March 2020 Sequence (North-Western Greece) Based on Seismic and Geodetic Data. <i>Remote Sensing</i> , 2021, 13, 1752.	1.8	2
986	Subsidence in Como historic centre (northern Italy): Assessment of building vulnerability combining hydrogeological and stratigraphic features, Cosmo-SkyMed InSAR and damage data. <i>International Journal of Disaster Risk Reduction</i> , 2021, 56, 102115.	1.8	20
987	Source Mechanism and Rupture Process of the 24 January 2020 Mw 6.7 DoÄnyolâ€“Sivrice Earthquake obtained from Seismological Waveform Analysis and Space Geodetic Observations on the East Anatolian Fault Zone (Turkey). <i>Tectonophysics</i> , 2021, 804, 228745.	0.9	45
988	Deformation monitoring and failure mode research of mining-induced Jianshanying landslide in karst mountain area, China with ALOS/PALSAR-2 images. <i>Landslides</i> , 2021, 18, 2739-2750.	2.7	35
989	Integration of Sentinel-1 and ALOS/PALSAR-2 SAR datasets for mapping active landslides along the Jinsha River corridor, China. <i>Engineering Geology</i> , 2021, 284, 106033.	2.9	88
990	Combining TanDEM-X and Sentinel-2 for large-area species-wise prediction of forest biomass and volume. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2021, 96, 102275.	1.4	9
991	Lower Crustal Earthquakes in the March 2018 Sequence Along the Western Margin of Afar. <i>Geochemistry, Geophysics, Geosystems</i> , 2021, 22, e2020GC009614.	1.0	8
992	Deformation Detection in Cyclic Landslides Prior to Their Reactivation Using Two-Pass Satellite Interferometry. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 3156.	1.3	6
993	The Use of Interferometric Synthetic Aperture Radar for Isolating the Contribution of Major Shocks: The Case of the March 2021 Thessaly, Greece, Seismic Sequence. <i>Geosciences (Switzerland)</i> , 2021, 11, 191.	1.0	20
994	Granular decoherence precedes ice mÄlange failure and glacier calving at Jakobshavn IsbrÄ . <i>Nature Geoscience</i> , 2021, 14, 417-422.	5.4	16
995	The deadliest tropical cyclone â€“Amphanâ€™: investigate the natural flood inundation over south 24 Parganas using google earth engine. <i>Safety in Extreme Environments</i> , 2021, 3, 63-73.	1.8	20



#	ARTICLE	IF	CITATIONS
996	Plateau Boundary Kinematics of the Afrera Linkage Zone (Afar) From InSAR and Seismicity. <i>Journal of Geophysical Research: Solid Earth</i> , 2021, 126, e2020JB021387.	1.4	8
997	Salt extrusion kinematics: insights from existing data, morphology and InSAR modelling of the active emergent Anguru diapir in the Zagros fold and thrust belt, Iran. <i>Journal of the Geological Society</i> , 2021, 178, .	0.9	2
998	Co-seismic and post-seismic deformation, field observations and fault model of the 30 October 2020 Mw=7.0 Samos earthquake, Aegean Sea. <i>Acta Geophysica</i> , 2021, 69, 999-1024.	1.0	28
1001	Analysis of Groundwater Depletion/Inflation and Freeze-Thaw Cycles in the Northern Urumqi Region with the SBAS Technique and an Adjusted Network of Interferograms. <i>Remote Sensing</i> , 2021, 13, 2144.	1.8	5
1002	Multifault Opposing Dip Strike-Slip and Normal Fault Rupture During the 2020 Mw 6.5 Stanley, Idaho Earthquake. <i>Geophysical Research Letters</i> , 2021, 48, e2021GL092510.	1.5	13
1003	Geodetic slip model of the November 26, 2019 Albania earthquake estimated from Sentinel-1 TOPS interferometry. <i>Tectonophysics</i> , 2021, 807, 228814.	0.9	4
1004	Î -Net: Deep Residual Learning for InSAR Parameters Estimation. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2021, 59, 3917-3941.	2.7	33
1005	Assessment of Morphology Changes of the End Moraine of the Werenskiold Glacier (SW Spitsbergen) Using Active and Passive Remote Sensing Techniques. <i>Remote Sensing</i> , 2021, 13, 2134.	1.8	0
1006	A Fast Non-Local Means Filtering Method for Interferometric Phase Based on Wavelet Packet Transform. <i>Radio Science</i> , 2021, 56, e2019RS007052.	0.8	6
1007	Constant Slip Rate on the Doruneh Strike-Slip Fault, Iran, Averaged Over Late Pleistocene, Holocene, and Decadal Timescales. <i>Tectonics</i> , 2021, 40, e2020TC006256.	1.3	2
1008	Imaging the Hydrothermal System of Kirishima Volcanic Complex With L-Band InSAR Time Series. <i>Geophysical Research Letters</i> , 2021, 48, e2021GL092879.	1.5	8
1009	Tracking Deformation Processes at the Legnica Glogow Copper District (Poland) by Satellite InSAR: Room and Pillar Mine District. <i>Land</i> , 2021, 10, 653.	1.2	12
1010	Slip Model of the 2020 Yutian (Northwestern Tibetan Plateau) Earthquake Derived From Joint Inversion of InSAR and Teleseismic Data. <i>Earth and Space Science</i> , 2021, 8, e2020EA001409.	1.1	8
1011	Modeling-Assisted InSAR Phase-Unwrapping Method for Mapping Mine Subsidence. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2021, 18, 1059-1063.	1.4	11
1012	What Triggers Caldera Ring-Fault Subsidence at Ambrym Volcano? Insights From the 2015 Dike Intrusion and Eruption. <i>Journal of Geophysical Research: Solid Earth</i> , 2021, 126, e2020JB020277.	1.4	11
1013	Comparison of different atmospheric phase screen correction models in ground-based radar interferometry for landslide and open-pit mine monitoring. <i>International Journal of Remote Sensing</i> , 2021, 42, 5935-5952.	1.3	5
1014	A Preliminary Damage Assessment Using Dual Path Synthetic Aperture Radar Analysis for the M 6.4 Petrinja Earthquake (2020), Croatia. <i>Remote Sensing</i> , 2021, 13, 2267.	1.8	5
1015	The 30 October 2020, M7.0 Samos Island (Eastern Aegean Sea) Earthquake: effects of source rupture, path and local-site conditions on the observed and simulated ground motions. <i>Bulletin of Earthquake Engineering</i> , 2021, 19, 4745-4771.	2.3	18

#	ARTICLE	IF	CITATIONS
1016	Geodetic Observation and Modeling of the Coseismic and Postseismic Deformations Associated With the 2020 Mw 6.5 Monte Cristo Earthquake. <i>Earth and Space Science</i> , 2021, 8, e2021EA001696.	1.1	4
1017	A Large Old Landslide in Sichuan Province, China: Surface Displacement Monitoring and Potential Instability Assessment. <i>Remote Sensing</i> , 2021, 13, 2552.	1.8	12
1018	Environmental Controls of InSAR-Based Periglacial Ground Dynamics in a Sub-Arctic Landscape. <i>Journal of Geophysical Research F: Earth Surface</i> , 2021, 126, e2021JF006175.	1.0	12
1019	Seasonal InSAR Displacements Documenting the Active Layer Freeze and Thaw Progression in Central-Western Spitsbergen, Svalbard. <i>Remote Sensing</i> , 2021, 13, 2977.	1.8	11
1020	Deformation of the Zhangjiazhuang high-speed railway tunnel: an analysis of causal mechanisms using geomorphological surveys and D-InSAR monitoring. <i>Journal of Mountain Science</i> , 2021, 18, 1920-1936.	0.8	8
1021	Improving the Resolving Power of InSAR for Earthquakes Using Time Series: A Case Study in Iran. <i>Geophysical Research Letters</i> , 2021, 48, e2021GL093043.	1.5	25
1023	Partial Coupling and Earthquake Potential Along the Xianshuihe Fault, China. <i>Journal of Geophysical Research: Solid Earth</i> , 2021, 126, e2020JB021406.	1.4	27
1024	Geodetic Constraints on Recent Subduction Earthquakes and Future Seismic Hazards in the Southwestern Coast of Mexico. <i>Geophysical Research Letters</i> , 2021, 48, e2021GL094192.	1.5	2
1025	An adaptive patch-based goldstein filter for interferometric phase denoising. <i>International Journal of Remote Sensing</i> , 2021, 42, 6746-6761.	1.3	5
1026	Combined SBAS-InSAR and geostatistics to detect topographic change and fluid paths in geothermal areas. <i>Journal of Volcanology and Geothermal Research</i> , 2021, 416, 107272.	0.8	11
1027	Geodetic Mass Balance of the South Shetland Islands Ice Caps, Antarctica, from Differencing TanDEM-X DEMs. <i>Remote Sensing</i> , 2021, 13, 3408.	1.8	6
1028	Rupture Kinematics and Coseismic Slip Model of the 2021 Mw 7.3 Maduo (China) Earthquake: Implications for the Seismic Hazard of the Kunlun Fault. <i>Remote Sensing</i> , 2021, 13, 3327.	1.8	36
1029	Using time series InSAR to assess the deformation activity of open-pit mine dump site in severe cold area. <i>Journal of Soils and Sediments</i> , 2021, 21, 3717.	1.5	5
1030	A Strain-Model Based InSAR Time Series Method and Its Application to The Geysers Geothermal Field, California. <i>Journal of Geophysical Research: Solid Earth</i> , 2021, 126, e2021JB021939.	1.4	11
1031	Vegetation scenario of Indian part of Ganga Delta: a change analysis using Sentinel-1 time series data on Google earth engine platform. <i>Safety in Extreme Environments</i> , 2021, 3, 167-180.	1.8	5
1032	Underground Goaf Parameters Estimation by Cross-Iteration with InSAR Measurements. <i>Remote Sensing</i> , 2021, 13, 3204.	1.8	7
1033	Subsidence Monitoring of Fill Area in Yan'an New District Based on Sentinel-1A Time Series Imagery. <i>Remote Sensing</i> , 2021, 13, 3044.	1.8	10
1034	The March 2021 Damasi Earthquake Sequence, Central Greece: Reactivation Evidence across the Westward Propagating Tyrnavos Graben. <i>Geosciences (Switzerland)</i> , 2021, 11, 328.	1.0	19

#	ARTICLE	IF	CITATIONS
1035	Adaptive Multilooking of Multitemporal Differential SAR Interferometric Data Stack Using Directional Statistics. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2021, 59, 6706-6721.	2.7	10
1036	Long-term investigation of subsidence rate and its environmental effects using the InSAR technique and geospatial analyses. <i>Geocarto International</i> , 2022, 37, 7161-7185.	1.7	3
1037	InSAR Coherence Analysis for Wetlands in Alberta, Canada Using Time-Series Sentinel-1 Data. <i>Remote Sensing</i> , 2021, 13, 3315.	1.8	12
1038	Active landslides in the Rogun Catchment, Tajikistan, and their river damming hazard potential. <i>Landslides</i> , 2021, 18, 3599-3613.	2.7	6
1039	Landslide Detection in the Linzhiâ€™an Section along the Sichuanâ€™Tibet Railway Based on InSAR and Hot Spot Analysis Methods. <i>Remote Sensing</i> , 2021, 13, 3566.	1.8	29
1040	Coseismic Deformation and Speculative Seismogenic Fault of the 2017 MS 6.6 Jinghe Earthquake, China, Derived From Sentinel-1 Data. <i>Frontiers in Earth Science</i> , 2021, 9, .	0.8	2
1041	Observing Postruptive Deflation of Hydrothermal System Using InSAR Time Series Analysis: An Application of ALOSâ€²/PALSARâ€² Data on the 2015 Phreatic Eruption of Hakone Volcano, Japan. <i>Geophysical Research Letters</i> , 2021, 48, e2021GL094880.	1.5	4
1042	Tectonic and Geometric Control on Fault Kinematics of the 2021 Mw7.3 Maduo (China) Earthquake Inferred From Interseismic, Coseismic, and Postseismic InSAR Observations. <i>Geophysical Research Letters</i> , 2021, 48, e2021GL095417.	1.5	48
1043	Use of multifrequency (Câ€²band and Lâ€²band) <sc>SAR</sc> data to monitor peat subsidence based on timeâ€²series <sc>SBAS InSAR</sc> technique. <i>Land Degradation and Development</i> , 2021, 32, 4779-4794.	1.8	16
1044	Observation of Surface Displacement Associated with Rapid Urbanization and Land Creation in Lanzhou, Loess Plateau of China with Sentinel-1 SAR Imagery. <i>Remote Sensing</i> , 2021, 13, 3472.	1.8	4
1045	A distributed scatterers InSAR method based on adaptive window with statistically homogeneous pixel selection for mining subsidence monitoring. <i>Geocarto International</i> , 2022, 37, 7819-7842.	1.7	5
1046	Analysis of a large seismically induced mass movement after the December 2018 Etna volcano (southern Italy) seismic swarm. <i>Remote Sensing of Environment</i> , 2021, 263, 112524.	4.6	9
1047	A Modified Approach of Extracting Landfast Ice Edge Based on Sentinel-1A InSAR Coherence Image in the Gulf of Bothnia. <i>Journal of Marine Science and Engineering</i> , 2021, 9, 1076.	1.2	4
1048	Surge of Mangla reservoir loading promoted failure on active DÃ©collement of western Himalayas. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2021, 102, 102401.	1.4	3
1049	Average-DInSAR method for unstable escarpments detection induced by underground coal mining. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2021, 103, 102489.	1.4	6
1050	A Nonlocal Noise Reduction Method Based on Fringe Frequency Compensation for SAR Interferogram. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2021, 14, 9756-9767.	2.3	7
1051	Soil Moisture Change Monitoring from C and L-band SAR Interferometric Phase Observations. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2021, 14, 7179-7197.	2.3	8
1053	A Novel Airborne Dual-Antenna InSAR Calibration Method for Backprojection Imaging Model. <i>IEEE Access</i> , 2021, 9, 43001-43012.	2.6	2

#	ARTICLE	IF	CITATIONS
1054	Natural versus human control on subsurface salt dissolution and development of thousands of sinkholes along the Dead Sea coast. <i>Journal of Geophysical Research F: Earth Surface</i> , 2017, 122, 1262-1277.	1.0	30
1057	Deep-Seated Gravitational Slope Deformation in Urban Areas Matching Field and in-SAR Interferometry Surveys: The Case Study of the Episcopia Village, Southern Italy. <i>Lecture Notes in Computer Science</i> , 2017, , 662-674.	1.0	1
1058	Change Detection and Classification of Seismic Damage with LiDAR and RADAR Surveys in Supporting Emergency Planning. The Case of Amatrice. <i>Lecture Notes in Computer Science</i> , 2017, , 722-731.	1.0	1
1059	InSAR Imaging of Aleutian Volcanoes. , 2014, , 87-345.		35
1060	Landslide Surface Deformation Detected by Synthetic Aperture Radar (SAR) Interferometry in Shizu Area on the Southern Foot of Mt. Gassan, Japan. , 2017, , 31-44.		7
1061	A Fractal Estimation Method to Reduce the Distortion in Phase Unwrapping Process. <i>IEICE Transactions on Communications</i> , 2005, E88-B, 364-371.	0.4	5
1062	Anthropogenic subsidence along railway and road infrastructures in Northern Italy highlighted by Cosmo-SkyMed satellite data. <i>Journal of Applied Remote Sensing</i> , 2019, 13, 1.	0.6	12
1063	Decelerating uplift at Lazufre volcanic center, Central Andes, from A.D. 2010 to 2016, and implications for geodetic models. , 2017, 13, 1489-1505.		16
1066	Surface rupture and characteristics of a fault associated with the 2011 and 2016 earthquakes in the southern Abukuma Mountains, northeastern Japan, triggered by the Tohoku-Oki earthquake. <i>Earth, Planets and Space</i> , 2019, 71, .	0.9	8
1067	Determination of the dipping direction of a blind reverse fault from InSAR: case study on the 2017 Sefid Sang earthquake, northeastern Iran. <i>Earth, Planets and Space</i> , 2020, 72, .	0.9	16
1068	Landslide detection in mountainous forest areas using polarimetry and interferometric coherence. <i>Earth, Planets and Space</i> , 2020, 72, .	0.9	27
1069	Surface displacement revealed by L-band InSAR analysis in the Mayya area, Central Yakutia, underlain by continuous permafrost. <i>Earth, Planets and Space</i> , 2020, 72, .	0.9	30
1070	Source model for the Mw 6.0 earthquake in Jiashi, China on 19 January 2020 from Sentinel-1A InSAR data. <i>Earth, Planets and Space</i> , 2020, 72, .	0.9	10
1071	Spaceborne SAR Imaging Algorithm for Coherence Optimized. <i>PLoS ONE</i> , 2016, 11, e0148823.	1.1	4
1072	Mapping three-dimensional surface deformation caused by the 2010 Haiti earthquake using advanced satellite radar interferometry. <i>PLoS ONE</i> , 2017, 12, e0188286.	1.1	12
1073	The 2020 Mw 6.0 Jiashi Earthquake: A Fold Earthquake Event in the Southern Tian Shan, Northwest China. <i>Seismological Research Letters</i> , 2021, 92, 859-869.	0.8	18
1074	Rupture Process of the Mw 6.5 Stanley, Idaho, Earthquake Inferred from Seismic Waveform and Geodetic Data. <i>Seismological Research Letters</i> , 2021, 92, 699-709.	0.8	9
1075	Aplicaci3n de DInSAR a los estudios de subsidencia en el Valle de Mexicali. <i>Boletin De La Sociedad Geologica Mexicana</i> , 2011, 63, 1-13.	0.1	4

#	ARTICLE	IF	CITATIONS
1076	Detection of landslide surface deformation triggered by the 2011 off the Pacific coast of Tohoku earthquake using InSAR image. <i>Journal of the Japan Landslide Society</i> , 2014, 51, 41-49.	0.1	5
1077	Evaluation of the Trend of Deformation around the Kanto Region Estimated Using the Time Series of PALSAR-2 Data. <i>Sensors</i> , 2020, 20, 339.	2.1	12
1078	A fuzzy identification method for persistent scatterers in PSInSAR technology. <i>Mathematical Biosciences and Engineering</i> , 2020, 17, 6928-6944.	1.0	3
1079	Coseismic deformation pattern of the Emilia 2012 seismic sequence imaged by Radarsat-1 interferometry. <i>Annals of Geophysics</i> , 2012, 55, .	0.5	19
1080	DEFORMATION EFFECTS OF DAMS ON COASTAL REGIONS USING SENTINEL-1 IW TOPS TIME SERIES: THE WEST LESVOS, GREECE CASE. <i>International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives</i> , 0, XLII-3/W2, 91-96.	0.2	3
1081	VALIDATION OF DEMs DERIVED FROM HIGH RESOLUTION SAR DATA: A CASE STUDY ON BARCELONA. <i>ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences</i> , 0, 1-7, 49-54.	0.0	4
1084	New insights into active tectonics and seismogenic potential of the Italian Southern Alps from vertical geodetic velocities. <i>Solid Earth</i> , 2020, 11, 1681-1698.	1.2	32
1085	Surface deformation relating to the 2018 Lake Muir earthquake sequence, southwest Western Australia: new insight into stable continental region earthquakes. <i>Solid Earth</i> , 2020, 11, 691-717.	1.2	17
1088	The Mw 6.7 George Sound earthquake of October 15, 2007. <i>Bulletin of the New Zealand Society for Earthquake Engineering</i> , 2009, 42, 129-141.	0.2	6
1089	Uplift of Kelud Volcano Prior to the November 2007 Eruption as Observed by L-Band Insar. <i>Journal of Engineering and Technological Sciences</i> , 2014, 46, 245-257.	0.3	11
1090	Investigating the potential use of Sentinel-1 data for monitoring wetland water level changes in China's Momoge National Nature Reserve. <i>PeerJ</i> , 2020, 8, e8616.	0.9	15
1091	The 2020 Mw 6.4 Petrinja earthquake: A dextral event with large coseismic slip highlights a complex fault system in northwestern Croatia. <i>Geophysical Journal International</i> , 0, , .	1.0	12
1092	A Multi-Objective Approach for Multi-Channel SAR Despeckling. , 2021, , .		0
1093	The GeoWAM Campaign: An Update. , 2021, , .		0
1094	A Phase Filtering Method based on Deep Learning Network. , 2021, , .		1
1095	A New Phase Unwrapping Method Combining Minimum Cost Flow with Deep Learning. , 2021, , .		5
1097	New interpretation of the rupture process of the 2016 Taiwan Meinong Mw 6.4 earthquake based on the InSAR, 1-Hz GPS and strong motion data. <i>Journal of Geodesy</i> , 2021, 95, 1.	1.6	3
1098	Differential Interferometry over Sentinel-1 TopSAR Images as a Tool for Water and Tillage Soil Erosion Analysis. <i>Agronomy</i> , 2021, 11, 2075.	1.3	2

#	ARTICLE	IF	CITATIONS
1099	An Improved Phase Unwrapping Method Based on Hierarchical Networking and Constrained Adjustment. Remote Sensing, 2021, 13, 4193.	1.8	6
1100	Sentinel-1 and RADARSAT Constellation Mission InSAR Assessment of Slope Movements in the Southern Interior of British Columbia, Canada. Remote Sensing, 2021, 13, 3999.	1.8	8
1101	Three-dimensional and long-term landslide displacement estimation by fusing C- and L-band SAR observations: A case study in Gongjue County, Tibet, China. Remote Sensing of Environment, 2021, 267, 112745.	4.6	32
1102	Impact of ionosphere on InSAR observation and coseismic slip inversion: Improved slip model for the 2010 Maule, Chile, earthquake. Remote Sensing of Environment, 2021, 267, 112733.	4.6	5
1103	Effect of Atmospheric Noise on SAR Interferometry for DEM Generation. , 2004, , .		0
1104	L-Band and C-Band Combined Interferometric Monitoring of the Wenchuan Earthquake. , 2010, , 239-253.		0
1105	Source Parameters of the September 10, 2008 Qeshm Earthquake in Iran Inferred from the Bayesian Inversion of Envisat and ALOS InSAR Observations. International Association of Geodesy Symposia, 2012, , 319-325.	0.2	0
1106	Circular Property in Complex-Valued Correlation Learning Observed in CMRF-Based Singular Unit Restoration for Phase Unwrapping. Lecture Notes in Computer Science, 2012, , 530-537.	1.0	1
1107	Local, Fine Co-Registration of SAR Interferometry Using the Number of Singular Points for the Evaluation. , 0, , .		1
1108	EVALUATION OF INSAR DEM FROM HIGH-RESOLUTION SPACEBORNE SAR DATA. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XXXVIII-4/W19, 359-364.	0.2	0
1109	SMART FILTERING OF INTERFEROMETRIC PHASES FOR ENHANCING BUILDING RECONSTRUCTION. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XXXVIII-3/W22, 161-166.	0.2	2
1110	Enhancement of SAR Ship Wake Image Based on FABEMD and Goldstein Filter. Journal of Radars, 2012, 1, 426-435.	0.1	1
1113	Influence of temporal baseline on the vertical absolute accuracies of TSX HS interferometric DSMs: Case Study on Berlin. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XL-7, 155-160.	0.2	1
1114	Ground deformation monitoring using RADARSAT-2 DInSAR-MSBAS at the Aquistore CO<sub>2</sub> storage site in Saskatchewan (Canada). International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XL-1, 81-87.	0.2	1
1116	InSAR and A-InSAR: Theory. , 2015, , 1171-1184.		0
1117	Using SAR Interferograms and Coherence Images for Object-Based Delineation of Unstable Slopes. , 2015, , .		2
1119	Proposal of Singular-Unit Restoration by Focusing on the Spatial Continuity of Topographical Statistics in Spectral Domain. Lecture Notes in Computer Science, 2016, , 78-85.	1.0	1
1120	Development of Interferometric Synthetic Aperture Sonar Analysis Technique for Submarine Hydrothermal Deposit Exploration. The Journal of the Marine Acoustics Society of Japan, 2016, 43, 219-232.	0.2	2

#	ARTICLE	IF	CITATIONS
1121	InSAR Monitoring of Land Subsidence for Sustainable Urban Planning. Taylor & Francis Series in Remote Sensing Applications, 2016, , 61-79.	0.0	0
1122	Residual settlements detection of ocean reclaimed lands with multi-platform SAR time series and SBAS technique: a case study of Shanghai Pudong International Airport. , 2017, , .		1
1123	REMOTE SENSING TECHNOLOGIES AND GEOSPATIAL MODELLING HIERARCHY FOR SMART CITY SUPPORT. ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences, 0, IV-5/W1, 51-56.	0.0	5
1124	Estimation of ground subsidence in the city of Morelia, Mexico using Satellite Interferometry (INSAR)s. Geofisica International, 2018, 57, .	0.2	0
1125	Co-seismic surface displacements estimation using DInSAR tehniqe. Tehnika, 2018, 73, 503-510.	0.0	0
1126	MT-INSAR LANDSLIDE MONITORING WITH THE AID OF HOMOGENEOUS PIXELS FILTER. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XLII-3, 1135-1139.	0.2	0
1127	INTERSEISMIC DEFORMATION ACROSS THE EASTERN ALTYN TAGH FAULT FROM INSAR MEASUREMENTS. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XLII-3, 1029-1033.	0.2	0
1128	TWO-DIMENSIONAL LOESS LANDSLIDE DEFORMATION MONITORING WITH MULTIDIMENSIONAL SMALL BASELINE SUBSET (MSBAS) â€“ A CASE STUDY OF XINYUAN No.2 LANDSLIDE, GANSU, CHINA. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XLII-3, 2341-2345.	0.2	0
1129	Zamansal Baz UzunluÄŸunun Ä°leri Nesil Yapay AÄŸÄ±klÄ± Radar Uydu Verilerinin Konum DoÄŸruluÄŸu Äœzerindeki Etki Analizi. ÄŸukurova Äœniversitesi MÄ¼hendislik-Mimarlık FakÄ¼ltesi Dergisi, 0, , 165-176.	0.1	1
1130	Analysis of Singular-Point Generating Mechanisms Based on the Correlations Among the Parameters in Coherency Matrix and Those in the Optimized Scattering-Mechanism Vector in PolInSAR. , 2018, , .		6
1131	D-insar based ground subsidence evaluation of different topographical sites with sentinel-1A/B platforms. International Journal of Advanced Technology and Engineering Exploration, 2018, 5, 426-439.	0.6	0
1132	Comparison of Patch-Based Approches for Interferometric Phase Filtering. , 2019, , .		0
1133	Experiments of Interferometric Phase Filtering through Weighted Nuclear Norm Minimization. , 2019, , .		1
1134	Slopeâ€œcompensated interferogram filter with ESPRIT for adaptive frequency estimation. IET Image Processing, 2019, 13, 1289-1294.	1.4	3
1135	Nonâ€œuniform phase filter for Tiangongâ€œ2 Interferometric Imaging Radar Altimeter. Journal of Engineering, 2019, 2019, 5610-5613.	0.6	1
1136	Subsidence and Morphologic Variations in Mexico City Generated by the Earthquakes of September 2017. Geofisica International, 2019, 58, 211-227.	0.2	2
1137	The Aeolian Sand Dunes in Iraq: A New Insight. Springer Water, 2020, , 279-300.	0.2	2
1138	Database of Crustal Deformation Observed by SAR: Improving Atmospheric Delay Mitigation for Satellite SAR Interferometry and Developing L-Band Multi-Type Portable SAR. Journal of Disaster Research, 2019, 14, 713-727.	0.4	2

#	ARTICLE	IF	CITATIONS
1139	Investigation of ground deformation with PSInSAR approach in an unstable urban area Naples, Italy using X-band SAR images. , 2019, , .		2
1140	Seismogenic fault and tectonic significance of 1996 Karakoram Pass earthquake (Ms 7.1) based on InSAR. Earth, Planets and Space, 2019, 71, .	0.9	2
1141	Detecting the deformation of fast ice by InSAR technology with Sentinel-1A descending and ascending orbits data. E3S Web of Conferences, 2020, 206, 03028.	0.2	0
1142	Reduction of Polarization-State Spread in Phase-Distortion Mitigation by Phasor-Quaternion Neural Networks in PolInSAR. Communications in Computer and Information Science, 2020, , 526-534.	0.4	0
1143	Satellite SAR interferometry for monitoring dam deformations: the case of Evinos dam, central Greece. , 2020, , .		1
1144	The monitoring of a large ancient landslide in Sichuan Province, China, using interferometric synthetic aperture radar technology and sensitivity analysis in potential landslide mass modeling. IOP Conference Series: Earth and Environmental Science, 2021, 861, 052009.	0.2	0
1145	Nonhomogeneous clutter suppression based on terrain elevation interferometric phase compensation in multi-satellite formation systems. , 2022, 121, 103282.		4
1146	Assessing the Vertical Displacement of the Grand Ethiopian Renaissance Dam during Its Filling Using DInSAR Technology and Its Potential Acute Consequences on the Downstream Countries. Remote Sensing, 2021, 13, 4287.	1.8	6
1147	Failure mechanism and kinematics of the Tonghua landslide based on multidisciplinary pre- and post-failure data. Landslides, 2021, 18, 3857-3874.	2.7	8
1148	Advanced Radar Images for Monitoring Transportation, Energy, Mining and Coastal Infrastructure. Springer Remote Sensing/photogrammetry, 2021, , 3-40.	0.4	1
1149	Landslide Activity Classification Based on Sentinel-1 Satellite Radar Interferometry Data. ICL Contribution To Landslide Disaster Risk Reduction, 2021, , 111-118.	0.3	0
1150	Monitoring land deformation due to groundwater extraction using Sentinel-1 satellite images: a case study from Chapai Nawabgonj, Bangladesh. , 2020, , .		0
1151	Comparison Between PS and SBAS InSAR Techniques in Monitoring Shallow Landslides. ICL Contribution To Landslide Disaster Risk Reduction, 2021, , 155-161.	0.3	5
1152	Accuracy evaluation of digital elevation models derived from Terrestrial Radar Interferometer over Helheim Glacier, Greenland. Remote Sensing of Environment, 2022, 268, 112759.	4.6	5
1153	Magnitudes and patterns of large-scale permafrost ground deformation revealed by Sentinel-1 InSAR on the central Qinghai-Tibet Plateau. Remote Sensing of Environment, 2022, 268, 112778.	4.6	59
1154	Land Subsidence in Villahermosa Tabasco Mexico, Using Radar Interferometry. Communications in Computer and Information Science, 2020, , 18-29.	0.4	1
1155	An InSAR Ionospheric Correction Method Based on Variance Component Estimation With Integration of MAI and RSS Measurements. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2021, 14, 1423-1433.	2.3	7
1156	Estimation of surface displacement around Kuju volcano before and after the 2016 Kumamoto earthquake using ALOS-2 data. BUTSURI-TANSA(Geophysical Exploration), 2020, 73, 136-148.	0.0	0



#	ARTICLE	IF	CITATIONS
1157	Phasor Quaternion Neural Network Framework and Its Significance in Big SAR Intelligence. , 2021, , .		0
1159	Synthetic aperture radar interferometry and related techniques. , 0, , 39-136.		0
1160	InSAR analysis of Miyake-jima volcano with Radarsat images. , 0, , .		0
1161	Comparison of TanDEM-X InSAR data and high-density ALS for the prediction of forest inventory attributes in plantation forests with steep terrain. Remote Sensing of Environment, 2020, 246, 111833.	4.6	6
1162	Characterizing the Great Lakes Coastal Wetlands with InSAR Observations from X-, C-, and L-Band Sensors. Canadian Journal of Remote Sensing, 2020, 46, 765-783.	1.1	6
1163	Practical Issues in Monitoring a Hydrocarbon Cultivation Activity in Italy: The Pilot Project at the Cavone Oil Field. Frontiers in Earth Science, 2021, 9, .	0.8	1
1164	High Performance Computing in Satellite SAR Interferometry: A Critical Perspective. Remote Sensing, 2021, 13, 4756.	1.8	10
1165	A Robust InSAR Phase Unwrapping Method via Phase Gradient Estimation Network. Remote Sensing, 2021, 13, 4564.	1.8	13
1166	The Interplay Between Seismic and Aseismic Slip Along the Chaman Fault Illuminated by InSAR. Journal of Geophysical Research: Solid Earth, 2021, 126, .	1.4	9
1167	Early preliminary results on co-seismic deformation of the island of Samos associated with co-seismic slip following the October 2020 Mw 6.9 Samos earthquake (Greece). Arabian Journal of Geosciences, 2021, 14, 1.	0.6	3
1168	Regional Morpho-Kinematic Inventory of Slope Movements in Northern Norway. Frontiers in Earth Science, 2021, 9, .	0.8	5
1169	An Integrated Approach for Mapping Three-Dimensional CoSeismic Displacement Fields from Sentinel-1 TOPS Data Based on DInSAR, POT, MAI and BOI Techniques: Application to the 2021 Mw 7.4 Maduo Earthquake. Remote Sensing, 2021, 13, 4847.	1.8	5
1170	Error Evaluation of L-Band InSAR Precipitable Water Vapor Measurements by Comparison with GNSS Observations in Japan. Remote Sensing, 2021, 13, 4866.	1.8	3
1171	Investigating mining-induced surface subsidence and potential damages based on SBAS-InSAR monitoring and GIS techniques: a case study. Environmental Earth Sciences, 2021, 80, 1.	1.3	14
1172	Autonomous extraction of millimeter-scale deformation in InSAR time series using deep learning. Nature Communications, 2021, 12, 6480.	5.8	38
1173	InSAR Monitoring of Arctic Landfast Sea Ice Deformation Using L-Band ALOS-2, C-Band Radarsat-2 and Sentinel-1. Remote Sensing, 2021, 13, 4570.	1.8	5
1175	Subsidence monitoring and influencing factor analysis of mountain excavation and valley infilling on the Chinese Loess Plateau: A case study of Yan'an New District. Engineering Geology, 2022, 297, 106482.	2.9	21
1176	Inversion of seismic source parameters from satellite InSAR data based on deep learning. Tectonophysics, 2021, 821, 229140.	0.9	4

#	ARTICLE	IF	CITATIONS
1177	Tajik Depression and Greater Pamir Neotectonics From InSAR Rate Maps. Journal of Geophysical Research: Solid Earth, 2021, 126, e2021JB022775.	1.4	4
1178	Complex Slip Distribution of the 2021 Mw 7.4 Maduo, China, Earthquake: An Event Occurring on the Slowly Slipping Fault. Seismological Research Letters, 2022, 93, 653-665.	0.8	21
1179	Deep Learning for the Detection and Phase Unwrapping of Mining-Induced Deformation in Large-Scale Interferograms. IEEE Transactions on Geoscience and Remote Sensing, 2022, 60, 1-18.	2.7	19
1180	Space-time evolution of land subsidence in the National Capital Region of India using ALOS-1 and Sentinel-1 SAR data: Evidence for groundwater overexploitation. Journal of Hydrology, 2022, 605, 127329.	2.3	24
1181	InSAR Investigation on DRAA-Douamis Sinkholes in Cheria Northeastern of Algeria. , 2020, , .		2
1182	Interferometric Phase Stack Data Filter Method via Bayesian CP Factorization. , 2020, , .		0
1183	DRFM Jamming Mode Identification Leveraging Deep Neural Networks. , 2021, , .		0
1184	[PDF Not Yet Available In IEEE Xplore]. , 2021, , .		0
1185	Retrieval of Simultaneous Water Level Changes in Small Lakes With InSAR. Geophysical Research Letters, 2022, 49, .	1.5	4
1186	Kinematic Slip Model of the 2021 M 6.0 Antelope Valley, California, Earthquake. The Seismic Record, 2022, 2, 20-28.	1.3	5
1187	Rapid report of the 8 January 2022 M 6.9 Menyuan earthquake, Qinghai, China. Earthquake Research Advances, 2022, 2, 100113.	1.0	50
1188	Investigation of Source Parameters of the 2020 Elazig-Sivrice Earthquake (Mw 6.8) in the East Anatolian Fault Zone. Pure and Applied Geophysics, 2022, 179, 587.	0.8	3
1189	Spatio-temporal evolution of the magma plumbing system at Masaya Caldera, Nicaragua. Bulletin of Volcanology, 2022, 84, 1.	1.1	2
1190	Distribution of neotectonic variability between the Kachchh Mainland Fault and Vigodi Fault, Northwestern Mainland Kachchh, Western India. Quaternary Science Advances, 2022, 6, 100047.	1.1	4
1191	Increasing spatial coverage in rough terrain and vegetated areas using InSAR optimized pixel selection: application to Tohoku, Japan. Geo-Spatial Information Science, 2022, 25, 295-311.	2.4	4
1192	Evolution Assessment of Mining Subsidence Characteristics Using SBAS and PS Interferometry in Sanshandao Gold Mine, China. Remote Sensing, 2022, 14, 290.	1.8	9
1193	InSAR Constrained Dwindip and Updip Afterslip Following the 2015 Nepal Earthquake: New Insights into Moment Budget of the Main Himalayan Thrust. Remote Sensing, 2022, 14, 306.	1.8	1
1194	Coseismic Slip Model of the 2021 Maduo Earthquake, China from Sentinel-1 InSAR Observation. Remote Sensing, 2022, 14, 436.	1.8	11

#	ARTICLE	IF	CITATIONS
1195	An Effective Method for InSAR Mapping of Tropical Forest Degradation in Hilly Areas. <i>Remote Sensing</i> , 2022, 14, 452.	1.8	5
1196	Three Mw 4.7 Earthquakes Within the Changning (China) Shale Gas Field Ruptured Shallow Faults Intersecting With Hydraulic Fracturing Wells. <i>Journal of Geophysical Research: Solid Earth</i> , 2022, 127, .	1.4	19
1197	A Simple Method of Mapping Landslides Runout Zones Considering Kinematic Uncertainties. <i>Remote Sensing</i> , 2022, 14, 668.	1.8	11
1198	Time and path prediction of landslides using InSAR and flow model. <i>Remote Sensing of Environment</i> , 2022, 271, 112899.	4.6	29
1199	InSAR data reveal that the largest hydraulic fracturing-induced earthquake in Canada, to date, is a slow-slip event. <i>Scientific Reports</i> , 2022, 12, 2043.	1.6	26
1200	Co-seismic and post-seismic fault kinematics of the July 22, 2020, Nima (Tibet) Ms6.6 earthquake: implications of the forming mechanism of the active N-trending grabens in Qiangtang, Tibet. <i>Tectonics</i> , 0, , .	1.3	8
1201	InSAR Modeling and Deformation Prediction for Salt Solution Mining Using a Novel CT-PIM Function. <i>Remote Sensing</i> , 2022, 14, 842.	1.8	4
1202	Capturing the crack process of the Antarctic A74 iceberg with Sentinel-1 based offset tracking and radar interferometry techniques. <i>International Journal of Digital Earth</i> , 2022, 15, 397-415.	1.6	2
1203	Pair Selection Optimization for InSAR Time Series Processing. <i>Journal of Geophysical Research: Solid Earth</i> , 2022, 127, .	1.4	5
1204	Surface Rupture on a Secondary Fault Associated with the 8 August 2020 Mw 5.1 Sparta North Carolina Earthquake. <i>The Seismic Record</i> , 2022, 2, 59-67.	1.3	3
1205	Present-Day Tectonic Deformation Partitioning Across South Tianshan From Satellite Geodetic Imaging. <i>Frontiers in Earth Science</i> , 2022, 9, .	0.8	1
1206	Using InSAR for evaluating the accuracy of locations and focal mechanism solutions of local earthquake catalogues. <i>Geophysical Journal International</i> , 2022, 230, 607-622.	1.0	5
1207	Nonlocal Feature Selection Encoder-Decoder Network for Accurate InSAR Phase Filtering. <i>Remote Sensing</i> , 2022, 14, 1174.	1.8	6
1208	Time Series Surface Deformation of Changbaishan Volcano Based on Sentinel-1B SAR Data and Its Geological Significance. <i>Remote Sensing</i> , 2022, 14, 1213.	1.8	5
1209	Citizen seismology helps decipher the 2021 Haiti earthquake. <i>Science</i> , 2022, 376, 283-287.	6.0	25
1210	Experimental Results of Three-Dimensional Modeling and Mapping with Airborne Ka-Band Fixed-Baseline InSAR in Typical Topographies of China. <i>Remote Sensing</i> , 2022, 14, 1355.	1.8	3
1211	Seismic faults of the 2022 <i>italic</i> M 6.6 Menyuan, Qinghai earthquake and their implication for the regional seismicogenic structures. <i>Chinese Science Bulletin</i> , 2023, 68, 254-270.	0.4	11
1212	Monitoring the tropical cyclone <i>Yass</i> and <i>Amphan</i> affected flood inundation using Sentinel-1/2 data and Google Earth Engine. <i>Modeling Earth Systems and Environment</i> , 2022, 8, 4317-4332.	1.9	16

#	ARTICLE	IF	CITATIONS
1213	Coseismic fault model of the 2017 M <sub>w</sub> 6.5 Jiuzhaigou earthquake and implications for the regional fault slip pattern. <i>Geodesy and Geodynamics</i> , 2022, 13, 104-113.	1.0	1
1214	Detection, characterization, and analysis of land subsidence in Nairobi using InSAR. <i>Natural Hazards</i> , 2022, 113, 213-236.	1.6	2
1215	Slip Kinematics of the 2021 Yangbi Earthquake: Fore-Main-Aftershock Sequence Rupture along an Unknown Secondary Fault of the Weixi-Qiaohou Fault. <i>Seismological Research Letters</i> , 2022, 93, 1400-1412.	0.8	8
1216	A Shallow and Left-Lateral Rupture Event of the 2021 Mw 5.3 Baicheng Earthquake: Implications for the Diffuse Deformation of Southern Tianshan. <i>Earth and Space Science</i> , 2022, 9, .	1.1	5
1217	Research on deformation characteristics of the 2021 Qinghai Maduo MS7.4 earthquake through coseismic dislocation inversion. <i>Advances in Space Research</i> , 2022, 69, 3059-3070.	1.2	7
1218	Using the SBAS InSAR technique to monitor surface deformation in the Kuqa fold-thrust belt, Tarim Basin, NW China. <i>Journal of Asian Earth Sciences</i> , 2022, 231, 105212.	1.0	5
1219	Inter-eruptive spatiotemporal variation of caldera contraction on Miyakejima volcano revealed by PALSAR and PALSAR-2 time-series data. <i>Journal of Volcanology and Geothermal Research</i> , 2022, , 107548.	0.8	0
1220	Rupture Process of the 2017 Mw 6.3 Earthquake in Jinghe, Northwest China, Constrained by GNSS, InSAR, and Teleseismic Waveforms. <i>Seismological Research Letters</i> , 0, , .	0.8	1
1221	Rapid ground subsidence in the Kizilirmak Menderes Graben (W. Turkey) captured by Sentinel-1 SAR data. <i>Environmental Earth Sciences</i> , 2022, 81, .	1.3	4
1222	Using InSAR Data to Improve the Water Vapor Distribution Downstream of the Core of the South American Low-Level Jet. <i>Journal of Geophysical Research D: Atmospheres</i> , 2022, 127, .	1.2	8
1223	Characterizing and correcting phase biases in short-term, multilooked interferograms. <i>Remote Sensing of Environment</i> , 2022, 275, 113022.	4.6	27
1224	Space-borne Interferometric SAR for digital elevation model in the tropical region: An initial result of Sentinel-1 RADAR data over the Indonesian archipelago. , 2021, , .		1
1225	Faraday Rotation Estimation Based on PolSAR Data: A Denoising Technique. , 2021, , .		0
1226	Interferometric SAR Processing using Whole ALOS/PALSAR Data Archive for Measuring the Global Surface Deformation. , 2021, , .		1
1227	2.5-D Surface Deformation due to the 24 January 2020 Elazig, Turkey Earthquake Estimated by Multiple Sentinel-1 InSAR Data. , 2021, , .		1
1228	Land subsidence detection in Jakarta Province using Sentinel-1A Satellite Imagery. <i>IOP Conference Series: Earth and Environmental Science</i> , 2021, 944, 012036.	0.2	0
1229	Refining slip distribution in moderate earthquakes using Sentinel-1 burst overlap interferometry: a case study over 2020 May 15 Mw 6.5 Monte Cristo Range Earthquake. <i>Geophysical Journal International</i> , 2022, 229, 472-486.	1.0	3
1230	Inflating Shallow Plumbing System of Bezymianny Volcano, Kamchatka, Studied by InSAR and Seismicity Data Prior to the 20 December 2017 Eruption. <i>Frontiers in Earth Science</i> , 2021, 9, .	0.8	3

#	ARTICLE	IF	CITATIONS
1231	Postseismic Relaxation Following the 2019 Ridgecrest, California, Earthquake Sequence. <i>Bulletin of the Seismological Society of America</i> , 2022, 112, 734-749.	1.1	3
1232	Transtensional Rupture within a Diffuse Plate Boundary Zone during the 2020 Mw6.4 Puerto Rico Earthquake. <i>Seismological Research Letters</i> , 2022, 93, 567-583.	0.8	5
1233	Parameterized Modeling and Calibration for Orbital Error in TanDEM-X Bistatic SAR Interferometry over Complex Terrain Areas. <i>Remote Sensing</i> , 2021, 13, 5124.	1.8	7
1234	Evaluation of Post-Seismic Ground Deformation Using the D-InSAR Technique. <i>Advances in Geographic Information Science</i> , 2022, , 325-338.	0.3	0
1235	Thermokarst Landscape Development Detected by Multiple-Geospatial Data in Churapcha, Eastern Siberia. <i>Frontiers in Earth Science</i> , 2021, 9, .	0.8	7
1236	BM3D Denoising for a Cluster-Analysis-Based Multibaseline InSAR Phase-Unwrapping Method. <i>Remote Sensing</i> , 2022, 14, 1836.	1.8	10
1237	Quantitative Evaluation of Coseismic Deformations Induced by Seismogenic Faulting in Mining Exploration Area During the 2018 Xingwen and 2019 Changning Earthquakes, Sichuan, China. <i>Frontiers in Earth Science</i> , 2022, 10, .	0.8	1
1238	Lithospheric Deformation Due To the 2015 M7.2 Sarez (Pamir) Earthquake Constrained by 5 Years of Space Geodetic Observations. <i>Journal of Geophysical Research: Solid Earth</i> , 2022, 127, .	1.4	7
1239	Interseismic deformation and strain-partitioning along the Main K�ıpetdag Fault, Turkmenistan, with Sentinel-1 InSAR time-series. <i>Geophysical Journal International</i> , 2022, 230, 1612-1629.	1.0	2
1240	Complex Coseismic and Postseismic Faulting During the 2021 Northern Thessaly (Greece) Earthquake Sequence Illuminated by InSAR Observations. <i>Geophysical Research Letters</i> , 2022, 49, .	1.5	11
1241	The 2021 Mw7.4 Maduo earthquake: Coseismic slip model, triggering effect of historical earthquakes and implications for adjacent fault rupture potential. <i>Journal of Geodynamics</i> , 2022, 151, 101920.	0.7	7
1245	Automatic delineation of cracks with Sentinel-1 interferometry for monitoring ice shelf damage and calving. <i>Cryosphere</i> , 2022, 16, 1523-1542.	1.5	4
1246	Multi-Rotor UAV-Borne PolInSAR Data Processing and Preliminary Analysis of Height Inversion in Urban Area. <i>Remote Sensing</i> , 2022, 14, 2161.	1.8	1
1247	Asymmetric Interseismic Strain across the Western Altyn Tagh Fault from InSAR. <i>Remote Sensing</i> , 2022, 14, 2112.	1.8	0
1248	Surface Displacement and Source Parameters of the 2021 Bandar-e Genaveh, Iran, Earthquake Determined from InSAR Observations. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 4223.	1.3	3
1249	A Multi-Temporal Small Baseline Interferometry Procedure Applied to Mining-Induced Deformation Monitoring. <i>Remote Sensing</i> , 2022, 14, 2182.	1.8	8
1250	Role of Poroelasticity During the Early Postseismic Deformation of the 2010 Maule Megathrust Earthquake. <i>Geophysical Research Letters</i> , 2022, 49, .	1.5	4
1251	A new procedure for evaluating light-to-moderate earthquake location based on InSAR data and forward modeling tested on Mediterranean area. <i>Science of Remote Sensing</i> , 2022, , 100057.	2.2	0

#	ARTICLE	IF	CITATIONS
1252	Research on a GB-SAR interferogram filtering method for open-pit mines based on eight-neighbourhood outlier discrimination. <i>Geocarto International</i> , 0, , 1-19.	1.7	0
1253	Cyclical geothermal unrest as a precursor to Iceland's 2021 Fagradalsfjall eruption. <i>Nature Geoscience</i> , 2022, 15, 397-404.	5.4	29
1254	Monitoring and Predicting the Subsidence of Dalian Jinzhou Bay International Airport, China by Integrating InSAR Observation and Terzaghi Consolidation Theory. <i>Remote Sensing</i> , 2022, 14, 2332.	1.8	11
1255	Coseismic deformation and slip distribution of the 2017 Mw 6.3 Jinghe earthquake, Xinjiang, western China based on InSAR observations: a buried reverse event on previously unknown fault. <i>Geophysical Journal International</i> , 0, , .	1.0	0
1256	Current Slip and Strain Rate Distribution Along the Ganzi-Yushu-Xianshuihe Fault System Based on InSAR and GPS Observations. <i>Frontiers in Earth Science</i> , 2022, 10, .	0.8	5
1257	Estimation of annual groundwater changes from InSAR-derived land subsidence. <i>Water and Environment Journal</i> , 0, , .	1.0	3
1259	2019 Mw 5.9 Mirpur, Pakistan Earthquake: Insights from Integrating Geodetic, Seismic, and Field Observations. <i>Seismological Research Letters</i> , 2022, 93, 2015-2026.	0.8	4
1260	Detecting, Monitoring, and Analyzing the Surface Subsidence in the Yellow River Delta (China) Combined with CenterNet Network and SBAS-InSAR. <i>Journal of Spectroscopy</i> , 2022, 2022, 1-17.	0.6	1
1261	A Sparse-Model-Driven Network for Efficient and High-Accuracy InSAR Phase Filtering. <i>Remote Sensing</i> , 2022, 14, 2614.	1.8	1
1262	Impact of crustal deformation detection by the DSI (difference of split-band interferograms) method with PALSAR-2 data: a case study on the 2016 Kumamoto Earthquake. <i>Earth, Planets and Space</i> , 2022, 74, .	0.9	0
1263	Cross-validated multi-technique geodetic dataset of the Upper Adriatic Sea coastal area of Italy. <i>Data in Brief</i> , 2022, , 108342.	0.5	0
1264	Vertical displacement assessment in temporal analysis of the transboundary islands of Tiran and Sanafir, Egypt-Saudi Arabia. <i>Arabian Journal of Geosciences</i> , 2022, 15, .	0.6	2
1265	Monitoring Maize Growth and Calculating Plant Heights with Synthetic Aperture Radar (SAR) and Optical Satellite Images. <i>Agriculture (Switzerland)</i> , 2022, 12, 800.	1.4	7
1266	New Insights into Ice Avalanche-Induced Debris Flows in Southeastern Tibet Using SAR Technology. <i>Remote Sensing</i> , 2022, 14, 2603.	1.8	4
1270	A new method to detect changes in displacement rates of slow-moving landslides using InSAR time series. <i>Landslides</i> , 2022, 19, 2233-2247.	2.7	13
1271	The Source Mechanism and Fault Movement Characterization of the 2022 Mw6.7 Menyuan Earthquake Revealed by the Joint Inversion With InSAR and Teleseismic Observations. <i>Frontiers in Environmental Science</i> , 0, 10, .	1.5	5
1272	Coseismic Surface Deformation, Fault Modeling, and Coulomb Stress Changes of the March 2021 Thessaly, Greece, Earthquake Sequence Based on InSAR and GPS Data. <i>Seismological Research Letters</i> , 2022, 93, 2584-2598.	0.8	8
1273	De-noising distributed acoustic sensing data using an adaptive frequency-wavenumber filter. <i>Geophysical Journal International</i> , 2022, 231, 944-949.	1.0	8

#	ARTICLE	IF	CITATIONS
1274	Complex Rupture and Triggered Aseismic Creep During the 14 August 2021 Haiti Earthquake From Satellite Geodesy. <i>Geophysical Research Letters</i> , 2022, 49, .	1.5	12
1275	Mapping the Long-Term Evolution of the Post-Event Deformation of the Guang'an Village Landslide, Chongqing, China Using Multibaseline InSAR Techniques. <i>Forests</i> , 2022, 13, 887.	0.9	2
1276	INSAR-BASED DETECTION AND MAPPING OF SEISMICALLY INDUCED GROUND SURFACE DISPLACEMENT AND DAMAGE IN PAMPANGA, PHILIPPINES. <i>ASEAN Engineering Journal</i> , 2022, 12, 1-10.	0.2	2
1277	A Deep Learning Model for Road Damage Detection After an Earthquake Based on Synthetic Aperture Radar (SAR) and Field Datasets. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2022, 15, 5753-5765.	2.3	10
1278	Identifying the spatiotemporal characteristics of individual red bed landslides: a case study in Western Yunnan, China. <i>Journal of Mountain Science</i> , 2022, 19, 1748-1766.	0.8	4
1279	Source Model for the 2022 Qinghai Menyuan Ms 6.9 Earthquake Based on D-InSAR. <i>Frontiers in Earth Science</i> , 0, 10, .	0.8	2
1280	Characteristics of Freeze-Thaw Cycles in an Endorheic Basin on the Qinghai-Tibet Plateau Based on SBAS-InSAR Technology. <i>Remote Sensing</i> , 2022, 14, 3168.	1.8	8
1282	The 23 February 2020 Qotur-Ravian earthquake doublet at the Iranian-Turkish border: Seismological and InSAR evidence for escape tectonics. <i>Tectonophysics</i> , 2022, 838, 229482.	0.9	8
1283	Study of the Automatic Recognition of Landslides by Using InSAR Images and the Improved Mask R-CNN Model in the Eastern Tibet Plateau. <i>Remote Sensing</i> , 2022, 14, 3362.	1.8	18
1284	InSAR-based mapping of ground deformation caused by industrial waste disposals: the case study of the Huelva phosphogypsum stack, SW Spain. <i>Bulletin of Engineering Geology and the Environment</i> , 2022, 81, .	1.6	2
1285	Satellite-Observed Thermal Anomalies and Deformation Patterns Associated to the 2021, Central Crete Seismic Sequence. <i>Remote Sensing</i> , 2022, 14, 3413.	1.8	10
1286	Rupture Characteristics Analysis of the 2020 Mw 7.4 Oaxaca, Mexico Earthquake Using Teleseismic, High-Rate GPS, and InSAR Data. <i>Frontiers in Earth Science</i> , 0, 10, .	0.8	0
1287	Increased Water Content in the Active Layer Revealed by Regional-Scale InSAR and Independent Component Analysis on the Central Qinghai-Tibet Plateau. <i>Geophysical Research Letters</i> , 2022, 49, .	1.5	4
1288	A Joint Model for Postseismic Deformation: A Case Study of the 2017 Mw 7.3 Darbandikhan, Iran/Iraq Earthquake. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
1289	On the Patterns and Scaling Properties of the 2021-2022 Arkalochori Earthquake Sequence (Central Tj ETQq0 0 0 rgBT /Overlock 10 (Switzerland), 2022, 12, 7716.	1.3	9
1290	Rapid report of June 1, 2022 MW 5.9 Lushan earthquake, China with geodetic and teleseismic data. <i>Earthquake Research Advances</i> , 2023, 3, 100172.	1.0	1
1291	Remote Sensing Application for Landslide Detection, Monitoring along Eastern Lake Michigan (Miami) Tj ETQq0 0 0 rgBT /Overlock 10 T	1.8	8
1292	A D-InSAR method to improve snow depth estimation accuracy. <i>Chinese Science Bulletin</i> , 2022, 67, 3064-3080.	0.4	1

#	ARTICLE	IF	CITATIONS
1293	Removing InSAR Topography-Dependent Atmospheric Effect Based on Deep Learning. Remote Sensing, 2022, 14, 4171.	1.8	3
1294	Links between volcanic activity and flank creep behavior at Pacaya Volcano, Guatemala. Bulletin of Volcanology, 2022, 84, .	1.1	1
1295	An InSAR Interferogram Filtering Method Based on Multi-Level Feature Fusion CNN. Sensors, 2022, 22, 5956.	2.1	3
1296	Decision-making fusion of InSAR technology and offset tracking to study the deformation of large gradients in mining areas-Xuemiaotan mine as an example. Frontiers in Earth Science, 0, 10, .	0.8	6
1297	CAPS: A New Method for the Identification of Different Surface Displacements in Landslide and Subsidence Environments through Correlation Analysis on Persistent Scatterers Time-Series from PSI. Remote Sensing, 2022, 14, 3791.	1.8	1
1298	An integrated framework for wide-area active landslide detection with InSAR observations and SAR pixel offsets. Landslides, 2022, 19, 2905-2923.	2.7	17
1299	3D Co-Seismic Surface Displacements Measured by DInSAR and MAI of the 2017 Sarpol Zahab Earthquake, Mw7.3. International Journal of Environmental Research and Public Health, 2022, 19, 9831.	1.2	0
1300	Could thermal pressurization have induced the frequency-dependent rupture during the 2019 Mw8.0 Peru intermediate-depth earthquake?. Geophysical Journal International, 2022, 232, 115-127.	1.0	1
1301	A deep learning multi-layer perceptron and remote sensing approach for soil health based crop yield estimation. International Journal of Applied Earth Observation and Geoinformation, 2022, 113, 102959.	0.9	10
1302	Seismological and InSAR based investigations to characterise earthquake swarms in Jamnagar, Gujarat, India – An active intraplate region. Journal of Asian Earth Sciences: X, 2022, 8, 100118.	0.6	0
1303	The 2021 Mw6.7 Lake Hovsgol (Mongolia) Earthquake: Irregular Normal Faulting with Slip Partitioning Controlled by an Adjacent Strike-Slip Fault. Remote Sensing, 2022, 14, 4553.	1.8	3
1304	Identification of active deformation zone associated with the 28th April 2021 Assam earthquake (Mw) Tj ETQq1 1 0,784314 ggBT /Overl	0.9	0
1305	A Deep Convolutional Neural Network With Multiscale Feature Dynamic Fusion for InSAR Phase Filtering. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2022, 15, 6687-6710.	2.3	1
1306	A New Spatiotemporal InSAR Tropospheric Noise Filtering: An Interseismic Case Study Over Central San Andreas Fault. IEEE Transactions on Geoscience and Remote Sensing, 2022, 60, 1-16.	2.7	4
1307	Challenges and Prospects to Time Series Burst Overlap Interferometry (BOI): Some Insights From a New BOI Algorithm Test Over the Chaman Fault. IEEE Transactions on Geoscience and Remote Sensing, 2022, 60, 1-19.	2.7	3
1308	A Sparse Model-Based Network for Interferometric Phase Denoising. , 2022, , .		0
1309	An Insar Phase Filtering Method based on Transformer Network. , 2022, , .		0
1310	Detectability of Silvicultural Treatments in Time Series of Penetration Depth Corrected Tandem-X Phase Heights. , 2022, , .		1



#	ARTICLE	IF	CITATIONS
1311	A CNN Based Solution for InSAR Phase Denoising. , 2022, , .		2
1312	A Study on Light-to-Moderate Earthquakes Based on Moment Tensor Solutions and Remote Sensing Insar Data. , 2022, , .		0
1313	Strain Partitioning on the Western Haiyuan Fault System Revealed by the Adjacent 2016 $M_w$ 5.9 and 2022 $M_w$ 6.7 Menyuan Earthquakes. Geophysical Research Letters, 2022, 49, .	1.5	17
1314	A Phase Correlation Anti-Noise Displacement Estimation Method Based on PSD Phase Screening. Applied Sciences (Switzerland), 2022, 12, 9227.	1.3	0
1315	Aquifer and Land Subsidence Interaction Assessment Using Sentinel-1 Data and DInSAR Technique. ISPRS International Journal of Geo-Information, 2022, 11, 495.	1.4	4
1316	Elevation Change of CookE2 Subglacial Lake in East Antarctica Observed by DInSAR and Time-Segmented PSInSAR. Remote Sensing, 2022, 14, 4616.	1.8	0
1317	Calculating Co-Seismic Three-Dimensional Displacements from InSAR Observations with the Dislocation Model-Based Displacement Direction Constraint: Application to the 23 July 2020 $M_w$ 6.3 Nima Earthquake, China. Remote Sensing, 2022, 14, 4481.	1.8	0
1318	Accelerated Movements of Xiaomojiu Landslide Observed with SBAS-InSAR and Three-Dimensional Measurements, Upper Jinsha River, Eastern Tibet. Applied Sciences (Switzerland), 2022, 12, 9758.	1.3	3
1319	Land Subsidence Detection in the Coastal Plain of Tabasco, Mexico Using Differential SAR Interferometry. Land, 2022, 11, 1473.	1.2	1
1320	The 2022 $M_w$ 6.6 Menyuan Earthquake in the Northwest Margin of Tibet: Geodetic and Seismic Evidence of the Fault Structure and Slip Behavior of the Qilianâ€“Haiyuan Strike-Slip Fault. Seismological Research Letters, 2023, 94, 26-38.	0.8	4
1321	Water-temperature controlled deformation patterns in Heifangtai loess terraces revealed by wavelet analysis of InSAR time series and hydrological parameters. Frontiers in Environmental Science, 0, 10, .	1.5	1
1322	Advances in InSAR Imaging and Data Processing. Remote Sensing, 2022, 14, 4307.	1.8	6
1323	Landslide Detection and Mapping Based on SBAS-InSAR and PS-InSAR: A Case Study in Gongjue County, Tibet, China. Remote Sensing, 2022, 14, 4728.	1.8	34
1324	Forest Height Estimation Using Sentinel-1 Interferometry. A Phase Unwrapping-Free Method Based on Least Squares Adjustment. Communications in Computer and Information Science, 2022, , 251-262.	0.4	0
1325	Source Characteristics of the Fin Doublet Earthquake of 14 November 2021 ( $M_w$ 6.2 and $M_w$ 6.3) Utilizing InSAR Data. , 2022, , .		0
1326	Updating Inventory, Deformation, and Development Characteristics of Landslides in Hunza Valley, NW Karakoram, Pakistan by SBAS-InSAR. Remote Sensing, 2022, 14, 4907.	1.8	16
1327	Ground Deformation and Source Fault Model of the $M_w$ 5.7 Xegar (Tibetan Plateau) 2020 Earthquake, Based on InSAR Observation. Pure and Applied Geophysics, 0, , .	0.8	0
1328	Activity and Kinematics of Two Adjacent Freezeâ€“Thaw-Related Landslides Revealed by Multisource Remote Sensing of Qilian Mountain. Remote Sensing, 2022, 14, 5059.	1.8	4

#	ARTICLE	IF	CITATIONS
1329	Co- and Postseismic Deformation of the 2020 Mw 6.3 Nima (Tibet, China) Earthquake Revealed by InSAR Observations. <i>Remote Sensing</i> , 2022, 14, 5390.	1.8	0
1330	Using teleseismic backprojection and InSAR to obtain segmentation information for large earthquakes: a case study of the 2016 Mw 6.6 Muji earthquake. <i>Geophysical Journal International</i> , 0, , .	1.0	0
1331	Revising digital elevation models generation from Sentinel-1 synthetic aperture radar and interferometric technique in densely-vegetated humid tropical environment. <i>Geocarto International</i> , 2024, 37, 18022-18041.	1.7	1
1332	Nearly Three Centuries of Lava Flow Subsidence at Timanfaya, Lanzarote. <i>Geochemistry, Geophysics, Geosystems</i> , 2022, 23, .	1.0	3
1333	Two-Dimensional InSAR Monitoring of the Co- and Post-Seismic Ground Deformation of the 2021 Mw 5.9 Arkalochori (Greece) Earthquake and Its Impact on the Deformations of the Heraklion City Wall Relic. <i>Remote Sensing</i> , 2022, 14, 5212.	1.8	7
1334	Deep Learning for InSAR Phase Filtering: An Optimized Framework for Phase Unwrapping. <i>Remote Sensing</i> , 2022, 14, 4956.	1.8	9
1335	Ground Surface Displacement After a Forest Fire Near Mayya, Eastern Siberia, Using InSAR: Observation and Implication for Geophysical Modeling. <i>Earth and Space Science</i> , 2022, 9, .	1.1	3
1336	The Bureya Landslide Recent Evolution According to Spaceborne SAR Interferometry Data. <i>Remote Sensing</i> , 2022, 14, 5218.	1.8	1
1337	A Low-Cost Web Application System for Monitoring Geometrical Impacts of Surface Subsidence. <i>Sustainability</i> , 2022, 14, 14240.	1.6	3
1338	On the Phase Nonclosure of Multilook SAR Interferogram Triplets. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2022, 60, 1-17.	2.7	5
1339	An improved wavelet denoising algorithm for SAR interferogram using fast non-local means filtering. <i>Geocarto International</i> , 2024, 37, 18600-18617.	1.7	1
1340	A Tsunami Generated by a Strike-slip Event: Constraints From GPS and SAR Data on the 2018 Palu Earthquake. <i>Journal of Geophysical Research: Solid Earth</i> , 2022, 127, .	1.4	3
1341	Simultaneous Rupture Propagation Through Fault Bifurcation of the 2021 Mw7.4 Maduo Earthquake. <i>Geophysical Research Letters</i> , 2022, 49, .	1.5	6
1342	Lava Mapping Using Sentinel-1 Data after the Occurrence of a Volcanic Eruption—The Case of Cumbre Vieja Eruption on La Palma, Canary Islands, Spain. <i>Sensors</i> , 2022, 22, 8768.	2.1	2
1343	The 2021 Greece Central Crete ML 5.8 Earthquake: An Example of Coalescent Fault Segments Reconstructed from InSAR and GNSS Data. <i>Remote Sensing</i> , 2022, 14, 5783.	1.8	2
1344	Coherence-Guided Complex Convolutional Sparse Coding for Interferometric Phase Restoration. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2022, 60, 1-14.	2.7	3
1345	Earthquake-induced risk assessment of cultural heritage based on InSAR and seismic intensity: A case study of Zhalang temple affected by the 2021 Mw 7.4 Maduo (China) earthquake. <i>International Journal of Disaster Risk Reduction</i> , 2023, 84, 103482.	1.8	6
1346	PDNet: A Lightweight Deep Convolutional Neural Network for InSAR Phase Denoising. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2022, 60, 1-9.	2.7	8

#	ARTICLE	IF	CITATIONS
1347	InSAR-MONet: Interferometric SAR Phase Denoising Using a Multiobjective Neural Network. IEEE Transactions on Geoscience and Remote Sensing, 2022, 60, 1-14.	2.7	6
1348	Impact of Ocean Waves on the Decorrelation of Interferometric Radar Altimeter Image. IEEE Geoscience and Remote Sensing Letters, 2022, 19, 1-5.	1.4	2
1349	Thirty years of volcano geodesy from space at Campi Flegrei caldera (Italy). Scientific Data, 2022, 9, .	2.4	4
1350	The 8 January 2022, Menyuan Earthquake in Qinghai, China: A Representative Event in the Qilian-Haiyuan Fault Zone Observed Using Sentinel-1 SAR Images. Remote Sensing, 2022, 14, 6078.	1.8	2
1351	Tracking the evolution of the summit lava dome of Merapi volcano between 2018 and 2019 using DEMs derived from TanDEM-X and PIA©iades data. Journal of Volcanology and Geothermal Research, 2023, 433, 107732.	0.8	2
1352	Identification and Analysis of Landslides in the Ahai Reservoir Area of the Jinsha River Basin Using a Combination of DS-InSAR, Optical Images, and Field Surveys. Remote Sensing, 2022, 14, 6274.	1.8	9
1353	Identifying Potential Landslides on Giant Niexia Slope (China) Based on Integrated Multi-Remote Sensing Technologies. Remote Sensing, 2022, 14, 6328.	1.8	4
1354	A Deeper Look Into the 2021 Tyrnavos Earthquake Sequence (TES) Reveals Coseismic Breaching of an Unrecognized Large-scale Fault Relay Zone in Continental Greece. Tectonics, 2022, 41, .	1.3	3
1355	Underground mine deformation monitoring using Synthetic Aperture Radar technique: A case study of Rajgamar coal mine of Korba Chhattisgarh, India. Journal of Applied Geophysics, 2023, 209, 104899.	0.9	5
1356	Long-term ion hydration process and lithosphere-atmosphere coupling following the 2021 Fagradalsfjall volcanic eruption using remotely sensed data. Advances in Space Research, 2023, 71, 3122-3139.	1.2	1
1357	Satellite based detection of pre-earthquake thermal anomaly, co-seismic deformation and source parameter modelling of past earthquakes. Natural Hazards Research, 2022, , .	2.0	2
1358	Evaluating the Effect of External DEMs on the Accuracy of InSAR DEM Generation. Journal of the Indian Society of Remote Sensing, 2023, 51, 213-225.	1.2	1
1359	Co- and Post-seismic Mechanisms of the 2020 <i>M<sub>w</sub></i> 6.3 Yutian Earthquake and Local Stress Evolution. Earth and Space Science, 2023, 10, .	1.1	0
1360	Spatiotemporal Variations of Surface Deformation, Shallow Creep Rate, and Slip Partitioning Between the San Andreas and Southern Calaveras Fault. Journal of Geophysical Research: Solid Earth, 2023, 128, .	1.4	4
1361	Fault slip of the 2022 <i>M<sub>w</sub></i> 6.7 Menyuan, China earthquake observed by InSAR, and its tectonic implications. Frontiers in Earth Science, 0, 10, .	0.8	1
1362	Coseismic and early postseismic deformation of the 2020 Nima <i>M<sub>w</sub></i> 6.4 earthquake, central Tibet, from InSAR and GNSS observations. Frontiers in Earth Science, 0, 10, .	0.8	0
1363	Present-day kinematics and seismic potential of the Ganzi-Yushu fault, eastern Tibetan plateau, constrained from InSAR. Frontiers in Earth Science, 0, 11, .	0.8	3
1364	Ground-based radar interferometry for monitoring of landfast sea ice dynamics. Cold Regions Science and Technology, 2023, , 103779.	1.6	1

#	ARTICLE	IF	CITATIONS
1365	Coseismic Deformation and Fault Inversion of the 2017 Jiuzhaigou Ms 7.0 Earthquake: Constraints from Steerable Pyramid and InSAR Observations. <i>Remote Sensing</i> , 2023, 15, 222.	1.8	2
1366	Satellite Imaging Techniques for Ground Movement Monitoring of a Deep Pipeline Trench Backfilled with Recycled Materials. <i>Remote Sensing</i> , 2023, 15, 204.	1.8	4
1367	Topographic Phase Self-adaptive Compensation For Multi-satellite Formation Coherence Radar Systems. , 2021, , .		0
1368	An Influence of Snow Covers on the Radar Interferometry Observations of Industrial Infrastructure: Norilsk Thermal Power Plant Case. <i>Remote Sensing</i> , 2023, 15, 654.	1.8	1
1369	Deformation and potential failure analysis of a giant old deposit in the southeastern margin of the Qinghai-Tibet Plateau based on SBAS-InSAR and numerical simulation. <i>Bulletin of Engineering Geology and the Environment</i> , 2023, 82, .	1.6	1
1370	InSAR-Based Active Landslide Detection and Characterization Along the Upper Reaches of the Yellow River. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2023, 16, 3819-3830.	2.3	4
1371	Study on land subsidence characteristics and deformation evolution mechanism in Caofeidian New Area, Bohai Bay. <i>Bulletin of Engineering Geology and the Environment</i> , 2023, 82, .	1.6	1
1372	Satellite interferometry for regional assessment of landslide hazard to pipelines in northeastern British Columbia, Canada. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2023, 118, 103273.	0.9	1
1374	Double rupture event in the Tianshan Mountains: A case study of the 2021 Mw 5.3 Baicheng earthquake, NW China. <i>Open Geosciences</i> , 2022, 14, 1667-1677.	0.6	0
1375	Investigating ground deformation due to a series of collapse earthquakes by means of the PS-InSAR technique and Sentinel 1 data in Kandy, Sri Lanka. <i>Journal of Applied Remote Sensing</i> , 2023, 17, .	0.6	1
1376	Monitoring of Water and Tillage Soil Erosion in Agricultural Basins, a Comparison of Measurements Acquired by Differential Interferometric Analysis of Sentinel TopSAR Images and a Terrestrial LIDAR System. <i>Land</i> , 2023, 12, 408.	1.2	0
1377	Coupling Flank Collapse and Magma Dynamics on Stratovolcanoes: The Mt. Etna Example from InSAR and GNSS Observations. <i>Remote Sensing</i> , 2023, 15, 847.	1.8	7
1378	Geodetic evidence of land subsidence in Cirebon, Indonesia. <i>Remote Sensing Applications: Society and Environment</i> , 2023, 30, 100933.	0.8	0
1379	Mapping lava flow from the Kilauea eruption of 2018 in the east rift zone using space-based synthetic aperture radar. <i>GIScience and Remote Sensing</i> , 2023, 60, .	2.4	3
1380	Deconvolution Technique for InSAR Phase Restoration. , 2021, , .		0
1381	An Adaptive Phase Noise Filtering Approach For Multi-Frequency Interferometric SAR. , 2021, , .		0
1382	Using interferometric synthetic aperture rader (InSAR) analysis to detect ground deformation related to irreversibly changing ground ice, Mongolia. <i>Land Degradation and Development</i> , 2023, 34, 2707-2719.	1.8	2
1383	Two-dimensional phase unwrapping based on Fourier transforms and the Yukawa potential spectrum. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2023, 40, 692.	0.8	0

#	ARTICLE	IF	CITATIONS
1384	Tectonic Implication of the 2022 MS 6.9 Earthquake in Menyuan, Qinghai, China: Analysis of Precise Earthquake Locations and InSAR. <i>Sensors</i> , 2023, 23, 2128.	2.1	0
1385	Coseismic Rupture Behaviors of the January and March 2022 MW > 5.5 Hala Lake Earthquakes, NE Tibet, Constrained by InSAR Observations. <i>Remote Sensing</i> , 2023, 15, 1124.	1.8	0
1386	Coseismic displacement fields and the slip mechanism of the 2021 Mw 6.7 Hovsgol earthquake in Mongolia constrained by Sentinel-1 and ALOS-2 InSAR. <i>GIScience and Remote Sensing</i> , 2023, 60, .	2.4	1
1387	An InSAR interferogram filtering method based on steerable pyramid. , 2023, , .		0
1388	A multi-scale improved Goldstein filter for interferometric synthetic aperture radar imaging. , 2023, , .		0
1389	The ground deformation of the south-eastern flank of Mount Etna monitored by GNSS and SAR interferometry from 2016 to 2019. <i>Geophysical Journal International</i> , 2023, 234, 664-682.	1.0	3
1390	Relationship between Crustal Deformation and Thermal Anomalies in the 2022 Ninglang Ms 5.5 Earthquake in China: Clues from InSAR and RST. <i>Remote Sensing</i> , 2023, 15, 1271.	1.8	1
1391	Revealing Land Surface Deformation Over the Yineng Backfilling Mining Area, China, by Integrating Distributed Scatterer SAR Interferometry and a Mining Subsidence Model. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2023, 16, 3611-3634.	2.3	8
1392	The Dynamic Simulation and Potential Hazards Analysis of the Yigong Landslide in Tibet, China. <i>Remote Sensing</i> , 2023, 15, 1322.	1.8	4
1393	Remote Sensing Monitoring and Analysis of Jinwuco Lateral Moraine Landslide-Glacial Lake Outburst in Southeast Tibet. <i>Remote Sensing</i> , 2023, 15, 1475.	1.8	1
1394	The 2020 Mw 6.5 Monte Cristo Range, Nevada, Earthquake: Anatomy of a Crossing-Fault Rupture through a Region of Highly Distributed Deformation. <i>Bulletin of the Seismological Society of America</i> , 0, , .	1.1	2
1395	Kinematic Slip Evolution During the 2022 Mw 6.8 Luding, China, Earthquake: Compatible With the Preseismic Locked Patch. <i>Geophysical Research Letters</i> , 2023, 50, .	1.5	15
1396	On The Long-Term Stability of the Norilsk TPP-3 Fuel Tanks Dynamics According to Sentinel-1 SAR Data. <i>Izvestiya - Atmospheric and Oceanic Physics</i> , 2022, 58, 1599-1609.	0.2	0
1397	Geodetic imaging of ground deformation and reservoir parameters at the Yangbajing Geothermal Field, Tibet, China. <i>Geophysical Journal International</i> , 2023, 234, 379-394.	1.0	4
1398	Karst landslides detection and monitoring with multiple SAR data and multi-dimensional SBAS technique in Shuicheng, Guizhou, China. <i>Frontiers in Earth Science</i> , 0, 11, .	0.8	1
1399	An InSAR Interference Fringe-Matching Algorithm Based on Mountain Branch Points. <i>Applied Sciences (Switzerland)</i> , 2023, 13, 3941.	1.3	0
1400	Land subsidence analysis using synthetic aperture radar data. <i>Heliyon</i> , 2023, 9, e14690.	1.4	8
1401	Present-Day Surface Deformation in North-East Italy Using InSAR and GNSS Data. <i>Remote Sensing</i> , 2023, 15, 1704.	1.8	2



#	ARTICLE	IF	CITATIONS
1493	Convolutional deep learning network for InSAR phase denoising and unwrapping. , 2023, , .		0
1494	Two-Stage Multi-Baseline InSAR Stereo-Radargrammetric Shift Joint Estimation Approach. , 2023, , .		0
1495	Multi-Objective Neural Network for PolSAR Image Restoration. , 2023, , .		0
1496	A New Method for Reconstructing Decorrelated Insar Phase Measurements Over Densely Vegetated Natural Terrain. , 2023, , .		0
1497	A Discussion on the Goldstein Filtering Parameters Within the Snap Software. , 2023, , .		1
1498	DInSAR Monitoring “The Yerba Loca”™ Landslide Using S1 Radar Images in the Chilean Central Andes. , 2023, , .		0
1508	Along-Track Displacement Retrieval Using Sentinel-1 Images. , 2023, , .		0
1539	Interferometric phase restoration using biquaternion neural networks in PolInSAR. , 2023, , .		0
1541	DInSAR-based assessment of groundwater-induced land subsidence zonation map. , 2024, , 5-39.		0
1544	Analysis of slip distribution and stress variation of subduction faults based on InSAR monitoring. , 2024, , .		0
1568	Surface Deformation Modelling Using C-Band SAR Data”A Case Study on Shimla Town, Himachal Pradesh, India. , 2024, , 229-248.		0