

CITATION REPORT

List of articles citing

A comparison of seven geostatistically based inverse approaches to estimate transmissivities for modeling advective transport by groundwater flow

DOI: 10.1029/98wr00003

Water Resources Research, 1998, 34, 1373-1413.

Source: <https://exaly.com/paper-pdf/29436550/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
248	Joint simulation of transmissivity and storativity fields conditional to steady-state and transient hydraulic head data. <i>Advances in Water Resources</i> , 1999 , 23, 1-13	4.7	37
247	Regards sur 40 ans de problèmes inverses en hydrogéologie. 1999 , 329, 73-87		3
246	Nonlocal and localized analyses of conditional mean steady state flow in bounded, randomly nonuniform domains: 2. Computational examples. <i>Water Resources Research</i> , 1999 , 35, 3019-3039	5.4	74
245	Development of the conceptual models for chemical conditions and hydrology used in the 1996 performance assessment for the Waste Isolation Pilot Plant. 2000 , 69, 59-86		11
244	A multiscale approach for estimating solute travel time distributions. <i>Advances in Water Resources</i> , 2000 , 23, 653-665	4.7	9
243	Data fusion modeling for groundwater systems. 2000 , 42, 303-335		31
242	Comment on RamaRao et al. [1995] and LaVenue et al. [1995]. <i>Water Resources Research</i> , 2000 , 36, 2795-2797	5.4	5
241	Reply [to Comment on RamaRao et al. [1995] and LaVenue et al. [1995]]. <i>Water Resources Research</i> , 2000 , 36, 2799-2803	5.4	4
240	Geostatistical, type-curve, and inverse analyses of pneumatic injection tests in unsaturated fractured tuffs at the Apache Leap Research Site near Superior, Arizona. 2000 , 73-98		22
239	Predicting hydrology of fractured rock masses from geology. 2000 , 185-202		2
238	Three-dimensional interference test interpretation in a fractured aquifer using the Pilot Point Inverse Method. <i>Water Resources Research</i> , 2001 , 37, 2659-2675	5.4	12
237	A multipopulation genetic algorithm to solve the inverse problem in hydrogeology. <i>Water Resources Research</i> , 2001 , 37, 2291-2302	5.4	56
236	Assessment of Uncertainty Assessment Methods. 2001 ,		12
235	Integration of production data into reservoir models. 2001 , 7, S65-S73		46
234	Geostatistical Inversion of Cross-Hole Pumping Tests for Identifying Preferential Flow Channels Within a Shear Zone. 2001 , 39, 10-17		41
233	Bayesian Inference in Gaussian Model-based Geostatistics. 2002 , 6, 129-146		75
232	Stochastic optimization for global minimization and geostatistical calibration. 2002 , 266, 40-52		7

231	Choice of dispersion coefficients in reactive transport calculations on smoothed fields. 2002 , 58, 261-82		52
230	Verification and validation in computational fluid dynamics. <i>Progress in Aerospace Sciences</i> , 2002 , 38, 209-272	8.8	561
229	Evaluation of Monte Carlo Methods for Assessing Uncertainty. 2003 , 8, 188-195		89
228	A comparison of two stochastic inverse methods in a field-scale application. 2003 , 41, 15-23		5
227	An evaluation of conditioning data for solute transport prediction. 2003 , 41, 128-41		40
226	Dispersion on kriged hydraulic conductivity fields. <i>Water Resources Research</i> , 2003 , 39,	5-4	9
225	A method for enforcing parameter nonnegativity in Bayesian inverse problems with an application to contaminant source identification. <i>Water Resources Research</i> , 2003 , 39,	5-4	65
224	A Bayesian approach to stochastic capture zone delineation incorporating tracer arrival times, conductivity measurements, and hydraulic head observations. <i>Water Resources Research</i> , 2003 , 39,	5-4	32
223	Calibration of regional groundwater flow models: Working toward a better understanding of site-specific systems. <i>Water Resources Research</i> , 2003 , 39,	5-4	56
222	Geostatistical inversion of coupled problems: dealing with computational burden and different types of data. 2003 , 281, 251-264		62
221	Non-uniqueness of inverse transmissivity field calibration and predictive transport modeling. 2003 , 281, 265-280		17
220	Validation of numerical ground water models used to guide decision making. 2004 , 42, 277-90		29
219	A methodology for validating numerical ground water models. 2004 , 42, 347-62		11
218	Knowledge, uncertainty and physical geography: towards the development of methodologies for questioning belief. 2004 , 29, 367-381		89
217	A modified Levenberg-Marquardt algorithm for quasi-linear geostatistical inversing. <i>Advances in Water Resources</i> , 2004 , 27, 737-750	4-7	60
216	A geostatistical approach to surface flux estimation of atmospheric trace gases. 2004 , 109,		118
215	Stochastic inverse mapping of hydraulic conductivity and sorption partitioning coefficient fields conditioning on nonreactive and reactive tracer test data. <i>Water Resources Research</i> , 2004 , 40,	5-4	15
214	Estimation of historical groundwater contaminant distribution using the adjoint state method applied to geostatistical inverse modeling. <i>Water Resources Research</i> , 2004 , 40,	5-4	123

213	A Markov chain Monte Carlo method for the groundwater inverse problem. 2004 , 1273-1283		
212	Stochastically conditioned flow paths and travel time distribution in highly heterogeneous synthesized aquifers / Chemins d'écoulement et distribution des temps de parcours au sein d'aquifères synthétiques hautement hétérogènes sous conditions stochastiques. 2004 , 49,		
211	Using sequential self-calibration and genetic algorithm methods to optimally design tracer test for estimation of conductivity distribution. 2004 , 729-741		
210	Interactive Genetic Algorithms for Inverse Groundwater Modeling: Issues with Human Fatigue and Prediction Models. 2005 , 1		0
209	Critical Evaluation of the Ensemble Kalman Filter on History Matching of Geologic Facies. 2005 , 8, 470-477		56
208	Inverse problem in hydrogeology. 2005 , 13, 206-222		355
207	Dealing with spatial heterogeneity. 2005 , 13, 161-183		280
206	Modeling density-dependent flow using hydraulic conductivity distributions obtained by means of non-stationary indicator simulation. 2005 , 221-232		
205	Using Sequential-Self Calibration Method to Identify Conductivity Distribution: Conditioning on Tracer Test. 2005 , 1		
204	On optimal model complexity in inverse modeling of heterogeneous aquifers. 2005 , 43, 574-583		2
203	Geological Modelling and Reservoir Simulation. 2005 , 119-212		9
202	Geophysical parameterization and parameter structure identification using natural neighbors in groundwater inverse problems. 2005 , 308, 269-283		22
201	Gradient-based estimation of local parameters for flow and transport in heterogeneous porous media. <i>Water Resources Research</i> , 2005 , 41,	5-4	
200	Geostatistical inverse modeling of transient pumping tests using temporal moments of drawdown. <i>Water Resources Research</i> , 2005 , 41,	5-4	71
199	Enhancing random heterogeneity representation by mixing the kriging method with the zonation structure. <i>Water Resources Research</i> , 2006 , 42,	5-4	12
198	Efficient geostatistical inverse methods for structured and unstructured grids. <i>Water Resources Research</i> , 2006 , 42,	5-4	31
197	Geostatistical inference of hydraulic conductivity and dispersivities from hydraulic heads and tracer data. <i>Water Resources Research</i> , 2006 , 42,	5-4	56
196	Using neural networks for parameter estimation in ground water. 2006 , 318, 215-231		66

195	The influence of the plume scale on the early time variability in cumulative solute mass in heterogeneous aquifers. 2006 , 329, 630-635		0
194	Identification of heterogeneous aquifer transmissivity using an AE-based method. 2006 , 44, 62-71		8
193	Pilot points method incorporating prior information for solving the groundwater flow inverse problem. <i>Advances in Water Resources</i> , 2006 , 29, 1678-1689	4-7	127
192	Steady- and transient-state inversion in hydrogeology by successive flux estimation. <i>Advances in Water Resources</i> , 2006 , 29, 1934-1952	4-7	18
191	Using sequential self-calibration method to estimate a correlation length of a log-conductivity field conditioned upon a tracer test and limited measured data. <i>Stochastic Environmental Research and Risk Assessment</i> , 2006 , 21, 89-96	3-5	4
190	Fracture and bedding plane control on groundwater flow in a chalk aquitard. 2006 , 14, 1081-1093		10
189	Evaluation of the uncertainty of groundwater model predictions associated with conceptual errors: A per-datum approach to model calibration. <i>Advances in Water Resources</i> , 2006 , 29, 503-514	4-7	14
188	dsm.f90: A computer code for the solution of an inverse problem of ground water hydrology by the differential system method. <i>Computers and Geosciences</i> , 2006 , 32, 1709-1719	4-5	4
187	Physics-based hydrologic-response simulation: Seeing through the fog of equifinality. 2006 , 20, 2887-2900		112
186	Interactive Multi-Objective Inverse Groundwater Modeling [Formulation and Addressing User Fatigue. 2006 , 1		1
185	Use of numerical modelling to identify the transfer function and application to the geostatistical procedure in the solution of inverse problems in groundwater. 2006 , 14, 547-572		12
184	Tomographic Approach to Identify Transmissivity with Differential System Method. 2007 , 12, 617-625		2
183	Application of inverse modeling methods to thermal and diffusion experiments at Mont Terri Rock laboratory. 2007 , 32, 491-506		3
182	Interpretation of Geological, Hydrogeological, and Geochemical Results. 2007 , 941-1051		1
181	Predictive error analysis for a water resource management model. 2007 , 334, 513-533		18
180	A Geostatistical Data Assimilation Approach for Estimating Groundwater Plume Distributions from Multiple Monitoring Events. 2007 , 73-88		2
179	OptIC project: An intercomparison of optimization techniques for parameter estimation in terrestrial biogeochemical models. 2007 , 112,		74
178	Incorporating geostatistical constraints in nonlinear inversion problems. <i>Water Resources Research</i> , 2007 , 43,	5-4	16

177	Efficient nonlinear predictive error variance for highly parameterized models. <i>Water Resources Research</i> , 2007 , 43,	5-4	35
176	Upscaling Hydraulic Properties and Soil Water Flow Processes in Heterogeneous Soils: A Review. <i>Vadose Zone Journal</i> , 2007 , 6, 1-28	2-7	185
175	Uncertainty in geological and hydrogeological data. 2007 , 11, 1551-1561		32
174	3D aquifer characterization using stochastic streamline calibration. <i>Advances in Water Resources</i> , 2007 , 30, 420-429	4-7	3
173	A geostatistical approach to an inverse problem: Identification of geometry and estimate of equivalent conductivities for highly heterogeneous porous media with the differential system method. <i>Advances in Water Resources</i> , 2007 , 30, 772-793	4-7	
172	Using the Sequential Self-calibration Method and Genetic Algorithm Method to Optimally Design Tracer Test to Estimate Conductivity Distribution. 2007 , 67, 31-48		4
171	Using Sequential Self-Calibration Method to Identify Conductivity Distribution: Conditioning on Tracer Test data. <i>Mathematical Geosciences</i> , 2008 , 40, 845-859	2-5	
170	Issues in characterizing heterogeneity and connectivity in non-multiGaussian media. <i>Advances in Water Resources</i> , 2008 , 31, 147-159	4-7	61
169	An interactive multi-objective optimization framework for groundwater inverse modeling. <i>Advances in Water Resources</i> , 2008 , 31, 1269-1283	4-7	26
168	Modelling groundwater flow and advective contaminant transport in the Bou-Areg unconfined aquifer (NE Morocco). 2008 , 2, 192-209		38
167	Preserving spatial structure for inverse stochastic simulation using blocking Markov chain Monte Carlo method. 2008 , 16, 865-884		17
166	Joint Hydrological-Geophysical Inversion for Soil Structure Identification. <i>Vadose Zone Journal</i> , 2008 , 7, 287-293	2-7	37
165	PARAMETER ASSESSMENT IN FLOW THROUGH POROUS MEDIA. 2009 , 15, 272-296		2
164	Fuzzy Rule-Based Hydrologic Models for Performance Assessment of Nuclear Waste Disposal Sites. 2009 , 14, 1240-1248		1
163	Evaluation of uncertainties originating from the different modeling approaches applied to analyze regional groundwater flow in the Tono area of Japan. 2009 , 103, 168-81		9
162	Integrating a calibrated groundwater flow model with error-correcting data-driven models to improve predictions. 2009 , 364, 257-271		33
161	Ensemble Kalman filtering versus sequential self-calibration for inverse modelling of dynamic groundwater flow systems. 2009 , 365, 261-274		75
160	Gradual conditioning of non-Gaussian transmissivity fields to flow and mass transport data: 1. Theory. 2009 , 371, 66-74		30

159	Geostatistical inversing for large-contrast transmissivity fields. <i>Stochastic Environmental Research and Risk Assessment</i> , 2009 , 23, 565-577	3.5	23
158	Radial basis function neural network for hydrologic inversion: an appraisal with classical and spatio-temporal geostatistical techniques in the context of site characterization. <i>Stochastic Environmental Research and Risk Assessment</i> , 2009 , 23, 933-945	3.5	14
157	Using data assimilation method to calibrate a heterogeneous conductivity field and improve solute transport prediction with an unknown contamination source. <i>Stochastic Environmental Research and Risk Assessment</i> , 2009 , 23, 1155-1167	3.5	37
156	A Blocking Markov Chain Monte Carlo Method for Inverse Stochastic Hydrogeological Modeling. <i>Mathematical Geosciences</i> , 2009 , 41, 105-128	2.5	49
155	A comparison of seven methods for the inverse modelling of groundwater flow. Application to the characterisation of well catchments. <i>Advances in Water Resources</i> , 2009 , 32, 851-872	4.7	138
154	Inverse analysis of stochastic moment equations for transient flow in randomly heterogeneous media. <i>Advances in Water Resources</i> , 2009 , 32, 1495-1507	4.7	29
153	Characterizing attribute distributions in water sediments by geostatistical downscaling. 2009 , 43, 9267-73		11
152	Efficient Inverse Modeling Using Probabilistic Sensitivity Analysis with Gradual Deformation Algorithm. 2009 , 31, 1904-1914		2
151	Parameter estimation from flowing fluid temperature logging data in unsaturated fractured rock using multiphase inverse modeling. <i>Water Resources Research</i> , 2009 , 45,	5.4	2
150	Best unbiased ensemble linearization and the quasi-linear Kalman ensemble generator. <i>Water Resources Research</i> , 2009 , 45,	5.4	76
149	Forecasting Network Data: Spatial Interpolation of Traffic Counts from Texas Data. 2009 , 2105, 100-108		54
148	Incorporating subjective and stochastic uncertainty in an interactive multi-objective groundwater calibration framework. <i>Stochastic Environmental Research and Risk Assessment</i> , 2010 , 24, 881-898	3.5	17
147	Using data assimilation method to calibrate a heterogeneous conductivity field conditioning on transient flow test data. <i>Stochastic Environmental Research and Risk Assessment</i> , 2010 , 24, 1211-1223	3.5	20
146	Measures of Parameter Uncertainty in Geostatistical Estimation and Geostatistical Optimal Design. <i>Mathematical Geosciences</i> , 2010 , 42, 199-221	2.5	23
145	Pilot Block Method Methodology to Calibrate Stochastic Permeability Fields to Dynamic Data. <i>Mathematical Geosciences</i> , 2010 , 42, 165-185	2.5	19
144	Stochastic characterization of the Montalto Uffugo research site (Italy) by geostatistical inversion of moment equations of groundwater flow. 2010 , 381, 42-51		9
143	An inverse problem methodology to identify flow channels in fractured media using synthetic steady-state head and geometrical data. <i>Advances in Water Resources</i> , 2010 , 33, 782-800	4.7	15
142	The current state of carbon-cycle data assimilation. 2010 , 2, 289-296		29

141	On integrating groundwater transport models with wireless sensor networks. 2010 , 48, 771-80		23
140	Significance of higher moments for complete characterization of the travel time probability density function in heterogeneous porous media using the maximum entropy principle. <i>Water Resources Research</i> , 2010 , 46,	5-4	18
139	Exact sensitivity matrix and influence of the number of pilot points in the geostatistical inversion of moment equations of groundwater flow. <i>Water Resources Research</i> , 2010 , 46,	5-4	10
138	Inverse problems: A Bayesian perspective. 2010 , 19, 451-559		782
137	Bayesian inverse problem and optimization with iterative spatial resampling. <i>Water Resources Research</i> , 2010 , 46,	5-4	81
136	Large-scale inverse modeling with an application in hydraulic tomography. <i>Water Resources Research</i> , 2011 , 47,	5-4	54
135	Predictive uncertainty analysis of a saltwater intrusion model using null-space Monte Carlo. <i>Water Resources Research</i> , 2011 , 47,	5-4	46
134	A divide and conquer approach to cope with uncertainty, human health risk, and decision making in contaminant hydrology. <i>Water Resources Research</i> , 2011 , 47,	5-4	26
133	Effect of pulse release date and soil characteristics on solute transport in a combined vadose zone-groundwater flow system: Insights from numerical simulations. <i>Water Resources Research</i> , 2011 , 47,	5-4	6
132	Bayesian calibration of a large-scale geothermal reservoir model by a new adaptive delayed acceptance Metropolis Hastings algorithm. <i>Water Resources Research</i> , 2011 , 47,	5-4	89
131	3-D transient hydraulic tomography in unconfined aquifers with fast drainage response. <i>Water Resources Research</i> , 2011 , 47,	5-4	89
130	Role of model selection criteria in geostatistical inverse estimation of statistical data- and model-parameters. <i>Water Resources Research</i> , 2011 , 47,	5-4	32
129	Cosimulation as a perturbation method for calibrating porosity and permeability fields to dynamic data. <i>Computers and Geosciences</i> , 2011 , 37, 1400-1412	4-5	15
128	Recovering data in groundwater: boundary conditions and Wells positions and fluxes. 2011 , 15, 637-645		5
127	A multiscale method for subsurface inverse modeling: Single-phase transient flow. <i>Advances in Water Resources</i> , 2011 , 34, 967-979	4-7	12
126	Groundwater modelling and marine intrusion in the semi-arid systems (Cap-Bon, Tunisia). 2011 , 25, 1822-1836		27
125	Stochastic hydro-economic modeling for optimal management of agricultural groundwater nitrate pollution under hydraulic conductivity uncertainty. 2011 , 26, 999-1008		53
124	Hybrid fitting of a hydrosystem model: Long-term insight into the Beauce aquifer functioning (France). <i>Water Resources Research</i> , 2012 , 48,	5-4	24

123	Impact of hydrogeological data on measures of uncertainty, site characterization and environmental performance metrics. <i>Advances in Water Resources</i> , 2012 , 36, 51-63	4-7	46
122	Modeling transient groundwater flow by coupling ensemble Kalman filtering and upscaling. <i>Water Resources Research</i> , 2012 , 48,	5-4	24
121	Three-dimensional Bayesian geostatistical aquifer characterization at the Hanford 300 Area using tracer test data. <i>Water Resources Research</i> , 2012 , 48,	5-4	34
120	Inverse groundwater modeling with emphasis on model parameterization. <i>Water Resources Research</i> , 2012 , 48,	5-4	2
119	A direct method of parameter estimation for steady state flow in heterogeneous aquifers with unknown boundary conditions. <i>Water Resources Research</i> , 2012 , 48,	5-4	19
118	Calibrating transmissivities from piezometric heads with the gradual deformation method: An application to the Culebra Dolomite unit at the Waste Isolation Pilot Plant (WIPP), New Mexico, USA. 2012 , 472-473, 1-13		8
117	Geostatistical Approach. 2012 , 17-38		
116	Evaluation of Transforming Mechanisms. 2012 , 105-120		
115	Groundwater flow inverse modeling in non-MultiGaussian media: performance assessment of the normal-score Ensemble Kalman Filter. 2012 , 16, 573-590		38
114	North American CO ₂ exchange: inter-comparison of modeled estimates with results from a fine-scale atmospheric inversion. 2012 , 9, 457-475		87
113	Simulation of soil loss processes based on rainfall runoff and the time factor of governance in the Jialing River Watershed, China. 2012 , 184, 3731-48		32
112	Upscaling and regionalizing hydraulic conductivity and effective porosity at watershed scale in deeply weathered crystalline aquifers. 2012 , 416-417, 83-97		47
111	Jointly mapping hydraulic conductivity and porosity by assimilating concentration data via ensemble Kalman filter. 2012 , 428-429, 152-169		81
110	Method for Stochastic Inverse Modeling of Fault Geometry and Connectivity Using Flow Data. <i>Mathematical Geosciences</i> , 2012 , 44, 147-168	2-5	50
109	Permeability estimation conditioned to geophysical downhole log data in sandstones of the northern Galilee Basin, Queensland: Methods and application. 2013 , 93, 43-51		6
108	An automatic locally-adaptive method to estimate heavily-tailed breakthrough curves from particle distributions. <i>Advances in Water Resources</i> , 2013 , 59, 52-65	4-7	27
107	Methods of modeling hydraulic heterogeneity of sedimentary formations. 2013 , 40, 767-775		4
106	A pilot point guided pattern matching approach to integrate dynamic data into geological modeling. <i>Advances in Water Resources</i> , 2013 , 62, 125-138	4-7	13

105	Constraining complex aquifer geometry with geophysics (2-D ERT and MRS measurements) for stochastic modelling of groundwater flow. 2013 , 98, 288-297		14
104	Quantification of Rainfall DDF Relationships at Ungauged Sites in Hong Kong. 2013 ,		1
103	Parameter estimation and predictive uncertainty in stochastic inverse modeling of groundwater flow: Comparing null-space Monte Carlo and multiple starting point methods. <i>Water Resources Research</i> , 2013 , 49, 536-553	5-4	25
102	Comparison of ensemble filtering algorithms and null-space Monte Carlo for parameter estimation and uncertainty quantification using CO2 sequestration data. <i>Water Resources Research</i> , 2013 , 49, 8108-8127	5-4	22
101	Ensemble Kalman filter versus ensemble smoother for assessing hydraulic conductivity via tracer test data assimilation. 2013 , 17, 1517-1531		47
100	Housing Density and Ecosystem Function: Comparing the Impacts of Rural, Exurban, and Suburban Densities on Fire Hazard, Water Availability, and House and Road Distance Effects. 2013 , 2, 656-677		7
99	Hydraulic tomography offers improved imaging of heterogeneity in fractured rocks. 2014 , 52, 659-84		60
98	Falsification and corroboration of conceptual hydrological models using geophysical data. <i>Wiley Interdisciplinary Reviews: Water</i> , 2014 , 1, 151-171	5-7	15
97	Three-dimensional aquifer inversion under unknown boundary conditions. 2014 , 509, 416-429		8
96	Bridges between multiple-point geostatistics and texture synthesis: Review and guidelines for future research. <i>Computers and Geosciences</i> , 2014 , 66, 66-80	4-5	57
95	Reducing uncertainty in calibrating aquifer flow model with multiple scales of heterogeneity. 2014 , 52, 343-51		2
94	Transit ridership estimation with network Kriging: a case study of Second Avenue Subway, NYC. 2014 , 41, 107-115		47
93	Inverse methods in hydrogeology: Evolution and recent trends. <i>Advances in Water Resources</i> , 2014 , 63, 22-37	4-7	205
92	Analytical solutions for analysing pumping tests in a sub-vertical and anisotropic fault zone draining shallow aquifers. 2014 , 509, 115-131		22
91	Inversion of a dual-continuum approach to flow in a karstified limestone: Insight into aquifer heterogeneity revealed by well-test interferences. 2014 , 508, 157-169		13
90	A multimodel data assimilation framework via the ensemble Kalman filter. <i>Water Resources Research</i> , 2014 , 50, 4197-4219	5-4	41
89	Coupled and uncoupled hydrogeophysical inversions using ensemble Kalman filter assimilation of ERT-monitored tracer test data. <i>Water Resources Research</i> , 2015 , 51, 3277-3291	5-4	41
88	Uniqueness, scale, and resolution issues in groundwater model parameter identification. 2015 , 8, 175-194		38

87	Comparison of hydraulic tomography with traditional methods at a highly heterogeneous site. 2015 , 53, 71-89		52
86	Declining water budget in a deep regional aquifer assessed by geostatistical simulations of stable isotopes: Case study of the Saharan Continental Intercalaire 2015 , 531, 821-829		12
85	A comparison of deterministic and stochastic approaches for regional scale inverse modeling on the Mar del Plata aquifer. 2015 , 531, 214-229		25
84	Functional parameterization for hydraulic conductivity inversion with uncertainty quantification. 2015 , 23, 597-610		3
83	Structure Adaptation in Stochastic Inverse Methods for Integrating Information. 2015 , 29, 95-107		3
82	Assessment of hydraulic conductivity distributions through assimilation of travel time data from ERT-monitored tracer tests. <i>Advances in Water Resources</i> , 2015 , 84, 23-36	4-7	12
81	EnKF coupled with groundwater flow moment equations applied to Lauswiesen aquifer, Germany. 2015 , 521, 205-216		22
80	Simple hydraulic conductivity estimation by the Kalman filtered double constraint method. 2015 , 53, 401-13		12
79	Comparison of smoothness-constrained and geostatistically based cross-borehole electrical resistivity tomography for characterization of solute tracer plumes. 2016 , 9, 274-286		2
78	Smart pilot points using reversible-jump Markov-chain Monte Carlo. <i>Water Resources Research</i> , 2016 , 52, 3966-3983	5-4	20
77	Data-worth analysis through probabilistic collocation-based Ensemble Kalman Filter. 2016 , 540, 488-503		26
76	Inverse modeling of unsaturated flow using clusters of soil texture and pedotransfer functions. <i>Water Resources Research</i> , 2016 , 52, 7631-7644	5-4	18
75	Identification of groundwater flow parameters using reciprocal data from hydraulic interference tests. 2016 , 539, 88-101		5
74	Uncertainty in the modelling of spatial and temporal patterns of shallow groundwater flow paths: The role of geological and hydrological site information. 2016 , 534, 680-694		16
73	Probabilistic inversion with graph cuts: Application to the Boise Hydrogeophysical Research Site. <i>Water Resources Research</i> , 2017 , 53, 1231-1250	5-4	11
72	Prospective Interest of Deep Learning for Hydrological Inference. 2017 , 55, 688-692		52
71	Identification of transmissivity fields using a Bayesian strategy and perturbative approach. <i>Advances in Water Resources</i> , 2017 , 108, 69-82	4-7	6
70	Cokriging Transmissivity, Head and Trajectory Data for Transmissivity and Solute Path Estimation. 2017 , 55, 362-374		4

69	Multi-scale high-performance fluid flow: Simulations through porous media. 2017 , 103, 85-98		3
68	Predicting Day and Night Traffic Volumes on Rural Roads for Statistical Road Safety Modeling. 2017 , 2659, 192-203		3
67	Radial solute transport in highly heterogeneous aquifers: Modeling and experimental comparison. <i>Water Resources Research</i> , 2017 , 53, 5725-5741	5-4	6
66	Quantification of Lagrangian travel time statistics under nonstationary random groundwater flow conditions. 2018 , 32, 1561-1570		
65	Oscillatory Pumping Test to Estimate Aquifer Hydraulic Parameters in a Bayesian Geostatistical Framework. <i>Mathematical Geosciences</i> , 2018 , 50, 169-186	2-5	10
64	Simulation optimization model for aquifer parameter estimation using coupled meshfree point collocation method and cat swarm optimization. 2018 , 91, 60-72		13
63	Toward a higher yield: a wireless sensor network-based temperature monitoring and fan-circulating system for precision cultivation in plant factories. 2018 , 19, 929-956		5
62	Subsurface Contaminant Transport. 2018 , 283-324		
61	Mapping the environment. 2018 , 610-611, 17-23		14
60	Stochastic hydrogeology's biggest hurdles analyzed and its big blind spot. 2018 , 22, 5675-5695		8
59	Direct error in constitutive equation formulation for inverse heat conduction problem. 2018 , 115, 1337-1352		1
58	Data assimilation in groundwater modelling: ensemble Kalman filter versus ensemble smoothers. 2018 , 32, 2020-2029		15
57	Sequential data-worth analysis coupled with ensemble Kalman filter for soil water flow: A real-world case study. 2018 , 564, 76-88		9
56	Impact of model complexity and multi-scale data integration on the estimation of hydrogeological parameters in a dual-porosity aquifer. 2018 , 26, 1917-1933		9
55	Pattern-based calibration of complex subsurface flow models against dynamic response data. <i>Advances in Water Resources</i> , 2018 , 121, 388-405	4-7	2
54	Predictive Assessment of Groundwater Flow Uncertainty in Multiscale Porous Media by Using Truncated Power Variogram Model. 2019 , 126, 97-114		3
53	Application of Numerical Tools to Investigate a Leaky Aquitard beneath Urban Well Fields. 2019 , 11, 5		3
52	Inhomogeneity of precipitation and its influencing factors in Northwest China from 1961 to 2015. 2019 , 138, 1831-1844		3

51	Hydraulic tomography in time-lapse mode for tracking the clogging effects associated with the colloid injection. <i>Advances in Water Resources</i> , 2019 , 133, 103424	4.7	2
50	Using Color Coherence Vectors to Evaluate the Performance of Hydrologic Data Assimilation. <i>Water Resources Research</i> , 2019 , 55, 1717-1729	5.4	4
49	A pattern-matching method for flow model calibration under training image constraint. 2019 , 23, 813-828		1
48	Non-point source evaluation of groundwater nitrate contamination from agriculture under geologic uncertainty. <i>Stochastic Environmental Research and Risk Assessment</i> , 2019 , 33, 939-956	3.5	7
47	A comparative study in aquifer parameter estimation using MFree point collocation method with evolutionary algorithms. <i>Journal of Hydroinformatics</i> , 2019 , 21, 455-473	2.6	7
46	Upwind-Based Numerical Approximation of a Space-Time Fractional Advection-Dispersion Equation for Groundwater Transport Within Fractured Systems. <i>Studies in Systems, Decision and Control</i> , 2019 , 309-341	0.8	1
45	Comparison of Two Ensemble Kalman-Based Methods for Estimating Aquifer Parameters from Virtual 2-D Hydraulic and Tracer Tomographic Tests. <i>Geosciences (Switzerland)</i> , 2020 , 10, 276	2.7	4
44	Petrophysical characterization of deep saline aquifers for CO2 storage using ensemble smoother and deep convolutional autoencoder. <i>Advances in Water Resources</i> , 2020 , 142, 103634	4.7	10
43	Coupling Empirical Bayes and Akaike Bayesian Information Criterion to Estimate Aquifer Transmissivity Fields. <i>Mathematical Geosciences</i> , 2020 , 52, 425-441	2.5	2
42	Subsurface pollutant transport. 2021 , 355-401		
41	Improving the computational efficiency of first arrival time uncertainty estimation using a connectivity-based ranking Monte Carlo method. <i>Stochastic Environmental Research and Risk Assessment</i> , 2021 , 35, 1039-1049	3.5	3
40	Ridership Estimation Along Bus Transit Lines Based on Kriging: Comparative Analysis Between Network and Euclidean Distances. <i>Journal of Geovisualization and Spatial Analysis</i> , 2021 , 5, 1	3.5	0
39	Monitoring after the conclusion of mining works. <i>Materials and Geoenvironment</i> , 2021 ,	0.3	
38	A hierarchical Bayesian model for the analysis of space-time air pollutant concentrations and an application to air pollution analysis in Northern China. <i>Stochastic Environmental Research and Risk Assessment</i> , 2021 , 35, 2237	3.5	1
37	Efficient Discretization-Independent Bayesian Inversion of High-Dimensional Multi-Gaussian Priors Using a Hybrid MCMC. <i>Water Resources Research</i> , 2021 , 57, e2021WR030051	5.4	3
36	Presentation and discussion of the high-resolution atmosphere-land-surface-subsurface simulation dataset of the simulated Neckar catchment for the period 2007-2015. <i>Earth System Science Data</i> , 2021 , 13, 4437-4464	10.5	1
35	Fractional and fractal advection-dispersion model. <i>Discrete and Continuous Dynamical Systems - Series S</i> , 2021 , 14, 2055	2.8	
34	Verification and validation in computational fluid dynamics. <i>Progress in Aerospace Sciences</i> , 2002 , 38, 209-272	8.8	229

33	Model calibration/parameter estimation techniques and conceptual model error. <i>NATO Science for Peace and Security Series C: Environmental Security</i> , 2009 , 129-154	0.3	2
32	On the Contribution of Hydrogeology to Advances in Geostatistics. <i>Quantitative Geology and Geostatistics</i> , 2001 , 1-16		1
31	Inverse Modeling of Groundwater Flow in a 3D Fractured Media. <i>Quantitative Geology and Geostatistics</i> , 1999 , 283-294		2
30	Agricultural Impacts on Groundwater: Processes, Modelling and Decision Support. 2001 , 35-75		1
29	Critical Evaluation of the Ensemble Kalman Filter on History Matching of Geologic Facies. 2005 ,		17
28	Multiphase Inverse Modeling: Review and iTOUGH2 Applications. <i>Vadose Zone Journal</i> , 2004 , 3, 747-762	2.7	71
27	North American CO ₂ exchange: intercomparison of modeled estimates with results from a fine-scale atmospheric inversion.		2
26	Stochastic inversion of sequential hydraulic tests for transient and highly permeable unconfined aquifer systems.		1
25	Groundwater flow inverse modeling in non-MultiGaussian media: performance assessment of the normal-score Ensemble Kalman Filter.		11
24	Ensemble Kalman filter versus ensemble smoother for assessing hydraulic conductivity via tracer test data assimilation.		1
23	An Efficient Approach for Quantifying the Uncertainty in Groundwater-model Predictions. 2006 , 151-158		
22	Information Fusion using the Kalman Filter based on Karhunen-Loève Decomposition. <i>Studies in Computational Intelligence</i> , 2008 , 43-68	0.8	
21	Technical Outline of a W3 Spatial (Decision Support) Prototype. 2009 , 946-967		
20	Non-fickian Solute Transport. <i>Advances in Geophysical and Environmental Mechanics and Mathematics</i> , 2013 , 1-27		
19	Geostatistical Approach. 2014 , 17-38		
18	Evaluation of Transforming Mechanisms. 2014 , 105-120		
17	Regional Groundwater Flow Modeling of the Chalk Aquifer of Beauvais, Paris Basin, North of France. <i>Global Journal of Earth Science and Engineering</i> , 2014 , 1, 57-70	0	
16	Updating hydraulic properties and layer thicknesses in hydrogeological models using groundwater model calibration results.		

15	Introduction: Setting the Scene. <i>SpringerBriefs in Applied Sciences and Technology</i> , 2018 , 1-14	0.4	
14	Exploiting Sparsity in Solving PDE-Constrained Inverse Problems: Application to Subsurface Flow Model Calibration. <i>The IMA Volumes in Mathematics and Its Applications</i> , 2018 , 399-434	0.5	
13	Inverse problem for highly heterogeneous porous media: the factorial geostatistical analysis in differential system method. 2005 , 309-320		
12	Graph-based prior and forward models for inverse problems on manifolds with boundaries. <i>Inverse Problems</i> ,	2.3	0
11	Statistical comparison of variogram-based inversion methods for conditioning to indirect data. <i>Computers and Geosciences</i> , 2022 , 160, 105032	4.5	
10	Parameter estimation and uncertainty analysis in hydrological modeling. <i>Wiley Interdisciplinary Reviews: Water</i> , 2022 , 9,	5.7	2
9	Comparing spatial interaction models and flow interpolation techniques for predicting \square bike-share trip demand. <i>Transactions in GIS</i> ,	2.1	
8	Pragmatic Validation of Numerical Models Used for the Assessment of Radioactive Waste Repositories: A Perspective. <i>Energies</i> , 2022 , 15, 3585	3.1	0
7	Towards an effective application of parameter estimation and uncertainty analysis to mathematical groundwater models. <i>SN Applied Sciences</i> , 2022 , 4,	1.8	0
6	Comparison of three recent discrete stochastic inversion methods and influence of the prior choice. 2023 , 355, 1-26		0
5	Advances in the pilot point inverse method: O \square En Sommes-Nous maintenant?. 2023 , 355, 1-9		0
4	Utilizing Kriging Metamodeling to Provide Practical and Effective Bridge Weigh-in-Motion. 2023 , 28,		1
3	Modelling a Polluted Aquifer with Reconstructed Heterogeneity Using the Composite Medium Indicator Kriging. 2022 , 581-599		0
2	Comparison of travel-time and geostatistical inversion approaches for hydraulic tomography: Synthetic modeling study on data density and well configuration issues. 2023 , 618, 129247		0
1	Implications of Declining Ground Water and Water Quality in the US Southeastern Coastal Plain Ecoregion and Areawide Environmental Impact Statement Required for Mining in the Greater Okefenokee Swamp BasinBart 1. 2023 , 11, 201-276		0