

CITATION REPORT

List of articles citing

Statistical methods for assessing measurement error (reliability) in variables relevant to sports medicine

DOI: 10.2165/00007256-199826040-00002
Sports Medicine, 1998, 26, 217-38.

Source: <https://exaly.com/paper-pdf/29454190/citation-report.pdf>

Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2297	Reliability of ratings of perceived exertion during progressive treadmill exercise. 1999 , 33, 336-9		72
2296	Assessment of Bias in Comparing Measurements: A Reliability Example. 1999 , 3, 195-205		13
2295	Stability of questionnaire items in sport and exercise psychology: bootstrap limits of agreement. 1999 , 17, 725-34		12
2294	Relationship between a Lumbopelvic Stabilization Strength Test and Pelvic Motion in Running. 2000 , 9, 219-228		6
2293	Reliability in evidence-based clinical practice: a primer for allied health professionals. 2000 , 1, 54-62		31
2292	The test-retest reliability of the onset of concentric and eccentric vastus medialis obliquus and vastus lateralis electromyographic activity in a stair stepping task. 2000 , 1, 129-136		45
2291	Muscle function assessment in children. 2000 , 89, 753-761		35
2290	Variability in Straight Leg Raise Measurements. 2000 , 86, 361-370		31
2289	Reliability: What is it, and how is it measured?. 2000 , 86, 94-99		403
2288	Measures of reliability in sports medicine and science. <i>Sports Medicine</i> , 2000 , 30, 1-15	10.6	2665
2287	Review of outcome measurement instruments in Alzheimer's disease drug trials: psychometric properties of behavior and mood scales. 2000 , 13, 181-96		35
2286	Typical error versus limits of agreement. <i>Sports Medicine</i> , 2000 , 30, 375-81	10.6	45
2285	Aerobic performance of Special Operations Forces personnel after a prolonged submarine deployment. 2000 , 43, 1489-500		4
2284	Electromyographic analysis of exercise resulting in symptoms of muscle damage. 2000 , 18, 163-72		50
2283	A notational analysis of elite tennis strategy. 2001 , 19, 107-15		179
2282	Automated metabolic gas analysis systems: a review. <i>Sports Medicine</i> , 2001 , 31, 841-61	10.6	113
2281	Application of an exponential model to early postmortem bovine muscle pH decline. 2001 , 58, 39-44		18

2280	Reproducibility of exercise tolerance in patients with end-stage renal disease. 2001 , 82, 1421-4	20
2279	How to show that unicorn milk is a chronobiotic: the regression-to-the-mean statistical artifact. 2001 , 18, 1041-53	14
2278	Peak VO ₂ correction for fat-free mass estimated by anthropometry and DEXA. 2001 , 33, 1968-75	5
2277	Rating of perceived exertion during high-intensity treadmill running. 2001 , 33, 1953-8	35
2276	Digital Vaginal Assessment. 2001 , 87, 243-250	13
2275	Functional performance testing following knee ligament injury. 2001 , 2, 91-105	74
2274	Anticipatory activity of vastus lateralis and vastus medialis obliquus occurs simultaneously in voluntary heel and toe raises. 2001 , 2, 71-79	15
2273	Analysis of repeated measurements in physical therapy research. 2001 , 2, 194-208	51
2272	Examination of the validity and reliability of the Accusport blood lactate analyser. 2001 , 4, 129-38	25
2271	Reliability of MAOD measured at 110% and 120% of peak oxygen uptake for cycling. 2001 , 33, 1056-9	25
2270	Reliability of gait speed measured by a timed walking test in patients one year after stroke. 2002 , 16, 306-14	130
2269	BASEM Congress 2001. 2002 , 36, 1e-1	78
2268	Assessing the efficacy of exercise training in patients with chronic disease. 2002 , 34, 1234-41	24
2267	Prediction of the aerobic demand of walking in children. 2002 , 34, 2097-102	8
2266	Test-retest stability of body-image scores in a sample of 12- to 14-yr.-olds. 2002 , 95, 1007-12	2
2265	A comparison of the suitabilities of rectal, gut, and insulated axilla temperatures for measurement of the circadian rhythm of core temperature in field studies. 2002 , 19, 579-97	70
2264	Ankle joint range of motion measurements in spastic cerebral palsy children: intraobserver and interobserver reliability and reproducibility of goniometry and visual estimation. 2002 , 11, 236-9	20
2263	Ankle Joint Range of Motion Measurements in Spastic Cerebral Palsy Children: Intraobserver and Interobserver Reliability and Reproducibility of Goniometry and Visual Estimation. 2002 , 11, 236-239	15

2262	Intratester reliability and measurement error of the adapted crossover hop for distance. 2002 , 3, 143-151	15
2261	Five errors about error. 2002 , 5, 336-40	12
2260	A reproducible and variable intensity cycling performance protocol for warm conditions. 2002 , 5, 95-107	12
2259	Relationship between serum, saliva and urinary cortisol and its implication during recovery from training. 2002 , 5, 108-14	27
2258	Assessment of contractile and noncontractile components in human skeletal muscle by magnetic resonance imaging. 2002 , 25, 251-8	26
2257	Effect of measuring blood lactate concentrations using different automated lactate analysers on blood lactate transition thresholds. 2003 , 6, 408-21	51
2256	Test-retest reliability of the aerobic power index component of the tri-level fitness profile in a sedentary population. 2003 , 6, 443-54	23
2255	Reliability in evidence-based clinical practice: a primer for allied health professionals?. 2003 , 4, 122-128	71
2254	Balance in single-limb stance in healthy subjects--reliability of testing procedure and the effect of short-duration sub-maximal cycling. 2003 , 4, 14	38
2253	Heart Rate as a Measure of Exercise Testing Early after Acquired Brain Injury. 2003 , 89, 570-574	3
2252	Training perceptual skill in field hockey: is there transfer from the laboratory to the field?. 2003 , 74, 98-103	93
2251	Reliability and Validity of the Computer Science and Applications Accelerometer in a Mechanical Setting. 2003 , 7, 101-119	63
2250	Spatial summation of pressure pain: effect of body region. 2003 , 106, 471-480	47
2249	Heart rate responses of male orienteers aged 21-67 years during competition. 2003 , 21, 221-8	3
2248	Factorial Invariance and Latent Mean Stability of Performance Failure Appraisals. 2003 , 10, 401-422	71
2247	Reliability of a computerized target-pursuit system for measuring coordinated exertion of force. 2003 , 96, 1071-85	18
2246	Estimating human energy expenditure: a review of techniques with particular reference to doubly labelled water. <i>Sports Medicine</i> , 2003 , 33, 683-98	10.6 163
2245	The yo-yo intermittent recovery test: physiological response, reliability, and validity. 2003 , 35, 697-705	708

2244	Assessment of the reliability of a technique to measure postural sway in horses. 2003 , 64, 1354-9	23
2243	Reliability and intensity of the six-minute walk test in healthy elderly subjects. 2003 , 35, 169-74	211
2242	Use of acetylene breathing to determine cardiac output in young and older adults. 2003 , 35, 58-64	28
2241	Zebris versus Myrin: a comparative study between a three-dimensional ultrasound movement analysis and an inclinometer/compass method: intradevice reliability, concurrent validity, intertester comparison, intratester reliability, and intraindividual variability. 2003 , 28, E433-40	86
2240	The oxygen uptake response running to exhaustion at peak treadmill speed. 2003 , 35, 663-8	23
2239	Development of the Tactical Skills Inventory for Sports. 2004 , 99, 883-95	36
2238	Reliability of a device measuring triceps surae muscle fatigability. 2004 , 38, 163-7	17
2237	Test-retest reliability of a knee joint position sense measurement method in sitting and prone position. 2004 , 6, 37-47	58
2236	The effect of experiential anchoring on the reproducibility of exercise regulation in adolescent children. 2004 , 22, 159-65	6
2235	A simple multistage field test for the prediction of anaerobic capacity in female games players. 2004 , 38, 784-9	12
2234	On issues of confidence in determining the time constant for oxygen uptake kinetics. 2004 , 38, 553-60; discussion 553-60	25
2233	Walking in postpoliomyelitis syndrome: the relationships between time-scored tests, walking in daily life and perceived mobility problems. 2005 , 37, 142-6	21
2232	Reliability of three commercially available heart rate variability instruments using short-term (5-min) recordings. 2004 , 24, 359-67	30
2231	Motor capacities of upper limbs in tetraplegics: a new scale for the assessment of the results of functional surgery on upper limbs. 2004 , 42, 80-90	27
2230	Inter-tester reliability of scapular position in junior elite swimmers. 2004 , 5, 146-155	38
2229	Influence of ski pole grip on peak upper body power output in cross-country skiers. 2004 , 91, 481-7	8
2228	Reliability and validity of measures taken during the Chester step test to predict aerobic power and to prescribe aerobic exercise. 2004 , 38, 197-205	95
2227	Mechanically braked Wingate powers: agreement between SRM, corrected and conventional methods of measurement. 2004 , 22, 661-7	15

2226	Evaluation of the Modified Jebsen Test of Hand Function and the University of Maryland Arm Questionnaire for Stroke. 2004 , 18, 195-202	51
2225	Developing Anticipation Skills in Tennis Using On-Court Instruction: Perception versus Perception and Action. 2004 , 16, 350-360	63
2224	The Sharp/van der Heijde method out-performed the Larsen/Scott method on the individual patient level in assessing radiographs in early rheumatoid arthritis. 2004 , 57, 502-12	29
2223	The interexaminer reproducibility of physical examination of the cervical spine. 2004 , 27, 84-90	79
2222	Reliability of maximal strength testing in older adults. 2004 , 85, 329-34	84
2221	Intensity and daily reliability of the six-minute walk test in moderate chronic heart failure patients. 2004 , 85, 1513-8	42
2220	A note on the suitability of an exponential equation to characterize pH decline corrected for muscle temperature in bovine muscle early post mortem. 2004 , 66, 507-12	5
2219	Reliability of biomechanical variables of sprint running. 2004 , 36, 850-61	45
2218	Treadmill versus shuttle walk tests of walking ability in intermittent claudication. 2004 , 36, 1835-40	37
2217	Branched equation modeling of simultaneous accelerometry and heart rate monitoring improves estimate of directly measured physical activity energy expenditure. 2004 , 96, 343-51	317
2216	Reproducibility indices applied to cervical pressure pain threshold measurements in healthy subjects. 2004 , 20, 341-7	82
2215	Reliability of isokinetic and isometric knee-extensor force in older women. 2004 , 12, 525-37	31
2214	Assessing Driving with the Global Positioning System: Effect of Differential Correction. 2004 , 1899, 19-26	6
2213	9 Reliability of measurements in medical research and clinical practice. 2005 , 147-163	2
2212	A novel energy expenditure prediction equation for intermittent physical activity. 2005 , 37, 2154-61	20
2211	Repeatability of peak oxygen uptake in children who are healthy. 2005 , 17, 11-7	8
2210	Development of a Clinical Static and Dynamic Standing Balance Measurement Tool Appropriate for Use in Adolescents. 2005 , 85, 502-514	69
2209	Learning effect of isokinetic measurements in healthy subjects, and reliability and comparability of Biodex and Lido dynamometers. 2005 , 25, 75-82	90

2208	Reliability and validity of the combined heart rate and movement sensor Actiheart. 2005 , 59, 561-70	485
2207	Validity and reliability of selected commercially available metabolic analyzer systems. 2005 , 15, 271-9	51
2206	A study to determine the reliability of an ankle dorsiflexion weight-bearing device. 2005 , 91, 242-249	18
2205	How big does my sample need to be? A primer on the murky world of sample size estimation. 2005 , 6, 153-163	74
2204	Reproducibility of cervical range of motion in patients with neck pain. 2005 , 6, 59	39
2203	Measurement error: Implications for diagnosis and discrepancy models of developmental dyslexia. 2005 , 11, 186-202	22
2202	Peak oxygen uptake. Myth and truth about an internationally accepted reference value. 2005 , 94, 255-64	26
2201	Characterisation, asymmetry and reproducibility of on- and off-transient pulmonary oxygen uptake kinetics in endurance-trained runners. 2005 , 93, 588-97	19
2200	The VO ₂ response for an exhaustive treadmill run at 800-m pace: a breath-by-breath analysis. 2005 , 93, 381-9	17
2199	Reliability of peak VO ₂ and maximal cardiac output assessed using thoracic bioimpedance in children. 2005 , 94, 228-34	81
2198	Reliability of maximal muscle force and voluntary activation as markers of exercise-induced muscle damage. 2005 , 94, 541-8	56
2197	Reliability of physical functioning measures in ambulatory subjects with MS. 2005 , 10, 93-109	129
2196	Reprodutibilidade e validade do Questionário Internacional de Atividade Física em adolescentes. 2005 , 11, 151-158	111
2195	Reliability of a single-session isokinetic and isometric strength measurement protocol in older men. 2005 , 60, 114-9	45
2194	The repeatability and criterion related validity of the 20 m multistage fitness test as a predictor of maximal oxygen uptake in active young men. 2005 , 39, e19	40
2193	Prediction of energy expenditure from heart rate monitoring during submaximal exercise. 2005 , 23, 289-97	179
2192	Off-side front foot drives in men's high performance cricket. 2005 , 4, 17-35	28
2191	Intra-rater reliability in measuring range of motion in infants with congenital muscular torticollis. 2005 , 7, 84-91	30

2190	How to assess the reliability of measurements in rehabilitation. 2005 , 84, 719-23	381
2189	ULNT2 â€”Median Nerve Bias: Examiner Reliability and Sensory Responses in Asymptomatic Subjects. 2005 , 13, 44-55	13
2188	Reference Values for 6-Minute Walk Test and Hand-Grip Strength in Healthy Hong Kong Chinese Adults. 2005 , 23, 6-12	20
2187	Reliability of heart rate responses at given ratings of perceived exertion in cycling and walking. 2005 , 76, 433-9	2
2186	Reliability of heart rate variability in healthy older women at rest and during orthostatic testing. 2005 , 17, 316-21	16
2185	A multi-joint lower-limb tracking-trajectory test for the assessment of motor coordination. 2005 , 384, 106-11	22
2184	The reliability of short-term measurements of heart rate variability. 2005 , 103, 238-47	203
2183	Coronary artery bypass graft imaging using ECG-gated multislice computed tomography: comparison with catheter angiography. 2005 , 60, 990-8	13
2182	Activity monitoring for assessment of physical activities in daily life in patients with chronic obstructive pulmonary disease. 2005 , 86, 1979-85	170
2181	Physiological assessment of aerobic training in soccer. 2005 , 23, 583-92	321
2180	Effects of daytime ingestion of melatonin on short-term athletic performance. 2005 , 48, 1512-22	32
2179	Circadian rhythms in sports performance--an update. 2005 , 22, 21-44	370
2178	What change in isokinetic knee muscle strength can be detected in men and women with hemiparesis after stroke?. 2005 , 19, 514-22	72
2177	Testing soccer players. 2005 , 23, 601-18	184
2176	The testâ€”retest reliability of motor performance measures after traumatic brain injury. 2006 , 8, 50-59	4
2175	Pedometer reliability, validity and daily activity targets among 10- to 15-year-old boys. 2006 , 24, 241-51	51
2174	Assessing the limitations of the Banister model in monitoring training. 2006 , 24, 509-20	42
2173	Hand function in Charcot Marie Tooth: test retest reliability of some measurements. 2006 , 20, 896-908	35

2172	Post-moderate exercise testing and clinical predictive value of ankle arm index measurements. 2006 , 13, 15-21	
2171	Predicting activity energy expenditure using the Actical activity monitor. 2006 , 77, 64-80	238
2170	Test-retest reliability of isokinetic dynamometry for the assessment of spasticity of the knee flexors and knee extensors in children with cerebral palsy. 2006 , 87, 697-702	32
2169	Response to Letter to the Editor: Reliability of the GAITRite® walkway system for the quantification of temporo-spatial parameters of gait in young and older people. 2006 , 23, 524-525	8
2168	Reproducibility of measurements of inspiratory work capacity in cystic fibrosis patients. 2006 , 150, 35-43	9
2167	Reprodutibilidade inter e intradias do Power Control em um teste de potência muscular. 2006 , 12, 255-258	2
2166	A prediction model for peak power output from different incremental exercise tests. 2006 , 1, 122-36	6
2165	A simplified strategy for the estimation of the exercise ventilatory thresholds. 2006 , 38, 1007-13	37
2164	The Role of Notational Analysis in Soccer Coaching. 2006 , 1, 185-198	16
2163	Intratester and intertester reliability of clinical measures of lower extremity anatomic characteristics: implications for multicenter studies. 2006 , 16, 155-61	87
2162	Predictive validity of three ActiGraph energy expenditure equations for children. 2006 , 38, 380-7	130
2161	The validity and reliability of intestinal temperature during intermittent running. 2006 , 38, 1926-31	89
2160	Quantitative somatosensory testing of warm and heat-pain thresholds: the effect of body region and testing method. 2006 , 22, 130-6	52
2159	Cervical motion in patients with chronic disorders of the cervical spine: a reproducibility study. 2006 , 31, E394-9	39
2158	Timed "Up & Go" Test: Reliability in Older People Dependent in Activities of Daily Living—Focus on Cognitive State. 2006 , 86, 646-655	126
2157	Clinimetric Properties of the Performance-Oriented Mobility Assessment. 2006 , 86, 944-954	164
2156	Test-retest reliability for two indices of ventilatory efficiency measured during cardiopulmonary exercise testing in healthy men and women. 2006 , 26, 191-6	13
2155	Reproducibility and relationship of single-joint strength vs multi-joint strength and power in aging individuals. 2007 , 17, 43-53	38

2154	Prediction of time to exhaustion from blood lactate response during submaximal exercise in competitive cyclists. 2006 , 97, 174-80	16
2153	Accuracy and reliability of the ParvoMedics TrueOne 2400 and MedGraphics VO2000 metabolic systems. 2006 , 98, 139-51	153
2152	Reliability of a 5 x 6-s maximal cycling repeated-sprint test in trained female team-sport athletes. 2006 , 98, 383-93	46
2151	Reliability of ³¹ P-magnetic resonance spectroscopy during an exhaustive incremental exercise test in children. 2006 , 98, 556-65	18
2150	Reliability of a cycling time trial in a glycogen-depleted state. 2006 , 98, 583-9	12
2149	The effect of match standard and referee experience on the objective and subjective match workload of English Premier League referees. 2006 , 9, 256-62	46
2148	Six-minute walk test in adults with cerebral palsy. A study of reliability. 2006 , 20, 488-95	57
2147	Medical record versus researcher measures of height and weight. 2006 , 8, 15-23	21
2146	Accelerometry combined with heart rate telemetry in the assessment of total energy expenditure. 2006 , 95, 631-9	24
2145	The Yo-Yo IR2 test: physiological response, reliability, and application to elite soccer. 2006 , 38, 1666-73	235
2144	The International Physical Activity Questionnaire (IPAQ): a study of concurrent and construct validity. 2006 , 9, 755-62	964
2143	Agreement between polar and SRM mobile ergometer systems during laboratory-based high-intensity, intermittent cycling activity. 2006 , 24, 863-8	6
2142	Reliability of a Unilateral Horizontal Leg Power Test to Assess Stretch Load Tolerance. 2006 , 10, 169-178	7
2141	Accuracy of a user-friendly centrifuge for measuring creatatocrits on mothers' milk in the clinical setting. 2006 , 1, 79-87	51
2140	The effect of crank rate strategy on peak aerobic power and peak physiological responses during arm crank ergometry. 2007 , 25, 711-8	15
2139	The test-retest reliability of 2 mobility performance tests in patients with chronic stroke. 2007 , 21, 347-52	42
2138	Determination of "Fatmax" with 1 h cycling protocols of constant load. 2007 , 32, 249-56	19
2137	A vertical jump force test for assessing bilateral strength asymmetry in athletes. 2007 , 39, 2044-50	178

2136	Reliability and normative values of the foot line test: a technique to assess foot posture. 2007 , 37, 703-7	4
2135	Reliability and validity of two tests of soccer skill. 2007 , 25, 1461-70	129
2134	Comparison of two Actigraph models for assessing free-living physical activity in Indian adolescents. 2007 , 25, 1607-11	92
2133	Reproducibility of 18F-FDG microPET studies in mouse tumor xenografts. 2007 , 48, 602-7	79
2132	Process of measuring in clinical medicine--implications of different definitions in clinical therapeutic studies. 2007 , 75 Suppl 1, 25-31	1
2131	Measurement error in functional balance and mobility tests for people with stroke: what are the sources of error and what is the best way to minimize error?. 2007 , 21, 46-50	21
2130	Assessing nonlinear properties of heart rate variability from short-term recordings: are these measurements reliable?. 2007 , 28, 1067-77	68
2129	An Apparatus and Protocol to Measure Shoulder Girdle Strength. 2007 , 1, 246-253	1
2128	Measurement agreement (repeatability) for a countermovement jump protocol using a portable forceplate. 2007 , 2, 445-8	
2127	Validity and reproducibility of the ErgomoPro power meter compared with the SRM and Powertap power meters. 2007 , 2, 270-81	17
2126	Heart rate variability measures: a fresh look at reliability. 2007 , 113, 131-40	183
2125	Reliability of time-to-exhaustion versus time-trial running tests in runners. 2007 , 39, 1374-9	109
2124	Comparison of two methods to assess PAEE during six activities in children. 2007 , 39, 2180-8	60
2123	Reliability and feasibility of the six minute walk test in subjects with myotonic dystrophy. 2007 , 17, 943-9	68
2122	Measurement of energy cost by the physiological cost index in walking after stroke. 2007 , 88, 1298-303	71
2121	Reliability of techniques to assess human neuromuscular function in vivo. 2007 , 17, 90-101	70
2120	Quadriceps and hamstring isokinetic strength and electromyographic activity measured at different ranges of motion: a reproducibility study. 2007 , 17, 484-92	19
2119	Repeatability of electromyography and force measurements of the neck muscles in adolescents with and without headache. 2007 , 17, 493-503	8

2118	Diagnostic Accuracy of Electrocardiography and Thoracic Radiography in the Assessment of Left Atrial Size in Cats: Comparison with Transthoracic 2-Dimensional Echocardiography. 2007 , 21, 709-718	53
2117	Biological movement variability during the sprint start: performance enhancement or hindrance?. 2007 , 6, 246-60	56
2116	The ingestible telemetric body core temperature sensor: a review of validity and exercise applications. 2007 , 41, 126-33	275
2115	Future perspectives in the evaluation of the physiological demands of soccer. <i>Sports Medicine</i> , 2007 , 37, 783-805	10.6 116
2114	Asymmetry of the active nonweightbearing foot and ankle range of motion for dorsiflexion-plantar flexion and its coupled movements in adults. 2007 , 20, 834-42	9
2113	Assessment of the reliability of central and peripheral fatigue after sustained maximal voluntary contraction of the quadriceps muscle. 2007 , 35, 486-95	153
2112	Measurement of varus-valgus and internal-external rotational knee laxities in vivo--Part I: assessment of measurement reliability and bilateral asymmetry. 2007 , 25, 981-8	71
2111	The effects of high-velocity, low-amplitude manipulation and muscle energy technique on suboccipital tenderness. 2007 , 10, 42-49	34
2110	Reliability of motor-evoked potentials in the ADM muscle of older adults. 2007 , 164, 320-4	49
2109	Human cerebrovascular and ventilatory CO ₂ reactivity to end-tidal, arterial and internal jugular vein PCO ₂ . 2007 , 584, 347-57	109
2108	Reliability and validity of the lung volume measurement made by the BOD POD body composition system. 2007 , 27, 42-6	14
2107	Reliability of knee extension and flexion measurements using the Con-Trex isokinetic dynamometer. 2007 , 27, 346-53	130
2106	Intrarater reliability of lower limb sagittal range-of-motion measures in children with spastic diplegia. 2007 , 45, 391-399	56
2105	Test-retest reliability of knee kinesthesia in healthy adults. 2007 , 8, 57	37
2104	Measurement error associated with spinal mobility measures in children with and without low-back pain. 2002 , 91, 1339-43	14
2103	Reliability of the Thomas test for assessing range of motion about the hip. 2007 , 8, 14-21	36
2102	A re-appraisal of the reliability of the 20 m multi-stage shuttle run test. 2007 , 100, 287-92	20
2101	Moment-generating capacity of upper limb muscles in healthy adults. 2007 , 40, 2442-9	82

2100	Evaluation of a cycling pre-load time trial protocol in recreationally active humans. 2008 , 102, 615-21	7
2099	High day-to-day reliability in lower leg volume measured by water displacement. 2008 , 103, 393-8	19
2098	Assessment of torque-steadiness reliability at the ankle level in healthy young subjects: implications for cerebral palsy. 2008 , 104, 609-15	7
2097	Reliability of performance-based measures in people awaiting joint replacement surgery of the hip or knee. 2008 , 13, 141-52	103
2096	The reliability, responsiveness and clinical utility of the Proximat: a new tool for measuring hip range of movement in children with cerebral palsy. 2008 , 13, 223-30	
2095	Reliability of the Ely's test for assessing rectus femoris muscle flexibility and joint range of motion. 2008 , 26, 793-9	34
2094	Accuracy of Biodex system 3 pro computerized dynamometer in passive mode. 2008 , 30, 880-7	24
2093	Quantification of the corticospinal silent period evoked via transcranial magnetic stimulation. 2008 , 173, 121-8	53
2092	Twenty-five years of sport performance research in the Journal of Sports Sciences. 2008 , 26, 413-26	42
2091	The reliability of fat. 2009 , 19, 213-21	18
2090	Concurrent validity of a modified version of the International Physical Activity Questionnaire (IPAQ-A) in European adolescents: The HELENA Study. 2008 , 32 Suppl 5, S42-8	190
2089	Reliability of health-related physical fitness tests in European adolescents. The HELENA Study. 2008 , 32 Suppl 5, S49-57	218
2088	A review of scales for assessing the risk of developing a pressure ulcer in individuals with SCI. 2008 , 46, 168-75	46
2087	Test-retest reliability of the 10-metre fast walk test and 6-minute walk test in ambulatory school-aged children with cerebral palsy. 2008 , 50, 370-6	166
2086	Comparison of the Melbourne Assessment of Unilateral Upper Limb Function and the Quality of Upper Extremity Skills Test in hemiplegic CP. 2008 , 50, 904-9	62
2085	Reliability of isokinetic strength imbalance ratios measured using the Cybex NORM dynamometer. 2008 , 28, 113-9	140
2084	Responsiveness of the shoulder pain and disability index in patients with adhesive capsulitis. 2008 , 9, 161	47
2083	Range of shoulder motion in patients with adhesive capsulitis; intra-tester reproducibility is acceptable for group comparisons. 2008 , 9, 49	28

2082	Dynamic cerebral autoregulation and baroreflex sensitivity during modest and severe step changes in arterial PCO ₂ . 2008 , 1230, 115-24	52
2081	Relative reliability and validity of the Block Kids Questionnaire among youth aged 10 to 17 years. 2008 , 108, 862-6	150
2080	Compliance of children with moderate to severe intellectual disability to treadmill walking: a pilot study. 2008 , 52, 371-9	16
2079	Grip strength in children: test-retest reliability using Grippit. 2008 , 97, 1226-31	21
2078	The reliability of physiological and performance measures during simulated team-sport running on a non-motorised treadmill. 2008 , 11, 500-9	52
2077	Effects of patellar taping on knee joint proprioception in patients with patellofemoral pain syndrome. 2008 , 13, 192-9	72
2076	Validity, reliability and sensitivity of measures of sporting performance. <i>Sports Medicine</i> , 2008 , 38, 297-316.6	345
2075	Reproducibility and safety of the incremental shuttle walking test for cardiac rehabilitation. 2008 , 125, 144-5	31
2074	Test-retest reliability of wavelet - and Fourier based EMG (instantaneous) median frequencies in the evaluation of back and hip muscle fatigue during isometric back extensions. 2008 , 18, 798-806	32
2073	Inter-operator agreement in decomposition of motor unit firings from high-density surface EMG. 2008 , 18, 652-61	21
2072	Test-retest reliability and minimal clinical change determination for 3-dimensional tibial and femoral accelerations during treadmill walking in knee osteoarthritis patients. 2008 , 89, 732-7	32
2071	Improvement in aerobic fitness during rehabilitation after hip fracture. 2008 , 89, 609-17	24
2070	Intrarater test-retest reliability of hip range of motion and hip muscle strength measurements in persons with hip osteoarthritis. 2008 , 89, 1146-54	147
2069	The steep ramp test: questions about sensitivity and reliability. 2008 , 89, 1625	2
2068	The reliability of spatiotemporal gait data for young and older women during continuous overground walking. 2008 , 89, 2360-5	28
2067	Cardiorespiratory and cerebrovascular responses to hyperoxic and hypoxic rebreathing: effects of acclimatization to high altitude. 2008 , 161, 201-9	35
2066	Test-retest reliability of spatial and temporal gait parameters in children with cerebral palsy as measured by an electronic walkway. 2008 , 27, 43-50	42
2065	Between-day reliability of repeated plantar pressure distribution measurements in a normal population. 2008 , 27, 706-9	102

2064	Reliability of COP-based postural sway measures and age-related differences. 2008 , 28, 337-42	267
2063	Reproducibility of sagittal pelvic tilt measurements in normal subjects using digital inclinometry. 2008 , 28, 513-6	12
2062	Changes in plantar pressure distribution after Achilles tendon augmentation with flexor hallucis longus transfer. 2008 , 23, 109-16	56
2061	The multi-stage fitness test as a predictor of endurance fitness in wheelchair athletes. 2008 , 26, 511-7	23
2060	The relative and absolute reliability of two balance performance measures in chronic stroke patients. 2008 , 30, 656-61	84
2059	Auditory steady-state responses in normal hearing adults: a test-retest reliability study. 2008 , 47, 489-98	26
2058	Reliability of hand-held dynamometry and functional strength tests for the lower extremity in children with Cerebral Palsy. 2008 , 30, 1358-66	99
2057	Walkway length determination for steady state walking in young and older adults. 2008 , 79, 261-7	30
2056	Effect of vibration training on neuromuscular output with ballistic knee extensions. 2008 , 26, 1365-73	8
2055	Functional balance tests for children with traumatic brain injury: within-session reliability. 2008 , 20, 254-8	34
2054	Estimation of left ventricular filling pressure by use of Doppler echocardiography in healthy anesthetized dogs subjected to acute volume loading. 2008 , 69, 1034-49	34
2053	How to assess and compare the accuracy of continuous glucose monitors?. 2008 , 10, 57-68	41
2052	Repeatability of scores on a novel test of endurance running performance. 2008 , 26, 1379-86	17
2051	Comparison of different theoretical models estimating peak power output and maximal oxygen uptake in trained and elite triathletes and endurance cyclists in the velodrome. 2008 , 26, 591-601	3
2050	Reliability of measures obtained during single and repeated countermovement jumps. 2008 , 3, 131-44	330
2049	Effect of blood lactate sample site and test protocol on training zone prescription in rowing. 2008 , 3, 347-58	4
2048	The effectiveness of hand cooling at reducing exercise-induced hyperthermia and improving distance-race performance in wheelchair and able-bodied athletes. 2008 , 105, 37-43	48
2047	Reliability limits of the modified Thomas test for assessing rectus femoris muscle flexibility about the knee joint. 2008 , 43, 470-6	26

2046	Estimating activity energy expenditure: how valid are physical activity questionnaires?. 2008 , 87, 279-91	149
2045	Measurement error and reliability testing: Application to rehabilitation. 2008 , 15, 422-427	17
2044	Timing light height affects sprint times. 2008 , 22, 318-20	44
2043	Development and reliability of two core stability field tests. 2008 , 22, 619-24	31
2042	The 30-15 intermittent fitness test: accuracy for individualizing interval training of young intermittent sport players. 2008 , 22, 365-74	178
2041	Validity of a total body recumbent stepper exercise test to assess cardiorespiratory fitness. 2008 , 22, 1556-62	28
2040	Isoinertial Assessment of Eccentric Muscular Strength. 2008 , 30, 56-64	17
2039	A test to evaluate the physical impact on technical performance in soccer. 2008 , 22, 283-92	28
2038	Performance evaluation of a high-speed inertial exercise trainer. 2008 , 22, 1760-8	12
2037	Confiabilidade do teste da caminhada de seis minutos em pacientes com miastenia gravis generalizada. 2009 , 16, 223-228	4
2036	Reliability and agreement in gait measurements among patients with brain injury. 2009 , 11, 22-29	3
2035	The psychometric properties and clinical utility of measures of walking and mobility in neurological conditions: a systematic review. 2009 , 23, 1018-33	209
2034	Gait variability in younger and older adult women is altered by overground walking protocol. 2009 , 38, 745-8	33
2033	Error in central venous pressure measurement. 2009 , 108, 1209-11	33
2032	Test-re-test reliability of two sustained attention tests in persons with chronic stroke. 2009 , 23, 715-22	12
2031	Is it possible to assess free-living physical activity and energy expenditure in young people by self-report?. 2009 , 89, 862-70	159
2030	The 12-item Oxford Knee Score: cross-cultural adaptation into German and assessment of its psychometric properties in patients with osteoarthritis of the knee. 2009 , 17, 49-52	79
2029	Reproducibility of imaging human knee cartilage by delayed gadolinium-enhanced MRI of cartilage (dGEMRIC) at 1.5 Tesla. 2009 , 17, 559-64	68

2028	The reliability of the 1RM strength test for untrained middle-aged individuals. 2009 , 12, 310-6	169
2027	Validity and reliability of cardiorespiratory measurements recorded by the LifeShirt during exercise tests. 2009 , 167, 162-7	44
2026	The influence of hip abduction and external rotation on sacroiliac motion. 2009 , 14, 520-5	23
2025	Validity and reliability of a Swedish version of the Non-Communicating Children's Pain Checklist--Postoperative Version. 2010 , 99, 929-33	8
2024	Reproducibility of dGEMRIC in assessment of hip joint cartilage: a prospective study. 2009 , 30, 224-8	51
2023	Reproducibility assessment of metabolic variables characterizing muscle energetics in vivo: A 31P-MRS study. 2009 , 62, 840-54	57
2022	Reliability of physiological and subjective responses to physical and psychosocial exposures during a simulated manufacturing task. 2009 , 39, 813-820	11
2021	Manual segmentation of DXA scan images results in reliable upper and lower extremity soft and rigid tissue mass estimates. 2009 , 42, 1138-42	42
2020	Reliability and validity of the cross-culturally adapted German Oxford hip score. 2009 , 467, 952-7	53
2019	Does soccer participation lead to genu varum?. 2009 , 17, 422-7	34
2018	Test-retest reliability of the IDEEA system in the quantification of step parameters during walking and stair climbing. 2009 , 29, 271-6	30
2017	Test-retest reliability of motor evoked potentials (MEPs) at the submental muscle group during volitional swallowing. 2009 , 178, 134-7	24
2016	Sensitivity of a modified version of the 'timed get up and go' test to predict fall risk in the elderly: a pilot study. 2009 , 49, e60-6	17
2015	High-intensity running in English FA Premier League soccer matches. 2009 , 27, 159-68	458
2014	Physiological monitoring of the Olympic athlete. 2009 , 27, 1433-42	24
2013	The validity of a non-differential global positioning system for assessing player movement patterns in field hockey. 2009 , 27, 121-8	109
2012	Validity and reliability of Omron pedometers for prescribed and self-paced walking. 2009 , 41, 670-4	110
2011	Concurrent validity of a trunk tri-axial accelerometer system for gait analysis in older adults. 2009 , 29, 444-8	124

2010	Test-retest reliability [corrected] of center of pressure measures of postural stability during quiet standing in a group with musculoskeletal disorders consisting of low back pain, anterior cruciate ligament injury and functional ankle instability. 2009 , 29, 460-4	146
2009	Reproducibility of spatio-temporal gait parameters under different conditions in older adults using a trunk tri-axial accelerometer system. 2009 , 30, 351-5	64
2008	The reliability of surface electromyography to assess quadriceps fatigue during multi joint tasks in healthy and painful knees. 2009 , 19, 172-80	16
2007	Within-day and between-days reliability of quadriceps isometric muscle fatigue using mechanomyography on healthy subjects. 2009 , 19, 695-703	26
2006	The vestibular evoked myogenic potential: a test-retest reliability study. 2009 , 120, 594-600	53
2005	Lactate threshold concepts: how valid are they?. <i>Sports Medicine</i> , 2009 , 39, 469-90	10.6 399
2004	Development of scales to assess children's perceptions of friend and parental influences on physical activity. 2009 , 6, 67	27
2003	A protocol for classifying normal- and flat-arched foot posture for research studies using clinical and radiographic measurements. 2009 , 2, 22	128
2002	The effect of biological movement variability on the performance of the golf swing in high- and low-handicapped players. 2009 , 80, 185-96	44
2001	Validity and reliability of the Newtest Powertimer 300-series testing system. 2009 , 27, 77-84	33
2000	Validity and reliability of the Infoot 3D foot digitizer for rheumatoid arthritis patients. 2009 , 1, 101-103	4
1999	Physiological correlates of 2-mile run performance as determined using a novel on-demand treadmill. 2009 , 34, 763-72	16
1998	Test-retest reproducibility and smallest real difference of 5 hand function tests in patients with stroke. 2009 , 23, 435-40	245
1997	Critical power is not attained at the end of an isokinetic 90-second all-out test in children. 2009 , 27, 379-85	6
1996	Reproducibility of an isokinetic eccentric muscle endurance task. 2009 , 9, 311-319	5
1995	Influence of testing position on the reliability of hip extensor strength measured by a handheld dynamometer. 2009 , 25, 126-32	10
1994	Predicting Maximal Oxygen Uptake Via a Perceptually Regulated Exercise Test (PRET). 2009 , 7, 122-128	23
1993	Validity and reliability of short-term heart-rate variability from the Polar S810. 2009 , 41, 243-50	185

1992	Physical determinants of tennis performance in competitive teenage players. 2009 , 23, 1867-72	75
1991	Day-by-day variability of spontaneous baroreflex sensitivity measurements: implications for their reliability in clinical and research applications. 2009 , 27, 806-12	16
1990	Reproducibility and reference values of inclinometric balance and isometric trunk muscle strength measurements in Finnish young adults. 2009 , 23, 1618-26	11
1989	Validity and reliability of devices that assess body temperature during indoor exercise in the heat. 2009 , 44, 124-35	116
1988	Reproducibility of physiological and performance measures from a squash-specific fitness test. 2009 , 4, 41-53	11
1987	Validity and reliability of GPS units to monitor cricket-specific movement patterns. 2009 , 4, 381-93	140
1986	Test validation in sport physiology: lessons learned from clinimetrics. 2009 , 4, 269-77	108
1985	Age, weight, and the front abdominal power test as predictors of isokinetic trunk strength and work in young men and women. 2009 , 23, 915-25	24
1984	Data reproducibility from an inertial kinetic exercise machine. 2010 , 24, 3081-7	2
1983	Validity and reliability of the Myotest accelerometric system for the assessment of vertical jump height. 2010 , 24, 3186-93	99
1982	Reliability of surface electromyography during maximal voluntary isometric contractions, jump landings, and cutting. 2010 , 24, 1131-7	43
1981	Measures of reliability in the kinematics of maximal undulatory underwater swimming. 2010 , 42, 762-70	29
1980	Elbow position affects handgrip strength in adolescents: validity and reliability of Jamar, DynEx, and TTK dynamometers. 2010 , 24, 272-7	126
1979	Reproducibility of a simplified Q-angle measurement technique. 2010 , 21, 158-164	2
1978	High-intensity activity profiles of elite soccer players at different performance levels. 2010 , 24, 2343-51	201
1977	Data reliability from an instrumented vertical jump platform. 2010 , 24, 2799-808	13
1976	The reliability of portable fixed dynamometry during hip and knee strength assessments. 2010 , 45, 349-56	43
1975	How to read and critically appraise a reliability article. 2010 , 17, 114-120	16

1974	Reliability of heart rate variability measurements in patients with a history of myocardial infarction. 2009 , 118, 195-201	26
1973	Sources of variability in iso-inertial jump assessments. 2010 , 5, 546-58	63
1972	Measurement of fetal head descent using the 'angle of progression' on transperineal ultrasound imaging is reliable regardless of fetal head station or ultrasound expertise. 2010 , 35, 216-22	115
1971	A new hamstring test to complement the common clinical examination before return to sport after injury. 2010 , 18, 1798-803	60
1970	Reliability of lower limb electromyography during overground walking: a comparison of maximal- and sub-maximal normalisation techniques. 2010 , 43, 749-56	50
1969	Exponential protocols for cardiopulmonary exercise testing on treadmill and cycle ergometer. 2010 , 108, 167-75	7
1968	Effects of athletes' muscle mass on urinary markers of hydration status. 2010 , 109, 213-9	51
1967	The between and within day variation in gross efficiency. 2010 , 109, 1209-18	17
1966	The reliability of a simulated uphill time trial using the Velotron electronic bicycle ergometer. 2010 , 110, 499-506	16
1965	Skin blood flow differentially affects near-infrared spectroscopy-derived measures of muscle oxygen saturation and blood volume at rest and during dynamic leg exercise. 2010 , 110, 1083-9	57
1964	Preliminary study: reliability of the spinal wheel. A novel device to measure spinal postures applied to sitting and standing. 2010 , 19, 995-1003	22
1963	The Importance of Attending to Underlying Statistical Assumptions. 2010 , 10, 44-49	4
1962	Quantitative MR T2 measurement of articular cartilage to assess the treatment effect of intra-articular hyaluronic acid injection on experimental osteoarthritis induced by ACLX. 2010 , 18, 54-60	18
1961	Reliability and validity of the Persian version of Foot and Ankle Ability Measure (FAAM) to measure functional limitations in patients with foot and ankle disorders. 2010 , 18, 755-9	61
1960	Does the demand for asymmetric functional lower body postures in lateral sports relate to structural asymmetry of the pelvis?. 2010 , 13, 360-4	32
1959	Long-term reliability of the incremental shuttle walking test in clinically stable cardiovascular disease patients. 2010 , 96, 222-7	29
1958	INCITE: A randomised trial comparing constraint induced movement therapy and bimanual training in children with congenital hemiplegia. 2010 , 10, 4	63
1957	Validity and test-retest reliability of manual goniometers for measuring passive hip range of motion in femoroacetabular impingement patients. 2010 , 11, 194	136

1956	Kinematics of fast cervical rotations in persons with chronic neck pain: a cross-sectional and reliability study. 2010 , 11, 222	46
1955	Attentional and visual demands for sprint performance in non-fatigued and fatigued conditions: reliability of a repeated sprint test. 2010 , 11, 84	
1954	Reliability of a two-dimensional footprint measurement approach. 2010 , 50, 113-8	44
1953	Reliability of recurrence quantification analysis measures of the center of pressure during standing in individuals with musculoskeletal disorders. 2010 , 32, 808-12	29
1952	Echocardiographic assessment of left ventricular geometry and the mitral valve apparatus in cats with hypertrophic cardiomyopathy. 2010 , 12, 1-16	42
1951	Correspondence between self-reported and objective measures of driving exposure and patterns in older drivers. 2010 , 42, 523-9	110
1950	The craniocervical flexion test: intra-tester reliability in asymptomatic subjects. 2010 , 15, 144-9	24
1949	Rating scales for dystonia in cerebral palsy: reliability and validity. 2010 , 52, 570-5	59
1948	Scaling concept II rowing ergometer performance for differences in body mass to better reflect rowing in water. 2010 , 20, 122-7	59
1947	Development and preliminary testing of a Paediatric Version of the Haemophilia Activities List (pedhal). 2010 , 16, 281-9	39
1946	Retest reliability of force-time variables of neck muscles under isometric conditions. 2010 , 45, 453-8	17
1945	Reliability of near-infrared spectroscopy for measuring biceps brachii oxygenation during sustained and repeated isometric contractions. 2010 , 15, 017008	45
1944	Influence of midsole metatarsophalangeal stiffness on jumping and cutting movement abilities. 2010 , 224, 209-217	17
1943	TEST-RETEST RELIABILITY OF POSTURAL STABILITY MEASURES DURING QUIET STANDING IN PATIENTS WITH A HISTORY OF NONSPECIFIC LOW BACK PAIN. 2010 , 22, 255-262	1
1942	A comparison of hand-tracing and cephalometric analysis computer programs with and without advanced features--accuracy and time demands. 2010 , 32, 721-8	23
1941	The validity of wireless iButtons and thermistors for human skin temperature measurement. 2010 , 31, 95-114	100
1940	Reliability of ankle isometric, isotonic, and isokinetic strength and power testing in older women. 2010 , 90, 1165-75	93
1939	Reliability and validity of the Infoot 3D foot digitizer for normal healthy adults. 2010 , 2, 65-75	13

1938	Intra-inter visit reproducibility of short-term linear and nonlinear measurement of heart rate variability in tetraplegia and neurologically intact controls. 2010 , 31, 363-74	11
1937	Validity and reliability of a new method for measuring putting stroke kinematics using the TOMI system. 2010 , 28, 891-9	15
1936	Attentional demands and postural control in athletes with and without functional ankle instability. 2010 , 40, 180-7	45
1935	Identical pattern of cerebral hypoperfusion during different types of syncope. 2010 , 24, 458-66	19
1934	Reproducibility of controlled force exertion measurements computed by a quasi-random target-pursuit system. 2010 , 110, 366-78	2
1933	Anthropometric characteristics and motor skills in talent selection and development in indoor soccer. 2010 , 110, 916-30	10
1932	The maximal accumulated oxygen deficit method: a valid and reliable measure of anaerobic capacity?. <i>Sports Medicine</i> , 2010 , 40, 285-302	10.6 65
1931	Dehydration and sodium deficit during indoor practice in elite European male team players. 2010 , 10, 329-336	20
1930	Reliability of shoulder range of motion comparing a goniometer to a digital level. 2010 , 26, 327-33	126
1929	Validity and reliability of GPS for measuring distance travelled in field-based team sports. 2010 , 28, 1319-25	114
1928	An assessment of the reliability and standardisation of tests used to elicit reference muscular actions for electromyographical normalisation. 2010 , 20, 81-8	46
1927	Test-retest reliability of the soleus H-reflex is affected by joint positions and muscle force levels. 2010 , 20, 980-7	17
1926	Inter-rater reliability of muscle contractile property measurements using non-invasive tensiomyography. 2010 , 20, 761-6	115
1925	Reproducibility of energy cost of locomotion in ambulatory children with spina bifida. 2010 , 31, 159-63	14
1924	A novel tool for the assessment of dynamic balance in healthy individuals. 2010 , 31, 261-4	12
1923	Test-retest reliability of step counts with the ActivPAL® device in common daily activities. 2010 , 32, 386-90	66
1922	Reproducibility of heart rate variability and baroreflex sensitivity measurements in children. 2010 , 85, 71-8	36
1921	Test-retest reliability of discrete gait parameters in children with cerebral palsy. 2010 , 91, 781-7	23

1920	Detection of congestive heart failure in dogs by Doppler echocardiography. 2010 , 24, 1358-68	91
1919	Application of four different football match analysis systems: a comparative study. 2010 , 28, 171-82	181
1918	Reliability and construct validity of soccer skills tests that measure passing, shooting, and dribbling. 2010 , 28, 1399-408	84
1917	Reliability and discriminative ability of a modified Wingate rowing test in 12- to 18-year-old rowers. 2010 , 28, 1409-14	2
1916	Reliability of muscle function and sensory perception measurements of the wrist extensors. 2010 , 26, 408-15	19
1915	Reliability of the Community Balance and Mobility Scale (CB&M) in high-functioning school-aged children and adolescents who have an acquired brain injury. 2010 , 24, 1585-94	25
1914	Effect of intermittent hypoxia on muscle and cerebral oxygenation during a 20-km time trial in elite athletes: a preliminary report. 2010 , 35, 548-59	12
1913	The Persian version of Trinity Amputation and Prosthetics Experience Scale: translation, factor structure, reliability and validity. 2011 , 33, 1737-45	10
1912	Reliability and validity of the Tegner and Marx activity rating scales in Iranian patients with anterior cruciate ligament injury. 2011 , 33, 2305-10	51
1911	Reproducibility of velocity-dependent power: before and after lengthening contractions. 2011 , 36, 626-33	21
1910	The position of medial dual density midsole elements in running shoes does not influence biomechanical variables. 2011 , 3, 107-116	9
1909	Assessment of microcirculatory changes by use of sidestream dark field microscopy during hemorrhagic shock in dogs. 2011 , 72, 438-45	16
1908	Validity of auscultatory and Penaz blood pressure measurements during profound heat stress alone and with an orthostatic challenge. 2011 , 301, R1510-6	16
1907	Age-related differences in acceleration, maximum running speed, and repeated-sprint performance in young soccer players. 2011 , 29, 477-84	104
1906	Reproducibility of heart rate variability during rest, paced breathing and light-to-moderate intense exercise in patients one month after stroke. 2011 , 66, 117-22	8
1905	Reliability and accuracy of a video analysis protocol to assess core ability. 2011 , 3, 204-11	6
1904	Validity and reliability of a new field test (Carminatti's test) for soccer players compared with laboratory-based measures. 2011 , 29, 1621-8	33
1903	Intra- and inter-session reliability of vertical jump performance in healthy middle-aged and older men and women. 2011 , 29, 1675-82	21

1902	Test-retest reliability of a battery of field-based health-related fitness measures for adolescents. 2011 , 29, 685-93	56
1901	Best responders after intensive upper-limb training for children with unilateral cerebral palsy. 2011 , 92, 578-84	63
1900	Tongue-based biofeedback for balance in stroke: results of an 8-week pilot study. 2011 , 92, 1364-70	25
1899	Intra- and interrater reliability and agreement of the Danish version of the Dynamic Gait Index in older people with balance impairments. 2011 , 92, 1630-5	13
1898	Sensitivity to mental effort and test-retest reliability of heart rate variability measures in healthy seniors. 2011 , 122, 2059-66	67
1897	Day-to-day consistency of lower extremity kinematics during stair ambulation in 24-45 years old athletes. 2011 , 33, 635-9	4
1896	Reliability of center of pressure measures of postural stability in healthy older adults: effects of postural task difficulty and cognitive load. 2011 , 33, 651-5	125
1895	Test-retest reliability of the assessment of postural stability in typically developing children and in hearing impaired children. 2011 , 33, 679-85	37
1894	Postural balance in low back pain patients: Intra-session reliability of center of pressure on a portable force platform and of the one leg stand test. 2011 , 34, 213-7	11
1893	Peak and average rectified EMG measures: which method of data reduction should be used for assessing core training exercises?. 2011 , 21, 102-11	49
1892	Validity and inter-day reliability of a free-oscillation test to measure knee extensor and knee flexor musculo-articular stiffness. 2011 , 21, 492-8	10
1891	How much change is true change? The smallest detectable difference of the Preschool Imitation and Praxis Scale (PIPS) in preschoolers with intellectual disabilities of heterogeneous aetiology. 2011 , 32, 180-7	6
1890	Feasibility, test-retest reliability, and interrater reliability of the Modified Ashworth Scale and Modified Tardieu Scale in persons with profound intellectual and multiple disabilities. 2011 , 32, 613-20	30
1889	Fiabilidad absoluta de las pruebas sit and reach modificado y back saber sit and reach para estimar la flexibilidad isquiosural en jugadores de fútbol sala. 2011 , 46, 81-88	1
1888	Yo-Yo IR2 test e teste de margaria: validade, confiabilidade e obtenção da frequência cardíaca máxima em jogadores jovens de futebol. 2011 , 17, 344-349	8
1887	The reliability of the one maximum repetition in sedentary, active and strength-trained subjects. 2011 , 17, 700-707	2
1886	Stability of behavioral estimates of activity-dependent modulation of pain. 2011 , 4, 151-7	13
1885	The relative and absolute reliability of leg muscle strength testing by a handheld dynamometer. 2011 , 25, 1065-71	32

1884	Elite futsal refereeing: activity profile and physiological demands. 2011 , 25, 980-7	18
1883	Validity and reliability of Optojump photoelectric cells for estimating vertical jump height. 2011 , 25, 556-60	249
1882	Prediction of time to exhaustion in competitive cyclists from a perceptually based scale. 2011 , 25, 1393-9	10
1881	The reliability of three devices used for measuring vertical jump height. 2011 , 25, 2580-90	113
1880	Test battery designed to quickly and safely assess diverse indices of neuromuscular function after unweighting. 2011 , 25, 545-55	13
1879	Reliability and validity of a new repeated agility test as a measure of anaerobic and explosive power. 2011 , 25, 472-80	46
1878	The effect of three different start thresholds on the kinematics and kinetics of a countermovement jump. 2011 , 25, 1164-7	26
1877	Compensatory trunk movements in patients with hip osteoarthritis: accuracy and reproducibility of a body-fixed sensor-based assessment. 2011 , 90, 681-7	14
1876	Validity of the Myotest [®] in measuring force and power production in the squat and bench press. 2011 , 25, 2293-7	49
1875	The influence of a congested calendar on physical performance in elite soccer. 2011 , 25, 2111-7	57
1874	Retest reliability of balance and mobility measurements in people with mild to moderate Alzheimer's disease. 2011 , 23, 1152-9	49
1873	Influence of different breathing patterns on heart rate variability indices and reproducibility during experimental endotoxaemia in human subjects. 2011 , 121, 215-22	16
1872	Stability of measurement outcomes for voluntary task performance in participants with chronic ankle instability and healthy participants. 2011 , 46, 366-75	9
1871	Evaluation and use of a portable field kit for measuring whole-blood lactate in sharks. 2011 , 62, 694	16
1870	Measuring soccer skill performance: a review. 2011 , 21, 170-83	152
1869	Reliability of non-invasive cardiac output measurement in individuals with tetraplegia. 2011 , 49, 665-71	3
1868	Knee injury and Osteoarthritis Outcome Score (KOOS); reliability and validity in competitive athletes after anterior cruciate ligament reconstruction. 2011 , 19, 406-10	107
1867	Reliability of different models to assess heart rate recovery after submaximal bicycle exercise. 2011 , 14, 352-7	23

1866	Knee proprioception following ACL reconstruction; a prospective trial comparing hamstrings with bone-patellar tendon-bone autograft. 2011 , 18, 76-82	46
1865	Comparison of the reliability, responsiveness, and construct validity of 4 different questionnaires for evaluating outcomes after total knee arthroplasty. 2011 , 26, 861-9	55
1864	Manipulating informational constraints shapes movement reorganization in interceptive actions. 2011 , 73, 1242-54	58
1863	Night-to-night repeatability of measurements of nocturnal breathing disorders in clinically stable chronic heart failure patients. 2011 , 15, 673-8	17
1862	Test-retest reliability of the nociceptive withdrawal reflex and electrical pain thresholds after single and repeated stimulation in patients with chronic low back pain. 2011 , 111, 83-92	40
1861	Sub-maximal and maximal Yo-Yo intermittent endurance test level 2: heart rate response, reproducibility and application to elite soccer. 2011 , 111, 969-78	85
1860	Reproducibility study of [(18)F]FPP(RGD)2 uptake in murine models of human tumor xenografts. 2011 , 38, 722-30	12
1859	The rate of force development scaling factor (RFD-SF): protocol, reliability, and muscle comparisons. 2011 , 212, 359-69	38
1858	Reliability and agreement of measures used in radiographic evaluation of the adult hip. 2011 , 469, 188-99	111
1857	Original characteristics of a new cycle ergometer. 2011 , 13, 171-179	7
1856	Cardiorespiratory measurements during field tests in CF: use of an ambulatory monitoring system. 2011 , 46, 253-60	12
1855	Reliability of thermal quantitative sensory testing of the hand in a cohort of young, healthy adults. 2011 , 44, 547-52	40
1854	Pack hike test finishing time for Australian firefighters: pass rates and correlates of performance. 2011 , 42, 411-8	21
1853	Short-term stability of resting heart rate variability: influence of position and gender. 2011 , 36, 210-8	54
1852	Reproducibility of maximal and submaximal exercise testing in "normal ambulatory" and "community ambulatory" children and adolescents with spina bifida: which is best for the evaluation and application of exercise training?. 2011 , 91, 267-76	34
1851	Computer-assisted image analysis for measuring body segmental angles during a static strength element on parallel bars: validity and reliability. 2011 , 10, 135-45	
1850	Predicting the throwing velocity of the ball in handball with anthropometric variables and isotonic tests. 2011 , 29, 705-13	38
1849	Minimum detectable change of the Berg Balance Scale and Dynamic Gait Index in older persons at risk for falling. 2011 , 34, 131-7	46

1848	Cross-cultural adaptation and reliability of child-initiated pretend play assessment (chlPPA). 2011 , 78, 187-95	10
1847	Concurrent validity and test-retest reliability of a global positioning system (GPS) and timing gates to assess sprint performance variables. 2011 , 29, 1613-9	110
1846	Minimal detectable change of the timed "up & go" test and the dynamic gait index in people with Parkinson disease. 2011 , 91, 114-21	206
1845	The effectiveness of two novel techniques in establishing the mechanical and contractile responses of biceps femoris. 2011 , 32, 1315-26	80
1844	Validation of the treadmill Six-Minute Walk Test in people following cardiac surgery. 2011 , 91, 566-76	16
1843	The reliability of linear position transducer, force plate and combined measurement of explosive power-time variables during a loaded jump squat in elite athletes. 2011 , 10, 46-58	12
1842	Test-retest reliability of two attention tests in schizophrenia. 2011 , 26, 405-11	9
1841	Reliability of a graded exercise test for assessing recovery from concussion. 2011 , 21, 89-94	132
1840	Reliability and validity of the INFOOT three-dimensional foot digitizer for patients with rheumatoid arthritis. 2011 , 101, 198-207	16
1839	The assessment of adolescent female athletes using standing and reactive long jumps. 2011 , 10, 73-84	11
1838	Countermovement jump performance assessment using a wearable 3D inertial measurement unit. 2011 , 29, 139-46	62
1837	The Bland-Altman method should not be used in regression cross-validation studies. 2011 , 82, 610-6	13
1836	Reliability and validity of the Danish version of the disabilities of arm, shoulder, and hand questionnaire in patients with fractured wrists. 2011 , 45, 35-9	18
1835	Attack efficacy in volleyball: elite male teams. 2011 , 113, 395-408	37
1834	Reliability of the Danish version of the McGill Ingestive Skills Assessment for observation-based measures during meals. 2012 , 19, 488-96	9
1833	Advances in electronic timing systems: considerations for selecting an appropriate timing system. 2012 , 26, 1245-8	25
1832	Validity and reliability of accelerometer-based gait assessment in patients with diabetes on challenging surfaces. 2012 , 2012, 954378	25
1831	Reliability of cycling gross efficiency using the Douglas bag method. 2012 , 44, 290-6	21

1830	Front-crawl instantaneous velocity estimation using a wearable inertial measurement unit. 2012 , 12, 12927-39	55
1829	Analysis of the agreement between the Fortius cycling ergometer and the PowerTap powermeter PO during time trials of 6 and 30 min. 2012 , 15 Suppl 1, 212-4	2
1828	An integrated measurement system for analysing impact biomechanics in the rugby scrum. 2012 , 226, 266-273	2
1827	Reproducibility of near-infrared spectroscopy parameters measured during brachial artery occlusion and reactive hyperemia in healthy men. 2012 , 17, 077010	28
1826	Good short-term but not long-term reproducibility of the antiplatelet efficacy laboratory assessment. 2012 , 18, 174-80	3
1825	Neuromuscular, biochemical and perceptual post-match fatigue in professional rugby league forwards and backs. 2012 , 30, 359-67	92
1824	Test-retest and intrarater reliability of 2-dimensional ultrasound measurements of distance between rectus abdominis in women. 2012 , 42, 940-6	71
1823	Measuring self-regulation in a learning context: Reliability and validity of the Self-Regulation of Learning Self-Report Scale (SRL-SRS). 2012 , 10, 24-38	50
1822	The Physical Education and School Sport Environment Inventory: Preliminary Validation and Reliability. 2012 , 44, 50-67	2
1821	Reliability of the Dynamic Gait Index (Finnish version) in individuals with neurological disorders. 2012 , 34, 1657-64	3
1820	Methodological issues associated with the mean value of repeated laboratory running measurements. 2012 , 4, 183-190	13
1819	Reliability of handgrip strength test in basketball players. 2012 , 31, 25-36	45
1818	Multidirectional Leg Asymmetry Assessment in Sport. 2012 , 34, 82-86	48
1817	A critique on measuring reliability in exercise tests and outcome measures. 2012 , 19, 41-2	
1816	Quantitative mechanical properties of the relaxed biceps and triceps brachii muscles in patients with subacute stroke: a reliability study of the myoton-3 myometer. 2012 , 2012, 617694	30
1815	Test-retest reliability and minimal detectable change of repeated sit-to-stand analysis using one body fixed sensor in geriatric patients. 2012 , 33, 1931-46	51
1814	The reliability and validity of short-distance sprint performance assessed on a nonmotorized treadmill. 2012 , 26, 458-65	21
1813	Reliability of a new supination resistance measurement device and validation of the manual supination resistance test. 2012 , 102, 278-89	4

1812	Validation of the Arabic version of the Quebec Back Pain Disability Scale. 2012 , 37, E1645-50	16
1811	Speaking up is related to better team performance in simulated anesthesia inductions: an observational study. 2012 , 115, 1099-108	93
1810	Test-retest reliability, criterion-related validity, and minimal detectable change of score on an abbreviated Wingate test for field sport participants. 2012 , 26, 1324-30	18
1809	Front squat data reproducibility collected with a triple-axis accelerometer. 2012 , 26, 40-6	8
1808	Reliability and construct validity of the karate-specific aerobic test. 2012 , 26, 3454-60	20
1807	Predicting lower body power from vertical jump prediction equations for loaded jump squats at different intensities in men and women. 2012 , 26, 648-55	8
1806	Reproducibility and concurrent validity of hip joint angle test for estimating hamstring flexibility in recreationally active young men. 2012 , 26, 2372-82	18
1805	Reliability and effect of sodium bicarbonate: buffering and 2000-m rowing performance. 2012 , 7, 152-60	20
1804	Athlete assessments in orienteering: Differences in physiological variables between field and laboratory settings. 2012 , 12, 293-300	3
1803	Reproducibility of isokinetic knee eccentric and concentric strength indices in asymptomatic young adults. 2012 , 13, 156-62	19
1802	Reproducibility and criterion-related validity of the sit and reach test and toe touch test for estimating hamstring flexibility in recreationally active young adults. 2012 , 13, 219-26	65
1801	Measurement properties of the Motor Evaluation Scale for Upper Extremity in Stroke patients (MESUPES). 2012 , 34, 288-94	17
1800	Assessment of spinal mobility in ankylosing spondylitis using a video-based motion capture system. 2012 , 17, 422-6	25
1799	Fiabilidad absoluta de los índices convencional y funcional y momento máximo de fuerza isocintica de la flexión y extensión de rodilla. 2012 , 47, 55-64	1
1798	Efecto agudo del estiramiento activo sobre la fuerza y potencia de la flexión y extensión de rodilla. 2012 , 5, 127-133	1
1797	Pruebas angulares de estimación de la flexibilidad isquiosural: análisis de la fiabilidad y validez. 2012 , 5, 67-74	2
1796	Relevance of the measure of perceived exertion for the rehabilitation of obese patients. 2012 , 55, 623-40	16
1795	Fiabilidad y validez de las pruebas sit-and-reach: revisión sistemática. 2012 , 5, 57-66	5

1794	Persian translation and validation of the Kujala Patellofemoral Scale in patients with patellofemoral pain syndrome. 2012 , 34, 2259-63	41
1793	Relationship between leg stiffness and lower body injuries in professional Australian football. 2012 , 30, 71-8	31
1792	Test-retest reliability and circadian performance variability of a 15-s Wingate Anaerobic Test. 2012 , 43, 413-421	5
1791	Ghent developmental balance test: a new tool to evaluate balance performance in toddlers and preschool children. 2012 , 92, 841-52	10
1790	Maximal lactate steady-state and anaerobic thresholds from different methods in cyclists. 2012 , 12, 161-167	12
1789	Reliability of heart rate measures used to assess post-exercise parasympathetic reactivation. 2012 , 32, 296-304	40
1788	Validity and interobserver agreement of lower extremity local tissue water measurements in healthy women using tissue dielectric constant. 2012 , 32, 317-22	18
1787	Evaluation of electromyography normalisation methods for the back squat. 2012 , 22, 308-19	20
1786	Estimation of temporal parameters during sprint running using a trunk-mounted inertial measurement unit. 2012 , 45, 1123-6	66
1785	Agreement between anthropometric and dual-energy X-ray absorptiometry assessments of lower-limb volumes and composition estimates in youth-club rugby athletes. 2012 , 37, 463-71	7
1784	Tensiomyography of selected lower-limb muscles in professional soccer players. 2012 , 22, 866-72	69
1783	Reliability and validity of a low load endurance strength test for upper and lower extremities in patients with fibromyalgia. 2012 , 93, 2035-41	3
1782	Dynamic spinal stability and kinematic variability across automotive manufacturing work shifts and days. 2012 , 42, 428-434	13
1781	Testing single and double limb standing balance performance: comparison of COP path length evaluation between two devices. 2012 , 36, 439-43	39
1780	Reliability of gait parameters during treadmill walking in community-dwelling healthy seniors. 2012 , 36, 444-8	52
1779	The reproducibility of Berg Balance Scale and the Single-leg Stance in chronic stroke and the relationship between the two tests. 2012 , 4, 165-70	90
1778	A novel scale to assess resistance-exercise effort. 2012 , 30, 1405-13	44
1777	The reliability of running economy among trained distance runners and field-based players. 2012 , 10, 90-96	11

1776	Consistency of metabolic responses and appetite sensations under postabsorptive and postprandial conditions. 2012 , 59, 228-33	9
1775	Clinical measurement of mechanical ankle instability. 2012 , 17, 470-3	3
1774	Validity of vertical jump measurement devices. 2012 , 30, 63-9	85
1773	Evaluating cognitive outcome measures for MS clinical trials: what is a clinically meaningful change?. 2012 , 18, 1673-9	27
1772	Influence of stimulation location and posture on the reliability and comfort of the nociceptive flexion reflex. 2012 , 17, 110-4	11
1771	Modified iodine-paper technique for the standardized determination of sweat gland activation. 2012 , 112, 1419-25	35
1770	Reproducibility of an aerobic endurance test for nonexpert swimmers. 2012 , 5, 215-21	3
1769	Estimate of propulsive force in front crawl swimming in young athletes. 2012 , 3, 115-20	9
1768	Validade preditiva de equa�es de refer�ncia para for�a de preens�o manual em homens brasileiros de meia idade e idosos. 2012 , 19, 351-356	5
1767	Noninvasive evaluation of skeletal muscle mitochondrial capacity with near-infrared spectroscopy: correcting for blood volume changes. 2012 , 113, 175-83	113
1766	Developmental activities and the acquisition of superior anticipation and decision making in soccer players. 2012 , 30, 1643-52	88
1765	Reproducibility of total choline/water ratios in mouse U87MG xenograft tumors by 1H-MRS. 2012 , 36, 459-67	4
1764	Static and dynamic postural control in competitive athletes after anterior cruciate ligament reconstruction and controls. 2012 , 20, 1603-10	36
1763	Comparison of the metabolic energy cost of overground and treadmill walking in older adults. 2012 , 112, 1613-20	43
1762	Short-term street soccer improves fitness and cardiovascular health status of homeless men. 2012 , 112, 2097-106	53
1761	Reliability of near-infrared spectroscopy for measuring forearm and shoulder oxygenation in healthy males and females. 2012 , 112, 2703-15	22
1760	Reliability of ultrasonographic measurement of the architecture of the vastus lateralis and gastrocnemius medialis muscles in older adults. 2012 , 32, 65-70	35
1759	The importance of addressing heteroscedasticity in the reliability analysis of ratio-scaled variables: an example based on walking energy-cost measurements. 2012 , 54, 267-73	31

1758	Within-day reliability of shoulder range of motion measurement with a smartphone. 2012 , 17, 298-304	89
1757	Gas exchange measurements within a magnetic environment: validation of a new system. 2012 , 182, 37-46	5
1756	Reliability of the 8-repetition maximum test in men and women. 2012 , 15, 69-73	28
1755	Aerobic fitness testing in 6- to 9-year-old children: reliability and validity of a modified Yo-Yo IR1 test and the Andersen test. 2012 , 112, 871-6	56
1754	Cross-cultural translation and measurement properties of the Polish version of the Knee injury and Osteoarthritis Outcome Score (KOOS) following anterior cruciate ligament reconstruction. 2013 , 11, 107	31
1753	Hip- and knee-strength assessments using a hand-held dynamometer with external belt-fixation are inter-tester reliable. 2013 , 21, 550-5	135
1752	An evaluation of the external validity and reliability of a rugby league match simulation protocol. 2013 , 31, 48-57	13
1751	Calculating lactate anaerobic thresholds in sports involving different endurance preparation. 2013 , 11, 12-18	11
1750	Intra- and interday reliability of voluntary and electrically stimulated isometric contractions of the quadriceps femoris. 2013 , 23, 886-91	7
1749	Clinical screening tests for assessing movement control in non-specific low-back pain. A systematic review of intra- and inter-observer reliability studies. 2013 , 18, 103-10	54
1748	Intra-day and inter-day reliability of heart rate variability measurement. 2013 , 31, 150-8	29
1747	Movement variability and skills monitoring in sports. 2013 , 12, 69-92	103
1746	The Multisurface Obstacle Test for Older Adults (MSOT): development and reliability of a novel test for older adults. 2013 , 10, 117-125	6
1745	Inter-unit variability in two ParvoMedics TrueOne 2400 automated metabolic gas analysis systems. 2013 , 113, 753-62	23
1744	Using balance training to improve the performance of youth basketball players. 2013 , 9, 37-42	26
1743	Comparison of the effects of weight loss from a high-protein versus standard-protein energy-restricted diet on strength and aerobic capacity in overweight and obese men. 2013 , 52, 317-25	27
1742	Kinematic and electromyographic analysis of the Nordic Hamstring Exercise. 2013 , 23, 1111-8	45
1741	Variability and reproducibility of carotid structural and functional parameters assessed with transcutaneous ultrasound - results from the SAPALDIA Cohort Study. 2013 , 231, 448-55	16

1740	A systematic review to determine the reliability of knee joint position sense assessment measures. 2013 , 20, 162-9	48
1739	Testing agreement between a new method and the gold standard-how do we test?. 2013 , 46, 2757-60	20
1738	Test-retest reliability and developmental evolution of the 6-min walk test in Caucasian boys aged 5-12 years. 2013 , 23, 19-24	18
1737	Relative and absolute reliabilities of the myotonometric measurements of hemiparetic arms in patients with stroke. 2013 , 94, 459-66	33
1736	Effects of age, sex and activity level on counter-movement jump performance in children and adolescents. 2013 , 13, 518-26	17
1735	Precision of 3D scapular kinematic measurements for analytic arm movements and activities of daily living. 2013 , 18, 473-80	11
1734	Pilates-based exercise for persistent, non-specific low back pain and associated functional disability: a meta-analysis with meta-regression. 2013 , 17, 125-36	37
1733	Reliability of goniometry-based Q-angle. 2013 , 5, 763-8	10
1732	A method for quantitative measurement of lumbar intervertebral disc structures: an intra- and inter-rater agreement and reliability study. 2013 , 21, 26	15
1731	Validation of the Persian version of Functional Index Questionnaire (FIQ) and Modified FIQ in patients with patellofemoral pain syndrome. 2013 , 29, 521-30	11
1730	Reliability of EMG normalisation methods for upper-limb muscles. 2013 , 31, 1696-704	18
1729	Time to readiness for discharge is a valid and reliable measure of short-term recovery after colorectal surgery. 2013 , 37, 2927-34	48
1728	Improved estimation of sweating based on electrical properties of skin. 2013 , 41, 1074-83	10
1727	Reliability and validity of the Performance Recorder 1 for measuring isometric knee flexor and extensor strength. 2013 , 29, 639-47	10
1726	Description of physical activity in outpatients with schizophrenia spectrum disorders. 2013 , 22, 430-6	14
1725	Gender differences in fascicular lengthening during eccentric contractions: the role of the patella tendon stiffness. 2013 , 209, 235-44	18
1724	Validity and reliability of radiological methods to assess proximal hip geometry in children with cerebral palsy: a systematic review. 2013 , 55, 1089-102	40
1723	Validity of an accelerometric system for measuring force-time-based data during jumping tasks. 2013 , 16 Suppl 1, 84-5	3

1722	Perception and pain thresholds for cutaneous heat and cold, and rectal distension: associations and disassociations. 2013 , 25, e791-802	8
1721	Reliability of vertical jump performance evaluated with contact mat in elderly women. 2013 , 33, 288-92	11
1720	Reproducibility of 3D delayed gadolinium enhanced MRI of cartilage (dGEMRIC) of the knee at 3.0 T in patients with early stage osteoarthritis. 2013 , 23, 496-504	33
1719	Center index method-an alternative for wear measurements with radiostereometry (RSA). 2013 , 31, 480-4	6
1718	Test-retest reliabilities of hand-held dynamometer for lower-limb muscle strength in intellectual disabilities. 2013 , 34, 2281-90	23
1717	Intrasession and intersession reliability of postural control in participants with and without nonspecific low back pain using the Biodex Balance System. 2013 , 36, 111-8	52
1716	Reliability of shoulder rotators isokinetic strength imbalance measured using the Biodex dynamometer. 2013 , 16, 162-5	33
1715	A new method to quantify male pelvic floor displacement from 2D transperineal ultrasound images. 2013 , 81, 685-9	31
1714	Translation and validation of the Danish version of the Patient Rated Wrist Evaluation questionnaire. 2013 , 47, 489-92	13
1713	Long-term stability of tensiomyography measured under different muscle conditions. 2013 , 23, 558-63	43
1712	Quadriceps function assessment using an incremental test and magnetic neurostimulation: a reliability study. 2013 , 23, 649-58	33
1711	Reproducibility of maximal cardiopulmonary exercise testing for young cystic fibrosis patients. 2013 , 12, 644-50	26
1710	Assessment of the test-retest reliability of a foot placement accuracy protocol in assisted-living older adults. 2013 , 38, 784-9	1
1709	Intra-individual gait speed variability in healthy children aged 1-15 years. 2013 , 38, 631-6	26
1708	Place des biostatistiques dans la littérature scientifique. 2013 , 13, 16-19	
1707	Reliability of footprint geometric and plantar loading measurements in children using the Emed(F) M system. 2013 , 38, 281-6	15
1706	Psychometric properties of the Fatigue Severity Scale and the Modified Fatigue Impact Scale. 2013 , 331, 102-7	161
1705	Cross-cultural adaptation, reliability, internal consistency and validation of the Arabic version of the knee injury and osteoarthritis outcome score (KOOS) for Egyptian people with knee injuries. 2013 , 21, 1855-64	22

1704	Repeatability of static posturography on the follow-up of vestibular rehabilitation. 2013 , 44, 151-8	2
1703	Reliability and minimal detectable change of gait variables in community-dwelling and hospitalized older fallers. 2013 , 38, 1010-4	32
1702	Test-retest reliability for aerodynamic measures of voice. 2013 , 27, 674-84	33
1701	Small scale soil variation and its effect on pasture yield in southern Portugal. 2013 , 195-196, 173-183	13
1700	The test-retest reliability of gait-related dual task performance in community-dwelling fallers and non-fallers. 2013 , 38, 43-50	25
1699	Self-regulatory practices of drivers with Parkinson's disease: accuracy of patient reports. 2013 , 19, 176-80	19
1698	Reliability of a high-intensity cycling capacity test. 2013 , 16, 286-9	13
1697	Applicability and test-retest reliability of isokinetic shoulder abduction and adduction in women fibromyalgia patients. 2013 , 94, 444-50	12
1696	Reliability of a field based 2D:4D measurement technique in children. 2013 , 89, 589-92	4
1695	Principe et raisonnement en biostatistiques. 2013 , 13, 20-24	
1694	Absolute reliability of isokinetic knee flexion and extension measurements adopting a prone position. 2013 , 33, 45-54	15
1693	Quantifying the nature of anticipation in professional tennis. 2013 , 31, 820-30	66
1692	Physical characteristics of experienced and junior open-wheel car drivers. 2013 , 31, 58-65	9
1691	The influence of varying hip angle and pelvis position on muscle recruitment patterns of the hip abductor muscles during the clam exercise. 2013 , 43, 325-31	37
1690	Assessment of energy expenditure in elite jockeys during simulated race riding and a working day: implications for making weight. 2013 , 38, 415-20	20
1689	The intra and inter-rater reliability of a modified weight-bearing lunge measure of ankle dorsiflexion. 2013 , 18, 264-8	33
1688	Relative and absolute reliability of the crossover and maximum fat oxidation points and their relationship to ventilatory threshold. 2013 , 28, e99-e105	8
1687	A simple method to count total faecal Capillaria worm eggs in racing pigeons (<i>Columba livia</i>). 2013 , 197, 197-203	2

1686	The effects of eccentric exercise-induced muscle damage on running kinematics at different speeds. 2013 , 31, 288-98	13
1685	Does gymnastics practice improve vertical jump reliability from the age of 8 to 10 years?. 2013 , 31, 1177-86	6
1684	Skeletal muscles of ambulant children with Duchenne muscular dystrophy: validation of multicenter study of evaluation with MR imaging and MR spectroscopy. 2013 , 269, 198-207	65
1683	Validity of a portable urine refractometer: the effects of sample freezing. 2013 , 31, 745-9	14
1682	Robotic knee laxity testing: reliability and normative data. 2013 , 20, 250-5	16
1681	Physiological responses and performance in a simulated trampoline gymnastics competition in elite male gymnasts. 2013 , 31, 1761-9	7
1680	The impact of the Massachusetts health care reform on unpaid medical bills. 2013 , 50, 165-76	6
1679	Reliability of Concentric, Eccentric and Isometric Knee Extension and Flexion when using the REV9000 Isokinetic Dynamometer. 2013 , 37, 47-53	36
1678	Assessing tactile acuity in rheumatology and musculoskeletal medicine--how reliable are two-point discrimination tests at the neck, hand, back and foot?. 2013 , 52, 1454-61	108
1677	A posteriori comparison of natural and surgical destabilization models of canine osteoarthritis. 2013 , 2013, 180453	28
1676	A pilot study describing physical activity in persons with schizophrenia spectrum disorders (SSDS) after an exercise program. 2013 , 34, 214-9	18
1675	Concurrent validity of the modified International Physical Activity Questionnaire for French obese adolescents. 2013 , 116, 123-31	7
1674	Test-retest reliability, criterion-related validity, and minimal detectable change of the Illinois agility test in male team sport athletes. 2013 , 27, 2752-9	79
1673	Impairment on cardiovascular and autonomic adjustments to maximal isometric exercise tests in offspring of hypertensive parents. 2013 , 20, 480-5	9
1672	What effect does a structured home-based exercise programme have on people with Huntington's disease? A randomized, controlled pilot study. 2013 , 27, 646-58	77
1671	Automatic front-crawl temporal phase detection using adaptive filtering of inertial signals. 2013 , 31, 1251-60	44
1670	Reliability of isometric lower-extremity muscle strength measurements in children with cerebral palsy: implications for measurement design. 2013 , 93, 935-41	29
1669	The Coefficient of Variation as an Index of Measurement Reliability. 2013 , 39-49	30

1668	Validity of an upper-body-mounted accelerometer to measure peak vertical and resultant force during running and change-of-direction tasks. 2013 , 12, 403-12	50
1667	Assessment of the peripheral ventilatory response to CO ₂ in heart failure patients: reliability of the single-breath test. 2013 , 34, 1123-32	10
1666	Mechanical properties of the triceps surae: differences between football and non-football players. 2013 , 31, 1559-67	1
1665	The reliability, precision and clinically meaningful change of walking assessments in multiple sclerosis. 2013 , 19, 1784-91	100
1664	Reliability and minimal detectable change of physical performance measures in individuals with pre-manifest and manifest Huntington disease. 2013 , 93, 942-56	44
1663	Validity and reliability of multiparameter physiological measurements recorded by the Equivital LifeMonitor during activities of various intensities. 2013 , 10, 78-85	67
1662	The Development of a Custom-Built Portable Impact-testing Device for Assessing the Cushioning Properties of Athletic Socks. 2013 , 29, 824-831	1
1661	Temporal activity in particular segments and transitions in the olympic triathlon. 2013 , 36, 87-95	6
1660	The interday reliability of ankle, knee, leg, and vertical musculoskeletal stiffness during hopping and overground running. 2013 , 29, 386-94	28
1659	Trunk inclination estimate during the sprint start using an inertial measurement unit: a validation study. 2013 , 29, 622-7	38
1658	Reliability of a computer software angle tool for measuring spine and pelvic flexibility during the sit-and-reach test. 2013 , 27, 501-6	4
1657	Familiarization and reliability of one repetition maximum strength testing in older women. 2013 , 27, 1636-42	66
1656	The use of Yo-Yo intermittent recovery level 1 and Andersen testing for fitness and maximal heart rate assessments of 6- to 10-year-old school children. 2013 , 27, 1583-90	20
1655	Intra- and inter-rater reliability in photogrammetric pelvic tilt angles analysis. 2013 , 20, 86-90	2
1654	Interrater and Intrarater Reliability of the Active Knee Extension (AKE) Test among Healthy Adults. 2013 , 25, 957-61	30
1653	Desenvolvimento de um método de familiarização individualizado para saltos verticais. 2013 , 19, 359-362	8
1652	Validation of Omron RS8, RS6, and RS3 home blood pressure monitoring devices, in accordance with the European Society of Hypertension International Protocol revision 2010. 2013 , 9, 265-72	22
1651	Estimativa do consumo máximo de oxigênio e análise de concordância entre medida direta e predita por diferentes testes de campo. 2013 , 19, 404-409	1

1650	Confiabilidade das medidas de arquitetura do msculo Vasto Lateral pela ultrassonografia. 2013 , 19, 217-223	0
1649	Sources of variability in musculo-articular stiffness measurement. 2013 , 8, e63719	2
1648	Reliability and validity of the Mywellness Key physical activity monitor. 2013 , 5, 13-20	16
1647	The influence of monitoring interval on data measurement: an analysis of step counts of university students. 2013 , 10, 515-27	7
1646	Assessment of pain response in capsaicin-induced dynamic mechanical allodynia using a novel and fully automated brushing device. 2013 , 18, 6-10	10
1645	Is the conditioned pain modulation paradigm reliable? A test-retest assessment using the nociceptive withdrawal reflex. 2014 , 9, e100241	50
1644	Noninvasive peroneal sensory and motor nerve conduction recordings in the rabbit distal hindlimb: feasibility, variability and neuropathy measure. 2014 , 9, e92694	2
1643	Modification of diet in renal disease (MDRD) study and CKD epidemiology collaboration (CKD-EPI) equations for Taiwanese adults. 2014 , 9, e99645	36
1642	Reliability and validity of a 20-s alternative to the wingate anaerobic test in team sport male athletes. 2014 , 9, e114444	15
1641	Sprint, agility, strength and endurance capacity in wheelchair basketball players. 2015 , 32, 71-8	29
1640	The Yo-Yo intermittent recovery test level 1 is reliable in young high-level soccer players. 2015 , 32, 65-70	23
1639	Intrarater and interrater reliability of the Anteromedial Reach Test in healthy participants. 2014 , 5, 1-10	
1638	Arterial wave reflections and ventricular-vascular interaction in patients with left ventricular systolic dysfunction. 2014 , 55, 526-32	12
1637	Reliability and validity of an accele-rometric system for assessing vertical jumping performance. 2014 , 31, 55-62	45
1636	Reliability of H-reflex in vastus lateralis and vastus medialis muscles during passive and active isometric conditions. 2014 , 114, 2509-19	17
1635	The repeated sit-to-stand maneuver is a superior method for cardiac baroreflex assessment: a comparison with the modified Oxford method and Valsalva maneuver. 2014 , 307, R1345-52	11
1634	Shuttlecock velocity during a smash stroke in badminton evolves linearly with skill level. 2014 , 17 Suppl 1, 140-1	19
1633	Translation, cross-cultural adaptation, and validation of the Turkish version of the Harris Hip Score. 2014 , 24, 473-9	19

1632	In vivo evidence of an age-related increase in ATP cost of contraction in the plantar flexor muscles. 2014 , 126, 581-92	30
1631	Comparing the activity profiles of wheelchair rugby using a miniaturised data logger and radio-frequency tracking system. 2014 , 2014, 348048	13
1630	Reliability, agreement, and validity of digital weighing scale with MatScan in limb load measurement. 2014 , 51, 591-8	12
1629	Reliability and validity of the acquired brain injury challenge assessment (ABI-CA) in children. 2014 , 28, 1734-43	3
1628	Assessment of a newly developed, active pneumatic-driven, sensorimotor test and training device. 2014 , 14, 24174-87	0
1627	Absolute and relative reliability of percentage of syllables stuttered and severity rating scales. 2014 , 57, 1284-95	13
1626	Agreement between fingertip-capillary and antecubital-venous appetite-related peptides. 2014 , 3, 233-42	6
1625	Translation and validation of the Malaysian version of generic medicines scale. 2014 , 14, 32-40	4
1624	Microcirculatory effects of a hyperviscous hemoglobin-based solution administered intravenously in dogs with experimentally induced hemorrhagic shock. 2014 , 75, 77-84	5
1623	Reliability, factorial validity, and interrelationships of five commonly used change of direction speed tests. 2014 , 24, 500-6	93
1622	Cortical evoked potentials in response to rapid balloon distension of the rectum and anal canal. 2014 , 26, 862-73	12
1621	Test-retest reliability of a continuous glucose monitoring system in individuals with type 2 diabetes. 2014 , 16, 491-8	16
1620	Reliability and validity of findings in ergonomics research. 2014 , 15, 1-46	14
1619	Blood volume pulse (BVP) derived vagal tone (VT) between 5 and 7 years of age: a methodological investigation of measurement and longitudinal stability. 2014 , 56, 23-35	6
1618	Regional cerebral blood flow in humans at high altitude: gradual ascent and 2 wk at 5,050 m. 2014 , 116, 905-10	58
1617	Determining eye-hand coordination using the sport vision trainer: an evaluation of test-retest reliability. 2014 , 22, 36-48	7
1616	Analysing gait using a force-measuring walkway: intrasession repeatability in healthy children and adolescents. 2014 , 17, 1447-51	1
1615	Relative and absolute reliability of a vertical numerical pain rating scale supplemented with a faces pain scale after stroke. 2014 , 94, 129-38	17

1614	Spanish version of the screening fibro musculoskeletal pain questionnaire: a cross-cultural adaptation and validation. 2014 , 12, 157	15
1613	The validity and reliability of a customized rigid supportive harness during Smith machine back squat exercise. 2014 , 28, 636-42	12
1612	Comparison of acute countermovement jump responses after functional isometric and dynamic half squats. 2014 , 28, 3363-74	1
1611	Reliability and internal validity of the michigan hand questionnaire. 2014 , 73, 385-9	13
1610	The MARS for squat, countermovement, and standing long jump performance analyses: are measures reproducible?. 2014 , 28, 1849-57	19
1609	Preloaded time trial to assess load carriage performance. 2014 , 28, 3354-62	10
1608	The reliability of tests for sport-specific skill amongst elite youth rugby league players. 2014 , 14 Suppl 1, S471-7	11
1607	Inter-rater reliability and measurement error of sonographic muscle architecture assessments. 2014 , 33, 769-77	24
1606	Physiological response, time-motion characteristics, and reproducibility of various speed-endurance drills in elite youth soccer players: small-sided games versus generic running. 2014 , 9, 471-9	42
1605	Test-retest reliability of the Star Excursion Balance Test in primary school children. 2014 , 42, 120-4	14
1604	Validity of minimal clinically important difference values for the multiple sclerosis walking scale-12?. 2014 , 71, 196-202	19
1603	Vibration and rotation during biaxial pressure algometry is related with decreased and increased pain sensations. 2014 , 15, 2095-104	
1602	The application of the Yo-Yo intermittent endurance level 2 test to elite female soccer populations. 2014 , 24, 43-54	49
1601	Variability and distribution of muscle strength and its determinants in humans. 2014 , 49, 879-86	8
1600	Test-retest reliability of muscle vibration effects on postural sway. 2014 , 40, 166-71	12
1599	Reliability of computer-assisted lumbar intervertebral measurements using a novel vertebral motion analysis system. 2014 , 14, 274-81	19
1598	Blood pressure regulation VII. The "morning surge" in blood pressure: measurement issues and clinical significance. 2014 , 114, 521-9	8
1597	Does rating of perceived exertion result in target exercise intensity during interval training in cardiac rehabilitation? A study of the Borg scale versus a heart rate monitor. 2014 , 17, 541-5	34

1596	Relationships between swimming style and dry-land strength in breaststroke. 2014 , 10, 11-16	0
1595	Psychometric properties of quality of life and health-related quality of life assessments in people with multiple sclerosis. 2014 , 23, 2015-23	18
1594	A methodological framework for capturing relative eyetracking coordinate data to determine gaze patterns and fixations from two or more observers. 2014 , 46, 922-34	8
1593	The validity of the Moxus Modular metabolic system during incremental exercise tests: impacts on detection of small changes in oxygen consumption. 2014 , 114, 941-50	6
1592	Reliability and effects of muscular pretension on isometric strength of older adults. 2014 , 11, 69-76	4
1591	Vitamin D supplementation does not improve human skeletal muscle contractile properties in insufficient young males. 2014 , 114, 1309-20	30
1590	Radiographic and echocardiographic assessment of left atrial size in 100 cats with acute left-sided congestive heart failure. 2014 , 55, 359-67	32
1589	Intraexaminer and interexaminer reliability of manual palpation and pressure algometry of the lower limb nerves in asymptomatic subjects. 2014 , 37, 97-104	27
1588	Tests examining skill outcomes in sport: a systematic review of measurement properties and feasibility. <i>Sports Medicine</i> , 2014 , 44, 501-18	10.6 40
1587	Reliability and discriminative power of soccer-specific field tests and skill index in young soccer players. 2014 , 29, 88-94	17
1586	Time-motion analysis of basketball players: a reliability assessment of Video Manual Motion Tracker 1.0 software. 2014 , 32, 53-9	27
1585	Estimating postural control with the balance rehabilitation unit: measurement consistency, accuracy, validity, and comparison with dynamic posturography. 2014 , 95, 65-73	37
1584	Reliability of peak running speeds obtained from different incremental treadmill protocols. 2014 , 32, 993-1000	12
1583	Measuring skin temperature before, during and after exercise: a comparison of thermocouples and infrared thermography. 2014 , 35, 189-203	75
1582	Are the Yo-Yo intermittent recovery test levels 1 and 2 both useful? Reliability, responsiveness and interchangeability in young soccer players. 2014 , 32, 1950-1957	23
1581	Can tissue dielectric constant measurement aid in differentiating lymphoedema from lipoedema in women with swollen legs?. 2014 , 170, 96-102	26
1580	Reliability and validity of skin temperature measurement by telemetry thermistors and a thermal camera during exercise in the heat. 2014 , 45, 141-9	49
1579	Comparison of two different Radiostereometric analysis (RSA) systems with markerless elementary geometrical shape modeling for the measurement of stem migration. 2014 , 29, 950-5	7

1578	An isokinetic method for inducing a localised fatigue effect in the plantarflexors and dorsiflexors of the ankle. 2014 , 24, 841-7	2
1577	Two tests of approach-iron golf skill and their ability to predict tournament performance. 2014 , 32, 1341-9	5
1576	Correlation between architectural variables and torque in the erector spinae muscle during maximal isometric contraction. 2014 , 32, 1797-804	7
1575	Relative and absolute reliability of the crossover and maximum fat oxidation points during treadmill running. 2014 , 29, e107-e114	8
1574	Measuring intermittent exercise performance using shuttle running. 2014 , 32, 601-9	9
1573	The Quality Function Measure: reliability and discriminant validity of a new measure of quality of gross motor movement in ambulatory children with cerebral palsy. 2014 , 56, 770-8	15
1572	A smart device inertial-sensing method for gait analysis. 2014 , 47, 3780-5	26
1571	Minimal detectable change for mobility and patient-reported tools in people with osteoarthritis awaiting arthroplasty. 2014 , 15, 235	54
1570	Reproducibility of a peripheral quantitative computed tomography scan protocol to measure the material properties of the second metatarsal. 2014 , 15, 242	10
1569	Validity and reliability of different kinematics methods used for bike fitting. 2014 , 32, 940-6	38
1568	Hand-held dynamometry fixated with a tripod is reliable for assessment of back extensor strength in women with osteoporosis. 2014 , 25, 2143-9	16
1567	Delayed gadolinium-enhanced MRI of the meniscus (dGEMRIM) in patients with knee osteoarthritis: relation with meniscal degeneration on conventional MRI, reproducibility, and correlation with dGEMRIC. 2014 , 24, 2261-70	15
1566	Effects of endurance training on the maximal voluntary activation level of the knee extensor muscles. 2014 , 114, 683-93	7
1565	Inter-session reliability and sex-related differences in hamstrings total reaction time, pre-motor time and motor time during eccentric isokinetic contractions in recreational athlete. 2014 , 24, 200-6	6
1564	Reproducibility of and sex differences in common orthopaedic ankle and foot tests in runners. 2014 , 15, 171	7
1563	Validity and relative validity of a novel digital approach for 24-h dietary recall in athletes. 2014 , 13, 41	3
1562	Between-day reliability of centre of pressure measures for balance assessment in hemiplegic stroke patients. 2014 , 11, 39	19
1561	Reliability of telemetric electromyography and near-infrared spectroscopy during high-intensity resistance exercise. 2014 , 24, 722-30	17

1560	Test course navette de 20 mètres con etapas de un minuto. Una idea original que perdura hace 30 años. 2014 , 49, 93-103	11
1559	Reliability of spatial-temporal gait parameters during dual-task interference in people with multiple sclerosis. A cross-sectional study. 2014 , 40, 715-8	24
1558	Assesment of quadriceps strength, endurance and fatigue in FSHD and CMT: benefits and limits of femoral nerve magnetic stimulation. 2014 , 125, 396-405	19
1557	Physiological condition monitoring of construction workers. 2014 , 44, 227-233	66
1556	Inter-rater and intra-rater reliability of cerebral blood flow measures obtained using the Brain Acoustic Monitor. 2014 , 221, 85-91	1
1555	Is gait variability reliable? An assessment of spatio-temporal parameters of gait variability during continuous overground walking. 2014 , 39, 615-7	66
1554	A new method for assessing squash tactics using 15 court areas for ball locations. 2014 , 34, 81-90	8
1553	Quantification and reliability of center of pressure movement during balance tasks of varying difficulty. 2014 , 40, 327-32	38
1552	Test-retest reliability and comparability of paper and computer questionnaires for the Finnish version of the Tampa Scale of Kinesiophobia. 2014 , 100, 356-62	16
1551	Between-day reliability of a hand-held dynamometer and surface electromyography recordings during isometric submaximal contractions in different shoulder positions. 2014 , 24, 579-87	22
1550	Reflex delays of the trunk muscles in response to postural perturbations: a reliability study. 2014 , 47, 2807-12	6
1549	Reliability and responsiveness of the activities of daily living computerized adaptive testing system in patients with stroke. 2014 , 95, 2055-63	4
1548	Muscle force depends on the amount of transversal muscle loading. 2014 , 47, 1822-8	49
1547	Validation of an innovative method of shoulder range-of-motion measurement using a smartphone clinometer application. 2014 , 23, e275-82	80
1546	Validation of GPS and accelerometer technology in swimming. 2014 , 17, 234-8	32
1545	Avoiding Systematic Errors in Isometric Squat-Related Studies without Pre-Familiarization by Using Sufficient Numbers of Trials. 2014 , 42, 201-13	1
1544	Eureka! A reliable, home-made water volumetry device. 2014 , 21, 126-131	
1543	The reliability of a functional agility test for water polo. 2014 , 41, 181-90	4

1542	PlayerLoad—reliability, convergent validity, and influence of unit position during treadmill running. 2014 , 9, 945-52	126
1541	Assessment of Knee Proprioception in the Anterior Cruciate Ligament Injury Risk Position in Healthy Subjects: A Cross-sectional Study. 2014 , 26, 1515-8	15
1540	Intraindividual movement variability within the 5 m water polo shot. 2014 , 30, 477-82	4
1539	An instrumented footbar for evaluating external forces in Pilates. 2014 , 30, 483-90	1
1538	Intrarater test-retest reliability of static and dynamic stability indexes measurement using the Biodex Stability System during unilateral stance. 2014 , 30, 300-4	39
1537	Within-participant variance in multiplanar breast kinematics during 5 km treadmill running. 2014 , 30, 244-9	6
1536	La fiabilité de la mesure en sciences du sport : une approche statistique globale de l'erreur de mesure. 2014 , 1-10	
1535	The reliability and validity of a soccer-specific nonmotorised treadmill simulation (intermittent soccer performance test). 2014 , 28, 1971-80	21
1534	Morphometrics of the entire human spinal cord and spinal canal measured from in vivo high-resolution anatomical magnetic resonance imaging. 2014 , 39, E262-9	44
1533	Test-retest reliability and sensitivity of the Concept2 Dyno dynamometer: practical applications. 2014 , 28, 1381-5	3
1532	Effect of four different step detection thresholds on nonmotorized treadmill sprint measurement. 2014 , 28, 2996-3000	7
1531	Reliability and validity of the Carminatti's test for aerobic fitness in youth soccer players. 2014 , 28, 3264-73	14
1530	Development, test-retest reliability, and construct validity of the resistance training skills battery. 2014 , 28, 1373-80	42
1529	Reliability of intestinal temperature using an ingestible telemetry pill system during exercise in a hot environment. 2014 , 28, 861-9	10
1528	Impact of range of motion during ecologically valid resistance training protocols on muscle size, subcutaneous fat, and strength. 2014 , 28, 245-55	46
1527	Variability of objective and subjective intensities during ball drills in youth soccer players. 2014 , 28, 752-7	11
1526	Intrasession and intersession reliability in maximal and explosive isometric torque production of the elbow flexors. 2014 , 28, 1771-7	13
1525	Athletic Performance Decreases in Young Basketball Players after Sitting. 2014 , 9, 975-984	6

1524	Confiabilidade do teste de corrida/caminhada de 9 minutos em crianças e adolescentes de 7-12 anos de idade. 2015 , 8, 150-154	1
1523	Robot-aided assessment of walking function based on an adaptive algorithm. 2015 ,	11
1522	The influence of basketball dribbling on repeated high-intensity intermittent runs. 2015 , 13, 117-122	7
1521	True and false interindividual differences in the physiological response to an intervention. 2015 , 100, 577-88	145
1520	Reproducibility of optical coherence tomography airway imaging. 2015 , 6, 4365-77	13
1519	Validity and reliability of the look Keo power pedal system for measuring power output during incremental and repeated sprint cycling. 2015 , 10, 39-45	12
1518	The reliability of an instrumented start block analysis system. 2015 , 31, 62-7	14
1517	Reliability Analysis of Traditional and Ballistic Bench Press Exercises at Different Loads. 2015 , 47, 51-9	12
1516	Influence of Familiarization and Competitive Level on the Reliability of Countermovement Vertical Jump Kinetic and Kinematic Variables. 2015 , 29, 2827-35	17
1515	Reprodutibilidade do desempenho em provas de corrida de 5 e 10km em pista de atletismo. 2015 , 37, 207-213	
1514	Intra- and Inter-session Reliability of Static and Dynamic Postural Control in Participants with and without Patellofemoral Pain Syndrome. 2015 , 67, 248-53	11
1513	Test-retest reliability of Kinect's measurements for the evaluation of upper body recovery of stroke patients. 2015 , 14, 75	37
1512	Agreement between Automated and Traditional Measures of Tear Film Breakup. 2015 , 92, e257-63	40
1511	Validity and Reproducibility of a New Treadmill Protocol: The Fitkids Treadmill Test. 2015 , 47, 2241-7	9
1510	Neuromuscular profile of top-level women kayakers assessed through tensiomyography. 2015 , 29, 844-53	18
1509	Discriminant validity and test re-test reproducibility of a gait assessment in patients with vestibular dysfunction. 2015 , 15, 6	14
1508	Comparison of kinematic variables obtained by inertial sensors among stroke survivors and healthy older adults in the Functional Reach Test: cross-sectional study. 2015 , 14, 49	6
1507	Test-retest reliability of KINARM robot sensorimotor and cognitive assessment: in pediatric ice hockey players. 2015 , 12, 78	27

1506	Reliability of a new test battery for fitness assessment of the European Astronaut corps. 2015 , 4, 12	12
1505	Interrater and intrarater reliability and minimal detectable change of the Wisconsin Gait Scale when used to examine videotaped gait in individuals post-stroke. 2015 , 5, 11	17
1504	The reliability of the current perception threshold in volunteers and its applicability in a clinical setting. 2015 , 120, 678-683	9
1503	The validity and reliability of the functional rating index for evaluating low back pain in athletes. 2015 , 25, 840-5	10
1502	Variability in Laboratory vs. Field Testing of Peak Power, Torque, and Time of Peak Power Production Among Elite Bicycle Motocross Cyclists. 2015 , 29, 2635-40	7
1501	Peak Power Output Test on a Rowing Ergometer: A Methodological Study. 2015 , 29, 2919-25	9
1500	Systematic review: instruments to assess abdominal pain in irritable bowel syndrome. 2015 , 42, 1064-81	33
1499	Between-day reliability of the trapezius muscle H-reflex and M-wave. 2015 , 52, 1066-71	2
1498	Assessment of microcirculatory perfusion in healthy anesthetized cats undergoing ovariectomy using sidestream dark field microscopy. 2015 , 25, 349-57	5
1497	Reliability of Quantitative Sensory Tests in a Low Back Pain Population. 2015 , 40, 665-73	29
1496	Do Intraoperative LIV-Tilt and Disk Angle Remain Stable at 2-year Follow-up Compared With Upright Radiographs in Patients With Idiopathic Scoliosis?: A Retrospective Cohort Study. 2015 , 28, 264-9	6
1495	Development of an Anaerobic Sprint Running Test Using a Nonmotorized Treadmill. 2015 , 29, 2197-204	10
1494	Reliability of concentric and eccentric strength of hip abductor and adductor muscles in young soccer players. 2015 , 32, 351-356	9
1493	Acute Effects of Carbohydrate Supplementation on Intermittent Sports Performance. 2015 , 7, 5733-63	58
1492	Pelvic belt effects on pelvic morphometry, muscle activity and body balance in patients with sacroiliac joint dysfunction. 2015 , 10, e0116739	19
1491	Feasibility and inter-rater reliability of physical performance measures in acutely admitted older medical patients. 2015 , 10, e0118248	43
1490	Reliability of the Actigraph GT3X+ Accelerometer in Adults under Free-Living Conditions. 2015 , 10, e0134606	151
1489	Novel Use of the Nintendo Wii Board for Measuring Isometric Lower Limb Strength: A Reproducible and Valid Method in Older Adults. 2015 , 10, e0138660	12

1488	Reliability of Force-Velocity Tests in Cycling and Cranking Exercises in Men and Women. 2015 , 2015, 954780	10
1487	Need for scientific rigor in the evaluation of minimally invasive alternative procedures. 2015 , 2015, 876496	0
1486	Perfil ptimo de flexibilidad del miembro inferior en jugadoras de ffbol sala / Optimal Data of Lower-Limb Muscle Flexibility in Female Futsal Players. 2015 , 60, 647-662	10
1485	Longitudinal Bioluminescence Imaging of Primary Versus Abdominal Metastatic Tumor Growth in Orthotopic Pancreatic Tumor Models in NSG Mice. 2015 , 44, 64-75	5
1484	The impact of data reduction on the intra-trial reliability of a typical measure of lower limb musculoskeletal stiffness. 2015 , 33, 180-91	6
1483	Lifesource XL-18 pedometer for measuring steps under controlled and free-living conditions. 2015 , 33, 1001-6	9
1482	Intra-session test-retest reliability of magnitude and structure of center of pressure from the Nintendo Wii Balance Board for a visually impaired and normally sighted population. 2015 , 41, 482-7	16
1481	Development and assessment of reliability for a sandbag throw conditioning test for wrestlers. 2015 , 29, 451-7	9
1480	A comparison of methods for determining the rate of force development during isometric midhigh clean pulls. 2015 , 29, 386-95	126
1479	Power of counter movement jumps with external load--coherence of three assessment methods. 2015 , 8, 156	1
1478	Interrater reliability of the modified scapular assistance test with and without handheld weights. 2015 , 20, 868-74	11
1477	Translation and validation of the Arab version of the Late-Life Function and Disability Instrument: a cross sectional study. 2015 , 15, 51	4
1476	A systems-based investigation into vitamin D and skeletal muscle repair, regeneration, and hypertrophy. 2015 , 309, E1019-31	87
1475	Validation of the Polish version of the Knee injury and Osteoarthritis Outcome Score (KOOS) in patients with osteoarthritis undergoing total knee replacement. 2015 , 5, e006947	17
1474	Measuring Achilles Tendon Length: A Simple and Reliable Method. 2015 , 31, 260-266	6
1473	Effects of Unstable Conditions on Kinematics and Performance Variables in Young Handball Players. 2015 , 46, 39-48	5
1472	The reliability of a heat acclimation state test prescribed from metabolic heat production intensities. 2015 , 53, 38-45	10
1471	Magnetic resonance analysis of loaded meniscus deformation: a novel technique comparing participants with and without radiographic knee osteoarthritis. 2015 , 44, 125-35	5

1470	The reliability of physical examination tests for the diagnosis of anterior cruciate ligament rupture--A systematic review. 2015 , 20, 402-11	29
1469	Validity and reliability of critical power field testing. 2015 , 115, 197-204	40
1468	Reproducibility of heart rate and rating of perceived exertion values obtained from different incremental treadmill tests. 2015 , 30, 82-88	3
1467	Reliability of peak O ₂ uptake and O ₂ uptake kinetics in step exercise tests in healthy subjects. 2015 , 207, 7-13	4
1466	Assessment of spasticity after stroke using clinical measures: a systematic review. 2015 , 37, 2313-23	36
1465	Hop performance and leg muscle power in athletes: Reliability of a test battery. 2015 , 16, 222-7	45
1464	Individual response to exercise training - a statistical perspective. 2015 , 118, 1450-9	141
1463	A study of the inter-rater reliability of a test battery for use in patients after total hip replacement. 2015 , 29, 165-74	10
1462	Reliability and validity of a talent identification test battery for seated and standing Paralympic throws. 2015 , 33, 863-71	6
1461	Control of posture during tasks representing common work-related postures - a reliability study. 2015 , 58, 980-9	3
1460	Using Bayesian hierarchical parameter estimation to assess the generalizability of cognitive models of choice. 2015 , 22, 391-407	48
1459	A systematic review of brief dietary questionnaires suitable for clinical use in the prevention and management of obesity, cardiovascular disease and type 2 diabetes. 2015 , 69, 977-1003	39
1458	Reference values, intertest correlations, and test-retest repeatability of selected tear film tests in healthy cats. 2015 , 246, 426-35	38
1457	Variability in performance on a work simulation test of physical fitness for firefighters. 2015 , 40, 364-70	18
1456	Quality of Life and Health-Related Quality of Life over 1 Year in Older Women: Monitoring Stability and Reliability of Measurement. 2015 , 123, 267-279	5
1455	Comparison of Quantitative Cartilage T2 Measurements and Qualitative MR Imaging between Professional Ballet Dancers and Healthy Volunteers. 2015 , 276, 199-206	7
1454	Repeatability of kinematic and electromyographical measures during standing and trunk motion: how many trials are sufficient?. 2015 , 25, 232-8	10
1453	Nonlinear metrics assessing motor variability in a standardized pipetting task: Between- and within-subject variance components. 2015 , 25, 557-64	19

1452	Inertial sensors as real-time feedback improve learning posterior-anterior thoracic manipulation: a randomized controlled trial. 2015 , 38, 425-33	9
1451	Spectral data quality assessment based on variability analysis: application to noninvasive hemoglobin measurement by dynamic spectrum. 2015 , 7, 5565-5573	17
1450	Psychometric Properties of the Spinal Cord Injury Pressure Ulcer Scale (SCIPUS) for Pressure Ulcer Risk Assessment During Inpatient Rehabilitation. 2015 , 96, 1980-5	11
1449	How reliable are subjective footwear comfort assessments?. 2015 , 7, S106-S107	4
1448	Validation and cross cultural adaptation of the Italian version of the Harris Hip Score. 2015 , 25, 91-7	17
1447	Reproducibility of oscillometrically measured arterial stiffness indices: Results of the SAPALDIA 3 cohort study. 2015 , 75, 170-6	15
1446	Validity and reliability properties of canine short-term heart rate variability measuresâ pilot study. 2015 , 10, 384-390	4
1445	Validation of a MOSFET dosimeter system for determining the absorbed and effective radiation doses in diagnostic radiology. 2015 , 164, 361-7	3
1444	Informing in-season tactical periodisation in team sport: development of a match difficulty index for Super Rugby. 2015 , 33, 99-107	20
1443	A new approach to determining net impulse and identification of its characteristics in countermovement jumping: reliability and validity. 2015 , 14, 258-72	15
1442	Contextual interference effect on perceptual-cognitive skills training. 2015 , 47, 1243-50	19
1441	Single-sweep spectral analysis of contact heat evoked potentials: a novel approach to identify altered cortical processing after morphine treatment. 2015 , 79, 926-36	5
1440	Analysis of inter-/intra-E-plate repeatability in the real-time cell analyzer. 2015 , 477, 98-104	3
1439	Reliability of 2 protocols for assessing pressure pain threshold in healthy young adults. 2015 , 38, 282-7	27
1438	Dynamic spectral indices of the electroencephalogram provide new insights into tonic pain. 2015 , 126, 763-71	32
1437	Reliability of gait in multiple sclerosis over 6 months. 2015 , 41, 860-2	9
1436	Reliability of modified sensory interaction test as measured with force platform. 2015 , 53, 525-34	9
1435	A proposed field test method and an assessment of the rotational drag of contemporary front bicycle wheels. 2015 , 229, 67-75	1

1434	Comparison of shoulder rotation range of motion in professional tennis players with and without history of shoulder pain. 2015 , 20, 313-8	37
1433	Determination of reliable force platform parameters and number of trial to evaluate sit-to-stand movement. 2015 , 27, 473-82	7
1432	Repeatability of a running heat tolerance test. 2015 , 49-50, 91-7	16
1431	Reliability of measuring hip and knee power and movement velocity in active youth. 2015 , 27, 82-9	4
1430	Leg soft tissue position and velocity data from skin markers can be obtained with good to acceptable reliability following heel impacts. 2015 , 33, 1606-13	3
1429	The Functional Test for Agility Performance is a Reliable Quick Decision-Making Test for Skilled Water Polo Players. 2015 , 46, 157-65	3
1428	Relationship between perceived exertion and blood lactate concentrations during incremental running test in young females. 2015 , 7, 5	8
1427	Using a dry electrode EEG device during balance tasks in healthy young-adult males: Test-retest reliability analysis. 2015 , 32, 219-26	14
1426	Tutorial on use of intraclass correlation coefficients for assessing intertest reliability and its application in functional near-infrared spectroscopy-based brain imaging. 2015 , 20, 50801	35
1425	Quantification of the perceived training load and its relationship with changes in physical fitness performance in junior soccer players. 2015 , 33, 2125-32	31
1424	Reliability of goniometric and trigonometric techniques for measuring hip-extension range of motion using the modified Thomas test. 2015 , 50, 460-6	16
1423	Outcome Measures in Clinical Practice: Five Questions to Consider When Assessing Patient Outcome. 2015 , 3, 248-254	4
1422	Repeated sprint ability related to recovery time in young soccer players. 2015 , 23, 412-23	23
1421	Reference Equation for the Incremental Shuttle Walk Test in Children and Adolescents. 2015 , 167, 1057-61	34
1420	The reliability, validity and sensitivity of a novel soccer-specific reactive repeated-sprint test (RRST). 2015 , 115, 2531-42	17
1419	Effects of agricultural quad bike driving on postural control during static, dynamic and functional tasks – a field study. 2015 , 50, 158-169	4
1418	Homogeneity of fascicle architecture following repeated contractions in the human gastrocnemius medialis. 2015 , 25, 870-5	4
1417	The repeatability of T2 relaxation time measurement of human knee articular cartilage. 2015 , 28, 547-53	10

1416	Inter-machine reliability of the Biodex and Cybex isokinetic dynamometers for knee flexor/extensor isometric, concentric and eccentric tests. 2015 , 16, 59-65	68
1415	Reliability, validity, and responsiveness of the Persian version of the rheumatoid and arthritis outcome score (RAOS) in patients with rheumatoid arthritis. 2015 , 34, 35-42	4
1414	Reliability of dynamic balance simultaneously with cognitive performance in patients with ACL deficiency and after ACL reconstructions and in healthy controls. 2015 , 23, 3178-85	15
1413	Psychometric properties of the Functional Assessment of Chronic Illness Therapy-Fatigue (FACIT-Fatigue) in Chinese patients receiving maintenance dialysis. 2015 , 49, 135-43	18
1412	The influence of tyre characteristics on measures of rolling performance during cross-country mountain biking. 2015 , 33, 277-85	9
1411	Validity of a trunk-mounted accelerometer to assess peak accelerations during walking, jogging and running. 2015 , 15, 382-90	49
1410	Reproducibility of a knee and hip proprioception test in healthy older adults. 2015 , 27, 171-7	16
1409	Acceleration and sprint profiles of a professional elite football team in match play. 2015 , 15, 101-10	65
1408	Test-retest reliability of second lactate turnpoint using two different criteria in competitive cyclists. 2015 , 15, 265-70	8
1407	Reliability and validity of the inertial sensor-based Timed "Up and Go" test in individuals affected by stroke. 2016 , 53, 599-610	34
1406	Translation and cross cultural adaptation of the Pediatric Motor Activity Log-Revised scale. 2016 , 74, 555-60	2
1405	Psychometric properties of the Anxiety Inventory for Respiratory Disease in patients with COPD in China. 2017 , 12, 49-58	14
1404	Psychometric properties of the Physical Activity Scale for the Elderly in Chinese patients with COPD. 2017 , 12, 105-114	7
1403	[Development and Psychometric Evaluation of the Transcultural Self-efficacy Scale for Nurses]. 2016 , 46, 293-304	8
1402	Reliability of biceps femoris and semitendinosus muscle architecture measurements obtained with ultrasonography. 2016 , 32, 365-371	4
1401	Bilateral and unilateral vertical ground reaction forces and leg asymmetries in soccer players. 2016 , 33, 179-83	14
1400	Reliability and criterion-related validity of a new repeated agility test. 2016 , 33, 159-64	8
1399	Ultrasound imaging in women's arm flexor muscles: intra-rater reliability of muscle thickness and echo intensity. 2016 , 20, 535-542	12

1398	Reliability of Various Measurement Stations for Determining Plantar Fascia Thickness and Echogenicity. 2016 , 6,	10
1397	Reliability and Validity of the Early Years Physical Activity Questionnaire (EY-PAQ). 2016 , 4,	12
1396	Intra- and inter-rater reliability of isometric shoulder extensor and internal rotator strength measurements performed using a hand-held dynamometer. 2016 , 28, 3054-3059	12
1395	Criterion-Related Validity of the Distance- and Time-Based Walk/Run Field Tests for Estimating Cardiorespiratory Fitness: A Systematic Review and Meta-Analysis. 2016 , 11, e0151671	43
1394	Shear-Wave Elastography Assessments of Quadriceps Stiffness Changes prior to, during and after Prolonged Exercise: A Longitudinal Study during an Extreme Mountain Ultra-Marathon. 2016 , 11, e0161855	40
1393	The test-retest reliability of four functional mobility tests in apparently healthy adults. 2016 , 24, 171-179	8
1392	Reliability and validity of the running anaerobic sprint test (RAST) in soccer players. 2016 , 5, 24-29	6
1391	Reliability and Discriminative Ability of a New Method for Soccer Kicking Evaluation. 2016 , 11, e0147998	3
1390	Geometry of the Proximal Phalanx of Hallux and First Metatarsal Bone to Predict Hallux Abducto Valgus: A Radiological Study. 2016 , 11, e0166197	5
1389	Change of Direction Ability Performance in Cerebral Palsy Football Players According to Functional Profiles. 2015 , 6, 409	23
1388	Reliability and sensitivity to change of the timed standing balance test in children with down syndrome. 2016 , 7, 77-82	2
1387	Cross-Cultural Adaptation and Validation of the Back Beliefs Questionnaire to the Arabic Language. 2016 , 41, E681-E686	13
1386	Concurrent Validity of a Velocity Perception Scale to Monitor Back Squat Exercise Intensity in Young Skiers. 2016 , 30, 421-9	5
1385	Accuracy of PARTwear Inertial Sensor and Optojump Optical Measurement System for Measuring Ground Contact Time During Running. 2016 , 30, 2057-63	19
1384	Test-Retest Reliability of Physiological and Performance Responses to 120 Minutes of Simulated Soccer Match Play. 2016 , 30, 3178-3186	31
1383	Intra-rater reliability of footwear-related comfort assessments. 2016 , 8, 155-163	13
1382	Player Load, Acceleration, and Deceleration During Forty-Five Competitive Matches of Elite Soccer. 2016 , 30, 351-9	143
1381	Validity of a Wearable Accelerometer Device to Measure Average Acceleration Values During High-Speed Running. 2016 , 30, 3007-3013	16

1380	Determining Measurement Error for Bohler's Angle and the Effect of X-Ray Obliquity on Accuracy. 2016 , 9, 409-16	12
1379	External Responsiveness and Intrasession Reliability of the Rope-Climbing Test. 2016 , 30, 2952-8	4
1378	Topographical and sex variations in the T2 relaxation times of articular cartilage in the ankle joints of healthy young adults using 3.0T MRI. 2016 , 43, 455-62	8
1377	Whole Arm Water Displacement Volumetry Is a Reliable and Sensitive Measure: A Pilot to Assess Acute Postburn Volume Change. 2016 , 37, e508-e514	3
1376	Heart rate variability during daytime naps in healthy adults: Autonomic profile and short-term reliability. 2016 , 53, 473-81	28
1375	Assessment of sit-to-stand movement in nonspecific low back pain: a comparison study for psychometric properties of field-based and laboratory-based methods. 2016 , 39, 165-70	8
1374	Validity, Reliability, and Performance Determinants of a New Job-Specific Anaerobic Work Capacity Test for the Norwegian Navy Special Operations Command. 2016 , 30, 487-96	8
1373	Norwegian General Motor Function assessment as an outcome measure for a frail elderly population: A validity study. 2016 , 16, 432-9	1
1372	Reliability of the Tuck Jump Injury Risk Screening Assessment in Elite Male Youth Soccer Players. 2016 , 30, 1510-6	36
1371	Assessing Reactive Strength Measures in Jumping and Hopping Using the Optojump [®] System. 2016 , 54, 23-32	16
1370	The intensity and match load comparison between high spinal cord injury and non-spinal cord injury wheelchair basketball players: a case report. 2016 , 2, 16035	2
1369	Establishment of a measurement method for in-shoe pressure and shear stress in specific regions for diabetic ulcer prevention. 2016 , 2016, 2291-2294	13
1368	Relative and Absolute Reliabilities of the Conners' Continuous Performance Test II in Schizophrenia. 2016 , 31, 769-779	3
1367	Reliability of Rapid TMS Stimulus-Response Curves During Tibialis Anterior Contractions on Healthy Elderly. 2016 , 1075-1080	1
1366	Reliability of accelerometry to assess impact loads of jumping and landing tasks. 2016 , 15, 1-10	8
1365	Methods to Assess Measurement Error in Questionnaires of Sedentary Behavior. 2016 , 43, 1706-1721	2
1364	Developing tests of impaired coordination for Paralympic classification: normative values and test-retest reliability. 2016 , 19, 147-154	13
1363	Ultrasound Measurement of Abdominal Muscle Thickness With and Without Transducer Fixation During Standing Postural Tasks in Participants With and Without Chronic Low Back Pain: Intrasession and Intersession Reliability. 2016 , 8, 1159-1167	4

1362	Point-of-care devices for physiological measurements in field conditions. A smorgasbord of instruments and validation procedures. 2016 , 202, 99-111	17
1361	Validity and reliability of a portable gait analysis system for measuring spatiotemporal gait characteristics: comparison to an instrumented treadmill. 2016 , 13, 6	68
1360	Poor agreement of objectively measured and self-reported physical activity in juvenile dermatomyositis and juvenile systemic lupus erythematosus. 2016 , 35, 1507-14	14
1359	Relative and absolute reliability of specific kickboxing circuit training protocol in male kickboxers. 2016 , 31, e65-e72	3
1358	Reliability of radiologic evaluation of abdominal aortic calcification using the 24-point scale. 2016 , 58, 46-54	3
1357	Monitoring pasture variability: optical OptRx(®) crop sensor versus Grassmaster II capacitance probe. 2016 , 188, 117	12
1356	In vivo measurements of biceps brachii and triceps brachii fascicle lengths using extended field-of-view ultrasound. 2016 , 49, 1948-1952	14
1355	Students' game performance improvements during a hybrid sport education step-game-approach volleyball unit. 2016 , 22, 185-200	25
1354	Explosive Strength of the Knee Extensors: The Influence of Criterion Trial Detection Methodology on Measurement Reproducibility. 2016 , 50, 15-25	5
1353	Robot-aided assessment of lower extremity functions: a review. 2016 , 13, 72	52
1352	A Novel Protocol to Measure Short Sprint Performance. 2016 , 147, 706-711	5
1351	Comparing test-retest reliability and magnitude of conditioned pain modulation using different combinations of test and conditioning stimuli. 2016 , 33, 169-177	65
1350	Validity of inner canthus temperature recorded by infrared thermography as a non-invasive surrogate measure for core temperature at rest, during exercise and recovery. 2016 , 62, 50-55	14
1349	Validity and reliability of physical employment standards. 2016 , 41, S83-91	23
1348	Relationship between daily fluctuations of body temperature and the processing of sub-second intervals. 2016 , 164, 220-6	4
1347	Toward Predicting Susceptibility to Phishing Victimization on Facebook. 2016 ,	5
1346	Mobile inertial sensor based gait analysis: Validity and reliability of spatiotemporal gait characteristics in healthy seniors. 2016 , 49, 371-374	32
1345	Repeatability and Reliability of Heart Rate Variability in Healthy, Adult Pony Mares. 2016 , 46, 73-81	11

1344	The intra- and inter-observer reliability of a novel protocol for two-point discrimination in individuals with chronic low back pain. 2016 , 37, 1074-88	19
1343	Intrarater and Interrater Reliability of the Hierarchical Balance Short Forms in Patients With Stroke. 2016 , 97, 2137-2145.e2	3
1342	Variability of automated carotid intima-media thickness measurements by novice operators. 2016 , 36, 25-32	9
1341	The influence of the regression model and final speed criteria on the reliability of lactate threshold determined by the Dmax method in endurance-trained runners. 2016 , 41, 1039-1044	5
1340	The effect of slope on repeated sprint ability in young soccer players. 2016 , 24, 320-330	11
1339	The effect of proficiency level on measurement error of range of motion. 2016 , 28, 2644-2651	9
1338	Validity and reliability of a 3-axis accelerometer for measuring weightlifting movements. 2016 , 11, 872-879	4
1337	Vibration sensibility of the median nerve in a population with chronic whiplash associated disorder: Intra- and inter-rater reliability study. 2016 , 25, 81-6	1
1336	Concurrent validity of the Microsoft Kinect for Windows v2 for measuring spatiotemporal gait parameters. 2016 , 38, 952-8	59
1335	Validity and reliability of a thoracic kyphotic assessment tool measuring distance of the seventh cervical vertebra from the wall. 2016 , 35, 30-36	7
1334	The Bindex(®) ultrasound device: reliability of cortical bone thickness measures and their relationship to regional bone mineral density. 2016 , 37, 1528-40	6
1333	Spatial distribution of surface EMG on trapezius and lumbar muscles of violin and cello players in single note playing. 2016 , 31, 144-153	13
1332	Reliability and sensitivity of the 6 and 30 second Wingate tests in physically active males and females. 2016 , 24, 277-284	8
1331	Effects of fasting on serial measurements of hyperpolarized [1-(13) C]pyruvate metabolism in tumors. 2016 , 29, 1048-55	15
1330	A Critique on Measuring Reliability of an Accuracy Test. 2016 , 30, e9-e9	
1329	Development of a morphology-based modeling technique for tracking solid-body displacements: examining the reliability of a potential MRI-only approach for joint kinematics assessment. 2016 , 16, 38	3
1328	Concurrent validity of the Gyko inertial sensor system for the assessment of vertical jump height in female sub-elite youth soccer players. 2016 , 8, 35	24
1327	Effects of familiarization on reliability of muscle-activation and gross efficiency in adolescents and adults. 2016 , 3, 1237606	3

1326	Reproducibility of electromyographic and mechanical parameters of the triceps surae during submaximal and maximal plantar flexions. 2016 , 53, 464-70	13
1325	A New Agility Test for Adults: Its Test-Retest Reliability and Minimal Detectable Change in Untrained Women and Men Aged 28-55. 2016 , 30, 2226-34	6
1324	The functional and clinical outcomes of exercise training following a very low energy diet for severely obese women: study protocol for a randomised controlled trial. 2016 , 17, 125	4
1323	Reliability and day-to-day variability of peak fat oxidation during treadmill ergometry. 2016 , 13, 4	12
1322	The effectiveness of an exercise programme on dynamic balance in patients with medial knee osteoarthritis: A pilot study. 2016 , 23, 849-56	11
1321	Foot Dorsiflexion Velocity and Torque Variance Explained through Architectural and Electromyography Variables Comparing Elders and Stroke Survivors. 2016 , 25, 2295-304	3
1320	Short-term and long-term test-retest reliability of the Nasality Severity Index 2.0. 2016 , 62, 1-11	2
1319	Isometric hand grip strength measured by the Nintendo Wii Balance Board - a reliable new method. 2016 , 17, 56	13
1318	Joint torque variability and repeatability during cyclic flexion-extension of the elbow. 2016 , 8, 8	2
1317	Muscle Fiber Conduction Velocity, Muscle Fiber Composition, and Power Performance. 2016 , 48, 1761-71	39
1316	The accuracy of breast volume measurement methods: A systematic review. 2016 , 28, 121-9	51
1315	Agreement of Power Measures between Garmin Vector and SRM Cycle Power Meters. 2016 , 20, 167-172	12
1314	Relationship Between Agility Tests and Short Sprints: Reliability and Smallest Worthwhile Difference in National Collegiate Athletic Association Division-I Football Players. 2016 , 30, 893-900	17
1313	Association between quantitative MRI and ICRS arthroscopic grading of articular cartilage. 2016 , 24, 2046-54	24
1312	Ultrasound measurement of deep and superficial abdominal muscles thickness during standing postural tasks in participants with and without chronic low back pain. 2016 , 23, 98-105	27
1311	The test-retest reliability and minimal detectable change of spatial and temporal gait variability during usual over-ground walking for younger and older adults. 2016 , 44, 94-9	24
1310	Free-living cross-comparison of two wearable monitors for sleep and physical activity in healthy young adults. 2016 , 157, 79-86	31
1309	Developing a Reliable Core Stability Assessment Battery for Patients with Nonspecific Low Back Pain. 2016 , 41, E844-E850	17

1308	Reliability of knee biomechanics during a vertical drop jump in elite female athletes. 2016 , 46, 173-8	24
1307	A descriptive-comparative study of performance characteristics in futsal players of different levels. 2016 , 34, 1707-15	22
1306	Reproducibility: Reliability and agreement of short version of Western Ontario Rotator Cuff Index (Short-WORC) in patients with rotator cuff disorders. 2016 , 29, 281-91	11
1305	Physical characteristics that predict involvement with the ball in recreational youth soccer. 2016 , 34, 1716-22	16
1304	Validity of the Polar V800 heart rate monitor to measure RR intervals at rest. 2016 , 116, 563-71	196
1303	The effects of single versus twice daily short term heat acclimation on heat strain and 3000m running performance in hot, humid conditions. 2016 , 56, 59-67	26
1302	Advances in Sprint Acceleration Profiling for Field-Based Team-Sport Athletes: Utility, Reliability, Validity and Limitations. <i>Sports Medicine</i> , 2016 , 46, 1619-1645	10.6 37
1301	Effects of two types of foot orthoses on lower limb muscle activity before and after a one-month period of wear. 2016 , 46, 75-80	18
1300	Predicting future weight status from measurements made in early childhood: a novel longitudinal approach applied to Millennium Cohort Study data. 2016 , 6, e200	13
1299	The reliability of a segmentation methodology for assessing intramuscular adipose tissue and other soft-tissue compartments of lower leg MRI images. 2016 , 29, 237-44	8
1298	Evaluating a new wearable lactate threshold sensor in recreational to highly trained cyclists. 2016 , 19, 229-235	5
1297	Reliability and Association with Injury of Movement Screens: A Critical Review. <i>Sports Medicine</i> , 2016 , 46, 763-81	10.6 52
1296	Reliability and validity of Yo-Yo tests in 9- to 16-year-old football players and matched non-sports active schoolboys. 2016 , 16, 755-63	22
1295	The development and reliability of a simple field based screening tool to assess core stability in athletes. 2016 , 20, 40-4	6
1294	Physical fitness and physiological characteristics of soccer referees. 2016 , 31, 27-35	18
1293	High-density surface electromyography provides reliable estimates of motor unit behavior. 2016 , 127, 2534-41	57
1292	Reliability of radiologic evaluation of abdominal aortic calcification using the 24-point scale. 2016 , 58, 46-54	3
1291	Repeatability of Central and Peripheral Pulse Wave Velocity Measures: The Atherosclerosis Risk in Communities (ARIC) Study. 2016 , 29, 470-5	51

1290	Reliability and Validity of the Measurement of Scapular Position Using the Protractor Method. 2016 , 96, 502-10	2
1289	Test-retest reliability of HeartQoL and its comparability to the MacNew heart disease health-related quality of life questionnaire. 2016 , 25, 351-357	13
1288	The influence of soccer match play on physiological and physical performance measures in soccer referees and assistant referees. 2016 , 34, 557-63	27
1287	Why Did We Lose? Towards an Integrated Approach to Winter Sports Science. 2016 , 349-378	
1286	Measurement of physical activity in older adult interventions: a systematic review. 2016 , 50, 464-70	59
1285	Reliability of an Adapted Version of the Modified Six Elements Test as a Measure of Executive Function. 2016 , 23, 35-42	2
1284	Reliability and validity of the short Hong Kong Chinese Self-Regulation of Learning Self-Report Scale (SRL-SRS-C). 2016 , 14, 210-226	5
1283	New perspectives on the relationship between mandibular and statural growth. 2016 , 38, 13-21	4
1282	Reliability and measurement precision of concentric-to-isometric and eccentric-to-isometric knee active joint position sense tests in uninjured physically active adults. 2016 , 18, 38-45	11
1281	Reliability and validity of the Myotest [®] for measuring running stride kinematics. 2016 , 34, 664-70	25
1280	The effect of dimple error on the horizontal launch angle and side spin of the golf ball during putting. 2017 , 35, 224-230	2
1279	Validity and reliability of a global positioning system to assess 20 m sprint performance in soccer players. 2017 , 231, 68-71	3
1278	A permutation test to analyse systematic bias and random measurement errors of medical devices via boosting location and scale models. 2017 , 26, 1443-1460	11
1277	Validation of Moticon's OpenGo sensor insoles during gait, jumps, balance and cross-country skiing specific imitation movements. 2017 , 35, 196-206	57
1276	Test-retest reliability of skeletal muscle oxygenation measurements during submaximal cycling exercise in patients with chronic heart failure. 2017 , 37, 68-78	18
1275	Greek cultural adaption and validation of the Kujala anterior knee pain scale in patients with patellofemoral pain syndrome. 2017 , 39, 704-708	7
1274	The relative and absolute reliability of the Functional Independence and Difficulty Scale in community-dwelling frail elderly Japanese people using long-term care insurance services. 2017 , 29, 549-556	3
1273	Effects of a Strength Training Session After an Exercise Inducing Muscle Damage on Recovery Kinetics. 2017 , 31, 115-125	9

1272	Traditional vs. Sport-Specific Vertical Jump Tests: Reliability, Validity, and Relationship With the Legs Strength and Sprint Performance in Adult and Teen Soccer and Basketball Players. 2017 , 31, 196-206	68
1271	Validity and reliability of Internet-based physiotherapy assessment for musculoskeletal disorders: a systematic review. 2017 , 23, 379-391	74
1270	Validity and Reliability of a Portable Isometric Mid-Thigh Clean Pull. 2017 , 31, 1378-1386	54
1269	Individual Patterns in Blood-Borne Indicators of Fatigue-Trait or Chance. 2017 , 31, 608-619	15
1268	The reliability of the Extra Load Index as a measure of relative load carriage economy. 2017 , 60, 1250-1254	4
1267	Examination of the reliability of an inertial sensor-based gait analysis system. 2017 , 62, 615-622	14
1266	Systematic review of field-based physical fitness tests for children and adolescents with intellectual disabilities. 2017 , 61, 77-94	15
1265	Ultrasound Measurements of Skeletal Muscle Architecture Are Associated with Strength and Functional Capacity in Older Adults. 2017 , 43, 586-594	22
1264	Reproducibility of an ankle joint rotation correction method for assessment of Achilles tendon elongation. 2017 , 25, 47-52	
1263	Biomarker development: Current issues and perspectives. 2017 , 78, 253-254	
1262	The Reproducibility of Blood Acid Base Responses in Male Collegiate Athletes Following Individualised Doses of Sodium Bicarbonate: A Randomised Controlled Crossover Study. <i>Sports Medicine</i> , 2017 , 47, 2117-2127	10.6 27
1261	Shear Wave Elastography Is a Reliable and Repeatable Method for Measuring the Elastic Modulus of the Rectus Femoris Muscle and Patellar Tendon. 2017 , 36, 565-570	55
1260	Within-assessor reliability and minimal detectable change of gait kinematics in a young obese demographic. 2017 , 54, 112-118	12
1259	Limitations of measuring blood cytokines in biological psychiatry. 2017 , 78, 253	1
1258	Static and Dynamic Handgrip Strength Endurance: Test-Retest Reproducibility. 2017 , 42, e175-e184	21
1257	What is the association between sedentary behaviour and cognitive function? A systematic review. 2017 , 51, 800-811	171
1256	The physiological demand of pulling a rescue sled across the mud and the impact experience has on this task. 2017 , 56, 239-245	8
1255	Activity Profile and Between-Match Variation in Elite Male Field Hockey. 2017 , 31, 758-764	14

1254	Validity of Single-Beam Timing Lights at Different Heights. 2017 , 31, 1994-1999	12
1253	Reproducibility of scapular muscle activity in isokinetic shoulder flexion and extension. 2017 , 34, 86-92	4
1252	Simplified Chinese Version of University of California at Los Angeles Activity Score for Arthroplasty and Arthroscopy: Cross-Cultural Adaptation and Validation. 2017 , 32, 2706-2711	11
1251	Reliability of Head, Neck, and Trunk Anthropometric Measurements Used for Predicting Segment Tissue Masses in Living Humans. 2017 , 33, 373-378	
1250	Motion of the anterior cruciate ligament during internal and external rotation at the knee: A cadaveric study. 2017 , 30, 861-867	1
1249	Muscular activity and torque of the foot dorsiflexor muscles during decremental isometric test: A cross-sectional study. 2017 , 31, 16-22	1
1248	Intelligent computational model for classification of sub-Golgi protein using oversampling and fisher feature selection methods. 2017 , 78, 14-22	26
1247	Reliability and validity of an agility-like incremental exercise test with multidirectional change-of-direction movements in response to a visual stimulus. 2017 , 5, e13275	4
1246	Reproducibility of rearfoot kinematics measured with inertial sensors during outdoor running on different surfaces. 2017 , 9, S106-S108	
1245	Validity of a Linear Velocity Transducer for Testing Maximum Vertical Jumps. 2017 , 33, 388-392	12
1244	Measuring lip force by oral screens. Part 1: Importance of screen size and individual variability. 2017 , 3, 87-92	7
1243	Reliability of lower limb transcranial magnetic stimulation outcomes in the ipsi- and contralesional hemispheres of adults with chronic stroke. 2017 , 128, 1290-1298	13
1242	Reliability, precision, and clinically important change of the Nine-Hole Peg Test in individuals with multiple sclerosis. 2017 , 40, 91-93	12
1241	Reliability of the Assisting Hand Assessment in adolescents. 2017 , 59, 926-932	11
1240	Exercise intensity dependent relevance of protective textile properties for human thermo-physiology. 2017 , 87, 1425-1434	6
1239	An intra- and interrater reliability and agreement study of vaginal resting pressure, pelvic floor muscle strength, and muscular endurance using a manometer. 2017 , 28, 1507-1514	17
1238	Consensus on measurement properties and feasibility of performance tests for the exercise and sport sciences: a Delphi study. 2017 , 3, 2	24
1237	The Association Between Physical Activity With Cognitive Function and Brain-Derived Neurotrophic Factor in People With Parkinson's Disease: A Pilot Study. 2017 , 25, 646-652	6

1236	Reliability and Validity of the Pain Anxiety Symptom Scale in Persian Speaking Chronic Low Back Pain Patients. 2017 , 42, E1238-E1244	10
1235	Reliability of novice physiotherapists for measuring Cobb angle using a digital method. 2017 , 37, 34-38	6
1234	Intra- and inter-rater reliability of lower leg waterplethysmography, bioelectrical impedance and muscle twitch force for the use in standing work evaluation. 2017 , 38, 701-714	4
1233	Reliability and minimal detectable change of transcranial magnetic stimulation outcomes in healthy adults: A systematic review. 2017 , 10, 196-213	47
1232	Intersession reliability of the interpolated twitch technique applied during isometric, concentric, and eccentric actions of the human knee extensor muscles. 2017 , 56, 324-327	10
1231	Evaluation of psychometric properties of Tinetti performance-oriented mobility assessment scale in subjects with knee osteoarthritis. 2017 , 36, 25-32	8
1230	Reliability of specific physical examination tests for the diagnosis of shoulder pathologies: a systematic review and meta-analysis. 2017 , 51, 511-518	15
1229	Unilateral lower limb strength assessed using the Nintendo Wii Balance Board: a simple and reliable method. 2017 , 29, 1013-1020	11
1228	Reliability of SEMG measurements for trunk muscles during lifting variable loads in healthy subjects. 2017 , 21, 711-718	7
1227	Absolute and relative reliability of isokinetic and isometric trunk strength testing using the IsoMed-2000 dynamometer. 2017 , 24, 26-31	30
1226	Running intensity fluctuations indicate temporary performance decrement in top-class football. 2017 , 1, 10-17	18
1225	Feasibility and Reliability of Tests Measuring Health-Related Physical Fitness in Children With Moderate to Severe Levels of Intellectual Disability. 2017 , 122, 422-438	13
1224	Ultrasound imaging transducer motion during standing postural tasks with and without using transducer fixator. 2017 , 32, 57-63	3
1223	Backstroke start performance: the impact of using the Omega OBL2 backstroke ledge. 2018 , 17, 429-441	5
1222	Test-retest reliability and validity of a motion capture (MOCAP) system for measuring thoracic and lumbar spinal curvatures and sacral inclination in the sagittal plane. 2017 ,	0
1221	Measurement Properties of a Test Battery to Assess Postural Orientation During Functional Tasks in Patients Undergoing Anterior Cruciate Ligament Injury Rehabilitation. 2017 , 47, 863-873	18
1220	Knee Extensor Rate of Torque Development Before and After Arthroscopic Partial Meniscectomy, With Analysis of Neuromuscular Mechanisms. 2017 , 47, 945-956	9
1219	Reliability of the twitch evoked skeletal muscle electromechanical efficiency: A ratio between tensiomyogram and M-wave amplitudes. 2017 , 37, 108-116	10

1218	Normalizing shoulder EMG: An optimal set of maximum isometric voluntary contraction tests considering reproducibility. 2017 , 37, 1-8	20
1217	Experimental Protocol of a Three-minute, All-out Arm Crank Exercise Test in Spinal-cord Injured and Able-bodied Individuals. 2017 ,	
1216	Test-retest reliability of echo intensity parameters in healthy Achilles tendons using a semi-automatic tracing procedure. 2017 , 46, 1553-1558	7
1215	Test-retest reliability of physiological parameters in elite junior distance runners following allometric scaling. 2017 , 17, 1231-1240	14
1214	Baseline Mechanical and Neuromuscular Profile of Knee Extensor and Flexor Muscles in Professional Soccer Players at the Start of the Pre-Season. 2017 , 58, 23-34	14
1213	Reliability and Measurement Error of Tensiomyography to Assess Mechanical Muscle Function: A Systematic Review. 2017 , 31, 3524-3536	49
1212	Psychometric properties of three measures assessing advanced theory of mind: Evidence from people with schizophrenia. 2017 , 257, 490-496	8
1211	Reliability of Three Timing Systems Used to Time Short on Ice-Skating Sprints in Ice Hockey Players. 2017 , 31, 3279-3286	5
1210	Effects of acute resistance training modality on corticospinal excitability, intra-cortical and neuromuscular responses. 2017 , 117, 2211-2224	22
1209	A heartbeat and respiration rate sensor based on phonocardiogram for healthcare applications. 2017 ,	8
1208	Intra-Subject Variability of 5 km Time Trial Performance Completed by Competitive Trained Runners. 2017 , 57, 139-146	3
1207	The reliability and validity of ultrasound to quantify muscles in older adults: a systematic review. 2017 , 8, 702-712	144
1206	Tactile acuity testing at the neck: A comparison of methods. 2017 , 32, 23-30	17
1205	Evaluation of the Illinois Change of Direction Test in Youth Elite Soccer Players of Different Age. 2017 , 58, 215-224	8
1204	Reliability of unipodal and bipodal counter movement jump landings in a recreational male population. 2017 , 17, 1143-1152	2
1203	Reliability and validity of the Omron HJ-720 ITC pedometer when worn at four different locations on the body. 2017 , 4, 1311461	2
1202	U.S. Army Physical Demands Study: Reliability of Simulations of Physically Demanding Tasks Performed by Combat Arms Soldiers. 2017 , 31, 3245-3252	18
1201	Impact of a non-restrictive satiating diet on anthropometrics, satiety responsiveness and eating behaviour traits in obese men displaying a high or a low satiety phenotype. 2017 , 118, 750-760	17

1200	Intra-rater repeatability of gait parameters in healthy adults during self-paced treadmill-based virtual reality walking. 2017 , 20, 1669-1677	15
1199	Test-retest reliability and validity of a motion capture (MOCAP) system for measuring thoracic and lumbar spinal curvatures and sacral inclination in the sagittal plane. 2017 , 30, 1319-1325	12
1198	Between-days intra-rater reliability with a hand held myotonometer to quantify muscle tone in the acute stroke population. 2017 , 7, 14173	15
1197	Intra- and Inter-Day Reliability of Body Composition Assessed by a Commercial Multifrequency Bioelectrical Impedance Meter. 2017 , 1, E141-E146	1
1196	Impact of official matches on soccer referees's horizontal-jump performance. 2017 , 1, 145-150	3
1195	The Compact Wheelchair Roller Dynamometer. 2017 , 1, E119-E127	1
1194	The Validity and Responsiveness of Isometric Lower Body Multi-Joint Tests of Muscular Strength: a Systematic Review. 2017 , 3, 23	21
1193	Reproducibility of 24-h heart rate variability in children. 2017 , 27, 273-278	3
1192	Postprandial suppression of appetite is more reproducible at a group than an individual level: Implications for assessing inter-individual variability. 2017 , 108, 375-382	4
1191	Reliability of time-to-exhaustion and selected psycho-physiological variables during constant-load cycling at the maximal lactate steady-state. 2017 , 42, 142-147	23
1190	Reliability of Sargent Jump Test in 4- to 5-Year-Old Children. 2017 , 124, 39-57	10
1189	The reliability of physical examination tests for the clinical assessment of scapular dyskinesis in subjects with shoulder complaints: A systematic review. 2017 , 26, 64-89	17
1188	Venlafaxine and oxycodone have different effects on spinal and supraspinal activity in man: a somatosensory evoked potential study. 2017 , 83, 764-776	8
1187	Comparison of inter-trial recovery times for the determination of critical power and W' in cycling. 2017 , 35, 1420-1425	19
1186	Intra-rater reliability and agreement of various methods of measurement to assess dorsiflexion in the Weight Bearing Dorsiflexion Lunge Test (WBLT) among female athletes. 2017 , 23, 37-44	17
1185	Serratus anterior and trapezius muscle activity during knee push-up plus and knee-plus exercises performed on a stable, an unstable surface and during sling-suspension. 2017 , 23, 86-92	5
1184	The countermovement jump to monitor neuromuscular status: A meta-analysis. 2017 , 20, 397-402	150
1183	Inter- and Intrarater Reliability of Clinical Tests Associated With Functional Lumbar Segmental Instability and Motor Control Impairment in Patients With Low Back Pain: A Systematic Review. 2017 , 98, 151-164.e6	29

1182	Mechanical Player Load—Using trunk-mounted accelerometry in football: Is it a reliable, task- and player-specific observation?. 2017 , 35, 1674-1681	28
1181	Reliability of laser Doppler, near-infrared spectroscopy and Doppler ultrasound for peripheral blood flow measurements during and after exercise in the heat. 2017 , 35, 1715-1723	8
1180	Membrane properties in small cutaneous nerve fibers in humans. 2017 , 55, 195-201	14
1179	Cross-cultural adaptation, reliability, and validity of the Persian version of the Cumberland Ankle Instability Tool. 2017 , 39, 1644-1649	26
1178	Ultrasound and magnetic resonance imaging are not interchangeable to assess the Achilles tendon cross-sectional-area. 2017 , 117, 73-82	31
1177	Foot and ankle ability measure to measure functional limitations in patients with foot and ankle disorders: a Chinese cross-cultural adaptation and validation. 2017 , 39, 2182-2189	15
1176	Reliability and Repetition Effect of the Center of Pressure and Kinematics Parameters That Characterize Trunk Postural Control During Unstable Sitting Test. 2017 , 9, 219-230	13
1175	The Reliability of Standing Sagittal Measurements of Spinal Curvature and Range of Motion in Older Women With and Without Hyperkyphosis Using a Skin-Surface Device. 2017 , 40, 685-691	5
1174	Wheelchair Shuttle Test for Assessing Aerobic Fitness in Youth With Spina Bifida: Validity and Reliability. 2017 , 97, 1020-1029	10
1173	Clinical Utility of Ultrasound Measurements of Plantar Fascia Width and Cross-Sectional Area. 2017 , 107, 375-381	6
1172	A tonic heat test stimulus yields a larger and more reliable conditioned pain modulation effect compared to a phasic heat test stimulus. 2017 , 2, e626	12
1171	Comparison of a mobile application to estimate percentage body fat to other non-laboratory based measurements. 2017 , 9, 94-98	5
1170	Reliability of lower extremity muscle strength measurements with handheld dynamometry in stroke patients during the acute phase: a pilot reliability study. 2017 , 29, 317-322	4
1169	Assessing a smartphone application to measure counter-movement jumps in recreational athletes. 2017 , 12, 661-664	16
1168	Reliability and Criterion Validity of the Smartphone Inclinator Application to Quantify Cervical Spine Mobility. 2017 , 30, E1359-E1366	14
1167	Validity and reliability of simple measurement device to assess the velocity of the barbell during squats. 2017 , 10, 707	25
1166	The one-week and six-month reliability and variability of three-dimensional tibial acceleration in runners. 2018 , 17, 531-540	24
1165	The Accuracy and Reliability of a New Optical Player Tracking System for Measuring Displacement of Soccer Players. 2017 , 16, 175-184	5

1164	Reliability of the Kinetics of British Army Foot Drill in Untrained Personnel. 2017 , 31, 435-444	2
1163	A Reduction in Maximal Incremental Exercise Test Duration 48 h Post Downhill Run Is Associated with Muscle Damage Derived Exercise Induced Pain. 2017 , 8, 135	5
1162	Comparison of Peak Oxygen Uptake and Test-Retest Reliability of Physiological Parameters between Closed-End and Incremental Upper-Body Poling Tests. 2017 , 8, 857	4
1161	Neuromuscular Training Improves Lower Extremity Biomechanics Associated with Knee Injury during Landing in 11-13 Year Old Female Netball Athletes: A Randomized Control Study. 2017 , 8, 883	18
1160	Shadow Moir'technique for postural assessment: qualitative assessment protocol by intra- and inter-rater evaluation. 2017 , 29, 356-360	5
1159	Cognitive-Motor Interference during Walking in Older Adults with Probable Mild Cognitive Impairment. 2017 , 9, 350	26
1158	Manual Dexterity and Intralimb Coordination Assessment to Distinguish Different Levels of Impairment in Boccia Players with Cerebral Palsy. 2017 , 8, 582	9
1157	Reliability of the Footscan [®] Platform System in Healthy Subjects: A Comparison of without Top-Layer and with Top-Layer Protocols. 2017 , 2017, 2708712	8
1156	Relative and Absolute Interrater Reliabilities of a Hand-Held Myotonometer to Quantify Mechanical Muscle Properties in Patients with Acute Stroke in an Inpatient Ward. 2017 , 2017, 4294028	21
1155	Measurement errors when estimating the vertical jump height with flight time using photocell devices: the example of Optojump. 2017 , 34, 63-70	29
1154	Characterization of cortical source generators based on electroencephalography during tonic pain. 2017 , 10, 1401-1409	10
1153	Statistical Methods: Reliability Assessment and Method Comparison. 2017 , 40, 9	21
1152	Relationships between Isometric Force-Time Characteristics and Dynamic Performance. 2017 , 5,	11
1151	Cross-Cultural Adaptation, Validity, and Reliability of the Persian Version of the Orebro Musculoskeletal Pain Screening Questionnaire. 2017 , 11, 520-530	10
1150	How does the ball influence the performance of change of direction and sprint tests in para-footballers with brain impairments? Implications for evidence-based classification in CP-Football. 2017 , 12, e0187237	23
1149	Reproducibility of objectively measured physical activity and sedentary time over two seasons in children; Comparing a day-by-day and a week-by-week approach. 2017 , 12, e0189304	27
1148	Inter-rater and intra-rater reliability of the fluid goniometer for measuring active knee flexion in painful knees; correlations do not mean agreement. 2017 , 29, 984-988	5
1147	Neuromuscular function of the quadriceps muscle during isometric maximal, submaximal and submaximal fatiguing voluntary contractions in knee osteoarthritis patients. 2017 , 12, e0176976	14

1146	Absolute and relative reliability of acute effects of aerobic exercise on executive function in seniors. 2017 , 17, 247	8
1145	Inter-day reliability of surface electromyography recordings of the lumbar part of erector spinae longissimus and trapezius descendens during box lifting. 2017 , 18, 519	12
1144	Normal foot loading parameters and repeatability of the Footscan [®] platform system. 2017 , 10, 30	24
1143	Examination of the gait pattern based on adjusting and resulting components of the stride-to-stride variability: proof of concept. 2017 , 10, 298	2
1142	The Reproducibility of 4-km Time Trial (TT) Performance Following Individualised Sodium Bicarbonate Supplementation: a Randomised Controlled Trial in Trained Cyclists. 2017 , 3, 34	13
1141	Test-retest reliability of static postural control in people with multiple sclerosis. 2017 , 29, 1399-1404	2
1140	Technique to estimate human reaction time based on visual perception. 2017 , 4, 73-77	23
1139	The Korean version of relative and absolute reliability of gait and balance assessment tools for patients with dementia in day care center and nursing home. 2017 , 29, 1934-1939	3
1138	Test-retest reliability of linear and nonlinear measures of postural stability during visual deprivation in healthy subjects. 2017 , 29, 1766-1771	8
1137	Asymmetries in single and triple hop are not detrimental to change of direction speed. 2017 , 6, 35-41	42
1136	Evolution and Development of Best Practice in Paralympic Classification. 2018 , 389-416	6
1135	Error measurement in craniometrics: The comparative performance of four popular assessment methods using 2000 simulated cranial length datasets (g-op). 2018 , 285, 162-171	10
1134	A systematic review and meta-analysis of the reliability and validity of sensorimotor measurement instruments in people with chronic low back pain. 2018 , 35, 73-83	17
1133	Inter-session reliability of short-interval intracortical inhibition measured by threshold tracking TMS. 2018 , 674, 18-23	22
1132	Cardiorespiratory system monitoring using a developed acoustic sensor. 2018 , 5, 7-12	14
1131	Reliability of tensiomyography and myotonometry in detecting mechanical and contractile characteristics of the lumbar erector spinae in healthy volunteers. 2018 , 118, 1349-1359	36
1130	Interrater and Intrarater Reliability of the Balance Computerized Adaptive Test in Patients With Stroke. 2018 , 99, 1499-1506	1
1129	Reliability of morning, before-dinner, and at-bedtime home blood pressure measurements in patients with hypertension. 2018 , 20, 315-323	13

1128	Comparison of the psychometric properties of 3 pain scales used in the pediatric emergency department: Visual Analogue Scale, Faces Pain Scale-Revised, and Colour Analogue Scale. 2018 , 159, 1508-1517	36
1127	Determining the reliability of craniocervical flexion test in asymptomatic individuals. 2018 , 38, 33-40	5
1126	A comparison of manual anthropometric measurements with Kinect-based scanned measurements in terms of precision and reliability. 2018 , 59, 325-339	12
1125	The inter- and intrarater reliability and agreement for field-based assessment of scapular control, shoulder range of motion, and shoulder isometric strength in elite adolescent athletes. 2018 , 32, 212-220	13
1124	The change in external match loads and characteristics for a newly promoted European super league rugby league team over a three season period. 2018 , 2, 309-314	3
1123	Early majority engagement pathway best defines transitions from youth to adult elite men's soccer in the UK: A three time-point retrospective and prospective study. 2018 , 36, 81-89	21
1122	Coach ratings of skills and their relations to practice, play and successful transitions from youth-elite to adult-professional status in soccer. 2018 , 36, 2009-2017	21
1121	Familiarization, validity and smallest detectable difference of the isometric squat test in evaluating maximal strength. 2018 , 36, 2087-2095	11
1120	Local Texture Anisotropy as an Estimate of Muscle Quality in Ultrasound Imaging. 2018 , 44, 1133-1140	11
1119	The reliability and validity of a designed setup for the assessment of static back extensor force and endurance in older women with and without hyperkyphosis. 2018 , 34, 882-893	5
1118	Reliability of the individual components of the Canadian Armed Forces Physical Employment Standard. 2018 , 43, 663-668	4
1117	Response to "The neurogenic bowel dysfunction score in patients with spinal cord injury: methodological issues in reliability and validity". 2018 , 56, 297-298	
1116	Statistical Primer for Athletic Trainers: The Essentials of Understanding Measures of Reliability and Minimal Important Change. 2018 , 53, 98-103	17
1115	Test Procedures to Assess Somatosensory Abnormalities in Individuals with Peripheral Joint Pain: A Systematic Review of Psychometric Properties. 2018 , 18, 895-924	5
1114	Neuromuscular Responses and Physiological Changes During Small-Sided Games in Wheelchair Basketball. 2018 , 35, 20-35	1
1113	Psychometric Evaluation of the Brachial Assessment Tool Part 1: Reproducibility. 2018 , 99, 629-634	7
1112	Prediction of walk-to-run transition using stride frequency: A test-retest reliability study. 2018 , 60, 71-75	5
1111	Establishing a practical treadmill sprint as an alternative to the Wingate anaerobic test. 2018 , 22, 138-144	3

1110	Effect of the PreBind Engagement Process on Scrum Timing and Stability in the 2013-16 Six Nations. 2018 , 13, 903-909	3
1109	Exploring cued and non-cued motor imagery interventions in people with multiple sclerosis: a randomised feasibility trial and reliability study. 2018 , 8, 6	9
1108	Characterizing the corticomotor connectivity of the bilateral ankle muscles during rest and isometric contraction in healthy adults. 2018 , 41, 9-18	4
1107	Evaluation of three measures of cardiorespiratory fitness in independently ambulant stroke survivors. 2019 , 35, 622-632	7
1106	Aerobic Stimulus Induced by Virtual Reality Games in Stroke Survivors. 2018 , 99, 927-933	6
1105	Translation and Validation of the Toronto Pain Management Index, French-Canadian Version. 2018 , 50, 49-56	1
1104	Reliability of Oculometrics During a Mentally Demanding Task in Young and Old Adults. 2018 , 6, 17500-17517	20
1103	Hyperkyphotic measures using distance from the wall: validity, reliability, and distance from the wall to indicate the risk for thoracic hyperkyphosis and vertebral fracture. 2018 , 13, 25	3
1102	Concurrent validation of an inertial measurement system to quantify kicking biomechanics in four football codes. 2018 , 73, 24-32	53
1101	Test-Retest Reliability and Minimal Detectable Change of the D2 Test of Attention in Patients with Schizophrenia. 2018 , 33, 1060-1068	10
1100	The minimal number of TMS trials required for the reliable assessment of corticospinal excitability, short interval intracortical inhibition, and intracortical facilitation. 2018 , 674, 94-100	32
1099	Perfusion dynamics assessment with Power Doppler ultrasound in skeletal muscle during maximal and submaximal cycling exercise. 2018 , 118, 1209-1219	1
1098	Influence of initial performance level and tactical position on the aerobic fitness in soccer players after preseason period. 2018 , 2, 294-298	1
1097	Blood flow after contraction and cuff occlusion is reduced in subjects with muscle soreness after eccentric exercise. 2018 , 28, 29-39	6
1096	Evaluation of Muscle Mechanical Capacities Through the Two-Load Method: Optimization of the Load Selection. 2018 , 32, 1245-1253	28
1095	The functional movement test 9+ is a poor screening test for lower extremity injuries in professional male football players: a 2-year prospective cohort study. 2018 , 52, 1047-1053	12
1094	Reliability of resting intramuscular fiber conduction velocity evaluation. 2018 , 28, 48-56	2
1093	Combined Carbohydrate and Protein Ingestion During Australian Rules Football Matches and Training Sessions Does Not Reduce Fatigue or Accelerate Recovery Throughout a Weeklong Junior Tournament. 2018 , 32, 344-355	1

1092	Development, construct validity and test-retest reliability of a field-based wheelchair mobility performance test for wheelchair basketball. 2018 , 36, 23-32	21
1091	A Simple Method for Assessing Upper-Limb Force-Velocity Profile in Bench Press. 2018 , 13, 200-207	20
1090	Responsiveness of postural performance measures following balance rehabilitation in multiple sclerosis patients. 2018 , 22, 502-510	9
1089	Effects of a contrast training programme on jumping, sprinting and agility performance of prepubertal basketball players. 2018 , 36, 802-808	13
1088	Time Trials Versus Time-to-Exhaustion Tests: Effects on Critical Power, W', and Oxygen-Uptake Kinetics. 2018 , 13, 183-188	12
1087	Reliability of Power Settings of the Wahoo KICKR Power Trainer After 60 Hours of Use. 2018 , 13, 119-121	4
1086	Short- and long-term reliability of leg extensor power measurement in middle-aged and older adults. 2018 , 36, 970-977	17
1085	Positional Anthropometric and Performance Profile of Elite Gaelic Football Players. 2018 , 32, 2356-2362	12
1084	Effects of Light-Emitting Diode Therapy on Muscle Hypertrophy, Gene Expression, Performance, Damage, and Delayed-Onset Muscle Soreness: A Case-Control Study With a Pair of Identical Twins. 2018 , 97, e1-e2	
1083	Reply to the Letter to the Editor on "Effects of Light-Emitting Diode Therapy on Muscle Hypertrophy, Gene Expression, Performance, Damage, and Delayed-Onset Muscle Soreness: Case-Control Study With a Pair of Identical Twins". 2018 , 97, e2-e5	
1082	Reproducibility of heart rate recovery in patients with intermittent claudication. 2018 , 38, 603-609	4
1081	Monitoring player fatigue status in the English Premier League. 2018 , 52, 1473-1474	1
1080	Test-retest reliability of wide-pulse high-frequency neuromuscular electrical stimulation evoked force. 2018 , 57, E70-E77	5
1079	Multiple Repeated Sprint Ability Test for Badminton Players Involving Four Changes of Direction: Validity and Reliability (Part 1). 2018 , 32, 423-431	14
1078	Is the reliability of 3D kinematics of young obese participants dependent on the hip joint center localization method used?. 2018 , 59, 65-70	10
1077	Reliability of Peak Exercise Stroke Volume Assessment by Impedance Cardiography in Patients with Residual Right Outflow Tract Lesions After Congenital Heart Disease Repair. 2018 , 39, 45-50	8
1076	Innovations and pitfalls in the use of wearable devices in the prevention and rehabilitation of running related injuries. 2018 , 29, 26-33	54
1075	Assessment of the test-retest reliability of human gingival blood flow measurements by Laser Speckle Contrast Imaging in a healthy cohort. 2018 , 25, e12420	9

1074	Test-retest reliability of the Tekscan® F-Scan® 7 in-shoe plantar pressure system during treadmill walking in healthy recreationally active individuals. 2018 , 17, 83-97	10
1073	Reliability of Evaluating Achilles Tendon Vascularization Assessed With Doppler Ultrasound Advanced Dynamic Flow. 2018 , 37, 737-744	8
1072	Reliability of physical functioning tests in patients with low back pain: a systematic review. 2018 , 18, 190-207	25
1071	Estimated peak functional capacity: an accurate method for assessing change in peak oxygen consumption after cardiac rehabilitation?. 2018 , 38, 681-688	10
1070	Within/between-session reliability and agreement of lumbopelvic kinematics in the sagittal plane during functional movement control tasks in healthy persons. 2018 , 33, 90-98	6
1069	Reproducibility and validity of the Italian version of the International Physical Activity Questionnaire in obese and diabetic patients. 2018 , 41, 343-349	12
1068	Reliability and validity of a new accelerometer (Wimu®) system for measuring velocity during resistance exercises. 2018 , 232, 218-224	7
1067	Phases of match-play in professional Australian Football: Descriptive analysis and reliability assessment. 2018 , 21, 635-639	12
1066	Running Performance in Brazilian Professional Football Players During a Congested Match Schedule. 2018 , 32, 313-325	20
1065	Predictive ability of the medicine ball chest throw and vertical jump tests for determining muscular strength and power in adolescents. 2018 , 22, 79-87	13
1064	Vertical and Horizontal Jump Capacity in International Cerebral Palsy Football Players. 2018 , 13, 597-603	26
1063	Validity and Reliability of the Cycleops Hammer Cycle Ergometer. 2018 , 13, 853-859	15
1062	The validity and reliability of the GymAware linear position transducer for measuring counter-movement jump performance in female athletes. 2018 , 22, 101-107	28
1061	Reliability of "in-season" fitness assessments in youth elite soccer players: a working model for practitioners and coaches. 2018 , 2, 177-183	17
1060	Effect of Practice on Performance and Pacing Strategies During an Exercise Circuit Involving Load Carriage. 2018 , 32, 700-707	3
1059	Effects of jaw clenching wearing customized mouthguards on agility, power and vertical jump in male high-standard basketball players. 2018 , 16, 5-11	12
1058	Effects of posture and anatomical location on inter-recti distance measured using ultrasound imaging in parous women. 2018 , 34, 1-7	4
1057	Reliability of an adherence monitoring sensor embedded in an oral appliance used for treatment of obstructive sleep apnoea. 2018 , 45, 110-115	13

1056	Impact of Blood Flow Restriction Exercise on Muscle Fatigue Development and Recovery. 2018 , 50, 436-446	32
1055	Concurrent Validity and Reliability of a Linear Positional Transducer and an Accelerometer to Measure Punch Characteristics. 2018 , 32, 675-680	7
1054	The Reliability of Individualized Load-Velocity Profiles. 2018 , 13, 763-769	52
1053	A Reliable Testing Battery for Assessing Physical Qualities of Elite Academy Rugby League Players. 2018 , 32, 3232-3238	20
1052	Reliability of the knee muscle co-contraction index during gait in young adults with and without knee injury history. 2018 , 38, 17-27	7
1051	Reliability Characteristics and Applicability of a Repeated Sprint Ability Test in Young Male Soccer Players. 2018 , 32, 1538-1544	13
1050	Heart Rate Variability During Exercise: A Comparison of Artefact Correction Methods. 2018 , 32, 726-735	21
1049	Adaptation of a MR imaging protocol into a real-time clinical biometric ultrasound protocol for persons with spinal cord injury at risk for deep tissue injury: A reliability study. 2018 , 27, 32-41	9
1048	Reaction time can be measured during voluntary contractions with electrode array. 2018 , 38, 338-340	4
1047	Validity, Reliability, and Inertia of Four Different Temperature Capsule Systems. 2018 , 50, 169-175	44
1046	Relationships and Reliability Between a Drive Block Test and Traditional Football Performance Tests in High School Offensive Line Players. 2018 , 32, 3423-3432	5
1045	Accuracy of Type III Portable Monitors for Diagnosing Obstructive Sleep Apnea. 2018 , 3, 1-10	2
1044	Assessing Cardiorespiratory Fitness of Soccer Players: Is Test Specificity the Issue?-A Review. 2018 , 4, 28	5
1043	Enhancing simulations with intra-subject variability for improved psychophysical assessments. 2018 , 13, e0209839	1
1042	Validity and reliability of the WIMU inertial device for the assessment of the vertical jump. 2018 , 6, e4709	12
1041	Cervical spine kinematics measured during rugby union scrums: Reliability of optoelectronic and electromagnetic tracking systems. 2018 , 5, 1526758	0
1040	Intra- and inter-rater reproducibility of the 6-minute walk test and the 30-second sit-to-stand test in patients with severe and very severe COPD. 2018 , 13, 3447-3457	18
1039	Thoracic Kyphosis and Lumbar Lordosis Assessment by Radiography and Photogrammetry: A Review of Normative Values and Reliability. 2018 , 41, 712-723	7

1038	Inter-Day Reliability of Finapres Cardiovascular Measurements During Rest and Exercise. 2018 , 2, E9-E15	8
1037	Transcranial Magnetic Stimulation Measures in the Elderly: Reliability, Smallest Detectable Change and the Potential Influence of Lifestyle Habits. 2018 , 10, 379	13
1036	Developed wearable miniature sensor to diagnose initial perturbations of cardiorespiratory system. 2018 , 5, 231-235	10
1035	Comparison of Change of Direction Speed Performance and Asymmetries between Team-Sport Athletes: Application of Change of Direction Deficit. 2018 , 6,	17
1034	Quantifying skeletal muscle volume and shape in humans using MRI: A systematic review of validity and reliability. 2018 , 13, e0207847	31
1033	Utility of FMS to understand injury incidence in sports: current perspectives. 2018 , 9, 171-182	14
1032	Reliability and Accuracy of Ball Speed During Different Strokes in Young Tennis Players. 2018 , 2, E133-E141	1
1031	Quantification of a Professional Football Team's External Load Using a Microcycle Structure. 2018 , 32, 3511-3518	74
1030	Prévention en sport : quels outils ?. 2018 , 35, 176-181	
1029	L-Menthol mouth rinse or ice slurry ingestion during the latter stages of exercise in the heat provide a novel stimulus to enhance performance despite elevation in mean body temperature. 2018 , 118, 2435-2442	19
1028	Effect of knee angle on neuromuscular assessment of plantar flexor muscles: A reliability study. 2018 , 13, e0195220	8
1027	Comparison of different schedules of nocturnal home blood pressure measurement using an information/communication technology-based device in hypertensive patients. 2018 , 20, 1633-1641	12
1026	Faster physical performance recovery with cold water immersion is not related to lower muscle damage level in professional soccer players. 2018 , 78, 184-191	6
1025	Reliability of Submaximal Yo-Yo Tests in 9- to 16-Year-Old Untrained Schoolchildren. 2018 , 30, 537-545	3
1024	Myotonometry as a measure to detect myofascial trigger points: an inter-rater reliability study. 2018 , 39, 115004	11
1023	The Reliability of Neurological Measurement in the Vastus Medialis: Implications for Research and Practice. 2018 , 9, 1857	6
1022	The Satisfaction with Communication in Everyday Speaking Situations (SCESS) scale: An overarching outcome measure of treatment effect. 2018 , 58, 77-85	4
1021	A Method for Quantifying Interaction Forces in Wearable Robots*. 2018 ,	3

1020	Reliability, validity, and responsiveness of three scales for measuring balance in patients with chronic stroke. 2018 , 18, 141	37
1019	Validity of PowerTap P1 Pedals during Laboratory-Based Cycling Time Trial Performance. 2018 , 6,	6
1018	Inter-rater reliability and validity of angle measurements using smartphone applications for weight-bearing ankle dorsiflexion range of motion measurements. 2018 , 34, 113-120	6
1017	Cross-cultural adaptation and validation of the Arabic version of the Physical Activity Scale for the Elderly among community-dwelling older adults in Saudi Arabia. 2018 , 13, 419-427	10
1016	Are Ultrasound Measurements of Achilles Tendon Size Reliable? A Systematic Review of Rater Reliability. 2018 , 44, 2476-2491	4
1015	Test-retest reliability of knee extensors endurance test with elastic resistance. 2018 , 13, e0203259	12
1014	Concurrent Validity of a Portable Force Plate Using Vertical Jump Force-Time Characteristics. 2018 , 34, 410-413	30
1013	Evaluation of a graded exercise test to determine peak fat oxidation in individuals with low cardiorespiratory fitness. 2018 , 43, 1288-1297	6
1012	Measurement duration affects the calculation of whole body protein turnover kinetics but not between-day variability. 2018 , 87, 80-86	1
1011	Test procedures to assess somatosensory abnormalities in individuals with back pain: a systematic review of psychometric properties. 2018 , 23, 178-196	1
1010	Test-retest reliability of knee extensor rate of velocity and power development in older adults using the isotonic mode on a Biodex System 3 dynamometer. 2018 , 13, e0196838	16
1009	Assessment of Subjective Visual Vertical (SVV) Using the "Bucket Test" and the Virtual SVV System. 2018 , 27, 249-259	12
1008	Reliability analysis of a sensitive and independent stabilometry parameter set. 2018 , 13, e0195995	21
1007	Tests for the Assessment of Sport-Specific Performance in Olympic Combat Sports: A Systematic Review With Practical Recommendations. 2018 , 9, 386	30
1006	The reliability of postural control method in athletes with and without ACL reconstruction: a transitional task. 2018 , 30, 896-901	1
1005	How to Construct, Conduct and Analyze an Exercise Training Study?. 2018 , 9, 1007	50
1004	Repeated testing for the assessment of individual response to exercise training. 2018 , 124, 1567-1579	52
1003	Reliability and concurrent validity of the Velowin optoelectronic system to measure movement velocity during the free-weight back squat. 2018 , 13, 737-742	28

1002	Inertial Measurement Units for Clinical Movement Analysis: Reliability and Concurrent Validity. 2018 , 18,	110
1001	Player Monitoring in Indoor Team Sports: Concurrent Validity of Inertial Measurement Units to Quantify Average and Peak Acceleration Values. 2018 , 9, 141	23
1000	Between session reliability of heel-to-toe progression measurements in the stance phase of gait. 2018 , 13, e0200436	3
999	Handgrip force steadiness in young and older adults: a reproducibility study. 2018 , 19, 96	9
998	Quantification of upper limb position sense using an exoskeleton and a virtual reality display. 2018 , 15, 24	7
997	Isotropic morphometry and multicomponent T ₂ mapping of human knee articular cartilage in vivo at 3T. 2018 , 48, 1707-1716	7
996	Reliability and validity of a novel Kinect-based software program for measuring posture, balance and side-bending. 2018 , 19, 6	11
995	Construct validity and reliability of the Finnish version of the Knee Injury and Osteoarthritis Outcome Score. 2018 , 19, 155	4
994	An adaptive filtering algorithm to estimate sprint velocity using a single inertial sensor. 2018 , 21, 389-399	5
993	Reproducibility of isokinetic strength assessment of knee muscle actions in adult athletes: Torques and antagonist-agonist ratios derived at the same angle position. 2018 , 13, e0202261	16
992	Validity and reliability of evaluating hip abductor strength using different normalization methods in a functional electromechanical device. 2018 , 13, e0202248	11
991	Detecting Label Errors in Crowd-Sourced Smartphone Sensor Data. 2018 ,	1
990	Effects of an acute bout of dynamic stretching on biomechanical properties of the gastrocnemius muscle determined by shear wave elastography. 2018 , 13, e0196724	6
989	Principles of Statistics: What the Sports Medicine Professional Needs to Know. 2018 , 37, 375-386	7
988	Change in VO and time trial performance in response to high-intensity interval training prescribed using ventilatory threshold. 2018 , 118, 1811-1820	16
987	Sprint running kinematics and kinetics in pre-peak-height-velocity male children on a non-motorised treadmill: reliability and normative data. 2019 , 18, 256-263	2
986	Comfort assessment of running footwear: Does assessment type affect inter-session reliability?. 2019 , 19, 177-185	15
985	Reliability of heart rate responses both during and following a 6 min Yo-Yo IR1 test in highly trained youth soccer players. 2019 , 3, 14-20	4

984	Reliability and validity of the Zebris FDM-THQ instrumented treadmill during running trials. 2019 , 18, 501-514	13
983	Reliability of vulvar blood perfusion in women with provoked vestibulodynia using laser Doppler perfusion imaging and laser speckle imaging. 2019 , 121, 1-6	2
982	Reliability and Validity of a Maximal Treadmill Test for Predicting Aerobic Fitness in Norwegian Prospective Soldiers. 2019 , 184, e245-e252	5
981	Kinesiologyâ Tower of Babel: Advancing the Field with Consistent Nomenclature. 2019 , 71, 42-50	5
980	Validity and Reliability of a Wearable Inertial Sensor to Measure Velocity and Power in the Back Squat and Bench Press. 2019 , 33, 2398-2408	3 ¹
979	High relative reliability and responsiveness of the forgotten joint score-12 in patients with femoroacetabular impingement undergoing hip arthroscopic treatment. A prospective survey-based study. 2019 , 6, 149-156	10
978	Validation of Wearable Sensors during Team Sport-Specific Movements in Indoor Environments. 2019 , 19,	8
977	Validity and reliability of speed tests used in soccer: A systematic review. 2019 , 14, e0220982	25
976	Reliability of NIRS portable device for measuring intercostal muscles oxygenation during exercise. 2019 , 37, 2653-2659	5
975	Test-Retest Reliability of Skill Tests in the F-MARC Battery for Youth Soccer Players. 2019 , 126, 1006-1023	4
974	A New Tool for Breast Anthropometric Measurements: Presentation and Validation for Women and Men. 2019 , 43, 1160-1170	5
973	Validity and reliability of a Wi-Fi smart scale to estimate body composition. 2019 , 9, 839-846	3
972	Determination and validation of peak fat oxidation in endurance-trained men using an upper body graded exercise test. 2019 , 29, 1677-1690	2
971	Sustainable Social Enterprise Model: Relationships and Consequences. 2019 , 11, 3772	20
970	The patterns and possible causes of global geographical variation in the body size of the greater horseshoe bat (<i>Rhinolophus ferrumequinum</i>). 2019 , 46, 2363-2377	9
969	Reliability analyses and values of isometric shoulder flexion and trunk extension strengths stratified by body mass index. 2019 , 14, e0219090	3
968	Improving the measurement of TMS-assessed voluntary activation in the knee extensors. 2019 , 14, e0216981	7
967	Changes in DXA-derived lean mass and MRI-derived cross-sectional area of the thigh are modestly associated. 2019 , 9, 10028	29

966	Quantification of the validity and reliability of sprint performance metrics computed using inertial sensors: A systematic review. 2019 , 73, 26-38	9
965	Measurement accuracy and uncertainty in plant biomechanics. 2019 , 70, 3649-3658	11
964	A simple method for computing sprint acceleration kinetics from running velocity data: Replication study with improved design. 2019 , 94, 82-87	37
963	Rating of perceived exertion and velocity loss as variables for controlling the level of effort in the bench press exercise. 2022 , 21, 41-55	2
962	Feasibility and Reliability of a Physical Fitness Test Battery in Individuals with Down Syndrome. 2019 , 16,	6
961	Stochastic ordering of simulated rugby match activity produces reliable movements and associated measures of subjective task load, cognitive and neuromuscular function. 2019 , 37, 2506-2512	1
960	Intra- and inter-rater reproducibility of ultrasound imaging of patellar and quadriceps tendons in critically ill patients. 2019 , 14, e0219057	4
959	Agreement between spatiotemporal parameters from a photoelectric system with different filter settings and high-speed video analysis during running on a treadmill at comfortable velocity. 2019 , 93, 213-219	7
958	Psychometric properties of the Arabic version of the Activities-Specific Balance Confidence (ABC) scale in ambulatory, community-dwelling, elderly people. 2019 , 14, 1075-1084	2
957	Test-Retest Reliability of the Yo-Yo Test: A Systematic Review. <i>Sports Medicine</i> , 2019 , 49, 1547-1557	10.6 18
956	Reliability of Maximal Voluntary Isometric Contraction of Ankle Dorsiflexion in Male Subjects. 2019 , 353-357	1
955	Measures of maximal tactile pressures of a sustained grasp task using a TactArray device have satisfactory reliability and validity in healthy people. 2019 , 36, 249-261	1
954	Reliability and Agreement of the 10-Repetition Maximum Test in Breast Cancer Survivors. 2019 , 9, 918	7
953	Profiling elite male 100-m sprint performance: The role of maximum velocity and relative acceleration.. 2022 , 11, 75-84	3
952	Harnessing smartphone technology and three dimensional printing to create a mobile rehabilitation system, mRehab: assessment of usability and consistency in measurement. 2019 , 16, 127	8
951	Comment on: 'Reliability of a commercially available and algorithm-based kinetic analysis software compared to manual-based software'. 2019 , 1-3	1
950	Longitudinal Monitoring of Athletes: Statistical Issues and Best Practices. 2019 , 1, 217-227	5
949	Psychophysical or spinal reflex measures when assessing conditioned pain modulation?. 2019 , 23, 1879-1889	3

948	Reliability of the force-velocity-power variables during ice hockey sprint acceleration. 2022 , 21, 56-70	7
947	Measuring temporal and spatial accuracy in trampolining. 2019 , 22, 1	2
946	Reliability and validity of the finger flexor dynamometer. 2019 , 24, 82-90	
945	Qualities or skills discriminating under 19 rugby players by playing standards: a comparative analysis of elite, sub-elite and non-rugby players using the SCRuM test battery. 2019 , 12, 536	4
944	Importance of Agility Performance in Professional Futsal Players; Reliability and Applicability of Newly Developed Testing Protocols. 2019 , 16,	13
943	Reproducibility of post-exercise heart rate recovery indices: A systematic review. 2019 , 221, 102582	5
942	Post-activation potentiation effect of eccentric overload and traditional weightlifting exercise on jumping and sprinting performance in male athletes. 2019 , 14, e0222466	18
941	Intra-rater reliability, measurement precision, and inter-test correlations of 1RM single-leg leg-press, knee-flexion, and knee-extension in uninjured adult agility-sport athletes: Considerations for right and left unilateral measurements in knee injury control. 2019 , 40, 128-136	6
940	The effects of a sleep/recovery supplement: 'Night Time Recharge' on sleep parameters in young adults. 2019 , 25, 265-274	3
939	Validity and Reliability of a Commercially Available Indoor Tracking System to Assess Distance and Time in Court-Based Sports. 2019 , 10, 2076	5
938	Reliability of transcranial magnetic stimulation measures of afferent inhibition. 2019 , 1723, 146394	11
937	Agreement between the spatiotemporal gait parameters from two different wearable devices and high-speed video analysis. 2019 , 14, e0222872	13
936	Test-retest reliability of BSP, a battery of tests for assessing spatial cognition in visually impaired children. 2019 , 14, e0212006	3
935	Test-retest reliability measures for curve data: an overview with recommendations and supplementary code. 2019 , 1-22	9
934	Criterion Validity, Reliability and Usefulness of a Judo-Specific Maximal Aerobic Power Test. 2019 , 14, 987-993	9
933	Reliability, Usefulness, and Factorial Validity of Change-of-direction Speed Tests in Adolescent Basketball Players. 2019 , 33, 3162-3173	15
932	Practical Considerations for Assessing Pulmonary Gas Exchange and Ventilation During Flume Swimming Using the MetaSwim Metabolic Cart. 2019 , 33, 1941-1953	2
931	Developing Athlete Monitoring Systems in Team Sports: Data Analysis and Visualization. 2019 , 14, 698-705	17

930	The between-day reliability of peroneus longus EMG during walking. 2019 , 86, 243-246	9
929	Validation of an opto-electronic instrument for the measurement of execution velocity in squat exercise. 2021 , 20, 706-719	6
928	Experimentally quantifying the feasible torque space of the human shoulder. 2019 , 62, 102313	3
927	The reliability of force-velocity-power profiling during over-ground sprinting in children and adolescents. 2019 , 37, 2131-2137	1
926	Reliability of surface electromyography in estimating muscle fiber conduction velocity: A systematic review. 2019 , 48, 53-68	8
925	Monitoring Fatigue During Intermittent Exercise With Accelerometer-Derived Metrics. 2019 , 10, 780	13
924	Test-retest reliability of the Mini Nutritional Assessment and its relationship with quality of life in patients with stroke. 2019 , 14, e0218749	7
923	The Validity and Reliability of Live Football Match Statistics From Champdas Master Match Analysis System. 2019 , 10, 1339	9
922	The Submaximal Lateral Shuffle Test: A reliability and sensitivity analysis. 2019 , 37, 2066-2074	2
921	Official control and self-monitoring: Data agreement report in the integrated food safety system of an Italian dairy chain. 2019 , 97, 185-190	1
920	Wireless measurement of rectal temperature during exercise: Comparing an ingestible thermometric telemetric pill used as a suppository against a conventional rectal probe. 2019 , 83, 112-118	5
919	Validity and reliability of the Kinovea program in obtaining angles and distances using coordinates in 4 perspectives. 2019 , 14, e0216448	59
918	Audio-Based System for Automatic Measurement of Jump Height in Sports Science. 2019 , 19,	3
917	A novel approach to assessing validity in sports performance research: integrating expert practitioner opinion into the statistical analysis. 2019 , 3, 333-338	5
916	Isokinetic Strength Ratios: Conventional Methods, Current Limits and Perspectives. 2019 , 10, 567	6
915	Pilot Study Assessing the Influence of Skin Type on the Heart Rate Measurements Obtained by Photoplethysmography with the Apple Watch. 2019 , 43, 195	12
914	Issues in the determination of 'responders' and 'non-responders' in physiological research. 2019 , 104, 1215-1225	41
913	Test-retest reliability and minimal detectable change of the Cognitive Abilities Screening Instrument in patients with dementia. 2019 , 14, e0216450	8

912	Validity and Reliability of an Electronic Contact Mat for Drop Jump Assessment in Physically Active Adults. 2019 , 7,	8
911	The Ottawa Paramedic Physical Ability Test: test-retest reliability and analysis of sex-based performance differences. 2019 , 62, 1033-1042	2
910	Diagnostic accuracy, validity, and reliability of Tensiomyography to assess muscle function and exercise-induced fatigue in healthy participants. A systematic review with meta-analysis. 2019 , 47, 65-87	18
909	Multicentre assessment of motor and sensory evoked potentials in multiple sclerosis: reliability and implications for clinical trials. 2019 , 5, 2055217319844796	5
908	Analysis of Elasticity Index of a Bovine Beef by Quasi Static Elastography. 2019 , 47-50	
907	An Application of Reliability Estimation in Longitudinal Designs Through Modeling Item-Specific Error Variance. 2019 , 79, 1038-1063	
906	Reliability of methods to measure energy expenditure during and after resistance exercise. 2019 , 44, 1276-1282	2
905	Reliability of Teams' Game-Related Statistics in Basketball: Number of Games Required and Minimal Detectable Change. 2019 , 90, 297-306	4
904	Chester treadmill police tests as alternatives to 15-m shuttle running. 2019 , 69, 133-138	3
903	Application and interpretation of the yo-yo intermittent recovery test to the long-term physical development of girls association football players. 2019 , 3, 297-306	2
902	Assessment of Shoulder Range of Motion Using a Wireless Inertial Motion Capture Device-A Validation Study. 2019 , 19,	13
901	Concordance between C: C ratio technique respect to indirect calorimetry to estimate carbohydrate and Fat oxidation rates by means stoichiometric equations during exercise. A reliability and agreement study. 2019 , 7, e14053	2
900	Test-retest reliability and responsiveness of a comprehensive protocol for the assessment of muscle tone of the ankle plantar flexors in healthy subjects. 2019 , 27, 107-115	2
899	Reliability, Validity and Utility of Inertial Sensor Systems for Postural Control Assessment in Sport Science and Medicine Applications: A Systematic Review. <i>Sports Medicine</i> , 2019 , 49, 783-818	10.6 33
898	Reliability of Cognitive Measures in Individuals With a Chronic Spinal Cord Injury. 2019 , 11, 1278-1286	2
897	Long term reliability of nociceptive withdrawal reflex thresholds. 2019 , 320, 44-49	3
896	Relationship between External Load and Perceptual Responses to Training in Professional Football: Effects of Quantification Method. 2019 , 7,	17
895	Developmental activities and perceptions of challenge for National and Varsity women soccer players in Canada. 2019 , 43, 210-218	7

894	Methodological Approaches and Related Challenges Associated With the Determination of Critical Power and Curvature Constant. 2019 , 33, 584-596	37
893	Menstrual cycle-associated modulations in neuromuscular function and fatigability of the knee extensors in eumenorrheic women. 2019 , 126, 1701-1712	58
892	Validity and reliability of the WIMU [®] system to measure barbell velocity during the half-squat exercise. 2019 , 233, 408-415	6
891	Heat Acclimation Does Not Protect Trained Males from Hyperthermia-Induced Impairments in Complex Task Performance. 2019 , 16,	8
890	Using Unilateral Strength, Power and Reactive Strength Tests to Detect the Magnitude and Direction of Asymmetry: A Test-Retest Design. 2019 , 7,	35
889	Reliability and validity of the Kinect V2 for the assessment of lower extremity rehabilitation exercises. 2019 , 70, 330-335	21
888	Comparing accuracy between global positioning systems and ultra-wideband-based position tracking systems used for tactical analyses in soccer. 2019 , 19, 1157-1165	40
887	Tests to Measure Core Stability in Laboratory and Field Settings: Reliability and Correlation Analyses. 2019 , 35, 223-231	2
886	Effects of high-intensity interval training on microvascular glycocalyx and associated microRNAs. 2019 , 316, H1538-H1551	14
885	Reproducibility and Repeatability of Five Different Technologies for Bar Velocity Measurement in Resistance Training. 2019 , 47, 1523-1538	62
884	Ultrasonography comparison of diaphragm thickness and excursion between athletes with and without lumbopelvic pain. 2019 , 37, 128-137	25
883	Test-retest reliability of a hip strength assessment system in varsity soccer players. 2019 , 37, 138-143	12
882	Fixed Handheld Dynamometry Provides Reliable and Valid Values for Quadriceps Isometric Strength in People With Chronic Obstructive Pulmonary Disease: A Multicenter Study. 2019 , 99, 1255-1267	6
881	Verbal Encouragement and Between-Day Reliability During High-Intensity Functional Strength and Endurance Performance Testing. 2019 , 10, 460	8
880	Reliability of FORCE COMBAT [®] A Canadian army fitness objective. 2019 , 22, 591-595	3
879	Inter-day test-retest reliability and feasibility of isokinetic, isometric, and isotonic measurements to assess quadriceps endurance in people with chronic obstructive pulmonary disease: A multicenter study. 2019 , 16, 1479973118816497	10
878	Cognitive-motor interference in walking after stroke: test-retest reliability and validity of dual-task walking assessments. 2019 , 33, 1066-1078	5
877	Effects of moderate vs. high iso-inertial loads on power, velocity, work and hamstring contractile function after flywheel resistance exercise. 2019 , 14, e0211700	11

876	The validity and reliability of the Basketball Jump Shooting Accuracy Test. 2019 , 37, 1648-1654	8
875	Methodological issues with the assessment of voluntary activation using transcranial magnetic stimulation in the knee extensors. 2019 , 119, 991-1005	9
874	Test-retest reliability of elbow flexor contraction characteristics with tensiomyography for different elbow joint angles. 2019 , 45, 26-32	4
873	Reliability of the Motor Learning Strategies Rating Instrument in physiotherapy intervention for children with cerebral palsy. 2019 , 61, 1061-1066	9
872	Validity and Reliability of a Novel Integrative Motor Performance Testing Course for Seniors: The "Agility Challenge for the Elderly (ACE)". 2019 , 10, 44	3
871	Tracking and Comparing Self-Determined Motivation in Elite Youth Soccer: Influence of Developmental Activities, Age, and Skill. 2019 , 10, 304	5
870	Multi-joint rate of force development testing protocol affects reliability and the smallest detectable difference. 2019 , 37, 1570-1581	6
869	Reliability of two methods for identifying the timing of medium latency responses in subjects with and without chronic ankle instability. 2019 , 9, 3115	2
868	Individual flexion stiffness of ski boots. 2019 , 22 Suppl 1, S55-S59	
867	Reliability of peak foot pressure in patients with previous diabetic foot ulceration. 2019 , 70, 6-11	3
866	The validity of a head-worn inertial sensor for measurements of swimming performance. 2019 ,	1
865	Reliability of Squat Kinetics in Well-Trained Rugby Players: Implications for Monitoring Training. 2019 , 33, 2635-2640	2
864	Relationship Between Selected Physical Qualities, Bowling Kinematics, and Pace Bowling Skill in Club-Standard Cricketers. 2019 , 33, 2812-2825	9
863	Test-retest reliability of the twenty-five-hole peg test in patients who had a stroke. 2019 , 9, e032560	0
862	Validity of simplified, calibration-less exercise intensity measurement using resting heart rate during sleep: a method-comparison study with respiratory gas analysis. 2019 , 11, 27	7
861	Validity and Reliability of a New Specific Parkour Test: Physiological and Performance Responses. 2019 , 10, 1362	4
860	Dose-Response Matters! - A Perspective on the Exercise Prescription in Exercise-Cognition Research. 2019 , 10, 2338	47
859	Reliability of isokinetic knee strength measurements in children: A systematic review and meta-analysis. 2019 , 14, e0226274	14

858	Is the Functional Threshold Power a Valid Metric to Estimate the Maximal Lactate Steady State in Cyclists?. 2019 ,	12
857	Peripheral Vision Tests in Sports: Training Effects and Reliability of Peripheral Perception Test. 2019 , 16,	10
856	The inter-unit and inter-model reliability of GNSS STATSports Apex and Viper units in measuring peak speed over 5, 10, 15, 20 and 30 meters. 2019 , 36, 317-321	24
855	Validity of the wall goniometer as a screening tool to detect postural abnormalities in Parkinson's disease. 2019 , 69, 159-165	9
854	Effects of Ramadan Fasting on Recovery Following a Simulated Soccer Match in Professional Soccer Players: A Pilot Study. 2019 , 10, 1480	4
853	Changes in Muscle Strength, Jump, and Sprint Performance in Young Elite Basketball Players: The Impact of Combined High-Speed Resistance Training and Plyometrics. 2019 , 36,	4
852	Kinetics and Kinematics of the Squat and Step-up in Well-Trained Rugby Players. 2019 , 33 Suppl 1, S36-S44	1
851	Wearable Sleep Technology in Clinical and Research Settings. 2019 , 51, 1538-1557	115
850	The Reliability of Potential Fatigue-Monitoring Measures in Elite Youth Soccer Players. 2019 , 35,	8
849	Subjective sensitivity data: Considerations to treat heteroscedasticity. 2019 , 6, 1673086	5
848	Point-of-care testing for measuring haemolymph glucose in invertebrates is not a valid method. 2019 , 7, co2079	1
847	Limits in reliability of leg-spring and joint stiffness measures during single-leg hopping within a sled-based system. 2019 , 14, e0225664	
846	Reliability of the OptoJump Next System for Measuring Temporal Values in Elite Racewalking. 2019 , 33, 3438-3443	11
845	Reliability and Structural Validity of the Movement Assessment Battery for Children-2 in Croatian Preschool Children. 2019 , 7,	5
844	Eccentric versus Concentric - Which Is the Most Stressful Cardiovascularly and Metabolically?. 2019 , 18, 477-489	4
843	Predicting Soldier Task Performance From Physical Fitness Tests: Reliability and Construct Validity of a Soldier Task Test Battery. 2021 , 35, 2749-2755	3
842	Using Smartphones for Jump Diagnostics: A Brief Review of the Validity and Reliability of the My Jump App. 2019 , 41, 96-107	5
841	Measurement Properties and Feasibility of Repeated Sprint Ability Test: A Systematic Review. 2019 , 41, 41-61	4

840	The Reliability of Commonly Used Radiographic Parameters in the Evaluation of the Pre-Arthritic Hip: A Systematic Review. 2019 , 7, e3	4
839	Multijoint Musculoarticular Stiffness Derived From a Perturbation Is Highly Variable. 2021 , 35, 2498-2503	1
838	Acute Effect of Eccentric Overload Exercises on Change of Direction Performance and Lower-Limb Muscle Contractile Function. 2019 , 35,	13
837	Predicting Loading Intensity Measuring Velocity in Barbell Hip Thrust Exercise. 2021 , 35, 2075-2081	8
836	Joint model robustness compared with the time-varying covariate Cox model to evaluate the association between a longitudinal marker and a time-to-event endpoint. 2019 , 19, 222	9
835	Reliability and Concurrent Validity of Seven Commercially Available Devices for the Assessment of Movement Velocity at Different Intensities During the Bench Press. 2019 , 33, 1258-1265	80
834	Assessing the usefulness of acute physiological responses following resistance exercise: sensitivity, magnitude of change, and time course of measures. 2019 , 44, 309-319	5
833	The Reliability of Suprapatellar Transverse Sonographic Assessment of Femoral Trochlear Cartilage Thickness in Healthy Adults. 2019 , 38, 935-946	8
832	The Relationship of Throwing Arm Mechanics and Elbow Varus Torque: Letter to the Editor. 2019 , 47, NP1-NP5	5
831	Quantitative susceptibility mapping of articular cartilage in patients with osteoarthritis at 3T. 2019 , 49, 1665-1675	12
830	Reliability and validity of field-based fitness tests in youth soccer players. 2019 , 19, 745-756	23
829	Reliability of a wearable sweat rate monitor and routine sweat analysis techniques under heat stress in females. 2019 , 79, 209-217	5
828	Velocity and Power-Load Association of Bench Press Exercise in Wheelchair Basketball Players and Their Relationships With Field-Test Performance. 2019 , 14, 880-886	6
827	Reliability of Overground Running Measures from 2D Video Analyses in a Field Environment. 2018 , 7,	7
826	Reproducibility of Hemodynamic, Cardiac Autonomic Modulation, and Blood Flow Assessments in Patients with Intermittent Claudication. 2019 , 57, 144-151	
825	Peak torque, rate of torque development and average torque of isometric ankle and elbow contractions show excellent test-retest reliability. 2019 , 39, 67-76	0
824	Assessing the influence of fasted and postprandial states on day-to-day variability of appetite and food preferences. 2019 , 199, 219-228	2
823	Measured and derived parameters of isokinetic fatigability of knee muscles: What can we apply, what should we not?. 2019 , 27, 41-54	2

822	Dietary assessment of pre-diabetic patients by using food frequency questionnaire. A systematic review of study quality, study outcome, study questionnaire and their relative validity and reliability. 2019 , 29, 213-223	3
821	Measurement properties of the OARSI core set of performance-based measures for hip osteoarthritis: a prospective cohort study on reliability, construct validity and responsiveness in 90 hip osteo-arthritis patients. 2019 , 90, 15-20	10
820	Introducing a novel test with unanticipated medial/lateral diagonal hops that reliably captures hip and knee kinematics in healthy women. 2019 , 82, 70-79	3
819	Correlation between spinal and pelvic movements during gait and aggravation of low back pain by gait loading in lumbar spinal stenosis patients. 2019 , 24, 207-213	5
818	How long is required to undertake step variability analysis during running? A pilot study. 2019 , 27, 63-67	
817	CORP: Measurement of upper and lower limb muscle strength and voluntary activation. 2019 , 126, 513-543	23
816	Prediction of power output at different running velocities through the two-point method with the Stryd power meter. 2019 , 68, 238-243	11
815	Reliability of behavioral tests in the middle cerebral artery occlusion model of rat. 2019 , 53, 478-490	4
814	A comparison of two global positioning system devices for team-sport running protocols. 2019 , 83, 324-328	8
813	Agreement Between the Spatiotemporal Gait Parameters of Healthy Adults From the OptoGait System and a Traditional Three-Dimensional Motion Capture System. 2019 , 141,	14
812	The reliability of a modified 505 test and change-of-direction deficit time in elite youth football players. 2019 , 3, 157-162	13
811	Four Weeks of Finger Grip Training Increases the Rate of Force Development and the Maximal Force in Elite and Top World-Ranking Climbers. 2019 , 33, 2471-2480	14
810	The long-term development of volleyball game play performance using Sport Education and the Step-Game-Approach model. 2019 , 25, 311-326	11
809	Between-Game Variation of Physical Soccer Performance Measures in Highly Trained Youth Soccer Players. 2019 , 33, 1912-1920	8
808	Reliability of the Maximal Resisted Sprint Load Test and Relationships With Performance Measures and Anthropometric Profile in Female Field Sport Athletes. 2019 , 33, 1703-1713	6
807	Intrarater Reliability of Muscle Strength and Hamstring to Quadriceps Strength Imbalance Ratios During Concentric, Isometric, and Eccentric Maximal Voluntary Contractions Using the Isoforce Dynamometer. 2019 , 29, 69-77	6
806	The OARSI core set of performance-based measures for knee osteoarthritis is reliable but not valid and responsive. 2019 , 27, 2898-2909	22
805	Reliability of force-velocity relationships during deadlift high pull. 2019 , 18, 277-288	1

804	Dynamic Handgrip Strength Endurance: A Reliable Measurement in Older Women. 2019 , 42, E51-E56	6
803	Assessing Asymmetries in Change of Direction Speed Performance: Application of Change of Direction Deficit. 2019 , 33, 2953-2961	47
802	Validity and Reliability of an On-Court Fitness Test for Assessing and Monitoring Aerobic Fitness in Squash. 2019 , 33, 1400-1407	5
801	Reliability, validity and minimal detectable change of the Mini-BESTest in Greek participants with chronic stroke. 2019 , 35, 171-182	10
800	Supersonic Shear Imaging Elastography in Skeletal Muscles: Relationship Between In Vivo and Synthetic Fiber Angles and Shear Modulus. 2019 , 38, 81-90	3
799	Test-retest reliability of the Wii Balance Board for assessing standing balance in young people with intellectual disability. 2017 , 65, 231-238	3
798	Isokinetic trunk flexion-extension protocol to assess trunk muscle strength and endurance: Reliability, learning effect, and sex differences. 2020 , 9, 692-701	16
797	Importance of Strength and Power on Key Performance Indicators in Elite Youth Soccer. 2020 , 34, 2006-2014	20
796	Upper-Body Strength Measures and Pop-Up Performance of Stronger and Weaker Surfers. 2020 , 34, 2982-2989	4
795	Reliability and Validity of Integrated External and Internal Load Ratios as Measures of Fitness in Academy Rugby Union Players. 2020 , 34, 1723-1730	4
794	Validity and Reliability of the Stages Cycling Power Meter. 2020 , 34, 3554-3559	7
793	Assessment of Loaded Squat Jump Height With a Free-Weight Barbell and Smith Machine: Comparison of the Takeoff Velocity and Flight Time Procedures. 2020 , 34, 671-677	11
792	Reliability and validity of the Greek shoulder pain and disability index in patients with shoulder pain. 2020 , 42, 1299-1304	4
791	Postural control quantification in minimally and moderately impaired persons with multiple sclerosis: The reliability of a posturographic test and its relationships with functional ability. 2020 , 9, 677-684	1
790	The Computerized General Neuropsychological INPH Test revealed improvement in idiopathic normal pressure hydrocephalus after shunt surgery. 2019 , 132, 733-740	3
789	Reliability of pain pressure threshold algometry in persons with conservatively managed wrist fractures. 2020 , 25, e1797	3
788	Impaired Performance of the Smash Stroke in Badminton Induced by Muscle Fatigue. 2019 , 1-8	3
787	Comparison of a Countermovement Jump Test and Submaximal Run Test to Quantify the Sensitivity for Detecting Practically Important Changes Within High-Performance Australian Rules Football. 2019 , 1-17	3

786	Influence of the Box Dimensions on the Reliability and Validity of the Sit and Reach in Preschoolers. 2020 , 34, 2683-2692	0
785	Test-Retest Reliability of a Commercial Linear Position Transducer (GymAware PowerTool) to Measure Velocity and Power in the Back Squat and Bench Press. 2020 , 34, 728-737	41
784	A review of the reliability of biomechanical variables produced during the isometric mid-thigh pull and isometric squat and the reporting of normative data. 2020 , 19, 1-25	25
783	Validity and test-retest reliability of the six-spot step test in persons after stroke. 2020 , 36, 211-218	3
782	Reliability of centre of pressure, plantar pressure, and plantar-flexion isometric strength measures: A systematic review. 2020 , 75, 46-62	14
781	Influence of RunScribeâplacement on the accuracy of spatiotemporal gait characteristics during running. 2020 , 234, 11-18	3
780	Validity and reliability of an optoelectronic system to measure movement velocity during bench press and half squat in a Smith machine. 2020 , 234, 88-97	1
779	Methodology and reliability of respiratory muscle assessment. 2020 , 273, 103321	1
778	Short-term repeatability of electrocardiographic criteria of left ventricular hypertrophy. 2020 , 25, e12688	3
777	The Reliability and Validity of the Fitjump Photoelectric Cell System for Determining Vertical Jump Height. 2020 , 24, 56-64	7
776	Intraday and interday reliability of pelvic floor muscles electromyography in continent woman. 2020 , 39, 271-278	3
775	The 30-15 Intermittent Fitness Test: A Reliable, Valid, and Useful Tool to Assess Aerobic Capacity in Female Basketball Players. 2020 , 91, 83-91	6
774	Measuring lower limb circumference and volume - introduction of a novel optical 3D volumetric measurement system. 2020 , 65, 237-241	5
773	Variability in exercise physiology: Can capturing -individual variation help better understand true -individual responses?. 2020 , 20, 452-460	12
772	A new field test to estimate the aerobic and anaerobic thresholds and maximum parameters. 2020 , 20, 437-443	4
771	Minimal Detectable Change for Balance Using the Biodex Balance System in Patients with Parkinson Disease. 2020 , 12, 281-287	4
770	The influence of youth soccer players' sprint performance on the different sided games' external load using GPS devices. 2020 , 28, 194-205	19
769	A Method to Stop Analyzing Random Error and Start Analyzing Differential Responders to Exercise. <i>Sports Medicine</i> , 2020 , 50, 231-238	10.6 17

768	Evaluation of a sport-specific field test to determine maximal lactate accumulation rate and sprint performance parameters in running. 2020 , 23, 27-34	6
767	Determining Real Change in Conditioned Pain Modulation: A Repeated Measures Study in Healthy Volunteers. 2020 , 21, 708-721	8
766	A novel test reliably captures hip and knee kinematics and kinetics during unanticipated/anticipated diagonal hops in individuals with anterior cruciate ligament reconstruction. 2020 , 99, 109480	2
765	Blood-borne fatigue markers during major international football tournaments â retrospective analysis of data from the FIFA World Championships and UEFA European Championships 2006 â 2016. 2020 , 4, 135-141	5
764	Device and method matter: A critical evaluation of eccentric hamstring muscle strength assessments. 2020 , 30, 217-226	15
763	Assessment of Functional Performance in Acute Geriatric Psychiatry - Time for New Strategies?. 2020 , 33, 316-323	3
762	A study on the validity and reliability of the Turkish version of the Clinical Chronic Obstructive Pulmonary Disease Questionnaire. 2020 , 33, 379-385	
761	Validation of the Cosmed K4b2 Portable Metabolic System During Running Outdoors. 2020 , 34, 124-133	7
760	Reliability of the Scapula Reposition Test in Subjects with Rotator Cuff Tendinopathy and Scapular Dyskinesis. 2019 , 9,	1
759	Agility Testing in Youth Football (Soccer)Players; Evaluating Reliability, Validity, and Correlates of Newly Developed Testing Protocols. 2020 , 17,	18
758	Validity of various portable devices to measure sit-to-stand velocity and power in older adults. 2020 , 76, 409-414	4
757	Association Between Performance in Muscle Fitness Field Tests and Skeletal Muscle Mass in Soldiers. 2020 , 185, e839-e846	5
756	Test-Retest Variability in the Characteristics of Envelope Following Responses Evoked by Speech Stimuli. 2020 , 41, 150-164	10
755	Short-term HRV in young adults for momentary assessment of acute mental stress. 2020 , 57, 101746	5
754	Reference equation for maximal voluntary ventilation in children and adolescents. 2020 , 55, 426-432	2
753	Reliability of the conditioned pain modulation paradigm across three anatomical sites. 2020 , 20, 283-296	3
752	Quantitative assessment of the pivot shift test with smartphone accelerometer. 2020 , 28, 2494-2501	4
751	Application of a biomechanical model and combinatorial optimization to determine lower limb joints torsional stiffness in human landing. 2020 , 234, 241-255	2

750	Reliability and Validity of a New Portable Tethered Sprint Running Test as a Measure of Maximal Anaerobic Performance. 2020 , 34, 2197-2204	2
749	Babbling and consonant production in children with hearing impairment who use hearing aids or cochlear implants - a pilot study. 2020 , 45, 172-180	7
748	Changes in Bench Press Velocity and Power After 8 Weeks of High-Load Cluster- or Traditional-Set Structures. 2020 , 34, 2734-2742	13
747	IoT ink pen for ecological monitoring of daily life handwriting. 2020 , 2020, 5749-5752	2
746	Reliability of gait parameters in male and female healthy adults during self-paced treadmill-based walking. 2020 , 27, 1-18	1
745	Test-Retest Reliability of Velocity and Power in the Deadlift and Squat Exercises Assessed by the GymAware PowerTool System. 2020 , 11, 561682	4
744	Sit-To-Stand Movement Evaluated Using an Inertial Measurement Unit Embedded in Smart Glasses-A Validation Study. 2020 , 20,	3
743	Me-too validation study for in vitro skin irritation test with a reconstructed human epidermis model, KeraSkin® for OECD test guideline 439. 2020 , 117, 104725	1
742	Weekly vagal modulations and their associations with physical fitness and physical activity. 2021 , 21, 1326-1336	6
741	Evaluation of the Pose Tracking Performance of the Azure Kinect and Kinect v2 for Gait Analysis in Comparison with a Gold Standard: A Pilot Study. 2020 , 20,	60
740	Test-retest reliability of the Performance of Upper Limb (PUL) module for muscular dystrophy patients. 2020 , 15, e0239064	3
739	Using Velocity to Predict the Maximum Dynamic Strength in the Power Clean. 2020 , 8,	3
738	Psychometric properties of Meaningful Activity Participation Assessment (MAPA) in chronic stroke survivors. 2021 , 28, 422-431	0
737	Validation of the Polar V800 heart rate monitor and comparison of artifact correction methods among adults with hypertension. 2020 , 15, e0240220	5
736	Good test-retest reliability of a paired-pulse transcranial magnetic stimulation protocol to measure short-interval intracortical facilitation. 2020 , 238, 2711-2723	4
735	Angular ranges as a reliable isokinetic method to assess shoulder rotator muscles. 2020 , 84, 16-20	
734	No relationship between the nordic hamstring and two different isometric strength tests to assess hamstring muscle strength in professional soccer players. 2020 , 46, 97-103	3
733	Validity of Using Velocity to Estimate Intensity in Resistance Exercises in Men and Women. 2020 , 41, 1047-1055	10

732	Feasibility and reliability of the Assessing Levels of Physical Activity health-related fitness test battery in adults with intellectual disabilities. 2020 , 64, 612-628	3
731	Accuracy and reliability of Sage Analytics tracking system based on UWB technology for indoor team sports. 2020 , 20, 800-807	1
730	Analysis of end-spurt behaviour in elite 800-m and 1500-m freestyle swimming. 2021 , 21, 1628-1636	1
729	Wingate Test, When Time and Overdue Fatigue Matter: Validity and Sensitivity of Two Time-Shortened Versions. 2020 , 10, 8002	4
728	Heart Rate Variability and Direct Current Measurement Characteristics in Professional Mixed Martial Arts Athletes. 2020 , 8,	4
727	Test-Retest Reliability of Kinematic Assessments for Upper Limb Robotic Rehabilitation. 2020 , 28, 2035-2042	2
726	Acute Effects of ACL Injury-Prevention Warm-Up and Soccer-Specific Fatigue Protocol on Dynamic Knee Valgus in Youth Male Soccer Players. 2020 , 17,	8
725	Reliability of a musculoskeletal profiling test battery in elite academy soccer players. 2020 , 15, e0236341	5
724	Familiarization and Reliability of the Isometric Knee Extension Test for Rapid Force Production Assessment. 2020 , 10, 4499	5
723	The validity and reproducibility of perceptually regulated exercise responses during combined arm + leg cycling. 2020 , 120, 2203-2212	2
722	Increases in speed do not change gait symmetry or variability in world-class race walkers. 2020 , 38, 2758-2764	4
721	Biomechanical measures of short-term maximal cycling on an ergometer: a test-retest study. 2020 , 1-19	3
720	Energy expenditure estimation of a moderate-intensity strength training session. 2020 , 7,	1
719	Normalizing gastrocnemius muscle EMG signal: An optimal set of maximum voluntary isometric contraction tests for young adults considering reproducibility. 2020 , 82, 196-202	0
718	Post flywheel squat vs. flywheel deadlift potentiation of lower limb isokinetic peak torques in male athletes. 2020 , 1-14	6
717	Development and reliability of a test for assessing executive functions during exercise. 2020 , 1-11	4
716	Concurrent Validity, Test-Retest Reliability, and Sensitivity to Change of a Single Body-Fixed Sensor for Gait Analysis during Rollator-Assisted Walking in Acute Geriatric Patients. 2020 , 20,	5
715	Validity and Reliability of a Photoelectric Cells System for the Evaluation of Change of Direction and Lateral Jumping Abilities in Collegiate Basketball Athletes. 2020 , 5,	2

714	Accelerometry as a method for external workload monitoring in invasion team sports. A systematic review. 2020 , 15, e0236643	24
713	Effects of Dietary Nitrates on Time Trial Performance in Athletes with Different Training Status: Systematic Review. 2020 , 12,	2
712	Validation and Application of Two New Core Stability Tests in Professional Football. 2020 , 10, 5495	3
711	Validation of mDurance, A Wearable Surface Electromyography System for Muscle Activity Assessment. 2020 , 11, 606287	12
710	Absolute reliability and validity of the OptoGait™ system to measure spatiotemporal gait parameters during running. 2020 , 175433712097740	
709	The Test-Retest Repeatability of a Rhythm Coordination Test Procedure in 4- to 6-Year-Old Children: A Pilot Study. 2020 , 3, 205920432096228	
708	Effects of artificial CO-rich cold-water immersion on repeated-cycling work efficiency. 2020 , 1-12	2
707	Proposal for a Method to Measure the Range of Dart-Throwing Motion.. 2020 , 2, 226-231	
706	A Pilot Study of the Reliability and Agreement of Heart Rate, Respiratory Rate and Short-Term Heart Rate Variability in Elite Modern Pentathlon Athletes. 2020 , 10,	9
705	A Novel Method for Gait Analysis on Center of Pressure Excursion Based on a Pressure-Sensitive Mat. 2020 , 17,	3
704	Test-Retest Reliability of Handgrip Strength Measurement in Children and Preadolescents. 2020 , 17,	6
703	Translation, cross-cultural adaptation and validation of the Slovenian version of Harris Hip Score. 2020 , 18, 335	2
702	Group versus Individualised Minimum Velocity Thresholds in the Prediction of Maximal Strength in Trained Female Athletes. 2020 , 17,	2
701	Detection of congestive heart failure by Doppler echocardiography in cats with hypertrophic cardiomyopathy. 2020 , 34, 1091-1101	6
700	Task-specific strength increases after lower-limb compound resistance training occurred in the absence of corticospinal changes in vastus lateralis. 2020 , 105, 1132-1150	10
699	A Meta-Analysis of the Reliability of Four Field-Based Trunk Extension Endurance Tests. 2020 , 17,	6
698	Polish adaptation and validation of the hip disability and osteoarthritis outcome score (HOOS) in osteoarthritis patients undergoing total hip replacement. 2020 , 18, 135	1
697	Intrarater reliability and validity of outcome measures in myotonic dystrophy type 1. 2020 , 94, e2508-e2520	1

696	Test-retest reliability of the 30-15 Intermittent Fitness Test: A systematic review. 2021 , 10, 413-418	6
695	Factors influencing bilateral deficit and inter-limb asymmetry of maximal and explosive strength: motor task, outcome measure and muscle group. 2020 , 120, 1681-1688	12
694	Thigh loaded wearable resistance increases sagittal plane rotational work of the thigh resulting in slower 50-m sprint times. 2020 , 1-12	6
693	Running power meters and theoretical models based on laws of physics: Effects of environments and running conditions. 2020 , 223, 112972	7
692	Reliability of a Repeated High-Intensity Effort Test for Elite Rugby Union Players. 2020 , 8,	4
691	The day-to-day reliability of peak fat oxidation and FAT. 2020 , 120, 1745-1759	10
690	Reliability of short-term measurements of heart rate variability: Findings from a longitudinal study. 2020 , 154, 107905	10
689	Reliability of two-dimensional measures associated with bilateral drop-landing performance. 2020 , 39-47	5
688	Reliability of technologies to measure the barbell velocity: Implications for monitoring resistance training. 2020 , 15, e0232465	19
687	Comparison of the bench press one-repetition maximum obtained by different procedures: Direct assessment vs. lifts-to-failure equations vs. two-point method. 2020 , 15, 337-346	8
686	Reliability of gastrointestinal barrier integrity and microbial translocation biomarkers at rest and following exertional heat stress. 2020 , 8, e14374	12
685	Test-retest reliability of the OptoGait system for the analysis of spatiotemporal running gait parameters and lower body stiffness in healthy adults. 2020 , 234, 154-161	4
684	Step width variability as a discriminator of age-related gait changes. 2020 , 17, 41	8
683	The Contribution of Functional Magnetic Resonance Imaging to the Understanding of the Effects of Acute Physical Exercise on Cognition. 2020 , 10,	14
682	The development of postural control among children: Repeatability and normative data for computerized dynamic posturography system. 2020 , 78, 40-47	5
681	Investigation of the Correlation between Factors Influencing the Spectrum of Center of Pressure Measurements Using Dynamic Controlled Models of the Upright Stand and Subject Measurements. 2020 , 10, 3741	3
680	Normalized maximal rate of torque development during voluntary and stimulated static contraction in human tibialis anterior: Influence of age. 2020 , 138, 110999	6
679	Can Hip Joint Position affect Quadriceps Muscle Responses during Knee Extension Exercise?. 2020 , 41, 929-935	0

678	Reproducibility of 24-h heart rate variability measures in preterm infants born at 28-32 weeks of gestation. 2020 , 148, 105117	3
677	Comparison of head impact measurements via an instrumented mouthguard and an anthropometric testing device. 2020 , 23, 1	6
676	Validity and Reliability of a New Test of Change of Direction in Fencing Athletes. 2020 , 17,	5
675	Men's and Women's World Championship Marathon Performances and Changes With Fatigue Are Not Explained by Kinematic Differences Between Footstrike Patterns. 2020 , 2, 102	2
674	Reproducibility of Internal and External Training Load During Recreational Small-Sided Football Games. 2020 , 91, 676-681	2
673	Biomechanical and Physiological Responses to 120 Min. of Soccer-Specific Exercise. 2020 , 91, 692-704	3
672	Practice Effects and Test-Retest Reliability of the Continuous Performance Test, Identical Pairs Version in Patients with Schizophrenia over Four Serial Assessments. 2020 , 35, 545-552	2
671	Validity and reliability of a computer-vision-based smartphone app for measuring barbell trajectory during the snatch. 2020 , 38, 710-716	8
670	Does the number of trials affect the reliability of handgrip strength measurement in individuals with intellectual disabilities?. 2020 , 39, 223-228	0
669	Reliability and agreement of human renal and segmental artery hemodynamics measured using Doppler ultrasound. 2020 , 128, 627-636	5
668	Comparison of different rating scales for the use in Delphi studies: different scales lead to different consensus and show different test-retest reliability. 2020 , 20, 28	19
667	Progressions of core stabilization exercises based on postural control challenge assessment. 2020 , 120, 567-577	3
666	Validity and Reliability of an Inertial Device for Measuring Dynamic Weight-Bearing Ankle Dorsiflexion. 2020 , 20,	5
665	Feasibility and reliability of a physical fitness tests battery for adults with intellectual disabilities: The SAMU DIS-FIT battery. 2020 , 13, 100886	6
664	The influence of maturation on the reliability of the Nordic hamstring exercise in male youth footballers. 2020 , 3, 148-153	2
663	Kinematic and kinetic variability associated with the cable put and seated rotation assessments. 2020 , 38, 597-606	
662	Yo-Yo Intermittent Recovery Level 1 Test for Estimation of Peak Oxygen Uptake: Use Without Restriction?. 2020 , 91, 478-487	3
661	Intra- and Inter-Rater Reliability of Manual Feature Extraction Methods in Movement Related Cortical Potential Analysis. 2020 , 20,	

660	Performance assessment in full-scale simulators âA case of maritime pilotage operations. 2020 , 129, 104775	6
659	Reliability of repeat golf club testing sessions with modified club moment of inertia. 2020 , 23, 1	0
658	Myotonometry for the evaluation of Achilles tendon mechanical properties: a reliability and construct validity study. 2020 , 6, e000726	11
657	Validity and Reliability of a New Inertial Device for Monitoring Range of Motion at the Pelvis during Sexual Intercourse. 2020 , 17,	3
656	Reliability of Change of Direction and Agility Assessments in Youth Soccer Players. 2020 , 8,	10
655	Reliability of gait and dual-task measures in multiple sclerosis. 2020 , 78, 19-25	4
654	Validity of a wearable sweat rate monitor and routine sweat analysis techniques using heat acclimation. 2020 , 90, 102577	1
653	Reliability and agreement of a novel portable laser height metre. 2020 , 15, e0231449	1
652	Reliability of walking speed in basic and complex conditions in healthy, older community-dwelling individuals. 2021 , 33, 311-317	3
651	Brief cycles of lower-limb occlusion accelerate recovery kinetics in soccer players. 2021 , 49, 143-150	4
650	The effects of transcranial direct current stimulation on corticospinal and cortico-cortical excitability and response variability: Conventional versus high-definition montages. 2021 , 166, 12-25	8
649	Number of Trials Needed to Assess Postural Control of Young Adults in Single and Dual-Task. 2021 , 53, 30-39	3
648	Chronic Beetroot Juice Supplementation Accelerates Recovery Kinetics following Simulated Match Play in Soccer Players. 2021 , 40, 61-69	6
647	Absolute Reliability and Concurrent Validity of the Stryd System for the Assessment of Running Stride Kinematics at Different Velocities. 2021 , 35, 78-84	17
646	Reliability, Sensitivity, and Minimal Detectable Change of a New Specific Climbing Test for Assessing Asymmetry in Reach Technique. 2021 , 35, 527-534	2
645	Effect of Varying Self-myofascial Release Duration on Subsequent Athletic Performance. 2021 , 35, 746-753	26
644	Validation of an opto-electronic instrument for the measurement of weighted countermovement jump execution velocity. 2021 , 20, 150-164	7
643	Placement effects of inertial measurement units on contact identification in wheelchair racing. 2021 , 20, 55-70	1

642	Reliability of cable downswing load-velocity performance in golf swings. 2021 , 20, 230-237	0
641	Test-retest reliability of segment kinetic energy measures in the golf swing. 2021 , 20, 344-359	0
640	Rate of force development and maximal force: reliability and difference between non-climbers, skilled and international climbers. 2021 , 20, 495-506	9
639	Use of transcranial magnetic stimulation to assess relaxation rates in unfatigued and fatigued knee-extensor muscles. 2021 , 239, 205-216	3
638	Physical activity, dietary habits and sleep quality before and during COVID-19 lockdown: A longitudinal study. 2021 , 158, 105019	95
637	Validity of Vertical Jump Measurement Systems. 2021 , 25, 95-100	3
636	Photopic negative response using a handheld mini-ganzfeld stimulator in healthy adults: normative values, intra- and inter-session variability. 2021 , 142, 153-163	2
635	Inter-individual differences in body mass index were not observed as a result of aerobic exercise in children and adolescents with overweight and obesity. 2021 , 16, e12692	3
634	The use of a running power-meter for performance analysis in five-a-side football. 2021 , 83, 35-43	1
633	Validity and reliability of a flywheel squat test in sport. 2021 , 39, 482-488	5
632	The effects of dry-land strength training on competitive sprinter swimmers. 2021 , 19, 32-39	4
631	Back foot influence on dorsiflexion using three different positions of the weight bearing lunge test. 2021 , 47, 1-6	1
630	Analysis of dynamic balance in preschool children through the balance beam test: A cross-sectional study providing reference values. 2021 , 83, 294-299	2
629	Inertial measurement units are all good? Inter-trial reliability when assessing upper and lower body impact loading in artistic gymnastics. 2021 , 16, 380-390	4
628	Effects of pimobendan on left atrial transport function in cats. 2021 , 35, 10-21	3
627	Myths and methodologies: Reliability of forearm cutaneous vasodilatation measured using laser-Doppler flowmetry during whole-body passive heating. 2021 , 106, 634-652	2
626	Reliability of walking and stair climbing kinematics in a young obese population using a standard kinematic and the CGM2 model. 2021 , 83, 96-99	2
625	Reliability of a point-of-care device to determine oxidative stress in whole blood before and after acute exercise: A practical approach for the applied sports sciences. 2021 , 39, 673-682	3

624	Reliability of postural control during double-leg standing in subjects with nonspecific chronic low back pain: Dual-task paradigm and manipulated visual and somatosensory inputs. 2021 , 26, 49-56	0
623	Variability of professional soccer players' perceived match load after successive matches. 2021 , 29, 349-363	1
622	Myths and methodologies: Reliability of non-invasive estimates of cardiac autonomic modulation during whole-body passive heating. 2021 , 106, 593-614	1
621	Regional variation in the reliability of sweat rate measured via the ventilated capsule technique during passive heating. 2021 , 106, 615-633	1
620	Reliability of body composition assessment using A-mode ultrasound in a heterogeneous sample. 2021 , 75, 438-445	1
619	The influence of the offside rule on players' positional dynamics in soccer small-sided games.. 2021 , 5, 144-149	5
618	A standardized framework for testing the performance of sleep-tracking technology: step-by-step guidelines and open-source code. 2021 , 44,	24
617	Determination of Maximum Accumulated Oxygen Deficit Using Backward Extrapolation. 2021 , 42, 161-168	0
616	The reliability of a linear position transducer and commercially available accelerometer to measure punching velocity in junior boxing athletes. 2021 , 16, 200-209	1
615	Intra- and inter-tester reliability of spasticity assessment in standing position in children and adolescents with cerebral palsy using a paediatric exoskeleton. 2021 , 43, 1001-1007	3
614	Concurrent validity and reliability of telerehabilitation-based physiotherapy assessment of cervical spine in adults with non-specific neck pain. 2021 , 27, 88-97	7
613	Inter and intraexaminer reliability of a new method of infrared thermography analysis of patellar tendon. 2021 , 18, 127-139	2
612	Absolute reliability and agreement between Stryd and RunScribe systems for the assessment of running power. 2021 , 235, 182-187	1
611	Estimation of maximum sprinting speed with timing gates: greater accuracy of 5-m split times compared to 10-m splits. 2021 , 1-11	8
610	Impact of respiratory motion on liver stiffness measurements according to different shear wave elastography techniques and region of interest methods: a phantom study. 2021 , 40, 103-114	2
609	Translation, cross-cultural adaptation and psychometric evaluation of the Greek version of the Western Ontario Meniscal Evaluation Tool (WOMET). 1-7	
608	Test-retest reliability and convergent validity of the test of nonverbal intelligence-fourth edition in patients with schizophrenia. 2021 , 21, 39	2
607	The Self-Paced Submaximal Run Test: Associations With the Graded Exercise Test and Reliability. 2021 , 1-9	0

606	Reliability and Validity of the Lactate Pro 2 Analyzer. 2021 , 25, 202-211	5
605	Within-session test-retest reliability of pressure pain threshold and mechanical temporal summation in healthy subjects. 2021 , 16, e0245278	5
604	Validity and Reliability of a Snatch Pull Test to Model the Force-Velocity Relationship in Male Elite Weightlifters. 2021 ,	1
603	The trail-making-test: Comparison between paper-and-pencil and computerized versions in young and healthy older adults. 2021 , 1-13	2
602	The Effects of Attentional Focus on TestâRetest Reliability of Jumping Tasks. 1-8	1
601	Reverse lactate threshold test accurately predicts maximal lactate steady state and 5 km performance in running. 2021 , 38, 285-290	2
600	Physical profiling of international cricket players: an investigation between bowlers and batters.. 2021 , 38, 507-515	0
599	Predicting Temporal Gait Kinematics: Anthropometric Characteristics and Global Running Pattern Matter. 2020 , 11, 625557	0
598	Interrater and Intrarater Reliability of the Beighton Score: A Systematic Review. 2021 , 9, 2325967120968099	3
597	TestâRetest Reliability of Soccer Dribbling Tests in Children. 2021 , 1-7	1
596	Reactive strength index-modified: reliability, between group comparison, and relationship between its associated variables. 2021 , 38, 451-457	1
595	Cross-cultural adaptation and psychometric validation of the Indonesian version of the Oswestry Disability Index. 2021 , 30, 1053-1062	1
594	mHealth App for Pressure Ulcer Wound Assessment in Patients With Spinal Cord Injury: Clinical Validation Study. 2021 , 9, e26443	0
593	Reliability of the Swedish version of the multidimensional outcome expectations for exercise scale (MOEES-SW) in a cardiac population. 2021 , 1-10	
592	Common Vertical Jump and Reactive Strength Index Measuring Devices: A Validity and Reliability Analysis. 2021 , 35, 1234-1243	8
591	Inter-unit reliability of IMU Step metrics using IMeasureU Blue Trident inertial measurement units for running-based team sport tasks. 2021 , 39, 1512-1518	4
590	An Inertial Measurement Unit-Based Wireless System for Shoulder Motion Assessment in Patients with Cervical Spinal Cord Injury: A Validation Pilot Study in a Clinical Setting. 2021 , 21,	2
589	Reliability and Validity of the Six Spot Step Test in People with Intellectual Disability. 2021 , 11,	

588	Is impaired coordination related to match physical load in footballers with cerebral palsy of different sport classes?. 2021 , 39, 140-149	5
587	Using a Portable Near-infrared Spectroscopy Device to Estimate The Second Ventilatory Threshold. 2021 , 42, 905-910	4
586	Caffeine Ingestion Improves Performance During Fitness Tests but Does Not Alter Activity During Simulated Games in Professional Basketball Players. 2021 , 16, 387-394	6
585	Eccentric Force-Velocity Characteristics during a Novel Squat Protocol in Trained Rugby Union Athletes-Pilot Study. 2021 , 6,	1
584	Relative and absolute reliability of somatosensory evoked potentials in response to non-noxious electrical stimulation of the paraspinal muscles in healthy participants at an interval of 3-months. 2021 , 1-8	0
583	Bicycle spiroergometry: comparison of standardized examination protocols for adolescents: is it necessary to define own standard values for each protocol?. 2021 , 121, 1783-1794	0
582	Influence of the Bar Position on Joint-Level Biomechanics During Isometric Pulling Exercises. 2021 , 35, 1484-1490	1
581	A comparison of test-retest reliability of four cognitive screening tools in people with dementia. 2021 , 1-6	3
580	Reliability of five trunk flexion and extension endurance field-based tests in high school-aged adolescents: ISQUIOS programme. 2021 , 39, 1860-1872	0
579	Reliability and Validity of the Polar V800 Sports Watch for Estimating Vertical Jump Height. 2021 , 20, 149-157	1
578	Test-Retest and Minimal Detectable Change in the Assessment of Muscle Strength and Muscle Power in Upper and Lower Extremity Exercises in 9- to 14-Year-Old Children. 2021 , 11, 2204	1
577	Calculation of test-retest variability in phase I/IIa clinical trials for Inherited Retinal Degenerations. 2021 , 42, 283-290	1
576	Validity and reliability of myotonometry for assessing muscle viscoelastic properties in patients with stroke: a systematic review and meta-analysis. 2021 , 11, 5062	3
575	Modulation of torque evoked by wide-pulse, high-frequency neuromuscular electrical stimulation and the potential implications for rehabilitation and training. 2021 , 11, 6399	2
574	Inter-rater reliability and test-retest reliability of the Performance and Fitness (PERF-FIT) test battery for children: a test for motor skill related fitness. 2021 , 21, 119	5
573	Onset detection in surface electromyographic signals across isometric explosive and ramped contractions: a comparison of computer-based methods. 2021 , 42,	6
572	Reliability of isokinetic tests of velocity- and contraction intensity-dependent plantar flexor mechanical properties. 2021 , 31, 1009-1025	2
571	Mapping of multiple muscles with transcranial magnetic stimulation: absolute and relative test-retest reliability. 2021 , 42, 2508-2528	4

570	Associations between Well-Being State and Match External and Internal Load in Amateur Referees. 2021 , 18,	
569	Reliability of Human Achilles Tendon Stiffness Measures Using Freehand 3-D Ultrasound. 2021 , 47, 973-981	0
568	Critical speed estimated by statistically appropriate fitting procedures. 2021 , 121, 2027-2038	4
567	Are the Assioma Favero Power Meter Pedals a Reliable Tool for Monitoring Cycling Power Output?. 2021 , 21,	3
566	Evaluation of Prolonged Walking in Persons with Multiple Sclerosis: Reliability of the Spatio-Temporal Walking Variables during the 6-Minute Walk Test. 2021 , 21,	2
565	Can Markerless Pose Estimation Algorithms Estimate 3D Mass Centre Positions and Velocities during Linear Sprinting Activities?. 2021 , 21,	8
564	Human Movement Science in The Wild: Can Current Deep-Learning Based Pose Estimation Free Us from The Lab?.	1
563	Monitoring Training Volume Through Maximal Number of Repetitions or Velocity-Based Approach. 2021 , 16, 527-534	6
562	Reduced Cerebellar Brain Inhibition Measured Using Dual-Site TMS in Older Than in Younger Adults. 2021 , 1	3
561	The head is an excellent proxy for the whole body center of mass when measuring running velocity in competition. 2021 , 121, 110399	2
560	The reliability and validity of the Turkish version of the European Health Interview Survey - Physical Activity Questionnaire (EHIS-PAQ).	
559	The validity and reliability of a novel isotope ratio infrared spectrometer to quantify C enrichment of expired breath samples in exercise. 2021 , 130, 1421-1426	1
558	Prediction of One Repetition Maximum Using Reference Minimum Velocity Threshold Values in Young and Middle-Aged Resistance-Trained Males. 2021 , 11,	2
557	Agreement between muscle oxygen saturation from two commercially available systems in endurance running: Moxy Monitor versus Humon Hex. 175433712110157	0
556	A mobile app to transparently distinguish single- from dual-task walking for the ecological monitoring of age-related changes in daily-life gait. 2021 , 86, 27-32	3
555	Alterations in mechanical muscle characteristics and postural control induced by tennis match-play in young players. 2021 , 9, e11445	1
554	Establishing the Noise: Interday Ecological Reliability of Countermovement Jump Variables in Professional Rugby Union Players. 2021 ,	0
553	The influence of physical fitness attributes on external demands during simulated basketball matches in youth players according to age category. 2021 , 233, 113354	4

552	Measuring Agility in Tennis, Badminton, and Squash. 2021 , Publish Ahead of Print,	0
551	A Technical Report on Reliability Measurement in Asymmetry Studies. 2021 , 35, 1779-1783	1
550	The Reliability and Sensitivity of Change of Direction Deficit and Its Association with Linear Sprint Speed in Prepubertal Male Soccer Players. 2021 , 6,	0
549	Level of Effort: A Reliable and Practical Alternative to the Velocity-Based Approach for Monitoring Resistance Training. 2021 ,	7
548	Assessment of the Adaptive Force of Elbow Extensors in Healthy Subjects Quantified by a Novel Pneumatically Driven Measurement System with Considerations of Its Quality Criteria. 2021 , 11,	6
547	Change in Susceptibility Values in Knee Cartilage After Marathon Running Measured Using Quantitative Susceptibility Mapping. 2021 , 54, 1585-1593	1
546	Reliability of the Single-Leg, Medial Countermovement Jump in Youth Ice Hockey Players. 2021 , 9,	1
545	The effect of John Zahorek's model on learning transmitter reception and handling (forward overhead) in volleyball and students' attitudes toward the game. 2021 ,	
544	The ramp and all-out exercise test to determine critical power: validity and robustness to manipulations in body position. 2021 , 121, 2721-2730	0
543	Validity and reliability of the DiCI for the measurement of shoulder flexion and abduction strength in asymptomatic and symptomatic subjects. 2021 , 9, e11600	
542	The MABC-2 Checklist: A Review of the Psychometric Properties of A Screening Tool for Developmental Coordination Disorder. 1-18	1
541	Reliability and Validity of the Polhemus Liberty System for Upper Body Segment and Joint Angular Kinematics of Elite Golfers. 2021 , 21,	2
540	Sedentary behavior and health outcomes in patients with heart failure: a systematic review and meta-analysis. 2021 , 1	
539	Test-Retest Reliability of Five Times Sit to Stand Test (FTSST) in Adults: A Systematic Review and Meta-Analysis. 2021 , 10,	7
538	Red Blood Cell 2,3-Diphosphoglycerate Decreases in Response to a 30 km Time Trial Under Hypoxia in Cyclists. 2021 , 12, 670977	1
537	The validity and reliability of ultra-short-term heart rate variability parameters and the influence of physiological covariates. 2021 , 130, 1848-1867	7
536	Reliability of hip muscle strength measured in principal and intermediate planes of movement. 2021 , 9, e11521	2
535	Inter-Day Test-Retest Reproducibility of the CAT, CCQ, HADS and EQ-5D-3L in Patients with Severe and Very Severe COPD. 2021 , 12, 117-128	2

534	Low-Load Unilateral and Bilateral Resistance Training to Restore Lower Limb Function in the Early Rehabilitation After Total Knee Arthroplasty: A Randomized Active-Controlled Clinical Trial. 2021 , 8, 628021	1
533	Physical Demands and Internal Response in Football Sessions According to Tactical Periodization. 2021 , 16, 858-864	7
532	The validity and reliability of an open source biosensing board to quantify heart rate variability. 2021 , 7, e07148	2
531	A new energetics model for the assessment of the power-duration relationship during over-ground running. 2021 , 1-11	
530	Reliability of experienced and novice raters conducting clinical balance tests in young physically active individuals. 2021 , 180,	
529	Establishing the reliability of instrumented trunk impairment assessment methods to enable evidence-based classification in Para swimming. 2021 , 39, 73-80	0
528	Inter-methodological quantification of the target change for performance test outcomes relevant to elite female soccer players.. 2022 , 6, 248-261	2
527	The Q-Pass Index: A Multifactorial IMUs-Based Tool to Assess Passing Skills in Basketball. 2021 , 21,	1
526	Reliability and concurrent validity of the PUSH Band 2.0 to measure barbell velocity during the free-weight and Smith machine squat exercises. 175433712110240	
525	Is physical fitness related with in-game physical performance? A case study through local positioning system in professional basketball players. 175433712110311	2
524	Causes and Consequences of Interindividual Response Variability: A Call to Apply a More Rigorous Research Design in Acute Exercise-Cognition Studies. 2021 , 12, 682891	1
523	Cross-instrument feasibility, validity, and reproducibility of wireless heart rate monitors: Novel opportunities for extended daily life monitoring. 2021 , 58, e13898	1
522	Clinical Utility of the 6-Item CTS, Boston-CTS, and Hand-Diagram for Carpal Tunnel Syndrome. 2021 , 12, 683807	0
521	The Activities-specific Balance Confidence (ABC) Scale in Youth with Visual Impairments: Psychometrics and a Population-specific Short Form. 1-14	
520	Anthropometric Characteristics in Taiwanese Adults: Age and Gender Differences. 2021 , 18,	0
519	Knee strength measurement: Can we switch between isokinetic dynamometers?. 2021 , 29, 247-268	
518	Translation, cross-cultural adaptation, and measurement properties of the Brazilian-Portuguese version of the idiopathic pulmonary fibrosis-specific version of the Saint George's Respiratory Questionnaire (SGRQ-I) for patients with interstitial lung disease. 2021 , 25, 794-794	
517	One-year stability of preseason Sport Concussion Assessment Tool 5 (SCAT5) values in university level collision and combative sport athletes. 2021 , 1-8	0

516	Comparison of the two most commonly used gold-standard velocity monitoring devices (GymAware and T-Force) to assess lifting velocity during the free-weight barbell back squat exercise. 175433712110296	1
515	A Wrinkle in Measuring Time Use for Cognitive Health: How should We Measure Physical Activity, Sedentary Behaviour and Sleep?. 155982762110314	2
514	Importance of GNSS data quality assessment with novel control criteria in professional soccer match-play. 1-11	2
513	Valid and Reliable Barbell Velocity Estimation Using an Inertial Measurement Unit. 2021 , 18,	1
512	Functional performance tests in interstitial lung disease: Impairment and measurement properties. 2021 , 184, 106413	1
511	Detection of blood flow perfusion and post - occlusive reactive hyperemia in the skeletal muscle of rats. 2021 , 278, 119571	0
510	An interrater reliability study of gait analysis systems with the dual task paradigm in healthy young and older adults. 2021 , 18, 17	2
509	Test-retest reliability of the L-Test in patients with advanced knee osteoarthritis. 2021 , 1-5	0
508	Reliability of transcranial magnetic stimulation measurements of maximum activation of the knee extensors in young adult males. 2021 , 78, 102828	
507	Sleeping over moral dilemmas modulates utilitarian decision-making. 1	2
506	Bench Press 1-Repetition Maximum Estimation Through the Individualized Load-Velocity Relationship: Comparison of Different Regression Models and Minimal Velocity Thresholds. 2021 , 1-8	6
505	Unilateral Maximal Isometric Hex Bar Pull Test: Within-Session Reliability and Lower Body Force Production in Male and Female Freeski Athletes. 2021 , 3, 715833	
504	A preliminary study of the reliability of soccer skill tests within a modified soccer match simulation protocol. 1-9	1
503	The effect of limb position on measured values of vastus lateralis muscle morphology using B Mode ultrasound.	1
502	Test-Retest Reliability of Plantar Flexion Torque Generation During a Functional Knee Extended Position in Older and Younger Men. 2020 , 29, 626-631	1
501	Heart rate monitoring of the endurance runner during high intensity interval training: Influence of device used on training functions. 175433712110370	1
500	Farklı Temel Araklar ve Matematiksel Model Kullanımı Kritik Gözlemlerine Etkisi.	0
499	Clinical Impact of the Maximum Mean Value of Home Blood Pressure on Cardiovascular Outcomes: A Novel Indicator of Home Blood Pressure Variability. 2021 , 78, 840-850	5

498	Physical Fitness Profiling of National Category Table Tennis Players: Implication for Health and Performance. 2021 , 18,	4
497	Reliability of a Gaelic football simulation protocol developed to replicate the movement and physiological demands of elite Gaelic football match-play. 1	
496	Both a single sacral marker and the whole-body center of mass accurately estimate peak vertical ground reaction force in running. 2021 , 89, 186-192	0
495	Internal and External Load Control in Team Sports through a Multivariable Model.. 2021 , 20, 751-758	0
494	Practice Effects, Test-Retest Reliability, and Minimal Detectable Change of the Ruff 2 and 7 Selective Attention Test in Patients with Schizophrenia. 2021 , 18,	0
493	Cross-cultural adaptation and psychometric validation of the Indonesian version of the Oxford Hip Score. 2021 , 2, 765-772	
492	Measurement error of self-paced exercise performance in athletic women is not affected by ovulatory status or ambient environment. 2021 , 131, 1496-1504	2
491	Reliability of a New Semi-automatic Image Analysis Method for Evaluating the Doppler Signal and Intratendinous Vascular Resistance in Patellar Tendinopathy. 2021 , 47, 3491-3500	1
490	Exploring the effect of capsaicin-induced central sensitization on the upper limb nociceptive withdrawal reflex threshold. 2021 , 239, 3405-3415	
489	Absolute Reliability and Concurrent Validity of Hand-Held Dynamometry in Shoulder Rotator Strength Assessment: Systematic Review and Meta-Analysis. 2021 , 18,	3
488	Validity and Reliability of a Phone App and Stopwatch for the Measurement of 505 Change of Direction Performance: A Test-Retest Study Design. 2021 , 12, 743800	0
487	Test Re-test Reliability of Dual-site TMS Measures of SMA-M1 Connectivity Differs Across Inter-stimulus Intervals in Younger and Older Adults. 2021 , 472, 11-24	2
486	Is the modified shuttle test a maximal effort test in children and adolescents with asthma?. 2022 , 57, 75-80	
485	AIR-BT, a new badminton-specific incremental easy-to-use test. 2021 , 16, e0257124	1
484	Effects of post-exercise sodium bicarbonate ingestion on acid-base balance recovery and time-to-exhaustion running performance: a randomised crossover trial in recreational athletes. 2021 , 46, 1111-1118	2
483	Estimating effective contact and flight times using a sacral-mounted inertial measurement unit. 2021 , 127, 110667	0
482	Reliability of forearm medial-anterior surface dimensional changes at different isometric hand grip forces. 2021 , 28, 92-97	
481	Effects of myofascial release of the ankle plantar flexors on static postural balance of young men: A randomized clinical trial. 2021 , 28, 121-125	0

480	A novel kinematic detection of foot-strike and toe-off events during noninstrumented treadmill running to estimate contact time. 2021 , 128, 110737	1
479	Isometric knee extension test: A practical, repeatable, and suitable tool for lower-limb screening among institutionalized older adults. 2021 , 155, 111575	1
478	Assessment of ankle plantar flexor neuromuscular properties: A reliability study. 2021 , 61, 102603	1
477	Test-retest reliability, validity, and responsiveness of a textile-based wearable sensor for real-time assessment of physical fatigue in construction bar-benders. 2021 , 44, 103348	0
476	Training load responses to football game profile-based training (GPBT) formats: effects of locomotive demands manipulation.. 2022 , 39, 145-155	1
475	Effect of a high-intensity short-duration cycling elevation training mask on V O and anaerobic power. A randomized controlled trial.. 2022 , 39, 181-187	0
474	Test-retest reliability of isometric mid-thigh pull maximum strength assessment: a systematic review.. 2022 , 39, 407-414	2
473	Assessment methods of vastus lateralis muscle architecture using panoramic ultrasound: a new approach, test-retest reliability and measurement error. 23,	
472	A New Foot-Mounted Inertial Measurement System in Soccer: Reliability and Comparison to Global Positioning Systems for Velocity Measurements During Team Sport Actions. 2021 , 77, 37-50	4
471	Video-Based System for Automatic Measurement of Barbell Velocity in Back Squat. 2021 , 21,	4
470	Comparison of multidirectional jump performance and lower limb passive range of motion profile between soccer and basketball young players. 2021 , 16, e0245277	8
469	Reproducibility of the Rotor 2INpower Crankset for Monitoring Cycling Power Output: A Comprehensive Analysis in Different Real-Context Situations. 2021 , 1-6	2
468	Validity of the bench press one-repetition maximum test predicted through individualized load-velocity relationship using different repetition criteria and minimal velocity thresholds. 2021 , 1-9	5
467	Forceâ€¦Velocity Vs. Powerâ€¦Velocity Relationships: Which Method Provides the Maximum Power and Optimal Velocity with Higher Reliability during the Leg Cycle-Ergometer and Bench Press Throw Exercises?. 1-12	2
466	A New Portable Device to Reliably Measure Maximal Strength and Rate of Force Development of Hip Adduction and Abduction. 2021 , Publish Ahead of Print,	2
465	Interpreting Spatiotemporal Parameters, Symmetry, and Variability in Clinical Gait Analysis. 2018 , 689-707	4
464	Interpreting Spatiotemporal Parameters, Symmetry, and Variability in Clinical Gait Analysis. 2016 , 1-20	5
463	Test-retest reliability and variability of knee adduction moment peak, impulse and loading rate during walking. 2020 , 80, 113-116	1

462	Short-Term Test-Retest Reliability of Respiratory Sinus Arrhythmia (RSA) in Young Adults. 2018 , 32, 85-96	6
461	Assessing Test-Retest Reliability of Psychological Measures. 2017 , 22, 207-218	35
460	The reliability of cycling maximal accumulated oxygen deficit (MAOD) and time to exhaustion (T(lim)) in untrained subjects. 2001 , 33, 1794-5	1
459	Triceps surae elasticity modulus measured by shear wave elastography is not correlated to the plantar flexion torque. 2017 , 7, 347-352	4
458	Performance comparison of the MOXY and PortaMon near-infrared spectroscopy muscle oximeters at rest and during exercise. 2018 , 23, 1-14	51
457	PRESENT 2020: Text Expanding on the Checklist for Proper Reporting of Evidence in Sport and Exercise Nutrition Trials. 2020 , 30, 2-13	16
456	The Reliability and Sensitivity of Performance Measures in a Novel Pace-Bowling Test. 2018 , 13, 151-155	6
455	Force-Velocity-Power Profile in High-Elite Boulder, Lead, and Speed Climber Competitors. 2020 , 1-7	6
454	Combined Effect of Number of Players and Dribbling on Game-Based-Drill Demands in Basketball. 2020 , 15, 825-832	8
453	Effect of Warm-Up and Sodium Bicarbonate Ingestion on 4-km Cycling Time-Trial Performance. 2021 , 1-7	4
452	The Physiological, Physical, and Biomechanical Demands of Walking Football: Implications for Exercise Prescription and Future Research in Older Adults. 2019 , 1-11	5
451	"Men are Better Than Women!" The Positive Effect of a Negative Stereotype Toward Women on a Self-Paced Cycling Exercise. 2019 , 41, 242-250	6
450	Development and Evaluation of the High-Intensity Interval Training Self-Efficacy Questionnaire. 2020 , 1-9	5
449	Test-Retest Reliability of Student-Administered Health-Related Fitness Tests in School Settings. 2020 , 32, 48-57	6
448	Test-Retest Reliability of the One-Repetition Maximum (1RM) Strength Assessment: a Systematic Review. 2020 , 6, 31	38
447	Reliability and Validity of Measurement Using Smartphone-Based Goniometer of Tibial External Rotation Angle in Standing Knee Flexion. 2013 , 20, 60-68	6
446	Theory and usage of tensiomyography and the analysis method for the patient with low back pain. 2020 , 16, 325-331	5
445	Inter-rater Absolute Reliability and Concurrent Validity of Tinetti-gait Scale (Korean version) in Stroke Patients. 2014 , 9, 201-211	7

444	The case for using the repeatability coefficient when calculating test-retest reliability. 2013 , 8, e73990	264
443	Rapid directional change degrades GPS distance measurement validity during intermittent intensity running. 2014 , 9, e93693	37
442	Reproducibility of Fatmax and fat oxidation rates during exercise in recreationally trained males. 2014 , 9, e97930	30
441	Psychometric evaluation of the internalized stigma of mental illness scale for patients with mental illnesses: measurement invariance across time. 2014 , 9, e98767	41
440	Reliability of contractile properties of the knee extensor muscles in individuals with post-polio syndrome. 2014 , 9, e101660	6
439	The Andersen aerobic fitness test: reliability and validity in 10-year-old children. 2014 , 9, e110492	34
438	Decreased variability of the 6-minute walk test by heart rate correction in patients with neuromuscular disease. 2014 , 9, e114273	18
437	A comparison between conductive and infrared devices for measuring mean skin temperature at rest, during exercise in the heat, and recovery. 2015 , 10, e0117907	37
436	On the Agreement between Manual and Automated Methods for Single-Trial Detection and Estimation of Features from Event-Related Potentials. 2015 , 10, e0134127	1
435	Aspects of Dynamic Balance Responses: Inter- and Intra-Day Reliability. 2015 , 10, e0136551	15
434	Translation, Validation and Cross-Cultural Adaptation of a Simplified-Chinese Version of the Tegner Activity Score in Chinese Patients with Anterior Cruciate Ligament Injury. 2016 , 11, e0155463	13
433	Collecting Kinematic Data on a Ski Track with Optoelectronic Stereophotogrammetry: A Methodological Study Assessing the Feasibility of Bringing the Biomechanics Lab to the Field. 2016 , 11, e0161757	20
432	Reliability of a Novel High Intensity One Leg Dynamic Exercise Protocol to Measure Muscle Endurance. 2016 , 11, e0163979	8
431	The effect of a sequential structure of practice for the training of perceptual-cognitive skills in tennis. 2017 , 12, e0174311	10
430	Spatially localized phosphorous metabolism of skeletal muscle in Duchenne muscular dystrophy patients: 24-month follow-up. 2017 , 12, e0182086	20
429	Test-retest reliability and minimal detectable change of the Beck Depression Inventory and the Taiwan Geriatric Depression Scale in patients with Parkinson's disease. 2017 , 12, e0184823	19
428	Dynamic MRI to quantify musculoskeletal motion: A systematic review of concurrent validity and reliability, and perspectives for evaluation of musculoskeletal disorders. 2017 , 12, e0189587	13
427	Reliability of the parameters of the power-duration relationship using maximal effort time-trials under laboratory conditions. 2017 , 12, e0189776	13

426	Effect of repeated-sprints on the reliability of short-term parasympathetic reactivation. 2018 , 13, e0192231	3
425	Intra-session reliability of electromyographic measurements in flywheel squats. 2020 , 15, e0243090	2
424	Intrarater Reliability and Agreement of Recommended Performance-Based Tests and Common Muscle Function Tests in Knee Osteoarthritis. 2021 , 44, 144-152	3
423	The Effect of a Single Session of Plyometric Training Per Week on Fitness Parameters in Professional Female Soccer Players: A Randomized Controlled Trial. 2020 ,	5
422	A-Mode Ultrasound Reliability in Fat and Muscle Thickness Measurement. 2020 ,	2
421	Effect of the Menstrual Cycle When Estimating 1 Repetition Maximum From the Load-Velocity Relationship During the Bench Press Exercise.. 2022 , 36, e55-e58	3
420	Reliability and Validity of the iLOAD Application for Monitoring the Mean Set Velocity During the Back Squat and Bench Press Exercises Performed Against Different Loads. 2021 , 35, S57-S65	7
419	Velocity-Based Training: From Theory to Application. 2021 , 43, 31-49	49
418	Assessing Interlimb Asymmetries: Are We Heading in the Right Direction?. 2021 , 43, 91-100	7
417	[Psychometric Evaluation of the Brazilian Version of the "Sexually Transmitted Disease Knowledge Questionnaire"]. 2019 , 24, 3469-3482	0
416	Estudos de validação: qual análise utilizar?. 2009 , 15, 316-317	3
415	Reprodutibilidade da curva força-tempo do estilo "Crawl" em protocolo de curta duração. 2012 , 26, 37-45	3
414	Evaluation of Breath-Holding Test in Assessment of Peripheral Chemoreflex Sensitivity in Patients with Chronic Heart Failure. 2017 , 11, 67-74	6
413	Reliability and Validity of Electro-Goniometric Range of Motion Measurements in Patients with Hand and Wrist Limitations. 2016 , 10, 190-205	17
412	Validation and Acceptability of a Cuffless Wrist-Worn Wearable Blood Pressure Monitoring Device Among Users and Health Care Professionals: Mixed Methods Study. 2019 , 7, e14706	15
411	Agreement Between Spatiotemporal Gait Parameters Measured by a Markerless Motion Capture System and Two Reference Systems-a Treadmill-Based Photoelectric Cell and High-Speed Video Analyses: Comparative Study. 2020 , 8, e19498	1
410	Recommendations for Assessment of the Reliability, Sensitivity, and Validity of Data Provided by Wearable Sensors Designed for Monitoring Physical Activity. 2018 , 6, e102	50
409	Measurement and Data Transmission Validity of a Multi-Biosensor System for Real-Time Remote Exercise Monitoring Among Cardiac Patients. 2015 , 2, e2	12

408	Comparison of different motion correction techniques for dynamic FDG-PET/CT studies in breast cancer patients. 2020 , 64, 406-413	1
407	Assessing Change of Direction Ability in a Spanish Elite Soccer Academy. 2020 , 72, 229-239	9
406	Evaluation of mobile applications for fitness training and physical activity in healthy low-trained people - A modular interdisciplinary framework. 2019 , 18, 12-43	3
405	Effect of Wearing the Cosmed K4b2 Metabolic System on 1 Mile Walking Performance in Older Adults. 2009 , 21, 41-48	5
404	Reliability of independent kinetic variables and measures of inter-limb asymmetry associated with bilateral drop-landing performance. 2018 , 7, 32-47	4
403	Measuring Heart Rate Variability Using Commercially Available Devices in Healthy Children: A Validity and Reliability Study. 2020 , 10, 390-404	20
402	Reliability of Center of Pressure Measures of Postural Stability in Patients With Unilateral Anterior Cruciate Ligament Injury. 2008 , 8, 3019-3025	9
401	Using pedometers to document physical activity in patients with schizophrenia spectrum disorders: a feasibility study. 2012 , 50, 44-9	11
400	Gender differences in elite Olympic distance triathlon performances. 2012 , 7, 434-445	4
399	Reliability & linearity of an electronic body protector employed in taekwondo games: a preliminary study. 2013 , 8, S622-S632	14
398	Intra-session stability of short-term heart rate variability measurement: gender and total spectral power influence. 2014 , 9, 68-80	3
397	Gait Recognition Using Joint Moments, Joint Angles, and Segment Angles. 2010 , 1, 1-7	8
396	Objectivity and stability of the Preschool Imitation and Praxis Scale. 2011 , 65, 569-77	12
395	Comparison of Spinal Angles in a Typing Task on a Laptop and a Desktop Computer: A Preliminary Study. 2016 , 70, 7006350020p1-7006350020p8	5
394	Test-Retest Reliability and Minimal Detectable Change of the Comprehensive Occupational Therapy Evaluation Scale (COTES) in People With Schizophrenia. 2020 , 74, 7405205110p1-7405205110p7	2
393	Activating Behavior to Reduce Sedentary Behavior After Stroke: A Nonrandomized Pilot Feasibility Study. 2020 , 74, 7406205030p1-7406205030p10	2
392	Standardized quantitative measurements of wrist cartilage in healthy humans using 3T magnetic resonance imaging. 2015 , 6, 641-8	5
391	Reliability of specific on-ice repeated-sprint ability test for ice-hockey players. 2014 , 44, 69-75	5

390	Stability of internal response and external load during 4-a-side football game in an indoor environment. 2015 , 45, 21-25	1
389	Reliability and validity of a basketball-specific fatigue protocol simulating match load. 2017 , 47, 92-98	5
388	Concurrent validity of Myotest for assessing explosive strength indicators in countermovement jump. 2018 , 48, 95-102	4
387	Trendy v pohybovým chováním adolescentů 2015 ,	7
386	Reliability of the calculated maximal lactate steady state in amateur cyclists. 2015 , 32, 97-102	12
385	Change of direction ability test differentiates higher level and lower level soccer referees. 2016 , 33, 173-7	8
384	Intrarater reliability of pain intensity, tissue blood flow, thermal pain threshold, pressure pain threshold and lumbo-pelvic stability tests in subjects with low back pain. 2012 , 3, 8-14	36
383	Reliability of Shoulder Rotators Isometric Strength Test using a Novel Pulley Electromechanical Dynamometer. Influence of the Assessment Position. 2018 , 9,	6
382	Heart rate variability in physically active individuals: reliability and gender characteristics. 2012 , 23, 67-72	29
381	Impact of heart rate on reproducibility of heart rate variability analysis in the supine and standing positions in healthy men. 2019 , 74, e806	9
380	Assessment of the reliability of real time ultrasound scanning to measure the humeral head position in a number of glenohumeral joint positions. 2014 , 1, 1	4
379	Relative and absolute within-session reliability of the modified Star Excursion Balance Test in healthy elite athletes. 2019 , 7, e6999	12
378	Validity of the "i" app for resistance training monitoring. 2019 , 7, e7372	11
377	Test-retest reliability of a smartphone app for measuring core stability for two dynamic exercises. 2019 , 7, e7485	5
376	Reliability of isometric and isokinetic trunk flexor strength using a functional electromechanical dynamometer. 2019 , 7, e7883	5
375	One Repetition Maximum Test-Retest Reliability and Safety Using Keiser Pneumatic Resistance Training Machines With Older Women.. 2021 , 35, 3513-3517	0
374	The accuracy of several pose estimation methods for 3D joint centre localisation. 2021 , 11, 20673	7
373	Design and Validation of the Tactical Assessment Instrument in Football (TAIS). 2021 , 1-18	0

- 372 Convergent validity and test-retest reliability of multimodal ultrasound and related clinical measures in people with chronic stroke. **2021**, 0
- 371 Minimal detectable change of the disc-fovea angle for ocular torsion assessment. **2022**, 42, 133-139 0
- 370 Comparison of movement velocity and force-velocity parameters using a free video analysis software and a linear position transducer during unilateral and bilateral ballistic leg press. **2021**,
- 369 EEG-derived brain graphs are reliable measures for exploring exercise-induced changes in brain networks. **2021**, 11, 20803 1
- 368 Characterising initial sprint acceleration strategies using a whole-body kinematics approach. **2021**, 1-12
- 367 Validation and cross-cultural adaptation of the Korean translation of the Achilles tendon Total Rupture Score. **2021**, 22, 876 1
- 366 The Influence of Maximal Strength and Knee Angle on the Reliability of Peak Force in the Isometric Squat. **2021**, 9, 1
- 365 Performance Prediction Equation for 2000 m Youth Indoor Rowing Using a 100 m Maximal Test. **2021**, 10, 1
- 364 Modernising tactile acuity assessment; clinimetrics of semi-automated tests and effects of age, sex and anthropometry on performance.. **2021**, 9, e12192 1
- 363 Repeatability and sensitivity of passive mechanical stiffness measurements in the triceps surae muscle-tendon complex. **2021**, 0
- 362 Intrarater and interrater reliability of the modified Thomas Test.. **2022**, 29, 86-91 2
- 361 Reliability of Recurrence Quantification Analysis Measures for Sit-to-Stand and Stand-to-Sit Activities in Healthy Older Adults Using Wearable Sensors. **2021**, 10, 2438 1
- 360 Techniques for Measuring Body Composition of Swine. **2000**, 0
- 359 Letters to the Editor-in-Chief. **2001**, 33, 1795
- 358 DEVELOPMENT OF THE TACTICAL SKILLS INVENTORY FOR SPORTS. **2004**, 99, 883
- 357 Number of Trials for the Reliable Golf Swing Ground Reaction Force Data Collection and Its Characteristics. **2007**, 17, 115-125 1
- 356 A Study on Stride-to-stride Variability by Treadmill Walking. **2007**, 17, 1-8 4
- 355 Reprodutibilidade no teste de uma repetiçõ máxima no exercício de puxada pela frente para homens. **2008**, 14, 348-352 1

354 INTRODUCTION. **2008**, 15-37

353 The evolution of computerised notational analysis through the example of racket sports. **2008**, 10, 1-39 3

352 PRINCIPLES IN ASSESSING MUSCULOSKELETAL DISORDERS. **2009**, 1-47

351 Reliabilita testovŕmaximŕnŕvolnŕkontrakce hornŕh a dolnŕh konŕtin a trupu na izometrickŕm dynamometru. **2011**, 5, 49-56

350 Limits of agreement among maximal oxygen uptake, shuttle run test, and Cooperŕ 12-minute run. **2011**, 13, 95-104

349 Prediction of Upper and Lower Extremity Tissue Masses Using Surface Anthropometric Measures and DXA. **2012**, 679-696

348 Confiabilidade intra-avaliador da medida de amplitude de movimento da flexŕo e extensŕo do joelho pelo mŕtodo de fotogrametria. **2012**, 19, 32-38 2

347 A new view on the quality of Jackŕ's test. **2012**, 42, 33-40 0

346 Intra-Rater Test-Retest Reliability of Ely's Test Using Smartphone in Patients With Lumbar Extension-Rotation Syndrome. **2012**, 19, 46-54 2

345 Reliability, Validity and Minimal Detectable Change of a New Multi-Change of Direction agility Test for Soccer Players. **2013**, 03, 190-196 1

344 Reliability of V sit-and-reach test used for flexibility self-assessment in females. **2013**, 43, 35-39 2

343 Detection of Parameters to Quantify Neurobehavioral Alteration in Multiple Sclerosis Based on Daily Life Physical Activity and Gait Using Ambulatory Assessment. **2014**, 25, 253-265 2

342 Efectos producidos por diferentes programas de interferencia contextual en la agilidad / Effects of different contextual interference programs in agility. pp. 405-418. **2015**, 59, 405-418 1

341 Validaŕo de equaŕŕs antropomŕtricas especŕficas e generalizadas para estimativa do percentual de gordura corporal em estudantes de Educaŕo Fŕsica do sexo masculino. **2015**, 29, 13-23

340 Diseŕo, validaciŕn y aplicaciŕn de una Hoja de Observaciŕn para la Evaluaciŕn de la Psicomotricidad Acuŕtica (HOEPA) en edad infantil. **2015**, 1, 270-292

339 LENGTH CHANGE OF THE SHORT EXTERNAL ROTATORS OF THE HIP IN COMMON STRETCH POSITIONS: A CADAVERIC STUDY. **2017**, 12, 1068-1077 4

338 Quantitative image-based phosphorus-31 MR spectroscopy for evaluating age-based differences in skeletal muscle metabolites. **2018**, 1

337 Reliability and Validity of a New Fitness Intermittent Judo Test. **2018**, In Press,

- 336 Test-Retest Reliability of Non-Invasive Cardiac Output Measurement during Exercise in Healthy Volunteers in Daily Clinical Routine. **2019**, 113, 231-239 1
- 335 Evaluating the Measurement Properties of the ScanCourse, a Dual-Task Assessment of Visual Scanning. **2019**, 74, 7401185040p1-7401185040p7
- 334 The Inter-Rater Reliability of Measurements of Active Craniocervical Range of Motion With Smartphone in Patients With Stroke. **2019**, 26, 8-18 0
- 333 Reliability and Validity of the Feedback Sensor for Activating the Transversus Abdominis Muscle. **2019**, 13, 67-73
- 332 PREDICTION OF 100 METERS SPRINT PERFORMANCE BASED ON FIELD TEST. **2019**, 25, 349-353
- 331 Development and Psychometric Assessment of Risk Factors of Compassion Fatigue Inventory in Nurses. **2019**, 27, E62-E80 3
- 330 Evaluating the Measurement Properties of the ScanCourse, a Dual-Task Assessment of Visual Scanning. **2020**, 74, 7401185040p1-7401185040p7
- 329 GenİFutbolcularda 10 x 25 m TekrarlıSprint ve 10 x (2 x 12.5 m) TekrarlıMekik Sprint Testlerinin Gİvenirliİİ 134-146
- 328 Data Analytics. **2019**, 110-134
- 327 Accuracy and Reliability of Onset Detection Algorithms in Gait Initiation for Healthy Controls and Participants With Parkinson’s Disease. **2019**, 1-8
- 326 Validity of flexicurve for the assessment of spinal flexibility in asymptomatic individuals. 33,
- 325 The effects of transcranial direct current stimulation on corticospinal and cortico-cortical excitability and response variability: conventional versus high-definition montages. 0
- 324 CRITICAL VS ESTIMATED HEART RATE IN ELDERLY SUBJECTS. **2020**, 26, 134-138
- 323 Anİİsis de Flexo-extensiİİ del Cuello Mediante el Uso de Visiİİ Artificial. **2020**, 45, 7-16
- 322 Validity of motor tests used in sports games. **2020**, 43, 26-40
- 321 Evolution of contractile properties of the lower limb muscles throughout a season in elite futsal players. **2020**, 60, 965-973 0
- 320 Validation of gyroscope sensors for snow sports performance monitoring. **2020**, 19, 51-59 2
- 319 Response of Muscle Damage Markers to an Accentuated Eccentric Training Protocol: Do Serum and Saliva Measurements Agree?. **2020**, 2

318	Measurement Agreement Between Samozino's Method and Force Plate Force-Velocity Profiles During Barbell and Hexbar Countermovement Jumps. 2021 ,	0
317	Development of a Soccer-Specific Running Protocol for Young Soccer Players. 2020 , 100-113	1
316	Validity, reliability and usefulness of smartphone and kinovea motion analysis software for direct measurement of vertical jump height. 2020 , 227, 113144	3
315	Development of a Twenty20 Field-Based Simulation for Cricket Fast Bowlers (FBS-T20). 2020 , Publish Ahead of Print,	
314	mHealth App for Pressure Ulcer Wound Assessment in Patients With Spinal Cord Injury: Clinical Validation Study (Preprint).	
313	Comparison between photoplethysmographic heart rate monitor from Polar Vantage M and Polar V800 with H10 chest strap while running on a treadmill: Validation of the Polar Precision Prime™ photoplethysmographic system. 2021 , 235, 212-218	3
312	Characterizing Practice Effects in Performance-Based Tests Administered to Users of Unilateral Lower Limb Prostheses: A Preliminary Study. 2021 , 13, 969-978	1
311	Test-retest reliability of the two-point discrimination test on the sole of the foot in people with multiple sclerosis. 2020 , 41, 11NT01	2
310	Concurrent validity, inter-unit reliability and biological variability of a low-cost pocket radar for ball velocity measurement in soccer and tennis. 2021 , 39, 1312-1319	3
309	Validity and Reliability of Using Load-Velocity Relationship Profiles to Establish Back Squat 1 mB-1 Load. 2021 , 35, 340-346	1
308	Which is the most reliable edge depth to measure maximum hanging time in sport climbers?. 2021 , 91, 59-65	0
307	Translation and Cross-cultural Adaptation of the Fremantle Back Awareness Questionnaire into Persian language and the assessment of reliability and validity in patients with chronic low back pain. 2020 , 25, 74	0
306	Tek Bir Seansta Zirve Oksijen Kullanım Deyimi Veren En Yüksek Güç Tahmin Etmenin Basit Bir Yöntemi. 168-176	0
305	Leistungssteuerung. 2020 , 67-186	
304	Reliability and Validity of the Osteoarthritis Research Society International Minimal Core Set of Recommended Performance-Based Tests of Physical Function in Knee Osteoarthritis in Community-Dwelling Adults. 2020 , 27, 77-89	0
303	Agreement Between Spatiotemporal Gait Parameters Measured by a Markerless Motion Capture System and Two Reference Systemsâ Treadmill-Based Photoelectric Cell and High-Speed Video Analyses: Comparative Study (Preprint).	
302	Soccer-Specific Agility: Reliability of a Newly Developed Test and Correlates of Performance. 2020 ,	1
301	A Multivariate Polynomial Regression to Reconstruct Ground Contact and Flight Times Based on a Sine Wave Model for Vertical Ground Reaction Force and Measured Effective Timings. 2021 , 9, 687951	

300	Evidence for Validity and Reliability, and Development of Performance Standards and Cut-Scores for Job-Related Tests of Physical Aptitude for Structural Firefighters. 2021 , 63, 992-1002	0
299	The reliability of a smartphone application in measuring the foot structure of cyclists during sitting and standing. 1-12	
298	Test-Retest reliability of the internal shoulder rotator muscles' stretch reflex in healthy men. 2021 , 62, 102611	
297	A Comparison of Incremental Running Field and Treadmill Tests in Young Soccer Players. 2020 , 73, 193-201	0
296	TMS cortical mapping of multiple muscles: absolute and relative test-retest reliability.	
295	The effects of predictive trials on critical stroke rate and critical swimming speed. 2020 , 60, 1329-1334	1
294	Validity of devices that assess body temperature during outdoor exercise in the heat. 2007 , 42, 333-42	141
293	Can we use the Jackson and Pollock equations to predict body density/fat of obese individuals in the 21st century?. 2008 , 6, 114-121	12
292	Intra and intersession reliability of a postural control protocol in athletes with and without anterior cruciate ligament reconstruction: a dual-task paradigm. 2012 , 7, 627-36	22
291	Reliability and validity of a wireless microelectromechanicals based system (keimove) for measuring vertical jumping performance. 2012 , 11, 115-22	26
290	Reliability of the one-repetition maximum test based on muscle group and gender. 2012 , 11, 221-5	80
289	Bioharness(®) multivariable monitoring device: part. I: validity. 2012 , 11, 400-8	58
288	Bioharness(®) Multivariable Monitoring Device: Part. II: Reliability. 2012 , 11, 409-17	38
287	Validity of the modified conconi test for determining ventilatory threshold during on-water rowing. 2011 , 10, 616-23	5
286	Familiarisation and reliability of sprint test indices during laboratory and field assessment. 2009 , 8, 528-32	13
285	The reliability of adolescent thermoregulatory responses during a heat acclimation protocol. 2009 , 8, 689-95	2
284	Intermittent versus Continuous Incremental Field Tests: Are Maximal Variables Interchangeable?. 2013 , 12, 165-70	11
283	Differences between the Vastus Lateralis and Gastrocnemius Lateralis in the Assessment Ability of Breakpoints of Muscle Oxygenation for Aerobic Capacity Indices During an Incremental Cycling Exercise. 2012 , 11, 606-13	9

282	Field based reliability and validity of the bioharnessâmultivariable monitoring device. 2012 , 11, 643-52	42
281	Test-retest reliability of the aerobic power index submaximal exercise test in cancer patients. 2012 , 11, 690-4	2
280	Reliability and validity of physiological data obtained within a cycle-run transition test in age-group triathletes. 2012 , 11, 736-44	1
279	Reliability of kinematics and kinetics associated with horizontal single leg drop jump assessment. A brief report. 2007 , 6, 261-4	14
278	The UVB cutaneous inflammatory pain model: a reproducibility study in healthy volunteers. 2013 , 5, 203-15	19
277	Reliability of physiological, psychological and cognitive variables in chronic fatigue syndrome and the role of graded exercise. 2005 , 4, 463-71	3
276	Respiratory Rate is a Valid and Reliable Marker for the Anaerobic Threshold: Implications for Measuring Change in Fitness. 2005 , 4, 482-8	14
275	Development and validity of a scale of perception of velocity in resistance exercise. 2014 , 13, 542-9	7
274	Physical and temporal characteristics of under 19, under 21 and senior male beach volleyball players. 2014 , 13, 658-65	9
273	Reproducibility of 3'-deoxy-3'-(18)F-fluorothymidine microPET studies in tumor xenografts in mice. 2005 , 46, 1851-7	31
272	Reliability and validity assessment of a linear position transducer. 2015 , 14, 128-36	65
271	Assessment of Correlation between Electrogoniometer Measurements and Sports-Specific Movement in Karate Elites. 2014 , 5, 115-22	3
270	The validity and reliability of a new instrumented device for measuring ankle dorsiflexion range of motion. 2015 , 10, 197-202	23
269	Reliability of the Wii Balance Board in kayak. 2015 , 5, 43-4	1
268	Predicting vertical jump height from bar velocity. 2015 , 14, 256-62	12
267	Negative Associations between Perceived Training Load, Volume and Changes in Physical Fitness in Professional Soccer Players. 2015 , 14, 394-401	46
266	RELIABILITY OF TWO METHODS OF CLINICAL EXAMINATION OF THE FLEXIBILITY OF THE HIP ADDUCTOR MUSCLES. 2015 , 10, 976-83	8
265	Assessment of Technical Skills in Young Soccer Goalkeepers: Reliability and Validity of Two Goalkeeper-Specific Tests. 2016 , 15, 516-523	7

264	Intra-Rater Reliability and Minimal Detectable Change of Vertical Ground Reaction Force Measurement during Gait and Half-Squat Tasks on Healthy Male Adults. 2016 , 23, 21-7	3
263	Repeatability of knee impulsive loading measurements with skin-mounted accelerometers and lower limb surface electromyographic recordings during gait in knee osteoarthritic and asymptomatic individuals. 2016 , 16, 63-74	7
262	Curcumin and Piperine Supplementation and Recovery Following Exercise Induced Muscle Damage: A Randomized Controlled Trial. 2017 , 16, 147-153	21
261	INTRA-RATER RELIABILITY OF THE MULTIPLE SINGLE-LEG HOP-STABILIZATION TEST AND RELATIONSHIPS WITH AGE, LEG DOMINANCE AND TRAINING. 2017 , 12, 190-198	2
260	Reliability of parameters during stair ascent measured with Leonardo Mechanograph(®) Stair A in healthy subjects. 2015 , 15, 257-63	3
259	The test-retest reliability of questionnaires regarding attitudes and beliefs toward noise, hearing loss, and hearing protector devices in young adults. 2018 , 20, 31-36	2
258	Validity and Reliability of the PowerTap P1 Pedals Power Meter. 2018 , 17, 305-311	10
257	The Validity of Resting Metabolic Rate-Prediction Equations and Reliability of Measured RMR in Female Athletes. 2019 , 12, 886-897	3
256	RELIABILITY AND MINIMAL DETECTABLE CHANGE OF THE UPPER QUARTER Y-BALANCE TEST IN HEALTHY ADOLESCENTS AGED 12 TO 17 YEARS. 2019 , 14, 927-934	4
255	THE IMMEDIATE EFFECTS OF A TOTAL MOTION RELEASE® WARM-UP ON ACTIVE ROTATIONAL HIP RANGE OF MOTION IN OVERHEAD ATHLETES. 2019 , 14, 898-910	1
254	Does Fatigue Impact Static and Dynamic Balance Variables in Athletes with a Previous Ankle Injury?. 2019 , 12, 1121-1137	5
253	ISOKINETIC TRUNK STRENGTH, VALIDITY, RELIABILITY, NORMATIVE DATA AND RELATION TO PHYSICAL PERFORMANCE AND LOW BACK PAIN: A REVIEW OF THE LITERATURE. 2020 , 15, 160-174	3
252	WITHIN-SESSION RELIABILITY FOR INTER-LIMB ASYMMETRIES IN ANKLE DORSIFLEXION RANGE OF MOTION MEASURED DURING THE WEIGHT-BEARING LUNGE TEST. 2020 , 15, 64-73	
251	Reliability and Test-Retest Agreement of Mechanical Variables Obtained During Countermovement Jump. 2020 , 13, 6-17	4
250	Analysis of the Load-Velocity Relationship in Deadlift Exercise. 2020 , 19, 452-459	7
249	Development of the Persian Version of Knee Outcome Survey Activities for Daily Living Scale. 2020 , 45, 434-443	
248	THE RELIABILITY OF CLINICAL BALANCE TESTS UNDER SINGLE-TASK AND DUAL-TASK TESTING PARADIGMS IN UNINJURED ACTIVE YOUTH AND YOUNG ADULTS. 2020 , 15, 487-500	2
247	Australian chiropractic students' perceptions of education: validation of a questionnaire. 2021 , 65, 174-185	

- 246 Measuring circulating triglycerides in free-living birds: evaluation of a field-usable point-of-care analyzer for American woodcock. **2022**, 163, 235 0
- 245 Test-Retest Reliability of Physiological Variables During Submaximal Seated Upper-Body Poling in Able-Bodied Participants.. **2021**, 12, 749356
- 244 The Validity and Reliability of a Treadmill Test for Structural Firefighter Applicants. **2021**, 1
- 243 Reliability of the performance-based measure of executive functions in people with schizophrenia. **2021**, 21, 553
- 242 The within and between-day reliability of cerebrovascular reactivity using traditional and novel analytical approaches. **2021**, 2
- 241 Traditional and Modified 5-0-5 Change of Direction Test. **2021**, Publish Ahead of Print, 0
- 240 Cross cultural adaptation, validity, and reliability of Central Sensitization Inventory in Arabic language. **2021**, 1-9
- 239 Effect of jump heights, landing techniques, and participants on vertical ground reaction force and loading rate during landing on three different Korean teeterboards. 175433712110580 1
- 238 Pectoralis cross-sectional area can be accurately measured using panoramic ultrasound: A validity and repeatability study. **2021**, 0
- 237 Radiographic evaluation of lumbar intervertebral disc height index: an intra and inter-rater agreement and reliability study.
- 236 The reliability of VO kinetics during a 6-minute walking test is influenced by walk speed. **2021**, 33, 876-879
- 235 Specialized nutrition for athletes: evaluation of ergogenic action using the principles of evidence-based medicine. **2022**, 69, 37-44 1
- 234 Cardiorespiratory Responses During High-Intensity Interval Training Prescribed by Rating of Perceived Exertion in Patients After Myocardial Infarction Enrolled in Early Outpatient Cardiac Rehabilitation.. **2021**, 8, 772815
- 233 Caveats and Recommendations to Assess the Validity and Reliability of Cycling Power Meters: A Systematic Scoping Review.. **2022**, 22, 2
- 232 Reliability and validity of the Stryd Power Meter during different walking conditions.. **2021**, 92, 277-283 1
- 231 Within-Session Reliability and Validity of Overhand Ball Throw Test to Evaluate Power Ability in Junior Tennis Players. **2021**, 66, 21-32 0
- 230 Test-retest reliability of skeletal muscle oxygenation measurement using near-infrared spectroscopy during exercise in patients with sport-related iliac artery flow limitation.. **2022**, 0
- 229 Pain pressure threshold algometry in knee osteoarthritis: intra- and inter-rater reliability.. **2022**, 1-8 0

228	Estimating body segment parameters from three-dimensional human body scans.. 2022 , 17, e0262296	1
227	The reliability of gait parameters captured via instrumented walkways: a systematic review and meta-analysis.. 2022 ,	1
226	Getting a Grip on Strength Measurement in Children (6-13 Y): Impact of Typical Error of Measurement.. 2022 , 1-7	
225	Reliability of Field-Based Fitness Tests in Adults: A Systematic Review.. <i>Sports Medicine</i> , 2022 , 1	10.6 5
224	Proof-of-concept and concurrent validity of a prototype headset to assess peak oxygen uptake without a face mask.. 2022 , 15, 4	0
223	Reproducibility of knee extensor and flexor contraction velocity in healthy men and women assessed using tensiomyography: A study protocol.. 2022 , 17, e0262156	
222	Pro-agility unpacked: Variability, comparability and diagnostic value. 174795412110693	1
221	A Single Sacral-Mounted Inertial Measurement Unit to Estimate Peak Vertical Ground Reaction Force, Contact Time, and Flight Time in Running.. 2022 , 22,	2
220	Intra-assessor reliability and measurement error of ultrasound measures for foot muscle morphology in older adults using a tablet-based ultrasound machine.. 2022 , 15, 6	0
219	Cross-cultural Adaptation of the Safety Attitudes Questionnaire Short Form in Spanish and Italian Operating Rooms: Psychometric Properties.. 2022 , 18,	0
218	Normalized hand-behind-back for the measurement of shoulder internal rotation.. 2022 , 6, 287-291	
217	Validation of the Perception Neuron system for full-body motion capture.. 2022 , 17, e0262730	1
216	Assessing Smoothness of Arm Movements With Jerk: A Comparison of Laterality, Contraction Mode and Plane of Elevation. A Pilot Study.. 2021 , 9, 782740	
215	Assessment of countermovement jump with and without arm swing using a single inertial measurement unit.. 2022 , 1-18	0
214	Feasibility and reliability of the Functional Movement Screen battery in adults with intellectual disability.. 2022 ,	1
213	Smart Eyeglasses: A Valid and Reliable Device to Assess Spatiotemporal Parameters during Gait.. 2022 , 22,	0
212	Análisis dinámico muscular y de la estructura interna del nervio periférico como biomarcadores para la esclerosis lateral amiotrófica: estudio piloto mediante ecografía. 2022 ,	
211	Accuracy and Error Trends of Commercially Available Bat Swing Sensors in Baseball.. 2022 , 10,	

210	Reliable Peak Power Assessment During Concentric and Flexion-Extension-Cycle Based Rowing Strokes using a Non-Modified Rowing Ergometer.. 2022 , 21, 131-136	
209	Panoramic ultrasound requires a trained operator and specific evaluation sites to maximize its sensitivity: A comprehensive analysis of the measurement errors.. 2022 , 248, 113737	1
208	Reproducibility of an endurance test for master swimmers. 28,	
207	Reliability of trunk strength measurements with an isokinetic dynamometer in non-specific low back pain patients: A systematic review.. 2022 ,	
206	Validity of the PUSH band 2.0 and Speed4lifts to measure velocity during upper and lower body free-weight resistance exercises.. 2022 , 1-8	0
205	Analysis of the Use and Applicability of Different Variables for the Prescription of Relative Intensity in Bench Press Exercise.. 2022 , 11,	3
204	The Greek version of shoulder rating questionnaire (SRQ): Translation, cultural adaptation, a reliability and validity study in patients with rotator cuff related shoulder pain.. 2022 , 1-9	0
203	Intra- and Interrater Reliability of the Spanish Version of the Gross Motor Function Measure (GMFM-SP-88).. 2022 , 34,	1
202	Reliability of Symbolic Analysis of Heart Rate Variability and Its Changes During Sympathetic Stimulation in Elite Modern Pentathlon Athletes: A Pilot Study.. 2022 , 13, 829887	1
201	Psychometric properties of the Persian version of the pain anxiety symptom scale (PASS-20) in chronic non-specific neck pain patients.. 2022 ,	
200	Reliability of IMU-Derived Temporal Gait Parameters in Neurological Diseases.. 2022 , 22,	2
199	Sample Entropy as a Tool to Assess Lumbo-Pelvic Movements in a Clinical Test for Low-Back-Pain Patients.. 2022 , 24,	0
198	A novel tablet-based application for assessment of manual dexterity and its components: a reliability and validity study in healthy subjects.. 2022 , 19, 35	1
197	Validation of a smart shirt for heart rate variability measurements at rest and during exercise.. 2022 ,	1
196	Towards better reliability in fetal heart rate variability using time domain and spectral domain analyses. A new method for assessing fetal neurological state?. 2022 , 17, e0263272	3
195	Backward Double Integration is a Valid Method to Calculate Maximal and Sub-Maximal Jump Height.. 2022 , 1-7	1
194	Assessment of Low Back Pain: Reliability and Minimal Detectable Change of the Brief Pain Inventory.. 2022 , 76,	0
193	Fetal respiratory movements improve reliability of heart rate variability and suggest a coupling between fetal respiratory arrhythmia and vagal activity.. 2022 , 10, e15224	1

- 192 Reliability of a Qualitative Instrument to Assess High-Risk Mechanisms during a 90° Change of Direction in Female Football Players.. **2022**, 19,
- 191 The Impact of Technical Error of Measurement on Somatotype Categorization. **2022**, 12, 3056 1
- 190 Reliability and Accuracy of a Time-Efficient Method for the Assessment of Achilles Tendon Mechanical Properties by Ultrasonography.. **2022**, 22,
- 189 A systematic review of the criterion validity and reliability of technical and tactical field-based tests in soccer. 174795412210852 1
- 188 Pose2Sim: An End-to-End Workflow for 3D Markerless Sports Kinematics-Part 2: Accuracy.. **2022**, 22, 1
- 187 Validity of a mobile-based specific test to estimate metabolic thresholds in boxers. 175433712210845 1
- 186 Reliability of the passive leg movement assessment of vascular function in men.. **2022**, 1
- 185 Reliability of Repeated Isometric Neck Strength in Rugby Union Players Using a Load Cell Device.. **2022**, 22, 0
- 184 Anaerobic performance after 3-day consecutive CO-rich cold-water immersion in physically active males.. **2022**, 20, 148-154
- 183 The Dutch language version of the Pain Disability Index (PDI-DLV): psychometric properties in breast cancer patients.. **2022**, 1-15 0
- 182 Concordance between Laboratory and Field Methods for the Assessment of Body Fat in Olympic Combat Athletes: Analysis of the Influence of Adiposity.. **2022**, 19,
- 181 Nutritional intakes of highly trained adolescent swimmers before, during, and after a national lockdown in the COVID-19 pandemic.. **2022**, 17, e0266238 0
- 180 The Reliability of Tensiomyography for Assessment of Muscle Function in the Healthy Population. **2021**, Publish Ahead of Print, 1
- 179 Validation of the Brazilian Portuguese version of the University of California San Diego Shortness of Breath Questionnaire in patients with interstitial lung disease.. **2021**, 47, e20210172 0
- 178 ANTRENMAN YERİNİN NİROMSKİLER YORGUNLUK VE SAĞLIK DURUMUYLA İLGİLİSİ VAR MI?: GİRİŞİMLERDE YENİ BİR PENCERE. 57-71
- 177 The ADR Encoder is a reliable and valid device to measure barbell mean velocity during the Smith machine bench press exercise. 175433712110628
- 176 Objectivity, Reliability, and Validity of the Basketball Throw Test as a Health-related Measure of Upper-Body Muscular Strength in a Sample of Algerian Primary School Children. 1-9 0
- 175 Concurrent Achilles tendon vibration and tibial nerve stimulation to estimate persistent inward current strength in motoneurons.. **2021**, 31,

- 174 Can IMU Provide an Accurate Vertical Jump Height Estimate?. **2021**, 11, 12025 1
- 173 The between-week reliability of neuromuscular, endocrine, and mood markers in soccer players and the repeatability of the movement demands during small-sided games. **2021**, 0
- 172 Effects of Copenhagen Adduction Exercise on the Architectural Characteristics of Adductors in U-17 Male Soccer Players: A Randomized Controlled Trial.. **2021**, 18, 1
- 171 Reliability of Peak Running Velocity Obtained on the Track Field in Runners of Different Performance Levels.. **2021**, 12, 680913 1
- 170 Effects of weighing phase duration on vertical force-time analyses and repeatability.. **2022**, 1-11
- 169 Test-retest reliability of the EUROFIT test battery: a review. 1 0
- 168 Dynamic Ultrasound Assessment of the Anterior Tibial Translation for Anterior Cruciate Ligament Tears Diagnostic.. **2022**, 11,
- 167 Sequence and efficacy of game complexes in high-level women's volleyball: A novel perspective through Social Network Analysis. 174795412210876
- 166 Physical and motivational effects of Exergames in healthy adults-Protocol for a systematic review and meta-analysis.. **2022**, 17, e0266913 0
- 165 Validating a Semi-Automated Technique for Segmenting Femoral Articular Cartilage on Ultrasound Images.. **2022**, 13, 19476035221093069 3
- 164 Image_1.TIF. **2019**,
- 163 DataSheet1.XLSX. **2017**,
- 162 Image1.tif. **2017**,
- 161 Image2.tif. **2017**,
- 160 Image3.tif. **2017**,
- 159 Table_1.xlsx. **2019**,
- 158 Data_Sheet_1.PDF. **2018**,
- 157 Table_1.XLSX. **2019**,

- 156 Sex differences in autonomic recovery following repeated sinusoidal resistance exercise.. **2022**, 10, e15269 o
- 155 Tissue Flossing Around the Thigh Does Not Provide Acute Enhancement of Neuromuscular Function.. **2022**, 13, 870498 o
- 154 Reliability and validity of velocity measures and regression methods to predict maximal strength ability in the back-squat using a novel linear position transducer. 175433712210931 1
- 153 Test-Retest Reliability of the MotionMetrix Software for the Analysis of Walking and Running Gait Parameters.. **2022**, 22, o
- 152 The reproducibility of 20-min time-trial performance on a virtual cycling platform.. **2022**, o
- 151 Force-Time Curve Variable Outcomes Following a Simulated Tennis Match in Junior Players. 245-252
- 150 The Effectiveness of a Combined Healthy Eating, Physical Activity, and Sleep Hygiene Lifestyle Intervention on Health and Fitness of Overweight Airline Pilots: A Controlled Trial.. **2022**, 14, o
- 149 What is real change in submaximal cardiorespiratory fitness in older adults? Retrospective analysis of a clinical trial.. **2022**, 8, 59
- 148 Thirty second chair stand test: Test-retest reliability, agreement and minimum detectable change in people with early-stage knee osteoarthritis.. **2022**, e1957 1
- 147 Does oscillation size matter? Impact of added resistance on the cerebral pressure-flow Relationship in females and males.. **2022**, 10, e15278 o
- 146 Reliability of relaxation properties of knee-extensor muscles induced by transcranial magnetic stimulation. **2022**, 782, 136694
- 145 Flow-mediated slowing shows poor repeatability compared with flow-mediated dilation in non-invasive assessment of brachial artery endothelial function. **2022**, 17, e0267287
- 144 The Short-Term Reliability of the Conceptualised "Combat Readiness Assessment" **2022**, 19, 6486
- 143 Investigation of the convergent validity and reliability of unit position differences of Catapult S5 GPS units in field conditions. 175433712211005
- 142 Level of agreement and reliability of ADR encoder to monitor mean propulsive velocity during the bench press exercise. 175433712211003
- 141 Reliability of physical performance and thermoregulatory parameters in rats subjected to incremental treadmill running. **2022**, 103270 1
- 140 Comparison of A Single Vibration Foam Rolling and Static Stretching Exercise on the Muscle Function and Mechanical Properties of the Hamstring Muscles. 287-297 1
- 139 Intra-Rater Reliability of Ultrasound Measurements of Diaphragm Thickness and Contractility in Individuals with Nonspecific Chronic Neck Pain. **2022**, 21, 116-123

- 138 Reliability of a submaximal field-test in wheelchair rugby. o
- 137 Videoconference-Based Physical Performance Tests: Reliability and Feasibility Study. **2022**, 19, 7109
- 136 The Effect of Flywheel Inertia on Peak Power and Its Inter-session Reliability During Two Unilateral Hamstring Exercises: Leg Curl and Hip Extension. 4, o
- 135 Relative and absolute reliability of shank and sacral running impact accelerations over a short- and long-term time frame. 1-16 o
- 134 Test-Retest, Interrater Reliability, and Minimal Detectable Change of the Dynamic Exertion Test (EXiT) for Concussion. 194173812210935
- 133 High-speed running distance and frequency in football training: When and how are they stimulated in a microcycle?. 174795412211079
- 132 Reliability and Validity of Mini-Balance Evaluation System Test in Type 2 Diabetic Patients with Peripheral Neuropathy. **2022**, 19, 6944 o
- 131 Using wireless inertial measurement units for measuring hip range of motion through commonly used clinical tests. 175433712211067
- 130 Übersetzung, Test-Retest-Reliabilität und Konstruktvalidität der deutschen Version der Exercise Self-Efficacy Scale für körperliche Aktivität bei Personen mit axialer Spondyloarthritis.
- 129 Evaluating the intra- and inter-day reliability of output measures for the VALD HumanTrak: Dynamic movements and range of motion of the shoulder and hip with body armour. 1-36
- 128 Increased Cognitive Demands Affect Agility Performance in Female Athletes - Implications for Testing and Training of Agility in Team Ball Sports. 003151252211086
- 127 Radiographic Evaluation of Lumbar Intervertebral Disc Height Index: An Intra and Inter-Rater Agreement and Reliability Study.
- 126 Validity and Reliability of A New Low-Cost Linear Position Transducer to Measure Mean Propulsive Velocity: The ADR device. 175433712211043
- 125 Repeatability of ventilatory, metabolic and biomechanical responses to an intermittent incremental swimming protocol. 1
- 124 Absolute Reliability, Relative Reliability, and Criterion-Related Validity of Two Reactive Agility Tests Using Two Types of Stimuli in Elite Male Volleyball Players. **2022**, 29, 24-29
- 123 Reliability and validity of two hand dynamometers when used by community-dwelling adults aged over 50 years. **2022**, 22, o
- 122 Reliability of biomarkers of physiological stress at rest and post exertional heat stress..
- 121 Genişletilmiş Erkeklerde 10 haftalık Nordic Hamstring egzersiz eğitim ve onu izleyen egzersizi bırakma süreçlerinin etkileri.

- 120 Intra- and Inter-Day Reliability of the NIRS Portamon Device after Three Induced Muscle Ischemias. **2022**, 22, 5165 O
- 119 Can different physical education programs produce specific developments in psychological responses and cognitive functions? An ecological intervention in school-age children.
- 118 Validity and Reliability of a Commercial Force Sensor for the Measurement of Upper Body Strength in Sport Climbing. 4,
- 117 Potential use of the medicine ball throw test to reveal the upper-body maximal capacities to produce force, velocity, and power. 175433712211131
- 116 Validity and Reliability of the Seated Medicine Ball Throw as a Measure of Upper Body Power in Older Women. **2022**, Publish Ahead of Print, O
- 115 Radiographic evaluation of lumbar intervertebral disc height index: An intra and inter-rater agreement and reliability study. **2022**, 103, 153-162 O
- 114 Effect of Set-Structure on Upper-Body Muscular Hypertrophy and Performance in Recreationally-Trained Male and Female. **2022**, 36, 2176-2185 O
- 113 A comparison of three load-velocity based methods to estimate maximum overhead press performance in weightlifters. 174795412211158
- 112 Reliability levels of motor competence in youth athletes. **2022**, 22,
- 111 Validity and reliability of a novel 3D ultrasound approach to assess static lengths and the lengthening behavior of the gastrocnemius medialis muscle and the Achilles tendon in vivo. O
- 110 Are Wrist-Worn Activity Trackers and Mobile Applications Valid for Assessing Physical Activity in High School Students? Wearfit Study. 356-375 O
- 109 Reliability of My Jump 2 Derived from Crouching and Standing Observation Heights. **2022**, 19, 9854
- 108 The Reliability and Validity of the Digital Goniometer and Smart Phone to Determine Trunk Active Range of Motion in Stroke Patients. **2022**, 29, 225-234
- 107 Development of a simple mechanical measurement method to measure spasticity based on an analysis of a clinical maneuver and its concurrent validity with the modified Ashworth scale. 10,
- 106 Future era of techno-economic analysis: Insights from review. 3, 1
- 105 Validity and reliability of the 2-minute walk test in individuals with spinal cord injury.
- 104 Validation of Pressure-Sensing Insoles in Patients with Parkinson's Disease during Overground Walking in Single and Cognitive Dual-Task Conditions. **2022**, 22, 6392
- 103 Field based assessment of a tri-axial accelerometers validity to identify steps and reliability to quantify external load. 13, O

- 102 Are impact accelerations during treadmill running representative of those produced overground?. **2022**, 98, 195-202 ○
- 101 The 2-Point Method: A Quick, Accurate, and Repeatable Approach to Estimate Ultrasound-Derived Quadriceps Femoris Cross-Sectional Area. **2022**, 17, 1480-1488 ○
- 100 Measurement of Achilles tendon loading using shear wave tensiometry: A reliability study. **2022**, 62, 102665 ○
- 99 Reliability of high-density surface electromyography for assessing characteristics of the thoracic erector spinae during static and dynamic tasks. **2022**, 67, 102703 ○
- 98 Posture Risk Assessment in an Automotive Assembly Line Using Inertial Sensors. **2022**, 10, 83221-83235 ○
- 97 Field-Derived Maximal Power Output in Cycling: An Accurate Indicator of Maximal Performance Capacity?. **2022**, 1-7 ○
- 96 Concurrent Validity of Lower Limb Muscle Strength by Handheld Dynamometry in Children 7 to 11 Years Old. **2022**, 1-6 ○
- 95 Chinese (Mandarin) translation of the incremental shuttle walk test and its validity and reliability: A cross-sectional study. **2022**, 42, 137-149 ○
- 94 Validity and Reliability of New Equations for the Prediction of Maximal Oxygen Uptake in Male and Female Elite Adolescent Rowers. **2022**, 83, 77-86 ○
- 93 Simple method integrating OpenPose and RGB-D camera for identifying 3D body landmark locations in various postures. **2022**, 91, 103354 ○
- 92 The smart body concept as a demonstration of the overarching utility and benefits of 3D avatars in retail, health and wellbeing: an accuracy study of body measures from 3D reconstruction. ○
- 91 Test-Retest reliability and concurrent validity of novel nerve testing device for thermal detection and thermal pain thresholds. 1-10 ○
- 90 Comparison of the critical power estimated by the best fit method and the maximal lactate steady state. **2022**, ○
- 89 Can the Supido Radar Be Used for Measuring Ball Speed during Soccer Kicking? A Reliability and Concurrent Validity Study of a New Low-Cost Device. **2022**, 22, 7046 ○
- 88 Validity, reliability, and normative data on calf muscle function in rugby union players from the Calf Raise application. 1-22 ○
- 87 Profiles of Motor-Cognitive Interference in Parkinson's Disease: The Trail-Walking-Test to Discriminate between Motor Phenotypes. **2022**, 12, 1217 ○
- 86 Absolute and relative intrarater reliability of the modified motor assessment scale according to Uppsala academic hospital -99. 1-9 ○
- 85 Vastus Lateralis and Vastus Intermedius as Predictors of Quadriceps Femoris Muscle Hypertrophy after Strength Training. **2022**, 12, 9133 ○

84	Reporting guidelines for running biomechanics and footwear studies using three-dimensional motion capture. 1-12	o
83	Novel Method for Estimating Propulsive Force Generated by Swimmers's Hands Using Inertial Measurement Units and Pressure Sensors. 2022 , 22, 6695	o
82	Reliability of TMS measurements using conventional hand-hold method with different numbers of stimuli for tibialis anterior muscle in healthy adults. 16,	o
81	The validity and reliability of a portable device (ADR-Jumping) to estimate vertical jump performance. 175433712211270	1
80	Reliability of the Coach's Eye Goniometer Application during Squat Exercise. 2022 , 38, 47-59	o
79	Respiratory threshold as a new threshold determination method based on respiratory responses and its success to indicate critical power.	o
78	Methodological considerations for the determination of VO ₂ max in healthy men.	o
77	Acute response of biomarkers in plasma from capillary blood after a strenuous endurance exercise bout.	o
76	Effects of a short-term in-season break on repeated-sprint ability, jump height and locomotor performance in small-sided games in female soccer players. 174795412211319	o
75	Within and between-tournament variability in equestrian Polo. 2022 , 104144	o
74	Validity and Reliability of a Novel Smartphone Tele-Assessment Solution for Quantifying Hip Range of Motion. 2022 , 22, 8154	o
73	Development and Validation of the Visual Function Battery for Children with Special Needs.	o
72	Intra- and Interrater Reliability of Short-Term Measurement of Heart Rate Variability on Rest in Individuals Post-COVID-19. 2022 , 19, 13587	o
71	Does size matter? Effects of small versus large pitch small-sided game training on speed and endurance in collegiate soccer players. 174795412211269	o
70	The validity and reliability of counter movement jump height measured with the Polar Vantage V2 sports watch. 4,	1
69	Reliability of using a pressure sensor system to measure in-water force in young competitive swimmers. 10,	o
68	The reliability of the measurement of muscle volume using magnetic resonance imaging in typically developing infants by two raters. 2022 , 12,	o
67	Test-Retest Reliability and Sensitivity of Common Strength and Power Tests over a Period of 9 Weeks. 2022 , 10, 171	o

- 66 Repeatability of a piezoelectric force platform to measure impact metrics for a single model of football. **2022**, 25, ○
- 65 Reliability of the 3-Component Model of Aerobic, Anaerobic Lactic, and Anaerobic Alactic Energy Distribution (PCr-LA-O2) for Energetic Profiling of Continuous and Intermittent Exercise. **2022**, 17, 1642-1648 ○
- 64 Absolute agreement and consistency of the OptoGait system and Freedman platform for measuring walking gait. **2022**, 110, 103912 ○
- 63 Sport Sciences: An Ideal Field of Play for Integrated Knowledges. **2022**, 533-561 ○
- 62 Normalization of the electromyography amplitude during a multiple-set resistance training protocol: Reliability and differences between approaches. **2023**, 68, 102724 ○
- 61 Reliability and validity of field-based tests for assessing physical fitness in gymnasts. **2022**, 57, 100397 ○
- 60 Reliability of a 60-min treadmill running protocol in the heat: The journal Temperature toolbox. 1-8 ○
- 59 Effect of a sex stereotype on cortical activity during a self-paced exercise: A motor-related cortical potential approach. **2022**, 102336 ○
- 58 Performance Outcomes Following Isoinertial or Machine-Based Training Interventions in Female Junior Tennis Players. **2022**, 1-12 ○
- 57 Antagonist muscle torque at the ankle interfere with maximal voluntary contraction under isometric and anisometric conditions. **2022**, 12, ○
- 56 The Effects of Soccer Specific Exercise on Countermovement Jump Performance in Elite Youth Soccer Players. **2022**, 9, 1861 ○
- 55 Exploratory Analysis of Sprint Force-Velocity Characteristics, Kinematics and Performance across a Periodized Training Year: A Case Study of Two National Level Sprint Athletes. **2022**, 19, 15404 ○
- 54 Numerical and Graphical Diagnosis and Numbers Help to Construct Graphics for Better Understanding. **2022**, 237-259 ○
- 53 Factors contributing to the change in thermoneutral maximal oxygen consumption after iso-intensity heat acclimation programmes. 1-20 ○
- 52 Measurement of thermal sweating at rest and steady-state exercise in healthy adults: Inter-day reliability and relationships with components of partitioned calorimetry. **2022**, 17, e0278652 ○
- 51 A comprehensive wellness profile in sedentary office employees: Health, musculoskeletal pains, functional capacity, and physical fitness indices. **2022**, 1-9 1
- 50 Validity and reliability of the measurement instrument of the nursing outcome health-related Physical Fitness (2004), proposed and transculturally adapted to the Spanish context. **2022**, 21, ○
- 49 Concurrent validity and reliability of a mobile iOS application used to assess calf raise test kinematics. **2022**, 102711 ○

48	Validation of an Automatic Inertial Sensor-Based Methodology for Detailed Barbell Velocity Monitoring during Maximal Paralympic Bench Press. 2022 , 22, 9904	o
47	Test-retest reliability and agreement of lower-extremity kinematics captured in squatting and jumping preschool children using markerless motion capture technology. 4,	o
46	Fiabilidad y validez de las pruebas v-sit-and-reach y toe-touch en preescolares. 2022 , 22, 969-984	o
45	Intra and Inter-Rater Reliability of a Novel Isometric Test of Neck Strength. 2023 , 11, 2	o
44	Validity and reliability of the XSENSOR in-shoe pressure measurement system. 2023 , 18, e0277971	1
43	Comparison of different machine learning models to enhance sacral acceleration-based estimations of running stride temporal variables and peak vertical ground reaction force. 1-17	o
42	Is the Record Power Profile Repeatable? A Practical Analysis and Interpretation in Professional Cyclists. 2023 , Publish Ahead of Print,	o
41	Test-retest reliability of the single leg stance on a Lafayette stability platform. 2023 , 18, e0280361	o
40	Novice assessors demonstrate good intra-rater agreement and reliability when determining pressure pain thresholds; a cross-sectional study. 11, e14565	o
39	Concurrent Validity of the Inertial Measurement Unit Vmaxpro in Vertical Jump Estimation. 2023 , 13, 959	o
38	Development of novel calibration model(s) to predict whole-body density in professional football players. 1-9	o
37	Hand grip strength for the working-age population in South Korea: Development of an estimation and evaluation model. 2023 , 94, 103398	o
36	Repeatability of Inertial Measurement Units for Measuring Pelvic Mobility in Patients Undergoing Total Hip Arthroplasty. 2023 , 23, 377	o
35	The Minimal Difference as an Individual Threshold to Examine the Utility of a Verification Bout in Determining V O2max. Publish Ahead of Print,	o
34	Two-point Method Applied in Field Conditions: A Feasible Approach to Assess the Load-Velocity Relationship Variables During the Bench Pull Exercise. 2023 , Publish Ahead of Print,	o
33	Distinctive phases and variability of vibration-induced postural reactions highlighted by center of pressure analysis. 2023 , 18, e0280835	o
32	Validity and reliability of the Apple Health app on iPhone for measuring gait parameters in children, adults, and seniors. 2023 , 13,	o
31	Physical testing in patients with acute whiplash-associated disorders: A within session test-retest reliability study. 2023 , 64, 102738	o

- 30 Assessment of Axial Postural Abnormalities in Parkinsonism: Automatic Picture Analysis Software. **2023**, 10, 636-645 1
- 29 Feasibility and Reliability of Health-Related Physical Fitness Tests in Children and Adolescents with Hearing Impairment. **2023**, 10, 353 0
- 28 Validity and reliability of the physiological and perceptual responses elicited during a novel treadmill-based Soccer Referee Simulation (SRS). 0
- 27 Test-Retest and Between-Device Reliability of Vmaxpro IMU at Hip and Ankle for Vertical Jump Measurement. **2023**, 23, 2068 0
- 26 Changes in running biomechanics during the 2017 IAAF world championships men's 1500 m final. 0
- 25 Pitch release speed predictors for division I collegiate baseball players. **2023**, 1-10 0
- 24 Non-contact determination of sleep/wake state in residential environments by neural network learning of microwave radar and electroencephalogram-electrooculogram measurements. **2023**, 233, 110095 0
- 23 Video-based Goniometer Applications for Measuring Knee Joint Angles during Walking in Neurological Patients: A Validity, Reliability and Usability Study. **2023**, 23, 2232 0
- 22 Can an artificial intelligence powered software reliably assess pelvic radiographs?. **2023**, 47, 945-953 0
- 21 Use of force-velocity relationship to estimate the one-repetition maximum leg press exercise among young females. **2023**, 35, 247-251 0
- 20 Criterion Validity and Reliability of the Compact Infrared-Based Photocell ADR Jumping to Estimate Vertical Jump. **2023**, 13, 3151 0
- 19 Force-Velocity Profiling in Club-Based Field Hockey Players: Analyzing the Relationships between Mechanical Characteristics, Sex, and Positional Demands. 142-155 0
- 18 The cross-cultural adaptation, validity, and reliability of the Spanish version of the Fremantle Back Awareness Questionnaire. 14, 0
- 17 Comparison between conventional MRI and weight-bearing positional MRI reveals important differences in radiological measurements of the patellofemoral joint. 0
- 16 Test-Retest Reliability of Isokinetic Ankle, Knee and Hip Strength in Physically Active Adults Using Biodex System 4 Pro. **2023**, 6, 26 0
- 15 Within-Session Test-Retest Reliability of Pressure Pain Threshold and Mechanical Temporal Summation in Chronic Low Back Pain. Publish Ahead of Print, 0
- 14 Influence of Recovery Time After Warm-up on Vertical Jump Performance in Trained Prepubertal and Postpubertal Male Athletes. **2023**, Publish Ahead of Print, 0
- 13 Criterion-related validity and reliability of the 2-km walk test and the 20-m shuttle run test in adults: The role of sex, age and physical activity level. **2023**, 0

- 12 Test-Retest Reliability of a Passive Joint Position Sense Test After ACL Reconstruction: Influence of Direction, Target Angle, Limb, and Outcome Measures. **2023**, 11, 232596712311573 ○
- 11 Measures of Maximal Tactile Pressures during a Sustained Grasp Task Using a TactArray Device Have Satisfactory Reliability and Concurrent Validity in People with Stroke. **2023**, 23, 3291 ○
- 10 Contraction Velocity of the Elbow Flexors Assessed by Tensiomyography: A Comparison Between Formulas. **2023**, Publish Ahead of Print, ○
- 9 Submaximal Fitness Test in Team Sports: A Systematic Review and Meta-Analysis of Exercise Heart Rate Measurement Properties. **2023**, 9, ○
- 8 Concurrent validity of the Polar Precision Prime[®] photoplethysmographic system to measure heart rate during a tennis training session. 175433712311651 ○
- 7 Feasibility of an Intelligent Algorithm Based on an Assist-as-Needed Controller for a Robot-Aided Gait Trainer (Lokomat) in Neurological Disorders: A Longitudinal Pilot Study. **2023**, 13, 612 ○
- 6 Validity of the Xiaomi Mi Band 2, 3, 4 and 5 Wristbands for Assessing Physical Activity in 12-to-18-Year-Old Adolescents under Unstructured Free-Living Conditions. Fit-Person Study. 196-211 ○
- 5 Reliability of a Field-Based Test for Hamstrings and Quadriceps Strength Assessment in Football Players. **2023**, 13, 4918 ○
- 4 Intracranial electrophysiological recordings on a swine model of mesial temporal lobe epilepsy. 14, ○
- 3 Differences in kinetic characteristics during countermovement jump of football players with cerebral palsy according to impairment profiles. 14, ○
- 2 Dynamic analysis of muscles and the internal structure of the peripheral nerve as biomarkers of amyotrophic lateral sclerosis: A pilot study with ultrasound imaging. **2023**, ○
- 1 Reliability and validity of the 21-m shuttle-run test and its application to youth soccer players during the preseason training. **2023**, 27, 055-059 ○