

# Conversion of Neuronal Growth Cone Responses from P Nucleotides

DOI: [10.1126/science.281.5382.1515](https://doi.org/10.1126/science.281.5382.1515)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Neuropilin-1 Extracellular Domains Mediate Semaphorin D/III-Induced Growth Cone Collapse. <i>Neuron</i> , 1998, 21, 1093-1100.	3.8	264
2	Chemoattraction and Chemorepulsion of Olfactory Bulb Axons by Different Secreted Semaphorins. <i>Journal of Neuroscience</i> , 1999, 19, 4428-4436.	1.7	142
3	Myelin and Collapsin-1 Induce Motor Neuron Growth Cone Collapse through Different Pathways: Inhibition of Collapse by Opposing Mutants of Rac1. <i>Journal of Neuroscience</i> , 1999, 19, 1965-1975.	1.7	177
4	Collapsin-1/Semaphorin-III/D Is Regulated Developmentally in Purkinje Cells and Collapses Pontocerebellar Mossy Fiber Neuronal Growth Cones. <i>Journal of Neuroscience</i> , 1999, 19, 4437-4448.	1.7	47
5	Inactivation of Rho Signaling Pathway Promotes CNS Axon Regeneration. <i>Journal of Neuroscience</i> , 1999, 19, 7537-7547.	1.7	558
6	Embryonic Neurons Adapt to the Inhibitory Proteoglycan Aggrecan by Increasing Integrin Expression. <i>Journal of Neuroscience</i> , 1999, 19, 10036-10043.	1.7	119
7	Nitric Oxide in the Retinotectal System: a Signal But Not a Retrograde Messenger During Map Refinement and Segregation. <i>Journal of Neuroscience</i> , 1999, 19, 7066-7076.	1.7	47
8	Brain-Derived Neurotrophic Factor Differentially Regulates Retinal Ganglion Cell Dendritic and Axonal Arborization <i>In Vivo</i> . <i>Journal of Neuroscience</i> , 1999, 19, 9928-9938.	1.7	231
9	Mouse Semaphorin H Induces PC12 Cell Neurite Outgrowth Activating Ras-Mitogen-activated Protein Kinase Signaling Pathway via Ca <sup>2+</sup> Influx. <i>Journal of Biological Chemistry</i> , 1999, 274, 29666-29671.	1.6	59
10	Cloning, expression, and genetic mapping of Sema W, a member of the semaphorin family. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 2491-2496.	3.3	34
11	Inosine stimulates extensive axon collateral growth in the rat corticospinal tract after injury. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 13486-13490.	3.3	125
12	Long-range signaling within growing neurites mediated by neurotrophin-3. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 4095-4100.	3.3	23
13	Semaphorin 3A growth cone collapse requires a sequence homologous to tarantula hanatoxin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 13501-13505.	3.3	44
14	Shared resources between the neural and immune systems: semaphorins join the ranks. <i>Current Opinion in Immunology</i> , 1999, 11, 387-391.	2.4	56
15	Ectopic semaphorin-1a functions as an attractive guidance cue for developing peripheral neurons. <i>Nature Neuroscience</i> , 1999, 2, 798-803.	7.1	62
16	Signal transduction in axon guidance. <i>Cellular and Molecular Life Sciences</i> , 1999, 55, 1407-1415.	2.4	5
17	Distribution of semaphorin IV in adult human brain. <i>Brain Research</i> , 1999, 823, 67-79.	1.1	42
18	Development of the vertebrate main olfactory system. <i>Current Opinion in Neurobiology</i> , 1999, 9, 74-78.	2.0	41

#	ARTICLE	IF	CITATIONS
19	Signal transduction underlying growth cone guidance by diffusible factors. <i>Current Opinion in Neurobiology</i> , 1999, 9, 355-363.	2.0	428
20	Neural development: The semantics of axon guidance. <i>Current Biology</i> , 1999, 9, R201-R204.	1.8	46
21	Regulation of neuronal growth cone filopodia by nitric oxide. , 1999, 39, 168-185.		77
22	A family of proteins implicated in axon guidance and outgrowth. <i>Journal of Neurobiology</i> , 1999, 41, 158-164.	3.7	193
23	Behaviour of DRG sensory neurites at the intact and injured adult rat dorsal root entry zone: Postnatal neurites become paralysed, whilst injury improves the growth of embryonic neurites. <i>Glia</i> , 1999, 26, 309-323.	2.5	33
24	Semaphorin Signaling. <i>Neuron</i> , 1999, 22, 11-14.	3.8	90
25	Prior Exposure to Neurotrophins Blocks Inhibition of Axonal Regeneration by MAG and Myelin via a cAMP-Dependent Mechanism. <i>Neuron</i> , 1999, 22, 89-101.	3.8	498
26	From Membrane to Cytoskeleton. <i>Neuron</i> , 1999, 22, 419-422.	3.8	34
27	Braking News. <i>Neuron</i> , 1999, 22, 423-425.	3.8	36
28	The Benefits of Adding Insult to Injury. <i>Neuron</i> , 1999, 23, 2-4.	3.8	7
29	Phospholipase C- $\beta$ and Phosphoinositide 3-Kinase Mediate Cytoplasmic Signaling in Nerve Growth Cone Guidance. <i>Neuron</i> , 1999, 23, 139-148.	3.8	264
30	Identification of Maxillary Factor, a Maxillary Process-Derived Chemoattractant for Developing Trigeminal Sensory Axons. <i>Neuron</i> , 1999, 24, 165-178.	3.8	94
31	Protein kinase C inhibition has only a transient growth arresting effect on in vitro regenerating mouse sensory neurons. <i>Neuroscience Letters</i> , 1999, 275, 155-158.	1.0	10
32	Dissociated adult <i>Rana pipiens</i> motoneuron growth cones turn up concentration gradients of denervated peripheral nerve-released factors. <i>Neuroscience Letters</i> , 1999, 277, 87-90.	1.0	3
33	The glial scar and central nervous system repair. <i>Brain Research Bulletin</i> , 1999, 49, 377-391.	1.4	1,622
34	Cyclic nucleotide-gated cation channel expression in embryonic chick brain. <i>Molecular Brain Research</i> , 1999, 66, 175-178.	2.5	7
35	Zebrafish semaphorin Z1b inhibits growing motor axons in vivo. <i>Mechanisms of Development</i> , 1999, 87, 103-117.	1.7	49
36	Plexin-Neuropilin-1 Complexes Form Functional Semaphorin-3A Receptors. <i>Cell</i> , 1999, 99, 59-69.	13.5	757

#	ARTICLE	IF	CITATIONS
37	Plexins Are a Large Family of Receptors for Transmembrane, Secreted, and GPI-Anchored Semaphorins in Vertebrates. <i>Cell</i> , 1999, 99, 71-80.	13.5	1,029
38	Attraction versus Repulsion. <i>Cell</i> , 1999, 97, 821-824.	13.5	30
39	Chimeric Axon Guidance Receptors. <i>Cell</i> , 1999, 97, 917-926.	13.5	182
40	A Ligand-Gated Association between Cytoplasmic Domains of UNC5 and DCC Family Receptors Converts Netrin-Induced Growth Cone Attraction to Repulsion. <i>Cell</i> , 1999, 97, 927-941.	13.5	643
41	Plasminogen-Related Growth Factor and Semaphorin Receptors: A Gene Superfamily Controlling Invasive Growth. <i>Experimental Cell Research</i> , 1999, 253, 88-99.	1.2	61
42	Neurite Outgrowth Inhibition by Chondroitin Sulfate Proteoglycan: Stalling/Stopping Exceeds Turning in Human Neuroblastoma Growth Cones. <i>Experimental Neurology</i> , 1999, 160, 244-255.	2.0	57
43	Differential Cytoskeletal Changes during Growth Cone Collapse in Response to hSema III and Thrombin. <i>Molecular and Cellular Neurosciences</i> , 1999, 14, 398-418.	1.0	45
44	Semaphorin III Can Induce Death in Sensory Neurons. <i>Molecular and Cellular Neurosciences</i> , 1999, 14, 301-316.	1.0	80
45	Astrocytes Induce Oligodendrocyte Processes to Align with and Adhere to Axons. <i>Molecular and Cellular Neurosciences</i> , 1999, 14, 385-397.	1.0	64
46	Teneurins: A Novel Family of Neuronal Cell Surface Proteins in Vertebrates, Homologous to the <i>Drosophila</i> Pair-Rule Gene Product Ten-m. <i>Developmental Biology</i> , 1999, 216, 195-209.	0.9	95
47	Chapter XI Invertebrate models for studying NO-mediated signaling. <i>Handbook of Chemical Neuroanatomy</i> , 2000, 17, 417-441.	0.3	13
48	Functions of Semaphorins in Axon Guidance and Neuronal Regeneration. <i>The Japanese Journal of Pharmacology</i> , 2000, 82, 273-279.	1.2	39
49	Laminin modulates neuritogenesis of developing rat retinal ganglion cells through a protein kinase C-dependent pathway. , 2000, 60, 291-301.		8
50	Guidance of regenerating motor axons in vivo by gradients of diffusible peripheral nerve-derived factors. , 2000, 42, 212-219.		40
51	Glial inhibition of nerve regeneration in the mature mammalian CNS. <i>Glia</i> , 2000, 29, 166-174.	2.5	95
52	Comparison of neurotrophin and repellent sensitivities of early embryonic geniculate and trigeminal axons. <i>Journal of Comparative Neurology</i> , 2000, 422, 579-593.	0.9	52
53	Cdc42 stimulates neurite outgrowth and formation of growth cone filopodia and lamellipodia. <i>Journal of Neurobiology</i> , 2000, 43, 352-364.	3.7	95
54	Regulating actin dynamics in neuronal growth cones by ADF/cofilin and Rho family GTPases. <i>Journal of Neurobiology</i> , 2000, 44, 126-144.	3.7	163

#	ARTICLE	IF	CITATIONS
55	Neurotrophins and the dynamic regulation of the neuronal cytoskeleton. <i>Journal of Neurobiology</i> , 2000, 44, 159-173.	3.7	81
56	Regulation of growth cone behavior by calcium: New dynamics to earlier perspectives. <i>Journal of Neurobiology</i> , 2000, 44, 174-183.	3.7	141
57	Molecular basis of semaphorin-mediated axon guidance. <i>Journal of Neurobiology</i> , 2000, 44, 219-229.	3.7	283
58	Growth cone form, behavior, and interactions in vivo: Retinal axon pathfinding as a model. <i>Journal of Neurobiology</i> , 2000, 44, 260-270.	3.7	57
59	Neuronal galvanotropism is independent of external Ca <sup>2+</sup> entry or internal Ca <sup>2+</sup> gradients. <i>Journal of Neurobiology</i> , 2000, 45, 30-38.	3.7	27
60	Erratum to "Growth cone form, behavior, and interactions in vivo: Retinal axon pathfinding as a model". <i>Journal of Neurobiology</i> , 2000, 45, 134-134.	3.7	0
61	Axonal outgrowth from adult mouse nodose ganglia in vitro is stimulated by neurotrophin-4 in a Trk receptor and mitogen-activated protein kinase-dependent way. <i>Journal of Neurobiology</i> , 2000, 45, 142-151.	3.7	16
62	Turning of nerve growth cones induced by localized increases in intracellular calcium ions. <i>Nature</i> , 2000, 403, 89-93.	13.7	260
63	Calcium signalling in the guidance of nerve growth by netrin-1. <i>Nature</i> , 2000, 403, 93-98.	13.7	357
64	Active movement of T cells away from a chemokine. <i>Nature Medicine</i> , 2000, 6, 543-548.	15.2	283
65	Semaphorin 3A is a chemoattractant for cortical apical dendrites. <i>Nature</i> , 2000, 404, 567-573.	13.7	642
66	Dendrites go up, axons go down. <i>Nature</i> , 2000, 404, 557-559.	13.7	12
67	Netrin-1-mediated axon outgrowth and cAMP production requires interaction with adenosine A2b receptor. <i>Nature</i> , 2000, 407, 747-750.	13.7	199
68	Regenerating the damaged central nervous system. <i>Nature</i> , 2000, 407, 963-970.	13.7	777
69	Regulation of repulsion versus adhesion by different splice forms of an Eph receptor. <i>Nature</i> , 2000, 408, 203-206.	13.7	316
70	Semaphorins and their receptors in vertebrates and invertebrates. <i>Current Opinion in Neurobiology</i> , 2000, 10, 88-94.	2.0	429
71	Signalling by semaphorin receptors: cell guidance and beyond. <i>Trends in Cell Biology</i> , 2000, 10, 377-383.	3.6	329
72	A genetic programme for neuronal connectivity. <i>Trends in Genetics</i> , 2000, 16, 221-226.	2.9	31

#	ARTICLE	IF	CITATIONS
73	Whole brain spheroid cultures as a model to study the development of nitric oxide synthase-guanylate cyclase signal transduction. <i>Developmental Brain Research</i> , 2000, 125, 99-115.	2.1	16
74	Nitric oxide (NO <sup>-</sup> ) stabilizes whereas nitrosonium (NO <sup>+</sup> ) enhances filopodial outgrowth by rat retinal ganglion cells in vitro. <i>Brain Research</i> , 2000, 868, 1-13.	1.1	17
75	Dendritic Morphogenesis. <i>Molecular Neurobiology</i> , 2000, 22, 001-010.	1.9	21
76	Slit2 Is a Repellent for Retinal Ganglion Cell Axons. <i>Journal of Neuroscience</i> , 2000, 20, 4962-4974.	1.7	152
77	Spatial Distributions of Guidance Molecules Regulate Chemorepulsion and Chemoattraction of Growth Cones. <i>Journal of Neuroscience</i> , 2000, 20, 1030-1035.	1.7	84
78	Stimulus History Alters Behavioral Responses of Neuronal Growth Cones. <i>Journal of Neuroscience</i> , 2000, 20, 1484-1494.	1.7	31
79	Transmitter- Receptor Interactions between Growth Cones of Identified Lymnaea Neurons Determine Target Cell Selection In Vitro. <i>Journal of Neuroscience</i> , 2000, 20, 8077-8086.	1.7	44
80	Stabilization of Growing Retinal Axons by the Combined Signaling of Nitric Oxide and Brain-Derived Neurotrophic Factor. <i>Journal of Neuroscience</i> , 2000, 20, 1458-1469.	1.7	105
81	Intracellular Ca <sup>2+</sup> and Ca <sup>2+</sup> /Calmodulin-Dependent Kinase II Mediate Acute Potentiation of Neurotransmitter Release by Neurotrophin-3. <i>Journal of Cell Biology</i> , 2000, 149, 783-792.	2.3	73
82	Pathology of Nerve Terminal Degeneration in the Skin. <i>Journal of Neuropathology and Experimental Neurology</i> , 2000, 59, 297-307.	0.9	86
83	Nogo-A, a Potent Inhibitor of Neurite Outgrowth and Regeneration. <i>Biological Chemistry</i> , 2000, 381, 407-19.	1.2	134
84	Phosphorylation of a New Brain-specific Septin, G-septin, by cGMP-dependent Protein Kinase. <i>Journal of Biological Chemistry</i> , 2000, 275, 10047-10056.	1.6	54
85	Semaphorin3a Enhances Endocytosis at Sites of Receptor- F-Actin Colocalization during Growth Cone Collapse. <i>Journal of Cell Biology</i> , 2000, 149, 411-422.	2.3	186
86	Opposing Actions of cGMP and Calcium on the Conductance of the F0 Subunit c Pore. <i>Biochemical and Biophysical Research Communications</i> , 2000, 274, 835-840.	1.0	27
87	Chondroitin Sulfates Affect the Formation of the Segmental Motor Nerves in Zebrafish Embryos. <i>Developmental Biology</i> , 2000, 221, 206-219.	0.9	55
88	Voltage-Gated Calcium Channels Direct Neuronal Migration in <i>Caenorhabditis elegans</i> . <i>Developmental Biology</i> , 2000, 226, 104-117.	0.9	46
89	Intercostal Nerve Implants Transduced with an Adenoviral Vector Encoding Neurotrophin-3 Promote Regrowth of Injured Rat Corticospinal Tract Fibers and Improve Hindlimb Function. <i>Experimental Neurology</i> , 2000, 164, 25-37.	2.0	89
90	Cyclic AMP Prevents an Increase in GAP-43 but Promotes Neurite Growth in Cultured Adult Rat Dorsal Root Ganglion Neurons. <i>Experimental Neurology</i> , 2000, 166, 153-165.	2.0	35

#	ARTICLE	IF	CITATIONS
91	Differential Expression of Collapsin Response Mediator Proteins (CRMP/ULIP) in Subsets of Oligodendrocytes in the Postnatal Rodent Brain. <i>Molecular and Cellular Neurosciences</i> , 2000, 16, 324-337.	1.0	77
92	Growth Cone Steering by Receptor Tyrosine Phosphatase $\hat{\Gamma}$ Defines a Distinct Class of Guidance Cue. <i>Molecular and Cellular Neurosciences</i> , 2000, 16, 686-695.	1.0	41
93	Semaphorin SEMA3F Localization in Malignant Human Lung and Cell Lines. <i>American Journal of Pathology</i> , 2000, 156, 939-950.	1.9	112
94	The effects of neurotrophin-3 and brain-derived neurotrophic factor on cerebellar granule cell movement and neurite extension in vitro. <i>Neuroscience</i> , 2000, 97, 727-734.	1.1	31
95	Induction of neuronal apoptosis by Semaphorin3A-derived peptide. <i>Molecular Brain Research</i> , 2000, 83, 81-93.	2.5	36
96	Crossed Wires. <i>Neuron</i> , 2000, 27, 191-193.	3.8	10
97	Analysis of the L1-Deficient Mouse Phenotype Reveals Cross-Talk between Sema3A and L1 Signaling Pathways in Axonal Guidance. <i>Neuron</i> , 2000, 27, 237-249.	3.8	396
98	Squeezing Axons Out of the Gray Matter. <i>Cell</i> , 2000, 102, 363-375.	13.5	335
99	Drosophila Dscam Is an Axon Guidance Receptor Exhibiting Extraordinary Molecular Diversity. <i>Cell</i> , 2000, 101, 671-684.	13.5	968
100	NEUROBIOLOGY:Regeneration in the Nogo Zone. <i>Science</i> , 2000, 287, 813-814.	6.0	21
101	Function of an Axonal Chemoattractant Modulated by Metalloprotease Activity. <i>Science</i> , 2000, 289, 1365-1367.	6.0	160
102	Attraction vs. repulsion: The growth cone decides. <i>Biochemistry and Cell Biology</i> , 2000, 78, 563-568.	0.9	28
103	Regeneration of Entorhinal Fibers in Mouse Slice Cultures Is Age Dependent and Can Be Stimulated by NT-4, GDNF, and Modulators of G-Proteins and Protein Kinase C. <i>Experimental Neurology</i> , 2001, 169, 135-147.	2.0	45
104	Soluble Myelin-Associated Glycoprotein Released from Damaged White Matter Inhibits Axonal Regeneration. <i>Molecular and Cellular Neurosciences</i> , 2001, 18, 259-269.	1.0	98
105	Spinal Cord Repair: Strategies to Promote Axon Regeneration. <i>Neurobiology of Disease</i> , 2001, 8, 11-18.	2.1	77
106	cGMP Enhances the Sonic Hedgehog Response in Neural Plate Cells. <i>Developmental Biology</i> , 2001, 238, 157-167.	0.9	28
107	A cyclic AMP-regulated negative feedforward system for neuritogenesis revealed in a neuroblastomaA—glioma hybrid cell line. <i>Neuroscience</i> , 2001, 104, 583-591.	1.1	9
108	Localization of cGMP-dependent protein kinase type II in rat brain. <i>Neuroscience</i> , 2001, 108, 27-49.	1.1	71

#	ARTICLE	IF	CITATIONS
109	Cell signalling cascades regulating neuronal growth-promoting and inhibitory cues. <i>Progress in Neurobiology</i> , 2001, 65, 593-608.	2.8	80
110	Emerging roles for semaphorins in neural regeneration. <i>Brain Research Reviews</i> , 2001, 35, 36-54.	9.1	127
111	PlexinA1 Autoinhibition by the Plexin Sema Domain. <i>Neuron</i> , 2001, 29, 429-439.	3.8	189
112	Electrical Activity Modulates Growth Cone Guidance by Diffusible Factors. <i>Neuron</i> , 2001, 29, 441-452.	3.8	245
113	Plexin B Mediates Axon Guidance in <i>Drosophila</i> by Simultaneously Inhibiting Active Rac and Enhancing RhoA Signaling. <i>Neuron</i> , 2001, 32, 39-51.	3.8	190
114	Plexin-A3 Mediates Semaphorin Signaling and Regulates the Development of Hippocampal Axonal Projections. <i>Neuron</i> , 2001, 32, 249-263.	3.8	206
115	Chemotropic Responses of Retinal Growth Cones Mediated by Rapid Local Protein Synthesis and Degradation. <i>Neuron</i> , 2001, 32, 1013-1026.	3.8	754
116	Molecular Biology of Axons. <i>Neuron</i> , 2001, 32, 959-960.	3.8	12
117	Functional Regeneration of Chronically Injured Sensory Afferents into Adult Spinal Cord after Neurotrophin Gene Therapy. <i>Journal of Neuroscience</i> , 2001, 21, 8408-8416.	1.7	178
118	Cyclic Nucleotide-Mediated Regulation of Hippocampal Mossy Fiber Development: A Target-Specific Guidance. <i>Journal of Neuroscience</i> , 2001, 21, 6181-6194.	1.7	38
119	Extracellular Signals That Regulate the Tangential Migration of Olfactory Bulb Neuronal Precursors: Inducers, Inhibitors, and Repellents. <i>Journal of Neuroscience</i> , 2001, 21, 7654-7663.	1.7	144
120	Neuronal Cyclic AMP Controls the Developmental Loss in Ability of Axons to Regenerate. <i>Journal of Neuroscience</i> , 2001, 21, 4731-4739.	1.7	496
121	Soluble Guanylate Cyclase Is Required during Development for Visual System Function in <i>Drosophila</i> . <i>Journal of Neuroscience</i> , 2001, 21, 7705-7714.	1.7	48
122	Semaphorin 3A Elicits Stage-Dependent Collapse, Turning, and Branching in <i>Xenopus</i> Retinal Growth Cones. <i>Journal of Neuroscience</i> , 2001, 21, 8538-8547.	1.7	187
123	Disruption of Retinogeniculate Pattern Formation by Inhibition of Soluble Guanylyl Cyclase. <i>Journal of Neuroscience</i> , 2001, 21, 3871-3880.	1.7	30
124	Sources and targets of nitric oxide signalling in insect nervous systems. <i>Cell and Tissue Research</i> , 2001, 303, 137-146.	1.5	80
125	Semaphorin-neuropilin-1 interactions in plasticity and regeneration of adult neurons. <i>Cell and Tissue Research</i> , 2001, 305, 275-284.	1.5	59
126	The inhibition of phosphatidylinositol-3-kinase induces neurite retraction and activates GSK3. <i>Journal of Neurochemistry</i> , 2001, 78, 468-481.	2.1	68



#	ARTICLE	IF	CITATIONS
127	Peripheral nerve injury fails to induce growth of lesioned ascending dorsal column axons into spinal cord scar tissue expressing the axon repellent Semaphorin3A. <i>European Journal of Neuroscience</i> , 2001, 13, 457-471.	1.2	128
128	Development of visual cortical axons: Layer-specific effects of extrinsic influences and activity blockade. <i>Journal of Comparative Neurology</i> , 2001, 430, 321-331.	0.9	18
129	Nitric oxide: An unconventional messenger in the nervous system of an orthopteroïd insect. <i>Archives of Insect Biochemistry and Physiology</i> , 2001, 48, 100-110.	0.6	45
130	Neurotrophins and neuronal differentiation in the central nervous system. <i>Cellular and Molecular Life Sciences</i> , 2001, 58, 1054-1060.	2.4	150
131	PI-3 kinase and IP3 are both necessary and sufficient to mediate NT3-induced synaptic potentiation. <i>Nature Neuroscience</i> , 2001, 4, 19-28.	7.1	87
132	How do dendrites take their shape?. <i>Nature Neuroscience</i> , 2001, 4, 359-365.	7.1	267
133	Phosphorylation of cofilin by LIM-kinase is necessary for semaphorin 3A-induced growth cone collapse. <i>Nature Neuroscience</i> , 2001, 4, 367-373.	7.1	318
134	Dynamic regulation of axon guidance. <i>Nature Neuroscience</i> , 2001, 4, 1169-1176.	7.1	294
135	The cell biology of neuronal navigation. <i>Nature Cell Biology</i> , 2001, 3, E81-E88.	4.6	342
136	Force generation by cytoskeletal motor proteins as a regulator of axonal elongation and retraction. <i>Trends in Cell Biology</i> , 2001, 11, 244-249.	3.6	75
137	Batten disease and the control of the Fo subunit c pore by cGMP and calcium. <i>European Journal of Paediatric Neurology</i> , 2001, 5, 147-150.	0.7	14
138	Repulsive factors and axon regeneration in the CNS. <i>Current Opinion in Neurobiology</i> , 2001, 11, 89-94.	2.0	170
139	Receptor tyrosine phosphatases in axon growth and guidance. <i>Current Opinion in Neurobiology</i> , 2001, 11, 95-102.	2.0	63
140	The Role of Semaphorins in Lung Cancer. <i>Clinical Lung Cancer</i> , 2001, 3, 145-150.	1.1	12
141	Switching Repulsion to Attraction: Changing Responses to Slit During Transition in Mesoderm Migration. <i>Science</i> , 2001, 292, 737-740.	6.0	220
142	Regulation of Drosophila Visual System Development by Nitric Oxide and Cyclic GMP. <i>American Zoologist</i> , 2001, 41, 268-281.	0.7	1
143	Factors controlling axonal and dendritic arbors. <i>International Review of Cytology</i> , 2001, 205, 77-147.	6.2	5
144	Biological Activity of Soluble CD100. II. Soluble CD100, Similarly to H-Semalll, Inhibits Immune Cell Migration. <i>Journal of Immunology</i> , 2001, 166, 4348-4354.	0.4	154

#	ARTICLE	IF	CITATIONS
145	Regulation of Drosophila Visual System Development by Nitric Oxide and Cyclic GMP1. American Zoologist, 2001, 41, 268-281.	0.7	3
146	A Src-astic response to mounting tension. Journal of Cell Biology, 2001, 155, 327-330.	2.3	6
147	Collapsin Response Mediator Protein Switches RhoA and Rac1 Morphology in N1E-115 Neuroblastoma Cells and Is Regulated by Rho Kinase. Journal of Biological Chemistry, 2001, 276, 43482-43486.	1.6	47
148	CRYP-2/cPTPRO is a neurite inhibitory repulsive guidance cue for retinal neurons in vitro. Journal of Cell Biology, 2001, 154, 867-878.	2.3	40
149	Neuronal activity and the establishment of normal and epileptic circuits during brain development. International Review of Neurobiology, 2001, 45, 89-118.	0.9	23
150	Anti-semaphorin 3A Antibodies Rescue Retinal Ganglion Cells from Cell Death following Optic Nerve Axotomy. Journal of Biological Chemistry, 2002, 277, 49799-49807.	1.6	95
151	Gangliosides are functional nerve cell ligands for myelin-associated glycoprotein (MAG), an inhibitor of nerve regeneration. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 8412-8417.	3.3	266
152	Neuropilin and Its Ligands in Normal Lung and Cancer. Advances in Experimental Medicine and Biology, 2002, 515, 103-114.	0.8	22
153	Ganglioside rafts as MAG receptors that mediate blockade of axon growth. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 7811-7813.	3.3	41
154	Regeneration in the Adult and Aging Brain. Archives of Neurology, 2002, 59, 1717.	4.9	38
155	Knowing How to Navigate: Mechanisms of Semaphorin Signaling in the Nervous System. Science Signaling, 2002, 2002, re1-re1.	1.6	87
156	cGMP-mediated signaling via cGKII $\pm$ is required for the guidance and connectivity of sensory axons. Journal of Cell Biology, 2002, 159, 489-498.	2.3	116
157	Chapter 26 Inactivation of intracellular Rho to stimulate axon growth and regeneration. Progress in Brain Research, 2002, 137, 371-380.	0.9	71
158	Nerve Growth Factor Enhances Neurotransmitter Release from PC12 Cells by Increasing Ca <sup>2+</sup> -Responsible Secretory Vesicles through the Activation of Mitogen-Activated Protein Kinase and Phosphatidylinositol 3-Kinase. Journal of Biochemistry, 2002, 131, 887-894.	0.9	30
159	Neuronal migration and molecular conservation with leukocyte chemotaxis. Genes and Development, 2002, 16, 2973-2984.	2.7	31
160	Cyclic GMP regulation and function in insects. Advances in Insect Physiology, 2002, 29, 1-54.	1.1	25
161	Chapter 27 A role for cAMP in regeneration during development and after injury. Progress in Brain Research, 2002, 137, 381-387.	0.9	56
162	Chapter 24 Increasing plasticity and functional recovery of the lesioned spinal cord. Progress in Brain Research, 2002, 137, 351-359.	0.9	86

#	ARTICLE	IF	CITATIONS
163	Semaphorin 3E/Collapsin-5 Inhibits Growing Retinal Axons. <i>Experimental Cell Research</i> , 2002, 279, 52-61.	1.2	30
164	Building a Bridge: Engineering Spinal Cord Repair. <i>Experimental Neurology</i> , 2002, 174, 125-136.	2.0	190
165	Differences in Host Serotonin Innervation of Intrastratial Grafts Are Not Determined by a Glial Scar or Chondroitin Sulfate Proteoglycans. <i>Experimental Neurology</i> , 2002, 177, 61-74.	2.0	5
166	Ephrin-B1 Promotes Dendrite Outgrowth on Cerebellar Granule Neurons. <i>Molecular and Cellular Neurosciences</i> , 2002, 20, 429-446.	1.0	19
167	Dynamic Changes in Gene Expression Profiles Following Axotomy of Projection Fibres in the Mammalian CNS. <i>Molecular and Cellular Neurosciences</i> , 2002, 21, 421-435.	1.0	18
168	Slit Antagonizes Netrin-1 Attractive Effects during the Migration of Inferior Olivary Neurons. <i>Developmental Biology</i> , 2002, 246, 429-440.	0.9	53
169	Genetic Manipulation of Single Neurons in Vivo Reveals Specific Roles of Flamingo in Neuronal Morphogenesis. <i>Developmental Biology</i> , 2002, 247, 76-88.	0.9	71
170	Molecular Control of Cortical Dendrite Development. <i>Annual Review of Neuroscience</i> , 2002, 25, 127-149.	5.0	256
171	Semaphorins: contributors to structural stability of hippocampal networks?. <i>Progress in Brain Research</i> , 2002, 138, 17-38.	0.9	16
172	Axonal Protein Synthesis Provides a Mechanism for Localized Regulation at an Intermediate Target. <i>Cell</i> , 2002, 110, 223-235.	13.5	366
173	Ontogeny of semaphorins 3A and 3F and their receptors neuropilins 1 and 2 in the kidney. <i>Mechanisms of Development</i> , 2002, 119, S149-S153.	1.7	46
174	Conserved Cues for Axon and Dendrite Growth in the Developing Cortex. <i>Neuron</i> , 2002, 33, 2-4.	3.8	26
175	Drosophila Dscam Is Required for Divergent Segregation of Sister Branches and Suppresses Ectopic Bifurcation of Axons. <i>Neuron</i> , 2002, 33, 559-571.	3.8	196
176	Regeneration of Sensory Axons within the Injured Spinal Cord Induced by Intraganglionic cAMP Elevation. <i>Neuron</i> , 2002, 34, 885-893.	3.8	515
177	Spinal Axon Regeneration Induced by Elevation of Cyclic AMP. <i>Neuron</i> , 2002, 34, 895-903.	3.8	632
178	Myelin-Associated Glycoprotein Interacts with the Nogo66 Receptor to Inhibit Neurite Outgrowth. <i>Neuron</i> , 2002, 35, 283-290.	3.8	533
179	Arginase I and Polyamines Act Downstream from Cyclic AMP in Overcoming Inhibition of Axonal Growth MAG and Myelin In Vitro. <i>Neuron</i> , 2002, 35, 711-719.	3.8	285
180	Fyn and Cdk5 Mediate Semaphorin-3A Signaling, Which Is Involved in Regulation of Dendrite Orientation in Cerebral Cortex. <i>Neuron</i> , 2002, 35, 907-920.	3.8	311

#	ARTICLE	IF	CITATIONS
181	A Drosophila Homolog of Cyclase-Associated Proteins Collaborates with the Abl Tyrosine Kinase to Control Midline Axon Pathfinding. <i>Neuron</i> , 2002, 36, 611-622.	3.8	81
182	Localized Synaptic Potentiation by BDNF Requires Local Protein Synthesis in the Developing Axon. <i>Neuron</i> , 2002, 36, 675-688.	3.8	183
183	Expression of Nogo protein by growing axons in the developing nervous system. <i>Molecular Brain Research</i> , 2002, 104, 111-119.	2.5	45
184	Strategies for repair of the deafferented spinal cord. <i>Brain Research Reviews</i> , 2002, 40, 301-308.	9.1	15
185	Ephrins are not only unattractive. <i>Trends in Neurosciences</i> , 2002, 25, 239-243.	4.2	97
186	Transient PKA Activity Is Required for Initiation But Not Maintenance of BDNF-Mediated Protection from Nitric Oxide-Induced Growth-Cone Collapse. <i>Journal of Neuroscience</i> , 2002, 22, 5016-5023.	1.7	39
187	Growth Cone Collapse Induced by Semaphorin 3A Requires 12/15-Lipoxygenase. <i>Journal of Neuroscience</i> , 2002, 22, 4932-4941.	1.7	64
188	Nerve Growth Factor and Semaphorin 3A Signaling Pathways Interact in Regulating Sensory Neuronal Growth Cone Motility. <i>Journal of Neuroscience</i> , 2002, 22, 6659-6669.	1.7	155
189	Antagonistic Effects of Rnd1 and RhoD GTPases Regulate Receptor Activity in Semaphorin 3A-Induced Cytoskeletal Collapse. <i>Journal of Neuroscience</i> , 2002, 22, 471-477.	1.7	151
190	Pharmacological, Cell, and Gene Therapy Strategies to Promote Spinal Cord Regeneration. <i>Cell Transplantation</i> , 2002, 11, 593-613.	1.2	55
191	Axon Guidance: Growth Cones Make an Unexpected Turn. <i>Current Biology</i> , 2002, 12, R218-R220.	1.8	18
192	The Neuropilins Multifunctional Semaphorin and VEGF Receptors that Modulate Axon Guidance and Angiogenesis. <i>Trends in Cardiovascular Medicine</i> , 2002, 12, 13-19.	2.3	308
193	Survival and axonal regeneration of retinal ganglion cells in adult cats. <i>Progress in Retinal and Eye Research</i> , 2002, 21, 529-553.	7.3	78
194	Fibroblast growth factor-2 converts PACAP growth action on embryonic hindbrain precursors from stimulation to inhibition. <i>Journal of Neuroscience Research</i> , 2002, 67, 566-573.	1.3	44
195	Local calcium changes regulate the length of growth cone filopodia. <i>Journal of Neurobiology</i> , 2002, 50, 263-275.	3.7	38
196	Complementary expression and heterophilic interactions between igLON family members neurotrimin and LAMP. <i>Journal of Neurobiology</i> , 2002, 51, 190-204.	3.7	58
197	Myelin-associated glycoprotein modulates expression and phosphorylation of neuronal cytoskeletal elements and their associated kinases. <i>Journal of Neurochemistry</i> , 2002, 81, 1263-1272.	2.1	89
198	Group II metabotropic glutamate receptor activation is required for normal hippocampal mossy fibre development in the rat. <i>Journal of Physiology</i> , 2002, 539, 157-162.	1.3	23

#	ARTICLE	IF	CITATIONS
199	A neuronal receptor, neuropilin-1, is essential for the initiation of the primary immune response. <i>Nature Immunology</i> , 2002, 3, 477-482.	7.0	294
200	A protein kinase A-dependent molecular switch in synapsins regulates neurite outgrowth. <i>Nature Neuroscience</i> , 2002, 5, 431-437.	7.1	128
201	Nerve growth cone guidance mediated by G protein-coupled receptors. <i>Nature Neuroscience</i> , 2002, 5, 843-848.	7.1	209
202	A p75NTR and Nogo receptor complex mediates repulsive signaling by myelin-associated glycoprotein. <i>Nature Neuroscience</i> , 2002, 5, 1302-1308.	7.1	421
203	Molecular Mechanisms of Axon Guidance. <i>Science</i> , 2002, 298, 1959-1964.	6.0	1,292
204	Cis and trans interactions of L1 with neuropilin-1 control axonal responses to semaphorin 3A. <i>EMBO Journal</i> , 2002, 21, 6348-6357.	3.5	197
205	Trk Receptors: Roles in Neuronal Signal Transduction. <i>Annual Review of Biochemistry</i> , 2003, 72, 609-642.	5.0	2,177
206	Neurotrophic regulation of the development and function of the neuromuscular synapses. <i>Journal of Neurocytology</i> , 2003, 32, 931-941.	1.6	30
207	Semaphorin junction: making tracks toward neural connectivity. <i>Current Opinion in Neurobiology</i> , 2003, 13, 79-89.	2.0	286
208	New roles for old proteins in adult CNS axonal regeneration. <i>Current Opinion in Neurobiology</i> , 2003, 13, 133-139.	2.0	64
209	Regeneration in the central nervous system. <i>Experimental Gerontology</i> , 2003, 38, 79-86.	1.2	64
210	Signaling mechanisms of the myelin inhibitors of axon regeneration. <i>Current Opinion in Neurobiology</i> , 2003, 13, 545-551.	2.0	85
211	Developing patterns of nitric oxide synthesizing neurons in the rat striatum: histochemical analysis. <i>Developmental Brain Research</i> , 2003, 141, 91-99.	2.1	11
212	mRNA expression patterns of the cGMP-hydrolyzing phosphodiesterases types 2, 5, and 9 during development of the rat brain. <i>Journal of Comparative Neurology</i> , 2003, 467, 566-580.	0.9	149
213	Olfactory ensheathing cells transplanted in lesioned spinal cord prevent loss of spinal cord parenchyma and promote functional recovery. <i>Glia</i> , 2003, 42, 275-286.	2.5	85
214	Temporal specific patterns of semaphorin gene expression in rat brain after kainic acid-induced status epilepticus. <i>Hippocampus</i> , 2003, 13, 1-20.	0.9	79
215	Cranial expression of class 3 secreted semaphorins and their neuropilin receptors. <i>Developmental Dynamics</i> , 2003, 228, 726-733.	0.8	64
216	Involvement of the $\gamma 7$ subunit of the nicotinic receptor in morphogenic and trophic effects of acetylcholine on embryonic rat spinal motoneurons in culture. <i>Journal of Neuroscience Research</i> , 2003, 72, 46-53.	1.3	9

#	ARTICLE	IF	CITATIONS
217	Effect of excess extracellular glutamate on dendrite growth from cerebral cortical neurons at 3 days in vitro: Involvement of NMDA receptors. <i>Journal of Neuroscience Research</i> , 2003, 74, 688-700.	1.3	39
218	Myelin-associated inhibitors of axon regeneration. <i>Journal of Neuroscience Research</i> , 2003, 74, 479-485.	1.3	51
219	B-type Eph receptors and ephrins induce growth cone collapse through distinct intracellular pathways. <i>Journal of Neurobiology</i> , 2003, 57, 323-336.	3.7	86
220	Movement through slits: Cellular migration via the Slit family. <i>BioEssays</i> , 2003, 25, 32-38.	1.2	20
221	An injectable nerve regeneration chamber for studies of unstable soluble growth factors. <i>Journal of Neuroscience Methods</i> , 2003, 122, 171-178.	1.3	40
222	Regulation of axonal growth and guidance by the neurotrophin family of neurotrophic factors. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2003, 30, 724-733.	0.9	34
223	A role for semaphorins and neuropilins in oligodendrocyte guidance. <i>Journal of Neurochemistry</i> , 2003, 85, 1262-1278.	2.1	80
224	Heme oxygenase-1 and heme oxygenase-2 have distinct roles in the proliferation and survival of olfactory receptor neurons mediated by cGMP and bilirubin, respectively. <i>Journal of Neurochemistry</i> , 2003, 85, 1247-1261.	2.1	44
225	Antibodies to myelin-associated glycoprotein accelerate preferential motor reinnervation. <i>Journal of the Peripheral Nervous System</i> , 2003, 8, 91-99.	1.4	63
226	Myelin-associated inhibitors of axonal regeneration in the adult mammalian CNS. <i>Nature Reviews Neuroscience</i> , 2003, 4, 703-713.	4.9	762
227	Signalling mechanisms mediating neuronal responses to guidance cues. <i>Nature Reviews Neuroscience</i> , 2003, 4, 941-956.	4.9	267
228	Cyclic AMP/GMP-dependent modulation of Ca <sup>2+</sup> channels sets the polarity of nerve growth-cone turning. <i>Nature</i> , 2003, 423, 990-995.	13.7	350
229	Blood vessels and nerves: common signals, pathways and diseases. <i>Nature Reviews Genetics</i> , 2003, 4, 710-720.	7.7	456
230	MOLECULAR APPROACHES TO SPINAL CORD REPAIR. <i>Annual Review of Neuroscience</i> , 2003, 26, 411-440.	5.0	184
231	Role of semaphorins in the adult nervous system. <i>Progress in Neurobiology</i> , 2003, 71, 249-267.	2.8	125
232	Plexin-A1 and plexin-B1 specifically interact at their cytoplasmic domains. <i>Biochemical and Biophysical Research Communications</i> , 2003, 300, 927-931.	1.0	20
233	Fibroblast growth factors redirect retinal axons in vitro and in vivo. <i>Developmental Biology</i> , 2003, 263, 24-34.	0.9	37
234	Intravitreal injections of neurotrophic factors and forskolin enhance survival and axonal regeneration of axotomized $\hat{1}^2$ ganglion cells in cat retina. <i>Neuroscience</i> , 2003, 116, 733-742.	1.1	78

#	ARTICLE	IF	CITATIONS
235	Meningeal cell-derived semaphorin 3A inhibits neurite outgrowth. <i>Molecular and Cellular Neurosciences</i> , 2003, 24, 902-912.	1.0	96
236	Apoptotic Pathway and MAPKs Differentially Regulate Chemotropic Responses of Retinal Growth Cones. <i>Neuron</i> , 2003, 37, 939-952.	3.8	271
237	The Control of Dendrite Development. <i>Neuron</i> , 2003, 40, 229-242.	3.8	293
238	Gradients and Growth Cone Guidance of Grasshopper Neurons. <i>Journal of Histochemistry and Cytochemistry</i> , 2003, 51, 445-454.	1.3	11
239	Connecting the eye to the brain: the molecular basis of ganglion cell axon guidance. <i>British Journal of Ophthalmology</i> , 2003, 87, 639-645.	2.1	48
240	Growth Cones Integrate Signaling from Multiple Guidance Cues. <i>Journal of Histochemistry and Cytochemistry</i> , 2003, 51, 435-444.	1.3	58
241	Nitric oxide and cyclic nucleotides are regulators of neuronal migration in an insect embryo. <i>Development (Cambridge)</i> , 2003, 130, 3977-3987.	1.2	65
242	Dual function of Slit2 in repulsion and enhanced migration of trunk, but not vagal, neural crest cells. <i>Journal of Cell Biology</i> , 2003, 162, 269-279.	2.3	93
243	Effect of Protein Phosphorylation on Neurite Outgrowth in Cultured Embryonic <i>Xenopus</i> Spinal Neurons. <i>NeuroSignals</i> , 2003, 12, 45-52.	0.5	2
244	On the turning of <i>Xenopus</i> retinal axons induced by ephrin-A5. <i>Development (Cambridge)</i> , 2003, 130, 1635-1643.	1.2	50
245	Inactivation of Myelin-Associated Glycoprotein Enhances Optic Nerve Regeneration. <i>Journal of Neuroscience</i> , 2003, 23, 3112-3117.	1.7	51
246	Direct cAMP Signaling through G-Protein-Coupled Receptors Mediates Growth Cone Attraction Induced by Pituitary Adenylate Cyclase-Activating Polypeptide. <i>Journal of Neuroscience</i> , 2003, 23, 2274-2283.	1.7	69
247	Transmembrane Sema4E Guides Branchiomotor Axons to Their Targets in Zebrafish. <i>Journal of Neuroscience</i> , 2003, 23, 4190-4198.	1.7	36
248	Distinguishing between Directional Guidance and Motility Regulation in Neuronal Migration. <i>Journal of Neuroscience</i> , 2003, 23, 5170-5177.	1.7	62
249	A Chemokine, SDF-1, Reduces the Effectiveness of Multiple Axonal Repellents and Is Required for Normal Axon Pathfinding. <i>Journal of Neuroscience</i> , 2003, 23, 1360-1371.	1.7	205
250	Semaphorin 3F Antagonizes Neurotrophin-Induced Phosphatidylinositol 3-Kinase and Mitogen-Activated Protein Kinase Kinase Signaling: A Mechanism for Growth Cone Collapse. <i>Journal of Neuroscience</i> , 2003, 23, 7602-7609.	1.7	96
251	Macrophage-Derived Factors Stimulate Optic Nerve Regeneration. <i>Journal of Neuroscience</i> , 2003, 23, 2284-2293.	1.7	482
252	Adenylate Cyclase 1 as a Key Actor in the Refinement of Retinal Projection Maps. <i>Journal of Neuroscience</i> , 2003, 23, 2228-2238.	1.7	66



#	ARTICLE	IF	CITATIONS
253	Axon Regeneration in Goldfish and Rat Retinal Ganglion Cells: Differential Responsiveness to Carbohydrates and cAMP. <i>Journal of Neuroscience</i> , 2003, 23, 7830-7838.	1.7	63
254	Neurotrophins Elevate cAMP to Reach a Threshold Required to Overcome Inhibition by MAG through Extracellular Signal-Regulated Kinase-Dependent Inhibition of Phosphodiesterase. <i>Journal of Neuroscience</i> , 2003, 23, 11770-11777.	1.7	166
255	An Oligodendrocyte Lineage-Specific Semaphorin, Sema5A, Inhibits Axon Growth by Retinal Ganglion Cells. <i>Journal of Neuroscience</i> , 2004, 24, 4989-4999.	1.7	167
256	Nervy Links Protein Kinase A to Plexin-Mediated Semaphorin Repulsion. <i>Science</i> , 2004, 303, 1204-1207.	6.0	90
257	Studies on the Development and Behavior of the Dystrophic Growth Cone, the Hallmark of Regeneration Failure, in an In Vitro Model of the Glial Scar and after Spinal Cord Injury. <i>Journal of Neuroscience</i> , 2004, 24, 6531-6539.	1.7	255
258	Vascular Endothelial Cells Promote Acute Plasticity in Ependymogial Cells of the Neuroendocrine Brain. <i>Journal of Neuroscience</i> , 2004, 24, 10353-10363.	1.7	67
259	Semaphorin 3A Stimulates Neurite Extension and Regulates Gene Expression in PC12 Cells. <i>Journal of Biological Chemistry</i> , 2004, 279, 30923-30926.	1.6	32
260	Combinatorial Therapy with Neurotrophins and cAMP Promotes Axonal Regeneration beyond Sites of Spinal Cord Injury. <i>Journal of Neuroscience</i> , 2004, 24, 6402-6409.	1.7	349
261	Promotion of Axon Regeneration by Myelin-Associated Glycoprotein and Nogo through Divergent Signals Downstream of Gi/G. <i>Journal of Neuroscience</i> , 2004, 24, 6826-6832.	1.7	78
262	A Novel DNA Enzyme Reduces Glycosaminoglycan Chains in the Glial Scar and Allows Microtransplanted Dorsal Root Ganglia Axons to Regenerate beyond Lesions in the Spinal Cord. <i>Journal of Neuroscience</i> , 2004, 24, 1393-1397.	1.7	174
263	Calcium signaling in chemorepellant Slit2-dependent regulation of neuronal migration. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 4296-4301.	3.3	62
264	The Drosophila Receptor Guanylyl Cyclase Gyc76C Is Required for Semaphorin-1a-Plexin A-Mediated Axonal Repulsion. <i>Journal of Neuroscience</i> , 2004, 24, 6639-6649.	1.7	67
265	The Neurotransmitter Glutamate Reduces Axonal Responsiveness to Multiple Repellents through the Activation of Metabotropic Glutamate Receptor 1. <i>Journal of Neuroscience</i> , 2004, 24, 7085-7095.	1.7	35
266	Semaphorin3A Inhibits Nerve Growth Factor-Induced Sprouting of Nociceptive Afferents in Adult Rat Spinal Cord. <i>Journal of Neuroscience</i> , 2004, 24, 819-827.	1.7	113
267	Predicting Axonal Response to Molecular Gradients with a Computational Model of Filopodial Dynamics. <i>Neural Computation</i> , 2004, 16, 2221-2243.	1.3	44
268	Conversion of cell movement responses to Semaphorin-1 and Plexin-1 from attraction to repulsion by lowered levels of specific RAC GTPases in <i>C. elegans</i> . <i>Development (Cambridge)</i> , 2004, 131, 2073-2088.	1.2	47
269	BDNF and NT-3 promote thalamocortical axon growth with distinct substrate and temporal dependency. <i>European Journal of Neuroscience</i> , 2004, 19, 1485-1493.	1.2	28
270	A role for cAMP in regeneration of the adult mammalian CNS. <i>Journal of Anatomy</i> , 2004, 204, 49-55.	0.9	78



#	ARTICLE	IF	CITATIONS
271	Nitric oxide acts as a slow-down and search signal in developing neurites. <i>European Journal of Neuroscience</i> , 2004, 19, 809-818.	1.2	43
272	PKC mediates inhibitory effects of myelin and chondroitin sulfate proteoglycans on axonal regeneration. <i>Nature Neuroscience</i> , 2004, 7, 261-268.	7.1	290
273	To move or not to move?. <i>EMBO Reports</i> , 2004, 5, 356-361.	2.0	150
274	Mood stabilizers and the cell biology of neuronal growth cones. <i>Clinical Neuroscience Research</i> , 2004, 4, 189-199.	0.8	4
275	Intrinsic neuronal regulation of axon and dendrite growth. <i>Current Opinion in Neurobiology</i> , 2004, 14, 551-557.	2.0	91
276	Distinct roles for <i>Sema3A</i> , <i>Sema3F</i> , and an unidentified trophic factor in controlling the advance of geniculate axons to gustatory lingual epithelium. <i>Journal of Neurocytology</i> , 2004, 33, 591-606.	1.6	20
277	Semaphorin 3C preserves survival and induces neuritogenesis of cerebellar granule neurons in culture. <i>Journal of Neurochemistry</i> , 2004, 87, 879-890.	2.1	34
278	Myelin-, reactive glia-, and scar-derived CNS axon growth inhibitors: Expression, receptor signaling, and correlation with axon regeneration. <i>Glia</i> , 2004, 46, 225-251.	2.5	345
279	Proteomic analysis of protein changes developing in rat hippocampus after chronic antidepressant treatment: Implications for depressive disorders and future therapies. <i>Journal of Neuroscience Research</i> , 2004, 75, 451-460.	1.3	188
280	Regulation of growth cone actin filaments by guidance cues. <i>Journal of Neurobiology</i> , 2004, 58, 92-102.	3.7	290
281	Regulation of dendritic length and branching by semaphorin 3A. <i>Journal of Neurobiology</i> , 2004, 58, 403-412.	3.7	93
282	Aber lenken sie auch? (But do they also guide?). <i>Journal of Neurobiology</i> , 2004, 59, 3-7.	3.7	3
283	Growth and guidance cues for regenerating axons: Where have they gone?. <i>Journal of Neurobiology</i> , 2004, 59, 162-180.	3.7	72
284	Axon Guidance at the Midline: From Mutants to Mechanisms. <i>Critical Reviews in Biochemistry and Molecular Biology</i> , 2004, 39, 319-341.	2.3	57
285	Cyclic AMP-Induced Repair of Zebrafish Spinal Circuits. <i>Science</i> , 2004, 305, 254-258.	6.0	176
286	THE NOGO SIGNALING PATHWAY FOR REGENERATION BLOCK. <i>Annual Review of Neuroscience</i> , 2004, 27, 341-368.	5.0	201
287	Cyclic AMP elevates tubulin expression without increasing intrinsic axon growth capacity. <i>Experimental Neurology</i> , 2004, 189, 293-302.	2.0	48
288	Temporal regulation of cerebellar EGL migration through a switch in cellular responsiveness to the meninges. <i>Developmental Biology</i> , 2004, 267, 153-164.	0.9	15

#	ARTICLE	IF	CITATIONS
289	Embryonic expression and multifunctional actions of the natriuretic peptides and receptors in the developing nervous system. <i>Developmental Biology</i> , 2004, 271, 161-175.	0.9	48
290	TAFAs: a novel secreted family with conserved cysteine residues and restricted expression in the brain. <i>Genomics</i> , 2004, 83, 727-734.	1.3	97
291	Restoring walking after spinal cord injury. <i>Progress in Neurobiology</i> , 2004, 73, 107-126.	2.8	115
292	A CaMKII/Calcineurin Switch Controls the Direction of Ca <sup>2+</sup> -Dependent Growth Cone Guidance. <i>Neuron</i> , 2004, 43, 835-846.	3.8	179
293	Activated CREB Is Sufficient to Overcome Inhibitors in Myelin and Promote Spinal Axon Regeneration In Vivo. <i>Neuron</i> , 2004, 44, 609-621.	3.8	309
294	Calcium Mediates Bidirectional Growth Cone Turning Induced by Myelin-Associated Glycoprotein. <i>Neuron</i> , 2004, 44, 909-916.	3.8	107
295	Ganglion cell axon pathfinding in the retina and optic nerve. <i>Seminars in Cell and Developmental Biology</i> , 2004, 15, 125-136.	2.3	79
296	PTP <sup>1/4</sup> signaling via PKC <sup>1</sup> is instructive for retinal ganglion cell guidance. <i>Molecular and Cellular Neurosciences</i> , 2004, 25, 558-571.	1.0	25
297	Versican V2 and the central inhibitory domain of Nogo-A inhibit neurite growth via p75NTR/NgR-independent pathways that converge at RhoA. <i>Molecular and Cellular Neurosciences</i> , 2004, 27, 163-174.	1.0	86
298	Semaphorin Signaling Unplugged. <i>Neuron</i> , 2004, 42, 363-366.	3.8	7
299	Intraocular injection of dibutyryl cyclic AMP promotes axon regeneration in rat optic nerve. <i>Experimental Neurology</i> , 2004, 186, 124-133.	2.0	76
300	Canadian Association of Neuroscience Review: Axonal Regeneration in the Peripheral and Central Nervous Systems – Current Issues and Advances. <i>Canadian Journal of Neurological Sciences</i> , 2004, 31, 142-156.	0.3	117
301	Phosphorylation of septin 3 on Ser-91 by cGMP-dependent protein kinase-I in nerve terminals. <i>Biochemical Journal</i> , 2004, 381, 753-760.	1.7	38
302	The ability of axons to regenerate their growth cones depends on axonal type and age, and is regulated by calcium, cAMP and ERK. <i>European Journal of Neuroscience</i> , 2005, 21, 2051-2062.	1.2	134
303	Osteonectin is a Schwann cell-secreted factor that promotes retinal ganglion cell survival and process outgrowth. <i>European Journal of Neuroscience</i> , 2005, 21, 2611-2623.	1.2	30
304	Local activation of the nitric oxide/cyclic guanosine monophosphate pathway in growth cones regulates filopodial length via protein kinase G, cyclic ADP ribose and intracellular Ca <sup>2+</sup> release. <i>European Journal of Neuroscience</i> , 2005, 22, 3006-3016.	1.2	30
305	XTRPC1-dependent chemotropic guidance of neuronal growth cones. <i>Nature Neuroscience</i> , 2005, 8, 730-735.	7.1	151
306	Semaphorins command cells to move. <i>Nature Reviews Molecular Cell Biology</i> , 2005, 6, 789-800.	16.1	444

#	ARTICLE	IF	CITATIONS
307	Modulation of vascular endothelial growth factor receptors in melanocytes. <i>Experimental Dermatology</i> , 2005, 14, 625-633.	1.4	77
308	Touch and go: guidance cues signal to the growth cone cytoskeleton. <i>Current Opinion in Neurobiology</i> , 2005, 15, 521-526.	2.0	184
309	Abnormal neocortical development in mice lacking cGMP-dependent protein kinase I. <i>Developmental Brain Research</i> , 2005, 160, 1-8.	2.1	21
310	The effects of collapsing factors on F-actin content and microtubule distribution of Helisoma growth cones. <i>Cytoskeleton</i> , 2005, 60, 166-179.	4.4	19
311	Differential expression of CRMP1, CRMP2A, CRMP2B, and CRMP5 in axons or dendrites of distinct neurons in the mouse brain. <i>Journal of Comparative Neurology</i> , 2005, 486, 1-17.	0.9	105
312	Expression of soluble guanylyl cyclase in rat cerebral cortex during postnatal development. <i>Journal of Comparative Neurology</i> , 2005, 485, 255-265.	0.9	16
313	STOP and GO with NO: Nitric oxide as a regulator of cell motility in simple brains. <i>BioEssays</i> , 2005, 27, 495-505.	1.2	70
314	Neuroprotective Action of Hypothalamic Peptide PRP-1 at Various Time Survivals Following Spinal Cord Hemisection. <i>Neurochemical Research</i> , 2005, 30, 507-525.	1.6	14
315	Phosphoproteome and transcriptome analysis of the neuronal response to a CDK5 inhibitor. <i>Proteomics</i> , 2005, 5, 1299-1307.	1.3	28
316	Guidance of Axons to Targets in Development and in Disease. , 2005, , 447-481.		2
317	Role of neural guidance signals in blood vessel navigation. <i>Cardiovascular Research</i> , 2005, 65, 629-638.	1.8	85
318	cAMP Differentially Regulates Axonal and Dendritic Development of Dentate Granule Cells*. <i>Journal of Biological Chemistry</i> , 2005, 280, 38020-38028.	1.6	15
319	The Nitric Oxide-cGMP Signaling Pathway Differentially Regulates Presynaptic Structural Plasticity in Cone and Rod Cells. <i>Journal of Neuroscience</i> , 2005, 25, 2761-2770.	1.7	42
320	Chronic Enhancement of the Intrinsic Growth Capacity of Sensory Neurons Combined with the Degradation of Inhibitory Proteoglycans Allows Functional Regeneration of Sensory Axons through the Dorsal Root Entry Zone in the Mammalian Spinal Cord. <i>Journal of Neuroscience</i> , 2005, 25, 8066-8076.	1.7	189
321	Novel brain wiring functions for classical morphogens: a role as graded positional cues in axon guidance. <i>Development (Cambridge)</i> , 2005, 132, 2251-2262.	1.2	214
322	Mechanisms of Axon Guidance in the Developing Nervous System. <i>Current Topics in Developmental Biology</i> , 2005, 69, 267-346.	1.0	51
323	Function of cGMP-dependent Protein Kinases in the Nervous System. <i>Reviews in the Neurosciences</i> , 2005, 16, 23-41.	1.4	71
324	The Corticospinal System: From Development to Motor Control. <i>Neuroscientist</i> , 2005, 11, 161-173.	2.6	315

#	ARTICLE	IF	CITATIONS
325	Neuritogenesis and neuronal differentiation promoted by 2,4-dinitrophenol, a novel anti-amyloidogenic compound. <i>FASEB Journal</i> , 2005, 19, 1627-1636.	0.2	42
326	Formation of the Thalamocortical Projection Regulated Differentially by BDNF- and NT-3-Mediated Signaling. <i>Reviews in the Neurosciences</i> , 2005, 16, 223-31.	1.4	13
327	Fugetaxis: active movement of leukocytes away from a chemokinetic agent. <i>Journal of Molecular Medicine</i> , 2005, 83, 752-763.	1.7	55
328	Promoting the Regeneration of Axons within the Central Nervous System. , 2005, , 433-xviii.		0
329	PTP <sup>1/4</sup> expression and catalytic activity are required for PTP <sup>1/4</sup> -mediated neurite outgrowth and repulsion. <i>Molecular and Cellular Neurosciences</i> , 2005, 28, 177-188.	1.0	18
330	Disinhibition of neurotrophin-induced dorsal root ganglion cell neurite outgrowth on CNS myelin by siRNA-mediated knockdown of NgR, p75NTR and Rho-A. <i>Molecular and Cellular Neurosciences</i> , 2005, 28, 509-523.	1.0	87
331	cAMP regulates axon outgrowth and guidance during optic nerve regeneration in goldfish. <i>Molecular and Cellular Neurosciences</i> , 2005, 30, 452-464.	1.0	48
332	EGFR Activation Mediates Inhibition of Axon Regeneration by Myelin and Chondroitin Sulfate Proteoglycans. <i>Science</i> , 2005, 310, 106-110.	6.0	325
333	Nerve Ending "Signal" Proteins GAP43, MARCKS, and BASP1. <i>International Review of Cytology</i> , 2005, 245, 245-325.	6.2	113
334	Myelin-Associated Inhibitors Regulate Cofilin Phosphorylation and Neuronal Inhibition through LIM Kinase and Slingshot Phosphatase. <i>Journal of Neuroscience</i> , 2006, 26, 1006-1015.	1.7	138
335	Pattern Technologies for Structuring Neuronal Networks on MEAs. , 2006, , 153-189.		7
336	Regeneration following spinal cord injury, from experimental models to humans: where are we?. <i>Expert Opinion on Therapeutic Targets</i> , 2006, 10, 363-376.	1.5	22
337	Neuronal clues to vascular guidance. <i>Experimental Cell Research</i> , 2006, 312, 668-675.	1.2	111
338	Understanding Myelination Through Studying Its Evolution. <i>International Review of Neurobiology</i> , 2006, 73, 219-273.	0.9	40
339	Combined integrin activation and intracellular cAMP cause Rho GTPase dependent growth cone collapse on laminin-1. <i>Experimental Neurology</i> , 2006, 202, 324-335.	2.0	42
340	AN INTRODUCTION TO TRP CHANNELS. <i>Annual Review of Physiology</i> , 2006, 68, 619-647.	5.6	1,378
341	The expression of the chemorepellent Semaphorin 3A is selectively induced in terminal Schwann cells of a subset of neuromuscular synapses that display limited anatomical plasticity and enhanced vulnerability in motor neuron disease. <i>Molecular and Cellular Neurosciences</i> , 2006, 32, 102-117.	1.0	154
342	Differential impact of semaphorin 3E and 3A on CNS axons. <i>International Journal of Developmental Neuroscience</i> , 2006, 24, 65-72.	0.7	12

#	ARTICLE	IF	CITATIONS
343	Molecular mechanisms of axon guidance. <i>Developmental Biology</i> , 2006, 292, 13-24.	0.9	252
344	Slit coordinates cardiac morphogenesis in <i>Drosophila</i> . <i>Developmental Biology</i> , 2006, 293, 154-164.	0.9	65
345	Nerve growth factor, glial cell line-derived neurotrophic factor and neurturin prevent semaphorin 3A-mediated growth cone collapse in adult sensory neurons. <i>Neuroscience</i> , 2006, 142, 369-379.	1.1	29
348	Nitric oxide/cyclic guanosine monophosphate-mediated growth cone collapse of dentate granule cells. <i>NeuroReport</i> , 2006, 17, 661-665.	0.6	7
349	cAMP and cGMP Contribute to Sensory Neuron Hyperexcitability and Hyperalgesia in Rats With Dorsal Root Ganglia Compression. <i>Journal of Neurophysiology</i> , 2006, 95, 479-492.	0.9	116
350	Role of the calcium modulated cyclases in the development of the retinal projections. <i>European Journal of Neuroscience</i> , 2006, 24, 3401-3414.	1.2	39
351	Axonal regeneration in adult CNS neurons ? signaling molecules and pathways. <i>Journal of Neurochemistry</i> , 2006, 96, 1501-1508.	2.1	100
352	The region-specific activities of lipid rafts during axon growth and guidance. <i>Journal of Neurochemistry</i> , 2006, 98, 330-335.	2.1	88
353	Turning by asymmetric actin. <i>Nature Neuroscience</i> , 2006, 9, 1201-1203.	7.1	5
354	Function and regulation of Rnd proteins. <i>Nature Reviews Molecular Cell Biology</i> , 2006, 7, 54-62.	16.1	197
355	The molecular basis for calcium-dependent axon pathfinding. <i>Nature Reviews Neuroscience</i> , 2006, 7, 115-125.	4.9	321
356	Can regenerating axons recapitulate developmental guidance during recovery from spinal cord injury?. <i>Nature Reviews Neuroscience</i> , 2006, 7, 603-616.	4.9	284
357	Spontaneous polarization in eukaryotic gradient sensing: A mathematical model based on mutual inhibition of frontness and backness pathways. <i>Journal of Theoretical Biology</i> , 2006, 240, 538-553.	0.8	51
358	Myelin-Associated Glycoprotein-Mediated Signaling in Central Nervous System Pathophysiology. <i>Molecular Neurobiology</i> , 2006, 34, 81-92.	1.9	10
359	Quinol fatty alcohols as promoters of axonal growth. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 2637-2640.	1.0	2
360	Serine phosphorylation differentially affects RhoA binding to effectors: Implications to NGF-induced neurite outgrowth. <i>Cellular Signalling</i> , 2006, 18, 704-714.	1.7	52
361	Directional guidance of nerve growth cones. <i>Current Opinion in Neurobiology</i> , 2006, 16, 52-58.	2.0	109
362	L1, $\beta$ 1 integrin, and cadherins mediate axonal regeneration in the embryonic spinal cord. <i>Journal of Neurobiology</i> , 2006, 66, 1564-1583.	3.7	35

#	ARTICLE	IF	CITATIONS
363	Developmental appearance of cyclic guanosine monophosphate (cGMP) production and nitric oxide responsiveness in embryonic mouse cortex and striatum. <i>Developmental Dynamics</i> , 2006, 235, 1668-1677.	0.8	13
364	The Endocrine-Disrupting Compound, Nonylphenol, Inhibits Neurotrophin-Dependent Neurite Outgrowth. <i>Endocrinology</i> , 2006, 147, 4192-4204.	1.4	12
365	Semaphorin 3d guides laterality of retinal ganglion cell projections in zebrafish. <i>Development (Cambridge)</i> , 2006, 133, 1035-1044.	1.2	58
366	Neutrophil chemorepulsion in defined interleukin-8 gradients in vitro and in vivo. <i>Journal of Leukocyte Biology</i> , 2006, 79, 539-554.	1.5	107
367	Function of cGMP-Dependent Protein Kinases as Revealed by Gene Deletion. <i>Physiological Reviews</i> , 2006, 86, 1-23.	13.1	384
368	Semaphorins in axon regeneration: developmental guidance molecules gone wrong?. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2006, 361, 1499-1511.	1.8	108
369	Axon Pruning and Synaptic Development: How Are They per-Plexin?. <i>Neuroscientist</i> , 2006, 12, 398-409.	2.6	35
370	Protein Kinase A Regulates the Sensitivity of Spinal Commissural Axon Turning to Netrin-1 But Does Not Switch between Chemoattraction and Chemorepulsion. <i>Journal of Neuroscience</i> , 2006, 26, 2419-2423.	1.7	46
371	De Novo GMP Synthesis Is Required for Axon Guidance in <i>Drosophila</i> . <i>Genetics</i> , 2006, 172, 1633-1642.	1.2	22
372	Sema3a1 guides spinal motor axons in a cell- and stage-specific manner in zebrafish. <i>Development (Cambridge)</i> , 2006, 133, 937-947.	1.2	38
373	New directions in neuroregeneration. <i>Expert Opinion on Biological Therapy</i> , 2006, 6, 735-738.	1.4	16
374	Requirement of Adenylate Cyclase 1 for the Ephrin-A5-Dependent Retraction of Exuberant Retinal Axons. <i>Journal of Neuroscience</i> , 2006, 26, 862-872.	1.7	63
375	Regulation of Dendritic Branching and Spine Maturation by Semaphorin3A-Fyn Signaling. <i>Journal of Neuroscience</i> , 2006, 26, 2971-2980.	1.7	150
376	Direct Gene Therapy for Repair of the Spinal Cord. <i>Journal of Neurotrauma</i> , 2006, 23, 508-520.	1.7	39
377	The Metabolic Coupling of Arginine Metabolism to Nitric Oxide Generation by Astrocytes. <i>Antioxidants and Redox Signaling</i> , 2006, 8, 919-928.	2.5	21
378	Phosphodiesterase genes are associated with susceptibility to major depression and antidepressant treatment response. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 15124-15129.	3.3	147
379	Rac1 and RhoA Promote Neurite Outgrowth through Formation and Stabilization of Growth Cone Point Contacts. <i>Journal of Neuroscience</i> , 2006, 26, 1418-1428.	1.7	170
380	Recapitulate development to promote axonal regeneration: good or bad approach?. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2006, 361, 1565-1574.	1.8	108

#	ARTICLE	IF	CITATIONS
381	Semaphorin Regulation of Cellular Morphology. Annual Review of Cell and Developmental Biology, 2007, 23, 263-292.	4.0	349
382	Mechanisms of Gradient Detection: A Comparison of Axon Pathfinding with Eukaryotic Cell Migration. International Review of Cytology, 2007, 263, 1-62.	6.2	55
383	Functional Interaction between Matrix Metalloproteinase-3 and Semaphorin-3C during Cortical Axonal Growth and Guidance. Cerebral Cortex, 2007, 17, 1712-1721.	1.6	39
384	Isoprenylcysteine Carboxy Methylation Is Essential for Development in Dictyostelium discoideum. Molecular Biology of the Cell, 2007, 18, 4106-4118.	0.9	2
385	The Dawn of Molecular and Cellular Therapies for Traumatic Spinal Cord Injury. , 2007, , 207-220.		0
386	Local Protein Synthesis in Axonal Growth Cones. Cell Adhesion and Migration, 2007, 1, 179-184.	1.1	11
387	Therapeutic Approaches to Promoting Axonal Regeneration in the Adult Mammalian Spinal Cord. International Review of Neurobiology, 2007, 77, 57-105.	0.9	21
388	Mechanosensitive Channels in Neurite Outgrowth. Current Topics in Membranes, 2007, 59, 111-125.	0.5	6
389	Chapter 3 Development of the corticospinal system and spinal motor circuits. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2007, 82, 39-56.	1.0	3
390	Slits and Their Receptors. Advances in Experimental Medicine and Biology, 2007, 621, 65-80.	0.8	73
391	Spatial targeting of type II protein kinase A to filopodia mediates the regulation of growth cone guidance by cAMP. Journal of Cell Biology, 2007, 176, 101-111.	2.3	35
392	The Novel GTPase Rit Differentially Regulates Axonal and Dendritic Growth. Journal of Neuroscience, 2007, 27, 4725-4736.	1.7	55
393	Getting axons onto the right path: the role of transcription factors in axon guidance. Development (Cambridge), 2007, 134, 439-448.	1.2	73
394	The Pivotal Role of RhoA GTPase in the Molecular Signaling of Axon Growth Inhibition after CNS Injury and Targeted Therapeutic Strategies. Cell Transplantation, 2007, 16, 245-262.	1.2	31
395	The retinal ganglion cell axon's journey: Insights into molecular mechanisms of axon guidance. Developmental Biology, 2007, 308, 1-14.	0.9	137
396	C. elegans seu-1 encodes novel nuclear proteins that regulate responses to UNC-6/netrin guidance cues. Developmental Biology, 2007, 310, 44-53.	0.9	0
397	Semaphorins in development and adult brain: Implication for neurological diseases. Progress in Neurobiology, 2007, 82, 57-79.	2.8	83
398	Gating of Sema3E/PlexinD1 Signaling by Neuropilin-1 Switches Axonal Repulsion to Attraction during Brain Development. Neuron, 2007, 56, 807-822.	3.8	222



#	ARTICLE	IF	CITATIONS
399	Semaphorin Signals in Cell Adhesion and Cell Migration: Functional Role and Molecular Mechanisms. <i>Advances in Experimental Medicine and Biology</i> , 2007, 600, 90-108.	0.8	59
400	Semaphorin-3F attracts the growth cone of cerebellar granule cells through cGMP signaling pathway. <i>Biochemical and Biophysical Research Communications</i> , 2007, 356, 857-863.	1.0	18
401	A Rac-cGMP Signaling Pathway. <i>Cell</i> , 2007, 128, 341-355.	13.5	97
402	Rho GTPases regulate PTP <sup>1/4</sup> -mediated nasal neurite outgrowth and temporal repulsion of retinal ganglion cell neurons. <i>Molecular and Cellular Neurosciences</i> , 2007, 34, 453-467.	1.0	9
403	Combined activation of calpain and calcineurin during ligand-induced growth cone collapse. <i>Molecular and Cellular Neurosciences</i> , 2007, 36, 425-434.	1.0	28
404	Mechanisms that Regulate Establishment, Maintenance, and Remodeling of Dendritic Fields. <i>Annual Review of Neuroscience</i> , 2007, 30, 399-423.	5.0	240
405	The Hedgehog, TGF- $\beta$ /BMP and Wnt Families of Morphogens in Axon Guidance. <i>Advances in Experimental Medicine and Biology</i> , 2007, 621, 116-133.	0.8	60
406	Carbohydrate-Carbohydrate Interaction in Basic Cell Biology. , 2007, , 787-804.		0
407	Neuroprotective actions of 2,4-dinitrophenol: Friend or foe?. <i>Dementia E Neuropsychologia</i> , 2007, 1, 334-338.	0.3	3
408	Association of axon guidance factor Semaphorin 3A with poor outcome in pancreatic cancer. <i>International Journal of Cancer</i> , 2007, 121, 2421-2433.	2.3	82
409	Combinatorial treatments for promoting axon regeneration in the CNS: Strategies for overcoming inhibitory signals and activating neurons' intrinsic growth state. <i>Developmental Neurobiology</i> , 2007, 67, 1148-1165.	1.5	96
410	The effects of proteoglycan surface patterning on neuronal pathfinding. <i>Materialwissenschaft Und Werkstofftechnik</i> , 2007, 38, 975-982.	0.5	4
411	cAMP oscillations and retinal activity are permissive for ephrin signaling during the establishment of the retinotopic map. <i>Nature Neuroscience</i> , 2007, 10, 340-347.	7.1	151
412	Local translation and directional steering in axons. <i>EMBO Journal</i> , 2007, 26, 3729-3736.	3.5	169
413	Myelin-associated Inhibitory Signaling and Strategies to Overcome Inhibition. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2007, 27, 1096-1107.	2.4	42
414	Recognition molecules and neural repair. <i>Journal of Neurochemistry</i> , 2007, 101, 865-882.	2.1	95
415	Mechanisms of axon guidance: membrane dynamics and axonal transport in semaphorin signalling. <i>Journal of Neurochemistry</i> , 2007, 102, 316-323.	2.1	29
416	Neurotransmitters and the Development of Neuronal Circuits. <i>Advances in Experimental Medicine and Biology</i> , 2007, 621, 104-114.	0.8	49



#	ARTICLE	IF	CITATIONS
417	NO-cGMP Signaling and Regenerative Medicine Involving Stem Cells. <i>Neurochemical Research</i> , 2007, 32, 681-694.	1.6	97
418	Changes in Cyclic AMP Levels in the Developing Opossum Spinal Cord at the Time When Regeneration Stops Being Possible. <i>Cellular and Molecular Neurobiology</i> , 2007, 27, 883-888.	1.7	3
419	A Mathematical Framework for Modeling Axon Guidance. <i>Bulletin of Mathematical Biology</i> , 2007, 69, 3-31.	0.9	55
420	Analysis of the growth cone turning assay for studying axon guidance. <i>Journal of Neuroscience Methods</i> , 2008, 170, 220-228.	1.3	44
421	Multi-Molecular Gradients of Permissive and Inhibitory Cues Direct Neurite Outgrowth. <i>Annals of Biomedical Engineering</i> , 2008, 36, 889-904.	1.3	51
422	Semaphorin-6A controls guidance of corticospinal tract axons at multiple choice points. <i>Neural Development</i> , 2008, 3, 34.	1.1	96
423	ERM proteins regulate growth cone responses to Sema3A. <i>Journal of Comparative Neurology</i> , 2008, 510, 351-366.	0.9	30
424	Tenascin-R and axon growth-promoting molecules are up-regulated in the regenerating visual pathway of the lizard ( <i>Gallotia galloti</i> ). <i>Developmental Neurobiology</i> , 2008, 68, 899-916.	1.5	23
425	A subset of signal transduction pathways is required for hippocampal growth cone collapse induced by ephrin-A5. <i>Developmental Neurobiology</i> , 2008, 68, 1269-1286.	1.5	31
426	Endothelial Cell Activation. , 2008, , 35-43.		2
427	Repair and Neurorehabilitation Strategies for Spinal Cord Injury. <i>Annals of the New York Academy of Sciences</i> , 2008, 1142, 1-20.	1.8	40
428	Membrane potential shifts caused by diffusible guidance signals direct growth-cone turning. <i>Nature Neuroscience</i> , 2008, 11, 762-771.	7.1	85
429	Semaphorin-3A guides radial migration of cortical neurons during development. <i>Nature Neuroscience</i> , 2008, 11, 36-44.	7.1	212
430	Growth cone responses to growth and chemotropic factors. <i>European Journal of Neuroscience</i> , 2008, 28, 268-278.	1.2	27
431	C-type Natriuretic Peptide is a Schwann Cell-Derived Factor For Development and Function of Sensory Neurons. <i>Journal of Neuroendocrinology</i> , 2008, 20, 1213-1223.	1.2	27
432	Semaphorin3A regulates axon growth independently of growth cone repulsion via modulation of TrkA signaling. <i>Cellular Signalling</i> , 2008, 20, 467-479.	1.7	24
433	Semaphorin signaling: progress made and promises ahead. <i>Trends in Biochemical Sciences</i> , 2008, 33, 161-170.	3.7	269
434	beta1-integrin mediates myelin-associated glycoprotein signaling in neuronal growth cones. <i>Molecular Brain</i> , 2008, 1, 10.	1.3	66

#	ARTICLE	IF	CITATIONS
435	Biomolecular gradients in cell culture systems. <i>Lab on A Chip</i> , 2008, 8, 34-57.	3.1	513
436	Modulating Sema3A signal with a L1 mimetic peptide is not sufficient to promote motor recovery and axon regeneration after spinal cord injury. <i>Molecular and Cellular Neurosciences</i> , 2008, 37, 222-235.	1.0	20
437	Epac mediates cyclic AMP-dependent axon growth, guidance and regeneration. <i>Molecular and Cellular Neurosciences</i> , 2008, 38, 578-588.	1.0	107
438	Cyclic GMP-Gated CNG Channels Function in Sema3A-Induced Growth Cone Repulsion. <i>Neuron</i> , 2008, 58, 694-707.	3.8	72
439	cAMP promotes neurite outgrowth and extension through protein kinase A but independently of Erk activation in cultured rat motoneurons. <i>Neuropharmacology</i> , 2008, 55, 8-17.	2.0	65
440	Pursuing a "turning point"™ in growth cone research. <i>Developmental Biology</i> , 2008, 318, 102-111.	0.9	22
441	Repulsive and attractive semaphorins cooperate to direct the navigation of cardiac neural crest cells. <i>Developmental Biology</i> , 2008, 321, 251-262.	0.9	126
442	Rewiring the injured CNS: Lessons from the optic nerve. <i>Experimental Neurology</i> , 2008, 209, 389-398.	2.0	82
443	The role of cyclic AMP signaling in promoting axonal regeneration after spinal cord injury. <i>Experimental Neurology</i> , 2008, 209, 321-332.	2.0	242
444	Molecular/genetic manipulation of extrinsic axon guidance factors for CNS repair and regeneration. <i>Experimental Neurology</i> , 2008, 209, 333-342.	2.0	36
445	White matter inhibitors in CNS axon regeneration failure. <i>Experimental Neurology</i> , 2008, 209, 302-312.	2.0	93
446	Neurite responses to ephrin-A5 modulated by BDNF: Evidence for TrkB-EphA interactions. <i>Biochemical and Biophysical Research Communications</i> , 2008, 374, 625-630.	1.0	14
447	Concentration gradient generator using a convective-diffusive balance. <i>Lab on A Chip</i> , 2008, 8, 1220.	3.1	24
448	Neuropilins: structure, function and role in disease. <i>Biochemical Journal</i> , 2008, 411, 211-226.	1.7	338
449	Spinal Cord Repair: Bridging the Divide. <i>Neurorehabilitation and Neural Repair</i> , 2008, 22, 429-437.	1.4	31
450	Mechanisms Regulating Interpretation of Guidance Cues During Development, Maturation, and Following Injury. <i>Reviews in the Neurosciences</i> , 2008, 19, 213-26.	1.4	2
451	Interaction of amyloid precursor protein with contactins and NgCAM in the retinotectal system. <i>Development (Cambridge)</i> , 2008, 135, 1189-1199.	1.2	81
452	cAMP Inhibits Cell Migration by Interfering with Rac-induced Lamellipodium Formation. <i>Journal of Biological Chemistry</i> , 2008, 283, 13799-13805.	1.6	43

#	ARTICLE	IF	CITATIONS
453	Thyroxine Increases the Rate but Does Not Alter the Pattern of Innervation during Embryonic Chick Corneal Development. , 2008, 49, 139.		15
454	CYCLIC AMP MODULATION OF AXONAL REGENERATION FOLLOWING SPINAL CORD INJURY. , 2008, , 389-411.		0
455	The Tumor Suppressor p53 Transcriptionally Regulates cGKI Expression during Neuronal Maturation and Is Required for cGMP-Dependent Growth Cone Collapse. Journal of Neuroscience, 2009, 29, 15155-15160.	1.7	29
456	The Nitric Oxide-cGMP Pathway Controls the Directional Polarity of Growth Cone Guidance via Modulating Cytosolic Ca <sup>2+</sup> Signals. Journal of Neuroscience, 2009, 29, 7886-7897.	1.7	41
457	cAMP-Dependent Axon Guidance Is Distinctly Regulated by Epac and Protein Kinase A. Journal of Neuroscience, 2009, 29, 15434-15444.	1.7	78
458	Dynamic alterations in chemokine gradients induce transendothelial shuttling of human T cells under physiologic shear conditions. Journal of Leukocyte Biology, 2009, 86, 1285-1294.	1.5	20
459	Semaphorin 3F Is a Bifunctional Guidance Cue for Dopaminergic Axons and Controls Their Fasciculation, Channeling, Rostral Growth, and Intracortical Targeting. Journal of Neuroscience, 2009, 29, 12542-12557.	1.7	103
460	Switching direction in electric-signal-induced cell migration by cyclic guanosine monophosphate and phosphatidylinositol signaling. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 6667-6672.	3.3	78
461	The stimulation of dendrite growth by Sema3A requires integrin engagement and focal adhesion kinase. Journal of Cell Science, 2009, 122, 2034-2042.	1.2	48
462	cGMP promotes neurite outgrowth and growth cone turning and improves axon regeneration on spinal cord tissue in combination with cAMP. Brain Research, 2009, 1294, 12-21.	1.1	20
463	AKAP-independent localization of type-II protein kinase A to dynamic actin microspikes. Cytoskeleton, 2009, 66, 693-709.	4.4	16
464	Elevated glutamate and NMDA disrupt production of the second messenger cyclic GMP in the early postnatal mouse cortex. Developmental Neurobiology, 2009, 69, 255-266.	1.5	1
465	Olfactory sensory axon growth and branching is influenced by sonic hedgehog. Developmental Dynamics, 2009, 238, 1768-1776.	0.8	19
466	A developmental study of enteric neuron migration in the grasshopper using immunological probes. Developmental Dynamics, 2009, 238, 2837-2849.	0.8	7
467	Central Nervous System Regeneration Inhibitors and their Intracellular Substrates. Molecular Neurobiology, 2009, 40, 224-235.	1.9	70
468	Homer regulates calcium signalling in growth cone turning. Neural Development, 2009, 4, 29.	1.1	37
469	Autocrine semaphorin 3A signaling promotes glioblastoma dispersal. Oncogene, 2009, 28, 3537-3550.	2.6	104
470	Preconditioning selective ventral root injury promotes plasticity of ascending sensory neurons in the injured spinal cord of adult rats - possible roles of brain-derived neurotrophic factor, TrkB and p75 neurotrophin receptor. European Journal of Neuroscience, 2009, 30, 1280-1296.	1.2	17

#	ARTICLE	IF	CITATIONS
471	Role and Therapeutic Potential of VEGF in the Nervous System. <i>Physiological Reviews</i> , 2009, 89, 607-648.	13.1	385
472	Developmental changes in the regulation of calcium-dependent neurite outgrowth. <i>Biochemical and Biophysical Research Communications</i> , 2009, 379, 11-15.	1.0	18
473	Peptidyl-Prolyl Isomerase FKBP52 Controls Chemotropic Guidance of Neuronal Growth Cones via Regulation of TRPC1 Channel Opening. <i>Neuron</i> , 2009, 64, 471-483.	3.8	67
474	Autonomous turning of cerebellar granule cells in vitro by intrinsic programs. <i>Developmental Biology</i> , 2009, 326, 237-249.	0.9	17
475	LIMK1 acts downstream of BMP signaling in developing retinal ganglion cell axons but not dendrites. <i>Developmental Biology</i> , 2009, 330, 273-285.	0.9	24
476	SDF-1 stimulates neurite growth on inhibitory CNS myelin. <i>Molecular and Cellular Neurosciences</i> , 2009, 40, 293-300.	1.0	66
477	Polygalasaponin G promotes neurite outgrowth of cultured neuron on myelin. <i>Neuroscience Letters</i> , 2009, 460, 41-46.	1.0	12
478	Use of scanning ion conductance microscopy to guide and redirect neuronal growth cones. <i>Neuroscience Research</i> , 2009, 64, 290-296.	1.0	26
479	Axon Growth and Guidance: Receptor Regulation and Signal Transduction. <i>Annual Review of Neuroscience</i> , 2009, 32, 383-412.	5.0	284
480	Angiogenic Signalling Pathways. <i>Methods in Molecular Biology</i> , 2009, 467, 3-24.	0.4	67
481	Assays for Eukaryotic Cell Chemotaxis. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2009, 12, 580-588.	0.6	21
482	Optic Nerve Regeneration. <i>JAMA Ophthalmology</i> , 2010, 128, 1059.	2.6	61
483	A new Rac/PAK/GC/cGMP signaling pathway. <i>Molecular and Cellular Biochemistry</i> , 2010, 334, 99-103.	1.4	15
484	Effect of NRG1, GDNF, EGF and NGF in the Migration of a Schwann Cell Precursor Line. <i>Neurochemical Research</i> , 2010, 35, 1643-1651.	1.6	52
485	Promoting axonal rewiring to improve outcome after stroke. <i>Neurobiology of Disease</i> , 2010, 37, 259-266.	2.1	213
486	Semaphorin signaling: molecular switches at the midline. <i>Trends in Cell Biology</i> , 2010, 20, 568-576.	3.6	49
487	Function-related structural plasticity of the GnRH system. <i>Frontiers in Neuroendocrinology</i> , 2010, 31, 241-258.	2.5	62
488	Nanofibrous Patches for Spinal Cord Regeneration. <i>Advanced Functional Materials</i> , 2010, 20, 1433-1440.	7.8	44

#	ARTICLE	IF	CITATIONS
490	Regulation of a Real-Time Self-Healing Process in Organogel Tissues by Molecular Adhesives. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 6338-6342.	7.2	121
491	Sonic hedgehog induces response of commissural axons to Semaphorin repulsion during midline crossing. <i>Nature Neuroscience</i> , 2010, 13, 29-35.	7.1	110
492	Asymmetric endocytosis and remodeling of $\alpha$ 21-integrin adhesions during growth cone chemorepulsion by MAG. <i>Nature Neuroscience</i> , 2010, 13, 829-837.	7.1	72
493	Semaphorins and their Receptors in Vertebrates and Invertebrates. , 2010, , 1961-1966.		0
494	From Guidance Signals to Movement: Signaling Molecules Governing Growth Cone Turning. <i>Neuroscientist</i> , 2010, 16, 65-78.	2.6	16
495	Inhibition of Semaphorin As a Novel Strategy for Therapeutic Angiogenesis. <i>Circulation Research</i> , 2010, 106, 391-398.	2.0	64
496	Long-Distance Axon Regeneration in the Mature Optic Nerve: Contributions of Oncomodulin, cAMP, and <i>pten</i> Gene Deletion. <i>Journal of Neuroscience</i> , 2010, 30, 15654-15663.	1.7	258
497	Signaling from Axon Guidance Receptors. <i>Cold Spring Harbor Perspectives in Biology</i> , 2010, 2, a001941-a001941.	2.3	203
498	Deciphering proteins and their functions in the regenerating retina. <i>Expert Review of Proteomics</i> , 2010, 7, 775-795.	1.3	5
499	14-3-3 Proteins Regulate Protein Kinase A Activity to Modulate Growth Cone Turning Responses. <i>Journal of Neuroscience</i> , 2010, 30, 14059-14067.	1.7	48
500	Role of Estradiol in the Dynamic Control of Tanycyte Plasticity Mediated by Vascular Endothelial Cells in the Median Eminence. <i>Endocrinology</i> , 2010, 151, 1760-1772.	1.4	62
501	Attractive and Repulsive Signaling in Nerve Growth Cone Navigation. , 2010, , 1955-1959.		0
502	Semaphorins and their Receptors in Stem and Cancer Cells. <i>Current Medicinal Chemistry</i> , 2010, 17, 3462-3475.	1.2	13
503	Connecting Vascular and Nervous System Development: Angiogenesis and the Blood-Brain Barrier. <i>Annual Review of Neuroscience</i> , 2010, 33, 379-408.	5.0	153
504	Retinal Ganglion Cell Death Postponed: Giving Apoptosis a Break?. <i>Ophthalmic Research</i> , 2010, 43, 61-78.	1.0	23
505	Inhibition of cerebellar granule cell turning by alcohol. <i>Neuroscience</i> , 2010, 170, 1328-1344.	1.1	22
506	Neuronal Intrinsic Mechanisms of Axon Regeneration. <i>Annual Review of Neuroscience</i> , 2011, 34, 131-152.	5.0	404
507	New perspectives in cyclic AMP-mediated axon growth and guidance: The emerging epoch of Epac. <i>Brain Research Bulletin</i> , 2011, 84, 280-288.	1.4	33

#	ARTICLE	IF	CITATIONS
508	A novel role for PTEN in the inhibition of neurite outgrowth by myelin-associated glycoprotein in cortical neurons. <i>Molecular and Cellular Neurosciences</i> , 2011, 46, 235-244.	1.0	28
509	Cyclic nucleotide-dependent switching of mammalian axon guidance depends on gradient steepness. <i>Molecular and Cellular Neurosciences</i> , 2011, 47, 45-52.	1.0	18
510	Influence of central glia on spiral ganglion neuron neurite growth. <i>Neuroscience</i> , 2011, 177, 321-334.	1.1	35
511	A Potential Role for Shed Soluble Major Histocompatibility Class I Molecules as Modulators of Neurite Outgrowth. <i>PLoS ONE</i> , 2011, 6, e18439.	1.1	29
512	Semaphorin 3A inhibits growth of adult sympathetic and parasympathetic neurones via distinct cyclic nucleotide signalling pathways. <i>British Journal of Pharmacology</i> , 2011, 162, 1083-1095.	2.7	17
513	Semaphorin 3A induces CaV2.3 channel-dependent conversion of axons to dendrites. <i>Nature Cell Biology</i> , 2011, 13, 676-685.	4.6	46
514	Delivery of chemotropic proteins and improvement of dopaminergic neuron outgrowth through a thixotropic hybrid nano-gel. <i>Journal of Materials Science: Materials in Medicine</i> , 2011, 22, 2097-2109.	1.7	21
515	Genetic Approaches to Investigate the Role of CREB in Neuronal Plasticity and Memory. <i>Molecular Neurobiology</i> , 2011, 44, 330-349.	1.9	113
516	A role for class 3 semaphorins in prostate cancer. <i>Prostate</i> , 2011, 71, 649-658.	1.2	41
517	Regulation of axonal outgrowth and pathfinding by integrinâ€œecm interactions. <i>Developmental Neurobiology</i> , 2011, 71, 901-923.	1.5	211
518	An investigation of design principles underlying repulsive and attractive gradient sensing and their switching. <i>Journal of Theoretical Biology</i> , 2011, 273, 80-99.	0.8	1
519	Phosphorylation of STEF/Tiam2 by protein kinase A is critical for Rac1 activation and neurite outgrowth in dibutyl cAMPâ€œtreated PC12D cells. <i>Molecular Biology of the Cell</i> , 2011, 22, 1780-1790.	0.9	27
520	Nitric Oxide as Key Mediator of Neuron-to-Neuron and Endothelia-to-Glia Communication Involved in the Neuroendocrine Control of Reproduction. <i>Neuroendocrinology</i> , 2011, 93, 74-89.	1.2	64
521	Dynamically controllable concentration gradient generator for studying cellular response to chemical instigation. , 2011, , .		1
522	Arreglo de Microelectrodos Planares con Procesos CMOS EstÃ¡ndar (Semiconductor Complementario) Tj ETQq0 0 0 rgBT /Ovrlock 10 T	0.8	0
523	Alternative Post-Processing on a CMOS Chip to Fabricate a Planar Microelectrode Array. <i>Sensors</i> , 2011, 11, 10940-10957.	2.1	8
524	Class 3 semaphorins as a therapeutic target. <i>Expert Opinion on Therapeutic Targets</i> , 2012, 16, 933-944.	1.5	23
525	Receptor-type guanylyl cyclase Gyc76C is required for development of the <i>Drosophila</i> embryonic somatic muscle. <i>Biology Open</i> , 2012, 1, 507-515.	0.6	8

#	ARTICLE	IF	CITATIONS
526	Carbohydrate to carbohydrate interaction in development process and cancer progression. Glycoconjugate Journal, 2012, 29, 627-637.	1.4	71
527	14-3-3 $\mu$ Couples Protein Kinase A to Semaphorin Signaling and Silences Plexin RasGAP-Mediated Axonal Repulsion. Neuron, 2012, 74, 108-121.	3.8	33
528	Calcium and cAMP Levels Interact to Determine Attraction versus Repulsion in Axon Guidance. Neuron, 2012, 74, 490-503.	3.8	54
529	STIM1 is necessary for store-operated calcium entry in turning growth cones. Journal of Neurochemistry, 2012, 122, 1155-1166.	2.1	43
530	Expression of Semaphorin 4F in neurons and brain oligodendrocytes and the regulation of oligodendrocyte precursor migration in the optic nerve. Molecular and Cellular Neurosciences, 2012, 49, 54-67.	1.0	22
531	Intracellular signaling and membrane trafficking control bidirectional growth cone guidance. Neuroscience Research, 2012, 73, 269-274.	1.0	18
532	Influence of cAMP and protein kinase A on neurite length from spiral ganglion neurons. Hearing Research, 2012, 283, 33-44.	0.9	35
533	Semaphorin3A facilitates axonal transport through a local calcium signaling and tetrodotoxin-sensitive voltage-gated sodium channels. Biochemical and Biophysical Research Communications, 2012, 422, 333-338.	1.0	14
534	Function of Members of the Neuropilin Family as Essential Pleiotropic Cell Surface Receptors. Biochemistry, 2012, 51, 9437-9446.	1.2	76
535	Developmental Regulation of <i>TAC1</i> in Peptidergic-Induced Human Mesenchymal Stem Cells: Implication for Spinal Cord Injury in Zebrafish. Stem Cells and Development, 2012, 21, 308-320.	1.1	14
536	The effects of electrical stimulation on neurite outgrowth of goldfish retinal explants. Brain Research, 2012, 1480, 22-29.	1.1	16
537	Plexin structures are coming: opportunities for multilevel investigations of semaphorin guidance receptors, their cell signaling mechanisms, and functions. Cellular and Molecular Life Sciences, 2012, 69, 3765-3805.	2.4	145
538	Does Planar Cell Polarity Signaling Steer Growth Cones?. Current Topics in Developmental Biology, 2012, 101, 141-160.	1.0	37
539	14-3-3 Proteins Regulate a Cell-Intrinsic Switch from Sonic Hedgehog-Mediated Commissural Axon Attraction to Repulsion after Midline Crossing. Neuron, 2012, 76, 735-749.	3.8	86
540	Sonic Hedgehog Regulates Wnt Activity During Neural Circuit Formation. Vitamins and Hormones, 2012, 88, 173-209.	0.7	19
541	Semaphorin Signaling in Vertebrate Neural Circuit Assembly. Frontiers in Molecular Neuroscience, 2012, 5, 71.	1.4	68
542	Axon growth and guidance. , 2012, , 105-142.		4
543	Group IVA phospholipase A <sub>2</sub> is necessary for growth cone repulsion and collapse. Journal of Neurochemistry, 2012, 120, 974-984.	2.1	7



#	ARTICLE	IF	CITATIONS
544	Oncomodulin affords limited regeneration to injured sensory axons in vitro and in vivo. <i>Experimental Neurology</i> , 2012, 233, 708-716.	2.0	15
545	Insights into Stem Cell Factor chemotactic guidance of neural crest cells revealed by a real-time directionality-based assay. <i>European Journal of Cell Biology</i> , 2012, 91, 375-390.	1.6	17
546	Functional cGMP-gated channels in cerebellar granule cells. <i>Journal of Cellular Physiology</i> , 2012, 227, 2252-2263.	2.0	11
547	Dibutyl Cyclic AMP Inhibits the Progression of Experimental Autoimmune Encephalomyelitis and Potentiates Recruitment of Endogenous Neural Stem Cells. <i>Journal of Molecular Neuroscience</i> , 2013, 51, 298-306.	1.1	16
548	Neurotrophic factor NT-3 displays a non-canonical cell guidance signaling function for cephalic neural crest cells. <i>European Journal of Cell Biology</i> , 2013, 92, 264-279.	1.6	11
549	Comparison of sensory neuron growth cone and filopodial responses to structurally diverse aggrecan variants, in vitro. <i>Experimental Neurology</i> , 2013, 247, 143-157.	2.0	19
550	Cyclic AMP stimulates neurite outgrowth of lamprey reticulospinal neurons without substantially altering their biophysical properties. <i>Neuroscience</i> , 2013, 245, 74-89.	1.1	17
551	A critical role for STIM1 in filopodial calcium entry and axon guidance. <i>Molecular Brain</i> , 2013, 6, 51.	1.3	26
552	RNA-based mechanisms underlying axon guidance. <i>Journal of Cell Biology</i> , 2013, 202, 991-999.	2.3	32
553	Semaphorin3E-Induced Inflammation Contributes to Insulin Resistance in Dietary Obesity. <i>Cell Metabolism</i> , 2013, 18, 491-504.	7.2	114
554	Spatial gradients of chemotropic factors from immobilized patterns to guide axonal growth and regeneration. <i>Biomaterials</i> , 2013, 34, 9593-9601.	5.7	26
555	SEMA3A Signaling Controls Layer-Specific Interneuron Branching in the Cerebellum. <i>Current Biology</i> , 2013, 23, 850-861.	1.8	50
556	Neuropilins: Role in Signalling, Angiogenesis and Disease. <i>Chemical Immunology and Allergy</i> , 2014, 99, 37-70.	1.7	64
557	Integrins and cAMP mediate netrin-induced growth cone collapse. <i>Brain Research</i> , 2013, 1537, 46-58.	1.1	11
558	Sustained delivery of dbcAMP by poly(propylene carbonate) micron fibers promotes axonal regenerative sprouting and functional recovery after spinal cord hemisection. <i>Brain Research</i> , 2013, 1538, 41-50.	1.1	22
559	Engineered cell culture substrates for axon guidance studies: moving beyond proof of concept. <i>Lab on A Chip</i> , 2013, 13, 498.	3.1	39
560	cGMP-Dependent Protein Kinases (cGK). <i>Methods in Molecular Biology</i> , 2013, 1020, 17-50.	0.4	53
561	Axon Guidance. , 2013, , 69-88.		1



#	ARTICLE	IF	CITATIONS
562	Dendritic Development. , 2013, , 213-227.		0
563	Phosphorylation of CRMP2 is involved in proper bifurcation of the apical dendrite of hippocampal CA1 pyramidal neurons. <i>Developmental Neurobiology</i> , 2013, 73, 142-151.	1.5	34
564	Receptor guanylyl cyclase Gyc76C is required for invagination, collective migration and lumen shape in the <i>Drosophila</i> embryonic salivary gland. <i>Biology Open</i> , 2013, 2, 711-717.	0.6	5
565	Neuronal activity promotes myelination via a cAMP pathway. <i>Glia</i> , 2013, 61, 843-854.	2.5	54
566	Differential Role of PTEN Phosphatase in Chemotactic Growth Cone Guidance. <i>Journal of Biological Chemistry</i> , 2013, 288, 20837-20842.	1.6	19
567	Phosphodiesterase 2 Inhibitors Promote Axonal Outgrowth in Organotypic Slice Co-Cultures. <i>NeuroSignals</i> , 2013, 21, 197-212.	0.5	15
568	Sonic hedgehog and Wnt: antagonists in morphogenesis but collaborators in axon guidance. <i>Frontiers in Cellular Neuroscience</i> , 2013, 7, 86.	1.8	50
569	Synergistic Effects of 3D ECM and Chemogradients on Neurite Outgrowth and Guidance: A Simple Modeling and Microfluidic Framework. <i>PLoS ONE</i> , 2014, 9, e99640.	1.1	17
570	PKA modulation of Rac in neuronal cells. <i>Frontiers in Cellular Neuroscience</i> , 2014, 8, 321.	1.8	6
571	The emerging role of class-3 semaphorins and their neuropilin receptors in oncology. <i>OncoTargets and Therapy</i> , 2014, 7, 1663.	1.0	55
574	Axon guidance during development and regeneration. , 0, , 301-316.		0
575	Inhibitors of axonal regeneration. , 0, , 349-366.		1
576	Intraneuronal determinants of axon regeneration. , 0, , 413-434.		0
577	Brain Endothelial Cells Control Fertility through Ovarian-Steroid-Dependent Release of Semaphorin 3A. <i>PLoS Biology</i> , 2014, 12, e1001808.	2.6	56
578	Function of the <i>Drosophila</i> receptor guanylyl cyclase Gyc76C in PlexA-mediated motor axon guidance. <i>Development (Cambridge)</i> , 2014, 141, 136-147.	1.2	14
579	Adjustable, rapidly switching microfluidic gradient generation using focused travelling surface acoustic waves. <i>Applied Physics Letters</i> , 2014, 104, 023506.	1.5	88
580	Role of Myelin-Associated Glycoprotein (Siglec-4a) in the Nervous System. <i>Advances in Neurobiology</i> , 2014, 9, 245-262.	1.3	26
581	Phylogeography and phenotypic diversity of the pumpkinseed sunfish <i>Lepomis gibbosus</i> (Linnaeus, 1758) of the Northern Black Sea Coast. <i>Russian Journal of Genetics</i> , 2014, 50, 1285-1293.	0.2	2

#	ARTICLE	IF	CITATIONS
582	Connecting the Retina to the Brain. <i>ASN Neuro</i> , 2014, 6, 175909141456210.	1.5	137
583	Distinct Cytoplasmic Domains in Plexin-A4 Mediate Diverse Responses to Semaphorin 3A in Developing Mammalian Neurons. <i>Science Signaling</i> , 2014, 7, ra24.	1.6	22
584	Lack of adenylyl cyclase 1 (AC1): Consequences on corticospinal tract development and on locomotor recovery after spinal cord injury. <i>Brain Research</i> , 2014, 1549, 1-10.	1.1	3
585	Switching Responses: Spatial and Temporal Regulators of Axon Guidance. <i>Molecular Neurobiology</i> , 2014, 49, 1077-1086.	1.9	40
586	Inhibition of Neurite Outgrowth by a Neuropilin-1 Binding Peptide Derived from Semaphorin 3A. <i>International Journal of Peptide Research and Therapeutics</i> , 2014, 20, 153-160.	0.9	1
587	cAMP-responsive Element-binding Protein (CREB) and cAMP Co-regulate Activator Protein 1 (AP1)-dependent Regeneration-associated Gene Expression and Neurite Growth. <i>Journal of Biological Chemistry</i> , 2014, 289, 32914-32925.	1.6	45
588	The role of soluble adenylyl cyclase in neurite outgrowth. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2014, 1842, 2561-2568.	1.8	22
589	Actin dynamics in growth cone motility and navigation. <i>Journal of Neurochemistry</i> , 2014, 129, 221-234.	2.1	215
590	Developmental shaping of dendritic arbors in <i>Drosophila</i> relies on tightly regulated intra-neuronal activity of protein kinase A (PKA). <i>Developmental Biology</i> , 2014, 393, 282-297.	0.9	15
591	Mechanisms of axon regeneration and its inhibition: Roles of sulfated glycans. <i>Archives of Biochemistry and Biophysics</i> , 2014, 558, 36-41.	1.4	25
592	New perspectives in cyclic nucleotide-mediated functions in the CNS: the emerging role of cyclic nucleotide-gated (CNG) channels. <i>Pflügers Archiv European Journal of Physiology</i> , 2014, 466, 1241-1257.	1.3	41
593	Soluble Adenylyl Cyclase Is Necessary and Sufficient to Overcome the Block of Axonal Growth by Myelin-Associated Factors. <i>Journal of Neuroscience</i> , 2014, 34, 9281-9289.	1.7	22
594	G-Protein-Coupled Receptor Cell Signaling Pathways Mediating Embryonic Chick Retinal Growth Cone Collapse Induced by Lysophosphatidic Acid and Sphingosine-1-Phosphate. <i>Developmental Neuroscience</i> , 2014, 36, 443-453.	1.0	22
595	Spinal Cord Regeneration. <i>Cell Transplantation</i> , 2014, 23, 573-611.	1.2	89
596	Second messenger networks for accurate growth cone guidance. <i>Developmental Neurobiology</i> , 2015, 75, 411-422.	1.5	15
597	Roles of cofilin in development and its mechanisms of regulation. <i>Development Growth and Differentiation</i> , 2015, 57, 275-290.	0.6	94
598	Importance of gene dosage in controlling dendritic arbor formation during development. <i>European Journal of Neuroscience</i> , 2015, 42, 2234-2249.	1.2	8
599	Role of Neuropilin-1 in Diabetic Nephropathy. <i>Journal of Clinical Medicine</i> , 2015, 4, 1293-1311.	1.0	21

#	ARTICLE	IF	CITATIONS
600	Shaping the Reproductive System: Role of Semaphorins in Gonadotropin-Releasing Hormone Development and Function. <i>Neuroendocrinology</i> , 2015, 102, 200-215.	1.2	20
601	Overexpression of tissue-nonspecific alkaline phosphatase increases the expression of neurogenic differentiation markers in the human SH-SY5Y neuroblastoma cell line. <i>Bone</i> , 2015, 79, 150-161.	1.4	9
602	Anchoring of Protein Kinase A by ERM (Ezrin-Radixin-Moesin) Proteins Is Required for Proper Netrin Signaling through DCC (Deleted in Colorectal Cancer). <i>Journal of Biological Chemistry</i> , 2015, 290, 5783-5796.	1.6	18
603	Optic Nerve Regeneration in Lower Vertebrates and Mammals. , 2015, , 209-227.		0
604	Withania somnifera Improves Ischemic Stroke Outcomes by Attenuating PARP1-AIF-Mediated Caspase-Independent Apoptosis. <i>Molecular Neurobiology</i> , 2015, 52, 1093-1105.	1.9	38
605	Remote modulation of neural activities via near-infrared triggered release of biomolecules. <i>Biomaterials</i> , 2015, 65, 76-85.	5.7	65
606	Experimental and computational models of neurite extension at a choice point in response to controlled diffusive gradients. <i>Journal of Neural Engineering</i> , 2015, 12, 046012.	1.8	11
607	The Biology, Limits, and Promotion of Peripheral Nerve Regeneration in Rats and Humans. , 2015, , 993-1019.		7
608	Passive microfluidic chamber for long-term imaging of axon guidance in response to soluble gradients. <i>Lab on A Chip</i> , 2015, 15, 2781-2789.	3.1	56
609	Puberty in Mice and Rats. , 2015, , 1395-1439.		43
610	Complement Protein C1q Modulates Neurite Outgrowth <i>In Vitro</i> and Spinal Cord Axon Regeneration <i>In Vivo</i> . <i>Journal of Neuroscience</i> , 2015, 35, 4332-4349.	1.7	54
611	Axon Guidance in the Spinal Cord. , 2015, , 39-63.		0
612	A spatiotemporally controllable chemical gradient generator via acoustically oscillating sharp-edge structures. <i>Lab on A Chip</i> , 2015, 15, 4166-4176.	3.1	49
613	Co-immobilization of semaphorin3A and nerve growth factor to guide and pattern axons. <i>Acta Biomaterialia</i> , 2015, 28, 33-44.	4.1	19
614	The interdependent roles of Ca <sup>2+</sup> and cAMP in axon guidance. <i>Developmental Neurobiology</i> , 2015, 75, 402-410.	1.5	14
615	The role of calcium and cyclic nucleotide signaling in cerebellar granule cell migration under normal and pathological conditions. <i>Developmental Neurobiology</i> , 2015, 75, 369-387.	1.5	24
616	Sildenafil Improves Brain Injury Recovery following Term Neonatal Hypoxia-Ischemia in Male Rat Pups. <i>Developmental Neuroscience</i> , 2016, 38, 251-263.	1.0	15
617	cGMP-Dependent Protein Kinase Encoded by foraging Regulates Motor Axon Guidance in <i>Drosophila</i> by Suppressing Lola Function. <i>Journal of Neuroscience</i> , 2016, 36, 4635-4646.	1.7	22

#	ARTICLE	IF	CITATIONS
618	Impairments in dendrite morphogenesis as etiology for neurodevelopmental disorders and implications for therapeutic treatments. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 68, 946-978.	2.9	66
619	Plasticity-related genes in brain development and amygdala-dependent learning. <i>Genes, Brain and Behavior</i> , 2016, 15, 125-143.	1.1	54
620	Dorsal root ganglion axon bifurcation tolerates increased cyclic $\text{GMP}$ levels: the role of phosphodiesterase 2A and scavenger receptor Npr3. <i>European Journal of Neuroscience</i> , 2016, 44, 2991-3000.	1.2	22
621	A plasma membrane microdomain compartmentalizes ephrin-generated cAMP signals to prune developing retinal axon arbors. <i>Nature Communications</i> , 2016, 7, 12896.	5.8	53
622	Multi-phasic bi-directional chemotactic responses of the growth cone. <i>Scientific Reports</i> , 2016, 6, 36256.	1.6	8
623	Intracellular calcium and cyclic nucleotide levels modulate neurite guidance by microtopographical substrate features. <i>Journal of Biomedical Materials Research - Part A</i> , 2016, 104, 2037-2048.	2.1	8
624	Prenatal carbon monoxide impairs migration of interneurons into the cerebral cortex. <i>NeuroToxicology</i> , 2016, 53, 31-44.	1.4	5
625	Golli Myelin Basic Proteins Modulate Voltage-Operated $\text{Ca}^{++}$ Influx and Development in Cortical and Hippocampal Neurons. <i>Molecular Neurobiology</i> , 2016, 53, 5749-5771.	1.9	5
626	Using <i>Xenopus laevis</i> retinal and spinal neurons to study mechanisms of axon guidance in vivo and in vitro. <i>Seminars in Cell and Developmental Biology</i> , 2016, 51, 64-72.	2.3	16
627	Purines in neurite growth and astroglia activation. <i>Neuropharmacology</i> , 2016, 104, 255-271.	2.0	17
628	Purine nucleosides in neuroregeneration and neuroprotection. <i>Neuropharmacology</i> , 2016, 104, 226-242.	2.0	61
629	In vitro models of axon regeneration. <i>Experimental Neurology</i> , 2017, 287, 423-434.	2.0	47
630	Cyclic nucleotide signaling is required during synaptic refinement at the <i>Drosophila</i> neuromuscular junction. <i>Developmental Neurobiology</i> , 2017, 77, 39-60.	1.5	13
631	Calpain-Mediated Proteolysis of Talin and FAK Regulates Adhesion Dynamics Necessary for Axon Guidance. <i>Journal of Neuroscience</i> , 2017, 37, 1568-1580.	1.7	75
632	Redox-guided axonal regrowth requires cyclic GMP dependent protein kinase 1: Implication for neuropathic pain. <i>Redox Biology</i> , 2017, 11, 176-191.	3.9	23
633	The terminal nerve plays a prominent role in GnRH-1 neuronal migration independent from proper olfactory and vomeronasal connections to the olfactory bulbs. <i>Biology Open</i> , 2017, 6, 1552-1568.	0.6	40
634	Rewiring the taste system. <i>Nature</i> , 2017, 548, 330-333.	13.7	99
635	Semaphorins and their Signaling Mechanisms. <i>Methods in Molecular Biology</i> , 2017, 1493, 1-25.	0.4	238

#	ARTICLE	IF	CITATIONS
636	Visualization of Clathrin-Mediated Endocytosis During Semaphorin-Guided Axonal Growth. <i>Methods in Molecular Biology</i> , 2017, 1493, 287-298.	0.4	2
637	<i>Xenopus laevis</i> as a Model Organism for the Study of Spinal Cord Formation, Development, Function and Regeneration. <i>Frontiers in Neural Circuits</i> , 2017, 11, 90.	1.4	30
638	Sema3A Reduces Sprouting of Adult Rod Photoreceptors In Vitro. , 2017, 58, 4318.		8
639	Sonic Hedgehogâ€™sâ€™Jack-of-All-Tradesâ€™™ in Neural Circuit Formation. <i>Journal of Developmental Biology</i> , 2017, 5, 2.	0.9	11
640	Computational Methods for Estimating Molecular System from Membrane Potential Recordings in Nerve Growth Cone. <i>Scientific Reports</i> , 2018, 8, 4559.	1.6	0
641	Preparation of Adult Rat Sensory Neuron Cultures and Their Application to Growth Cone Turning Assays. <i>Methods in Molecular Biology</i> , 2018, 1727, 81-92.	0.4	1
642	Rapid Cue-Specific Remodeling of the Nascent Axonal Proteome. <i>Neuron</i> , 2018, 99, 29-46.e4.	3.8	136
643	Conductive Polymers: Opportunities and Challenges in Biomedical Applications. <i>Chemical Reviews</i> , 2018, 118, 6766-6843.	23.0	579
644	Molecular Analysis of Sensory Axon Branching Unraveled a cGMP-Dependent Signaling Cascade. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1266.	1.8	22
645	Optic nerve regeneration: A long view. <i>Restorative Neurology and Neuroscience</i> , 2019, 37, 525-544.	0.4	15
646	Cyclic nucleotide signaling in sensory neuron hyperexcitability and chronic pain after nerve injury. <i>Neurobiology of Pain (Cambridge, Mass )</i> , 2019, 6, 100028.	1.0	29
647	STIM1 Is Required for Remodeling of the Endoplasmic Reticulum and Microtubule Cytoskeleton in Steering Growth Cones. <i>Journal of Neuroscience</i> , 2019, 39, 5095-5114.	1.7	39
648	Regulators of Rho GTPases in the Nervous System: Molecular Implication in Axon Guidance and Neurological Disorders. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1497.	1.8	32
649	Semaphorin 3A induces acute changes in membrane excitability in spiral ganglion neurons in vitro. <i>European Journal of Neuroscience</i> , 2019, 50, 1741-1758.	1.2	1
650	Wiring Up the Brain: Axon Navigation. , 2019, , 119-158.		3
651	Toward the Existence of a Sympathetic Neuroplasticity Adaptive Mechanism Influencing the Immune Response. A Hypothetical Viewâ€™Part I. <i>Frontiers in Endocrinology</i> , 2019, 10, 632.	1.5	8
652	A monitoring system for axonal growth dynamics using micropatterns of permissive and Semaphorin 3F chemorepulsive signals. <i>Lab on A Chip</i> , 2019, 19, 291-305.	3.1	7
653	Mechanistic advances in axon pathfinding. <i>Current Opinion in Cell Biology</i> , 2020, 63, 11-19.	2.6	52

#	ARTICLE	IF	CITATIONS
654	The role of non-neuronal cells in hypogonadotropic hypogonadism. <i>Molecular and Cellular Endocrinology</i> , 2020, 518, 110996.	1.6	17
655	The maternal microbiome modulates fetal neurodevelopment in mice. <i>Nature</i> , 2020, 586, 281-286.	13.7	280
656	Semaphorin 3A mediated brain tumor stem cell proliferation and invasion in EGFRviii mutant gliomas. <i>BMC Cancer</i> , 2020, 20, 1213.	1.1	17
657	Dendrite development: vertebrates. , 2020, , 257-286.		1
658	MicroRNA-19a-PTEN Axis Is Involved in the Developmental Decline of Axon Regenerative Capacity in Retinal Ganglion Cells. <i>Molecular Therapy - Nucleic Acids</i> , 2020, 21, 251-263.	2.3	20
659	Epac2 Promotes Axonal Outgrowth and Attenuates the Glial Reaction in an Ex Vivo Model of Spinal Cord Injury. <i>Journal of Neuroscience</i> , 2020, 40, 2184-2185.	1.7	1
660	Vinaxanthone inhibits Semaphorin3A induced axonal growth cone collapse in embryonic neurons but fails to block its growth promoting effects on adult neurons. <i>Scientific Reports</i> , 2021, 11, 13019.	1.6	3
661	cGMP signalling in dorsal root ganglia and the spinal cord: Various functions in development and adulthood. <i>British Journal of Pharmacology</i> , 2022, 179, 2361-2377.	2.7	4
662	The therapeutic potential of targeting exchange protein directly activated by cyclic adenosine 3â€²,5â€²-monophosphate (Epac) for central nervous system trauma. <i>Neural Regeneration Research</i> , 2021, 16, 460.	1.6	8
664	Signaling Mechanisms of Axon Guidance and Early Synaptogenesis. <i>Current Topics in Behavioral Neurosciences</i> , 2013, 16, 19-48.	0.8	18
665	Intracellular Kinases in Semaphorin Signaling. <i>Advances in Experimental Medicine and Biology</i> , 2007, 600, 24-37.	0.8	19
666	MICAL Flavoprotein Monooxygenases: Structure, Function and Role in Semaphorin Signaling. <i>Advances in Experimental Medicine and Biology</i> , 2007, 600, 38-51.	0.8	26
667	Signaling of Secreted Semaphorins in Growth Cone Steering. <i>Advances in Experimental Medicine and Biology</i> , 2007, 600, 52-60.	0.8	2
668	The Role of Cyclic Nucleotides in Axon Guidance. <i>Advances in Experimental Medicine and Biology</i> , 2007, 621, 134-143.	0.8	33
669	Role of Semaphorins during Axon Growth and Guidance. <i>Advances in Experimental Medicine and Biology</i> , 2007, 621, 50-64.	0.8	47
670	Neurotrophic Factors: Are They Axon Guidance Molecules?. <i>Advances in Experimental Medicine and Biology</i> , 2007, 621, 81-94.	0.8	13
671	Neuropilins as semaphorin receptors. <i>Advances in Experimental Medicine and Biology</i> , 2002, , 13-31.	0.8	95
672	The Function of Neuropilin/L1 Complex. <i>Advances in Experimental Medicine and Biology</i> , 2002, 515, 91-102.	0.8	28

#	ARTICLE	IF	CITATIONS
673	Neuroregeneration. , 2017, , 585-619.		1
674	Mouse Models of NO/Natriuretic Peptide/cGMP Kinase Signaling. Handbook of Experimental Pharmacology, 2004, , 95-130.	0.9	9
675	Myelin Molecules Limiting Nervous System Plasticity. Progress in Molecular and Subcellular Biology, 2003, 32, 125-142.	0.9	6
676	The Physiological Roles of Nitric Oxide in the Central Nervous System. Handbook of Experimental Pharmacology, 2000, , 259-275.	0.9	13
677	Signaling Mechanisms of Axon Guidance and Early Synaptogenesis. Current Topics in Behavioral Neurosciences, 2013, , 19-48.	0.8	22
678	Myelin-Associated Glycoprotein Gene. , 2004, , 421-467.		8
679	Neuronal Differentiation: From Axons to Synapses. , 2006, , 45-72.		1
680	Protein-protein interactions define specificity in signal transduction. Genes and Development, 2000, 14, 1027-1047.	2.7	616
681	Knowing How to Navigate: Mechanisms of Semaphorin Signaling in the Nervous System. Science Signaling, 2002, 2002, re1-re1.	1.6	11
683	Ventral midline cells are required for the local control of commissural axon guidance in the mouse spinal cord. Development (Cambridge), 1999, 126, 3649-3659.	1.2	57
684	Discrete roles for secreted and transmembrane semaphorins in neuronal growth cone guidance in vivo. Development (Cambridge), 1999, 126, 2007-2019.	1.2	47
685	Nitric oxide and cGMP influence axonogenesis of antennal pioneer neurons. Development (Cambridge), 2000, 127, 4541-4549.	1.2	65
686	<i>mab-20</i> encodes Semaphorin-2a and is required to prevent ectopic cell contacts during epidermal morphogenesis in <i>Caenorhabditis elegans</i> . Development (Cambridge), 2000, 127, 755-767.	1.2	76
687	Ephrins regulate the formation of terminal axonal arbors during the development of thalamocortical projections. Development (Cambridge), 2002, 129, 3945-3955.	1.2	81
688	Semaphorin 1a and semaphorin 1b are required for correct epidermal cell positioning and adhesion during morphogenesis in <i>C. elegans</i> . Development (Cambridge), 2002, 129, 2065-2078.	1.2	46
689	Peripherally-Derived BDNF Promotes Regeneration of Ascending Sensory Neurons after Spinal Cord Injury. PLoS ONE, 2008, 3, e1707.	1.1	91
690	R-Type Calcium Channels Are Crucial for Semaphorin 3A-Induced DRG Axon Growth Cone Collapse. PLoS ONE, 2014, 9, e102357.	1.1	9
691	Transplantation strategies to promote repair of the injured spinal cord. Journal of Rehabilitation Research and Development, 2003, 40, 55.	1.6	103



#	ARTICLE	IF	CITATIONS
692	The pathological role of adipose tissue aging in the progression of systemic insulin resistance. Inflammation and Regeneration, 2015, 35, 178-184.	1.5	1
693	Mechanisms of growth cone repulsion. F1000 Biology Reports, 2010, 2, 6.	4.0	3
694	Extrinsic and intrinsic mechanisms of axon regeneration: the need for spinal cord injury treatment strategies to address both. Neural Regeneration Research, 2016, 11, 572.	1.6	9
695	Heterogeneity in the regenerative abilities of central nervous system axons within species: why do some neurons regenerate better than others?. Neural Regeneration Research, 2020, 15, 996.	1.6	8
696	Neurovascular patterning cues and implications for central and peripheral neurological disease. , 2017, 8, 208.		7
697	Transduction of Inhibitory Signals by the Axonal Growth Cone. , 2000, , 131-153.		0
698	Attractive and Repulsive Signaling in Nerve Growth Cone Navigation. , 2003, , 871-875.		0
699	Semaphorins and their Receptors in Vertebrates and Invertebrates. , 2003, , 877-881.		0
700	Synaptic Plasticity and Structural Remodeling of Rod and Cone Cells. , 2006, , 13-31.		0
701	Age-dependent Expression of GAP-43, Netrin-1, Collapsin-1, and Neuropilin-1 in Murine Cerebellum*. Progress in Biochemistry and Biophysics, 2009, 2009, 750-760.	0.3	0
703	I-Type Lectins: Sialoadhesin Family. , 2012, , 351-379.		0
704	cGMP signaling and branching of sensory axons in the spinal cord. Future Neurology, 2012, 7, 639-651.	0.9	1
705	Growth Cones and Axon Pathfinding. , 2013, , 363-384.		2
706	Dynamic Control of Neural Reproductive Centers by Endothelial Cells. , 2015, , 76-97.		0
707	Assays to Examine Transmembrane Semaphorin Function In Vitro. Methods in Molecular Biology, 2017, 1493, 247-263.	0.4	0
710	Neurofilaments. , 2006, , 52-73.		0
711	Cone and rod cells have different target preferences in vitro as revealed by optical tweezers. Molecular Vision, 2008, 14, 706-20.	1.1	10
713	Sema3F downregulates p53 expression leading to axonal growth cone collapse in primary hippocampal neurons. International Journal of Clinical and Experimental Pathology, 2012, 5, 634-41.	0.5	1



#	ARTICLE	IF	CITATIONS
714	Gradient biomimetic platforms for neurogenesis studies. Journal of Neural Engineering, 2022, 19, 011001.	1.8	5
715	Perspectives of SLIT/ROBO signaling in placental angiogenesis. Histology and Histopathology, 2010, 25, 1181-90.	0.5	24
717	Neuronal guidance genes in health and diseases. Protein and Cell, 0, , .	4.8	2
718	Ontogenetic rules for the molecular diversification of hypothalamic neurons. Nature Reviews Neuroscience, 2022, 23, 611-627.	4.9	10
719	ISL1/SHH/CXCL12 signaling regulates myogenic cell migration during mouse tongue development. Development (Cambridge), 2022, 149, .	1.2	2
720	<i>NOS1</i> mutations cause hypogonadotropic hypogonadism with sensory and cognitive deficits that can be reversed in infantile mice. Science Translational Medicine, 2022, 14, .	5.8	15
721	Axonal Guidance. , 2023, , 93-106.		0