# CITATION REPORT List of articles citing

Enhanced phosphorylation of p53 by ATM in response to DNA damage

DOI: 10.1126/science.281.5383.1674 Science, 1998, 281, 1674-7.

Source: https://exaly.com/paper-pdf/29463920/citation-report.pdf

Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1632	ATM: the p53 booster. <b>1998</b> , 4, 1231-2		35
1631	DNA damage activates p53 through a phosphorylation-acetylation cascade. <b>1998</b> , 12, 2831-41		927
1630	Phosphorylation of p53 serine 15 increases interaction with CBP. <b>1998</b> , 273, 33048-53		336
1629	The 400 kDa subunit of the PCAF histone acetylase complex belongs to the ATM superfamily. <b>1998</b> , 2, 869-75		150
1628	Signaling to p53: breaking the MDM2-p53 circuit. <b>1998</b> , 95, 5-8		589
1627	The complexity of p53 modulation: emerging patterns from divergent signals. <b>1998</b> , 12, 2973-83		1017
1626	Defective potassium currents in ataxia telangiectasia fibroblasts. <b>1998</b> , 12, 3686-92		13
1625	Cell cycle control, checkpoint mechanisms, and genotoxic stress. <b>1999</b> , 107 Suppl 1, 5-24		180
1624	Mdm2: The Ups and Downs. <b>1999</b> , 5, 71-83		153
1623	A gel-electrophoretic analysis for improved sensitivity and specificity of DNA-dependent protein kinase activity. <b>1999</b> , 40, 183-96		8
1622	Effects of protein kinase inhibitors on the accumulation kinetics of p53 protein in normal human embryo cells following X-irradiation. <b>1999</b> , 40, 23-37		17
1621	Altered telomere nuclear matrix interactions and nucleosomal periodicity in ataxia telangiectasia cells before and after ionizing radiation treatment. <b>1999</b> , 19, 6963-71		65
1620	ATM Is Upregulated During the Mitogenic Response in Peripheral Blood Mononuclear Cells. <b>1999</b> , 94, 1998-2006		36
1619	Biochemical and Genetic Control of Apoptosis: Relevance to Normal Hematopoiesis and Hematological Malignancies. <b>1999</b> , 93, 3587-3600		115
1618	Regulated Genomic Instability and Neoplasia in the Lymphoid Lineage. <b>1999</b> , 94, 3997-4010		108
1617	Somatic ATM Mutations Indicate a Pathogenic Role of ATM in B-Cell Chronic Lymphocytic Leukemia. <b>1999</b> , 94, 748-753		224
1616	Effect of p53 protein redox states on binding to supercoiled and linear DNA. <b>1999</b> , 274, 25749-55		41

1615	Loss of the ataxia-telangiectasia gene product causes oxidative damage in target organs. <b>1999</b> , 96, 9915-9	211
1614	Radiation-induced assembly of Rad51 and Rad52 recombination complex requires ATM and c-Abl. <b>1999</b> , 274, 12748-52	214
1613	A human Cds1-related kinase that functions downstream of ATM protein in the cellular response to DNA damage. <b>1999</b> , 96, 3745-50	231
1612	Genetic disorders associated with cancer predisposition and genomic instability. <b>1999</b> , 63, 189-221	47
1611	Role for p300 in stabilization of p53 in the response to DNA damage. <b>1999</b> , 274, 1883-6	77
1610	Cell cycle regulators: mechanisms and their role in aetiology, prognosis, and treatment of cancer. <b>1999</b> , 52, 555-68	70
1609	Requirement of sequences outside the conserved kinase domain of fission yeast Rad3p for checkpoint control. <b>1999</b> , 10, 3223-38	16
1608	A quantitative analysis of the kinetics of the G(2) DNA damage checkpoint system. <b>1999</b> , 96, 11352-7	64
1607	hMutSalpha- and hMutLalpha-dependent phosphorylation of p53 in response to DNA methylator damage. <b>1999</b> , 96, 12384-8	146
1606	Rapid ATM-dependent phosphorylation of MDM2 precedes p53 accumulation in response to DNA damage. <b>1999</b> , 96, 14973-7	361
1605	The adenovirus oncoprotein E1a stimulates binding of transcription factor ETF to transcriptionally activate the p53 gene. <b>1999</b> , 274, 23777-86	20
1604	The alpha-helical FXXPhiPhi motif in p53: TAF interaction and discrimination by MDM2. <b>1999</b> , 96, 14801-6	122
1603	Purification and DNA binding properties of the ataxia-telangiectasia gene product ATM. <b>1999</b> , 96, 11134-9	148
1602	Phosphorylation of Ser-20 mediates stabilization of human p53 in response to DNA damage. <b>1999</b> , 96, 13777-82	477
1601	DNA-dependent protein kinase-independent activation of p53 in response to DNA damage. <b>1999</b> , 274, 17139-43	61
1600	Human homologs of Schizosaccharomyces pombe rad1, hus1, and rad9 form a DNA damage-responsive protein complex. <b>1999</b> , 274, 567-70	153
1599	Activation of an MDM2-specific caspase by p53 in the absence of apoptosis. <b>1999</b> , 274, 15271-7	54
1598	Molecular interaction map of the mammalian cell cycle control and DNA repair systems. <b>1999</b> , 10, 2703-34	426

1597	High affinity insertion/deletion lesion binding by p53. Evidence for a role of the p53 central domain. <b>1999</b> , 274, 3904-9	29
1596	Thioredoxin-dependent redox regulation of p53-mediated p21 activation. <b>1999</b> , 274, 35809-15	312
1595	Recruitment of ATM protein to double strand DNA irradiated with ionizing radiation. 1999, 274, 25571-5	91
1594	Chromosomal breakage syndromes. <b>1999</b> , 11, 443-7	30
1593	The PIK-related kinases intercept conventional signaling pathways. <b>1999</b> , 6, R129-36	56
1592	Ataxia-telangiectasia, cancer and the pathobiology of the ATM gene. <b>1999</b> , 55, 289-304	139
1591	Molecular mechanisms of ionizing radiation-induced apoptosis. <b>1999</b> , 77, 263-71	102
1590	DNA damage enables p73. <b>1999</b> , 399, 734-5, 737	52
1589	Interaction of c-Abl and p73alpha and their collaboration to induce apoptosis. <b>1999</b> , 399, 809-13	494
1588	The ATM protein is required for sustained activation of NF-kappaB following DNA damage. <b>1999</b> , 18, 2261-71	143
1587	Mutations in serines 15 and 20 of human p53 impair its apoptotic activity. <b>1999</b> , 18, 3205-12	175
1586	Mechanisms of switching on p53: a role for covalent modification?. <b>1999</b> , 18, 7666-75	208
1585	Human mammary epithelial cells exhibit a differential p53-mediated response following exposure to ionizing radiation or UV light. <b>1999</b> , 18, 5795-805	33
1584	Regulation of p53 stability. <b>1999</b> , 18, 7637-43	346
1583	p53 regulation by post-translational modification and nuclear retention in response to diverse stresses. <b>1999</b> , 18, 7656-65	160
1582	Regulation of p53 in response to DNA damage. <b>1999</b> , 18, 7644-55	742
1581	Induction of the TRAIL receptor KILLER/DR5 in p53-dependent apoptosis but not growth arrest. <b>1999</b> , 18, 6411-8	93
1580	ATR is a caffeine-sensitive, DNA-activated protein kinase with a substrate specificity distinct from DNA-PK. <b>1999</b> , 18, 6707-13	199

1579	ATM: a mediator of multiple responses to genotoxic stress. <b>1999</b> , 18, 6135-44	235
1578	The cellular response to p53: the decision between life and death. <b>1999</b> , 18, 6145-57	488
1577	Identification of a novel mouse p53 target gene DDA3. <b>1999</b> , 18, 7765-74	38
1576	Disruption of ATM in p53-null cells causes multiple functional abnormalities in cellular response to ionizing radiation. <b>1999</b> , 18, 7002-9	93
1575	Isolation and characterization of Xenopus ATM (X-ATM): expression, localization, and complex formation during oogenesis and early development. <b>1999</b> , 18, 7070-9	27
1574	DNA damage-induced cell cycle checkpoints and DNA strand break repair in development and tumorigenesis. <b>1999</b> , 18, 7883-99	353
1573	Twenty years of p53 research: structural and functional aspects of the p53 protein. <b>1999</b> , 18, 7621-36	505
1572	Effects of the protein kinase inhibitors wortmannin and KN62 on cellular radiosensitivity and radiation-activated S phase and G1/S checkpoints in normal human fibroblasts. <b>1999</b> , 81, 959-65	20
1571	Adenovirus E4 34k and E4 11k inhibit double strand break repair and are physically associated with the cellular DNA-dependent protein kinase. <b>1999</b> , 263, 307-12	123
1570	Association of p19(ARF) with Mdm2 inhibits ubiquitin ligase activity of Mdm2 for tumor suppressor p53. <b>1999</b> , 18, 22-7	546
1569	Autophosphorylation of p110delta phosphoinositide 3-kinase: a new paradigm for the regulation of lipid kinases in vitro and in vivo. <b>1999</b> , 18, 1292-302	79
1568	Recombination and its roles in DNA repair, cellular immortalization and cancer. <b>1999</b> , 22, 71-88	7
1567	Many faces of ATM: eighth international workshop on ataxia-telangiectasia. <b>1999</b> , 1424, R45-55	7
1566	Radiation, DNA damage and cancer. <b>1999</b> , 5, 157-64	35
1565	A human homologue of the checkpoint kinase Cds1 directly inhibits Cdc25 phosphatase. <b>1999</b> , 9, 1-10	254
1564	Caffeine inhibits the checkpoint kinase ATM. <b>1999</b> , 9, 1135-8	259
1563	Cancer and the cell cycle. <b>1999</b> , Suppl 32-33, 166-72	47
1562	The p53 pathway and apoptosis. <b>1999</b> , 181, 231-9	164

1561	p53- and ATM-dependent apoptosis induced by telomeres lacking TRF2. <i>Science</i> , <b>1999</b> , 283, 1321-5	33.3	856
1560	Breast cancer genes and DNA repair. <i>Science</i> , <b>1999</b> , 286, 1100-2	33.3	49
1559	Requirement of ATM-dependent phosphorylation of brca1 in the DNA damage response to double-strand breaks. <i>Science</i> , <b>1999</b> , 286, 1162-6	33.3	848
1558	Multiple ATM-dependent pathways: an explanation for pleiotropy. <b>1999</b> , 64, 46-50		52
1557	Cellular responses to radiation and risk of breast cancer. <b>1999</b> , 35, 540-8		21
1556	[DNA-dependent protein kinase (DNA-PK), a key enzyme in the re-ligation of double-stranded DNA breaks]. <b>1999</b> , 3, 289-95		4
1555	ATM: the product of the gene mutated in ataxia-telangiectasia. <b>1999</b> , 31, 735-40		33
1554	Abnormal myo-inositol and phospholipid metabolism in cultured fibroblasts from patients with ataxia telangiectasia. <b>1999</b> , 1437, 287-300		9
1553	Cellular response to DNA damage. Link between p53 and DNA-PK. <b>1999</b> , 322, 113-20		6
1552	Cdc2 phosphorylation of Crb2 is required for reestablishing cell cycle progression after the damage checkpoint. <b>1999</b> , 4, 167-74		77
1551	Ku, a DNA repair protein with multiple cellular functions?. <b>1999</b> , 434, 3-15		209
1550	Drug-induced apoptosis is delayed and reduced in XPD lymphoblastoid cell lines: possible role of TFIIH in p53-mediated apoptotic cell death. <b>1999</b> , 18, 4681-8		44
1549	The ataxia-telangiectasia related protein ATR mediates DNA-dependent phosphorylation of p53. <b>1999</b> , 18, 3989-95		110
1548	Direct involvement of p53 in the base excision repair pathway of the DNA repair machinery. <b>1999</b> , 450, 197-204		101
1547	Protein kinase CK1 is a p53-threonine 18 kinase which requires prior phosphorylation of serine 15. <b>1999</b> , 463, 312-6		99
1546	Critical role for Ser20 of human p53 in the negative regulation of p53 by Mdm2. <b>1999</b> , 18, 1805-14		275
1545	DNA damage-inducible phosphorylation of p53 at N-terminal sites including a novel site, Ser20, requires tetramerization. <b>1999</b> , 18, 1815-23		236
1544	Regulation of the p53 tumor suppressor protein. <b>1999</b> , 274, 36031-4		434

#### (2000-1999)

1543	Substrate specificities and identification of putative substrates of ATM kinase family members. <b>1999</b> , 274, 37538-43	575
1542	Signaling by distinct classes of phosphoinositide 3-kinases. <b>1999</b> , 253, 239-54	737
1541	Cancer risk in ATM heterozygotes: a model of phenotypic and mechanistic differences between missense and truncating mutations. <b>1999</b> , 68, 419-23	164
1540	The p38MAPK inhibitor SB203580 alleviates ultraviolet-induced phosphorylation at serine 389 but not serine 15 and activation of p53. <b>1999</b> , 261, 464-71	75
1539	Activation of p53 in MDM2-overexpressing cells through phosphorylation. <b>1999</b> , 264, 860-4	16
1538	Requirement of ATM in phosphorylation of the human p53 protein at serine 15 following DNA double-strand breaks. <b>1999</b> , 19, 2828-34	110
1537	Regulation of p53 function and stability by phosphorylation. <b>1999</b> , 19, 1751-8	383
1536	Double-stranded-RNA-activated protein kinase PKR enhances transcriptional activation by tumor suppressor p53. <b>1999</b> , 19, 2475-84	124
1535	Cleavage and inactivation of ATM during apoptosis. <b>1999</b> , 19, 6076-84	86
1534	Oligo-/monoclonal gammopathy and hypergammaglobulinemia in ataxia-telangiectasia. A study of 90 patients. <b>1999</b> , 78, 370-81	23
1533	Regulation of 4E-BP1 phosphorylation: a novel two-step mechanism. <b>1999</b> , 13, 1422-37	947
1532	The DNA damage checkpoint and human cancer. <b>2000</b> , 65, 489-98	17
1531	Interactions of the Nijmegen breakage syndrome protein with ATM and BRCA1. 2000, 65, 535-45	7
1530	Checkpoints controlling mitosis. <b>2000</b> , 22, 351-63	68
1529	Development of a binding assay for p53/HDM2 by using homogeneous time-resolved fluorescence. <b>2000</b> , 278, 29-38	47
1528	Characterization of ATM mutations in 41 Nordic families with ataxia telangiectasia. 2000, 16, 232-46	48
1527	FRAP DNA-dependent protein kinase mediates a late signal transduced from ultraviolet-induced DNA damage. <b>2000</b> , 114, 1005-10	23
1526	Carboxyl-terminal region conserved among phosphoinositide-kinase-related kinases is indispensable for mTOR function in vivo and in vitro. <b>2000</b> , 5, 765-75	63

1525	The role of p53-target genes in human cancer. <b>2000</b> , 33, 1-6	133
1524	Oral administration of an estrogen metabolite-induced potentiation of radiation antitumor effects in presence of wild-type p53 in non-small-cell lung cancer. <b>2000</b> , 48, 1127-37	26
1523	ATM-dependent phosphorylation of nibrin in response to radiation exposure. <b>2000</b> , 25, 115-9	412
1522	Neuronal life and death: an essential role for the p53 family. <b>2000</b> , 7, 880-8	158
1521	Guardian ancestry: fly p53 and damage-inducible apoptosis. <b>2000</b> , 7, 1035-8	29
1520	Antisense ATM gene therapy: a strategy to increase the radiosensitivity of human tumors. <b>2000</b> , 7, 852-8	31
1519	A unique, short sequence determines p53 gene basal and UV-inducible expression in normal human cells. <b>2000</b> , 19, 21-31	31
1518	Nuclear exclusion of p53 in a subset of tumors requires MDM2 function. <b>2000</b> , 19, 232-40	65
1517	Cooperative phosphorylation at multiple sites is required to activate p53 in response to UV radiation. <b>2000</b> , 19, 358-64	77
1516	Ionizing radiation activates the ATM kinase throughout the cell cycle. <b>2000</b> , 19, 1386-91	136
1515	Activity of MDM2, a ubiquitin ligase, toward p53 or itself is dependent on the RING finger domain of the ligase. <b>2000</b> , 19, 1473-6	313
1514	Caspases and mitochondria in c-Myc-induced apoptosis: identification of ATM as a new target of caspases. <b>2000</b> , 19, 2354-62	54
1513	p51A (TAp63gamma), a p53 homolog, accumulates in response to DNA damage for cell regulation. <b>2000</b> , 19, 3126-30	85
1512	The human vaccinia-related kinase 1 (VRK1) phosphorylates threonine-18 within the mdm-2 binding site of the p53 tumour suppressor protein. <b>2000</b> , 19, 3656-64	103
1511	Regulation of cell death by the Abl tyrosine kinase. <b>2000</b> , 19, 5643-50	233
1510	ATM-dependent phosphorylation and accumulation of endogenous BLM protein in response to ionizing radiation. <b>2000</b> , 19, 5955-63	85
1509	DNA damage-induced phosphorylation of p53 at serine 20 correlates with p21 and Mdm-2 induction in vivo. <b>2000</b> , 19, 6203-8	49
1508	ATM complexes with HDM2 and promotes its rapid phosphorylation in a p53-independent manner in normal and tumor human cells exposed to ionizing radiation. <b>2000</b> , 19, 6185-93	55

# (2000-2000)

1507	Direct interaction of p53 with the Y-box binding protein, YB-1: a mechanism for regulation of human gene expression. <b>2000</b> , 19, 6194-202	134
1506	A ribonucleotide reductase gene involved in a p53-dependent cell-cycle checkpoint for DNA damage. <b>2000</b> , 404, 42-9	724
1505	ATM phosphorylates p95/nbs1 in an S-phase checkpoint pathway. <b>2000</b> , 404, 613-7	682
1504	Functional link between ataxia-telangiectasia and Nijmegen breakage syndrome gene products. <b>2000</b> , 405, 473-7	447
1503	ATM phosphorylation of Nijmegen breakage syndrome protein is required in a DNA damage response. <b>2000</b> , 405, 477-82	383
1502	Cancer. New link in a web of human genes. <b>2000</b> , 405, 404-5	68
1501	Functional link of BRCA1 and ataxia telangiectasia gene product in DNA damage response. <b>2000</b> , 406, 210-5	287
1500	Threonine 68 is required for radiation-induced phosphorylation and activation of Cds1. <b>2000</b> , 2, 762-5	258
1499	The many substrates and functions of ATM. <b>2000</b> , 1, 179-86	626
1498	The DNA damage response: putting checkpoints in perspective. <b>2000</b> , 408, 433-9	2610
1498 1497	Participation of ATM in insulin signalling through phosphorylation of eIF-4E-binding protein 1. <b>2000</b>	2610 237
1497	Participation of ATM in insulin signalling through phosphorylation of eIF-4E-binding protein 1. <b>2000</b>	
1497	Participation of ATM in insulin signalling through phosphorylation of eIF-4E-binding protein 1. <b>2000</b> , 2, 893-8  Possible association of thioredoxin and p53 in breast cancer. <b>2000</b> , 75, 15-20	237
1497 1496	Participation of ATM in insulin signalling through phosphorylation of eIF-4E-binding protein 1. 2000, 2, 893-8  Possible association of thioredoxin and p53 in breast cancer. 2000, 75, 15-20  The PCAF acetylase complex as a potential tumor suppressor. 2000, 1470, M37-53  Primary mouse fibroblasts deficient for c-Fos, p53 or for both proteins are hypersensitive to UV	237
1497 1496 1495	Participation of ATM in insulin signalling through phosphorylation of eIF-4E-binding protein 1. 2000, 2, 893-8  Possible association of thioredoxin and p53 in breast cancer. 2000, 75, 15-20  The PCAF acetylase complex as a potential tumor suppressor. 2000, 1470, M37-53  Primary mouse fibroblasts deficient for c-Fos, p53 or for both proteins are hypersensitive to UV light and alkylating agent-induced chromosomal breakage and apoptosis. 2000, 457, 113-23  Loss of ATM function enhances recombinant adeno-associated virus transduction and integration	<ul><li>237</li><li>25</li><li>43</li></ul>
1497 1496 1495 1494	Participation of ATM in insulin signalling through phosphorylation of eIF-4E-binding protein 1. 2000, 2, 893-8  Possible association of thioredoxin and p53 in breast cancer. 2000, 75, 15-20  The PCAF acetylase complex as a potential tumor suppressor. 2000, 1470, M37-53  Primary mouse fibroblasts deficient for c-Fos, p53 or for both proteins are hypersensitive to UV light and alkylating agent-induced chromosomal breakage and apoptosis. 2000, 457, 113-23  Loss of ATM function enhances recombinant adeno-associated virus transduction and integration through pathways similar to UV irradiation. 2000, 268, 68-78  ATM protein and p53-serine 15 phosphorylation in ataxia-telangiectasia (AT) patients and at	<ul><li>237</li><li>25</li><li>43</li><li>44</li></ul>
1497 1496 1495 1494	Participation of ATM in insulin signalling through phosphorylation of eIF-4E-binding protein 1. 2000, 2, 893-8  Possible association of thioredoxin and p53 in breast cancer. 2000, 75, 15-20  The PCAF acetylase complex as a potential tumor suppressor. 2000, 1470, M37-53  Primary mouse fibroblasts deficient for c-Fos, p53 or for both proteins are hypersensitive to UV light and alkylating agent-induced chromosomal breakage and apoptosis. 2000, 457, 113-23  Loss of ATM function enhances recombinant adeno-associated virus transduction and integration through pathways similar to UV irradiation. 2000, 268, 68-78  ATM protein and p53-serine 15 phosphorylation in ataxia-telangiectasia (AT) patients and at heterozygotes. 2000, 82, 1938-45	<ul><li>237</li><li>25</li><li>43</li><li>44</li><li>48</li></ul>
1497 1496 1495 1494 1493 1492	Participation of ATM in insulin signalling through phosphorylation of eIF-4E-binding protein 1. 2000, 2, 893-8  Possible association of thioredoxin and p53 in breast cancer. 2000, 75, 15-20  The PCAF acetylase complex as a potential tumor suppressor. 2000, 1470, M37-53  Primary mouse fibroblasts deficient for c-Fos, p53 or for both proteins are hypersensitive to UV light and alkylating agent-induced chromosomal breakage and apoptosis. 2000, 457, 113-23  Loss of ATM function enhances recombinant adeno-associated virus transduction and integration through pathways similar to UV irradiation. 2000, 268, 68-78  ATM protein and p53-serine 15 phosphorylation in ataxia-telangiectasia (AT) patients and at heterozygotes. 2000, 82, 1938-45  Glycerol restores p53-dependent radiosensitivity of human head and neck cancer cells bearing	<ul><li>237</li><li>25</li><li>43</li><li>44</li><li>48</li><li>39</li></ul>

1489	p53 transcriptional activity is essential for p53-dependent apoptosis following DNA damage. <b>2000</b> , 19, 4967-75	195
1488	The controlling role of ATM in homologous recombinational repair of DNA damage. <b>2000</b> , 19, 463-71	239
1487	Signal transduction pathways leading to cell cycle arrest and apoptosis induced by DNA topoisomerase poisons. <b>2000</b> , 33, 181-8	13
1486	Human p53 is phosphorylated on serines 6 and 9 in response to DNA damage-inducing agents. <b>2000</b> , 275, 23199-203	90
1485	The effect of caffeine on p53-dependent radioresponses in undifferentiated mouse embryonal carcinoma cells after X-ray and UV-irradiations. <b>2000</b> , 41, 227-41	9
1484	Inactivation of p53 by human T-cell lymphotropic virus type 1 Tax requires activation of the NF-kappaB pathway and is dependent on p53 phosphorylation. <b>2000</b> , 20, 3377-86	118
1483	p53 binding protein 1 (53BP1) is an early participant in the cellular response to DNA double-strand breaks. <b>2000</b> , 151, 1381-90	713
1482	Ataxia telangiectasia-mutated phosphorylates Chk2 in vivo and in vitro. <b>2000</b> , 97, 10389-94	692
1481	Protection of renal inner medullary epithelial cells from apoptosis by hypertonic stress-induced p53 activation. <b>2000</b> , 275, 18243-7	92
1480	c-Abl is required for development and optimal cell proliferation in the context of p53 deficiency. <b>2000</b> , 97, 5486-91	23
1479	Caffeine abolishes the mammalian G(2)/M DNA damage checkpoint by inhibiting ataxia-telangiectasia-mutated kinase activity. <b>2000</b> , 275, 10342-8	219
1478	Distinct Chk2 activation pathways are triggered by genistein and DNA-damaging agents in human melanoma cells. <b>2000</b> , 275, 15363-9	51
1477	Effect of extracellular signal-regulated kinase on p53 accumulation in response to cisplatin. <b>2000</b> , 275, 35778-85	221
1476	Differential requirement for p19ARF in the p53-dependent arrest induced by DNA damage, microtubule disruption, and ribonucleotide depletion. <b>2000</b> , 97, 3266-3271	94
1475	Purification and characterization of ATM from human placenta. A manganese-dependent, wortmannin-sensitive serine/threonine protein kinase. <b>2000</b> , 275, 7803-10	103
1474	The catalytic subunit of DNA-dependent protein kinase selectively regulates p53-dependent apoptosis but not cell-cycle arrest. <b>2000</b> , 97, 1584-8	132
1473	Atm and Bax cooperate in ionizing radiation-induced apoptosis in the central nervous system. <b>2000</b> , 97, 889-94	127
1472	Utilization of oriented peptide libraries to identify substrate motifs selected by ATM. <b>2000</b> , 275, 22719-27	141

# (2000-2000)

1471	The N terminus of p53 regulates its dissociation from DNA. <b>2000</b> , 275, 39944-53	42
1470	Divergent hTAFII31-binding motifs hidden in activation domains. <b>2000</b> , 275, 15912-6	29
1469	Protein kinase activity of Tel1p and Mec1p, two Saccharomyces cerevisiae proteins related to the human ATM protein kinase. <b>2000</b> , 97, 13749-54	124
1468	Influence of ATM function on interactions between telomeres and nuclear matrix. 2000, 154, 133-9	25
1467	Response of Xenopus Cds1 in cell-free extracts to DNA templates with double-stranded ends. <b>2000</b> , 11, 1535-46	78
1466	The yeast TEL1 gene partially substitutes for human ATM in suppressing hyperrecombination, radiation-induced apoptosis and telomere shortening in A-T cells. <b>2000</b> , 11, 2605-16	24
1465	Monoclonal antibodies generated against recombinant ATM support kinase activity. <b>2000</b> , 19, 317-21	7
1464	The p53 tumour suppressor protein. <b>2000</b> , 17, 179-211	10
1463	Telomeres, Telomerase, and Premature Aging. <b>2000</b> , 3, 365-372	
1462	Damage-mediated phosphorylation of human p53 threonine 18 through a cascade mediated by a casein 1-like kinase. Effect on Mdm2 binding. <b>2000</b> , 275, 9278-83	218
1461	The p53 response to DNA damage in vivo is independent of DNA-dependent protein kinase. <b>2000</b> , 20, 4075-83	44
1460	Phosphorylation of murine p53 at ser-18 regulates the p53 responses to DNA damage. <b>2000</b> , 97, 11936-41	146
1459	Abnormal development of Purkinje cells and lymphocytes in Atm mutant mice. <b>2000</b> , 97, 3336-3341	146
1458	Requirement for Atr in phosphorylation of Chk1 and cell cycle regulation in response to DNA replication blocks and UV-damaged DNA in Xenopus egg extracts. <b>2000</b> , 14, 2745-56	333
1457	Functional interactions between BRCA1 and the checkpoint kinase ATR during genotoxic stress. <b>2000</b> , 14, 2989-3002	367
1456	An ATM homologue from Arabidopsis thaliana: complete genomic organisation and expression analysis. <b>2000</b> , 28, 1692-9	48
1455	Mechanism of caffeine-induced checkpoint override in fission yeast. <b>2000</b> , 20, 4288-94	64
1454	Defective neurogenesis resulting from DNA ligase IV deficiency requires Atm. <b>2000</b> , 14, 2576-80	110

1453	Mantle cell lymphoma is characterized by inactivation of the ATM gene. <b>2000</b> , 97, 2773-8	208
1452	Ionizing radiation exposure results in up-regulation of Ku70 via a p53/ataxia-telangiectasia-mutated protein-dependent mechanism. <b>2000</b> , 275, 6651-6	53
1451	Cancer risk and the ATM gene: a continuing debate. <b>2000</b> , 92, 795-802	149
1450	Stress signals utilize multiple pathways to stabilize p53. <b>2000</b> , 20, 3224-33	319
1449	Repression of CDK1 and other genes with CDE and CHR promoter elements during DNA damage-induced G(2)/M arrest in human cells. <b>2000</b> , 20, 2358-66	80
1448	The antiangiogenic agent TNP-470 requires p53 and p21CIP/WAF for endothelial cell growth arrest. <b>2000</b> , 97, 12782-7	102
1447	ERKs and p38 kinase phosphorylate p53 protein at serine 15 in response to UV radiation. <b>2000</b> , 275, 20444-9	276
1446	Analysis of JNK, Mdm2 and p14(ARF) contribution to the regulation of mutant p53 stability. <b>2000</b> , 295, 1009-21	34
1445	Post-translational modification of p53 protein in response to ionizing radiation analyzed by mass spectrometry. <b>2000</b> , 295, 853-64	49
1444	The C-terminal regulatory domain of p53 contains a functional docking site for cyclin A. <b>2000</b> , 300, 503-18	61
1443	Ataxia-telangiectasia: phenotype/genotype studies of ATM protein expression, mutations, and radiosensitivity. <b>2000</b> , 70, 122-33	95
1442	Multiple signaling pathways involving ATM. <b>2000</b> , 65, 521-6	47
1441	MDM2master regulator of the p53 tumor suppressor protein. <b>2000</b> , 242, 15-29	511
1440	Atm-deficient mice Purkinje cells show age-dependent defects in calcium spike bursts and calcium currents. <b>2000</b> , 96, 575-83	48
1439	Phosphatidylinositol 3-kinase inhibitors, Wortmannin or LY294002, inhibited accumulation of p21 protein after gamma-irradiation by stabilization of the protein. <b>2000</b> , 1496, 207-20	25
1438	Wortmannin sensitizes human glioblastoma cell lines carrying mutant and wild type TP53 gene to radiation. <b>2000</b> , 161, 141-7	29
1437	Update on familial cancer syndromes and the skin. <b>2000</b> , 42, 939-969	56
1436	The ATM gene and breast cancer: is it really a risk factor?. <b>2000</b> , 462, 167-78	51

#### (2001-2000)

1435	Mechanisms of enhancement of cytotoxicity in etoposide and ionising radiation-treated cells by the protein kinase inhibitor wortmannin. <b>2000</b> , 36, 535-41		36	
1434	Reconstitution of an ATM-dependent checkpoint that inhibits chromosomal DNA replication following DNA damage. <b>2000</b> , 6, 649-59		153	
1433	DNA ligase IV deficiency in mice leads to defective neurogenesis and embryonic lethality via the p53 pathway. <b>2000</b> , 5, 993-1002		408	
1432	The mammalian UV response: c-Jun induction is required for exit from p53-imposed growth arrest. <b>2000</b> , 103, 897-907		257	
1431	Apoptotic response and cell cycle transition in ataxia telangiectasia cells exposed to oxidative stress. <b>2000</b> , 66, 1893-903		20	
1430	Cleavage and phosphorylation of XRCC4 protein induced by X-irradiation. <b>2000</b> , 478, 67-71		46	
1429	Dial 9-1-1 for p53: mechanisms of p53 activation by cellular stress. <b>2000</b> , 2, 208-25		155	
1428	DNA Structure and Polymerase Fidelity: A New Role for A-DNA. <b>2000</b> , 17 Suppl 1, 169-76		2	
1427	Signal transduction and cellular radiation responses. <b>2000</b> , 153, 245-57		267	
1426	ATAXIA-TELANGIECTASIA. <b>2000</b> , 20, 177-206		26	
1425	DNA damage-induced activation of p53 by the checkpoint kinase Chk2. <i>Science</i> , <b>2000</b> , 287, 1824-7	33.3	1053	
1424	Four radiation hypersensitivity cases and their implications for clinical radiotherapy. <b>2000</b> , 57, 143-54		59	
1423	Regulation of chromosome replication. <b>2000</b> , 69, 829-80		330	
1422	Chromosome instability syndromes. <b>2001</b> , 14, 631-44		63	
1421	Cisplatinum and taxol induce different patterns of p53 phosphorylation. 2001, 3, 10-6		63	
1420	Zinc binding and redox control of p53 structure and function. <b>2001</b> , 3, 611-23		146	
1419	Expression and purification of active recombinant ATM protein from transiently transfected		7	
	mammalian cells. <b>2001</b> , 22, 462-6			,

1417	Nuclear extracellular signal-regulated kinase 2 phosphorylates p53 at Thr55 in response to doxorubicin. <b>2001</b> , 284, 880-6	32
1416	Etoposide and adriamycin but not genistein can activate the checkpoint kinase Chk2 independently of ATM/ATR. <b>2001</b> , 289, 1199-204	27
1415	Cytoplasmic occurrence of the Chk1/Cdc25 pathway and regulation of Chk1 in Xenopus oocytes. <b>2001</b> , 229, 250-61	47
1414	Characterization of adriamycin-induced G2 arrest and its abrogation by caffeine in FL-amnion cells with or without p53. <b>2001</b> , 262, 37-48	15
1413	Involvement of the MAP kinase pathways in induction of GADD45 following UV radiation. <b>2001</b> , 269, 64-72	57
1412	Biological significance of a small highly conserved region in the N terminus of the p53 tumour suppressor protein. <b>2001</b> , 313, 711-31	35
1411	Synthesis and function of 3-phosphorylated inositol lipids. <b>2001</b> , 70, 535-602	1350
1410	Evidence for alternate splicing within the mRNA transcript encoding the DNA damage response kinase ATR. <b>2001</b> , 272, 35-43	6
1409	Genotoxic and non-genotoxic pathways of p53 induction. <b>2001</b> , 174, 1-15	137
1408	Chromosomal breakage syndromes and the BRCA1 genome surveillance complex. <b>2001</b> , 7, 560-5	48
1407	ATM and ATR: networking cellular responses to DNA damage. <b>2001</b> , 11, 71-7	509
1406	A DNA damage-induced p53 serine 392 kinase complex contains CK2, hSpt16, and SSRP1. <b>2001</b> , 7, 283-92	247
1405	Acetylation of p53 activates transcription through recruitment of coactivators/histone acetyltransferases. <b>2001</b> , 8, 1243-54	587
1404	From p63 to p53 across p73. <b>2001</b> , 490, 163-70	74
1403	MDM2 and MDMX can interact differently with ARF and members of the p53 family. <b>2001</b> , 490, 202-8	64
1402	Study of the cytolethal distending toxin (CDT)-activated cell cycle checkpoint. Involvement of the CHK2 kinase. <b>2001</b> , 491, 261-5	23
1401	SYNDROMIC IMMUNODEFICIENCES WITH HUMORAL DEFECTS. <b>2001</b> , 21, 91-111	2
1400	Checkpoint genes in cancer. <b>2001</b> , 33, 113-22	50

# (2001-2001)

1399	chromosomes. <b>2001</b> , 51, 109-34	25
1398	p53 Signaling and cell cycle checkpoints. <b>2001</b> , 14, 243-63	171
1397	Chromatin-bound PCNA complex formation triggered by DNA damage occurs independent of the ATM gene product in human cells. <b>2001</b> , 29, 1341-51	66
1396	Cell cycle checkpoint signaling through the ATM and ATR kinases. <b>2001</b> , 15, 2177-96	1523
1395	DNA damage and cell cycle checkpoints in hyperoxic lung injury: braking to facilitate repair. <b>2001</b> , 281, L291-305	99
1394	Bromodeoxyuridine induces p53-dependent and -independent cell cycle arrests in human gastric carcinoma cell lines. <b>2001</b> , 69, 77-85	5
1393	Rapid radiation-induction of ATM protein levels in situ. <b>2001</b> , 33, 30-36	8
1392	Ataxia telangiectasia mutated-dependent apoptosis after genotoxic stress in the developing nervous system is determined by cellular differentiation status. <b>2001</b> , 21, 6687-93	111
1391	Nuclear retention of ATM at sites of DNA double strand breaks. 2001, 276, 38224-30	211
1390	Ataxia Telangiectasia. <b>2001</b> , 113-115	
1389	Human Cancer Genetics. <b>2001</b> , 1-28	О
1388	Mpl ligand prevents lethal myelosuppression by inhibiting p53-dependent apoptosis. <b>2001</b> , 98, 2084-90	39
1387	The induction and suppression of apoptosis by viruses. <b>2001</b> , 5, 351-411	
1386	DNA instability, telomere dynamics, and cell transformation. <b>2001</b> , 4, 135-151	
1385	Inducible photoprotection in skin: Evidence for a eukaryotic SOS response. <b>2001</b> , 4, 227-253	1
1384	Sources of variation in patient response to radiation treatment. <b>2001</b> , 49, 547-54	43
1383	Novel mutations and defective protein kinase C activation of T-lymphocytes in ataxia telangiectasia. <b>2001</b> , 123, 472-80	14

1381	Regulation of p53 localization. <b>2001</b> , 268, 2779-83	141
1380	Glycogen synthase kinase3 beta phosphorylates serine 33 of p53 and activates p53's transcriptional activity. <b>2001</b> , 2, 12	89
1379	Synthesis, crystal structure determination, and biological properties of the DNA-dependent protein kinase (DNA-PK) inhibitor 3-cyano-6-hydrazonomethyl-5-(4-pyridyl)pyrid-[1H]-2-one (OK-1035). <b>2001</b> , 11, 2837-41	26
1378	Preparation and application of antibodies to phosphoamino acid sequences. <b>2001</b> , 60, 61-75	26
1377	Screening breast cancer patients for ATM mutations and polymorphisms by using denaturing high-performance liquid chromatography. <b>2001</b> , 38, 200-8	22
1376	Superoxide stress identifies neurons at risk in a model of ataxia-telangiectasia. <b>2001</b> , 49, 627-635	86
1375	Properties and biological activities of thioredoxins. <b>2001</b> , 30, 421-55	263
1374	Properties and biological activities of thioredoxins. <b>2001</b> , 41, 261-95	308
1373	The p53 tumor suppressor: critical regulator of life & death in cancer. <b>2001</b> , 6, 7-15	56
1372	The pathogenesis of ataxia-telangiectasia. Learning from a Rosetta Stone. <b>2001</b> , 20, 87-108	83
1371	A role for p53 in base excision repair. <b>2001</b> , 20, 914-23	241
1370	COP9 signalosome-specific phosphorylation targets p53 to degradation by the ubiquitin system. <b>2001</b> , 20, 1630-9	299
1369	ATM protein expression correlates with radioresistance in primary glioblastoma cells in culture. <b>2001</b> , 50, 511-23	76
1368	The evolution of diverse biological responses to DNA damage: insights from yeast and p53. <b>2001</b> , 3, E277-86	295
1367	ATM, a central controller of cellular responses to DNA damage. <b>2001</b> , 8, 1052-65	187
1366	Investigation on the role of the ATM gene in chronic myeloid leukaemia. <b>2001</b> , 15, 1448-50	12
1365	Increased p53 phosphorylation after microtubule disruption is mediated in a microtubule inhibitorand cell-specific manner. <b>2001</b> , 20, 113-24	55
1364	Expression of homologues for p53 and p73 in the softshell clam (Mya arenaria), a naturally-occurring model for human cancer. <b>2001</b> , 20, 748-58	78

# (2001-2001)

1363	Phosphorylation of serines 15 and 37 is necessary for efficient accumulation of p53 following irradiation with UV. <b>2001</b> , 20, 1076-84	56
1362	Distinct pattern of p53 phosphorylation in human tumors. <b>2001</b> , 20, 3341-7	84
1361	Transcriptional downregulation of ATM by EGF is defective in ataxia-telangiectasia cells expressing mutant protein. <b>2001</b> , 20, 4281-90	26
1360	Downregulation of the type 1 insulin-like growth factor receptor in mouse melanoma cells is associated with enhanced radiosensitivity and impaired activation of Atm kinase. <b>2001</b> , 20, 4029-40	117
1359	Activation of p53 transcriptional activity requires ATM's kinase domain and multiple N-terminal serine residues of p53. <b>2001</b> , 20, 5100-10	80
1358	Induction of ser15 and lys382 modifications of p53 by blockage of transcription elongation. <b>2001</b> , 20, 5964-71	57
1357	ATR/ATM-mediated phosphorylation of human Rad17 is required for genotoxic stress responses. <b>2001</b> , 411, 969-74	214
1356	CHK2 kinasea busy messenger. <b>2001</b> , 2, 877-86	304
1355	X-irradiation induces up-regulation of ATM gene expression in wild-type lymphoblastoid cell lines, but not in their heterozygous or homozygous ataxia-telangiectasia counterparts. <b>2001</b> , 92, 710-7	14
1354	High frequency of deletions at the hypoxanthine-guanine phosphoribosyltransferase locus in an ataxia-telangiectasia lymphoblastoid cell line irradiated with gamma-rays. <b>2001</b> , 92, 1190-8	6
1353	Homologous recombinational repair of DNA ensures mammalian chromosome stability. <b>2001</b> , 477, 131-53	318
1352	Rescue of a telomere length defect of Nijmegen breakage syndrome cells requires NBS and telomerase catalytic subunit. <b>2001</b> , 11, 962-6	99
1351	Cell cycle delay and apoptosis in response to osmotic stress. <b>2001</b> , 130, 411-20	63
1350	DNA-PK, ATM and ATR as sensors of DNA damage: variations on a theme?. <b>2001</b> , 13, 225-31	424
1349	Regulation of the p53 pathway by Ras, the plot thickens. <b>2001</b> , 1471, M63-71	15
1348	Apoptosis regulators and their role in tumorigenesis. <b>2001</b> , 1551, F1-37	73
1347	DNA damage-inducible gene p33ING2 negatively regulates cell proliferation through acetylation of p53. <b>2001</b> , 98, 9671-6	171
1346	Stoichiometric phosphorylation of human p53 at Ser315 stimulates p53-dependent transcription. <b>2001</b> , 276, 4699-708	67

1345	The Ataxia telangiectasia gene product is required for oxidative stress-induced G1 and G2 checkpoint function in human fibroblasts. <b>2001</b> , 276, 21951-9	97
1344	Inhibition of Polo-like kinase-1 by DNA damage occurs in an ATM- or ATR-dependent fashion. <b>2001</b> , 276, 41656-60	117
1343	Residual ataxia telangiectasia mutated protein function in cells from ataxia telangiectasia patients, with 5762ins137 and 7271T>G mutations, showing a less severe phenotype. <b>2001</b> , 276, 30133-41	72
1342	p53 Phosphorylation at serine 15 is required for transcriptional induction of the plasminogen activator inhibitor-1 (PAI-1) gene by the alkylating agent N-methyl-N'-nitro-N-nitrosoguanidine. <b>2001</b> , 276, 36303-10	22
1341	Tetraploid state induces p53-dependent arrest of nontransformed mammalian cells in G1. <b>2001</b> , 12, 1315-28	343
1340	ATR-mediated checkpoint pathways regulate phosphorylation and activation of human Chk1. <b>2001</b> , 21, 4129-39	862
1339	Regulation and localization of the Bloom syndrome protein in response to DNA damage. <b>2001</b> , 153, 367-80	235
1338	The role of ATM in telomere structure and function. <b>2001</b> , 156, 642-7	30
1337	Osmotic shock induces G1 arrest through p53 phosphorylation at Ser33 by activated p38MAPK without phosphorylation at Ser15 and Ser20. <b>2001</b> , 276, 39115-22	87
1336	DNA strand break-sensing molecule poly(ADP-Ribose) polymerase cooperates with p53 in telomere function, chromosome stability, and tumor suppression. <b>2001</b> , 21, 4046-54	113
1335	Threonine-11, phosphorylated by Rad3 and atm in vitro, is required for activation of fission yeast checkpoint kinase Cds1. <b>2001</b> , 21, 3398-404	47
1334	Pie1, a protein interacting with Mec1, controls cell growth and checkpoint responses in Saccharomyces cerevisiae. <b>2001</b> , 21, 755-64	109
1333	Jun NH2-terminal kinase phosphorylation of p53 on Thr-81 is important for p53 stabilization and transcriptional activities in response to stress. <b>2001</b> , 21, 2743-54	248
1332	ATM: genome stability, neuronal development, and cancer cross paths. <b>2001</b> , 83, 209-54	219
1331	Regulation of p53 stability and p53-dependent apoptosis by NADH quinone oxidoreductase 1. <b>2001</b> , 98, 1188-1193	255
1330	Phosphorylation of serines 635 and 645 of human Rad17 is cell cycle regulated and is required for G(1)/S checkpoint activation in response to DNA damage. <b>2001</b> , 98, 13102-7	61
1329	Kinetics of p53 binding to promoter sites in vivo. <b>2001</b> , 21, 3375-86	161
1328	ATM-dependent phosphorylation of Mdm2 on serine 395: role in p53 activation by DNA damage. <b>2001</b> , 15, 1067-77	482

# (2001-2001)

1327	p53 accumulates but is functionally impaired when DNA synthesis is blocked. <b>2001</b> , 98, 1036-1041	150
1326	Inactivation of p21 by E1A leads to the induction of apoptosis in DNA-damaged cells. <b>2001</b> , 75, 9844-56	44
1325	Negative cell cycle regulation and DNA damage-inducible phosphorylation of the BRCT protein 53BP1. <b>2001</b> , 276, 2708-18	75
1324	Oxidative DNA damage and repair in experimental atherosclerosis are reversed by dietary lipid lowering. <b>2001</b> , 88, 733-9	138
1323	ATM-dependent expression of the insulin-like growth factor-I receptor in a pathway regulating radiation response. <b>2001</b> , 98, 1676-1681	127
1322	The plant isoflavenoid genistein activates p53 and Chk2 in an ATM-dependent manner. <b>2001</b> , 276, 4828-33	65
1321	Orphan G protein-coupled receptor, GPR41, induces apoptosis via a p53/Bax pathway during ischemic hypoxia and reoxygenation. <b>2001</b> , 276, 26453-60	49
1320	ATM is required for IkappaB kinase (IKKk) activation in response to DNA double strand breaks. <b>2001</b> , 276, 8898-903	149
1319	Cell cycle-dependent effects of wortmannin on radiation survival and mutation. 2001, 155, 826-31	10
1318	A human breast epithelial cell type with stem cell characteristics as target cells for carcinogenesis. <b>2001</b> , 155, 201-207	98
1317	Regulation of ubiquitination and degradation of p53 in unstressed cells through C-terminal phosphorylation. <b>2001</b> , 276, 31819-24	43
1316	Individual variation in p53 responsiveness. <b>2001</b> , 93, 82-3	6
1315	Ataxia telangiectasia gene mutations in leukaemia and lymphoma. <b>2001</b> , 54, 512-6	106
1314	Epidermal growth factor sensitizes cells to ionizing radiation by down-regulating protein mutated in ataxia-telangiectasia. <b>2001</b> , 276, 8884-91	45
1313	ATM-dependent phosphorylation of human Rad9 is required for ionizing radiation-induced checkpoint activation. <b>2001</b> , 276, 16580-6	88
1312	Inhibition of p53 tumor suppressor by viral interferon regulatory factor. <b>2001</b> , 75, 7572-82	112
1311	Telomeric protein Pin2/TRF1 as an important ATM target in response to double strand DNA breaks. <b>2001</b> , 276, 29282-91	77
1310	Involvement of cellular double-stranded DNA break binding proteins in processing of the recombinant adeno-associated virus genome. <b>2001</b> , 75, 12279-87	89

1309	Activation of p53 protein by telomeric (TTAGGG)n repeats. <b>2001</b> , 29, 5207-15	20
1308	Role of p53 in HER2-induced proliferation or apoptosis. <b>2001</b> , 276, 12449-53	38
1307	Wortmannin potentiates integrase-mediated killing of lymphocytes and reduces the efficiency of stable transduction by retroviruses. <b>2001</b> , 21, 1164-72	72
1306	Cloning and characterization of a p53-related protein kinase expressed in interleukin-2-activated cytotoxic T-cells, epithelial tumor cell lines, and the testes. <b>2001</b> , 276, 44003-11	52
1305	DNA damage-dependent and -independent phosphorylation of the hRad9 checkpoint protein. <b>2001</b> , 276, 41898-905	35
1304	Reduced ATM kinase activity and an attenuated p53 response to DNA damage in carcinogen-induced preneoplastic hepatic lesions in the rat. <b>2001</b> , 22, 2023-31	13
1303	UV-induced replication arrest in the xeroderma pigmentosum variant leads to DNA double-strand breaks, gamma -H2AX formation, and Mre11 relocalization. <b>2002</b> , 99, 233-8	185
1302	Functional link between BLM defective in Bloom's syndrome and the ataxia-telangiectasia-mutated protein, ATM. <b>2002</b> , 277, 30515-23	95
1301	Fission yeast Rad26 is a regulatory subunit of the Rad3 checkpoint kinase. <b>2002</b> , 13, 480-92	33
1300	Requirement of ATM in UVA-induced signaling and apoptosis. 2002, 277, 3124-31	68
1300 1299	Requirement of ATM in UVA-induced signaling and apoptosis. 2002, 277, 3124-31  Molecular and biochemical markers in colorectal cancer. 2002, 13 Suppl 4, 235-45	30
1299		
1299	Molecular and biochemical markers in colorectal cancer. <b>2002</b> , 13 Suppl 4, 235-45	30
1299 1298	Molecular and biochemical markers in colorectal cancer. <b>2002</b> , 13 Suppl 4, 235-45  ARF differentially modulates apoptosis induced by E2F1 and Myc. <b>2002</b> , 22, 1360-8  ATM-dependent dissociation of B55 regulatory subunit from nuclear PP2A in response to ionizing	30 74
1299 1298 1297	Molecular and biochemical markers in colorectal cancer. <b>2002</b> , 13 Suppl 4, 235-45  ARF differentially modulates apoptosis induced by E2F1 and Myc. <b>2002</b> , 22, 1360-8  ATM-dependent dissociation of B55 regulatory subunit from nuclear PP2A in response to ionizing radiation. <b>2002</b> , 277, 4839-44  An ATR- and Chk1-dependent S checkpoint inhibits replicon initiation following UVC-induced DNA	30 74 35
1299 1298 1297 1296	Molecular and biochemical markers in colorectal cancer. 2002, 13 Suppl 4, 235-45  ARF differentially modulates apoptosis induced by E2F1 and Myc. 2002, 22, 1360-8  ATM-dependent dissociation of B55 regulatory subunit from nuclear PP2A in response to ionizing radiation. 2002, 277, 4839-44  An ATR- and Chk1-dependent S checkpoint inhibits replicon initiation following UVC-induced DNA damage. 2002, 22, 8552-61  Determination of substrate motifs for human Chk1 and hCds1/Chk2 by the oriented peptide library	30 74 35 213
1299 1298 1297 1296	Molecular and biochemical markers in colorectal cancer. 2002, 13 Suppl 4, 235-45  ARF differentially modulates apoptosis induced by E2F1 and Myc. 2002, 22, 1360-8  ATM-dependent dissociation of B55 regulatory subunit from nuclear PP2A in response to ionizing radiation. 2002, 277, 4839-44  An ATR- and Chk1-dependent S checkpoint inhibits replicon initiation following UVC-induced DNA damage. 2002, 22, 8552-61  Determination of substrate motifs for human Chk1 and hCds1/Chk2 by the oriented peptide library approach. 2002, 277, 16102-15  A critical role for Pin2/TRF1 in ATM-dependent regulation. Inhibition of Pin2/TRF1 function complements telomere shortening, radiosensitivity, and the G(2)/M checkpoint defect of	30 74 35 213 118

1291	p38 kinase regulates nitric oxide-induced apoptosis of articular chondrocytes by accumulating p53 via NFkappa B-dependent transcription and stabilization by serine 15 phosphorylation. <b>2002</b> , 277, 33501-8	139
1290	DNA damage-inducible phosphorylation of p53 at Ser20 is required for p53 stabilization. <b>2002</b> , 6, 263-269	
1289	SMC1 is a downstream effector in the ATM/NBS1 branch of the human S-phase checkpoint. <b>2002</b> , 16, 571-82	379
1288	Regulation of the accumulation and function of p53 by phosphorylation of two residues within the domain that binds to Mdm2. <b>2002</b> , 277, 1864-71	25
1287	Ceramide and reactive oxygen species generated by H2O2 induce caspase-3-independent degradation of Akt/protein kinase B. <b>2002</b> , 277, 42943-52	143
1286	Missense mutations but not allelic variants alter the function of ATM by dominant interference in patients with breast cancer. <b>2002</b> , 99, 925-30	275
1285	Chk2 is a tumor suppressor that regulates apoptosis in both an ataxia telangiectasia mutated (ATM)-dependent and an ATM-independent manner. <b>2002</b> , 22, 6521-32	316
1284	A DNA damage-regulated BRCT-containing protein, TopBP1, is required for cell survival. <b>2002</b> , 22, 555-66	153
1283	Identification of in vitro and in vivo phosphorylation sites in the catalytic subunit of the DNA-dependent protein kinase. <b>2002</b> , 368, 243-51	154
1282	Cellular responses to the DNA strand-scission enediyne C-1027 can be independent of ATM, ATR, and DNA-PK kinases. <b>2002</b> , 277, 20549-54	21
1281	ERK activation mediates cell cycle arrest and apoptosis after DNA damage independently of p53. <b>2002</b> , 277, 12710-7	324
1280	Involvement of the cohesin protein, Smc1, in Atm-dependent and independent responses to DNA damage. <b>2002</b> , 16, 560-70	381
1279	Mantle cell lymphoma: a biological and therapeutic paradigm. 2002, 43, 773-81	18
1278	Detection of ATM gene mutation in human glioma cell line M059J by a rapid frameshift/stop codon assay in yeast. <b>2002</b> , 158, 195-201	26
1277	The novel surveillance mechanism of the Trp53-dependent s-phase checkpoint ensures chromosome damage repair and preimplantation-stage development of mouse embryos fertilized with x-irradiated sperm. <b>2002</b> , 158, 735-42	32
1276	Differing responses of Nijmegen breakage syndrome and ataxia telangiectasia cells to ionizing radiation. <b>2002</b> , 158, 319-26	15
1275	The onset of p53-dependent DNA repair or apoptosis is determined by the level of accumulated damaged DNA. <b>2002</b> , 23, 1025-32	93
1274	Ku86 autoantigen related protein-1 transcription initiates from a CpG island and is induced by p53 through a nearby p53 response element. <b>2002</b> , 30, 1713-24	11

1273	Autophosphorylation of the DNA-dependent protein kinase catalytic subunit is required for rejoining of DNA double-strand breaks. <b>2002</b> , 16, 2333-8	364
1272	Chk2 activation and phosphorylation-dependent oligomerization. <b>2002</b> , 22, 4419-32	162
1271	p53 Activation by nitric oxide involves down-regulation of Mdm2. <b>2002</b> , 277, 15697-702	68
1270	E2F1 induces phosphorylation of p53 that is coincident with p53 accumulation and apoptosis. <b>2002</b> , 22, 5308-18	93
1269	Intrahippocampal wortmannin infusion enhances long-term spatial and contextual memories. <b>2002</b> , 9, 167-77	15
1268	ATM mediates phosphorylation at multiple p53 sites, including Ser(46), in response to ionizing radiation. <b>2002</b> , 277, 12491-4	204
1267	Genetic alterations in ovarian cancer cells that might account for sensitivity to chemotherapy in patients. <b>2002</b> , 219, 157-98	7
1266	ATM gene inactivation in mantle cell lymphoma mainly occurs by truncating mutations and missense mutations involving the phosphatidylinositol-3 kinase domain and is associated with increasing numbers of chromosomal imbalances. <b>2002</b> , 99, 238-44	132
1265	p53-dependent S-phase damage checkpoint and pronuclear cross talk in mouse zygotes with X-irradiated sperm. <b>2002</b> , 22, 2220-8	84
1264	Mutation of mouse p53 Ser23 and the response to DNA damage. <b>2002</b> , 22, 2441-9	98
1263	Chapter 3 Interactions between the cell cycle and the myogenic program. <b>2002</b> , 11, 53-74	2
1262	Ionizing radiation induces ataxia telangiectasia mutated kinase (ATM)-mediated phosphorylation of LKB1/STK11 at Thr-366. <b>2002</b> , 368, 507-16	92
1261	Hypoxia links ATR and p53 through replication arrest. <b>2002</b> , 22, 1834-43	248
1260	DNA-dependent protein kinase catalytic subunit. Structural requirements for kinase activation by DNA ends. <b>2002</b> , 277, 3020-9	26
1259	Induction of apoptosis by telomere 3' overhang-specific DNA. <b>2002</b> , 276, 185-93	71
1258	p53 gene family p51(p63)-encoded, secondary transactivator p51B(TAp63alpha) occurs without forming an immunoprecipitable complex with MDM2, but responds to genotoxic stress by accumulation. <b>2002</b> , 276, 194-200	43
1257	The DNA damage response in filamentous fungi. <b>2002</b> , 35, 183-95	55
1256	Redox control of cell death. <b>2002</b> , 4, 405-14	446

# (2002-2002)

1255	Inactivation of Cdc7 kinase in mouse ES cells results in S-phase arrest and p53-dependent cell death. <b>2002</b> , 21, 2168-79	60
1254	Chk2-deficient mice exhibit radioresistance and defective p53-mediated transcription. <b>2002</b> , 21, 5195-205	362
1253	Toward maintaining the genome: DNA damage and replication checkpoints. 2002, 36, 617-56	668
1252	Human members of the eukaryotic protein kinase family. <b>2002</b> , 3, RESEARCH0043	84
1251	Two molecularly distinct G(2)/M checkpoints are induced by ionizing irradiation. 2002, 22, 1049-59	410
1250	Convergence of the fanconi anemia and ataxia telangiectasia signaling pathways. <b>2002</b> , 109, 459-72	369
1249	Caretaker tumour suppressor genes that defend genome integrity. <b>2002</b> , 8, 179-86	81
1248	Radiation-induced phosphorylation of Chk1 at S345 is associated with p53-dependent cell cycle arrest pathways. <b>2002</b> , 4, 171-80	15
1247	Tumor suppressor p53 mediates apoptotic cell death triggered by cyclosporin A. <b>2002</b> , 277, 14102-8	37
1246	Pre-irradiation at a low dose-rate blunted p53 response. <b>2002</b> , 43, 1-9	34
1245	LY294002, but not wortmannin, increases intracellular calcium and inhibits calcium transients in bovine and human airway smooth muscle cells. <b>2002</b> , 32, 31-8	32
1244	DNA damage response pathway in radioadaptive response. <b>2002</b> , 504, 101-18	125
1243	Immunological disorders and DNA repair. <b>2002</b> , 509, 109-26	15
1242	Recombinational DNA repair and human disease. <b>2002</b> , 509, 49-78	309
1241	A unified view of the DNA-damage checkpoint. <b>2002</b> , 14, 237-45	407
1240	Checking in on Cds1 (Chk2): A checkpoint kinase and tumor suppressor. <b>2002</b> , 24, 502-11	93
1239	Effects of hyperthermia on p53 protein expression and activity. <b>2002</b> , 190, 365-74	25
1238	Cellular response to oxidative stress: signaling for suicide and survival. <b>2002</b> , 192, 1-15	1825

1237	The paradox of arsenic: molecular mechanisms of cell transformation and chemotherapeutic effects. <b>2002</b> , 42, 5-24	188
1236	Ultraviolet-B-induced G1 arrest is mediated by downregulation of cyclin-dependent kinase 4 in transformed keratinocytes lacking functional p53. <b>2002</b> , 118, 818-24	16
1235	Glycerol restores heat-induced p53-dependent apoptosis of human glioblastoma cells bearing mutant p53. <b>2002</b> , 2, 6	12
1234	Enhanced DNA damage-induced p53 peptide phosphorylation and cell-cycle arrest in Sj¶gren's syndrome cells. <b>2002</b> , 32, 458-65	6
1233	Multiple sclerosis in a radiosensitive family with low levels of the ATM protein. 2002, 46, 267-74	5
1232	Study of the G2/M cell cycle checkpoint in irradiated mammary epithelial cells overexpressing Cul-4A gene. <b>2002</b> , 52, 822-30	23
1231	The proline-rich domain of p53 is required for cooperation with anti-neoplastic agents to promote apoptosis of tumor cells. <b>2002</b> , 21, 9-21	115
1230	Many ways to telomere dysfunction: in vivo studies using mouse models. <b>2002</b> , 21, 584-91	90
1229	PARP-1 modifies the effectiveness of p53-mediated DNA damage response. <b>2002</b> , 21, 1108-16	104
1228	Activation of ATM and phosphorylation of p53 by heat shock. <b>2002</b> , 21, 1090-6	48
1227	Tumor suppressor genes in normal and malignant hematopoiesis. <b>2002</b> , 21, 3475-95	209
1226	Nbs1 promotes ATM dependent phosphorylation events including those required for G1/S arrest. <b>2002</b> , 21, 4191-9	105
1225	Genomic instability, centrosome amplification, cell cycle checkpoints and Gadd45a. 2002, 21, 6228-33	121
1224	Mdm-2 binding and TAF(II)31 recruitment is regulated by hydrogen bond disruption between the p53 residues Thr18 and Asp21. <b>2002</b> , 21, 7100-13	37
	p331esiddes 111116 and Asp21. <b>2002</b> , 21, 7100-13	
1223	RecQ family helicases: roles as tumor suppressor proteins. <b>2002</b> , 21, 9008-21	71
1223		7 <sup>1</sup>
	RecQ family helicases: roles as tumor suppressor proteins. <b>2002</b> , 21, 9008-21  Regulation of the IRF-1 tumour modifier during the response to genotoxic stress involves an	

#### (2003-2002)

1219	chromosome. <b>2002</b> , 301, 90-8	5
1218	Potential protein partners for the N-terminal domain of human topoisomerase I revealed by phage display. <b>2002</b> , 29, 347-52	6
1217	DNA damage-induced apoptosis requires the DNA-dependent protein kinase, and is mediated by the latent population of p53. <b>2002</b> , 21, 3000-8	90
1216	Requirement of the MRN complex for ATM activation by DNA damage. <b>2003</b> , 22, 5612-21	78o
1215	p73, the "assistant" guardian of the genome?. <b>2003</b> , 1010, 9-15	31
1214	DNA double-strand breaks and gamma-H2AX signaling in the testis. <b>2003</b> , 68, 628-34	151
1213	Status of p53 phosphorylation and function in sensitive and resistant human cancer models exposed to platinum-based DNA damaging agents. <b>2003</b> , 129, 709-18	28
1212	p53 and MDM2 are regulated by PI-3-kinases on multiple levels under stress induced by UV radiation and proteasome dysfunction. <b>2003</b> , 15, 95-102	30
1211	Intrasteric regulation of MDM2. <b>2003</b> , 28, 346-9	27
1210	Ataxia-telangiectasia: diagnosis and treatment. <b>2003</b> , 10, 173-82	131
1209	Site-directed mutagenesis of the ATM promoter: consequences for response to proliferation and ionizing radiation. <b>2003</b> , 38, 157-67	27
1208	Checkpoint signaling: epigenetic events sound the DNA strand-breaks alarm to the ATM protein kinase. <b>2003</b> , 25, 627-30	44
1207	Mechanisms of human DNA repair: an update. <b>2003</b> , 193, 3-34	437
1206	DNA damage activates ATM through intermolecular autophosphorylation and dimer dissociation. <b>2003</b> , 421, 499-506	2665
1205	Integration of interferon-alpha/beta signalling to p53 responses in tumour suppression and antiviral defence. <b>2003</b> , 424, 516-23	706
1204	Nitric oxide promotes p53 nuclear retention and sensitizes neuroblastoma cells to apoptosis by ionizing radiation. <b>2003</b> , 10, 468-76	90
1203	Regulation of p53 responses by post-translational modifications. <b>2003</b> , 10, 400-3	238
1202	p53: 25 years of research and more questions to answer. <b>2003</b> , 10, 397-9	60

1201	ATM is a target for positive regulation by E2F-1. <b>2003</b> , 22, 161-7	99
1200	Hypoxia attenuates the p53 response to cellular damage. <b>2003</b> , 22, 3431-40	84
1199	Protein kinase inhibitor 2-aminopurine overrides multiple genotoxic stress-induced cellular pathways to promote cell survival. <b>2003</b> , 22, 3721-33	19
1198	Mutant p53 is constitutively phosphorylated at Serine 15 in UV-induced mouse skin tumors: involvement of ERK1/2 MAP kinase. <b>2003</b> , 22, 5958-66	43
1197	Transcription factors activated in mammalian cells after clinically relevant doses of ionizing radiation. <b>2003</b> , 22, 5813-27	205
1196	DNA damage checkpoint control in cells exposed to ionizing radiation. <b>2003</b> , 22, 5834-47	398
1195	ATM's leucine-rich domain and adjacent sequences are essential for ATM to regulate the DNA damage response. <b>2003</b> , 22, 6332-9	15
1194	Multiple molecular mechanisms contribute to radiation sensitivity in mantle cell lymphoma. <b>2003</b> , 22, 7905-12	40
1193	Gadd45a contributes to p53 stabilization in response to DNA damage. <b>2003</b> , 22, 8536-40	7 <sup>2</sup>
1192	DNA damage-induced cell-cycle phase regulation of p53 and p21waf1 in normal and ATM-defective cells. <b>2003</b> , 22, 7866-9	30
1191	Functional role of Mdm2 phosphorylation by ATR in attenuation of p53 nuclear export. <b>2003</b> , 22, 8870-80	62
1190	Dysregulation of DNA repair pathways in a transforming growth factor alpha/c-myc transgenic mouse model of accelerated hepatocarcinogenesis. <b>2003</b> , 83, 643-54	31
1189	Heterozygosity with respect to Zfp148 causes complete loss of fetal germ cells during mouse embryogenesis. <b>2003</b> , 33, 172-6	78
1188	ATM and related protein kinases: safeguarding genome integrity. <b>2003</b> , 3, 155-68	2105
1187	The Fanconi anaemia/BRCA pathway. <b>2003</b> , 3, 23-34	680
1186	Preparation and application of polyclonal and monoclonal sequence-specific anti-phosphoamino acid antibodies. <b>2004</b> , Chapter 13, Unit 13.6	3
1185	AtATM is essential for meiosis and the somatic response to DNA damage in plants. 2003, 15, 119-32	217
1184	Identification of CGI-121, a novel PRPK (p53-related protein kinase)-binding protein. <b>2003</b> , 303, 399-405	16

#### (2003-2003)

1183	P21 response to DNA damage induced by genistein and etoposide in human lung cancer cells. <b>2003</b> , 305, 950-6	28
1182	Morphine suppresses lymphocyte apoptosis by blocking p53-mediated death signaling. <b>2003</b> , 308, 802-8	36
1181	Activation of p53 by oxidative stress involves platelet-derived growth factor-beta receptor-mediated ataxia telangiectasia mutated (ATM) kinase activation. <b>2003</b> , 278, 39527-33	74
1180	Cytogenetic findings in blastoid mantle cell lymphoma. <b>2003</b> , 34, 1022-9	57
1179	Flexible lid to the p53-binding domain of human Mdm2: implications for p53 regulation. <b>2003</b> , 100, 1645-8	81
1178	Defective S phase chromatin assembly causes DNA damage, activation of the S phase checkpoint, and S phase arrest. <b>2003</b> , 11, 341-51	217
1177	Protein kinases and their involvement in the cellular responses to genotoxic stress. <b>2003</b> , 543, 31-58	35
1176	Desferrioxamine treatment increases the genomic stability of Ataxia-telangiectasia cells. <b>2003</b> , 2, 971-81	19
1175	ATM-dependent and -independent gene expression changes in response to oxidative stress, gamma irradiation, and UV irradiation. <b>2003</b> , 160, 273-90	51
1174	Effect of Atm disruption on spontaneously arising and radiation-induced deletion mutations in mouse liver. <b>2003</b> , 160, 549-58	18
1173	Induction of a p95/Nbs1-mediated S phase checkpoint by telomere 3' overhang specific DNA. <b>2003</b> , 17, 152-62	54
1172	Chromium (VI) activates ataxia telangiectasia mutated (ATM) protein. Requirement of ATM for both apoptosis and recovery from terminal growth arrest. <b>2003</b> , 278, 17885-94	50
1171	Poly(ADP-ribose) polymerase-1 is a positive regulator of the p53-mediated G1 arrest response following ionizing radiation. <b>2003</b> , 278, 18914-21	87
1170	Cell type- and promoter-specific roles of Ser18 phosphorylation in regulating p53 responses. <b>2003</b> , 278, 41028-33	116
1169	Phosphorylation and hsp90 binding mediate heat shock stabilization of p53. <b>2003</b> , 278, 2066-71	59
1168	An overactivated ATR/CHK1 pathway is responsible for the prolonged G2 accumulation in irradiated AT cells. <b>2003</b> , 278, 30869-74	54
1167	Caffeine inhibits checkpoint responses without inhibiting the ataxia-telangiectasia-mutated (ATM) and ATM- and Rad3-related (ATR) protein kinases. <b>2003</b> , 278, 37139-45	116
1166	Genetic predisposition to the cytotoxicity of arsenic: the role of DNA damage and ATM. <b>2003</b> , 17, 2310-2	22

1165	Calpains mediate p53 activation and neuronal death evoked by DNA damage. 2003, 278, 26031-8	70
1164	c-Myc augments gamma irradiation-induced apoptosis by suppressing Bcl-XL. <b>2003</b> , 23, 7256-70	115
1163	Ataxia telangiectasia mutated proteins, MAPKs, and RSK2 are involved in the phosphorylation of STAT3. <b>2003</b> , 278, 12650-9	42
1162	Molecular anatomy of the DNA damage and replication checkpoints. 2003, 159, 139-48	38
1161	Regulatory interactions between the checkpoint kinase Chk1 and the proteins of the DNA-dependent protein kinase complex. <b>2003</b> , 278, 29940-7	49
1160	Identification of a novel protein kinase mediating Akt survival signaling to the ATM protein. <b>2003</b> , 278, 48-53	104
1159	ATP activates ataxia-telangiectasia mutated (ATM) in vitro. Importance of autophosphorylation. <b>2003</b> , 278, 9309-17	68
1158	Function of DNA-protein kinase catalytic subunit during the early meiotic prophase without Ku70 and Ku86. <b>2003</b> , 68, 717-21	49
1157	Complexity of the mechanisms of initiation and maintenance of DNA damage-induced G2-phase arrest and subsequent G1-phase arrest: TP53-dependent and TP53-independent roles. <b>2003</b> , 159, 72-85	15
1156	Regulation of E2F1 by BRCT domain-containing protein TopBP1. <b>2003</b> , 23, 3287-304	116
1156	Regulation of E2F1 by BRCT domain-containing protein TopBP1. <b>2003</b> , 23, 3287-304  Questioning the role of checkpoint kinase 2 in the p53 DNA damage response. <b>2003</b> , 278, 20480-9	116
	Questioning the role of checkpoint kinase 2 in the p53 DNA damage response. <b>2003</b> , 278, 20480-9  The cytoprotective aminothiol WR1065 activates p53 through a pon-genotoxic signaling pathway.	
1155	Questioning the role of checkpoint kinase 2 in the p53 DNA damage response. <b>2003</b> , 278, 20480-9  The cytoprotective aminothiol WR1065 activates p53 through a non-genotoxic signaling pathway	82
1155 1154	Questioning the role of checkpoint kinase 2 in the p53 DNA damage response. <b>2003</b> , 278, 20480-9  The cytoprotective aminothiol WR1065 activates p53 through a non-genotoxic signaling pathway involving c-Jun N-terminal kinase. <b>2003</b> , 278, 11879-87  Ataxia telangiectasia-mutated protein can regulate p53 and neuronal death independent of Chk2 in	82 35
1155 1154 1153	Questioning the role of checkpoint kinase 2 in the p53 DNA damage response. 2003, 278, 20480-9  The cytoprotective aminothiol WR1065 activates p53 through a non-genotoxic signaling pathway involving c-Jun N-terminal kinase. 2003, 278, 11879-87  Ataxia telangiectasia-mutated protein can regulate p53 and neuronal death independent of Chk2 in response to DNA damage. 2003, 278, 37782-9  The ATM-related Tel1 protein of Saccharomyces cerevisiae controls a checkpoint response	82 35 40
1155 1154 1153 1152 1151	Questioning the role of checkpoint kinase 2 in the p53 DNA damage response. 2003, 278, 20480-9  The cytoprotective aminothiol WR1065 activates p53 through a non-genotoxic signaling pathway involving c-Jun N-terminal kinase. 2003, 278, 11879-87  Ataxia telangiectasia-mutated protein can regulate p53 and neuronal death independent of Chk2 in response to DNA damage. 2003, 278, 37782-9  The ATM-related Tel1 protein of Saccharomyces cerevisiae controls a checkpoint response following phleomycin treatment. 2003, 31, 1715-24	82 35 40 43
1155 1154 1153 1152 1151	Questioning the role of checkpoint kinase 2 in the p53 DNA damage response. 2003, 278, 20480-9  The cytoprotective aminothiol WR1065 activates p53 through a non-genotoxic signaling pathway involving c-Jun N-terminal kinase. 2003, 278, 11879-87  Ataxia telangiectasia-mutated protein can regulate p53 and neuronal death independent of Chk2 in response to DNA damage. 2003, 278, 37782-9  The ATM-related Tel1 protein of Saccharomyces cerevisiae controls a checkpoint response following phleomycin treatment. 2003, 31, 1715-24  Mitogen-activated protein kinase activation in UV-induced signal transduction. 2003, 2003, RE2	82 35 40 43 170

#### (2004-2003)

1147	N-terminal kinase activation and p53 phosphorylation on Ser-15 in pro-oxidant-induced aponecrosis. <b>2003</b> , 370, 927-34	52
1146	Regulation of Cell Cycle Progression. <b>2003</b> , 401-409	
1145	Induction of apoptosis through the activation of SAPK/JNK followed by the expression of death receptor Fas in X-irradiated cells. <b>2003</b> , 44, 203-9	37
1144	Cell Cycle Control and Check Points in Hematopoietic Stem Cells. <b>2004</b> , 115-126	1
1143	Ataxia-telangiectasia mutated gene controls insulin-like growth factor I receptor gene expression in a deoxyribonucleic acid damage response pathway via mechanisms involving zinc-finger transcription factors Sp1 and WT1. <b>2004</b> , 145, 5679-87	46
1142	Phosphorylation of serine 18 regulates distinct p53 functions in mice. <b>2004</b> , 24, 976-84	139
1141	Atm-null mice exhibit enhanced radiation-induced birth defects and a hybrid form of embryonic programmed cell death indicating a teratological suppressor function for ATM. <b>2004</b> , 18, 896-8	31
1140	Apoptosis associated with deregulated E2F activity is dependent on E2F1 and Atm/Nbs1/Chk2. <b>2004</b> , 24, 2968-77	104
1139	Ribosomal protein L23 activates p53 by inhibiting MDM2 function in response to ribosomal perturbation but not to translation inhibition. <b>2004</b> , 24, 7654-68	397
1138	The stress kinase MRK contributes to regulation of DNA damage checkpoints through a p38gamma-independent pathway. <b>2004</b> , 279, 47652-60	23
1137	Induction of apoptosis in leukemic cells by homovanillic acid derivative, capsaicin, through oxidative stress: implication of phosphorylation of p53 at Ser-15 residue by reactive oxygen species. <b>2004</b> , 64, 1071-8	237
1136	A Tel1/MRX-dependent checkpoint inhibits the metaphase-to-anaphase transition after UV irradiation in the absence of Mec1. <b>2004</b> , 24, 10126-44	37
1135	Human cytomegalovirus causes endothelial injury through the ataxia telangiectasia mutant and p53 DNA damage signaling pathways. <b>2004</b> , 94, 1310-7	42
1134	Phosphorylation of SMC1 is a critical downstream event in the ATM-NBS1-BRCA1 pathway. <b>2004</b> , 18, 1423-38	332
1133	Topical DNA oligonucleotide therapy reduces UV-induced mutations and photocarcinogenesis in hairless mice. <b>2004</b> , 101, 3933-8	65
1132	Restoration of an absent G1 arrest and protection from apoptosis in embryonic stem cells after ionizing radiation. <b>2004</b> , 101, 14443-8	216
1131	Aberrant expression of the transcription factors snail and slug alters the response to genotoxic stress. <b>2004</b> , 24, 7559-66	265
1130	ATM, a DNA damage-inducible kinase, contributes to activation by high NaCl of the transcription factor TonEBP/OREBP. <b>2004</b> , 101, 8809-14	95

1129	Immunoglobulin class switch recombination is impaired in Atm-deficient mice. 2004, 200, 1111-21	139
1128	Human papillomavirus type 16 E6 and E7 cause polyploidy in human keratinocytes and up-regulation of G2-M-phase proteins. <b>2004</b> , 64, 1299-306	81
1127	The Ews/Fli-1 fusion gene changes the status of p53 in neuroblastoma tumor cell lines. <b>2004</b> , 64, 7288-95	8
1126	Identification and characterization of a novel and specific inhibitor of the ataxia-telangiectasia mutated kinase ATM. <b>2004</b> , 64, 9152-9	978
1125	p53 alterations in myeloid leukemia. <b>2004</b> , 111, 100-6	10
1124	The mammalian mid-pachytene checkpoint: meiotic arrest in spermatocytes with a mutation in Atm alone or in combination with a Trp53 (p53) or Cdkn1a (p21/cip1) mutation. <b>2004</b> , 107, 256-62	22
1123	Intra-S-phase checkpoint activation by direct CDK2 inhibition. <b>2004</b> , 24, 6268-77	55
1122	ATM-mediated stabilization of hMutL DNA mismatch repair proteins augments p53 activation during DNA damage. <b>2004</b> , 24, 6430-44	58
1121	Negative regulation of Chk2 expression by p53 is dependent on the CCAAT-binding transcription factor NF-Y. <b>2004</b> , 279, 25093-100	40
1120	Doxorubicin activates ATM-dependent phosphorylation of multiple downstream targets in part through the generation of reactive oxygen species. <b>2004</b> , 279, 53272-81	204
1119	Ataxia telangiectasia mutated expression and activation in the testis. <b>2004</b> , 70, 1206-12	57
1118	Werner syndrome cells escape hydrogen peroxide-induced cell proliferation arrest. <b>2004</b> , 18, 1970-2	62
1117	p73 induction after DNA damage is regulated by checkpoint kinases Chk1 and Chk2. <b>2004</b> , 18, 3041-54	177
1116	ATM-dependent CHK2 activation induced by anticancer agent, irofulven. <b>2004</b> , 279, 39584-92	33
1115	BRCA1-BARD1 complexes are required for p53Ser-15 phosphorylation and a G1/S arrest following ionizing radiation-induced DNA damage. <b>2004</b> , 279, 31251-8	116
1114	Polo-like kinase 1 (Plk1) inhibits p53 function by physical interaction and phosphorylation. <b>2004</b> , 279, 25549-61	196
1113	Double strand break repair by homologous recombination is regulated by cell cycle-independent signaling via ATM in human glioma cells. <b>2004</b> , 279, 15402-10	95
1112	Artemis is a phosphorylation target of ATM and ATR and is involved in the G2/M DNA damage checkpoint response. <b>2004</b> , 24, 9207-20	101

#### (2004-2004)

1111	2004, 3, 534-47	116
1110	Structured DNA promotes phosphorylation of p53 by DNA-dependent protein kinase at serine 9 and threonine 18. <b>2004</b> , 271, 3776-84	21
1109	Down-regulation of nuclear protein ICBP90 by p53/p21Cip1/WAF1-dependent DNA-damage checkpoint signals contributes to cell cycle arrest at G1/S transition. <b>2004</b> , 9, 131-42	113
1108	Phosphorylation by aurora kinase A induces Mdm2-mediated destabilization and inhibition of p53. <b>2004</b> , 36, 55-62	477
1107	Post-translational modification of p53 in tumorigenesis. <b>2004</b> , 4, 793-805	992
1106	Defective apoptosis and B-cell lymphomas in mice with p53 point mutation at Ser 23. <b>2004</b> , 23, 3689-99	108
1105	Autophosphorylation of ataxia-telangiectasia mutated is regulated by protein phosphatase 2A. <b>2004</b> , 23, 4451-61	218
1104	Disruption of the BLM gene in ATM-null DT40 cells does not exacerbate either phenotype. <b>2004</b> , 23, 1498-506	5
1103	SU11752 inhibits the DNA-dependent protein kinase and DNA double-strand break repair resulting in ionizing radiation sensitization. <b>2004</b> , 23, 873-82	69
1102	The ATR-p53 pathway is suppressed in noncycling normal and malignant lymphocytes. <b>2004</b> , 23, 1911-21	39
1101	Phosphorylation of p53 on Thr55 by ERK2 is necessary for doxorubicin-induced p53 activation and cell death. <b>2004</b> , 23, 3580-8	61
1100	Discrete signaling pathways participate in RB-dependent responses to chemotherapeutic agents. <b>2004</b> , 23, 4107-20	40
1099	Induction of S-phase arrest and p21 overexpression by a small molecule 2[[3-(2,3-dichlorophenoxy)propyl] amino]ethanol in correlation with activation of ERK. <b>2004</b> , 23, 4984-92	68
1098	Nuclear accumulation of p53 following inhibition of transcription is not due to diminished levels of MDM2. <b>2004</b> , 23, 5505-12	36
1097	Activation of mitochondrial apoptotic pathway in mantle cell lymphoma: high sensitivity to mitoxantrone in cases with functional DNA-damage response genes. <b>2004</b> , 23, 8941-9	22
1096	Splicing DNA-damage responses to tumour cell death. <b>2004</b> , 1705, 3-15	28
1095	Genistein arrests hepatoma cells at G2/M phase: involvement of ATM activation and upregulation of p21waf1/cip1 and Wee1. <b>2004</b> , 67, 717-26	85
1094	Mechanism of cell cycle arrest by sulfoquinovosyl monoacylglycerol with a C18-saturated fatty acid (C18-SQMG). <b>2004</b> , 67, 1373-80	4

1093	Epigenetic inactivation of tumor suppressor genes in hematologic malignancies. <b>2004</b> , 80, 108-19	3
1092	Is low-dose hyper-radiosensitivity a measure of G2-phase cell radiosensitivity?. <b>2004</b> , 23, 197-207	49
1091	ATM and genome maintenance: defining its role in breast cancer susceptibility. <b>2004</b> , 9, 247-62	24
1090	Induction of pro-apoptotic and cell cycle-inhibiting genes in chromium (VI)-treated human lung fibroblasts: lack of effect of ERK. <b>2004</b> , 255, 139-49	27
1089	ATM and DNA-PK function redundantly to phosphorylate H2AX after exposure to ionizing radiation. <b>2004</b> , 64, 2390-6	810
1088	MRE11/RAD50/NBS1: complex activities. <b>2004</b> , 113, 157-66	97
1087	Role of cell cycle in mediating sensitivity to radiotherapy. <b>2004</b> , 59, 928-42	707
1086	Slow progression of ataxia-telangiectasia with double missense and in frame splice mutations. <b>2004</b> , 126A, 272-7	29
1085	Pharmacogenomics of the p53 tumor suppressor and its role in cancer chemoresistance. <b>2004</b> , 62, 254-272	3
1084	The infant mouse as a in vivo model for the detection and study of DNA damage-induced changes in the liver. <b>2004</b> , 40, 62-72	9
1083	Accumulation, activation and interindividual variation of the epidermal TP53 protein in response to ionizing radiation in organ cultured human skin. <b>2004</b> , 161, 739-45	7
1082	The molecular pathology of primary immunodeficiencies. <b>2004</b> , 6, 59-83	45
1081	Lymphome du manteau⊞ un mod <b>l</b> e biologique et clinique. <b>2004</b> , 1, 69-82	1
1080	Early events in the DNA damage response. <b>2004</b> , 63, 1-35	34
1079	Loss of ATM sensitizes against O6-methylguanine triggered apoptosis, SCEs and chromosomal aberrations. <b>2004</b> , 3, 359-68	31
1078	Iron chelators increase the resistance of Ataxia telangeictasia cells to oxidative stress. <b>2004</b> , 3, 1263-72	32
1077	Role of DNA-PK in the cellular response to DNA double-strand breaks. <b>2004</b> , 3, 909-18	186
1076	DNA damage-induced activation of ATM and ATM-dependent signaling pathways. <b>2004</b> , 3, 889-900	366

1075	The Chk2 protein kinase. <b>2004</b> , 3, 1039-47	188
1074	Constitutively active DNA damage checkpoint pathways as the driving force for the high frequency of p53 mutations in human cancer. <b>2004</b> , 3, 1057-62	31
1073	Biochemical characterization of the ataxia-telangiectasia mutated (ATM) protein from human cells. <b>2004</b> , 3, 753-67	68
1072	The ATM-related kinase, hSMG-1, bridges genome and RNA surveillance pathways. <b>2004</b> , 3, 919-25	40
1071	The rate of extrachromosomal homologous recombination within a novel reporter plasmid is elevated in cells lacking functional ATM protein. <b>2004</b> , 3, 1345-53	10
1070	The ataxia-oculomotor apraxia 1 gene product has a role distinct from ATM and interacts with the DNA strand break repair proteins XRCC1 and XRCC4. <b>2004</b> , 3, 1493-502	156
1069	Improving the selectivity of cancer treatments by interfering with cell response pathways. <b>2004</b> , 40, 2550-9	21
1068	The absence of a functional relationship between ATM and BLM, the components of BASC, in DT40 cells. <b>2004</b> , 1688, 137-44	3
1067	Overexpression of RFT induces G1-S arrest and apoptosis via p53/p21(Waf1) pathway in glioma cell. <b>2004</b> , 317, 902-8	8
1066	Poly(ADP-ribose) polymerase-1 inhibits ATM kinase activity in DNA damage response. <b>2004</b> , 319, 596-602	21
1065	ATM protein purified from vaccinia virus expression system: DNA binding requirements for kinase activation. <b>2004</b> , 322, 74-81	7
1064	The mRNA surveillance protein hSMG-1 functions in genotoxic stress response pathways in mammalian cells. <b>2004</b> , 14, 585-98	176
1063	Expansion of protein interaction maps by phage peptide display using MDM2 as a prototypical conformationally flexible target protein. <b>2004</b> , 337, 129-45	29
1062	Molecular mechanisms of mammalian DNA repair and the DNA damage checkpoints. <b>2004</b> , 73, 39-85	2443
1061	Phosphorylation on Thr-55 by TAF1 mediates degradation of p53: a role for TAF1 in cell G1 progression. <b>2004</b> , 13, 867-78	85
1060	Low-dose hyper-radiosensitivity: a consequence of ineffective cell cycle arrest of radiation-damaged G2-phase cells. <b>2004</b> , 161, 247-55	197
1059	Radiosensitivity is predicted by DNA end-binding complex density, but not by nuclear levels of band components. <b>2004</b> , 72, 325-32	5
1058	GSK-3beta inhibition by lithium confers resistance to chemotherapy-induced apoptosis through the repression of CD95 (Fas/APO-1) expression. <b>2004</b> , 300, 354-64	62

Cytochrome c release from oridonin-treated apoptotic A375-S2 cells is dependent on p53 and extracellular signal-regulated kinase activation. <b>2004</b> , 96, 155-63	50
1056 Hyperoxia activates the ATR-Chk1 pathway and phosphorylates p53 at multiple sites. <b>2004</b> , 286, L87	-97 40
1055 Apoptosis by Zinc Deficiency. <b>2005</b> , 265-271	2
p53-Mdm2 loop controlled by a balance of its feedback strength and effective dampening using ATM and delayed feedback. <b>2005</b> , 152, 109-18	73
p53 modulates radiation sensitivity independent of p21 transcriptional activation. <b>2005</b> , 28, 43-50	18
1052 Lung cancer drug resistance and DNA damage signaling. <b>2005</b> , 2, 381-386	
Tachpyridine, a metal chelator, induces G2 cell-cycle arrest, activates checkpoint kinases, and sensitizes cells to ionizing radiation. <b>2005</b> , 106, 3191-9	66
Dracorhodin perchlorate induces A375-S2 cell apoptosis via accumulation of p53 and activation of caspases. <b>2005</b> , 28, 226-32	19
DNA-dependent protein kinase enhances DNA damage-induced apoptosis in association with Friend gp70. <b>2005</b> , 29, 307-16	4
Negative regulation of p53 by nucleophosmin antagonizes stress-induced apoptosis in human normal and malignant hematopoietic cells. <b>2005</b> , 29, 1415-23	47
1047 Chapter 3. <b>2005</b> , 35, 41-60	
1046 Chapters 6 and 7. <b>2005</b> , 35, 93-140	1
ATM sequence variants are predictive of adverse radiotherapy response among patients treated for prostate cancer. <b>2005</b> , 61, 196-202	74
1044 Role of Chk1 and Chk2 in Ara-C-induced differentiation of human leukemia K562 cells. <b>2005</b> , 10, 97-1	06 20
Ataxia-telangiectasia-mutated dependent phosphorylation of Artemis in response to DNA damage. <b>2005</b> , 96, 134-41	42
1042 Suppression of HIV-1 infection by a small molecule inhibitor of the ATM kinase. <b>2005</b> , 7, 493-500	122
1041 p53, apoptosis and axon-guidance molecules. <b>2005</b> , 12, 1057-65	50
1040 Role of poly(ADP-ribose) polymerase activity in imatinib mesylate-induced cell death. <b>2005</b> , 12, 627-3	36 11

# (2005-2005)

1039	The PI3K inhibitor LY294002 prevents p53 induction by DNA damage and attenuates chemotherapy-induced apoptosis. <b>2005</b> , 12, 1578-87	34
1038	Gene expression alteration during redox-dependent enhancement of arsenic cytotoxicity by emodin in HeLa cells. <b>2005</b> , 15, 511-22	15
1037	ATM and Chk2-dependent phosphorylation of MDMX contribute to p53 activation after DNA damage. <b>2005</b> , 24, 3411-22	201
1036	Relation between genetic variants of the ataxia telangiectasia-mutated (ATM) gene, drug resistance, clinical outcome and predisposition to childhood T-lineage acute lymphoblastic leukaemia. <b>2005</b> , 19, 1887-95	19
1035	Polo-like kinases and oncogenesis. <b>2005</b> , 24, 267-76	316
1034	Distinct roles for p53 transactivation and repression in preventing UCN-01-mediated abrogation of DNA damage-induced arrest at S and G2 cell cycle checkpoints. <b>2005</b> , 24, 3786-96	52
1033	HIPK2 contributes to PCAF-mediated p53 acetylation and selective transactivation of p21Waf1 after nonapoptotic DNA damage. <b>2005</b> , 24, 5431-42	59
1032	Molecular basis of ataxia telangiectasia and related diseases. <b>2005</b> , 26, 897-907	38
1031	Melanoma cells express elevated levels of phosphorylated histone H2AX foci. <b>2005</b> , 124, 807-17	56
1030	The tale of the telomere: implications for prevention and treatment of skin cancers. <b>2005</b> , 10, 124-30	21
1029	Saccharomyces cerevisiae Rad9 acts as a Mec1 adaptor to allow Rad53 activation. <b>2005</b> , 15, 1364-75	187
1028	Sensitization of breast carcinoma cells to ionizing radiation by small molecule inhibitors of DNA-dependent protein kinase and ataxia telangiectsia mutated. <b>2005</b> , 71, 13-20	54
1027	Activation of DNA damage signaling. 2005, 577, 203-16	42
1026	Benzo[a]pyrene, but not 2,3,7,8-TCDD, induces G2/M cell cycle arrest, p21CIP1 and p53 phosphorylation in human choriocarcinoma JEG-3 cells: a distinct signaling pathway. <b>2005</b> , 26 Suppl A, S87-95	34
1025	Breast cancer cell-targeted oxidative stress: enhancement of cancer cell uptake of conjugated linoleic acid, activation of p53, and inhibition of proliferation. <b>2005</b> , 79, 118-25	24
1024	Molecular nature of intrachromosomal deletions and base substitutions induced by environmental mutagens. <b>2005</b> , 45, 150-61	54
1023	DNA damage uncouples the mitogenic response to IGF-I in MCF-7 malignant breast cancer cells by switching the roles of PI3 kinase and p21WAF1/Cip1. <b>2005</b> , 116, 506-13	8
1022	Assessment of ATM phosphorylation on Ser-1981 induced by DNA topoisomerase I and II inhibitors in relation to Ser-139-histone H2AX phosphorylation, cell cycle phase, and apoptosis. <b>2005</b> , 68, 1-9	62

1021	Defective ATM-p53-mediated apoptotic pathway in multiple sclerosis. <b>2005</b> , 58, 577-84	26
1020	Ataxia telangiectasia-mutated, a DNA damage-inducible kinase, contributes to high NaCl-induced nuclear localization of transcription factor TonEBP/OREBP. <b>2005</b> , 289, F506-11	33
1019	p53 phosphorylation in mouse skin and in vitro human skin model by high-dose-radiation exposure. <b>2005</b> , 46, 461-8	10
1018	Ataxia telangiectasia. 2005, 738-748	1
1017	Adenosine monophosphate-activated protein kinase suppresses vascular smooth muscle cell proliferation through the inhibition of cell cycle progression. <b>2005</b> , 97, 837-44	209
1016	p53 C-terminal phosphorylation by CHK1 and CHK2 participates in the regulation of DNA-damage-induced C-terminal acetylation. <b>2005</b> , 16, 1684-95	135
1015	The role of Polo-like kinase 1 in the inhibition of centrosome separation after ionizing radiation. <b>2005</b> , 280, 42994-9	29
1014	PPM1D dephosphorylates Chk1 and p53 and abrogates cell cycle checkpoints. <b>2005</b> , 19, 1162-74	287
1013	Mammalian DNA damage response pathway. <b>2005</b> , 570, 425-55	11
1012	Activation of ataxia telangiectasia mutated by DNA strand break-inducing agents correlates closely with the number of DNA double strand breaks. <b>2005</b> , 280, 4649-55	71
1011	Signal transduction pathways in cancer development and as targets for cancer prevention. <b>2005</b> , 79, 237-97	50
1010	Targeting of Rad51-dependent homologous recombination: implications for the radiation sensitivity of human lung cancer cell lines. <b>2005</b> , 92, 1089-97	52
1009	Low frequency of CHEK2 1100delC allele in Australian multiple-case breast cancer families: functional analysis in heterozygous individuals. <b>2005</b> , 92, 784-90	30
1008	Phosphorylation of Hdmx mediates its Hdm2- and ATM-dependent degradation in response to DNA damage. <b>2005</b> , 102, 5056-61	145
1007	Full activation of PKB/Akt in response to insulin or ionizing radiation is mediated through ATM. <b>2005</b> , 280, 4029-36	201
1006	DNA damage-induced phosphorylation of MdmX at serine 367 activates p53 by targeting MdmX for Mdm2-dependent degradation. <b>2005</b> , 25, 9608-20	107
1005	A plausible model for the digital response of p53 to DNA damage. <b>2005</b> , 102, 14266-71	261
1004	Regulation of CHK2 by DNA-dependent protein kinase. <b>2005</b> , 280, 12041-50	75

## (2005-2005)

1003	Tumor suppressor SMAR1 activates and stabilizes p53 through its arginine-serine-rich motif. <b>2005</b> , 280, 16019-29	31
1002	Identification and functional consequences of a novel MRE11 mutation affecting 10 Saudi Arabian patients with the ataxia telangiectasia-like disorder. <b>2005</b> , 14, 307-18	112
1001	Transcriptional blockade induces p53-dependent apoptosis associated with translocation of p53 to mitochondria. <b>2005</b> , 280, 19166-76	114
1000	DNA damage-induced association of ATM with its target proteins requires a protein interaction domain in the N terminus of ATM. <b>2005</b> , 280, 15158-64	53
999	The ATM-dependent DNA damage signaling pathway. <b>2005</b> , 70, 99-109	136
998	ATM signaling and 53BP1. <b>2005</b> , 76, 119-22	73
997	Differential impact of diverse anticancer chemotherapeutics on the Cdc25A-degradation checkpoint pathway. <b>2005</b> , 302, 162-9	27
996	AMP-activated protein kinase induces a p53-dependent metabolic checkpoint. <b>2005</b> , 18, 283-93	1259
995	ATM-dependent phosphorylation of ATF2 is required for the DNA damage response. <b>2005</b> , 18, 577-87	135
994	Functional human telomeres are recognized as DNA damage in G2 of the cell cycle. <b>2005</b> , 20, 551-61	232
993	Pharmacological manipulation of ataxia-telangiectasia kinase activity as a treatment for Parkinson's disease. <b>2005</b> , 64, 736-41	7
992	Abnormal stability of wild-type p53 protein in a human lung carcinoma cell line. <b>2005</b> , 330, 483-8	9
991	ARF and ATM/ATR cooperate in p53-mediated apoptosis upon oncogenic stress. 2005, 334, 386-94	47
990	A role for proapoptotic BID in the DNA-damage response. <b>2005</b> , 122, 579-91	198
989	AMPK and p53 help cells through lean times. <b>2005</b> , 1, 287-8	33
988	Intracellular signalling and cancer: complex pathways lead to multiple targets. <b>2005</b> , 41, 206-15	17
987	HDM2 negatively affects the Chk2-mediated phosphorylation of p53. <b>2005</b> , 579, 2604-8	1
986	Global gene expression profiling of cells overexpressing SMC3. <b>2005</b> , 4, 34	10

985	Gene expression profiles of normal human fibroblasts after exposure to ionizing radiation: a comparative study of low and high doses. <b>2005</b> , 164, 17-26	170
984	Redox activation of p21Cip1/WAF1/Sdi1: a multifunctional regulator of cell survival and death. <b>2005</b> , 7, 108-18	82
983	Selective benzopyranone and pyrimido[2,1-a]isoquinolin-4-one inhibitors of DNA-dependent protein kinase: synthesis, structure-activity studies, and radiosensitization of a human tumor cell line in vitro. <b>2005</b> , 48, 569-85	127
982	Ranked prediction of p53 targets using hidden variable dynamic modeling. <b>2006</b> , 7, R25	86
981	The ubiquitin-proteasome pathway in cell cycle control. <b>2006</b> , 42, 147-81	54
980	ATM engages autodegradation of the E3 ubiquitin ligase COP1 after DNA damage. <i>Science</i> , <b>2006</b> , 313, 1122-6	120
979	Candidate protein biodosimeters of human exposure to ionizing radiation. <b>2006</b> , 82, 605-39	126
978	The FATC domains of PIKK proteins are functionally equivalent and participate in the Tip60-dependent activation of DNA-PKcs and ATM. <b>2006</b> , 281, 15741-6	102
977	DNA damage checkpoints in mammals. <b>2006</b> , 21, 3-9	321
976	Multiple actions of pifithrin-alpha on doxorubicin-induced apoptosis in rat myoblastic H9c2 cells. <b>2006</b> , 290, H2606-13	64
975	[Ataxia-telangiectasia: a review]. 2006, 13, 293-8	18
974	Pot1 deficiency initiates DNA damage checkpoint activation and aberrant homologous recombination at telomeres. <b>2006</b> , 126, 49-62	327
973	Constitutive phosphorylation of ATM in lymphoblastoid cell lines from patients with ICF syndrome without downstream kinase activity. <b>2006</b> , 5, 432-43	19
972	DNA-PK phosphorylates histone H2AX during apoptotic DNA fragmentation in mammalian cells. <b>2006</b> , 5, 575-90	149
971	p53 stabilization and transactivation by a von Hippel-Lindau protein. <b>2006</b> , 22, 395-405	197
970	Apoptosis and chemoresistance. 339-361	
969	[Low-dose radiation effects and intracellular signaling pathways]. <b>2006</b> , 126, 859-67	6
968	The course of uncarinic acid E-induced apoptosis of HepG2 cells from damage to DNA and p53 activation to mitochondrial release of cytochrome c. <b>2006</b> , 29, 1639-44	10

## (2006-2006)

967	Forodesine, an inhibitor of purine nucleoside phosphorylase, induces apoptosis in chronic lymphocytic leukemia cells. <b>2006</b> , 108, 2392-8	73
966	Splenic marginal zone lymphoma with micronodular T-cell rich B-cell lymphoma. <b>2006</b> , 30, 128-32	10
965	Fibroblast growth factor-2 suppresses oridonin-induced L929 apoptosis through extracellular signal-regulated kinase-dependent and phosphatidylinositol 3-kinase-independent pathway. <b>2006</b> , 102, 305-13	16
964	Enhanced radiation-mediated cell killing of human cervical cancer cells by small interference RNA silencing of ataxia telangiectasia-mutated protein. <b>2006</b> , 16, 1620-30	19
963	Infrared radiation induces the p53 signaling pathway: role in infrared prevention of ultraviolet B toxicity. <b>2006</b> , 15, 130-7	55
962	ATM activation and histone H2AX phosphorylation as indicators of DNA damage by DNA topoisomerase I inhibitor topotecan and during apoptosis. <b>2006</b> , 39, 49-60	51
961	Extent of constitutive histone H2AX phosphorylation on Ser-139 varies in cells with different TP53 status. <b>2006</b> , 39, 313-23	21
960	Identification of p53-46F as a super p53 with an enhanced ability to induce p53-dependent apoptosis. <b>2006</b> , 97, 633-41	23
959	Dissecting p53 tumor suppressor function in vivo through the analysis of genetically modified mice. <b>2006</b> , 13, 902-8	21
958	The complexity of p53 stabilization and activation. <b>2006</b> , 13, 941-50	522
958 957	The complexity of p53 stabilization and activation. <b>2006</b> , 13, 941-50 p53: more research and more questions. <b>2006</b> , 13, 877-80	39
957	p53: more research and more questions. <b>2006</b> , 13, 877-80  Parallel induction of ATM-dependent pro- and antiapoptotic signals in response to ionizing	39
957 956	p53: more research and more questions. 2006, 13, 877-80  Parallel induction of ATM-dependent pro- and antiapoptotic signals in response to ionizing radiation in murine lymphoid tissue. 2006, 25, 1584-92  p21CDKN1A allows the repair of replication-mediated DNA double-strand breaks induced by topoisomerase I and is inactivated by the checkpoint kinase inhibitor 7-hydroxystaurosporine. 2006,	39 62
957 956 955	p53: more research and more questions. <b>2006</b> , 13, 877-80  Parallel induction of ATM-dependent pro- and antiapoptotic signals in response to ionizing radiation in murine lymphoid tissue. <b>2006</b> , 25, 1584-92  p21CDKN1A allows the repair of replication-mediated DNA double-strand breaks induced by topoisomerase I and is inactivated by the checkpoint kinase inhibitor 7-hydroxystaurosporine. <b>2006</b> , 25, 2839-49  Protein serine/threonine phosphatase-1 dephosphorylates p53 at Ser-15 and Ser-37 to modulate its	39 62 36
957 956 955 954	p53: more research and more questions. 2006, 13, 877-80  Parallel induction of ATM-dependent pro- and antiapoptotic signals in response to ionizing radiation in murine lymphoid tissue. 2006, 25, 1584-92  p21CDKN1A allows the repair of replication-mediated DNA double-strand breaks induced by topoisomerase I and is inactivated by the checkpoint kinase inhibitor 7-hydroxystaurosporine. 2006, 25, 2839-49  Protein serine/threonine phosphatase-1 dephosphorylates p53 at Ser-15 and Ser-37 to modulate its transcriptional and apoptotic activities. 2006, 25, 3006-22  Recruitment of ATR to sites of ionising radiation-induced DNA damage requires ATM and	39 62 36 79
957 956 955 954 953	p53: more research and more questions. 2006, 13, 877-80  Parallel induction of ATM-dependent pro- and antiapoptotic signals in response to ionizing radiation in murine lymphoid tissue. 2006, 25, 1584-92  p21CDKN1A allows the repair of replication-mediated DNA double-strand breaks induced by topoisomerase I and is inactivated by the checkpoint kinase inhibitor 7-hydroxystaurosporine. 2006, 25, 2839-49  Protein serine/threonine phosphatase-1 dephosphorylates p53 at Ser-15 and Ser-37 to modulate its transcriptional and apoptotic activities. 2006, 25, 3006-22  Recruitment of ATR to sites of ionising radiation-induced DNA damage requires ATM and components of the MRN protein complex. 2006, 25, 3894-904	39 62 36 79
957 956 955 954 953	p53: more research and more questions. 2006, 13, 877-80  Parallel induction of ATM-dependent pro- and antiapoptotic signals in response to ionizing radiation in murine lymphoid tissue. 2006, 25, 1584-92  p21CDKN1A allows the repair of replication-mediated DNA double-strand breaks induced by topoisomerase I and is inactivated by the checkpoint kinase inhibitor 7-hydroxystaurosporine. 2006, 25, 2839-49  Protein serine/threonine phosphatase-1 dephosphorylates p53 at Ser-15 and Ser-37 to modulate its transcriptional and apoptotic activities. 2006, 25, 3006-22  Recruitment of ATR to sites of ionising radiation-induced DNA damage requires ATM and components of the MRN protein complex. 2006, 25, 3894-904  p53 Protein and Nonmelanoma Skin Cancer. 2006, 66-79  New therapeutic approach for myeloid leukemia: induction of apoptosis via modulation of reactive	39 62 36 79 125

949	DNA damage checkpoints and cancer. <b>2006</b> , 37, 253-60	37
948	Association between TP53 and p21 genetic polymorphisms and acute side effects of radiotherapy in breast cancer patients. <b>2006</b> , 97, 255-62	43
947	Bcl-2-mediated potentiation of neocarzinostatin-induced apoptosis: requirement for caspase-3, sulfhydryl groups, and cleavable Bcl-2. <b>2006</b> , 57, 357-67	8
946	Che-1 phosphorylation by ATM/ATR and Chk2 kinases activates p53 transcription and the G2/M checkpoint. <b>2006</b> , 10, 473-86	90
945	The ATM-mediated DNA-damage response: taking shape. <b>2006</b> , 31, 402-10	460
944	Etoposide induces apoptosis and cell cycle arrest of neuroepithelial cells in a p53-related manner. <b>2006</b> , 28, 664-72	21
943	p53a natural cancer killer: structural insights and therapeutic concepts. <b>2006</b> , 45, 6440-60	85
942	Effects of hydroxyurea and aphidicolin on phosphorylation of ataxia telangiectasia mutated on Ser 1981 and histone H2AX on Ser 139 in relation to cell cycle phase and induction of apoptosis. <b>2006</b> , 69, 212-21	42
941	Sequential phosphorylation of Ser-10 on histone H3 and ser-139 on histone H2AX and ATM activation during premature chromosome condensation: relationship to cell-cycle phase and apoptosis. <b>2006</b> , 69, 222-9	41
940	p53-Mediated enhancement of radiosensitivity by selenophosphate synthetase 1 overexpression. <b>2006</b> , 209, 131-41	15
939	Indole-3-carbinol activates the ATM signaling pathway independent of DNA damage to stabilize p53 and induce G1 arrest of human mammary epithelial cells. <b>2006</b> , 118, 857-68	46
938	p53 lein natflicher Krebskiller: Einsichten in die Struktur und Therapiekonzepte. <b>2006</b> , 118, 6590-6611	10
937	Disruption of G1-phase phospholipid turnover by inhibition of Ca2+-independent phospholipase A2 induces a p53-dependent cell-cycle arrest in G1 phase. <b>2006</b> , 119, 1005-15	48
936	Mechanisms of induction of cell cycle arrest and cell death by cryptolepine in human lung adenocarcinoma a549 cells. <b>2006</b> , 91, 132-9	32
935	A deletion at the mouse Xist gene exposes trans-effects that alter the heterochromatin of the inactive X chromosome and the replication time and DNA stability of both X chromosomes. <b>2006</b> , 174, 1115-33	31
934	Variable in vivo embryoprotective role for ataxia-telangiectasia-mutated against constitutive and phenytoin-enhanced oxidative stress in atm knockout mice. <b>2006</b> , 93, 146-55	22
933	Tryptase activates phosphatidylinositol 3-kinases proteolytically independently from proteinase-activated receptor-2 in cultured dog airway smooth muscle cells. <b>2006</b> , 290, L259-69	17
932	Caspase-mediated cleavage of ATM during cisplatin-induced tubular cell apoptosis: inactivation of its kinase activity toward p53. <b>2006</b> , 291, F1300-7	38

931	Active role for nibrin in the kinetics of atm activation. <b>2006</b> , 26, 1691-9	71
930	Inhibition of the ATM/p53 signal transduction pathway by Kaposi's sarcoma-associated herpesvirus interferon regulatory factor 1. <b>2006</b> , 80, 2257-66	107
929	Increased DNA damage sensitivity and apoptosis in cells lacking the Snf5/Ini1 subunit of the SWI/SNF chromatin remodeling complex. <b>2006</b> , 26, 2661-74	93
928	Nuclear ataxia-telangiectasia mutated (ATM) mediates the cellular response to DNA double strand breaks in human neuron-like cells. <b>2006</b> , 281, 17482-17491	61
927	Analysis of the ataxia telangiectasia mutated-mediated DNA damage response in murine cerebellar neurons. <b>2006</b> , 26, 7767-74	35
926	Targeting of p300/CREB binding protein coactivators by simian virus 40 is mediated through p53. <b>2006</b> , 80, 4292-303	30
925	DDB1 maintains genome integrity through regulation of Cdt1. <b>2006</b> , 26, 7977-90	76
924	Phosphorylation of FANCD2 on two novel sites is required for mitomycin C resistance. <b>2006</b> , 26, 7005-15	100
923	Regulation of the MDM2-p53 pathway by ribosomal protein L11 involves a post-ubiquitination mechanism. <b>2006</b> , 281, 24304-13	96
922	The involvement of ataxia-telangiectasia mutated protein activation in nucleotide excision repair-facilitated cell survival with cisplatin treatment. <b>2006</b> , 281, 27117-25	45
921	A developmental role for ataxia-telangiectasia mutated in protecting the embryo from spontaneous and phenytoin-enhanced embryopathies in culture. <b>2006</b> , 93, 156-63	23
920	DNA replication stress-induced phosphorylation of cyclic AMP response element-binding protein mediated by ATM. <b>2006</b> , 281, 1692-7	28
919	Oscillations and variability in the p53 system. <b>2006</b> , 2, 2006.0033	446
918	Phosphatidylinositol 4-phosphate is required for translation initiation in Saccharomyces cerevisiae. <b>2006</b> , 281, 38139-49	9
917	The essential role of the death domain kinase receptor-interacting protein in insulin growth factor-I-induced c-Jun N-terminal kinase activation. <b>2006</b> , 281, 23525-32	16
916	ATM requirement in gene expression responses to ionizing radiation in human lymphoblasts and fibroblasts. <i>Molecular Cancer Research</i> , <b>2006</b> , 4, 197-207	15
915	Differential roles of ATM- and Chk2-mediated phosphorylations of Hdmx in response to DNA damage. <b>2006</b> , 26, 6819-31	73
914	T-oligos augment UV-induced protective responses in human skin. <b>2006</b> , 20, 1895-7	47

913	BRCC36 is essential for ionizing radiation-induced BRCA1 phosphorylation and nuclear foci formation. <b>2006</b> , 66, 5039-46	62
912	Human cytomegalovirus inhibits a DNA damage response by mislocalizing checkpoint proteins. <b>2006</b> , 103, 2821-6	69
911	ATM promotes apoptosis and suppresses tumorigenesis in response to Myc. <b>2006</b> , 103, 1446-51	122
910	Splicing regulator SC35 is essential for genomic stability and cell proliferation during mammalian organogenesis. <b>2007</b> , 27, 5393-402	125
909	Functional p53 signaling in Kaposi's sarcoma-associated herpesvirus lymphomas: implications for therapy. <b>2007</b> , 81, 1912-22	96
908	RPA and ATR link transcriptional stress to p53. <b>2007</b> , 104, 12778-83	100
907	Cyclin-dependent kinase inhibitors sensitize tumor cells to nutlin-induced apoptosis: a potent drug combination. <i>Molecular Cancer Research</i> , <b>2007</b> , 5, 1133-45	62
906	Coregulated ataxia telangiectasia-mutated and casein kinase sites modulate cAMP-response element-binding protein-coactivator interactions in response to DNA damage. <b>2007</b> , 282, 6283-91	32
905	Ku70/80 modulates ATM and ATR signaling pathways in response to DNA double strand breaks. <b>2007</b> , 282, 10138-45	31
904	Deletion of chromosome 11q predicts response to anthracycline-based chemotherapy in early breast cancer. <b>2007</b> , 67, 818-26	68
903	Quaternary structures of tumor suppressor p53 and a specific p53 DNA complex. <b>2007</b> , 104, 12324-9	158
902	G alpha 12/13 basally regulates p53 through Mdm4 expression. <i>Molecular Cancer Research</i> , <b>2007</b> , 5, 473- <b>8</b> 46	9
901	Osmoadaptation of Mammalian cells - an orchestrated network of protective genes. 2007, 8, 209-18	25
900	Zebrafish as a model system to screen radiation modifiers. <b>2007</b> , 8, 360-9	20
899	Induction of DNA Repair Genes in Mammalian Cells in Response to Genotoxic Stress. 2006, 383-398	3
898	Dynamic prediction of cellular responding ion radiation (IR) based on an improved modeling of P53 stress response networks. <b>2007</b> ,	
897	N-methyl-N'-nitro-N-nitrosoguanidine activates multiple cell death mechanisms in human fibroblasts. <b>2007</b> , 26, 683-94	9
896	Dynamic Prediction of Cellular Responding Ion Radiation based on a modeling of P53 Stress Response Networks. <b>2007</b> ,	

#### (2007-2007)

895	NFBD1/MDC1 associates with p53 and regulates its function at the crossroad between cell survival and death in response to DNA damage. <b>2007</b> , 282, 22993-3004		40
894	Ataxia telangiectasia-mutated and p53 are potential mediators of chloroquine-induced resistance to mammary carcinogenesis. <b>2007</b> , 67, 12026-33		49
893	Identification of carboxyl-terminal MCM3 phosphorylation sites using polyreactive phosphospecific antibodies. <b>2007</b> , 282, 9236-43		33
892	Ataxia-telangiectasia mutated is not required for p53 induction and apoptosis in irradiated epithelial tissues. <i>Molecular Cancer Research</i> , <b>2007</b> , 5, 1312-8	6.6	17
891	The ataxia telangiectasia-mutated target site Ser18 is required for p53-mediated tumor suppression. <b>2007</b> , 67, 11696-703		60
890	Inflammatory ROS promote and cooperate with the Fanconi anemia mutation for hematopoietic senescence. <b>2007</b> , 120, 1572-83		77
889	Single chemical modifications of the C-1027 enediyne core, a radiomimetic antitumor drug, affect both drug potency and the role of ataxia-telangiectasia mutated in cellular responses to DNA double-strand breaks. <b>2007</b> , 67, 773-81		50
888	The increase of cell-membranous phosphatidylcholines containing polyunsaturated fatty acid residues induces phosphorylation of p53 through activation of ATR. <b>2007</b> , 120, 4134-43		29
887	p53 stabilization can be uncoupled from its role in transcriptional activation by loss of PTTG1/securin. <b>2007</b> , 141, 737-45		9
886	The ubiquitin-interacting motif containing protein RAP80 interacts with BRCA1 and functions in DNA damage repair response. <b>2007</b> , 67, 6647-56		142
885	Deficient TP53 expression, function, and cisplatin sensitivity are restored by quinacrine in head and neck cancer. <b>2007</b> , 13, 6568-78		52
884	The enigmatic effects of caffeine in cell cycle and cancer. <b>2007</b> , 247, 26-39		125
883	p53 mediates interstitial cystitis antiproliferative factor (APF)-induced growth inhibition of human urothelial cells. <b>2007</b> , 581, 3795-9		44
882	A Model for p53 Dynamics Triggered by DNA Damage. <b>2007</b> , 6, 61-78		25
881	Telomeric DNA induces apoptosis and senescence of human breast carcinoma cells. 2007, 9, R13		47
880	A Response Modelling of P53 Gene Regulatory Networks Under Continuous Ion Radiation (IR). <b>2007</b>		
879	The effects of NBS1 knockdown by small interfering RNA on the ionizing radiation-induced apoptosis in human lymphoblastoid cells with different p53 status. <b>2007</b> , 171, 50-9		14
878	Pyranone, thiopyranone, and pyridone inhibitors of phosphatidylinositol 3-kinase related kinases.  Structure-activity relationships for DNA-dependent protein kinase inhibition, and identification of the first potent and selective inhibitor of the ataxia telangiectasia mutated kinase. <b>2007</b> , 50, 1958-72		71

877	ATM-mediated transcriptional and developmental responses to gamma-rays in Arabidopsis. <b>2007</b> , 2, e430	81
876	KSHV manipulation of the cell cycle and programmed cell death pathways. 540-558	7
875	Selective cytotoxicity of benzyl isothiocyanate in the proliferating fibroblastoid cells. <b>2007</b> , 120, 484-92	28
874	ATM sequence variants associate with susceptibility to non-small cell lung cancer. <b>2007</b> , 121, 2254-9	27
873	The molecular mechanisms of vitamin C on cell cycle regulation in B16F10 murine melanoma. <b>2007</b> , 102, 1002-10	30
872	A mathematical model of P53 gene regulatory networks under radiotherapy. <b>2007</b> , 90, 698-706	25
871	DNA-damage sensitizers: potential new therapeutical tools to improve chemotherapy. <b>2007</b> , 63, 160-71	19
870	Black tea prevents cigarette smoke-induced apoptosis and lung damage. <b>2007</b> , 4, 3	28
869	Coping with stress: multiple ways to activate p53. <b>2007</b> , 26, 1306-16	390
868	CHK2 kinase: cancer susceptibility and cancer therapy - two sides of the same coin?. <b>2007</b> , 7, 925-36	223
867	How important are post-translational modifications in p53 for selectivity in target-gene transcription and tumour suppression?. <b>2007</b> , 14, 1561-75	165
866	Phosphorylation of pRB at Ser612 by Chk1/2 leads to a complex between pRB and E2F-1 after DNA damage. <b>2007</b> , 26, 2083-93	93
865	The ATM repair pathway inhibits RNA polymerase I transcription in response to chromosome breaks. <b>2007</b> , 447, 730-4	209
864	p53 tumor suppressor gene: a critical molecular target for UV induction and prevention of skin cancer. <b>2008</b> , 84, 55-62	44
863	Constitutive expression and cytoplasmic compartmentalization of ATM protein in differentiated human neuron-like SH-SY5Y cells. <b>2007</b> , 100, 337-45	37
862	Purification of phosphoproteins by immobilized metal affinity chromatography and its application to phosphoproteome analysis. <b>2007</b> , 274, 1576-87	43
861	Bulky lymphadenopathy with poor clinical outcome is associated with ATM downregulation in B-cell chronic lymphocytic leukemia patients irrespective of 11q23 deletion. <b>2007</b> , 172, 120-6	7
860	ATM-mediated response to DNA double strand breaks in human neurons derived from stem cells. <b>2007</b> , 6, 128-34	34

### (2008-2007)

859	cadmium-treated human fibroblasts. <b>2007</b> , 218, 174-85	36
858	DNA damage, p53, apoptosis and vascular disease. <b>2007</b> , 621, 75-86	80
857	Lack of Correlation Between DNA Strand Breakage and p53 Protein Levels in Human Fibroblast Strains Exposed to Ultraviolet Light¶. <b>2007</b> , 72, 562-568	
856	Oxidative stress enhances phosphorylation of p53 in neonatal rat cardiomyocytes. <b>2007</b> , 303, 167-74	23
855	AICAR induces phosphorylation of AMPK in an ATM-dependent, LKB1-independent manner. <b>2007</b> , 306, 239-45	91
854	The role of ATM in breast cancer development. <b>2007</b> , 104, 121-8	51
853	ATM allelic variants associated to hereditary breast cancer in 94 Chilean women: susceptibility or ethnic influences?. <b>2008</b> , 107, 281-8	22
852	Biomarkers for DNA DSB inhibitors and radiotherapy clinical trials. <b>2008</b> , 27, 445-58	31
851	Mystery of DNA repair: the role of the MRN complex and ATM kinase in DNA damage repair. <b>2008</b> , 49, 383-96	58
850	Signaling of DNA damage is not sufficient to induce p53 response: (re)activation of wt p53 protein strongly depends on cellular context. <b>2008</b> , 103, 1607-20	8
849	Effect of UV irradiation on colorectal cancer cells with acquired TRAIL resistance. 2008, 104, 1172-80	7
848	Prognostic significance of ATM and TP53 deletions in Chinese patients with chronic lymphocytic leukemia. <b>2008</b> , 32, 1071-7	44
847	Cellular responding DNA damage: An improved modeling of P53 gene regulatory networks under ion radiation (IR). <b>2008</b> , 205, 73-83	9
846	Targeting phosphoinositide 3-kinase: moving towards therapy. <b>2008</b> , 1784, 159-85	440
845	MAPK regulate p53-dependent cell death induced by benzo[a]pyrene: involvement of p53 phosphorylation and acetylation. <b>2008</b> , 247, 145-53	43
844	Interplay between ATM and ATR in the regulation of common fragile site stability. 2008, 27, 2109-17	49
843	p53 target gene AEN is a nuclear exonuclease required for p53-dependent apoptosis. <b>2008</b> , 27, 3797-810	54
842	Mimicking the BH3 domain to kill cancer cells. <b>2008</b> , 27 Suppl 1, S149-57	205

841	Aberrant CDKN1A transcriptional response associates with abnormal sensitivity to radiation treatment. <b>2008</b> , 98, 1845-51	58
840	ATR: an essential regulator of genome integrity. <b>2008</b> , 9, 616-27	1290
839	Ataxia-telangiectasia: from a rare disorder to a paradigm for cell signalling and cancer. 2008, 9, 759-69	714
838	Photoprotection in human skina multifaceted SOS response. <b>2008</b> , 84, 339-49	21
837	Induction of persistent double strand breaks following multiphoton irradiation of cycling and G1-arrested mammalian cells-replication-induced double strand breaks. <b>2008</b> , 84, 1506-14	25
836	Anti-apoptotic effect of Mao-B inhibitor PF9601N [N-(2-propynyl)-2-(5-benzyloxy-indolyl) methylamine] is mediated by p53 pathway inhibition in MPP+-treated SH-SY5Y human dopaminergic cells. <b>2008</b> , 105, 2404-17	26
835	Mutated and non-mutated TP53 as targets in the treatment of leukaemia. 2008, 141, 445-53	47
834	Induction of G2/M arrest and apoptosis by sesquiterpene lactones in human melanoma cell lines. <b>2008</b> , 75, 369-82	66
833	Induction of gamma-globin mRNA, erythroid differentiation and apoptosis in UVA-irradiated human erythroid cells in the presence of furocumarin derivatives. <b>2008</b> , 75, 810-25	36
832	ATM protein kinase mediates full activation of Akt and regulates glucose transporter 4 translocation by insulin in muscle cells. <b>2008</b> , 20, 1555-63	88
831	Growth of persistent foci of DNA damage checkpoint factors is essential for amplification of G1 checkpoint signaling. <b>2008</b> , 7, 405-17	50
830	Central role of mitochondria and p53 in PUVA-induced apoptosis in human keratinocytes cell line NCTC-2544. <b>2008</b> , 227, 84-96	41
829	Apoptotic death induced by the cyclophosphamide analogue mafosfamide in human lymphoblastoid cells: contribution of DNA replication, transcription inhibition and Chk/p53 signaling. <b>2008</b> , 229, 20-32	34
828	Drug 9AA reactivates p21/Waf1 and Inhibits HIV-1 progeny formation. 2008, 5, 41	16
827	In GFP with high risk HPV-18E6 fusion protein expressed 293T and MCF-7 cells, the endogenous wild-type p53 could be transiently phosphorylated at multiple sites. <b>2008</b> , 27, 35	1
826	Gene products of chromosome 11q and their association with CCND1 gene amplification and tamoxifen resistance in premenopausal breast cancer. <b>2008</b> , 10, R81	48
825	Recurrent initiation: a mechanism for triggering p53 pulses in response to DNA damage. <b>2008</b> , 30, 277-89	319
824	Regulation of Bax activation and apoptotic response to UV irradiation by p53 transcription-dependent and -independent pathways. <b>2008</b> , 271, 231-9	18

823	Identification of p32 as a novel substrate for ATM in heart. <b>2008</b> , 366, 885-91	6
822	Multiple autophosphorylation sites are dispensable for murine ATM activation in vivo. 2008, 183, 777-83	83
821	Transient inhibition of ATM kinase is sufficient to enhance cellular sensitivity to ionizing radiation. <b>2008</b> , 68, 7466-74	191
820	Variants in the ATM gene associated with a reduced risk of contralateral breast cancer. <b>2008</b> , 68, 6486-91	39
819	Differential p53 engagement in response to oxidative and oncogenic stresses in Fanconi anemia mice. <b>2008</b> , 68, 9693-702	29
818	Activation of ATR and related PIKKs. 2008, 7, 2809-12	54
817	ATM kinase is a master switch for the Delta Np63 alpha phosphorylation/degradation in human head and neck squamous cell carcinoma cells upon DNA damage. <b>2008</b> , 7, 2846-55	44
816	p53: a molecular marker for the detection of cancer. <b>2008</b> , 2, 1013-24	16
815	Relationship Between San-Huang-Xie-Xin-Tang and its herbal components on the gene expression profiles in HepG2 cells. <b>2008</b> , 36, 783-97	52
814	Elevated ornithine decarboxylase levels activate ataxia telangiectasia mutated-DNA damage signaling in normal keratinocytes. <b>2008</b> , 68, 2214-22	10
813	An ATM- and Rad3-related (ATR) signaling pathway and a phosphorylation-acetylation cascade are involved in activation of p53/p21Waf1/Cip1 in response to 5-aza-2'-deoxycytidine treatment. <b>2008</b> , 283, 2564-74	46
812	Hepatitis B virus X protein via the p38MAPK pathway induces E2F1 release and ATR kinase activation mediating p53 apoptosis. <b>2008</b> , 283, 25455-25467	68
811	A role for DEAD box 1 at DNA double-strand breaks. 2008, 28, 6413-25	67
810	Dietary soy protein inhibits DNA damage and cell survival of colon epithelial cells through attenuated expression of fatty acid synthase. <b>2008</b> , 294, G868-76	25
809	Defective p53 engagement after the induction of DNA damage in cells deficient in topoisomerase 3beta. <b>2008</b> , 105, 5063-8	20
808	Regulation of MDMX expression by mitogenic signaling. <b>2008</b> , 28, 1999-2010	58
807	Genetic interactions of the Aspergillus nidulans atmAATM homolog with different components of the DNA damage response pathway. <b>2008</b> , 178, 675-91	11
806	Inhibition of AMP-activated protein kinase sensitizes cancer cells to cisplatin-induced apoptosis via hyper-induction of p53. <b>2008</b> , 283, 3731-42	64

805	Tumor suppression by p53 in the absence of Atm. <i>Molecular Cancer Research</i> , <b>2008</b> , 6, 1185-92	6.6	11
804	RAP80 responds to DNA damage induced by both ionizing radiation and UV irradiation and is phosphorylated at Ser 205. <b>2008</b> , 68, 4269-76		16
803	p53 and ATM/ATR regulate 7,12-dimethylbenz[a]anthracene-induced immunosuppression. <b>2008</b> , 73, 137-46		21
802	TopBP1 activates ATR through ATRIP and a PIKK regulatory domain. <b>2008</b> , 22, 1478-89		244
801	DNA damage responses: mechanisms and roles in human disease: 2007 G.H.A. Clowes Memorial Award Lecture. <i>Molecular Cancer Research</i> , <b>2008</b> , 6, 517-24	6.6	141
800	Cellular responding DNA damage: A predictive model of P53 gene regulatory networks under continuous Ion Radiation (IR). <b>2008</b> ,		2
799	Aberrant expression of nucleostemin activates p53 and induces cell cycle arrest via inhibition of MDM2. <b>2008</b> , 28, 4365-76		143
798	Reactive oxygen species mediate oridonin-induced HepG2 apoptosis through p53, MAPK, and mitochondrial signaling pathways. <b>2008</b> , 107, 370-9		112
797	ATM kinase activity modulates Fas sensitivity through the regulation of FLIP in lymphoid cells. <b>2008</b> , 111, 829-37		26
796	Knockdown of RCAN1.4 Increases Susceptibility to FAS-mediated and DNA-damage-induced Apoptosis by Upregulation of p53 Expression. <b>2009</b> , 13, 483-9		12
795	BAF53 is critical for focus formation of <code>BH2AX</code> in response to DNA damage. <b>2009</b> , 13, 405-409		1
794	Heat shock factor-1 modulates p53 activity in the transcriptional response to DNA damage. <b>2009</b> , 37, 2962-73		39
793	Induction of SOX4 by DNA damage is critical for p53 stabilization and function. <b>2009</b> , 106, 3788-93		106
792	Novel HIV-1 therapeutics through targeting altered host cell pathways. <b>2009</b> , 9, 1369-82		20
791	Genetic polymorphisms in DNA repair and damage response genes and late normal tissue complications of radiotherapy for breast cancer. <b>2009</b> , 100, 1680-6		76
790	Induction of cellular senescence by secretory phospholipase A2 in human dermal fibroblasts through an ROS-mediated p53 pathway. <b>2009</b> , 64, 351-62		32
789	Human papillomaviruses activate the ATM DNA damage pathway for viral genome amplification upon differentiation. <b>2009</b> , 5, e1000605		256
788	ATR mutation in endometrioid endometrial cancer is associated with poor clinical outcomes. <b>2009</b> , 27, 3091-6		49

787	Targeting the Cell Cycle to Kill Cancer Cells. <b>2009</b> , 429-453	2
786	p53 Pathway Alterations in Brain Tumors. <b>2009</b> , 283-314	2
7 <sup>8</sup> 5	A novel ataxia-telangiectasia mutated autoregulatory feedback mechanism in murine embryonic stem cells. <b>2009</b> , 6, 1167-77	4
7 <sup>8</sup> 4	Distinct mechanisms act in concert to mediate cell cycle arrest. <b>2009</b> , 106, 785-90	89
783	Imatinib mesylate induces cisplatin hypersensitivity in Bcr-Abl+ cells by differential modulation of p53 transcriptional and proapoptotic activity. <b>2009</b> , 69, 9337-45	19
782	Targeting DNA repair in chronic lymphocytic leukemia cells with a novel acyclic nucleotide analogue, GS-9219. <b>2009</b> , 15, 3760-9	10
781	6-Mercaptopurine (6-MP) induces cell cycle arrest and apoptosis of neural progenitor cells in the developing fetal rat brain. <b>2009</b> , 31, 104-9	27
78o	Dynamic modeling of cellular response to DNA damage based on p53 stress response networks. <b>2009</b> , 19, 1349-1356	4
779	The cyclin-dependent kinase inhibitor 5, 6-dichloro-1-beta-D-ribofuranosylbenzimidazole induces nongenotoxic, DNA replication-independent apoptosis of normal and leukemic cells, regardless of their p53 status. <b>2009</b> , 9, 281	9
778	The DNA-PK catalytic subunit regulates Bax-mediated excitotoxic cell death by Ku70 phosphorylation. <b>2009</b> , 1296, 164-75	14
777	Kaempferol induces apoptosis in human HCT116 colon cancer cells via the Ataxia-Telangiectasia Mutated-p53 pathway with the involvement of p53 Upregulated Modulator of Apoptosis. <b>2009</b> , 177, 121-7	58
776	Role of polyamines in p53-dependent apoptosis of intestinal epithelial cells. <b>2009</b> , 21, 509-22	39
775	Biological mechanisms revealed by a mathematical model for p53-Mdm2 core regulation. <b>2009</b> , 3, 229-38	4
774	Telomere homolog oligonucleotides induce apoptosis in malignant but not in normal lymphoid cells: mechanism and therapeutic potential. <b>2009</b> , 124, 473-82	35
773	Ascochlorin activates p53 in a manner distinct from DNA damaging agents. <b>2009</b> , 124, 2797-803	24
772	Mechanism of diepoxybutane-induced p53 regulation in human cells. <b>2009</b> , 23, 373-86	6
771	RPAP3 interacts with Reptin to regulate UV-induced phosphorylation of H2AX and DNA damage. <b>2009</b> , 106, 920-8	19
770	Involvement of p53 in phthalate effects on mouse and rat osteoblasts. <b>2009</b> , 107, 316-27	41

769	DNA breakage and induction of DNA damage response proteins precede the appearance of visible mutant huntingtin aggregates. <b>2009</b> , 87, 733-47	70
768	gammaH2AX marks the main events of the spermatogenic process. <b>2009</b> , 72, 823-32	48
767	The CXXC finger 5 protein is required for DNA damage-induced p53 activation. <b>2009</b> , 52, 528-38	22
766	Ionizing radiation induces ataxia telangiectasia mutated-dependent checkpoint signaling and G(2) but not G(1) cell cycle arrest in pluripotent human embryonic stem cells. <b>2009</b> , 27, 1822-35	126
765	Wip1 confers G2 checkpoint recovery competence by counteracting p53-dependent transcriptional repression. <b>2009</b> , 28, 3196-206	60
764	ATM activates p53 by regulating MDM2 oligomerization and E3 processivity. <b>2009</b> , 28, 3857-67	114
763	Induction of G2/M arrest by pseudolaric acid B is mediated by activation of the ATM signaling pathway. <b>2009</b> , 30, 442-50	22
762	KRAB-type zinc-finger protein Apak specifically regulates p53-dependent apoptosis. <b>2009</b> , 11, 580-91	84
761	The ups and downs of p53: understanding protein dynamics in single cells. <b>2009</b> , 9, 371-7	176
760	Facilitating replication under stress: an oncogenic function of MYC?. <b>2009</b> , 9, 441-4	74
759	Tumour suppression by p53: a role for the DNA damage response?. <b>2009</b> , 9, 714-23	461
758	p53 and E2f: partners in life and death. <b>2009</b> , 9, 738-48	380
757	The first 30 years of p53: growing ever more complex. <b>2009</b> , 9, 749-58	1360
756	Cellular effects of genotoxic stress and gene silencing of the checkpoint kinases in human oral cells. <b>2009</b> , 38, 591-6	2
755	Metabolic stabilization of p53 by FE65 in the nuclear matrix of osmotically stressed cells. <b>2009</b> , 276, 6364-74	11
754	Molecular toxicology of sulfur mustard-induced cutaneous inflammation and blistering. <b>2009</b> , 263, 12-9	199
753	A novel role for acinus and MCM2 as host-specific signaling enhancers of DNA-damage-induced apoptosis in association with viral protein gp70. <b>2009</b> , 33, 1100-7	8
75²	Cellular adaptation to hypoxia and p53 transcription regulation. <b>2009</b> , 10, 404-10	29

#### (2010-2009)

75 <sup>1</sup>	Silencing the Metallothionein-2A gene inhibits cell cycle progression from G1- to S-phase involving ATM and cdc25A signaling in breast cancer cells. <b>2009</b> , 276, 109-17		42
750	S1219 residue of 53BP1 is phosphorylated by ATM kinase upon DNA damage and required for proper execution of DNA damage response. <b>2009</b> , 378, 32-6		24
749	SOCS1 links cytokine signaling to p53 and senescence. <b>2009</b> , 36, 754-67		91
748	DNA damage responses in skin biologyimplications in tumor prevention and aging acceleration. <b>2009</b> , 56, 76-81		43
747	Centrosome-associated regulators of the G(2)/M checkpoint as targets for cancer therapy. <b>2009</b> , 8, 8		104
746	Cellular and sub-cellular responses to UVA in relation to carcinogenesis. <b>2009</b> , 85, 177-95		107
745	Efficacy of citicoline as an acute stroke treatment. <b>2009</b> , 10, 839-46		14
744	Monoallelic and biallelic inactivation of TP53 gene in chronic lymphocytic leukemia: selection, impact on survival, and response to DNA damage. <b>2009</b> , 114, 5307-14		141
743	Epigenetic silencing of Stk39 in B-cell lymphoma inhibits apoptosis from genotoxic stress. <b>2009</b> , 175, 1653-61		18
742	The DNA-damage response: new molecular insights and new approaches to cancer therapy. <b>2009</b> , 37, 483-94		41
741	Involvement of nucleotide excision and mismatch repair mechanisms in double strand break repair. <b>2009</b> , 10, 250-8		66
740	IGF1 activates cell cycle arrest following irradiation by reducing binding of Np63 to the p21 promoter. <i>Cell Death and Disease</i> , <b>2010</b> , 1, e50	9.8	34
739	DNA damage signaling is activated during cancer progression in human colorectal carcinoma. <b>2010</b> , 9, 246-52		34
738	Inherited cancer syndromes in children and young adults. <b>2010</b> , 32, 195-228		28
737	The basis and rational use of molecular genetic testing in mature B-cell lymphomas. <b>2010</b> , 17, 333-58		7
736	Switching p53-dependent growth arrest to apoptosis via the inhibition of DNA damage-activated kinases. <b>2010</b> , 15, 473-84		10
735	Activated charcoal filter effectively reduces p-benzosemiquinone from the mainstream cigarette smoke and prevents emphysema. <b>2010</b> , 35, 217-30		16
734	Differential regulation of Apak by various DNA damage signals. <b>2010</b> , 333, 181-7		6

733	Phosphorylation of serine 392 in p53 is a common and integral event during p53 induction by diverse stimuli. <b>2010</b> , 22, 564-71	76
732	Multiple roles of ATM in monitoring and maintaining DNA integrity. <b>2010</b> , 584, 3675-81	183
731	ARF-dependent regulation of ATM and p53 associated KZNF (Apak) protein activity in response to oncogenic stress. <b>2010</b> , 584, 3909-15	10
730	Association between DNA repair gene ATM polymorphisms and oral cancer susceptibility. <b>2010</b> , 120, 2417-22	33
729	Importance of DNA damage checkpoints in the pathogenesis of human cancers. <b>2010</b> , 206, 591-601	55
728	Radiation induced apoptosis and initial DNA damage are inversely related in locally advanced breast cancer patients. <b>2010</b> , 5, 85	24
727	Hydrogen peroxide induced genomic instability in nucleotide excision repair-deficient lymphoblastoid cells. <b>2010</b> , 1, 16	21
726	Genetic determinants at the interface of cancer and neurodegenerative disease. <b>2010</b> , 29, 3453-64	79
7 <del>2</del> 5	ATM Mediated Signaling Defends the Integrity of the Genome. <b>2010</b> , 2171-2183	
724	miR-181a and miR-630 regulate cisplatin-induced cancer cell death. <b>2010</b> , 70, 1793-803	243
724 723	miR-181a and miR-630 regulate cisplatin-induced cancer cell death. <b>2010</b> , 70, 1793-803  Benzo[a]pyrene diol epoxide stimulates an inflammatory response in normal human lung fibroblasts through a p53 and JNK mediated pathway. <b>2010</b> , 31, 1149-57	243
	Benzo[a]pyrene diol epoxide stimulates an inflammatory response in normal human lung	
723	Benzo[a]pyrene diol epoxide stimulates an inflammatory response in normal human lung fibroblasts through a p53 and JNK mediated pathway. <b>2010</b> , 31, 1149-57	
723 722	Benzo[a]pyrene diol epoxide stimulates an inflammatory response in normal human lung fibroblasts through a p53 and JNK mediated pathway. <b>2010</b> , 31, 1149-57  Epigenetic regulation of p16Ink4a and Arf by JDP2 in cellular senescence. <b>2010</b> , 1, 49-58  ATM kinase activity modulates cFLIP protein levels: potential interplay between DNA damage	34
723 722 721	Benzo[a]pyrene diol epoxide stimulates an inflammatory response in normal human lung fibroblasts through a p53 and JNK mediated pathway. 2010, 31, 1149-57  Epigenetic regulation of p16Ink4a and Arf by JDP2 in cellular senescence. 2010, 1, 49-58  ATM kinase activity modulates cFLIP protein levels: potential interplay between DNA damage signalling and TRAIL-induced apoptosis. 2010, 31, 1956-63  Requirement of ATM for rapid p53 phosphorylation at Ser46 without Ser/Thr-Gln sequences. 2010,	34
723 722 721 720	Benzo[a]pyrene diol epoxide stimulates an inflammatory response in normal human lung fibroblasts through a p53 and JNK mediated pathway. 2010, 31, 1149-57  Epigenetic regulation of p16Ink4a and Arf by JDP2 in cellular senescence. 2010, 1, 49-58  ATM kinase activity modulates cFLIP protein levels: potential interplay between DNA damage signalling and TRAIL-induced apoptosis. 2010, 31, 1956-63  Requirement of ATM for rapid p53 phosphorylation at Ser46 without Ser/Thr-Gln sequences. 2010, 30, 1620-33  The protein kinase Cdelta catalytic fragment is critical for maintenance of the G2/M DNA damage	34 33 38
723 722 721 720 719	Benzo[a]pyrene diol epoxide stimulates an inflammatory response in normal human lung fibroblasts through a p53 and JNK mediated pathway. 2010, 31, 1149-57  Epigenetic regulation of p16Ink4a and Arf by JDP2 in cellular senescence. 2010, 1, 49-58  ATM kinase activity modulates cFLIP protein levels: potential interplay between DNA damage signalling and TRAIL-induced apoptosis. 2010, 31, 1956-63  Requirement of ATM for rapid p53 phosphorylation at Ser46 without Ser/Thr-Gln sequences. 2010, 30, 1620-33  The protein kinase Cdelta catalytic fragment is critical for maintenance of the G2/M DNA damage checkpoint. 2010, 285, 1879-87  Ataxia telangiectasia mutated (ATM) inhibition transforms human mammary gland epithelial cells.	34 33 38 14

715	Nuclear ataxias. <b>2010</b> , 2, a000786	8
714	Isoform-specific p73 knockout mice reveal a novel role for delta Np73 in the DNA damage response pathway. <b>2010</b> , 24, 549-60	166
713	Role of the translocation partner in protection against AID-dependent chromosomal translocations. <b>2010</b> , 107, 187-92	23
712	Large T antigen promotes JC virus replication in G2-arrested cells by inducing ATM- and ATR-mediated G2 checkpoint signaling. <b>2010</b> , 285, 1544-54	55
711	p53 represses class switch recombination to IgG2a through its antioxidant function. <b>2010</b> , 184, 6177-87	20
710	Gossypol induces apoptosis by activating p53 in prostate cancer cells and prostate tumor-initiating cells. <i>Molecular Cancer Therapeutics</i> , <b>2010</b> , 9, 461-70	75
709	Senescence and dysfunction of proximal tubular cells are associated with activated p53 expression by indoxyl sulfate. <b>2010</b> , 299, C1110-7	87
708	Phosphorylation of p53 serine 18 upregulates apoptosis to suppress Myc-induced tumorigenesis.  Molecular Cancer Research, <b>2010</b> , 8, 216-22	13
707	Inhibition of ATM kinase activity does not phenocopy ATM protein disruption: implications for the clinical utility of ATM kinase inhibitors. <b>2010</b> , 9, 4052-7	41
706	ATM activation in the presence of oxidative stress. <b>2010</b> , 9, 4805-11	140
706 705	ATM activation in the presence of oxidative stress. <b>2010</b> , 9, 4805-11  The ZFHX3 (ATBF1) transcription factor induces PDGFRB, which activates ATM in the cytoplasm to protect cerebellar neurons from oxidative stress. <b>2010</b> , 3, 752-62	140
<u> </u>	The ZFHX3 (ATBF1) transcription factor induces PDGFRB, which activates ATM in the cytoplasm to	
705	The ZFHX3 (ATBF1) transcription factor induces PDGFRB, which activates ATM in the cytoplasm to protect cerebellar neurons from oxidative stress. <b>2010</b> , 3, 752-62	44
7°5 7°4	The ZFHX3 (ATBF1) transcription factor induces PDGFRB, which activates ATM in the cytoplasm to protect cerebellar neurons from oxidative stress. <b>2010</b> , 3, 752-62  Mechanism of p53 stabilization by ATM after DNA damage. <b>2010</b> , 9, 472-8	127
705 704 703	The ZFHX3 (ATBF1) transcription factor induces PDGFRB, which activates ATM in the cytoplasm to protect cerebellar neurons from oxidative stress. 2010, 3, 752-62  Mechanism of p53 stabilization by ATM after DNA damage. 2010, 9, 472-8  Transient ATM kinase inhibition disrupts DNA damage-induced sister chromatid exchange. 2010, 3, ra44	44 127 48
705 704 703 702	The ZFHX3 (ATBF1) transcription factor induces PDGFRB, which activates ATM in the cytoplasm to protect cerebellar neurons from oxidative stress. 2010, 3, 752-62  Mechanism of p53 stabilization by ATM after DNA damage. 2010, 9, 472-8  Transient ATM kinase inhibition disrupts DNA damage-induced sister chromatid exchange. 2010, 3, ra44  ATM polymorphisms and risk of lung cancer among never smokers. 2010, 69, 148-54	44 127 48
705 704 703 702 701	The ZFHX3 (ATBF1) transcription factor induces PDGFRB, which activates ATM in the cytoplasm to protect cerebellar neurons from oxidative stress. 2010, 3, 752-62  Mechanism of p53 stabilization by ATM after DNA damage. 2010, 9, 472-8  Transient ATM kinase inhibition disrupts DNA damage-induced sister chromatid exchange. 2010, 3, ra44  ATM polymorphisms and risk of lung cancer among never smokers. 2010, 69, 148-54  Eukaryotic Replication Origins and Initiation of DNA Replication. 2010,	44 127 48 39

697	Xylocydine, a novel Cdk inhibitor, is an effective inducer of apoptosis in hepatocellular carcinoma cells in vitro and in vivo. <b>2010</b> , 287, 196-206		26
696	Deoxypodophyllotoxin induces G2/M cell cycle arrest and apoptosis in HeLa cells. <b>2010</b> , 287, 231-9		76
695	Potentiation of etoposide-induced apoptosis in HeLa cells by co-treatment with KG-135, a quality-controlled standardized ginsenoside formulation. <b>2010</b> , 294, 74-81		13
694	Gambogic acid triggers DNA damage signaling that induces p53/p21(Waf1/CIP1) activation through the ATR-Chk1 pathway. <b>2010</b> , 296, 55-64		52
693	USP10 regulates p53 localization and stability by deubiquitinating p53. <b>2010</b> , 140, 384-96		352
692	Complexity of Stress Signaling. <b>2010</b> , 2107-2125		1
691	Stepping up melanocytes to the challenge of UV exposure. <b>2010</b> , 23, 171-86		89
690	ATM-dependent and -independent dynamics of the nuclear phosphoproteome after DNA damage. <b>2010</b> , 3, rs3		212
689	Histone chaperone Jun dimerization protein 2 (JDP2): role in cellular senescence and aging. <b>2010</b> , 26, 515-31		10
688	A low-dose hypersensitive keratinocyte loss in response to fractionated radiotherapy is associated with growth arrest and apoptosis. <b>2010</b> , 94, 90-101		35
687	The PIKK Family of Protein Kinases. <b>2010</b> , 575-580		2
686	ATM activation by oxidative stress. <i>Science</i> , <b>2010</b> , 330, 517-21	33.3	797
685	Persimmon leaf extract inhibits the ATM activity during DNA damage response induced by Doxorubicin in A549 lung adenocarcinoma cells. <b>2011</b> , 75, 650-5		13
684	Atmospheric-pressure plasma-jet from micronozzle array and its biological effects on living cells for cancer therapy. <b>2011</b> , 98, 073701		61
683	Interplay between p53-family, their regulators, and PARPs in DNA repair. 2011, 35, 98-104		11
682	The role of gap junction communication and oxidative stress in the propagation of toxic effects among high-dose particle-irradiated human cells. <b>2011</b> , 175, 347-57		50
681	Cell cycle adaptations and maintenance of genomic integrity in embryonic stem cells and induced pluripotent stem cells. <b>2011</b> , 53, 415-58		22
680	DNA damage-induced transcriptional program in CLL: biological and diagnostic implications for functional p53 testing. <b>2011</b> , 117, 1622-32		33

679	Role for p53 in selenium-induced senescence. <b>2011</b> , 59, 11882-7	10
678	BRCA1 is required for hMLH1 stabilization following doxorubicin-induced DNA damage. <b>2011</b> , 43, 1754-63	12
677	The ATM kinase induces microRNA biogenesis in the DNA damage response. <b>2011</b> , 41, 371-83	184
676	Apoptosis and Related Mechanisms in Cerebral Ischemia. <b>2011</b> , 107-121	
675	Reduced synchronization persistence in neural networks derived from atm-deficient mice. <b>2011</b> , 5, 46	11
674	Cadmium toxicity is caused by accumulation of p53 through the down-regulation of Ube2d family genes in vitro and in vivo. <b>2011</b> , 36, 191-200	68
673	Mechanisms of neurotoxicity induced in the developing brain of mice and rats by DNA-damaging chemicals. <b>2011</b> , 36, 695-712	13
672	Detection of CHK1 and CCND1 gene copy number changes in breast cancer with dual-colour fluorescence in-situ hybridization. <b>2011</b> , 58, 601-7	10
671	Mutant telomerase RNAs induce DNA damage and apoptosis via the TRF2-ATM pathway in telomerase-overexpressing primary fibroblasts. <b>2011</b> , 278, 3724-38	11
670	Phospho-Np63Hs a key regulator of the cisplatin-induced microRNAome in cancer cells. <b>2011</b> , 18, 1220-30	84
669	Regulation of cell differentiation by the DNA damage response. <b>2011</b> , 21, 312-9	84
668	The ATM kinase signaling induced by the low-energy I-particles emitted by (33)P is essential for the suppression of chromosome aberrations and is greater than that induced by the energetic I-particles emitted by (32)P. <b>2011</b> , 708, 28-36	8
667	The neuro-glial-vascular interrelations in genomic instability symptoms. <b>2011</b> , 132, 395-404	13
666	Communicating oscillatory networks: frequency domain analysis. <b>2011</b> , 5, 203	4
665	Cytoplasmic ATM protein kinase: an emerging therapeutic target for diabetes, cancer and neuronal degeneration. <b>2011</b> , 16, 332-8	68
664	Role of DNA damage in atherosclerosisbystander or participant?. <b>2011</b> , 82, 693-700	41
663	A novel Chk inhibitor, XL-844, increases human cancer cell radiosensitivity through promotion of mitotic catastrophe. <b>2011</b> , 29, 514-22	35
662	Caffeine does not enhance radiosensitivity of normal liver tissue in vivo. <b>2011</b> , 38, 4359-67	4

661	Size-Selective Oxidation of Aldehydes with Zeolite Encapsulated Gold Nanoparticles. <b>2011</b> , 54, 1026-1033	33
660	ATM protein kinase: the linchpin of cellular defenses to stress. <b>2011</b> , 68, 2977-3006	91
659	Modifications of p53 and the DNA damage response in cells expressing mutant form of the protein huntingtin. <b>2011</b> , 45, 256-68	20
658	ATM mediated phosphorylation of CHD4 contributes to genome maintenance. <b>2011</b> , 2, 1	30
657	Deregulation upon DNA damage revealed by joint analysis of context-specific perturbation data. <b>2011</b> , 12, 249	1
656	Association of P53 and ATM polymorphisms with risk of radiation-induced pneumonitis in lung cancer patients treated with radiotherapy. <b>2011</b> , 79, 1402-7	44
655	Activation of interferon-stimulated genes by gamma-ray irradiation independently of the ataxia telangiectasia mutated-p53 pathway. <i>Molecular Cancer Research</i> , <b>2011</b> , 9, 476-84	13
654	Quantitative, noninvasive imaging of radiation-induced DNA double-strand breaks in vivo. <b>2011</b> , 71, 4130-7	27
653	Modulation of DNA repair capacity by ataxia telangiectasia mutated gene polymorphisms among polycyclic aromatic hydrocarbons-exposed workers. <b>2011</b> , 124, 99-108	11
652	The role of epigenetic alterations in papillary thyroid carcinogenesis. <b>2011</b> , 2011, 895470	12
651	Homeodomain transcription factor and tumor suppressor Prep1 is required to maintain genomic stability. <b>2011</b> , 108, E314-22	32
650	Human T-lymphotropic virus type 1 p30 interacts with REGgamma and modulates ATM (ataxia telangiectasia mutated) to promote cell survival. <b>2011</b> , 286, 7661-8	22
649	Druggable Targets for Skin Photoaging: Potential Application of Nanocosmetics and Nanomedicine. <b>2011</b> , 197-227	
648	The phenotype of MDM2 auto-degradation after DNA damage is due to epitope masking by phosphorylation. <b>2011</b> , 10, 1162-6	23
647	Chromatin modifying protein 1A (Chmp1A) of the endosomal sorting complex required for transport (ESCRT)-III family activates ataxia telangiectasia mutated (ATM) for PanC-1 cell growth inhibition. <b>2011</b> , 10, 2529-39	13
646	EAPP modulates the activity of p21 and Chk2. <b>2011</b> , 10, 2077-82	6
645	Analysis of mutations that dissociate G(2) and essential S phase functions of human ataxia telangiectasia-mutated and Rad3-related (ATR) protein kinase. <b>2011</b> , 286, 37320-7	10
644	Regulation of MDM2 E3 ligase activity by phosphorylation after DNA damage. <b>2011</b> , 31, 4951-63	49

643	EDD inhibits ATM-mediated phosphorylation of p53. <b>2011</b> , 286, 14972-82	31
642	Identification of senescence-associated genes and their networks under oxidative stress by the analysis of Bach1. <b>2011</b> , 14, 2441-51	20
641	Phosphorylation of histone H2AX as an indicator of received dose of gamma radiation after whole-body irradiation of rats. <b>2011</b> , 80, 113-118	5
640	Jun dimerization protein 2 controls senescence and differentiation via regulating histone modification. <b>2011</b> , 2011, 569034	12
639	Apoptosis-related protein-2 triggers melanoma cell death by a mechanism including both endoplasmic reticulum stress and mitochondrial dysregulation. <b>2011</b> , 32, 1268-78	38
638	Kaposi's sarcoma herpesvirus upregulates Aurora A expression to promote p53 phosphorylation and ubiquitylation. <b>2012</b> , 8, e1002566	31
637	Protein kinases and transcription factors activation in response to UV-radiation of skin: implications for carcinogenesis. <b>2012</b> , 13, 142-72	91
636	Human parvovirus B19 DNA replication induces a DNA damage response that is dispensable for cell cycle arrest at phase G2/M. <b>2012</b> , 86, 10748-58	35
635	Loss of ATM kinase activity leads to embryonic lethality in mice. <b>2012</b> , 198, 295-304	80
634	Murine protein serine-threonine kinase 38 activates p53 function through Ser15 phosphorylation. <b>2012</b> , 287, 20797-810	33
633	The ATM protein: the importance of being active. <b>2012</b> , 198, 273-5	11
632	The Roles of MDM2 and MDMX Phosphorylation in Stress Signaling to p53. <b>2012</b> , 3, 274-82	19
631	p53 contributes to T cell homeostasis through the induction of pro-apoptotic SAP. <b>2012</b> , 11, 4563-9	13
630	Pharmacological inhibition of ATM by KU55933 stimulates ATM transcription. <b>2012</b> , 237, 622-34	12
629	Age-related susceptibility to apoptosis in human retinal pigment epithelial cells is triggered by disruption of p53-Mdm2 association. <b>2012</b> , 53, 8350-66	50
628	AKT induces senescence in human cells via mTORC1 and p53 in the absence of DNA damage: implications for targeting mTOR during malignancy. <b>2012</b> , 31, 1949-62	163
627	Physical and functional interaction between ribosomal protein L11 and the tumor suppressor ARF. <b>2012</b> , 287, 17120-17129	24
626	Hypoxia activates tumor suppressor p53 by inducing ATR-Chk1 kinase cascade-mediated phosphorylation and consequent 14-3-3 inactivation of MDMX protein. <b>2012</b> , 287, 20898-903	21

625	The E3 ubiquitin ligase Mule acts through the ATM-p53 axis to maintain B lymphocyte homeostasis. <b>2012</b> , 209, 173-86	45
624	Casein kinase 1#egulates an MDMX intramolecular interaction to stimulate p53 binding. <b>2012</b> , 32, 4821-32	35
623	Orphan nuclear receptor PNR/NR2E3 stimulates p53 functions by enhancing p53 acetylation. <b>2012</b> , 32, 26-35	10
622	Small molecules that bind the Mdm2 RING stabilize and activate p53. <b>2012</b> , 33, 791-8	33
621	Adeno-associated virus type 2 modulates the host DNA damage response induced by herpes simplex virus 1 during coinfection. <b>2012</b> , 86, 143-55	22
620	p53©uardian Angel and Archangel. <b>2012</b> , 26, 2695-2702	6
619	An inhibitor of nonhomologous end-joining abrogates double-strand break repair and impedes cancer progression. <b>2012</b> , 151, 1474-87	271
618	Combined experimental and computational analysis of DNA damage signaling reveals context-dependent roles for Erk in apoptosis and G1/S arrest after genotoxic stress. <b>2012</b> , 8, 568	64
617	The p53 pathway in hematopoiesis: lessons from mouse models, implications for humans. <b>2012</b> , 120, 5118-27	89
616	Aurora B kinase phosphorylates and instigates degradation of p53. <b>2012</b> , 109, E1513-22	122
615	PDCD5 interacts with p53 and functions as a positive regulator in the p53 pathway. <b>2012</b> , 17, 1235-45	53
614	Activation of DNA damage response pathways as a consequence of anthracycline-DNA adduct formation. <b>2012</b> , 83, 1602-12	47
613	DNA damage caused by metal nanoparticles: involvement of oxidative stress and activation of ATM. <b>2012</b> , 25, 1402-11	123
612	FOXO3 signalling links ATM to the p53 apoptotic pathway following DNA damage. <b>2012</b> , 3, 1000	52
611	Activation of p53/ATM-dependent DNA damage signaling pathway by shiga toxin in mammalian cells. <b>2012</b> , 52, 311-7	16
610	ErbB4 localization to cardiac myocyte nuclei, and its role in myocyte DNA damage response. <b>2012</b> , 418, 116-21	17
609	Lymphocyte development: integration of DNA damage response signaling. 2012, 116, 175-204	43
608	Melatonin triggers p53Ser phosphorylation and prevents DNA damage accumulation. <b>2012</b> , 31, 2931-42	56

## (2012-2012)

607	Interrogation of MDM2 phosphorylation in p53 activation using native chemical ligation: the functional role of Ser17 phosphorylation in MDM2 reexamined. <b>2012</b> , 134, 6855-64	33
606	The autophagy-senescence connection in chemotherapy: must tumor cells (self) eat before they sleep?. <b>2012</b> , 343, 763-78	98
605	MicroRNAs in the imprinted DLK1-DIO3 region repress the epithelial-to-mesenchymal transition by targeting the TWIST1 protein signaling network. <b>2012</b> , 287, 42695-707	98
604	Correlation of Ataxia-Telangiectasia-Mutated (ATM) gene loss with outcome in head and neck squamous cell carcinoma. <b>2012</b> , 48, 698-702	8
603	System Biology Approach to Study Cancer Related Pathways. <b>2012</b> , 39-67	
602	Radiotherapy. <b>2012</b> , 104, 215-28	9
601	Endoplasmic reticulum stress stimulates p53 expression through NF-B activation. 2012, 7, e39120	73
600	Depletion of HDAC6 enhances cisplatin-induced DNA damage and apoptosis in non-small cell lung cancer cells. <b>2012</b> , 7, e44265	45
599	Increased []-H2A.X intensity in response to chronic medium-dose-rate []-ray irradiation. <b>2012</b> , 7, e45320	6
598	Differential effects of lovastatin on cisplatin responses in normal human mesothelial cells versus cancer cells: implication for therapy. <b>2012</b> , 7, e45354	19
597	Inactivation of ATM/ATR DNA damage checkpoint promotes androgen induced chromosomal instability in prostate epithelial cells. <b>2012</b> , 7, e51108	24
596	The role of the neuro-astro-vascular unit in the etiology of ataxia telangiectasia. 2012, 3, 157	12
595	p53 and the PWWP domain containing effector proteins in chromatin damage repair. 2013, 2, 112	2
594	A small molecule Inauhzin inhibits SIRT1 activity and suppresses tumour growth through activation of p53. <b>2012</b> , 4, 298-312	77
593	The p53 mRNA-Mdm2 interaction controls Mdm2 nuclear trafficking and is required for p53 activation following DNA damage. <b>2012</b> , 21, 25-35	118
592	Down-regulation of Fer induces ROS levels accompanied by ATM and p53 activation in colon carcinoma cells. <b>2012</b> , 24, 1369-74	13
591	Role of autophagy in chemoresistance: regulation of the ATM-mediated DNA-damage signaling pathway through activation of DNA-PKcs and PARP-1. <b>2012</b> , 83, 747-57	72
590	DNA damage-dependent NF- <b>B</b> activation: NEMO turns nuclear signaling inside out. <b>2012</b> , 246, 311-26	174

589	Role of Rad52 in fractionated irradiation induced signaling in A549 lung adenocarcinoma cells. <b>2012</b> , 729, 61-72	9
588	The ATM protein kinase and cellular redox signaling: beyond the DNA damage response. <b>2012</b> , 37, 15-22	241
587	RUNX3 is involved in caspase-3-dependent apoptosis induced by a combination of 5-aza-CdR and TSA in leukaemia cell lines. <b>2012</b> , 138, 439-49	7
586	The accumulation of DNA repair defects is the molecular origin of carcinogenesis. <b>2013</b> , 34, 3293-302	22
585	ATM kinase enables the functional axis of YAP, PML and p53 to ameliorate loss of Werner protein-mediated oncogenic senescence. <b>2013</b> , 20, 1498-509	30
584	Cytotoxic constituents from Celastrus paniculatus induce apoptosis and autophagy in breast cancer cells. <b>2013</b> , 94, 211-9	21
583	Cellular-signaling pathways unveil the carcinogenic potential of chemicals. 2013, 33, 399-409	13
582	Chemo-sensitisation of HeLa cells to etoposide by a benzoxazine in the absence of DNA-PK inhibition. <b>2013</b> , 31, 1466-75	5
581	The p53 miRNA interactome and its potential role in the cancer clinic. <b>2013</b> , 5, 417-28	24
580	Deoxypodophyllotoxin: a promising therapeutic agent from herbal medicine. <b>2013</b> , 149, 24-34	48
579	Novel recurrent neural network for modelling biological networks: oscillatory p53 interaction dynamics. <b>2013</b> , 114, 191-205	22
578	Wentilactone A as a novel potential antitumor agent induces apoptosis and G2/M arrest of human lung carcinoma cells, and is mediated by HRas-GTP accumulation to excessively activate the 9.8 Ras/Raf/ERK/p53-p21 pathway. <i>Cell Death and Disease</i> , <b>2013</b> , 4, e952	47
577	Steroidogenic factor 1 (NR5A1) maintains centrosome homeostasis in steroidogenic cells by restricting centrosomal DNA-dependent protein kinase activation. <b>2013</b> , 33, 476-84	21
576	Chromatin: receiver and quarterback for cellular signals. <b>2013</b> , 152, 685-9	57
575	Dichlorvos-induced cell cycle arrest and DNA damage repair activation in primary rat microglial cells. <b>2013</b> , 91, 444-52	8
574	HPV 5 and 8 E6 expression reduces ATM protein levels and attenuates LINE-1 retrotransposition. <b>2013</b> , 443, 69-79	29
573	Molecular cloning, characterization and expression analysis of tumor suppressor protein p53 from orange-spotted grouper, Epinephelus coioides in response to temperature stress. <b>2013</b> , 35, 1466-76	52
572	The ATM protein kinase: regulating the cellular response to genotoxic stress, and more. <b>2013</b> , 14, 197-210	1079

571	Another fork in the roadlife or death decisions by the tumour suppressor p53. <b>2013</b> , 14, 414-21	117
570	DNA double-strand break response in stem cells: mechanisms to maintain genomic integrity. <b>2013</b> , 1830, 2345-53	55
569	5-Fluorouracil signaling through a calcium-calmodulin-dependent pathway is required for p53 activation and apoptosis in colon carcinoma cells. <b>2013</b> , 32, 4529-38	34
568	Specific acetylation of p53 by HDAC inhibition prevents DNA damage-induced apoptosis in neurons. <b>2013</b> , 33, 8621-32	74
567	Regulation of p53 by reversible post-transcriptional and post-translational mechanisms in liver and skeletal muscle of an anoxia tolerant turtle, Trachemys scripta elegans. <b>2013</b> , 513, 147-55	38
566	Depletion of deoxyribonucleotide pools is an endogenous source of DNA damage in cells undergoing oncogene-induced senescence. <b>2013</b> , 182, 142-51	64
565	Genotoxic and carcinogenic potential of engineered nanoparticles: an update. 2013, 87, 1883-1900	106
564	HIPK1 drives p53 activation to limit colorectal cancer cell growth. <b>2013</b> , 12, 1879-91	23
563	The cyclooxygenase-2-prostaglandin E2 pathway maintains senescence of chronic obstructive pulmonary disease fibroblasts. <b>2013</b> , 187, 703-14	68
562	Parvovirus infection-induced DNA damage response. <b>2013</b> , 8, 245-257	33
562 561	Parvovirus infection-induced DNA damage response. <b>2013</b> , 8, 245-257  Blockage of melatonin receptors impairs p53-mediated prevention of DNA damage accumulation. <b>2013</b> , 34, 1051-61	33 45
	Blockage of melatonin receptors impairs p53-mediated prevention of DNA damage accumulation. <b>2013</b> , 34, 1051-61	
561	Blockage of melatonin receptors impairs p53-mediated prevention of DNA damage accumulation. <b>2013</b> , 34, 1051-61	
561 560	Blockage of melatonin receptors impairs p53-mediated prevention of DNA damage accumulation. <b>2013</b> , 34, 1051-61  The yin-yang of DNA damage response: roles in tumorigenesis and cellular senescence. <b>2013</b> , 14, 2431-48	45 5
561 560 559	Blockage of melatonin receptors impairs p53-mediated prevention of DNA damage accumulation.  2013, 34, 1051-61  The yin-yang of DNA damage response: roles in tumorigenesis and cellular senescence. 2013, 14, 2431-48  Stochastic and Deterministic Models of Cellular p53 Regulation. 2013, 3, 64  A protein turnover signaling motif controls the stimulus-sensitivity of stress response pathways.	45 5 20
561 560 559 558	Blockage of melatonin receptors impairs p53-mediated prevention of DNA damage accumulation.  2013, 34, 1051-61  The yin-yang of DNA damage response: roles in tumorigenesis and cellular senescence. 2013, 14, 2431-48  Stochastic and Deterministic Models of Cellular p53 Regulation. 2013, 3, 64  A protein turnover signaling motif controls the stimulus-sensitivity of stress response pathways.  2013, 9, e1002932  Quantitative profiling of DNA damage and apoptotic pathways in UV damaged cells using PTMScan	45 5 20 8
<ul><li>561</li><li>560</li><li>559</li><li>558</li><li>557</li></ul>	Blockage of melatonin receptors impairs p53-mediated prevention of DNA damage accumulation. 2013, 34, 1051-61  The yin-yang of DNA damage response: roles in tumorigenesis and cellular senescence. 2013, 14, 2431-48  Stochastic and Deterministic Models of Cellular p53 Regulation. 2013, 3, 64  A protein turnover signaling motif controls the stimulus-sensitivity of stress response pathways. 2013, 9, e1002932  Quantitative profiling of DNA damage and apoptotic pathways in UV damaged cells using PTMScan Direct. 2012, 14, 286-307	45 5 20 8

553	Ataxia telangiectasia mutated (ATM) is dispensable for endonuclease I-SceI-induced homologous recombination in mouse embryonic stem cells. <b>2013</b> , 288, 7086-95	22
552	Mild electrical stimulation at 0.1-ms pulse width induces p53 protein phosphorylation and G2 arrest in human epithelial cells. <b>2013</b> , 288, 16117-26	14
551	The N-terminal region of the DNA-dependent protein kinase catalytic subunit is required for its DNA double-stranded break-mediated activation. <b>2013</b> , 288, 7037-46	32
550	Transcriptional regulation of human DNA repair genes following genotoxic stress: trigger mechanisms, inducible responses and genotoxic adaptation. <b>2013</b> , 41, 8403-20	164
549	Senescence in pancreatic carcinogenesis: from signalling to chromatin remodelling and epigenetics. <b>2013</b> , 62, 1364-72	18
548	Combined analysis of gamma-H2AX/53BP1 foci and caspase activation in lymphocyte subsets detects recent and more remote radiation exposures. <b>2013</b> , 180, 603-9	23
547	Regulation of the life cycle of HPVs by differentiation and the DNA damage response. 2013, 8, 1547-57	39
546	Phenylhydroquinone induces loss of thymocytes through cell cycle arrest and apoptosis elevation in p53-dependent pathway. <b>2013</b> , 38, 325-35	1
545	Activation of the phosphorylation of ATM contributes to radioresistance of glioma stem cells. <b>2013</b> , 30, 1793-801	20
544	Dihydromyricetin suppresses the proliferation of hepatocellular carcinoma cells by inducing G2/M arrest through the Chk1/Chk2/Cdc25C pathway. <b>2013</b> , 30, 2467-75	38
543	Phosphorylation of Daxx by ATM contributes to DNA damage-induced p53 activation. <b>2013</b> , 8, e55813	19
542	A Novel Anticancer Agent, 8-Methoxypyrimido[4',5':4,5]thieno(2,3-b) Quinoline-4(3H)-One Induces Neuro 2a Neuroblastoma Cell Death through p53-Dependent, Caspase-Dependent and -Independent Apoptotic Pathways. <b>2013</b> , 8, e66430	21
541	Ribosomal S6 Kinase 2 (RSK2) maintains genomic stability by activating the Atm/p53-dependent DNA damage pathway. <b>2013</b> , 8, e74334	14
540	Depletion of the adaptor protein NCK increases UV-induced p53 phosphorylation and promotes apoptosis. <b>2013</b> , 8, e76204	8
539	The ATM signaling network in development and disease. <b>2013</b> , 4, 37	101
538	The ATM-mediated DNA-damage response. 403-422	
537	Synergistic apoptosis-inducing effects on A375 human melanoma cells of natural borneol and curcumin. <b>2014</b> , 9, e101277	37
536	Unraveling the DNA Damage Response Signaling Network Through RNA Interference Screening. <b>2014</b> , 35-54	

535	Targeting nucleocytoplasmic transport in cancer therapy. <b>2014</b> , 5, 11-28	67
534	Cell Cycle Checkpoints. <b>2014</b> , 753-777	
533	Cell Cycle Checkpoints. <b>2014</b> , 779-815	
532	SETD2 is required for DNA double-strand break repair and activation of the p53-mediated checkpoint. <b>2014</b> , 3, e02482	152
531	Doxorubicin and 5-fluorouracil induced accumulation and transcriptional activity of p53 are independent of the phosphorylation at serine 15 in MCF-7 breast cancer cells. <b>2014</b> , 15, 1000-12	9
530	Deregulation of the circadian clock constitutes a significant factor in tumorigenesis: a clockwork cancer. Part I: clocks and clocking machinery. <b>2014</b> , 28, 176-183	4
529	A novel bisindole-PBD conjugate causes DNA damage induced apoptosis via inhibition of DNA repair pathway. <b>2014</b> , 15, 1320-32	4
528	Tumour suppressors and cellular senescence. <b>2014</b> , 66, 812-22	8
527	The Aspergillus nidulans ATM kinase regulates mitochondrial function, glucose uptake and the carbon starvation response. <b>2014</b> , 4, 49-62	23
526	CHK2 kinase in the DNA damage response and beyond. <b>2014</b> , 6, 442-57	206
526 525	CHK2 kinase in the DNA damage response and beyond. <b>2014</b> , 6, 442-57  JMJD6 promotes colon carcinogenesis through negative regulation of p53 by hydroxylation. <b>2014</b> , 12, e1001819	206 81
	JMJD6 promotes colon carcinogenesis through negative regulation of p53 by hydroxylation. <b>2014</b> ,	
525	JMJD6 promotes colon carcinogenesis through negative regulation of p53 by hydroxylation. <b>2014</b> , 12, e1001819  Multifunctional role of ATM/Tel1 kinase in genome stability: from the DNA damage response to	81
525 524	JMJD6 promotes colon carcinogenesis through negative regulation of p53 by hydroxylation. 2014, 12, e1001819  Multifunctional role of ATM/Tel1 kinase in genome stability: from the DNA damage response to telomere maintenance. 2014, 2014, 787404  Homeostatic control of polo-like kinase-1 engenders non-genetic heterogeneity in G2 checkpoint	81
525 524 523	JMJD6 promotes colon carcinogenesis through negative regulation of p53 by hydroxylation. 2014, 12, e1001819  Multifunctional role of ATM/Tel1 kinase in genome stability: from the DNA damage response to telomere maintenance. 2014, 2014, 787404  Homeostatic control of polo-like kinase-1 engenders non-genetic heterogeneity in G2 checkpoint fidelity and timing. 2014, 5, 4048  Significance of the melanocortin 1 receptor in the DNA damage response of human melanocytes to	81 22 30
525 524 523 522	JMJD6 promotes colon carcinogenesis through negative regulation of p53 by hydroxylation. 2014, 12, e1001819  Multifunctional role of ATM/Tel1 kinase in genome stability: from the DNA damage response to telomere maintenance. 2014, 2014, 787404  Homeostatic control of polo-like kinase-1 engenders non-genetic heterogeneity in G2 checkpoint fidelity and timing. 2014, 5, 4048  Significance of the melanocortin 1 receptor in the DNA damage response of human melanocytes to ultraviolet radiation. 2014, 27, 601-10	81 22 30 48
525 524 523 522 521	JMJD6 promotes colon carcinogenesis through negative regulation of p53 by hydroxylation. 2014, 12, e1001819  Multifunctional role of ATM/Tel1 kinase in genome stability: from the DNA damage response to telomere maintenance. 2014, 2014, 787404  Homeostatic control of polo-like kinase-1 engenders non-genetic heterogeneity in G2 checkpoint fidelity and timing. 2014, 5, 4048  Significance of the melanocortin 1 receptor in the DNA damage response of human melanocytes to ultraviolet radiation. 2014, 27, 601-10  Chapter 22:Manganese and Huntington Disease. 2014, 540-573  Involvement of p53 in the repair of DNA double strand breaks: multifaceted Roles of p53 in	81 22 30 48 2
525 524 523 522 521	JMJD6 promotes colon carcinogenesis through negative regulation of p53 by hydroxylation. 2014, 12, e1001819  Multifunctional role of ATM/Tel1 kinase in genome stability: from the DNA damage response to telomere maintenance. 2014, 2014, 787404  Homeostatic control of polo-like kinase-1 engenders non-genetic heterogeneity in G2 checkpoint fidelity and timing. 2014, 5, 4048  Significance of the melanocortin 1 receptor in the DNA damage response of human melanocytes to ultraviolet radiation. 2014, 27, 601-10  Chapter 22:Manganese and Huntington Disease. 2014, 540-573  Involvement of p53 in the repair of DNA double strand breaks: multifaceted Roles of p53 in homologous recombination repair (HRR) and non-homologous end joining (NHEJ). 2014, 85, 321-36	81 22 30 48 2

517	Targeting p53-MDM2-MDMX loop for cancer therapy. <b>2014</b> , 85, 281-319	60
516	Parallel profiling of the transcriptome, cistrome, and epigenome in the cellular response to ionizing radiation. <b>2014</b> , 7, rs3	45
515	Dominant effects of 🛮 0p53 on p53 function and melanoma cell fate. <b>2014</b> , 134, 791-800	20
514	Manipulation of cellular DNA damage repair machinery facilitates propagation of human papillomaviruses. <b>2014</b> , 26, 30-42	53
513	The role of ATM mutations and 11q deletions in disease progression in chronic lymphocytic leukemia. <b>2014</b> , 55, 1227-39	48
512	p53 tumor suppressor protein stability and transcriptional activity are targeted by Kaposi's sarcoma-associated herpesvirus-encoded viral interferon regulatory factor 3. <b>2014</b> , 34, 386-99	28
511	Dose-response modeling of etoposide-induced DNA damage response. <b>2014</b> , 137, 371-84	19
510	The heterogenic final cell cycle of chicken retinal Lim1 horizontal cells is not regulated by the DNA damage response pathway. <b>2014</b> , 13, 408-17	12
509	Gadd45a deletion aggravates hematopoietic stem cell dysfunction in ATM-deficient mice. <b>2014</b> , 5, 80-9	7
508	Inositol pyrophosphates mediate the DNA-PK/ATM-p53 cell death pathway by regulating CK2 phosphorylation of Tti1/Tel2. <b>2014</b> , 54, 119-132	80
507	Defying DNA double-strand break-induced death during prophase I meiosis by temporal TAp63H phosphorylation regulation in developing mouse oocytes. <b>2014</b> , 34, 1460-73	27
506	Congenital microcephaly. <b>2014</b> , 166C, 124-39	89
505	The activation of G protein-coupled receptor 30 (GPR30) inhibits proliferation of estrogen receptor-negative breast cancer cells in vitro and in vivo. <i>Cell Death and Disease</i> , <b>2014</b> , 5, e1428	84
504	Histone deacetylation critically determines T cell subset radiosensitivity. <b>2014</b> , 193, 1451-8	22
503	ATM-mediated stabilization of ZEB1 promotes DNA damage response and radioresistance through CHK1. <b>2014</b> , 16, 864-75	279
502	Quantitative high content imaging of cellular adaptive stress response pathways in toxicity for chemical safety assessment. <b>2014</b> , 27, 338-55	59
501	Taurine protects HK-2 cells from oxidized LDL-induced cytotoxicity via the ROS-mediated mitochondrial and p53-related apoptotic pathways. <b>2014</b> , 279, 351-363	33
500	DNA double-strand breaks activate ATM independent of mitochondrial dysfunction in A549 cells. <b>2014</b> , 75, 30-9	7

# (2015-2014)

499	Human pluripotent stem cells have a novel mismatch repair-dependent damage response. <b>2014</b> , 289, 24314-24	18
498	Mechanisms of mutant p53 stabilization in cancer. <b>2014</b> , 85, 187-97	19
497	TRIM24 is a p53-induced E3-ubiquitin ligase that undergoes ATM-mediated phosphorylation and autodegradation during DNA damage. <b>2014</b> , 34, 2695-709	52
496	HDAC inhibitors induce apoptosis but not cellular senescence in Gadd45⊞deficient E1A+Ras cells. <b>2014</b> , 51, 102-10	6
495	Wortmannin potentiates the combined effect of etoposide and cisplatin in human glioma cells. <b>2014</b> , 53, 423-31	20
494	Development of synthetic lethality anticancer therapeutics. <b>2014</b> , 57, 7859-73	44
493	Nucleotide biosynthetic enzyme GMP synthase is a TRIM21-controlled relay of p53 stabilization. <b>2014</b> , 53, 458-70	69
492	Gene expression profiling analysis reveals weaning-induced cell cycle arrest and apoptosis in the small intestine of pigs. <b>2014</b> , 92, 996-1006	28
491	IIIBi-anti-EGFR radioimmunoconjugates and X-ray irradiation trigger different cell death pathways in squamous cell carcinoma cells. <b>2014</b> , 41, 68-76	6
490	The role of ubiquitin modification in the regulation of p53. <b>2014</b> , 1843, 137-49	109
490 489	The role of ubiquitin modification in the regulation of p53. <b>2014</b> , 1843, 137-49  The ribosomal protein S26 regulates p53 activity in response to DNA damage. <b>2014</b> , 33, 2225-35	109 71
489	The ribosomal protein S26 regulates p53 activity in response to DNA damage. <b>2014</b> , 33, 2225-35	71
489 488	The ribosomal protein S26 regulates p53 activity in response to DNA damage. <b>2014</b> , 33, 2225-35  Genotoxic Mechanisms of PAH-Induced Immunotoxicity. <b>2014</b> , 245-262  Ionizing radiation-induced XRCC4 phosphorylation is mediated through ATM in addition to DNA-PK.	71
489 488 487	The ribosomal protein S26 regulates p53 activity in response to DNA damage. <b>2014</b> , 33, 2225-35  Genotoxic Mechanisms of PAH-Induced Immunotoxicity. <b>2014</b> , 245-262  Ionizing radiation-induced XRCC4 phosphorylation is mediated through ATM in addition to DNA-PK. <b>2014</b> , 90, 365-72  Silver nanoparticles induce p53-mediated apoptosis in human bronchial epithelial (BEAS-2B) cells.	7 <sup>1</sup> 3
489 488 487 486	The ribosomal protein S26 regulates p53 activity in response to DNA damage. 2014, 33, 2225-35  Genotoxic Mechanisms of PAH-Induced Immunotoxicity. 2014, 245-262  lonizing radiation-induced XRCC4 phosphorylation is mediated through ATM in addition to DNA-PK. 2014, 90, 365-72  Silver nanoparticles induce p53-mediated apoptosis in human bronchial epithelial (BEAS-2B) cells. 2014, 39, 401-12	71 3 7 23
489 488 487 486 485	The ribosomal protein S26 regulates p53 activity in response to DNA damage. 2014, 33, 2225-35  Genotoxic Mechanisms of PAH-Induced Immunotoxicity. 2014, 245-262  Ionizing radiation-induced XRCC4 phosphorylation is mediated through ATM in addition to DNA-PK. 2014, 90, 365-72  Silver nanoparticles induce p53-mediated apoptosis in human bronchial epithelial (BEAS-2B) cells. 2014, 39, 401-12  Mechanisms Regulating Protein Localization. 2015, 16, 1039-61	71 3 7 23 83

481	Apocynin suppression of NADPH oxidase reverses the aging process in mesenchymal stem cells to promote osteogenesis and increase bone mass. <b>2015</b> , 5, 18572	35
480	A novel pyrido-thieno-pyrimidine derivative activates p53 through induction of phosphorylation and acetylation in colorectal cancer cells. <b>2015</b> , 46, 342-50	12
479	Mitochondrial dynamics regulating chemoresistance in gynecological cancers. <b>2015</b> , 1350, 1-16	45
478	Therapeutic Implications for Overcoming Radiation Resistance in Cancer Therapy. <b>2015</b> , 16, 26880-913	110
477	MicroRNA Processing and Human Cancer. <b>2015</b> , 4, 1651-67	126
476	DNA Damage Signaling Is Induced in the Absence of Epstein-Barr Virus (EBV) Lytic DNA Replication and in Response to Expression of ZEBRA. <b>2015</b> , 10, e0126088	19
475	Influence of DNA repair genes polymorphism on the karyology of buccal epithelium cells in humans exposed to radon. <b>2015</b> , 5, 132-140	
474	Nuclear GIT2 is an ATM substrate and promotes DNA repair. <b>2015</b> , 35, 1081-96	22
473	Dihydromyricetin promotes hepatocellular carcinoma regression via a p53 activation-dependent mechanism. <b>2014</b> , 4, 4628	51
472	Chloroquine alleviates etoposide-induced centrosome amplification by inhibiting CDK2 in adrenocortical tumor cells. <b>2015</b> , 4, e180	13
471	Misregulation of polo-like protein kinase 1, P53 and P21WAF1 in epithelial ovarian cancer suggests poor prognosis. <b>2015</b> , 33, 1235-42	26
470	The DNA-dependent protein kinase: A multifunctional protein kinase with roles in DNA double strand break repair and mitosis. <i>Progress in Biophysics and Molecular Biology</i> , <b>2015</b> , 117, 194-205	7 170
469	Metformin enhances radiation response of ECa109 cells through activation of ATM and AMPK. <b>2015</b> , 69, 260-6	22
468	Suppression of CHK1 by ETS Family Members Promotes DNA Damage Response Bypass and Tumorigenesis. <b>2015</b> , 5, 550-63	18
467	Selenium and Senescence. <b>2015</b> , 211-229	2
466	A novel manganese-dependent ATM-p53 signaling pathway is selectively impaired in patient-based neuroprogenitor and murine striatal models of Huntington's disease. <b>2015</b> , 24, 1929-44	44
465	Role of ataxia-telangiectasia mutated (ATM) in porcine oocyte in vitro maturation. <b>2015</b> , 39, 710-20	6
464	ATM gene mutations in sporadic breast cancer patients from Brazil. <b>2015</b> , 4, 23	10

## (2015-2015)

463	Regulation of the DNA damage response by ubiquitin conjugation. <b>2015</b> , 6, 98	39
462	Deterministic Restriction on Pluripotent State Dissolution by Cell-Cycle Pathways. <b>2015</b> , 162, 564-79	127
461	Molecular mechanisms of apoptosis and cell selectivity of zinc dithiocarbamates functionalized with hydroxyethyl substituents. <b>2015</b> , 150, 48-62	33
460	Mechanism of the inhibition of leukemia cell growth and induction of apoptosis through the activation of ATR and PTEN by the topoisomerase inhibitor 3EZ, 20Ac-ingenol. <b>2015</b> , 39, 927-32	9
459	Autophagy as the effector and player in DNA damage response of cells to genotoxicants. <b>2015</b> , 4, 613-622	18
458	p53 Acetylation: Regulation and Consequences. <i>Cancers</i> , <b>2014</b> , 7, 30-69 6.6	195
457	Gene <b>E</b> nvironment Interactions in Huntington <b>E</b> Disease. <b>2015</b> , 355-383	
456	Substrate recognition and function of the R2TP complex in response to cellular stress. <b>2015</b> , 6, 69	23
455	Oxidative stress shapes breast cancer phenotype through chronic activation of ATM-dependent signaling. <b>2015</b> , 151, 75-87	22
454	A kinome-targeted RNAi-based screen links FGF signaling to H2AX phosphorylation in response to radiation. <b>2015</b> , 72, 3559-73	9
453	Manganese Is Essential for Neuronal Health. <b>2015</b> , 35, 71-108	219
452	Truncating mutations of PPM1D are found in blood DNA samples of lung cancer patients. <b>2015</b> , 112, 1114-20	35
451	RECQL4 Regulates p53 Function In Vivo During Skeletogenesis. <b>2015</b> , 30, 1077-89	23
45°	Requirement of the FATC domain of protein kinase Tel1 for localization to DNA ends and target protein recognition. <b>2015</b> , 26, 3480-8	12
449	Chromatin perturbations during the DNA damage response in higher eukaryotes. 2015, 36, 8-12	43
448	Novel Functions of the Human Papillomavirus E6 Oncoproteins. <b>2015</b> , 2, 403-23	36
447	Primate Torpor: Regulation of Stress-activated Protein Kinases During Daily Torpor in the Gray Mouse Lemur, Microcebus murinus. <b>2015</b> , 13, 81-90	27
446	ATM and ATR as therapeutic targets in cancer. <b>2015</b> , 149, 124-38	361

445	Phosphatidylinositol 3-Kinase (PI3K) and phosphatidylinositol 3-kinase-related kinase (PIKK) inhibitors: importance of the morpholine ring. <b>2015</b> , 58, 41-71	101
444	Cytotoxic effects of peanut phenolic compounds possessing histone deacetylase inhibitory activity on human colon cancer cell lines. <b>2016</b> , 40, 1258-1271	9
443	Infiltrating mast cells increase prostate cancer chemotherapy and radiotherapy resistances via modulation of p38/p53/p21 and ATM signals. <b>2016</b> , 7, 1341-53	27
442	Colorectal Choriocarcinoma in a Patient with Probable Lynch Syndrome. <b>2016</b> , 6, 252	3
441	Myelodysplasia-associated mutations in serine/arginine-rich splicing factor SRSF2 lead to alternative splicing of CDC25C. <b>2016</b> , 17, 18	6
440	An indolylquinoline derivative activates DNA damage response and apoptosis in human hepatocellular carcinoma cells. <b>2016</b> , 49, 2431-2441	6
439	Cell Cycle Checkpoints and Senescence. <b>2016</b> , 145-167	1
438	IFI16, an amplifier of DNA-damage response: Role in cellular senescence and aging-associated inflammatory diseases. <b>2016</b> , 28, 27-36	38
437	Linking loss of sodium-iodide symporter expression to DNA damage. <b>2016</b> , 344, 120-131	7
436	AGR2 oncoprotein inhibits p38 MAPK and p53 activation through a DUSP10-mediated regulatory pathway. <b>2016</b> , 10, 652-62	29
435	The role of the p53 tumor suppressor in metabolism and diabetes. <b>2016</b> , 231, R61-R75	81
434	Efficacy of Adoptive T-cell Therapy Is Improved by Treatment with the Antioxidant N-Acetyl Cysteine, Which Limits Activation-Induced T-cell Death. <b>2016</b> , 76, 6006-6016	40
433	Cell cycle checkpoint in cancer: a therapeutically targetable double-edged sword. <b>2016</b> , 35, 153	177
432	Molecular signaling cascades involved in nonmelanoma skin carcinogenesis. <b>2016</b> , 473, 2973-94	26
431	Telomeres and telomerase in head and neck squamous cell carcinoma: from pathogenesis to clinical implications. <b>2016</b> , 35, 457-74	38
430	Nanoparticle Toxicity and Environmental Impact. <b>2016</b> , 117-143	4
429	Erratum to: Controlling the response to DNA damage by the APC/C-Cdh1. <b>2016</b> , 73, 2985-2998	2
428	ATM mutation and radiosensitivity: An opportunity in the therapy of mantle cell lymphoma. <b>2016</b> , 107, 14-19	12

427	Probing the mechanisms underlying human diseases in making ribosomes. <b>2016</b> , 44, 1035-44	28
426	A USP28-53BP1-p53-p21 signaling axis arrests growth after centrosome loss or prolonged mitosis. <b>2016</b> , 214, 143-53	112
425	Ironing out how p53 regulates ferroptosis. <b>2016</b> , 113, 12350-12352	28
424	Pharmacological exploitation of the phenothiazine antipsychotics to develop novel antitumor agents-A drug repurposing strategy. <b>2016</b> , 6, 27540	46
423	Mitoxantrone, More than Just Another Topoisomerase II Poison. <b>2016</b> , 36, 248-99	84
422	Allosteric Interactions by p53 mRNA Govern HDM2 E3 Ubiquitin Ligase Specificity under Different Conditions. <b>2016</b> , 36, 2195-205	19
421	Nitric Oxide Produced by Macrophages Inhibits Adipocyte Differentiation and Promotes Profibrogenic Responses in Preadipocytes to Induce Adipose Tissue Fibrosis. <b>2016</b> , 65, 2516-28	38
420	In cellulo phosphorylation of XRCC4 Ser320 by DNA-PK induced by DNA damage. <b>2016</b> , 57, 115-20	11
419	Controlling the response to DNA damage by the APC/C-Cdh1. <b>2016</b> , 73, 949-60	14
418	Inhibition of KDM6 activity during murine ESC differentiation induces DNA damage. <b>2016</b> , 129, 788-803	20
417	Inhibition of KDM6 activity during murine ESC differentiation induces DNA damage. <b>2016</b> , 129, 788-803  Genomic instability in pancreatic adenocarcinoma: a new step towards precision medicine and novel therapeutic approaches. <b>2016</b> , 10, 893-905	31
<u> </u>	Genomic instability in pancreatic adenocarcinoma: a new step towards precision medicine and	
417	Genomic instability in pancreatic adenocarcinoma: a new step towards precision medicine and novel therapeutic approaches. <b>2016</b> , 10, 893-905  Bim directly antagonizes Bcl-xl in doxorubicin-induced prostate cancer cell apoptosis	31
4 <sup>1</sup> 7	Genomic instability in pancreatic adenocarcinoma: a new step towards precision medicine and novel therapeutic approaches. <b>2016</b> , 10, 893-905  Bim directly antagonizes Bcl-xl in doxorubicin-induced prostate cancer cell apoptosis independently of p53. <b>2016</b> , 15, 394-402  Molecular signature of pancreatic adenocarcinoma: an insight from genotype to phenotype and	31 20
4 <sup>1</sup> 7 4 <sup>1</sup> 6 4 <sup>1</sup> 5	Genomic instability in pancreatic adenocarcinoma: a new step towards precision medicine and novel therapeutic approaches. <b>2016</b> , 10, 893-905  Bim directly antagonizes Bcl-xl in doxorubicin-induced prostate cancer cell apoptosis independently of p53. <b>2016</b> , 15, 394-402  Molecular signature of pancreatic adenocarcinoma: an insight from genotype to phenotype and challenges for targeted therapy. <b>2016</b> , 20, 341-59  Ability to downregulate the level of cyclin-dependent kinase inhibitor p27 after DNA damage is retained in chronic lymphocytic leukemia cells with functional ATM/p53 signaling pathway. <b>2017</b> ,	31 20 24
4 <sup>17</sup> 4 <sup>16</sup> 4 <sup>15</sup>	Genomic instability in pancreatic adenocarcinoma: a new step towards precision medicine and novel therapeutic approaches. 2016, 10, 893-905  Bim directly antagonizes Bcl-xl in doxorubicin-induced prostate cancer cell apoptosis independently of p53. 2016, 15, 394-402  Molecular signature of pancreatic adenocarcinoma: an insight from genotype to phenotype and challenges for targeted therapy. 2016, 20, 341-59  Ability to downregulate the level of cyclin-dependent kinase inhibitor p27 after DNA damage is retained in chronic lymphocytic leukemia cells with functional ATM/p53 signaling pathway. 2017, 58, 199-203  Human p53 interacts with the elongating RNAPII complex and is required for the release of	20 24 2
417 416 415 414 413	Genomic instability in pancreatic adenocarcinoma: a new step towards precision medicine and novel therapeutic approaches. 2016, 10, 893-905  Bim directly antagonizes Bcl-xl in doxorubicin-induced prostate cancer cell apoptosis independently of p53. 2016, 15, 394-402  Molecular signature of pancreatic adenocarcinoma: an insight from genotype to phenotype and challenges for targeted therapy. 2016, 20, 341-59  Ability to downregulate the level of cyclin-dependent kinase inhibitor p27 after DNA damage is retained in chronic lymphocytic leukemia cells with functional ATM/p53 signaling pathway. 2017, 58, 199-203  Human p53 interacts with the elongating RNAPII complex and is required for the release of actinomycin D induced transcription blockage. 2017, 7, 40960	31 20 24 2

409	Ionizing radiation induces long-term senescence in endothelial cells through mitochondrial respiratory complex II dysfunction and superoxide generation. <b>2017</b> , 108, 750-759	63
408	Phosphoprotein profiles of candidate markers for early cellular responses to low-dose 🛭 radiation in normal human fibroblast cells. <b>2017</b> , 58, 329-340	8
407	Phenotypic Analysis of ATM Protein Kinase in DNA Double-Strand Break Formation and Repair. <b>2017</b> , 1599, 317-334	2
406	HIV-1 Tat potently stabilises Mdm2 and enhances viral replication. <b>2017</b> , 474, 2449-2464	16
405	p53 dynamics in response to DNA damage vary across cell lines and are shaped by efficiency of DNA repair and activity of the kinase ATM. <b>2017</b> , 10,	52
404	Dying to protect: cell death and the control of T-cell homeostasis. <b>2017</b> , 277, 21-43	19
403	ATM, ATR, and DNA-PK: The Trinity at the Heart of the DNA Damage Response. 2017, 66, 801-817	800
402	Flavored little cigar smoke induces cytotoxicity and apoptosis in airway epithelia. <b>2017</b> , 3, 17019	6
401	DNA damage response is hijacked by human papillomaviruses to complete their life cycle. <b>2017</b> , 18, 215-232	9
400	Deficiency in DNA damage response, a new characteristic of cells infected with latent HIV-1. <b>2017</b> , 16, 968-978	35
399	mTORC1 senses stresses: Coupling stress to proteostasis. <b>2017</b> , 39, 1600268	30
398	Ataxia telangiectasia syndrome: moonlighting ATM. <b>2017</b> , 13, 1155-1172	24
397	LRRK2 interacts with ATM and regulates Mdm2-p53 cell proliferation axis in response to genotoxic stress. <b>2017</b> , 26, 4494-4505	12
396	Methyleugenol and selected oxidative metabolites affect DNA-Damage signalling pathways and induce apoptosis in human colon tumour HT29 cells. <b>2017</b> , 108, 267-275	2
395	Defined Sensing Mechanisms and Signaling Pathways Contribute to the Global Inflammatory Gene Expression Output Elicited by Ionizing Radiation. <b>2017</b> , 47, 421-434.e3	30
394	Take your PIKK: tumour viruses and DNA damage response pathways. <b>2017</b> , 372,	26
393	Detection and Visualization of DNA Damage-induced Protein Complexes in Suspension Cell Cultures Using the Proximity Ligation Assay. <b>2017</b> ,	2
392	Loss of Brap Results in Premature G1/S Phase Transition and Impeded Neural Progenitor Differentiation. <b>2017</b> , 20, 1148-1160	14

391	Obesity alters phosphoramide mustard-induced ovarian DNA repair in mice. <b>2017</b> , 96, 491-501	7
390	HSP90 inhibition sensitizes head and neck cancer to platin-based chemoradiotherapy by modulation of the DNA damage response resulting in chromosomal fragmentation. <b>2017</b> , 17, 86	19
389	New orally active DNA minor groove binding small molecule CT-1 acts against breast cancer by targeting tumor DNA damage leading to p53-dependent apoptosis. <b>2017</b> , 56, 1266-1280	8
388	Cell CycleII argeted Cancer Therapies. <b>2017</b> , 1, 41-57	61
387	Proteomics insights into DNA damage response and translating this knowledge to clinical strategies. <b>2017</b> , 17, 1600018	10
386	The Regulation of Cellular Functions by the p53 Protein: Cellular Senescence. <b>2017</b> , 7,	29
385	LncRNA-N1LR Enhances Neuroprotection Against Ischemic Stroke Probably by Inhibiting p53 Phosphorylation. <b>2017</b> , 54, 7670-7685	90
384	p53 pathway dysfunction is highly prevalent in acute myeloid leukemia independent of TP53 mutational status. <b>2017</b> , 31, 1296-1305	58
383	Fanconi Anemia Signaling and Cancer. <b>2017</b> , 3, 840-856	46
382	The birhythmicity increases the diversity of p53 oscillation induced by DNA damage. <b>2017</b> , 26, 128709	3
382	The birhythmicity increases the diversity of p53 oscillation induced by DNA damage. <b>2017</b> , 26, 128709  Effect of HPV E6/E7 siRNA with Chemotherapeutic Agents on the Regulation of TP53/E2F Dynamic Behavior for Cell Fate Decisions. <b>2017</b> , 19, 735-749	3
	Effect of HPV E6/E7 siRNA with Chemotherapeutic Agents on the Regulation of TP53/E2F Dynamic	
381	Effect of HPV E6/E7 siRNA with Chemotherapeutic Agents on the Regulation of TP53/E2F Dynamic Behavior for Cell Fate Decisions. <b>2017</b> , 19, 735-749  Ataxia Telangiectasia-Mutated ()Polymorphisms and Risk of Lung Cancer in a Chinese Population.	10
381 380	Effect of HPV E6/E7 siRNA with Chemotherapeutic Agents on the Regulation of TP53/E2F Dynamic Behavior for Cell Fate Decisions. 2017, 19, 735-749  Ataxia Telangiectasia-Mutated ()Polymorphisms and Risk of Lung Cancer in a Chinese Population. 2017, 5, 102  Discovery of AZD0156: The First Potent and Selective Inhibitor of ATM Kinase for Clinical	10 4
381 380 379	Effect of HPV E6/E7 siRNA with Chemotherapeutic Agents on the Regulation of TP53/E2F Dynamic Behavior for Cell Fate Decisions. 2017, 19, 735-749  Ataxia Telangiectasia-Mutated ()Polymorphisms and Risk of Lung Cancer in a Chinese Population. 2017, 5, 102  Discovery of AZD0156: The First Potent and Selective Inhibitor of ATM Kinase for Clinical Evaluation. 2017, 161-177	10 4 4
381 380 379 378	Effect of HPV E6/E7 siRNA with Chemotherapeutic Agents on the Regulation of TP53/E2F Dynamic Behavior for Cell Fate Decisions. 2017, 19, 735-749  Ataxia Telangiectasia-Mutated ()Polymorphisms and Risk of Lung Cancer in a Chinese Population. 2017, 5, 102  Discovery of AZD0156: The First Potent and Selective Inhibitor of ATM Kinase for Clinical Evaluation. 2017, 161-177  Loss of Genome Fidelity: Beta HPVs and the DNA Damage Response. 2017, 8, 2250	10 4 4 22
381 380 379 378 377	Effect of HPV E6/E7 siRNA with Chemotherapeutic Agents on the Regulation of TP53/E2F Dynamic Behavior for Cell Fate Decisions. 2017, 19, 735-749  Ataxia Telangiectasia-Mutated ()Polymorphisms and Risk of Lung Cancer in a Chinese Population. 2017, 5, 102  Discovery of AZD0156: The First Potent and Selective Inhibitor of ATM Kinase for Clinical Evaluation. 2017, 161-177  Loss of Genome Fidelity: Beta HPVs and the DNA Damage Response. 2017, 8, 2250  Ataxia-Telangiectasia Mutated Modulation of Carbon Metabolism in Cancer. 2017, 7, 291	10 4 4 22 18

373	Association between ATM gene polymorphisms, lung cancer susceptibility and radiation-induced pneumonitis: a meta-analysis. <b>2017</b> , 17, 205	13
372	The aberrant upstream pathway regulations of CDK1 protein were implicated in the proliferation and apoptosis of ovarian cancer cells. <b>2017</b> , 10, 60	22
371	SOCS1 regulates senescence and ferroptosis by modulating the expression of p53 target genes. <b>2017</b> , 9, 2137-2162	42
370	Mechanisms Controlling the Activity of Localization Signal Sequences. 2017,	
369	-mediated regulation of E2F1 is required for CML stem/progenitor cell survival. 2018, 131, 1532-1544	28
368	The Identification of Potent, Selective, and Orally Available Inhibitors of Ataxia Telangiectasia Mutated (ATM) Kinase: The Discovery of AZD0156 (8-{6-[3-(Dimethylamino)propoxy]pyridin-3-yl}-3-methyl-1-(tetrahydro-2 H-pyran-4-yl)-1,3-dihydro-2	51
367	Regulation of cellular senescence via the FOXO4-p53 axis. <b>2018</b> , 592, 2083-2097	38
366	TRRAP is essential for regulating the accumulation of mutant and wild-type p53 in lymphoma. <b>2018</b> , 131, 2789-2802	17
365	Identifying the target genes of SUPPRESSOR OF GAMMA RESPONSE 1, a master transcription factor controlling DNA damage response in Arabidopsis. <b>2018</b> , 94, 439-453	77
364	H2AFX and MDC1 promote maintenance of genomic integrity in male germ cells. 2018, 131,	13
363	GIT2-A keystone in ageing and age-related disease. <b>2018</b> , 43, 46-63	13
362	DNA replication stress and cancer chemotherapy. <b>2018</b> , 109, 264-271	52
361	7-hydroxy-staurosporine, UCN-01, induces DNA damage response, and autophagy in human osteosarcoma U2-OS cells. <b>2018</b> , 119, 4729-4741	10
360	Systems Microscopy Approaches in Unraveling and Predicting Drug-Induced Liver Injury (DILI). <b>2018</b> , 611-625	1
359	Proapoptotic Requirement of Ribosomal Protein L11 in Ribosomal Stress-Challenged Cortical Neurons. <b>2018</b> , 55, 538-553	8
358	The Molecular Mechanisms of Protective Role of Se on the G/M Phase Arrest of Jejunum Caused by AFB. <b>2018</b> , 181, 142-153	11
357	A novel, integrated in vitro carcinogenicity test to identify genotoxic and non-genotoxic carcinogens using human lymphoblastoid cells. <b>2018</b> , 92, 935-951	15
356	A Soft Coral-Derived Compound, 11-Dehydrosinulariolide, Induces G2/M Cell Cycle Arrest and Apoptosis in Small Cell Lung Cancer. <b>2018</b> , 16,	5

355	Ataxia-telangiectasia-like disorder in a family deficient for MRE11A, caused by a variant. <b>2018</b> , 4, e295		10
354	Apoptosis Induction via ATM Phosphorylation, Cell Cycle Arrest, and ER Stress by Goniothalamin and Chemodrugs Combined Effects on Breast Cancer-Derived MDA-MB-231 Cells. <b>2018</b> , 2018, 7049053		11
353	Reconstitution of the Ataxia-Telangiectasia Cellular Phenotype With Lentiviral Vectors. 2018, 9, 2703		8
352	Biochemical Aspects of PD-L1 Regulation in Cancer Immunotherapy. <b>2018</b> , 43, 1014-1032		86
351	Induction of apoptosis and G1 phase cell cycle arrest by Asterlincisus in AGS gastric adenocarcinoma cells. <b>2018</b> , 53, 2300-2308		3
350	An ABCG2 non-substrate anticancer agent FL118 targets drug-resistant cancer stem-like cells and overcomes treatment resistance of human pancreatic cancer. <b>2018</b> , 37, 240		26
349	C/EBPI deletion in oncogenic Ras skin tumors is a synthetic lethal event. <i>Cell Death and Disease</i> , <b>2018</b> , 9, 1054	9.8	12
348	Non-canonical Activation of the DNA Sensing Adaptor STING by ATM and IFI16 Mediates NF- <b>B</b> Signaling after Nuclear DNA Damage. <b>2018</b> , 71, 745-760.e5		214
347	P53 enhances apoptosis induced by doxorubicin only under conditions of severe DNA damage. <b>2018</b> , 17, 2175-2186		16
346	Orally Bioavailable and Blood-Brain Barrier-Penetrating ATM Inhibitor (AZ32) Radiosensitizes Intracranial Gliomas in Mice. <i>Molecular Cancer Therapeutics</i> , <b>2018</b> , 17, 1637-1647	5.1	30
345	Alteration of MicroRNA Biogenesis Pathways in Cancers. <b>2018</b> , 47-58		1
344	Mechanistic considerations in chemotherapeutic activity of caffeine. <b>2018</b> , 105, 312-319		19
343	Established and Emerging Roles of the DNA-Dependent Protein Kinase Catalytic Subunit (DNA-PKcs). <b>2018</b> , 315-338		О
342	Targeting ATM for Cancer Therapy: Prospects for Drugging ATM. <b>2018</b> , 185-208		1
341	NEK1 loss-of-function mutation induces DNA damage accumulation in ALS patient-derived motoneurons. <b>2018</b> , 30, 150-162		34
340	Discovery and Optimization of Inhibitors of the Parkinson's Disease Associated Protein DJ-1. <b>2018</b> , 13, 2783-2793		18
339	A Nucleolar Stress-Specific p53-miR-101 Molecular Circuit Functions as an Intrinsic Tumor-Suppressor Network. <b>2018</b> , 33, 33-48		10
338	Cycling to Meet Fate: Connecting Pluripotency to the Cell Cycle. <b>2018</b> , 6, 57		14

337	Building predictive in vitro pulmonary toxicity assays using high-throughput imaging and artificial intelligence. <b>2018</b> , 92, 2055-2075	15
336	Sunlight Protection by Vitamin D Compounds. <b>2018</b> , 1055-1075	1
335	Involvement of a coumarin analog AD-013 in the DNA damage response pathways in MCF-7 cells. <b>2018</b> , 45, 1187-1195	2
334	Proteasome-mediated proteostasis: Novel medicinal and pharmacological strategies for diseases. <b>2018</b> , 38, 1916-1973	17
333	The brain-penetrant clinical ATM inhibitor AZD1390 radiosensitizes and improves survival of preclinical brain tumor models. <b>2018</b> , 4, eaat1719	105
332	Staufen1 and UPF1 exert opposite actions on the replacement of the nuclear cap-binding complex by eIF4E at the 5' end of mRNAs. <b>2019</b> , 47, 9313-9328	12
331	Inflammation-induced DNA damage, mutations and cancer. <b>2019</b> , 83, 102673	74
330	Jujube honey induces apoptosis in human hepatocellular carcinoma HepG2 cell via DNA damage, p53 expression, and caspase activation. <b>2019</b> , 43, e12998	8
329	Exploring the mechanism of the excitability of p53 pulse response. <b>2019</b> , 1168, 032122	
328	Oscillatory Dynamics of p53 Genetic Network Induced by Feedback Loops and Time Delays. <b>2019</b> , 18, 611-621	3
327	Temporal and differential regulation of KAISO-controlled transcription by phosphorylated and acetylated p53 highlights a crucial regulatory role of apoptosis. <b>2019</b> , 294, 12957-12974	2
326	Co-Inhibition of the DNA Damage Response and CHK1 Enhances Apoptosis of Neuroblastoma Cells. <b>2019</b> , 20,	9
325	Cell Fate Regulation upon DNA Damage: p53 Serine 46 Kinases Pave the Cell Death Road. <b>2019</b> , 41, e1900127	27
324	ATM and TP53 mutations show mutual exclusivity but distinct clinical impact in mantle cell lymphoma patients. <b>2019</b> , 60, 1420-1428	8
323	Apoptosis Induction by Pseudorabies Virus via Oxidative Stress and Subsequent DNA Damage Signaling. <b>2019</b> , 62, 116-123	10
322	The Use of Genetically Engineered Mouse Models for Studying the Function of Mutated Driver Genes in Pancreatic Cancer. <b>2019</b> , 8,	5
321	Transient induction of telomerase expression mediates senescence and reduces tumorigenesis in primary fibroblasts. <b>2019</b> , 116, 18983-18993	7
320	Characterization of SMG7 14-3-3-like domain reveals phosphoserine binding-independent regulation of p53 and UPF1. <b>2019</b> , 9, 13097	2

319	Shaping the regulation of the p53 mRNA tumour suppressor: the co-evolution of genetic signatures. <b>2019</b> , 19, 915	8
318	Radiotherapy and Immunotherapy Promote Tumoral Lipid Oxidation and Ferroptosis via Synergistic Repression of SLC7A11. <b>2019</b> , 9, 1673-1685	252
317	Regulation of Selective Proteolysis in Cancer. <b>2019</b> ,	
316	Epithelial DNA methyltransferase-1 regulates cell survival, growth and maturation in developing prostatic buds. <b>2019</b> , 447, 157-169	2
315	Transcriptomic profiling reveals p53 as a key regulator of doxorubicin-induced cardiotoxicity. <b>2019</b> , 5, 102	24
314	Phosphorylation and Acetylation of Proteins as Posttranslational Modification: Implications in Human Health and Associated Diseases. <b>2019</b> , 69-86	1
313	Accumulation of Cytoplasmic DNA Due to ATM Deficiency Activates the Microglial Viral Response System with Neurotoxic Consequences. <b>2019</b> , 39, 6378-6394	38
312	Decoding the link between WWOX and p53 in aggressive breast cancer. <b>2019</b> , 18, 1177-1186	11
311	The kinase domain of CK1Ican be phosphorylated by Chk1. <b>2019</b> , 83, 1663-1675	3
310	Impact of gene mutations and chromosomal aberrations on progression-free survival in chronic lymphocytic leukemia patients treated with front-line chemoimmunotherapy: Clinical practice experience. <b>2019</b> , 81, 75-81	8
309	Roles of cellular heterogeneity, intrinsic and extrinsic noise in variability of p53 oscillation. <b>2019</b> , 9, 5883	11
308	Understanding p53 functions through p53 antibodies. <b>2019</b> , 11, 317-329	21
307	MRPL35 Is Up-Regulated in Colorectal Cancer and Regulates Colorectal Cancer Cell Growth and Apoptosis. <b>2019</b> , 189, 1105-1120	9
306	Phosphorylation of p53 Serine 15 Is a Predictor of Survival for Patients with Hepatocellular Carcinoma. <b>2019</b> , 2019, 9015453	4
305	Loss of the tumor suppressor BIN1 enables ATM Ser/Thr kinase activation by the nuclear protein E2F1 and renders cancer cells resistant to cisplatin. <b>2019</b> , 294, 5700-5719	11
304	The multiple mechanisms that regulate p53 activity and cell fate. <b>2019</b> , 20, 199-210	356
303	The Role of the DNA Damage Response in Ataxia-Telangiectasia Syndrome. 2019,	
302	Oscillation induced by Hopf bifurcation in the p53-Mdm2 feedback module. <b>2019</b> , 13, 251-259	5

301	Synergism Through WEE1 and CHK1 Inhibition in Acute Lymphoblastic Leukemia. <i>Cancers</i> , <b>2019</b> , 11, 6.	6	9
<b>3</b> 00	Cytoplasmic Restriction of Mutated SOD1 Impairs the DNA Repair Process in Spinal Cord Neurons. <b>2019</b> , 8,		8
299	Efficient Gaussian sample specific network marker discovery and drug enrichment analysis validation. <b>2019</b> , 83, 107139		
298	Ataxia-Telangiectasia and Nijmegen Breakage Syndrome. <b>2019</b> , 191-201		3
297	CtIP promotes G2/M arrest in etoposide-treated HCT116 cells in a p53-independent manner. <b>2019</b> , 234, 11871-11881		4
296	TP53 inactivation and expression of methylation-associated proteins in gastric adenocarcinoma with enteroblastic differentiation. <b>2019</b> , 474, 315-324		8
295	PP4 deficiency leads to DNA replication stress that impairs immunoglobulin class switch efficiency. <b>2019</b> , 26, 1221-1234		5
294	A single synonymous mutation determines the phosphorylation and stability of the nascent protein. <b>2019</b> , 11, 187-199		14
293	Ironing out the role of the cyclin-dependent kinase inhibitor, p21 in cancer: Novel iron chelating agents to target p21 expression and activity. <b>2019</b> , 133, 276-294		19
292	Inhibitory effect of Korean Red Ginseng extract on DNA damage response and apoptosis in -infected gastric epithelial cells. <b>2020</b> , 44, 79-85		11
291	Oscillatory Dynamics of p53-Mdm2 Circuit in Response to DNA Damage Caused by Ionizing Radiation. <b>2020</b> , 17, 1703-1713		0
290	Genome analysis of myelodysplastic syndromes among atomic bomb survivors in Nagasaki. <b>2020</b> , 105, 358-365		3
289	Plasma miR-181a-5p Downregulation Predicts Response and Improved Survival After FOLFIRINOX in Pancreatic Ductal Adenocarcinoma. <b>2020</b> , 271, 1137-1147		23
288	DNA Damage Response Pathways and Cancer. <b>2020</b> , 154-164.e4		4
287	Regulation of DNA damage-induced ATM activation by histone modifications. 2020, 1, 20-33		3
286	CDK9 inhibitors reactivate p53 by downregulating iASPP. <b>2020</b> , 67, 109508		8
285	Twist1 Plays an Anti-apoptotic Role in Mutant Huntingtin Expression Striatal Progenitor Cells. <b>2020</b> , 57, 1688-1703		1
284	A Switch in p53 Dynamics Marks Cells That Escape from DSB-Induced Cell Cycle Arrest. <b>2020</b> , 32, 107995		15

### (2020-2020)

283	Complete loss of ATM function augments replication catastrophe induced by ATR inhibition and gemcitabine in pancreatic cancer models. <b>2020</b> , 123, 1424-1436	15
282	Intracellular signaling modules linking DNA damage to secretome changes in senescent melanoma cells. <b>2020</b> , 30, 336-347	2
281	A Systems View of the Genome Guardians: Mapping the Signaling Circuitry Underlying Oligonucleotide/Oligosaccharide-Binding Fold Proteins. <b>2020</b> , 24, 518-530	2
280	ATRIP protects progenitor cells against DNA damage in vivo. <i>Cell Death and Disease</i> , <b>2020</b> , 11, 923 9.8	4
279	Lysosomal trafficking mediated by Arl8b and BORC promotes invasion of cancer cells that survive radiation. <i>Communications Biology</i> , <b>2020</b> , 3, 620	5
278	The cerebellar degeneration in ataxia-telangiectasia: A case for genome instability. <b>2020</b> , 95, 102950	12
277	A p53-Dependent Checkpoint Induced upon DNA Damage Alters Cell Fate during hiPSC Differentiation. <b>2020</b> , 15, 827-835	3
276	Ru(II) Complexes Bearing O, O-Chelated Ligands Induced Apoptosis in A549 Cells through the Mitochondrial Apoptotic Pathway. <b>2020</b> , 2020, 8890950	6
275	ATM Protein Kinase: Old and New Implications in Neuronal Pathways and Brain Circuitry. 2020, 9,	7
274	Cell Cycle and Factors Involved in Inhibition or Progression of Breast Cancer. <b>2020</b> ,	
273	Deciphering p53 dynamics and cell fate in DNA damage response using mathematical modeling. <b>2020</b> , 1, 265-277	2
273		2
	<b>2020</b> , 1, 265-277	2 O
272	2020, 1, 265-277  A bibliometric analysis of highly cited Phosphoinositide 3-Kinase (PI3K) research papers. 2020, 14, 37-54	
272	2020, 1, 265-277  A bibliometric analysis of highly cited Phosphoinositide 3-Kinase (PI3K) research papers. 2020, 14, 37-54  Targeting DNA repair pathways: mechanisms and potential applications in cancer therapy. 2020, 1, 318-338	0
272 271 270	A bibliometric analysis of highly cited Phosphoinositide 3-Kinase (PI3K) research papers. 2020, 14, 37-54  Targeting DNA repair pathways: mechanisms and potential applications in cancer therapy. 2020, 1, 318-338  Copper Complexes as Anticancer Agents Targeting Topoisomerases I and II. <i>Cancers</i> , 2020, 12, 6.6	o 33
272 271 270 269	A bibliometric analysis of highly cited Phosphoinositide 3-Kinase (PI3K) research papers. 2020, 14, 37-54  Targeting DNA repair pathways: mechanisms and potential applications in cancer therapy. 2020, 1, 318-338  Copper Complexes as Anticancer Agents Targeting Topoisomerases I and II. <i>Cancers</i> , 2020, 12, 6.6  CD9 induces cellular senescence and aggravates atherosclerotic plaque formation. 2020, 27, 2681-2696  Genomic Profiling of Stage II Colorectal Cancer Identifies Candidate Genes Associated with	0 33 20

265	A Survey of Essential Genome Stability Genes Reveals That Replication Stress Mitigation Is Critical for Peri-Implantation Embryogenesis. <b>2020</b> , 8, 416	6
264	Pharmacological inhibition of ataxia-telangiectasia mutated exacerbates acute kidney injury by activating p53 signaling in mice. <b>2020</b> , 10, 4441	7
263	Dynamics of p53 regulatory network in DNA damage response. <b>2020</b> , 88, 701-714	3
262	Adverse effects of chemoradiotherapy on invasion and metastasis of tumor cells. <b>2020</b> , 7, 351-358	3
261	A systematic approach to decipher crosstalk in the p53 signaling pathway using single cell dynamics. <b>2020</b> , 16, e1007901	8
260	Effects of acute noise exposure on DNA damage response genes in the cochlea, cortex, heart and liver. <b>2020</b> , 114, 104401	2
259	The dichotomous effects of caffeine on homologous recombination in mammalian cells. <b>2020</b> , 88, 102805	0
258	Dynamic Behavior of p53 Driven by Delay and a Microrna-34a-Mediated Feedback Loop. <b>2020</b> , 21,	4
257	Correction of ATM mutations in iPS cells from two ataxia-telangiectasia patients restores DNA damage and oxidative stress responses. <b>2020</b> , 29, 990-1001	6
256	Metalloimmunology: The metal ion-controlled immunity. <b>2020</b> , 145, 187-241	43
255	The GTPase KRAS suppresses the p53 tumor suppressor by activating the NRF2-regulated antioxidant defense system in cancer cells. <b>2020</b> , 295, 3055-3063	13
254	ATM, ATR and DNA-PKcs kinases-the lessons from the mouse models: inhibition □deletion. <b>2020</b> , 10, 8	61
253	WIP1 dephosphorylation of p27 Serine 140 destabilizes p27 and reverses anti-proliferative effects of ATM phosphorylation. <b>2020</b> , 19, 479-491	6
252	FBXW7 Confers Radiation Survival by Targeting p53 for Degradation. <b>2020</b> , 30, 497-509.e4	25
251	High pATM is Associated With Poor Local Control in Supraglottic Cancer Treated With Radiotherapy. <b>2020</b> , 130, 1954-1960	1
250	Roles of ATM and ATR in DNA double strand breaks and replication stress. <i>Progress in Biophysics and Molecular Biology</i> , <b>2021</b> , 161, 27-38	6
249	Effects of Ultra-high doserate FLASH Irradiation on the Tumor Microenvironment in Lewis Lung Carcinoma: Role of Myosin Light Chain. <b>2021</b> , 109, 1440-1453	16
248	Activation of DNA damage response signaling in mammalian cells by ionizing radiation. <b>2021</b> , 55, 581-594	5

# (2021-2021)

247	The antiproliferative effects of ataxia-telangiectasia mutated and ATM- and Rad3-related inhibitions and their enhancements with the cytotoxicity of DNA damaging agents in cholangiocarcinoma cells. <b>2021</b> , 73, 40-51	2
246	Oscillatory Behaviors of Delayed p53 Regulatory Network with microRNA 192 in DNA Damage Response. <b>2021</b> , 31, 2150020	1
245	EGCG binds intrinsically disordered N-terminal domain of p53 and disrupts p53-MDM2 interaction. <b>2021</b> , 12, 986	27
244	Oncogenic alterations in the p53 pathway abolish oscillatory competence.	
243	Old players in new posts: the role of P53, ATM and DNAPK in DNA damage-related ubiquitylation-dependent removal of S2P RNAPII.	
242	Crosstalk between Different DNA Repair Pathways Contributes to Neurodegenerative Diseases. <b>2021</b> , 10,	3
241	p53 dynamics vary between tissues and are linked with radiation sensitivity. <b>2021</b> , 12, 898	9
240	Regulation of cardiomyocyte DNA damage and cell death by the type 2A protein phosphatase regulatory protein alpha4. <b>2021</b> , 11, 6293	
239	Effect of Reducing Ataxia-Telangiectasia Mutated (ATM) in Experimental Autosomal Dominant Polycystic Kidney Disease. <b>2021</b> , 10,	О
238	Potential Antitumor Effects of 6-Gingerol in p53-Dependent Mitochondrial Apoptosis and Inhibition of Tumor Sphere Formation in Breast Cancer Cells. <b>2021</b> , 22,	15
238		15 3
	Inhibition of Tumor Sphere Formation in Breast Cancer Cells. <b>2021</b> , 22,  Identification and characterization of R2TP in the development of oral squamous cell carcinoma.	
237	Inhibition of Tumor Sphere Formation in Breast Cancer Cells. 2021, 22,  Identification and characterization of R2TP in the development of oral squamous cell carcinoma. 2021, 548, 161-166  Methanolic Fenugreek Seed Extract Induces p53-Dependent Mitotic Catastrophe in Breast Cancer	3
237	Inhibition of Tumor Sphere Formation in Breast Cancer Cells. 2021, 22,  Identification and characterization of R2TP in the development of oral squamous cell carcinoma. 2021, 548, 161-166  Methanolic Fenugreek Seed Extract Induces p53-Dependent Mitotic Catastrophe in Breast Cancer Cells, Leading to Apoptosis. 2021, 14, 1511-1535  Implications of the germline variants of DNA damage response genes detected by cancer precision	3
237 236 235	Inhibition of Tumor Sphere Formation in Breast Cancer Cells. 2021, 22,  Identification and characterization of R2TP in the development of oral squamous cell carcinoma. 2021, 548, 161-166  Methanolic Fenugreek Seed Extract Induces p53-Dependent Mitotic Catastrophe in Breast Cancer Cells, Leading to Apoptosis. 2021, 14, 1511-1535  Implications of the germline variants of DNA damage response genes detected by cancer precision medicine for radiological risk communication and cancer therapy decisions. 2021, 62, i44-i52  Opening of cohesin's SMC ring is essential for timely DNA replication and DNA loop formation.	3 4 2
237 236 235 234	Inhibition of Tumor Sphere Formation in Breast Cancer Cells. 2021, 22,  Identification and characterization of R2TP in the development of oral squamous cell carcinoma. 2021, 548, 161-166  Methanolic Fenugreek Seed Extract Induces p53-Dependent Mitotic Catastrophe in Breast Cancer Cells, Leading to Apoptosis. 2021, 14, 1511-1535  Implications of the germline variants of DNA damage response genes detected by cancer precision medicine for radiological risk communication and cancer therapy decisions. 2021, 62, i44-i52  Opening of cohesin's SMC ring is essential for timely DNA replication and DNA loop formation. 2021, 35, 108999	3 4 2 5
237 236 235 234 233	Inhibition of Tumor Sphere Formation in Breast Cancer Cells. 2021, 22,  Identification and characterization of R2TP in the development of oral squamous cell carcinoma. 2021, 548, 161-166  Methanolic Fenugreek Seed Extract Induces p53-Dependent Mitotic Catastrophe in Breast Cancer Cells, Leading to Apoptosis. 2021, 14, 1511-1535  Implications of the germline variants of DNA damage response genes detected by cancer precision medicine for radiological risk communication and cancer therapy decisions. 2021, 62, i44-i52  Opening of cohesin's SMC ring is essential for timely DNA replication and DNA loop formation. 2021, 35, 108999  Cell Lysis Directed by SulA in Response to DNA Damage in. 2021, 22,	3 4 2 5

229	Acceleration or Brakes: Which Is Rational for Cell Cycle-Targeting Neuroblastoma Therapy?. <b>2021</b> , 11,		3
228	Dying to Survive-The p53 Paradox. <i>Cancers</i> , <b>2021</b> , 13,	6.6	3
227	Nerolidol, a Sesquiterpene from the Essential Oils of Aromatic Plants, Attenuates Doxorubicin-Induced Chronic Cardiotoxicity in Rats. <b>2021</b> , 69, 7334-7343		4
226	Nerolidol Attenuates Oxidative Stress, Inflammation, and Apoptosis by Modulating Nrf2/MAPK Signaling Pathways in Doxorubicin-Induced Acute Cardiotoxicity in Rats. <b>2021</b> , 10,		12
225	DNA-Dependent Protein Kinase Catalytic Subunit: The Sensor for DNA Double-Strand Breaks Structurally and Functionally Related to Ataxia Telangiectasia Mutated. <b>2021</b> , 12,		O
224	PRPF19 regulates p53-dependent cellular senescence by modulating alternative splicing of MDM4 mRNA. <b>2021</b> , 297, 100882		2
223	Loss of BCL-3 sensitises colorectal cancer cells to DNA damage, revealing a role for BCL-3 in double strand break repair by homologous recombination.		
222	Roles of ATM and ATR in DNA double strand breaks and replication stress. <i>Progress in Biophysics and Molecular Biology</i> , <b>2021</b> , 163, 109-119	4.7	3
221	Senolytics and senomorphics: Natural and synthetic therapeutics in the treatment of aging and chronic diseases. <b>2021</b> , 171, 169-190		20
220	Synergistic Interactions of Cannabidiol with Chemotherapeutic Drugs in MCF7 Cells: Mode of Interaction and Proteomics Analysis of Mechanisms. <b>2021</b> , 22,		5
219	Senescence-associated secretory phenotype and activation of NF-B in splenocytes of old mice exposed to irradiation at a young age. <b>2021</b> , 122, 104124		О
218	Viral targeting of glioblastoma stem cells with patient-specific genetic and post-translational p53 deregulations. <b>2021</b> , 36, 109673		Ο
217	The Balance between p53 Isoforms Modulates the Efficiency of HIV-1 Infection in Macrophages. <b>2021</b> , 95, e0118821		1
216	Sp1-dependent recruitment of the histone acetylase p300 to DSBs facilitates chromatin remodeling and recruitment of the NHEJ repair factor Ku70. <b>2021</b> , 105, 103171		1
215	From the Evasion of Degradation to Ubiquitin-Dependent Protein Stabilization. 2021, 10,		4
214	Cancer and the cell cycle. <b>1999</b> , 75, 166-172		7
213	miR-26a attenuates cardiac apoptosis and fibrosis by targeting ataxia-telangiectasia mutated in myocardial infarction. <b>2020</b> , 235, 6085-6102		20
212	Atm and cellular response to DNA damage. <b>2005</b> , 570, 457-76		20

# (2004-2006)

211	c-Myc, genome instability, and tumorigenesis: the devil is in the details. <b>2006</b> , 302, 169-203	50
210	Drug Resistance and the Tumor Suppressor p53: The Paradox of Wild-Type Genotype in Chemorefractory Cancers. <b>2009</b> , 209-231	2
209	The First Twenty-Five Years of p53 Research. <b>2007</b> , 1-25	4
208	20 Years of DNA Damage Signaling to p53. <b>2007</b> , 53-71	1
207	Gatekeepers of the Guardian: p53 Regulation by Post-Translational Modification, MDM2 and MDMX. <b>2007</b> , 73-113	4
206	p53 and Immunity. <b>2010</b> , 178-186	1
205	TP53 aberrations in chronic lymphocytic leukemia. <b>2013</b> , 792, 109-31	14
204	Neuronal survival and cell death signaling pathways. <b>2002</b> , 513, 41-86	40
203	Mechanisms of topoisomerase I inhibition by anticancer drugs. <b>2003</b> , 15-52	2
202	The Role of Genomic Instability in the Development of Human Cancer. 2002, 115-142	5
201	Regulation of p53 Activity and Associated Checkpoint Controls. <b>2010</b> , 171-188	1
200	Physiological functions of protein kinase inhibitors. <b>2000</b> , 89, 109-21	1
199	mTOR as a positive regulator of tumor cell responses to hypoxia. <b>2004</b> , 279, 299-319	60
198	ATM: from phenotype to functional genomicsand back. <b>2002</b> , 51-70	5
197	Chemical induced alterations in p53 signaling. <b>2009</b> , 99, 181-208	4
196	DNA Damage Sensing and Signaling. <b>2009</b> , 1-24	1
195	Phosphoinositides in chemotaxis. <b>2012</b> , 59, 217-54	20
194	Apoptosis in Cerebral Ischemia. <b>2004</b> , 855-866	2

193	DNA Damage Response Pathways and Cancer. <b>2008</b> , 139-152	3
192	The PIKK Family of Protein Kinases. <b>2003</b> , 557-561	5
191	Complexity of Stress Signaling and Responses. 2003, 179-184	2
190	Role of ATM in Radiation Signal Transduction. <b>2003</b> , 225-236	4
189	Rapamycin enhances lytic replication of Epstein-Barr virus in gastric carcinoma cells by increasing the transcriptional activities of immediate-early lytic promoters. <b>2018</b> , 244, 173-180	5
188	Do sunscreens increase or decrease melanoma risk: an epidemiologic evaluation. <b>1999</b> , 4, 97-100	55
187	PARP-1 modifies the effectiveness of p53-mediated DNA damage response.	1
186	p53 accumulates but is functionally impaired when DNA synthesis is blocked. <b>2001</b> , 98, 1036-41	75
185	Regulation of p53 stability and p53-dependent apoptosis by NADH quinone oxidoreductase 1. <b>2001</b> , 98, 1188-93	142
184	ATM-dependent expression of the insulin-like growth factor-I receptor in a pathway regulating radiation response. <b>2001</b> , 98, 1676-81	66
183	Differential requirement for p19ARF in the p53-dependent arrest induced by DNA damage, microtubule disruption, and ribonucleotide depletion. <b>2000</b> , 97, 3266-71	45
182	Abnormal development of Purkinje cells and lymphocytes in Atm mutant mice. <b>2000</b> , 97, 3336-41	100
181	The Aspergillus nidulans uvsB gene encodes an ATM-related kinase required for multiple facets of the DNA damage response. <b>2000</b> , 154, 1577-86	33
180	Identification and analysis of a hyperactive mutant form of Drosophila P-element transposase. <b>2002</b> , 162, 217-27	35
179	Modeling and measurement of signaling outcomes affecting decision making in noisy intracellular networks using machine learning methods. <b>2020</b> , 12, 122-138	1
178	Downregulation of both mismatch repair and non-homologous end-joining pathways in hypoxic brain tumour cell lines.	3
177	ATRIP protects progenitor cells against DNA damage in vivo.	1
176	Critical role for Atm in suppressing V(D)J recombination-driven thymic lymphoma. <b>1999</b> , 13, 1246-50	86

175	A role for ATR in the DNA damage-induced phosphorylation of p53. <b>1999</b> , 13, 152-7	779
174	Chk1 is an essential kinase that is regulated by Atr and required for the G2/M DNA damage checkpoint. <b>2000</b> , 14, 1448-1459	769
173	Hypersensitivity to DNA damage leads to increased apoptosis during early mouse development. <b>2000</b> , 14, 2072-2084	101
172	Chk2/hCds1 functions as a DNA damage checkpoint in G1 by stabilizing p53. <b>2000</b> , 14, 278-288	419
171	The human homologs of checkpoint kinases Chk1 and Cds1 (Chk2) phosphorylate p53 at multiple DNA damage-inducible sites. <b>2000</b> , 14, 289-300	470
170	BASC, a super complex of BRCA1-associated proteins involved in the recognition and repair of aberrant DNA structures. <b>2000</b> , 14, 927-939	565
169	Analysis of p53-regulated gene expression patterns using oligonucleotide arrays. <b>2000</b> , 14, 981-993	247
168	The end protection problem-an unexpected twist in the tail. <b>2021</b> , 35, 1-21	11
167	The transcriptional program following p53 activation. <b>2000</b> , 65, 475-82	26
166	Regulation of p53 after different forms of stress and at different cell cycle stages. <b>2000</b> , 65, 483-8	15
165	Genetic instability, oncogenes, and the p53 pathway. <b>2000</b> , 65, 511-20	7
164	ATM: sounding the double-strand break alarm. <b>2000</b> , 65, 527-33	15
163	Mitogen-Activated Protein Kinase Activation in UV-Induced Signal Transduction. 2003, 2003, re2-re2	23
162	TNF-alpha induces leukemic clonal evolution ex vivo in Fanconi anemia group C murine stem cells. <b>2007</b> , 117, 3283-95	111
161	Human parvovirus B19 causes cell cycle arrest of human erythroid progenitors via deregulation of the E2F family of transcription factors. <b>2010</b> , 120, 3530-44	55
160	Human glial chimeric mice reveal astrocytic dependence of JC virus infection. <b>2014</b> , 124, 5323-36	49
159	Non-Hodgkin's Lymphoma: Molecular Features of B Cell Lymphoma. <b>2000</b> , 2000, 180-204	3
158	Biochemical and Genetic Control of Apoptosis: Relevance to Normal Hematopoiesis and Hematological Malignancies. <b>1999</b> , 93, 3587-3600	7

157	Regulated Genomic Instability and Neoplasia in the Lymphoid Lineage. <b>1999</b> , 94, 3997-4010	3
156	Somatic ATM Mutations Indicate a Pathogenic Role of ATM in B-Cell Chronic Lymphocytic Leukemia. <b>1999</b> , 94, 748-753	4
155	ATM Is Upregulated During the Mitogenic Response in Peripheral Blood Mononuclear Cells. <b>1999</b> , 94, 1998-2006	5
154	Modulation of Cell Signal Transduction by Tea and Ginger. 2008,	1
153	Functions of BRCA1 and BRCA2 in the biological response to DNA damage. <b>2001</b> , 114, 3591-3598	137
152	Feedbacks, Bifurcations, and Cell Fate Decision-Making in the p53 System. <b>2016</b> , 12, e1004787	33
151	Critical involvement of the ATM-dependent DNA damage response in the apoptotic demise of HIV-1-elicited syncytia. <b>2008</b> , 3, e2458	32
150	Minichromosome maintenance 2 bound with retroviral Gp70 is localized to cytoplasm and enhances DNA-damage-induced apoptosis. <b>2012</b> , 7, e40129	14
149	An aqueous extract of Fagonia cretica induces DNA damage, cell cycle arrest and apoptosis in breast cancer cells via FOXO3a and p53 expression. <b>2012</b> , 7, e40152	60
148	p53 Dimers associate with a head-to-tail response element to repress cyclin B transcription. <b>2012</b> , 7, e42615	15
147	Deficiency of ataxia telangiectasia mutated kinase modulates cardiac remodeling following myocardial infarction: involvement in fibrosis and apoptosis. <b>2013</b> , 8, e83513	23
146	Cucurbitacin B induced ATM-mediated DNA damage causes G2/M cell cycle arrest in a ROS-dependent manner. <b>2014</b> , 9, e88140	53
145	Antitumor Activity of a 5-Hydroxy-1H-Pyrrol-2-(5H)-One-Based Synthetic Small Molecule In Vitro and In Vivo. <b>2015</b> , 10, e0128928	10
144	Avian Reovirus Protein p17 Functions as a Nucleoporin Tpr Suppressor Leading to Activation of p53, p21 and PTEN and Inactivation of PI3K/AKT/mTOR and ERK Signaling Pathways. <b>2015</b> , 10, e0133699	29
143	Circulating Serum miRNAs as Diagnostic Markers for Colorectal Cancer. <b>2016</b> , 11, e0154130	47
142	Suppression of Vimentin Phosphorylation by the Avian Reovirus p17 through Inhibition of CDK1 and Plk1 Impacting the G2/M Phase of the Cell Cycle. <b>2016</b> , 11, e0162356	20
141	Influence of Human p53 on Plant Development. <b>2016</b> , 11, e0162840	10
140	Ataxia-telangiectasia mutated kinase (ATM) as a central regulator of radiation-induced DNA damage response. <b>2010</b> , 53, 13-7	22

# (2010-2000)

139	Lack of correlation between DNA strand breakage and p53 protein levels in human fibroblast strains exposed to ultraviolet lights. <b>2000</b> , 72, 562-8	3
138	Cell Differentiation and Checkpoint. <b>2015</b> , 1,	3
137	Influence of DNA repair genes polymorphism on karyology of buccal epithelium cells in humans exposed to radon. <b>2014</b> , 12, 28	4
136	Inhibition of RNA polymerase I transcription initiation by CX-5461 activates non-canonical ATM/ATR signaling. <b>2016</b> , 7, 49800-49818	62
135	Low-dose Actinomycin-D treatment re-establishes the tumoursuppressive function of P53 in RELA-positive ependymoma. <b>2016</b> , 7, 61860-61873	22
134	Deficiency in p53 is required for doxorubicin induced transcriptional activation of NF-B target genes in human breast cancer. <b>2014</b> , 5, 196-210	29
133	The impacts of genetic polymorphisms in genes of base excision repair pathway on the efficacy and acute toxicities of (chemo)radiotherapy in patients with nasopharyngeal carcinoma. <b>2017</b> , 8, 78633-78641	15
132	Proteolytic systems and AMP-activated protein kinase are critical targets of acute myeloid leukemia therapeutic approaches. <b>2015</b> , 6, 31428-40	12
131	ATM protein is deficient in over 40% of lung adenocarcinomas. <b>2016</b> , 7, 57714-57725	26
130	Regulation of the Mdm2-p53 signaling axis in the DNA damage response and tumorigenesis. <b>2016</b> , 5, 707-724	30
129	Breaking the DNA Damage Response via Serine/Threonine Kinase Inhibitors to Improve Cancer Treatment. <b>2019</b> , 26, 1425-1445	6
128	Targeting the ubiquitin-mediated proteasome degradation of p53 for cancer therapy. <b>2013</b> , 19, 3248-62	40
127	The p53-estrogen receptor loop in cancer. <b>2013</b> , 13, 1229-40	50
126	The PIK3CA gene as a mutated target for cancer therapy. <b>2008</b> , 8, 733-40	29
125	The Role of Caspase-2 in Regulating Cell Fate. <b>2020</b> , 9,	19
124	ATM and ATR: sensing DNA damage. <b>2004</b> , 10, 155-60	92
123	Perspectives on the combination of radiotherapy and targeted therapy with DNA repair inhibitors in the treatment of pancreatic cancer. <b>2016</b> , 22, 7275-88	21
122	Role of Zataria multiflora Boiss. Essential oil in Regulation of MDM2 and ATM Genes Expression in Rat. <b>2010</b> , 9, 134-139	4

121	DNA double strand break repair via non-homologous end-joining. <b>2013</b> , 2, 130-143	323
120	The versatile functions of ATM kinase. <b>2014</b> , 37, 3-9	50
119	Deubiquitinating enzyme regulation of the p53 pathway: A lesson from Otub1. <b>2014</b> , 5, 75-84	29
118	The scaffold protein Nde1 safeguards the brain genome during S phase of early neural progenitor differentiation. <b>2014</b> , 3, e03297	26
117	Cell Death and Survival Pathways Involving ATM Protein Kinase. <b>2021</b> , 12,	1
116	Non-Hodgkin's Lymphoma: Molecular Features of B Cell Lymphoma. <b>2000</b> , 2000, 180-204	1
115	Cell Proliferation: From Signal Transduction to Cell Cycle. <b>2000</b> , 15-42	
114	Hereditfær Brust- und Eierstockkrebs. <b>2001</b> , 257-281	
113	ATR (Ataxia-Telangiectasia and RAD3-Related).	
112	References. <b>2003</b> , 170-236	
111	The p53 Pathway, Cancer and Aging. <b>2003</b> , 121-149	
110	Cellular resistance to DNA Topoisomerase I-targeting drugs. <b>2003</b> , 129-143	
109	Ataxia-Telangiectasia. 2003,	
108	Recognition of DNA Damage as the Initial Step of Eukaryotic Checkpoint Arrest. 2005,	1
107	Molecular Genetics of Lung and Pleural Neoplasms. 2008, 47-157	1
106	A Model for p53 Dynamics Triggered by DNA Damage. <b>2008</b> , 1, 61	
105	Radiation Induced DNA Damage Checkpoints. <b>2008</b> , 267-284	
104	p53 Tumor Suppressor Opens Gateways for Cancer Therapy. <b>2008</b> ,	

An Oncogene-Induced DNA Replication Stress Model for Cancer Development. 2009, 47-63 103 DNA Damage Response and the Balance Between Cell Survival and Cell Death. 2010, 95-108 102 Chromatin Modifications and Orchestration of Checkpoint Response in Cancer. 2010, 83-93 101 Role of Jun dimerization protein 2 (JDP2) in cellular senescence. 2010, 30, 507-519 100 Signaling Cascades in Heart Failure: From Cardiomyocytes Growth and Survival to Mitochondrial 99 Signaling Pathways. 2010, 131-160 98 The p53-Mdm2 Loop: A Critical Juncture of Stress Response. 2010, 65-84 Vitamin D and Its Role in Photoprotection of the Skin. 2012, 165-184 97 Black Tea and Prevention of Cigarette Smoke-Induced Lung Damage. 2013, 641-650 96 Cutaneous Squamous Cell Carcinoma: Focus on Biochemical and Molecular Characteristics. 2014, 29-57 95 The Impact of DNA Damage on Epithelial Cell Maintenance of the Lung. 2014, 141-159 94 DNA Damage Response Pathways and Cancer. 2014, 142-153.e3 93 1 ATM and lymphoid malignancies; use of oriented peptide libraries to identify novel substrates of 92 ATM critical in downstream signaling pathways. 1999, 246, 267-73; discussion 274 Stress factor – dependent differences in molecular mechanisms of premature cell 91 1 senescence. 2015, 31, 323-337 The Dichotomous Effects of Caffeine on Homologous Recombination in Mammalian Cells. 90 Activation of DNA Damage Signaling Components by Diagnostic Computed Tomography (CT) Scans 89 Detected in Patient Samples Using an Electrochemiluminescence-Based Assay Platform. 2017, 08, 228-247 H2AFX and MDC1 Protect Genomic Integrity in Male Germ Cells by Promoting Recombination and 88 Activation of the Recombination-Dependent Checkpoint. NEK10 tyrosine phosphorylates p53 and controls its transcriptional activity. 87 A Primer on Modeling and Measurement of Signaling Outcomes Affecting Decision Making in Cells: 86 Methods for Determining Optimal and Incorrect Outcomes in Noisy Biochemical Dynamics.

85	ATM Kinase Dead: From Ataxia Telangiectasia Syndrome to Cancer. Cancers, 2021, 13,	6.6 1	
84	Integrating SNPs-based genetic risk factor with blood epigenomic response of differentially arsenic-exposed rural subjects reveals disease-associated signaling pathways. <b>2022</b> , 292, 118279	4	
83	ATM and ATR checkpoint kinase pathways: A concise review. <b>2020</b> , 10, 51	О	
82	Banp regulates DNA damage response and chromosome segregation during the cell cycle in zebrafish retina.		
81	The p53 family member p73 in the regulation of cell stress response. <b>2021</b> , 16, 23	7	
80	Posttranslational Modifications of p53: Upstream Signaling Pathways. <b>2005</b> , 95-114		
79	Is Ataxia Telangiectasia a Result of Impaired Coordination between DNA Repair and Cell Cycle Checkpoint Regulators?. <b>2006</b> , 82-97		
78	Acute Side Effects of Radiotherapy in Breast Cancer Patients: Role of DNA-Repair and Cell Cycle Control Genes. <b>2008</b> , 507-528		
77	Aberrations of DNA Damage in Checkpoints in Cancer. <b>2007</b> , 119-136		
76	Overview of the DNA Damage Checkpoint. <b>2007</b> , 193-221		
75	Topoisomerase I Poisons and Apoptotic Topoisomerase I-DNA Complexes. 2007, 383-406		
74	Targeting ATM/ATR in the DNA Damage Checkpoint. 2008, 93-116		
73	Lung cancer drug resistance and DNA damage signaling. <b>2005</b> , 2, 381-386		
72	Selective induction of E2F1 in response to DNA damage, mediated by ATM-dependent phosphorylation. <b>2001</b> , 15, 1833-44	314	
71	Chk2/hCds1 functions as a DNA damage checkpoint in G(1) by stabilizing p53. <b>2000</b> , 14, 278-88	532	
70	The human homologs of checkpoint kinases Chk1 and Cds1 (Chk2) phosphorylate p53 at multiple DNA damage-inducible sites. <b>2000</b> , 14, 289-300	616	
69	Analysis of p53-regulated gene expression patterns using oligonucleotide arrays. <b>2000</b> , 14, 981-93	299	
68	BASC, a super complex of BRCA1-associated proteins involved in the recognition and repair of aberrant DNA structures. <b>2000</b> , 14, 927-39	760	

### (2022-2000)

67	Chk1 is an essential kinase that is regulated by Atr and required for the G(2)/M DNA damage checkpoint. <b>2000</b> , 14, 1448-59	966
66	Hypersensitivity to DNA damage leads to increased apoptosis during early mouse development. <b>2000</b> , 14, 2072-84	134
65	Novel phosphorylation sites of human tumour suppressor protein p53 at Ser20 and Thr18 that disrupt the binding of mdm2 (mouse double minute 2) protein are modified in human cancers. <b>1999</b> , 342 ( Pt 1), 133-41	41
64	Strategies for manipulating the p53 pathway in the treatment of human cancer. <b>2000</b> , 352 Pt 1, 1-17	28
63	Mdm2: the ups and downs. <b>1999</b> , 5, 71-83	46
62	Ataxia-Telangiectasia Mutated Kinase: Role in Myocardial Remodeling. <b>2017</b> , 2, 32-37	3
61	Elp1 facilitates RAD51-mediated homologous recombination repair via translational regulation. <b>2021</b> , 28, 81	1
60	Bioactivity of PEGylated Graphene Oxide Nanoparticles Combined with Near-Infrared Laser Irradiation Studied in Colorectal Carcinoma Cells. <b>2021</b> , 11,	2
59	Nature of spontaneously arising single base substitutions in normal cells. <b>2021</b> , 2, 339	
58	atm -/- Strain 2. <b>2001</b> , 2001,	
57	atm -/- Strain 1. <b>2001</b> , 2001,	
56	atm -/- Strain 3. <b>2001</b> , 2001,	
55	Influence of Hypoxia on Radiosensitization of Cancer Cells by 5-Bromo-2'-deoxyuridine 2022, 23,	0
54	Low-dose but not high-dose Dirradiation elicits the dominant-negative effect of mutant p53 in vivo <b>2022</b> ,	1
53	p53 oligomerization status as an indicator of sensitivity of p53-wildtype neuroblastomas to the combination of DNA damaging agent and Chk1 inhibitor <b>2022</b> , 17, e0263463	1
52	Antitumor Effects of Natural Bioactive Ursolic Acid in Embryonic Cancer Stem Cells <b>2022</b> , 2022, 6737248	O
51	Soft Tissue Sarcoma Study: Association of Genetic Alterations in the Apoptosis Pathways with Chemoresistance to Doxorubicin <i>Cancers</i> , <b>2022</b> , 14,	О
50	Protein post-translational modifications in the regulation of cancer hallmarks <b>2022</b> ,	3

49	Phospho-SIM and exon8b of PML protein regulate formation of doxorubicin-induced rDNA-PML compartment <b>2022</b> , 114, 103319		О
48	Functional analysis of ATM variants in a high risk cohort provides insight into missing heritability <b>2022</b> , 264-265, 40-49		
47	MDM2-Driven Ubiquitination Rapidly Removes p53 from Its Cognate Promoters <b>2021</b> , 12,		О
46	Oscillatory dynamics of p53 pathway in etoposide sensitive and resistant cell lines. <b>2022</b> , 30, 2075-210	8	
45	Development and Evolution of DNA-Dependent Protein Kinase Inhibitors toward Cancer Therapy <b>2022</b> , 23,		2
44	The First Twenty-Five Years of p53 Research. <b>2007</b> , 1-25		
43	20 Years of DNA Damage Signaling to p53. <b>2007</b> , 53-71		
42	Gatekeepers of the Guardian: p53 Regulation by Post-Translational Modification, MDM2 and MDMX. <b>2007</b> , 73-113		
41	Table_1.XLSX. <b>2020</b> ,		
40	A distinctive requirement for p53 in the genome protective Topoisomerase 2a-dependent G2 arrest in hTERT positive cancer cells <b>2022</b> ,		O
39	Therapeutics Targeting p53-MDM2 Interaction to Induce Cancer Cell Death 2022, 23,		1
38	The role of p53 in the DNA damage-related ubiquitylation of S2P RNAPII <b>2022</b> , 17, e0267615		
37	Mdm2 in the Response to Radiation. <i>Molecular Cancer Research</i> , <b>2004</b> , 2, 9-19	6.6	46
36	E2F1 Uses the ATM Signaling Pathway to Induce p53 and Chk2 Phosphorylation and Apoptosis. <i>Molecular Cancer Research</i> , <b>2004</b> , 2, 203-214	6.6	96
35	Chromatin Association of Rad17 Is Required for an Ataxia Telangiectasia and Rad-Related Kinase-Mediated S-Phase Checkpoint in Response to Low-Dose Ultraviolet Radiation. <i>Molecular Cancer Research</i> , <b>2004</b> , 2, 362-369	6.6	22
34	Activation of p53 in anoxic freshwater crayfish, Faxonius virilis <i>Journal of Experimental Biology</i> , <b>2022</b> ,	3	
33	Unveiling the Molecular Mechanisms Driving the Capsaicin-Induced Immunomodulatory Effects on PD-L1 Expression in Bladder and Renal Cancer Cell Lines. <i>Cancers</i> , <b>2022</b> , 14, 2644	6.6	0
32	Tumor Suppressor p53 Regulates Heat Shock Factor 1 Protein Degradation in Huntington's Disease. SSRN Electronic Journal,	1	

31 Reactive Oxygen Species and Cancer Stem Cells. **2022**, 1-35

30	A common pathway to cancer: Oncogenic mutations abolish p53 oscillations. <i>Progress in Biophysics and Molecular Biology</i> , <b>2022</b> ,	4.7	
29	ATM rules neurodevelopment and glutamatergic transmission in the hippocampus but not in the cortex. <i>Cell Death and Disease</i> , <b>2022</b> , 13,	9.8	
28	Co-inhibition of ATM and ROCK synergistically improves cell proliferation in replicative senescence by activating FOXM1 and E2F1. <i>Communications Biology</i> , <b>2022</b> , 5,	6.7	O
27	ATAXIA-TELANGIECTASIA. Radiologic Clinics of North America, 2000, 20, 177-206	2.3	
26	CHK1 and CHK2 are differentially involved in mismatch repairthediated 6-thioguanine-induced cell cycle checkpoint responses. <i>Molecular Cancer Therapeutics</i> , <b>2004</b> , 3, 1147-1157	6.1	11
25	Mitotic SENP3 activation couples with cGAS signaling in tumor cells to stimulate anti-tumor immunity. <i>Cell Death and Disease</i> , <b>2022</b> , 13,	9.8	
24	Topoisomerase poisons differentially activate DNA damage checkpoints through ataxia-telangiectasia mutateddependent and Independent mechanisms. <b>2004</b> , 3, 621-632		15
23	p53 Tumor Suppressor: Functional Regulation and Role in Gene Therapy.		
22	p53-dependent DNA repair during the DNA damage response requires actin nucleation by JMY.		
21	Banp regulates DNA damage response and chromosome segregation during the cell cycle in zebrafish retina. 11,		О
20	Mechanism of apoptosis activation by Curcumin rescued mutant p53Y220C in human pancreatic cancer. <b>2022</b> , 1869, 119343		1
19	Reactive Oxygen Species and Cancer Stem Cells:[Molecular Interactions and Their Implications in Cancer. <b>2022</b> , 2227-2268		0
18	Reactive Oxygen Species and Cancer Stem Cells:[Molecular Interactions and Their Implications in Cancer. <b>2022</b> , 1-42		Ο
17	Cellular Senescence is Increased in Airway Smooth Muscle Cells of Elderly Asthmatics.		1
16	Aneuploidy triggers autophagy and p53-mediated apoptosis and impairs second lineage segregation in human preimplantation embryos.		Ο
15	A comprehensive study of p53 protein.		0
14	DNA damage response revisited: the p53 family and its regulators provide endless cancer therapy opportunities.		1

13	Live-Cell Tracking of I-H2AX Kinetics Reveals the Distinct Modes of ATM and DNA-PK in Immediate Response to DNA Damage.	О
12	Minor Kinases with Major Roles in Cytokinesis Regulation. <b>2022</b> , 11, 3639	O
11	Ginsenoside Rh2 sensitizes the anti-cancer effects of sunitinib by inducing cell cycle arrest in renal cell carcinoma. <b>2022</b> , 12,	O
10	p53 as a potential target for treatment of cancer: A perspective on recent advancements in small molecules with structural insights and SAR studies. <b>2023</b> , 247, 115020	O
9	Recent advances in ATM inhibitors as potential therapeutic agents.	0
8	Interplay of p53 and XIAP protein dynamics orchestrates cell fate in response to chemotherapy.	O
7	Effects of the Omega-3 Fatty Acid DHA on histone and p53 acetylation in Diffuse Large B-Cell Lymphoma.	О
6	ATM suppresses c-Myc overexpression in the mammary epithelium in response to estrogen. <b>2023</b> , 42, 111909	O
5	Selective ATM inhibition augments radiation-induced inflammatory signaling and cancer cell death.	1
4	Glyoxal-derived advanced glycation end-products, NE arboxymethyl-lysine, and glyoxal-derived lysine dimer induce apoptosis-related gene expression in hepatocytes.	O
3	Estrogen Receptor-positive Breast Cancer Cells are Sensitized by Piperine to Chemo/Radio Therapy through Lowering the expression of a NHEJ repair protein DNA-PK.	O
2	Proteogenomics of diffuse gliomas reveal molecular subtypes associated with specific therapeutic targets and immune-evasion mechanisms. <b>2023</b> , 14,	O
1	Asperolide A induces apoptosis and cell cycle arrest of human hepatoma cells with p53-Y220C mutant through p38 mediating phosphorylation of p53 (S33). <b>2023</b> , 9, e13843	0